

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2013-02-28 13:00	7			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	1.86	7.80
2013-02-28 13:00	8			3.73	6.00			1.77	1.80	20.50	20.50	0.00	0.00	1.14	2.20
2013-02-28 14:00	7			2.02	4.00			0.00	0.00	20.97	21.30	0.00	0.00	1.35	3.80
2013-02-28 14:00	8			3.22	5.00			0.00	0.00	20.78	20.90	0.00	0.00	0.98	2.90
2013-02-28 15:00	7			2.04	4.00			0.00	0.00	21.33	21.40	0.00	0.00	2.92	6.80
2013-02-28 15:00	8			4.21	6.00			0.00	0.00	21.42	21.60	0.00	0.00	1.71	3.70
2013-02-28 16:00	7			1.99	4.00			0.00	0.00	21.16	21.30	0.00	0.00	3.69	5.80
2013-02-28 16:00	8			4.04	7.00			0.00	0.00	21.64	21.80	0.00	0.00	1.82	4.50
2013-02-28 16:00	12	2.32	4.90	1.83	19.00			0.01	3.40	20.88	20.90			0.12	4.50
2013-02-28 17:00	7			1.93	2.00			0.00	0.00	20.90	21.20	0.00	0.00	4.15	6.80
2013-02-28 17:00	8			3.95	6.00			0.00	0.00	21.87	22.20	0.00	0.00	1.71	3.70
2013-02-28 17:00	12	1.32	3.00	3.07	24.00			0.00	0.00	21.31	21.50			0.00	0.00
2013-02-28 18:00	7			1.95	3.00			0.00	0.00	20.90	20.90	0.00	0.00	4.15	7.80
2013-02-28 18:00	8			4.00	7.00			0.00	0.00	22.02	22.60	0.00	0.00	1.60	4.50
2013-02-28 18:00	12	0.44	1.50	2.81	21.00			0.00	0.00	21.52	29.10			0.00	0.00
2013-02-28 19:00	7			1.98	4.00			0.00	0.00	20.90	20.90	0.00	0.00	4.25	8.80
2013-02-28 19:00	8			3.98	6.00			0.00	0.00	22.08	22.50	0.00	0.00	1.57	4.50
2013-02-28 19:00	12	0.07	1.00	2.85	34.00			0.00	0.00	22.00	30.00			0.00	0.00
2013-02-28 20:00	7			1.95	4.00			0.00	0.00	20.90	20.90	0.00	0.00	4.50	9.70
2013-02-28 20:00	8			3.96	6.00			0.00	0.00	22.10	22.20	0.00	0.00	1.42	3.70
2013-02-28 20:00	12	0.02	0.60	2.90	20.00			0.00	0.00	21.23	30.00			0.00	0.00
2013-02-28 21:00	7			1.71	3.00			0.00	0.00	20.90	20.90	0.00	0.00	4.40	10.70
2013-02-28 21:00	8			3.98	6.00			0.00	0.00	22.11	22.40	0.00	0.00	1.31	3.70
2013-02-28 21:00	12	0.00	0.40	2.86	20.00			0.00	0.00	21.10	21.10			0.00	0.00
2013-02-28 22:00	7			1.85	3.00			0.00	0.00	20.90	20.90	0.00	0.00	4.20	10.70
2013-02-28 22:00	8			3.90	6.00			0.00	0.00	22.12	22.30	0.00	0.00	1.26	2.90
2013-02-28 22:00	12	0.00	0.20	3.09	32.00			0.00	0.00	21.10	21.10			0.00	0.00
2013-03-01 13:00	7			1.36	2.00			0.00	0.00	20.90	20.90	0.00	0.00	3.76	6.80
2013-03-01 13:00	8			4.13	6.00			0.00	0.00	22.23	22.30	0.00	0.00	0.90	3.70
2013-03-01 13:00	12	0.00	0.10	3.19	20.00			0.00	0.00	20.90	20.90			0.00	0.00
2013-03-01 13:00	13			0.24	3.00	0.00	0.00	0.00	0.00	20.59	20.90	0.00	0.00	1.25	1.40
2013-03-01 14:00	7			1.31	3.00			0.00	0.00	20.90	20.90	0.00	0.00	3.65	5.80

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2013-03-01 14:00	8			4.08	6.00			0.00	0.00	22.23	22.40	0.00	0.00	1.01	3.70
2013-03-01 14:00	12	0.00	0.10	3.39	22.00			0.00	0.00	20.90	20.90			0.00	0.00
2013-03-01 14:00	13			0.18	2.00	0.00	0.00	0.00	0.00	20.58	20.90	0.00	0.00	1.06	1.40
2013-03-01 15:00	7			1.52	3.00			0.00	0.00	20.90	20.90	0.00	0.00	3.48	5.80
2013-03-01 15:00	8			4.08	6.00			0.00	0.00	22.22	22.40	0.00	0.00	0.91	3.00
2013-03-01 15:00	12	0.00	0.10	3.37	23.00			0.00	0.00	20.90	20.90			0.00	0.00
2013-03-01 15:00	13			0.28	2.00	0.00	0.00	0.00	0.00	20.63	20.70	0.00	0.00	0.97	1.40
2013-03-01 16:00	7			1.53	3.00			0.00	0.00	20.90	20.90	0.00	0.00	3.85	7.80
2013-03-01 16:00	8			4.09	8.00			0.00	0.00	22.22	22.50	0.00	0.00	0.88	2.90
2013-03-01 16:00	12	0.00	0.10	3.27	19.00			0.00	0.00	20.90	20.90			0.00	0.00
2013-03-01 16:00	13			0.26	2.00	0.00	0.00	0.00	0.00	20.89	20.90	0.00	0.00	1.05	1.40
2013-03-01 17:00	7			1.23	3.00			0.00	0.00	20.90	20.90	0.00	0.00	4.26	11.70
2013-03-01 17:00	8			4.13	7.00			0.00	0.00	22.16	22.30	0.00	0.00	0.93	2.90
2013-03-01 17:00	12	0.00	0.10	3.43	35.00			0.00	0.00	20.90	20.90			0.00	0.00
2013-03-01 17:00	13			0.24	3.00	0.00	0.00	0.00	0.00	20.63	21.50	0.00	0.00	1.18	1.60
2013-03-01 18:00	7			1.42	4.00			0.00	0.00	20.90	20.90	0.00	0.00	4.56	11.70
2013-03-01 18:00	8			4.07	7.00			0.00	0.00	22.14	22.30	0.00	0.00	1.01	3.00
2013-03-01 18:00	12	0.00	0.10	3.34	20.00			0.00	0.00	22.42	28.50			0.00	0.00
2013-03-01 18:00	13			0.37	2.00	0.00	0.00	0.00	0.00	20.61	20.90	0.00	0.00	1.30	1.40
2013-03-01 19:00	7			1.34	3.00			0.00	0.00	20.90	20.90	0.00	0.10	4.94	10.70
2013-03-01 19:00	8			4.01	6.00			0.00	0.00	22.18	22.30	0.00	0.00	1.01	2.90
2013-03-01 19:00	12	0.00	0.20	3.34	18.00			0.00	0.00	21.07	21.10			0.00	0.00
2013-03-01 19:00	13			0.19	2.00	0.00	0.00	0.00	0.00	20.60	20.70	0.00	0.00	1.31	1.60
2013-03-01 20:00	7			1.11	4.00			0.00	0.00	20.90	20.90	0.00	0.00	4.33	8.80
2013-03-01 20:00	8			4.03	6.00			0.00	0.00	22.19	22.30	0.00	0.00	1.03	3.00
2013-03-01 20:00	12	0.00	0.00	3.28	22.00			0.00	0.00	20.90	20.90			0.00	0.00
2013-03-01 20:00	13			0.26	2.00	0.00	0.00	0.00	0.00	20.59	20.70	0.00	0.00	1.34	1.60
2013-03-01 21:00	7			1.15	4.00			0.00	0.00	20.90	20.90	0.00	0.00	4.42	7.80
2013-03-01 21:00	8			4.03	7.00			0.00	0.00	22.13	22.30	0.00	0.00	1.04	3.00
2013-03-01 21:00	12	0.00	0.10	3.75	20.00			0.00	0.00	20.90	20.90			0.00	0.00
2013-03-01 21:00	13			0.27	2.00	0.00	0.00	0.00	0.00	20.56	20.70	0.00	0.00	1.36	1.60
2013-03-01 22:00	7			1.24	3.00			0.00	0.00	20.90	20.90	0.00	0.00	4.44	7.80

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2013-03-01 22:00	8			4.02	6.00			0.00	0.00	22.11	22.60	0.00	0.00	1.05	3.70
2013-03-01 22:00	12	0.00	0.10	3.35	33.00			0.00	0.00	20.90	20.90			0.00	0.00
2013-03-01 22:00	13			0.17	2.00	0.00	0.00	0.00	0.00	20.55	20.70	0.00	0.00	1.36	1.60
2013-03-01 23:00	7			1.20	3.00			0.00	0.00	20.90	20.90	0.00	0.00	4.37	7.80
2013-03-01 23:00	8			4.07	7.00			0.00	0.00	22.10	22.20	0.00	0.00	1.32	4.50
2013-03-01 23:00	12	0.00	0.30	3.38	21.00			0.00	0.00	20.90	20.90			0.00	0.00
2013-03-01 23:00	13			0.32	2.00	0.00	0.00	0.00	0.00	20.55	20.90	0.00	0.00	1.37	1.60
2013-03-02 00:00	7			1.19	3.00			0.00	0.00	20.90	20.90	0.00	0.10	4.47	7.80
2013-03-02 00:00	8			4.03	6.00			0.00	0.00	22.10	22.30	0.00	0.00	1.22	4.50
2013-03-02 00:00	12	0.00	0.10	3.39	29.00			0.00	0.00	20.90	20.90			0.00	0.00
2013-03-02 00:00	13			0.37	2.00	0.00	0.00	0.00	0.00	20.56	20.70	0.00	0.00	1.37	1.60
2013-03-02 01:00	7			1.25	4.00			0.00	0.00	20.90	20.90	0.00	0.10	4.48	6.80
2013-03-02 01:00	8			4.11	6.00			0.00	0.00	22.12	22.30	0.00	0.00	1.11	3.70
2013-03-02 01:00	12	0.00	0.10	3.32	23.00			0.00	0.00	20.90	20.90			0.00	0.00
2013-03-02 01:00	13			0.14	3.00	0.00	0.00	0.00	0.00	20.58	20.60	0.00	0.00	1.36	1.80
2013-03-02 02:00	7			1.20	4.00			0.00	0.00	20.90	20.90	0.00	0.10	4.39	6.80
2013-03-02 02:00	8			4.08	7.00			0.00	0.00	22.11	22.60	0.00	0.00	1.03	3.70
2013-03-02 02:00	12	0.00	0.10	3.26	20.00			0.00	0.00	20.90	20.90			0.00	0.00
2013-03-02 02:00	13			0.18	2.00	0.00	0.00	0.00	0.00	20.59	20.90	0.00	0.00	1.37	1.80
2013-03-02 03:00	7			1.02	3.00			0.00	0.00	20.90	20.90	0.00	0.00	4.64	7.80
2013-03-02 03:00	8			4.08	6.00			0.00	0.00	22.11	22.20	0.00	0.00	1.08	2.90
2013-03-02 03:00	12	0.00	0.00	3.55	19.00			0.00	0.00	20.90	20.90			0.00	0.00
2013-03-02 03:00	13			0.18	2.00	0.00	0.00	0.00	0.00	20.63	20.90	0.00	0.00	1.38	1.80
2013-03-04 14:00	7														
2013-03-04 14:00	8														
2013-03-04 14:00	13											0.00	0.00		
2013-03-05 10:00	7			2.90	3.00			0.00	0.00	20.90	20.90	0.00	0.00	3.61	6.80
2013-03-05 10:00	13			2.00	2.00	0.00	0.00	0.00	0.00	20.67	20.90	0.00	0.00	1.11	1.40
2013-03-05 11:00	7			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	4.02	5.80
2013-03-05 11:00	8			4.14	7.00			0.00	0.00	21.53	21.80	0.00	0.00	0.57	2.20
2013-03-05 11:00	12	0.00	0.00	3.51	26.00			0.00	0.00	21.03	21.20			0.00	0.00
2013-03-05 11:00	13			1.29	3.00	0.00	0.00	0.00	0.00	20.62	20.90	0.00	0.00	0.90	1.40

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2013-03-05 12:00	7														
2013-03-05 12:00	8			4.22	7.00			0.00	0.00	21.52	22.10	0.00	0.00	0.61	2.20
2013-03-05 12:00	12	0.00	0.00	4.02	17.00			0.00	0.00	20.90	20.90			0.00	0.00
2013-03-05 12:00	13			0.58	2.00	0.00	0.10	0.00	0.00	20.51	20.90	0.00	0.00	0.77	1.40
2013-03-05 13:00	7			1.73	3.00			0.00	0.00	20.90	20.90	0.00	0.00	3.25	5.80
2013-03-05 13:00	8			4.15	7.00			0.00	0.00	21.55	21.90	0.00	0.00	0.64	2.90
2013-03-05 13:00	12	0.00	0.00	4.16	21.00			0.00	0.00	20.90	20.90			0.00	0.00
2013-03-05 13:00	13			0.86	1.00	0.00	0.00	0.00	0.00	20.90	20.90	0.00	0.00	0.59	0.90
2013-03-05 14:00	7			1.75	4.00			0.00	0.00	20.90	20.90	0.00	0.00	3.24	5.80
2013-03-05 14:00	8			4.09	7.00			0.00	0.00	21.60	21.70	0.00	0.00	0.61	2.20
2013-03-05 14:00	12	0.00	0.10	3.70	21.00			0.00	0.00	21.15	21.30			0.00	0.00
2013-03-05 14:00	13			0.95	3.00	0.00	0.00	0.00	0.00	20.86	20.90	0.00	0.00	0.76	1.40
2013-03-05 15:00	7			1.87	3.00			0.00	0.00	20.90	20.90	0.00	0.00	3.58	8.80
2013-03-05 15:00	8			4.16	7.00			0.00	0.00	21.61	21.70	0.00	0.00	0.63	2.20
2013-03-05 15:00	12	0.00	0.10	3.59	33.00			0.00	0.00	21.18	21.30			0.00	0.00
2013-03-05 15:00	13			0.65	3.00	0.00	0.00	0.00	0.00	20.78	20.90	0.00	0.00	0.81	1.40
2013-03-05 16:00	7			1.86	4.00			0.00	0.00	20.90	20.90	0.00	0.00	3.52	8.80
2013-03-05 16:00	8			4.14	7.00			0.00	0.00	21.54	21.70	0.00	0.00	0.60	2.90
2013-03-05 16:00	12	0.00	0.40	3.80	20.00			0.00	0.00	21.18	21.20			0.00	0.00
2013-03-05 16:00	13			0.78	3.00	0.00	0.00	0.00	0.00	20.68	20.90	0.00	0.00	0.82	1.40
2013-03-05 17:00	7			1.99	2.00			0.00	0.00	20.90	20.90	0.00	0.00	3.74	8.80
2013-03-05 17:00	8			4.27	7.00			0.00	0.00	21.52	21.60	0.00	0.00	0.63	2.90
2013-03-05 17:00	12	0.00	0.10	3.96	23.00			0.00	0.00	21.13	21.20			0.00	0.00
2013-03-05 17:00	13			0.96	3.00	0.00	0.00	0.00	0.00	20.63	21.20	0.00	0.00	0.84	1.40
2013-03-05 18:00	7			1.94	4.00			0.00	0.00	20.90	20.90	0.00	0.10	4.68	11.70
2013-03-05 18:00	8			4.22	8.00			0.00	0.00	21.53	21.60	0.00	0.00	0.69	2.90
2013-03-05 18:00	12	0.00	0.10	3.82	23.00			0.00	0.00	21.11	21.50			0.00	0.00
2013-03-05 18:00	13			0.81	2.00	0.00	0.00	0.00	0.00	20.64	20.90	0.00	0.00	0.88	1.40
2013-03-05 19:00	7			1.96	2.00			0.00	0.00	20.90	20.90	0.00	0.00	4.37	11.70
2013-03-05 19:00	8			4.15	8.00			0.00	0.00	21.53	21.60	0.00	0.00	0.73	2.90
2013-03-05 19:00	12	0.00	0.10	3.76	22.00			0.00	0.00	20.92	21.10			0.00	0.00
2013-03-05 19:00	13			0.73	3.00	0.00	0.00	0.00	0.00	20.70	20.90	0.00	0.00	0.93	1.40

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2013-03-05 20:00	7			1.76	3.00			0.00	0.00	20.90	20.90	0.00	0.00	4.56	11.70
2013-03-05 20:00	8			4.31	10.00			0.00	0.00	21.53	21.60	0.00	0.00	0.77	3.00
2013-03-05 20:00	12	0.00	0.10	3.77	23.00			0.00	0.00	20.90	20.90			0.00	0.00
2013-03-05 20:00	13			0.90	3.00	0.00	0.00	0.00	0.00	20.73	21.10	0.00	0.00	0.99	1.40
2013-03-05 21:00	7			1.72	3.00			0.00	0.00	20.90	20.90	0.00	0.00	3.86	8.80
2013-03-05 21:00	8			4.21	13.00			0.00	0.00	21.53	21.60	0.00	0.00	0.73	2.90
2013-03-05 21:00	12	0.00	0.10	3.86	20.00			0.00	0.00	20.90	20.90			0.00	0.00
2013-03-05 21:00	13			0.90	3.00	0.00	0.00	0.00	0.00	20.68	20.90	0.00	0.00	0.99	1.40
2013-03-05 22:00	7			1.73	4.00			0.00	0.00	20.90	20.90	0.00	0.10	3.67	8.80
2013-03-05 22:00	8			4.21	7.00			0.00	0.00	21.54	22.00	0.00	0.00	0.71	3.00
2013-03-05 22:00	12	0.00	0.00	3.55	20.00			0.00	0.00	20.90	20.90			0.00	0.00
2013-03-05 22:00	13			0.72	3.00	0.00	0.00	0.00	0.00	20.66	21.20	0.00	0.00	0.99	1.40
2013-03-05 23:00	7			1.64	4.00			0.00	0.00	20.90	20.90	0.00	0.00	4.50	11.70
2013-03-05 23:00	8			4.13	8.00			0.00	0.00	21.54	22.00	0.00	0.00	0.69	2.90
2013-03-05 23:00	12	0.00	0.10	3.65	20.00			0.00	0.00	20.90	20.90			0.00	0.00
2013-03-05 23:00	13			0.71	3.00	0.00	0.00	0.00	0.00	20.79	20.90	0.00	0.00	1.02	1.40
2013-03-06 00:00	7			1.18	4.00			0.00	0.00	20.90	20.90	0.00	0.10	4.83	11.70
2013-03-06 00:00	8			4.09	7.00			0.00	0.00	21.53	22.00	0.00	0.00	0.77	3.70
2013-03-06 00:00	12	0.00	0.10	3.55	25.00			0.00	0.00	20.90	20.90			0.00	0.00
2013-03-06 00:00	13			0.48	2.00	0.00	0.00	0.00	0.00	20.68	22.20	0.00	0.00	1.08	1.40
2013-03-06 01:00	7			1.22	4.00			0.00	0.00	20.90	20.90	0.00	0.00	4.82	11.70
2013-03-06 01:00	8			4.04	8.00			0.00	0.00	21.53	22.20	0.00	0.00	0.74	2.90
2013-03-06 01:00	12	0.00	0.10	3.32	23.00			0.00	0.00	20.90	20.90			0.00	0.00
2013-03-06 01:00	13			0.31	3.00	0.00	0.00	0.00	0.00	20.73	20.90	0.00	0.00	1.12	1.40
2013-03-06 02:00	7			1.28	4.00			0.00	0.00	20.90	20.90	0.00	0.10	4.73	11.70
2013-03-06 02:00	8			4.04	6.00			0.00	0.00	21.53	22.50	0.00	0.00	0.70	2.90
2013-03-06 02:00	12	0.00	0.30	3.44	29.00			0.00	0.00	20.90	20.90			0.00	0.00
2013-03-06 02:00	13			0.14	4.00	0.00	0.00	0.00	0.00	20.61	20.90	0.00	0.00	1.14	1.40
2013-03-06 03:00	7			1.19	3.00			0.00	0.00	20.90	20.90	0.00	0.00	4.64	11.70
2013-03-06 03:00	8			4.08	7.00			0.00	0.00	21.54	22.00	0.00	0.00	0.67	2.90
2013-03-06 03:00	12	0.00	0.10	3.33	20.00			0.00	0.00	20.90	20.90			0.00	0.00
2013-03-06 03:00	13			0.33	2.00	0.00	0.00	0.00	0.00	20.67	20.90	0.00	0.00	1.14	1.40

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2013-03-06 04:00	7			1.30	4.00			0.00	0.00	20.90	20.90	0.00	0.00	4.21	11.70
2013-03-06 04:00	8			4.01	6.00			0.00	0.00	21.53	21.60	0.00	0.00	0.68	2.90
2013-03-06 04:00	12	0.00	0.00	3.19	20.00			0.00	0.00	20.90	20.90			0.00	0.00
2013-03-06 04:00	13			0.32	2.00	0.00	0.00	0.00	0.00	20.60	20.90	0.00	0.00	1.11	1.40
2013-03-06 05:00	7			1.13	4.00			0.00	0.00	20.90	20.90	0.00	0.00	4.36	9.70
2013-03-06 05:00	8			4.06	6.00			0.00	0.00	21.50	21.70	0.00	0.00	0.71	2.90
2013-03-06 05:00	12	0.00	0.10	3.60	25.00			0.00	0.00	20.90	20.90			0.00	0.00
2013-03-06 05:00	13			0.27	2.00	0.00	0.00	0.00	0.00	20.61	20.90	0.00	0.00	1.20	1.40
2013-03-06 06:00	7			1.27	3.00			0.00	0.00	20.90	20.90	0.00	0.00	4.38	10.70
2013-03-06 06:00	8			4.04	7.00			0.00	0.00	21.51	21.70	0.00	0.00	0.74	2.90
2013-03-06 06:00	12	0.00	0.10	3.39	20.00			0.00	0.00	20.90	20.90			0.00	0.00
2013-03-06 06:00	13			0.49	3.00	0.00	0.00	0.00	0.00	20.60	20.90	0.00	0.00	1.23	1.40
2013-03-06 07:00	7			1.14	3.00			0.00	0.00	20.90	20.90	0.00	0.00	4.03	11.70
2013-03-06 07:00	8			4.03	6.00			0.00	0.00	21.51	21.60	0.00	0.00	0.78	2.90
2013-03-06 07:00	12	0.00	0.00	3.45	24.00			0.00	0.00	20.90	20.90			0.00	0.00
2013-03-06 07:00	13			0.29	2.00	0.00	0.00	0.00	0.00	20.60	20.90	0.00	0.00	1.21	1.40
2013-03-06 08:00	7			1.22	4.00			0.00	0.00	20.90	20.90	0.00	0.00	3.53	8.80
2013-03-06 08:00	8			4.06	7.00			0.00	0.00	21.51	21.70	0.00	0.00	0.73	3.70
2013-03-06 08:00	12	0.00	0.10	3.42	22.00			0.00	0.00	20.90	20.90			0.00	0.00
2013-03-06 08:00	13			0.19	2.00	0.00	0.00	0.00	0.00	20.58	20.90	0.00	0.00	1.17	1.40
2013-03-06 09:00	7			1.27	3.00			0.00	0.00	20.90	20.90	0.00	0.00	2.90	5.80
2013-03-06 09:00	8			4.09	7.00			0.00	0.00	21.52	21.70	0.00	0.00	0.73	2.90
2013-03-06 09:00	12	0.00	0.10	3.53	17.00			0.00	0.00	20.90	20.90			0.00	0.00
2013-03-06 09:00	13			0.02	6.00	0.00	0.00	0.00	0.00	20.80	20.90	0.00	0.00	0.95	1.40
2013-03-06 10:00	7			1.31	3.00			0.00	0.00	20.90	20.90	0.00	0.00	2.79	5.80
2013-03-06 10:00	8			4.07	7.00			0.00	0.00	21.53	21.70	0.00	0.00	0.70	2.20
2013-03-06 10:00	12	0.00	0.20	3.29	21.00			0.00	0.00	20.90	20.90			0.00	0.00
2013-03-06 10:00	13			0.39	3.00	0.00	0.00	0.00	0.00	20.61	20.90	0.00	0.00	0.85	1.40
2013-03-06 11:00	7			1.37	4.00			0.00	0.00	20.90	20.90	0.00	0.00	2.52	3.80
2013-03-06 11:00	8			4.03	7.00			0.00	0.00	21.59	21.70	0.00	0.00	0.67	2.20
2013-03-06 11:00	12	0.00	0.20	3.43	19.00			0.00	0.00	21.00	21.30			0.00	0.00
2013-03-06 11:00	13			0.26	3.00	0.00	0.00	0.00	0.00	20.60	20.70	0.00	0.00	0.74	1.40

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2013-03-06 12:00	7			1.34	4.00			0.00	0.00	20.90	20.90	0.00	0.00	2.31	5.80
2013-03-06 12:00	8			4.10	7.00			0.00	0.00	21.61	21.70	0.00	0.00	0.55	2.20
2013-03-06 12:00	12	0.00	0.10	3.42	22.00			0.00	0.00	21.20	21.20			0.00	0.00
2013-03-06 12:00	13			0.33	2.00	0.00	0.00	0.00	0.00	20.61	20.70	0.00	0.00	0.67	1.40
2013-03-06 13:00	7			1.71	4.00			0.00	0.00	21.11	21.30	0.00	0.00	2.05	3.80
2013-03-06 13:00	8			4.00	7.00			0.00	0.00	21.64	21.80	0.00	0.00	0.43	2.90
2013-03-06 13:00	12	0.00	0.10	3.61	20.00			0.00	0.00	21.20	21.30			0.00	0.00
2013-03-06 13:00	13			0.21	2.00	0.00	0.00	0.00	0.00	20.62	20.70	0.00	0.00	0.63	1.40
2013-03-06 14:00	7			1.31	3.00			0.00	0.00	21.19	21.30	0.00	0.00	2.48	5.80
2013-03-06 14:00	8			4.10	6.00			0.00	0.00	21.69	21.80	0.00	0.00	0.48	2.90
2013-03-06 14:00	12	0.00	0.10	3.78	23.00			0.00	0.00	21.25	21.30			0.00	0.00
2013-03-06 14:00	13			0.37	2.00	0.00	0.00	0.00	0.00	20.61	20.70	0.00	0.00	0.62	1.40
2013-03-06 15:00	7			1.31	4.00			0.00	0.00	20.99	21.20	0.00	0.00	2.34	4.80
2013-03-06 15:00	8			3.99	5.00			0.00	0.00	21.67	21.80	0.00	0.00	0.48	2.90
2013-03-06 15:00	12	0.00	0.00	3.42	22.00			0.00	0.00	21.24	21.30			0.00	0.00
2013-03-06 15:00	13			0.25	2.00	0.00	0.00	0.00	0.00	20.61	20.70	0.00	0.00	0.44	0.90
2013-03-06 16:00	7			1.33	4.00			0.00	0.00	20.96	21.30	0.00	0.00	2.53	4.80
2013-03-06 16:00	8			4.04	7.00			0.00	0.00	21.64	21.90	0.00	0.00	0.53	2.20
2013-03-06 16:00	12	0.00	0.10	3.42	29.00			0.00	0.00	21.24	21.30			0.00	0.00
2013-03-06 16:00	13			0.59	2.00	0.00	0.00	0.00	0.00	20.66	20.90	0.00	0.00	0.15	0.70
2013-03-06 17:00	7			1.36	4.00			0.00	0.00	21.19	21.30	0.00	0.00	2.81	4.80
2013-03-06 17:00	8			4.10	7.00			0.00	0.00	21.66	21.90	0.00	0.00	0.57	2.90
2013-03-06 17:00	12	0.00	0.00	3.54	33.00			0.00	0.00	21.24	21.30			0.00	0.00
2013-03-06 17:00	13			0.18	2.00	0.00	0.00	0.00	0.00	20.90	20.90	0.00	0.00	0.18	0.70
2013-03-06 18:00	7			1.27	3.00			0.00	0.00	21.06	21.20	0.00	0.00	3.52	8.80
2013-03-06 18:00	8			4.09	8.00			0.00	0.00	21.60	21.80	0.00	0.00	0.70	2.90
2013-03-06 18:00	12	0.00	0.00	3.30	22.00			0.00	0.00	21.20	21.30			0.00	0.00
2013-03-06 18:00	13			0.28	2.00	0.00	0.00	0.00	0.00	20.90	20.90	0.00	0.00	0.73	1.40
2013-03-06 19:00	7			1.23	4.00			0.00	0.00	20.90	20.90	0.00	0.00	4.47	11.70
2013-03-06 19:00	8			4.01	6.00			0.00	0.00	21.55	21.70	0.00	0.00	0.70	2.20
2013-03-06 19:00	12	0.00	0.10	3.39	20.00			0.00	0.00	21.11	21.20			0.00	0.00
2013-03-06 19:00	13			0.11	3.00	0.00	0.00	0.00	0.00	20.90	21.40	0.00	0.00	0.98	1.40

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2013-03-06 20:00	7			1.19	3.00			0.00	0.00	20.90	20.90	0.00	0.00	4.30	8.80
2013-03-06 20:00	8			4.09	7.00			0.00	0.00	21.53	21.90	0.00	0.00	0.72	2.90
2013-03-06 20:00	12	0.00	0.20	3.46	21.00			0.00	0.00	21.10	21.10			0.00	0.00
2013-03-06 20:00	13			0.38	2.00	0.00	0.00	0.00	0.00	20.73	20.90	0.00	0.00	1.09	1.40
2013-03-06 21:00	7			1.27	3.00			0.00	0.00	20.90	20.90	0.00	0.00	4.24	7.80
2013-03-06 21:00	8			4.00	6.00			0.00	0.00	21.52	21.70	0.00	0.00	0.80	3.00
2013-03-06 21:00	12	0.00	0.50	3.55	23.00			0.00	0.00	20.91	21.10			0.00	0.00
2013-03-06 21:00	13			0.39	2.00	0.00	0.00	0.00	0.00	20.74	20.90	0.00	0.00	1.19	1.40
2013-03-06 22:00	7			1.15	4.00			0.00	0.00	20.90	20.90	0.00	0.00	4.46	7.80
2013-03-06 22:00	8			4.03	8.00			0.00	0.00	21.49	21.80	0.00	0.00	0.79	2.90
2013-03-06 22:00	12	0.00	0.20	3.40	20.00			0.00	0.00	20.90	20.90			0.00	0.00
2013-03-06 22:00	13			0.29	3.00	0.00	0.00	0.00	0.00	20.59	20.90	0.00	0.00	1.14	1.40
2013-03-06 23:00	7			1.07	3.00			0.00	0.00	20.90	20.90	0.00	0.00	4.63	6.80
2013-03-06 23:00	8			4.07	7.00			0.00	0.00	21.46	21.80	0.00	0.00	0.88	3.00
2013-03-06 23:00	12	0.00	0.10	3.42	20.00			0.00	0.00	20.90	20.90			0.00	0.00
2013-03-06 23:00	13			0.40	2.00	0.00	0.00	0.00	0.00	20.59	21.30	0.00	0.00	1.14	1.40
2013-03-07 00:00	7			1.29	3.00			0.00	0.00	20.90	20.90	0.00	0.10	4.59	6.80
2013-03-07 00:00	8			4.05	8.00			0.00	0.00	21.43	21.70	0.00	0.00	0.81	3.00
2013-03-07 00:00	12	0.00	0.20	3.80	21.00			0.00	0.00	20.90	20.90			0.00	0.00
2013-03-07 00:00	13			0.25	2.00	0.00	0.00	0.00	0.00	20.59	20.90	0.00	0.00	1.17	1.60
2013-03-07 01:00	7			1.18	3.00			0.00	0.00	20.90	20.90	0.00	0.00	4.94	6.80
2013-03-07 01:00	8			4.04	8.00			0.00	0.00	21.41	21.50	0.00	0.00	1.10	5.20
2013-03-07 01:00	12	0.00	0.30	3.57	23.00			0.00	0.00	20.90	20.90			0.00	0.00
2013-03-07 01:00	13			0.33	3.00	0.00	0.00	0.00	0.00	20.60	20.90	0.00	0.00	1.19	1.60
2013-03-07 02:00	7			1.29	4.00			0.00	0.00	20.90	20.90	0.00	0.10	4.92	6.80
2013-03-07 02:00	8			4.05	7.00			0.00	0.00	21.40	21.50	0.00	0.00	0.87	3.70
2013-03-07 02:00	12	0.00	0.50	3.63	24.00			0.00	0.00	20.90	20.90			0.00	0.00
2013-03-07 02:00	13			0.26	3.00	0.00	0.00	0.00	0.00	21.22	30.00	0.00	0.00	1.24	1.40
2013-03-07 03:00	7			1.26	3.00			0.00	0.00	20.90	20.90	0.00	0.10	5.07	6.80
2013-03-07 03:00	8			4.05	6.00			0.00	0.00	21.39	21.70	0.00	0.00	0.83	3.00
2013-03-07 03:00	12	0.00	0.20	3.54	32.00			0.00	0.00	20.90	20.90			0.00	0.00
2013-03-07 03:00	13			0.28	2.00	0.00	0.00	0.00	0.00	21.70	30.00	0.00	0.00	1.31	1.60

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2013-03-07 04:00	7			1.12	3.00			0.00	0.00	20.90	20.90	0.00	0.00	4.93	6.80
2013-03-07 04:00	8			4.06	6.00			0.00	0.00	21.38	21.50	0.00	0.00	0.77	3.00
2013-03-07 04:00	12	0.00	0.10	3.59	21.00			0.00	0.00	20.90	20.90			0.00	0.00
2013-03-07 04:00	13			0.33	2.00	0.00	0.00	0.00	0.00	20.53	20.90	0.00	0.00	1.28	1.60
2013-03-07 05:00	7			1.29	4.00			0.00	0.00	20.90	20.90	0.00	0.10	5.01	6.80
2013-03-07 05:00	8			4.09	7.00			0.00	0.00	21.36	21.50	0.00	0.00	0.82	3.00
2013-03-07 05:00	12	0.00	0.00	3.36	20.00			0.00	0.00	20.90	20.90			0.00	0.00
2013-03-07 05:00	13			0.23	3.00	0.00	0.00	0.00	0.00	20.51	20.90	0.00	0.00	1.32	1.60
2013-03-07 06:00	7			1.13	4.00			0.00	0.00	20.90	20.90	0.00	0.10	5.18	6.80
2013-03-07 06:00	8			4.07	7.00			0.00	0.00	21.35	21.50	0.00	0.00	0.75	2.90
2013-03-07 06:00	12	0.00	0.20	3.44	20.00			0.00	0.00	20.90	20.90			0.00	0.00
2013-03-07 06:00	13			0.31	2.00	0.00	0.00	0.00	0.00	20.51	20.90	0.00	0.00	1.35	1.60
2013-03-07 07:00	7			1.10	4.00			0.00	0.00	20.90	20.90	0.00	0.00	4.16	10.70
2013-03-07 07:00	8			4.03	7.00			0.00	0.00	21.36	21.50	0.00	0.00	0.81	3.70
2013-03-07 07:00	12	0.00	0.30	3.70	19.00			0.00	0.00	20.90	20.90			0.00	0.00
2013-03-07 07:00	13			0.36	2.00	0.00	0.00	0.00	0.00	20.50	20.90	0.00	0.00	1.31	1.60
2013-03-07 08:00	7			1.43	3.00			0.00	0.00	20.90	20.90	0.00	0.00	2.71	5.80
2013-03-07 08:00	8			4.05	7.00			0.00	0.00	21.42	21.50	0.00	0.00	0.78	3.00
2013-03-07 08:00	12	0.00	0.20	3.56	21.00			0.00	0.00	20.90	20.90			0.00	0.00
2013-03-07 08:00	13			0.35	3.00	0.00	0.00	0.00	0.00	20.56	20.90	0.00	0.00	1.27	1.60
2013-03-07 09:00	7			1.94	3.00			0.00	0.00	20.90	20.90	0.00	0.00	1.75	3.80
2013-03-07 09:00	8			4.12	8.00			0.00	0.00	21.43	21.60	0.00	0.00	0.62	2.20
2013-03-07 09:00	12	0.00	0.20	3.52	19.00			0.00	0.00	20.90	20.90			0.00	0.00
2013-03-07 09:00	13			0.28	2.00	0.00	0.00	0.00	0.00	20.58	20.90	0.00	0.00	1.08	1.40
2013-03-07 10:00	7			1.99	3.00			0.00	0.00	20.90	20.90	0.00	0.00	1.10	2.90
2013-03-07 10:00	8			4.06	6.00			0.00	0.00	21.49	21.60	0.00	0.00	0.56	2.20
2013-03-07 10:00	12	0.00	0.20	3.38	31.00			0.00	0.00	20.90	20.90			0.00	0.00
2013-03-07 10:00	13			0.52	3.00	0.00	0.00	0.00	0.00	20.58	20.90	0.00	0.00	0.90	1.40
2013-03-07 11:00	2	0.25	1.20			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-07 11:00	7			2.42	5.00			0.00	0.00	21.21	21.30	0.00	0.00	0.42	1.90
2013-03-07 11:00	8			4.07	6.00			0.00	0.00	21.55	21.60	0.00	0.00	0.45	2.20
2013-03-07 11:00	10			2.41	3.00	0.00	0.00	1.96	3.90	20.62	20.90			0.02	0.20

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2013-03-07 11:00	12	0.08	4.90	3.10	5.00			0.00	0.00	20.90	20.90			0.00	0.00
2013-03-07 11:00	13			0.23	2.00	0.00	0.00	0.00	0.00	20.57	20.90	0.00	0.00	0.77	1.10
2013-03-07 12:00	2	0.07	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-07 12:00	7			2.98	3.00			0.00	0.00	21.32	21.40	0.00	0.00	0.52	1.90
2013-03-07 12:00	8			4.14	5.00			0.00	0.00	21.61	21.70	0.00	0.00	0.42	2.20
2013-03-07 12:00	10			2.03	4.00	0.00	0.00	0.00	0.00	20.84	20.90			0.32	1.30
2013-03-07 12:00	12	0.00	0.10	3.68	22.00			0.00	0.00	20.90	20.90			0.00	0.00
2013-03-07 12:00	13			0.63	2.00	0.00	0.00	0.00	0.00	20.70	20.90	0.00	0.00	0.14	1.00
2013-03-07 13:00	2	0.08	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-07 13:00	7			3.15	4.00			0.00	0.00	21.22	21.30	0.01	0.10	0.35	0.90
2013-03-07 13:00	8			4.82	7.00			0.00	0.00	21.65	21.70	0.00	0.00	0.31	1.40
2013-03-07 13:00	10			2.30	3.00	0.01	0.10	0.00	0.00	20.90	20.90			0.07	0.50
2013-03-07 13:00	12	0.00	0.00	3.95	33.00			0.00	0.00	21.15	21.30			0.00	0.00
2013-03-07 13:00	13			0.52	2.00	0.00	0.00	0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2013-03-07 14:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-07 14:00	2	0.06	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-07 14:00	7														
2013-03-07 14:00	8			5.13	6.00			0.00	0.00	21.66	21.70	0.00	0.00	0.09	0.70
2013-03-07 14:00	10			4.24	5.00	0.00	0.10	0.00	0.00	20.90	20.90			0.04	0.50
2013-03-07 14:00	12	0.94	1.60	3.83	16.00			0.00	0.00	21.35	21.80			0.85	1.40
2013-03-07 14:00	13			0.60	2.00	0.00	0.00	0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2013-03-07 15:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-07 15:00	2	0.06	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-07 15:00	7														
2013-03-07 15:00	8			4.00	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.70	0.70
2013-03-07 15:00	10			4.31	6.00	0.00	0.00	0.00	0.00	20.90	20.90			0.13	0.50
2013-03-07 15:00	12	0.74	1.40	3.75	18.00			0.00	0.00	21.79	21.90			1.02	1.10
2013-03-07 15:00	13			0.63	2.00	0.00	0.00	0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2013-03-07 16:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-07 16:00	2	0.03	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-07 16:00	8			4.71	5.00			0.00	0.00	21.37	21.40	0.00	0.00	0.00	0.00
2013-03-07 16:00	10			3.97	5.00	0.00	0.00	0.00	0.00	20.67	20.90			0.30	1.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2013-03-07 16:00	12	0.50	1.20	3.43	16.00			0.00	0.00	21.84	21.90			1.09	2.20
2013-03-07 16:00	13			0.88	2.00	0.00	0.00	0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2013-03-07 17:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-07 17:00	2	0.02	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-07 17:00	7			2.12	3.00			0.00	0.00	20.90	20.90	0.01	0.10	1.36	3.10
2013-03-07 17:00	8			6.07	9.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2013-03-07 17:00	10			4.00	5.00	0.00	0.00	0.00	0.00	20.47	20.60			0.45	1.30
2013-03-07 17:00	12	0.50	1.10	3.40	16.00			0.00	0.00	22.13	23.30			1.21	2.20
2013-03-07 17:00	13			0.70	2.00	0.00	0.00	0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.30
2013-03-07 18:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.80	20.90			0.00	0.00
2013-03-07 18:00	2	0.10	0.80			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-07 18:00	7			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	2.00	2.00
2013-03-07 18:00	8			4.37	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2013-03-07 18:00	10			4.02	5.00	0.00	0.00	2.19	3.60	20.37	20.40			0.51	1.30
2013-03-07 18:00	12	0.46	0.90	3.49	21.00			0.00	0.00	21.90	22.80			1.42	2.20
2013-03-07 18:00	13			0.25	1.00	0.00	0.00	0.00	0.00	20.90	20.90	0.00	0.00	0.38	1.00
2013-03-07 19:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.56	20.60			0.00	0.00
2013-03-07 19:00	2	0.26	0.90			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-07 19:00	8			4.18	7.00			0.00	0.00	20.60	20.90	0.00	0.00	0.00	0.00
2013-03-07 19:00	10			4.02	5.00	0.00	0.00	3.69	4.10	20.32	20.40			0.69	1.90
2013-03-07 19:00	12	0.51	1.70	3.48	16.00			0.00	0.00	21.74	21.80			1.71	2.20
2013-03-07 19:00	13			0.27	2.00	0.00	0.00	0.00	0.00	20.90	20.90	0.00	0.00	1.08	1.60
2013-03-07 20:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.48	20.60			0.00	0.00
2013-03-07 20:00	2	0.26	1.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-07 20:00	8			4.08	5.00			0.00	0.00	20.52	20.60	0.00	0.00	0.00	0.00
2013-03-07 20:00	10			3.90	4.00	0.00	0.00	4.20	4.60	20.30	20.40			0.73	1.60
2013-03-07 20:00	12	0.68	1.30	3.28	12.00			0.00	0.00	21.70	21.70			1.73	2.20
2013-03-07 20:00	13			0.37	2.00	0.00	0.00	0.00	0.00	20.89	20.90	0.00	0.00	1.23	2.00
2013-03-07 21:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.47	20.50			0.00	0.00
2013-03-07 21:00	2	0.38	1.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-07 21:00	8			4.08	6.00			0.00	0.00	20.54	20.60	0.00	0.10	0.00	0.00
2013-03-07 21:00	10			3.97	4.00	0.00	0.00	4.56	4.80	20.31	20.40			0.77	1.60

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2013-03-07 21:00	12	0.58	1.10	3.72	20.00			0.00	0.00	21.71	22.00			1.73	2.20
2013-03-07 21:00	13			0.25	2.00	0.00	0.00	0.00	0.00	20.74	20.90	0.00	0.00	1.47	2.00
2013-03-07 22:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.42	20.50			0.00	0.00
2013-03-07 22:00	2	0.34	1.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-07 22:00	8			4.18	6.00			0.95	3.10	20.49	20.50	0.00	0.00	0.00	0.00
2013-03-07 22:00	10			3.98	5.00	0.00	0.00	4.79	5.00	20.28	20.40			0.70	1.60
2013-03-07 22:00	12	0.59	1.00	3.18	4.00			0.00	0.00	21.68	21.80			1.97	2.20
2013-03-07 22:00	13			0.15	2.00	0.00	0.00	0.00	0.00	20.60	20.70	0.00	0.00	1.64	2.00
2013-03-07 23:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.42	20.50			0.00	0.00
2013-03-07 23:00	2	0.36	1.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-07 23:00	8			4.10	6.00			3.05	3.10	20.49	20.50	0.00	0.00	0.00	0.00
2013-03-07 23:00	10			4.00	6.00	0.00	0.00	5.01	5.20	20.24	20.30			0.83	1.60
2013-03-07 23:00	12	0.56	1.40	3.15	6.00			0.00	0.00	21.70	21.70			2.08	2.90
2013-03-07 23:00	13			0.28	2.00	0.00	0.00	0.00	0.00	20.58	20.60	0.00	0.00	1.56	2.00
2013-03-08 00:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.44	20.50			0.00	0.00
2013-03-08 00:00	2	0.30	1.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-08 00:00	8			3.93	5.00			3.11	3.30	20.44	20.50	0.00	0.00	0.00	0.00
2013-03-08 00:00	10			3.97	4.00	0.00	0.00	5.01	5.20	20.25	20.50			0.72	1.60
2013-03-08 00:00	12	0.66	1.30	3.97	20.00			0.00	0.00	21.66	21.70			2.02	2.90
2013-03-08 00:00	13			0.22	3.00	0.00	0.00	0.00	0.00	20.58	20.60	0.00	0.00	1.58	2.00
2013-03-08 01:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.47	21.90			0.00	0.00
2013-03-08 01:00	2	0.38	1.20			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-08 01:00	8			4.07	6.00			3.18	3.30	20.41	20.50	0.00	0.00	0.00	0.00
2013-03-08 01:00	10			3.93	4.00	0.00	0.00	5.09	5.30	20.25	20.30			0.73	1.60
2013-03-08 01:00	12	0.59	1.30	3.73	16.00			0.00	0.00	21.60	21.70			2.12	2.20
2013-03-08 01:00	13			0.20	1.00	0.00	0.00	0.00	0.00	20.60	20.60	0.00	0.00	1.64	2.00
2013-03-08 02:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.45	20.50			0.00	0.00
2013-03-08 02:00	2	0.39	1.20			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-08 02:00	8			3.95	5.00			3.28	3.30	20.40	20.40	0.00	0.00	0.00	0.00
2013-03-08 02:00	10			3.95	4.00	0.00	0.00	5.21	5.40	20.23	20.30			0.69	1.90
2013-03-08 02:00	12	0.59	1.30	3.60	16.00			0.00	0.00	21.60	21.60			2.21	2.50
2013-03-08 02:00	13			0.12	2.00	0.00	0.00	0.00	0.00	20.60	20.60	0.00	0.00	1.71	2.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2013-03-08 03:00	1	0.00	0.00			0.00	0.00	0.11	3.10	20.41	20.50			0.00	0.00
2013-03-08 03:00	2	0.40	1.20			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-08 03:00	8			4.05	6.00			3.30	3.30	20.40	20.40	0.00	0.00	0.00	0.00
2013-03-08 03:00	10			3.73	4.00	0.00	0.00	5.40	5.70	20.23	20.30			0.71	1.60
2013-03-08 03:00	12	0.60	1.20	3.35	15.00			0.00	0.00	21.60	21.60			2.23	2.50
2013-03-08 03:00	13			0.18	2.00	0.00	0.00	0.00	0.00	20.57	20.70	0.00	0.00	1.80	2.00
2013-03-08 04:00	1	0.00	0.00			0.00	0.00	2.92	3.00	20.40	20.40			0.00	0.00
2013-03-08 04:00	2	0.41	1.30			0.00	0.00	0.00	0.00	20.87	20.90			0.00	0.00
2013-03-08 04:00	8			4.00	4.00			3.34	3.40	20.36	20.40	0.00	0.00	0.00	0.00
2013-03-08 04:00	10			4.02	6.00	0.00	0.00	5.59	5.80	20.27	20.40			0.77	1.90
2013-03-08 04:00	12	0.63	1.20	3.33	13.00			0.00	0.00	21.55	21.60			2.25	2.50
2013-03-08 04:00	13			0.08	1.00	0.00	0.00	0.00	0.00	20.55	20.90	0.00	0.00	1.72	2.00
2013-03-08 05:00	1	0.00	0.00			0.00	0.00	2.99	3.00	20.34	20.40			0.00	0.00
2013-03-08 05:00	2	0.48	1.10			0.00	0.00	0.00	0.00	20.60	20.60			0.00	0.00
2013-03-08 05:00	8			4.00	5.00			3.39	3.40	20.31	20.40	0.00	0.00	0.00	0.00
2013-03-08 05:00	10			3.93	4.00	0.00	0.00	5.73	5.90	20.25	20.30			0.86	1.90
2013-03-08 05:00	12	0.66	1.10	3.53	12.00			0.00	0.00	21.51	21.60			2.39	2.90
2013-03-08 05:00	13			0.43	2.00	0.00	0.00	0.00	0.00	20.55	20.60	0.00	0.00	1.71	2.00
2013-03-08 06:00	1	0.00	0.00			0.00	0.00	3.00	3.00	20.31	20.40			0.00	0.00
2013-03-08 06:00	2	0.52	1.20			0.00	0.00	0.00	0.00	20.60	20.60			0.00	0.00
2013-03-08 06:00	8			4.02	7.00			3.41	3.50	20.33	20.40	0.00	0.00	0.00	0.00
2013-03-08 06:00	10			3.97	5.00	0.00	0.00	5.84	6.00	20.24	20.30			0.81	1.60
2013-03-08 06:00	12	0.86	1.40	3.33	10.00			0.00	0.00	21.50	21.60			2.33	2.90
2013-03-08 06:00	13			0.22	2.00	0.00	0.00	0.00	0.00	20.58	20.90	0.00	0.00	1.79	2.30
2013-03-08 07:00	1	0.00	0.00			0.00	0.00	2.76	2.90	20.38	20.40			0.00	0.00
2013-03-08 07:00	2	0.62	1.40			0.00	0.00	0.00	0.00	20.60	20.70			0.00	0.00
2013-03-08 07:00	8			4.05	5.00			3.37	3.40	20.31	20.40	0.00	0.00	0.00	0.00
2013-03-08 07:00	10			3.88	6.00	0.00	0.00	5.79	6.00	20.25	20.30			0.79	1.90
2013-03-08 07:00	12	0.88	1.50	3.50	15.00			0.00	0.00	21.56	21.60			2.29	2.90
2013-03-08 07:00	13			0.28	2.00	0.00	0.00	0.00	0.00	20.53	20.60	0.00	0.00	1.81	2.00
2013-03-08 08:00	1	0.00	0.00			0.00	0.00	2.38	2.60	20.40	20.50			0.00	0.00
2013-03-08 08:00	2	0.38	1.20			0.00	0.00	0.00	0.00	20.64	20.70			0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2013-03-08 08:00	8			4.03	5.00			3.11	3.30	20.39	20.50	0.00	0.00	0.00	0.00
2013-03-08 08:00	10			3.97	4.00	0.00	0.00	5.49	5.90	20.27	20.40			0.76	1.60
2013-03-08 08:00	12	0.82	2.00	3.40	18.00			0.00	0.00	21.62	21.70			2.21	2.90
2013-03-08 08:00	13			0.27	1.00	0.00	0.00	0.00	0.00	21.04	30.00	0.00	0.00	1.58	2.00
2013-03-08 09:00	1	0.00	0.00			0.00	0.00	1.94	2.20	20.44	20.50			0.00	0.00
2013-03-08 09:00	2	0.40	1.10			0.00	0.00	0.00	0.00	20.69	20.90			0.00	0.00
2013-03-08 09:00	8			4.15	6.00			2.76	3.00	20.47	20.60	0.00	0.00	0.00	0.00
2013-03-08 09:00	10			3.93	4.00	0.00	0.00	5.00	5.30	20.33	20.40			0.62	1.60
2013-03-08 09:00	12	0.76	1.20	3.08	6.00			0.00	0.00	21.63	21.70			1.83	2.20
2013-03-08 09:00	13			0.22	2.00	0.00	0.00	0.00	0.00	24.16	30.00	0.00	0.00	1.22	1.60
2013-03-08 10:00	1	0.00	0.00			0.00	0.00	1.51	1.70	20.53	20.60			0.00	0.00
2013-03-08 10:00	2	0.32	1.00			0.00	0.00	0.00	0.00	20.72	20.90			0.00	0.00
2013-03-08 10:00	8			4.07	6.00			2.45	2.70	20.53	20.60	0.00	0.00	0.00	0.00
2013-03-08 10:00	10			3.97	6.00	0.00	0.00	4.62	4.90	20.35	20.40			0.53	1.30
2013-03-08 10:00	12	0.80	1.50	3.25	6.00			0.00	0.00	21.62	21.70			1.52	2.20
2013-03-08 10:00	13			0.08	1.00	0.00	0.00	0.00	0.00	20.61	20.70	0.00	0.00	0.79	1.60
2013-03-08 11:00	1	0.00	0.00			0.00	0.00	1.03	1.30	20.57	20.70			0.00	0.00
2013-03-08 11:00	2	0.26	0.80			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-08 11:00	8			4.07	6.00			2.11	2.40	20.58	20.60	0.00	0.00	0.00	0.00
2013-03-08 11:00	10			4.00	5.00	0.00	0.00	4.20	4.60	20.40	20.50			0.49	1.30
2013-03-08 11:00	12	0.72	1.40	3.61	17.00			0.00	0.00	21.64	21.70			1.18	1.80
2013-03-08 11:00	13			0.47	2.00	0.00	0.00	0.00	0.00	20.82	20.90	0.00	0.00	0.13	1.00
2013-03-08 12:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.61	20.70			0.00	0.00
2013-03-08 12:00	2	0.18	0.80			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-08 12:00	8			4.13	6.00			1.74	1.90	20.61	20.70	0.00	0.00	0.00	0.00
2013-03-08 12:00	10			3.90	5.00	0.00	0.00	3.69	4.10	20.46	20.60			0.39	1.00
2013-03-08 12:00	12	0.75	1.40	3.25	5.00			0.00	0.00	21.67	21.80			1.04	1.40
2013-03-08 12:00	13			0.55	1.00	0.00	0.00	0.00	0.00	20.88	20.90	0.00	0.00	0.01	0.30
2013-03-08 13:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.62	20.70			0.00	0.00
2013-03-08 13:00	2	0.17	1.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-08 13:00	7			3.16	4.00			0.00	0.00	20.90	20.90	0.01	0.10	0.76	3.10
2013-03-08 13:00	8			4.25	6.00			1.29	1.60	20.74	20.90	0.00	0.00	0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2013-03-08 13:00	10			4.00	5.00	0.00	0.00	2.99	3.50	20.54	20.70			0.23	0.50
2013-03-08 13:00	12	0.80	1.40	3.73	20.00			0.00	0.00	21.34	21.60			0.64	1.40
2013-03-08 13:00	13			1.03	2.00	0.00	0.00	0.00	0.00	20.89	20.90	0.00	0.00	0.00	0.00
2013-03-08 14:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.82	20.90			0.00	0.00
2013-03-08 14:00	2	0.07	0.60			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-08 14:00	7			2.87	3.00			0.00	0.00	20.90	20.90	0.00	0.10	1.14	3.10
2013-03-08 14:00	8			5.41	6.00			0.00	0.00	20.84	20.90	0.00	0.00	0.00	0.00
2013-03-08 14:00	10			4.00	5.00	0.00	0.00	1.74	2.40	20.75	20.90			0.08	0.50
2013-03-08 14:00	12	0.71	1.40	3.43	4.00			0.00	0.00	21.68	21.90			0.14	1.10
2013-03-08 14:00	13			1.88	2.00	0.00	0.00	0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2013-03-08 15:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-08 15:00	2	0.04	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-08 15:00	7			2.62	4.00			0.00	0.00	20.90	20.90	0.00	0.10	1.31	3.10
2013-03-08 15:00	8			5.30	6.00			0.00	0.00	20.89	20.90	0.00	0.00	0.00	0.00
2013-03-08 15:00	10			4.10	6.00	0.00	0.00	0.00	0.00	20.90	20.90			0.11	0.50
2013-03-08 15:00	12	0.40	0.80	3.51	17.00			0.00	0.00	21.91	22.00			0.14	0.70
2013-03-08 15:00	13			1.88	2.00	0.00	0.00	0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2013-03-08 16:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-08 16:00	2	0.01	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-08 16:00	7			2.50	4.00			0.00	0.00	20.90	20.90	0.01	0.10	1.33	3.10
2013-03-08 16:00	8			4.69	7.00			0.00	0.00	20.56	20.70	0.00	0.00	0.00	0.00
2013-03-08 16:00	10			4.03	5.00	0.00	0.00	0.00	0.00	20.75	20.90			0.20	0.80
2013-03-08 16:00	12	0.34	1.00	3.56	21.00			0.00	0.00	21.85	21.90			0.57	1.10
2013-03-08 16:00	13			0.87	2.00	0.00	0.00	0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2013-03-08 17:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-08 17:00	2	0.04	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-08 17:00	7														
2013-03-08 17:00	8			4.53	8.00			0.00	0.00	20.35	20.40	0.00	0.00	0.00	0.00
2013-03-08 17:00	10			3.88	5.00	0.00	0.00	0.83	3.10	20.56	20.70			0.30	0.80
2013-03-08 17:00	12	0.39	0.90	3.23	4.00			0.00	0.00	21.81	21.90			0.82	1.80
2013-03-08 17:00	13			0.53	2.00	0.00	0.00	0.00	0.00	20.90	20.90	0.00	0.00	0.11	1.00
2013-03-08 18:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2013-03-08 18:00	2	0.20	0.80			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-08 18:00	8			4.30	7.00			0.00	0.00	20.26	20.30	0.00	0.00	0.00	0.00
2013-03-08 18:00	10			3.97	5.00	0.00	0.00	3.19	3.50	20.55	20.70			0.40	1.00
2013-03-08 18:00	12	0.46	1.10	3.38	21.00			0.00	0.00	21.78	21.90			1.04	1.40
2013-03-08 18:00	13			0.64	2.00	0.00	0.00	0.00	0.00	20.90	20.90	0.00	0.00	0.41	1.00
2013-03-08 19:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-08 19:00	2	0.14	0.60			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-08 19:00	7			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.10	2.18	3.10
2013-03-08 19:00	8			4.20	6.00			0.00	0.00	20.20	20.30	0.00	0.00	0.00	0.00
2013-03-08 19:00	10			4.03	6.00	0.00	0.00	3.47	3.70	20.52	20.60			0.46	1.00
2013-03-08 19:00	12	0.43	1.10	3.36	16.00			0.00	0.00	21.80	21.90			1.11	1.40
2013-03-08 19:00	13			0.45	1.00	0.00	0.00	0.00	0.00	20.90	20.90	0.00	0.00	0.69	1.00
2013-03-08 20:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-08 20:00	2	0.21	0.80			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-08 20:00	7			2.00	2.00			0.00	0.00	20.90	20.90	0.01	0.10	2.41	3.10
2013-03-08 20:00	8			4.03	6.00			0.00	0.00	20.19	20.20	0.00	0.00	0.00	0.00
2013-03-08 20:00	10			4.03	5.00	0.00	0.00	3.70	3.90	20.49	20.60			0.47	1.30
2013-03-08 20:00	12	0.49	1.00	3.65	20.00			0.00	0.00	21.80	22.10			1.09	1.40
2013-03-08 20:00	13			0.43	3.00	0.00	0.00	0.00	0.00	20.90	20.90	0.00	0.00	0.81	1.00
2013-03-08 21:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.80	20.90			0.00	0.00
2013-03-08 21:00	2	0.22	0.80			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-08 21:00	7			2.06	3.00			0.00	0.00	20.90	20.90	0.00	0.10	2.61	4.10
2013-03-08 21:00	8			4.10	6.00			0.00	0.00	20.11	20.20	0.00	0.00	0.00	0.00
2013-03-08 21:00	10			3.93	5.00	0.00	0.00	3.96	4.20	20.46	20.50			0.46	1.00
2013-03-08 21:00	12	0.64	1.40	3.07	4.00			0.00	0.00	21.73	21.80			1.09	1.40
2013-03-08 21:00	13			0.43	2.00	0.00	0.00	0.00	0.00	20.90	20.90	0.00	0.00	0.69	1.00
2013-03-08 22:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.59	20.70			0.00	0.00
2013-03-08 22:00	2	0.24	0.80			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-08 22:00	7			2.06	3.00			0.00	0.00	20.90	20.90	0.02	0.10	2.92	5.10
2013-03-08 22:00	8			4.16	6.00			0.00	0.00	20.10	20.10	0.00	0.00	0.00	0.00
2013-03-08 22:00	10			3.93	5.00	0.00	0.00	4.13	4.30	20.42	20.50			0.52	1.30
2013-03-08 22:00	12	0.57	1.10	3.36	8.00			0.00	0.00	21.75	21.90			1.06	1.10

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2013-03-08 22:00	13			0.31	2.00	0.00	0.00	0.00	0.00	20.90	20.90	0.00	0.00	0.64	1.00
2013-03-08 23:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.60	20.70			0.00	0.00
2013-03-08 23:00	2	0.24	0.60			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-08 23:00	7			1.93	2.00			0.00	0.00	20.90	20.90	0.00	0.10	2.95	4.10
2013-03-08 23:00	8			4.15	6.00			0.00	0.00	20.10	20.10	0.00	0.00	0.00	0.00
2013-03-08 23:00	10			4.02	5.00	0.00	0.00	4.24	4.40	20.43	20.50			0.51	1.30
2013-03-08 23:00	12	0.55	1.20	3.66	18.00			0.00	0.00	21.75	21.80			1.09	1.40
2013-03-08 23:00	13			0.41	3.00	0.00	0.00	0.00	0.00	20.90	20.90	0.00	0.00	0.63	1.00
2013-03-09 00:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.60	20.70			0.00	0.00
2013-03-09 00:00	2	0.29	0.90			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-09 00:00	7			2.06	4.00			0.00	0.00	20.90	20.90	0.01	0.10	2.96	3.10
2013-03-09 00:00	8			4.02	7.00			0.00	0.00	20.06	20.10	0.00	0.00	0.00	0.00
2013-03-09 00:00	10			3.97	4.00	0.00	0.00	4.31	4.60	20.43	20.50			0.46	1.30
2013-03-09 00:00	12	0.49	1.10	3.38	5.00			0.00	0.00	21.76	21.80			1.08	1.40
2013-03-09 00:00	13			0.37	2.00	0.00	0.00	0.00	0.00	20.74	20.90	0.00	0.00	0.82	1.00
2013-03-09 01:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.61	20.70			0.00	0.00
2013-03-09 01:00	2	0.31	1.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-09 01:00	7			2.02	3.00			0.00	0.00	20.90	20.90	0.00	0.10	2.68	5.10
2013-03-09 01:00	8			4.21	6.00			0.00	0.00	20.00	20.10	0.00	0.00	0.00	0.00
2013-03-09 01:00	10			3.92	4.00	0.00	0.00	4.45	4.70	20.46	20.50			0.56	1.30
2013-03-09 01:00	12	0.43	1.10	3.35	4.00			0.00	0.00	21.80	21.80			1.12	1.40
2013-03-09 01:00	13			0.50	2.00	0.00	0.00	0.00	0.00	20.90	20.90	0.00	0.00	0.82	1.00
2013-03-09 02:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.63	20.70			0.00	0.00
2013-03-09 02:00	2	0.23	0.70			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-09 02:00	7			2.00	2.00			0.00	0.00	20.90	20.90	0.01	0.10	2.69	5.10
2013-03-09 02:00	8			4.02	6.00			0.00	0.00	19.98	20.00	0.00	0.00	0.00	0.00
2013-03-09 02:00	10			3.92	5.00	0.00	0.00	4.35	4.60	20.43	20.50			0.48	1.90
2013-03-09 02:00	12	0.51	1.20	3.54	22.00			0.00	0.00	21.80	21.80			1.15	1.80
2013-03-09 02:00	13			0.39	2.00	0.00	0.00	0.00	0.00	20.90	20.90	0.00	0.00	0.87	1.00
2013-03-09 03:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.64	20.70			0.00	0.00
2013-03-09 03:00	2	0.29	0.80			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-09 03:00	7			1.98	2.00			0.00	0.00	20.90	20.90	0.00	0.10	2.77	4.10

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2013-03-09 03:00	8			4.10	6.00			0.00	0.00	19.95	20.10	0.00	0.00	0.00	0.00
2013-03-09 03:00	10			3.95	5.00	0.00	0.00	4.30	4.60	20.42	20.50			0.43	1.30
2013-03-09 03:00	12	0.47	0.90	3.73	23.00			0.00	0.00	21.80	21.80			1.16	1.40
2013-03-09 03:00	13			0.34	2.00	0.00	0.00	0.00	0.00	20.90	20.90	0.00	0.00	0.86	1.00
2013-03-09 04:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.64	20.70			0.00	0.00
2013-03-09 04:00	2	0.26	1.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-09 04:00	7			2.00	2.00			0.00	0.00	20.90	20.90	0.01	0.10	2.82	3.10
2013-03-09 04:00	8			4.05	6.00			0.00	0.00	19.93	20.00	0.00	0.00	0.00	0.00
2013-03-09 04:00	10			4.00	6.00	0.00	0.00	4.42	4.60	20.42	20.50			0.46	1.00
2013-03-09 04:00	12	0.46	1.10	3.55	17.00			0.00	0.00	21.77	21.80			1.17	1.40
2013-03-09 04:00	13			0.23	1.00	0.00	0.00	0.00	0.00	20.83	20.90	0.00	0.00	0.87	1.00
2013-03-09 05:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.60	20.70			0.00	0.00
2013-03-09 05:00	2	0.29	1.20			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-09 05:00	7			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	3.08	4.10
2013-03-09 05:00	8			4.13	6.00			0.00	0.00	19.92	20.00	0.00	0.00	0.00	0.00
2013-03-09 05:00	10			3.98	4.00	0.00	0.00	4.46	4.70	20.43	20.50			0.50	1.30
2013-03-09 05:00	12	0.37	0.90	3.13	5.00			0.00	0.00	21.99	22.90			1.26	1.80
2013-03-09 05:00	13			0.43	1.00	0.00	0.00	0.00	0.00	20.68	20.90	0.00	0.00	0.81	1.00
2013-03-09 06:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.56	20.60			0.00	0.00
2013-03-09 06:00	2	0.21	0.90			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-09 06:00	8			4.70	6.00			0.00	0.00	19.89	20.00	0.00	0.00	0.00	0.00
2013-03-09 06:00	10			4.07	6.00	0.00	0.00	4.47	4.70	20.44	20.60			0.51	1.30
2013-03-09 06:00	12	0.36	0.90	3.97	12.00			0.00	0.00	21.80	22.20			1.28	1.80
2013-03-09 06:00	13			1.10	3.00	0.00	0.00	0.00	0.00	20.62	20.70	0.00	0.00	0.93	2.00
2013-03-09 07:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.53	20.60			0.00	0.00
2013-03-09 07:00	2	0.19	0.80			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-09 07:00	7			2.75	3.00			0.00	0.00	20.90	20.90	0.01	0.10	2.56	4.10
2013-03-09 07:00	8			4.98	7.00			0.00	0.00	19.83	19.90	0.00	0.00	0.00	0.00
2013-03-09 07:00	10			4.05	7.00	0.00	0.00	4.78	5.00	20.40	20.50			0.58	1.90
2013-03-09 07:00	12	0.52	1.00	4.38	24.00			0.00	0.00	21.76	22.50			1.63	2.20
2013-03-09 07:00	13			1.53	4.00	0.00	0.00	0.00	0.00	20.61	20.90	0.00	0.00	0.99	1.30
2013-03-09 08:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.50	20.60			0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2013-03-09 08:00	2	0.24	0.90			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-09 08:00	7			2.58	4.00			0.00	0.00	20.90	20.90	0.02	0.20	3.00	5.10
2013-03-09 08:00	8			4.88	6.00			0.00	0.00	19.80	19.80	0.00	0.00	0.00	0.00
2013-03-09 08:00	10			4.18	7.00	0.00	0.00	5.01	5.20	20.35	20.40			0.56	1.30
2013-03-09 08:00	12	0.68	1.60	3.95	5.00			0.00	0.00	21.62	21.70			1.94	2.20
2013-03-09 08:00	13			1.85	3.00	0.00	0.00	0.00	0.00	20.56	20.90	0.00	0.00	1.01	1.30
2013-03-09 09:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.53	20.60			0.00	0.00
2013-03-09 09:00	2	0.27	0.90			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-09 09:00	7			2.83	4.00			0.00	0.00	20.90	20.90	0.00	0.10	3.20	4.10
2013-03-09 09:00	8			5.02	6.00			0.00	0.00	19.75	19.80	0.00	0.00	0.00	0.00
2013-03-09 09:00	10			4.10	7.00	0.00	0.00	5.11	5.30	20.33	20.50			0.62	1.30
2013-03-09 09:00	12	0.66	1.00	3.97	7.00			0.00	0.00	21.62	21.70			2.01	2.20
2013-03-09 09:00	13			1.85	3.00	0.00	0.00	0.00	0.00	20.57	20.60	0.00	0.00	1.06	1.30
2013-03-09 10:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.45	20.50			0.00	0.00
2013-03-09 10:00	2	0.27	1.00			0.00	0.00	0.00	0.00	20.74	20.90			0.00	0.00
2013-03-09 10:00	7			3.00	4.00			0.00	0.00	20.90	20.90	0.02	0.10	2.97	4.10
2013-03-09 10:00	8			5.09	7.00			0.00	0.00	19.73	19.80	0.00	0.00	0.00	0.00
2013-03-09 10:00	10			4.33	6.00	0.00	0.00	5.17	5.40	20.33	20.40			0.53	1.60
2013-03-09 10:00	12	0.62	1.20	3.90	6.00			0.00	0.00	21.62	21.70			2.23	2.50
2013-03-09 10:00	13			1.98	3.00	0.00	0.00	0.00	0.00	20.57	20.60	0.00	0.00	1.01	1.60
2013-03-09 11:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.49	20.60			0.00	0.00
2013-03-09 11:00	2	0.38	1.10			0.00	0.00	0.00	0.00	20.57	20.60			0.00	0.00
2013-03-09 11:00	7			2.23	4.00			0.00	0.00	20.90	20.90	0.00	0.10	3.36	4.10
2013-03-09 11:00	8			4.52	7.00			0.00	0.00	19.70	19.80	0.00	0.00	0.00	0.00
2013-03-09 11:00	10			4.03	5.00	0.00	0.00	5.02	5.40	20.34	20.40			0.59	1.60
2013-03-09 11:00	12	0.78	1.30	4.07	16.00			0.00	0.00	21.59	21.70			2.60	3.30
2013-03-09 11:00	13			1.13	3.00	0.00	0.00	0.00	0.00	20.53	20.60	0.00	0.00	0.94	1.30
2013-03-09 12:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.55	20.60			0.00	0.00
2013-03-09 12:00	2	0.31	1.10			0.00	0.00	0.00	0.00	20.58	20.70			0.00	0.00
2013-03-09 12:00	7														
2013-03-09 12:00	8			4.17	5.00			0.00	0.00	19.71	19.80	0.00	0.00	0.00	0.00
2013-03-09 12:00	10			3.97	5.00	0.00	0.00	4.33	4.90	20.41	20.60			0.44	1.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2013-03-09 12:00	12	0.82	1.50	4.18	20.00			0.00	0.00	21.37	21.60			2.45	3.30
2013-03-09 12:00	13			0.88	3.00	0.00	0.00	0.00	0.00	20.58	20.70	0.00	0.00	0.26	1.00
2013-03-09 13:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.78	20.90			0.00	0.00
2013-03-09 13:00	2	0.25	1.10			0.00	0.00	0.00	0.00	20.82	20.90			0.00	0.00
2013-03-09 13:00	8			4.60	7.00			0.00	0.00	19.65	19.70	0.00	0.00	0.00	0.00
2013-03-09 13:00	10			4.02	6.00	0.00	0.00	3.45	4.00	20.51	20.60			0.24	0.80
2013-03-09 13:00	12	0.94	1.40	3.28	4.00			0.00	0.00	21.43	21.70			1.53	2.90
2013-03-09 13:00	13			0.63	2.00	0.00	0.00	0.00	0.00	20.67	20.90	0.00	0.00	0.00	0.00
2013-03-09 14:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-09 14:00	2	0.10	0.70			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-09 14:00	7			2.80	4.00			0.00	0.00	20.90	20.90	0.01	0.10	0.23	2.00
2013-03-09 14:00	8			5.08	7.00			0.00	0.00	19.61	19.70	0.00	0.00	0.00	0.00
2013-03-09 14:00	10			4.27	6.00	0.00	0.00	2.42	3.10	20.66	20.90			0.18	1.00
2013-03-09 14:00	12	0.87	1.60	3.63	5.00			0.00	0.00	21.76	21.80			0.48	1.10
2013-03-09 14:00	13			1.05	2.00	0.00	0.00	0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2013-03-09 15:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-09 15:00	2	0.07	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-09 15:00	7			2.98	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.27	2.00
2013-03-09 15:00	8			5.76	7.00			0.00	0.00	19.45	19.60	0.00	0.00	0.00	0.00
2013-03-09 15:00	10			4.37	7.00	0.00	0.00	1.73	2.10	20.89	20.90			0.07	0.80
2013-03-09 15:00	12	0.72	1.30	4.24	22.00			0.00	0.00	21.84	21.90			0.05	0.70
2013-03-09 15:00	13			1.44	3.00	0.00	0.00	0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2013-03-09 16:00	1	0.00	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-09 16:00	2	0.05	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-09 16:00	7			3.57	5.00			0.00	0.00	20.90	20.90	0.00	0.10	0.43	2.00
2013-03-09 16:00	8			5.49	7.00			0.00	0.00	19.41	19.60	0.00	0.00	0.00	0.00
2013-03-09 16:00	10			4.12	7.00	0.00	0.00	1.46	1.80	20.85	20.90			0.04	0.50
2013-03-09 16:00	12	0.65	1.20	3.20	4.00			0.00	0.00	21.90	21.90			0.04	0.30
2013-03-09 16:00	13			1.18	3.00	0.00	0.00	0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2013-03-09 17:00	1	0.01	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-09 17:00	2	0.02	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-09 17:00	7			4.00	5.00			0.00	0.00	20.90	20.90	0.00	0.10	0.21	2.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2013-03-09 17:00	8			5.24	7.00			0.00	0.00	19.59	19.60	0.00	0.00	0.00	0.00
2013-03-09 17:00	10			4.20	6.00	0.00	0.00	1.49	1.70	20.90	20.90			0.09	0.80
2013-03-09 17:00	12	0.47	1.00	3.40	4.00			0.00	0.00	21.88	21.90			0.05	0.70
2013-03-09 17:00	13			1.02	2.00	0.00	0.00	0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2013-03-09 18:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-09 18:00	2	0.06	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-09 18:00	7			3.94	5.00			0.00	0.00	20.90	20.90	0.01	0.10	0.63	3.10
2013-03-09 18:00	8			5.03	6.00			0.00	0.00	19.45	19.60	0.00	0.00	0.00	0.00
2013-03-09 18:00	10			4.02	5.00	0.00	0.00	1.70	2.00	20.89	20.90			0.09	0.50
2013-03-09 18:00	12	0.42	0.90	3.98	21.00			0.00	0.00	21.83	21.90			0.11	0.70
2013-03-09 18:00	13			0.73	2.00	0.00	0.00	0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2013-03-09 19:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-09 19:00	2	0.08	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-09 19:00	7			3.30	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.76	2.00
2013-03-09 19:00	8			5.03	6.00			0.00	0.00	19.34	19.40	0.00	0.00	0.00	0.00
2013-03-09 19:00	10			4.00	5.00	0.00	0.00	2.11	2.50	20.70	20.90			0.16	0.80
2013-03-09 19:00	12	0.46	1.00	3.52	8.00			0.00	0.00	21.86	21.90			0.17	0.70
2013-03-09 19:00	13			0.50	1.00	0.00	0.00	0.00	0.00	20.90	20.90	0.00	0.00	0.04	0.30
2013-03-09 20:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-09 20:00	2	0.08	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-09 20:00	7			3.02	4.00			0.00	0.00	20.90	20.90	0.00	0.10	0.89	2.00
2013-03-09 20:00	8			4.78	6.00			0.00	0.00	19.25	19.30	0.00	0.00	0.00	0.00
2013-03-09 20:00	10			4.15	7.00	0.00	0.00	2.36	2.60	20.61	20.70			0.17	0.80
2013-03-09 20:00	12	0.40	1.00	3.27	4.00			0.00	0.00	21.87	21.90			0.42	1.10
2013-03-09 20:00	13			0.27	2.00	0.00	0.00	0.00	0.00	20.90	20.90	0.00	0.00	0.12	0.60
2013-03-09 21:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-09 21:00	2	0.12	0.60			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-09 21:00	7			3.00	4.00			0.00	0.00	20.90	20.90	0.00	0.10	0.98	3.10
2013-03-09 21:00	8			4.92	6.00			0.00	0.00	19.17	19.20	0.00	0.00	0.00	0.00
2013-03-09 21:00	10			3.98	5.00	0.00	0.00	2.62	2.90	20.60	20.70			0.17	0.80
2013-03-09 21:00	12	0.33	0.90	3.38	5.00			0.00	0.00	21.81	21.90			0.52	1.40
2013-03-09 21:00	13			0.35	1.00	0.00	0.00	0.00	0.00	20.90	20.90	0.00	0.00	0.12	0.60

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2013-03-09 22:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-09 22:00	2	0.09	0.60			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-09 22:00	7			2.84	4.00			0.00	0.00	20.90	20.90	0.00	0.10	0.69	3.10
2013-03-09 22:00	8			4.72	5.00			0.00	0.00	19.09	19.10	0.00	0.00	0.00	0.00
2013-03-09 22:00	10			4.03	6.00	0.00	0.00	2.76	3.00	20.58	20.70			0.24	1.00
2013-03-09 22:00	12	0.40	0.90	3.42	15.00			0.00	0.00	21.80	21.80			0.41	1.10
2013-03-09 22:00	13			0.52	1.00	0.00	0.00	0.00	0.00	20.90	20.90	0.00	0.00	0.06	0.60
2013-03-09 23:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-09 23:00	2	0.10	0.70			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-09 23:00	7			2.96	4.00			0.00	0.00	20.90	20.90	0.01	0.10	0.49	2.00
2013-03-09 23:00	8			4.85	6.00			0.00	0.00	19.09	19.20	0.00	0.00	0.00	0.00
2013-03-09 23:00	10			3.98	5.00	0.00	0.00	2.70	2.90	20.61	20.70			0.21	0.80
2013-03-09 23:00	12	0.59	1.30	3.25	4.00			0.00	0.00	21.80	21.90			0.28	1.10
2013-03-09 23:00	13			0.18	1.00	0.00	0.00	0.00	0.00	20.90	20.90	0.00	0.00	0.17	0.60
2013-03-10 00:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-10 00:00	2	0.07	0.70			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-10 00:00	7			2.98	4.00			0.00	0.00	20.90	20.90	0.00	0.10	0.72	2.00
2013-03-10 00:00	8			4.85	7.00			0.00	0.00	19.12	19.20	0.00	0.00	0.00	0.00
2013-03-10 00:00	10			3.97	5.00	0.00	0.00	2.66	2.90	20.59	20.70			0.23	0.80
2013-03-10 00:00	12	0.46	1.00	3.39	16.00			0.00	0.00	21.85	21.90			0.24	1.10
2013-03-10 00:00	13			0.56	3.00	0.00	0.00	0.00	0.00	20.90	20.90	0.00	0.00	0.10	0.60
2013-03-10 01:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-10 01:00	2	0.11	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-10 01:00	7			2.95	3.00			0.00	0.00	20.90	20.90	0.00	0.10	0.64	2.00
2013-03-10 01:00	8			4.68	7.00			0.00	0.00	18.97	19.10	0.00	0.00	0.00	0.00
2013-03-10 01:00	10			3.97	5.00	0.00	0.00	2.84	3.00	20.55	20.60			0.26	0.80
2013-03-10 01:00	12	0.41	1.30	4.10	20.00			0.00	0.00	21.81	21.90			0.48	1.40
2013-03-10 01:00	13			0.55	2.00	0.00	0.00	0.00	0.00	20.90	20.90	0.00	0.00	0.15	0.60
2013-03-10 03:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-10 03:00	2	0.09	0.60			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-10 03:00	7			2.92	3.00			0.00	0.00	20.90	20.90	0.00	0.10	0.70	2.00
2013-03-10 03:00	8			5.05	7.00			0.00	0.00	18.68	18.80	0.00	0.00	0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2013-03-10 03:00	10			4.00	5.00	0.00	0.00	2.86	3.10	20.52	20.70			0.24	0.80
2013-03-10 03:00	12	0.28	0.70	3.55	4.00			0.00	0.00	21.79	21.80			0.51	1.10
2013-03-10 03:00	13			0.80	2.00	0.00	0.00	0.00	0.00	20.90	20.90	0.00	0.00	0.14	1.00
2013-03-10 04:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-10 04:00	2	0.10	0.70			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-10 04:00	7			3.00	3.00			0.00	0.00	20.90	20.90	0.00	0.10	0.77	2.00
2013-03-10 04:00	8			4.98	7.00			0.00	0.00	18.53	18.70	0.00	0.00	0.00	0.00
2013-03-10 04:00	10			4.12	6.00	0.00	0.00	3.17	3.50	20.51	20.60			0.20	1.00
2013-03-10 04:00	12	0.34	1.00	4.10	14.00			0.00	0.00	21.73	21.80			1.01	1.80
2013-03-10 04:00	13			1.03	2.00	0.00	0.00	0.00	0.00	20.75	20.90	0.00	0.00	0.18	0.60
2013-03-10 05:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-10 05:00	2	0.21	0.70			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-10 05:00	7														
2013-03-10 05:00	8			4.58	6.00			0.00	0.00	18.38	18.40	0.00	0.00	0.00	0.00
2013-03-10 05:00	10			4.03	6.00	0.00	0.00	3.46	3.70	20.45	20.50			0.33	1.00
2013-03-10 05:00	12	0.36	0.90	3.37	4.00			0.00	0.00	21.71	21.80			1.42	2.50
2013-03-10 05:00	13			1.05	3.00	0.00	0.00	0.00	0.00	20.70	20.90	0.00	0.00	0.15	0.60
2013-03-10 06:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-10 06:00	2	0.15	0.80			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-10 06:00	7			2.25	3.00			0.00	0.00	20.90	20.90	0.00	0.00	1.53	3.10
2013-03-10 06:00	8			4.27	5.00			0.00	0.00	18.27	18.40	0.00	0.00	0.00	0.00
2013-03-10 06:00	10			3.95	5.00	0.00	0.00	3.41	3.70	20.47	20.60			0.26	1.00
2013-03-10 06:00	12	0.37	0.90	3.58	19.00			0.00	0.00	21.70	21.70			1.89	2.50
2013-03-10 06:00	13			0.62	2.00	0.00	0.00	0.00	0.00	20.66	20.70	0.00	0.00	0.17	1.00
2013-03-10 07:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-10 07:00	2	0.19	1.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-10 07:00	7			2.59	4.00			0.00	0.00	20.90	20.90	0.01	0.10	1.28	3.10
2013-03-10 07:00	8			4.67	6.00			0.00	0.00	18.18	18.30	0.00	0.00	0.00	0.00
2013-03-10 07:00	10			3.98	6.00	0.00	0.00	2.92	3.20	20.50	20.60			0.15	0.50
2013-03-10 07:00	12	0.38	1.00	3.72	18.00			0.00	0.00	21.68	21.70			2.09	2.50
2013-03-10 07:00	13			0.76	2.00	0.00	0.00	0.00	0.00	20.63	20.70	0.00	0.00	0.14	1.00
2013-03-10 08:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2013-03-10 08:00	2	0.12	0.70			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-10 08:00	7			2.87	3.00			0.00	0.00	20.90	20.90	0.00	0.10	1.53	3.10
2013-03-10 08:00	8			4.87	6.00			0.00	0.00	18.12	18.20	0.00	0.00	0.00	0.00
2013-03-10 08:00	10			4.07	5.00	0.00	0.00	2.86	3.00	20.49	20.60			0.25	0.80
2013-03-10 08:00	12	0.34	0.80	4.28	24.00			0.00	0.00	21.68	21.70			2.36	3.30
2013-03-10 08:00	13			0.97	2.00	0.00	0.00	0.00	0.00	20.62	20.70	0.00	0.00	0.09	0.60
2013-03-10 09:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-10 09:00	2	0.16	0.70			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-10 09:00	7			2.96	4.00			0.00	0.00	20.90	20.90	0.00	0.00	1.41	3.10
2013-03-10 09:00	8			4.93	6.00			0.00	0.00	17.89	18.20	0.00	0.00	0.00	0.00
2013-03-10 09:00	10			4.02	6.00	0.00	0.00	2.87	3.10	20.46	20.60			0.17	0.80
2013-03-10 09:00	12	0.43	1.20	4.05	18.00			0.00	0.00	21.67	21.70			2.46	3.30
2013-03-10 09:00	13			0.97	2.00	0.00	0.00	0.00	0.00	20.61	20.70	0.00	0.00	0.13	0.60
2013-03-10 10:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-10 10:00	2	0.13	0.90			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-10 10:00	7			2.95	3.00			0.00	0.00	20.90	20.90	0.00	0.00	1.42	3.10
2013-03-10 10:00	8			5.38	7.00			0.00	0.00	17.78	17.90	0.00	0.00	0.00	0.00
2013-03-10 10:00	10			4.28	6.00	0.00	0.00	2.98	3.70	20.45	20.50			0.23	1.00
2013-03-10 10:00	12	1.01	35.00	4.60	18.00			0.00	0.00	21.67	21.70			2.48	2.90
2013-03-10 10:00	13			1.77	3.00	0.00	0.00	0.00	0.00	20.61	20.70	0.00	0.00	0.07	0.60
2013-03-10 11:00	1	0.08	1.20			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-10 11:00	2	0.20	0.80			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-10 11:00	7														
2013-03-10 11:00	8			5.90	8.00			0.00	0.00	17.72	17.80	0.00	0.00	0.00	0.00
2013-03-10 11:00	10			4.82	7.00	0.00	0.00	3.09	3.50	20.43	20.50			0.24	0.80
2013-03-10 11:00	12	0.83	1.70	4.60	22.00			0.00	0.00	21.64	21.70			2.61	3.30
2013-03-10 11:00	13			2.00	2.00	0.00	0.00	0.00	0.00	20.61	20.90	0.00	0.00	0.08	0.60
2013-03-10 12:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-10 12:00	2	0.16	1.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-10 12:00	8			5.97	7.00			0.00	0.00	17.61	17.70	0.00	0.00	0.00	0.00
2013-03-10 12:00	10			4.77	6.00	0.00	0.00	3.08	3.30	20.44	20.50			0.22	1.00
2013-03-10 12:00	12	0.66	1.30	4.15	7.00			0.00	0.00	21.69	21.80			2.48	3.30

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2013-03-10 12:00	13			1.95	3.00	0.00	0.00	0.00	0.00	20.63	20.90	0.00	0.00	0.11	0.60
2013-03-10 13:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-10 13:00	2	0.09	0.70			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-10 13:00	7			2.91	3.00			0.00	0.00	20.90	20.90	0.00	0.10	1.98	3.10
2013-03-10 13:00	8			5.40	6.00			0.00	0.00	17.34	17.60	0.00	0.00	0.00	0.00
2013-03-10 13:00	10			4.70	6.00	0.00	0.00	3.28	3.60	20.43	20.50			0.17	0.80
2013-03-10 13:00	12	0.45	1.00	4.23	19.00			0.00	0.00	21.71	21.80			2.48	3.30
2013-03-10 13:00	13			1.92	3.00	0.00	0.00	0.00	0.00	20.68	20.90	0.00	0.00	0.13	1.00
2013-03-10 14:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.84	20.90			0.00	0.00
2013-03-10 14:00	2	0.12	0.60			0.00	0.00	0.00	0.00	20.69	20.90			0.00	0.00
2013-03-10 14:00	7			3.04	5.00			0.00	0.00	20.90	20.90	0.00	0.10	2.00	3.10
2013-03-10 14:00	8			5.42	7.00			0.00	0.00	17.19	17.30	0.00	0.00	0.00	0.00
2013-03-10 14:00	10			4.82	6.00	0.00	0.00	3.54	3.80	20.44	20.60			0.20	0.80
2013-03-10 14:00	12	0.42	1.10	4.12	8.00			0.00	0.00	21.69	21.70			2.57	3.30
2013-03-10 14:00	13			2.03	4.00	0.00	0.00	0.00	0.00	20.60	20.90	0.00	0.00	0.23	0.60
2013-03-10 15:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.59	20.60			0.00	0.00
2013-03-10 15:00	2	0.12	1.10			0.00	0.00	0.00	0.00	20.60	20.70			0.00	0.00
2013-03-10 15:00	7			3.03	4.00			0.00	0.00	20.90	20.90	0.01	0.10	1.35	3.10
2013-03-10 15:00	8			5.37	6.00			0.00	0.00	17.08	17.10	0.00	0.00	0.00	0.00
2013-03-10 15:00	10			4.52	8.00	0.00	0.00	3.67	3.80	20.43	20.50			0.21	0.80
2013-03-10 15:00	12	0.39	1.00	5.25	23.00			0.00	0.00	21.70	21.70			2.68	3.30
2013-03-10 15:00	13			2.05	4.00	0.00	0.00	0.00	0.00	20.68	20.90	0.00	0.00	0.21	1.00
2013-03-10 16:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.60	20.60			0.00	0.00
2013-03-10 16:00	2	0.15	0.70			0.00	0.00	0.00	0.00	20.60	20.70			0.00	0.00
2013-03-10 16:00	7														
2013-03-10 16:00	8			4.92	6.00			0.00	0.00	17.05	17.10	0.00	0.00	0.00	0.00
2013-03-10 16:00	10			4.13	6.00	0.00	0.00	3.75	3.90	20.40	20.50			0.21	0.80
2013-03-10 16:00	12	0.47	1.00	3.83	19.00			0.00	0.00	21.69	21.70			2.71	3.30
2013-03-10 16:00	13			1.40	2.00	0.00	0.00	0.00	0.00	20.60	20.90	0.00	0.00	0.18	1.00
2013-03-10 17:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.60	20.60			0.00	0.00
2013-03-10 17:00	2	0.09	0.40			0.00	0.00	0.00	0.00	20.63	20.70			0.00	0.00
2013-03-10 17:00	8			4.68	6.00			0.00	0.00	17.04	17.10	0.00	0.00	0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2013-03-10 17:00	10			4.02	5.00	0.00	0.00	3.75	3.90	20.41	20.50			0.22	1.00
2013-03-10 17:00	12	0.39	1.10	3.47	5.00			0.00	0.00	21.70	21.80			2.78	3.30
2013-03-10 17:00	13			1.07	3.00	0.00	0.00	0.00	0.00	20.61	20.70	0.00	0.00	0.06	0.30
2013-03-10 18:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.60	20.60			0.00	0.00
2013-03-10 18:00	2	0.13	0.60			0.00	0.00	0.00	0.00	20.60	20.70			0.00	0.00
2013-03-10 18:00	7			2.07	3.00			0.00	0.00	20.90	20.90	0.01	0.10	1.73	3.10
2013-03-10 18:00	8			4.07	5.00			0.00	0.00	16.99	17.10	0.00	0.00	0.00	0.00
2013-03-10 18:00	10			4.03	7.00	0.00	0.00	3.85	4.10	20.40	20.50			0.21	0.80
2013-03-10 18:00	12	0.33	0.80	3.24	7.00			0.00	0.00	21.70	21.80			2.81	3.60
2013-03-10 18:00	13			0.48	2.00	0.00	0.00	0.00	0.00	20.64	20.90	0.00	0.00	0.08	0.60
2013-03-10 19:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.60	20.70			0.00	0.00
2013-03-10 19:00	2	0.09	0.40			0.00	0.00	0.00	0.00	20.61	20.70			0.00	0.00
2013-03-10 19:00	7			2.02	3.00			0.00	0.00	20.90	20.90	0.01	0.10	1.98	3.10
2013-03-10 19:00	8			4.17	6.00			0.00	0.00	16.96	17.00	0.00	0.00	0.00	0.00
2013-03-10 19:00	10			3.93	6.00	0.00	0.00	3.85	4.10	20.41	20.50			0.16	0.50
2013-03-10 19:00	12	0.36	1.10	3.08	4.00			0.00	0.00	21.69	21.80			2.85	3.60
2013-03-10 19:00	13			0.12	1.00	0.00	0.00	0.00	0.00	20.60	20.70	0.00	0.00	0.06	0.30
2013-03-10 20:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.53	20.60			0.00	0.00
2013-03-10 20:00	2	0.11	0.50			0.00	0.00	0.00	0.00	20.63	20.90			0.00	0.00
2013-03-10 20:00	7			2.00	2.00			0.00	0.00	20.90	20.90	0.01	0.10	2.09	3.10
2013-03-10 20:00	8			4.13	6.00			0.00	0.00	16.81	16.90	0.00	0.00	0.00	0.00
2013-03-10 20:00	10			3.98	6.00	0.00	0.00	3.76	3.90	20.45	20.50			0.13	0.50
2013-03-10 20:00	12	0.35	0.90	3.82	19.00			0.00	0.00	21.66	21.70			3.02	3.30
2013-03-10 20:00	13			0.02	1.00	0.00	0.00	0.00	0.00	20.59	20.70	0.00	0.00	0.03	0.30
2013-03-10 21:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.58	20.60			0.00	0.00
2013-03-10 21:00	2	0.15	0.90			0.00	0.00	0.00	0.00	20.62	20.70			0.00	0.00
2013-03-10 21:00	7														
2013-03-10 21:00	8			4.40	6.00			0.00	0.00	16.44	16.50	0.00	0.00	0.00	0.00
2013-03-10 21:00	10			3.97	5.00	0.00	0.00	3.93	4.30	20.45	20.50			0.13	0.80
2013-03-10 21:00	12	0.30	0.90	3.73	20.00			0.00	0.00	21.68	21.70			2.98	3.30
2013-03-10 21:00	13			1.00	3.00	0.00	0.00	0.00	0.00	20.86	20.90	0.00	0.00	0.05	0.30
2013-03-10 22:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.59	20.70			0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2013-03-10 22:00	2	0.19	0.70			0.00	0.00	0.00	0.00	20.61	20.70			0.00	0.00
2013-03-10 22:00	7			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	2.34	3.10
2013-03-10 22:00	8			4.52	7.00			0.00	0.00	16.32	16.50	0.00	0.00	0.00	0.00
2013-03-10 22:00	10			4.05	6.00	0.00	0.00	4.31	4.70	20.43	20.50			0.23	0.80
2013-03-10 22:00	12	0.40	1.00	3.68	14.00			0.00	0.00	21.70	21.70			3.09	3.30
2013-03-10 22:00	13			0.92	2.00	0.00	0.00	0.00	0.00	20.77	20.90	0.00	0.00	0.27	1.00
2013-03-10 23:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.59	20.70			0.00	0.00
2013-03-10 23:00	2	0.19	0.80			0.00	0.00	0.00	0.00	20.60	20.60			0.00	0.00
2013-03-10 23:00	7			1.98	2.00			0.00	0.00	20.90	20.90	0.02	0.10	2.87	5.10
2013-03-10 23:00	8			4.39	6.00			0.00	0.00	16.30	16.30	0.00	0.00	0.00	0.00
2013-03-10 23:00	10			3.92	5.00	0.00	0.00	4.60	4.80	20.40	20.50			0.22	1.00
2013-03-10 23:00	12	0.42	1.00	3.78	16.00			0.00	0.00	21.70	21.70			2.92	3.30
2013-03-10 23:00	13			0.88	3.00	0.00	0.00	0.00	0.00	20.62	20.70	0.00	0.00	0.49	1.00
2013-03-11 00:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.55	20.70			0.00	0.00
2013-03-11 00:00	2	0.22	0.90			0.00	0.00	0.00	0.00	20.60	20.70			0.00	0.00
2013-03-11 00:00	7			2.00	2.00			0.00	0.00	20.90	20.90	0.03	0.10	2.93	3.10
2013-03-11 00:00	8			4.38	7.00			0.00	0.00	16.30	16.30	0.00	0.00	0.00	0.00
2013-03-11 00:00	10			3.97	5.00	0.00	0.00	4.83	5.10	20.36	20.40			0.27	0.80
2013-03-11 00:00	12	0.39	0.80	3.60	12.00			0.00	0.00	21.73	21.80			3.00	3.30
2013-03-11 00:00	13			0.55	3.00	0.00	0.00	0.00	0.00	20.60	20.70	0.00	0.00	0.54	1.00
2013-03-11 01:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.55	20.60			0.00	0.00
2013-03-11 01:00	2	0.24	0.80			0.00	0.00	0.00	0.00	20.74	20.90			0.00	0.00
2013-03-11 01:00	8			4.20	6.00			0.00	0.00	16.30	16.40	0.00	0.00	0.00	0.00
2013-03-11 01:00	10			3.98	5.00	0.00	0.00	5.09	5.30	20.35	20.40			0.33	1.00
2013-03-11 01:00	12	0.42	1.00	4.00	17.00			0.00	0.00	21.70	21.80			2.94	3.30
2013-03-11 01:00	13			0.47	2.00	0.00	0.00	0.00	0.00	20.59	20.70	0.00	0.00	0.70	1.30
2013-03-11 02:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.50	20.60			0.00	0.00
2013-03-11 02:00	2	0.23	0.80			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-11 02:00	7			2.00	2.00			0.00	0.00	20.90	20.90	0.01	0.10	3.35	4.10
2013-03-11 02:00	8			4.12	6.00			0.00	0.00	16.35	16.40	0.00	0.00	0.00	0.00
2013-03-11 02:00	10			4.02	5.00	0.00	0.00	5.41	5.60	20.37	20.50			0.35	1.30
2013-03-11 02:00	12	0.42	1.10	4.10	24.00			0.00	0.00	21.69	21.70			3.10	3.30

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2013-03-11 02:00	13			0.47	2.00	0.00	0.00	0.00	0.00	20.60	20.70	0.00	0.00	0.76	1.00
2013-03-11 03:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.47	20.50			0.00	0.00
2013-03-11 03:00	2	0.17	0.90			0.00	0.00	0.00	0.00	20.85	20.90			0.00	0.00
2013-03-11 03:00	7			2.00	2.00			0.00	0.00	20.90	20.90	0.01	0.10	3.81	5.10
2013-03-11 03:00	8			4.17	6.00			0.00	0.00	16.41	16.50	0.00	0.00	0.00	0.00
2013-03-11 03:00	10			3.98	4.00	0.00	0.00	5.80	6.10	20.33	20.40			0.41	1.30
2013-03-11 03:00	12	0.40	1.00	3.13	5.00			0.00	0.00	21.65	21.70			3.02	3.30
2013-03-11 03:00	13			0.43	2.00	0.00	0.00	0.00	0.00	20.60	20.70	0.00	0.00	0.94	1.60
2013-03-11 04:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.43	20.50			0.00	0.00
2013-03-11 04:00	2	0.19	0.80			0.00	0.00	0.00	0.00	20.61	20.70			0.00	0.00
2013-03-11 04:00	7			2.09	4.00			0.00	0.00	20.90	20.90	0.01	0.10	4.09	6.20
2013-03-11 04:00	8			3.98	5.00			0.00	0.00	16.41	16.50	0.00	0.00	0.00	0.00
2013-03-11 04:00	10			3.95	5.00	0.00	0.00	6.22	6.50	20.33	20.40			0.43	1.30
2013-03-11 04:00	12	0.38	1.10	3.92	23.00			0.00	0.00	21.66	21.90			2.94	3.30
2013-03-11 04:00	13			0.64	3.00	0.00	0.00	0.00	0.00	20.59	20.60	0.00	0.00	1.01	1.30
2013-03-11 05:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.46	20.50			0.00	0.00
2013-03-11 05:00	2	0.26	0.80			0.00	0.00	0.00	0.00	20.75	20.90			0.00	0.00
2013-03-11 05:00	7			2.08	4.00			0.00	0.00	20.90	20.90	0.00	0.10	3.94	6.20
2013-03-11 05:00	8			4.05	6.00			0.00	0.00	16.47	16.60	0.00	0.00	0.00	0.00
2013-03-11 05:00	10			4.02	5.00	0.00	0.00	6.58	6.90	20.29	20.40			0.53	1.60
2013-03-11 05:00	12	0.43	1.10	3.73	17.00			0.00	0.00	21.65	21.70			3.22	3.30
2013-03-11 05:00	13			0.42	1.00	0.00	0.00	0.00	0.00	20.57	20.70	0.00	0.00	1.06	1.60
2013-03-11 06:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.43	20.50			0.00	0.00
2013-03-11 06:00	2	0.23	0.90			0.00	0.00	0.00	0.00	20.66	20.90			0.00	0.00
2013-03-11 06:00	7														
2013-03-11 06:00	8			4.08	6.00			0.00	0.00	16.51	16.60	0.00	0.00	0.00	0.00
2013-03-11 06:00	10			4.00	5.00	0.00	0.00	6.83	7.00	20.30	20.40			0.59	1.30
2013-03-11 06:00	12	0.37	0.90	3.22	6.00			0.00	0.00	21.98	22.90			3.27	3.30
2013-03-11 06:00	13			0.40	1.00	0.00	0.00	0.00	0.00	20.58	20.70	0.00	0.00	1.09	1.60
2013-03-11 07:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.40	20.40			0.00	0.00
2013-03-11 07:00	2	0.32	1.20			0.00	0.00	0.00	0.00	20.63	20.70			0.00	0.00
2013-03-11 07:00	7			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	3.60	4.10

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2013-03-11 07:00	8			4.03	6.00			0.00	0.00	16.52	16.60	0.00	0.00	0.00	0.00
2013-03-11 07:00	10			3.98	5.00	0.00	0.00	6.90	7.10	20.29	20.40			0.57	1.30
2013-03-11 07:00	12	0.50	1.00	3.20	5.00			0.00	0.00	21.75	22.70			3.32	3.60
2013-03-11 07:00	13			0.50	2.00	0.00	0.00	0.00	0.00	20.57	20.60	0.00	0.00	1.13	1.60
2013-03-11 08:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.41	20.50			0.00	0.00
2013-03-11 08:00	2	0.25	1.10			0.00	0.00	0.00	0.00	20.64	20.90			0.00	0.00
2013-03-11 08:00	7			2.00	2.00			0.00	0.00	20.90	20.90	0.02	0.10	3.93	5.10
2013-03-11 08:00	8			4.47	6.00			0.00	0.00	16.54	16.60	0.00	0.00	0.00	0.00
2013-03-11 08:00	10			3.93	5.00	0.00	0.00	6.90	7.00	20.30	20.40			0.53	1.00
2013-03-11 08:00	12	0.61	1.10	4.72	18.00			0.00	0.00	21.65	21.70			3.27	3.60
2013-03-11 08:00	13			0.52	1.00	0.00	0.00	0.00	0.00	20.58	20.60	0.00	0.00	1.10	1.60
2013-03-11 09:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.41	20.50			0.00	0.00
2013-03-11 09:00	2	0.31	0.90			0.00	0.00	0.00	0.00	20.54	20.60			0.00	0.00
2013-03-11 09:00	8			4.80	6.00			0.00	0.00	16.58	16.60	0.00	0.00	0.00	0.00
2013-03-11 09:00	10			3.98	5.00	0.00	0.00	6.96	7.10	20.29	20.40			0.59	1.30
2013-03-11 09:00	12	0.63	1.20	4.00	16.00			0.00	0.00	21.66	21.70			3.19	3.30
2013-03-11 09:00	13			1.25	3.00	0.00	0.00	0.00	0.00	20.54	20.60	0.00	0.00	1.11	1.60
2013-03-11 10:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.42	20.50			0.00	0.00
2013-03-11 10:00	2	0.28	0.90			0.00	0.00	0.00	0.00	20.54	20.60			0.00	0.00
2013-03-11 10:00	7			2.18	4.00			0.00	0.00	20.90	20.90	0.01	0.10	4.52	6.20
2013-03-11 10:00	8			4.33	6.00			0.00	0.00	16.60	16.60	0.00	0.00	0.00	0.00
2013-03-11 10:00	10			4.02	7.00	0.00	0.00	7.01	7.30	20.30	20.40			0.63	1.30
2013-03-11 10:00	12	0.60	1.30	3.53	5.00			0.00	0.00	21.61	21.70			3.07	3.30
2013-03-11 10:00	13			1.00	3.00	0.00	0.00	0.00	0.00	20.56	21.50	0.00	0.00	1.20	1.60
2013-03-11 11:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.40	20.50			0.00	0.00
2013-03-11 11:00	2	0.30	1.00			0.00	0.00	0.00	0.00	20.61	20.70			0.00	0.00
2013-03-11 11:00	7			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.10	4.05	6.20
2013-03-11 11:00	8			4.03	5.00			0.00	0.00	16.59	16.60	0.00	0.00	0.00	0.00
2013-03-11 11:00	10			3.95	5.00	0.00	0.00	7.05	7.30	20.30	20.40			0.65	1.60
2013-03-11 11:00	12	0.58	1.40	3.41	7.00			0.00	0.00	21.63	21.70			2.95	3.30
2013-03-11 11:00	13			0.86	2.00	0.00	0.00	0.00	0.00	20.54	20.60	0.00	0.00	1.11	1.60
2013-03-11 12:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.41	20.50			0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2013-03-11 12:00	2	0.28	0.70			0.00	0.00	0.00	0.00	20.65	20.90			0.00	0.00
2013-03-11 12:00	7			2.02	3.00			0.00	0.00	20.90	20.90	0.02	0.20	3.52	6.20
2013-03-11 12:00	8			4.12	5.00			0.00	0.00	16.61	16.70	0.00	0.00	0.00	0.00
2013-03-11 12:00	10			4.05	6.00	0.00	0.00	7.11	7.30	20.30	20.40			0.65	1.30
2013-03-11 12:00	12	0.57	1.40	4.02	20.00			0.00	0.00	21.63	21.70			2.78	3.30
2013-03-11 12:00	13			0.55	1.00	0.00	0.00	0.00	0.00	20.54	20.60	0.00	0.00	1.12	1.60
2013-03-11 13:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.40	20.40			0.00	0.00
2013-03-11 13:00	7			2.00	2.00			0.00	0.00	20.90	20.90	0.02	0.10	3.95	5.10
2013-03-11 13:00	8			4.00	4.00			0.00	0.00	16.61	16.70	0.00	0.00	0.00	0.00
2013-03-11 13:00	10			3.95	4.00	0.00	0.00	7.09	7.30	20.30	20.40			0.59	1.30
2013-03-11 13:00	12	0.58	1.20	3.32	12.00			0.00	0.00	21.61	21.70			2.67	3.30
2013-03-11 13:00	13			0.52	1.00	0.00	0.00	0.00	0.00	20.59	20.60	0.00	0.00	1.09	1.30
2013-03-11 14:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.40	20.40			0.00	0.00
2013-03-11 14:00	2	0.22	0.70			0.00	0.00	0.00	0.00	20.59	20.60			0.00	0.00
2013-03-11 14:00	7			2.05	3.00			0.00	0.00	20.90	20.90	0.05	0.20	3.45	5.10
2013-03-11 14:00	8			4.04	5.00			0.00	0.00	16.67	16.70	0.00	0.00	0.00	0.00
2013-03-11 14:00	10			3.96	4.00	0.00	0.00	7.03	7.30	20.28	20.40			0.54	1.00
2013-03-11 14:00	12	0.56	1.10	3.25	5.00			0.00	0.00	21.60	21.60			2.44	2.90
2013-03-11 14:00	13			0.54	1.00	0.00	0.00	0.00	0.00	20.56	20.60	0.00	0.00	1.08	1.60
2013-03-11 15:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.41	20.50			0.00	0.00
2013-03-11 15:00	2	0.36	1.20			0.00	0.00	0.00	0.00	20.60	20.60			0.00	0.00
2013-03-11 15:00	7			2.00	3.00			0.00	0.00	20.90	20.90	0.01	0.10	3.71	5.10
2013-03-11 15:00	8			4.08	6.00			0.00	0.00	16.66	16.70	0.00	0.00	0.00	0.00
2013-03-11 15:00	10			3.98	4.00	0.00	0.00	6.97	7.10	20.30	20.40			0.56	1.60
2013-03-11 15:00	12	0.57	1.30	4.03	15.00			0.00	0.00	21.60	21.60			2.38	2.90
2013-03-11 15:00	13			0.47	1.00	0.00	0.00	0.00	0.00	20.58	20.70	0.00	0.00	1.06	1.30
2013-03-11 16:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.44	20.50			0.00	0.00
2013-03-11 16:00	2	0.27	0.80			0.00	0.00	0.00	0.00	20.57	20.60			0.00	0.00
2013-03-11 16:00	7			2.00	2.00			0.00	0.00	20.90	20.90	0.02	0.10	3.73	5.10
2013-03-11 16:00	8			4.12	7.00			0.00	0.00	16.63	16.70	0.00	0.00	0.00	0.00
2013-03-11 16:00	10			3.93	5.00	0.00	0.00	6.88	7.10	20.34	20.50			0.54	1.30
2013-03-11 16:00	12	0.49	1.20	3.55	16.00			0.00	0.00	21.60	21.60			2.35	2.90

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2013-03-11 16:00	13			0.67	2.00	0.00	0.00	0.00	0.00	20.59	20.70	0.00	0.00	1.01	1.30
2013-03-11 17:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.44	20.50			0.00	0.00
2013-03-11 17:00	2	0.27	1.00			0.00	0.00	0.00	0.00	20.60	20.70			0.00	0.00
2013-03-11 17:00	7			2.06	4.00			0.00	0.00	20.90	20.90	0.01	0.10	3.69	6.20
2013-03-11 17:00	8			4.05	5.00			0.00	0.00	16.69	16.80	0.00	0.00	0.00	0.00
2013-03-11 17:00	10			3.97	4.00	0.00	0.00	7.03	7.30	20.34	20.40			0.62	1.60
2013-03-11 17:00	12	0.46	0.90	3.37	12.00			0.00	0.00	21.61	21.70			2.28	2.90
2013-03-11 17:00	13			0.47	2.00	0.00	0.00	0.00	0.00	20.61	20.70	0.00	0.00	1.01	1.60
2013-03-11 18:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.41	20.50			0.00	0.00
2013-03-11 18:00	2	0.23	0.60			0.00	0.00	0.00	0.00	20.60	20.60			0.00	0.00
2013-03-11 18:00	7			2.00	2.00			0.00	0.00	20.90	20.90	0.01	0.10	3.90	6.20
2013-03-11 18:00	8			4.03	5.00			0.00	0.00	16.68	16.70	0.00	0.00	0.00	0.00
2013-03-11 18:00	10			3.97	4.00	0.00	0.00	7.23	7.50	20.30	20.40			0.62	1.60
2013-03-11 18:00	12	0.55	1.40	3.07	4.00			0.00	0.00	21.69	21.70			2.27	2.90
2013-03-11 18:00	13			0.48	2.00	0.00	0.00	0.00	0.00	20.61	20.70	0.00	0.00	1.03	1.30
2013-03-11 19:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.43	20.50			0.00	0.00
2013-03-11 19:00	2	0.33	0.90			0.00	0.00	0.00	0.00	20.60	20.60			0.00	0.00
2013-03-11 19:00	7														
2013-03-11 19:00	8			4.15	6.00			0.00	0.00	16.68	16.70	0.00	0.00	0.00	0.00
2013-03-11 19:00	10			3.95	5.00	0.00	0.00	7.30	7.50	20.30	20.40			0.55	1.60
2013-03-11 19:00	12	0.61	1.30	2.97	4.00			0.00	0.00	21.64	21.70			2.19	2.50
2013-03-11 19:00	13			0.58	2.00	0.00	0.00	0.00	0.00	20.60	20.70	0.00	0.00	1.04	1.30
2013-03-11 20:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.47	20.50			0.00	0.00
2013-03-11 20:00	2	0.26	0.80			0.00	0.00	0.00	0.00	20.60	20.60			0.00	0.00
2013-03-11 20:00	7			2.00	2.00			0.00	0.00	20.90	20.90	0.03	0.10	3.21	4.10
2013-03-11 20:00	8			4.07	6.00			0.00	0.00	16.68	16.70	0.00	0.00	0.00	0.00
2013-03-11 20:00	10			3.90	4.00	0.00	0.00	7.24	7.50	20.31	20.40			0.57	1.30
2013-03-11 20:00	12	0.54	1.00	3.75	16.00			0.00	0.00	21.61	21.70			2.13	2.50
2013-03-11 20:00	13			0.35	1.00	0.00	0.00	0.00	0.00	20.60	20.70	0.00	0.00	1.06	1.60
2013-03-11 21:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.44	20.50			0.00	0.00
2013-03-11 21:00	2	0.25	0.70			0.00	0.00	0.00	0.00	20.61	20.70			0.00	0.00
2013-03-11 21:00	7			2.00	2.00			0.00	0.00	20.90	20.90	0.01	0.10	3.24	6.20

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2013-03-11 21:00	8			4.10	6.00			0.00	0.00	16.70	16.70	0.00	0.00	0.00	0.00
2013-03-11 21:00	10			3.88	4.00	0.00	0.00	7.19	7.40	20.31	20.40			0.59	1.30
2013-03-11 21:00	12	0.49	1.10	3.32	13.00			0.00	0.00	21.67	21.70			2.21	2.50
2013-03-11 21:00	13			0.23	2.00	0.00	0.00	0.00	0.00	20.60	20.70	0.00	0.00	1.07	1.60
2013-03-11 22:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.42	20.90			0.00	0.00
2013-03-11 22:00	2	0.22	1.10			0.00	0.00	0.00	0.00	20.60	20.60			0.00	0.00
2013-03-11 22:00	7			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	3.35	5.10
2013-03-11 22:00	8			4.03	7.00			0.00	0.00	16.69	16.70	0.00	0.00	0.00	0.00
2013-03-11 22:00	10			3.93	4.00	0.00	0.00	7.26	7.50	20.31	20.40			0.52	1.60
2013-03-11 22:00	12	0.56	1.20	3.67	18.00			0.00	0.00	21.66	21.70			2.21	2.50
2013-03-11 22:00	13			0.53	2.00	0.00	0.00	0.00	0.00	20.60	20.70	0.00	0.00	1.13	1.60
2013-03-11 23:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.42	20.50			0.00	0.00
2013-03-11 23:00	2	0.30	1.20			0.00	0.00	0.00	0.00	20.60	20.60			0.00	0.00
2013-03-11 23:00	7			1.93	2.00			0.00	0.00	20.90	20.90	0.03	0.10	3.47	5.10
2013-03-11 23:00	8			4.05	5.00			0.00	0.00	16.69	16.70	0.00	0.00	0.00	0.00
2013-03-11 23:00	10			3.97	5.00	0.00	0.00	7.30	7.50	20.30	20.40			0.56	1.60
2013-03-11 23:00	12	0.65	1.30	3.58	22.00			0.00	0.00	21.67	21.70			2.17	2.20
2013-03-11 23:00	13			0.25	2.00	0.00	0.00	0.00	0.00	20.58	20.60	0.00	0.00	1.09	1.30
2013-03-12 00:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.42	20.50			0.00	0.00
2013-03-12 00:00	2	0.24	1.00			0.00	0.00	0.00	0.00	20.65	20.70			0.00	0.00
2013-03-12 00:00	7			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	3.88	5.10
2013-03-12 00:00	8			4.08	5.00			0.00	0.00	16.69	16.70	0.00	0.00	0.00	0.00
2013-03-12 00:00	10			3.95	4.00	0.00	0.00	7.45	7.60	20.32	20.40			0.76	1.60
2013-03-12 00:00	12	0.50	1.30	3.65	20.00			0.00	0.00	21.67	21.70			2.05	2.20
2013-03-12 00:00	13			0.30	1.00	0.00	0.00	0.00	0.00	20.56	20.60	0.00	0.00	1.05	1.60
2013-03-12 01:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.47	20.50			0.00	0.00
2013-03-12 01:00	2	0.33	0.90			0.00	0.00	0.00	0.00	20.63	20.70			0.00	0.00
2013-03-12 01:00	8			4.05	6.00			2.21	3.10	16.66	16.70	0.00	0.00	0.00	0.00
2013-03-12 01:00	10			3.98	5.00	0.00	0.00	7.62	7.80	20.31	20.40			0.67	1.60
2013-03-12 01:00	12	0.43	1.00	3.58	17.00			0.00	0.00	21.66	22.00			2.16	2.50
2013-03-12 01:00	13			0.25	1.00	0.00	0.00	0.00	0.00	20.58	20.60	0.00	0.00	1.03	1.60
2013-03-12 02:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.40	20.40			0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2013-03-12 02:00	2	0.30	0.80			0.00	0.00	0.00	0.00	20.60	20.60			0.00	0.00
2013-03-12 02:00	7			2.00	2.00			0.00	0.00	20.90	20.90	0.01	0.10	4.28	7.20
2013-03-12 02:00	8			4.02	6.00			3.11	3.30	16.60	16.70	0.00	0.00	0.00	0.00
2013-03-12 02:00	10			3.95	5.00	0.00	0.00	7.76	8.00	20.26	20.30			0.70	1.60
2013-03-12 02:00	12	0.53	1.20	4.00	16.00			0.00	0.00	21.60	21.60			2.26	3.60
2013-03-12 02:00	13			0.37	2.00	0.00	0.00	0.00	0.00	20.60	20.60	0.00	0.00	1.07	1.30
2013-03-12 03:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.40	20.40			0.00	0.00
2013-03-12 03:00	2	0.35	1.00			0.00	0.00	0.00	0.00	20.58	20.60			0.00	0.00
2013-03-12 03:00	7			2.00	2.00			0.00	0.00	20.90	20.90	0.02	0.10	4.24	7.20
2013-03-12 03:00	8			4.03	6.00			3.26	3.30	16.60	16.60	0.00	0.00	0.00	0.00
2013-03-12 03:00	10			3.92	4.00	0.00	0.00	7.95	8.10	20.24	20.30			0.78	1.60
2013-03-12 03:00	12	0.55	1.10	3.44	19.00			0.00	0.00	21.59	21.60			2.30	3.30
2013-03-12 03:00	13			0.27	1.00	0.00	0.00	0.00	0.00	20.54	20.70	0.00	0.00	1.32	2.00
2013-03-12 04:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.40	20.40			0.00	0.00
2013-03-12 04:00	2	0.32	0.90			0.00	0.00	0.00	0.00	20.53	20.60			0.00	0.00
2013-03-12 04:00	7			2.02	3.00			0.00	0.00	20.90	20.90	0.02	0.10	4.54	10.40
2013-03-12 04:00	8			4.12	6.00			3.30	3.30	16.59	16.70	0.00	0.00	0.00	0.00
2013-03-12 04:00	10			3.80	4.00	0.00	0.00	8.18	8.40	20.26	20.30			0.72	1.60
2013-03-12 04:00	12	0.59	1.30	3.77	18.00			0.00	0.00	21.51	21.60			2.55	3.30
2013-03-12 04:00	13			0.30	1.00	0.00	0.00	0.00	0.00	20.53	20.60	0.00	0.00	1.32	2.00
2013-03-12 05:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.35	20.40			0.00	0.00
2013-03-12 05:00	2	0.44	1.30			0.00	0.00	0.00	0.00	20.53	20.60			0.00	0.00
2013-03-12 05:00	7			2.00	2.00			0.00	0.00	20.90	20.90	0.01	0.10	5.10	10.30
2013-03-12 05:00	8			4.03	6.00			3.30	3.40	16.56	16.60	0.00	0.00	0.00	0.00
2013-03-12 05:00	10			3.85	5.00	0.00	0.00	8.32	8.50	20.24	20.40			0.71	1.90
2013-03-12 05:00	12	0.65	1.30	3.55	14.00			0.00	0.00	21.50	21.50			2.53	3.30
2013-03-12 05:00	13			0.38	2.00	0.00	0.00	0.00	0.00	20.53	20.60	0.00	0.00	1.43	2.00
2013-03-12 06:00	1	0.00	0.00			0.00	0.00	0.40	3.00	20.31	20.40			0.00	0.00
2013-03-12 06:00	2	0.36	0.90			0.00	0.00	0.00	0.00	20.52	20.60			0.00	0.00
2013-03-12 06:00	7														
2013-03-12 06:00	8			4.13	6.00			3.30	3.30	16.58	16.60	0.00	0.00	0.00	0.00
2013-03-12 06:00	10			3.93	5.00	0.00	0.00	8.44	8.60	20.22	20.30			0.73	1.60

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2013-03-12 06:00	12	0.66	1.30	3.45	20.00			0.00	0.00	21.51	21.60			2.46	3.30
2013-03-12 06:00	13			0.25	1.00	0.00	0.00	0.00	0.00	20.55	20.60	0.00	0.00	1.36	2.00
2013-03-12 07:00	1	0.00	0.00			0.00	0.00	3.09	3.10	20.30	20.40			0.00	0.00
2013-03-12 07:00	2	0.36	1.10			0.00	0.00	0.00	0.00	20.51	20.60			0.00	0.00
2013-03-12 07:00	7														
2013-03-12 07:00	8			4.03	5.00			3.30	3.30	16.58	16.60	0.00	0.00	0.00	0.00
2013-03-12 07:00	10			3.87	4.00	0.00	0.00	8.38	8.60	20.23	20.30			0.80	1.60
2013-03-12 07:00	12	0.71	1.40	3.27	6.00			0.00	0.00	21.50	21.60			2.45	2.90
2013-03-12 07:00	13			0.28	2.00	0.00	0.00	0.00	0.00	20.57	20.60	0.00	0.00	1.48	2.00
2013-03-12 08:00	1	0.00	0.00			0.00	0.00	3.05	3.10	20.29	20.40			0.00	0.00
2013-03-12 08:00	2	0.40	1.10			0.00	0.00	0.00	0.00	20.52	20.60			0.00	0.00
2013-03-12 08:00	7			1.98	3.00			0.00	0.00	20.90	20.90	0.03	0.10	5.86	12.50
2013-03-12 08:00	8			4.07	6.00			3.30	3.30	16.59	16.60	0.00	0.00	0.00	0.00
2013-03-12 08:00	10			3.97	5.00	0.00	0.00	8.25	8.40	20.26	20.40			0.80	1.60
2013-03-12 08:00	12	0.67	1.10	3.32	9.00			0.00	0.00	21.51	21.60			2.58	3.30
2013-03-12 08:00	13			0.42	2.00	0.00	0.00	0.00	0.00	20.54	20.60	0.00	0.00	1.36	2.00
2013-03-12 09:00	1	0.00	0.00			0.00	0.00	2.75	2.90	20.37	20.40			0.00	0.00
2013-03-12 09:00	2	0.31	0.80			0.00	0.00	0.00	0.00	20.57	20.60			0.00	0.00
2013-03-12 09:00	7			2.00	2.00			0.00	0.00	20.90	20.90	0.01	0.10	4.78	8.20
2013-03-12 09:00	8			4.02	5.00			3.13	3.30	16.60	16.60	0.00	0.00	0.00	0.00
2013-03-12 09:00	10			3.85	5.00	0.00	0.00	8.12	8.40	20.25	20.30			0.81	1.60
2013-03-12 09:00	12	0.74	3.20	3.97	21.00			0.00	0.00	21.58	21.60			2.41	3.30
2013-03-12 09:00	13			0.22	1.00	0.00	0.00	0.00	0.00	20.54	20.60	0.00	0.00	1.26	2.00
2013-03-12 10:00	1	0.00	0.00			0.00	0.00	2.39	2.60	20.40	20.50			0.00	0.00
2013-03-12 10:00	2	0.32	0.80			0.00	0.00	0.00	0.00	20.58	20.70			0.00	0.00
2013-03-12 10:00	7			2.00	2.00			0.00	0.00	20.90	20.90	0.02	0.10	3.85	6.20
2013-03-12 10:00	8			4.05	5.00			2.90	3.10	16.66	16.70	0.00	0.00	0.00	0.00
2013-03-12 10:00	10			3.97	5.00	0.00	0.00	7.81	8.10	20.32	20.40			0.80	1.60
2013-03-12 10:00	12	0.70	1.30	3.56	16.00			0.00	0.00	21.60	21.70			2.23	2.90
2013-03-12 10:00	13			0.46	1.00	0.00	0.00	0.00	0.00	20.55	20.60	0.00	0.00	1.08	1.60
2013-03-12 11:00	1	0.00	0.10			0.00	0.00	1.97	2.20	20.44	20.50			0.00	0.00
2013-03-12 11:00	2	0.33	0.90			0.00	0.00	0.00	0.00	20.59	20.70			0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2013-03-12 11:00	7			2.02	3.00			0.00	0.00	20.89	20.90	0.00	0.10	3.26	5.10
2013-03-12 11:00	8			4.00	5.00			2.66	2.80	16.69	16.80	0.00	0.00	0.00	0.00
2013-03-12 11:00	10			3.72	4.00	0.00	0.00	7.39	7.70	20.38	20.50			0.61	1.60
2013-03-12 11:00	12	0.81	1.60	3.17	4.00			0.00	0.00	21.61	21.70			2.04	2.20
2013-03-12 11:00	13			0.43	1.00	0.00	0.00	0.00	0.00	20.58	20.60	0.00	0.00	0.63	1.30
2013-03-12 12:00	1	0.00	0.00			0.00	0.00	1.55	1.80	20.51	20.60			0.00	0.00
2013-03-12 12:00	2	0.26	1.00			0.00	0.00	0.00	0.00	20.78	20.90			0.00	0.00
2013-03-12 12:00	7			2.00	2.00			0.00	0.00	20.90	20.90	0.01	0.10	2.91	5.10
2013-03-12 12:00	8			4.14	7.00			2.25	2.50	16.75	16.80	0.00	0.00	0.00	0.00
2013-03-12 12:00	10			3.81	4.00	0.00	0.00	6.78	7.30	20.43	20.60			0.49	1.30
2013-03-12 12:00	12	0.88	1.60	3.47	16.00			0.00	0.00	21.60	21.70			1.83	2.20
2013-03-12 12:00	13			0.53	2.00	0.00	0.00	0.00	0.00	20.80	20.90	0.00	0.00	0.08	1.00
2013-03-12 13:00	1	0.00	0.00			0.00	0.00	1.07	1.40	20.57	20.70			0.00	0.00
2013-03-12 13:00	2	0.15	0.60			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-12 13:00	7			2.00	3.00			0.00	0.00	20.90	20.90	0.00	0.10	2.42	4.10
2013-03-12 13:00	8			4.17	7.00			1.75	1.90	16.82	16.90	0.00	0.00	0.00	0.00
2013-03-12 13:00	10			3.67	4.00	0.00	0.00	6.07	6.50	20.50	20.60			0.39	1.30
2013-03-12 13:00	12	0.89	1.50	3.27	5.00			0.00	0.00	21.59	21.70			1.15	1.80
2013-03-12 13:00	13			0.52	2.00	0.00	0.00	0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.30
2013-03-12 14:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.60	20.60			0.00	0.00
2013-03-12 14:00	2	0.07	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-12 14:00	7			2.02	3.00			0.00	0.00	20.90	20.90	0.01	0.10	2.41	3.10
2013-03-12 14:00	8			4.17	7.00			1.57	1.60	16.90	16.90	0.00	0.00	0.00	0.00
2013-03-12 14:00	10			3.68	4.00	0.00	0.00	5.36	5.80	20.58	20.70			0.27	1.00
2013-03-12 14:00	12	0.82	1.40	3.50	20.00			0.00	0.00	21.34	21.60			1.09	1.80
2013-03-12 14:00	13			0.34	2.00	0.00	0.00	0.00	0.00	20.90	20.90	0.00	0.00	0.02	0.30
2013-03-12 15:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.62	20.70			0.00	0.00
2013-03-12 15:00	2	0.10	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-12 15:00	7			2.00	2.00			0.00	0.00	20.90	20.90	0.01	0.10	2.30	3.10
2013-03-12 15:00	8			4.46	7.00			1.43	1.60	16.89	16.90	0.00	0.00	0.00	0.00
2013-03-12 15:00	10			3.91	4.00	0.00	0.00	5.13	5.40	20.59	20.70			0.29	0.80
2013-03-12 15:00	12	0.66	1.30	3.21	4.00			0.00	0.00	21.67	21.80			1.10	1.80

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2013-03-12 15:00	13			0.53	1.00	0.00	0.00	0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.30
2013-03-12 16:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.64	20.70			0.00	0.00
2013-03-12 16:00	2	0.11	2.20			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-12 16:00	7														
2013-03-12 16:00	8			4.30	6.00			1.58	1.80	16.90	17.00	0.00	0.00	0.00	0.00
2013-03-12 16:00	10			3.93	5.00	0.00	0.00	5.29	5.80	20.59	20.70			0.29	1.00
2013-03-12 16:00	12	0.49	1.00	3.70	19.00			0.00	0.00	21.78	21.80			1.29	2.20
2013-03-12 16:00	13			0.62	1.00	0.00	0.00	0.00	0.00	20.90	20.90	0.00	0.00	0.04	0.30
2013-03-12 17:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.63	20.90			0.00	0.00
2013-03-12 17:00	2	0.21	0.70			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-12 17:00	7			2.07	3.00			0.00	0.00	20.90	20.90	0.02	0.10	1.61	3.10
2013-03-12 17:00	8			4.27	6.00			1.81	1.90	16.82	16.90	0.00	0.00	0.00	0.00
2013-03-12 17:00	10			3.87	5.00	0.00	0.00	5.85	6.30	20.49	20.60			0.38	1.00
2013-03-12 17:00	12	0.41	1.00	3.75	23.00			0.00	0.00	21.97	22.30			1.38	2.20
2013-03-12 17:00	13			0.50	2.00	0.00	0.00	0.00	0.00	20.90	20.90	0.00	0.00	0.15	0.60
2013-03-12 18:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.71	20.90			0.00	0.00
2013-03-12 18:00	2	0.17	0.70			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-12 18:00	7			2.15	4.00			0.00	0.00	20.90	20.90	0.00	0.10	2.62	4.10
2013-03-12 18:00	8			4.13	6.00			2.10	2.40	16.80	16.90	0.00	0.00	0.00	0.00
2013-03-12 18:00	10			3.90	5.00	0.00	0.00	6.40	6.90	20.45	20.50			0.49	1.30
2013-03-12 18:00	12	0.39	1.00	3.72	21.00			0.00	0.00	21.91	22.30			1.87	2.20
2013-03-12 18:00	13			0.75	2.00	0.00	0.00	0.00	0.00	20.90	20.90	0.00	0.00	0.25	0.60
2013-03-12 19:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.55	20.60			0.00	0.00
2013-03-12 19:00	2	0.20	1.20			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-12 19:00	7			2.02	3.00			0.00	0.00	20.90	20.90	0.03	0.20	3.22	5.10
2013-03-12 19:00	8			4.07	5.00			2.47	2.70	16.69	16.80	0.00	0.00	0.00	0.00
2013-03-12 19:00	10			3.73	4.00	0.00	0.00	7.12	7.50	20.40	20.50			0.71	1.90
2013-03-12 19:00	12	0.44	1.00	3.50	12.00			0.00	0.00	21.82	22.90			1.98	2.20
2013-03-12 19:00	13			0.82	3.00	0.00	0.00	0.00	0.00	20.90	20.90	0.00	0.00	0.81	1.00
2013-03-12 20:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.47	20.60			0.00	0.00
2013-03-12 20:00	2	0.22	1.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-12 20:00	7			2.09	4.00			0.00	0.00	20.90	20.90	0.01	0.10	3.32	4.10

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2013-03-12 20:00	8			4.02	5.00			2.68	2.80	16.65	16.70	0.00	0.00	0.00	0.00
2013-03-12 20:00	10			3.58	4.00	0.00	0.00	7.56	7.80	20.38	20.50			0.78	1.90
2013-03-12 20:00	12	0.45	1.40	3.40	17.00			0.00	0.00	21.70	21.70			1.94	2.20
2013-03-12 20:00	13			0.85	2.00	0.00	0.00	0.00	0.00	20.68	20.90	0.00	0.00	1.01	1.30
2013-03-12 21:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.48	20.50			0.00	0.00
2013-03-12 21:00	2	0.21	1.40			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-12 21:00	7			2.08	3.00			0.00	0.00	20.90	20.90	0.02	0.10	3.50	6.20
2013-03-12 21:00	8			4.12	7.00			2.75	2.80	16.63	16.70	0.00	0.00	0.00	0.00
2013-03-12 21:00	10			3.72	6.00	0.00	0.00	7.70	7.90	20.31	20.40			0.76	1.90
2013-03-12 21:00	12	0.49	1.00	3.65	18.00			0.00	0.00	21.68	21.80			2.03	2.20
2013-03-12 21:00	13			0.72	1.00	0.00	0.00	0.00	0.00	20.60	20.70	0.00	0.00	1.04	1.30
2013-03-12 22:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.44	20.50			0.00	0.00
2013-03-12 22:00	2	0.26	1.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-12 22:00	7			2.02	3.00			0.00	0.00	20.90	20.90	0.02	0.20	3.47	5.10
2013-03-12 22:00	8			3.98	6.00			2.80	2.80	16.60	16.60	0.00	0.00	0.00	0.00
2013-03-12 22:00	10			3.74	5.00	0.00	0.00	7.72	7.90	20.31	20.40			0.82	1.60
2013-03-12 22:00	12	0.51	1.00	4.74	21.00			0.00	0.00	21.65	21.70			2.16	2.20
2013-03-12 22:00	13			0.79	2.00	0.00	0.00	0.00	0.00	20.68	20.90	0.00	0.00	1.06	1.60
2013-03-12 23:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.41	20.50			0.00	0.00
2013-03-12 23:00	2	0.18	0.70			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-12 23:00	7			2.03	3.00			0.00	0.00	20.90	20.90	0.01	0.10	3.63	6.20
2013-03-12 23:00	8			4.10	6.00			2.87	3.00	16.58	16.60	0.00	0.00	0.00	0.00
2013-03-12 23:00	10			3.53	4.00	0.00	0.00	7.84	8.00	20.32	20.40			0.86	1.60
2013-03-12 23:00	12	0.51	1.10	3.32	15.00			0.00	0.00	21.65	21.70			2.09	2.50
2013-03-12 23:00	13			0.67	3.00	0.00	0.00	0.00	0.00	20.68	20.90	0.00	0.00	1.08	1.60
2013-03-13 00:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.44	20.50			0.00	0.00
2013-03-13 00:00	2	0.27	0.80			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-13 00:00	7			2.15	4.00			0.00	0.00	20.90	20.90	0.03	0.20	3.67	6.20
2013-03-13 00:00	8			3.98	5.00			3.03	3.10	16.59	16.60	0.00	0.00	0.00	0.00
2013-03-13 00:00	10			3.88	5.00	0.00	0.00	8.02	8.30	20.32	20.40			0.80	1.60
2013-03-13 00:00	12	0.51	1.00	3.50	13.00			0.00	0.00	21.66	21.70			2.19	2.50
2013-03-13 00:00	13			0.93	2.00	0.00	0.00	0.00	0.00	20.64	20.70	0.00	0.00	1.09	1.60

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2013-03-13 01:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.45	20.50			0.00	0.00
2013-03-13 01:00	2	0.26	0.80			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-13 01:00	7			2.00	3.00			0.00	0.00	20.90	20.90	0.02	0.20	3.61	7.20
2013-03-13 01:00	8			4.10	6.00			3.06	3.10	16.58	16.60	0.00	0.00	0.00	0.00
2013-03-13 01:00	10			3.80	6.00	0.00	0.00	8.19	8.40	20.30	20.40			0.88	1.90
2013-03-13 01:00	12	0.54	1.00	3.27	7.00			0.00	0.00	21.61	21.70			2.07	2.90
2013-03-13 01:00	13			0.83	2.00	0.00	0.00	0.00	0.00	20.58	20.70	0.00	0.00	1.12	1.60
2013-03-13 02:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.42	20.50			0.00	0.00
2013-03-13 02:00	2	0.28	1.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-13 02:00	7			2.05	3.00			0.00	0.00	20.88	20.90	0.04	0.20	4.40	8.30
2013-03-13 02:00	8			4.07	6.00			3.19	3.30	16.51	16.60	0.00	0.00	0.00	0.00
2013-03-13 02:00	10			3.92	4.00	0.00	0.00	8.36	8.60	20.27	20.40			0.81	1.90
2013-03-13 02:00	12	0.47	1.00	3.62	16.00			0.00	0.00	21.60	21.70			2.54	3.30
2013-03-13 02:00	13			0.65	1.00	0.00	0.00	0.00	0.00	20.80	20.90	0.00	0.00	1.17	2.00
2013-03-13 03:00	1	0.00	0.00			0.00	0.00	0.89	3.10	20.34	20.40			0.00	0.00
2013-03-13 03:00	2	0.29	1.10			0.00	0.00	0.00	0.00	20.86	20.90			0.00	0.00
2013-03-13 03:00	7			2.04	3.00			0.00	0.00	20.62	20.70	0.01	0.20	4.78	10.40
2013-03-13 03:00	8			4.08	5.00			3.36	3.40	16.53	16.60	0.00	0.00	0.00	0.00
2013-03-13 03:00	10			3.78	5.00	0.00	0.00	8.78	9.00	20.24	20.30			0.85	1.90
2013-03-13 03:00	12	0.44	1.10	4.07	24.00			0.00	0.00	21.54	21.60			2.66	3.30
2013-03-13 03:00	13			0.66	1.00	0.00	0.00	0.00	0.00	20.58	20.60	0.00	0.00	1.44	2.00
2013-03-13 04:00	1	0.00	0.00			0.00	0.00	3.16	3.20	20.31	20.40			0.00	0.00
2013-03-13 04:00	2	0.33	1.90			0.00	0.00	0.00	0.00	20.59	20.60			0.00	0.00
2013-03-13 04:00	7														
2013-03-13 04:00	8			4.00	6.00			3.43	3.60	16.48	16.60	0.00	0.00	0.00	0.00
2013-03-13 04:00	10			3.18	4.00	0.00	0.00	9.09	9.30	20.21	20.30			0.93	2.20
2013-03-13 04:00	12	0.50	1.10	3.27	9.00			0.00	0.00	21.58	21.60			2.64	3.30
2013-03-13 04:00	13			0.68	2.00	0.00	0.00	0.00	0.00	20.58	20.60	0.00	0.00	1.56	2.00
2013-03-13 05:00	1	0.00	0.00			0.00	0.00	3.20	3.20	20.29	20.40			0.00	0.00
2013-03-13 05:00	2	0.37	1.00			0.00	0.00	0.00	0.00	20.60	20.60			0.00	0.00
2013-03-13 05:00	7			2.00	2.00			0.00	0.00	20.60	20.60	0.00	0.00	4.60	5.10
2013-03-13 05:00	8			4.02	5.00			3.50	3.60	16.45	16.50	0.00	0.00	0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2013-03-13 05:00	10			3.25	4.00	0.00	0.00	9.26	9.50	20.17	20.30			0.93	2.50
2013-03-13 05:00	12	0.65	1.30	3.53	16.00			0.00	0.00	21.53	21.60			2.53	3.30
2013-03-13 05:00	13			0.37	2.00	0.00	0.00	0.00	0.00	20.59	20.60	0.00	0.00	1.66	2.00
2013-03-13 06:00	1	0.00	0.00			0.00	0.00	3.20	3.20	20.29	20.40			0.00	0.00
2013-03-13 06:00	2	0.37	1.10			0.00	0.00	0.00	0.00	20.60	20.60			0.00	0.00
2013-03-13 06:00	7			2.03	4.00			0.00	0.00	20.61	20.70	0.03	0.20	4.07	6.20
2013-03-13 06:00	8			4.03	5.00			3.54	3.60	16.46	16.50	0.00	0.10	0.00	0.00
2013-03-13 06:00	10			3.33	4.00	0.00	0.00	9.41	9.70	20.16	20.30			1.13	2.50
2013-03-13 06:00	12	0.65	1.30	3.90	19.00			0.00	0.00	21.59	21.60			2.50	3.30
2013-03-13 06:00	13			0.42	2.00	0.00	0.00	0.00	0.00	20.59	20.60	0.00	0.00	1.68	2.00
2013-03-13 07:00	1	0.00	0.00			0.00	0.00	3.20	3.30	20.29	20.40			0.00	0.00
2013-03-13 07:00	2	0.46	1.40			0.00	0.00	0.00	0.00	20.57	20.60			0.00	0.00
2013-03-13 07:00	7			2.00	2.00			0.00	0.00	20.63	20.70	0.07	0.20	4.39	5.10
2013-03-13 07:00	8			3.97	5.00			3.60	3.70	16.50	16.50	0.00	0.00	0.00	0.00
2013-03-13 07:00	10			3.37	4.00	0.00	0.00	9.48	9.70	20.12	20.20			1.07	2.50
2013-03-13 07:00	12	0.57	1.10	3.20	8.00			0.00	0.00	21.57	21.60			2.41	3.30
2013-03-13 07:00	13			0.32	3.00	0.00	0.00	0.00	0.00	20.59	20.60	0.00	0.00	1.64	2.00
2013-03-13 08:00	1	0.00	0.00			0.00	0.00	3.07	3.20	20.27	20.30			0.00	0.00
2013-03-13 08:00	2	0.37	1.20			0.00	0.00	0.00	0.00	20.58	20.60			0.00	0.00
2013-03-13 08:00	8			3.92	4.00			3.53	3.60	16.46	16.50	0.00	0.00	0.00	0.00
2013-03-13 08:00	10			3.22	4.00	0.00	0.00	9.31	9.60	20.17	20.30			0.96	2.20
2013-03-13 08:00	12	0.65	1.30	3.17	5.00			0.00	0.00	21.57	21.60			2.43	2.90
2013-03-13 08:00	13			0.15	1.00	0.00	0.00	0.00	0.00	20.58	20.60	0.00	0.00	1.69	2.00
2013-03-13 09:00	1	0.00	0.00			0.00	0.00	2.86	3.00	20.30	20.40			0.00	0.00
2013-03-13 09:00	2	0.41	1.20			0.00	0.00	0.00	0.00	20.60	20.60			0.00	0.00
2013-03-13 09:00	7			2.08	3.00			0.00	0.00	20.58	20.60	0.01	0.10	2.95	4.10
2013-03-13 09:00	8			4.00	5.00			3.43	3.60	16.48	16.60	0.00	0.00	0.00	0.00
2013-03-13 09:00	10			3.48	4.00	0.00	0.00	9.19	9.40	20.22	20.30			0.92	2.50
2013-03-13 09:00	12	0.64	1.20	4.17	20.00			0.00	0.00	21.54	21.60			2.51	3.30
2013-03-13 09:00	13			0.33	2.00	0.00	0.00	0.00	0.00	20.55	20.60	0.00	0.00	1.61	2.00
2013-03-13 10:00	1	0.00	0.00			0.00	0.00	2.09	2.50	20.38	20.50			0.00	0.00
2013-03-13 10:00	2	0.35	0.80			0.00	0.00	0.00	0.00	20.61	20.70			0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2013-03-13 10:00	7			2.08	3.00			0.00	0.00	20.79	20.90	0.00	0.10	2.44	4.10
2013-03-13 10:00	8			3.98	5.00			3.34	3.40	16.49	16.60	0.00	0.00	0.00	0.00
2013-03-13 10:00	10			3.37	4.00	0.00	0.00	9.05	9.30	20.27	20.40			1.01	2.20
2013-03-13 10:00	12	0.64	1.20	3.53	16.00			0.00	0.00	21.51	21.60			2.34	2.90
2013-03-13 10:00	13			0.60	1.00	0.00	0.00	0.00	0.00	20.55	20.60	0.00	0.00	1.46	2.00
2013-03-13 11:00	1	0.00	0.00			0.00	0.00	1.79	2.00	20.50	20.60			0.00	0.00
2013-03-13 11:00	2	0.39	1.10			0.00	0.00	0.00	0.00	20.66	20.70			0.00	0.00
2013-03-13 11:00	7			2.07	3.00			0.00	0.00	20.90	20.90	0.02	0.10	2.55	4.10
2013-03-13 11:00	8			4.08	6.00			3.18	3.30	16.50	16.50	0.00	0.00	0.00	0.00
2013-03-13 11:00	10			3.30	4.00	0.00	0.00	8.71	9.00	20.26	20.40			0.79	1.90
2013-03-13 11:00	12	0.71	1.40	3.23	6.00			0.00	0.00	21.56	21.60			2.25	2.90
2013-03-13 11:00	13			0.30	2.00	0.00	0.00	0.00	0.00	20.58	20.60	0.00	0.00	1.31	2.00
2013-03-13 12:00	1	0.00	0.00			0.00	0.00	2.11	2.20	20.46	20.50			0.00	0.00
2013-03-13 12:00	2	0.29	0.90			0.00	0.00	0.00	0.00	20.63	20.70			0.00	0.00
2013-03-13 12:00	7			1.98	3.00			0.00	0.00	20.90	20.90	0.00	0.00	3.07	4.10
2013-03-13 12:00	8			4.00	5.00			2.92	3.10	16.59	16.60	0.00	0.00	0.00	0.00
2013-03-13 12:00	10			3.68	4.00	0.00	0.00	8.36	8.70	20.33	20.40			0.97	1.90
2013-03-13 12:00	12	0.73	1.40	3.07	4.00			0.00	0.00	21.63	21.70			2.25	2.90
2013-03-13 12:00	13			0.54	1.00	0.00	0.00	0.00	0.00	20.60	20.70	0.00	0.00	1.05	1.60
2013-03-13 13:00	1	0.00	0.00			0.00	0.00	2.08	2.20	20.44	20.50			0.00	0.00
2013-03-13 13:00	2	0.36	1.30			0.00	0.00	0.00	0.00	20.60	20.70			0.00	0.00
2013-03-13 13:00	7			2.09	3.00			0.00	0.00	20.90	20.90	0.01	0.10	2.93	4.10
2013-03-13 13:00	8			3.97	5.00			2.64	2.80	16.63	16.70	0.00	0.00	0.00	0.00
2013-03-13 13:00	10			3.50	5.00	0.00	0.00	7.88	8.20	20.41	20.50			0.69	1.30
2013-03-13 13:00	12	0.69	1.10	3.08	6.00			0.00	0.00	21.65	21.70			1.98	2.20
2013-03-13 13:00	13			0.39	1.00	0.00	0.00	0.00	0.00	20.89	20.90	0.00	0.00	0.85	1.30
2013-03-13 14:00	1	0.00	0.00			0.00	0.00	1.96	2.00	20.46	20.60			0.00	0.00
2013-03-13 14:00	2	0.21	0.70			0.00	0.00	0.00	0.00	20.65	20.70			0.00	0.00
2013-03-13 14:00	7			2.02	3.00			0.00	0.00	20.90	20.90	0.00	0.10	2.89	4.10
2013-03-13 14:00	8			4.03	5.00			2.32	2.50	16.69	16.80	0.00	0.00	0.00	0.00
2013-03-13 14:00	10			3.63	5.00	0.00	0.00	7.24	7.70	20.46	20.50			0.58	1.60
2013-03-13 14:00	12	0.69	1.30	3.72	16.00			0.00	0.00	21.65	21.70			1.72	2.20

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2013-03-13 14:00	13			0.38	1.00	0.00	0.00	0.00	0.00	20.90	20.90	0.00	0.00	0.76	1.00
2013-03-13 15:00	1	0.00	0.00			0.00	0.00	1.90	1.90	20.50	20.60			0.00	0.00
2013-03-13 15:00	2	0.11	0.60			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-13 15:00	7			2.07	4.00			0.00	0.00	20.90	20.90	0.01	0.10	2.88	3.10
2013-03-13 15:00	8			4.08	5.00			1.86	2.10	16.80	17.00	0.00	0.00	0.00	0.00
2013-03-13 15:00	10			3.73	4.00	0.00	0.00	6.51	7.00	20.55	20.60			0.41	1.30
2013-03-13 15:00	12	0.63	1.30	3.07	4.00			0.00	0.00	21.78	21.90			1.26	1.80
2013-03-13 15:00	13			0.50	2.00	0.00	0.00	0.00	0.00	20.90	20.90	0.00	0.00	0.85	1.00
2013-03-13 16:00	1	0.00	0.00			0.00	0.00	1.81	1.90	20.50	20.50			0.00	0.00
2013-03-13 16:00	2	0.15	0.60			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-13 16:00	7			2.00	3.00			0.00	0.00	20.90	20.90	0.00	0.10	2.86	4.10
2013-03-13 16:00	8			4.03	6.00			1.81	1.90	16.90	17.00	0.00	0.00	0.00	0.00
2013-03-13 16:00	10			3.47	5.00	0.00	0.00	6.43	6.70	20.56	20.60			0.51	1.60
2013-03-13 16:00	12	0.52	1.40	3.33	7.00			0.00	0.00	21.80	21.90			1.29	2.20
2013-03-13 16:00	13			0.27	3.00	0.00	0.00	0.00	0.00	20.88	20.90	0.00	0.00	0.78	1.00
2013-03-13 17:00	1	0.00	0.00			0.00	0.00	1.70	1.80	20.50	20.50			0.00	0.00
2013-03-13 17:00	2	0.22	1.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-13 17:00	7			2.20	4.00			0.00	0.00	20.90	20.90	0.02	0.10	2.88	4.10
2013-03-13 17:00	8			4.15	6.00			2.05	2.20	16.84	16.90	0.00	0.00	0.00	0.00
2013-03-13 17:00	10			3.60	4.00	0.00	0.00	6.93	7.30	20.49	20.60			0.57	1.90
2013-03-13 17:00	12	0.45	1.10	3.47	20.00			0.00	0.00	21.71	21.80			1.47	2.20
2013-03-13 17:00	13			0.38	2.00	0.00	0.00	0.00	0.00	20.82	20.90	0.00	0.00	0.56	1.00
2013-03-13 18:00	1	0.00	0.00			0.00	0.00	1.66	1.70	20.51	20.60			0.00	0.00
2013-03-13 18:00	2	0.19	0.70			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-13 18:00	7			2.07	4.00			0.00	0.00	20.90	20.90	0.00	0.10	2.95	3.10
2013-03-13 18:00	8			4.05	6.00			2.37	2.50	16.74	16.80	0.00	0.00	0.00	0.00
2013-03-13 18:00	10			3.72	5.00	0.00	0.00	7.49	7.90	20.43	20.50			0.73	1.60
2013-03-13 18:00	12	0.54	1.10	3.25	14.00			0.00	0.00	21.71	21.80			1.65	2.20
2013-03-13 18:00	13			0.40	2.00	0.00	0.00	0.00	0.00	20.70	20.90	0.00	0.00	0.18	1.00
2013-03-13 19:00	1	0.00	0.00			0.00	0.00	1.94	2.10	20.51	20.60			0.00	0.00
2013-03-13 19:00	2	0.27	0.90			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-13 19:00	7			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	3.30	4.10

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2013-03-13 19:00	8			4.02	5.00			2.66	2.70	16.69	16.80	0.00	0.00	0.00	0.00
2013-03-13 19:00	10			3.57	5.00	0.00	0.00	7.95	8.30	20.40	20.50			0.82	1.60
2013-03-13 19:00	12	0.59	1.20	3.17	16.00			0.00	0.00	21.70	21.80			1.65	2.20
2013-03-13 19:00	13			0.32	2.00	0.00	0.00	0.00	0.00	20.90	20.90	0.00	0.00	0.69	1.00
2013-03-13 20:00	1	0.00	0.00			0.00	0.00	2.24	2.50	20.49	20.60			0.00	0.00
2013-03-13 20:00	2	0.33	1.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-13 20:00	8			3.97	4.00			2.79	2.90	16.66	16.70	0.00	0.00	0.00	0.00
2013-03-13 20:00	10			3.41	4.00	0.00	0.00	8.27	8.50	20.32	20.40			0.85	1.90
2013-03-13 20:00	12	0.60	1.20	3.12	7.00			0.00	0.00	21.69	21.80			1.88	2.20
2013-03-13 20:00	13			0.23	1.00	0.00	0.00	0.00	0.00	20.78	20.90	0.00	0.00	0.98	1.30
2013-03-13 21:00	1	0.00	0.00			0.00	0.00	2.56	2.80	20.47	20.50			0.00	0.00
2013-03-13 21:00	2	0.32	1.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-13 21:00	7			2.04	3.00			0.00	0.00	20.90	20.90	0.01	0.10	4.10	6.20
2013-03-13 21:00	8			4.00	5.00			3.01	3.10	16.60	16.60	0.00	0.00	0.00	0.00
2013-03-13 21:00	10			3.32	4.00	0.00	0.00	8.38	8.60	20.32	20.40			0.85	1.60
2013-03-13 21:00	12	0.68	1.30	3.48	16.00			0.00	0.00	21.69	21.70			2.07	2.20
2013-03-13 21:00	13			0.10	1.00	0.00	0.00	0.00	0.00	20.74	20.90	0.00	0.00	1.01	1.30
2013-03-13 22:00	1	0.00	0.00			0.00	0.00	3.05	3.30	20.39	20.40			0.00	0.00
2013-03-13 22:00	2	0.34	1.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-13 22:00	7			2.12	3.00			0.00	0.00	20.90	20.90	0.05	0.20	4.10	7.20
2013-03-13 22:00	8			4.02	7.00			3.10	3.10	16.59	16.60	0.00	0.00	0.00	0.00
2013-03-13 22:00	10			3.37	5.00	0.00	0.00	8.39	8.60	20.32	20.40			0.79	1.90
2013-03-13 22:00	12	0.71	1.60	2.93	4.00			0.00	0.00	21.66	21.70			2.09	2.50
2013-03-13 22:00	13			0.28	2.00	0.00	0.00	0.00	0.00	20.89	20.90	0.00	0.00	1.06	1.60
2013-03-13 23:00	1	0.00	0.00			0.00	0.00	3.19	3.30	20.30	20.40			0.00	0.00
2013-03-13 23:00	2	0.39	1.20			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-13 23:00	8			3.97	4.00			3.09	3.10	16.54	16.60	0.00	0.00	0.00	0.00
2013-03-13 23:00	10			3.30	4.00	0.00	0.00	8.47	8.60	20.32	20.40			0.84	1.90
2013-03-13 23:00	12	0.68	1.30	3.35	18.00			0.00	0.00	21.61	21.70			1.98	2.20
2013-03-13 23:00	13			0.28	2.00	0.00	0.00	0.00	0.00	20.74	20.90	0.00	0.00	1.13	2.00
2013-03-14 00:00	1	0.00	0.00			0.00	0.00	3.22	3.30	20.30	20.40			0.00	0.00
2013-03-14 00:00	2	0.44	1.40			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2013-03-14 00:00	7			2.00	2.00			0.00	0.00	20.61	20.70	0.04	0.10	3.96	8.20
2013-03-14 00:00	8			4.00	6.00			3.07	3.10	16.55	16.60	0.00	0.00	0.00	0.00
2013-03-14 00:00	10			3.32	4.00	0.00	0.00	8.59	8.80	20.29	20.40			0.93	1.90
2013-03-14 00:00	12	0.70	1.20	3.37	16.00			0.00	0.00	21.60	21.70			1.99	3.30
2013-03-14 00:00	13			0.22	2.00	0.00	0.00	0.00	0.00	20.60	20.60	0.00	0.00	1.21	2.00
2013-03-14 01:00	1	0.00	0.00			0.00	0.00	3.20	3.30	20.28	20.40			0.00	0.00
2013-03-14 01:00	2	0.42	1.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-14 01:00	7			2.00	2.00			0.00	0.00	20.61	20.70	0.01	0.10	4.55	8.20
2013-03-14 01:00	8			4.03	5.00			3.10	3.20	16.51	16.60	0.00	0.00	0.00	0.00
2013-03-14 01:00	10			3.67	4.00	0.00	0.00	8.71	8.90	20.25	20.40			0.84	2.50
2013-03-14 01:00	12	0.65	1.30	3.40	16.00			0.00	0.00	21.60	21.60			2.16	2.50
2013-03-14 01:00	13			0.23	2.00	0.00	0.00	0.00	0.00	20.60	20.60	0.00	0.00	1.39	2.00
2013-03-14 02:00	1	0.00	0.00			0.00	0.00	3.24	3.40	20.28	20.40			0.00	0.00
2013-03-14 02:00	2	0.46	1.20			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-14 02:00	7			2.02	3.00			0.00	0.00	20.57	20.70	0.03	0.10	4.53	9.30
2013-03-14 02:00	8			3.97	5.00			3.17	3.30	16.50	16.50	0.00	0.00	0.00	0.00
2013-03-14 02:00	10			3.52	4.00	0.00	0.00	8.84	9.00	20.26	20.40			0.94	2.20
2013-03-14 02:00	12	0.78	1.40	2.97	4.00			0.00	0.00	21.56	21.60			2.20	2.50
2013-03-14 02:00	13			0.25	2.00	0.00	0.00	0.00	0.00	20.58	20.60	0.00	0.00	1.30	2.00
2013-03-14 03:00	1	0.00	0.00			0.00	0.00	3.28	3.40	20.27	20.30			0.00	0.00
2013-03-14 03:00	2	0.49	0.90			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-14 03:00	7			2.00	2.00			0.00	0.00	20.55	20.60	0.04	0.10	4.90	8.20
2013-03-14 03:00	8			4.11	6.00			3.22	3.30	16.50	16.50	0.00	0.00	0.00	0.00
2013-03-14 03:00	10			3.33	4.00	0.00	0.00	8.86	8.90	20.28	20.30			0.79	1.60
2013-03-14 03:00	12	0.76	1.10	2.89	3.00			0.00	0.00	21.53	21.60			2.23	2.50
2013-03-14 03:00	13			0.11	1.00	0.00	0.00	0.00	0.00	20.58	20.60	0.00	0.00	1.42	2.00
2013-03-14 10:00	1	0.00	0.00			0.00	0.00	1.95	2.00	20.46	20.60			0.00	0.00
2013-03-14 10:00	2	0.29	1.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-14 10:00	7			2.04	3.00			0.00	0.00	20.90	20.90	0.01	0.10	2.91	4.10
2013-03-14 10:00	8			4.02	5.00			2.59	2.70	16.61	16.70	0.00	0.00	0.00	0.00
2013-03-14 10:00	10			3.82	5.00	0.00	0.00	7.91	8.50	20.39	20.50			0.75	1.60
2013-03-14 10:00	12	0.88	17.70	3.38	4.00			0.00	0.00	21.66	21.70			1.65	2.20

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2013-03-14 10:00	13			0.44	3.00	0.00	0.00	0.00	0.00	20.63	20.90	0.00	0.00	0.96	1.30
2013-03-14 11:00	1	0.00	0.00			0.00	0.00	1.89	2.00	20.45	20.50			0.00	0.00
2013-03-14 11:00	2	0.27	0.80			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-14 11:00	7			2.98	4.00			0.00	0.00	20.90	20.90	0.01	0.20	2.91	4.10
2013-03-14 11:00	8			4.27	6.00			2.54	2.70	16.61	16.70	0.00	0.00	0.00	0.00
2013-03-14 11:00	10			4.02	5.00	0.00	0.00	7.76	8.00	20.38	20.40			0.76	1.90
2013-03-14 11:00	12	0.54	1.10	4.00	13.00			0.00	0.00	21.69	21.70			1.82	2.20
2013-03-14 11:00	13			0.97	2.00	0.00	0.00	0.00	0.00	20.61	20.90	0.00	0.00	1.00	1.00
2013-03-14 12:00	1	0.00	0.00			0.00	0.00	1.63	1.80	20.49	20.60			0.00	0.00
2013-03-14 12:00	2	0.33	1.20			0.00	0.00	0.00	0.00	20.72	20.90			0.00	0.00
2013-03-14 12:00	7			3.00	5.00			0.00	0.00	20.90	20.90	0.00	0.00	2.78	4.10
2013-03-14 12:00	8			4.07	6.00			2.36	2.50	16.60	16.60	0.00	0.00	0.00	0.00
2013-03-14 12:00	10			3.82	4.00	0.00	0.00	7.63	8.00	20.40	20.50			0.73	1.90
2013-03-14 12:00	12	0.59	1.40	4.03	22.00			0.00	0.00	21.65	21.70			1.91	2.20
2013-03-14 12:00	13			0.80	2.00	0.00	0.00	0.00	0.00	20.61	20.70	0.00	0.00	0.91	1.60
2013-03-14 13:00	1	0.00	0.10			0.00	0.00	0.78	1.40	20.55	20.70			0.00	0.00
2013-03-14 13:00	2	0.29	1.20			0.00	0.00	0.00	0.00	20.69	20.90			0.00	0.00
2013-03-14 13:00	8			4.08	6.00			1.92	2.20	16.67	16.80	0.00	0.00	0.00	0.00
2013-03-14 13:00	10			3.72	5.00	0.00	0.00	7.06	7.50	20.46	20.50			0.64	1.30
2013-03-14 13:00	12	0.66	1.20	3.73	22.00			0.00	0.00	21.61	21.70			1.33	2.20
2013-03-14 13:00	13			0.72	2.00	0.00	0.00	0.00	0.00	20.63	20.70	0.00	0.00	0.62	1.00
2013-03-14 14:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.61	20.70			0.00	0.00
2013-03-14 14:00	2	0.28	1.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-14 14:00	7			2.67	4.00			0.00	0.00	20.90	20.90	0.00	0.00	1.97	5.10
2013-03-14 14:00	8			4.13	5.00			1.74	1.90	16.72	16.80	0.00	0.00	0.00	0.00
2013-03-14 14:00	10			3.82	4.00	0.00	0.00	6.61	6.90	20.51	20.60			0.55	1.30
2013-03-14 14:00	12	0.63	1.30	3.55	18.00			0.00	0.00	21.69	21.80			1.12	1.40
2013-03-14 14:00	13			0.52	2.00	0.00	0.00	0.00	0.00	20.83	20.90	0.00	0.00	0.40	1.00
2013-03-14 15:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.82	20.90			0.00	0.00
2013-03-14 15:00	2	0.15	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-14 15:00	7			3.10	4.00			0.00	0.00	20.90	20.90	0.01	0.10	1.43	3.10
2013-03-14 15:00	8			4.15	6.00			1.49	1.60	16.78	16.80	0.00	0.00	0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2013-03-14 15:00	10			3.87	4.00	0.00	0.00	6.14	6.50	20.57	20.70			0.46	1.30
2013-03-14 15:00	12	0.66	1.20	3.50	16.00			0.00	0.00	21.65	21.70			1.02	1.40
2013-03-14 15:00	13			0.55	1.00	0.00	0.00	0.00	0.00	20.90	20.90	0.00	0.00	0.20	1.00
2013-03-14 16:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-14 16:00	2	0.17	0.60			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-14 16:00	7			3.60	5.00			0.00	0.00	20.90	20.90	0.01	0.10	0.91	3.10
2013-03-14 16:00	8			4.23	6.00			0.68	1.30	16.85	16.90	0.00	0.00	0.00	0.00
2013-03-14 16:00	10			3.95	5.00	0.00	0.00	5.70	6.10	20.59	20.70			0.43	1.00
2013-03-14 16:00	12	0.80	1.30	4.08	34.00			0.00	0.00	21.36	21.60			0.80	1.10
2013-03-14 16:00	13			0.56	2.00	0.00	0.00	0.00	0.00	20.90	20.90	0.00	0.00	0.05	0.30
2013-03-14 17:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-14 17:00	2	0.15	1.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-14 17:00	7			4.19	6.00			0.00	0.00	20.90	20.90	0.00	0.10	0.85	3.10
2013-03-14 17:00	8			4.22	6.00			0.00	0.00	16.87	16.90	0.00	0.00	0.00	0.00
2013-03-14 17:00	10			3.95	5.00	0.00	0.00	5.54	5.70	20.61	20.70			0.43	1.00
2013-03-14 17:00	12	0.54	1.10	3.15	5.00			0.00	0.00	21.68	21.80			0.72	1.10
2013-03-14 17:00	13			0.85	2.00	0.00	0.00	0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.30
2013-03-14 18:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-14 18:00	2	0.12	0.80			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-14 18:00	7			3.78	6.00			0.00	0.00	20.90	20.90	0.01	0.10	2.00	3.10
2013-03-14 18:00	8			4.15	6.00			0.00	0.00	16.81	16.90	0.00	0.00	0.00	0.00
2013-03-14 18:00	10			3.92	5.00	0.00	0.00	5.74	6.00	20.59	20.70			0.41	1.30
2013-03-14 18:00	12	0.48	1.20	3.90	26.00			0.00	0.00	21.78	21.80			0.89	1.40
2013-03-14 18:00	13			0.68	2.00	0.00	0.00	0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2013-03-14 19:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-14 19:00	2	0.16	0.90			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-14 19:00	7			3.31	5.00			0.00	0.00	20.90	20.90	0.01	0.10	2.30	3.10
2013-03-14 19:00	8			4.13	6.00			0.00	0.00	16.72	16.80	0.00	0.00	0.00	0.00
2013-03-14 19:00	10			3.78	5.00	0.00	0.00	6.02	6.40	20.56	20.70			0.49	1.30
2013-03-14 19:00	12	0.45	1.20	3.35	17.00			0.00	0.00	21.79	21.80			1.06	1.80
2013-03-14 19:00	13			0.47	2.00	0.00	0.00	0.00	0.00	20.90	20.90	0.00	0.00	0.05	0.30
2013-03-14 20:00	1	0.01	0.70			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2013-03-14 20:00	2	0.24	0.80			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-14 20:00	7														
2013-03-14 20:00	8			4.07	5.00			0.00	0.00	16.65	16.70	0.00	0.00	0.00	0.00
2013-03-14 20:00	10			3.95	4.00	0.00	0.00	6.46	6.80	20.49	20.60			0.56	1.30
2013-03-14 20:00	12	0.46	1.30	3.20	11.00			0.00	0.00	22.02	22.30			1.26	1.80
2013-03-14 20:00	13			0.51	1.00	0.00	0.00	0.00	0.00	20.90	20.90	0.00	0.00	0.28	1.00
2013-03-14 21:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.59	20.90			0.00	0.00
2013-03-14 21:00	2	0.20	0.60			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-14 21:00	8			4.03	7.00			0.00	0.00	16.61	16.70	0.00	0.00	0.00	0.00
2013-03-14 21:00	10			3.87	5.00	0.00	0.00	6.89	7.20	20.45	20.60			0.69	1.60
2013-03-14 21:00	12	0.51	1.10	3.12	11.00			0.00	0.00	21.85	22.20			1.67	2.20
2013-03-14 21:00	13			0.37	3.00	0.00	0.00	0.00	0.00	20.90	20.90	0.00	0.00	0.53	1.00
2013-03-14 22:00	1	0.07	0.80			0.00	0.00	0.00	0.00	20.52	20.60			0.09	1.60
2013-03-14 22:00	2	0.25	0.80			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-14 22:00	7			2.98	4.00			0.00	0.00	20.90	20.90	0.02	0.20	3.11	4.10
2013-03-14 22:00	8			4.15	6.00			0.00	0.00	16.60	16.60	0.00	0.00	0.00	0.00
2013-03-14 22:00	10			3.92	5.00	0.00	0.00	7.15	7.40	20.40	20.50			0.75	1.60
2013-03-14 22:00	12	0.54	1.00	3.24	6.00			0.00	0.00	21.77	22.50			1.97	2.20
2013-03-14 22:00	13			0.54	1.00	0.00	0.00	0.00	0.00	20.90	20.90	0.00	0.00	0.71	1.00
2013-03-14 23:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.50	20.50			0.00	0.00
2013-03-14 23:00	2	0.22	0.70			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-14 23:00	7			3.04	4.00			0.00	0.00	20.90	20.90	0.02	0.10	3.34	5.10
2013-03-14 23:00	8			4.07	6.00			0.00	0.00	16.55	16.60	0.00	0.00	0.00	0.00
2013-03-14 23:00	10			3.78	5.00	0.00	0.00	7.24	7.50	20.41	20.50			0.69	1.60
2013-03-14 23:00	12	0.49	1.00	3.13	4.00			0.00	0.00	21.68	21.70			2.11	2.50
2013-03-14 23:00	13			0.18	1.00	0.00	0.00	0.00	0.00	20.90	20.90	0.00	0.00	0.82	1.60
2013-03-15 00:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.48	20.60			0.00	0.00
2013-03-15 00:00	2	0.21	0.70			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-15 00:00	7			2.96	3.00			0.00	0.00	20.90	20.90	0.03	0.20	3.70	5.10
2013-03-15 00:00	8			4.07	6.00			0.00	0.00	16.51	16.60	0.00	0.00	0.00	0.00
2013-03-15 00:00	10			3.90	5.00	0.00	0.00	7.41	7.70	20.40	20.50			0.66	1.60
2013-03-15 00:00	12	0.49	0.90	3.70	17.00			0.00	0.00	21.68	21.80			2.20	2.50

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2013-03-15 00:00	13			0.52	2.00	0.00	0.00	0.00	0.00	20.77	20.90	0.00	0.00	0.96	1.00
2013-03-15 01:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.43	20.50			0.00	0.00
2013-03-15 01:00	2	0.28	1.30			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-15 01:00	7			2.93	4.00			0.00	0.00	20.90	20.90	0.03	0.20	3.56	5.10
2013-03-15 01:00	8			3.98	6.00			0.00	0.00	16.50	16.50	0.00	0.00	0.00	0.00
2013-03-15 01:00	10			3.77	4.00	0.00	0.00	7.63	7.90	20.34	20.40			0.61	1.30
2013-03-15 01:00	12	0.49	1.20	3.08	4.00			0.00	0.00	21.70	21.70			2.29	2.90
2013-03-15 01:00	13			0.57	2.00	0.00	0.00	0.00	0.00	20.62	20.90	0.00	0.00	1.04	1.30
2013-03-15 02:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.45	20.50			0.00	0.00
2013-03-15 02:00	2	0.32	1.20			0.00	0.00	0.00	0.00	20.73	20.90			0.00	0.00
2013-03-15 02:00	7			3.02	4.00			0.00	0.00	20.90	20.90	0.05	0.20	3.85	6.20
2013-03-15 02:00	8			4.08	6.00			0.00	0.00	16.48	16.50	0.00	0.00	0.00	0.00
2013-03-15 02:00	10			3.92	5.00	0.00	0.00	7.93	8.20	20.36	20.50			0.74	1.90
2013-03-15 02:00	12	0.68	1.40	3.60	19.00			0.00	0.00	21.61	21.70			2.29	2.50
2013-03-15 02:00	13			0.42	1.00	0.00	0.00	0.00	0.00	20.63	20.70	0.00	0.00	1.09	1.60
2013-03-15 03:00	1	0.02	0.50			0.00	0.00	0.00	0.00	20.42	20.50			0.00	0.10
2013-03-15 03:00	2	0.30	1.00			0.00	0.00	0.00	0.00	20.67	20.70			0.00	0.00
2013-03-15 03:00	7			3.09	4.00			0.00	0.00	20.90	20.90	0.02	0.10	4.01	6.20
2013-03-15 03:00	8			3.93	5.00			0.00	0.00	16.48	16.50	0.00	0.00	0.00	0.00
2013-03-15 03:00	10			3.92	5.00	0.00	0.00	8.25	8.50	20.32	20.40			0.93	2.20
2013-03-15 03:00	12	0.80	1.30	3.57	15.00			0.00	0.00	21.60	21.70			2.39	2.90
2013-03-15 03:00	13			0.62	1.00	0.00	0.00	0.00	0.00	20.60	20.70	0.00	0.00	1.10	1.60
2013-03-15 04:00	1	0.00	0.20			0.00	0.00	1.19	3.10	20.40	20.50			0.00	0.00
2013-03-15 04:00	2	0.33	1.10			0.00	0.00	0.00	0.00	20.61	20.70			0.00	0.00
2013-03-15 04:00	7			2.95	4.00			0.00	0.00	20.78	20.90	0.05	0.20	4.35	7.20
2013-03-15 04:00	8			4.08	5.00			0.00	0.00	16.48	16.50	0.00	0.00	0.00	0.00
2013-03-15 04:00	10			3.87	4.00	0.00	0.00	8.35	8.50	20.30	20.40			0.82	1.60
2013-03-15 04:00	12	0.67	1.60	3.58	12.00			0.00	0.00	21.60	21.70			2.59	3.30
2013-03-15 04:00	13			0.68	2.00	0.00	0.00	0.00	0.00	20.56	20.60	0.00	0.00	1.16	1.60
2013-03-15 05:00	1	0.00	0.20			0.00	0.00	2.80	3.10	20.39	20.40			0.01	0.30
2013-03-15 05:00	2	0.55	1.50			0.00	0.00	0.00	0.00	20.68	20.70			0.00	0.00
2013-03-15 05:00	7			2.95	4.00			0.00	0.00	20.59	20.70	0.03	0.10	4.32	8.20

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2013-03-15 05:00	8			4.15	7.00			0.00	0.00	16.48	16.50	0.00	0.10	0.00	0.00
2013-03-15 05:00	10			3.88	5.00	0.00	0.00	8.36	8.50	20.30	20.40			0.81	2.40
2013-03-15 05:00	12	0.83	1.40	3.31	5.00			0.00	0.00	21.65	21.70			2.56	3.30
2013-03-15 05:00	13			0.48	1.00	0.00	0.00	0.00	0.00	20.59	20.60	0.00	0.00	1.18	2.00
2013-03-15 06:00	1	0.00	0.00			0.00	0.00	2.79	3.00	20.38	20.40			0.00	0.20
2013-03-15 06:00	2	0.60	1.30			0.00	0.00	0.00	0.00	20.67	20.70			0.00	0.00
2013-03-15 06:00	7														
2013-03-15 06:00	8			4.13	6.00			0.00	0.00	16.42	16.50	0.00	0.00	0.00	0.00
2013-03-15 06:00	10			3.90	4.00	0.00	0.00	8.27	8.50	20.31	20.40			0.88	1.90
2013-03-15 06:00	12	0.83	1.50	3.63	20.00			0.00	0.00	21.67	21.70			3.07	3.30
2013-03-15 06:00	13			0.75	2.00	0.00	0.00	0.00	0.00	20.56	20.60	0.00	0.00	1.07	1.60
2013-03-15 07:00	1	0.02	0.30			0.00	0.00	2.71	3.00	20.36	20.40			0.00	0.00
2013-03-15 07:00	2	0.75	1.40			0.00	0.00	0.00	0.00	20.64	20.70			0.00	0.00
2013-03-15 07:00	8			4.03	6.00			0.00	0.00	16.40	16.50	0.00	0.00	0.00	0.00
2013-03-15 07:00	10			3.83	5.00	0.00	0.00	8.24	8.40	20.29	20.40			0.74	1.60
2013-03-15 07:00	12	1.28	2.80	3.67	20.00			0.00	0.00	21.66	21.70			3.24	3.60
2013-03-15 07:00	13			0.70	2.00	0.00	0.00	0.00	0.00	20.57	20.60	0.00	0.00	1.06	1.30
2013-03-15 08:00	1	0.01	0.30			0.00	0.00	2.27	2.50	20.35	20.40			0.00	0.00
2013-03-15 08:00	2	0.91	2.00			0.00	0.00	0.00	0.00	20.59	20.60			0.00	0.00
2013-03-15 08:00	7			3.11	5.00			0.00	0.00	20.62	20.70	0.02	0.20	3.06	4.10
2013-03-15 08:00	8			3.97	5.00			0.00	0.00	16.40	16.50	0.00	0.00	0.00	0.00
2013-03-15 08:00	10			3.92	5.00	0.00	0.00	8.01	8.30	20.31	20.40			0.73	1.90
2013-03-15 08:00	12	1.24	1.90	3.43	10.00			0.00	0.00	21.61	21.70			3.45	4.00
2013-03-15 08:00	13			0.62	2.00	0.00	0.00	0.00	0.00	20.54	20.60	0.00	0.00	1.02	1.30
2013-03-15 09:00	1	0.00	0.10			0.00	0.00	1.71	2.00	20.42	20.50			0.00	0.00
2013-03-15 09:00	2	0.79	1.50			0.00	0.00	0.00	0.00	20.58	20.70			0.00	0.00
2013-03-15 09:00	7			3.16	4.00			0.00	0.00	20.76	20.90	0.01	0.10	2.12	3.10
2013-03-15 09:00	8			4.03	6.00			0.00	0.00	16.44	16.50	0.00	0.00	0.00	0.00
2013-03-15 09:00	10			3.98	5.00	0.00	0.00	7.51	7.90	20.35	20.40			0.62	1.60
2013-03-15 09:00	12	1.28	1.80	3.45	17.00			0.00	0.00	21.57	21.60			3.78	4.40
2013-03-15 09:00	13			0.70	2.00	0.00	0.00	0.00	0.00	20.55	20.60	0.00	0.00	0.88	1.60
2013-03-15 10:00	1	0.01	0.20			0.00	0.00	0.61	1.40	20.49	20.60			0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2013-03-15 10:00	2	0.54	1.30			0.00	0.00	0.00	0.00	20.62	20.70			0.00	0.00
2013-03-15 10:00	7			3.42	6.00			0.00	0.00	20.83	20.90	0.01	0.10	0.25	2.00
2013-03-15 10:00	8			4.17	6.00			0.00	0.00	16.49	16.60	0.00	0.00	0.00	0.00
2013-03-15 10:00	10			3.90	4.00	0.00	0.00	6.82	7.30	20.40	20.50			0.50	1.30
2013-03-15 10:00	12	1.07	3.30	3.63	5.00			0.00	0.00	21.57	21.60			3.56	4.40
2013-03-15 10:00	13			0.85	2.00	0.00	0.00	0.00	0.00	20.60	20.70	0.00	0.00	0.61	1.00
2013-03-15 11:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.70	20.90			0.00	0.00
2013-03-15 11:00	2	0.24	0.80			0.00	0.00	0.00	0.00	20.63	20.70			0.00	0.00
2013-03-15 11:00	7			3.90	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.24	2.00
2013-03-15 11:00	8			4.27	6.00			0.00	0.00	16.61	16.70	0.00	0.00	0.00	0.00
2013-03-15 11:00	10			3.92	4.00	0.00	0.00	5.94	6.50	20.51	20.60			0.44	1.00
2013-03-15 11:00	12	0.82	1.60	4.33	36.00			0.00	0.00	21.23	21.60			3.53	4.00
2013-03-15 11:00	13			0.90	2.00	0.00	0.00	0.00	0.00	20.64	20.70	0.00	0.00	0.13	0.60
2013-03-15 12:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-15 12:00	2	0.16	0.70			0.00	0.00	0.00	0.00	20.89	20.90			0.00	0.00
2013-03-15 12:00	7			4.24	6.00			0.00	0.00	20.90	20.90	0.00	0.10	0.21	2.00
2013-03-15 12:00	8			4.85	7.00			0.00	0.00	16.84	17.10	0.00	0.00	0.00	0.00
2013-03-15 12:00	10			3.93	6.00	0.00	0.00	4.84	5.50	20.57	20.70			0.20	1.00
2013-03-15 12:00	12	0.80	1.40	3.92	25.00			0.00	0.00	21.50	21.80			3.20	4.00
2013-03-15 12:00	13			0.53	2.00	0.00	0.00	0.00	0.00	20.90	20.90	0.00	0.00	0.02	0.30
2013-03-15 13:00	1	0.00	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-15 13:00	2	0.12	0.80			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-15 13:00	7			5.64	8.00			0.00	0.00	20.90	20.90	0.00	0.10	0.00	0.00
2013-03-15 13:00	8			5.65	7.00			0.00	0.00	17.12	17.40	0.00	0.00	0.00	0.00
2013-03-15 13:00	10			4.02	6.00	0.00	0.00	3.73	4.30	20.88	20.90			0.08	0.50
2013-03-15 13:00	12	0.66	1.40	3.72	7.00			0.00	0.00	21.74	21.80			1.56	2.50
2013-03-15 13:00	13			0.72	2.00	0.00	0.00	0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2013-03-15 14:00	1	0.05	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-15 14:00	2	0.08	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2013-03-15 14:00	7			6.17	7.00			0.00	0.00	20.90	20.90	0.02	0.10	0.00	0.00
2013-03-15 14:00	8			6.33	8.00			0.00	0.00	16.87	16.90	0.00	0.00	0.00	0.00
2013-03-15 14:00	10			4.33	5.00	0.00	0.00	3.28	3.60	20.90	20.90			0.07	0.20

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2013-03-15 14:00	12	0.85	1.00	3.83	4.00			0.00	0.00	21.80	21.80			0.97	1.10
2013-03-15 14:00	13			1.00	1.00	0.00	0.00	0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00