



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1482	316-322	ORG 96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3286				
NAL13026-1482	316-322	ORG 108-67-8	1,3,5-Trimethylbenzene	78	J	ug/L	200	20.03	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3286				
NAL13026-1482	316-322	ORG 98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3286				
NAL13026-1482	316-322	ORG 95-63-6	1,2,4-Trimethylbenzene	450		ug/L	200	20.03	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3286				
NAL13026-1482	316-322	ORG 135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3286				
NAL13026-1482	316-322	ORG 541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3286				
NAL13026-1482	316-322	ORG 99-87-6	p-Isopropyltoluene	2600		ug/L	200	25.48	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3286				
NAL13026-1482	316-322	ORG 106-46-7	1,4-Dichlorobenzene	610		ug/L	200	33.03	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3286				
NAL13026-1482	316-322	ORG 95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3286				
NAL13026-1482	316-322	ORG 104-51-8	n-Butylbenzene	81	J	ug/L	500	27.81	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3286				
NAL13026-1482	316-322	ORG 96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3286				
NAL13026-1482	316-322	ORG 87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3286				
NAL13026-1482	316-322	ORG 120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3286				
NAL13026-1482	316-322	ORG 91-20-3	Naphthalene	1900		ug/L	500	56.04	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3286				
NAL13026-1482	316-322	ORG 87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3286				
NAL13026-1482	316-322	STD 1868-53-7	Dibromofluoromethane	52		ug/L	1	0.10	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3286	50	104%		
NAL13026-1482	316-322	STD 17060-07-0	1,2-Dichloroethane d4	54		ug/L	1	0.10	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3286	50	108%		
NAL13026-1482	316-322	STD 2037-26-5	Toluene d8	52		ug/L	1	0.10	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3286	50	104%		
NAL13026-1482	316-322	STD 460-00-4	Bromofluorobenzene	51		ug/L	1	0.10	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3286	50	102%		



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

- B** = Analyte is found in the associated blank as well as in the sample.
- D** = Compound identified in an analysis at a secondary dilution factor.
- E** = Compound's concentration exceeds the calibration range of the instrument at this dilution.
- X** = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
- J** = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
- M** = Matrix assessment, QC analyses parameter exceeded control limits.
- U** = Non-detect
- * NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1483	CB 6-6-14	ORG 96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3288				
NAL13026-1483	CB 6-6-14	ORG 108-67-8	1,3,5-Trimethylbenzene	52	J	ug/L	200	20.03	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3288				
NAL13026-1483	CB 6-6-14	ORG 98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3288				
NAL13026-1483	CB 6-6-14	ORG 95-63-6	1,2,4-Trimethylbenzene	250		ug/L	200	20.03	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3288				
NAL13026-1483	CB 6-6-14	ORG 135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3288				
NAL13026-1483	CB 6-6-14	ORG 541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3288				
NAL13026-1483	CB 6-6-14	ORG 99-87-6	p-Isopropyltoluene	2000		ug/L	200	25.48	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3288				
NAL13026-1483	CB 6-6-14	ORG 106-46-7	1,4-Dichlorobenzene	270		ug/L	200	33.03	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3288				
NAL13026-1483	CB 6-6-14	ORG 95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3288				
NAL13026-1483	CB 6-6-14	ORG 104-51-8	n-Butylbenzene	79	J	ug/L	500	27.81	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3288				
NAL13026-1483	CB 6-6-14	ORG 96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3288				
NAL13026-1483	CB 6-6-14	ORG 87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3288				
NAL13026-1483	CB 6-6-14	ORG 120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3288				
NAL13026-1483	CB 6-6-14	ORG 91-20-3	Naphthalene	1300		ug/L	500	56.04	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3288				
NAL13026-1483	CB 6-6-14	ORG 87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3288				
NAL13026-1483	CB 6-6-14	STD 1868-53-7	Dibromofluoromethane	52		ug/L	1	0.10	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3288	50	104%		
NAL13026-1483	CB 6-6-14	STD 17060-07-0	1,2-Dichloroethane d4	54		ug/L	1	0.10	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3288	50	108%		
NAL13026-1483	CB 6-6-14	STD 2037-26-5	Toluene d8	51		ug/L	1	0.10	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3288	50	102%		
NAL13026-1483	CB 6-6-14	STD 460-00-4	Bromofluorobenzene	52		ug/L	1	0.10	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3288	50	104%		



New Age/Landmark Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@nevagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

- B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assessment, QC analyses parameter exceeded control limits.
U = Non-detect
* NAL is not certified for these compound by NELAC.

Table with columns: Lab ID, Sample ID, CAS #, ANALYTES, Results, QC, Units, RDL, MDL, Sample Date, Prep. Date, Analysis Date, Matrix, Dil., Weight(g), Vol.(ml), % Solid, Method, Data file, Spike, % Rec, % RPD, Parent. Contains 48 rows of analytical data.



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
 Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

- B** = Analyte is found in the associated blank as well as in the sample.
- D** = Compound identified in an analysis at a secondary dilution factor.
- E** = Compound's concentration exceeds the calibration range of the instrument at this dilution.
- X** = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
- J** = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
- M** = Matrix assessment, QC analyses parameter exceeded control limits.
- U** = Non-detect
- * NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1484	T1 INF	ORG 96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3295				
NAL13026-1484	T1 INF	ORG 108-67-8	1,3,5-Trimethylbenzene	350		ug/L	200	20.03	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3295				
NAL13026-1484	T1 INF	ORG 98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3295				
NAL13026-1484	T1 INF	ORG 95-63-6	1,2,4-Trimethylbenzene	1500		ug/L	200	20.03	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3295				
NAL13026-1484	T1 INF	ORG 135-98-8	sec-Butylbenzene	58	J	ug/L	200	32.34	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3295				
NAL13026-1484	T1 INF	ORG 541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3295				
NAL13026-1484	T1 INF	ORG 99-87-6	p-Isopropyltoluene	6400		ug/L	200	25.48	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3295				
NAL13026-1484	T1 INF	ORG 106-46-7	1,4-Dichlorobenzene	1300		ug/L	200	33.03	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3295				
NAL13026-1484	T1 INF	ORG 95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3295				
NAL13026-1484	T1 INF	ORG 104-51-8	n-Butylbenzene	150	J	ug/L	500	27.81	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3295				
NAL13026-1484	T1 INF	ORG 96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3295				
NAL13026-1484	T1 INF	ORG 87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3295				
NAL13026-1484	T1 INF	ORG 120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3295				
NAL13026-1484	T1 INF	ORG 91-20-3	Naphthalene	1200		ug/L	500	56.04	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3295				
NAL13026-1484	T1 INF	ORG 87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3295				
NAL13026-1484	T1 INF	STD 1868-53-7	Dibromofluoromethane	52		ug/L	1	0.10	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3295	50	104%		
NAL13026-1484	T1 INF	STD 17060-07-0	1,2-Dichloroethane d4	53		ug/L	1	0.10	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3295	50	106%		
NAL13026-1484	T1 INF	STD 2037-26-5	Toluene d8	51		ug/L	1	0.10	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3295	50	102%		
NAL13026-1484	T1 INF	STD 460-00-4	Bromofluorobenzene	51		ug/L	1	0.10	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3295	50	102%		



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
 Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

- B** = Analyte is found in the associated blank as well as in the sample.
- D** = Compound identified in an analysis at a secondary dilution factor.
- E** = Compound's concentration exceeds the calibration range of the instrument at this dilution.
- X** = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
- J** = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
- M** = Matrix assessment, QC analyses parameter exceeded control limits.
- U** = Non-detect
- * NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1485	T1 EFF	ORG 96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3297				
NAL13026-1485	T1 EFF	ORG 108-67-8	1,3,5-Trimethylbenzene	390		ug/L	200	20.03	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3297				
NAL13026-1485	T1 EFF	ORG 98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3297				
NAL13026-1485	T1 EFF	ORG 95-63-6	1,2,4-Trimethylbenzene	1800		ug/L	200	20.03	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3297				
NAL13026-1485	T1 EFF	ORG 135-98-8	sec-Butylbenzene	67	J	ug/L	200	32.34	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3297				
NAL13026-1485	T1 EFF	ORG 541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3297				
NAL13026-1485	T1 EFF	ORG 99-87-6	p-Isopropyltoluene	8900		ug/L	200	25.48	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3297				
NAL13026-1485	T1 EFF	ORG 106-46-7	1,4-Dichlorobenzene	1900		ug/L	200	33.03	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3297				
NAL13026-1485	T1 EFF	ORG 95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3297				
NAL13026-1485	T1 EFF	ORG 104-51-8	n-Butylbenzene	230	J	ug/L	500	27.81	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3297				
NAL13026-1485	T1 EFF	ORG 96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3297				
NAL13026-1485	T1 EFF	ORG 87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3297				
NAL13026-1485	T1 EFF	ORG 120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3297				
NAL13026-1485	T1 EFF	ORG 91-20-3	Naphthalene	3400		ug/L	500	56.04	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3297				
NAL13026-1485	T1 EFF	ORG 87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3297				
NAL13026-1485	T1 EFF	STD 1868-53-7	Dibromofluoromethane	52		ug/L	1	0.10	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3297	50	104%		
NAL13026-1485	T1 EFF	STD 17060-07-0	1,2-Dichloroethane d4	54		ug/L	1	0.10	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3297	50	108%		
NAL13026-1485	T1 EFF	STD 2037-26-5	Toluene d8	51		ug/L	1	0.10	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3297	50	102%		
NAL13026-1485	T1 EFF	STD 460-00-4	Bromofluorobenzene	52		ug/L	1	0.10	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3297	50	104%		



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

- B** = Analyte is found in the associated blank as well as in the sample.
- D** = Compound identified in an analysis at a secondary dilution factor.
- E** = Compound's concentration exceeds the calibration range of the instrument at this dilution.
- X** = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
- J** = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
- M** = Matrix assessment, QC analyses parameter exceeded control limits.
- U** = Non-detect
- * NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1486	T4 OP	ORG 96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3299				
NAL13026-1486	T4 OP	ORG 108-67-8	1,3,5-Trimethylbenzene		U	ug/L	200	20.03	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3299				
NAL13026-1486	T4 OP	ORG 98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3299				
NAL13026-1486	T4 OP	ORG 95-63-6	1,2,4-Trimethylbenzene		U	ug/L	200	20.03	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3299				
NAL13026-1486	T4 OP	ORG 135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3299				
NAL13026-1486	T4 OP	ORG 541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3299				
NAL13026-1486	T4 OP	ORG 99-87-6	p-Isopropyltoluene		U	ug/L	200	25.48	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3299				
NAL13026-1486	T4 OP	ORG 106-46-7	1,4-Dichlorobenzene		U	ug/L	200	33.03	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3299				
NAL13026-1486	T4 OP	ORG 95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3299				
NAL13026-1486	T4 OP	ORG 104-51-8	n-Butylbenzene		U	ug/L	500	27.81	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3299				
NAL13026-1486	T4 OP	ORG 96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3299				
NAL13026-1486	T4 OP	ORG 87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3299				
NAL13026-1486	T4 OP	ORG 120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3299				
NAL13026-1486	T4 OP	ORG 91-20-3	Naphthalene		U	ug/L	500	56.04	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3299				
NAL13026-1486	T4 OP	ORG 87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3299				
NAL13026-1486	T4 OP	STD 1868-53-7	Dibromofluoromethane	51		ug/L	1	0.10	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3299	50	102%		
NAL13026-1486	T4 OP	STD 17060-07-0	1,2-Dichloroethane d4	54		ug/L	1	0.10	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3299	50	108%		
NAL13026-1486	T4 OP	STD 2037-26-5	Toluene d8	52		ug/L	1	0.10	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3299	50	104%		
NAL13026-1486	T4 OP	STD 460-00-4	Bromofluorobenzene	51		ug/L	1	0.10	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3299	50	102%		



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@nevagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D060614CCVA	D060614CCVA	ORG 96-18-4	1,2,3-Trichloropropane	47		ug/L	2	0.29	NA	6/6/2014	6/6/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3284	50	94%		
D060614CCVA	D060614CCVA	ORG 108-67-8	1,3,5-Trimethylbenzene	53		ug/L	2	0.20	NA	6/6/2014	6/6/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3284	50	106%		
D060614CCVA	D060614CCVA	ORG 98-06-6	tert-Butylbenzene	55		ug/L	2	0.33	NA	6/6/2014	6/6/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3284	50	110%		
D060614CCVA	D060614CCVA	ORG 95-63-6	1,2,4-Trimethylbenzene	52		ug/L	2	0.20	NA	6/6/2014	6/6/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3284	50	104%		
D060614CCVA	D060614CCVA	ORG 135-98-8	sec-Butylbenzene	54		ug/L	2	0.32	NA	6/6/2014	6/6/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3284	50	108%		
D060614CCVA	D060614CCVA	ORG 541-73-1	1,3-Dichlorobenzene	50		ug/L	2	0.22	NA	6/6/2014	6/6/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3284	50	100%		
D060614CCVA	D060614CCVA	ORG 99-87-6	p-Isopropyltoluene	55		ug/L	2	0.25	NA	6/6/2014	6/6/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3284	50	110%		
D060614CCVA	D060614CCVA	ORG 106-46-7	1,4-Dichlorobenzene	50		ug/L	2	0.33	NA	6/6/2014	6/6/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3284	50	100%		
D060614CCVA	D060614CCVA	ORG 95-50-1	1,2-Dichlorobenzene	50		ug/L	2	0.26	NA	6/6/2014	6/6/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3284	50	100%		
D060614CCVA	D060614CCVA	ORG 104-51-8	n-Butylbenzene	54		ug/L	5	0.28	NA	6/6/2014	6/6/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3284	50	108%		
D060614CCVA	D060614CCVA	ORG 96-12-8	1,2-Dibromo-3-chloropropane	55		ug/L	5	1.59	NA	6/6/2014	6/6/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3284	50	110%		
D060614CCVA	D060614CCVA	ORG 87-68-3	Hexachlorobutadiene	58		ug/L	5	0.65	NA	6/6/2014	6/6/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3284	50	116%		
D060614CCVA	D060614CCVA	ORG 120-82-1	1,2,4-Trichlorobenzene	53		ug/L	5	0.28	NA	6/6/2014	6/6/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3284	50	106%		
D060614CCVA	D060614CCVA	ORG 91-20-3	Naphthalene	50		ug/L	5	0.56	NA	6/6/2014	6/6/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3284	50	100%		
D060614CCVA	D060614CCVA	ORG 87-61-6	1,2,3-Trichlorobenzene	52		ug/L	5	0.23	NA	6/6/2014	6/6/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3284	50	104%		
D060614CCVA	D060614CCVA	STD 1868-53-7	Dibromofluoromethane	53		ug/L	1	0.10	NA	6/6/2014	6/6/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3284	50	106%		
D060614CCVA	D060614CCVA	STD 17060-07-0	1,2-Dichloroethane d4	51		ug/L	1	0.10	NA	6/6/2014	6/6/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3284	50	102%		
D060614CCVA	D060614CCVA	STD 2037-26-5	Toluene d8	50		ug/L	1	0.10	NA	6/6/2014	6/6/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3284	50	100%		
D060614CCVA	D060614CCVA	STD 460-00-4	Bromofluorobenzene	50		ug/L	1	0.10	NA	6/6/2014	6/6/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3284	50	100%		



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D060614MBKA	D060614MBKA	ORG 96-18-4	1,2,3-Trichloropropane		U	ug/L	2	0.29	NA	6/6/2014	6/6/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3285				
D060614MBKA	D060614MBKA	ORG 108-67-8	1,3,5-Trimethylbenzene		U	ug/L	2	0.20	NA	6/6/2014	6/6/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3285				
D060614MBKA	D060614MBKA	ORG 98-06-6	tert-Butylbenzene		U	ug/L	2	0.33	NA	6/6/2014	6/6/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3285				
D060614MBKA	D060614MBKA	ORG 95-63-6	1,2,4-Trimethylbenzene		U	ug/L	2	0.20	NA	6/6/2014	6/6/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3285				
D060614MBKA	D060614MBKA	ORG 135-98-8	sec-Butylbenzene		U	ug/L	2	0.32	NA	6/6/2014	6/6/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3285				
D060614MBKA	D060614MBKA	ORG 541-73-1	1,3-Dichlorobenzene		U	ug/L	2	0.22	NA	6/6/2014	6/6/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3285				
D060614MBKA	D060614MBKA	ORG 99-87-6	p-Isopropyltoluene		U	ug/L	2	0.25	NA	6/6/2014	6/6/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3285				
D060614MBKA	D060614MBKA	ORG 106-46-7	1,4-Dichlorobenzene		U	ug/L	2	0.33	NA	6/6/2014	6/6/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3285				
D060614MBKA	D060614MBKA	ORG 95-50-1	1,2-Dichlorobenzene		U	ug/L	2	0.26	NA	6/6/2014	6/6/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3285				
D060614MBKA	D060614MBKA	ORG 104-51-8	n-Butylbenzene		U	ug/L	5	0.28	NA	6/6/2014	6/6/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3285				
D060614MBKA	D060614MBKA	ORG 96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	5	1.59	NA	6/6/2014	6/6/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3285				
D060614MBKA	D060614MBKA	ORG 87-68-3	Hexachlorobutadiene		U	ug/L	5	0.65	NA	6/6/2014	6/6/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3285				
D060614MBKA	D060614MBKA	ORG 120-82-1	1,2,4-Trichlorobenzene		U	ug/L	5	0.28	NA	6/6/2014	6/6/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3285				
D060614MBKA	D060614MBKA	ORG 91-20-3	Naphthalene		U	ug/L	5	0.56	NA	6/6/2014	6/6/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3285				
D060614MBKA	D060614MBKA	ORG 87-61-6	1,2,3-Trichlorobenzene		U	ug/L	5	0.23	NA	6/6/2014	6/6/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3285				
D060614MBKA	D060614MBKA	STD 1868-53-7	Dibromofluoromethane	51		ug/L	1	0.10	NA	6/6/2014	6/6/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3285	50	102%		
D060614MBKA	D060614MBKA	STD 17060-07-0	1,2-Dichloroethane d4	55		ug/L	1	0.10	NA	6/6/2014	6/6/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3285	50	110%		
D060614MBKA	D060614MBKA	STD 2037-26-5	Toluene d8	51		ug/L	1	0.10	NA	6/6/2014	6/6/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3285	50	102%		
D060614MBKA	D060614MBKA	STD 460-00-4	Bromofluorobenzene	50		ug/L	1	0.10	NA	6/6/2014	6/6/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3285	50	100%		



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@nevagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D060614ALCS	D060614ALCS	ORG 96-18-4	1,2,3-Trichloropropane	46		ug/L	2	0.29	NA	6/6/2014	6/6/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3290	50	92%		
D060614ALCS	D060614ALCS	ORG 108-67-8	1,3,5-Trimethylbenzene	53		ug/L	2	0.20	NA	6/6/2014	6/6/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3290	50	106%		
D060614ALCS	D060614ALCS	ORG 98-06-6	tert-Butylbenzene	55		ug/L	2	0.33	NA	6/6/2014	6/6/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3290	50	110%		
D060614ALCS	D060614ALCS	ORG 95-63-6	1,2,4-Trimethylbenzene	52		ug/L	2	0.20	NA	6/6/2014	6/6/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3290	50	104%		
D060614ALCS	D060614ALCS	ORG 135-98-8	sec-Butylbenzene	53		ug/L	2	0.32	NA	6/6/2014	6/6/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3290	50	106%		
D060614ALCS	D060614ALCS	ORG 541-73-1	1,3-Dichlorobenzene	50		ug/L	2	0.22	NA	6/6/2014	6/6/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3290	50	100%		
D060614ALCS	D060614ALCS	ORG 99-87-6	p-Isopropyltoluene	55		ug/L	2	0.25	NA	6/6/2014	6/6/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3290	50	110%		
D060614ALCS	D060614ALCS	ORG 106-46-7	1,4-Dichlorobenzene	49		ug/L	2	0.33	NA	6/6/2014	6/6/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3290	50	98%		
D060614ALCS	D060614ALCS	ORG 95-50-1	1,2-Dichlorobenzene	48		ug/L	2	0.26	NA	6/6/2014	6/6/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3290	50	96%		
D060614ALCS	D060614ALCS	ORG 104-51-8	n-Butylbenzene	54		ug/L	5	0.28	NA	6/6/2014	6/6/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3290	50	108%		
D060614ALCS	D060614ALCS	ORG 96-12-8	1,2-Dibromo-3-chloropropane	48		ug/L	5	1.59	NA	6/6/2014	6/6/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3290	50	96%		
D060614ALCS	D060614ALCS	ORG 87-68-3	Hexachlorobutadiene	56		ug/L	5	0.65	NA	6/6/2014	6/6/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3290	50	112%		
D060614ALCS	D060614ALCS	ORG 120-82-1	1,2,4-Trichlorobenzene	51		ug/L	5	0.28	NA	6/6/2014	6/6/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3290	50	102%		
D060614ALCS	D060614ALCS	ORG 91-20-3	Naphthalene	47		ug/L	5	0.56	NA	6/6/2014	6/6/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3290	50	94%		
D060614ALCS	D060614ALCS	ORG 87-61-6	1,2,3-Trichlorobenzene	49		ug/L	5	0.23	NA	6/6/2014	6/6/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3290	50	98%		
D060614ALCS	D060614ALCS	STD 1868-53-7	Dibromofluoromethane	53		ug/L	1	0.10	NA	6/6/2014	6/6/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3290	50	106%		
D060614ALCS	D060614ALCS	STD 17060-07-0	1,2-Dichloroethane d4	51		ug/L	1	0.10	NA	6/6/2014	6/6/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3290	50	102%		
D060614ALCS	D060614ALCS	STD 2037-26-5	Toluene d8	51		ug/L	1	0.10	NA	6/6/2014	6/6/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3290	50	102%		
D060614ALCS	D060614ALCS	STD 460-00-4	Bromofluorobenzene	51		ug/L	1	0.10	NA	6/6/2014	6/6/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3290	50	102%		



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent	
D060614ALCD	D060614ALCD	ORG 96-18-4	1,2,3-Trichloropropane	48		ug/L	2	0.29	NA	6/6/2014	6/6/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3291	50	96%	4%		
D060614ALCD	D060614ALCD	ORG 108-67-8	1,3,5-Trimethylbenzene	53		ug/L	2	0.20	NA	6/6/2014	6/6/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3291	50	106%	0%		
D060614ALCD	D060614ALCD	ORG 98-06-6	tert-Butylbenzene	54		ug/L	2	0.33	NA	6/6/2014	6/6/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3291	50	108%	2%		
D060614ALCD	D060614ALCD	ORG 95-63-6	1,2,4-Trimethylbenzene	52		ug/L	2	0.20	NA	6/6/2014	6/6/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3291	50	104%	0%		
D060614ALCD	D060614ALCD	ORG 135-98-8	sec-Butylbenzene	53		ug/L	2	0.32	NA	6/6/2014	6/6/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3291	50	106%	0%		
D060614ALCD	D060614ALCD	ORG 541-73-1	1,3-Dichlorobenzene	50		ug/L	2	0.22	NA	6/6/2014	6/6/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3291	50	100%	0%		
D060614ALCD	D060614ALCD	ORG 99-87-6	p-Isopropyltoluene	54		ug/L	2	0.25	NA	6/6/2014	6/6/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3291	50	108%	2%		
D060614ALCD	D060614ALCD	ORG 106-46-7	1,4-Dichlorobenzene	49		ug/L	2	0.33	NA	6/6/2014	6/6/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3291	50	98%	0%		
D060614ALCD	D060614ALCD	ORG 95-50-1	1,2-Dichlorobenzene	50		ug/L	2	0.26	NA	6/6/2014	6/6/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3291	50	100%	4%		
D060614ALCD	D060614ALCD	ORG 104-51-8	n-Butylbenzene	54		ug/L	5	0.28	NA	6/6/2014	6/6/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3291	50	108%	0%		
D060614ALCD	D060614ALCD	ORG 96-12-8	1,2-Dibromo-3-chloropropane	51		ug/L	5	1.59	NA	6/6/2014	6/6/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3291	50	102%	6%		
D060614ALCD	D060614ALCD	ORG 87-68-3	Hexachlorobutadiene	56		ug/L	5	0.65	NA	6/6/2014	6/6/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3291	50	112%	0%		
D060614ALCD	D060614ALCD	ORG 120-82-1	1,2,4-Trichlorobenzene	51		ug/L	5	0.28	NA	6/6/2014	6/6/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3291	50	102%	0%		
D060614ALCD	D060614ALCD	ORG 91-20-3	Naphthalene	48		ug/L	5	0.56	NA	6/6/2014	6/6/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3291	50	96%	2%		
D060614ALCD	D060614ALCD	ORG 87-61-6	1,2,3-Trichlorobenzene	49		ug/L	5	0.23	NA	6/6/2014	6/6/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3291	50	98%	0%		
D060614ALCD	D060614ALCD	STD 1868-53-7	Dibromofluoromethane	52		ug/L	1	0.10	NA	6/6/2014	6/6/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3291	50	104%	2%		
D060614ALCD	D060614ALCD	STD 17060-07-0	1,2-Dichloroethane d4	51		ug/L	1	0.10	NA	6/6/2014	6/6/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3291	50	102%	0%		
D060614ALCD	D060614ALCD	STD 2037-26-5	Toluene d8	50		ug/L	1	0.10	NA	6/6/2014	6/6/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3291	50	100%	2%		
D060614ALCD	D060614ALCD	STD 460-00-4	Bromofluorobenzene	51		ug/L	1	0.10	NA	6/6/2014	6/6/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3291	50	102%	0%		



New Age/Landmark Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@nevagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1482MS	316-322	ORG 96-18-4	1,2,3-Trichloropropane	4800		ug/L	200	29.47	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3292	5000	96%		
NAL13026-1482MS	316-322	ORG 108-67-8	1,3,5-Trimethylbenzene	5400		ug/L	200	20.03	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3292	5000	106%		78
NAL13026-1482MS	316-322	ORG 98-06-6	tert-Butylbenzene	5500		ug/L	200	32.61	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3292	5000	110%		
NAL13026-1482MS	316-322	ORG 95-63-6	1,2,4-Trimethylbenzene	5700		ug/L	200	20.03	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3292	5000	105%		450
NAL13026-1482MS	316-322	ORG 135-98-8	sec-Butylbenzene	5400		ug/L	200	32.34	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3292	5000	108%		
NAL13026-1482MS	316-322	ORG 541-73-1	1,3-Dichlorobenzene	5100		ug/L	200	22.21	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3292	5000	102%		
NAL13026-1482MS	316-322	ORG 99-87-6	p-Isopropyltoluene	7800		ug/L	200	25.48	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3292	5000	104%		2600
NAL13026-1482MS	316-322	ORG 106-46-7	1,4-Dichlorobenzene	5500		ug/L	200	33.03	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3292	5000	98%		610
NAL13026-1482MS	316-322	ORG 95-50-1	1,2-Dichlorobenzene	4900		ug/L	200	26.38	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3292	5000	98%		
NAL13026-1482MS	316-322	ORG 104-51-8	n-Butylbenzene	5500		ug/L	500	27.81	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3292	5000	108%		81
NAL13026-1482MS	316-322	ORG 96-12-8	1,2-Dibromo-3-chloropropane	5800		ug/L	500	159.11	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3292	5000	116%		
NAL13026-1482MS	316-322	ORG 87-68-3	Hexachlorobutadiene	5100		ug/L	500	65.42	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3292	5000	102%		
NAL13026-1482MS	316-322	ORG 120-82-1	1,2,4-Trichlorobenzene	5000		ug/L	500	27.63	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3292	5000	100%		
NAL13026-1482MS	316-322	ORG 91-20-3	Naphthalene	6900		ug/L	500	56.04	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3292	5000	100%		1900
NAL13026-1482MS	316-322	ORG 87-61-6	1,2,3-Trichlorobenzene	4900		ug/L	500	23.28	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3292	5000	98%		
NAL13026-1482MS	316-322	STD 1868-53-7	Dibromofluoromethane	52		ug/L	1	0.10	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3292	50	104%		
NAL13026-1482MS	316-322	STD 17060-07-0	1,2-Dichloroethane d4	51		ug/L	1	0.10	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3292	50	102%		
NAL13026-1482MS	316-322	STD 2037-26-5	Toluene d8	51		ug/L	1	0.10	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3292	50	102%		
NAL13026-1482MS	316-322	STD 460-00-4	Bromofluorobenzene	51		ug/L	1	0.10	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3292	50	102%		



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

- B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assessment, QC analyses parameter exceeded control limits.
U = Non-detect
* NAL is not certified for these compound by NELAC.

Table with 23 columns: Lab ID, Sample ID, CAS #, ANALYTES, Results, QC, Units, RDL, MDL, Sample Date, Prep. Date, Analysis Date, Matrix, Dil., Weight(g), Vol.(ml), % Solid, Method, Data file, Spike, % Rec, % RPD, Parent. Contains 40 rows of analytical data for various compounds like Dichlorodifluoromethane, Chloromethane, Vinyl chloride, etc.



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
 Tel: 888-685-1628 • mobilelabs@nevagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

- B** = Analyte is found in the associated blank as well as in the sample.
- D** = Compound identified in an analysis at a secondary dilution factor.
- E** = Compound's concentration exceeds the calibration range of the instrument at this dilution.
- X** = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
- J** = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
- M** = Matrix assessment, QC analyses parameter exceeded control limits.
- U** = Non-detect
- * NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1482MSD	316-322	ORG 96-18-4	1,2,3-Trichloropropane	4600		ug/L	200	29.47	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3293	5000	92%	4%	
NAL13026-1482MSD	316-322	ORG 108-67-8	1,3,5-Trimethylbenzene	5300		ug/L	200	20.03	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3293	5000	104%	2%	78
NAL13026-1482MSD	316-322	ORG 98-06-6	tert-Butylbenzene	5400		ug/L	200	32.61	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3293	5000	108%	2%	
NAL13026-1482MSD	316-322	ORG 95-63-6	1,2,4-Trimethylbenzene	5500		ug/L	200	20.03	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3293	5000	101%	4%	450
NAL13026-1482MSD	316-322	ORG 135-98-8	sec-Butylbenzene	5300		ug/L	200	32.34	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3293	5000	106%	2%	
NAL13026-1482MSD	316-322	ORG 541-73-1	1,3-Dichlorobenzene	4900		ug/L	200	22.21	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3293	5000	98%	4%	
NAL13026-1482MSD	316-322	ORG 99-87-6	p-Isopropyltoluene	7700		ug/L	200	25.48	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3293	5000	102%	1%	2600
NAL13026-1482MSD	316-322	ORG 106-46-7	1,4-Dichlorobenzene	5400		ug/L	200	33.03	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3293	5000	96%	2%	610
NAL13026-1482MSD	316-322	ORG 95-50-1	1,2-Dichlorobenzene	4800		ug/L	200	26.38	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3293	5000	96%	2%	
NAL13026-1482MSD	316-322	ORG 104-51-8	n-Butylbenzene	5300		ug/L	500	27.81	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3293	5000	104%	4%	81
NAL13026-1482MSD	316-322	ORG 96-12-8	1,2-Dibromo-3-chloropropane	5600		ug/L	500	159.11	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3293	5000	112%	4%	
NAL13026-1482MSD	316-322	ORG 87-68-3	Hexachlorobutadiene	5300		ug/L	500	65.42	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3293	5000	106%	4%	
NAL13026-1482MSD	316-322	ORG 120-82-1	1,2,4-Trichlorobenzene	5000		ug/L	500	27.63	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3293	5000	100%	0%	
NAL13026-1482MSD	316-322	ORG 91-20-3	Naphthalene	6600		ug/L	500	56.04	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3293	5000	94%	4%	1900
NAL13026-1482MSD	316-322	ORG 87-61-6	1,2,3-Trichlorobenzene	4900		ug/L	500	23.28	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3293	5000	98%	0%	
NAL13026-1482MSD	316-322	STD 1868-53-7	Dibromofluoromethane	52		ug/L	1	0.10	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3293	50	104%	0%	
NAL13026-1482MSD	316-322	STD 17060-07-0	1,2-Dichloroethane d4	51		ug/L	1	0.10	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3293	50	102%	0%	
NAL13026-1482MSD	316-322	STD 2037-26-5	Toluene d8	51		ug/L	1	0.10	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3293	50	102%	0%	
NAL13026-1482MSD	316-322	STD 460-00-4	Bromofluorobenzene	50		ug/L	1	0.10	6/6/2014	6/6/2014	6/6/2014	WG	100	NA	5.0	NA	SW8260B	NALD3293	50	100%	2%	

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1487	316-323	ORG 108-67-8	1,3,5-Trimethylbenzene	47	J	ug/L	200	20.03	6/7/2014	6/7/2014	6/7/2014	WG	100	NA	5.0	NA	SW8260B	NALD3304				
NAL13026-1487	316-323	ORG 98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	6/7/2014	6/7/2014	6/7/2014	WG	100	NA	5.0	NA	SW8260B	NALD3304				
NAL13026-1487	316-323	ORG 95-63-6	1,2,4-Trimethylbenzene	270		ug/L	200	20.03	6/7/2014	6/7/2014	6/7/2014	WG	100	NA	5.0	NA	SW8260B	NALD3304				
NAL13026-1487	316-323	ORG 135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	6/7/2014	6/7/2014	6/7/2014	WG	100	NA	5.0	NA	SW8260B	NALD3304				
NAL13026-1487	316-323	ORG 541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	6/7/2014	6/7/2014	6/7/2014	WG	100	NA	5.0	NA	SW8260B	NALD3304				
NAL13026-1487	316-323	ORG 99-87-6	p-Isopropyltoluene	1800		ug/L	200	25.48	6/7/2014	6/7/2014	6/7/2014	WG	100	NA	5.0	NA	SW8260B	NALD3304				
NAL13026-1487	316-323	ORG 106-46-7	1,4-Dichlorobenzene	420		ug/L	200	33.03	6/7/2014	6/7/2014	6/7/2014	WG	100	NA	5.0	NA	SW8260B	NALD3304				
NAL13026-1487	316-323	ORG 95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	6/7/2014	6/7/2014	6/7/2014	WG	100	NA	5.0	NA	SW8260B	NALD3304				
NAL13026-1487	316-323	ORG 104-51-8	n-Butylbenzene	53	J	ug/L	500	27.81	6/7/2014	6/7/2014	6/7/2014	WG	100	NA	5.0	NA	SW8260B	NALD3304				
NAL13026-1487	316-323	ORG 96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	6/7/2014	6/7/2014	6/7/2014	WG	100	NA	5.0	NA	SW8260B	NALD3304				
NAL13026-1487	316-323	ORG 87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	6/7/2014	6/7/2014	6/7/2014	WG	100	NA	5.0	NA	SW8260B	NALD3304				
NAL13026-1487	316-323	ORG 120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	6/7/2014	6/7/2014	6/7/2014	WG	100	NA	5.0	NA	SW8260B	NALD3304				
NAL13026-1487	316-323	ORG 91-20-3	Naphthalene	1700		ug/L	500	56.04	6/7/2014	6/7/2014	6/7/2014	WG	100	NA	5.0	NA	SW8260B	NALD3304				
NAL13026-1487	316-323	ORG 87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	6/7/2014	6/7/2014	6/7/2014	WG	100	NA	5.0	NA	SW8260B	NALD3304				
NAL13026-1487	316-323	STD 1868-53-7	Dibromofluoromethane	52		ug/L	1	0.10	6/7/2014	6/7/2014	6/7/2014	WG	100	NA	5.0	NA	SW8260B	NALD3304	50	104%		
NAL13026-1487	316-323	STD 17060-07-0	1,2-Dichloroethane d4	54		ug/L	1	0.10	6/7/2014	6/7/2014	6/7/2014	WG	100	NA	5.0	NA	SW8260B	NALD3304	50	108%		
NAL13026-1487	316-323	STD 2037-26-5	Toluene d8	52		ug/L	1	0.10	6/7/2014	6/7/2014	6/7/2014	WG	100	NA	5.0	NA	SW8260B	NALD3304	50	104%		
NAL13026-1487	316-323	STD 460-00-4	Bromofluorobenzene	50		ug/L	1	0.10	6/7/2014	6/7/2014	6/7/2014	WG	100	NA	5.0	NA	SW8260B	NALD3304	50	100%		



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

FINAL ANALYTICAL REPORT

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assessment, QC analyses parameter exceeded control limits.
U = Non-detect
* NAL is not certified for these compound by NELAC.

Table with 22 columns: Lab ID, Sample ID, CAS #, ANALYTES, Results, QC, Units, RDL, MDL, Sample Date, Prep. Date, Analysis Date, Matrix, Dil., Weight(g), Vol.(ml), % Solid, Method, Data file, Spike, % Rec, % RPD, Parent. Contains 60 rows of analytical data for various compounds like Dichlorodifluoromethane, Vinyl chloride, Bromomethane, etc.

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1488	CB 6-7-14	ORG 108-67-8	1,3,5-Trimethylbenzene		U	ug/L	200	20.03	6/7/2014	6/7/2014	6/7/2014	WG	100	NA	5.0	NA	SW8260B	NALD3306				
NAL13026-1488	CB 6-7-14	ORG 98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	6/7/2014	6/7/2014	6/7/2014	WG	100	NA	5.0	NA	SW8260B	NALD3306				
NAL13026-1488	CB 6-7-14	ORG 95-63-6	1,2,4-Trimethylbenzene	98	J	ug/L	200	20.03	6/7/2014	6/7/2014	6/7/2014	WG	100	NA	5.0	NA	SW8260B	NALD3306				
NAL13026-1488	CB 6-7-14	ORG 135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	6/7/2014	6/7/2014	6/7/2014	WG	100	NA	5.0	NA	SW8260B	NALD3306				
NAL13026-1488	CB 6-7-14	ORG 541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	6/7/2014	6/7/2014	6/7/2014	WG	100	NA	5.0	NA	SW8260B	NALD3306				
NAL13026-1488	CB 6-7-14	ORG 99-87-6	p-Isopropyltoluene	770		ug/L	200	25.48	6/7/2014	6/7/2014	6/7/2014	WG	100	NA	5.0	NA	SW8260B	NALD3306				
NAL13026-1488	CB 6-7-14	ORG 106-46-7	1,4-Dichlorobenzene	110	J	ug/L	200	33.03	6/7/2014	6/7/2014	6/7/2014	WG	100	NA	5.0	NA	SW8260B	NALD3306				
NAL13026-1488	CB 6-7-14	ORG 95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	6/7/2014	6/7/2014	6/7/2014	WG	100	NA	5.0	NA	SW8260B	NALD3306				
NAL13026-1488	CB 6-7-14	ORG 104-51-8	n-Butylbenzene	27	J	ug/L	500	27.81	6/7/2014	6/7/2014	6/7/2014	WG	100	NA	5.0	NA	SW8260B	NALD3306				
NAL13026-1488	CB 6-7-14	ORG 96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	6/7/2014	6/7/2014	6/7/2014	WG	100	NA	5.0	NA	SW8260B	NALD3306				
NAL13026-1488	CB 6-7-14	ORG 87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	6/7/2014	6/7/2014	6/7/2014	WG	100	NA	5.0	NA	SW8260B	NALD3306				
NAL13026-1488	CB 6-7-14	ORG 120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	6/7/2014	6/7/2014	6/7/2014	WG	100	NA	5.0	NA	SW8260B	NALD3306				
NAL13026-1488	CB 6-7-14	ORG 91-20-3	Naphthalene	600		ug/L	500	56.04	6/7/2014	6/7/2014	6/7/2014	WG	100	NA	5.0	NA	SW8260B	NALD3306				
NAL13026-1488	CB 6-7-14	ORG 87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	6/7/2014	6/7/2014	6/7/2014	WG	100	NA	5.0	NA	SW8260B	NALD3306				
NAL13026-1488	CB 6-7-14	STD 1868-53-7	Dibromofluoromethane	53		ug/L	1	0.10	6/7/2014	6/7/2014	6/7/2014	WG	100	NA	5.0	NA	SW8260B	NALD3306	50	106%		
NAL13026-1488	CB 6-7-14	STD 17060-07-0	1,2-Dichloroethane d4	54		ug/L	1	0.10	6/7/2014	6/7/2014	6/7/2014	WG	100	NA	5.0	NA	SW8260B	NALD3306	50	108%		
NAL13026-1488	CB 6-7-14	STD 2037-26-5	Toluene d8	51		ug/L	1	0.10	6/7/2014	6/7/2014	6/7/2014	WG	100	NA	5.0	NA	SW8260B	NALD3306	50	102%		
NAL13026-1488	CB 6-7-14	STD 460-00-4	Bromofluorobenzene	50		ug/L	1	0.10	6/7/2014	6/7/2014	6/7/2014	WG	100	NA	5.0	NA	SW8260B	NALD3306	50	100%		

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1486	T4 OP	ORG 108-67-8	1,3,5-Trimethylbenzene		U	ug/L	2	0.20	6/6/2014	6/7/2014	6/7/2014	WG	1	NA	5.0	NA	SW8260B	NALD3308				
NAL13026-1486	T4 OP	ORG 98-06-6	tert-Butylbenzene		U	ug/L	2	0.33	6/6/2014	6/7/2014	6/7/2014	WG	1	NA	5.0	NA	SW8260B	NALD3308				
NAL13026-1486	T4 OP	ORG 95-63-6	1,2,4-Trimethylbenzene		U	ug/L	2	0.20	6/6/2014	6/7/2014	6/7/2014	WG	1	NA	5.0	NA	SW8260B	NALD3308				
NAL13026-1486	T4 OP	ORG 135-98-8	sec-Butylbenzene		U	ug/L	2	0.32	6/6/2014	6/7/2014	6/7/2014	WG	1	NA	5.0	NA	SW8260B	NALD3308				
NAL13026-1486	T4 OP	ORG 541-73-1	1,3-Dichlorobenzene		U	ug/L	2	0.22	6/6/2014	6/7/2014	6/7/2014	WG	1	NA	5.0	NA	SW8260B	NALD3308				
NAL13026-1486	T4 OP	ORG 99-87-6	p-Isopropyltoluene		U	ug/L	2	0.25	6/6/2014	6/7/2014	6/7/2014	WG	1	NA	5.0	NA	SW8260B	NALD3308				
NAL13026-1486	T4 OP	ORG 106-46-7	1,4-Dichlorobenzene		U	ug/L	2	0.33	6/6/2014	6/7/2014	6/7/2014	WG	1	NA	5.0	NA	SW8260B	NALD3308				
NAL13026-1486	T4 OP	ORG 95-50-1	1,2-Dichlorobenzene		U	ug/L	2	0.26	6/6/2014	6/7/2014	6/7/2014	WG	1	NA	5.0	NA	SW8260B	NALD3308				
NAL13026-1486	T4 OP	ORG 104-51-8	n-Butylbenzene		U	ug/L	5	0.28	6/6/2014	6/7/2014	6/7/2014	WG	1	NA	5.0	NA	SW8260B	NALD3308				
NAL13026-1486	T4 OP	ORG 96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	5	1.59	6/6/2014	6/7/2014	6/7/2014	WG	1	NA	5.0	NA	SW8260B	NALD3308				
NAL13026-1486	T4 OP	ORG 87-68-3	Hexachlorobutadiene		U	ug/L	5	0.65	6/6/2014	6/7/2014	6/7/2014	WG	1	NA	5.0	NA	SW8260B	NALD3308				
NAL13026-1486	T4 OP	ORG 120-82-1	1,2,4-Trichlorobenzene		U	ug/L	5	0.28	6/6/2014	6/7/2014	6/7/2014	WG	1	NA	5.0	NA	SW8260B	NALD3308				
NAL13026-1486	T4 OP	ORG 91-20-3	Naphthalene		U	ug/L	5	0.56	6/6/2014	6/7/2014	6/7/2014	WG	1	NA	5.0	NA	SW8260B	NALD3308				
NAL13026-1486	T4 OP	ORG 87-61-6	1,2,3-Trichlorobenzene		U	ug/L	5	0.23	6/6/2014	6/7/2014	6/7/2014	WG	1	NA	5.0	NA	SW8260B	NALD3308				
NAL13026-1486	T4 OP	STD 1868-53-7	Dibromofluoromethane	51		ug/L	1	0.10	6/6/2014	6/7/2014	6/7/2014	WG	1	NA	5.0	NA	SW8260B	NALD3308	50	102%		
NAL13026-1486	T4 OP	STD 17060-07-0	1,2-Dichloroethane d4	50		ug/L	1	0.10	6/6/2014	6/7/2014	6/7/2014	WG	1	NA	5.0	NA	SW8260B	NALD3308	50	100%		
NAL13026-1486	T4 OP	STD 2037-26-5	Toluene d8	52		ug/L	1	0.10	6/6/2014	6/7/2014	6/7/2014	WG	1	NA	5.0	NA	SW8260B	NALD3308	50	104%		
NAL13026-1486	T4 OP	STD 460-00-4	Bromofluorobenzene	50		ug/L	1	0.10	6/6/2014	6/7/2014	6/7/2014	WG	1	NA	5.0	NA	SW8260B	NALD3308	50	100%		

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D060714CCVA	D060714CCVA	ORG 108-67-8	1,3,5-Trimethylbenzene	52		ug/L	2	0.20	NA	6/7/2014	6/7/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3301	50	104%		
D060714CCVA	D060714CCVA	ORG 98-06-6	tert-Butylbenzene	54		ug/L	2	0.33	NA	6/7/2014	6/7/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3301	50	108%		
D060714CCVA	D060714CCVA	ORG 95-63-6	1,2,4-Trimethylbenzene	51		ug/L	2	0.20	NA	6/7/2014	6/7/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3301	50	102%		
D060714CCVA	D060714CCVA	ORG 135-98-8	sec-Butylbenzene	52		ug/L	2	0.32	NA	6/7/2014	6/7/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3301	50	104%		
D060714CCVA	D060714CCVA	ORG 541-73-1	1,3-Dichlorobenzene	49		ug/L	2	0.22	NA	6/7/2014	6/7/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3301	50	98%		
D060714CCVA	D060714CCVA	ORG 99-87-6	p-Isopropyltoluene	52		ug/L	2	0.25	NA	6/7/2014	6/7/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3301	50	104%		
D060714CCVA	D060714CCVA	ORG 106-46-7	1,4-Dichlorobenzene	48		ug/L	2	0.33	NA	6/7/2014	6/7/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3301	50	96%		
D060714CCVA	D060714CCVA	ORG 95-50-1	1,2-Dichlorobenzene	48		ug/L	2	0.26	NA	6/7/2014	6/7/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3301	50	96%		
D060714CCVA	D060714CCVA	ORG 104-51-8	n-Butylbenzene	53		ug/L	5	0.28	NA	6/7/2014	6/7/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3301	50	106%		
D060714CCVA	D060714CCVA	ORG 96-12-8	1,2-Dibromo-3-chloropropane	49		ug/L	5	1.59	NA	6/7/2014	6/7/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3301	50	98%		
D060714CCVA	D060714CCVA	ORG 87-68-3	Hexachlorobutadiene	58		ug/L	5	0.65	NA	6/7/2014	6/7/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3301	50	116%		
D060714CCVA	D060714CCVA	ORG 120-82-1	1,2,4-Trichlorobenzene	50		ug/L	5	0.28	NA	6/7/2014	6/7/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3301	50	100%		
D060714CCVA	D060714CCVA	ORG 91-20-3	Naphthalene	45		ug/L	5	0.56	NA	6/7/2014	6/7/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3301	50	90%		
D060714CCVA	D060714CCVA	ORG 87-61-6	1,2,3-Trichlorobenzene	48		ug/L	5	0.23	NA	6/7/2014	6/7/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3301	50	96%		
D060714CCVA	D060714CCVA	STD 1868-53-7	Dibromofluoromethane	53		ug/L	1	0.10	NA	6/7/2014	6/7/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3301	50	106%		
D060714CCVA	D060714CCVA	STD 17060-07-0	1,2-Dichloroethane d4	50		ug/L	1	0.10	NA	6/7/2014	6/7/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3301	50	100%		
D060714CCVA	D060714CCVA	STD 2037-26-5	Toluene d8	51		ug/L	1	0.10	NA	6/7/2014	6/7/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3301	50	102%		
D060714CCVA	D060714CCVA	STD 460-00-4	Bromofluorobenzene	50		ug/L	1	0.10	NA	6/7/2014	6/7/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3301	50	100%		



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

FINAL ANALYTICAL REPORT

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise.

- B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assessment, QC analyses parameter exceeded control limits.
U = Non-detect
* NAL is not certified for these compound by NELAC.

Table with 20 columns: Lab ID, Sample ID, CAS #, ANALYTES, Results, QC, Units, RDL, MDL, Sample Date, Prep. Date, Analysis Date, Matrix, Dil., Weight(g), Vol.(ml), % Solid, Method, Data file, Spike, % Rec, % RPD, Parent. It contains 90 rows of analytical data for various compounds like Dichlorodifluoromethane, Chloromethane, Vinyl chloride, etc.

Confidential
D060714AKCF

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D060714MBKA	D060714MBKA	ORG 108-67-8	1,3,5-Trimethylbenzene		U	ug/L	2	0.20	NA	6/7/2014	6/7/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3303				
D060714MBKA	D060714MBKA	ORG 98-06-6	tert-Butylbenzene		U	ug/L	2	0.33	NA	6/7/2014	6/7/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3303				
D060714MBKA	D060714MBKA	ORG 95-63-6	1,2,4-Trimethylbenzene		U	ug/L	2	0.20	NA	6/7/2014	6/7/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3303				
D060714MBKA	D060714MBKA	ORG 135-98-8	sec-Butylbenzene		U	ug/L	2	0.32	NA	6/7/2014	6/7/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3303				
D060714MBKA	D060714MBKA	ORG 541-73-1	1,3-Dichlorobenzene		U	ug/L	2	0.22	NA	6/7/2014	6/7/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3303				
D060714MBKA	D060714MBKA	ORG 99-87-6	p-Isopropyltoluene		U	ug/L	2	0.25	NA	6/7/2014	6/7/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3303				
D060714MBKA	D060714MBKA	ORG 106-46-7	1,4-Dichlorobenzene		U	ug/L	2	0.33	NA	6/7/2014	6/7/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3303				
D060714MBKA	D060714MBKA	ORG 95-50-1	1,2-Dichlorobenzene		U	ug/L	2	0.26	NA	6/7/2014	6/7/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3303				
D060714MBKA	D060714MBKA	ORG 104-51-8	n-Butylbenzene		U	ug/L	5	0.28	NA	6/7/2014	6/7/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3303				
D060714MBKA	D060714MBKA	ORG 96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	5	1.59	NA	6/7/2014	6/7/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3303				
D060714MBKA	D060714MBKA	ORG 87-68-3	Hexachlorobutadiene		U	ug/L	5	0.65	NA	6/7/2014	6/7/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3303				
D060714MBKA	D060714MBKA	ORG 120-82-1	1,2,4-Trichlorobenzene		U	ug/L	5	0.28	NA	6/7/2014	6/7/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3303				
D060714MBKA	D060714MBKA	ORG 91-20-3	Naphthalene		U	ug/L	5	0.56	NA	6/7/2014	6/7/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3303				
D060714MBKA	D060714MBKA	ORG 87-61-6	1,2,3-Trichlorobenzene		U	ug/L	5	0.23	NA	6/7/2014	6/7/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3303				
D060714MBKA	D060714MBKA	STD 1868-53-7	Dibromofluoromethane	52		ug/L	1	0.10	NA	6/7/2014	6/7/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3303	50	104%		
D060714MBKA	D060714MBKA	STD 17060-07-0	1,2-Dichloroethane d4	53		ug/L	1	0.10	NA	6/7/2014	6/7/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3303	50	106%		
D060714MBKA	D060714MBKA	STD 2037-26-5	Toluene d8	52		ug/L	1	0.10	NA	6/7/2014	6/7/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3303	50	104%		
D060714MBKA	D060714MBKA	STD 460-00-4	Bromofluorobenzene	51		ug/L	1	0.10	NA	6/7/2014	6/7/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3303	50	102%		



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

FINAL ANALYTICAL REPORT

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Table with columns: Lab ID, Sample ID, CAS #, ANALYTES, Results, QC, Units, RDL, MDL, Sample Date, Prep. Date, Analysis Date, Matrix, Dil., Weight(g), Vol.(ml), % Solid, Method, Data file, Spike, % Rec, % RPD, Parent. Contains 40 rows of analytical data for various compounds like Dichlorodifluoromethane, Chloromethane, Vinyl chloride, etc.

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D060714ALCS	D060714ALCS	ORG 108-67-8	1,3,5-Trimethylbenzene	53		ug/L	2	0.20	NA	6/7/2014	6/7/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3302	50	106%		
D060714ALCS	D060714ALCS	ORG 98-06-6	tert-Butylbenzene	55		ug/L	2	0.33	NA	6/7/2014	6/7/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3302	50	110%		
D060714ALCS	D060714ALCS	ORG 95-63-6	1,2,4-Trimethylbenzene	52		ug/L	2	0.20	NA	6/7/2014	6/7/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3302	50	104%		
D060714ALCS	D060714ALCS	ORG 135-98-8	sec-Butylbenzene	53		ug/L	2	0.32	NA	6/7/2014	6/7/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3302	50	106%		
D060714ALCS	D060714ALCS	ORG 541-73-1	1,3-Dichlorobenzene	51		ug/L	2	0.22	NA	6/7/2014	6/7/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3302	50	102%		
D060714ALCS	D060714ALCS	ORG 99-87-6	p-Isopropyltoluene	54		ug/L	2	0.25	NA	6/7/2014	6/7/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3302	50	108%		
D060714ALCS	D060714ALCS	ORG 106-46-7	1,4-Dichlorobenzene	50		ug/L	2	0.33	NA	6/7/2014	6/7/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3302	50	100%		
D060714ALCS	D060714ALCS	ORG 95-50-1	1,2-Dichlorobenzene	50		ug/L	2	0.26	NA	6/7/2014	6/7/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3302	50	100%		
D060714ALCS	D060714ALCS	ORG 104-51-8	n-Butylbenzene	53		ug/L	5	0.28	NA	6/7/2014	6/7/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3302	50	106%		
D060714ALCS	D060714ALCS	ORG 96-12-8	1,2-Dibromo-3-chloropropane	53		ug/L	5	1.59	NA	6/7/2014	6/7/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3302	50	106%		
D060714ALCS	D060714ALCS	ORG 87-68-3	Hexachlorobutadiene	58		ug/L	5	0.65	NA	6/7/2014	6/7/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3302	50	116%		
D060714ALCS	D060714ALCS	ORG 120-82-1	1,2,4-Trichlorobenzene	52		ug/L	5	0.28	NA	6/7/2014	6/7/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3302	50	104%		
D060714ALCS	D060714ALCS	ORG 91-20-3	Naphthalene	49		ug/L	5	0.56	NA	6/7/2014	6/7/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3302	50	98%		
D060714ALCS	D060714ALCS	ORG 87-61-6	1,2,3-Trichlorobenzene	51		ug/L	5	0.23	NA	6/7/2014	6/7/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3302	50	102%		
D060714ALCS	D060714ALCS	STD 1868-53-7	Dibromofluoromethane	52		ug/L	1	0.10	NA	6/7/2014	6/7/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3302	50	104%		
D060714ALCS	D060714ALCS	STD 17060-07-0	1,2-Dichloroethane d4	51		ug/L	1	0.10	NA	6/7/2014	6/7/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3302	50	102%		
D060714ALCS	D060714ALCS	STD 2037-26-5	Toluene d8	50		ug/L	1	0.10	NA	6/7/2014	6/7/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3302	50	100%		
D060714ALCS	D060714ALCS	STD 460-00-4	Bromofluorobenzene	50		ug/L	1	0.10	NA	6/7/2014	6/7/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3302	50	100%		

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D060714ALCD	D060714ALCD	ORG 108-67-8	1,3,5-Trimethylbenzene	54		ug/L	2	0.20	NA	6/7/2014	6/7/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3309	50	108%	2%	
D060714ALCD	D060714ALCD	ORG 98-06-6	tert-Butylbenzene	55		ug/L	2	0.33	NA	6/7/2014	6/7/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3309	50	110%	0%	
D060714ALCD	D060714ALCD	ORG 95-63-6	1,2,4-Trimethylbenzene	53		ug/L	2	0.20	NA	6/7/2014	6/7/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3309	50	106%	2%	
D060714ALCD	D060714ALCD	ORG 135-98-8	sec-Butylbenzene	55		ug/L	2	0.32	NA	6/7/2014	6/7/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3309	50	110%	4%	
D060714ALCD	D060714ALCD	ORG 541-73-1	1,3-Dichlorobenzene	51		ug/L	2	0.22	NA	6/7/2014	6/7/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3309	50	102%	0%	
D060714ALCD	D060714ALCD	ORG 99-87-6	p-Isopropyltoluene	56		ug/L	2	0.25	NA	6/7/2014	6/7/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3309	50	112%	4%	
D060714ALCD	D060714ALCD	ORG 106-46-7	1,4-Dichlorobenzene	50		ug/L	2	0.33	NA	6/7/2014	6/7/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3309	50	100%	0%	
D060714ALCD	D060714ALCD	ORG 95-50-1	1,2-Dichlorobenzene	50		ug/L	2	0.26	NA	6/7/2014	6/7/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3309	50	100%	0%	
D060714ALCD	D060714ALCD	ORG 104-51-8	n-Butylbenzene	55		ug/L	5	0.28	NA	6/7/2014	6/7/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3309	50	110%	4%	
D060714ALCD	D060714ALCD	ORG 96-12-8	1,2-Dibromo-3-chloropropane	53		ug/L	5	1.59	NA	6/7/2014	6/7/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3309	50	106%	0%	
D060714ALCD	D060714ALCD	ORG 87-68-3	Hexachlorobutadiene	60		ug/L	5	0.65	NA	6/7/2014	6/7/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3309	50	120%	3%	
D060714ALCD	D060714ALCD	ORG 120-82-1	1,2,4-Trichlorobenzene	52		ug/L	5	0.28	NA	6/7/2014	6/7/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3309	50	104%	0%	
D060714ALCD	D060714ALCD	ORG 91-20-3	Naphthalene	48		ug/L	5	0.56	NA	6/7/2014	6/7/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3309	50	96%	2%	
D060714ALCD	D060714ALCD	ORG 87-61-6	1,2,3-Trichlorobenzene	50		ug/L	5	0.23	NA	6/7/2014	6/7/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3309	50	100%	2%	
D060714ALCD	D060714ALCD	STD 1868-53-7	Dibromofluoromethane	53		ug/L	1	0.10	NA	6/7/2014	6/7/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3309	50	106%	2%	
D060714ALCD	D060714ALCD	STD 17060-07-0	1,2-Dichloroethane d4	53		ug/L	1	0.10	NA	6/7/2014	6/7/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3309	50	106%	4%	
D060714ALCD	D060714ALCD	STD 2037-26-5	Toluene d8	51		ug/L	1	0.10	NA	6/7/2014	6/7/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3309	50	102%	2%	
D060714ALCD	D060714ALCD	STD 460-00-4	Bromofluorobenzene	50		ug/L	1	0.10	NA	6/7/2014	6/7/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3309	50	100%	0%	



FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1487MS	316-323	ORG 108-67-8	1,3,5-Trimethylbenzene	5300		ug/L	200	20.03	6/7/2014	6/7/2014	6/7/2014	WG	100	NA	5.0	NA	SW8260B	NALD3310	5000	105%		47
NAL13026-1487MS	316-323	ORG 98-06-6	tert-Butylbenzene	5400		ug/L	200	32.61	6/7/2014	6/7/2014	6/7/2014	WG	100	NA	5.0	NA	SW8260B	NALD3310	5000	108%		
NAL13026-1487MS	316-323	ORG 95-63-6	1,2,4-Trimethylbenzene	5400		ug/L	200	20.03	6/7/2014	6/7/2014	6/7/2014	WG	100	NA	5.0	NA	SW8260B	NALD3310	5000	103%		270
NAL13026-1487MS	316-323	ORG 135-98-8	sec-Butylbenzene	5300		ug/L	200	32.34	6/7/2014	6/7/2014	6/7/2014	WG	100	NA	5.0	NA	SW8260B	NALD3310	5000	106%		
NAL13026-1487MS	316-323	ORG 541-73-1	1,3-Dichlorobenzene	5000		ug/L	200	22.21	6/7/2014	6/7/2014	6/7/2014	WG	100	NA	5.0	NA	SW8260B	NALD3310	5000	100%		
NAL13026-1487MS	316-323	ORG 99-87-6	p-Isopropyltoluene	6700		ug/L	200	25.48	6/7/2014	6/7/2014	6/7/2014	WG	100	NA	5.0	NA	SW8260B	NALD3310	5000	98%		1800
NAL13026-1487MS	316-323	ORG 106-46-7	1,4-Dichlorobenzene	5300		ug/L	200	33.03	6/7/2014	6/7/2014	6/7/2014	WG	100	NA	5.0	NA	SW8260B	NALD3310	5000	98%		420
NAL13026-1487MS	316-323	ORG 95-50-1	1,2-Dichlorobenzene	4900		ug/L	200	26.38	6/7/2014	6/7/2014	6/7/2014	WG	100	NA	5.0	NA	SW8260B	NALD3310	5000	98%		
NAL13026-1487MS	316-323	ORG 104-51-8	n-Butylbenzene	5300		ug/L	500	27.81	6/7/2014	6/7/2014	6/7/2014	WG	100	NA	5.0	NA	SW8260B	NALD3310	5000	105%		53
NAL13026-1487MS	316-323	ORG 96-12-8	1,2-Dibromo-3-chloropropane	5600		ug/L	500	159.11	6/7/2014	6/7/2014	6/7/2014	WG	100	NA	5.0	NA	SW8260B	NALD3310	5000	112%		
NAL13026-1487MS	316-323	ORG 87-68-3	Hexachlorobutadiene	5100		ug/L	500	65.42	6/7/2014	6/7/2014	6/7/2014	WG	100	NA	5.0	NA	SW8260B	NALD3310	5000	102%		
NAL13026-1487MS	316-323	ORG 120-82-1	1,2,4-Trichlorobenzene	5000		ug/L	500	27.63	6/7/2014	6/7/2014	6/7/2014	WG	100	NA	5.0	NA	SW8260B	NALD3310	5000	100%		
NAL13026-1487MS	316-323	ORG 91-20-3	Naphthalene	6600		ug/L	500	56.04	6/7/2014	6/7/2014	6/7/2014	WG	100	NA	5.0	NA	SW8260B	NALD3310	5000	98%		1700
NAL13026-1487MS	316-323	ORG 87-61-6	1,2,3-Trichlorobenzene	4800		ug/L	500	23.28	6/7/2014	6/7/2014	6/7/2014	WG	100	NA	5.0	NA	SW8260B	NALD3310	5000	96%		
NAL13026-1487MS	316-323	STD 1868-53-7	Dibromofluoromethane	52		ug/L	1	0.10	6/7/2014	6/7/2014	6/7/2014	WG	100	NA	5.0	NA	SW8260B	NALD3310	50	104%		
NAL13026-1487MS	316-323	STD 17060-07-0	1,2-Dichloroethane d4	52		ug/L	1	0.10	6/7/2014	6/7/2014	6/7/2014	WG	100	NA	5.0	NA	SW8260B	NALD3310	50	104%		
NAL13026-1487MS	316-323	STD 2037-26-5	Toluene d8	51		ug/L	1	0.10	6/7/2014	6/7/2014	6/7/2014	WG	100	NA	5.0	NA	SW8260B	NALD3310	50	102%		
NAL13026-1487MS	316-323	STD 460-00-4	Bromofluorobenzene	51		ug/L	1	0.10	6/7/2014	6/7/2014	6/7/2014	WG	100	NA	5.0	NA	SW8260B	NALD3310	50	102%		



New Age/Landmark Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

FINAL ANALYTICAL REPORT

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assessment, QC analyses parameter exceeded control limits.
U = Non-detect
* NAL is not certified for these compound by NELAC.

Table with columns: Lab ID, Sample ID, CAS #, ANALYTES, Results, QC, Units, RDL, MDL, Sample Date, Prep. Date, Analysis Date, Matrix, Dil., Weight(g), Vol.(ml), % Solid, Method, Data file, Spike, % Rec, % RPD, Parent. Contains 40 rows of analytical data.

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1487MSD	316-323	ORG 108-67-8	1,3,5-Trimethylbenzene	5400		ug/L	200	20.03	6/7/2014	6/7/2014	6/7/2014	WG	100	NA	5.0	NA	SW8260B	NALD3311	5000	107%	2%	47
NAL13026-1487MSD	316-323	ORG 98-06-6	tert-Butylbenzene	5500		ug/L	200	32.61	6/7/2014	6/7/2014	6/7/2014	WG	100	NA	5.0	NA	SW8260B	NALD3311	5000	110%	2%	
NAL13026-1487MSD	316-323	ORG 95-63-6	1,2,4-Trimethylbenzene	5500		ug/L	200	20.03	6/7/2014	6/7/2014	6/7/2014	WG	100	NA	5.0	NA	SW8260B	NALD3311	5000	105%	2%	270
NAL13026-1487MSD	316-323	ORG 135-98-8	sec-Butylbenzene	5400		ug/L	200	32.34	6/7/2014	6/7/2014	6/7/2014	WG	100	NA	5.0	NA	SW8260B	NALD3311	5000	108%	2%	
NAL13026-1487MSD	316-323	ORG 541-73-1	1,3-Dichlorobenzene	5000		ug/L	200	22.21	6/7/2014	6/7/2014	6/7/2014	WG	100	NA	5.0	NA	SW8260B	NALD3311	5000	100%	0%	
NAL13026-1487MSD	316-323	ORG 99-87-6	p-Isopropyltoluene	6900		ug/L	200	25.48	6/7/2014	6/7/2014	6/7/2014	WG	100	NA	5.0	NA	SW8260B	NALD3311	5000	102%	3%	1800
NAL13026-1487MSD	316-323	ORG 106-46-7	1,4-Dichlorobenzene	5300		ug/L	200	33.03	6/7/2014	6/7/2014	6/7/2014	WG	100	NA	5.0	NA	SW8260B	NALD3311	5000	98%	0%	420
NAL13026-1487MSD	316-323	ORG 95-50-1	1,2-Dichlorobenzene	4900		ug/L	200	26.38	6/7/2014	6/7/2014	6/7/2014	WG	100	NA	5.0	NA	SW8260B	NALD3311	5000	98%	0%	
NAL13026-1487MSD	316-323	ORG 104-51-8	n-Butylbenzene	5400		ug/L	500	27.81	6/7/2014	6/7/2014	6/7/2014	WG	100	NA	5.0	NA	SW8260B	NALD3311	5000	107%	2%	53
NAL13026-1487MSD	316-323	ORG 96-12-8	1,2-Dibromo-3-chloropropane	550		ug/L	500	159.11	6/7/2014	6/7/2014	6/7/2014	WG	100	NA	5.0	NA	SW8260B	NALD3311	5000	11%	164%	
NAL13026-1487MSD	316-323	ORG 87-68-3	Hexachlorobutadiene	5400		ug/L	500	65.42	6/7/2014	6/7/2014	6/7/2014	WG	100	NA	5.0	NA	SW8260B	NALD3311	5000	108%	6%	
NAL13026-1487MSD	316-323	ORG 120-82-1	1,2,4-Trichlorobenzene	5100		ug/L	500	27.63	6/7/2014	6/7/2014	6/7/2014	WG	100	NA	5.0	NA	SW8260B	NALD3311	5000	102%	2%	
NAL13026-1487MSD	316-323	ORG 91-20-3	Naphthalene	6400		ug/L	500	56.04	6/7/2014	6/7/2014	6/7/2014	WG	100	NA	5.0	NA	SW8260B	NALD3311	5000	94%	3%	1700
NAL13026-1487MSD	316-323	ORG 87-61-6	1,2,3-Trichlorobenzene	5000		ug/L	500	23.28	6/7/2014	6/7/2014	6/7/2014	WG	100	NA	5.0	NA	SW8260B	NALD3311	5000	100%	4%	
NAL13026-1487MSD	316-323	STD 1868-53-7	Dibromofluoromethane	53		ug/L	1	0.10	6/7/2014	6/7/2014	6/7/2014	WG	100	NA	5.0	NA	SW8260B	NALD3311	50	106%	2%	
NAL13026-1487MSD	316-323	STD 17060-07-0	1,2-Dichloroethane d4	51		ug/L	1	0.10	6/7/2014	6/7/2014	6/7/2014	WG	100	NA	5.0	NA	SW8260B	NALD3311	50	102%	2%	
NAL13026-1487MSD	316-323	STD 2037-26-5	Toluene d8	51		ug/L	1	0.10	6/7/2014	6/7/2014	6/7/2014	WG	100	NA	5.0	NA	SW8260B	NALD3311	50	102%	0%	
NAL13026-1487MSD	316-323	STD 460-00-4	Bromofluorobenzene	50		ug/L	1	0.10	6/7/2014	6/7/2014	6/7/2014	WG	100	NA	5.0	NA	SW8260B	NALD3311	50	100%	2%	

FINAL ANALYTICAL REPORT

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1489	316-324	ORG 108-67-8	1,3,5-Trimethylbenzene	540		ug/L	200	20.03	6/8/2014	6/8/2014	6/8/2014	WG	100	NA	5.0	NA	SW8260B	NALD3316				
NAL13026-1489	316-324	ORG 98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	6/8/2014	6/8/2014	6/8/2014	WG	100	NA	5.0	NA	SW8260B	NALD3316				
NAL13026-1489	316-324	ORG 95-63-6	1,2,4-Trimethylbenzene	2400		ug/L	200	20.03	6/8/2014	6/8/2014	6/8/2014	WG	100	NA	5.0	NA	SW8260B	NALD3316				
NAL13026-1489	316-324	ORG 135-98-8	sec-Butylbenzene	85	J	ug/L	200	32.34	6/8/2014	6/8/2014	6/8/2014	WG	100	NA	5.0	NA	SW8260B	NALD3316				
NAL13026-1489	316-324	ORG 541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	6/8/2014	6/8/2014	6/8/2014	WG	100	NA	5.0	NA	SW8260B	NALD3316				
NAL13026-1489	316-324	ORG 99-87-6	p-Isopropyltoluene	11000		ug/L	200	25.48	6/8/2014	6/8/2014	6/8/2014	WG	100	NA	5.0	NA	SW8260B	NALD3316				
NAL13026-1489	316-324	ORG 106-46-7	1,4-Dichlorobenzene	2300		ug/L	200	33.03	6/8/2014	6/8/2014	6/8/2014	WG	100	NA	5.0	NA	SW8260B	NALD3316				
NAL13026-1489	316-324	ORG 95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	6/8/2014	6/8/2014	6/8/2014	WG	100	NA	5.0	NA	SW8260B	NALD3316				
NAL13026-1489	316-324	ORG 104-51-8	n-Butylbenzene	320	J	ug/L	500	27.81	6/8/2014	6/8/2014	6/8/2014	WG	100	NA	5.0	NA	SW8260B	NALD3316				
NAL13026-1489	316-324	ORG 96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	6/8/2014	6/8/2014	6/8/2014	WG	100	NA	5.0	NA	SW8260B	NALD3316				
NAL13026-1489	316-324	ORG 87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	6/8/2014	6/8/2014	6/8/2014	WG	100	NA	5.0	NA	SW8260B	NALD3316				
NAL13026-1489	316-324	ORG 120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	6/8/2014	6/8/2014	6/8/2014	WG	100	NA	5.0	NA	SW8260B	NALD3316				
NAL13026-1489	316-324	ORG 91-20-3	Naphthalene	3400		ug/L	500	56.04	6/8/2014	6/8/2014	6/8/2014	WG	100	NA	5.0	NA	SW8260B	NALD3316				
NAL13026-1489	316-324	ORG 87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	6/8/2014	6/8/2014	6/8/2014	WG	100	NA	5.0	NA	SW8260B	NALD3316				
NAL13026-1489	316-324	STD 1868-53-7	Dibromofluoromethane	53		ug/L	1	0.10	6/8/2014	6/8/2014	6/8/2014	WG	100	NA	5.0	NA	SW8260B	NALD3316	50	106%		
NAL13026-1489	316-324	STD 17060-07-0	1,2-Dichloroethane d4	54		ug/L	1	0.10	6/8/2014	6/8/2014	6/8/2014	WG	100	NA	5.0	NA	SW8260B	NALD3316	50	108%		
NAL13026-1489	316-324	STD 2037-26-5	Toluene d8	52		ug/L	1	0.10	6/8/2014	6/8/2014	6/8/2014	WG	100	NA	5.0	NA	SW8260B	NALD3316	50	104%		
NAL13026-1489	316-324	STD 460-00-4	Bromofluorobenzene	51		ug/L	1	0.10	6/8/2014	6/8/2014	6/8/2014	WG	100	NA	5.0	NA	SW8260B	NALD3316	50	102%		



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

- B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assessment, QC analyses parameter exceeded control limits.
U = Non-detect
* NAL is not certified for these compound by NELAC.

Table with columns: Lab ID, Sample ID, CAS #, ANALYTES, Results, QC, Units, RDL, MDL, Sample Date, Prep. Date, Analysis Date, Matrix, Dil., Weight(g), Vol.(ml), % Solid, Method, Data file, Spike, % Rec, % RPD, Parent. It lists 50 rows of chemical analysis data including compounds like Dichlorodifluoromethane, Vinyl chloride, Bromomethane, etc.

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1490	CB 6-8-14	ORG 108-67-8	1,3,5-Trimethylbenzene	35	J	ug/L	200	20.03	6/8/2014	6/8/2014	6/8/2014	WG	100	NA	5.0	NA	SW8260B	NALD3318				
NAL13026-1490	CB 6-8-14	ORG 98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	6/8/2014	6/8/2014	6/8/2014	WG	100	NA	5.0	NA	SW8260B	NALD3318				
NAL13026-1490	CB 6-8-14	ORG 95-63-6	1,2,4-Trimethylbenzene	120	J	ug/L	200	20.03	6/8/2014	6/8/2014	6/8/2014	WG	100	NA	5.0	NA	SW8260B	NALD3318				
NAL13026-1490	CB 6-8-14	ORG 135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	6/8/2014	6/8/2014	6/8/2014	WG	100	NA	5.0	NA	SW8260B	NALD3318				
NAL13026-1490	CB 6-8-14	ORG 541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	6/8/2014	6/8/2014	6/8/2014	WG	100	NA	5.0	NA	SW8260B	NALD3318				
NAL13026-1490	CB 6-8-14	ORG 99-87-6	p-Isopropyltoluene	830		ug/L	200	25.48	6/8/2014	6/8/2014	6/8/2014	WG	100	NA	5.0	NA	SW8260B	NALD3318				
NAL13026-1490	CB 6-8-14	ORG 106-46-7	1,4-Dichlorobenzene	140	J	ug/L	200	33.03	6/8/2014	6/8/2014	6/8/2014	WG	100	NA	5.0	NA	SW8260B	NALD3318				
NAL13026-1490	CB 6-8-14	ORG 95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	6/8/2014	6/8/2014	6/8/2014	WG	100	NA	5.0	NA	SW8260B	NALD3318				
NAL13026-1490	CB 6-8-14	ORG 104-51-8	n-Butylbenzene	56	J	ug/L	500	27.81	6/8/2014	6/8/2014	6/8/2014	WG	100	NA	5.0	NA	SW8260B	NALD3318				
NAL13026-1490	CB 6-8-14	ORG 96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	6/8/2014	6/8/2014	6/8/2014	WG	100	NA	5.0	NA	SW8260B	NALD3318				
NAL13026-1490	CB 6-8-14	ORG 87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	6/8/2014	6/8/2014	6/8/2014	WG	100	NA	5.0	NA	SW8260B	NALD3318				
NAL13026-1490	CB 6-8-14	ORG 120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	6/8/2014	6/8/2014	6/8/2014	WG	100	NA	5.0	NA	SW8260B	NALD3318				
NAL13026-1490	CB 6-8-14	ORG 91-20-3	Naphthalene	650		ug/L	500	56.04	6/8/2014	6/8/2014	6/8/2014	WG	100	NA	5.0	NA	SW8260B	NALD3318				
NAL13026-1490	CB 6-8-14	ORG 87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	6/8/2014	6/8/2014	6/8/2014	WG	100	NA	5.0	NA	SW8260B	NALD3318				
NAL13026-1490	CB 6-8-14	STD 1868-53-7	Dibromofluoromethane	52		ug/L	1	0.10	6/8/2014	6/8/2014	6/8/2014	WG	100	NA	5.0	NA	SW8260B	NALD3318	50	104%		
NAL13026-1490	CB 6-8-14	STD 17060-07-0	1,2-Dichloroethane d4	54		ug/L	1	0.10	6/8/2014	6/8/2014	6/8/2014	WG	100	NA	5.0	NA	SW8260B	NALD3318	50	108%		
NAL13026-1490	CB 6-8-14	STD 2037-26-5	Toluene d8	51		ug/L	1	0.10	6/8/2014	6/8/2014	6/8/2014	WG	100	NA	5.0	NA	SW8260B	NALD3318	50	102%		
NAL13026-1490	CB 6-8-14	STD 460-00-4	Bromofluorobenzene	51		ug/L	1	0.10	6/8/2014	6/8/2014	6/8/2014	WG	100	NA	5.0	NA	SW8260B	NALD3318	50	102%		



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

- B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assessment, QC analyses parameter exceeded control limits.
U = Non-detect

* NAL is not certified for these compound by NELAC.

Table with columns: Lab ID, Sample ID, CAS #, ANALYTES, Results, QC, Units, RDL, MDL, Sample Date, Prep. Date, Analysis Date, Matrix, Dil., Weight(g), Vol.(ml), % Solid, Method, Data file, Spike, % Rec, % RPD, Parent. Contains 46 rows of analytical data.

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assessment, QC analyses parameter exceeded control limits.
U = Non-detect
 * NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D060814CCVA	D060814CCVA	ORG 108-67-8	1,3,5-Trimethylbenzene	53		ug/L	2	0.20	NA	6/8/2014	6/8/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3313	50	106%		
D060814CCVA	D060814CCVA	ORG 98-06-6	tert-Butylbenzene	55		ug/L	2	0.33	NA	6/8/2014	6/8/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3313	50	110%		
D060814CCVA	D060814CCVA	ORG 95-63-6	1,2,4-Trimethylbenzene	52		ug/L	2	0.20	NA	6/8/2014	6/8/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3313	50	104%		
D060814CCVA	D060814CCVA	ORG 135-98-8	sec-Butylbenzene	54		ug/L	2	0.32	NA	6/8/2014	6/8/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3313	50	108%		
D060814CCVA	D060814CCVA	ORG 541-73-1	1,3-Dichlorobenzene	51		ug/L	2	0.22	NA	6/8/2014	6/8/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3313	50	102%		
D060814CCVA	D060814CCVA	ORG 99-87-6	p-Isopropyltoluene	54		ug/L	2	0.25	NA	6/8/2014	6/8/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3313	50	108%		
D060814CCVA	D060814CCVA	ORG 106-46-7	1,4-Dichlorobenzene	50		ug/L	2	0.33	NA	6/8/2014	6/8/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3313	50	100%		
D060814CCVA	D060814CCVA	ORG 95-50-1	1,2-Dichlorobenzene	49		ug/L	2	0.26	NA	6/8/2014	6/8/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3313	50	98%		
D060814CCVA	D060814CCVA	ORG 104-51-8	n-Butylbenzene	54		ug/L	5	0.28	NA	6/8/2014	6/8/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3313	50	108%		
D060814CCVA	D060814CCVA	ORG 96-12-8	1,2-Dibromo-3-chloropropane	50		ug/L	5	1.59	NA	6/8/2014	6/8/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3313	50	100%		
D060814CCVA	D060814CCVA	ORG 87-68-3	Hexachlorobutadiene	58		ug/L	5	0.65	NA	6/8/2014	6/8/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3313	50	116%		
D060814CCVA	D060814CCVA	ORG 120-82-1	1,2,4-Trichlorobenzene	50		ug/L	5	0.28	NA	6/8/2014	6/8/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3313	50	100%		
D060814CCVA	D060814CCVA	ORG 91-20-3	Naphthalene	45		ug/L	5	0.56	NA	6/8/2014	6/8/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3313	50	90%		
D060814CCVA	D060814CCVA	ORG 87-61-6	1,2,3-Trichlorobenzene	48		ug/L	5	0.23	NA	6/8/2014	6/8/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3313	50	96%		
D060814CCVA	D060814CCVA	STD 1868-53-7	Dibromofluoromethane	52		ug/L	1	0.10	NA	6/8/2014	6/8/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3313	50	104%		
D060814CCVA	D060814CCVA	STD 17060-07-0	1,2-Dichloroethane d4	48		ug/L	1	0.10	NA	6/8/2014	6/8/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3313	50	96%		
D060814CCVA	D060814CCVA	STD 2037-26-5	Toluene d8	51		ug/L	1	0.10	NA	6/8/2014	6/8/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3313	50	102%		
D060814CCVA	D060814CCVA	STD 460-00-4	Bromofluorobenzene	51		ug/L	1	0.10	NA	6/8/2014	6/8/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3313	50	102%		



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Table with columns: Lab ID, Sample ID, CAS #, ANALYTES, Results, QC, Units, RDL, MDL, Sample Date, Prep. Date, Analysis Date, Matrix, Dil., Weight(g), Vol.(ml), % Solid, Method, Data file, Spike, % Rec, % RPD, Parent. Contains 40 rows of analytical data.

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D060814MBKA	D060814MBKA	ORG 108-67-8	1,3,5-Trimethylbenzene		U	ug/L	2	0.20	NA	6/8/2014	6/8/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3315				
D060814MBKA	D060814MBKA	ORG 98-06-6	tert-Butylbenzene		U	ug/L	2	0.33	NA	6/8/2014	6/8/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3315				
D060814MBKA	D060814MBKA	ORG 95-63-6	1,2,4-Trimethylbenzene		U	ug/L	2	0.20	NA	6/8/2014	6/8/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3315				
D060814MBKA	D060814MBKA	ORG 135-98-8	sec-Butylbenzene		U	ug/L	2	0.32	NA	6/8/2014	6/8/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3315				
D060814MBKA	D060814MBKA	ORG 541-73-1	1,3-Dichlorobenzene		U	ug/L	2	0.22	NA	6/8/2014	6/8/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3315				
D060814MBKA	D060814MBKA	ORG 99-87-6	p-Isopropyltoluene		U	ug/L	2	0.25	NA	6/8/2014	6/8/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3315				
D060814MBKA	D060814MBKA	ORG 106-46-7	1,4-Dichlorobenzene		U	ug/L	2	0.33	NA	6/8/2014	6/8/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3315				
D060814MBKA	D060814MBKA	ORG 95-50-1	1,2-Dichlorobenzene		U	ug/L	2	0.26	NA	6/8/2014	6/8/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3315				
D060814MBKA	D060814MBKA	ORG 104-51-8	n-Butylbenzene		U	ug/L	5	0.28	NA	6/8/2014	6/8/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3315				
D060814MBKA	D060814MBKA	ORG 96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	5	1.59	NA	6/8/2014	6/8/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3315				
D060814MBKA	D060814MBKA	ORG 87-68-3	Hexachlorobutadiene		U	ug/L	5	0.65	NA	6/8/2014	6/8/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3315				
D060814MBKA	D060814MBKA	ORG 120-82-1	1,2,4-Trichlorobenzene		U	ug/L	5	0.28	NA	6/8/2014	6/8/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3315				
D060814MBKA	D060814MBKA	ORG 91-20-3	Naphthalene		U	ug/L	5	0.56	NA	6/8/2014	6/8/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3315				
D060814MBKA	D060814MBKA	ORG 87-61-6	1,2,3-Trichlorobenzene		U	ug/L	5	0.23	NA	6/8/2014	6/8/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3315				
D060814MBKA	D060814MBKA	STD 1868-53-7	Dibromofluoromethane	52		ug/L	1	0.10	NA	6/8/2014	6/8/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3315	50	104%		
D060814MBKA	D060814MBKA	STD 17060-07-0	1,2-Dichloroethane d4	55		ug/L	1	0.10	NA	6/8/2014	6/8/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3315	50	110%		
D060814MBKA	D060814MBKA	STD 2037-26-5	Toluene d8	52		ug/L	1	0.10	NA	6/8/2014	6/8/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3315	50	104%		
D060814MBKA	D060814MBKA	STD 460-00-4	Bromofluorobenzene	50		ug/L	1	0.10	NA	6/8/2014	6/8/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3315	50	100%		

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D060814ALCS	D060814ALCS	ORG 108-67-8	1,3,5-Trimethylbenzene	53		ug/L	2	0.20	NA	6/8/2014	6/8/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3314	50	106%		
D060814ALCS	D060814ALCS	ORG 98-06-6	tert-Butylbenzene	55		ug/L	2	0.33	NA	6/8/2014	6/8/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3314	50	110%		
D060814ALCS	D060814ALCS	ORG 95-63-6	1,2,4-Trimethylbenzene	53		ug/L	2	0.20	NA	6/8/2014	6/8/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3314	50	106%		
D060814ALCS	D060814ALCS	ORG 135-98-8	sec-Butylbenzene	54		ug/L	2	0.32	NA	6/8/2014	6/8/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3314	50	108%		
D060814ALCS	D060814ALCS	ORG 541-73-1	1,3-Dichlorobenzene	50		ug/L	2	0.22	NA	6/8/2014	6/8/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3314	50	100%		
D060814ALCS	D060814ALCS	ORG 99-87-6	p-Isopropyltoluene	55		ug/L	2	0.25	NA	6/8/2014	6/8/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3314	50	110%		
D060814ALCS	D060814ALCS	ORG 106-46-7	1,4-Dichlorobenzene	50		ug/L	2	0.33	NA	6/8/2014	6/8/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3314	50	100%		
D060814ALCS	D060814ALCS	ORG 95-50-1	1,2-Dichlorobenzene	50		ug/L	2	0.26	NA	6/8/2014	6/8/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3314	50	100%		
D060814ALCS	D060814ALCS	ORG 104-51-8	n-Butylbenzene	54		ug/L	5	0.28	NA	6/8/2014	6/8/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3314	50	108%		
D060814ALCS	D060814ALCS	ORG 96-12-8	1,2-Dibromo-3-chloropropane	54		ug/L	5	1.59	NA	6/8/2014	6/8/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3314	50	108%		
D060814ALCS	D060814ALCS	ORG 87-68-3	Hexachlorobutadiene	59		ug/L	5	0.65	NA	6/8/2014	6/8/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3314	50	118%		
D060814ALCS	D060814ALCS	ORG 120-82-1	1,2,4-Trichlorobenzene	52		ug/L	5	0.28	NA	6/8/2014	6/8/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3314	50	104%		
D060814ALCS	D060814ALCS	ORG 91-20-3	Naphthalene	50		ug/L	5	0.56	NA	6/8/2014	6/8/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3314	50	100%		
D060814ALCS	D060814ALCS	ORG 87-61-6	1,2,3-Trichlorobenzene	51		ug/L	5	0.23	NA	6/8/2014	6/8/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3314	50	102%		
D060814ALCS	D060814ALCS	STD 1868-53-7	Dibromofluoromethane	53		ug/L	1	0.10	NA	6/8/2014	6/8/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3314	50	106%		
D060814ALCS	D060814ALCS	STD 17060-07-0	1,2-Dichloroethane d4	52		ug/L	1	0.10	NA	6/8/2014	6/8/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3314	50	104%		
D060814ALCS	D060814ALCS	STD 2037-26-5	Toluene d8	51		ug/L	1	0.10	NA	6/8/2014	6/8/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3314	50	102%		
D060814ALCS	D060814ALCS	STD 460-00-4	Bromofluorobenzene	51		ug/L	1	0.10	NA	6/8/2014	6/8/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3314	50	102%		



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Table with columns: Lab ID, Sample ID, CAS #, ANALYTES, Results, QC, Units, RDL, MDL, Sample Date, Prep. Date, Analysis Date, Matrix, Dil., Weight(g), Vol.(ml), % Solid, Method, Data file, Spike, % Rec, % RFD, Parent. Contains 60 rows of analytical data.

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assessment, QC analyses parameter exceeded control limits.
U = Non-detect
 * NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D060814ALCD	D060814ALCD	ORG 108-67-8	1,3,5-Trimethylbenzene	54		ug/L	2	0.20	NA	6/8/2014	6/8/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3320	50	108%	2%	
D060814ALCD	D060814ALCD	ORG 98-06-6	tert-Butylbenzene	53		ug/L	2	0.33	NA	6/8/2014	6/8/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3320	50	106%	4%	
D060814ALCD	D060814ALCD	ORG 95-63-6	1,2,4-Trimethylbenzene	53		ug/L	2	0.20	NA	6/8/2014	6/8/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3320	50	106%	0%	
D060814ALCD	D060814ALCD	ORG 135-98-8	sec-Butylbenzene	53		ug/L	2	0.32	NA	6/8/2014	6/8/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3320	50	106%	2%	
D060814ALCD	D060814ALCD	ORG 541-73-1	1,3-Dichlorobenzene	51		ug/L	2	0.22	NA	6/8/2014	6/8/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3320	50	102%	2%	
D060814ALCD	D060814ALCD	ORG 99-87-6	p-Isopropyltoluene	55		ug/L	2	0.25	NA	6/8/2014	6/8/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3320	50	110%	0%	
D060814ALCD	D060814ALCD	ORG 106-46-7	1,4-Dichlorobenzene	50		ug/L	2	0.33	NA	6/8/2014	6/8/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3320	50	100%	0%	
D060814ALCD	D060814ALCD	ORG 95-50-1	1,2-Dichlorobenzene	50		ug/L	2	0.26	NA	6/8/2014	6/8/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3320	50	100%	0%	
D060814ALCD	D060814ALCD	ORG 104-51-8	n-Butylbenzene	53		ug/L	5	0.28	NA	6/8/2014	6/8/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3320	50	106%	2%	
D060814ALCD	D060814ALCD	ORG 96-12-8	1,2-Dibromo-3-chloropropane	55		ug/L	5	1.59	NA	6/8/2014	6/8/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3320	50	110%	2%	
D060814ALCD	D060814ALCD	ORG 87-68-3	Hexachlorobutadiene	55		ug/L	5	0.65	NA	6/8/2014	6/8/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3320	50	110%	7%	
D060814ALCD	D060814ALCD	ORG 120-82-1	1,2,4-Trichlorobenzene	51		ug/L	5	0.28	NA	6/8/2014	6/8/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3320	50	102%	2%	
D060814ALCD	D060814ALCD	ORG 91-20-3	Naphthalene	50		ug/L	5	0.56	NA	6/8/2014	6/8/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3320	50	100%	0%	
D060814ALCD	D060814ALCD	ORG 87-61-6	1,2,3-Trichlorobenzene	49		ug/L	5	0.23	NA	6/8/2014	6/8/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3320	50	98%	4%	
D060814ALCD	D060814ALCD	STD 1868-53-7	Dibromofluoromethane	53		ug/L	1	0.10	NA	6/8/2014	6/8/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3320	50	106%	0%	
D060814ALCD	D060814ALCD	STD 17060-07-0	1,2-Dichloroethane d4	52		ug/L	1	0.10	NA	6/8/2014	6/8/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3320	50	104%	0%	
D060814ALCD	D060814ALCD	STD 2037-26-5	Toluene d8	51		ug/L	1	0.10	NA	6/8/2014	6/8/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3320	50	102%	0%	
D060814ALCD	D060814ALCD	STD 460-00-4	Bromofluorobenzene	50		ug/L	1	0.10	NA	6/8/2014	6/8/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3320	50	100%	2%	



FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

- B** = Analyte is found in the associated blank as well as in the sample.
 - D** = Compound identified in an analysis at a secondary dilution factor.
 - E** = Compound's concentration exceeds the calibration range of the instrument at this dilution.
 - X** = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
 - J** = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
 - M** = Matrix assessment, QC analyses parameter exceeded control limits.
 - U** = Non-detect
- * NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1489MS	316-324	ORG 108-67-8	1,3,5-Trimethylbenzene	5800		ug/L	200	20.03	6/8/2014	6/8/2014	6/8/2014	WG	100	NA	5.0	NA	SW8260B	NALD3321	5000	105%		540
NAL13026-1489MS	316-324	ORG 98-06-6	tert-Butylbenzene	5400		ug/L	200	32.61	6/8/2014	6/8/2014	6/8/2014	WG	100	NA	5.0	NA	SW8260B	NALD3321	5000	108%		
NAL13026-1489MS	316-324	ORG 95-63-6	1,2,4-Trimethylbenzene	7600		ug/L	200	20.03	6/8/2014	6/8/2014	6/8/2014	WG	100	NA	5.0	NA	SW8260B	NALD3321	5000	104%		2400
NAL13026-1489MS	316-324	ORG 135-98-8	sec-Butylbenzene	5300		ug/L	200	32.34	6/8/2014	6/8/2014	6/8/2014	WG	100	NA	5.0	NA	SW8260B	NALD3321	5000	104%		85
NAL13026-1489MS	316-324	ORG 541-73-1	1,3-Dichlorobenzene	5000		ug/L	200	22.21	6/8/2014	6/8/2014	6/8/2014	WG	100	NA	5.0	NA	SW8260B	NALD3321	5000	100%		
NAL13026-1489MS	316-324	ORG 99-87-6	p-Isopropyltoluene	16000		ug/L	200	25.48	6/8/2014	6/8/2014	6/8/2014	WG	100	NA	5.0	NA	SW8260B	NALD3321	5000	100%		11000
NAL13026-1489MS	316-324	ORG 106-46-7	1,4-Dichlorobenzene	7200		ug/L	200	33.03	6/8/2014	6/8/2014	6/8/2014	WG	100	NA	5.0	NA	SW8260B	NALD3321	5000	98%		2300
NAL13026-1489MS	316-324	ORG 95-50-1	1,2-Dichlorobenzene	5000		ug/L	200	26.38	6/8/2014	6/8/2014	6/8/2014	WG	100	NA	5.0	NA	SW8260B	NALD3321	5000	100%		
NAL13026-1489MS	316-324	ORG 104-51-8	n-Butylbenzene	5600		ug/L	500	27.81	6/8/2014	6/8/2014	6/8/2014	WG	100	NA	5.0	NA	SW8260B	NALD3321	5000	106%		320
NAL13026-1489MS	316-324	ORG 96-12-8	1,2-Dibromo-3-chloropropane	6300		ug/L	500	159.11	6/8/2014	6/8/2014	6/8/2014	WG	100	NA	5.0	NA	SW8260B	NALD3321	5000	126%		
NAL13026-1489MS	316-324	ORG 87-68-3	Hexachlorobutadiene	4800		ug/L	500	65.42	6/8/2014	6/8/2014	6/8/2014	WG	100	NA	5.0	NA	SW8260B	NALD3321	5000	96%		
NAL13026-1489MS	316-324	ORG 120-82-1	1,2,4-Trichlorobenzene	5100		ug/L	500	27.63	6/8/2014	6/8/2014	6/8/2014	WG	100	NA	5.0	NA	SW8260B	NALD3321	5000	102%		
NAL13026-1489MS	316-324	ORG 91-20-3	Naphthalene	8600		ug/L	500	56.04	6/8/2014	6/8/2014	6/8/2014	WG	100	NA	5.0	NA	SW8260B	NALD3321	5000	104%		3400
NAL13026-1489MS	316-324	ORG 87-61-6	1,2,3-Trichlorobenzene	4800		ug/L	500	23.28	6/8/2014	6/8/2014	6/8/2014	WG	100	NA	5.0	NA	SW8260B	NALD3321	5000	96%		
NAL13026-1489MS	316-324	STD 1868-53-7	Dibromofluoromethane	53		ug/L	1	0.10	6/8/2014	6/8/2014	6/8/2014	WG	100	NA	5.0	NA	SW8260B	NALD3321	50	106%		
NAL13026-1489MS	316-324	STD 17060-07-0	1,2-Dichloroethane d4	52		ug/L	1	0.10	6/8/2014	6/8/2014	6/8/2014	WG	100	NA	5.0	NA	SW8260B	NALD3321	50	104%		
NAL13026-1489MS	316-324	STD 2037-26-5	Toluene d8	51		ug/L	1	0.10	6/8/2014	6/8/2014	6/8/2014	WG	100	NA	5.0	NA	SW8260B	NALD3321	50	102%		
NAL13026-1489MS	316-324	STD 460-00-4	Bromofluorobenzene	51		ug/L	1	0.10	6/8/2014	6/8/2014	6/8/2014	WG	100	NA	5.0	NA	SW8260B	NALD3321	50	102%		

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1489MSD	316-324	ORG 108-67-8	1,3,5-Trimethylbenzene	5700		ug/L	200	20.03	6/8/2014	6/8/2014	6/8/2014	WG	100	NA	5.0	NA	SW8260B	NALD3322	5000	103%	2%	540
NAL13026-1489MSD	316-324	ORG 98-06-6	tert-Butylbenzene	5400		ug/L	200	32.61	6/8/2014	6/8/2014	6/8/2014	WG	100	NA	5.0	NA	SW8260B	NALD3322	5000	108%	0%	
NAL13026-1489MSD	316-324	ORG 95-63-6	1,2,4-Trimethylbenzene	7500		ug/L	200	20.03	6/8/2014	6/8/2014	6/8/2014	WG	100	NA	5.0	NA	SW8260B	NALD3322	5000	102%	1%	2400
NAL13026-1489MSD	316-324	ORG 135-98-8	sec-Butylbenzene	5400		ug/L	200	32.34	6/8/2014	6/8/2014	6/8/2014	WG	100	NA	5.0	NA	SW8260B	NALD3322	5000	106%	2%	85
NAL13026-1489MSD	316-324	ORG 541-73-1	1,3-Dichlorobenzene	5000		ug/L	200	22.21	6/8/2014	6/8/2014	6/8/2014	WG	100	NA	5.0	NA	SW8260B	NALD3322	5000	100%	0%	
NAL13026-1489MSD	316-324	ORG 99-87-6	p-Isopropyltoluene	16000		ug/L	200	25.48	6/8/2014	6/8/2014	6/8/2014	WG	100	NA	5.0	NA	SW8260B	NALD3322	5000	100%	0%	11000
NAL13026-1489MSD	316-324	ORG 106-46-7	1,4-Dichlorobenzene	7200		ug/L	200	33.03	6/8/2014	6/8/2014	6/8/2014	WG	100	NA	5.0	NA	SW8260B	NALD3322	5000	98%	0%	2300
NAL13026-1489MSD	316-324	ORG 95-50-1	1,2-Dichlorobenzene	4900		ug/L	200	26.38	6/8/2014	6/8/2014	6/8/2014	WG	100	NA	5.0	NA	SW8260B	NALD3322	5000	98%	2%	
NAL13026-1489MSD	316-324	ORG 104-51-8	n-Butylbenzene	5500		ug/L	500	27.81	6/8/2014	6/8/2014	6/8/2014	WG	100	NA	5.0	NA	SW8260B	NALD3322	5000	104%	2%	320
NAL13026-1489MSD	316-324	ORG 96-12-8	1,2-Dibromo-3-chloropropane	5900		ug/L	500	159.11	6/8/2014	6/8/2014	6/8/2014	WG	100	NA	5.0	NA	SW8260B	NALD3322	5000	118%	7%	
NAL13026-1489MSD	316-324	ORG 87-68-3	Hexachlorobutadiene	5000		ug/L	500	65.42	6/8/2014	6/8/2014	6/8/2014	WG	100	NA	5.0	NA	SW8260B	NALD3322	5000	100%	4%	
NAL13026-1489MSD	316-324	ORG 120-82-1	1,2,4-Trichlorobenzene	5000		ug/L	500	27.63	6/8/2014	6/8/2014	6/8/2014	WG	100	NA	5.0	NA	SW8260B	NALD3322	5000	100%	2%	
NAL13026-1489MSD	316-324	ORG 91-20-3	Naphthalene	8400		ug/L	500	56.04	6/8/2014	6/8/2014	6/8/2014	WG	100	NA	5.0	NA	SW8260B	NALD3322	5000	100%	2%	3400
NAL13026-1489MSD	316-324	ORG 87-61-6	1,2,3-Trichlorobenzene	4800		ug/L	500	23.28	6/8/2014	6/8/2014	6/8/2014	WG	100	NA	5.0	NA	SW8260B	NALD3322	5000	96%	0%	
NAL13026-1489MSD	316-324	STD 1868-53-7	Dibromofluoromethane	53		ug/L	1	0.10	6/8/2014	6/8/2014	6/8/2014	WG	100	NA	5.0	NA	SW8260B	NALD3322	50	106%	0%	
NAL13026-1489MSD	316-324	STD 17060-07-0	1,2-Dichloroethane d4	51		ug/L	1	0.10	6/8/2014	6/8/2014	6/8/2014	WG	100	NA	5.0	NA	SW8260B	NALD3322	50	102%	2%	
NAL13026-1489MSD	316-324	STD 2037-26-5	Toluene d8	51		ug/L	1	0.10	6/8/2014	6/8/2014	6/8/2014	WG	100	NA	5.0	NA	SW8260B	NALD3322	50	102%	0%	
NAL13026-1489MSD	316-324	STD 460-00-4	Bromofluorobenzene	50		ug/L	1	0.10	6/8/2014	6/8/2014	6/8/2014	WG	100	NA	5.0	NA	SW8260B	NALD3322	50	100%	2%	



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1491	316-325	ORG 96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	6/9/2014	6/9/2014	6/9/2014	WG	100	NA	5.0	NA	SW8260B	NALD3328				
NAL13026-1491	316-325	ORG 108-67-8	1,3,5-Trimethylbenzene	270		ug/L	200	20.03	6/9/2014	6/9/2014	6/9/2014	WG	100	NA	5.0	NA	SW8260B	NALD3328				
NAL13026-1491	316-325	ORG 98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	6/9/2014	6/9/2014	6/9/2014	WG	100	NA	5.0	NA	SW8260B	NALD3328				
NAL13026-1491	316-325	ORG 95-63-6	1,2,4-Trimethylbenzene	1400		ug/L	200	20.03	6/9/2014	6/9/2014	6/9/2014	WG	100	NA	5.0	NA	SW8260B	NALD3328				
NAL13026-1491	316-325	ORG 135-98-8	sec-Butylbenzene	64	J	ug/L	200	32.34	6/9/2014	6/9/2014	6/9/2014	WG	100	NA	5.0	NA	SW8260B	NALD3328				
NAL13026-1491	316-325	ORG 541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	6/9/2014	6/9/2014	6/9/2014	WG	100	NA	5.0	NA	SW8260B	NALD3328				
NAL13026-1491	316-325	ORG 99-87-6	p-Isopropyltoluene	8000		ug/L	200	25.48	6/9/2014	6/9/2014	6/9/2014	WG	100	NA	5.0	NA	SW8260B	NALD3328				
NAL13026-1491	316-325	ORG 106-46-7	1,4-Dichlorobenzene	1500		ug/L	200	33.03	6/9/2014	6/9/2014	6/9/2014	WG	100	NA	5.0	NA	SW8260B	NALD3328				
NAL13026-1491	316-325	ORG 95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	6/9/2014	6/9/2014	6/9/2014	WG	100	NA	5.0	NA	SW8260B	NALD3328				
NAL13026-1491	316-325	ORG 104-51-8	n-Butylbenzene	190	J	ug/L	500	27.81	6/9/2014	6/9/2014	6/9/2014	WG	100	NA	5.0	NA	SW8260B	NALD3328				
NAL13026-1491	316-325	ORG 96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	6/9/2014	6/9/2014	6/9/2014	WG	100	NA	5.0	NA	SW8260B	NALD3328				
NAL13026-1491	316-325	ORG 87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	6/9/2014	6/9/2014	6/9/2014	WG	100	NA	5.0	NA	SW8260B	NALD3328				
NAL13026-1491	316-325	ORG 120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	6/9/2014	6/9/2014	6/9/2014	WG	100	NA	5.0	NA	SW8260B	NALD3328				
NAL13026-1491	316-325	ORG 91-20-3	Naphthalene	3200		ug/L	500	56.04	6/9/2014	6/9/2014	6/9/2014	WG	100	NA	5.0	NA	SW8260B	NALD3328				
NAL13026-1491	316-325	ORG 87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	6/9/2014	6/9/2014	6/9/2014	WG	100	NA	5.0	NA	SW8260B	NALD3328				
NAL13026-1491	316-325	STD 1868-53-7	Dibromofluoromethane	52		ug/L	1	0.10	6/9/2014	6/9/2014	6/9/2014	WG	100	NA	5.0	NA	SW8260B	NALD3328	50	104%		
NAL13026-1491	316-325	STD 17060-07-0	1,2-Dichloroethane d4	53		ug/L	1	0.10	6/9/2014	6/9/2014	6/9/2014	WG	100	NA	5.0	NA	SW8260B	NALD3328	50	106%		
NAL13026-1491	316-325	STD 2037-26-5	Toluene d8	52		ug/L	1	0.10	6/9/2014	6/9/2014	6/9/2014	WG	100	NA	5.0	NA	SW8260B	NALD3328	50	104%		
NAL13026-1491	316-325	STD 460-00-4	Bromofluorobenzene	52		ug/L	1	0.10	6/9/2014	6/9/2014	6/9/2014	WG	100	NA	5.0	NA	SW8260B	NALD3328	50	104%		



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
 Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

- B** = Analyte is found in the associated blank as well as in the sample.
- D** = Compound identified in an analysis at a secondary dilution factor.
- E** = Compound's concentration exceeds the calibration range of the instrument at this dilution.
- X** = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
- J** = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
- M** = Matrix assessment, QC analyses parameter exceeded control limits.
- U** = Non-detect
- * NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1492	CB 06-09-14	ORG 96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	6/9/2014	6/9/2014	6/9/2014	WG	100	NA	5.0	NA	SW8260B	NALD3330				
NAL13026-1492	CB 06-09-14	ORG 108-67-8	1,3,5-Trimethylbenzene		U	ug/L	200	20.03	6/9/2014	6/9/2014	6/9/2014	WG	100	NA	5.0	NA	SW8260B	NALD3330				
NAL13026-1492	CB 06-09-14	ORG 98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	6/9/2014	6/9/2014	6/9/2014	WG	100	NA	5.0	NA	SW8260B	NALD3330				
NAL13026-1492	CB 06-09-14	ORG 95-63-6	1,2,4-Trimethylbenzene	88	J	ug/L	200	20.03	6/9/2014	6/9/2014	6/9/2014	WG	100	NA	5.0	NA	SW8260B	NALD3330				
NAL13026-1492	CB 06-09-14	ORG 135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	6/9/2014	6/9/2014	6/9/2014	WG	100	NA	5.0	NA	SW8260B	NALD3330				
NAL13026-1492	CB 06-09-14	ORG 541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	6/9/2014	6/9/2014	6/9/2014	WG	100	NA	5.0	NA	SW8260B	NALD3330				
NAL13026-1492	CB 06-09-14	ORG 99-87-6	p-Isopropyltoluene	730		ug/L	200	25.48	6/9/2014	6/9/2014	6/9/2014	WG	100	NA	5.0	NA	SW8260B	NALD3330				
NAL13026-1492	CB 06-09-14	ORG 106-46-7	1,4-Dichlorobenzene		U	ug/L	200	33.03	6/9/2014	6/9/2014	6/9/2014	WG	100	NA	5.0	NA	SW8260B	NALD3330				
NAL13026-1492	CB 06-09-14	ORG 95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	6/9/2014	6/9/2014	6/9/2014	WG	100	NA	5.0	NA	SW8260B	NALD3330				
NAL13026-1492	CB 06-09-14	ORG 104-51-8	n-Butylbenzene		U	ug/L	500	27.81	6/9/2014	6/9/2014	6/9/2014	WG	100	NA	5.0	NA	SW8260B	NALD3330				
NAL13026-1492	CB 06-09-14	ORG 96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	6/9/2014	6/9/2014	6/9/2014	WG	100	NA	5.0	NA	SW8260B	NALD3330				
NAL13026-1492	CB 06-09-14	ORG 87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	6/9/2014	6/9/2014	6/9/2014	WG	100	NA	5.0	NA	SW8260B	NALD3330				
NAL13026-1492	CB 06-09-14	ORG 120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	6/9/2014	6/9/2014	6/9/2014	WG	100	NA	5.0	NA	SW8260B	NALD3330				
NAL13026-1492	CB 06-09-14	ORG 91-20-3	Naphthalene	560		ug/L	500	56.04	6/9/2014	6/9/2014	6/9/2014	WG	100	NA	5.0	NA	SW8260B	NALD3330				
NAL13026-1492	CB 06-09-14	ORG 87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	6/9/2014	6/9/2014	6/9/2014	WG	100	NA	5.0	NA	SW8260B	NALD3330				
NAL13026-1492	CB 06-09-14	STD 1868-53-7	Dibromofluoromethane	53		ug/L	1	0.10	6/9/2014	6/9/2014	6/9/2014	WG	100	NA	5.0	NA	SW8260B	NALD3330	50	106%		
NAL13026-1492	CB 06-09-14	STD 17060-07-0	1,2-Dichloroethane d4	53		ug/L	1	0.10	6/9/2014	6/9/2014	6/9/2014	WG	100	NA	5.0	NA	SW8260B	NALD3330	50	106%		
NAL13026-1492	CB 06-09-14	STD 2037-26-5	Toluene d8	52		ug/L	1	0.10	6/9/2014	6/9/2014	6/9/2014	WG	100	NA	5.0	NA	SW8260B	NALD3330	50	104%		
NAL13026-1492	CB 06-09-14	STD 460-00-4	Bromofluorobenzene	51		ug/L	1	0.10	6/9/2014	6/9/2014	6/9/2014	WG	100	NA	5.0	NA	SW8260B	NALD3330	50	102%		



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
 Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

- B** = Analyte is found in the associated blank as well as in the sample.
- D** = Compound identified in an analysis at a secondary dilution factor.
- E** = Compound's concentration exceeds the calibration range of the instrument at this dilution.
- X** = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
- J** = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
- M** = Matrix assessment, QC analyses parameter exceeded control limits.
- U** = Non-detect
- * NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1493	T1 INF	ORG 96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	6/9/2014	6/9/2014	6/9/2014	WG	100	NA	5.0	NA	SW8260B	NALD3335				
NAL13026-1493	T1 INF	ORG 108-67-8	1,3,5-Trimethylbenzene	150	J	ug/L	200	20.03	6/9/2014	6/9/2014	6/9/2014	WG	100	NA	5.0	NA	SW8260B	NALD3335				
NAL13026-1493	T1 INF	ORG 98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	6/9/2014	6/9/2014	6/9/2014	WG	100	NA	5.0	NA	SW8260B	NALD3335				
NAL13026-1493	T1 INF	ORG 95-63-6	1,2,4-Trimethylbenzene	650		ug/L	200	20.03	6/9/2014	6/9/2014	6/9/2014	WG	100	NA	5.0	NA	SW8260B	NALD3335				
NAL13026-1493	T1 INF	ORG 135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	6/9/2014	6/9/2014	6/9/2014	WG	100	NA	5.0	NA	SW8260B	NALD3335				
NAL13026-1493	T1 INF	ORG 541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	6/9/2014	6/9/2014	6/9/2014	WG	100	NA	5.0	NA	SW8260B	NALD3335				
NAL13026-1493	T1 INF	ORG 99-87-6	p-Isopropyltoluene	2000		ug/L	200	25.48	6/9/2014	6/9/2014	6/9/2014	WG	100	NA	5.0	NA	SW8260B	NALD3335				
NAL13026-1493	T1 INF	ORG 106-46-7	1,4-Dichlorobenzene	740		ug/L	200	33.03	6/9/2014	6/9/2014	6/9/2014	WG	100	NA	5.0	NA	SW8260B	NALD3335				
NAL13026-1493	T1 INF	ORG 95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	6/9/2014	6/9/2014	6/9/2014	WG	100	NA	5.0	NA	SW8260B	NALD3335				
NAL13026-1493	T1 INF	ORG 104-51-8	n-Butylbenzene	55	J	ug/L	500	27.81	6/9/2014	6/9/2014	6/9/2014	WG	100	NA	5.0	NA	SW8260B	NALD3335				
NAL13026-1493	T1 INF	ORG 96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	6/9/2014	6/9/2014	6/9/2014	WG	100	NA	5.0	NA	SW8260B	NALD3335				
NAL13026-1493	T1 INF	ORG 87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	6/9/2014	6/9/2014	6/9/2014	WG	100	NA	5.0	NA	SW8260B	NALD3335				
NAL13026-1493	T1 INF	ORG 120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	6/9/2014	6/9/2014	6/9/2014	WG	100	NA	5.0	NA	SW8260B	NALD3335				
NAL13026-1493	T1 INF	ORG 91-20-3	Naphthalene	900		ug/L	500	56.04	6/9/2014	6/9/2014	6/9/2014	WG	100	NA	5.0	NA	SW8260B	NALD3335				
NAL13026-1493	T1 INF	ORG 87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	6/9/2014	6/9/2014	6/9/2014	WG	100	NA	5.0	NA	SW8260B	NALD3335				
NAL13026-1493	T1 INF	STD 1868-53-7	Dibromofluoromethane	53		ug/L	1	0.10	6/9/2014	6/9/2014	6/9/2014	WG	100	NA	5.0	NA	SW8260B	NALD3335	50	106%		
NAL13026-1493	T1 INF	STD 17060-07-0	1,2-Dichloroethane d4	55		ug/L	1	0.10	6/9/2014	6/9/2014	6/9/2014	WG	100	NA	5.0	NA	SW8260B	NALD3335	50	110%		
NAL13026-1493	T1 INF	STD 2037-26-5	Toluene d8	51		ug/L	1	0.10	6/9/2014	6/9/2014	6/9/2014	WG	100	NA	5.0	NA	SW8260B	NALD3335	50	102%		
NAL13026-1493	T1 INF	STD 460-00-4	Bromofluorobenzene	50		ug/L	1	0.10	6/9/2014	6/9/2014	6/9/2014	WG	100	NA	5.0	NA	SW8260B	NALD3335	50	100%		



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

- B** = Analyte is found in the associated blank as well as in the sample.
- D** = Compound identified in an analysis at a secondary dilution factor.
- E** = Compound's concentration exceeds the calibration range of the instrument at this dilution.
- X** = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
- J** = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
- M** = Matrix assessment, QC analyses parameter exceeded control limits.
- U** = Non-detect
- * NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1494	T1 EFF	ORG 96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	6/9/2014	6/9/2014	6/9/2014	WG	100	NA	5.0	NA	SW8260B	NALD3337				
NAL13026-1494	T1 EFF	ORG 108-67-8	1,3,5-Trimethylbenzene	660		ug/L	200	20.03	6/9/2014	6/9/2014	6/9/2014	WG	100	NA	5.0	NA	SW8260B	NALD3337				
NAL13026-1494	T1 EFF	ORG 98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	6/9/2014	6/9/2014	6/9/2014	WG	100	NA	5.0	NA	SW8260B	NALD3337				
NAL13026-1494	T1 EFF	ORG 95-63-6	1,2,4-Trimethylbenzene	3100		ug/L	200	20.03	6/9/2014	6/9/2014	6/9/2014	WG	100	NA	5.0	NA	SW8260B	NALD3337				
NAL13026-1494	T1 EFF	ORG 135-98-8	sec-Butylbenzene	120	J	ug/L	200	32.34	6/9/2014	6/9/2014	6/9/2014	WG	100	NA	5.0	NA	SW8260B	NALD3337				
NAL13026-1494	T1 EFF	ORG 541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	6/9/2014	6/9/2014	6/9/2014	WG	100	NA	5.0	NA	SW8260B	NALD3337				
NAL13026-1494	T1 EFF	ORG 99-87-6	p-Isopropyltoluene	14000	D	ug/L	200	25.48	6/9/2014	6/9/2014	6/9/2014	WG	100	NA	5.0	NA	SW8260B	NALD3337				
NAL13026-1494	T1 EFF	ORG 106-46-7	1,4-Dichlorobenzene	3100		ug/L	200	33.03	6/9/2014	6/9/2014	6/9/2014	WG	100	NA	5.0	NA	SW8260B	NALD3337				
NAL13026-1494	T1 EFF	ORG 95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	6/9/2014	6/9/2014	6/9/2014	WG	100	NA	5.0	NA	SW8260B	NALD3337				
NAL13026-1494	T1 EFF	ORG 104-51-8	n-Butylbenzene	340	J	ug/L	500	27.81	6/9/2014	6/9/2014	6/9/2014	WG	100	NA	5.0	NA	SW8260B	NALD3337				
NAL13026-1494	T1 EFF	ORG 96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	6/9/2014	6/9/2014	6/9/2014	WG	100	NA	5.0	NA	SW8260B	NALD3337				
NAL13026-1494	T1 EFF	ORG 87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	6/9/2014	6/9/2014	6/9/2014	WG	100	NA	5.0	NA	SW8260B	NALD3337				
NAL13026-1494	T1 EFF	ORG 120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	6/9/2014	6/9/2014	6/9/2014	WG	100	NA	5.0	NA	SW8260B	NALD3337				
NAL13026-1494	T1 EFF	ORG 91-20-3	Naphthalene	4300		ug/L	500	56.04	6/9/2014	6/9/2014	6/9/2014	WG	100	NA	5.0	NA	SW8260B	NALD3337				
NAL13026-1494	T1 EFF	ORG 87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	6/9/2014	6/9/2014	6/9/2014	WG	100	NA	5.0	NA	SW8260B	NALD3337				
NAL13026-1494	T1 EFF	STD 1868-53-7	Dibromofluoromethane	53		ug/L	1	0.10	6/9/2014	6/9/2014	6/9/2014	WG	100	NA	5.0	NA	SW8260B	NALD3337	50	106%		
NAL13026-1494	T1 EFF	STD 17060-07-0	1,2-Dichloroethane d4	54		ug/L	1	0.10	6/9/2014	6/9/2014	6/9/2014	WG	100	NA	5.0	NA	SW8260B	NALD3337	50	108%		
NAL13026-1494	T1 EFF	STD 2037-26-5	Toluene d8	51		ug/L	1	0.10	6/9/2014	6/9/2014	6/9/2014	WG	100	NA	5.0	NA	SW8260B	NALD3337	50	102%		
NAL13026-1494	T1 EFF	STD 460-00-4	Bromofluorobenzene	50		ug/L	1	0.10	6/9/2014	6/9/2014	6/9/2014	WG	100	NA	5.0	NA	SW8260B	NALD3337	50	100%		



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@nevagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

- B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assessment, QC analyses parameter exceeded control limits.
U = Non-detect
* NAL is not certified for these compound by NELAC.

Table with 21 columns: Lab ID, Sample ID, CAS #, ANALYTES, Results, QC, Units, RDL, MDL, Sample Date, Prep. Date, Analysis Date, Matrix, Dil., Weight(g), Vol.(ml), % Solid, Method, Data file, Spike, % Rec, % RPD, Parent. Contains 49 rows of analytical data.



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
 Tel: 888-685-1628 • mobilelabs@nevagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

- B** = Analyte is found in the associated blank as well as in the sample.
- D** = Compound identified in an analysis at a secondary dilution factor.
- E** = Compound's concentration exceeds the calibration range of the instrument at this dilution.
- X** = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
- J** = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
- M** = Matrix assessment, QC analyses parameter exceeded control limits.
- U** = Non-detect
- * NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D060914CCVA	D060914CCVA	ORG 96-18-4	1,2,3-Trichloropropane	48		ug/L	2	0.29	NA	6/9/2014	6/9/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3326	50	96%		
D060914CCVA	D060914CCVA	ORG 108-67-8	1,3,5-Trimethylbenzene	54		ug/L	2	0.20	NA	6/9/2014	6/9/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3326	50	108%		
D060914CCVA	D060914CCVA	ORG 98-06-6	tert-Butylbenzene	55		ug/L	2	0.33	NA	6/9/2014	6/9/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3326	50	110%		
D060914CCVA	D060914CCVA	ORG 95-63-6	1,2,4-Trimethylbenzene	53		ug/L	2	0.20	NA	6/9/2014	6/9/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3326	50	106%		
D060914CCVA	D060914CCVA	ORG 135-98-8	sec-Butylbenzene	54		ug/L	2	0.32	NA	6/9/2014	6/9/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3326	50	108%		
D060914CCVA	D060914CCVA	ORG 541-73-1	1,3-Dichlorobenzene	50		ug/L	2	0.22	NA	6/9/2014	6/9/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3326	50	100%		
D060914CCVA	D060914CCVA	ORG 99-87-6	p-Isopropyltoluene	55		ug/L	2	0.25	NA	6/9/2014	6/9/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3326	50	110%		
D060914CCVA	D060914CCVA	ORG 106-46-7	1,4-Dichlorobenzene	49		ug/L	2	0.33	NA	6/9/2014	6/9/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3326	50	98%		
D060914CCVA	D060914CCVA	ORG 95-50-1	1,2-Dichlorobenzene	50		ug/L	2	0.26	NA	6/9/2014	6/9/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3326	50	100%		
D060914CCVA	D060914CCVA	ORG 104-51-8	n-Butylbenzene	54		ug/L	5	0.28	NA	6/9/2014	6/9/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3326	50	108%		
D060914CCVA	D060914CCVA	ORG 96-12-8	1,2-Dibromo-3-chloropropane	53		ug/L	5	1.59	NA	6/9/2014	6/9/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3326	50	106%		
D060914CCVA	D060914CCVA	ORG 87-68-3	Hexachlorobutadiene	57		ug/L	5	0.65	NA	6/9/2014	6/9/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3326	50	114%		
D060914CCVA	D060914CCVA	ORG 120-82-1	1,2,4-Trichlorobenzene	52		ug/L	5	0.28	NA	6/9/2014	6/9/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3326	50	104%		
D060914CCVA	D060914CCVA	ORG 91-20-3	Naphthalene	49		ug/L	5	0.56	NA	6/9/2014	6/9/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3326	50	98%		
D060914CCVA	D060914CCVA	ORG 87-61-6	1,2,3-Trichlorobenzene	51		ug/L	5	0.23	NA	6/9/2014	6/9/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3326	50	102%		
D060914CCVA	D060914CCVA	STD 1868-53-7	Dibromofluoromethane	53		ug/L	1	0.10	NA	6/9/2014	6/9/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3326	50	106%		
D060914CCVA	D060914CCVA	STD 17060-07-0	1,2-Dichloroethane d4	51		ug/L	1	0.10	NA	6/9/2014	6/9/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3326	50	102%		
D060914CCVA	D060914CCVA	STD 2037-26-5	Toluene d8	51		ug/L	1	0.10	NA	6/9/2014	6/9/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3326	50	102%		
D060914CCVA	D060914CCVA	STD 460-00-4	Bromofluorobenzene	51		ug/L	1	0.10	NA	6/9/2014	6/9/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3326	50	102%		



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
 Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

- B** = Analyte is found in the associated blank as well as in the sample.
- D** = Compound identified in an analysis at a secondary dilution factor.
- E** = Compound's concentration exceeds the calibration range of the instrument at this dilution.
- X** = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
- J** = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
- M** = Matrix assessment, QC analyses parameter exceeded control limits.
- U** = Non-detect
- * NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D060914MBKA	D060914MBKA	ORG 96-18-4	1,2,3-Trichloropropane		U	ug/L	2	0.29	NA	6/9/2014	6/9/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3327				
D060914MBKA	D060914MBKA	ORG 108-67-8	1,3,5-Trimethylbenzene		U	ug/L	2	0.20	NA	6/9/2014	6/9/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3327				
D060914MBKA	D060914MBKA	ORG 98-06-6	tert-Butylbenzene		U	ug/L	2	0.33	NA	6/9/2014	6/9/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3327				
D060914MBKA	D060914MBKA	ORG 95-63-6	1,2,4-Trimethylbenzene		U	ug/L	2	0.20	NA	6/9/2014	6/9/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3327				
D060914MBKA	D060914MBKA	ORG 135-98-8	sec-Butylbenzene		U	ug/L	2	0.32	NA	6/9/2014	6/9/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3327				
D060914MBKA	D060914MBKA	ORG 541-73-1	1,3-Dichlorobenzene		U	ug/L	2	0.22	NA	6/9/2014	6/9/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3327				
D060914MBKA	D060914MBKA	ORG 99-87-6	p-Isopropyltoluene		U	ug/L	2	0.25	NA	6/9/2014	6/9/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3327				
D060914MBKA	D060914MBKA	ORG 106-46-7	1,4-Dichlorobenzene		U	ug/L	2	0.33	NA	6/9/2014	6/9/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3327				
D060914MBKA	D060914MBKA	ORG 95-50-1	1,2-Dichlorobenzene		U	ug/L	2	0.26	NA	6/9/2014	6/9/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3327				
D060914MBKA	D060914MBKA	ORG 104-51-8	n-Butylbenzene		U	ug/L	5	0.28	NA	6/9/2014	6/9/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3327				
D060914MBKA	D060914MBKA	ORG 96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	5	1.59	NA	6/9/2014	6/9/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3327				
D060914MBKA	D060914MBKA	ORG 87-68-3	Hexachlorobutadiene		U	ug/L	5	0.65	NA	6/9/2014	6/9/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3327				
D060914MBKA	D060914MBKA	ORG 120-82-1	1,2,4-Trichlorobenzene		U	ug/L	5	0.28	NA	6/9/2014	6/9/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3327				
D060914MBKA	D060914MBKA	ORG 91-20-3	Naphthalene		U	ug/L	5	0.56	NA	6/9/2014	6/9/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3327				
D060914MBKA	D060914MBKA	ORG 87-61-6	1,2,3-Trichlorobenzene		U	ug/L	5	0.23	NA	6/9/2014	6/9/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3327				
D060914MBKA	D060914MBKA	STD 1868-53-7	Dibromofluoromethane	52		ug/L	1	0.10	NA	6/9/2014	6/9/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3327	50	104%		
D060914MBKA	D060914MBKA	STD 17060-07-0	1,2-Dichloroethane d4	56		ug/L	1	0.10	NA	6/9/2014	6/9/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3327	50	112%		
D060914MBKA	D060914MBKA	STD 2037-26-5	Toluene d8	52		ug/L	1	0.10	NA	6/9/2014	6/9/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3327	50	104%		
D060914MBKA	D060914MBKA	STD 460-00-4	Bromofluorobenzene	50		ug/L	1	0.10	NA	6/9/2014	6/9/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3327	50	100%		



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D060914ALCS	D060914ALCS	ORG 96-18-4	1,2,3-Trichloropropane	52		ug/L	2	0.29	NA	6/9/2014	6/9/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3332	50	104%		
D060914ALCS	D060914ALCS	ORG 108-67-8	1,3,5-Trimethylbenzene	55		ug/L	2	0.20	NA	6/9/2014	6/9/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3332	50	110%		
D060914ALCS	D060914ALCS	ORG 98-06-6	tert-Butylbenzene	55		ug/L	2	0.33	NA	6/9/2014	6/9/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3332	50	110%		
D060914ALCS	D060914ALCS	ORG 95-63-6	1,2,4-Trimethylbenzene	54		ug/L	2	0.20	NA	6/9/2014	6/9/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3332	50	108%		
D060914ALCS	D060914ALCS	ORG 135-98-8	sec-Butylbenzene	55		ug/L	2	0.32	NA	6/9/2014	6/9/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3332	50	110%		
D060914ALCS	D060914ALCS	ORG 541-73-1	1,3-Dichlorobenzene	52		ug/L	2	0.22	NA	6/9/2014	6/9/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3332	50	104%		
D060914ALCS	D060914ALCS	ORG 99-87-6	p-Isopropyltoluene	56		ug/L	2	0.25	NA	6/9/2014	6/9/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3332	50	112%		
D060914ALCS	D060914ALCS	ORG 106-46-7	1,4-Dichlorobenzene	51		ug/L	2	0.33	NA	6/9/2014	6/9/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3332	50	102%		
D060914ALCS	D060914ALCS	ORG 95-50-1	1,2-Dichlorobenzene	52		ug/L	2	0.26	NA	6/9/2014	6/9/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3332	50	104%		
D060914ALCS	D060914ALCS	ORG 104-51-8	n-Butylbenzene	56		ug/L	5	0.28	NA	6/9/2014	6/9/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3332	50	112%		
D060914ALCS	D060914ALCS	ORG 96-12-8	1,2-Dibromo-3-chloropropane	58		ug/L	5	1.59	NA	6/9/2014	6/9/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3332	50	116%		
D060914ALCS	D060914ALCS	ORG 87-68-3	Hexachlorobutadiene	56		ug/L	5	0.65	NA	6/9/2014	6/9/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3332	50	112%		
D060914ALCS	D060914ALCS	ORG 120-82-1	1,2,4-Trichlorobenzene	54		ug/L	5	0.28	NA	6/9/2014	6/9/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3332	50	108%		
D060914ALCS	D060914ALCS	ORG 91-20-3	Naphthalene	53		ug/L	5	0.56	NA	6/9/2014	6/9/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3332	50	106%		
D060914ALCS	D060914ALCS	ORG 87-61-6	1,2,3-Trichlorobenzene	54		ug/L	5	0.23	NA	6/9/2014	6/9/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3332	50	108%		
D060914ALCS	D060914ALCS	STD 1868-53-7	Dibromofluoromethane	53		ug/L	1	0.10	NA	6/9/2014	6/9/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3332	50	106%		
D060914ALCS	D060914ALCS	STD 17060-07-0	1,2-Dichloroethane d4	53		ug/L	1	0.10	NA	6/9/2014	6/9/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3332	50	106%		
D060914ALCS	D060914ALCS	STD 2037-26-5	Toluene d8	51		ug/L	1	0.10	NA	6/9/2014	6/9/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3332	50	102%		
D060914ALCS	D060914ALCS	STD 460-00-4	Bromofluorobenzene	50		ug/L	1	0.10	NA	6/9/2014	6/9/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3332	50	100%		



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@nevagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D060914ALCD	D060914ALCD	ORG 96-18-4	1,2,3-Trichloropropane	49		ug/L	2	0.29	NA	6/9/2014	6/9/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3333	50	98%	6%	
D060914ALCD	D060914ALCD	ORG 108-67-8	1,3,5-Trimethylbenzene	54		ug/L	2	0.20	NA	6/9/2014	6/9/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3333	50	108%	2%	
D060914ALCD	D060914ALCD	ORG 98-06-6	tert-Butylbenzene	55		ug/L	2	0.33	NA	6/9/2014	6/9/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3333	50	110%	0%	
D060914ALCD	D060914ALCD	ORG 95-63-6	1,2,4-Trimethylbenzene	52		ug/L	2	0.20	NA	6/9/2014	6/9/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3333	50	104%	4%	
D060914ALCD	D060914ALCD	ORG 135-98-8	sec-Butylbenzene	53		ug/L	2	0.32	NA	6/9/2014	6/9/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3333	50	106%	4%	
D060914ALCD	D060914ALCD	ORG 541-73-1	1,3-Dichlorobenzene	50		ug/L	2	0.22	NA	6/9/2014	6/9/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3333	50	100%	4%	
D060914ALCD	D060914ALCD	ORG 99-87-6	p-Isopropyltoluene	55		ug/L	2	0.25	NA	6/9/2014	6/9/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3333	50	110%	2%	
D060914ALCD	D060914ALCD	ORG 106-46-7	1,4-Dichlorobenzene	50		ug/L	2	0.33	NA	6/9/2014	6/9/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3333	50	100%	2%	
D060914ALCD	D060914ALCD	ORG 95-50-1	1,2-Dichlorobenzene	50		ug/L	2	0.26	NA	6/9/2014	6/9/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3333	50	100%	4%	
D060914ALCD	D060914ALCD	ORG 104-51-8	n-Butylbenzene	53		ug/L	5	0.28	NA	6/9/2014	6/9/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3333	50	106%	6%	
D060914ALCD	D060914ALCD	ORG 96-12-8	1,2-Dibromo-3-chloropropane	54		ug/L	5	1.59	NA	6/9/2014	6/9/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3333	50	108%	7%	
D060914ALCD	D060914ALCD	ORG 87-68-3	Hexachlorobutadiene	54		ug/L	5	0.65	NA	6/9/2014	6/9/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3333	50	108%	4%	
D060914ALCD	D060914ALCD	ORG 120-82-1	1,2,4-Trichlorobenzene	51		ug/L	5	0.28	NA	6/9/2014	6/9/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3333	50	102%	6%	
D060914ALCD	D060914ALCD	ORG 91-20-3	Naphthalene	50		ug/L	5	0.56	NA	6/9/2014	6/9/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3333	50	100%	6%	
D060914ALCD	D060914ALCD	ORG 87-61-6	1,2,3-Trichlorobenzene	50		ug/L	5	0.23	NA	6/9/2014	6/9/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3333	50	100%	8%	
D060914ALCD	D060914ALCD	STD 1868-53-7	Dibromofluoromethane	54		ug/L	1	0.10	NA	6/9/2014	6/9/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3333	50	108%	2%	
D060914ALCD	D060914ALCD	STD 17060-07-0	1,2-Dichloroethane d4	54		ug/L	1	0.10	NA	6/9/2014	6/9/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3333	50	108%	2%	
D060914ALCD	D060914ALCD	STD 2037-26-5	Toluene d8	51		ug/L	1	0.10	NA	6/9/2014	6/9/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3333	50	102%	0%	
D060914ALCD	D060914ALCD	STD 460-00-4	Bromofluorobenzene	50		ug/L	1	0.10	NA	6/9/2014	6/9/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3333	50	100%	0%	



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@nevagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

- B** = Analyte is found in the associated blank as well as in the sample.
- D** = Compound identified in an analysis at a secondary dilution factor.
- E** = Compound's concentration exceeds the calibration range of the instrument at this dilution.
- X** = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
- J** = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
- M** = Matrix assessment, QC analyses parameter exceeded control limits.
- U** = Non-detect
- * NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1491MS	316-325	ORG 96-18-4	1,2,3-Trichloropropane	5100		ug/L	200	29.47	6/9/2014	6/9/2014	6/9/2014	WG	100	NA	5.0	NA	SW8260B	NALD3339	5000	102%		
NAL13026-1491MS	316-325	ORG 108-67-8	1,3,5-Trimethylbenzene	5500		ug/L	200	20.03	6/9/2014	6/9/2014	6/9/2014	WG	100	NA	5.0	NA	SW8260B	NALD3339	5000	105%		270
NAL13026-1491MS	316-325	ORG 98-06-6	tert-Butylbenzene	5500		ug/L	200	32.61	6/9/2014	6/9/2014	6/9/2014	WG	100	NA	5.0	NA	SW8260B	NALD3339	5000	110%		
NAL13026-1491MS	316-325	ORG 95-63-6	1,2,4-Trimethylbenzene	6400		ug/L	200	20.03	6/9/2014	6/9/2014	6/9/2014	WG	100	NA	5.0	NA	SW8260B	NALD3339	5000	100%		1400
NAL13026-1491MS	316-325	ORG 135-98-8	sec-Butylbenzene	5500		ug/L	200	32.34	6/9/2014	6/9/2014	6/9/2014	WG	100	NA	5.0	NA	SW8260B	NALD3339	5000	109%		64
NAL13026-1491MS	316-325	ORG 541-73-1	1,3-Dichlorobenzene	5000		ug/L	200	22.21	6/9/2014	6/9/2014	6/9/2014	WG	100	NA	5.0	NA	SW8260B	NALD3339	5000	100%		
NAL13026-1491MS	316-325	ORG 99-87-6	p-Isopropyltoluene	12000		ug/L	200	25.48	6/9/2014	6/9/2014	6/9/2014	WG	100	NA	5.0	NA	SW8260B	NALD3339	5000	80%		8000
NAL13026-1491MS	316-325	ORG 106-46-7	1,4-Dichlorobenzene	6300		ug/L	200	33.03	6/9/2014	6/9/2014	6/9/2014	WG	100	NA	5.0	NA	SW8260B	NALD3339	5000	96%		1500
NAL13026-1491MS	316-325	ORG 95-50-1	1,2-Dichlorobenzene	5000		ug/L	200	26.38	6/9/2014	6/9/2014	6/9/2014	WG	100	NA	5.0	NA	SW8260B	NALD3339	5000	100%		
NAL13026-1491MS	316-325	ORG 104-51-8	n-Butylbenzene	5600		ug/L	500	27.81	6/9/2014	6/9/2014	6/9/2014	WG	100	NA	5.0	NA	SW8260B	NALD3339	5000	108%		190
NAL13026-1491MS	316-325	ORG 96-12-8	1,2-Dibromo-3-chloropropane	6300		ug/L	500	159.11	6/9/2014	6/9/2014	6/9/2014	WG	100	NA	5.0	NA	SW8260B	NALD3339	5000	126%		
NAL13026-1491MS	316-325	ORG 87-68-3	Hexachlorobutadiene	5300		ug/L	500	65.42	6/9/2014	6/9/2014	6/9/2014	WG	100	NA	5.0	NA	SW8260B	NALD3339	5000	106%		
NAL13026-1491MS	316-325	ORG 120-82-1	1,2,4-Trichlorobenzene	5300		ug/L	500	27.63	6/9/2014	6/9/2014	6/9/2014	WG	100	NA	5.0	NA	SW8260B	NALD3339	5000	106%		
NAL13026-1491MS	316-325	ORG 91-20-3	Naphthalene	8100		ug/L	500	56.04	6/9/2014	6/9/2014	6/9/2014	WG	100	NA	5.0	NA	SW8260B	NALD3339	5000	98%		3200
NAL13026-1491MS	316-325	ORG 87-61-6	1,2,3-Trichlorobenzene	5100		ug/L	500	23.28	6/9/2014	6/9/2014	6/9/2014	WG	100	NA	5.0	NA	SW8260B	NALD3339	5000	102%		
NAL13026-1491MS	316-325	STD 1868-53-7	Dibromofluoromethane	53		ug/L	1	0.10	6/9/2014	6/9/2014	6/9/2014	WG	100	NA	5.0	NA	SW8260B	NALD3339	50	106%		
NAL13026-1491MS	316-325	STD 17060-07-0	1,2-Dichloroethane d4	52		ug/L	1	0.10	6/9/2014	6/9/2014	6/9/2014	WG	100	NA	5.0	NA	SW8260B	NALD3339	50	104%		
NAL13026-1491MS	316-325	STD 2037-26-5	Toluene d8	50		ug/L	1	0.10	6/9/2014	6/9/2014	6/9/2014	WG	100	NA	5.0	NA	SW8260B	NALD3339	50	100%		
NAL13026-1491MS	316-325	STD 460-00-4	Bromofluorobenzene	49		ug/L	1	0.10	6/9/2014	6/9/2014	6/9/2014	WG	100	NA	5.0	NA	SW8260B	NALD3339	50	98%		



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@nevagelandmark.com

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

FINAL ANALYTICAL REPORT

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Table with columns: Lab ID, Sample ID, CAS #, ANALYTES, Results, QC, Units, RDL, MDL, Sample Date, Prep. Date, Analysis Date, Matrix, Dil., Weight(g), Vol.(ml), % Solid, Method, Data file, Spike, % Rec, % RPD, Parent. Contains 40 rows of analytical data for various compounds like Dichlorodifluoromethane, Vinyl chloride, Bromomethane, etc.



New Age/Landmark Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@nevagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1491MSD	316-325	ORG 96-18-4	1,2,3-Trichloropropane	5300		ug/L	200	29.47	6/9/2014	6/9/2014	6/9/2014	WG	100	NA	5.0	NA	SW8260B	NALD3340	5000	106%	4%	
NAL13026-1491MSD	316-325	ORG 108-67-8	1,3,5-Trimethylbenzene	5800		ug/L	200	20.03	6/9/2014	6/9/2014	6/9/2014	WG	100	NA	5.0	NA	SW8260B	NALD3340	5000	111%	5%	270
NAL13026-1491MSD	316-325	ORG 98-06-6	tert-Butylbenzene	5800		ug/L	200	32.61	6/9/2014	6/9/2014	6/9/2014	WG	100	NA	5.0	NA	SW8260B	NALD3340	5000	116%	5%	
NAL13026-1491MSD	316-325	ORG 95-63-6	1,2,4-Trimethylbenzene	6700		ug/L	200	20.03	6/9/2014	6/9/2014	6/9/2014	WG	100	NA	5.0	NA	SW8260B	NALD3340	5000	106%	5%	1400
NAL13026-1491MSD	316-325	ORG 135-98-8	sec-Butylbenzene	5800		ug/L	200	32.34	6/9/2014	6/9/2014	6/9/2014	WG	100	NA	5.0	NA	SW8260B	NALD3340	5000	115%	5%	64
NAL13026-1491MSD	316-325	ORG 541-73-1	1,3-Dichlorobenzene	5300		ug/L	200	22.21	6/9/2014	6/9/2014	6/9/2014	WG	100	NA	5.0	NA	SW8260B	NALD3340	5000	106%	6%	
NAL13026-1491MSD	316-325	ORG 99-87-6	p-Isopropyltoluene	12000		ug/L	200	25.48	6/9/2014	6/9/2014	6/9/2014	WG	100	NA	5.0	NA	SW8260B	NALD3340	5000	80%	0%	8000
NAL13026-1491MSD	316-325	ORG 106-46-7	1,4-Dichlorobenzene	6500		ug/L	200	33.03	6/9/2014	6/9/2014	6/9/2014	WG	100	NA	5.0	NA	SW8260B	NALD3340	5000	100%	3%	1500
NAL13026-1491MSD	316-325	ORG 95-50-1	1,2-Dichlorobenzene	5200		ug/L	200	26.38	6/9/2014	6/9/2014	6/9/2014	WG	100	NA	5.0	NA	SW8260B	NALD3340	5000	104%	4%	
NAL13026-1491MSD	316-325	ORG 104-51-8	n-Butylbenzene	6000		ug/L	500	27.81	6/9/2014	6/9/2014	6/9/2014	WG	100	NA	5.0	NA	SW8260B	NALD3340	5000	116%	7%	190
NAL13026-1491MSD	316-325	ORG 96-12-8	1,2-Dibromo-3-chloropropane	6500		ug/L	500	159.11	6/9/2014	6/9/2014	6/9/2014	WG	100	NA	5.0	NA	SW8260B	NALD3340	5000	130%	3%	
NAL13026-1491MSD	316-325	ORG 87-68-3	Hexachlorobutadiene	5900		ug/L	500	65.42	6/9/2014	6/9/2014	6/9/2014	WG	100	NA	5.0	NA	SW8260B	NALD3340	5000	118%	11%	
NAL13026-1491MSD	316-325	ORG 120-82-1	1,2,4-Trichlorobenzene	5700		ug/L	500	27.63	6/9/2014	6/9/2014	6/9/2014	WG	100	NA	5.0	NA	SW8260B	NALD3340	5000	114%	7%	
NAL13026-1491MSD	316-325	ORG 91-20-3	Naphthalene	8500		ug/L	500	56.04	6/9/2014	6/9/2014	6/9/2014	WG	100	NA	5.0	NA	SW8260B	NALD3340	5000	106%	5%	3200
NAL13026-1491MSD	316-325	ORG 87-61-6	1,2,3-Trichlorobenzene	5500		ug/L	500	23.28	6/9/2014	6/9/2014	6/9/2014	WG	100	NA	5.0	NA	SW8260B	NALD3340	5000	110%	8%	
NAL13026-1491MSD	316-325	STD 1868-53-7	Dibromofluoromethane	52		ug/L	1	0.10	6/9/2014	6/9/2014	6/9/2014	WG	100	NA	5.0	NA	SW8260B	NALD3340	50	104%	2%	
NAL13026-1491MSD	316-325	STD 17060-07-0	1,2-Dichloroethane d4	51		ug/L	1	0.10	6/9/2014	6/9/2014	6/9/2014	WG	100	NA	5.0	NA	SW8260B	NALD3340	50	102%	2%	
NAL13026-1491MSD	316-325	STD 2037-26-5	Toluene d8	50		ug/L	1	0.10	6/9/2014	6/9/2014	6/9/2014	WG	100	NA	5.0	NA	SW8260B	NALD3340	50	100%	0%	
NAL13026-1491MSD	316-325	STD 460-00-4	Bromofluorobenzene	50		ug/L	1	0.10	6/9/2014	6/9/2014	6/9/2014	WG	100	NA	5.0	NA	SW8260B	NALD3340	50	100%	2%	

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assessment, QC analyses parameter exceeded control limits.
U = Non-detect

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1495	316-326	ORG 75-71-8	Dichlorodifluoromethane		UX-	ug/L	500	29.28	6/10/2014	6/10/2014	6/10/2014	WG	100	NA	5.0	NA	SW8260B	NALD3346				
NAL13026-1495	316-326	ORG 74-87-3	Chloromethane		UX-	ug/L	500	43.07	6/10/2014	6/10/2014	6/10/2014	WG	100	NA	5.0	NA	SW8260B	NALD3346				
NAL13026-1495	316-326	ORG 75-01-4	Vinyl chloride		U	ug/L	200	31.86	6/10/2014	6/10/2014	6/10/2014	WG	100	NA	5.0	NA	SW8260B	NALD3346				
NAL13026-1495	316-326	ORG 74-83-9	Bromomethane		U	ug/L	500	50.04	6/10/2014	6/10/2014	6/10/2014	WG	100	NA	5.0	NA	SW8260B	NALD3346				
NAL13026-1495	316-326	ORG 75-00-3	Chloroethane		U	ug/L	500	55.61	6/10/2014	6/10/2014	6/10/2014	WG	100	NA	5.0	NA	SW8260B	NALD3346				
NAL13026-1495	316-326	ORG 75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	6/10/2014	6/10/2014	6/10/2014	WG	100	NA	5.0	NA	SW8260B	NALD3346				
NAL13026-1495	316-326	ORG 75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	6/10/2014	6/10/2014	6/10/2014	WG	100	NA	5.0	NA	SW8260B	NALD3346				
NAL13026-1495	316-326	ORG 75-09-2	Methylene chloride		UX-	ug/L	500	26.46	6/10/2014	6/10/2014	6/10/2014	WG	100	NA	5.0	NA	SW8260B	NALD3346				
NAL13026-1495	316-326	ORG 67-64-1	Acetone	79000	D	ug/L	10000	1556.07	6/10/2014	6/10/2014	6/10/2014	WG	1000	NA	5.0	NA	SW8260B	NALD3347				
NAL13026-1495	316-326	ORG 156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	6/10/2014	6/10/2014	6/10/2014	WG	100	NA	5.0	NA	SW8260B	NALD3346				
NAL13026-1495	316-326	ORG 1634-04-4	MTBE		U	ug/L	500	61.18	6/10/2014	6/10/2014	6/10/2014	WG	100	NA	5.0	NA	SW8260B	NALD3346				
NAL13026-1495	316-326	ORG 75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	6/10/2014	6/10/2014	6/10/2014	WG	100	NA	5.0	NA	SW8260B	NALD3346				
NAL13026-1495	316-326	ORG 156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	6/10/2014	6/10/2014	6/10/2014	WG	100	NA	5.0	NA	SW8260B	NALD3346				
NAL13026-1495	316-326	ORG 74-97-5	Bromochloromethane		U	ug/L	200	41.37	6/10/2014	6/10/2014	6/10/2014	WG	100	NA	5.0	NA	SW8260B	NALD3346				
NAL13026-1495	316-326	ORG 67-66-3	Chloroform		U	ug/L	100	15.73	6/10/2014	6/10/2014	6/10/2014	WG	100	NA	5.0	NA	SW8260B	NALD3346				
NAL13026-1495	316-326	ORG 71-55-6	1,1,1-Trichloroethane		U	ug/L	100	16.65	6/10/2014	6/10/2014	6/10/2014	WG	100	NA	5.0	NA	SW8260B	NALD3346				
NAL13026-1495	316-326	ORG 78-93-3	2-Butanone	19000	D	ug/L	10000	811.80	6/10/2014	6/10/2014	6/10/2014	WG	1000	NA	5.0	NA	SW8260B	NALD3347				
NAL13026-1495	316-326	ORG 56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	6/10/2014	6/10/2014	6/10/2014	WG	100	NA	5.0	NA	SW8260B	NALD3346				
NAL13026-1495	316-326	ORG 71-43-2	Benzene		U	ug/L	100	13.53	6/10/2014	6/10/2014	6/10/2014	WG	100	NA	5.0	NA	SW8260B	NALD3346				
NAL13026-1495	316-326	ORG 107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	6/10/2014	6/10/2014	6/10/2014	WG	100	NA	5.0	NA	SW8260B	NALD3346				
NAL13026-1495	316-326	ORG 79-01-6	Trichloroethene		U	ug/L	100	36.33	6/10/2014	6/10/2014	6/10/2014	WG	100	NA	5.0	NA	SW8260B	NALD3346				
NAL13026-1495	316-326	ORG 74-95-3	Dibromomethane		U	ug/L	200	32.20	6/10/2014	6/10/2014	6/10/2014	WG	100	NA	5.0	NA	SW8260B	NALD3346				
NAL13026-1495	316-326	ORG 78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	6/10/2014	6/10/2014	6/10/2014	WG	100	NA	5.0	NA	SW8260B	NALD3346				
NAL13026-1495	316-326	ORG 75-27-4	Bromodichloromethane		U	ug/L	200	11.58	6/10/2014	6/10/2014	6/10/2014	WG	100	NA	5.0	NA	SW8260B	NALD3346				
NAL13026-1495	316-326	ORG 10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	6/10/2014	6/10/2014	6/10/2014	WG	100	NA	5.0	NA	SW8260B	NALD3346				
NAL13026-1495	316-326	ORG 108-88-3	Toluene		U	ug/L	100	20.96	6/10/2014	6/10/2014	6/10/2014	WG	100	NA	5.0	NA	SW8260B	NALD3346				
NAL13026-1495	316-326	ORG 108-10-1	4-Methyl-2-pentanone	420	J	ug/L	500	74.00	6/10/2014	6/10/2014	6/10/2014	WG	100	NA	5.0	NA	SW8260B	NALD3346				
NAL13026-1495	316-326	ORG 10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	6/10/2014	6/10/2014	6/10/2014	WG	100	NA	5.0	NA	SW8260B	NALD3346				
NAL13026-1495	316-326	ORG 127-18-4	Tetrachloroethene		U	ug/L	100	48.56	6/10/2014	6/10/2014	6/10/2014	WG	100	NA	5.0	NA	SW8260B	NALD3346				
NAL13026-1495	316-326	ORG 79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	6/10/2014	6/10/2014	6/10/2014	WG	100	NA	5.0	NA	SW8260B	NALD3346				
NAL13026-1495	316-326	ORG 124-48-1	Dibromochloromethane		U	ug/L	200	29.90	6/10/2014	6/10/2014	6/10/2014	WG	100	NA	5.0	NA	SW8260B	NALD3346				
NAL13026-1495	316-326	ORG 106-93-4	1,2-Dibromoethane		U	ug/L	200	26.49	6/10/2014	6/10/2014	6/10/2014	WG	100	NA	5.0	NA	SW8260B	NALD3346				
NAL13026-1495	316-326	ORG 591-78-6	2-Hexanone	910	U	ug/L	500	68.90	6/10/2014	6/10/2014	6/10/2014	WG	100	NA	5.0	NA	SW8260B	NALD3346				
NAL13026-1495	316-326	ORG 100-41-4	Ethylbenzene		U	ug/L	100	25.38	6/10/2014	6/10/2014	6/10/2014	WG	100	NA	5.0	NA	SW8260B	NALD3346				
NAL13026-1495	316-326	ORG 108-90-7	Chlorobenzene		U	ug/L	100	27.52	6/10/2014	6/10/2014	6/10/2014	WG	100	NA	5.0	NA	SW8260B	NALD3346				
NAL13026-1495	316-326	ORG 630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	6/10/2014	6/10/2014	6/10/2014	WG	100	NA	5.0	NA	SW8260B	NALD3346				
NAL13026-1495	316-326	ORG XYLMP	p&m-Xylene	66	J	ug/L	200	26.14	6/10/2014	6/10/2014	6/10/2014	WG	100	NA	5.0	NA	SW8260B	NALD3346				
NAL13026-1495	316-326	ORG 95-47-6	o-Xylene	54	J	ug/L	100	12.90	6/10/2014	6/10/2014	6/10/2014	WG	100	NA	5.0	NA	SW8260B	NALD3346				
NAL13026-1495	316-326	ORG 100-42-5	Styrene		U	ug/L	100	20.23	6/10/2014	6/10/2014	6/10/2014	WG	100	NA	5.0	NA	SW8260B	NALD3346				
NAL13026-1495	316-326	ORG 75-25-2	Bromoform		U	ug/L	200	46.83	6/10/2014	6/10/2014	6/10/2014	WG	100	NA	5.0	NA	SW8260B	NALD3346				
NAL13026-1495	316-326	ORG 98-82-8	Isopropylbenzene	37	J	ug/L	200	20.48	6/10/2014	6/10/2014	6/10/2014	WG	100	NA	5.0	NA	SW8260B	NALD3346				
NAL13026-1495	316-326	ORG 103-65-1	n-Propylbenzene	74	J	ug/L	200	27.00	6/10/2014	6/10/2014	6/10/2014	WG	100	NA	5.0	NA	SW8260B	NALD3346				
NAL13026-1495	316-326	ORG 79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	6/10/2014	6/10/2014	6/10/2014	WG	100	NA	5.0	NA	SW8260B	NALD3346				



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
 Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1495	316-326	ORG 96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	6/10/2014	6/10/2014	6/10/2014	WG	100	NA	5.0	NA	SW8260B	NALD3346				
NAL13026-1495	316-326	ORG 108-67-8	1,3,5-Trimethylbenzene	190	J	ug/L	200	20.03	6/10/2014	6/10/2014	6/10/2014	WG	100	NA	5.0	NA	SW8260B	NALD3346				
NAL13026-1495	316-326	ORG 98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	6/10/2014	6/10/2014	6/10/2014	WG	100	NA	5.0	NA	SW8260B	NALD3346				
NAL13026-1495	316-326	ORG 95-63-6	1,2,4-Trimethylbenzene	1000		ug/L	200	20.03	6/10/2014	6/10/2014	6/10/2014	WG	100	NA	5.0	NA	SW8260B	NALD3346				
NAL13026-1495	316-326	ORG 135-98-8	sec-Butylbenzene	52	J	ug/L	200	32.34	6/10/2014	6/10/2014	6/10/2014	WG	100	NA	5.0	NA	SW8260B	NALD3346				
NAL13026-1495	316-326	ORG 541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	6/10/2014	6/10/2014	6/10/2014	WG	100	NA	5.0	NA	SW8260B	NALD3346				
NAL13026-1495	316-326	ORG 99-87-6	p-Isopropyltoluene	6100		ug/L	200	25.48	6/10/2014	6/10/2014	6/10/2014	WG	100	NA	5.0	NA	SW8260B	NALD3346				
NAL13026-1495	316-326	ORG 106-46-7	1,4-Dichlorobenzene	1200		ug/L	200	33.03	6/10/2014	6/10/2014	6/10/2014	WG	100	NA	5.0	NA	SW8260B	NALD3346				
NAL13026-1495	316-326	ORG 95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	6/10/2014	6/10/2014	6/10/2014	WG	100	NA	5.0	NA	SW8260B	NALD3346				
NAL13026-1495	316-326	ORG 104-51-8	n-Butylbenzene	170	J	ug/L	500	27.81	6/10/2014	6/10/2014	6/10/2014	WG	100	NA	5.0	NA	SW8260B	NALD3346				
NAL13026-1495	316-326	ORG 96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	6/10/2014	6/10/2014	6/10/2014	WG	100	NA	5.0	NA	SW8260B	NALD3346				
NAL13026-1495	316-326	ORG 87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	6/10/2014	6/10/2014	6/10/2014	WG	100	NA	5.0	NA	SW8260B	NALD3346				
NAL13026-1495	316-326	ORG 120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	6/10/2014	6/10/2014	6/10/2014	WG	100	NA	5.0	NA	SW8260B	NALD3346				
NAL13026-1495	316-326	ORG 91-20-3	Naphthalene	3000		ug/L	500	56.04	6/10/2014	6/10/2014	6/10/2014	WG	100	NA	5.0	NA	SW8260B	NALD3346				
NAL13026-1495	316-326	ORG 87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	6/10/2014	6/10/2014	6/10/2014	WG	100	NA	5.0	NA	SW8260B	NALD3346				
NAL13026-1495	316-326	STD 1868-53-7	Dibromofluoromethane	52		ug/L	1	0.10	6/10/2014	6/10/2014	6/10/2014	WG	100	NA	5.0	NA	SW8260B	NALD3346	50	104%		
NAL13026-1495	316-326	STD 17060-07-0	1,2-Dichloroethane d4	52		ug/L	1	0.10	6/10/2014	6/10/2014	6/10/2014	WG	100	NA	5.0	NA	SW8260B	NALD3346	50	104%		
NAL13026-1495	316-326	STD 2037-26-5	Toluene d8	52		ug/L	1	0.10	6/10/2014	6/10/2014	6/10/2014	WG	100	NA	5.0	NA	SW8260B	NALD3346	50	104%		
NAL13026-1495	316-326	STD 460-00-4	Bromofluorobenzene	51		ug/L	1	0.10	6/10/2014	6/10/2014	6/10/2014	WG	100	NA	5.0	NA	SW8260B	NALD3346	50	102%		



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
 Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1496	CB 06-10-14	ORG 96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	6/10/2014	6/10/2014	6/10/2014	WG	100	NA	5.0	NA	SW8260B	NALD3348				
NAL13026-1496	CB 06-10-14	ORG 108-67-8	1,3,5-Trimethylbenzene	24	J	ug/L	200	20.03	6/10/2014	6/10/2014	6/10/2014	WG	100	NA	5.0	NA	SW8260B	NALD3348				
NAL13026-1496	CB 06-10-14	ORG 98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	6/10/2014	6/10/2014	6/10/2014	WG	100	NA	5.0	NA	SW8260B	NALD3348				
NAL13026-1496	CB 06-10-14	ORG 95-63-6	1,2,4-Trimethylbenzene	140	J	ug/L	200	20.03	6/10/2014	6/10/2014	6/10/2014	WG	100	NA	5.0	NA	SW8260B	NALD3348				
NAL13026-1496	CB 06-10-14	ORG 135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	6/10/2014	6/10/2014	6/10/2014	WG	100	NA	5.0	NA	SW8260B	NALD3348				
NAL13026-1496	CB 06-10-14	ORG 541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	6/10/2014	6/10/2014	6/10/2014	WG	100	NA	5.0	NA	SW8260B	NALD3348				
NAL13026-1496	CB 06-10-14	ORG 99-87-6	p-Isopropyltoluene	1100		ug/L	200	25.48	6/10/2014	6/10/2014	6/10/2014	WG	100	NA	5.0	NA	SW8260B	NALD3348				
NAL13026-1496	CB 06-10-14	ORG 106-46-7	1,4-Dichlorobenzene	130	J	ug/L	200	33.03	6/10/2014	6/10/2014	6/10/2014	WG	100	NA	5.0	NA	SW8260B	NALD3348				
NAL13026-1496	CB 06-10-14	ORG 95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	6/10/2014	6/10/2014	6/10/2014	WG	100	NA	5.0	NA	SW8260B	NALD3348				
NAL13026-1496	CB 06-10-14	ORG 104-51-8	n-Butylbenzene	39	J	ug/L	500	27.81	6/10/2014	6/10/2014	6/10/2014	WG	100	NA	5.0	NA	SW8260B	NALD3348				
NAL13026-1496	CB 06-10-14	ORG 96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	6/10/2014	6/10/2014	6/10/2014	WG	100	NA	5.0	NA	SW8260B	NALD3348				
NAL13026-1496	CB 06-10-14	ORG 87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	6/10/2014	6/10/2014	6/10/2014	WG	100	NA	5.0	NA	SW8260B	NALD3348				
NAL13026-1496	CB 06-10-14	ORG 120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	6/10/2014	6/10/2014	6/10/2014	WG	100	NA	5.0	NA	SW8260B	NALD3348				
NAL13026-1496	CB 06-10-14	ORG 91-20-3	Naphthalene	600		ug/L	500	56.04	6/10/2014	6/10/2014	6/10/2014	WG	100	NA	5.0	NA	SW8260B	NALD3348				
NAL13026-1496	CB 06-10-14	ORG 87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	6/10/2014	6/10/2014	6/10/2014	WG	100	NA	5.0	NA	SW8260B	NALD3348				
NAL13026-1496	CB 06-10-14	STD 1868-53-7	Dibromofluoromethane	53		ug/L	1	0.10	6/10/2014	6/10/2014	6/10/2014	WG	100	NA	5.0	NA	SW8260B	NALD3348	50	106%		
NAL13026-1496	CB 06-10-14	STD 17060-07-0	1,2-Dichloroethane d4	53		ug/L	1	0.10	6/10/2014	6/10/2014	6/10/2014	WG	100	NA	5.0	NA	SW8260B	NALD3348	50	106%		
NAL13026-1496	CB 06-10-14	STD 2037-26-5	Toluene d8	52		ug/L	1	0.10	6/10/2014	6/10/2014	6/10/2014	WG	100	NA	5.0	NA	SW8260B	NALD3348	50	104%		
NAL13026-1496	CB 06-10-14	STD 460-00-4	Bromofluorobenzene	51		ug/L	1	0.10	6/10/2014	6/10/2014	6/10/2014	WG	100	NA	5.0	NA	SW8260B	NALD3348	50	102%		



New Age/Landmark Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@nevagelandmark.com

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

FINAL ANALYTICAL REPORT

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D061014CCVA	D061014CCVA	ORG 75-71-8	Dichlorodifluoromethane	39		ug/L	5	0.29	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3342	50	78%		
D061014CCVA	D061014CCVA	ORG 74-87-3	Chloromethane	40		ug/L	5	0.43	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3342	50	80%		
D061014CCVA	D061014CCVA	ORG 75-01-4	Vinyl chloride	49		ug/L	2	0.32	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3342	50	98%		
D061014CCVA	D061014CCVA	ORG 74-83-9	Bromomethane	73		ug/L	5	0.50	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3342	50	146%		
D061014CCVA	D061014CCVA	ORG 75-00-3	Chloroethane	56		ug/L	5	0.56	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3342	50	112%		
D061014CCVA	D061014CCVA	ORG 75-69-4	Trichlorofluoromethane	308		ug/L	5	0.20	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3342	50	616%		
D061014CCVA	D061014CCVA	ORG 75-35-4	1,1-Dichloroethene	55		ug/L	1	0.47	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3342	50	110%		
D061014CCVA	D061014CCVA	ORG 75-09-2	Methylene chloride	36		ug/L	5	0.26	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3342	50	72%		
D061014CCVA	D061014CCVA	ORG 67-64-1	Acetone	40		ug/L	10	1.56	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3342	50	80%		
D061014CCVA	D061014CCVA	ORG 156-60-5	trans-1,2-Dichloroethene	53		ug/L	1	0.56	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3342	50	106%		
D061014CCVA	D061014CCVA	ORG 1634-04-4	MTBE	49		ug/L	5	0.61	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3342	50	98%		
D061014CCVA	D061014CCVA	ORG 75-34-3	1,1-Dichloroethane	52		ug/L	1	0.53	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3342	50	104%		
D061014CCVA	D061014CCVA	ORG 156-59-2	cis-1,2-Dichloroethene	53		ug/L	1	0.32	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3342	50	106%		
D061014CCVA	D061014CCVA	ORG 74-97-5	Bromochloromethane	53		ug/L	10	0.41	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3342	50	106%		
D061014CCVA	D061014CCVA	ORG 67-66-3	Chloroform	54		ug/L	2	0.16	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3342	50	108%		
D061014CCVA	D061014CCVA	ORG 71-55-6	1,1,1-Trichloroethane	60		ug/L	1	0.17	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3342	50	120%		
D061014CCVA	D061014CCVA	ORG 78-93-3	2-Butanone	55		ug/L	1	0.81	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3342	50	110%		
D061014CCVA	D061014CCVA	ORG 56-23-5	Carbon tetrachloride	58		ug/L	1	0.28	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3342	50	116%		
D061014CCVA	D061014CCVA	ORG 71-43-2	Benzene	51		ug/L	1	0.14	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3342	50	102%		
D061014CCVA	D061014CCVA	ORG 107-06-2	1,2-Dichloroethane	50		ug/L	1	0.20	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3342	50	100%		
D061014CCVA	D061014CCVA	ORG 79-01-6	Trichloroethene	54		ug/L	1	0.36	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3342	50	108%		
D061014CCVA	D061014CCVA	ORG 74-95-3	Dibromomethane	53		ug/L	2	0.32	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3342	50	106%		
D061014CCVA	D061014CCVA	ORG 78-87-5	1,2-Dichloropropane	52		ug/L	1	0.18	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3342	50	104%		
D061014CCVA	D061014CCVA	ORG 75-27-4	Bromodichloromethane	60		ug/L	2	0.12	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3342	50	120%		
D061014CCVA	D061014CCVA	ORG 10061-01-5	cis-1,3-Dichloropropene	62		ug/L	1	0.25	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3342	50	124%		
D061014CCVA	D061014CCVA	ORG 108-88-3	Toluene	50		ug/L	1	0.21	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3342	50	100%		
D061014CCVA	D061014CCVA	ORG 108-10-1	4-Methyl-2-pentanone	47		ug/L	5	0.74	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3342	50	94%		
D061014CCVA	D061014CCVA	ORG 10061-02-6	trans-1,3-Dichloropropene	60		ug/L	1	0.31	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3342	50	120%		
D061014CCVA	D061014CCVA	ORG 127-18-4	Tetrachloroethene	49		ug/L	1	0.49	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3342	50	98%		
D061014CCVA	D061014CCVA	ORG 79-00-5	1,1,2-Trichloroethane	52		ug/L	1	0.34	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3342	50	104%		
D061014CCVA	D061014CCVA	ORG 124-48-1	Dibromochloromethane	60		ug/L	5	0.30	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3342	50	120%		
D061014CCVA	D061014CCVA	ORG 106-93-4	1,2-Dibromoethane	52		ug/L	2	0.26	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3342	50	104%		
D061014CCVA	D061014CCVA	ORG 591-78-6	2-Hexanone	49		ug/L	2	0.69	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3342	50	98%		
D061014CCVA	D061014CCVA	ORG 100-41-4	Ethylbenzene	55		ug/L	1	0.25	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3342	50	110%		
D061014CCVA	D061014CCVA	ORG 108-90-7	Chlorobenzene	54		ug/L	1	0.28	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3342	50	108%		
D061014CCVA	D061014CCVA	ORG 630-20-6	1,1,1,2-Tetrachloroethane	63		ug/L	2	0.19	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3342	50	126%		
D061014CCVA	D061014CCVA	ORG XYLMP	p&m-Xylene	107		ug/L	2	0.26	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3342	100	107%		
D061014CCVA	D061014CCVA	ORG 95-47-6	o-Xylene	55		ug/L	1	0.13	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3342	50	110%		
D061014CCVA	D061014CCVA	ORG 100-42-5	Styrene	57		ug/L	1	0.20	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3342	50	114%		
D061014CCVA	D061014CCVA	ORG 75-25-2	Bromoform	58		ug/L	2	0.47	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3342	50	116%		
D061014CCVA	D061014CCVA	ORG 98-82-8	Isopropylbenzene	55		ug/L	2	0.20	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3342	50	110%		
D061014CCVA	D061014CCVA	ORG 103-65-1	n-Propylbenzene	56		ug/L	2	0.27	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3342	50	112%		
D061014CCVA	D061014CCVA	ORG 79-34-5	1,1,2,2-Tetrachloroethane	48		ug/L	2	0.29	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3342	50	96%		

Confidential
D061014AVPP



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
 Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D061014CCVA	D061014CCVA	ORG 96-18-4	1,2,3-Trichloropropane	47		ug/L	2	0.29	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3342	50	94%		
D061014CCVA	D061014CCVA	ORG 108-67-8	1,3,5-Trimethylbenzene	55		ug/L	2	0.20	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3342	50	110%		
D061014CCVA	D061014CCVA	ORG 98-06-6	tert-Butylbenzene	57		ug/L	2	0.33	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3342	50	114%		
D061014CCVA	D061014CCVA	ORG 95-63-6	1,2,4-Trimethylbenzene	55		ug/L	2	0.20	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3342	50	110%		
D061014CCVA	D061014CCVA	ORG 135-98-8	sec-Butylbenzene	57		ug/L	2	0.32	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3342	50	114%		
D061014CCVA	D061014CCVA	ORG 541-73-1	1,3-Dichlorobenzene	52		ug/L	2	0.22	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3342	50	104%		
D061014CCVA	D061014CCVA	ORG 99-87-6	p-Isopropyltoluene	58		ug/L	2	0.25	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3342	50	116%		
D061014CCVA	D061014CCVA	ORG 106-46-7	1,4-Dichlorobenzene	52		ug/L	2	0.33	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3342	50	104%		
D061014CCVA	D061014CCVA	ORG 95-50-1	1,2-Dichlorobenzene	50		ug/L	2	0.26	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3342	50	100%		
D061014CCVA	D061014CCVA	ORG 104-51-8	n-Butylbenzene	57		ug/L	5	0.28	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3342	50	114%		
D061014CCVA	D061014CCVA	ORG 96-12-8	1,2-Dibromo-3-chloropropane	49		ug/L	5	1.59	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3342	50	98%		
D061014CCVA	D061014CCVA	ORG 87-68-3	Hexachlorobutadiene	63		ug/L	5	0.65	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3342	50	126%		
D061014CCVA	D061014CCVA	ORG 120-82-1	1,2,4-Trichlorobenzene	55		ug/L	5	0.28	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3342	50	110%		
D061014CCVA	D061014CCVA	ORG 91-20-3	Naphthalene	47		ug/L	5	0.56	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3342	50	94%		
D061014CCVA	D061014CCVA	ORG 87-61-6	1,2,3-Trichlorobenzene	52		ug/L	5	0.23	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3342	50	104%		
D061014CCVA	D061014CCVA	STD 1868-53-7	Dibromofluoromethane	53		ug/L	1	0.10	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3342	50	106%		
D061014CCVA	D061014CCVA	STD 17060-07-0	1,2-Dichloroethane d4	49		ug/L	1	0.10	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3342	50	98%		
D061014CCVA	D061014CCVA	STD 2037-26-5	Toluene d8	51		ug/L	1	0.10	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3342	50	102%		
D061014CCVA	D061014CCVA	STD 460-00-4	Bromofluorobenzene	50		ug/L	1	0.10	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3342	50	100%		



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@nevagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent	
D061014MBKA	D061014MBKA	ORG 75-71-8	Dichlorodifluoromethane	U	ug/L	5	0.29	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3345						
D061014MBKA	D061014MBKA	ORG 74-87-3	Chloromethane	U	ug/L	5	0.43	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3345						
D061014MBKA	D061014MBKA	ORG 75-01-4	Vinyl chloride	U	ug/L	2	0.32	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3345						
D061014MBKA	D061014MBKA	ORG 74-83-9	Bromomethane	U	ug/L	5	0.50	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3345						
D061014MBKA	D061014MBKA	ORG 75-00-3	Chloroethane	U	ug/L	5	0.56	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3345						
D061014MBKA	D061014MBKA	ORG 75-69-4	Trichlorofluoromethane	U	ug/L	5	0.20	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3345						
D061014MBKA	D061014MBKA	ORG 75-35-4	1,1-Dichloroethene	U	ug/L	1	0.47	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3345						
D061014MBKA	D061014MBKA	ORG 75-09-2	Methylene chloride	U	ug/L	5	0.26	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3345						
D061014MBKA	D061014MBKA	ORG 67-64-1	Acetone	U	ug/L	10	1.56	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3345						
D061014MBKA	D061014MBKA	ORG 156-60-5	trans-1,2-Dichloroethene	U	ug/L	1	0.56	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3345						
D061014MBKA	D061014MBKA	ORG 1634-04-4	MTBE	U	ug/L	5	0.61	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3345						
D061014MBKA	D061014MBKA	ORG 75-34-3	1,1-Dichloroethane	U	ug/L	1	0.53	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3345						
D061014MBKA	D061014MBKA	ORG 156-59-2	cis-1,2-Dichloroethene	U	ug/L	1	0.32	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3345						
D061014MBKA	D061014MBKA	ORG 74-97-5	Bromochloromethane	U	ug/L	10	0.41	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3345						
D061014MBKA	D061014MBKA	ORG 67-66-3	Chloroform	U	ug/L	2	0.16	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3345						
D061014MBKA	D061014MBKA	ORG 71-55-6	1,1,1-Trichloroethane	U	ug/L	1	0.17	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3345						
D061014MBKA	D061014MBKA	ORG 78-93-3	2-Butanone	U	ug/L	1	0.81	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3345						
D061014MBKA	D061014MBKA	ORG 56-23-5	Carbon tetrachloride	U	ug/L	1	0.28	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3345						
D061014MBKA	D061014MBKA	ORG 71-43-2	Benzene	U	ug/L	1	0.14	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3345						
D061014MBKA	D061014MBKA	ORG 107-06-2	1,2-Dichloroethane	U	ug/L	1	0.20	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3345						
D061014MBKA	D061014MBKA	ORG 79-01-6	Trichloroethene	U	ug/L	1	0.36	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3345						
D061014MBKA	D061014MBKA	ORG 74-95-3	Dibromomethane	U	ug/L	2	0.32	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3345						
D061014MBKA	D061014MBKA	ORG 78-87-5	1,2-Dichloropropane	U	ug/L	1	0.18	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3345						
D061014MBKA	D061014MBKA	ORG 75-27-4	Bromodichloromethane	U	ug/L	2	0.12	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3345						
D061014MBKA	D061014MBKA	ORG 10061-01-5	cis-1,3-Dichloropropene	U	ug/L	1	0.25	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3345						
D061014MBKA	D061014MBKA	ORG 108-88-3	Toluene	U	ug/L	1	0.21	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3345						
D061014MBKA	D061014MBKA	ORG 108-10-1	4-Methyl-2-pentanone	U	ug/L	5	0.74	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3345						
D061014MBKA	D061014MBKA	ORG 10061-02-6	trans-1,3-Dichloropropene	U	ug/L	1	0.31	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3345						
D061014MBKA	D061014MBKA	ORG 127-18-4	Tetrachloroethene	U	ug/L	1	0.49	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3345						
D061014MBKA	D061014MBKA	ORG 79-00-5	1,1,2-Trichloroethane	U	ug/L	1	0.34	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3345						
D061014MBKA	D061014MBKA	ORG 124-48-1	Dibromochloromethane	U	ug/L	5	0.30	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3345						
D061014MBKA	D061014MBKA	ORG 106-93-4	1,2-Dibromoethane	U	ug/L	2	0.26	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3345						
D061014MBKA	D061014MBKA	ORG 591-78-6	2-Hexanone	U	ug/L	2	0.69	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3345						
D061014MBKA	D061014MBKA	ORG 100-41-4	Ethylbenzene	U	ug/L	1	0.25	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3345						
D061014MBKA	D061014MBKA	ORG 108-90-7	Chlorobenzene	U	ug/L	1	0.28	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3345						
D061014MBKA	D061014MBKA	ORG 630-20-6	1,1,1,2-Tetrachloroethane	U	ug/L	2	0.19	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3345						
D061014MBKA	D061014MBKA	ORG XYLMP	p&m-Xylene	U	ug/L	2	0.26	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3345						
D061014MBKA	D061014MBKA	ORG 95-47-6	o-Xylene	U	ug/L	1	0.13	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3345						
D061014MBKA	D061014MBKA	ORG 100-42-4	Styrene	U	ug/L	1	0.20	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3345						
D061014MBKA	D061014MBKA	ORG 75-25-2	Bromoform	U	ug/L	2	0.47	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3345						
D061014MBKA	D061014MBKA	ORG 98-82-8	Isopropylbenzene	U	ug/L	2	0.20	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3345						
D061014MBKA	D061014MBKA	ORG 103-65-1	n-Propylbenzene	U	ug/L	2	0.27	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3345						
D061014MBKA	D061014MBKA	ORG 79-34-5	1,1,2,2-Tetrachloroethane	U	ug/L	2	0.29	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3345						



New Age/Landmark Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D061014MBKA	D061014MBKA	ORG 96-18-4	1,2,3-Trichloropropane		U	ug/L	2	0.29	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3345				
D061014MBKA	D061014MBKA	ORG 108-67-8	1,3,5-Trimethylbenzene		U	ug/L	2	0.20	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3345				
D061014MBKA	D061014MBKA	ORG 98-06-6	tert-Butylbenzene		U	ug/L	2	0.33	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3345				
D061014MBKA	D061014MBKA	ORG 95-63-6	1,2,4-Trimethylbenzene		U	ug/L	2	0.20	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3345				
D061014MBKA	D061014MBKA	ORG 135-98-8	sec-Butylbenzene		U	ug/L	2	0.32	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3345				
D061014MBKA	D061014MBKA	ORG 541-73-1	1,3-Dichlorobenzene		U	ug/L	2	0.22	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3345				
D061014MBKA	D061014MBKA	ORG 99-87-6	p-Isopropyltoluene		U	ug/L	2	0.25	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3345				
D061014MBKA	D061014MBKA	ORG 106-46-7	1,4-Dichlorobenzene		U	ug/L	2	0.33	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3345				
D061014MBKA	D061014MBKA	ORG 95-50-1	1,2-Dichlorobenzene		U	ug/L	2	0.26	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3345				
D061014MBKA	D061014MBKA	ORG 104-51-8	n-Butylbenzene		U	ug/L	5	0.28	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3345				
D061014MBKA	D061014MBKA	ORG 96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	5	1.59	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3345				
D061014MBKA	D061014MBKA	ORG 87-68-3	Hexachlorobutadiene		U	ug/L	5	0.65	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3345				
D061014MBKA	D061014MBKA	ORG 120-82-1	1,2,4-Trichlorobenzene		U	ug/L	5	0.28	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3345				
D061014MBKA	D061014MBKA	ORG 91-20-3	Naphthalene		U	ug/L	5	0.56	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3345				
D061014MBKA	D061014MBKA	ORG 87-61-6	1,2,3-Trichlorobenzene		U	ug/L	5	0.23	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3345				
D061014MBKA	D061014MBKA	STD 1868-53-7	Dibromofluoromethane	53		ug/L	1	0.10	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3345	50	106%		
D061014MBKA	D061014MBKA	STD 17060-07-0	1,2-Dichloroethane d4	55		ug/L	1	0.10	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3345	50	110%		
D061014MBKA	D061014MBKA	STD 2037-26-5	Toluene d8	51		ug/L	1	0.10	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3345	50	102%		
D061014MBKA	D061014MBKA	STD 460-00-4	Bromofluorobenzene	49		ug/L	1	0.10	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3345	50	98%		



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@nevagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D061014ALCS	D061014ALCS	ORG 75-71-8	Dichlorodifluoromethane	37		ug/L	5	0.29	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3343	50	74%		
D061014ALCS	D061014ALCS	ORG 74-87-3	Chloromethane	38		ug/L	5	0.43	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3343	50	76%		
D061014ALCS	D061014ALCS	ORG 75-01-4	Vinyl chloride	47		ug/L	2	0.32	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3343	50	94%		
D061014ALCS	D061014ALCS	ORG 74-83-9	Bromomethane	74		ug/L	5	0.50	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3343	50	148%		
D061014ALCS	D061014ALCS	ORG 75-00-3	Chloroethane	60		ug/L	5	0.56	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3343	50	120%		
D061014ALCS	D061014ALCS	ORG 75-69-4	Trichlorofluoromethane	418		ug/L	5	0.20	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3343	50	836%		
D061014ALCS	D061014ALCS	ORG 75-35-4	1,1-Dichloroethene	56		ug/L	1	0.47	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3343	50	112%		
D061014ALCS	D061014ALCS	ORG 75-09-2	Methylene chloride	37		ug/L	5	0.26	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3343	50	74%		
D061014ALCS	D061014ALCS	ORG 67-64-1	Acetone	44		ug/L	10	1.56	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3343	50	88%		
D061014ALCS	D061014ALCS	ORG 156-60-5	trans-1,2-Dichloroethene	38		ug/L	1	0.56	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3343	50	76%		
D061014ALCS	D061014ALCS	ORG 1634-04-4	MTBE	50		ug/L	5	0.61	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3343	50	100%		
D061014ALCS	D061014ALCS	ORG 75-34-3	1,1-Dichloroethane	51		ug/L	1	0.53	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3343	50	102%		
D061014ALCS	D061014ALCS	ORG 156-59-2	cis-1,2-Dichloroethene	52		ug/L	1	0.32	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3343	50	104%		
D061014ALCS	D061014ALCS	ORG 74-97-5	Bromochloromethane	53		ug/L	10	0.41	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3343	50	106%		
D061014ALCS	D061014ALCS	ORG 67-66-3	Chloroform	54		ug/L	2	0.16	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3343	50	108%		
D061014ALCS	D061014ALCS	ORG 71-55-6	1,1,1-Trichloroethane	60		ug/L	1	0.17	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3343	50	120%		
D061014ALCS	D061014ALCS	ORG 78-93-3	2-Butanone	56		ug/L	1	0.81	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3343	50	112%		
D061014ALCS	D061014ALCS	ORG 56-23-5	Carbon tetrachloride	54		ug/L	1	0.28	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3343	50	108%		
D061014ALCS	D061014ALCS	ORG 71-43-2	Benzene	50		ug/L	1	0.14	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3343	50	100%		
D061014ALCS	D061014ALCS	ORG 107-06-2	1,2-Dichloroethane	52		ug/L	1	0.20	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3343	50	104%		
D061014ALCS	D061014ALCS	ORG 79-01-6	Trichloroethene	52		ug/L	1	0.36	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3343	50	104%		
D061014ALCS	D061014ALCS	ORG 74-95-3	Dibromomethane	53		ug/L	2	0.32	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3343	50	106%		
D061014ALCS	D061014ALCS	ORG 78-87-5	1,2-Dichloropropane	50		ug/L	1	0.18	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3343	50	100%		
D061014ALCS	D061014ALCS	ORG 75-27-4	Bromodichloromethane	59		ug/L	2	0.12	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3343	50	118%		
D061014ALCS	D061014ALCS	ORG 10061-01-5	cis-1,3-Dichloropropene	62		ug/L	1	0.25	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3343	50	124%		
D061014ALCS	D061014ALCS	ORG 108-88-3	Toluene	48		ug/L	1	0.21	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3343	50	96%		
D061014ALCS	D061014ALCS	ORG 108-10-1	4-Methyl-2-pentanone	46		ug/L	5	0.74	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3343	50	92%		
D061014ALCS	D061014ALCS	ORG 10061-02-6	trans-1,3-Dichloropropene	60		ug/L	1	0.31	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3343	50	120%		
D061014ALCS	D061014ALCS	ORG 127-18-4	Tetrachloroethene	49		ug/L	1	0.49	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3343	50	98%		
D061014ALCS	D061014ALCS	ORG 79-00-5	1,1,2-Trichloroethane	52		ug/L	1	0.34	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3343	50	104%		
D061014ALCS	D061014ALCS	ORG 124-48-1	Dibromochloromethane	59		ug/L	5	0.30	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3343	50	118%		
D061014ALCS	D061014ALCS	ORG 106-93-4	1,2-Dibromoethane	53		ug/L	2	0.26	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3343	50	106%		
D061014ALCS	D061014ALCS	ORG 591-78-6	2-Hexanone	53		ug/L	2	0.69	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3343	50	106%		
D061014ALCS	D061014ALCS	ORG 100-41-4	Ethylbenzene	53		ug/L	1	0.25	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3343	50	106%		
D061014ALCS	D061014ALCS	ORG 108-90-7	Chlorobenzene	52		ug/L	1	0.28	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3343	50	104%		
D061014ALCS	D061014ALCS	ORG 630-20-6	1,1,1,2-Tetrachloroethane	61		ug/L	2	0.19	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3343	50	122%		
D061014ALCS	D061014ALCS	ORG XYLMP	p&m-Xylene	104		ug/L	2	0.26	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3343	100	104%		
D061014ALCS	D061014ALCS	ORG 95-47-6	o-Xylene	53		ug/L	1	0.13	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3343	50	106%		
D061014ALCS	D061014ALCS	ORG 100-42-5	Styrene	55		ug/L	1	0.20	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3343	50	110%		
D061014ALCS	D061014ALCS	ORG 75-25-2	Bromoform	56		ug/L	2	0.47	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3343	50	112%		
D061014ALCS	D061014ALCS	ORG 98-82-8	Isopropylbenzene	53		ug/L	2	0.20	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3343	50	106%		
D061014ALCS	D061014ALCS	ORG 103-65-1	n-Propylbenzene	53		ug/L	2	0.27	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3343	50	106%		
D061014ALCS	D061014ALCS	ORG 79-34-5	1,1,2,2-Tetrachloroethane	49		ug/L	2	0.29	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3343	50	98%		

Confidential
D061014AVPP

D061014AVPP



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D061014ALCS	D061014ALCS	ORG 96-18-4	1,2,3-Trichloropropane	47		ug/L	2	0.29	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3343	50	94%		
D061014ALCS	D061014ALCS	ORG 108-67-8	1,3,5-Trimethylbenzene	54		ug/L	2	0.20	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3343	50	108%		
D061014ALCS	D061014ALCS	ORG 98-06-6	tert-Butylbenzene	56		ug/L	2	0.33	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3343	50	112%		
D061014ALCS	D061014ALCS	ORG 95-63-6	1,2,4-Trimethylbenzene	53		ug/L	2	0.20	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3343	50	106%		
D061014ALCS	D061014ALCS	ORG 135-98-8	sec-Butylbenzene	54		ug/L	2	0.32	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3343	50	108%		
D061014ALCS	D061014ALCS	ORG 541-73-1	1,3-Dichlorobenzene	50		ug/L	2	0.22	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3343	50	100%		
D061014ALCS	D061014ALCS	ORG 99-87-6	p-Isopropyltoluene	55		ug/L	2	0.25	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3343	50	110%		
D061014ALCS	D061014ALCS	ORG 106-46-7	1,4-Dichlorobenzene	51		ug/L	2	0.33	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3343	50	102%		
D061014ALCS	D061014ALCS	ORG 95-50-1	1,2-Dichlorobenzene	50		ug/L	2	0.26	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3343	50	100%		
D061014ALCS	D061014ALCS	ORG 104-51-8	n-Butylbenzene	55		ug/L	5	0.28	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3343	50	110%		
D061014ALCS	D061014ALCS	ORG 96-12-8	1,2-Dibromo-3-chloropropane	53		ug/L	5	1.59	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3343	50	106%		
D061014ALCS	D061014ALCS	ORG 87-68-3	Hexachlorobutadiene	60		ug/L	5	0.65	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3343	50	120%		
D061014ALCS	D061014ALCS	ORG 120-82-1	1,2,4-Trichlorobenzene	53		ug/L	5	0.28	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3343	50	106%		
D061014ALCS	D061014ALCS	ORG 91-20-3	Naphthalene	50		ug/L	5	0.56	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3343	50	100%		
D061014ALCS	D061014ALCS	ORG 87-61-6	1,2,3-Trichlorobenzene	52		ug/L	5	0.23	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3343	50	104%		
D061014ALCS	D061014ALCS	STD 1868-53-7	Dibromofluoromethane	54		ug/L	1	0.10	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3343	50	108%		
D061014ALCS	D061014ALCS	STD 17060-07-0	1,2-Dichloroethane d4	51		ug/L	1	0.10	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3343	50	102%		
D061014ALCS	D061014ALCS	STD 2037-26-5	Toluene d8	51		ug/L	1	0.10	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3343	50	102%		
D061014ALCS	D061014ALCS	STD 460-00-4	Bromofluorobenzene	50		ug/L	1	0.10	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3343	50	100%		



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@nevagelandmark.com

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

FINAL ANALYTICAL REPORT

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

- B = Analyte is found in the associated blank as well as in the sample.
- D = Compound identified in an analysis at a secondary dilution factor.
- E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
- X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
- J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
- M = Matrix assessment, QC analyses parameter exceeded control limits.
- U = Non-detect

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D061014ALCD	D061014ALCD	ORG 75-71-8	Dichlorodifluoromethane	38		ug/L	5	0.29	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3344	50	76%	3%	
D061014ALCD	D061014ALCD	ORG 74-87-3	Chloromethane	39		ug/L	5	0.43	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3344	50	78%	3%	
D061014ALCD	D061014ALCD	ORG 75-01-4	Vinyl chloride	46		ug/L	2	0.32	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3344	50	92%	2%	
D061014ALCD	D061014ALCD	ORG 74-83-9	Bromomethane	71		ug/L	5	0.50	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3344	50	142%	4%	
D061014ALCD	D061014ALCD	ORG 75-00-3	Chloroethane	59		ug/L	5	0.56	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3344	50	118%	2%	
D061014ALCD	D061014ALCD	ORG 75-69-4	Trichlorofluoromethane	219		ug/L	5	0.20	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3344	50	438%	62%	
D061014ALCD	D061014ALCD	ORG 75-35-4	1,1-Dichloroethene	55		ug/L	1	0.47	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3344	50	110%	2%	
D061014ALCD	D061014ALCD	ORG 75-09-2	Methylene chloride	37		ug/L	5	0.26	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3344	50	74%	0%	
D061014ALCD	D061014ALCD	ORG 67-64-1	Acetone	41		ug/L	10	1.56	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3344	50	82%	7%	
D061014ALCD	D061014ALCD	ORG 156-60-5	trans-1,2-Dichloroethene	40		ug/L	1	0.56	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3344	50	80%	5%	
D061014ALCD	D061014ALCD	ORG 1634-04-4	MTBE	51		ug/L	5	0.61	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3344	50	102%	2%	
D061014ALCD	D061014ALCD	ORG 75-34-3	1,1-Dichloroethane	52		ug/L	1	0.53	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3344	50	104%	2%	
D061014ALCD	D061014ALCD	ORG 156-59-2	cis-1,2-Dichloroethene	53		ug/L	1	0.32	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3344	50	106%	2%	
D061014ALCD	D061014ALCD	ORG 74-97-5	Bromochloromethane	54		ug/L	10	0.41	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3344	50	108%	2%	
D061014ALCD	D061014ALCD	ORG 67-66-3	Chloroform	55		ug/L	2	0.16	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3344	50	110%	2%	
D061014ALCD	D061014ALCD	ORG 71-55-6	1,1,1-Trichloroethane	61		ug/L	1	0.17	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3344	50	122%	2%	
D061014ALCD	D061014ALCD	ORG 78-93-3	2-Butanone	59		ug/L	1	0.81	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3344	50	118%	5%	
D061014ALCD	D061014ALCD	ORG 56-23-5	Carbon tetrachloride	58		ug/L	1	0.28	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3344	50	116%	7%	
D061014ALCD	D061014ALCD	ORG 71-43-2	Benzene	50		ug/L	1	0.14	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3344	50	100%	0%	
D061014ALCD	D061014ALCD	ORG 107-06-2	1,2-Dichloroethane	53		ug/L	1	0.20	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3344	50	106%	2%	
D061014ALCD	D061014ALCD	ORG 79-01-6	Trichloroethene	53		ug/L	1	0.36	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3344	50	106%	2%	
D061014ALCD	D061014ALCD	ORG 74-95-3	Dibromomethane	54		ug/L	2	0.32	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3344	50	108%	2%	
D061014ALCD	D061014ALCD	ORG 78-87-5	1,2-Dichloropropane	51		ug/L	1	0.18	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3344	50	102%	2%	
D061014ALCD	D061014ALCD	ORG 75-27-4	Bromodichloromethane	59		ug/L	2	0.12	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3344	50	118%	0%	
D061014ALCD	D061014ALCD	ORG 10061-01-5	cis-1,3-Dichloropropene	60		ug/L	1	0.25	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3344	50	120%	3%	
D061014ALCD	D061014ALCD	ORG 108-88-3	Toluene	48		ug/L	1	0.21	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3344	50	96%	0%	
D061014ALCD	D061014ALCD	ORG 108-10-1	4-Methyl-2-pentanone	47		ug/L	5	0.74	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3344	50	94%	2%	
D061014ALCD	D061014ALCD	ORG 10061-02-6	trans-1,3-Dichloropropene	59		ug/L	1	0.31	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3344	50	118%	2%	
D061014ALCD	D061014ALCD	ORG 127-18-4	Tetrachloroethene	49		ug/L	1	0.49	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3344	50	98%	0%	
D061014ALCD	D061014ALCD	ORG 79-00-5	1,1,2-Trichloroethane	52		ug/L	1	0.34	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3344	50	104%	0%	
D061014ALCD	D061014ALCD	ORG 124-48-1	Dibromochloromethane	60		ug/L	5	0.30	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3344	50	120%	2%	
D061014ALCD	D061014ALCD	ORG 106-93-4	1,2-Dibromoethane	53		ug/L	2	0.26	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3344	50	106%	0%	
D061014ALCD	D061014ALCD	ORG 591-78-6	2-Hexanone	53		ug/L	2	0.69	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3344	50	106%	0%	
D061014ALCD	D061014ALCD	ORG 100-41-4	Ethylbenzene	54		ug/L	1	0.25	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3344	50	108%	2%	
D061014ALCD	D061014ALCD	ORG 108-90-7	Chlorobenzene	53		ug/L	1	0.28	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3344	50	106%	2%	
D061014ALCD	D061014ALCD	ORG 630-20-6	1,1,1,2-Tetrachloroethane	62		ug/L	2	0.19	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3344	50	124%	2%	
D061014ALCD	D061014ALCD	ORG XYLMP	p&m-Xylene	105		ug/L	2	0.26	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3344	100	105%	1%	
D061014ALCD	D061014ALCD	ORG 95-47-6	o-Xylene	54		ug/L	1	0.13	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3344	50	108%	2%	
D061014ALCD	D061014ALCD	ORG 100-42-5	Styrene	56		ug/L	1	0.20	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3344	50	112%	2%	
D061014ALCD	D061014ALCD	ORG 75-25-2	Bromoform	58		ug/L	2	0.47	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3344	50	116%	4%	
D061014ALCD	D061014ALCD	ORG 98-82-8	Isopropylbenzene	54		ug/L	2	0.20	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3344	50	108%	2%	
D061014ALCD	D061014ALCD	ORG 103-65-1	n-Propylbenzene	54		ug/L	2	0.27	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3344	50	108%	2%	
D061014ALCD	D061014ALCD	ORG 79-34-5	1,1,2,2-Tetrachloroethane	49		ug/L	2	0.29	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3344	50	98%	0%	



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@nevagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D061014ALCD	D061014ALCD	ORG 96-18-4	1,2,3-Trichloropropane	48		ug/L	2	0.29	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3344	50	96%	2%	
D061014ALCD	D061014ALCD	ORG 108-67-8	1,3,5-Trimethylbenzene	55		ug/L	2	0.20	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3344	50	110%	2%	
D061014ALCD	D061014ALCD	ORG 98-06-6	tert-Butylbenzene	56		ug/L	2	0.33	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3344	50	112%	0%	
D061014ALCD	D061014ALCD	ORG 95-63-6	1,2,4-Trimethylbenzene	53		ug/L	2	0.20	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3344	50	106%	0%	
D061014ALCD	D061014ALCD	ORG 135-98-8	sec-Butylbenzene	55		ug/L	2	0.32	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3344	50	110%	2%	
D061014ALCD	D061014ALCD	ORG 541-73-1	1,3-Dichlorobenzene	51		ug/L	2	0.22	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3344	50	102%	2%	
D061014ALCD	D061014ALCD	ORG 99-87-6	p-Isopropyltoluene	55		ug/L	2	0.25	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3344	50	110%	0%	
D061014ALCD	D061014ALCD	ORG 106-46-7	1,4-Dichlorobenzene	51		ug/L	2	0.33	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3344	50	102%	0%	
D061014ALCD	D061014ALCD	ORG 95-50-1	1,2-Dichlorobenzene	51		ug/L	2	0.26	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3344	50	102%	2%	
D061014ALCD	D061014ALCD	ORG 104-51-8	n-Butylbenzene	55		ug/L	5	0.28	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3344	50	110%	0%	
D061014ALCD	D061014ALCD	ORG 96-12-8	1,2-Dibromo-3-chloropropane	54		ug/L	5	1.59	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3344	50	108%	2%	
D061014ALCD	D061014ALCD	ORG 87-68-3	Hexachlorobutadiene	59		ug/L	5	0.65	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3344	50	118%	2%	
D061014ALCD	D061014ALCD	ORG 120-82-1	1,2,4-Trichlorobenzene	53		ug/L	5	0.28	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3344	50	106%	0%	
D061014ALCD	D061014ALCD	ORG 91-20-3	Naphthalene	50		ug/L	5	0.56	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3344	50	100%	0%	
D061014ALCD	D061014ALCD	ORG 87-61-6	1,2,3-Trichlorobenzene	51		ug/L	5	0.23	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3344	50	102%	2%	
D061014ALCD	D061014ALCD	STD 1868-53-7	Dibromofluoromethane	53		ug/L	1	0.10	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3344	50	106%	2%	
D061014ALCD	D061014ALCD	STD 17060-07-0	1,2-Dichloroethane d4	52		ug/L	1	0.10	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3344	50	104%	2%	
D061014ALCD	D061014ALCD	STD 2037-26-5	Toluene d8	50		ug/L	1	0.10	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3344	50	100%	2%	
D061014ALCD	D061014ALCD	STD 460-00-4	Bromofluorobenzene	50		ug/L	1	0.10	NA	6/10/2014	6/10/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3344	50	100%	0%	



New Age/Landmark Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@nevagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

Table with 23 columns: Lab ID, Sample ID, CAS #, ANALYTES, Results, QC, Units, RDL, MDL, Sample Date, Prep. Date, Analysis Date, Matrix, Dil., Weight(g), Vol.(ml), % Solid, Method, Data file, Spike, % Rec, % RPD, Parent. Contains 40 rows of analytical data.



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
 Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1495MS	316-326	ORG 96-18-4	1,2,3-Trichloropropane	5000		ug/L	200	29.47	6/10/2014	6/10/2014	6/10/2014	WG	100	NA	5.0	NA	SW8260B	NALD3350	5000	100%		
NAL13026-1495MS	316-326	ORG 108-67-8	1,3,5-Trimethylbenzene	5600		ug/L	200	20.03	6/10/2014	6/10/2014	6/10/2014	WG	100	NA	5.0	NA	SW8260B	NALD3350	5000	108%		190
NAL13026-1495MS	316-326	ORG 98-06-6	tert-Butylbenzene	5600		ug/L	200	32.61	6/10/2014	6/10/2014	6/10/2014	WG	100	NA	5.0	NA	SW8260B	NALD3350	5000	112%		
NAL13026-1495MS	316-326	ORG 95-63-6	1,2,4-Trimethylbenzene	6400		ug/L	200	20.03	6/10/2014	6/10/2014	6/10/2014	WG	100	NA	5.0	NA	SW8260B	NALD3350	5000	108%		1000
NAL13026-1495MS	316-326	ORG 135-98-8	sec-Butylbenzene	5600		ug/L	200	32.34	6/10/2014	6/10/2014	6/10/2014	WG	100	NA	5.0	NA	SW8260B	NALD3350	5000	111%		52
NAL13026-1495MS	316-326	ORG 541-73-1	1,3-Dichlorobenzene	5100		ug/L	200	22.21	6/10/2014	6/10/2014	6/10/2014	WG	100	NA	5.0	NA	SW8260B	NALD3350	5000	102%		
NAL13026-1495MS	316-326	ORG 99-87-6	p-Isopropyltoluene	11000		ug/L	200	25.48	6/10/2014	6/10/2014	6/10/2014	WG	100	NA	5.0	NA	SW8260B	NALD3350	5000	98%		6100
NAL13026-1495MS	316-326	ORG 106-46-7	1,4-Dichlorobenzene	6200		ug/L	200	33.03	6/10/2014	6/10/2014	6/10/2014	WG	100	NA	5.0	NA	SW8260B	NALD3350	5000	100%		1200
NAL13026-1495MS	316-326	ORG 95-50-1	1,2-Dichlorobenzene	5100		ug/L	200	26.38	6/10/2014	6/10/2014	6/10/2014	WG	100	NA	5.0	NA	SW8260B	NALD3350	5000	102%		
NAL13026-1495MS	316-326	ORG 104-51-8	n-Butylbenzene	5600		ug/L	500	27.81	6/10/2014	6/10/2014	6/10/2014	WG	100	NA	5.0	NA	SW8260B	NALD3350	5000	109%		170
NAL13026-1495MS	316-326	ORG 96-12-8	1,2-Dibromo-3-chloropropane	6300		ug/L	500	159.11	6/10/2014	6/10/2014	6/10/2014	WG	100	NA	5.0	NA	SW8260B	NALD3350	5000	126%		
NAL13026-1495MS	316-326	ORG 87-68-3	Hexachlorobutadiene	5300		ug/L	500	65.42	6/10/2014	6/10/2014	6/10/2014	WG	100	NA	5.0	NA	SW8260B	NALD3350	5000	106%		
NAL13026-1495MS	316-326	ORG 120-82-1	1,2,4-Trichlorobenzene	5300		ug/L	500	27.63	6/10/2014	6/10/2014	6/10/2014	WG	100	NA	5.0	NA	SW8260B	NALD3350	5000	106%		
NAL13026-1495MS	316-326	ORG 91-20-3	Naphthalene	8300		ug/L	500	56.04	6/10/2014	6/10/2014	6/10/2014	WG	100	NA	5.0	NA	SW8260B	NALD3350	5000	106%		3000
NAL13026-1495MS	316-326	ORG 87-61-6	1,2,3-Trichlorobenzene	5100		ug/L	500	23.28	6/10/2014	6/10/2014	6/10/2014	WG	100	NA	5.0	NA	SW8260B	NALD3350	5000	102%		
NAL13026-1495MS	316-326	STD 1868-53-7	Dibromofluoromethane	53		ug/L	1	0.10	6/10/2014	6/10/2014	6/10/2014	WG	100	NA	5.0	NA	SW8260B	NALD3350	50	106%		
NAL13026-1495MS	316-326	STD 17060-07-0	1,2-Dichloroethane d4	52		ug/L	1	0.10	6/10/2014	6/10/2014	6/10/2014	WG	100	NA	5.0	NA	SW8260B	NALD3350	50	104%		
NAL13026-1495MS	316-326	STD 2037-26-5	Toluene d8	50		ug/L	1	0.10	6/10/2014	6/10/2014	6/10/2014	WG	100	NA	5.0	NA	SW8260B	NALD3350	50	100%		
NAL13026-1495MS	316-326	STD 460-00-4	Bromofluorobenzene	50		ug/L	1	0.10	6/10/2014	6/10/2014	6/10/2014	WG	100	NA	5.0	NA	SW8260B	NALD3350	50	100%		



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@nevagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1495MSD	316-326	ORG 96-18-4	1,2,3-Trichloropropane	4800		ug/L	200	29.47	6/10/2014	6/10/2014	6/10/2014	WG	100	NA	5.0	NA	SW8260B	NALD3351	5000	96%	4%	
NAL13026-1495MSD	316-326	ORG 108-67-8	1,3,5-Trimethylbenzene	5700		ug/L	200	20.03	6/10/2014	6/10/2014	6/10/2014	WG	100	NA	5.0	NA	SW8260B	NALD3351	5000	110%	2%	190
NAL13026-1495MSD	316-326	ORG 98-06-6	tert-Butylbenzene	5700		ug/L	200	32.61	6/10/2014	6/10/2014	6/10/2014	WG	100	NA	5.0	NA	SW8260B	NALD3351	5000	114%	2%	
NAL13026-1495MSD	316-326	ORG 95-63-6	1,2,4-Trimethylbenzene	6400		ug/L	200	20.03	6/10/2014	6/10/2014	6/10/2014	WG	100	NA	5.0	NA	SW8260B	NALD3351	5000	108%	0%	1000
NAL13026-1495MSD	316-326	ORG 135-98-8	sec-Butylbenzene	5600		ug/L	200	32.34	6/10/2014	6/10/2014	6/10/2014	WG	100	NA	5.0	NA	SW8260B	NALD3351	5000	111%	0%	52
NAL13026-1495MSD	316-326	ORG 541-73-1	1,3-Dichlorobenzene	5100		ug/L	200	22.21	6/10/2014	6/10/2014	6/10/2014	WG	100	NA	5.0	NA	SW8260B	NALD3351	5000	102%	0%	
NAL13026-1495MSD	316-326	ORG 99-87-6	p-Isopropyltoluene	11000		ug/L	200	25.48	6/10/2014	6/10/2014	6/10/2014	WG	100	NA	5.0	NA	SW8260B	NALD3351	5000	98%	0%	6100
NAL13026-1495MSD	316-326	ORG 106-46-7	1,4-Dichlorobenzene	6300		ug/L	200	33.03	6/10/2014	6/10/2014	6/10/2014	WG	100	NA	5.0	NA	SW8260B	NALD3351	5000	102%	2%	1200
NAL13026-1495MSD	316-326	ORG 95-50-1	1,2-Dichlorobenzene	5000		ug/L	200	26.38	6/10/2014	6/10/2014	6/10/2014	WG	100	NA	5.0	NA	SW8260B	NALD3351	5000	100%	2%	
NAL13026-1495MSD	316-326	ORG 104-51-8	n-Butylbenzene	5800		ug/L	500	27.81	6/10/2014	6/10/2014	6/10/2014	WG	100	NA	5.0	NA	SW8260B	NALD3351	5000	113%	4%	170
NAL13026-1495MSD	316-326	ORG 96-12-8	1,2-Dibromo-3-chloropropane	5800		ug/L	500	159.11	6/10/2014	6/10/2014	6/10/2014	WG	100	NA	5.0	NA	SW8260B	NALD3351	5000	116%	8%	
NAL13026-1495MSD	316-326	ORG 87-68-3	Hexachlorobutadiene	5600		ug/L	500	65.42	6/10/2014	6/10/2014	6/10/2014	WG	100	NA	5.0	NA	SW8260B	NALD3351	5000	112%	6%	
NAL13026-1495MSD	316-326	ORG 120-82-1	1,2,4-Trichlorobenzene	5300		ug/L	500	27.63	6/10/2014	6/10/2014	6/10/2014	WG	100	NA	5.0	NA	SW8260B	NALD3351	5000	106%	0%	
NAL13026-1495MSD	316-326	ORG 91-20-3	Naphthalene	8000		ug/L	500	56.04	6/10/2014	6/10/2014	6/10/2014	WG	100	NA	5.0	NA	SW8260B	NALD3351	5000	100%	4%	3000
NAL13026-1495MSD	316-326	ORG 87-61-6	1,2,3-Trichlorobenzene	5100		ug/L	500	23.28	6/10/2014	6/10/2014	6/10/2014	WG	100	NA	5.0	NA	SW8260B	NALD3351	5000	102%	0%	
NAL13026-1495MSD	316-326	STD 1868-53-7	Dibromofluoromethane	53		ug/L	1	0.10	6/10/2014	6/10/2014	6/10/2014	WG	100	NA	5.0	NA	SW8260B	NALD3351	50	106%	0%	
NAL13026-1495MSD	316-326	STD 17060-07-0	1,2-Dichloroethane d4	50		ug/L	1	0.10	6/10/2014	6/10/2014	6/10/2014	WG	100	NA	5.0	NA	SW8260B	NALD3351	50	100%	4%	
NAL13026-1495MSD	316-326	STD 2037-26-5	Toluene d8	51		ug/L	1	0.10	6/10/2014	6/10/2014	6/10/2014	WG	100	NA	5.0	NA	SW8260B	NALD3351	50	102%	2%	
NAL13026-1495MSD	316-326	STD 460-00-4	Bromofluorobenzene	50		ug/L	1	0.10	6/10/2014	6/10/2014	6/10/2014	WG	100	NA	5.0	NA	SW8260B	NALD3351	50	100%	0%	



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@nevagelandmark.com

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

FINAL ANALYTICAL REPORT

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1497	316-327	ORG 75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3357				
NAL13026-1497	316-327	ORG 74-87-3	Chloromethane		U	ug/L	500	43.07	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3357				
NAL13026-1497	316-327	ORG 75-01-4	Vinyl chloride		U	ug/L	200	31.86	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3357				
NAL13026-1497	316-327	ORG 74-83-9	Bromomethane		U	ug/L	500	50.04	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3357				
NAL13026-1497	316-327	ORG 75-00-3	Chloroethane		U	ug/L	500	55.61	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3357				
NAL13026-1497	316-327	ORG 75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3357				
NAL13026-1497	316-327	ORG 75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3357				
NAL13026-1497	316-327	ORG 75-09-2	Methylene chloride		UX-	ug/L	500	26.46	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3357				
NAL13026-1497	316-327	ORG 67-64-1	Acetone	89000	D	ug/L	10000	1556.07	6/11/2014	6/11/2014	6/11/2014	WG	1000	NA	5.0	NA	SW8260B	NALD3358				
NAL13026-1497	316-327	ORG 156-60-5	trans-1,2-Dichloroethene		UX-	ug/L	100	55.61	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3357				
NAL13026-1497	316-327	ORG 1634-04-4	MTBE		U	ug/L	500	61.18	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3357				
NAL13026-1497	316-327	ORG 75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3357				
NAL13026-1497	316-327	ORG 156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3357				
NAL13026-1497	316-327	ORG 74-97-5	Bromochloromethane		U	ug/L	200	41.37	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3357				
NAL13026-1497	316-327	ORG 67-66-3	Chloroform		U	ug/L	100	15.73	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3357				
NAL13026-1497	316-327	ORG 71-55-6	1,1,1-Trichloroethane		U	ug/L	100	16.65	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3357				
NAL13026-1497	316-327	ORG 78-93-3	2-Butanone	20000	D	ug/L	10000	811.80	6/11/2014	6/11/2014	6/11/2014	WG	1000	NA	5.0	NA	SW8260B	NALD3358				
NAL13026-1497	316-327	ORG 56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3357				
NAL13026-1497	316-327	ORG 71-43-2	Benzene		U	ug/L	100	13.53	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3357				
NAL13026-1497	316-327	ORG 107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3357				
NAL13026-1497	316-327	ORG 79-01-6	Trichloroethene		U	ug/L	100	36.33	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3357				
NAL13026-1497	316-327	ORG 74-95-3	Dibromomethane		U	ug/L	200	32.20	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3357				
NAL13026-1497	316-327	ORG 78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3357				
NAL13026-1497	316-327	ORG 75-27-4	Bromodichloromethane		U	ug/L	200	11.58	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3357				
NAL13026-1497	316-327	ORG 10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3357				
NAL13026-1497	316-327	ORG 108-88-3	Toluene		U	ug/L	100	20.96	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3357				
NAL13026-1497	316-327	ORG 108-10-1	4-Methyl-2-pentanone	430	J	ug/L	500	74.00	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3357				
NAL13026-1497	316-327	ORG 10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3357				
NAL13026-1497	316-327	ORG 127-18-4	Tetrachloroethene		U	ug/L	100	48.56	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3357				
NAL13026-1497	316-327	ORG 79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3357				
NAL13026-1497	316-327	ORG 124-48-1	Dibromochloromethane		U	ug/L	200	29.90	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3357				
NAL13026-1497	316-327	ORG 106-93-4	1,2-Dibromoethane		U	ug/L	200	26.49	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3357				
NAL13026-1497	316-327	ORG 591-78-6	2-Hexanone	890	U	ug/L	500	68.90	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3357				
NAL13026-1497	316-327	ORG 100-41-4	Ethylbenzene		U	ug/L	100	25.38	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3357				
NAL13026-1497	316-327	ORG 108-90-7	Chlorobenzene		U	ug/L	100	27.52	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3357				
NAL13026-1497	316-327	ORG 630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3357				
NAL13026-1497	316-327	ORG XYLMP	p&m-Xylene	27	J	ug/L	200	26.14	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3357				
NAL13026-1497	316-327	ORG 95-47-6	o-Xylene	24	J	ug/L	100	12.90	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3357				
NAL13026-1497	316-327	ORG 100-42-5	Styrene		U	ug/L	100	20.23	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3357				
NAL13026-1497	316-327	ORG 75-25-2	Bromoform		U	ug/L	200	46.83	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3357				
NAL13026-1497	316-327	ORG 98-82-8	Isopropylbenzene		U	ug/L	200	20.48	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3357				
NAL13026-1497	316-327	ORG 103-65-1	n-Propylbenzene	37	J	ug/L	200	27.00	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3357				
NAL13026-1497	316-327	ORG 79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3357				

Confidential
D061114AVPP

D061114AVPP



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

- B** = Analyte is found in the associated blank as well as in the sample.
- D** = Compound identified in an analysis at a secondary dilution factor.
- E** = Compound's concentration exceeds the calibration range of the instrument at this dilution.
- X** = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
- J** = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
- M** = Matrix assessment, QC analyses parameter exceeded control limits.
- U** = Non-detect
- * NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1497	316-327	ORG 96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3357				
NAL13026-1497	316-327	ORG 108-67-8	1,3,5-Trimethylbenzene	94	J	ug/L	200	20.03	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3357				
NAL13026-1497	316-327	ORG 98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3357				
NAL13026-1497	316-327	ORG 95-63-6	1,2,4-Trimethylbenzene	570		ug/L	200	20.03	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3357				
NAL13026-1497	316-327	ORG 135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3357				
NAL13026-1497	316-327	ORG 541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3357				
NAL13026-1497	316-327	ORG 99-87-6	p-Isopropyltoluene	3700		ug/L	200	25.48	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3357				
NAL13026-1497	316-327	ORG 106-46-7	1,4-Dichlorobenzene	750		ug/L	200	33.03	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3357				
NAL13026-1497	316-327	ORG 95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3357				
NAL13026-1497	316-327	ORG 104-51-8	n-Butylbenzene	150	J	ug/L	500	27.81	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3357				
NAL13026-1497	316-327	ORG 96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3357				
NAL13026-1497	316-327	ORG 87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3357				
NAL13026-1497	316-327	ORG 120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3357				
NAL13026-1497	316-327	ORG 91-20-3	Naphthalene	2400		ug/L	500	56.04	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3357				
NAL13026-1497	316-327	ORG 87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3357				
NAL13026-1497	316-327	STD 1868-53-7	Dibromofluoromethane	52		ug/L	1	0.10	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3357	50	104%		
NAL13026-1497	316-327	STD 17060-07-0	1,2-Dichloroethane d4	53		ug/L	1	0.10	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3357	50	106%		
NAL13026-1497	316-327	STD 2037-26-5	Toluene d8	52		ug/L	1	0.10	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3357	50	104%		
NAL13026-1497	316-327	STD 460-00-4	Bromofluorobenzene	51		ug/L	1	0.10	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3357	50	102%		

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

- B** = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assessment, QC analyses parameter exceeded control limits.
U = Non-detect
 * NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1498	T1 INF	ORG 75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3363				
NAL13026-1498	T1 INF	ORG 74-87-3	Chloromethane		U	ug/L	500	43.07	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3363				
NAL13026-1498	T1 INF	ORG 75-01-4	Vinyl chloride		U	ug/L	200	31.86	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3363				
NAL13026-1498	T1 INF	ORG 74-83-9	Bromomethane		U	ug/L	500	50.04	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3363				
NAL13026-1498	T1 INF	ORG 75-00-3	Chloroethane		U	ug/L	500	55.61	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3363				
NAL13026-1498	T1 INF	ORG 75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3363				
NAL13026-1498	T1 INF	ORG 75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3363				
NAL13026-1498	T1 INF	ORG 75-09-2	Methylene chloride		UX-	ug/L	500	26.46	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3363				
NAL13026-1498	T1 INF	ORG 67-64-1	Acetone	65000	D	ug/L	10000	1556.07	6/11/2014	6/11/2014	6/11/2014	WG	1000	NA	5.0	NA	SW8260B	NALD3364				
NAL13026-1498	T1 INF	ORG 156-60-5	trans-1,2-Dichloroethene		UX-	ug/L	100	55.61	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3363				
NAL13026-1498	T1 INF	ORG 1634-04-4	MTBE		U	ug/L	500	61.18	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3363				
NAL13026-1498	T1 INF	ORG 75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3363				
NAL13026-1498	T1 INF	ORG 156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3363				
NAL13026-1498	T1 INF	ORG 74-97-5	Bromochloromethane		U	ug/L	200	41.37	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3363				
NAL13026-1498	T1 INF	ORG 67-66-3	Chloroform		U	ug/L	100	15.73	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3363				
NAL13026-1498	T1 INF	ORG 71-55-6	1,1,1-Trichloroethane		U	ug/L	100	16.65	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3363				
NAL13026-1498	T1 INF	ORG 78-93-3	2-Butanone	17000	D	ug/L	10000	811.80	6/11/2014	6/11/2014	6/11/2014	WG	1000	NA	5.0	NA	SW8260B	NALD3364				
NAL13026-1498	T1 INF	ORG 56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3363				
NAL13026-1498	T1 INF	ORG 71-43-2	Benzene	450		ug/L	100	13.53	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3363				
NAL13026-1498	T1 INF	ORG 107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3363				
NAL13026-1498	T1 INF	ORG 79-01-6	Trichloroethene		U	ug/L	100	36.33	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3363				
NAL13026-1498	T1 INF	ORG 74-95-3	Dibromomethane		U	ug/L	200	32.20	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3363				
NAL13026-1498	T1 INF	ORG 78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3363				
NAL13026-1498	T1 INF	ORG 75-27-4	Bromodichloromethane		U	ug/L	200	11.58	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3363				
NAL13026-1498	T1 INF	ORG 10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3363				
NAL13026-1498	T1 INF	ORG 108-88-3	Toluene	150		ug/L	100	20.96	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3363				
NAL13026-1498	T1 INF	ORG 108-10-1	4-Methyl-2-pentanone	520		ug/L	500	74.00	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3363				
NAL13026-1498	T1 INF	ORG 10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3363				
NAL13026-1498	T1 INF	ORG 127-18-4	Tetrachloroethene		U	ug/L	100	48.56	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3363				
NAL13026-1498	T1 INF	ORG 79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3363				
NAL13026-1498	T1 INF	ORG 124-48-1	Dibromochloromethane		U	ug/L	200	29.90	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3363				
NAL13026-1498	T1 INF	ORG 106-93-4	1,2-Dibromoethane		U	ug/L	200	26.49	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3363				
NAL13026-1498	T1 INF	ORG 591-78-6	2-Hexanone	1500		ug/L	500	68.90	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3363				
NAL13026-1498	T1 INF	ORG 100-41-4	Ethylbenzene	240		ug/L	100	25.38	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3363				
NAL13026-1498	T1 INF	ORG 108-90-7	Chlorobenzene	36	J	ug/L	100	27.52	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3363				
NAL13026-1498	T1 INF	ORG 630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3363				
NAL13026-1498	T1 INF	ORG XYLMP	p&m-Xylene	570		ug/L	200	26.14	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3363				
NAL13026-1498	T1 INF	ORG 95-47-6	o-Xylene	300		ug/L	100	12.90	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3363				
NAL13026-1498	T1 INF	ORG 100-42-5	Styrene		U	ug/L	100	20.23	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3363				
NAL13026-1498	T1 INF	ORG 75-25-2	Bromoform		U	ug/L	200	46.83	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3363				
NAL13026-1498	T1 INF	ORG 98-82-8	Isopropylbenzene	140	J	ug/L	200	20.48	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3363				
NAL13026-1498	T1 INF	ORG 103-65-1	n-Propylbenzene	140	J	ug/L	200	27.00	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3363				
NAL13026-1498	T1 INF	ORG 79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3363				

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

- B** = Analyte is found in the associated blank as well as in the sample.
- D** = Compound identified in an analysis at a secondary dilution factor.
- E** = Compound's concentration exceeds the calibration range of the instrument at this dilution.
- X** = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
- J** = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
- M** = Matrix assessment, QC analyses parameter exceeded control limits.
- U** = Non-detect
- * NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1498	T1 INF	ORG 96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3363				
NAL13026-1498	T1 INF	ORG 108-67-8	1,3,5-Trimethylbenzene	280		ug/L	200	20.03	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3363				
NAL13026-1498	T1 INF	ORG 98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3363				
NAL13026-1498	T1 INF	ORG 95-63-6	1,2,4-Trimethylbenzene	1300		ug/L	200	20.03	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3363				
NAL13026-1498	T1 INF	ORG 135-98-8	sec-Butylbenzene	46	J	ug/L	200	32.34	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3363				
NAL13026-1498	T1 INF	ORG 541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3363				
NAL13026-1498	T1 INF	ORG 99-87-6	p-Isopropyltoluene	5400		ug/L	200	25.48	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3363				
NAL13026-1498	T1 INF	ORG 106-46-7	1,4-Dichlorobenzene	1100		ug/L	200	33.03	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3363				
NAL13026-1498	T1 INF	ORG 95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3363				
NAL13026-1498	T1 INF	ORG 104-51-8	n-Butylbenzene	140	J	ug/L	500	27.81	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3363				
NAL13026-1498	T1 INF	ORG 96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3363				
NAL13026-1498	T1 INF	ORG 87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3363				
NAL13026-1498	T1 INF	ORG 120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3363				
NAL13026-1498	T1 INF	ORG 91-20-3	Naphthalene	1100		ug/L	500	56.04	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3363				
NAL13026-1498	T1 INF	ORG 87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3363				
NAL13026-1498	T1 INF	STD 1868-53-7	Dibromofluoromethane	53		ug/L	1	0.10	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3363	50	106%		
NAL13026-1498	T1 INF	STD 17060-07-0	1,2-Dichloroethane d4	52		ug/L	1	0.10	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3363	50	104%		
NAL13026-1498	T1 INF	STD 2037-26-5	Toluene d8	51		ug/L	1	0.10	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3363	50	102%		
NAL13026-1498	T1 INF	STD 460-00-4	Bromofluorobenzene	50		ug/L	1	0.10	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3363	50	100%		



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

- B** = Analyte is found in the associated blank as well as in the sample.
- D** = Compound identified in an analysis at a secondary dilution factor.
- E** = Compound's concentration exceeds the calibration range of the instrument at this dilution.
- X** = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
- J** = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
- M** = Matrix assessment, QC analyses parameter exceeded control limits.
- U** = Non-detect
- * NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1499	T1 EFF	ORG 96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALS3365				
NAL13026-1499	T1 EFF	ORG 108-67-8	1,3,5-Trimethylbenzene	170	J	ug/L	200	20.03	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALS3365				
NAL13026-1499	T1 EFF	ORG 98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALS3365				
NAL13026-1499	T1 EFF	ORG 95-63-6	1,2,4-Trimethylbenzene	810		ug/L	200	20.03	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALS3365				
NAL13026-1499	T1 EFF	ORG 135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALS3365				
NAL13026-1499	T1 EFF	ORG 541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALS3365				
NAL13026-1499	T1 EFF	ORG 99-87-6	p-Isopropyltoluene	3700		ug/L	200	25.48	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALS3365				
NAL13026-1499	T1 EFF	ORG 106-46-7	1,4-Dichlorobenzene	860		ug/L	200	33.03	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALS3365				
NAL13026-1499	T1 EFF	ORG 95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALS3365				
NAL13026-1499	T1 EFF	ORG 104-51-8	n-Butylbenzene	110	J	ug/L	500	27.81	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALS3365				
NAL13026-1499	T1 EFF	ORG 96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALS3365				
NAL13026-1499	T1 EFF	ORG 87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALS3365				
NAL13026-1499	T1 EFF	ORG 120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALS3365				
NAL13026-1499	T1 EFF	ORG 91-20-3	Naphthalene	1200		ug/L	500	56.04	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALS3365				
NAL13026-1499	T1 EFF	ORG 87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALS3365				
NAL13026-1499	T1 EFF	STD 1868-53-7	Dibromofluoromethane	53		ug/L	1	0.10	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALS3365	50	106%		
NAL13026-1499	T1 EFF	STD 17060-07-0	1,2-Dichloroethane d4	53		ug/L	1	0.10	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALS3365	50	106%		
NAL13026-1499	T1 EFF	STD 2037-26-5	Toluene d8	51		ug/L	1	0.10	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALS3365	50	102%		
NAL13026-1499	T1 EFF	STD 460-00-4	Bromofluorobenzene	50		ug/L	1	0.10	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALS3365	50	100%		



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@nevagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D061114CCVA	D061114CCVA	ORG 96-18-4	1,2,3-Trichloropropane	47		ug/L	2	0.29	NA	6/11/2014	6/11/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3354	50	94%		
D061114CCVA	D061114CCVA	ORG 108-67-8	1,3,5-Trimethylbenzene	53		ug/L	2	0.20	NA	6/11/2014	6/11/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3354	50	106%		
D061114CCVA	D061114CCVA	ORG 98-06-6	tert-Butylbenzene	54		ug/L	2	0.33	NA	6/11/2014	6/11/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3354	50	108%		
D061114CCVA	D061114CCVA	ORG 95-63-6	1,2,4-Trimethylbenzene	52		ug/L	2	0.20	NA	6/11/2014	6/11/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3354	50	104%		
D061114CCVA	D061114CCVA	ORG 135-98-8	sec-Butylbenzene	53		ug/L	2	0.32	NA	6/11/2014	6/11/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3354	50	106%		
D061114CCVA	D061114CCVA	ORG 541-73-1	1,3-Dichlorobenzene	50		ug/L	2	0.22	NA	6/11/2014	6/11/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3354	50	100%		
D061114CCVA	D061114CCVA	ORG 99-87-6	p-Isopropyltoluene	55		ug/L	2	0.25	NA	6/11/2014	6/11/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3354	50	110%		
D061114CCVA	D061114CCVA	ORG 106-46-7	1,4-Dichlorobenzene	50		ug/L	2	0.33	NA	6/11/2014	6/11/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3354	50	100%		
D061114CCVA	D061114CCVA	ORG 95-50-1	1,2-Dichlorobenzene	50		ug/L	2	0.26	NA	6/11/2014	6/11/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3354	50	100%		
D061114CCVA	D061114CCVA	ORG 104-51-8	n-Butylbenzene	54		ug/L	5	0.28	NA	6/11/2014	6/11/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3354	50	108%		
D061114CCVA	D061114CCVA	ORG 96-12-8	1,2-Dibromo-3-chloropropane	54		ug/L	5	1.59	NA	6/11/2014	6/11/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3354	50	108%		
D061114CCVA	D061114CCVA	ORG 87-68-3	Hexachlorobutadiene	58		ug/L	5	0.65	NA	6/11/2014	6/11/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3354	50	116%		
D061114CCVA	D061114CCVA	ORG 120-82-1	1,2,4-Trichlorobenzene	53		ug/L	5	0.28	NA	6/11/2014	6/11/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3354	50	106%		
D061114CCVA	D061114CCVA	ORG 91-20-3	Naphthalene	50		ug/L	5	0.56	NA	6/11/2014	6/11/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3354	50	100%		
D061114CCVA	D061114CCVA	ORG 87-61-6	1,2,3-Trichlorobenzene	52		ug/L	5	0.23	NA	6/11/2014	6/11/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3354	50	104%		
D061114CCVA	D061114CCVA	STD 1868-53-7	Dibromofluoromethane	54		ug/L	1	0.10	NA	6/11/2014	6/11/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3354	50	108%		
D061114CCVA	D061114CCVA	STD 17060-07-0	1,2-Dichloroethane d4	51		ug/L	1	0.10	NA	6/11/2014	6/11/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3354	50	102%		
D061114CCVA	D061114CCVA	STD 2037-26-5	Toluene d8	51		ug/L	1	0.10	NA	6/11/2014	6/11/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3354	50	102%		
D061114CCVA	D061114CCVA	STD 460-00-4	Bromofluorobenzene	50		ug/L	1	0.10	NA	6/11/2014	6/11/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3354	50	100%		



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@nevagelandmark.com

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

FINAL ANALYTICAL REPORT

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

- B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assessment, QC analyses parameter exceeded control limits.
U = Non-detect
* NAL is not certified for these compound by NELAC.

Table with 24 columns: Lab ID, Sample ID, CAS #, ANALYTES, Results, QC, Units, RDL, MDL, Sample Date, Prep. Date, Analysis Date, Matrix, Dil., Weight(g), Vol.(ml), % Solid, Method, Data file, Spike, % Rec, % RPD, Parent. Contains 40 rows of analytical data for various compounds.



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D061114MBKA	D061114MBKA	ORG 96-18-4	1,2,3-Trichloropropane		U	ug/L	2	0.29	NA	6/11/2014	6/11/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3356				
D061114MBKA	D061114MBKA	ORG 108-67-8	1,3,5-Trimethylbenzene		U	ug/L	2	0.20	NA	6/11/2014	6/11/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3356				
D061114MBKA	D061114MBKA	ORG 98-06-6	tert-Butylbenzene		U	ug/L	2	0.33	NA	6/11/2014	6/11/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3356				
D061114MBKA	D061114MBKA	ORG 95-63-6	1,2,4-Trimethylbenzene		U	ug/L	2	0.20	NA	6/11/2014	6/11/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3356				
D061114MBKA	D061114MBKA	ORG 135-98-8	sec-Butylbenzene		U	ug/L	2	0.32	NA	6/11/2014	6/11/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3356				
D061114MBKA	D061114MBKA	ORG 541-73-1	1,3-Dichlorobenzene		U	ug/L	2	0.22	NA	6/11/2014	6/11/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3356				
D061114MBKA	D061114MBKA	ORG 99-87-6	p-Isopropyltoluene		U	ug/L	2	0.25	NA	6/11/2014	6/11/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3356				
D061114MBKA	D061114MBKA	ORG 106-46-7	1,4-Dichlorobenzene		U	ug/L	2	0.33	NA	6/11/2014	6/11/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3356				
D061114MBKA	D061114MBKA	ORG 95-50-1	1,2-Dichlorobenzene		U	ug/L	2	0.26	NA	6/11/2014	6/11/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3356				
D061114MBKA	D061114MBKA	ORG 104-51-8	n-Butylbenzene		U	ug/L	5	0.28	NA	6/11/2014	6/11/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3356				
D061114MBKA	D061114MBKA	ORG 96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	5	1.59	NA	6/11/2014	6/11/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3356				
D061114MBKA	D061114MBKA	ORG 87-68-3	Hexachlorobutadiene		U	ug/L	5	0.65	NA	6/11/2014	6/11/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3356				
D061114MBKA	D061114MBKA	ORG 120-82-1	1,2,4-Trichlorobenzene		U	ug/L	5	0.28	NA	6/11/2014	6/11/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3356				
D061114MBKA	D061114MBKA	ORG 91-20-3	Naphthalene		U	ug/L	5	0.56	NA	6/11/2014	6/11/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3356				
D061114MBKA	D061114MBKA	ORG 87-61-6	1,2,3-Trichlorobenzene		U	ug/L	5	0.23	NA	6/11/2014	6/11/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3356				
D061114MBKA	D061114MBKA	STD 1868-53-7	Dibromofluoromethane	52		ug/L	1	0.10	NA	6/11/2014	6/11/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3356	50	104%		
D061114MBKA	D061114MBKA	STD 17060-07-0	1,2-Dichloroethane d4	55		ug/L	1	0.10	NA	6/11/2014	6/11/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3356	50	110%		
D061114MBKA	D061114MBKA	STD 2037-26-5	Toluene d8	52		ug/L	1	0.10	NA	6/11/2014	6/11/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3356	50	104%		
D061114MBKA	D061114MBKA	STD 460-00-4	Bromofluorobenzene	50		ug/L	1	0.10	NA	6/11/2014	6/11/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3356	50	100%		



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@nevagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Table with 22 columns: Lab ID, Sample ID, CAS #, ANALYTES, Results, QC, Units, RDL, MDL, Sample Date, Prep. Date, Analysis Date, Matrix, Dil., Weight(g), Vol.(ml), % Solid, Method, Data file, Spike, % Rec, % RPD, Parent. The table contains 40 rows of analytical data for various compounds like Dichlorodifluoromethane, Chloromethane, Vinyl chloride, etc.



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D061114ALCS	D061114ALCS	ORG 96-18-4	1,2,3-Trichloropropane	49		ug/L	2	0.29	NA	6/11/2014	6/11/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3355	50	98%		
D061114ALCS	D061114ALCS	ORG 108-67-8	1,3,5-Trimethylbenzene	54		ug/L	2	0.20	NA	6/11/2014	6/11/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3355	50	108%		
D061114ALCS	D061114ALCS	ORG 98-06-6	tert-Butylbenzene	56		ug/L	2	0.33	NA	6/11/2014	6/11/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3355	50	112%		
D061114ALCS	D061114ALCS	ORG 95-63-6	1,2,4-Trimethylbenzene	54		ug/L	2	0.20	NA	6/11/2014	6/11/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3355	50	108%		
D061114ALCS	D061114ALCS	ORG 135-98-8	sec-Butylbenzene	56		ug/L	2	0.32	NA	6/11/2014	6/11/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3355	50	112%		
D061114ALCS	D061114ALCS	ORG 541-73-1	1,3-Dichlorobenzene	52		ug/L	2	0.22	NA	6/11/2014	6/11/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3355	50	104%		
D061114ALCS	D061114ALCS	ORG 99-87-6	p-Isopropyltoluene	56		ug/L	2	0.25	NA	6/11/2014	6/11/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3355	50	112%		
D061114ALCS	D061114ALCS	ORG 106-46-7	1,4-Dichlorobenzene	50		ug/L	2	0.33	NA	6/11/2014	6/11/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3355	50	100%		
D061114ALCS	D061114ALCS	ORG 95-50-1	1,2-Dichlorobenzene	51		ug/L	2	0.26	NA	6/11/2014	6/11/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3355	50	102%		
D061114ALCS	D061114ALCS	ORG 104-51-8	n-Butylbenzene	55		ug/L	5	0.28	NA	6/11/2014	6/11/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3355	50	110%		
D061114ALCS	D061114ALCS	ORG 96-12-8	1,2-Dibromo-3-chloropropane	55		ug/L	5	1.59	NA	6/11/2014	6/11/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3355	50	110%		
D061114ALCS	D061114ALCS	ORG 87-68-3	Hexachlorobutadiene	59		ug/L	5	0.65	NA	6/11/2014	6/11/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3355	50	118%		
D061114ALCS	D061114ALCS	ORG 120-82-1	1,2,4-Trichlorobenzene	53		ug/L	5	0.28	NA	6/11/2014	6/11/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3355	50	106%		
D061114ALCS	D061114ALCS	ORG 91-20-3	Naphthalene	51		ug/L	5	0.56	NA	6/11/2014	6/11/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3355	50	102%		
D061114ALCS	D061114ALCS	ORG 87-61-6	1,2,3-Trichlorobenzene	51		ug/L	5	0.23	NA	6/11/2014	6/11/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3355	50	102%		
D061114ALCS	D061114ALCS	STD 1868-53-7	Dibromofluoromethane	54		ug/L	1	0.10	NA	6/11/2014	6/11/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3355	50	108%		
D061114ALCS	D061114ALCS	STD 17060-07-0	1,2-Dichloroethane d4	52		ug/L	1	0.10	NA	6/11/2014	6/11/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3355	50	104%		
D061114ALCS	D061114ALCS	STD 2037-26-5	Toluene d8	51		ug/L	1	0.10	NA	6/11/2014	6/11/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3355	50	102%		
D061114ALCS	D061114ALCS	STD 460-00-4	Bromofluorobenzene	51		ug/L	1	0.10	NA	6/11/2014	6/11/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3355	50	102%		



FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

- B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assessment, QC analyses parameter exceeded control limits.
U = Non-detect
* NAL is not certified for these compound by NELAC.

Table with 25 columns: Lab ID, Sample ID, CAS #, ANALYTES, Results, QC, Units, RDL, MDL, Sample Date, Prep. Date, Analysis Date, Matrix, Dil., Weight(g), Vol(ml), % Solid, Method, Data file, Spike, % Rec, % RPD, Parent. It contains 50 rows of analytical data.



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
 Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

- B** = Analyte is found in the associated blank as well as in the sample.
- D** = Compound identified in an analysis at a secondary dilution factor.
- E** = Compound's concentration exceeds the calibration range of the instrument at this dilution.
- X** = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
- J** = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
- M** = Matrix assessment, QC analyses parameter exceeded control limits.
- U** = Non-detect
- * NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D061114ALCD	D061114ALCD	ORG 96-18-4	1,2,3-Trichloropropane	48		ug/L	2	0.29	NA	6/11/2014	6/11/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3359	50	96%	2%	
D061114ALCD	D061114ALCD	ORG 108-67-8	1,3,5-Trimethylbenzene	54		ug/L	2	0.20	NA	6/11/2014	6/11/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3359	50	108%	0%	
D061114ALCD	D061114ALCD	ORG 98-06-6	tert-Butylbenzene	57		ug/L	2	0.33	NA	6/11/2014	6/11/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3359	50	114%	2%	
D061114ALCD	D061114ALCD	ORG 95-63-6	1,2,4-Trimethylbenzene	53		ug/L	2	0.20	NA	6/11/2014	6/11/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3359	50	106%	2%	
D061114ALCD	D061114ALCD	ORG 135-98-8	sec-Butylbenzene	56		ug/L	2	0.32	NA	6/11/2014	6/11/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3359	50	112%	0%	
D061114ALCD	D061114ALCD	ORG 541-73-1	1,3-Dichlorobenzene	51		ug/L	2	0.22	NA	6/11/2014	6/11/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3359	50	102%	2%	
D061114ALCD	D061114ALCD	ORG 99-87-6	p-Isopropyltoluene	57		ug/L	2	0.25	NA	6/11/2014	6/11/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3359	50	114%	2%	
D061114ALCD	D061114ALCD	ORG 106-46-7	1,4-Dichlorobenzene	50		ug/L	2	0.33	NA	6/11/2014	6/11/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3359	50	100%	0%	
D061114ALCD	D061114ALCD	ORG 95-50-1	1,2-Dichlorobenzene	51		ug/L	2	0.26	NA	6/11/2014	6/11/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3359	50	102%	0%	
D061114ALCD	D061114ALCD	ORG 104-51-8	n-Butylbenzene	56		ug/L	5	0.28	NA	6/11/2014	6/11/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3359	50	112%	2%	
D061114ALCD	D061114ALCD	ORG 96-12-8	1,2-Dibromo-3-chloropropane	53		ug/L	5	1.59	NA	6/11/2014	6/11/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3359	50	106%	4%	
D061114ALCD	D061114ALCD	ORG 87-68-3	Hexachlorobutadiene	63		ug/L	5	0.65	NA	6/11/2014	6/11/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3359	50	126%	7%	
D061114ALCD	D061114ALCD	ORG 120-82-1	1,2,4-Trichlorobenzene	53		ug/L	5	0.28	NA	6/11/2014	6/11/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3359	50	106%	0%	
D061114ALCD	D061114ALCD	ORG 91-20-3	Naphthalene	50		ug/L	5	0.56	NA	6/11/2014	6/11/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3359	50	100%	2%	
D061114ALCD	D061114ALCD	ORG 87-61-6	1,2,3-Trichlorobenzene	52		ug/L	5	0.23	NA	6/11/2014	6/11/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3359	50	104%	2%	
D061114ALCD	D061114ALCD	STD 1868-53-7	Dibromofluoromethane	54		ug/L	1	0.10	NA	6/11/2014	6/11/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3359	50	108%	0%	
D061114ALCD	D061114ALCD	STD 17060-07-0	1,2-Dichloroethane d4	51		ug/L	1	0.10	NA	6/11/2014	6/11/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3359	50	102%	2%	
D061114ALCD	D061114ALCD	STD 2037-26-5	Toluene d8	51		ug/L	1	0.10	NA	6/11/2014	6/11/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3359	50	102%	0%	
D061114ALCD	D061114ALCD	STD 460-00-4	Bromofluorobenzene	49		ug/L	1	0.10	NA	6/11/2014	6/11/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3359	50	98%	4%	



New Age/Landmark Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090 Tel: 888-685-1628 • mobilelabs@nevagelandmark.com

Republic Services 12976 St. Charles Rock Rd. Bridgeton, MO 63044 ATTN: Brian Power

FINAL ANALYTICAL REPORT

Project #: NAL13-026 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

- B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assessment, QC analyses parameter exceeded control limits.
U = Non-detect
* NAL is not certified for these compound by NELAC.

Table with 23 columns: Lab ID, Sample ID, CAS #, ANALYTES, Results, QC, Units, RDL, MDL, Sample Date, Prep. Date, Analysis Date, Matrix, Dil., Weight(g), Vol.(ml), % Solid, Method, Data file, Spike, % Rec, % RPD, Parent. Contains 40 rows of analytical data.



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
 Tel: 888-685-1628 • mobilelabs@nevagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

- B** = Analyte is found in the associated blank as well as in the sample.
- D** = Compound identified in an analysis at a secondary dilution factor.
- E** = Compound's concentration exceeds the calibration range of the instrument at this dilution.
- X** = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
- J** = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
- M** = Matrix assessment, QC analyses parameter exceeded control limits.
- U** = Non-detect
- * NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1497MS	316-327	ORG 96-18-4	1,2,3-Trichloropropane	4900		ug/L	200	29.47	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3360	5000	98%		
NAL13026-1497MS	316-327	ORG 108-67-8	1,3,5-Trimethylbenzene	5600		ug/L	200	20.03	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3360	5000	110%		94
NAL13026-1497MS	316-327	ORG 98-06-6	tert-Butylbenzene	5700		ug/L	200	32.61	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3360	5000	114%		
NAL13026-1497MS	316-327	ORG 95-63-6	1,2,4-Trimethylbenzene	6000		ug/L	200	20.03	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3360	5000	109%		570
NAL13026-1497MS	316-327	ORG 135-98-8	sec-Butylbenzene	5600		ug/L	200	32.34	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3360	5000	112%		
NAL13026-1497MS	316-327	ORG 541-73-1	1,3-Dichlorobenzene	5100		ug/L	200	22.21	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3360	5000	102%		
NAL13026-1497MS	316-327	ORG 99-87-6	p-Isopropyltoluene	9200		ug/L	200	25.48	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3360	5000	110%		3700
NAL13026-1497MS	316-327	ORG 106-46-7	1,4-Dichlorobenzene	5800		ug/L	200	33.03	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3360	5000	101%		750
NAL13026-1497MS	316-327	ORG 95-50-1	1,2-Dichlorobenzene	5100		ug/L	200	26.38	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3360	5000	102%		
NAL13026-1497MS	316-327	ORG 104-51-8	n-Butylbenzene	5700		ug/L	500	27.81	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3360	5000	111%		150
NAL13026-1497MS	316-327	ORG 96-12-8	1,2-Dibromo-3-chloropropane	5800		ug/L	500	159.11	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3360	5000	116%		
NAL13026-1497MS	316-327	ORG 87-68-3	Hexachlorobutadiene	5600		ug/L	500	65.42	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3360	5000	112%		
NAL13026-1497MS	316-327	ORG 120-82-1	1,2,4-Trichlorobenzene	5300		ug/L	500	27.63	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3360	5000	106%		
NAL13026-1497MS	316-327	ORG 91-20-3	Naphthalene	7500		ug/L	500	56.04	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3360	5000	102%		2400
NAL13026-1497MS	316-327	ORG 87-61-6	1,2,3-Trichlorobenzene	5100		ug/L	500	23.28	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3360	5000	102%		
NAL13026-1497MS	316-327	STD 1868-53-7	Dibromofluoromethane	53		ug/L	1	0.10	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3360	50	106%		
NAL13026-1497MS	316-327	STD 17060-07-0	1,2-Dichloroethane d4	51		ug/L	1	0.10	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3360	50	102%		
NAL13026-1497MS	316-327	STD 2037-26-5	Toluene d8	51		ug/L	1	0.10	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3360	50	102%		
NAL13026-1497MS	316-327	STD 460-00-4	Bromofluorobenzene	50		ug/L	1	0.10	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3360	50	100%		



New Age/Landmark Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@nevagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

- B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assessment, QC analyses parameter exceeded control limits.
U = Non-detect
* NAL is not certified for these compound by NELAC.

Table with columns: Lab ID, Sample ID, CAS #, ANALYTES, Results, QC, Units, RDL, MDL, Sample Date, Prep. Date, Analysis Date, Matrix, Dil., Weight(g), Vol.(ml), % Solid, Method, Data file, Spike, % Rec, % RPD, Parent. Contains 40 rows of analytical data.



New Age/Landmark Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@nevagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1497MSD	316-327	ORG 96-18-4	1,2,3-Trichloropropane	4600		ug/L	200	29.47	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3361	5000	92%	6%	
NAL13026-1497MSD	316-327	ORG 108-67-8	1,3,5-Trimethylbenzene	5400		ug/L	200	20.03	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3361	5000	106%	4%	94
NAL13026-1497MSD	316-327	ORG 98-06-6	tert-Butylbenzene	5500		ug/L	200	32.61	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3361	5000	110%	4%	
NAL13026-1497MSD	316-327	ORG 95-63-6	1,2,4-Trimethylbenzene	5700		ug/L	200	20.03	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3361	5000	103%	5%	570
NAL13026-1497MSD	316-327	ORG 135-98-8	sec-Butylbenzene	5500		ug/L	200	32.34	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3361	5000	110%	2%	
NAL13026-1497MSD	316-327	ORG 541-73-1	1,3-Dichlorobenzene	5000		ug/L	200	22.21	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3361	5000	100%	2%	
NAL13026-1497MSD	316-327	ORG 99-87-6	p-Isopropyltoluene	8900		ug/L	200	25.48	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3361	5000	104%	3%	3700
NAL13026-1497MSD	316-327	ORG 106-46-7	1,4-Dichlorobenzene	5600		ug/L	200	33.03	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3361	5000	97%	4%	750
NAL13026-1497MSD	316-327	ORG 95-50-1	1,2-Dichlorobenzene	4900		ug/L	200	26.38	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3361	5000	98%	4%	
NAL13026-1497MSD	316-327	ORG 104-51-8	n-Butylbenzene	5600		ug/L	500	27.81	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3361	5000	109%	2%	150
NAL13026-1497MSD	316-327	ORG 96-12-8	1,2-Dibromo-3-chloropropane	5700		ug/L	500	159.11	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3361	5000	114%	2%	
NAL13026-1497MSD	316-327	ORG 87-68-3	Hexachlorobutadiene	5600		ug/L	500	65.42	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3361	5000	112%	0%	
NAL13026-1497MSD	316-327	ORG 120-82-1	1,2,4-Trichlorobenzene	5200		ug/L	500	27.63	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3361	5000	104%	2%	
NAL13026-1497MSD	316-327	ORG 91-20-3	Naphthalene	7300		ug/L	500	56.04	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3361	5000	98%	3%	2400
NAL13026-1497MSD	316-327	ORG 87-61-6	1,2,3-Trichlorobenzene	5100		ug/L	500	23.28	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3361	5000	102%	0%	
NAL13026-1497MSD	316-327	STD 1868-53-7	Dibromofluoromethane	53		ug/L	1	0.10	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3361	50	106%	0%	
NAL13026-1497MSD	316-327	STD 17060-07-0	1,2-Dichloroethane d4	51		ug/L	1	0.10	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3361	50	102%	0%	
NAL13026-1497MSD	316-327	STD 2037-26-5	Toluene d8	51		ug/L	1	0.10	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3361	50	102%	0%	
NAL13026-1497MSD	316-327	STD 460-00-4	Bromofluorobenzene	49		ug/L	1	0.10	6/11/2014	6/11/2014	6/11/2014	WG	100	NA	5.0	NA	SW8260B	NALD3361	50	98%	2%	



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

- B** = Analyte is found in the associated blank as well as in the sample.
- D** = Compound identified in an analysis at a secondary dilution factor.
- E** = Compound's concentration exceeds the calibration range of the instrument at this dilution.
- X** = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
- J** = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
- M** = Matrix assessment, QC analyses parameter exceeded control limits.
- U** = Non-detect
- * NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1500	316-328	ORG 96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	6/12/2014	6/12/2014	6/12/2014	WG	100	NA	5.0	NA	SW8260B	NALD3371				
NAL13026-1500	316-328	ORG 108-67-8	1,3,5-Trimethylbenzene	110	J	ug/L	200	20.03	6/12/2014	6/12/2014	6/12/2014	WG	100	NA	5.0	NA	SW8260B	NALD3371				
NAL13026-1500	316-328	ORG 98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	6/12/2014	6/12/2014	6/12/2014	WG	100	NA	5.0	NA	SW8260B	NALD3371				
NAL13026-1500	316-328	ORG 95-63-6	1,2,4-Trimethylbenzene	590		ug/L	200	20.03	6/12/2014	6/12/2014	6/12/2014	WG	100	NA	5.0	NA	SW8260B	NALD3371				
NAL13026-1500	316-328	ORG 135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	6/12/2014	6/12/2014	6/12/2014	WG	100	NA	5.0	NA	SW8260B	NALD3371				
NAL13026-1500	316-328	ORG 541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	6/12/2014	6/12/2014	6/12/2014	WG	100	NA	5.0	NA	SW8260B	NALD3371				
NAL13026-1500	316-328	ORG 99-87-6	p-Isopropyltoluene	3600		ug/L	200	25.48	6/12/2014	6/12/2014	6/12/2014	WG	100	NA	5.0	NA	SW8260B	NALD3371				
NAL13026-1500	316-328	ORG 106-46-7	1,4-Dichlorobenzene	750		ug/L	200	33.03	6/12/2014	6/12/2014	6/12/2014	WG	100	NA	5.0	NA	SW8260B	NALD3371				
NAL13026-1500	316-328	ORG 95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	6/12/2014	6/12/2014	6/12/2014	WG	100	NA	5.0	NA	SW8260B	NALD3371				
NAL13026-1500	316-328	ORG 104-51-8	n-Butylbenzene	110	J	ug/L	500	27.81	6/12/2014	6/12/2014	6/12/2014	WG	100	NA	5.0	NA	SW8260B	NALD3371				
NAL13026-1500	316-328	ORG 96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	6/12/2014	6/12/2014	6/12/2014	WG	100	NA	5.0	NA	SW8260B	NALD3371				
NAL13026-1500	316-328	ORG 87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	6/12/2014	6/12/2014	6/12/2014	WG	100	NA	5.0	NA	SW8260B	NALD3371				
NAL13026-1500	316-328	ORG 120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	6/12/2014	6/12/2014	6/12/2014	WG	100	NA	5.0	NA	SW8260B	NALD3371				
NAL13026-1500	316-328	ORG 91-20-3	Naphthalene	2100		ug/L	500	56.04	6/12/2014	6/12/2014	6/12/2014	WG	100	NA	5.0	NA	SW8260B	NALD3371				
NAL13026-1500	316-328	ORG 87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	6/12/2014	6/12/2014	6/12/2014	WG	100	NA	5.0	NA	SW8260B	NALD3371				
NAL13026-1500	316-328	STD 1868-53-7	Dibromofluoromethane	53		ug/L	1	0.10	6/12/2014	6/12/2014	6/12/2014	WG	100	NA	5.0	NA	SW8260B	NALD3371	50	106%		
NAL13026-1500	316-328	STD 17060-07-0	1,2-Dichloroethane d4	54		ug/L	1	0.10	6/12/2014	6/12/2014	6/12/2014	WG	100	NA	5.0	NA	SW8260B	NALD3371	50	108%		
NAL13026-1500	316-328	STD 2037-26-5	Toluene d8	51		ug/L	1	0.10	6/12/2014	6/12/2014	6/12/2014	WG	100	NA	5.0	NA	SW8260B	NALD3371	50	102%		
NAL13026-1500	316-328	STD 460-00-4	Bromofluorobenzene	49		ug/L	1	0.10	6/12/2014	6/12/2014	6/12/2014	WG	100	NA	5.0	NA	SW8260B	NALD3371	50	98%		



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

- B** = Analyte is found in the associated blank as well as in the sample.
- D** = Compound identified in an analysis at a secondary dilution factor.
- E** = Compound's concentration exceeds the calibration range of the instrument at this dilution.
- X** = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
- J** = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
- M** = Matrix assessment, QC analyses parameter exceeded control limits.
- U** = Non-detect
- * NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1501	CB 06-12-14	ORG 96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	6/12/2014	6/12/2014	6/12/2014	WG	100	NA	5.0	NA	SW8260B	NALD3378				
NAL13026-1501	CB 06-12-14	ORG 108-67-8	1,3,5-Trimethylbenzene		U	ug/L	200	20.03	6/12/2014	6/12/2014	6/12/2014	WG	100	NA	5.0	NA	SW8260B	NALD3378				
NAL13026-1501	CB 06-12-14	ORG 98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	6/12/2014	6/12/2014	6/12/2014	WG	100	NA	5.0	NA	SW8260B	NALD3378				
NAL13026-1501	CB 06-12-14	ORG 95-63-6	1,2,4-Trimethylbenzene	86	J	ug/L	200	20.03	6/12/2014	6/12/2014	6/12/2014	WG	100	NA	5.0	NA	SW8260B	NALD3378				
NAL13026-1501	CB 06-12-14	ORG 135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	6/12/2014	6/12/2014	6/12/2014	WG	100	NA	5.0	NA	SW8260B	NALD3378				
NAL13026-1501	CB 06-12-14	ORG 541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	6/12/2014	6/12/2014	6/12/2014	WG	100	NA	5.0	NA	SW8260B	NALD3378				
NAL13026-1501	CB 06-12-14	ORG 99-87-6	p-Isopropyltoluene	740		ug/L	200	25.48	6/12/2014	6/12/2014	6/12/2014	WG	100	NA	5.0	NA	SW8260B	NALD3378				
NAL13026-1501	CB 06-12-14	ORG 106-46-7	1,4-Dichlorobenzene	100	J	ug/L	200	33.03	6/12/2014	6/12/2014	6/12/2014	WG	100	NA	5.0	NA	SW8260B	NALD3378				
NAL13026-1501	CB 06-12-14	ORG 95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	6/12/2014	6/12/2014	6/12/2014	WG	100	NA	5.0	NA	SW8260B	NALD3378				
NAL13026-1501	CB 06-12-14	ORG 104-51-8	n-Butylbenzene	39	J	ug/L	500	27.81	6/12/2014	6/12/2014	6/12/2014	WG	100	NA	5.0	NA	SW8260B	NALD3378				
NAL13026-1501	CB 06-12-14	ORG 96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	6/12/2014	6/12/2014	6/12/2014	WG	100	NA	5.0	NA	SW8260B	NALD3378				
NAL13026-1501	CB 06-12-14	ORG 87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	6/12/2014	6/12/2014	6/12/2014	WG	100	NA	5.0	NA	SW8260B	NALD3378				
NAL13026-1501	CB 06-12-14	ORG 120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	6/12/2014	6/12/2014	6/12/2014	WG	100	NA	5.0	NA	SW8260B	NALD3378				
NAL13026-1501	CB 06-12-14	ORG 91-20-3	Naphthalene	480	J	ug/L	500	56.04	6/12/2014	6/12/2014	6/12/2014	WG	100	NA	5.0	NA	SW8260B	NALD3378				
NAL13026-1501	CB 06-12-14	ORG 87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	6/12/2014	6/12/2014	6/12/2014	WG	100	NA	5.0	NA	SW8260B	NALD3378				
NAL13026-1501	CB 06-12-14	STD 1868-53-7	Dibromofluoromethane	53		ug/L	1	0.10	6/12/2014	6/12/2014	6/12/2014	WG	100	NA	5.0	NA	SW8260B	NALD3378	50	106%		
NAL13026-1501	CB 06-12-14	STD 17060-07-0	1,2-Dichloroethane d4	53		ug/L	1	0.10	6/12/2014	6/12/2014	6/12/2014	WG	100	NA	5.0	NA	SW8260B	NALD3378	50	106%		
NAL13026-1501	CB 06-12-14	STD 2037-26-5	Toluene d8	50		ug/L	1	0.10	6/12/2014	6/12/2014	6/12/2014	WG	100	NA	5.0	NA	SW8260B	NALD3378	50	100%		
NAL13026-1501	CB 06-12-14	STD 460-00-4	Bromofluorobenzene	50		ug/L	1	0.10	6/12/2014	6/12/2014	6/12/2014	WG	100	NA	5.0	NA	SW8260B	NALD3378	50	100%		



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@nevagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

- B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assessment, QC analyses parameter exceeded control limits.
U = Non-detect
* NAL is not certified for these compound by NELAC.

Table with 22 columns: Lab ID, Sample ID, CAS #, ANALYTES, Results, QC, Units, RDL, MDL, Sample Date, Prep. Date, Analysis Date, Matrix, Dil., Weight(g), Vol.(ml), % Solid, Method, Data file, Spike, % Rec, % RPD, Parent. Contains 48 rows of analytical data.



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
 Tel: 888-685-1628 • mobilelabs@nevagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

- B** = Analyte is found in the associated blank as well as in the sample.
- D** = Compound identified in an analysis at a secondary dilution factor.
- E** = Compound's concentration exceeds the calibration range of the instrument at this dilution.
- X** = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
- J** = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
- M** = Matrix assessment, QC analyses parameter exceeded control limits.
- U** = Non-detect
- * NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D061214CCVA	D061214CCVA	ORG 96-18-4	1,2,3-Trichloropropane	47		ug/L	2	0.29	NA	6/12/2014	6/12/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3369	50	94%		
D061214CCVA	D061214CCVA	ORG 108-67-8	1,3,5-Trimethylbenzene	52		ug/L	2	0.20	NA	6/12/2014	6/12/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3369	50	104%		
D061214CCVA	D061214CCVA	ORG 98-06-6	tert-Butylbenzene	54		ug/L	2	0.33	NA	6/12/2014	6/12/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3369	50	108%		
D061214CCVA	D061214CCVA	ORG 95-63-6	1,2,4-Trimethylbenzene	52		ug/L	2	0.20	NA	6/12/2014	6/12/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3369	50	104%		
D061214CCVA	D061214CCVA	ORG 135-98-8	sec-Butylbenzene	54		ug/L	2	0.32	NA	6/12/2014	6/12/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3369	50	108%		
D061214CCVA	D061214CCVA	ORG 541-73-1	1,3-Dichlorobenzene	50		ug/L	2	0.22	NA	6/12/2014	6/12/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3369	50	100%		
D061214CCVA	D061214CCVA	ORG 99-87-6	p-Isopropyltoluene	55		ug/L	2	0.25	NA	6/12/2014	6/12/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3369	50	110%		
D061214CCVA	D061214CCVA	ORG 106-46-7	1,4-Dichlorobenzene	49		ug/L	2	0.33	NA	6/12/2014	6/12/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3369	50	98%		
D061214CCVA	D061214CCVA	ORG 95-50-1	1,2-Dichlorobenzene	50		ug/L	2	0.26	NA	6/12/2014	6/12/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3369	50	100%		
D061214CCVA	D061214CCVA	ORG 104-51-8	n-Butylbenzene	55		ug/L	5	0.28	NA	6/12/2014	6/12/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3369	50	110%		
D061214CCVA	D061214CCVA	ORG 96-12-8	1,2-Dibromo-3-chloropropane	53		ug/L	5	1.59	NA	6/12/2014	6/12/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3369	50	106%		
D061214CCVA	D061214CCVA	ORG 87-68-3	Hexachlorobutadiene	60		ug/L	5	0.65	NA	6/12/2014	6/12/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3369	50	120%		
D061214CCVA	D061214CCVA	ORG 120-82-1	1,2,4-Trichlorobenzene	52		ug/L	5	0.28	NA	6/12/2014	6/12/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3369	50	104%		
D061214CCVA	D061214CCVA	ORG 91-20-3	Naphthalene	49		ug/L	5	0.56	NA	6/12/2014	6/12/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3369	50	98%		
D061214CCVA	D061214CCVA	ORG 87-61-6	1,2,3-Trichlorobenzene	52		ug/L	5	0.23	NA	6/12/2014	6/12/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3369	50	104%		
D061214CCVA	D061214CCVA	STD 1868-53-7	Dibromofluoromethane	55		ug/L	1	0.10	NA	6/12/2014	6/12/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3369	50	110%		
D061214CCVA	D061214CCVA	STD 17060-07-0	1,2-Dichloroethane d4	51		ug/L	1	0.10	NA	6/12/2014	6/12/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3369	50	102%		
D061214CCVA	D061214CCVA	STD 2037-26-5	Toluene d8	51		ug/L	1	0.10	NA	6/12/2014	6/12/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3369	50	102%		
D061214CCVA	D061214CCVA	STD 460-00-4	Bromofluorobenzene	49		ug/L	1	0.10	NA	6/12/2014	6/12/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3369	50	98%		



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@nevagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

- B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assessment, QC analyses parameter exceeded control limits.
U = Non-detect

* NAL is not certified for these compound by NELAC.

Table with 21 columns: Lab ID, Sample ID, CAS #, ANALYTES, Results, QC, Units, RDL, MDL, Sample Date, Prep. Date, Analysis Date, Matrix, Dil., Weight(g), Vol(ml), % Solid, Method, Data file, Spike, % Rec, % RPD, Parent. It lists 40 samples of various organic compounds analyzed on 6/12/2014.



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D061214MBKA	D061214MBKA	ORG 96-18-4	1,2,3-Trichloropropane		U	ug/L	2	0.29	NA	6/12/2014	6/12/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3370				
D061214MBKA	D061214MBKA	ORG 108-67-8	1,3,5-Trimethylbenzene		U	ug/L	2	0.20	NA	6/12/2014	6/12/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3370				
D061214MBKA	D061214MBKA	ORG 98-06-6	tert-Butylbenzene		U	ug/L	2	0.33	NA	6/12/2014	6/12/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3370				
D061214MBKA	D061214MBKA	ORG 95-63-6	1,2,4-Trimethylbenzene		U	ug/L	2	0.20	NA	6/12/2014	6/12/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3370				
D061214MBKA	D061214MBKA	ORG 135-98-8	sec-Butylbenzene		U	ug/L	2	0.32	NA	6/12/2014	6/12/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3370				
D061214MBKA	D061214MBKA	ORG 541-73-1	1,3-Dichlorobenzene		U	ug/L	2	0.22	NA	6/12/2014	6/12/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3370				
D061214MBKA	D061214MBKA	ORG 99-87-6	p-Isopropyltoluene		U	ug/L	2	0.25	NA	6/12/2014	6/12/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3370				
D061214MBKA	D061214MBKA	ORG 106-46-7	1,4-Dichlorobenzene		U	ug/L	2	0.33	NA	6/12/2014	6/12/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3370				
D061214MBKA	D061214MBKA	ORG 95-50-1	1,2-Dichlorobenzene		U	ug/L	2	0.26	NA	6/12/2014	6/12/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3370				
D061214MBKA	D061214MBKA	ORG 104-51-8	n-Butylbenzene		U	ug/L	5	0.28	NA	6/12/2014	6/12/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3370				
D061214MBKA	D061214MBKA	ORG 96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	5	1.59	NA	6/12/2014	6/12/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3370				
D061214MBKA	D061214MBKA	ORG 87-68-3	Hexachlorobutadiene		U	ug/L	5	0.65	NA	6/12/2014	6/12/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3370				
D061214MBKA	D061214MBKA	ORG 120-82-1	1,2,4-Trichlorobenzene		U	ug/L	5	0.28	NA	6/12/2014	6/12/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3370				
D061214MBKA	D061214MBKA	ORG 91-20-3	Naphthalene		U	ug/L	5	0.56	NA	6/12/2014	6/12/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3370				
D061214MBKA	D061214MBKA	ORG 87-61-6	1,2,3-Trichlorobenzene		U	ug/L	5	0.23	NA	6/12/2014	6/12/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3370				
D061214MBKA	D061214MBKA	STD 1868-53-7	Dibromofluoromethane	53		ug/L	1	0.10	NA	6/12/2014	6/12/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3370	50	106%		
D061214MBKA	D061214MBKA	STD 17060-07-0	1,2-Dichloroethane d4	55		ug/L	1	0.10	NA	6/12/2014	6/12/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3370	50	110%		
D061214MBKA	D061214MBKA	STD 2037-26-5	Toluene d8	52		ug/L	1	0.10	NA	6/12/2014	6/12/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3370	50	104%		
D061214MBKA	D061214MBKA	STD 460-00-4	Bromofluorobenzene	50		ug/L	1	0.10	NA	6/12/2014	6/12/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3370	50	100%		

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assessment, QC analyses parameter exceeded control limits.
U = Non-detect
* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D061214ALCS	D061214ALCS	ORG 75-71-8	Dichlorodifluoromethane	30		ug/L	5	0.29	NA	6/12/2014	6/12/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3373	50	60%		
D061214ALCS	D061214ALCS	ORG 74-87-3	Chloromethane	35		ug/L	5	0.43	NA	6/12/2014	6/12/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3373	50	70%		
D061214ALCS	D061214ALCS	ORG 75-01-4	Vinyl chloride	43		ug/L	2	0.32	NA	6/12/2014	6/12/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3373	50	86%		
D061214ALCS	D061214ALCS	ORG 74-83-9	Bromomethane	67		ug/L	5	0.50	NA	6/12/2014	6/12/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3373	50	134%		
D061214ALCS	D061214ALCS	ORG 75-00-3	Chloroethane	63		ug/L	5	0.56	NA	6/12/2014	6/12/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3373	50	126%		
D061214ALCS	D061214ALCS	ORG 75-69-4	Trichlorofluoromethane	39		ug/L	5	0.20	NA	6/12/2014	6/12/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3373	50	78%		
D061214ALCS	D061214ALCS	ORG 75-35-4	1,1-Dichloroethene	47		ug/L	1	0.47	NA	6/12/2014	6/12/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3373	50	94%		
D061214ALCS	D061214ALCS	ORG 75-09-2	Methylene chloride	52		ug/L	5	0.26	NA	6/12/2014	6/12/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3373	50	104%		
D061214ALCS	D061214ALCS	ORG 67-64-1	Acetone	50		ug/L	10	1.56	NA	6/12/2014	6/12/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3373	50	100%		
D061214ALCS	D061214ALCS	ORG 156-60-5	trans-1,2-Dichloroethene	52		ug/L	1	0.56	NA	6/12/2014	6/12/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3373	50	104%		
D061214ALCS	D061214ALCS	ORG 1634-04-4	MTBE	49		ug/L	5	0.61	NA	6/12/2014	6/12/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3373	50	98%		
D061214ALCS	D061214ALCS	ORG 75-34-3	1,1-Dichloroethane	51		ug/L	1	0.53	NA	6/12/2014	6/12/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3373	50	102%		
D061214ALCS	D061214ALCS	ORG 156-59-2	cis-1,2-Dichloroethene	51		ug/L	1	0.32	NA	6/12/2014	6/12/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3373	50	102%		
D061214ALCS	D061214ALCS	ORG 74-97-5	Bromochloromethane	53		ug/L	10	0.41	NA	6/12/2014	6/12/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3373	50	106%		
D061214ALCS	D061214ALCS	ORG 67-66-3	Chloroform	54		ug/L	2	0.16	NA	6/12/2014	6/12/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3373	50	108%		
D061214ALCS	D061214ALCS	ORG 71-55-6	1,1,1-Trichloroethane	61		ug/L	1	0.17	NA	6/12/2014	6/12/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3373	50	122%		
D061214ALCS	D061214ALCS	ORG 78-93-3	2-Butanone	58		ug/L	1	0.81	NA	6/12/2014	6/12/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3373	50	116%		
D061214ALCS	D061214ALCS	ORG 56-23-5	Carbon tetrachloride	57		ug/L	1	0.28	NA	6/12/2014	6/12/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3373	50	114%		
D061214ALCS	D061214ALCS	ORG 71-43-2	Benzene	49		ug/L	1	0.14	NA	6/12/2014	6/12/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3373	50	98%		
D061214ALCS	D061214ALCS	ORG 107-06-2	1,2-Dichloroethane	50		ug/L	1	0.20	NA	6/12/2014	6/12/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3373	50	100%		
D061214ALCS	D061214ALCS	ORG 79-01-6	Trichloroethene	53		ug/L	1	0.36	NA	6/12/2014	6/12/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3373	50	106%		
D061214ALCS	D061214ALCS	ORG 74-95-3	Dibromomethane	52		ug/L	2	0.32	NA	6/12/2014	6/12/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3373	50	104%		
D061214ALCS	D061214ALCS	ORG 78-87-5	1,2-Dichloropropane	51		ug/L	1	0.18	NA	6/12/2014	6/12/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3373	50	102%		
D061214ALCS	D061214ALCS	ORG 75-27-4	Bromodichloromethane	57		ug/L	2	0.12	NA	6/12/2014	6/12/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3373	50	114%		
D061214ALCS	D061214ALCS	ORG 10061-01-5	cis-1,3-Dichloropropene	60		ug/L	1	0.25	NA	6/12/2014	6/12/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3373	50	120%		
D061214ALCS	D061214ALCS	ORG 108-88-3	Toluene	49		ug/L	1	0.21	NA	6/12/2014	6/12/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3373	50	98%		
D061214ALCS	D061214ALCS	ORG 108-10-1	4-Methyl-2-pentanone	47		ug/L	5	0.74	NA	6/12/2014	6/12/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3373	50	94%		
D061214ALCS	D061214ALCS	ORG 10061-02-6	trans-1,3-Dichloropropene	59		ug/L	1	0.31	NA	6/12/2014	6/12/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3373	50	118%		
D061214ALCS	D061214ALCS	ORG 127-18-4	Tetrachloroethene	49		ug/L	1	0.49	NA	6/12/2014	6/12/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3373	50	98%		
D061214ALCS	D061214ALCS	ORG 79-00-5	1,1,2-Trichloroethane	51		ug/L	1	0.34	NA	6/12/2014	6/12/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3373	50	102%		
D061214ALCS	D061214ALCS	ORG 124-48-1	Dibromochloromethane	59		ug/L	5	0.30	NA	6/12/2014	6/12/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3373	50	118%		
D061214ALCS	D061214ALCS	ORG 106-93-4	1,2-Dibromoethane	51		ug/L	2	0.26	NA	6/12/2014	6/12/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3373	50	102%		
D061214ALCS	D061214ALCS	ORG 591-78-6	2-Hexanone	50		ug/L	2	0.69	NA	6/12/2014	6/12/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3373	50	100%		
D061214ALCS	D061214ALCS	ORG 100-41-4	Ethylbenzene	52		ug/L	1	0.25	NA	6/12/2014	6/12/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3373	50	104%		
D061214ALCS	D061214ALCS	ORG 108-90-7	Chlorobenzene	52		ug/L	1	0.28	NA	6/12/2014	6/12/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3373	50	104%		
D061214ALCS	D061214ALCS	ORG 630-20-6	1,1,1,2-Tetrachloroethane	60		ug/L	2	0.19	NA	6/12/2014	6/12/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3373	50	120%		
D061214ALCS	D061214ALCS	ORG XYLMP	p&m-Xylene	100		ug/L	2	0.26	NA	6/12/2014	6/12/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3373	100	100%		
D061214ALCS	D061214ALCS	ORG 95-47-6	o-Xylene	52		ug/L	1	0.13	NA	6/12/2014	6/12/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3373	50	104%		
D061214ALCS	D061214ALCS	ORG 100-42-5	Styrene	55		ug/L	1	0.20	NA	6/12/2014	6/12/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3373	50	110%		
D061214ALCS	D061214ALCS	ORG 75-25-2	Bromoform	54		ug/L	2	0.47	NA	6/12/2014	6/12/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3373	50	108%		
D061214ALCS	D061214ALCS	ORG 98-82-8	Isopropylbenzene	53		ug/L	2	0.20	NA	6/12/2014	6/12/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3373	50	106%		
D061214ALCS	D061214ALCS	ORG 103-65-1	n-Propylbenzene	54		ug/L	2	0.27	NA	6/12/2014	6/12/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3373	50	108%		
D061214ALCS	D061214ALCS	ORG 79-34-5	1,1,2,2-Tetrachloroethane	47		ug/L	2	0.29	NA	6/12/2014	6/12/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3373	50	94%		



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D061214ALCS	D061214ALCS	ORG 96-18-4	1,2,3-Trichloropropane	46		ug/L	2	0.29	NA	6/12/2014	6/12/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3373	50	92%		
D061214ALCS	D061214ALCS	ORG 108-67-8	1,3,5-Trimethylbenzene	54		ug/L	2	0.20	NA	6/12/2014	6/12/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3373	50	108%		
D061214ALCS	D061214ALCS	ORG 98-06-6	tert-Butylbenzene	57		ug/L	2	0.33	NA	6/12/2014	6/12/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3373	50	114%		
D061214ALCS	D061214ALCS	ORG 95-63-6	1,2,4-Trimethylbenzene	53		ug/L	2	0.20	NA	6/12/2014	6/12/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3373	50	106%		
D061214ALCS	D061214ALCS	ORG 135-98-8	sec-Butylbenzene	56		ug/L	2	0.32	NA	6/12/2014	6/12/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3373	50	112%		
D061214ALCS	D061214ALCS	ORG 541-73-1	1,3-Dichlorobenzene	51		ug/L	2	0.22	NA	6/12/2014	6/12/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3373	50	102%		
D061214ALCS	D061214ALCS	ORG 99-87-6	p-Isopropyltoluene	57		ug/L	2	0.25	NA	6/12/2014	6/12/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3373	50	114%		
D061214ALCS	D061214ALCS	ORG 106-46-7	1,4-Dichlorobenzene	50		ug/L	2	0.33	NA	6/12/2014	6/12/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3373	50	100%		
D061214ALCS	D061214ALCS	ORG 95-50-1	1,2-Dichlorobenzene	50		ug/L	2	0.26	NA	6/12/2014	6/12/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3373	50	100%		
D061214ALCS	D061214ALCS	ORG 104-51-8	n-Butylbenzene	56		ug/L	5	0.28	NA	6/12/2014	6/12/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3373	50	112%		
D061214ALCS	D061214ALCS	ORG 96-12-8	1,2-Dibromo-3-chloropropane	51		ug/L	5	1.59	NA	6/12/2014	6/12/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3373	50	102%		
D061214ALCS	D061214ALCS	ORG 87-68-3	Hexachlorobutadiene	62		ug/L	5	0.65	NA	6/12/2014	6/12/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3373	50	124%		
D061214ALCS	D061214ALCS	ORG 120-82-1	1,2,4-Trichlorobenzene	52		ug/L	5	0.28	NA	6/12/2014	6/12/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3373	50	104%		
D061214ALCS	D061214ALCS	ORG 91-20-3	Naphthalene	48		ug/L	5	0.56	NA	6/12/2014	6/12/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3373	50	96%		
D061214ALCS	D061214ALCS	ORG 87-61-6	1,2,3-Trichlorobenzene	51		ug/L	5	0.23	NA	6/12/2014	6/12/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3373	50	102%		
D061214ALCS	D061214ALCS	STD 1868-53-7	Dibromofluoromethane	53		ug/L	1	0.10	NA	6/12/2014	6/12/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3373	50	106%		
D061214ALCS	D061214ALCS	STD 17060-07-0	1,2-Dichloroethane d4	51		ug/L	1	0.10	NA	6/12/2014	6/12/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3373	50	102%		
D061214ALCS	D061214ALCS	STD 2037-26-5	Toluene d8	51		ug/L	1	0.10	NA	6/12/2014	6/12/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3373	50	102%		
D061214ALCS	D061214ALCS	STD 460-00-4	Bromofluorobenzene	49		ug/L	1	0.10	NA	6/12/2014	6/12/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3373	50	98%		



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D061214ALCD	D061214ALCD	ORG 96-18-4	1,2,3-Trichloropropane	47		ug/L	2	0.29	NA	6/12/2014	6/12/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3374	50	94%	2%	
D061214ALCD	D061214ALCD	ORG 108-67-8	1,3,5-Trimethylbenzene	52		ug/L	2	0.20	NA	6/12/2014	6/12/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3374	50	104%	4%	
D061214ALCD	D061214ALCD	ORG 98-06-6	tert-Butylbenzene	54		ug/L	2	0.33	NA	6/12/2014	6/12/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3374	50	108%	5%	
D061214ALCD	D061214ALCD	ORG 95-63-6	1,2,4-Trimethylbenzene	52		ug/L	2	0.20	NA	6/12/2014	6/12/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3374	50	104%	2%	
D061214ALCD	D061214ALCD	ORG 135-98-8	sec-Butylbenzene	53		ug/L	2	0.32	NA	6/12/2014	6/12/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3374	50	106%	6%	
D061214ALCD	D061214ALCD	ORG 541-73-1	1,3-Dichlorobenzene	49		ug/L	2	0.22	NA	6/12/2014	6/12/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3374	50	98%	4%	
D061214ALCD	D061214ALCD	ORG 99-87-6	p-Isopropyltoluene	54		ug/L	2	0.25	NA	6/12/2014	6/12/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3374	50	108%	5%	
D061214ALCD	D061214ALCD	ORG 106-46-7	1,4-Dichlorobenzene	48		ug/L	2	0.33	NA	6/12/2014	6/12/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3374	50	96%	4%	
D061214ALCD	D061214ALCD	ORG 95-50-1	1,2-Dichlorobenzene	49		ug/L	2	0.26	NA	6/12/2014	6/12/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3374	50	98%	2%	
D061214ALCD	D061214ALCD	ORG 104-51-8	n-Butylbenzene	53		ug/L	5	0.28	NA	6/12/2014	6/12/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3374	50	106%	6%	
D061214ALCD	D061214ALCD	ORG 96-12-8	1,2-Dibromo-3-chloropropane	52		ug/L	5	1.59	NA	6/12/2014	6/12/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3374	50	104%	2%	
D061214ALCD	D061214ALCD	ORG 87-68-3	Hexachlorobutadiene	58		ug/L	5	0.65	NA	6/12/2014	6/12/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3374	50	116%	7%	
D061214ALCD	D061214ALCD	ORG 120-82-1	1,2,4-Trichlorobenzene	51		ug/L	5	0.28	NA	6/12/2014	6/12/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3374	50	102%	2%	
D061214ALCD	D061214ALCD	ORG 91-20-3	Naphthalene	48		ug/L	5	0.56	NA	6/12/2014	6/12/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3374	50	96%	0%	
D061214ALCD	D061214ALCD	ORG 87-61-6	1,2,3-Trichlorobenzene	50		ug/L	5	0.23	NA	6/12/2014	6/12/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3374	50	100%	2%	
D061214ALCD	D061214ALCD	STD 1868-53-7	Dibromofluoromethane	54		ug/L	1	0.10	NA	6/12/2014	6/12/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3374	50	108%	2%	
D061214ALCD	D061214ALCD	STD 17060-07-0	1,2-Dichloroethane d4	52		ug/L	1	0.10	NA	6/12/2014	6/12/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3374	50	104%	2%	
D061214ALCD	D061214ALCD	STD 2037-26-5	Toluene d8	50		ug/L	1	0.10	NA	6/12/2014	6/12/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3374	50	100%	2%	
D061214ALCD	D061214ALCD	STD 460-00-4	Bromofluorobenzene	50		ug/L	1	0.10	NA	6/12/2014	6/12/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3374	50	100%	2%	



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@nevagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

- B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assessment, QC analyses parameter exceeded control limits.
U = Non-detect
* NAL is not certified for these compound by NELAC.

Table with 23 columns: Lab ID, Sample ID, CAS #, ANALYTES, Results, QC, Units, RDL, MDL, Sample Date, Prep. Date, Analysis Date, Matrix, Dil., Weight(g), Vol.(ml), % Solid, Method, Data file, Spike, % Rec, % RPD, Parent. Contains 47 rows of analytical data.



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@nevagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

- B** = Analyte is found in the associated blank as well as in the sample.
- D** = Compound identified in an analysis at a secondary dilution factor.
- E** = Compound's concentration exceeds the calibration range of the instrument at this dilution.
- X** = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
- J** = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
- M** = Matrix assessment, QC analyses parameter exceeded control limits.
- U** = Non-detect
- * NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1500MS	316-328	ORG 96-18-4	1,2,3-Trichloropropane	4800		ug/L	200	29.47	6/12/2014	6/12/2014	6/12/2014	WG	100	NA	5.0	NA	SW8260B	NALD3375	5000	96%		
NAL13026-1500MS	316-328	ORG 108-67-8	1,3,5-Trimethylbenzene	5500		ug/L	200	20.03	6/12/2014	6/12/2014	6/12/2014	WG	100	NA	5.0	NA	SW8260B	NALD3375	5000	108%		110
NAL13026-1500MS	316-328	ORG 98-06-6	tert-Butylbenzene	5500		ug/L	200	32.61	6/12/2014	6/12/2014	6/12/2014	WG	100	NA	5.0	NA	SW8260B	NALD3375	5000	110%		
NAL13026-1500MS	316-328	ORG 95-63-6	1,2,4-Trimethylbenzene	5800		ug/L	200	20.03	6/12/2014	6/12/2014	6/12/2014	WG	100	NA	5.0	NA	SW8260B	NALD3375	5000	104%		590
NAL13026-1500MS	316-328	ORG 135-98-8	sec-Butylbenzene	5500		ug/L	200	32.34	6/12/2014	6/12/2014	6/12/2014	WG	100	NA	5.0	NA	SW8260B	NALD3375	5000	110%		
NAL13026-1500MS	316-328	ORG 541-73-1	1,3-Dichlorobenzene	5000		ug/L	200	22.21	6/12/2014	6/12/2014	6/12/2014	WG	100	NA	5.0	NA	SW8260B	NALD3375	5000	100%		
NAL13026-1500MS	316-328	ORG 99-87-6	p-Isopropyltoluene	8800		ug/L	200	25.48	6/12/2014	6/12/2014	6/12/2014	WG	100	NA	5.0	NA	SW8260B	NALD3375	5000	104%		3600
NAL13026-1500MS	316-328	ORG 106-46-7	1,4-Dichlorobenzene	5600		ug/L	200	33.03	6/12/2014	6/12/2014	6/12/2014	WG	100	NA	5.0	NA	SW8260B	NALD3375	5000	97%		750
NAL13026-1500MS	316-328	ORG 95-50-1	1,2-Dichlorobenzene	5000		ug/L	200	26.38	6/12/2014	6/12/2014	6/12/2014	WG	100	NA	5.0	NA	SW8260B	NALD3375	5000	100%		
NAL13026-1500MS	316-328	ORG 104-51-8	n-Butylbenzene	5600		ug/L	500	27.81	6/12/2014	6/12/2014	6/12/2014	WG	100	NA	5.0	NA	SW8260B	NALD3375	5000	110%		110
NAL13026-1500MS	316-328	ORG 96-12-8	1,2-Dibromo-3-chloropropane	5700		ug/L	500	159.11	6/12/2014	6/12/2014	6/12/2014	WG	100	NA	5.0	NA	SW8260B	NALD3375	5000	114%		
NAL13026-1500MS	316-328	ORG 87-68-3	Hexachlorobutadiene	5400		ug/L	500	65.42	6/12/2014	6/12/2014	6/12/2014	WG	100	NA	5.0	NA	SW8260B	NALD3375	5000	108%		
NAL13026-1500MS	316-328	ORG 120-82-1	1,2,4-Trichlorobenzene	5200		ug/L	500	27.63	6/12/2014	6/12/2014	6/12/2014	WG	100	NA	5.0	NA	SW8260B	NALD3375	5000	104%		
NAL13026-1500MS	316-328	ORG 91-20-3	Naphthalene	7100		ug/L	500	56.04	6/12/2014	6/12/2014	6/12/2014	WG	100	NA	5.0	NA	SW8260B	NALD3375	5000	100%		2100
NAL13026-1500MS	316-328	ORG 87-61-6	1,2,3-Trichlorobenzene	5000		ug/L	500	23.28	6/12/2014	6/12/2014	6/12/2014	WG	100	NA	5.0	NA	SW8260B	NALD3375	5000	100%		
NAL13026-1500MS	316-328	STD 1868-53-7	Dibromofluoromethane	54		ug/L	1	0.10	6/12/2014	6/12/2014	6/12/2014	WG	100	NA	5.0	NA	SW8260B	NALD3375	50	108%		
NAL13026-1500MS	316-328	STD 17060-07-0	1,2-Dichloroethane d4	51		ug/L	1	0.10	6/12/2014	6/12/2014	6/12/2014	WG	100	NA	5.0	NA	SW8260B	NALD3375	50	102%		
NAL13026-1500MS	316-328	STD 2037-26-5	Toluene d8	51		ug/L	1	0.10	6/12/2014	6/12/2014	6/12/2014	WG	100	NA	5.0	NA	SW8260B	NALD3375	50	102%		
NAL13026-1500MS	316-328	STD 460-00-4	Bromofluorobenzene	49		ug/L	1	0.10	6/12/2014	6/12/2014	6/12/2014	WG	100	NA	5.0	NA	SW8260B	NALD3375	50	98%		



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@nevagelandmark.com

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

FINAL ANALYTICAL REPORT

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

- B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assessment, QC analyses parameter exceeded control limits.
U = Non-detect
* NAL is not certified for these compound by NELAC.

Table with columns: Lab ID, Sample ID, CAS #, ANALYTES, Results, QC, Units, RDL, MDL, Sample Date, Prep. Date, Analysis Date, Matrix, Dil., Weight(g), Vol.(ml), % Solid, Method, Data file, Spike, % Rec, % RPD, Parent. Contains 47 rows of analytical data.



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
 Tel: 888-685-1628 • mobilelabs@nevagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

- B** = Analyte is found in the associated blank as well as in the sample.
- D** = Compound identified in an analysis at a secondary dilution factor.
- E** = Compound's concentration exceeds the calibration range of the instrument at this dilution.
- X** = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
- J** = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
- M** = Matrix assessment, QC analyses parameter exceeded control limits.
- U** = Non-detect
- * NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1500MSD	316-328	ORG 96-18-4	1,2,3-Trichloropropane	4800		ug/L	200	29.47	6/12/2014	6/12/2014	6/12/2014	WG	100	NA	5.0	NA	SW8260B	NALD3376	5000	96%	0%	
NAL13026-1500MSD	316-328	ORG 108-67-8	1,3,5-Trimethylbenzene	5600		ug/L	200	20.03	6/12/2014	6/12/2014	6/12/2014	WG	100	NA	5.0	NA	SW8260B	NALD3376	5000	110%	2%	110
NAL13026-1500MSD	316-328	ORG 98-06-6	tert-Butylbenzene	5700		ug/L	200	32.61	6/12/2014	6/12/2014	6/12/2014	WG	100	NA	5.0	NA	SW8260B	NALD3376	5000	114%	4%	
NAL13026-1500MSD	316-328	ORG 95-63-6	1,2,4-Trimethylbenzene	6000		ug/L	200	20.03	6/12/2014	6/12/2014	6/12/2014	WG	100	NA	5.0	NA	SW8260B	NALD3376	5000	108%	3%	590
NAL13026-1500MSD	316-328	ORG 135-98-8	sec-Butylbenzene	5700		ug/L	200	32.34	6/12/2014	6/12/2014	6/12/2014	WG	100	NA	5.0	NA	SW8260B	NALD3376	5000	114%	4%	
NAL13026-1500MSD	316-328	ORG 541-73-1	1,3-Dichlorobenzene	5100		ug/L	200	22.21	6/12/2014	6/12/2014	6/12/2014	WG	100	NA	5.0	NA	SW8260B	NALD3376	5000	102%	2%	
NAL13026-1500MSD	316-328	ORG 99-87-6	p-Isopropyltoluene	8900		ug/L	200	25.48	6/12/2014	6/12/2014	6/12/2014	WG	100	NA	5.0	NA	SW8260B	NALD3376	5000	106%	1%	3600
NAL13026-1500MSD	316-328	ORG 106-46-7	1,4-Dichlorobenzene	5800		ug/L	200	33.03	6/12/2014	6/12/2014	6/12/2014	WG	100	NA	5.0	NA	SW8260B	NALD3376	5000	101%	4%	750
NAL13026-1500MSD	316-328	ORG 95-50-1	1,2-Dichlorobenzene	5000		ug/L	200	26.38	6/12/2014	6/12/2014	6/12/2014	WG	100	NA	5.0	NA	SW8260B	NALD3376	5000	100%	0%	
NAL13026-1500MSD	316-328	ORG 104-51-8	n-Butylbenzene	5800		ug/L	500	27.81	6/12/2014	6/12/2014	6/12/2014	WG	100	NA	5.0	NA	SW8260B	NALD3376	5000	114%	4%	110
NAL13026-1500MSD	316-328	ORG 96-12-8	1,2-Dibromo-3-chloropropane	5800		ug/L	500	159.11	6/12/2014	6/12/2014	6/12/2014	WG	100	NA	5.0	NA	SW8260B	NALD3376	5000	116%	2%	
NAL13026-1500MSD	316-328	ORG 87-68-3	Hexachlorobutadiene	5600		ug/L	500	65.42	6/12/2014	6/12/2014	6/12/2014	WG	100	NA	5.0	NA	SW8260B	NALD3376	5000	112%	4%	
NAL13026-1500MSD	316-328	ORG 120-82-1	1,2,4-Trichlorobenzene	5300		ug/L	500	27.63	6/12/2014	6/12/2014	6/12/2014	WG	100	NA	5.0	NA	SW8260B	NALD3376	5000	106%	2%	
NAL13026-1500MSD	316-328	ORG 91-20-3	Naphthalene	7000		ug/L	500	56.04	6/12/2014	6/12/2014	6/12/2014	WG	100	NA	5.0	NA	SW8260B	NALD3376	5000	98%	1%	2100
NAL13026-1500MSD	316-328	ORG 87-61-6	1,2,3-Trichlorobenzene	5100		ug/L	500	23.28	6/12/2014	6/12/2014	6/12/2014	WG	100	NA	5.0	NA	SW8260B	NALD3376	5000	102%	2%	
NAL13026-1500MSD	316-328	STD 1868-53-7	Dibromofluoromethane	54		ug/L	1	0.10	6/12/2014	6/12/2014	6/12/2014	WG	100	NA	5.0	NA	SW8260B	NALD3376	50	108%	0%	
NAL13026-1500MSD	316-328	STD 17060-07-0	1,2-Dichloroethane d4	50		ug/L	1	0.10	6/12/2014	6/12/2014	6/12/2014	WG	100	NA	5.0	NA	SW8260B	NALD3376	50	100%	2%	
NAL13026-1500MSD	316-328	STD 2037-26-5	Toluene d8	51		ug/L	1	0.10	6/12/2014	6/12/2014	6/12/2014	WG	100	NA	5.0	NA	SW8260B	NALD3376	50	102%	0%	
NAL13026-1500MSD	316-328	STD 460-00-4	Bromofluorobenzene	50		ug/L	1	0.10	6/12/2014	6/12/2014	6/12/2014	WG	100	NA	5.0	NA	SW8260B	NALD3376	50	100%	2%	



FINAL ANALYTICAL REPORT

Republic Services 12976 St. Charles Rock Rd. Bridgeton, MO 63044 ATTN: Brian Power

Project #: NAL13-026 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

- B = Analyte is found in the associated blank as well as in the sample. D = Compound identified in an analysis at a secondary dilution factor. E = Compound's concentration exceeds the calibration range of the instrument at this dilution. X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation. J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL. M = Matrix assessment, QC analyses parameter exceeded control limits. U = Non-detect

* NAL is not certified for these compound by NELAC.

Table with columns: Lab ID, Sample ID, CAS #, ANALYTES, Results, QC, Units, RDL, MDL, Sample Date, Prep. Date, Analysis Date, Matrix, Dil., Weight(g), Vol.(ml), % Solid, Method, Data file, Spike, % Rec, % RFD, Parent

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1502	316-329	ORG 108-67-8	1,3,5-Trimethylbenzene	1200		ug/L	200	20.03	6/13/2014	6/13/2014	6/13/2014	WG	100	NA	5.0	NA	SW8260B	NALD3384				
NAL13026-1502	316-329	ORG 98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	6/13/2014	6/13/2014	6/13/2014	WG	100	NA	5.0	NA	SW8260B	NALD3384				
NAL13026-1502	316-329	ORG 95-63-6	1,2,4-Trimethylbenzene	5100		ug/L	200	20.03	6/13/2014	6/13/2014	6/13/2014	WG	100	NA	5.0	NA	SW8260B	NALD3384				
NAL13026-1502	316-329	ORG 135-98-8	sec-Butylbenzene	170	J	ug/L	200	32.34	6/13/2014	6/13/2014	6/13/2014	WG	100	NA	5.0	NA	SW8260B	NALD3384				
NAL13026-1502	316-329	ORG 541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	6/13/2014	6/13/2014	6/13/2014	WG	100	NA	5.0	NA	SW8260B	NALD3384				
NAL13026-1502	316-329	ORG 99-87-6	p-Isopropyltoluene	27000	D	ug/L	2000	254.81	6/13/2014	6/13/2014	6/13/2014	WG	1000	NA	5.0	NA	SW8260B	NALD3385				
NAL13026-1502	316-329	ORG 106-46-7	1,4-Dichlorobenzene	4500		ug/L	200	33.03	6/13/2014	6/13/2014	6/13/2014	WG	100	NA	5.0	NA	SW8260B	NALD3384				
NAL13026-1502	316-329	ORG 95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	6/13/2014	6/13/2014	6/13/2014	WG	100	NA	5.0	NA	SW8260B	NALD3384				
NAL13026-1502	316-329	ORG 104-51-8	n-Butylbenzene	490	J	ug/L	500	27.81	6/13/2014	6/13/2014	6/13/2014	WG	100	NA	5.0	NA	SW8260B	NALD3384				
NAL13026-1502	316-329	ORG 96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	6/13/2014	6/13/2014	6/13/2014	WG	100	NA	5.0	NA	SW8260B	NALD3384				
NAL13026-1502	316-329	ORG 87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	6/13/2014	6/13/2014	6/13/2014	WG	100	NA	5.0	NA	SW8260B	NALD3384				
NAL13026-1502	316-329	ORG 120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	6/13/2014	6/13/2014	6/13/2014	WG	100	NA	5.0	NA	SW8260B	NALD3384				
NAL13026-1502	316-329	ORG 91-20-3	Naphthalene	4800		ug/L	500	56.04	6/13/2014	6/13/2014	6/13/2014	WG	100	NA	5.0	NA	SW8260B	NALD3384				
NAL13026-1502	316-329	ORG 87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	6/13/2014	6/13/2014	6/13/2014	WG	100	NA	5.0	NA	SW8260B	NALD3384				
NAL13026-1502	316-329	STD 1868-53-7	Dibromofluoromethane	53		ug/L	1	0.10	6/13/2014	6/13/2014	6/13/2014	WG	100	NA	5.0	NA	SW8260B	NALD3384	50	106%		
NAL13026-1502	316-329	STD 17060-07-0	1,2-Dichloroethane d4	54		ug/L	1	0.10	6/13/2014	6/13/2014	6/13/2014	WG	100	NA	5.0	NA	SW8260B	NALD3384	50	108%		
NAL13026-1502	316-329	STD 2037-26-5	Toluene d8	51		ug/L	1	0.10	6/13/2014	6/13/2014	6/13/2014	WG	100	NA	5.0	NA	SW8260B	NALD3384	50	102%		
NAL13026-1502	316-329	STD 460-00-4	Bromofluorobenzene	51		ug/L	1	0.10	6/13/2014	6/13/2014	6/13/2014	WG	100	NA	5.0	NA	SW8260B	NALD3384	50	102%		

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1503	CB 6-13-2014	ORG 108-67-8	1,3,5-Trimethylbenzene		U	ug/L	200	20.03	6/13/2014	6/13/2014	6/13/2014	WG	100	NA	5.0	NA	SW8260B	NALD3386				
NAL13026-1503	CB 6-13-2014	ORG 98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	6/13/2014	6/13/2014	6/13/2014	WG	100	NA	5.0	NA	SW8260B	NALD3386				
NAL13026-1503	CB 6-13-2014	ORG 95-63-6	1,2,4-Trimethylbenzene	85	J	ug/L	200	20.03	6/13/2014	6/13/2014	6/13/2014	WG	100	NA	5.0	NA	SW8260B	NALD3386				
NAL13026-1503	CB 6-13-2014	ORG 135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	6/13/2014	6/13/2014	6/13/2014	WG	100	NA	5.0	NA	SW8260B	NALD3386				
NAL13026-1503	CB 6-13-2014	ORG 541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	6/13/2014	6/13/2014	6/13/2014	WG	100	NA	5.0	NA	SW8260B	NALD3386				
NAL13026-1503	CB 6-13-2014	ORG 99-87-6	p-Isopropyltoluene	650		ug/L	200	25.48	6/13/2014	6/13/2014	6/13/2014	WG	100	NA	5.0	NA	SW8260B	NALD3386				
NAL13026-1503	CB 6-13-2014	ORG 106-46-7	1,4-Dichlorobenzene	100	J	ug/L	200	33.03	6/13/2014	6/13/2014	6/13/2014	WG	100	NA	5.0	NA	SW8260B	NALD3386				
NAL13026-1503	CB 6-13-2014	ORG 95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	6/13/2014	6/13/2014	6/13/2014	WG	100	NA	5.0	NA	SW8260B	NALD3386				
NAL13026-1503	CB 6-13-2014	ORG 104-51-8	n-Butylbenzene		U	ug/L	500	27.81	6/13/2014	6/13/2014	6/13/2014	WG	100	NA	5.0	NA	SW8260B	NALD3386				
NAL13026-1503	CB 6-13-2014	ORG 96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	6/13/2014	6/13/2014	6/13/2014	WG	100	NA	5.0	NA	SW8260B	NALD3386				
NAL13026-1503	CB 6-13-2014	ORG 87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	6/13/2014	6/13/2014	6/13/2014	WG	100	NA	5.0	NA	SW8260B	NALD3386				
NAL13026-1503	CB 6-13-2014	ORG 120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	6/13/2014	6/13/2014	6/13/2014	WG	100	NA	5.0	NA	SW8260B	NALD3386				
NAL13026-1503	CB 6-13-2014	ORG 91-20-3	Naphthalene	500	J	ug/L	500	56.04	6/13/2014	6/13/2014	6/13/2014	WG	100	NA	5.0	NA	SW8260B	NALD3386				
NAL13026-1503	CB 6-13-2014	ORG 87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	6/13/2014	6/13/2014	6/13/2014	WG	100	NA	5.0	NA	SW8260B	NALD3386				
NAL13026-1503	CB 6-13-2014	STD 1868-53-7	Dibromofluoromethane	54		ug/L	1	0.10	6/13/2014	6/13/2014	6/13/2014	WG	100	NA	5.0	NA	SW8260B	NALD3386	50	108%		
NAL13026-1503	CB 6-13-2014	STD 17060-07-0	1,2-Dichloroethane d4	54		ug/L	1	0.10	6/13/2014	6/13/2014	6/13/2014	WG	100	NA	5.0	NA	SW8260B	NALD3386	50	108%		
NAL13026-1503	CB 6-13-2014	STD 2037-26-5	Toluene d8	51		ug/L	1	0.10	6/13/2014	6/13/2014	6/13/2014	WG	100	NA	5.0	NA	SW8260B	NALD3386	50	102%		
NAL13026-1503	CB 6-13-2014	STD 460-00-4	Bromofluorobenzene	50		ug/L	1	0.10	6/13/2014	6/13/2014	6/13/2014	WG	100	NA	5.0	NA	SW8260B	NALD3386	50	100%		

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1504	T1 INF	ORG 108-67-8	1,3,5-Trimethylbenzene	510		ug/L	200	20.03	6/13/2014	6/13/2014	6/13/2014	WG	100	NA	5.0	NA	SW8260B	NALD3392				
NAL13026-1504	T1 INF	ORG 98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	6/13/2014	6/13/2014	6/13/2014	WG	100	NA	5.0	NA	SW8260B	NALD3392				
NAL13026-1504	T1 INF	ORG 95-63-6	1,2,4-Trimethylbenzene	2200		ug/L	200	20.03	6/13/2014	6/13/2014	6/13/2014	WG	100	NA	5.0	NA	SW8260B	NALD3392				
NAL13026-1504	T1 INF	ORG 135-98-8	sec-Butylbenzene	87	J	ug/L	200	32.34	6/13/2014	6/13/2014	6/13/2014	WG	100	NA	5.0	NA	SW8260B	NALD3392				
NAL13026-1504	T1 INF	ORG 541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	6/13/2014	6/13/2014	6/13/2014	WG	100	NA	5.0	NA	SW8260B	NALD3392				
NAL13026-1504	T1 INF	ORG 99-87-6	p-Isopropyltoluene	9100		ug/L	200	25.48	6/13/2014	6/13/2014	6/13/2014	WG	100	NA	5.0	NA	SW8260B	NALD3392				
NAL13026-1504	T1 INF	ORG 106-46-7	1,4-Dichlorobenzene	1900		ug/L	200	33.03	6/13/2014	6/13/2014	6/13/2014	WG	100	NA	5.0	NA	SW8260B	NALD3392				
NAL13026-1504	T1 INF	ORG 95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	6/13/2014	6/13/2014	6/13/2014	WG	100	NA	5.0	NA	SW8260B	NALD3392				
NAL13026-1504	T1 INF	ORG 104-51-8	n-Butylbenzene	220	J	ug/L	500	27.81	6/13/2014	6/13/2014	6/13/2014	WG	100	NA	5.0	NA	SW8260B	NALD3392				
NAL13026-1504	T1 INF	ORG 96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	6/13/2014	6/13/2014	6/13/2014	WG	100	NA	5.0	NA	SW8260B	NALD3392				
NAL13026-1504	T1 INF	ORG 87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	6/13/2014	6/13/2014	6/13/2014	WG	100	NA	5.0	NA	SW8260B	NALD3392				
NAL13026-1504	T1 INF	ORG 120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	6/13/2014	6/13/2014	6/13/2014	WG	100	NA	5.0	NA	SW8260B	NALD3392				
NAL13026-1504	T1 INF	ORG 91-20-3	Naphthalene	1600		ug/L	500	56.04	6/13/2014	6/13/2014	6/13/2014	WG	100	NA	5.0	NA	SW8260B	NALD3392				
NAL13026-1504	T1 INF	ORG 87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	6/13/2014	6/13/2014	6/13/2014	WG	100	NA	5.0	NA	SW8260B	NALD3392				
NAL13026-1504	T1 INF	STD 1868-53-7	Dibromofluoromethane	53		ug/L	1	0.10	6/13/2014	6/13/2014	6/13/2014	WG	100	NA	5.0	NA	SW8260B	NALD3392	50	106%		
NAL13026-1504	T1 INF	STD 17060-07-0	1,2-Dichloroethane d4	52		ug/L	1	0.10	6/13/2014	6/13/2014	6/13/2014	WG	100	NA	5.0	NA	SW8260B	NALD3392	50	104%		
NAL13026-1504	T1 INF	STD 2037-26-5	Toluene d8	51		ug/L	1	0.10	6/13/2014	6/13/2014	6/13/2014	WG	100	NA	5.0	NA	SW8260B	NALD3392	50	102%		
NAL13026-1504	T1 INF	STD 460-00-4	Bromofluorobenzene	51		ug/L	1	0.10	6/13/2014	6/13/2014	6/13/2014	WG	100	NA	5.0	NA	SW8260B	NALD3392	50	102%		



New Age/Landmark Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

FINAL ANALYTICAL REPORT

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Table with columns: Lab ID, Sample ID, CAS #, ANALYTES, Results, QC, Units, RDL, MDL, Sample Date, Prep. Date, Analysis Date, Matrix, Dil., Weight(g), Vol.(ml), % Solid, Method, Data file, Spike, % Rec, % RPD, Parent. Contains 40 rows of analytical data.

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1505	T1 EFF	ORG 108-67-8	1,3,5-Trimethylbenzene	57	J	ug/L	200	20.03	6/13/2014	6/13/2014	6/13/2014	WG	100	NA	5.0	NA	SW8260B	NALD 3396				
NAL13026-1505	T1 EFF	ORG 98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	6/13/2014	6/13/2014	6/13/2014	WG	100	NA	5.0	NA	SW8260B	NALD 3396				
NAL13026-1505	T1 EFF	ORG 95-63-6	1,2,4-Trimethylbenzene	290		ug/L	200	20.03	6/13/2014	6/13/2014	6/13/2014	WG	100	NA	5.0	NA	SW8260B	NALD 3396				
NAL13026-1505	T1 EFF	ORG 135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	6/13/2014	6/13/2014	6/13/2014	WG	100	NA	5.0	NA	SW8260B	NALD 3396				
NAL13026-1505	T1 EFF	ORG 541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	6/13/2014	6/13/2014	6/13/2014	WG	100	NA	5.0	NA	SW8260B	NALD 3396				
NAL13026-1505	T1 EFF	ORG 99-87-6	p-Isopropyltoluene	940		ug/L	200	25.48	6/13/2014	6/13/2014	6/13/2014	WG	100	NA	5.0	NA	SW8260B	NALD 3396				
NAL13026-1505	T1 EFF	ORG 106-46-7	1,4-Dichlorobenzene	400		ug/L	200	33.03	6/13/2014	6/13/2014	6/13/2014	WG	100	NA	5.0	NA	SW8260B	NALD 3396				
NAL13026-1505	T1 EFF	ORG 95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	6/13/2014	6/13/2014	6/13/2014	WG	100	NA	5.0	NA	SW8260B	NALD 3396				
NAL13026-1505	T1 EFF	ORG 104-51-8	n-Butylbenzene		U	ug/L	500	27.81	6/13/2014	6/13/2014	6/13/2014	WG	100	NA	5.0	NA	SW8260B	NALD 3396				
NAL13026-1505	T1 EFF	ORG 96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	6/13/2014	6/13/2014	6/13/2014	WG	100	NA	5.0	NA	SW8260B	NALD 3396				
NAL13026-1505	T1 EFF	ORG 87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	6/13/2014	6/13/2014	6/13/2014	WG	100	NA	5.0	NA	SW8260B	NALD 3396				
NAL13026-1505	T1 EFF	ORG 120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	6/13/2014	6/13/2014	6/13/2014	WG	100	NA	5.0	NA	SW8260B	NALD 3396				
NAL13026-1505	T1 EFF	ORG 91-20-3	Naphthalene	520		ug/L	500	56.04	6/13/2014	6/13/2014	6/13/2014	WG	100	NA	5.0	NA	SW8260B	NALD 3396				
NAL13026-1505	T1 EFF	ORG 87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	6/13/2014	6/13/2014	6/13/2014	WG	100	NA	5.0	NA	SW8260B	NALD 3396				
NAL13026-1505	T1 EFF	STD 1868-53-7	Dibromofluoromethane	52		ug/L	1	0.10	6/13/2014	6/13/2014	6/13/2014	WG	100	NA	5.0	NA	SW8260B	NALD 3396	50	104%		
NAL13026-1505	T1 EFF	STD 17060-07-0	1,2-Dichloroethane d4	52		ug/L	1	0.10	6/13/2014	6/13/2014	6/13/2014	WG	100	NA	5.0	NA	SW8260B	NALD 3396	50	104%		
NAL13026-1505	T1 EFF	STD 2037-26-5	Toluene d8	52		ug/L	1	0.10	6/13/2014	6/13/2014	6/13/2014	WG	100	NA	5.0	NA	SW8260B	NALD 3396	50	104%		
NAL13026-1505	T1 EFF	STD 460-00-4	Bromofluorobenzene	52		ug/L	1	0.10	6/13/2014	6/13/2014	6/13/2014	WG	100	NA	5.0	NA	SW8260B	NALD 3396	50	104%		

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D061314CCVA	D061314CCVA	ORG 108-67-8	1,3,5-Trimethylbenzene	54		ug/L	2	0.20	NA	6/13/2014	6/13/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3381	50	108%		
D061314CCVA	D061314CCVA	ORG 98-06-6	tert-Butylbenzene	56		ug/L	2	0.33	NA	6/13/2014	6/13/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3381	50	112%		
D061314CCVA	D061314CCVA	ORG 95-63-6	1,2,4-Trimethylbenzene	53		ug/L	2	0.20	NA	6/13/2014	6/13/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3381	50	106%		
D061314CCVA	D061314CCVA	ORG 135-98-8	sec-Butylbenzene	55		ug/L	2	0.32	NA	6/13/2014	6/13/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3381	50	110%		
D061314CCVA	D061314CCVA	ORG 541-73-1	1,3-Dichlorobenzene	51		ug/L	2	0.22	NA	6/13/2014	6/13/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3381	50	102%		
D061314CCVA	D061314CCVA	ORG 99-87-6	p-Isopropyltoluene	56		ug/L	2	0.25	NA	6/13/2014	6/13/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3381	50	112%		
D061314CCVA	D061314CCVA	ORG 106-46-7	1,4-Dichlorobenzene	50		ug/L	2	0.33	NA	6/13/2014	6/13/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3381	50	100%		
D061314CCVA	D061314CCVA	ORG 95-50-1	1,2-Dichlorobenzene	50		ug/L	2	0.26	NA	6/13/2014	6/13/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3381	50	100%		
D061314CCVA	D061314CCVA	ORG 104-51-8	n-Butylbenzene	55		ug/L	5	0.28	NA	6/13/2014	6/13/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3381	50	110%		
D061314CCVA	D061314CCVA	ORG 96-12-8	1,2-Dibromo-3-chloropropane	53		ug/L	5	1.59	NA	6/13/2014	6/13/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3381	50	106%		
D061314CCVA	D061314CCVA	ORG 87-68-3	Hexachlorobutadiene	59		ug/L	5	0.65	NA	6/13/2014	6/13/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3381	50	118%		
D061314CCVA	D061314CCVA	ORG 120-82-1	1,2,4-Trichlorobenzene	51		ug/L	5	0.28	NA	6/13/2014	6/13/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3381	50	102%		
D061314CCVA	D061314CCVA	ORG 91-20-3	Naphthalene	45		ug/L	5	0.56	NA	6/13/2014	6/13/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3381	50	90%		
D061314CCVA	D061314CCVA	ORG 87-61-6	1,2,3-Trichlorobenzene	49		ug/L	5	0.23	NA	6/13/2014	6/13/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3381	50	98%		
D061314CCVA	D061314CCVA	STD 1868-53-7	Dibromofluoromethane	54		ug/L	1	0.10	NA	6/13/2014	6/13/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3381	50	108%		
D061314CCVA	D061314CCVA	STD 17060-07-0	1,2-Dichloroethane d4	49		ug/L	1	0.10	NA	6/13/2014	6/13/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3381	50	98%		
D061314CCVA	D061314CCVA	STD 2037-26-5	Toluene d8	50		ug/L	1	0.10	NA	6/13/2014	6/13/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3381	50	100%		
D061314CCVA	D061314CCVA	STD 460-00-4	Bromofluorobenzene	50		ug/L	1	0.10	NA	6/13/2014	6/13/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3381	50	100%		

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D061314MBKA	D061314MBKA	ORG 108-67-8	1,3,5-Trimethylbenzene		U	ug/L	2	0.20	NA	6/13/2014	6/13/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3383				
D061314MBKA	D061314MBKA	ORG 98-06-6	tert-Butylbenzene		U	ug/L	2	0.33	NA	6/13/2014	6/13/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3383				
D061314MBKA	D061314MBKA	ORG 95-63-6	1,2,4-Trimethylbenzene		U	ug/L	2	0.20	NA	6/13/2014	6/13/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3383				
D061314MBKA	D061314MBKA	ORG 135-98-8	sec-Butylbenzene		U	ug/L	2	0.32	NA	6/13/2014	6/13/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3383				
D061314MBKA	D061314MBKA	ORG 541-73-1	1,3-Dichlorobenzene		U	ug/L	2	0.22	NA	6/13/2014	6/13/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3383				
D061314MBKA	D061314MBKA	ORG 99-87-6	p-Isopropyltoluene		U	ug/L	2	0.25	NA	6/13/2014	6/13/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3383				
D061314MBKA	D061314MBKA	ORG 106-46-7	1,4-Dichlorobenzene		U	ug/L	2	0.33	NA	6/13/2014	6/13/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3383				
D061314MBKA	D061314MBKA	ORG 95-50-1	1,2-Dichlorobenzene		U	ug/L	2	0.26	NA	6/13/2014	6/13/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3383				
D061314MBKA	D061314MBKA	ORG 104-51-8	n-Butylbenzene		U	ug/L	5	0.28	NA	6/13/2014	6/13/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3383				
D061314MBKA	D061314MBKA	ORG 96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	5	1.59	NA	6/13/2014	6/13/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3383				
D061314MBKA	D061314MBKA	ORG 87-68-3	Hexachlorobutadiene		U	ug/L	5	0.65	NA	6/13/2014	6/13/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3383				
D061314MBKA	D061314MBKA	ORG 120-82-1	1,2,4-Trichlorobenzene		U	ug/L	5	0.28	NA	6/13/2014	6/13/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3383				
D061314MBKA	D061314MBKA	ORG 91-20-3	Naphthalene		U	ug/L	5	0.56	NA	6/13/2014	6/13/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3383				
D061314MBKA	D061314MBKA	ORG 87-61-6	1,2,3-Trichlorobenzene		U	ug/L	5	0.23	NA	6/13/2014	6/13/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3383				
D061314MBKA	D061314MBKA	STD 1868-53-7	Dibromofluoromethane	53		ug/L	1	0.10	NA	6/13/2014	6/13/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3383	50	106%		
D061314MBKA	D061314MBKA	STD 17060-07-0	1,2-Dichloroethane d4	54		ug/L	1	0.10	NA	6/13/2014	6/13/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3383	50	108%		
D061314MBKA	D061314MBKA	STD 2037-26-5	Toluene d8	51		ug/L	1	0.10	NA	6/13/2014	6/13/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3383	50	102%		
D061314MBKA	D061314MBKA	STD 460-00-4	Bromofluorobenzene	50		ug/L	1	0.10	NA	6/13/2014	6/13/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3383	50	100%		

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D061314ALCS	D061314ALCS	ORG 108-67-8	1,3,5-Trimethylbenzene	52		ug/L	2	0.20	NA	6/13/2014	6/13/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3382	50	104%		
D061314ALCS	D061314ALCS	ORG 98-06-6	tert-Butylbenzene	55		ug/L	2	0.33	NA	6/13/2014	6/13/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3382	50	110%		
D061314ALCS	D061314ALCS	ORG 95-63-6	1,2,4-Trimethylbenzene	52		ug/L	2	0.20	NA	6/13/2014	6/13/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3382	50	104%		
D061314ALCS	D061314ALCS	ORG 135-98-8	sec-Butylbenzene	53		ug/L	2	0.32	NA	6/13/2014	6/13/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3382	50	106%		
D061314ALCS	D061314ALCS	ORG 541-73-1	1,3-Dichlorobenzene	49		ug/L	2	0.22	NA	6/13/2014	6/13/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3382	50	98%		
D061314ALCS	D061314ALCS	ORG 99-87-6	p-Isopropyltoluene	55		ug/L	2	0.25	NA	6/13/2014	6/13/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3382	50	110%		
D061314ALCS	D061314ALCS	ORG 106-46-7	1,4-Dichlorobenzene	49		ug/L	2	0.33	NA	6/13/2014	6/13/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3382	50	98%		
D061314ALCS	D061314ALCS	ORG 95-50-1	1,2-Dichlorobenzene	50		ug/L	2	0.26	NA	6/13/2014	6/13/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3382	50	100%		
D061314ALCS	D061314ALCS	ORG 104-51-8	n-Butylbenzene	54		ug/L	5	0.28	NA	6/13/2014	6/13/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3382	50	108%		
D061314ALCS	D061314ALCS	ORG 96-12-8	1,2-Dibromo-3-chloropropane	53		ug/L	5	1.59	NA	6/13/2014	6/13/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3382	50	106%		
D061314ALCS	D061314ALCS	ORG 87-68-3	Hexachlorobutadiene	59		ug/L	5	0.65	NA	6/13/2014	6/13/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3382	50	118%		
D061314ALCS	D061314ALCS	ORG 120-82-1	1,2,4-Trichlorobenzene	52		ug/L	5	0.28	NA	6/13/2014	6/13/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3382	50	104%		
D061314ALCS	D061314ALCS	ORG 91-20-3	Naphthalene	50		ug/L	5	0.56	NA	6/13/2014	6/13/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3382	50	100%		
D061314ALCS	D061314ALCS	ORG 87-61-6	1,2,3-Trichlorobenzene	51		ug/L	5	0.23	NA	6/13/2014	6/13/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3382	50	102%		
D061314ALCS	D061314ALCS	STD 1868-53-7	Dibromofluoromethane	53		ug/L	1	0.10	NA	6/13/2014	6/13/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3382	50	106%		
D061314ALCS	D061314ALCS	STD 17060-07-0	1,2-Dichloroethane d4	51		ug/L	1	0.10	NA	6/13/2014	6/13/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3382	50	102%		
D061314ALCS	D061314ALCS	STD 2037-26-5	Toluene d8	50		ug/L	1	0.10	NA	6/13/2014	6/13/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3382	50	100%		
D061314ALCS	D061314ALCS	STD 460-00-4	Bromofluorobenzene	49		ug/L	1	0.10	NA	6/13/2014	6/13/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3382	50	98%		

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D061314ALCD	D061314ALCD	ORG 108-67-8	1,3,5-Trimethylbenzene	55		ug/L	2	0.20	NA	6/13/2014	6/13/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3388	50	110%	6%	
D061314ALCD	D061314ALCD	ORG 98-06-6	tert-Butylbenzene	57		ug/L	2	0.33	NA	6/13/2014	6/13/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3388	50	114%	4%	
D061314ALCD	D061314ALCD	ORG 95-63-6	1,2,4-Trimethylbenzene	54		ug/L	2	0.20	NA	6/13/2014	6/13/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3388	50	108%	4%	
D061314ALCD	D061314ALCD	ORG 135-98-8	sec-Butylbenzene	56		ug/L	2	0.32	NA	6/13/2014	6/13/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3388	50	112%	6%	
D061314ALCD	D061314ALCD	ORG 541-73-1	1,3-Dichlorobenzene	52		ug/L	2	0.22	NA	6/13/2014	6/13/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3388	50	104%	6%	
D061314ALCD	D061314ALCD	ORG 99-87-6	p-Isopropyltoluene	57		ug/L	2	0.25	NA	6/13/2014	6/13/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3388	50	114%	4%	
D061314ALCD	D061314ALCD	ORG 106-46-7	1,4-Dichlorobenzene	50		ug/L	2	0.33	NA	6/13/2014	6/13/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3388	50	100%	2%	
D061314ALCD	D061314ALCD	ORG 95-50-1	1,2-Dichlorobenzene	51		ug/L	2	0.26	NA	6/13/2014	6/13/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3388	50	102%	2%	
D061314ALCD	D061314ALCD	ORG 104-51-8	n-Butylbenzene	56		ug/L	5	0.28	NA	6/13/2014	6/13/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3388	50	112%	4%	
D061314ALCD	D061314ALCD	ORG 96-12-8	1,2-Dibromo-3-chloropropane	50		ug/L	5	1.59	NA	6/13/2014	6/13/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3388	50	100%	6%	
D061314ALCD	D061314ALCD	ORG 87-68-3	Hexachlorobutadiene	62		ug/L	5	0.65	NA	6/13/2014	6/13/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3388	50	124%	5%	
D061314ALCD	D061314ALCD	ORG 120-82-1	1,2,4-Trichlorobenzene	52		ug/L	5	0.28	NA	6/13/2014	6/13/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3388	50	104%	0%	
D061314ALCD	D061314ALCD	ORG 91-20-3	Naphthalene	47		ug/L	5	0.56	NA	6/13/2014	6/13/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3388	50	94%	6%	
D061314ALCD	D061314ALCD	ORG 87-61-6	1,2,3-Trichlorobenzene	51		ug/L	5	0.23	NA	6/13/2014	6/13/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3388	50	102%	0%	
D061314ALCD	D061314ALCD	STD 1868-53-7	Dibromofluoromethane	53		ug/L	1	0.10	NA	6/13/2014	6/13/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3388	50	106%	0%	
D061314ALCD	D061314ALCD	STD 17060-07-0	1,2-Dichloroethane d4	51		ug/L	1	0.10	NA	6/13/2014	6/13/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3388	50	102%	0%	
D061314ALCD	D061314ALCD	STD 2037-26-5	Toluene d8	50		ug/L	1	0.10	NA	6/13/2014	6/13/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3388	50	100%	0%	
D061314ALCD	D061314ALCD	STD 460-00-4	Bromofluorobenzene	50		ug/L	1	0.10	NA	6/13/2014	6/13/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3388	50	100%	2%	



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

FINAL ANALYTICAL REPORT

Project #: NAL13-026
Project Site: Bridgeton Landfill

Table with columns: Lab ID, Sample ID, CAS #, ANALYTES, Results, QC, Units, RDL, MDL, Sample Date, Prep. Date, Analysis Date, Matrix, Dil., Weight(g), Vol.(ml), % Solid, Method, Data file, Spike, % Rec, % RPD, Parent. Contains 40 rows of analytical data for various compounds like Dichlorodifluoromethane, Chloromethane, Vinyl chloride, etc.

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assessment, QC analyses parameter exceeded control limits.
U = Non-detect
* NAL is not certified for these compound by NELAC.

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1502MS	316-329	ORG 108-67-8	1,3,5-Trimethylbenzene	6300		ug/L	200	20.03	6/13/2014	6/13/2014	6/13/2014	WG	100	NA	5.0	NA	SW8260B	NALD3389	5000	102%		1200
NAL13026-1502MS	316-329	ORG 98-06-6	tert-Butylbenzene	5500		ug/L	200	32.61	6/13/2014	6/13/2014	6/13/2014	WG	100	NA	5.0	NA	SW8260B	NALD3389	5000	110%		
NAL13026-1502MS	316-329	ORG 95-63-6	1,2,4-Trimethylbenzene	9300		ug/L	200	20.03	6/13/2014	6/13/2014	6/13/2014	WG	100	NA	5.0	NA	SW8260B	NALD3389	5000	84%		5100
NAL13026-1502MS	316-329	ORG 135-98-8	sec-Butylbenzene	5600		ug/L	200	32.34	6/13/2014	6/13/2014	6/13/2014	WG	100	NA	5.0	NA	SW8260B	NALD3389	5000	109%		170
NAL13026-1502MS	316-329	ORG 541-73-1	1,3-Dichlorobenzene	5200		ug/L	200	22.21	6/13/2014	6/13/2014	6/13/2014	WG	100	NA	5.0	NA	SW8260B	NALD3389	5000	104%		
NAL13026-1502MS	316-329	ORG 99-87-6	p-Isopropyltoluene	22000		ug/L	200	25.48	6/13/2014	6/13/2014	6/13/2014	WG	100	NA	5.0	NA	SW8260B	NALD3389	5000	-100%		27000
NAL13026-1502MS	316-329	ORG 106-46-7	1,4-Dichlorobenzene	8600		ug/L	200	33.03	6/13/2014	6/13/2014	6/13/2014	WG	100	NA	5.0	NA	SW8260B	NALD3389	5000	82%		4500
NAL13026-1502MS	316-329	ORG 95-50-1	1,2-Dichlorobenzene	5100		ug/L	200	26.38	6/13/2014	6/13/2014	6/13/2014	WG	100	NA	5.0	NA	SW8260B	NALD3389	5000	102%		
NAL13026-1502MS	316-329	ORG 104-51-8	n-Butylbenzene	6000		ug/L	500	27.81	6/13/2014	6/13/2014	6/13/2014	WG	100	NA	5.0	NA	SW8260B	NALD3389	5000	110%		490
NAL13026-1502MS	316-329	ORG 96-12-8	1,2-Dibromo-3-chloropropane	6300		ug/L	500	159.11	6/13/2014	6/13/2014	6/13/2014	WG	100	NA	5.0	NA	SW8260B	NALD3389	5000	126%		
NAL13026-1502MS	316-329	ORG 87-68-3	Hexachlorobutadiene	4700		ug/L	500	65.42	6/13/2014	6/13/2014	6/13/2014	WG	100	NA	5.0	NA	SW8260B	NALD3389	5000	94%		
NAL13026-1502MS	316-329	ORG 120-82-1	1,2,4-Trichlorobenzene	5100		ug/L	500	27.63	6/13/2014	6/13/2014	6/13/2014	WG	100	NA	5.0	NA	SW8260B	NALD3389	5000	102%		
NAL13026-1502MS	316-329	ORG 91-20-3	Naphthalene	8500		ug/L	500	56.04	6/13/2014	6/13/2014	6/13/2014	WG	100	NA	5.0	NA	SW8260B	NALD3389	5000	74%		4800
NAL13026-1502MS	316-329	ORG 87-61-6	1,2,3-Trichlorobenzene	4800		ug/L	500	23.28	6/13/2014	6/13/2014	6/13/2014	WG	100	NA	5.0	NA	SW8260B	NALD3389	5000	96%		
NAL13026-1502MS	316-329	STD 1868-53-7	Dibromofluoromethane	54		ug/L	1	0.10	6/13/2014	6/13/2014	6/13/2014	WG	100	NA	5.0	NA	SW8260B	NALD3389	50	108%		
NAL13026-1502MS	316-329	STD 17060-07-0	1,2-Dichloroethane d4	51		ug/L	1	0.10	6/13/2014	6/13/2014	6/13/2014	WG	100	NA	5.0	NA	SW8260B	NALD3389	50	102%		
NAL13026-1502MS	316-329	STD 2037-26-5	Toluene d8	50		ug/L	1	0.10	6/13/2014	6/13/2014	6/13/2014	WG	100	NA	5.0	NA	SW8260B	NALD3389	50	100%		
NAL13026-1502MS	316-329	STD 460-00-4	Bromofluorobenzene	51		ug/L	1	0.10	6/13/2014	6/13/2014	6/13/2014	WG	100	NA	5.0	NA	SW8260B	NALD3389	50	102%		

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1502MSD	316-329	ORG 108-67-8	1,3,5-Trimethylbenzene	6200		ug/L	200	20.03	6/13/2014	6/13/2014	6/13/2014	WG	100	NA	5.0	NA	SW8260B	NALD3390	5000	100%	2%	1200
NAL13026-1502MSD	316-329	ORG 98-06-6	tert-Butylbenzene	5500		ug/L	200	32.61	6/13/2014	6/13/2014	6/13/2014	WG	100	NA	5.0	NA	SW8260B	NALD3390	5000	110%	0%	
NAL13026-1502MSD	316-329	ORG 95-63-6	1,2,4-Trimethylbenzene	8800		ug/L	200	20.03	6/13/2014	6/13/2014	6/13/2014	WG	100	NA	5.0	NA	SW8260B	NALD3390	5000	74%	6%	5100
NAL13026-1502MSD	316-329	ORG 135-98-8	sec-Butylbenzene	5600		ug/L	200	32.34	6/13/2014	6/13/2014	6/13/2014	WG	100	NA	5.0	NA	SW8260B	NALD3390	5000	109%	0%	170
NAL13026-1502MSD	316-329	ORG 541-73-1	1,3-Dichlorobenzene	5100		ug/L	200	22.21	6/13/2014	6/13/2014	6/13/2014	WG	100	NA	5.0	NA	SW8260B	NALD3390	5000	102%	2%	
NAL13026-1502MSD	316-329	ORG 99-87-6	p-Isopropyltoluene	21000		ug/L	200	25.48	6/13/2014	6/13/2014	6/13/2014	WG	100	NA	5.0	NA	SW8260B	NALD3390	5000	-120%	5%	27000
NAL13026-1502MSD	316-329	ORG 106-46-7	1,4-Dichlorobenzene	8300		ug/L	200	33.03	6/13/2014	6/13/2014	6/13/2014	WG	100	NA	5.0	NA	SW8260B	NALD3390	5000	76%	4%	4500
NAL13026-1502MSD	316-329	ORG 95-50-1	1,2-Dichlorobenzene	5000		ug/L	200	26.38	6/13/2014	6/13/2014	6/13/2014	WG	100	NA	5.0	NA	SW8260B	NALD3390	5000	100%	2%	
NAL13026-1502MSD	316-329	ORG 104-51-8	n-Butylbenzene	5800		ug/L	500	27.81	6/13/2014	6/13/2014	6/13/2014	WG	100	NA	5.0	NA	SW8260B	NALD3390	5000	106%	3%	490
NAL13026-1502MSD	316-329	ORG 96-12-8	1,2-Dibromo-3-chloropropane	6200		ug/L	500	159.11	6/13/2014	6/13/2014	6/13/2014	WG	100	NA	5.0	NA	SW8260B	NALD3390	5000	124%	2%	
NAL13026-1502MSD	316-329	ORG 87-68-3	Hexachlorobutadiene	5000		ug/L	500	65.42	6/13/2014	6/13/2014	6/13/2014	WG	100	NA	5.0	NA	SW8260B	NALD3390	5000	100%	6%	
NAL13026-1502MSD	316-329	ORG 120-82-1	1,2,4-Trichlorobenzene	5300		ug/L	500	27.63	6/13/2014	6/13/2014	6/13/2014	WG	100	NA	5.0	NA	SW8260B	NALD3390	5000	106%	4%	
NAL13026-1502MSD	316-329	ORG 91-20-3	Naphthalene	8300		ug/L	500	56.04	6/13/2014	6/13/2014	6/13/2014	WG	100	NA	5.0	NA	SW8260B	NALD3390	5000	70%	2%	4800
NAL13026-1502MSD	316-329	ORG 87-61-6	1,2,3-Trichlorobenzene	4900		ug/L	500	23.28	6/13/2014	6/13/2014	6/13/2014	WG	100	NA	5.0	NA	SW8260B	NALD3390	5000	98%	2%	
NAL13026-1502MSD	316-329	STD 1868-53-7	Dibromofluoromethane	54		ug/L	1	0.10	6/13/2014	6/13/2014	6/13/2014	WG	100	NA	5.0	NA	SW8260B	NALD3390	50	108%	0%	
NAL13026-1502MSD	316-329	STD 17060-07-0	1,2-Dichloroethane d4	51		ug/L	1	0.10	6/13/2014	6/13/2014	6/13/2014	WG	100	NA	5.0	NA	SW8260B	NALD3390	50	102%	0%	
NAL13026-1502MSD	316-329	STD 2037-26-5	Toluene d8	50		ug/L	1	0.10	6/13/2014	6/13/2014	6/13/2014	WG	100	NA	5.0	NA	SW8260B	NALD3390	50	100%	0%	
NAL13026-1502MSD	316-329	STD 460-00-4	Bromofluorobenzene	49		ug/L	1	0.10	6/13/2014	6/13/2014	6/13/2014	WG	100	NA	5.0	NA	SW8260B	NALD3390	50	98%	4%	

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1506	316-330	ORG 108-67-8	1,3,5-Trimethylbenzene	830		ug/L	200	20.03	6/14/2014	6/14/2014	6/14/2014	WG	100	NA	5.0	NA	SW8260B	NALD3401				
NAL13026-1506	316-330	ORG 98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	6/14/2014	6/14/2014	6/14/2014	WG	100	NA	5.0	NA	SW8260B	NALD3401				
NAL13026-1506	316-330	ORG 95-63-6	1,2,4-Trimethylbenzene	3800		ug/L	200	20.03	6/14/2014	6/14/2014	6/14/2014	WG	100	NA	5.0	NA	SW8260B	NALD3401				
NAL13026-1506	316-330	ORG 135-98-8	sec-Butylbenzene	130	J	ug/L	200	32.34	6/14/2014	6/14/2014	6/14/2014	WG	100	NA	5.0	NA	SW8260B	NALD3401				
NAL13026-1506	316-330	ORG 541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	6/14/2014	6/14/2014	6/14/2014	WG	100	NA	5.0	NA	SW8260B	NALD3401				
NAL13026-1506	316-330	ORG 99-87-6	p-Isopropyltoluene	20000	D	ug/L	2000	254.81	6/14/2014	6/14/2014	6/14/2014	WG	1000	NA	5.0	NA	SW8260B	NALD3402				
NAL13026-1506	316-330	ORG 106-46-7	1,4-Dichlorobenzene	3600		ug/L	200	33.03	6/14/2014	6/14/2014	6/14/2014	WG	100	NA	5.0	NA	SW8260B	NALD3401				
NAL13026-1506	316-330	ORG 95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	6/14/2014	6/14/2014	6/14/2014	WG	100	NA	5.0	NA	SW8260B	NALD3401				
NAL13026-1506	316-330	ORG 104-51-8	n-Butylbenzene	470	J	ug/L	500	27.81	6/14/2014	6/14/2014	6/14/2014	WG	100	NA	5.0	NA	SW8260B	NALD3401				
NAL13026-1506	316-330	ORG 96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	6/14/2014	6/14/2014	6/14/2014	WG	100	NA	5.0	NA	SW8260B	NALD3401				
NAL13026-1506	316-330	ORG 87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	6/14/2014	6/14/2014	6/14/2014	WG	100	NA	5.0	NA	SW8260B	NALD3401				
NAL13026-1506	316-330	ORG 120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	6/14/2014	6/14/2014	6/14/2014	WG	100	NA	5.0	NA	SW8260B	NALD3401				
NAL13026-1506	316-330	ORG 91-20-3	Naphthalene	4700		ug/L	500	56.04	6/14/2014	6/14/2014	6/14/2014	WG	100	NA	5.0	NA	SW8260B	NALD3401				
NAL13026-1506	316-330	ORG 87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	6/14/2014	6/14/2014	6/14/2014	WG	100	NA	5.0	NA	SW8260B	NALD3401				
NAL13026-1506	316-330	STD 1868-53-7	Dibromofluoromethane	53		ug/L	1	0.10	6/14/2014	6/14/2014	6/14/2014	WG	100	NA	5.0	NA	SW8260B	NALD3401	50	106%		
NAL13026-1506	316-330	STD 17060-07-0	1,2-Dichloroethane d4	54		ug/L	1	0.10	6/14/2014	6/14/2014	6/14/2014	WG	100	NA	5.0	NA	SW8260B	NALD3401	50	108%		
NAL13026-1506	316-330	STD 2037-26-5	Toluene d8	52		ug/L	1	0.10	6/14/2014	6/14/2014	6/14/2014	WG	100	NA	5.0	NA	SW8260B	NALD3401	50	104%		
NAL13026-1506	316-330	STD 460-00-4	Bromofluorobenzene	52		ug/L	1	0.10	6/14/2014	6/14/2014	6/14/2014	WG	100	NA	5.0	NA	SW8260B	NALD3401	50	104%		

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D061414CCVA	D061414CCVA	ORG 108-67-8	1,3,5-Trimethylbenzene	51		ug/L	2	0.20	NA	6/14/2014	6/14/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3398	50	102%		
D061414CCVA	D061414CCVA	ORG 98-06-6	tert-Butylbenzene	53		ug/L	2	0.33	NA	6/14/2014	6/14/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3398	50	106%		
D061414CCVA	D061414CCVA	ORG 95-63-6	1,2,4-Trimethylbenzene	50		ug/L	2	0.20	NA	6/14/2014	6/14/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3398	50	100%		
D061414CCVA	D061414CCVA	ORG 135-98-8	sec-Butylbenzene	51		ug/L	2	0.32	NA	6/14/2014	6/14/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3398	50	102%		
D061414CCVA	D061414CCVA	ORG 541-73-1	1,3-Dichlorobenzene	49		ug/L	2	0.22	NA	6/14/2014	6/14/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3398	50	98%		
D061414CCVA	D061414CCVA	ORG 99-87-6	p-Isopropyltoluene	53		ug/L	2	0.25	NA	6/14/2014	6/14/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3398	50	106%		
D061414CCVA	D061414CCVA	ORG 106-46-7	1,4-Dichlorobenzene	48		ug/L	2	0.33	NA	6/14/2014	6/14/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3398	50	96%		
D061414CCVA	D061414CCVA	ORG 95-50-1	1,2-Dichlorobenzene	48		ug/L	2	0.26	NA	6/14/2014	6/14/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3398	50	96%		
D061414CCVA	D061414CCVA	ORG 104-51-8	n-Butylbenzene	51		ug/L	5	0.28	NA	6/14/2014	6/14/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3398	50	102%		
D061414CCVA	D061414CCVA	ORG 96-12-8	1,2-Dibromo-3-chloropropane	49		ug/L	5	1.59	NA	6/14/2014	6/14/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3398	50	98%		
D061414CCVA	D061414CCVA	ORG 87-68-3	Hexachlorobutadiene	57		ug/L	5	0.65	NA	6/14/2014	6/14/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3398	50	114%		
D061414CCVA	D061414CCVA	ORG 120-82-1	1,2,4-Trichlorobenzene	48		ug/L	5	0.28	NA	6/14/2014	6/14/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3398	50	96%		
D061414CCVA	D061414CCVA	ORG 91-20-3	Naphthalene	44		ug/L	5	0.56	NA	6/14/2014	6/14/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3398	50	88%		
D061414CCVA	D061414CCVA	ORG 87-61-6	1,2,3-Trichlorobenzene	46		ug/L	5	0.23	NA	6/14/2014	6/14/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3398	50	92%		
D061414CCVA	D061414CCVA	STD 1868-53-7	Dibromofluoromethane	52		ug/L	1	0.10	NA	6/14/2014	6/14/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3398	50	104%		
D061414CCVA	D061414CCVA	STD 17060-07-0	1,2-Dichloroethane d4	49		ug/L	1	0.10	NA	6/14/2014	6/14/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3398	50	98%		
D061414CCVA	D061414CCVA	STD 2037-26-5	Toluene d8	51		ug/L	1	0.10	NA	6/14/2014	6/14/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3398	50	102%		
D061414CCVA	D061414CCVA	STD 460-00-4	Bromofluorobenzene	51		ug/L	1	0.10	NA	6/14/2014	6/14/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3398	50	102%		

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D061414MBKA	D061414MBKA	ORG 108-67-8	1,3,5-Trimethylbenzene		U	ug/L	2	0.20	NA	6/14/2014	6/14/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3400				
D061414MBKA	D061414MBKA	ORG 98-06-6	tert-Butylbenzene		U	ug/L	2	0.33	NA	6/14/2014	6/14/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3400				
D061414MBKA	D061414MBKA	ORG 95-63-6	1,2,4-Trimethylbenzene		U	ug/L	2	0.20	NA	6/14/2014	6/14/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3400				
D061414MBKA	D061414MBKA	ORG 135-98-8	sec-Butylbenzene		U	ug/L	2	0.32	NA	6/14/2014	6/14/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3400				
D061414MBKA	D061414MBKA	ORG 541-73-1	1,3-Dichlorobenzene		U	ug/L	2	0.22	NA	6/14/2014	6/14/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3400				
D061414MBKA	D061414MBKA	ORG 99-87-6	p-Isopropyltoluene		U	ug/L	2	0.25	NA	6/14/2014	6/14/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3400				
D061414MBKA	D061414MBKA	ORG 106-46-7	1,4-Dichlorobenzene		U	ug/L	2	0.33	NA	6/14/2014	6/14/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3400				
D061414MBKA	D061414MBKA	ORG 95-50-1	1,2-Dichlorobenzene		U	ug/L	2	0.26	NA	6/14/2014	6/14/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3400				
D061414MBKA	D061414MBKA	ORG 104-51-8	n-Butylbenzene		U	ug/L	5	0.28	NA	6/14/2014	6/14/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3400				
D061414MBKA	D061414MBKA	ORG 96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	5	1.59	NA	6/14/2014	6/14/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3400				
D061414MBKA	D061414MBKA	ORG 87-68-3	Hexachlorobutadiene		U	ug/L	5	0.65	NA	6/14/2014	6/14/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3400				
D061414MBKA	D061414MBKA	ORG 120-82-1	1,2,4-Trichlorobenzene		U	ug/L	5	0.28	NA	6/14/2014	6/14/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3400				
D061414MBKA	D061414MBKA	ORG 91-20-3	Naphthalene		U	ug/L	5	0.56	NA	6/14/2014	6/14/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3400				
D061414MBKA	D061414MBKA	ORG 87-61-6	1,2,3-Trichlorobenzene		U	ug/L	5	0.23	NA	6/14/2014	6/14/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3400				
D061414MBKA	D061414MBKA	STD 1868-53-7	Dibromofluoromethane	52		ug/L	1	0.10	NA	6/14/2014	6/14/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3400	50	104%		
D061414MBKA	D061414MBKA	STD 17060-07-0	1,2-Dichloroethane d4	54		ug/L	1	0.10	NA	6/14/2014	6/14/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3400	50	108%		
D061414MBKA	D061414MBKA	STD 2037-26-5	Toluene d8	52		ug/L	1	0.10	NA	6/14/2014	6/14/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3400	50	104%		
D061414MBKA	D061414MBKA	STD 460-00-4	Bromofluorobenzene	50		ug/L	1	0.10	NA	6/14/2014	6/14/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3400	50	100%		

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D061414ALCS	D061414ALCS	ORG 108-67-8	1,3,5-Trimethylbenzene	52		ug/L	2	0.20	NA	6/14/2014	6/14/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3399	50	104%		
D061414ALCS	D061414ALCS	ORG 98-06-6	tert-Butylbenzene	53		ug/L	2	0.33	NA	6/14/2014	6/14/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3399	50	106%		
D061414ALCS	D061414ALCS	ORG 95-63-6	1,2,4-Trimethylbenzene	51		ug/L	2	0.20	NA	6/14/2014	6/14/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3399	50	102%		
D061414ALCS	D061414ALCS	ORG 135-98-8	sec-Butylbenzene	52		ug/L	2	0.32	NA	6/14/2014	6/14/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3399	50	104%		
D061414ALCS	D061414ALCS	ORG 541-73-1	1,3-Dichlorobenzene	50		ug/L	2	0.22	NA	6/14/2014	6/14/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3399	50	100%		
D061414ALCS	D061414ALCS	ORG 99-87-6	p-Isopropyltoluene	53		ug/L	2	0.25	NA	6/14/2014	6/14/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3399	50	106%		
D061414ALCS	D061414ALCS	ORG 106-46-7	1,4-Dichlorobenzene	49		ug/L	2	0.33	NA	6/14/2014	6/14/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3399	50	98%		
D061414ALCS	D061414ALCS	ORG 95-50-1	1,2-Dichlorobenzene	49		ug/L	2	0.26	NA	6/14/2014	6/14/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3399	50	98%		
D061414ALCS	D061414ALCS	ORG 104-51-8	n-Butylbenzene	52		ug/L	5	0.28	NA	6/14/2014	6/14/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3399	50	104%		
D061414ALCS	D061414ALCS	ORG 96-12-8	1,2-Dibromo-3-chloropropane	54		ug/L	5	1.59	NA	6/14/2014	6/14/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3399	50	108%		
D061414ALCS	D061414ALCS	ORG 87-68-3	Hexachlorobutadiene	56		ug/L	5	0.65	NA	6/14/2014	6/14/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3399	50	112%		
D061414ALCS	D061414ALCS	ORG 120-82-1	1,2,4-Trichlorobenzene	51		ug/L	5	0.28	NA	6/14/2014	6/14/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3399	50	102%		
D061414ALCS	D061414ALCS	ORG 91-20-3	Naphthalene	49		ug/L	5	0.56	NA	6/14/2014	6/14/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3399	50	98%		
D061414ALCS	D061414ALCS	ORG 87-61-6	1,2,3-Trichlorobenzene	51		ug/L	5	0.23	NA	6/14/2014	6/14/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3399	50	102%		
D061414ALCS	D061414ALCS	STD 1868-53-7	Dibromofluoromethane	53		ug/L	1	0.10	NA	6/14/2014	6/14/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3399	50	106%		
D061414ALCS	D061414ALCS	STD 17060-07-0	1,2-Dichloroethane d4	51		ug/L	1	0.10	NA	6/14/2014	6/14/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3399	50	102%		
D061414ALCS	D061414ALCS	STD 2037-26-5	Toluene d8	51		ug/L	1	0.10	NA	6/14/2014	6/14/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3399	50	102%		
D061414ALCS	D061414ALCS	STD 460-00-4	Bromofluorobenzene	50		ug/L	1	0.10	NA	6/14/2014	6/14/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3399	50	100%		



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assessment, QC analyses parameter exceeded control limits.
U = Non-detect
* NAL is not certified for these compound by NELAC.

Table with columns: Lab ID, Sample ID, CAS #, ANALYTES, Results, QC, Units, RDL, MDL, Sample Date, Prep. Date, Analysis Date, Matrix, Dil., Weight(g), Vol.(ml), % Solid, Method, Data file, Spike, % Rec, % RPD, Parent. Contains 50 rows of analytical data.

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D061414ALCD	D061414ALCD	ORG 108-67-8	1,3,5-Trimethylbenzene	54		ug/L	2	0.20	NA	6/14/2014	6/14/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3403	50	108%	4%	
D061414ALCD	D061414ALCD	ORG 98-06-6	tert-Butylbenzene	57		ug/L	2	0.33	NA	6/14/2014	6/14/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3403	50	114%	7%	
D061414ALCD	D061414ALCD	ORG 95-63-6	1,2,4-Trimethylbenzene	53		ug/L	2	0.20	NA	6/14/2014	6/14/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3403	50	106%	4%	
D061414ALCD	D061414ALCD	ORG 135-98-8	sec-Butylbenzene	55		ug/L	2	0.32	NA	6/14/2014	6/14/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3403	50	110%	6%	
D061414ALCD	D061414ALCD	ORG 541-73-1	1,3-Dichlorobenzene	51		ug/L	2	0.22	NA	6/14/2014	6/14/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3403	50	102%	2%	
D061414ALCD	D061414ALCD	ORG 99-87-6	p-Isopropyltoluene	56		ug/L	2	0.25	NA	6/14/2014	6/14/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3403	50	112%	6%	
D061414ALCD	D061414ALCD	ORG 106-46-7	1,4-Dichlorobenzene	50		ug/L	2	0.33	NA	6/14/2014	6/14/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3403	50	100%	2%	
D061414ALCD	D061414ALCD	ORG 95-50-1	1,2-Dichlorobenzene	51		ug/L	2	0.26	NA	6/14/2014	6/14/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3403	50	102%	4%	
D061414ALCD	D061414ALCD	ORG 104-51-8	n-Butylbenzene	55		ug/L	5	0.28	NA	6/14/2014	6/14/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3403	50	110%	6%	
D061414ALCD	D061414ALCD	ORG 96-12-8	1,2-Dibromo-3-chloropropane	52		ug/L	5	1.59	NA	6/14/2014	6/14/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3403	50	104%	4%	
D061414ALCD	D061414ALCD	ORG 87-68-3	Hexachlorobutadiene	61		ug/L	5	0.65	NA	6/14/2014	6/14/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3403	50	122%	9%	
D061414ALCD	D061414ALCD	ORG 120-82-1	1,2,4-Trichlorobenzene	51		ug/L	5	0.28	NA	6/14/2014	6/14/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3403	50	102%	0%	
D061414ALCD	D061414ALCD	ORG 91-20-3	Naphthalene	47		ug/L	5	0.56	NA	6/14/2014	6/14/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3403	50	94%	4%	
D061414ALCD	D061414ALCD	ORG 87-61-6	1,2,3-Trichlorobenzene	50		ug/L	5	0.23	NA	6/14/2014	6/14/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3403	50	100%	2%	
D061414ALCD	D061414ALCD	STD 1868-53-7	Dibromofluoromethane	53		ug/L	1	0.10	NA	6/14/2014	6/14/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3403	50	106%	0%	
D061414ALCD	D061414ALCD	STD 17060-07-0	1,2-Dichloroethane d4	50		ug/L	1	0.10	NA	6/14/2014	6/14/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3403	50	100%	2%	
D061414ALCD	D061414ALCD	STD 2037-26-5	Toluene d8	52		ug/L	1	0.10	NA	6/14/2014	6/14/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3403	50	104%	2%	
D061414ALCD	D061414ALCD	STD 460-00-4	Bromofluorobenzene	51		ug/L	1	0.10	NA	6/14/2014	6/14/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3403	50	102%	2%	

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1506MS	316-330	ORG 108-67-8	1,3,5-Trimethylbenzene	6000		ug/L	200	20.03	6/14/2014	6/14/2014	6/14/2014	WG	100	NA	5.0	NA	SW8260B	NALD3404	5000	103%		830
NAL13026-1506MS	316-330	ORG 98-06-6	tert-Butylbenzene	5400		ug/L	200	32.61	6/14/2014	6/14/2014	6/14/2014	WG	100	NA	5.0	NA	SW8260B	NALD3404	5000	108%		
NAL13026-1506MS	316-330	ORG 95-63-6	1,2,4-Trimethylbenzene	8400		ug/L	200	20.03	6/14/2014	6/14/2014	6/14/2014	WG	100	NA	5.0	NA	SW8260B	NALD3404	5000	92%		3800
NAL13026-1506MS	316-330	ORG 135-98-8	sec-Butylbenzene	5300		ug/L	200	32.34	6/14/2014	6/14/2014	6/14/2014	WG	100	NA	5.0	NA	SW8260B	NALD3404	5000	103%		130
NAL13026-1506MS	316-330	ORG 541-73-1	1,3-Dichlorobenzene	5000		ug/L	200	22.21	6/14/2014	6/14/2014	6/14/2014	WG	100	NA	5.0	NA	SW8260B	NALD3404	5000	100%		
NAL13026-1506MS	316-330	ORG 99-87-6	p-Isopropyltoluene	21000		ug/L	200	25.48	6/14/2014	6/14/2014	6/14/2014	WG	100	NA	5.0	NA	SW8260B	NALD3404	5000	20%		20000
NAL13026-1506MS	316-330	ORG 106-46-7	1,4-Dichlorobenzene	8100		ug/L	200	33.03	6/14/2014	6/14/2014	6/14/2014	WG	100	NA	5.0	NA	SW8260B	NALD3404	5000	90%		3600
NAL13026-1506MS	316-330	ORG 95-50-1	1,2-Dichlorobenzene	4900		ug/L	200	26.38	6/14/2014	6/14/2014	6/14/2014	WG	100	NA	5.0	NA	SW8260B	NALD3404	5000	98%		
NAL13026-1506MS	316-330	ORG 104-51-8	n-Butylbenzene	5800		ug/L	500	27.81	6/14/2014	6/14/2014	6/14/2014	WG	100	NA	5.0	NA	SW8260B	NALD3404	5000	107%		470
NAL13026-1506MS	316-330	ORG 96-12-8	1,2-Dibromo-3-chloropropane	5800		ug/L	500	159.11	6/14/2014	6/14/2014	6/14/2014	WG	100	NA	5.0	NA	SW8260B	NALD3404	5000	116%		
NAL13026-1506MS	316-330	ORG 87-68-3	Hexachlorobutadiene	4500		ug/L	500	65.42	6/14/2014	6/14/2014	6/14/2014	WG	100	NA	5.0	NA	SW8260B	NALD3404	5000	90%		
NAL13026-1506MS	316-330	ORG 120-82-1	1,2,4-Trichlorobenzene	5000		ug/L	500	27.63	6/14/2014	6/14/2014	6/14/2014	WG	100	NA	5.0	NA	SW8260B	NALD3404	5000	100%		
NAL13026-1506MS	316-330	ORG 91-20-3	Naphthalene	8900		ug/L	500	56.04	6/14/2014	6/14/2014	6/14/2014	WG	100	NA	5.0	NA	SW8260B	NALD3404	5000	84%		4700
NAL13026-1506MS	316-330	ORG 87-61-6	1,2,3-Trichlorobenzene	4700		ug/L	500	23.28	6/14/2014	6/14/2014	6/14/2014	WG	100	NA	5.0	NA	SW8260B	NALD3404	5000	94%		
NAL13026-1506MS	316-330	STD 1868-53-7	Dibromofluoromethane	53		ug/L	1	0.10	6/14/2014	6/14/2014	6/14/2014	WG	100	NA	5.0	NA	SW8260B	NALD3404	50	106%		
NAL13026-1506MS	316-330	STD 17060-07-0	1,2-Dichloroethane d4	51		ug/L	1	0.10	6/14/2014	6/14/2014	6/14/2014	WG	100	NA	5.0	NA	SW8260B	NALD3404	50	102%		
NAL13026-1506MS	316-330	STD 2037-26-5	Toluene d8	51		ug/L	1	0.10	6/14/2014	6/14/2014	6/14/2014	WG	100	NA	5.0	NA	SW8260B	NALD3404	50	102%		
NAL13026-1506MS	316-330	STD 460-00-4	Bromofluorobenzene	50		ug/L	1	0.10	6/14/2014	6/14/2014	6/14/2014	WG	100	NA	5.0	NA	SW8260B	NALD3404	50	100%		



Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

FINAL ANALYTICAL REPORT

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1506MSD	316-330	ORG 108-67-8	1,3,5-Trimethylbenzene	5900		ug/L	200	20.03	6/14/2014	6/14/2014	6/14/2014	WG	100	NA	5.0	NA	SW8260B	NALD3405	5000	101%	2%	830
NAL13026-1506MSD	316-330	ORG 98-06-6	tert-Butylbenzene	5300		ug/L	200	32.61	6/14/2014	6/14/2014	6/14/2014	WG	100	NA	5.0	NA	SW8260B	NALD3405	5000	106%	2%	
NAL13026-1506MSD	316-330	ORG 95-63-6	1,2,4-Trimethylbenzene	8400		ug/L	200	20.03	6/14/2014	6/14/2014	6/14/2014	WG	100	NA	5.0	NA	SW8260B	NALD3405	5000	92%	0%	3800
NAL13026-1506MSD	316-330	ORG 135-98-8	sec-Butylbenzene	5400		ug/L	200	32.34	6/14/2014	6/14/2014	6/14/2014	WG	100	NA	5.0	NA	SW8260B	NALD3405	5000	105%	2%	130
NAL13026-1506MSD	316-330	ORG 541-73-1	1,3-Dichlorobenzene	5000		ug/L	200	22.21	6/14/2014	6/14/2014	6/14/2014	WG	100	NA	5.0	NA	SW8260B	NALD3405	5000	100%	0%	
NAL13026-1506MSD	316-330	ORG 99-87-6	p-Isopropyltoluene	21000		ug/L	200	25.48	6/14/2014	6/14/2014	6/14/2014	WG	100	NA	5.0	NA	SW8260B	NALD3405	5000	20%	0%	20000
NAL13026-1506MSD	316-330	ORG 106-46-7	1,4-Dichlorobenzene	7800		ug/L	200	33.03	6/14/2014	6/14/2014	6/14/2014	WG	100	NA	5.0	NA	SW8260B	NALD3405	5000	84%	4%	3600
NAL13026-1506MSD	316-330	ORG 95-50-1	1,2-Dichlorobenzene	4800		ug/L	200	26.38	6/14/2014	6/14/2014	6/14/2014	WG	100	NA	5.0	NA	SW8260B	NALD3405	5000	96%	2%	
NAL13026-1506MSD	316-330	ORG 104-51-8	n-Butylbenzene	5700		ug/L	500	27.81	6/14/2014	6/14/2014	6/14/2014	WG	100	NA	5.0	NA	SW8260B	NALD3405	5000	105%	2%	470
NAL13026-1506MSD	316-330	ORG 96-12-8	1,2-Dibromo-3-chloropropane	5900		ug/L	500	159.11	6/14/2014	6/14/2014	6/14/2014	WG	100	NA	5.0	NA	SW8260B	NALD3405	5000	118%	2%	
NAL13026-1506MSD	316-330	ORG 87-68-3	Hexachlorobutadiene	4500		ug/L	500	65.42	6/14/2014	6/14/2014	6/14/2014	WG	100	NA	5.0	NA	SW8260B	NALD3405	5000	90%	0%	
NAL13026-1506MSD	316-330	ORG 120-82-1	1,2,4-Trichlorobenzene	5100		ug/L	500	27.63	6/14/2014	6/14/2014	6/14/2014	WG	100	NA	5.0	NA	SW8260B	NALD3405	5000	102%	2%	
NAL13026-1506MSD	316-330	ORG 91-20-3	Naphthalene	8800		ug/L	500	56.04	6/14/2014	6/14/2014	6/14/2014	WG	100	NA	5.0	NA	SW8260B	NALD3405	5000	82%	1%	4700
NAL13026-1506MSD	316-330	ORG 87-61-6	1,2,3-Trichlorobenzene	4700		ug/L	500	23.28	6/14/2014	6/14/2014	6/14/2014	WG	100	NA	5.0	NA	SW8260B	NALD3405	5000	94%	0%	
NAL13026-1506MSD	316-330	STD 1868-53-7	Dibromofluoromethane	53		ug/L	1	0.10	6/14/2014	6/14/2014	6/14/2014	WG	100	NA	5.0	NA	SW8260B	NALD3405	50	106%	0%	
NAL13026-1506MSD	316-330	STD 17060-07-0	1,2-Dichloroethane d4	51		ug/L	1	0.10	6/14/2014	6/14/2014	6/14/2014	WG	100	NA	5.0	NA	SW8260B	NALD3405	50	102%	0%	
NAL13026-1506MSD	316-330	STD 2037-26-5	Toluene d8	51		ug/L	1	0.10	6/14/2014	6/14/2014	6/14/2014	WG	100	NA	5.0	NA	SW8260B	NALD3405	50	102%	0%	
NAL13026-1506MSD	316-330	STD 460-00-4	Bromofluorobenzene	51		ug/L	1	0.10	6/14/2014	6/14/2014	6/14/2014	WG	100	NA	5.0	NA	SW8260B	NALD3405	50	102%	2%	



New Age/Landmark Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

FINAL ANALYTICAL REPORT

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assessment, QC analyses parameter exceeded control limits.
U = Non-detect
* NAL is not certified for these compound by NELAC.

Table with columns: Lab ID, Sample ID, CAS #, ANALYTES, Results, QC, Units, RDL, MDL, Sample Date, Prep. Date, Analysis Date, Matrix, Dil., Weight(g), Vol.(ml), % Solid, Method, Data file, Spike, % Rec, % RPD, Parent.

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1507	316-331	ORG 108-67-8	1,3,5-Trimethylbenzene	520		ug/L	200	20.03	6/15/2014	6/15/2014	6/15/2014	WG	100	NA	5.0	NA	SW8260B	NALD3410				
NAL13026-1507	316-331	ORG 98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	6/15/2014	6/15/2014	6/15/2014	WG	100	NA	5.0	NA	SW8260B	NALD3410				
NAL13026-1507	316-331	ORG 95-63-6	1,2,4-Trimethylbenzene	2500		ug/L	200	20.03	6/15/2014	6/15/2014	6/15/2014	WG	100	NA	5.0	NA	SW8260B	NALD3410				
NAL13026-1507	316-331	ORG 135-98-8	sec-Butylbenzene	110	J	ug/L	200	32.34	6/15/2014	6/15/2014	6/15/2014	WG	100	NA	5.0	NA	SW8260B	NALD3410				
NAL13026-1507	316-331	ORG 541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	6/15/2014	6/15/2014	6/15/2014	WG	100	NA	5.0	NA	SW8260B	NALD3410				
NAL13026-1507	316-331	ORG 99-87-6	p-Isopropyltoluene	13000		ug/L	200	25.48	6/15/2014	6/15/2014	6/15/2014	WG	100	NA	5.0	NA	SW8260B	NALD3410				
NAL13026-1507	316-331	ORG 106-46-7	1,4-Dichlorobenzene	2500		ug/L	200	33.03	6/15/2014	6/15/2014	6/15/2014	WG	100	NA	5.0	NA	SW8260B	NALD3410				
NAL13026-1507	316-331	ORG 95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	6/15/2014	6/15/2014	6/15/2014	WG	100	NA	5.0	NA	SW8260B	NALD3410				
NAL13026-1507	316-331	ORG 104-51-8	n-Butylbenzene	320	J	ug/L	500	27.81	6/15/2014	6/15/2014	6/15/2014	WG	100	NA	5.0	NA	SW8260B	NALD3410				
NAL13026-1507	316-331	ORG 96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	6/15/2014	6/15/2014	6/15/2014	WG	100	NA	5.0	NA	SW8260B	NALD3410				
NAL13026-1507	316-331	ORG 87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	6/15/2014	6/15/2014	6/15/2014	WG	100	NA	5.0	NA	SW8260B	NALD3410				
NAL13026-1507	316-331	ORG 120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	6/15/2014	6/15/2014	6/15/2014	WG	100	NA	5.0	NA	SW8260B	NALD3410				
NAL13026-1507	316-331	ORG 91-20-3	Naphthalene	4200		ug/L	500	56.04	6/15/2014	6/15/2014	6/15/2014	WG	100	NA	5.0	NA	SW8260B	NALD3410				
NAL13026-1507	316-331	ORG 87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	6/15/2014	6/15/2014	6/15/2014	WG	100	NA	5.0	NA	SW8260B	NALD3410				
NAL13026-1507	316-331	STD 1868-53-7	Dibromofluoromethane	53		ug/L	1	0.10	6/15/2014	6/15/2014	6/15/2014	WG	100	NA	5.0	NA	SW8260B	NALD3410	50	106%		
NAL13026-1507	316-331	STD 17060-07-0	1,2-Dichloroethane d4	56		ug/L	1	0.10	6/15/2014	6/15/2014	6/15/2014	WG	100	NA	5.0	NA	SW8260B	NALD3410	50	112%		
NAL13026-1507	316-331	STD 2037-26-5	Toluene d8	52		ug/L	1	0.10	6/15/2014	6/15/2014	6/15/2014	WG	100	NA	5.0	NA	SW8260B	NALD3410	50	104%		
NAL13026-1507	316-331	STD 460-00-4	Bromofluorobenzene	51		ug/L	1	0.10	6/15/2014	6/15/2014	6/15/2014	WG	100	NA	5.0	NA	SW8260B	NALD3410	50	102%		

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1508	CB 06-15-14	ORG 108-67-8	1,3,5-Trimethylbenzene		U	ug/L	200	20.03	6/15/2014	6/15/2014	6/15/2014	WG	100	NA	5.0	NA	SW8260B	NALD3412				
NAL13026-1508	CB 06-15-14	ORG 98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	6/15/2014	6/15/2014	6/15/2014	WG	100	NA	5.0	NA	SW8260B	NALD3412				
NAL13026-1508	CB 06-15-14	ORG 95-63-6	1,2,4-Trimethylbenzene	89	J	ug/L	200	20.03	6/15/2014	6/15/2014	6/15/2014	WG	100	NA	5.0	NA	SW8260B	NALD3412				
NAL13026-1508	CB 06-15-14	ORG 135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	6/15/2014	6/15/2014	6/15/2014	WG	100	NA	5.0	NA	SW8260B	NALD3412				
NAL13026-1508	CB 06-15-14	ORG 541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	6/15/2014	6/15/2014	6/15/2014	WG	100	NA	5.0	NA	SW8260B	NALD3412				
NAL13026-1508	CB 06-15-14	ORG 99-87-6	p-Isopropyltoluene	760		ug/L	200	25.48	6/15/2014	6/15/2014	6/15/2014	WG	100	NA	5.0	NA	SW8260B	NALD3412				
NAL13026-1508	CB 06-15-14	ORG 106-46-7	1,4-Dichlorobenzene	110	J	ug/L	200	33.03	6/15/2014	6/15/2014	6/15/2014	WG	100	NA	5.0	NA	SW8260B	NALD3412				
NAL13026-1508	CB 06-15-14	ORG 95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	6/15/2014	6/15/2014	6/15/2014	WG	100	NA	5.0	NA	SW8260B	NALD3412				
NAL13026-1508	CB 06-15-14	ORG 104-51-8	n-Butylbenzene		U	ug/L	500	27.81	6/15/2014	6/15/2014	6/15/2014	WG	100	NA	5.0	NA	SW8260B	NALD3412				
NAL13026-1508	CB 06-15-14	ORG 96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	6/15/2014	6/15/2014	6/15/2014	WG	100	NA	5.0	NA	SW8260B	NALD3412				
NAL13026-1508	CB 06-15-14	ORG 87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	6/15/2014	6/15/2014	6/15/2014	WG	100	NA	5.0	NA	SW8260B	NALD3412				
NAL13026-1508	CB 06-15-14	ORG 120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	6/15/2014	6/15/2014	6/15/2014	WG	100	NA	5.0	NA	SW8260B	NALD3412				
NAL13026-1508	CB 06-15-14	ORG 91-20-3	Naphthalene	530		ug/L	500	56.04	6/15/2014	6/15/2014	6/15/2014	WG	100	NA	5.0	NA	SW8260B	NALD3412				
NAL13026-1508	CB 06-15-14	ORG 87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	6/15/2014	6/15/2014	6/15/2014	WG	100	NA	5.0	NA	SW8260B	NALD3412				
NAL13026-1508	CB 06-15-14	STD 1868-53-7	Dibromofluoromethane	53		ug/L	1	0.10	6/15/2014	6/15/2014	6/15/2014	WG	100	NA	5.0	NA	SW8260B	NALD3412	50	106%		
NAL13026-1508	CB 06-15-14	STD 17060-07-0	1,2-Dichloroethane d4	54		ug/L	1	0.10	6/15/2014	6/15/2014	6/15/2014	WG	100	NA	5.0	NA	SW8260B	NALD3412	50	108%		
NAL13026-1508	CB 06-15-14	STD 2037-26-5	Toluene d8	52		ug/L	1	0.10	6/15/2014	6/15/2014	6/15/2014	WG	100	NA	5.0	NA	SW8260B	NALD3412	50	104%		
NAL13026-1508	CB 06-15-14	STD 460-00-4	Bromofluorobenzene	52		ug/L	1	0.10	6/15/2014	6/15/2014	6/15/2014	WG	100	NA	5.0	NA	SW8260B	NALD3412	50	104%		



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

FINAL ANALYTICAL REPORT

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

- B** = Analyte is found in the associated blank as well as in the sample.
 - D** = Compound identified in an analysis at a secondary dilution factor.
 - E** = Compound's concentration exceeds the calibration range of the instrument at this dilution.
 - X** = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
 - J** = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
 - M** = Matrix assessment, QC analyses parameter exceeded control limits.
 - U** = Non-detect
- * NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D061514CCVA	D061514CCVA	ORG 75-71-8	Dichlorodifluoromethane	66		ug/L	5	0.29	NA	6/15/2014	6/15/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3408	50	132%		
D061514CCVA	D061514CCVA	ORG 74-87-3	Chloromethane	45		ug/L	5	0.43	NA	6/15/2014	6/15/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3408	50	90%		
D061514CCVA	D061514CCVA	ORG 75-01-4	Vinyl chloride	52		ug/L	2	0.32	NA	6/15/2014	6/15/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3408	50	104%		
D061514CCVA	D061514CCVA	ORG 74-83-9	Bromomethane	67		ug/L	5	0.50	NA	6/15/2014	6/15/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3408	50	134%		
D061514CCVA	D061514CCVA	ORG 75-00-3	Chloroethane	74		ug/L	5	0.56	NA	6/15/2014	6/15/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3408	50	148%		
D061514CCVA	D061514CCVA	ORG 75-69-4	Trichlorofluoromethane	120		ug/L	5	0.20	NA	6/15/2014	6/15/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3408	50	240%		
D061514CCVA	D061514CCVA	ORG 75-35-4	1,1-Dichloroethene	39		ug/L	1	0.47	NA	6/15/2014	6/15/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3408	50	78%		
D061514CCVA	D061514CCVA	ORG 75-09-2	Methylene chloride	45		ug/L	5	0.26	NA	6/15/2014	6/15/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3408	50	90%		
D061514CCVA	D061514CCVA	ORG 67-64-1	Acetone	54		ug/L	10	1.56	NA	6/15/2014	6/15/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3408	50	108%		
D061514CCVA	D061514CCVA	ORG 156-60-5	trans-1,2-Dichloroethene	46		ug/L	1	0.56	NA	6/15/2014	6/15/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3408	50	92%		
D061514CCVA	D061514CCVA	ORG 1634-04-4	MTBE	47		ug/L	5	0.61	NA	6/15/2014	6/15/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3408	50	94%		
D061514CCVA	D061514CCVA	ORG 75-34-3	1,1-Dichloroethane	47		ug/L	1	0.53	NA	6/15/2014	6/15/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3408	50	94%		
D061514CCVA	D061514CCVA	ORG 156-59-2	cis-1,2-Dichloroethene	47		ug/L	1	0.32	NA	6/15/2014	6/15/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3408	50	94%		
D061514CCVA	D061514CCVA	ORG 74-97-5	Bromochloromethane	51		ug/L	10	0.41	NA	6/15/2014	6/15/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3408	50	102%		
D061514CCVA	D061514CCVA	ORG 67-66-3	Chloroform	51		ug/L	2	0.16	NA	6/15/2014	6/15/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3408	50	102%		
D061514CCVA	D061514CCVA	ORG 71-55-6	1,1,1-Trichloroethane	58		ug/L	1	0.17	NA	6/15/2014	6/15/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3408	50	116%		
D061514CCVA	D061514CCVA	ORG 78-93-3	2-Butanone	51		ug/L	1	0.81	NA	6/15/2014	6/15/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3408	50	102%		
D061514CCVA	D061514CCVA	ORG 56-23-5	Carbon tetrachloride	57		ug/L	1	0.28	NA	6/15/2014	6/15/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3408	50	114%		
D061514CCVA	D061514CCVA	ORG 71-43-2	Benzene	45		ug/L	1	0.14	NA	6/15/2014	6/15/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3408	50	90%		
D061514CCVA	D061514CCVA	ORG 107-06-2	1,2-Dichloroethane	50		ug/L	1	0.20	NA	6/15/2014	6/15/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3408	50	100%		
D061514CCVA	D061514CCVA	ORG 79-01-6	Trichloroethene	49		ug/L	1	0.36	NA	6/15/2014	6/15/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3408	50	98%		
D061514CCVA	D061514CCVA	ORG 74-95-3	Dibromomethane	49		ug/L	2	0.32	NA	6/15/2014	6/15/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3408	50	98%		
D061514CCVA	D061514CCVA	ORG 78-87-5	1,2-Dichloropropane	47		ug/L	1	0.18	NA	6/15/2014	6/15/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3408	50	94%		
D061514CCVA	D061514CCVA	ORG 75-27-4	Bromodichloromethane	60		ug/L	2	0.12	NA	6/15/2014	6/15/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3408	50	120%		
D061514CCVA	D061514CCVA	ORG 10061-01-5	cis-1,3-Dichloropropene	61		ug/L	1	0.25	NA	6/15/2014	6/15/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3408	50	122%		
D061514CCVA	D061514CCVA	ORG 108-88-3	Toluene	47		ug/L	1	0.21	NA	6/15/2014	6/15/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3408	50	94%		
D061514CCVA	D061514CCVA	ORG 108-10-1	4-Methyl-2-pentanone	46		ug/L	5	0.74	NA	6/15/2014	6/15/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3408	50	92%		
D061514CCVA	D061514CCVA	ORG 10061-02-6	trans-1,3-Dichloropropene	61		ug/L	1	0.31	NA	6/15/2014	6/15/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3408	50	122%		
D061514CCVA	D061514CCVA	ORG 127-18-4	Tetrachloroethene	50		ug/L	1	0.49	NA	6/15/2014	6/15/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3408	50	100%		
D061514CCVA	D061514CCVA	ORG 79-00-5	1,1,2-Trichloroethane	50		ug/L	1	0.34	NA	6/15/2014	6/15/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3408	50	100%		
D061514CCVA	D061514CCVA	ORG 124-48-1	Dibromochloromethane	60		ug/L	5	0.30	NA	6/15/2014	6/15/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3408	50	120%		
D061514CCVA	D061514CCVA	ORG 106-93-4	1,2-Dibromoethane	51		ug/L	2	0.26	NA	6/15/2014	6/15/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3408	50	102%		
D061514CCVA	D061514CCVA	ORG 591-78-6	2-Hexanone	52		ug/L	2	0.69	NA	6/15/2014	6/15/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3408	50	104%		
D061514CCVA	D061514CCVA	ORG 100-41-4	Ethylbenzene	51		ug/L	1	0.25	NA	6/15/2014	6/15/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3408	50	102%		
D061514CCVA	D061514CCVA	ORG 108-90-7	Chlorobenzene	50		ug/L	1	0.28	NA	6/15/2014	6/15/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3408	50	100%		
D061514CCVA	D061514CCVA	ORG 630-20-6	1,1,1,2-Tetrachloroethane	60		ug/L	2	0.19	NA	6/15/2014	6/15/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3408	50	120%		
D061514CCVA	D061514CCVA	ORG XYLMP	p&m-Xylene	100		ug/L	2	0.26	NA	6/15/2014	6/15/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3408	100	100%		
D061514CCVA	D061514CCVA	ORG 95-47-6	o-Xylene	52		ug/L	1	0.13	NA	6/15/2014	6/15/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3408	50	104%		
D061514CCVA	D061514CCVA	ORG 100-42-5	Styrene	53		ug/L	1	0.20	NA	6/15/2014	6/15/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3408	50	106%		
D061514CCVA	D061514CCVA	ORG 75-25-2	Bromoform	58		ug/L	2	0.47	NA	6/15/2014	6/15/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3408	50	116%		
D061514CCVA	D061514CCVA	ORG 98-82-8	Isopropylbenzene	51		ug/L	2	0.20	NA	6/15/2014	6/15/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3408	50	102%		
D061514CCVA	D061514CCVA	ORG 103-65-1	n-Propylbenzene	51		ug/L	2	0.27	NA	6/15/2014	6/15/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3408	50	102%		
D061514CCVA	D061514CCVA	ORG 79-34-5	1,1,2,2-Tetrachloroethane	48		ug/L	2	0.29	NA	6/15/2014	6/15/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3408	50	96%		
D061514CCVA	D061514CCVA	ORG 96-18-4	1,2,3-Trichloropropane	47		ug/L	2	0.29	NA	6/15/2014	6/15/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3408	50	94%		

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D061514CCVA	D061514CCVA	ORG 108-67-8	1,3,5-Trimethylbenzene	52		ug/L	2	0.20	NA	6/15/2014	6/15/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3408	50	104%		
D061514CCVA	D061514CCVA	ORG 98-06-6	tert-Butylbenzene	54		ug/L	2	0.33	NA	6/15/2014	6/15/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3408	50	108%		
D061514CCVA	D061514CCVA	ORG 95-63-6	1,2,4-Trimethylbenzene	52		ug/L	2	0.20	NA	6/15/2014	6/15/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3408	50	104%		
D061514CCVA	D061514CCVA	ORG 135-98-8	sec-Butylbenzene	53		ug/L	2	0.32	NA	6/15/2014	6/15/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3408	50	106%		
D061514CCVA	D061514CCVA	ORG 541-73-1	1,3-Dichlorobenzene	49		ug/L	2	0.22	NA	6/15/2014	6/15/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3408	50	98%		
D061514CCVA	D061514CCVA	ORG 99-87-6	p-Isopropyltoluene	54		ug/L	2	0.25	NA	6/15/2014	6/15/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3408	50	108%		
D061514CCVA	D061514CCVA	ORG 106-46-7	1,4-Dichlorobenzene	48		ug/L	2	0.33	NA	6/15/2014	6/15/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3408	50	96%		
D061514CCVA	D061514CCVA	ORG 95-50-1	1,2-Dichlorobenzene	49		ug/L	2	0.26	NA	6/15/2014	6/15/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3408	50	98%		
D061514CCVA	D061514CCVA	ORG 104-51-8	n-Butylbenzene	53		ug/L	5	0.28	NA	6/15/2014	6/15/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3408	50	106%		
D061514CCVA	D061514CCVA	ORG 96-12-8	1,2-Dibromo-3-chloropropane	54		ug/L	5	1.59	NA	6/15/2014	6/15/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3408	50	108%		
D061514CCVA	D061514CCVA	ORG 87-68-3	Hexachlorobutadiene	59		ug/L	5	0.65	NA	6/15/2014	6/15/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3408	50	118%		
D061514CCVA	D061514CCVA	ORG 120-82-1	1,2,4-Trichlorobenzene	51		ug/L	5	0.28	NA	6/15/2014	6/15/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3408	50	102%		
D061514CCVA	D061514CCVA	ORG 91-20-3	Naphthalene	48		ug/L	5	0.56	NA	6/15/2014	6/15/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3408	50	96%		
D061514CCVA	D061514CCVA	ORG 87-61-6	1,2,3-Trichlorobenzene	51		ug/L	5	0.23	NA	6/15/2014	6/15/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3408	50	102%		
D061514CCVA	D061514CCVA	STD 1868-53-7	Dibromofluoromethane	54		ug/L	1	0.10	NA	6/15/2014	6/15/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3408	50	108%		
D061514CCVA	D061514CCVA	STD 17060-07-0	1,2-Dichloroethane d4	52		ug/L	1	0.10	NA	6/15/2014	6/15/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3408	50	104%		
D061514CCVA	D061514CCVA	STD 2037-26-5	Toluene d8	52		ug/L	1	0.10	NA	6/15/2014	6/15/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3408	50	104%		
D061514CCVA	D061514CCVA	STD 460-00-4	Bromofluorobenzene	50		ug/L	1	0.10	NA	6/15/2014	6/15/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3408	50	100%		



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

FINAL ANALYTICAL REPORT

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent	
D061514MBKA	D061514MBKA	ORG 75-71-8	Dichlorodifluoromethane		U	ug/L	5	0.29	NA	6/15/2014	6/15/2014	WQ	1 NA	5.0	NA	SW8260B	NALD3409						
D061514MBKA	D061514MBKA	ORG 74-87-3	Chloromethane		U	ug/L	5	0.43	NA	6/15/2014	6/15/2014	WQ	1 NA	5.0	NA	SW8260B	NALD3409						
D061514MBKA	D061514MBKA	ORG 75-01-4	Vinyl chloride		U	ug/L	2	0.32	NA	6/15/2014	6/15/2014	WQ	1 NA	5.0	NA	SW8260B	NALD3409						
D061514MBKA	D061514MBKA	ORG 74-83-9	Bromomethane		U	ug/L	5	0.50	NA	6/15/2014	6/15/2014	WQ	1 NA	5.0	NA	SW8260B	NALD3409						
D061514MBKA	D061514MBKA	ORG 75-00-3	Chloroethane		U	ug/L	5	0.56	NA	6/15/2014	6/15/2014	WQ	1 NA	5.0	NA	SW8260B	NALD3409						
D061514MBKA	D061514MBKA	ORG 75-69-4	Trichlorofluoromethane		U	ug/L	5	0.20	NA	6/15/2014	6/15/2014	WQ	1 NA	5.0	NA	SW8260B	NALD3409						
D061514MBKA	D061514MBKA	ORG 75-35-4	1,1-Dichloroethene		U	ug/L	1	0.47	NA	6/15/2014	6/15/2014	WQ	1 NA	5.0	NA	SW8260B	NALD3409						
D061514MBKA	D061514MBKA	ORG 75-09-2	Methylene chloride		U	ug/L	5	0.26	NA	6/15/2014	6/15/2014	WQ	1 NA	5.0	NA	SW8260B	NALD3409						
D061514MBKA	D061514MBKA	ORG 67-64-1	Acetone	15		ug/L	10	1.56	NA	6/15/2014	6/15/2014	WQ	1 NA	5.0	NA	SW8260B	NALD3409						
D061514MBKA	D061514MBKA	ORG 156-60-5	trans-1,2-Dichloroethene		U	ug/L	1	0.56	NA	6/15/2014	6/15/2014	WQ	1 NA	5.0	NA	SW8260B	NALD3409						
D061514MBKA	D061514MBKA	ORG 1634-04-4	MTBE		U	ug/L	5	0.61	NA	6/15/2014	6/15/2014	WQ	1 NA	5.0	NA	SW8260B	NALD3409						
D061514MBKA	D061514MBKA	ORG 75-34-3	1,1-Dichloroethane		U	ug/L	1	0.53	NA	6/15/2014	6/15/2014	WQ	1 NA	5.0	NA	SW8260B	NALD3409						
D061514MBKA	D061514MBKA	ORG 156-59-2	cis-1,2-Dichloroethene		U	ug/L	1	0.32	NA	6/15/2014	6/15/2014	WQ	1 NA	5.0	NA	SW8260B	NALD3409						
D061514MBKA	D061514MBKA	ORG 74-97-5	Bromochloromethane		U	ug/L	10	0.41	NA	6/15/2014	6/15/2014	WQ	1 NA	5.0	NA	SW8260B	NALD3409						
D061514MBKA	D061514MBKA	ORG 67-66-3	Chloroform		U	ug/L	2	0.16	NA	6/15/2014	6/15/2014	WQ	1 NA	5.0	NA	SW8260B	NALD3409						
D061514MBKA	D061514MBKA	ORG 71-55-6	1,1,1-Trichloroethane		U	ug/L	1	0.17	NA	6/15/2014	6/15/2014	WQ	1 NA	5.0	NA	SW8260B	NALD3409						
D061514MBKA	D061514MBKA	ORG 78-93-3	2-Butanone		U	ug/L	1	0.81	NA	6/15/2014	6/15/2014	WQ	1 NA	5.0	NA	SW8260B	NALD3409						
D061514MBKA	D061514MBKA	ORG 56-23-5	Carbon tetrachloride		U	ug/L	1	0.28	NA	6/15/2014	6/15/2014	WQ	1 NA	5.0	NA	SW8260B	NALD3409						
D061514MBKA	D061514MBKA	ORG 71-43-2	Benzene		U	ug/L	1	0.14	NA	6/15/2014	6/15/2014	WQ	1 NA	5.0	NA	SW8260B	NALD3409						
D061514MBKA	D061514MBKA	ORG 107-06-2	1,2-Dichloroethane		U	ug/L	1	0.20	NA	6/15/2014	6/15/2014	WQ	1 NA	5.0	NA	SW8260B	NALD3409						
D061514MBKA	D061514MBKA	ORG 79-01-6	Trichloroethene		U	ug/L	1	0.36	NA	6/15/2014	6/15/2014	WQ	1 NA	5.0	NA	SW8260B	NALD3409						
D061514MBKA	D061514MBKA	ORG 74-95-3	Dibromomethane		U	ug/L	2	0.32	NA	6/15/2014	6/15/2014	WQ	1 NA	5.0	NA	SW8260B	NALD3409						
D061514MBKA	D061514MBKA	ORG 78-87-5	1,2-Dichloropropane		U	ug/L	1	0.18	NA	6/15/2014	6/15/2014	WQ	1 NA	5.0	NA	SW8260B	NALD3409						
D061514MBKA	D061514MBKA	ORG 75-27-4	Bromodichloromethane		U	ug/L	2	0.12	NA	6/15/2014	6/15/2014	WQ	1 NA	5.0	NA	SW8260B	NALD3409						
D061514MBKA	D061514MBKA	ORG 10061-01-5	cis-1,3-Dichloropropene		U	ug/L	1	0.25	NA	6/15/2014	6/15/2014	WQ	1 NA	5.0	NA	SW8260B	NALD3409						
D061514MBKA	D061514MBKA	ORG 108-88-3	Toluene		U	ug/L	1	0.21	NA	6/15/2014	6/15/2014	WQ	1 NA	5.0	NA	SW8260B	NALD3409						
D061514MBKA	D061514MBKA	ORG 108-10-1	4-Methyl-2-pentanone		U	ug/L	5	0.74	NA	6/15/2014	6/15/2014	WQ	1 NA	5.0	NA	SW8260B	NALD3409						
D061514MBKA	D061514MBKA	ORG 10061-02-6	trans-1,3-Dichloropropene		U	ug/L	1	0.31	NA	6/15/2014	6/15/2014	WQ	1 NA	5.0	NA	SW8260B	NALD3409						
D061514MBKA	D061514MBKA	ORG 127-18-4	Tetrachloroethene		U	ug/L	1	0.49	NA	6/15/2014	6/15/2014	WQ	1 NA	5.0	NA	SW8260B	NALD3409						
D061514MBKA	D061514MBKA	ORG 79-00-5	1,1,2-Trichloroethane		U	ug/L	1	0.34	NA	6/15/2014	6/15/2014	WQ	1 NA	5.0	NA	SW8260B	NALD3409						
D061514MBKA	D061514MBKA	ORG 124-48-1	Dibromochloromethane		U	ug/L	5	0.30	NA	6/15/2014	6/15/2014	WQ	1 NA	5.0	NA	SW8260B	NALD3409						
D061514MBKA	D061514MBKA	ORG 106-93-4	1,2-Dibromoethane		U	ug/L	2	0.26	NA	6/15/2014	6/15/2014	WQ	1 NA	5.0	NA	SW8260B	NALD3409						
D061514MBKA	D061514MBKA	ORG 591-78-6	2-Hexanone		U	ug/L	2	0.69	NA	6/15/2014	6/15/2014	WQ	1 NA	5.0	NA	SW8260B	NALD3409						
D061514MBKA	D061514MBKA	ORG 100-41-4	Ethylbenzene		U	ug/L	1	0.25	NA	6/15/2014	6/15/2014	WQ	1 NA	5.0	NA	SW8260B	NALD3409						
D061514MBKA	D061514MBKA	ORG 108-90-7	Chlorobenzene		U	ug/L	1	0.28	NA	6/15/2014	6/15/2014	WQ	1 NA	5.0	NA	SW8260B	NALD3409						
D061514MBKA	D061514MBKA	ORG 630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	2	0.19	NA	6/15/2014	6/15/2014	WQ	1 NA	5.0	NA	SW8260B	NALD3409						
D061514MBKA	D061514MBKA	ORG XYLMP	p&m-Xylene		U	ug/L	2	0.26	NA	6/15/2014	6/15/2014	WQ	1 NA	5.0	NA	SW8260B	NALD3409						
D061514MBKA	D061514MBKA	ORG 95-47-6	o-Xylene		U	ug/L	1	0.13	NA	6/15/2014	6/15/2014	WQ	1 NA	5.0	NA	SW8260B	NALD3409						
D061514MBKA	D061514MBKA	ORG 100-42-5	Styrene		U	ug/L	1	0.20	NA	6/15/2014	6/15/2014	WQ	1 NA	5.0	NA	SW8260B	NALD3409						
D061514MBKA	D061514MBKA	ORG 75-25-2	Bromoform		U	ug/L	2	0.47	NA	6/15/2014	6/15/2014	WQ	1 NA	5.0	NA	SW8260B	NALD3409						
D061514MBKA	D061514MBKA	ORG 98-82-8	Isopropylbenzene		U	ug/L	2	0.20	NA	6/15/2014	6/15/2014	WQ	1 NA	5.0	NA	SW8260B	NALD3409						
D061514MBKA	D061514MBKA	ORG 103-65-1	n-Propylbenzene		U	ug/L	2	0.27	NA	6/15/2014	6/15/2014	WQ	1 NA	5.0	NA	SW8260B	NALD3409						
D061514MBKA	D061514MBKA	ORG 79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	2	0.29	NA	6/15/2014	6/15/2014	WQ	1 NA	5.0	NA	SW8260B	NALD3409						
D061514MBKA	D061514MBKA	ORG 96-18-4	1,2,3-Trichloropropane		U	ug/L	2	0.29	NA	6/15/2014	6/15/2014	WQ	1 NA	5.0	NA	SW8260B	NALD3409						

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D061514MBKA	D061514MBKA	ORG 108-67-8	1,3,5-Trimethylbenzene		U	ug/L	2	0.20	NA	6/15/2014	6/15/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3409				
D061514MBKA	D061514MBKA	ORG 98-06-6	tert-Butylbenzene		U	ug/L	2	0.33	NA	6/15/2014	6/15/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3409				
D061514MBKA	D061514MBKA	ORG 95-63-6	1,2,4-Trimethylbenzene		U	ug/L	2	0.20	NA	6/15/2014	6/15/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3409				
D061514MBKA	D061514MBKA	ORG 135-98-8	sec-Butylbenzene		U	ug/L	2	0.32	NA	6/15/2014	6/15/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3409				
D061514MBKA	D061514MBKA	ORG 541-73-1	1,3-Dichlorobenzene		U	ug/L	2	0.22	NA	6/15/2014	6/15/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3409				
D061514MBKA	D061514MBKA	ORG 99-87-6	p-Isopropyltoluene		U	ug/L	2	0.25	NA	6/15/2014	6/15/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3409				
D061514MBKA	D061514MBKA	ORG 106-46-7	1,4-Dichlorobenzene		U	ug/L	2	0.33	NA	6/15/2014	6/15/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3409				
D061514MBKA	D061514MBKA	ORG 95-50-1	1,2-Dichlorobenzene		U	ug/L	2	0.26	NA	6/15/2014	6/15/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3409				
D061514MBKA	D061514MBKA	ORG 104-51-8	n-Butylbenzene		U	ug/L	5	0.28	NA	6/15/2014	6/15/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3409				
D061514MBKA	D061514MBKA	ORG 96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	5	1.59	NA	6/15/2014	6/15/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3409				
D061514MBKA	D061514MBKA	ORG 87-68-3	Hexachlorobutadiene		U	ug/L	5	0.65	NA	6/15/2014	6/15/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3409				
D061514MBKA	D061514MBKA	ORG 120-82-1	1,2,4-Trichlorobenzene		U	ug/L	5	0.28	NA	6/15/2014	6/15/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3409				
D061514MBKA	D061514MBKA	ORG 91-20-3	Naphthalene		U	ug/L	5	0.56	NA	6/15/2014	6/15/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3409				
D061514MBKA	D061514MBKA	ORG 87-61-6	1,2,3-Trichlorobenzene		U	ug/L	5	0.23	NA	6/15/2014	6/15/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3409				
D061514MBKA	D061514MBKA	STD 1868-53-7	Dibromofluoromethane	53		ug/L	1	0.10	NA	6/15/2014	6/15/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3409	50	106%		
D061514MBKA	D061514MBKA	STD 17060-07-0	1,2-Dichloroethane d4	56		ug/L	1	0.10	NA	6/15/2014	6/15/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3409	50	112%		
D061514MBKA	D061514MBKA	STD 2037-26-5	Toluene d8	52		ug/L	1	0.10	NA	6/15/2014	6/15/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3409	50	104%		
D061514MBKA	D061514MBKA	STD 460-00-4	Bromofluorobenzene	50		ug/L	1	0.10	NA	6/15/2014	6/15/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3409	50	100%		

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D061514ALCS	D061514ALCS	ORG 108-67-8	1,3,5-Trimethylbenzene	52		ug/L	2	0.20	NA	6/15/2014	6/15/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3414	50	104%		
D061514ALCS	D061514ALCS	ORG 98-06-6	tert-Butylbenzene	54		ug/L	2	0.33	NA	6/15/2014	6/15/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3414	50	108%		
D061514ALCS	D061514ALCS	ORG 95-63-6	1,2,4-Trimethylbenzene	51		ug/L	2	0.20	NA	6/15/2014	6/15/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3414	50	102%		
D061514ALCS	D061514ALCS	ORG 135-98-8	sec-Butylbenzene	52		ug/L	2	0.32	NA	6/15/2014	6/15/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3414	50	104%		
D061514ALCS	D061514ALCS	ORG 541-73-1	1,3-Dichlorobenzene	49		ug/L	2	0.22	NA	6/15/2014	6/15/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3414	50	98%		
D061514ALCS	D061514ALCS	ORG 99-87-6	p-Isopropyltoluene	53		ug/L	2	0.25	NA	6/15/2014	6/15/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3414	50	106%		
D061514ALCS	D061514ALCS	ORG 106-46-7	1,4-Dichlorobenzene	48		ug/L	2	0.33	NA	6/15/2014	6/15/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3414	50	96%		
D061514ALCS	D061514ALCS	ORG 95-50-1	1,2-Dichlorobenzene	49		ug/L	2	0.26	NA	6/15/2014	6/15/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3414	50	98%		
D061514ALCS	D061514ALCS	ORG 104-51-8	n-Butylbenzene	52		ug/L	5	0.28	NA	6/15/2014	6/15/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3414	50	104%		
D061514ALCS	D061514ALCS	ORG 96-12-8	1,2-Dibromo-3-chloropropane	59		ug/L	5	1.59	NA	6/15/2014	6/15/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3414	50	118%		
D061514ALCS	D061514ALCS	ORG 87-68-3	Hexachlorobutadiene	60		ug/L	5	0.65	NA	6/15/2014	6/15/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3414	50	120%		
D061514ALCS	D061514ALCS	ORG 120-82-1	1,2,4-Trichlorobenzene	52		ug/L	5	0.28	NA	6/15/2014	6/15/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3414	50	104%		
D061514ALCS	D061514ALCS	ORG 91-20-3	Naphthalene	48		ug/L	5	0.56	NA	6/15/2014	6/15/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3414	50	96%		
D061514ALCS	D061514ALCS	ORG 87-61-6	1,2,3-Trichlorobenzene	50		ug/L	5	0.23	NA	6/15/2014	6/15/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3414	50	100%		
D061514ALCS	D061514ALCS	STD 1868-53-7	Dibromofluoromethane	55		ug/L	1	0.10	NA	6/15/2014	6/15/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3414	50	110%		
D061514ALCS	D061514ALCS	STD 17060-07-0	1,2-Dichloroethane d4	52		ug/L	1	0.10	NA	6/15/2014	6/15/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3414	50	104%		
D061514ALCS	D061514ALCS	STD 2037-26-5	Toluene d8	51		ug/L	1	0.10	NA	6/15/2014	6/15/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3414	50	102%		
D061514ALCS	D061514ALCS	STD 460-00-4	Bromofluorobenzene	51		ug/L	1	0.10	NA	6/15/2014	6/15/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3414	50	102%		

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D061514ALCD	D061514ALCD	ORG 108-67-8	1,3,5-Trimethylbenzene	51		ug/L	2	0.20	NA	6/15/2014	6/15/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3415	50	102%	2%	
D061514ALCD	D061514ALCD	ORG 98-06-6	tert-Butylbenzene	53		ug/L	2	0.33	NA	6/15/2014	6/15/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3415	50	106%	2%	
D061514ALCD	D061514ALCD	ORG 95-63-6	1,2,4-Trimethylbenzene	51		ug/L	2	0.20	NA	6/15/2014	6/15/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3415	50	102%	0%	
D061514ALCD	D061514ALCD	ORG 135-98-8	sec-Butylbenzene	51		ug/L	2	0.32	NA	6/15/2014	6/15/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3415	50	102%	2%	
D061514ALCD	D061514ALCD	ORG 541-73-1	1,3-Dichlorobenzene	48		ug/L	2	0.22	NA	6/15/2014	6/15/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3415	50	96%	2%	
D061514ALCD	D061514ALCD	ORG 99-87-6	p-Isopropyltoluene	53		ug/L	2	0.25	NA	6/15/2014	6/15/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3415	50	106%	0%	
D061514ALCD	D061514ALCD	ORG 106-46-7	1,4-Dichlorobenzene	48		ug/L	2	0.33	NA	6/15/2014	6/15/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3415	50	96%	0%	
D061514ALCD	D061514ALCD	ORG 95-50-1	1,2-Dichlorobenzene	48		ug/L	2	0.26	NA	6/15/2014	6/15/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3415	50	96%	2%	
D061514ALCD	D061514ALCD	ORG 104-51-8	n-Butylbenzene	52		ug/L	5	0.28	NA	6/15/2014	6/15/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3415	50	104%	0%	
D061514ALCD	D061514ALCD	ORG 96-12-8	1,2-Dibromo-3-chloropropane	52		ug/L	5	1.59	NA	6/15/2014	6/15/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3415	50	104%	13%	
D061514ALCD	D061514ALCD	ORG 87-68-3	Hexachlorobutadiene	56		ug/L	5	0.65	NA	6/15/2014	6/15/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3415	50	112%	7%	
D061514ALCD	D061514ALCD	ORG 120-82-1	1,2,4-Trichlorobenzene	49		ug/L	5	0.28	NA	6/15/2014	6/15/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3415	50	98%	6%	
D061514ALCD	D061514ALCD	ORG 91-20-3	Naphthalene	45		ug/L	5	0.56	NA	6/15/2014	6/15/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3415	50	90%	6%	
D061514ALCD	D061514ALCD	ORG 87-61-6	1,2,3-Trichlorobenzene	47		ug/L	5	0.23	NA	6/15/2014	6/15/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3415	50	94%	6%	
D061514ALCD	D061514ALCD	STD 1868-53-7	Dibromofluoromethane	54		ug/L	1	0.10	NA	6/15/2014	6/15/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3415	50	108%	2%	
D061514ALCD	D061514ALCD	STD 17060-07-0	1,2-Dichloroethane d4	51		ug/L	1	0.10	NA	6/15/2014	6/15/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3415	50	102%	2%	
D061514ALCD	D061514ALCD	STD 2037-26-5	Toluene d8	52		ug/L	1	0.10	NA	6/15/2014	6/15/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3415	50	104%	2%	
D061514ALCD	D061514ALCD	STD 460-00-4	Bromofluorobenzene	50		ug/L	1	0.10	NA	6/15/2014	6/15/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3415	50	100%	2%	

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1507MS	316-331	ORG 108-67-8	1,3,5-Trimethylbenzene	5600		ug/L	200	20.03	6/15/2014	6/15/2014	6/15/2014	WG	100	NA	5.0	NA	SW8260B	NALD3416	5000	102%		520
NAL13026-1507MS	316-331	ORG 98-06-6	tert-Butylbenzene	5200		ug/L	200	32.61	6/15/2014	6/15/2014	6/15/2014	WG	100	NA	5.0	NA	SW8260B	NALD3416	5000	104%		
NAL13026-1507MS	316-331	ORG 95-63-6	1,2,4-Trimethylbenzene	7200		ug/L	200	20.03	6/15/2014	6/15/2014	6/15/2014	WG	100	NA	5.0	NA	SW8260B	NALD3416	5000	94%		2500
NAL13026-1507MS	316-331	ORG 135-98-8	sec-Butylbenzene	5200		ug/L	200	32.34	6/15/2014	6/15/2014	6/15/2014	WG	100	NA	5.0	NA	SW8260B	NALD3416	5000	102%		110
NAL13026-1507MS	316-331	ORG 541-73-1	1,3-Dichlorobenzene	4800		ug/L	200	22.21	6/15/2014	6/15/2014	6/15/2014	WG	100	NA	5.0	NA	SW8260B	NALD3416	5000	96%		
NAL13026-1507MS	316-331	ORG 99-87-6	p-Isopropyltoluene	16000		ug/L	200	25.48	6/15/2014	6/15/2014	6/15/2014	WG	100	NA	5.0	NA	SW8260B	NALD3416	5000	60%		13000
NAL13026-1507MS	316-331	ORG 106-46-7	1,4-Dichlorobenzene	6900		ug/L	200	33.03	6/15/2014	6/15/2014	6/15/2014	WG	100	NA	5.0	NA	SW8260B	NALD3416	5000	88%		2500
NAL13026-1507MS	316-331	ORG 95-50-1	1,2-Dichlorobenzene	4800		ug/L	200	26.38	6/15/2014	6/15/2014	6/15/2014	WG	100	NA	5.0	NA	SW8260B	NALD3416	5000	96%		
NAL13026-1507MS	316-331	ORG 104-51-8	n-Butylbenzene	5400		ug/L	500	27.81	6/15/2014	6/15/2014	6/15/2014	WG	100	NA	5.0	NA	SW8260B	NALD3416	5000	102%		320
NAL13026-1507MS	316-331	ORG 96-12-8	1,2-Dibromo-3-chloropropane	5900		ug/L	500	159.11	6/15/2014	6/15/2014	6/15/2014	WG	100	NA	5.0	NA	SW8260B	NALD3416	5000	118%		
NAL13026-1507MS	316-331	ORG 87-68-3	Hexachlorobutadiene	4700		ug/L	500	65.42	6/15/2014	6/15/2014	6/15/2014	WG	100	NA	5.0	NA	SW8260B	NALD3416	5000	94%		
NAL13026-1507MS	316-331	ORG 120-82-1	1,2,4-Trichlorobenzene	4900		ug/L	500	27.63	6/15/2014	6/15/2014	6/15/2014	WG	100	NA	5.0	NA	SW8260B	NALD3416	5000	98%		
NAL13026-1507MS	316-331	ORG 91-20-3	Naphthalene	8200		ug/L	500	56.04	6/15/2014	6/15/2014	6/15/2014	WG	100	NA	5.0	NA	SW8260B	NALD3416	5000	80%		4200
NAL13026-1507MS	316-331	ORG 87-61-6	1,2,3-Trichlorobenzene	4700		ug/L	500	23.28	6/15/2014	6/15/2014	6/15/2014	WG	100	NA	5.0	NA	SW8260B	NALD3416	5000	94%		
NAL13026-1507MS	316-331	STD 1868-53-7	Dibromofluoromethane	54		ug/L	1	0.10	6/15/2014	6/15/2014	6/15/2014	WG	100	NA	5.0	NA	SW8260B	NALD3416	50	108%		
NAL13026-1507MS	316-331	STD 17060-07-0	1,2-Dichloroethane d4	51		ug/L	1	0.10	6/15/2014	6/15/2014	6/15/2014	WG	100	NA	5.0	NA	SW8260B	NALD3416	50	102%		
NAL13026-1507MS	316-331	STD 2037-26-5	Toluene d8	51		ug/L	1	0.10	6/15/2014	6/15/2014	6/15/2014	WG	100	NA	5.0	NA	SW8260B	NALD3416	50	102%		
NAL13026-1507MS	316-331	STD 460-00-4	Bromofluorobenzene	50		ug/L	1	0.10	6/15/2014	6/15/2014	6/15/2014	WG	100	NA	5.0	NA	SW8260B	NALD3416	50	100%		

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1507MSD	316-331	ORG 108-67-8	1,3,5-Trimethylbenzene	5600		ug/L	200	20.03	6/15/2014	6/15/2014	6/15/2014	WG	100	NA	5.0	NA	SW8260B	NALD3417	5000	102%	0%	520
NAL13026-1507MSD	316-331	ORG 98-06-6	tert-Butylbenzene	5400		ug/L	200	32.61	6/15/2014	6/15/2014	6/15/2014	WG	100	NA	5.0	NA	SW8260B	NALD3417	5000	108%	4%	
NAL13026-1507MSD	316-331	ORG 95-63-6	1,2,4-Trimethylbenzene	7100		ug/L	200	20.03	6/15/2014	6/15/2014	6/15/2014	WG	100	NA	5.0	NA	SW8260B	NALD3417	5000	92%	1%	2500
NAL13026-1507MSD	316-331	ORG 135-98-8	sec-Butylbenzene	5400		ug/L	200	32.34	6/15/2014	6/15/2014	6/15/2014	WG	100	NA	5.0	NA	SW8260B	NALD3417	5000	106%	4%	110
NAL13026-1507MSD	316-331	ORG 541-73-1	1,3-Dichlorobenzene	5000		ug/L	200	22.21	6/15/2014	6/15/2014	6/15/2014	WG	100	NA	5.0	NA	SW8260B	NALD3417	5000	100%	4%	
NAL13026-1507MSD	316-331	ORG 99-87-6	p-Isopropyltoluene	16000		ug/L	200	25.48	6/15/2014	6/15/2014	6/15/2014	WG	100	NA	5.0	NA	SW8260B	NALD3417	5000	60%	0%	13000
NAL13026-1507MSD	316-331	ORG 106-46-7	1,4-Dichlorobenzene	6900		ug/L	200	33.03	6/15/2014	6/15/2014	6/15/2014	WG	100	NA	5.0	NA	SW8260B	NALD3417	5000	88%	0%	2500
NAL13026-1507MSD	316-331	ORG 95-50-1	1,2-Dichlorobenzene	4900		ug/L	200	26.38	6/15/2014	6/15/2014	6/15/2014	WG	100	NA	5.0	NA	SW8260B	NALD3417	5000	98%	2%	
NAL13026-1507MSD	316-331	ORG 104-51-8	n-Butylbenzene	5600		ug/L	500	27.81	6/15/2014	6/15/2014	6/15/2014	WG	100	NA	5.0	NA	SW8260B	NALD3417	5000	106%	4%	320
NAL13026-1507MSD	316-331	ORG 96-12-8	1,2-Dibromo-3-chloropropane	6000		ug/L	500	159.11	6/15/2014	6/15/2014	6/15/2014	WG	100	NA	5.0	NA	SW8260B	NALD3417	5000	120%	2%	
NAL13026-1507MSD	316-331	ORG 87-68-3	Hexachlorobutadiene	5100		ug/L	500	65.42	6/15/2014	6/15/2014	6/15/2014	WG	100	NA	5.0	NA	SW8260B	NALD3417	5000	102%	8%	
NAL13026-1507MSD	316-331	ORG 120-82-1	1,2,4-Trichlorobenzene	5000		ug/L	500	27.63	6/15/2014	6/15/2014	6/15/2014	WG	100	NA	5.0	NA	SW8260B	NALD3417	5000	100%	2%	
NAL13026-1507MSD	316-331	ORG 91-20-3	Naphthalene	8000		ug/L	500	56.04	6/15/2014	6/15/2014	6/15/2014	WG	100	NA	5.0	NA	SW8260B	NALD3417	5000	76%	2%	4200
NAL13026-1507MSD	316-331	ORG 87-61-6	1,2,3-Trichlorobenzene	4800		ug/L	500	23.28	6/15/2014	6/15/2014	6/15/2014	WG	100	NA	5.0	NA	SW8260B	NALD3417	5000	96%	2%	
NAL13026-1507MSD	316-331	STD 1868-53-7	Dibromofluoromethane	53		ug/L	1	0.10	6/15/2014	6/15/2014	6/15/2014	WG	100	NA	5.0	NA	SW8260B	NALD3417	50	106%	2%	
NAL13026-1507MSD	316-331	STD 17060-07-0	1,2-Dichloroethane d4	51		ug/L	1	0.10	6/15/2014	6/15/2014	6/15/2014	WG	100	NA	5.0	NA	SW8260B	NALD3417	50	102%	0%	
NAL13026-1507MSD	316-331	STD 2037-26-5	Toluene d8	51		ug/L	1	0.10	6/15/2014	6/15/2014	6/15/2014	WG	100	NA	5.0	NA	SW8260B	NALD3417	50	102%	0%	
NAL13026-1507MSD	316-331	STD 460-00-4	Bromofluorobenzene	50		ug/L	1	0.10	6/15/2014	6/15/2014	6/15/2014	WG	100	NA	5.0	NA	SW8260B	NALD3417	50	100%	0%	

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assessment, QC analyses parameter exceeded control limits.
U = Non-detect
 * NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1509	316-332	ORG 75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3423				
NAL13026-1509	316-332	ORG 74-87-3	Chloromethane		U	ug/L	500	43.07	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3423				
NAL13026-1509	316-332	ORG 75-01-4	Vinyl chloride		U	ug/L	200	31.86	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3423				
NAL13026-1509	316-332	ORG 74-83-9	Bromomethane		U	ug/L	500	50.04	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3423				
NAL13026-1509	316-332	ORG 75-00-3	Chloroethane		U	ug/L	500	55.61	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3423				
NAL13026-1509	316-332	ORG 75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3423				
NAL13026-1509	316-332	ORG 75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3423				
NAL13026-1509	316-332	ORG 75-09-2	Methylene chloride		UX-	ug/L	500	26.46	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3423				
NAL13026-1509	316-332	ORG 67-64-1	Acetone	92000	D	ug/L	10000	1556.07	6/16/2014	6/16/2014	6/16/2014	WG	1000	NA	5.0	NA	SW8260B	NALD3424				
NAL13026-1509	316-332	ORG 156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3423				
NAL13026-1509	316-332	ORG 1634-04-4	MTBE		U	ug/L	500	61.18	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3423				
NAL13026-1509	316-332	ORG 75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3423				
NAL13026-1509	316-332	ORG 156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3423				
NAL13026-1509	316-332	ORG 74-97-5	Bromochloromethane		U	ug/L	200	41.37	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3423				
NAL13026-1509	316-332	ORG 67-66-3	Chloroform		U	ug/L	100	15.73	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3423				
NAL13026-1509	316-332	ORG 71-55-6	1,1,1-Trichloroethane		U	ug/L	100	16.65	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3423				
NAL13026-1509	316-332	ORG 78-93-3	2-Butanone	23000	D	ug/L	10000	811.80	6/16/2014	6/16/2014	6/16/2014	WG	1000	NA	5.0	NA	SW8260B	NALD3424				
NAL13026-1509	316-332	ORG 56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3423				
NAL13026-1509	316-332	ORG 71-43-2	Benzene		U	ug/L	100	13.53	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3423				
NAL13026-1509	316-332	ORG 107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3423				
NAL13026-1509	316-332	ORG 79-01-6	Trichloroethene		U	ug/L	100	36.33	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3423				
NAL13026-1509	316-332	ORG 74-95-3	Dibromomethane		U	ug/L	200	32.20	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3423				
NAL13026-1509	316-332	ORG 78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3423				
NAL13026-1509	316-332	ORG 75-27-4	Bromodichloromethane		U	ug/L	200	11.58	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3423				
NAL13026-1509	316-332	ORG 10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3423				
NAL13026-1509	316-332	ORG 108-88-3	Toluene		U	ug/L	100	20.96	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3423				
NAL13026-1509	316-332	ORG 108-10-1	4-Methyl-2-pentanone	480	J	ug/L	500	74.00	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3423				
NAL13026-1509	316-332	ORG 10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3423				
NAL13026-1509	316-332	ORG 127-18-4	Tetrachloroethene		U	ug/L	100	48.56	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3423				
NAL13026-1509	316-332	ORG 79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3423				
NAL13026-1509	316-332	ORG 124-48-1	Dibromochloromethane		U	ug/L	200	29.90	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3423				
NAL13026-1509	316-332	ORG 106-93-4	1,2-Dibromoethane		U	ug/L	200	26.49	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3423				
NAL13026-1509	316-332	ORG 591-78-6	2-Hexanone	1100		ug/L	500	68.90	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3423				
NAL13026-1509	316-332	ORG 100-41-4	Ethylbenzene		U	ug/L	100	25.38	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3423				
NAL13026-1509	316-332	ORG 108-90-7	Chlorobenzene		U	ug/L	100	27.52	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3423				
NAL13026-1509	316-332	ORG 630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3423				
NAL13026-1509	316-332	ORG XYLMP	p&m-Xylene	73	J	ug/L	200	26.14	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3423				
NAL13026-1509	316-332	ORG 95-47-6	o-Xylene	67	J	ug/L	100	12.90	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3423				
NAL13026-1509	316-332	ORG 100-42-5	Styrene		U	ug/L	100	20.23	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3423				
NAL13026-1509	316-332	ORG 75-25-2	Bromoform		U	ug/L	200	46.83	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3423				
NAL13026-1509	316-332	ORG 98-82-8	Isopropylbenzene	49	J	ug/L	200	20.48	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3423				
NAL13026-1509	316-332	ORG 103-65-1	n-Propylbenzene	110	J	ug/L	200	27.00	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3423				
NAL13026-1509	316-332	ORG 79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3423				



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

- B** = Analyte is found in the associated blank as well as in the sample.
- D** = Compound identified in an analysis at a secondary dilution factor.
- E** = Compound's concentration exceeds the calibration range of the instrument at this dilution.
- X** = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
- J** = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
- M** = Matrix assessment, QC analyses parameter exceeded control limits.
- U** = Non-detect
- * NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1509	316-332	ORG 96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3423				
NAL13026-1509	316-332	ORG 108-67-8	1,3,5-Trimethylbenzene	270		ug/L	200	20.03	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3423				
NAL13026-1509	316-332	ORG 98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3423				
NAL13026-1509	316-332	ORG 95-63-6	1,2,4-Trimethylbenzene	1500		ug/L	200	20.03	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3423				
NAL13026-1509	316-332	ORG 135-98-8	sec-Butylbenzene	48	J	ug/L	200	32.34	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3423				
NAL13026-1509	316-332	ORG 541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3423				
NAL13026-1509	316-332	ORG 99-87-6	p-Isopropyltoluene	8900		ug/L	200	25.48	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3423				
NAL13026-1509	316-332	ORG 106-46-7	1,4-Dichlorobenzene	1700		ug/L	200	33.03	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3423				
NAL13026-1509	316-332	ORG 95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3423				
NAL13026-1509	316-332	ORG 104-51-8	n-Butylbenzene	240	J	ug/L	500	27.81	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3423				
NAL13026-1509	316-332	ORG 96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3423				
NAL13026-1509	316-332	ORG 87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3423				
NAL13026-1509	316-332	ORG 120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3423				
NAL13026-1509	316-332	ORG 91-20-3	Naphthalene	3700		ug/L	500	56.04	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3423				
NAL13026-1509	316-332	ORG 87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3423				
NAL13026-1509	316-332	STD 1868-53-7	Dibromofluoromethane	53		ug/L	1	0	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3423	50	106%		
NAL13026-1509	316-332	STD 17060-07-0	1,2-Dichloroethane d4	54		ug/L	1	0	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3423	50	108%		
NAL13026-1509	316-332	STD 2037-26-5	Toluene d8	52		ug/L	1	0	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3423	50	104%		
NAL13026-1509	316-332	STD 460-00-4	Bromofluorobenzene	51		ug/L	1	0	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3423	50	102%		

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

- B** = Analyte is found in the associated blank as well as in the sample.
- D** = Compound identified in an analysis at a secondary dilution factor.
- E** = Compound's concentration exceeds the calibration range of the instrument at this dilution.
- X** = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
- J** = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
- M** = Matrix assessment, QC analyses parameter exceeded control limits.
- U** = Non-detect
- * NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1510	T1 INF	ORG 75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3430				
NAL13026-1510	T1 INF	ORG 74-87-3	Chloromethane		U	ug/L	500	43.07	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3430				
NAL13026-1510	T1 INF	ORG 75-01-4	Vinyl chloride		U	ug/L	200	31.86	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3430				
NAL13026-1510	T1 INF	ORG 74-83-9	Bromomethane		U	ug/L	500	50.04	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3430				
NAL13026-1510	T1 INF	ORG 75-00-3	Chloroethane		U	ug/L	500	55.61	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3430				
NAL13026-1510	T1 INF	ORG 75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3430				
NAL13026-1510	T1 INF	ORG 75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3430				
NAL13026-1510	T1 INF	ORG 75-09-2	Methylene chloride		UX-	ug/L	500	26.46	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3430				
NAL13026-1510	T1 INF	ORG 67-64-1	Acetone	64000	D	ug/L	10000	1556.07	6/16/2014	6/16/2014	6/16/2014	WG	1000	NA	5.0	NA	SW8260B	NALD3431				
NAL13026-1510	T1 INF	ORG 156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3430				
NAL13026-1510	T1 INF	ORG 1634-04-4	MTBE		U	ug/L	500	61.18	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3430				
NAL13026-1510	T1 INF	ORG 75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3430				
NAL13026-1510	T1 INF	ORG 156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3430				
NAL13026-1510	T1 INF	ORG 74-97-5	Bromochloromethane		U	ug/L	200	41.37	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3430				
NAL13026-1510	T1 INF	ORG 67-66-3	Chloroform		U	ug/L	100	15.73	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3430				
NAL13026-1510	T1 INF	ORG 71-55-6	1,1,1-Trichloroethane		U	ug/L	100	16.65	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3430				
NAL13026-1510	T1 INF	ORG 78-93-3	2-Butanone	17000	D	ug/L	10000	811.80	6/16/2014	6/16/2014	6/16/2014	WG	1000	NA	5.0	NA	SW8260B	NALD3431				
NAL13026-1510	T1 INF	ORG 56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3430				
NAL13026-1510	T1 INF	ORG 71-43-2	Benzene	330		ug/L	100	13.53	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3430				
NAL13026-1510	T1 INF	ORG 107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3430				
NAL13026-1510	T1 INF	ORG 79-01-6	Trichloroethene		U	ug/L	100	36.33	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3430				
NAL13026-1510	T1 INF	ORG 74-95-3	Dibromomethane		U	ug/L	200	32.20	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3430				
NAL13026-1510	T1 INF	ORG 78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3430				
NAL13026-1510	T1 INF	ORG 75-27-4	Bromodichloromethane		U	ug/L	200	11.58	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3430				
NAL13026-1510	T1 INF	ORG 10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3430				
NAL13026-1510	T1 INF	ORG 108-88-3	Toluene	100	J	ug/L	100	20.96	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3430				
NAL13026-1510	T1 INF	ORG 108-10-1	4-Methyl-2-pentanone	510		ug/L	500	74.00	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3430				
NAL13026-1510	T1 INF	ORG 10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3430				
NAL13026-1510	T1 INF	ORG 127-18-4	Tetrachloroethene		U	ug/L	100	48.56	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3430				
NAL13026-1510	T1 INF	ORG 79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3430				
NAL13026-1510	T1 INF	ORG 124-48-1	Dibromochloromethane		U	ug/L	200	29.90	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3430				
NAL13026-1510	T1 INF	ORG 106-93-4	1,2-Dibromoethane		U	ug/L	200	26.49	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3430				
NAL13026-1510	T1 INF	ORG 591-78-6	2-Hexanone	1100		ug/L	500	68.90	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3430				
NAL13026-1510	T1 INF	ORG 100-41-4	Ethylbenzene	190		ug/L	100	25.38	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3430				
NAL13026-1510	T1 INF	ORG 108-90-7	Chlorobenzene	46	J	ug/L	100	27.52	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3430				
NAL13026-1510	T1 INF	ORG 630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3430				
NAL13026-1510	T1 INF	ORG XYLMP	p&m-Xylene	430		ug/L	200	26.14	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3430				
NAL13026-1510	T1 INF	ORG 95-47-6	o-Xylene	230		ug/L	100	12.90	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3430				
NAL13026-1510	T1 INF	ORG 100-42-5	Styrene		U	ug/L	100	20.23	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3430				
NAL13026-1510	T1 INF	ORG 75-25-2	Bromoform		U	ug/L	200	46.83	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3430				
NAL13026-1510	T1 INF	ORG 98-82-8	Isopropylbenzene	120	J	ug/L	200	20.48	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3430				
NAL13026-1510	T1 INF	ORG 103-65-1	n-Propylbenzene	130	J	ug/L	200	27.00	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3430				
NAL13026-1510	T1 INF	ORG 79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3430				



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
 Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

- B** = Analyte is found in the associated blank as well as in the sample.
- D** = Compound identified in an analysis at a secondary dilution factor.
- E** = Compound's concentration exceeds the calibration range of the instrument at this dilution.
- X** = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
- J** = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
- M** = Matrix assessment, QC analyses parameter exceeded control limits.
- U** = Non-detect
- * NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1510	T1 INF	ORG 96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3430				
NAL13026-1510	T1 INF	ORG 108-67-8	1,3,5-Trimethylbenzene	260		ug/L	200	20.03	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3430				
NAL13026-1510	T1 INF	ORG 98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3430				
NAL13026-1510	T1 INF	ORG 95-63-6	1,2,4-Trimethylbenzene	1100		ug/L	200	20.03	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3430				
NAL13026-1510	T1 INF	ORG 135-98-8	sec-Butylbenzene	40	J	ug/L	200	32.34	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3430				
NAL13026-1510	T1 INF	ORG 541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3430				
NAL13026-1510	T1 INF	ORG 99-87-6	p-Isopropyltoluene	5200		ug/L	200	25.48	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3430				
NAL13026-1510	T1 INF	ORG 106-46-7	1,4-Dichlorobenzene	990		ug/L	200	33.03	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3430				
NAL13026-1510	T1 INF	ORG 95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3430				
NAL13026-1510	T1 INF	ORG 104-51-8	n-Butylbenzene	110	J	ug/L	500	27.81	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3430				
NAL13026-1510	T1 INF	ORG 96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3430				
NAL13026-1510	T1 INF	ORG 87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3430				
NAL13026-1510	T1 INF	ORG 120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3430				
NAL13026-1510	T1 INF	ORG 91-20-3	Naphthalene	1100		ug/L	500	56.04	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3430				
NAL13026-1510	T1 INF	ORG 87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3430				
NAL13026-1510	T1 INF	STD 1868-53-7	Dibromofluoromethane	54		ug/L	1	0	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3430	50	108%		
NAL13026-1510	T1 INF	STD 17060-07-0	1,2-Dichloroethane d4	54		ug/L	1	0	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3430	50	108%		
NAL13026-1510	T1 INF	STD 2037-26-5	Toluene d8	52		ug/L	1	0	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3430	50	104%		
NAL13026-1510	T1 INF	STD 460-00-4	Bromofluorobenzene	52		ug/L	1	0	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3430	50	104%		

FINAL ANALYTICAL REPORT

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assessment, QC analyses parameter exceeded control limits.
U = Non-detect
 * NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1511	T1 EFF	ORG 75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3432				
NAL13026-1511	T1 EFF	ORG 74-87-3	Chloromethane		U	ug/L	500	43.07	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3432				
NAL13026-1511	T1 EFF	ORG 75-01-4	Vinyl chloride		U	ug/L	200	31.86	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3432				
NAL13026-1511	T1 EFF	ORG 74-83-9	Bromomethane		U	ug/L	500	50.04	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3432				
NAL13026-1511	T1 EFF	ORG 75-00-3	Chloroethane		U	ug/L	500	55.61	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3432				
NAL13026-1511	T1 EFF	ORG 75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3432				
NAL13026-1511	T1 EFF	ORG 75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3432				
NAL13026-1511	T1 EFF	ORG 75-09-2	Methylene chloride		UX-	ug/L	500	26.46	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3432				
NAL13026-1511	T1 EFF	ORG 67-64-1	Acetone	137000	D	ug/L	10000	1556.07	6/16/2014	6/16/2014	6/16/2014	WG	1000	NA	5.0	NA	SW8260B	NALD3433				
NAL13026-1511	T1 EFF	ORG 156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3432				
NAL13026-1511	T1 EFF	ORG 1634-04-4	MTBE		U	ug/L	500	61.18	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3432				
NAL13026-1511	T1 EFF	ORG 75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3432				
NAL13026-1511	T1 EFF	ORG 156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3432				
NAL13026-1511	T1 EFF	ORG 74-97-5	Bromochloromethane		U	ug/L	200	41.37	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3432				
NAL13026-1511	T1 EFF	ORG 67-66-3	Chloroform		U	ug/L	100	15.73	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3432				
NAL13026-1511	T1 EFF	ORG 71-55-6	1,1,1-Trichloroethane		U	ug/L	100	16.65	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3432				
NAL13026-1511	T1 EFF	ORG 78-93-3	2-Butanone	39000	D	ug/L	10000	811.80	6/16/2014	6/16/2014	6/16/2014	WG	1000	NA	5.0	NA	SW8260B	NALD3433				
NAL13026-1511	T1 EFF	ORG 56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3432				
NAL13026-1511	T1 EFF	ORG 71-43-2	Benzene	120		ug/L	100	13.53	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3432				
NAL13026-1511	T1 EFF	ORG 107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3432				
NAL13026-1511	T1 EFF	ORG 79-01-6	Trichloroethene		U	ug/L	100	36.33	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3432				
NAL13026-1511	T1 EFF	ORG 74-95-3	Dibromomethane		U	ug/L	200	32.20	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3432				
NAL13026-1511	T1 EFF	ORG 78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3432				
NAL13026-1511	T1 EFF	ORG 75-27-4	Bromodichloromethane		U	ug/L	200	11.58	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3432				
NAL13026-1511	T1 EFF	ORG 10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3432				
NAL13026-1511	T1 EFF	ORG 108-88-3	Toluene	74	J	ug/L	100	20.96	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3432				
NAL13026-1511	T1 EFF	ORG 108-10-1	4-Methyl-2-pentanone	1000		ug/L	500	74.00	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3432				
NAL13026-1511	T1 EFF	ORG 10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3432				
NAL13026-1511	T1 EFF	ORG 127-18-4	Tetrachloroethene		U	ug/L	100	48.56	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3432				
NAL13026-1511	T1 EFF	ORG 79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3432				
NAL13026-1511	T1 EFF	ORG 124-48-1	Dibromochloromethane		U	ug/L	200	29.90	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3432				
NAL13026-1511	T1 EFF	ORG 106-93-4	1,2-Dibromoethane		U	ug/L	200	26.49	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3432				
NAL13026-1511	T1 EFF	ORG 591-78-6	2-Hexanone	2800		ug/L	500	68.90	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3432				
NAL13026-1511	T1 EFF	ORG 100-41-4	Ethylbenzene	86	J	ug/L	100	25.38	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3432				
NAL13026-1511	T1 EFF	ORG 108-90-7	Chlorobenzene		U	ug/L	100	27.52	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3432				
NAL13026-1511	T1 EFF	ORG 630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3432				
NAL13026-1511	T1 EFF	ORG XYLMP	p&m-Xylene	200	J	ug/L	200	26.14	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3432				
NAL13026-1511	T1 EFF	ORG 95-47-6	o-Xylene	120		ug/L	100	12.90	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3432				
NAL13026-1511	T1 EFF	ORG 100-42-5	Styrene		U	ug/L	100	20.23	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3432				
NAL13026-1511	T1 EFF	ORG 75-25-2	Bromoform		U	ug/L	200	46.83	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3432				
NAL13026-1511	T1 EFF	ORG 98-82-8	Isopropylbenzene	29	J	ug/L	200	20.48	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3432				
NAL13026-1511	T1 EFF	ORG 103-65-1	n-Propylbenzene	27	J	ug/L	200	27.00	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3432				
NAL13026-1511	T1 EFF	ORG 79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3432				



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

- B** = Analyte is found in the associated blank as well as in the sample.
- D** = Compound identified in an analysis at a secondary dilution factor.
- E** = Compound's concentration exceeds the calibration range of the instrument at this dilution.
- X** = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
- J** = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
- M** = Matrix assessment, QC analyses parameter exceeded control limits.
- U** = Non-detect
- * NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1511	T1 EFF	ORG 96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3432				
NAL13026-1511	T1 EFF	ORG 108-67-8	1,3,5-Trimethylbenzene	58	J	ug/L	200	20.03	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3432				
NAL13026-1511	T1 EFF	ORG 98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3432				
NAL13026-1511	T1 EFF	ORG 95-63-6	1,2,4-Trimethylbenzene	280		ug/L	200	20.03	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3432				
NAL13026-1511	T1 EFF	ORG 135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3432				
NAL13026-1511	T1 EFF	ORG 541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3432				
NAL13026-1511	T1 EFF	ORG 99-87-6	p-Isopropyltoluene	730		ug/L	200	25.48	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3432				
NAL13026-1511	T1 EFF	ORG 106-46-7	1,4-Dichlorobenzene	440		ug/L	200	33.03	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3432				
NAL13026-1511	T1 EFF	ORG 95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3432				
NAL13026-1511	T1 EFF	ORG 104-51-8	n-Butylbenzene		U	ug/L	500	27.81	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3432				
NAL13026-1511	T1 EFF	ORG 96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3432				
NAL13026-1511	T1 EFF	ORG 87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3432				
NAL13026-1511	T1 EFF	ORG 120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3432				
NAL13026-1511	T1 EFF	ORG 91-20-3	Naphthalene	620		ug/L	500	56.04	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3432				
NAL13026-1511	T1 EFF	ORG 87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3432				
NAL13026-1511	T1 EFF	STD 1868-53-7	Dibromofluoromethane	53		ug/L	1	0	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3432	50	106%		
NAL13026-1511	T1 EFF	STD 17060-07-0	1,2-Dichloroethane d4	55		ug/L	1	0	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3432	50	110%		
NAL13026-1511	T1 EFF	STD 2037-26-5	Toluene d8	51		ug/L	1	0	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3432	50	102%		
NAL13026-1511	T1 EFF	STD 460-00-4	Bromofluorobenzene	50		ug/L	1	0	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3432	50	100%		



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@nevagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D061614CCVA	D061614CCVA	ORG 75-71-8	Dichlorodifluoromethane	63		ug/L	5	0.29	NA	6/16/2014	6/16/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3421	50	126%		
D061614CCVA	D061614CCVA	ORG 74-87-3	Chloromethane	48		ug/L	5	0.43	NA	6/16/2014	6/16/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3421	50	96%		
D061614CCVA	D061614CCVA	ORG 75-01-4	Vinyl chloride	56		ug/L	2	0.32	NA	6/16/2014	6/16/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3421	50	112%		
D061614CCVA	D061614CCVA	ORG 74-83-9	Bromomethane	73		ug/L	5	0.50	NA	6/16/2014	6/16/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3421	50	146%		
D061614CCVA	D061614CCVA	ORG 75-00-3	Chloroethane	65		ug/L	5	0.56	NA	6/16/2014	6/16/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3421	50	130%		
D061614CCVA	D061614CCVA	ORG 75-69-4	Trichlorofluoromethane	264		ug/L	5	0.20	NA	6/16/2014	6/16/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3421	50	528%		
D061614CCVA	D061614CCVA	ORG 75-35-4	1,1-Dichloroethene	62		ug/L	1	0.47	NA	6/16/2014	6/16/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3421	50	124%		
D061614CCVA	D061614CCVA	ORG 75-09-2	Methylene chloride	38		ug/L	5	0.26	NA	6/16/2014	6/16/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3421	50	76%		
D061614CCVA	D061614CCVA	ORG 67-64-1	Acetone	51		ug/L	10	1.56	NA	6/16/2014	6/16/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3421	50	102%		
D061614CCVA	D061614CCVA	ORG 156-60-5	trans-1,2-Dichloroethene	58		ug/L	1	0.56	NA	6/16/2014	6/16/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3421	50	116%		
D061614CCVA	D061614CCVA	ORG 1634-04-4	MTBE	54		ug/L	5	0.61	NA	6/16/2014	6/16/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3421	50	108%		
D061614CCVA	D061614CCVA	ORG 75-34-3	1,1-Dichloroethane	55		ug/L	1	0.53	NA	6/16/2014	6/16/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3421	50	110%		
D061614CCVA	D061614CCVA	ORG 156-59-2	cis-1,2-Dichloroethene	55		ug/L	1	0.32	NA	6/16/2014	6/16/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3421	50	110%		
D061614CCVA	D061614CCVA	ORG 74-97-5	Bromochloromethane	56		ug/L	10	0.41	NA	6/16/2014	6/16/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3421	50	112%		
D061614CCVA	D061614CCVA	ORG 67-66-3	Chloroform	57		ug/L	2	0.16	NA	6/16/2014	6/16/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3421	50	114%		
D061614CCVA	D061614CCVA	ORG 71-55-6	1,1,1-Trichloroethane	58		ug/L	1	0.17	NA	6/16/2014	6/16/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3421	50	116%		
D061614CCVA	D061614CCVA	ORG 78-93-3	2-Butanone	55		ug/L	1	0.81	NA	6/16/2014	6/16/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3421	50	110%		
D061614CCVA	D061614CCVA	ORG 56-23-5	Carbon tetrachloride	61		ug/L	1	0.28	NA	6/16/2014	6/16/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3421	50	122%		
D061614CCVA	D061614CCVA	ORG 71-43-2	Benzene	52		ug/L	1	0.14	NA	6/16/2014	6/16/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3421	50	104%		
D061614CCVA	D061614CCVA	ORG 107-06-2	1,2-Dichloroethane	55		ug/L	1	0.20	NA	6/16/2014	6/16/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3421	50	110%		
D061614CCVA	D061614CCVA	ORG 79-01-6	Trichloroethene	55		ug/L	1	0.36	NA	6/16/2014	6/16/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3421	50	110%		
D061614CCVA	D061614CCVA	ORG 74-95-3	Dibromomethane	55		ug/L	2	0.32	NA	6/16/2014	6/16/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3421	50	110%		
D061614CCVA	D061614CCVA	ORG 78-87-5	1,2-Dichloropropane	53		ug/L	1	0.18	NA	6/16/2014	6/16/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3421	50	106%		
D061614CCVA	D061614CCVA	ORG 75-27-4	Bromodichloromethane	62		ug/L	2	0.12	NA	6/16/2014	6/16/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3421	50	124%		
D061614CCVA	D061614CCVA	ORG 10061-01-5	cis-1,3-Dichloropropene	63		ug/L	1	0.25	NA	6/16/2014	6/16/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3421	50	126%		
D061614CCVA	D061614CCVA	ORG 108-88-3	Toluene	50		ug/L	1	0.21	NA	6/16/2014	6/16/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3421	50	100%		
D061614CCVA	D061614CCVA	ORG 108-10-1	4-Methyl-2-pentanone	47		ug/L	5	0.74	NA	6/16/2014	6/16/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3421	50	94%		
D061614CCVA	D061614CCVA	ORG 10061-02-6	trans-1,3-Dichloropropene	63		ug/L	1	0.31	NA	6/16/2014	6/16/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3421	50	126%		
D061614CCVA	D061614CCVA	ORG 127-18-4	Tetrachloroethene	52		ug/L	1	0.49	NA	6/16/2014	6/16/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3421	50	104%		
D061614CCVA	D061614CCVA	ORG 79-00-5	1,1,2-Trichloroethane	53		ug/L	1	0.34	NA	6/16/2014	6/16/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3421	50	106%		
D061614CCVA	D061614CCVA	ORG 124-48-1	Dibromochloromethane	63		ug/L	5	0.30	NA	6/16/2014	6/16/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3421	50	126%		
D061614CCVA	D061614CCVA	ORG 106-93-4	1,2-Dibromoethane	54		ug/L	2	0.26	NA	6/16/2014	6/16/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3421	50	108%		
D061614CCVA	D061614CCVA	ORG 591-78-6	2-Hexanone	50		ug/L	2	0.69	NA	6/16/2014	6/16/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3421	50	100%		
D061614CCVA	D061614CCVA	ORG 100-41-4	Ethylbenzene	56		ug/L	1	0.25	NA	6/16/2014	6/16/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3421	50	112%		
D061614CCVA	D061614CCVA	ORG 108-90-7	Chlorobenzene	56		ug/L	1	0.28	NA	6/16/2014	6/16/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3421	50	112%		
D061614CCVA	D061614CCVA	ORG 630-20-6	1,1,1,2-Tetrachloroethane	65		ug/L	2	0.19	NA	6/16/2014	6/16/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3421	50	130%		
D061614CCVA	D061614CCVA	ORG XYLMP	p&m-Xylene	108		ug/L	2	0.26	NA	6/16/2014	6/16/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3421	100	108%		
D061614CCVA	D061614CCVA	ORG 95-47-6	o-Xylene	55		ug/L	1	0.13	NA	6/16/2014	6/16/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3421	50	110%		
D061614CCVA	D061614CCVA	ORG 100-42-5	Styrene	57		ug/L	1	0.20	NA	6/16/2014	6/16/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3421	50	114%		
D061614CCVA	D061614CCVA	ORG 75-25-2	Bromoform	59		ug/L	2	0.47	NA	6/16/2014	6/16/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3421	50	118%		
D061614CCVA	D061614CCVA	ORG 98-82-8	Isopropylbenzene	55		ug/L	2	0.20	NA	6/16/2014	6/16/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3421	50	110%		
D061614CCVA	D061614CCVA	ORG 103-65-1	n-Propylbenzene	55		ug/L	2	0.27	NA	6/16/2014	6/16/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3421	50	110%		
D061614CCVA	D061614CCVA	ORG 79-34-5	1,1,2,2-Tetrachloroethane	50		ug/L	2	0.29	NA	6/16/2014	6/16/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3421	50	100%		



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D061614CCVA	D061614CCVA	ORG 96-18-4	1,2,3-Trichloropropane	51		ug/L	2	0.29	NA	6/16/2014	6/16/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3421	50	102%		
D061614CCVA	D061614CCVA	ORG 108-67-8	1,3,5-Trimethylbenzene	55		ug/L	2	0.20	NA	6/16/2014	6/16/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3421	50	110%		
D061614CCVA	D061614CCVA	ORG 98-06-6	tert-Butylbenzene	57		ug/L	2	0.33	NA	6/16/2014	6/16/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3421	50	114%		
D061614CCVA	D061614CCVA	ORG 95-63-6	1,2,4-Trimethylbenzene	55		ug/L	2	0.20	NA	6/16/2014	6/16/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3421	50	110%		
D061614CCVA	D061614CCVA	ORG 135-98-8	sec-Butylbenzene	55		ug/L	2	0.32	NA	6/16/2014	6/16/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3421	50	110%		
D061614CCVA	D061614CCVA	ORG 541-73-1	1,3-Dichlorobenzene	53		ug/L	2	0.22	NA	6/16/2014	6/16/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3421	50	106%		
D061614CCVA	D061614CCVA	ORG 99-87-6	p-Isopropyltoluene	57		ug/L	2	0.25	NA	6/16/2014	6/16/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3421	50	114%		
D061614CCVA	D061614CCVA	ORG 106-46-7	1,4-Dichlorobenzene	52		ug/L	2	0.33	NA	6/16/2014	6/16/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3421	50	104%		
D061614CCVA	D061614CCVA	ORG 95-50-1	1,2-Dichlorobenzene	52		ug/L	2	0.26	NA	6/16/2014	6/16/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3421	50	104%		
D061614CCVA	D061614CCVA	ORG 104-51-8	n-Butylbenzene	56		ug/L	5	0.28	NA	6/16/2014	6/16/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3421	50	112%		
D061614CCVA	D061614CCVA	ORG 96-12-8	1,2-Dibromo-3-chloropropane	54		ug/L	5	1.59	NA	6/16/2014	6/16/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3421	50	108%		
D061614CCVA	D061614CCVA	ORG 87-68-3	Hexachlorobutadiene	60		ug/L	5	0.65	NA	6/16/2014	6/16/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3421	50	120%		
D061614CCVA	D061614CCVA	ORG 120-82-1	1,2,4-Trichlorobenzene	53		ug/L	5	0.28	NA	6/16/2014	6/16/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3421	50	106%		
D061614CCVA	D061614CCVA	ORG 91-20-3	Naphthalene	51		ug/L	5	0.56	NA	6/16/2014	6/16/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3421	50	102%		
D061614CCVA	D061614CCVA	ORG 87-61-6	1,2,3-Trichlorobenzene	52		ug/L	5	0.23	NA	6/16/2014	6/16/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3421	50	104%		
D061614CCVA	D061614CCVA	STD 1868-53-7	Dibromofluoromethane	55		ug/L	1	0	NA	6/16/2014	6/16/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3421	50	110%		
D061614CCVA	D061614CCVA	STD 17060-07-0	1,2-Dichloroethane d4	51		ug/L	1	0	NA	6/16/2014	6/16/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3421	50	102%		
D061614CCVA	D061614CCVA	STD 2037-26-5	Toluene d8	51		ug/L	1	0	NA	6/16/2014	6/16/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3421	50	102%		
D061614CCVA	D061614CCVA	STD 460-00-4	Bromofluorobenzene	50		ug/L	1	0	NA	6/16/2014	6/16/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3421	50	100%		



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
 Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

- B** = Analyte is found in the associated blank as well as in the sample.
- D** = Compound identified in an analysis at a secondary dilution factor.
- E** = Compound's concentration exceeds the calibration range of the instrument at this dilution.
- X** = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
- J** = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
- M** = Matrix assessment, QC analyses parameter exceeded control limits.
- U** = Non-detect
- * NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D061614MBKA	D061614MBKA	ORG 96-18-4	1,2,3-Trichloropropane		U	ug/L	2	0.29	NA	6/16/2014	6/16/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3422				
D061614MBKA	D061614MBKA	ORG 108-67-8	1,3,5-Trimethylbenzene		U	ug/L	2	0.20	NA	6/16/2014	6/16/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3422				
D061614MBKA	D061614MBKA	ORG 98-06-6	tert-Butylbenzene		U	ug/L	2	0.33	NA	6/16/2014	6/16/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3422				
D061614MBKA	D061614MBKA	ORG 95-63-6	1,2,4-Trimethylbenzene		U	ug/L	2	0.20	NA	6/16/2014	6/16/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3422				
D061614MBKA	D061614MBKA	ORG 135-98-8	sec-Butylbenzene		U	ug/L	2	0.32	NA	6/16/2014	6/16/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3422				
D061614MBKA	D061614MBKA	ORG 541-73-1	1,3-Dichlorobenzene		U	ug/L	2	0.22	NA	6/16/2014	6/16/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3422				
D061614MBKA	D061614MBKA	ORG 99-87-6	p-Isopropyltoluene		U	ug/L	2	0.25	NA	6/16/2014	6/16/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3422				
D061614MBKA	D061614MBKA	ORG 106-46-7	1,4-Dichlorobenzene		U	ug/L	2	0.33	NA	6/16/2014	6/16/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3422				
D061614MBKA	D061614MBKA	ORG 95-50-1	1,2-Dichlorobenzene		U	ug/L	2	0.26	NA	6/16/2014	6/16/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3422				
D061614MBKA	D061614MBKA	ORG 104-51-8	n-Butylbenzene		U	ug/L	5	0.28	NA	6/16/2014	6/16/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3422				
D061614MBKA	D061614MBKA	ORG 96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	5	1.59	NA	6/16/2014	6/16/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3422				
D061614MBKA	D061614MBKA	ORG 87-68-3	Hexachlorobutadiene		U	ug/L	5	0.65	NA	6/16/2014	6/16/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3422				
D061614MBKA	D061614MBKA	ORG 120-82-1	1,2,4-Trichlorobenzene		U	ug/L	5	0.28	NA	6/16/2014	6/16/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3422				
D061614MBKA	D061614MBKA	ORG 91-20-3	Naphthalene		U	ug/L	5	0.56	NA	6/16/2014	6/16/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3422				
D061614MBKA	D061614MBKA	ORG 87-61-6	1,2,3-Trichlorobenzene		U	ug/L	5	0.23	NA	6/16/2014	6/16/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3422				
D061614MBKA	D061614MBKA	STD 1868-53-7	Dibromofluoromethane	53		ug/L	1	0	NA	6/16/2014	6/16/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3422	50	106%		
D061614MBKA	D061614MBKA	STD 17060-07-0	1,2-Dichloroethane d4	56		ug/L	1	0	NA	6/16/2014	6/16/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3422	50	112%		
D061614MBKA	D061614MBKA	STD 2037-26-5	Toluene d8	52		ug/L	1	0	NA	6/16/2014	6/16/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3422	50	104%		
D061614MBKA	D061614MBKA	STD 460-00-4	Bromofluorobenzene	50		ug/L	1	0	NA	6/16/2014	6/16/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3422	50	100%		



New Age/Landmark Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D061614ALCS	D061614ALCS	ORG 96-18-4	1,2,3-Trichloropropane	52		ug/L	2	0.29	NA	6/16/2014	6/16/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3425	50	104%		
D061614ALCS	D061614ALCS	ORG 108-67-8	1,3,5-Trimethylbenzene	55		ug/L	2	0.20	NA	6/16/2014	6/16/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3425	50	110%		
D061614ALCS	D061614ALCS	ORG 98-06-6	tert-Butylbenzene	56		ug/L	2	0.33	NA	6/16/2014	6/16/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3425	50	112%		
D061614ALCS	D061614ALCS	ORG 95-63-6	1,2,4-Trimethylbenzene	54		ug/L	2	0.20	NA	6/16/2014	6/16/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3425	50	108%		
D061614ALCS	D061614ALCS	ORG 135-98-8	sec-Butylbenzene	54		ug/L	2	0.32	NA	6/16/2014	6/16/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3425	50	108%		
D061614ALCS	D061614ALCS	ORG 541-73-1	1,3-Dichlorobenzene	51		ug/L	2	0.22	NA	6/16/2014	6/16/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3425	50	102%		
D061614ALCS	D061614ALCS	ORG 99-87-6	p-Isopropyltoluene	55		ug/L	2	0.25	NA	6/16/2014	6/16/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3425	50	110%		
D061614ALCS	D061614ALCS	ORG 106-46-7	1,4-Dichlorobenzene	51		ug/L	2	0.33	NA	6/16/2014	6/16/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3425	50	102%		
D061614ALCS	D061614ALCS	ORG 95-50-1	1,2-Dichlorobenzene	52		ug/L	2	0.26	NA	6/16/2014	6/16/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3425	50	104%		
D061614ALCS	D061614ALCS	ORG 104-51-8	n-Butylbenzene	54		ug/L	5	0.28	NA	6/16/2014	6/16/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3425	50	108%		
D061614ALCS	D061614ALCS	ORG 96-12-8	1,2-Dibromo-3-chloropropane	60		ug/L	5	1.59	NA	6/16/2014	6/16/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3425	50	120%		
D061614ALCS	D061614ALCS	ORG 87-68-3	Hexachlorobutadiene	57		ug/L	5	0.65	NA	6/16/2014	6/16/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3425	50	114%		
D061614ALCS	D061614ALCS	ORG 120-82-1	1,2,4-Trichlorobenzene	53		ug/L	5	0.28	NA	6/16/2014	6/16/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3425	50	106%		
D061614ALCS	D061614ALCS	ORG 91-20-3	Naphthalene	53		ug/L	5	0.56	NA	6/16/2014	6/16/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3425	50	106%		
D061614ALCS	D061614ALCS	ORG 87-61-6	1,2,3-Trichlorobenzene	52		ug/L	5	0.23	NA	6/16/2014	6/16/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3425	50	104%		
D061614ALCS	D061614ALCS	STD 1868-53-7	Dibromofluoromethane	53		ug/L	1	0	NA	6/16/2014	6/16/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3425	50	106%		
D061614ALCS	D061614ALCS	STD 17060-07-0	1,2-Dichloroethane d4	52		ug/L	1	0	NA	6/16/2014	6/16/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3425	50	104%		
D061614ALCS	D061614ALCS	STD 2037-26-5	Toluene d8	52		ug/L	1	0	NA	6/16/2014	6/16/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3425	50	104%		
D061614ALCS	D061614ALCS	STD 460-00-4	Bromofluorobenzene	50		ug/L	1	0	NA	6/16/2014	6/16/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3425	50	100%		



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D061614ALCD	D061614ALCD	ORG 96-18-4	1,2,3-Trichloropropane	50		ug/L	2	0.29	NA	6/16/2014	6/16/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3426	50	100%	4%	
D061614ALCD	D061614ALCD	ORG 108-67-8	1,3,5-Trimethylbenzene	55		ug/L	2	0.20	NA	6/16/2014	6/16/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3426	50	110%	0%	
D061614ALCD	D061614ALCD	ORG 98-06-6	tert-Butylbenzene	56		ug/L	2	0.33	NA	6/16/2014	6/16/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3426	50	112%	0%	
D061614ALCD	D061614ALCD	ORG 95-63-6	1,2,4-Trimethylbenzene	54		ug/L	2	0.20	NA	6/16/2014	6/16/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3426	50	108%	0%	
D061614ALCD	D061614ALCD	ORG 135-98-8	sec-Butylbenzene	55		ug/L	2	0.32	NA	6/16/2014	6/16/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3426	50	110%	2%	
D061614ALCD	D061614ALCD	ORG 541-73-1	1,3-Dichlorobenzene	52		ug/L	2	0.22	NA	6/16/2014	6/16/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3426	50	104%	2%	
D061614ALCD	D061614ALCD	ORG 99-87-6	p-Isopropyltoluene	56		ug/L	2	0.25	NA	6/16/2014	6/16/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3426	50	112%	2%	
D061614ALCD	D061614ALCD	ORG 106-46-7	1,4-Dichlorobenzene	51		ug/L	2	0.33	NA	6/16/2014	6/16/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3426	50	102%	0%	
D061614ALCD	D061614ALCD	ORG 95-50-1	1,2-Dichlorobenzene	52		ug/L	2	0.26	NA	6/16/2014	6/16/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3426	50	104%	0%	
D061614ALCD	D061614ALCD	ORG 104-51-8	n-Butylbenzene	54		ug/L	5	0.28	NA	6/16/2014	6/16/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3426	50	108%	0%	
D061614ALCD	D061614ALCD	ORG 96-12-8	1,2-Dibromo-3-chloropropane	57		ug/L	5	1.59	NA	6/16/2014	6/16/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3426	50	114%	5%	
D061614ALCD	D061614ALCD	ORG 87-68-3	Hexachlorobutadiene	57		ug/L	5	0.65	NA	6/16/2014	6/16/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3426	50	114%	0%	
D061614ALCD	D061614ALCD	ORG 120-82-1	1,2,4-Trichlorobenzene	51		ug/L	5	0.28	NA	6/16/2014	6/16/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3426	50	102%	4%	
D061614ALCD	D061614ALCD	ORG 91-20-3	Naphthalene	51		ug/L	5	0.56	NA	6/16/2014	6/16/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3426	50	102%	4%	
D061614ALCD	D061614ALCD	ORG 87-61-6	1,2,3-Trichlorobenzene	51		ug/L	5	0.23	NA	6/16/2014	6/16/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3426	50	102%	2%	
D061614ALCD	D061614ALCD	STD 1868-53-7	Dibromofluoromethane	55		ug/L	1	0	NA	6/16/2014	6/16/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3426	50	110%	4%	
D061614ALCD	D061614ALCD	STD 17060-07-0	1,2-Dichloroethane d4	52		ug/L	1	0	NA	6/16/2014	6/16/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3426	50	104%	0%	
D061614ALCD	D061614ALCD	STD 2037-26-5	Toluene d8	51		ug/L	1	0	NA	6/16/2014	6/16/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3426	50	102%	2%	
D061614ALCD	D061614ALCD	STD 460-00-4	Bromofluorobenzene	51		ug/L	1	0	NA	6/16/2014	6/16/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3426	50	102%	2%	



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
 Tel: 888-685-1628 • mobilelabs@nevagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

- B** = Analyte is found in the associated blank as well as in the sample.
- D** = Compound identified in an analysis at a secondary dilution factor.
- E** = Compound's concentration exceeds the calibration range of the instrument at this dilution.
- X** = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
- J** = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
- M** = Matrix assessment, QC analyses parameter exceeded control limits.
- U** = Non-detect
- * NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1509MS	316-332	ORG 96-18-4	1,2,3-Trichloropropane	5000		ug/L	200	29.47	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3427	5000	100%		
NAL13026-1509MS	316-332	ORG 108-67-8	1,3,5-Trimethylbenzene	5600		ug/L	200	20.03	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3427	5000	107%		270
NAL13026-1509MS	316-332	ORG 98-06-6	tert-Butylbenzene	5500		ug/L	200	32.61	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3427	5000	110%		
NAL13026-1509MS	316-332	ORG 95-63-6	1,2,4-Trimethylbenzene	6700		ug/L	200	20.03	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3427	5000	104%		1500
NAL13026-1509MS	316-332	ORG 135-98-8	sec-Butylbenzene	5400		ug/L	200	32.34	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3427	5000	107%		48
NAL13026-1509MS	316-332	ORG 541-73-1	1,3-Dichlorobenzene	5100		ug/L	200	22.21	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3427	5000	102%		
NAL13026-1509MS	316-332	ORG 99-87-6	p-Isopropyltoluene	14000		ug/L	200	25.48	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3427	5000	102%		8900
NAL13026-1509MS	316-332	ORG 106-46-7	1,4-Dichlorobenzene	6600		ug/L	200	33.03	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3427	5000	98%		1700
NAL13026-1509MS	316-332	ORG 95-50-1	1,2-Dichlorobenzene	5000		ug/L	200	26.38	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3427	5000	100%		
NAL13026-1509MS	316-332	ORG 104-51-8	n-Butylbenzene	5500		ug/L	500	27.81	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3427	5000	105%		240
NAL13026-1509MS	316-332	ORG 96-12-8	1,2-Dibromo-3-chloropropane	6300		ug/L	500	159.11	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3427	5000	126%		
NAL13026-1509MS	316-332	ORG 87-68-3	Hexachlorobutadiene	4800		ug/L	500	65.42	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3427	5000	96%		
NAL13026-1509MS	316-332	ORG 120-82-1	1,2,4-Trichlorobenzene	5100		ug/L	500	27.63	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3427	5000	102%		
NAL13026-1509MS	316-332	ORG 91-20-3	Naphthalene	8800		ug/L	500	56.04	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3427	5000	102%		3700
NAL13026-1509MS	316-332	ORG 87-61-6	1,2,3-Trichlorobenzene	4900		ug/L	500	23.28	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3427	5000	98%		
NAL13026-1509MS	316-332	STD 1868-53-7	Dibromofluoromethane	54		ug/L	1	0	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3427	50	108%		
NAL13026-1509MS	316-332	STD 17060-07-0	1,2-Dichloroethane d4	52		ug/L	1	0	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3427	50	104%		
NAL13026-1509MS	316-332	STD 2037-26-5	Toluene d8	51		ug/L	1	0	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3427	50	102%		
NAL13026-1509MS	316-332	STD 460-00-4	Bromofluorobenzene	50		ug/L	1	0	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3427	50	100%		



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@nevagelandmark.com

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

FINAL ANALYTICAL REPORT

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

- B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assessment, QC analyses parameter exceeded control limits.
U = Non-detect
* NAL is not certified for these compound by NELAC.

Table with 23 columns: Lab ID, Sample ID, CAS #, ANALYTES, Results, QC, Units, RDL, MDL, Sample Date, Prep. Date, Analysis Date, Matrix, Dil., Weight(g), Vol.(ml), % Solid, Method, Data file, Spike, % Rec, % RPD, Parent. Contains 40 rows of analytical data for various compounds like Dichlorodifluoromethane, Chloromethane, Vinyl chloride, etc.



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@nevagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

- B** = Analyte is found in the associated blank as well as in the sample.
- D** = Compound identified in an analysis at a secondary dilution factor.
- E** = Compound's concentration exceeds the calibration range of the instrument at this dilution.
- X** = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
- J** = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
- M** = Matrix assessment, QC analyses parameter exceeded control limits.
- U** = Non-detect
- * NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1509MSD	316-332	ORG 96-18-4	1,2,3-Trichloropropane	5200		ug/L	200	29.47	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3428	5000	104%	4%	
NAL13026-1509MSD	316-332	ORG 108-67-8	1,3,5-Trimethylbenzene	5800		ug/L	200	20.03	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3428	5000	111%	4%	270
NAL13026-1509MSD	316-332	ORG 98-06-6	tert-Butylbenzene	5600		ug/L	200	32.61	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3428	5000	112%	2%	
NAL13026-1509MSD	316-332	ORG 95-63-6	1,2,4-Trimethylbenzene	7000		ug/L	200	20.03	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3428	5000	110%	4%	1500
NAL13026-1509MSD	316-332	ORG 135-98-8	sec-Butylbenzene	5500		ug/L	200	32.34	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3428	5000	109%	2%	48
NAL13026-1509MSD	316-332	ORG 541-73-1	1,3-Dichlorobenzene	5200		ug/L	200	22.21	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3428	5000	104%	2%	
NAL13026-1509MSD	316-332	ORG 99-87-6	p-Isopropyltoluene	15000		ug/L	200	25.48	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3428	5000	122%	7%	8900
NAL13026-1509MSD	316-332	ORG 106-46-7	1,4-Dichlorobenzene	6900		ug/L	200	33.03	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3428	5000	104%	4%	1700
NAL13026-1509MSD	316-332	ORG 95-50-1	1,2-Dichlorobenzene	5100		ug/L	200	26.38	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3428	5000	102%	2%	
NAL13026-1509MSD	316-332	ORG 104-51-8	n-Butylbenzene	5800		ug/L	500	27.81	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3428	5000	111%	5%	240
NAL13026-1509MSD	316-332	ORG 96-12-8	1,2-Dibromo-3-chloropropane	6900		ug/L	500	159.11	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3428	5000	138%	9%	
NAL13026-1509MSD	316-332	ORG 87-68-3	Hexachlorobutadiene	5000		ug/L	500	65.42	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3428	5000	100%	4%	
NAL13026-1509MSD	316-332	ORG 120-82-1	1,2,4-Trichlorobenzene	5300		ug/L	500	27.63	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3428	5000	106%	4%	
NAL13026-1509MSD	316-332	ORG 91-20-3	Naphthalene	9300		ug/L	500	56.04	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3428	5000	112%	6%	3700
NAL13026-1509MSD	316-332	ORG 87-61-6	1,2,3-Trichlorobenzene	5100		ug/L	500	23.28	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3428	5000	102%	4%	
NAL13026-1509MSD	316-332	STD 1868-53-7	Dibromofluoromethane	53		ug/L	1	0	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3428	50	106%	2%	
NAL13026-1509MSD	316-332	STD 17060-07-0	1,2-Dichloroethane d4	51		ug/L	1	0	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3428	50	102%	2%	
NAL13026-1509MSD	316-332	STD 2037-26-5	Toluene d8	51		ug/L	1	0	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3428	50	102%	0%	
NAL13026-1509MSD	316-332	STD 460-00-4	Bromofluorobenzene	50		ug/L	1	0	6/16/2014	6/16/2014	6/16/2014	WG	100	NA	5.0	NA	SW8260B	NALD3428	50	100%	0%	



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
 Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

- B** = Analyte is found in the associated blank as well as in the sample.
 - D** = Compound identified in an analysis at a secondary dilution factor.
 - E** = Compound's concentration exceeds the calibration range of the instrument at this dilution.
 - X** = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
 - J** = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
 - M** = Matrix assessment, QC analyses parameter exceeded control limits.
 - U** = Non-detect
- * NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1512	316-333	ORG 98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	6/17/2014	6/17/2014	6/17/2014	WG	100	NA	5.0	NA	SW8260B	NALD3453				
NAL13026-1512	316-333	ORG 95-63-6	1,2,4-Trimethylbenzene	810		ug/L	200	20.03	6/17/2014	6/17/2014	6/17/2014	WG	100	NA	5.0	NA	SW8260B	NALD3453				
NAL13026-1512	316-333	ORG 135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	6/17/2014	6/17/2014	6/17/2014	WG	100	NA	5.0	NA	SW8260B	NALD3453				
NAL13026-1512	316-333	ORG 541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	6/17/2014	6/17/2014	6/17/2014	WG	100	NA	5.0	NA	SW8260B	NALD3453				
NAL13026-1512	316-333	ORG 99-87-6	p-Isopropyltoluene	5100		ug/L	200	25.48	6/17/2014	6/17/2014	6/17/2014	WG	100	NA	5.0	NA	SW8260B	NALD3453				
NAL13026-1512	316-333	ORG 106-46-7	1,4-Dichlorobenzene	1000		ug/L	200	33.03	6/17/2014	6/17/2014	6/17/2014	WG	100	NA	5.0	NA	SW8260B	NALD3453				
NAL13026-1512	316-333	ORG 95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	6/17/2014	6/17/2014	6/17/2014	WG	100	NA	5.0	NA	SW8260B	NALD3453				
NAL13026-1512	316-333	ORG 104-51-8	n-Butylbenzene	160		ug/L	500	27.81	6/17/2014	6/17/2014	6/17/2014	WG	100	NA	5.0	NA	SW8260B	NALD3453				
NAL13026-1512	316-333	ORG 96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	6/17/2014	6/17/2014	6/17/2014	WG	100	NA	5.0	NA	SW8260B	NALD3453				
NAL13026-1512	316-333	ORG 87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	6/17/2014	6/17/2014	6/17/2014	WG	100	NA	5.0	NA	SW8260B	NALD3453				
NAL13026-1512	316-333	ORG 120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	6/17/2014	6/17/2014	6/17/2014	WG	100	NA	5.0	NA	SW8260B	NALD3453				
NAL13026-1512	316-333	ORG 91-20-3	Naphthalene	2900		ug/L	500	56.04	6/17/2014	6/17/2014	6/17/2014	WG	100	NA	5.0	NA	SW8260B	NALD3453				
NAL13026-1512	316-333	ORG 87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	6/17/2014	6/17/2014	6/17/2014	WG	100	NA	5.0	NA	SW8260B	NALD3453				
NAL13026-1512	316-333	STD 1868-53-7	Dibromofluoromethane	50		ug/L	1	0	6/17/2014	6/17/2014	6/17/2014	WG	100	NA	5.0	NA	SW8260B	NALD3453	50	100%		
NAL13026-1512	316-333	STD 17060-07-0	1,2-Dichloroethane d4	52		ug/L	1	0	6/17/2014	6/17/2014	6/17/2014	WG	100	NA	5.0	NA	SW8260B	NALD3453	50	104%		
NAL13026-1512	316-333	STD 2037-26-5	Toluene d8	50		ug/L	1	0	6/17/2014	6/17/2014	6/17/2014	WG	100	NA	5.0	NA	SW8260B	NALD3453	50	100%		
NAL13026-1512	316-333	STD 460-00-4	Bromofluorobenzene	53		ug/L	1	0	6/17/2014	6/17/2014	6/17/2014	WG	100	NA	5.0	NA	SW8260B	NALD3453	50	106%		



New Age Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Table with columns: Lab ID, Sample ID, CAS #, ANALYTES, Results, QC, Units, RDL, MDL, Sample Date, Prep. Date, Analysis Date, Matrix, Dil, Weight(g), Vol.(ml), % Solid, Method, Data file, Spike, % Rec, % RPD, Parent. Contains 48 rows of analytical data.



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
 Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

- B** = Analyte is found in the associated blank as well as in the sample.
 - D** = Compound identified in an analysis at a secondary dilution factor.
 - E** = Compound's concentration exceeds the calibration range of the instrument at this dilution.
 - X** = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
 - J** = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
 - M** = Matrix assessment, QC analyses parameter exceeded control limits.
 - U** = Non-detect
- * NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1513	CB 06-17-14	ORG 98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	6/17/2014	6/17/2014	6/17/2014	WG	100	NA	5.0	NA	SW8260B	NALD3455				
NAL13026-1513	CB 06-17-14	ORG 95-63-6	1,2,4-Trimethylbenzene	270		ug/L	200	20.03	6/17/2014	6/17/2014	6/17/2014	WG	100	NA	5.0	NA	SW8260B	NALD3455				
NAL13026-1513	CB 06-17-14	ORG 135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	6/17/2014	6/17/2014	6/17/2014	WG	100	NA	5.0	NA	SW8260B	NALD3455				
NAL13026-1513	CB 06-17-14	ORG 541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	6/17/2014	6/17/2014	6/17/2014	WG	100	NA	5.0	NA	SW8260B	NALD3455				
NAL13026-1513	CB 06-17-14	ORG 99-87-6	p-Isopropyltoluene	2500		ug/L	200	25.48	6/17/2014	6/17/2014	6/17/2014	WG	100	NA	5.0	NA	SW8260B	NALD3455				
NAL13026-1513	CB 06-17-14	ORG 106-46-7	1,4-Dichlorobenzene	260		ug/L	200	33.03	6/17/2014	6/17/2014	6/17/2014	WG	100	NA	5.0	NA	SW8260B	NALD3455				
NAL13026-1513	CB 06-17-14	ORG 95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	6/17/2014	6/17/2014	6/17/2014	WG	100	NA	5.0	NA	SW8260B	NALD3455				
NAL13026-1513	CB 06-17-14	ORG 104-51-8	n-Butylbenzene	260	J	ug/L	500	27.81	6/17/2014	6/17/2014	6/17/2014	WG	100	NA	5.0	NA	SW8260B	NALD3455				
NAL13026-1513	CB 06-17-14	ORG 96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	6/17/2014	6/17/2014	6/17/2014	WG	100	NA	5.0	NA	SW8260B	NALD3455				
NAL13026-1513	CB 06-17-14	ORG 87-68-3	Hexachlorobutadiene	170	JX+	ug/L	500	65.42	6/17/2014	6/17/2014	6/17/2014	WG	100	NA	5.0	NA	SW8260B	NALD3455				
NAL13026-1513	CB 06-17-14	ORG 120-82-1	1,2,4-Trichlorobenzene	160	J	ug/L	500	27.63	6/17/2014	6/17/2014	6/17/2014	WG	100	NA	5.0	NA	SW8260B	NALD3455				
NAL13026-1513	CB 06-17-14	ORG 91-20-3	Naphthalene	1400	J	ug/L	500	56.04	6/17/2014	6/17/2014	6/17/2014	WG	100	NA	5.0	NA	SW8260B	NALD3455				
NAL13026-1513	CB 06-17-14	ORG 87-61-6	1,2,3-Trichlorobenzene	230	J	ug/L	500	23.28	6/17/2014	6/17/2014	6/17/2014	WG	100	NA	5.0	NA	SW8260B	NALD3455				
NAL13026-1513	CB 06-17-14	STD 1868-53-7	Dibromofluoromethane	49		ug/L	1	0	6/17/2014	6/17/2014	6/17/2014	WG	100	NA	5.0	NA	SW8260B	NALD3455	50	98%		
NAL13026-1513	CB 06-17-14	STD 17060-07-0	1,2-Dichloroethane d4	51		ug/L	1	0	6/17/2014	6/17/2014	6/17/2014	WG	100	NA	5.0	NA	SW8260B	NALD3455	50	102%		
NAL13026-1513	CB 06-17-14	STD 2037-26-5	Toluene d8	50		ug/L	1	0	6/17/2014	6/17/2014	6/17/2014	WG	100	NA	5.0	NA	SW8260B	NALD3455	50	100%		
NAL13026-1513	CB 06-17-14	STD 460-00-4	Bromofluorobenzene	51		ug/L	1	0	6/17/2014	6/17/2014	6/17/2014	WG	100	NA	5.0	NA	SW8260B	NALD3455	50	102%		



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	DIL	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D061714CCVA	D061714CCVA	ORG 98-06-6	tert-Butylbenzene	57		ug/L	2	0.33	NA	6/17/2014	6/17/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3451	50	114%		
D061714CCVA	D061714CCVA	ORG 95-63-6	1,2,4-Trimethylbenzene	55		ug/L	2	0.20	NA	6/17/2014	6/17/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3451	50	110%		
D061714CCVA	D061714CCVA	ORG 135-98-8	sec-Butylbenzene	56		ug/L	2	0.32	NA	6/17/2014	6/17/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3451	50	112%		
D061714CCVA	D061714CCVA	ORG 541-73-1	1,3-Dichlorobenzene	52		ug/L	2	0.22	NA	6/17/2014	6/17/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3451	50	104%		
D061714CCVA	D061714CCVA	ORG 99-87-6	p-Isopropyltoluene	57		ug/L	2	0.25	NA	6/17/2014	6/17/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3451	50	114%		
D061714CCVA	D061714CCVA	ORG 106-46-7	1,4-Dichlorobenzene	51		ug/L	2	0.33	NA	6/17/2014	6/17/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3451	50	102%		
D061714CCVA	D061714CCVA	ORG 95-50-1	1,2-Dichlorobenzene	51		ug/L	2	0.26	NA	6/17/2014	6/17/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3451	50	102%		
D061714CCVA	D061714CCVA	ORG 104-51-8	n-Butylbenzene	58		ug/L	5	0.28	NA	6/17/2014	6/17/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3451	50	116%		
D061714CCVA	D061714CCVA	ORG 96-12-8	1,2-Dibromo-3-chloropropane	47		ug/L	5	1.59	NA	6/17/2014	6/17/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3451	50	94%		
D061714CCVA	D061714CCVA	ORG 87-68-3	Hexachlorobutadiene	62		ug/L	5	0.65	NA	6/17/2014	6/17/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3451	50	124%		
D061714CCVA	D061714CCVA	ORG 120-82-1	1,2,4-Trichlorobenzene	55		ug/L	5	0.28	NA	6/17/2014	6/17/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3451	50	110%		
D061714CCVA	D061714CCVA	ORG 91-20-3	Naphthalene	46		ug/L	5	0.56	NA	6/17/2014	6/17/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3451	50	92%		
D061714CCVA	D061714CCVA	ORG 87-61-6	1,2,3-Trichlorobenzene	52		ug/L	5	0.23	NA	6/17/2014	6/17/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3451	50	104%		
D061714CCVA	D061714CCVA	STD 1868-53-7	Dibromofluoromethane	50		ug/L	1	0	NA	6/17/2014	6/17/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3451	50	100%		
D061714CCVA	D061714CCVA	STD 17060-07-0	1,2-Dichloroethane d4	47		ug/L	1	0	NA	6/17/2014	6/17/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3451	50	94%		
D061714CCVA	D061714CCVA	STD 2037-26-5	Toluene d8	51		ug/L	1	0	NA	6/17/2014	6/17/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3451	50	102%		
D061714CCVA	D061714CCVA	STD 460-00-4	Bromofluorobenzene	50		ug/L	1	0	NA	6/17/2014	6/17/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3451	50	100%		



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

- B** = Analyte is found in the associated blank as well as in the sample.
 - D** = Compound identified in an analysis at a secondary dilution factor.
 - E** = Compound's concentration exceeds the calibration range of the instrument at this dilution.
 - X** = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
 - J** = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
 - M** = Matrix assessment, QC analyses parameter exceeded control limits.
 - U** = Non-detect
- * NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D061714MBKA	D061714MBKA	ORG 75-71-8	Dichlorodifluoromethane	U	ug/L	5	0.29	NA	6/17/2014	6/17/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3452					
D061714MBKA	D061714MBKA	ORG 74-87-3	Chloromethane	U	ug/L	5	0.43	NA	6/17/2014	6/17/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3452					
D061714MBKA	D061714MBKA	ORG 75-01-4	Vinyl chloride	U	ug/L	2	0.32	NA	6/17/2014	6/17/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3452					
D061714MBKA	D061714MBKA	ORG 74-83-9	Bromomethane	U	ug/L	5	0.50	NA	6/17/2014	6/17/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3452					
D061714MBKA	D061714MBKA	ORG 75-00-3	Chloroethane	U	ug/L	5	0.56	NA	6/17/2014	6/17/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3452					
D061714MBKA	D061714MBKA	ORG 75-69-4	Trichlorofluoromethane	U	ug/L	5	0.20	NA	6/17/2014	6/17/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3452					
D061714MBKA	D061714MBKA	ORG 75-35-4	1,1-Dichloroethane	U	ug/L	1	0.47	NA	6/17/2014	6/17/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3452					
D061714MBKA	D061714MBKA	ORG 75-09-2	Methylene chloride	U	ug/L	5	0.26	NA	6/17/2014	6/17/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3452					
D061714MBKA	D061714MBKA	ORG 67-64-1	Acetone	U	ug/L	10	1.56	NA	6/17/2014	6/17/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3452					
D061714MBKA	D061714MBKA	ORG 156-60-5	trans-1,2-Dichloroethene	U	ug/L	1	0.56	NA	6/17/2014	6/17/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3452					
D061714MBKA	D061714MBKA	ORG 1634-04-4	MTBE	U	ug/L	5	0.61	NA	6/17/2014	6/17/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3452					
D061714MBKA	D061714MBKA	ORG 75-34-3	1,1-Dichloroethane	U	ug/L	1	0.53	NA	6/17/2014	6/17/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3452					
D061714MBKA	D061714MBKA	ORG 156-59-2	cis-1,2-Dichloroethene	U	ug/L	1	0.32	NA	6/17/2014	6/17/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3452					
D061714MBKA	D061714MBKA	ORG 74-97-5	Bromochloromethane	U	ug/L	10	0.41	NA	6/17/2014	6/17/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3452					
D061714MBKA	D061714MBKA	ORG 67-66-3	Chloroform	U	ug/L	2	0.16	NA	6/17/2014	6/17/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3452					
D061714MBKA	D061714MBKA	ORG 71-55-6	1,1,1-Trichloroethane	U	ug/L	1	0.17	NA	6/17/2014	6/17/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3452					
D061714MBKA	D061714MBKA	ORG 78-93-3	2-Butanone	U	ug/L	1	0.81	NA	6/17/2014	6/17/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3452					
D061714MBKA	D061714MBKA	ORG 56-23-5	Carbon tetrachloride	U	ug/L	1	0.28	NA	6/17/2014	6/17/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3452					
D061714MBKA	D061714MBKA	ORG 71-43-2	Benzene	U	ug/L	1	0.14	NA	6/17/2014	6/17/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3452					
D061714MBKA	D061714MBKA	ORG 107-06-2	1,2-Dichloroethane	U	ug/L	1	0.20	NA	6/17/2014	6/17/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3452					
D061714MBKA	D061714MBKA	ORG 79-01-6	Trichloroethene	U	ug/L	1	0.36	NA	6/17/2014	6/17/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3452					
D061714MBKA	D061714MBKA	ORG 74-95-3	Dibromomethane	U	ug/L	2	0.32	NA	6/17/2014	6/17/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3452					
D061714MBKA	D061714MBKA	ORG 78-87-5	1,2-Dichloropropane	U	ug/L	1	0.18	NA	6/17/2014	6/17/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3452					
D061714MBKA	D061714MBKA	ORG 75-27-4	Bromodichloromethane	U	ug/L	2	0.12	NA	6/17/2014	6/17/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3452					
D061714MBKA	D061714MBKA	ORG 10061-01-5	cis-1,3-Dichloropropene	U	ug/L	1	0.25	NA	6/17/2014	6/17/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3452					
D061714MBKA	D061714MBKA	ORG 108-88-3	Toluene	U	ug/L	1	0.21	NA	6/17/2014	6/17/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3452					
D061714MBKA	D061714MBKA	ORG 108-10-1	4-Methyl-2-pentanone	U	ug/L	5	0.74	NA	6/17/2014	6/17/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3452					
D061714MBKA	D061714MBKA	ORG 10061-02-6	trans-1,3-Dichloropropene	U	ug/L	1	0.31	NA	6/17/2014	6/17/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3452					
D061714MBKA	D061714MBKA	ORG 127-18-4	Tetrachloroethene	U	ug/L	1	0.49	NA	6/17/2014	6/17/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3452					
D061714MBKA	D061714MBKA	ORG 79-00-5	1,1,2-Trichloroethane	U	ug/L	1	0.34	NA	6/17/2014	6/17/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3452					
D061714MBKA	D061714MBKA	ORG 124-48-1	Dibromochloromethane	U	ug/L	5	0.30	NA	6/17/2014	6/17/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3452					
D061714MBKA	D061714MBKA	ORG 106-93-4	1,2-Dibromoethane	U	ug/L	2	0.26	NA	6/17/2014	6/17/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3452					
D061714MBKA	D061714MBKA	ORG 591-78-6	2-Hexanone	U	ug/L	2	0.69	NA	6/17/2014	6/17/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3452					
D061714MBKA	D061714MBKA	ORG 100-41-4	Ethylbenzene	U	ug/L	1	0.25	NA	6/17/2014	6/17/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3452					
D061714MBKA	D061714MBKA	ORG 108-90-7	Chlorobenzene	U	ug/L	1	0.28	NA	6/17/2014	6/17/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3452					
D061714MBKA	D061714MBKA	ORG 630-20-6	1,1,1,2-Tetrachloroethane	U	ug/L	2	0.19	NA	6/17/2014	6/17/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3452					
D061714MBKA	D061714MBKA	ORG XYLMP	p&m-Xylene	U	ug/L	2	0.26	NA	6/17/2014	6/17/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3452					
D061714MBKA	D061714MBKA	ORG 95-47-6	o-Xylene	U	ug/L	1	0.13	NA	6/17/2014	6/17/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3452					
D061714MBKA	D061714MBKA	ORG 100-42-5	Styrene	U	ug/L	1	0.20	NA	6/17/2014	6/17/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3452					
D061714MBKA	D061714MBKA	ORG 75-25-2	Bromoform	U	ug/L	2	0.47	NA	6/17/2014	6/17/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3452					
D061714MBKA	D061714MBKA	ORG 98-82-8	Isopropylbenzene	U	ug/L	2	0.20	NA	6/17/2014	6/17/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3452					
D061714MBKA	D061714MBKA	ORG 103-65-1	n-Propylbenzene	U	ug/L	2	0.27	NA	6/17/2014	6/17/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3452					
D061714MBKA	D061714MBKA	ORG 79-34-5	1,1,2,2-Tetrachloroethane	U	ug/L	2	0.29	NA	6/17/2014	6/17/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3452					
D061714MBKA	D061714MBKA	ORG 96-18-4	1,2,3-Trichloropropane	U	ug/L	2	0.29	NA	6/17/2014	6/17/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3452					
D061714MBKA	D061714MBKA	ORG 108-67-8	1,3,5-Trimethylbenzene	U	ug/L	2	0.20	NA	6/17/2014	6/17/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3452					



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	DIL	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D061714MBKA	D061714MBKA	ORG 98-06-6	tert-Butylbenzene		U	ug/L	2	0.33	NA	6/17/2014	6/17/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3452				
D061714MBKA	D061714MBKA	ORG 95-63-6	1,2,4-Trimethylbenzene		U	ug/L	2	0.20	NA	6/17/2014	6/17/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3452				
D061714MBKA	D061714MBKA	ORG 135-98-8	sec-Butylbenzene		U	ug/L	2	0.32	NA	6/17/2014	6/17/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3452				
D061714MBKA	D061714MBKA	ORG 541-73-1	1,3-Dichlorobenzene		U	ug/L	2	0.22	NA	6/17/2014	6/17/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3452				
D061714MBKA	D061714MBKA	ORG 99-87-6	p-Isopropyltoluene		U	ug/L	2	0.25	NA	6/17/2014	6/17/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3452				
D061714MBKA	D061714MBKA	ORG 106-46-7	1,4-Dichlorobenzene		U	ug/L	2	0.33	NA	6/17/2014	6/17/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3452				
D061714MBKA	D061714MBKA	ORG 95-50-1	1,2-Dichlorobenzene		U	ug/L	2	0.26	NA	6/17/2014	6/17/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3452				
D061714MBKA	D061714MBKA	ORG 104-51-8	n-Butylbenzene		U	ug/L	5	0.28	NA	6/17/2014	6/17/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3452				
D061714MBKA	D061714MBKA	ORG 96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	5	1.59	NA	6/17/2014	6/17/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3452				
D061714MBKA	D061714MBKA	ORG 87-68-3	Hexachlorobutadiene		U	ug/L	5	0.65	NA	6/17/2014	6/17/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3452				
D061714MBKA	D061714MBKA	ORG 120-82-1	1,2,4-Trichlorobenzene		U	ug/L	5	0.28	NA	6/17/2014	6/17/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3452				
D061714MBKA	D061714MBKA	ORG 91-20-3	Naphthalene		U	ug/L	5	0.56	NA	6/17/2014	6/17/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3452				
D061714MBKA	D061714MBKA	ORG 87-61-6	1,2,3-Trichlorobenzene		U	ug/L	5	0.23	NA	6/17/2014	6/17/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3452				
D061714MBKA	D061714MBKA	STD 1868-53-7	Dibromofluoromethane	49		ug/L	1	0	NA	6/17/2014	6/17/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3452	50	98%		
D061714MBKA	D061714MBKA	STD 17060-07-0	1,2-Dichloroethane d4	51		ug/L	1	0	NA	6/17/2014	6/17/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3452	50	102%		
D061714MBKA	D061714MBKA	STD 2037-26-5	Toluene d8	51		ug/L	1	0	NA	6/17/2014	6/17/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3452	50	102%		
D061714MBKA	D061714MBKA	STD 460-00-4	Bromofluorobenzene	50		ug/L	1	0	NA	6/17/2014	6/17/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3452	50	100%		



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

- B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assessment, QC analyses parameter exceeded control limits.
U = Non-detect
* NAL is not certified for these compound by NELAC.

Table with columns: Lab ID, Sample ID, CAS #, ANALYTES, Results, QC, Units, RDL, MDL, Sample Date, Prep. Date, Analysis Date, Matrix, Dil, Weight(g), Vol.(ml), % Solid, Method, Data file, Spike, % Rec, % RPD, Parent. Contains 40 rows of analytical data for various compounds like Dichlorodifluoromethane, Chloromethane, Vinyl chloride, Bromomethane, Chloroethane, Trichlorofluoromethane, 1,1-Dichloroethane, Methylene chloride, Acetone, trans-1,2-Dichloroethene, MTBE, 1,1-Dichloroethane, cis-1,2-Dichloroethene, Bromochloromethane, Chloroform, 1,1,1-Trichloroethane, 2-Butanone, Carbon tetrachloride, Benzene, 1,2-Dichloroethane, Trichloroethene, Dibromomethane, 1,2-Dichloropropane, Bromodichloromethane, cis-1,3-Dichloropropene, Toluene, 4-Methyl-2-pentanone, trans-1,3-Dichloropropene, Tetrachloroethene, 1,1,2-Trichloroethane, Dibromochloromethane, 1,2-Dibromoethane, 2-Hexanone, Ethylbenzene, Chlorobenzene, 1,1,1,2-Tetrachloroethane, p-m-Xylene, o-Xylene, Styrene, Bromoform, Isopropylbenzene, n-Propylbenzene, 1,1,2,2-Tetrachloroethane, 1,2,3-Trichloropropane, 1,3,5-Trimethylbenzene.



New Age/Landmark Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	DIL	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D061714ALCS	D061714ALCS	ORG 98-06-6	tert-Butylbenzene	54		ug/L	2	0.33	NA	6/17/2014	6/17/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3457	50	108%		
D061714ALCS	D061714ALCS	ORG 95-63-6	1,2,4-Trimethylbenzene	52		ug/L	2	0.20	NA	6/17/2014	6/17/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3457	50	104%		
D061714ALCS	D061714ALCS	ORG 135-98-8	sec-Butylbenzene	54		ug/L	2	0.32	NA	6/17/2014	6/17/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3457	50	108%		
D061714ALCS	D061714ALCS	ORG 541-73-1	1,3-Dichlorobenzene	50		ug/L	2	0.22	NA	6/17/2014	6/17/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3457	50	100%		
D061714ALCS	D061714ALCS	ORG 99-87-6	p-Isopropyltoluene	53		ug/L	2	0.25	NA	6/17/2014	6/17/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3457	50	106%		
D061714ALCS	D061714ALCS	ORG 106-46-7	1,4-Dichlorobenzene	50		ug/L	2	0.33	NA	6/17/2014	6/17/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3457	50	100%		
D061714ALCS	D061714ALCS	ORG 95-50-1	1,2-Dichlorobenzene	51		ug/L	2	0.26	NA	6/17/2014	6/17/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3457	50	102%		
D061714ALCS	D061714ALCS	ORG 104-51-8	n-Butylbenzene	55		ug/L	5	0.28	NA	6/17/2014	6/17/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3457	50	110%		
D061714ALCS	D061714ALCS	ORG 96-12-8	1,2-Dibromo-3-chloropropane	52		ug/L	5	1.59	NA	6/17/2014	6/17/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3457	50	104%		
D061714ALCS	D061714ALCS	ORG 87-68-3	Hexachlorobutadiene	56		ug/L	5	0.65	NA	6/17/2014	6/17/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3457	50	112%		
D061714ALCS	D061714ALCS	ORG 120-82-1	1,2,4-Trichlorobenzene	54		ug/L	5	0.28	NA	6/17/2014	6/17/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3457	50	108%		
D061714ALCS	D061714ALCS	ORG 91-20-3	Naphthalene	51		ug/L	5	0.56	NA	6/17/2014	6/17/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3457	50	102%		
D061714ALCS	D061714ALCS	ORG 87-61-6	1,2,3-Trichlorobenzene	53		ug/L	5	0.23	NA	6/17/2014	6/17/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3457	50	106%		
D061714ALCS	D061714ALCS	STD 1868-53-7	Dibromofluoromethane	50		ug/L	1	0	NA	6/17/2014	6/17/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3457	50	100%		
D061714ALCS	D061714ALCS	STD 17060-07-0	1,2-Dichloroethane d4	48		ug/L	1	0	NA	6/17/2014	6/17/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3457	50	96%		
D061714ALCS	D061714ALCS	STD 2037-26-5	Toluene d8	49		ug/L	1	0	NA	6/17/2014	6/17/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3457	50	98%		
D061714ALCS	D061714ALCS	STD 460-00-4	Bromofluorobenzene	51		ug/L	1	0	NA	6/17/2014	6/17/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3457	50	102%		



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	DIL	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D061714ALCD	D061714ALCD	ORG 98-06-6	tert-Butylbenzene	53		ug/L	2	0.33	NA	6/17/2014	6/17/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3458	50	106%	2%	
D061714ALCD	D061714ALCD	ORG 95-63-6	1,2,4-Trimethylbenzene	51		ug/L	2	0.20	NA	6/17/2014	6/17/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3458	50	102%	2%	
D061714ALCD	D061714ALCD	ORG 135-98-8	sec-Butylbenzene	52		ug/L	2	0.32	NA	6/17/2014	6/17/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3458	50	104%	4%	
D061714ALCD	D061714ALCD	ORG 541-73-1	1,3-Dichlorobenzene	50		ug/L	2	0.22	NA	6/17/2014	6/17/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3458	50	100%	0%	
D061714ALCD	D061714ALCD	ORG 99-87-6	p-Isopropyltoluene	52		ug/L	2	0.25	NA	6/17/2014	6/17/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3458	50	104%	2%	
D061714ALCD	D061714ALCD	ORG 106-46-7	1,4-Dichlorobenzene	49		ug/L	2	0.33	NA	6/17/2014	6/17/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3458	50	98%	2%	
D061714ALCD	D061714ALCD	ORG 95-50-1	1,2-Dichlorobenzene	49		ug/L	2	0.26	NA	6/17/2014	6/17/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3458	50	98%	4%	
D061714ALCD	D061714ALCD	ORG 104-51-8	n-Butylbenzene	53		ug/L	5	0.28	NA	6/17/2014	6/17/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3458	50	106%	4%	
D061714ALCD	D061714ALCD	ORG 96-12-8	1,2-Dibromo-3-chloropropane	50		ug/L	5	1.59	NA	6/17/2014	6/17/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3458	50	100%	4%	
D061714ALCD	D061714ALCD	ORG 87-68-3	Hexachlorobutadiene	55		ug/L	5	0.65	NA	6/17/2014	6/17/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3458	50	110%	2%	
D061714ALCD	D061714ALCD	ORG 120-82-1	1,2,4-Trichlorobenzene	52		ug/L	5	0.28	NA	6/17/2014	6/17/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3458	50	104%	4%	
D061714ALCD	D061714ALCD	ORG 91-20-3	Naphthalene	50		ug/L	5	0.56	NA	6/17/2014	6/17/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3458	50	100%	2%	
D061714ALCD	D061714ALCD	ORG 87-61-6	1,2,3-Trichlorobenzene	51		ug/L	5	0.23	NA	6/17/2014	6/17/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3458	50	102%	4%	
D061714ALCD	D061714ALCD	STD 1868-53-7	Dibromofluoromethane	51		ug/L	1	0	NA	6/17/2014	6/17/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3458	50	102%	2%	
D061714ALCD	D061714ALCD	STD 17060-07-0	1,2-Dichloroethane d4	48		ug/L	1	0	NA	6/17/2014	6/17/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3458	50	96%	0%	
D061714ALCD	D061714ALCD	STD 2037-26-5	Toluene d8	49		ug/L	1	0	NA	6/17/2014	6/17/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3458	50	98%	0%	
D061714ALCD	D061714ALCD	STD 460-00-4	Bromofluorobenzene	51		ug/L	1	0	NA	6/17/2014	6/17/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3458	50	102%	0%	



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
 Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

- B** = Analyte is found in the associated blank as well as in the sample.
 - D** = Compound identified in an analysis at a secondary dilution factor.
 - E** = Compound's concentration exceeds the calibration range of the instrument at this dilution.
 - X** = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
 - J** = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
 - M** = Matrix assessment, QC analyses parameter exceeded control limits.
 - U** = Non-detect
- * NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1512MS	316-333	ORG 98-06-6	tert-Butylbenzene	5400		ug/L	200	32.61	6/17/2014	6/17/2014	6/17/2014	WG	100	NA	5.0	NA	SW8260B	NALD3459	5000	108%		
NAL13026-1512MS	316-333	ORG 95-63-6	1,2,4-Trimethylbenzene	6000		ug/L	200	20.03	6/17/2014	6/17/2014	6/17/2014	WG	100	NA	5.0	NA	SW8260B	NALD3459	5000	104%		810
NAL13026-1512MS	316-333	ORG 135-98-8	sec-Butylbenzene	5400		ug/L	200	32.34	6/17/2014	6/17/2014	6/17/2014	WG	100	NA	5.0	NA	SW8260B	NALD3459	5000	108%		
NAL13026-1512MS	316-333	ORG 541-73-1	1,3-Dichlorobenzene	5000		ug/L	200	22.21	6/17/2014	6/17/2014	6/17/2014	WG	100	NA	5.0	NA	SW8260B	NALD3459	5000	100%		
NAL13026-1512MS	316-333	ORG 99-87-6	p-Isopropiltoluene	10000		ug/L	200	25.48	6/17/2014	6/17/2014	6/17/2014	WG	100	NA	5.0	NA	SW8260B	NALD3459	5000	98%		5100
NAL13026-1512MS	316-333	ORG 106-46-7	1,4-Dichlorobenzene	5800		ug/L	200	33.03	6/17/2014	6/17/2014	6/17/2014	WG	100	NA	5.0	NA	SW8260B	NALD3459	5000	96%		1000
NAL13026-1512MS	316-333	ORG 95-50-1	1,2-Dichlorobenzene	5000		ug/L	200	26.38	6/17/2014	6/17/2014	6/17/2014	WG	100	NA	5.0	NA	SW8260B	NALD3459	5000	100%		
NAL13026-1512MS	316-333	ORG 104-51-8	n-Butylbenzene	5700		ug/L	500	27.81	6/17/2014	6/17/2014	6/17/2014	WG	100	NA	5.0	NA	SW8260B	NALD3459	5000	111%		160
NAL13026-1512MS	316-333	ORG 96-12-8	1,2-Dibromo-3-chloropropane	5700		ug/L	500	159.11	6/17/2014	6/17/2014	6/17/2014	WG	100	NA	5.0	NA	SW8260B	NALD3459	5000	114%		
NAL13026-1512MS	316-333	ORG 87-68-3	Hexachlorobutadiene	5300		ug/L	500	65.42	6/17/2014	6/17/2014	6/17/2014	WG	100	NA	5.0	NA	SW8260B	NALD3459	5000	106%		
NAL13026-1512MS	316-333	ORG 120-82-1	1,2,4-Trichlorobenzene	5400		ug/L	500	27.63	6/17/2014	6/17/2014	6/17/2014	WG	100	NA	5.0	NA	SW8260B	NALD3459	5000	108%		
NAL13026-1512MS	316-333	ORG 91-20-3	Naphthalene	8100		ug/L	500	56.04	6/17/2014	6/17/2014	6/17/2014	WG	100	NA	5.0	NA	SW8260B	NALD3459	5000	104%		2900
NAL13026-1512MS	316-333	ORG 87-61-6	1,2,3-Trichlorobenzene	5300		ug/L	500	23.28	6/17/2014	6/17/2014	6/17/2014	WG	100	NA	5.0	NA	SW8260B	NALD3459	5000	106%		
NAL13026-1512MS	316-333	STD 1868-53-7	Dibromofluoromethane	50		ug/L	1	0	6/17/2014	6/17/2014	6/17/2014	WG	100	NA	5.0	NA	SW8260B	NALD3459	50	100%		
NAL13026-1512MS	316-333	STD 17060-07-0	1,2-Dichloroethane d4	47		ug/L	1	0	6/17/2014	6/17/2014	6/17/2014	WG	100	NA	5.0	NA	SW8260B	NALD3459	50	94%		
NAL13026-1512MS	316-333	STD 2037-26-5	Toluene d8	50		ug/L	1	0	6/17/2014	6/17/2014	6/17/2014	WG	100	NA	5.0	NA	SW8260B	NALD3459	50	100%		
NAL13026-1512MS	316-333	STD 460-00-4	Bromofluorobenzene	51		ug/L	1	0	6/17/2014	6/17/2014	6/17/2014	WG	100	NA	5.0	NA	SW8260B	NALD3459	50	102%		



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
 Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

- B** = Analyte is found in the associated blank as well as in the sample.
 - D** = Compound identified in an analysis at a secondary dilution factor.
 - E** = Compound's concentration exceeds the calibration range of the instrument at this dilution.
 - X** = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
 - J** = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
 - M** = Matrix assessment, QC analyses parameter exceeded control limits.
 - U** = Non-detect
- * NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1512MSD	316-333	ORG 98-06-6	tert-Butylbenzene	5500		ug/L	200	32.61	6/17/2014	6/17/2014	6/17/2014	WG	100	NA	5.0	NA	SW8260B	NALD3460	5000	110%	2%	
NAL13026-1512MSD	316-333	ORG 95-63-6	1,2,4-Trimethylbenzene	6000		ug/L	200	20.03	6/17/2014	6/17/2014	6/17/2014	WG	100	NA	5.0	NA	SW8260B	NALD3460	5000	104%	0%	810
NAL13026-1512MSD	316-333	ORG 135-98-8	sec-Butylbenzene	5400		ug/L	200	32.34	6/17/2014	6/17/2014	6/17/2014	WG	100	NA	5.0	NA	SW8260B	NALD3460	5000	108%	0%	
NAL13026-1512MSD	316-333	ORG 541-73-1	1,3-Dichlorobenzene	5100		ug/L	200	22.21	6/17/2014	6/17/2014	6/17/2014	WG	100	NA	5.0	NA	SW8260B	NALD3460	5000	102%	2%	
NAL13026-1512MSD	316-333	ORG 99-87-6	p-Isopropyltoluene	10000		ug/L	200	25.48	6/17/2014	6/17/2014	6/17/2014	WG	100	NA	5.0	NA	SW8260B	NALD3460	5000	98%	0%	5100
NAL13026-1512MSD	316-333	ORG 106-46-7	1,4-Dichlorobenzene	6000		ug/L	200	33.03	6/17/2014	6/17/2014	6/17/2014	WG	100	NA	5.0	NA	SW8260B	NALD3460	5000	100%	3%	1000
NAL13026-1512MSD	316-333	ORG 95-50-1	1,2-Dichlorobenzene	5000		ug/L	200	26.38	6/17/2014	6/17/2014	6/17/2014	WG	100	NA	5.0	NA	SW8260B	NALD3460	5000	100%	0%	
NAL13026-1512MSD	316-333	ORG 104-51-8	n-Butylbenzene	5700		ug/L	500	27.81	6/17/2014	6/17/2014	6/17/2014	WG	100	NA	5.0	NA	SW8260B	NALD3460	5000	111%	0%	160
NAL13026-1512MSD	316-333	ORG 96-12-8	1,2-Dibromo-3-chloropropane	5900		ug/L	500	159.11	6/17/2014	6/17/2014	6/17/2014	WG	100	NA	5.0	NA	SW8260B	NALD3460	5000	118%	3%	
NAL13026-1512MSD	316-333	ORG 87-68-3	Hexachlorobutadiene	5500		ug/L	500	65.42	6/17/2014	6/17/2014	6/17/2014	WG	100	NA	5.0	NA	SW8260B	NALD3460	5000	110%	4%	
NAL13026-1512MSD	316-333	ORG 120-82-1	1,2,4-Trichlorobenzene	5500		ug/L	500	27.63	6/17/2014	6/17/2014	6/17/2014	WG	100	NA	5.0	NA	SW8260B	NALD3460	5000	110%	2%	
NAL13026-1512MSD	316-333	ORG 91-20-3	Naphthalene	8100		ug/L	500	56.04	6/17/2014	6/17/2014	6/17/2014	WG	100	NA	5.0	NA	SW8260B	NALD3460	5000	104%	0%	2900
NAL13026-1512MSD	316-333	ORG 87-61-6	1,2,3-Trichlorobenzene	5300		ug/L	500	23.28	6/17/2014	6/17/2014	6/17/2014	WG	100	NA	5.0	NA	SW8260B	NALD3460	5000	106%	0%	
NAL13026-1512MSD	316-333	STD 1868-53-7	Dibromofluoromethane	50		ug/L	1	0	6/17/2014	6/17/2014	6/17/2014	WG	100	NA	5.0	NA	SW8260B	NALD3460	50	100%	0%	
NAL13026-1512MSD	316-333	STD 17060-07-0	1,2-Dichloroethane d4	48		ug/L	1	0	6/17/2014	6/17/2014	6/17/2014	WG	100	NA	5.0	NA	SW8260B	NALD3460	50	96%	2%	
NAL13026-1512MSD	316-333	STD 2037-26-5	Toluene d8	50		ug/L	1	0	6/17/2014	6/17/2014	6/17/2014	WG	100	NA	5.0	NA	SW8260B	NALD3460	50	100%	0%	
NAL13026-1512MSD	316-333	STD 460-00-4	Bromofluorobenzene	50		ug/L	1	0	6/17/2014	6/17/2014	6/17/2014	WG	100	NA	5.0	NA	SW8260B	NALD3460	50	100%	2%	

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1514	316-334	ORG 108-67-8	1,3,5-Trimethylbenzene	180	J	ug/L	200	20.03	6/18/2014	6/18/2014	6/18/2014	WG	100	NA	5.0	NA	SW8260B	NALD3474				
NAL13026-1514	316-334	ORG 98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	6/18/2014	6/18/2014	6/18/2014	WG	100	NA	5.0	NA	SW8260B	NALD3474				
NAL13026-1514	316-334	ORG 95-63-6	1,2,4-Trimethylbenzene	930		ug/L	200	20.03	6/18/2014	6/18/2014	6/18/2014	WG	100	NA	5.0	NA	SW8260B	NALD3474				
NAL13026-1514	316-334	ORG 135-98-8	sec-Butylbenzene	37	J	ug/L	200	32.34	6/18/2014	6/18/2014	6/18/2014	WG	100	NA	5.0	NA	SW8260B	NALD3474				
NAL13026-1514	316-334	ORG 541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	6/18/2014	6/18/2014	6/18/2014	WG	100	NA	5.0	NA	SW8260B	NALD3474				
NAL13026-1514	316-334	ORG 99-87-6	p-Isopropyltoluene	4700		ug/L	200	25.48	6/18/2014	6/18/2014	6/18/2014	WG	100	NA	5.0	NA	SW8260B	NALD3474				
NAL13026-1514	316-334	ORG 106-46-7	1,4-Dichlorobenzene	1000		ug/L	200	33.03	6/18/2014	6/18/2014	6/18/2014	WG	100	NA	5.0	NA	SW8260B	NALD3474				
NAL13026-1514	316-334	ORG 95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	6/18/2014	6/18/2014	6/18/2014	WG	100	NA	5.0	NA	SW8260B	NALD3474				
NAL13026-1514	316-334	ORG 104-51-8	n-Butylbenzene	130	J	ug/L	500	27.81	6/18/2014	6/18/2014	6/18/2014	WG	100	NA	5.0	NA	SW8260B	NALD3474				
NAL13026-1514	316-334	ORG 96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	6/18/2014	6/18/2014	6/18/2014	WG	100	NA	5.0	NA	SW8260B	NALD3474				
NAL13026-1514	316-334	ORG 87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	6/18/2014	6/18/2014	6/18/2014	WG	100	NA	5.0	NA	SW8260B	NALD3474				
NAL13026-1514	316-334	ORG 120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	6/18/2014	6/18/2014	6/18/2014	WG	100	NA	5.0	NA	SW8260B	NALD3474				
NAL13026-1514	316-334	ORG 91-20-3	Naphthalene	2400		ug/L	500	56.04	6/18/2014	6/18/2014	6/18/2014	WG	100	NA	5.0	NA	SW8260B	NALD3474				
NAL13026-1514	316-334	ORG 87-61-6	1,2,3-Trichlorobenzene	28	J	ug/L	500	23.28	6/18/2014	6/18/2014	6/18/2014	WG	100	NA	5.0	NA	SW8260B	NALD3474				
NAL13026-1514	316-334	STD 1868-53-7	Dibromofluoromethane	51		ug/L	1	0	6/18/2014	6/18/2014	6/18/2014	WG	100	NA	5.0	NA	SW8260B	NALD3474	50	102%		
NAL13026-1514	316-334	STD 17060-07-0	1,2-Dichloroethane d4	59		ug/L	1	0	6/18/2014	6/18/2014	6/18/2014	WG	100	NA	5.0	NA	SW8260B	NALD3474	50	118%		
NAL13026-1514	316-334	STD 2037-26-5	Toluene d8	50		ug/L	1	0	6/18/2014	6/18/2014	6/18/2014	WG	100	NA	5.0	NA	SW8260B	NALD3474	50	100%		
NAL13026-1514	316-334	STD 460-00-4	Bromofluorobenzene	55		ug/L	1	0	6/18/2014	6/18/2014	6/18/2014	WG	100	NA	5.0	NA	SW8260B	NALD3474	50	110%		

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D061814CCVA	D061814CCVA	ORG 108-67-8	1,3,5-Trimethylbenzene	55		ug/L	2	0.20	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3472	50	110%		
D061814CCVA	D061814CCVA	ORG 98-06-6	tert-Butylbenzene	56		ug/L	2	0.33	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3472	50	112%		
D061814CCVA	D061814CCVA	ORG 95-63-6	1,2,4-Trimethylbenzene	54		ug/L	2	0.20	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3472	50	108%		
D061814CCVA	D061814CCVA	ORG 135-98-8	sec-Butylbenzene	54		ug/L	2	0.32	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3472	50	108%		
D061814CCVA	D061814CCVA	ORG 541-73-1	1,3-Dichlorobenzene	51		ug/L	2	0.22	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3472	50	102%		
D061814CCVA	D061814CCVA	ORG 99-87-6	p-Isopropyltoluene	54		ug/L	2	0.25	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3472	50	108%		
D061814CCVA	D061814CCVA	ORG 106-46-7	1,4-Dichlorobenzene	51		ug/L	2	0.33	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3472	50	102%		
D061814CCVA	D061814CCVA	ORG 95-50-1	1,2-Dichlorobenzene	51		ug/L	2	0.26	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3472	50	102%		
D061814CCVA	D061814CCVA	ORG 104-51-8	n-Butylbenzene	58		ug/L	5	0.28	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3472	50	116%		
D061814CCVA	D061814CCVA	ORG 96-12-8	1,2-Dibromo-3-chloropropane	62		ug/L	5	1.59	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3472	50	124%		
D061814CCVA	D061814CCVA	ORG 87-68-3	Hexachlorobutadiene	64		ug/L	5	0.65	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3472	50	128%		
D061814CCVA	D061814CCVA	ORG 120-82-1	1,2,4-Trichlorobenzene	54		ug/L	5	0.28	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3472	50	108%		
D061814CCVA	D061814CCVA	ORG 91-20-3	Naphthalene	50		ug/L	5	0.56	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3472	50	100%		
D061814CCVA	D061814CCVA	ORG 87-61-6	1,2,3-Trichlorobenzene	52		ug/L	5	0.23	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3472	50	104%		
D061814CCVA	D061814CCVA	STD 1868-53-7	Dibromofluoromethane	52		ug/L	1	0	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3472	50	104%		
D061814CCVA	D061814CCVA	STD 17060-07-0	1,2-Dichloroethane d4	55		ug/L	1	0	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3472	50	110%		
D061814CCVA	D061814CCVA	STD 2037-26-5	Toluene d8	50		ug/L	1	0	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3472	50	100%		
D061814CCVA	D061814CCVA	STD 460-00-4	Bromofluorobenzene	52		ug/L	1	0	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3472	50	104%		

FINAL ANALYTICAL REPORT

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assessment, QC analyses parameter exceeded control limits.
U = Non-detect
 * NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D061814MBKA	D061814MBKA	ORG 75-71-8	Dichlorodifluoromethane	U	ug/L	5	0.29	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3473					
D061814MBKA	D061814MBKA	ORG 74-87-3	Chloromethane	U	ug/L	5	0.43	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3473					
D061814MBKA	D061814MBKA	ORG 75-01-4	Vinyl chloride	U	ug/L	2	0.32	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3473					
D061814MBKA	D061814MBKA	ORG 74-83-9	Bromomethane	U	ug/L	5	0.50	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3473					
D061814MBKA	D061814MBKA	ORG 75-00-3	Chloroethane	U	ug/L	5	0.56	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3473					
D061814MBKA	D061814MBKA	ORG 75-69-4	Trichlorofluoromethane	U	ug/L	5	0.20	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3473					
D061814MBKA	D061814MBKA	ORG 75-35-4	1,1-Dichloroethene	U	ug/L	1	0.47	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3473					
D061814MBKA	D061814MBKA	ORG 75-09-2	Methylene chloride	U	ug/L	5	0.26	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3473					
D061814MBKA	D061814MBKA	ORG 67-64-1	Acetone	U	ug/L	10	1.56	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3473					
D061814MBKA	D061814MBKA	ORG 156-60-5	trans-1,2-Dichloroethene	U	ug/L	1	0.56	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3473					
D061814MBKA	D061814MBKA	ORG 1634-04-4	MTBE	U	ug/L	5	0.61	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3473					
D061814MBKA	D061814MBKA	ORG 75-34-3	1,1-Dichloroethane	U	ug/L	1	0.53	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3473					
D061814MBKA	D061814MBKA	ORG 156-59-2	cis-1,2-Dichloroethene	U	ug/L	1	0.32	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3473					
D061814MBKA	D061814MBKA	ORG 74-97-5	Bromochloromethane	U	ug/L	10	0.41	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3473					
D061814MBKA	D061814MBKA	ORG 67-66-3	Chloroform	U	ug/L	2	0.16	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3473					
D061814MBKA	D061814MBKA	ORG 71-55-6	1,1,1-Trichloroethane	U	ug/L	1	0.17	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3473					
D061814MBKA	D061814MBKA	ORG 78-93-3	2-Butanone	U	ug/L	1	0.81	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3473					
D061814MBKA	D061814MBKA	ORG 56-23-5	Carbon tetrachloride	U	ug/L	1	0.28	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3473					
D061814MBKA	D061814MBKA	ORG 71-43-2	Benzene	U	ug/L	1	0.14	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3473					
D061814MBKA	D061814MBKA	ORG 107-06-2	1,2-Dichloroethane	U	ug/L	1	0.20	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3473					
D061814MBKA	D061814MBKA	ORG 79-01-6	Trichloroethene	U	ug/L	1	0.36	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3473					
D061814MBKA	D061814MBKA	ORG 74-95-3	Dibromomethane	U	ug/L	2	0.32	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3473					
D061814MBKA	D061814MBKA	ORG 78-87-5	1,2-Dichloropropane	U	ug/L	1	0.18	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3473					
D061814MBKA	D061814MBKA	ORG 75-27-4	Bromodichloromethane	U	ug/L	2	0.12	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3473					
D061814MBKA	D061814MBKA	ORG 10061-01-5	cis-1,3-Dichloropropene	U	ug/L	1	0.25	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3473					
D061814MBKA	D061814MBKA	ORG 108-88-3	Toluene	U	ug/L	1	0.21	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3473					
D061814MBKA	D061814MBKA	ORG 108-10-1	4-Methyl-2-pentanone	U	ug/L	5	0.74	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3473					
D061814MBKA	D061814MBKA	ORG 10061-02-6	trans-1,3-Dichloropropene	U	ug/L	1	0.31	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3473					
D061814MBKA	D061814MBKA	ORG 127-18-4	Tetrachloroethene	U	ug/L	1	0.49	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3473					
D061814MBKA	D061814MBKA	ORG 79-00-5	1,1,2-Trichloroethane	U	ug/L	1	0.34	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3473					
D061814MBKA	D061814MBKA	ORG 124-48-1	Dibromochloromethane	U	ug/L	5	0.30	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3473					
D061814MBKA	D061814MBKA	ORG 106-93-4	1,2-Dibromoethane	U	ug/L	2	0.26	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3473					
D061814MBKA	D061814MBKA	ORG 591-78-6	2-Hexanone	U	ug/L	2	0.69	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3473					
D061814MBKA	D061814MBKA	ORG 100-41-4	Ethylbenzene	U	ug/L	1	0.25	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3473					
D061814MBKA	D061814MBKA	ORG 108-90-7	Chlorobenzene	U	ug/L	1	0.28	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3473					
D061814MBKA	D061814MBKA	ORG 630-20-6	1,1,1,2-Tetrachloroethane	U	ug/L	2	0.19	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3473					
D061814MBKA	D061814MBKA	ORG XYLMP	p&m-Xylene	U	ug/L	2	0.26	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3473					
D061814MBKA	D061814MBKA	ORG 95-47-6	o-Xylene	U	ug/L	1	0.13	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3473					
D061814MBKA	D061814MBKA	ORG 100-42-5	Styrene	U	ug/L	1	0.20	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3473					
D061814MBKA	D061814MBKA	ORG 75-25-2	Bromoform	U	ug/L	2	0.47	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3473					
D061814MBKA	D061814MBKA	ORG 98-82-8	Isopropylbenzene	U	ug/L	2	0.20	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3473					
D061814MBKA	D061814MBKA	ORG 103-65-1	n-Propylbenzene	U	ug/L	2	0.27	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3473					
D061814MBKA	D061814MBKA	ORG 79-34-5	1,1,2,2-Tetrachloroethane	U	ug/L	2	0.29	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3473					
D061814MBKA	D061814MBKA	ORG 96-18-4	1,2,3-Trichloropropane	U	ug/L	2	0.29	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3473					

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D061814MBKA	D061814MBKA	ORG 108-67-8	1,3,5-Trimethylbenzene		U	ug/L	2	0.20	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3473				
D061814MBKA	D061814MBKA	ORG 98-06-6	tert-Butylbenzene		U	ug/L	2	0.33	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3473				
D061814MBKA	D061814MBKA	ORG 95-63-6	1,2,4-Trimethylbenzene		U	ug/L	2	0.20	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3473				
D061814MBKA	D061814MBKA	ORG 135-98-8	sec-Butylbenzene		U	ug/L	2	0.32	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3473				
D061814MBKA	D061814MBKA	ORG 541-73-1	1,3-Dichlorobenzene		U	ug/L	2	0.22	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3473				
D061814MBKA	D061814MBKA	ORG 99-87-6	p-Isopropyltoluene		U	ug/L	2	0.25	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3473				
D061814MBKA	D061814MBKA	ORG 106-46-7	1,4-Dichlorobenzene		U	ug/L	2	0.33	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3473				
D061814MBKA	D061814MBKA	ORG 95-50-1	1,2-Dichlorobenzene		U	ug/L	2	0.26	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3473				
D061814MBKA	D061814MBKA	ORG 104-51-8	n-Butylbenzene		U	ug/L	5	0.28	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3473				
D061814MBKA	D061814MBKA	ORG 96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	5	1.59	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3473				
D061814MBKA	D061814MBKA	ORG 87-68-3	Hexachlorobutadiene		U	ug/L	5	0.65	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3473				
D061814MBKA	D061814MBKA	ORG 120-82-1	1,2,4-Trichlorobenzene		U	ug/L	5	0.28	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3473				
D061814MBKA	D061814MBKA	ORG 91-20-3	Naphthalene		U	ug/L	5	0.56	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3473				
D061814MBKA	D061814MBKA	ORG 87-61-6	1,2,3-Trichlorobenzene		U	ug/L	5	0.23	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3473				
D061814MBKA	D061814MBKA	STD 1868-53-7	Dibromofluoromethane	50		ug/L	1	0	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3473	50	100%		
D061814MBKA	D061814MBKA	STD 17060-07-0	1,2-Dichloroethane d4	58		ug/L	1	0	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3473	50	116%		
D061814MBKA	D061814MBKA	STD 2037-26-5	Toluene d8	51		ug/L	1	0	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3473	50	102%		
D061814MBKA	D061814MBKA	STD 460-00-4	Bromofluorobenzene	53		ug/L	1	0	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3473	50	106%		



Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

FINAL ANALYTICAL REPORT

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D061814ALCS	D061814ALCS	ORG 75-71-8	Dichlorodifluoromethane	57		ug/L	5	0.29	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3476	50	114%		
D061814ALCS	D061814ALCS	ORG 74-87-3	Chloromethane	51		ug/L	5	0.43	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3476	50	102%		
D061814ALCS	D061814ALCS	ORG 75-01-4	Vinyl chloride	51		ug/L	2	0.32	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3476	50	102%		
D061814ALCS	D061814ALCS	ORG 74-83-9	Bromomethane	69		ug/L	5	0.50	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3476	50	138%		
D061814ALCS	D061814ALCS	ORG 75-00-3	Chloroethane	88		ug/L	5	0.56	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3476	50	176%		
D061814ALCS	D061814ALCS	ORG 75-69-4	Trichlorofluoromethane	93		ug/L	5	0.20	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3476	50	186%		
D061814ALCS	D061814ALCS	ORG 75-35-4	1,1-Dichloroethene	51		ug/L	1	0.47	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3476	50	102%		
D061814ALCS	D061814ALCS	ORG 75-09-2	Methylene chloride	53		ug/L	5	0.26	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3476	50	106%		
D061814ALCS	D061814ALCS	ORG 67-64-1	Acetone	80		ug/L	10	1.56	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3476	50	160%		
D061814ALCS	D061814ALCS	ORG 156-60-5	trans-1,2-Dichloroethene	47		ug/L	1	0.56	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3476	50	94%		
D061814ALCS	D061814ALCS	ORG 1634-04-4	MTBE	52		ug/L	5	0.61	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3476	50	104%		
D061814ALCS	D061814ALCS	ORG 75-34-3	1,1-Dichloroethane	50		ug/L	1	0.53	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3476	50	100%		
D061814ALCS	D061814ALCS	ORG 156-59-2	cis-1,2-Dichloroethene	48		ug/L	1	0.32	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3476	50	96%		
D061814ALCS	D061814ALCS	ORG 74-97-5	Bromochloromethane	46		ug/L	10	0.41	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3476	50	92%		
D061814ALCS	D061814ALCS	ORG 67-66-3	Chloroform	50		ug/L	2	0.16	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3476	50	100%		
D061814ALCS	D061814ALCS	ORG 71-55-6	1,1,1-Trichloroethane	54		ug/L	1	0.17	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3476	50	108%		
D061814ALCS	D061814ALCS	ORG 78-93-3	2-Butanone	61		ug/L	1	0.81	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3476	50	122%		
D061814ALCS	D061814ALCS	ORG 56-23-5	Carbon tetrachloride	56		ug/L	1	0.28	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3476	50	112%		
D061814ALCS	D061814ALCS	ORG 71-43-2	Benzene	47		ug/L	1	0.14	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3476	50	94%		
D061814ALCS	D061814ALCS	ORG 107-06-2	1,2-Dichloroethane	53		ug/L	1	0.20	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3476	50	106%		
D061814ALCS	D061814ALCS	ORG 79-01-6	Trichloroethene	48		ug/L	1	0.36	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3476	50	96%		
D061814ALCS	D061814ALCS	ORG 74-95-3	Dibromomethane	51		ug/L	2	0.32	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3476	50	102%		
D061814ALCS	D061814ALCS	ORG 78-87-5	1,2-Dichloropropane	49		ug/L	1	0.18	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3476	50	98%		
D061814ALCS	D061814ALCS	ORG 75-27-4	Bromodichloromethane	54		ug/L	2	0.12	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3476	50	108%		
D061814ALCS	D061814ALCS	ORG 10061-01-5	cis-1,3-Dichloropropene	52		ug/L	1	0.25	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3476	50	104%		
D061814ALCS	D061814ALCS	ORG 108-88-3	Toluene	46		ug/L	1	0.21	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3476	50	92%		
D061814ALCS	D061814ALCS	ORG 108-10-1	4-Methyl-2-pentanone	55		ug/L	5	0.74	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3476	50	110%		
D061814ALCS	D061814ALCS	ORG 10061-02-6	trans-1,3-Dichloropropene	58		ug/L	1	0.31	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3476	50	116%		
D061814ALCS	D061814ALCS	ORG 127-18-4	Tetrachloroethene	43		ug/L	1	0.49	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3476	50	86%		
D061814ALCS	D061814ALCS	ORG 79-00-5	1,1,2-Trichloroethane	51		ug/L	1	0.34	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3476	50	102%		
D061814ALCS	D061814ALCS	ORG 124-48-1	Dibromochloromethane	54		ug/L	5	0.30	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3476	50	108%		
D061814ALCS	D061814ALCS	ORG 106-93-4	1,2-Dibromoethane	50		ug/L	2	0.26	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3476	50	100%		
D061814ALCS	D061814ALCS	ORG 591-78-6	2-Hexanone	66		ug/L	2	0.69	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3476	50	132%		
D061814ALCS	D061814ALCS	ORG 100-41-4	Ethylbenzene	49		ug/L	1	0.25	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3476	50	98%		
D061814ALCS	D061814ALCS	ORG 108-90-7	Chlorobenzene	47		ug/L	1	0.28	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3476	50	94%		
D061814ALCS	D061814ALCS	ORG 630-20-6	1,1,1,2-Tetrachloroethane	53		ug/L	2	0.19	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3476	50	106%		
D061814ALCS	D061814ALCS	ORG XYLMP	p&m-Xylene	96		ug/L	2	0.26	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3476	100	96%		
D061814ALCS	D061814ALCS	ORG 95-47-6	o-Xylene	50		ug/L	1	0.13	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3476	50	100%		
D061814ALCS	D061814ALCS	ORG 100-42-5	Styrene	52		ug/L	1	0.20	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3476	50	104%		
D061814ALCS	D061814ALCS	ORG 75-25-2	Bromoform	53		ug/L	2	0.47	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3476	50	106%		
D061814ALCS	D061814ALCS	ORG 98-82-8	Isopropylbenzene	51		ug/L	2	0.20	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3476	50	102%		
D061814ALCS	D061814ALCS	ORG 103-65-1	n-Propylbenzene	51		ug/L	2	0.27	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3476	50	102%		
D061814ALCS	D061814ALCS	ORG 79-34-5	1,1,2,2-Tetrachloroethane	52		ug/L	2	0.29	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3476	50	104%		
D061814ALCS	D061814ALCS	ORG 96-18-4	1,2,3-Trichloropropane	52		ug/L	2	0.29	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3476	50	104%		

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

- B** = Analyte is found in the associated blank as well as in the sample.
- D** = Compound identified in an analysis at a secondary dilution factor.
- E** = Compound's concentration exceeds the calibration range of the instrument at this dilution.
- X** = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
- J** = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
- M** = Matrix assessment, QC analyses parameter exceeded control limits.
- U** = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D061814ALCS	D061814ALCS	ORG 108-67-8	1,3,5-Trimethylbenzene	52		ug/L	2	0.20	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3476	50	104%		
D061814ALCS	D061814ALCS	ORG 98-06-6	tert-Butylbenzene	52		ug/L	2	0.33	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3476	50	104%		
D061814ALCS	D061814ALCS	ORG 95-63-6	1,2,4-Trimethylbenzene	51		ug/L	2	0.20	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3476	50	102%		
D061814ALCS	D061814ALCS	ORG 135-98-8	sec-Butylbenzene	51		ug/L	2	0.32	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3476	50	102%		
D061814ALCS	D061814ALCS	ORG 541-73-1	1,3-Dichlorobenzene	50		ug/L	2	0.22	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3476	50	100%		
D061814ALCS	D061814ALCS	ORG 99-87-6	p-Isopropyltoluene	52		ug/L	2	0.25	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3476	50	104%		
D061814ALCS	D061814ALCS	ORG 106-46-7	1,4-Dichlorobenzene	49		ug/L	2	0.33	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3476	50	98%		
D061814ALCS	D061814ALCS	ORG 95-50-1	1,2-Dichlorobenzene	49		ug/L	2	0.26	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3476	50	98%		
D061814ALCS	D061814ALCS	ORG 104-51-8	n-Butylbenzene	54		ug/L	5	0.28	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3476	50	108%		
D061814ALCS	D061814ALCS	ORG 96-12-8	1,2-Dibromo-3-chloropropane	63		ug/L	5	1.59	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3476	50	126%		
D061814ALCS	D061814ALCS	ORG 87-68-3	Hexachlorobutadiene	57		ug/L	5	0.65	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3476	50	114%		
D061814ALCS	D061814ALCS	ORG 120-82-1	1,2,4-Trichlorobenzene	52		ug/L	5	0.28	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3476	50	104%		
D061814ALCS	D061814ALCS	ORG 91-20-3	Naphthalene	52		ug/L	5	0.56	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3476	50	104%		
D061814ALCS	D061814ALCS	ORG 87-61-6	1,2,3-Trichlorobenzene	51		ug/L	5	0.23	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3476	50	102%		
D061814ALCS	D061814ALCS	STD 1868-53-7	Dibromofluoromethane	52		ug/L	1	0	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3476	50	104%		
D061814ALCS	D061814ALCS	STD 17060-07-0	1,2-Dichloroethane d4	54		ug/L	1	0	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3476	50	108%		
D061814ALCS	D061814ALCS	STD 2037-26-5	Toluene d8	50		ug/L	1	0	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3476	50	100%		
D061814ALCS	D061814ALCS	STD 460-00-4	Bromofluorobenzene	52		ug/L	1	0	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3476	50	104%		

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D061814ALCD	D061814ALCD	ORG 108-67-8	1,3,5-Trimethylbenzene	52		ug/L	2	0.20	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3477	50	104%	0%	
D061814ALCD	D061814ALCD	ORG 98-06-6	tert-Butylbenzene	52		ug/L	2	0.33	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3477	50	104%	0%	
D061814ALCD	D061814ALCD	ORG 95-63-6	1,2,4-Trimethylbenzene	52		ug/L	2	0.20	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3477	50	104%	2%	
D061814ALCD	D061814ALCD	ORG 135-98-8	sec-Butylbenzene	52		ug/L	2	0.32	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3477	50	104%	2%	
D061814ALCD	D061814ALCD	ORG 541-73-1	1,3-Dichlorobenzene	50		ug/L	2	0.22	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3477	50	100%	0%	
D061814ALCD	D061814ALCD	ORG 99-87-6	p-Isopropyltoluene	52		ug/L	2	0.25	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3477	50	104%	0%	
D061814ALCD	D061814ALCD	ORG 106-46-7	1,4-Dichlorobenzene	50		ug/L	2	0.33	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3477	50	100%	2%	
D061814ALCD	D061814ALCD	ORG 95-50-1	1,2-Dichlorobenzene	51		ug/L	2	0.26	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3477	50	102%	4%	
D061814ALCD	D061814ALCD	ORG 104-51-8	n-Butylbenzene	55		ug/L	5	0.28	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3477	50	110%	2%	
D061814ALCD	D061814ALCD	ORG 96-12-8	1,2-Dibromo-3-chloropropane	64		ug/L	5	1.59	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3477	50	128%	2%	
D061814ALCD	D061814ALCD	ORG 87-68-3	Hexachlorobutadiene	58		ug/L	5	0.65	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3477	50	116%	2%	
D061814ALCD	D061814ALCD	ORG 120-82-1	1,2,4-Trichlorobenzene	53		ug/L	5	0.28	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3477	50	106%	2%	
D061814ALCD	D061814ALCD	ORG 91-20-3	Naphthalene	53		ug/L	5	0.56	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3477	50	106%	2%	
D061814ALCD	D061814ALCD	ORG 87-61-6	1,2,3-Trichlorobenzene	52		ug/L	5	0.23	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3477	50	104%	2%	
D061814ALCD	D061814ALCD	STD 1868-53-7	Dibromofluoromethane	52		ug/L	1	0	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3477	50	104%	0%	
D061814ALCD	D061814ALCD	STD 17060-07-0	1,2-Dichloroethane d4	56		ug/L	1	0	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3477	50	112%	4%	
D061814ALCD	D061814ALCD	STD 2037-26-5	Toluene d8	50		ug/L	1	0	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3477	50	100%	0%	
D061814ALCD	D061814ALCD	STD 460-00-4	Bromofluorobenzene	52		ug/L	1	0	NA	6/18/2014	6/18/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3477	50	104%	0%	

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1514MS	316-334	ORG 108-67-8	1,3,5-Trimethylbenzene	5600		ug/L	200	20.03	6/18/2014	6/18/2014	6/18/2014	WG	100	NA	5.0	NA	SW8260B	NALD3478	5000	108%		180
NAL13026-1514MS	316-334	ORG 98-06-6	tert-Butylbenzene	5500		ug/L	200	32.61	6/18/2014	6/18/2014	6/18/2014	WG	100	NA	5.0	NA	SW8260B	NALD3478	5000	110%		
NAL13026-1514MS	316-334	ORG 95-63-6	1,2,4-Trimethylbenzene	6200		ug/L	200	20.03	6/18/2014	6/18/2014	6/18/2014	WG	100	NA	5.0	NA	SW8260B	NALD3478	5000	105%		930
NAL13026-1514MS	316-334	ORG 135-98-8	sec-Butylbenzene	5400		ug/L	200	32.34	6/18/2014	6/18/2014	6/18/2014	WG	100	NA	5.0	NA	SW8260B	NALD3478	5000	107%		37
NAL13026-1514MS	316-334	ORG 541-73-1	1,3-Dichlorobenzene	5200		ug/L	200	22.21	6/18/2014	6/18/2014	6/18/2014	WG	100	NA	5.0	NA	SW8260B	NALD3478	5000	104%		
NAL13026-1514MS	316-334	ORG 99-87-6	p-Isopropyltoluene	9400		ug/L	200	25.48	6/18/2014	6/18/2014	6/18/2014	WG	100	NA	5.0	NA	SW8260B	NALD3478	5000	94%		4700
NAL13026-1514MS	316-334	ORG 106-46-7	1,4-Dichlorobenzene	6000		ug/L	200	33.03	6/18/2014	6/18/2014	6/18/2014	WG	100	NA	5.0	NA	SW8260B	NALD3478	5000	100%		1000
NAL13026-1514MS	316-334	ORG 95-50-1	1,2-Dichlorobenzene	5100		ug/L	200	26.38	6/18/2014	6/18/2014	6/18/2014	WG	100	NA	5.0	NA	SW8260B	NALD3478	5000	102%		
NAL13026-1514MS	316-334	ORG 104-51-8	n-Butylbenzene	5700		ug/L	500	27.81	6/18/2014	6/18/2014	6/18/2014	WG	100	NA	5.0	NA	SW8260B	NALD3478	5000	111%		130
NAL13026-1514MS	316-334	ORG 96-12-8	1,2-Dibromo-3-chloropropane	7200		ug/L	500	159.11	6/18/2014	6/18/2014	6/18/2014	WG	100	NA	5.0	NA	SW8260B	NALD3478	5000	144%		
NAL13026-1514MS	316-334	ORG 87-68-3	Hexachlorobutadiene	5800		ug/L	500	65.42	6/18/2014	6/18/2014	6/18/2014	WG	100	NA	5.0	NA	SW8260B	NALD3478	5000	116%		
NAL13026-1514MS	316-334	ORG 120-82-1	1,2,4-Trichlorobenzene	5400		ug/L	500	27.63	6/18/2014	6/18/2014	6/18/2014	WG	100	NA	5.0	NA	SW8260B	NALD3478	5000	108%		
NAL13026-1514MS	316-334	ORG 91-20-3	Naphthalene	7600		ug/L	500	56.04	6/18/2014	6/18/2014	6/18/2014	WG	100	NA	5.0	NA	SW8260B	NALD3478	5000	104%		2400
NAL13026-1514MS	316-334	ORG 87-61-6	1,2,3-Trichlorobenzene	5400		ug/L	500	23.28	6/18/2014	6/18/2014	6/18/2014	WG	100	NA	5.0	NA	SW8260B	NALD3478	5000	107%		28
NAL13026-1514MS	316-334	STD 1868-53-7	Dibromofluoromethane	51		ug/L	1	0	6/18/2014	6/18/2014	6/18/2014	WG	100	NA	5.0	NA	SW8260B	NALD3478	50	102%		
NAL13026-1514MS	316-334	STD 17060-07-0	1,2-Dichloroethane d4	56		ug/L	1	0	6/18/2014	6/18/2014	6/18/2014	WG	100	NA	5.0	NA	SW8260B	NALD3478	50	112%		
NAL13026-1514MS	316-334	STD 2037-26-5	Toluene d8	49		ug/L	1	0	6/18/2014	6/18/2014	6/18/2014	WG	100	NA	5.0	NA	SW8260B	NALD3478	50	98%		
NAL13026-1514MS	316-334	STD 460-00-4	Bromofluorobenzene	53		ug/L	1	0	6/18/2014	6/18/2014	6/18/2014	WG	100	NA	5.0	NA	SW8260B	NALD3478	50	106%		

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

- B** = Analyte is found in the associated blank as well as in the sample.
- D** = Compound identified in an analysis at a secondary dilution factor.
- E** = Compound's concentration exceeds the calibration range of the instrument at this dilution.
- X** = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
- J** = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
- M** = Matrix assessment, QC analyses parameter exceeded control limits.
- U** = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1514MSD	316-334	ORG 108-67-8	1,3,5-Trimethylbenzene	5500		ug/L	200	20.03	6/18/2014	6/18/2014	6/18/2014	WG	100	NA	5.0	NA	SW8260B	NALD3479	5000	106%	2%	180
NAL13026-1514MSD	316-334	ORG 98-06-6	tert-Butylbenzene	5500		ug/L	200	32.61	6/18/2014	6/18/2014	6/18/2014	WG	100	NA	5.0	NA	SW8260B	NALD3479	5000	110%	0%	
NAL13026-1514MSD	316-334	ORG 95-63-6	1,2,4-Trimethylbenzene	6200		ug/L	200	20.03	6/18/2014	6/18/2014	6/18/2014	WG	100	NA	5.0	NA	SW8260B	NALD3479	5000	105%	0%	930
NAL13026-1514MSD	316-334	ORG 135-98-8	sec-Butylbenzene	5400		ug/L	200	32.34	6/18/2014	6/18/2014	6/18/2014	WG	100	NA	5.0	NA	SW8260B	NALD3479	5000	107%	0%	37
NAL13026-1514MSD	316-334	ORG 541-73-1	1,3-Dichlorobenzene	5000		ug/L	200	22.21	6/18/2014	6/18/2014	6/18/2014	WG	100	NA	5.0	NA	SW8260B	NALD3479	5000	100%	4%	
NAL13026-1514MSD	316-334	ORG 99-87-6	p-Isopropyltoluene	9700		ug/L	200	25.48	6/18/2014	6/18/2014	6/18/2014	WG	100	NA	5.0	NA	SW8260B	NALD3479	5000	100%	3%	4700
NAL13026-1514MSD	316-334	ORG 106-46-7	1,4-Dichlorobenzene	6000		ug/L	200	33.03	6/18/2014	6/18/2014	6/18/2014	WG	100	NA	5.0	NA	SW8260B	NALD3479	5000	100%	0%	1000
NAL13026-1514MSD	316-334	ORG 95-50-1	1,2-Dichlorobenzene	5100		ug/L	200	26.38	6/18/2014	6/18/2014	6/18/2014	WG	100	NA	5.0	NA	SW8260B	NALD3479	5000	102%	0%	
NAL13026-1514MSD	316-334	ORG 104-51-8	n-Butylbenzene	5700		ug/L	500	27.81	6/18/2014	6/18/2014	6/18/2014	WG	100	NA	5.0	NA	SW8260B	NALD3479	5000	111%	0%	130
NAL13026-1514MSD	316-334	ORG 96-12-8	1,2-Dibromo-3-chloropropane	6800		ug/L	500	159.11	6/18/2014	6/18/2014	6/18/2014	WG	100	NA	5.0	NA	SW8260B	NALD3479	5000	136%	6%	
NAL13026-1514MSD	316-334	ORG 87-68-3	Hexachlorobutadiene	5900		ug/L	500	65.42	6/18/2014	6/18/2014	6/18/2014	WG	100	NA	5.0	NA	SW8260B	NALD3479	5000	118%	2%	
NAL13026-1514MSD	316-334	ORG 120-82-1	1,2,4-Trichlorobenzene	5500		ug/L	500	27.63	6/18/2014	6/18/2014	6/18/2014	WG	100	NA	5.0	NA	SW8260B	NALD3479	5000	110%	2%	
NAL13026-1514MSD	316-334	ORG 91-20-3	Naphthalene	7500		ug/L	500	56.04	6/18/2014	6/18/2014	6/18/2014	WG	100	NA	5.0	NA	SW8260B	NALD3479	5000	102%	1%	2400
NAL13026-1514MSD	316-334	ORG 87-61-6	1,2,3-Trichlorobenzene	5300		ug/L	500	23.28	6/18/2014	6/18/2014	6/18/2014	WG	100	NA	5.0	NA	SW8260B	NALD3479	5000	105%	2%	28
NAL13026-1514MSD	316-334	STD 1868-53-7	Dibromofluoromethane	51		ug/L	1	0	6/18/2014	6/18/2014	6/18/2014	WG	100	NA	5.0	NA	SW8260B	NALD3479	50	102%	0%	
NAL13026-1514MSD	316-334	STD 17060-07-0	1,2-Dichloroethane d4	54		ug/L	1	0	6/18/2014	6/18/2014	6/18/2014	WG	100	NA	5.0	NA	SW8260B	NALD3479	50	108%	4%	
NAL13026-1514MSD	316-334	STD 2037-26-5	Toluene d8	50		ug/L	1	0	6/18/2014	6/18/2014	6/18/2014	WG	100	NA	5.0	NA	SW8260B	NALD3479	50	100%	2%	
NAL13026-1514MSD	316-334	STD 460-00-4	Bromofluorobenzene	52		ug/L	1	0	6/18/2014	6/18/2014	6/18/2014	WG	100	NA	5.0	NA	SW8260B	NALD3479	50	104%	2%	



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

FINAL ANALYTICAL REPORT

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Table with columns: Lab ID, Sample ID, CAS #, ANALYTES, Results, QC, Units, RDL, MDL, Sample Date, Prep. Date, Analysis Date, Matrix, Dil., Weight(g), Vol.(ml), % Solid, Method, Data file, Spike, % Rec, % RPD, Parent. Rows list various chemical compounds and their analysis results.

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1517	316-335	ORG 108-67-8	1,3,5-Trimethylbenzene	360		ug/L	200	20.03	6/19/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3487				
NAL13026-1517	316-335	ORG 98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	6/19/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3487				
NAL13026-1517	316-335	ORG 95-63-6	1,2,4-Trimethylbenzene	1700		ug/L	200	20.03	6/19/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3487				
NAL13026-1517	316-335	ORG 135-98-8	sec-Butylbenzene	52	J	ug/L	200	32.34	6/19/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3487				
NAL13026-1517	316-335	ORG 541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	6/19/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3487				
NAL13026-1517	316-335	ORG 99-87-6	p-Isopropyltoluene	8800		ug/L	200	25.48	6/19/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3487				
NAL13026-1517	316-335	ORG 106-46-7	1,4-Dichlorobenzene	1800		ug/L	200	33.03	6/19/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3487				
NAL13026-1517	316-335	ORG 95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	6/19/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3487				
NAL13026-1517	316-335	ORG 104-51-8	n-Butylbenzene	240	J	ug/L	500	27.81	6/19/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3487				
NAL13026-1517	316-335	ORG 96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	6/19/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3487				
NAL13026-1517	316-335	ORG 87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	6/19/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3487				
NAL13026-1517	316-335	ORG 120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	6/19/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3487				
NAL13026-1517	316-335	ORG 91-20-3	Naphthalene	3700		ug/L	500	56.04	6/19/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3487				
NAL13026-1517	316-335	ORG 87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	6/19/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3487				
NAL13026-1517	316-335	STD 1868-53-7	Dibromofluoromethane	51		ug/L	1	0	6/19/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3487	50	102%		
NAL13026-1517	316-335	STD 17060-07-0	1,2-Dichloroethane d4	60		ug/L	1	0	6/19/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3487	50	120%		
NAL13026-1517	316-335	STD 2037-26-5	Toluene d8	50		ug/L	1	0	6/19/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3487	50	100%		
NAL13026-1517	316-335	STD 460-00-4	Bromofluorobenzene	54		ug/L	1	0	6/19/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3487	50	108%		



FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Table with columns: Lab ID, Sample ID, CAS #, ANALYTES, Results, QC, Units, RDL, MDL, Sample Date, Prep. Date, Analysis Date, Matrix, Dil., Weight(g), Vol.(ml), % Solid, Method, Data file, Spike, % Rec, % RPD, Parent. Contains detailed analytical data for various compounds like Dichlorodifluoromethane, Chloromethane, Vinyl chloride, Bromomethane, Chloroethane, Trichlorofluoromethane, 1,1-Dichloroethene, Methylene chloride, Acetone, trans-1,2-Dichloroethene, MTBE, 1,1-Dichloroethane, cis-1,2-Dichloroethene, Bromochloromethane, Chloroform, 1,1,1-Trichloroethane, 2-Butanone, Carbon tetrachloride, Benzene, 1,2-Dichloroethane, Trichloroethene, Dibromomethane, 1,2-Dichloropropane, Bromodichloromethane, cis-1,3-Dichloropropene, Toluene, 4-Methyl-2-pentanone, trans-1,3-Dichloropropene, Tetrachloroethene, 1,1,2-Trichloroethane, Dibromochloromethane, 1,2-Dibromoethane, 2-Hexanone, Ethylbenzene, Chlorobenzene, 1,1,1,2-Tetrachloroethane, p&m-Xylene, o-Xylene, Styrene, Bromoform, Isopropylbenzene, n-Propylbenzene, 1,1,2,2-Tetrachloroethane, 1,2,3-Trichloropropane.

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assessment, QC analyses parameter exceeded control limits.
U = Non-detect
* NAL is not certified for these compound by NELAC.

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1518	CB 6-19-14	ORG 108-67-8	1,3,5-Trimethylbenzene	57	J	ug/L	200	20.03	6/19/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3489				
NAL13026-1518	CB 6-19-14	ORG 98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	6/19/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3489				
NAL13026-1518	CB 6-19-14	ORG 95-63-6	1,2,4-Trimethylbenzene	140	J	ug/L	200	20.03	6/19/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3489				
NAL13026-1518	CB 6-19-14	ORG 135-98-8	sec-Butylbenzene	66	J	ug/L	200	32.34	6/19/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3489				
NAL13026-1518	CB 6-19-14	ORG 541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	6/19/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3489				
NAL13026-1518	CB 6-19-14	ORG 99-87-6	p-Isopropyltoluene	850		ug/L	200	25.48	6/19/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3489				
NAL13026-1518	CB 6-19-14	ORG 106-46-7	1,4-Dichlorobenzene	140	J	ug/L	200	33.03	6/19/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3489				
NAL13026-1518	CB 6-19-14	ORG 95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	6/19/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3489				
NAL13026-1518	CB 6-19-14	ORG 104-51-8	n-Butylbenzene	94	J	ug/L	500	27.81	6/19/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3489				
NAL13026-1518	CB 6-19-14	ORG 96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	6/19/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3489				
NAL13026-1518	CB 6-19-14	ORG 87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	6/19/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3489				
NAL13026-1518	CB 6-19-14	ORG 120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	6/19/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3489				
NAL13026-1518	CB 6-19-14	ORG 91-20-3	Naphthalene	540		ug/L	500	56.04	6/19/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3489				
NAL13026-1518	CB 6-19-14	ORG 87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	6/19/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3489				
NAL13026-1518	CB 6-19-14	STD 1868-53-7	Dibromofluoromethane	51		ug/L	1	0	6/19/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3489	50	102%		
NAL13026-1518	CB 6-19-14	STD 17060-07-0	1,2-Dichloroethane d4	58		ug/L	1	0	6/19/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3489	50	116%		
NAL13026-1518	CB 6-19-14	STD 2037-26-5	Toluene d8	51		ug/L	1	0	6/19/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3489	50	102%		
NAL13026-1518	CB 6-19-14	STD 460-00-4	Bromofluorobenzene	54		ug/L	1	0	6/19/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3489	50	108%		

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1515	T1 INF	ORG 108-67-8	1,3,5-Trimethylbenzene	200		ug/L	200	20.03	6/18/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3491				
NAL13026-1515	T1 INF	ORG 98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	6/18/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3491				
NAL13026-1515	T1 INF	ORG 95-63-6	1,2,4-Trimethylbenzene	860		ug/L	200	20.03	6/18/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3491				
NAL13026-1515	T1 INF	ORG 135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	6/18/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3491				
NAL13026-1515	T1 INF	ORG 541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	6/18/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3491				
NAL13026-1515	T1 INF	ORG 99-87-6	p-Isopropyltoluene	3100		ug/L	200	25.48	6/18/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3491				
NAL13026-1515	T1 INF	ORG 106-46-7	1,4-Dichlorobenzene	840		ug/L	200	33.03	6/18/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3491				
NAL13026-1515	T1 INF	ORG 95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	6/18/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3491				
NAL13026-1515	T1 INF	ORG 104-51-8	n-Butylbenzene	72	J	ug/L	500	27.81	6/18/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3491				
NAL13026-1515	T1 INF	ORG 96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	6/18/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3491				
NAL13026-1515	T1 INF	ORG 87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	6/18/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3491				
NAL13026-1515	T1 INF	ORG 120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	6/18/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3491				
NAL13026-1515	T1 INF	ORG 91-20-3	Naphthalene	1000		ug/L	500	56.04	6/18/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3491				
NAL13026-1515	T1 INF	ORG 87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	6/18/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3491				
NAL13026-1515	T1 INF	STD 1868-53-7	Dibromofluoromethane	51		ug/L	1	0	6/18/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3491	50	102%		
NAL13026-1515	T1 INF	STD 17060-07-0	1,2-Dichloroethane d4	58		ug/L	1	0	6/18/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3491	50	116%		
NAL13026-1515	T1 INF	STD 2037-26-5	Toluene d8	51		ug/L	1	0	6/18/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3491	50	102%		
NAL13026-1515	T1 INF	STD 460-00-4	Bromofluorobenzene	54		ug/L	1	0	6/18/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3491	50	108%		



New Age/Landmark Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

FINAL ANALYTICAL REPORT

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1516	T1 EFF	ORG 75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	6/18/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3493				
NAL13026-1516	T1 EFF	ORG 74-87-3	Chloromethane		U	ug/L	500	43.07	6/18/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3493				
NAL13026-1516	T1 EFF	ORG 75-01-4	Vinyl chloride		U	ug/L	200	31.86	6/18/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3493				
NAL13026-1516	T1 EFF	ORG 74-83-9	Bromomethane		U	ug/L	500	50.04	6/18/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3493				
NAL13026-1516	T1 EFF	ORG 75-00-3	Chloroethane		U	ug/L	500	55.61	6/18/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3493				
NAL13026-1516	T1 EFF	ORG 75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	6/18/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3493				
NAL13026-1516	T1 EFF	ORG 75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	6/18/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3493				
NAL13026-1516	T1 EFF	ORG 75-09-2	Methylene chloride		U	ug/L	500	26.46	6/18/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3493				
NAL13026-1516	T1 EFF	ORG 67-64-1	Acetone	160000	DX+	ug/L	10000	1556.07	6/18/2014	6/19/2014	6/19/2014	WG	1000	NA	5.0	NA	SW8260B	NALD3494				
NAL13026-1516	T1 EFF	ORG 156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	6/18/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3493				
NAL13026-1516	T1 EFF	ORG 1634-04-4	MTBE		U	ug/L	500	61.18	6/18/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3493				
NAL13026-1516	T1 EFF	ORG 75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	6/18/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3493				
NAL13026-1516	T1 EFF	ORG 156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	6/18/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3493				
NAL13026-1516	T1 EFF	ORG 74-97-5	Bromochloromethane		U	ug/L	200	41.37	6/18/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3493				
NAL13026-1516	T1 EFF	ORG 67-66-3	Chloroform		U	ug/L	100	15.73	6/18/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3493				
NAL13026-1516	T1 EFF	ORG 71-55-6	1,1,1-Trichloroethane		U	ug/L	100	16.65	6/18/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3493				
NAL13026-1516	T1 EFF	ORG 78-93-3	2-Butanone	30000	D	ug/L	10000	811.80	6/18/2014	6/19/2014	6/19/2014	WG	1000	NA	5.0	NA	SW8260B	NALD3494				
NAL13026-1516	T1 EFF	ORG 56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	6/18/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3493				
NAL13026-1516	T1 EFF	ORG 71-43-2	Benzene	140		ug/L	100	13.53	6/18/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3493				
NAL13026-1516	T1 EFF	ORG 107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	6/18/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3493				
NAL13026-1516	T1 EFF	ORG 79-01-6	Trichloroethene		U	ug/L	100	36.33	6/18/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3493				
NAL13026-1516	T1 EFF	ORG 74-95-3	Dibromomethane		U	ug/L	200	32.20	6/18/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3493				
NAL13026-1516	T1 EFF	ORG 78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	6/18/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3493				
NAL13026-1516	T1 EFF	ORG 75-27-4	Bromodichloromethane		U	ug/L	200	11.58	6/18/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3493				
NAL13026-1516	T1 EFF	ORG 10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	6/18/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3493				
NAL13026-1516	T1 EFF	ORG 108-88-3	Toluene	110		ug/L	100	20.96	6/18/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3493				
NAL13026-1516	T1 EFF	ORG 108-10-1	4-Methyl-2-pentanone	920		ug/L	500	74.00	6/18/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3493				
NAL13026-1516	T1 EFF	ORG 10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	6/18/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3493				
NAL13026-1516	T1 EFF	ORG 127-18-4	Tetrachloroethene		U	ug/L	100	48.56	6/18/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3493				
NAL13026-1516	T1 EFF	ORG 79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	6/18/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3493				
NAL13026-1516	T1 EFF	ORG 124-48-1	Dibromochloromethane		U	ug/L	200	29.90	6/18/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3493				
NAL13026-1516	T1 EFF	ORG 106-93-4	1,2-Dibromoethane		U	ug/L	200	26.49	6/18/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3493				
NAL13026-1516	T1 EFF	ORG 591-78-6	2-Hexanone	2800		ug/L	500	68.90	6/18/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3493				
NAL13026-1516	T1 EFF	ORG 100-41-4	Ethylbenzene	160		ug/L	100	25.38	6/18/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3493				
NAL13026-1516	T1 EFF	ORG 108-90-7	Chlorobenzene	27	J	ug/L	100	27.52	6/18/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3493				
NAL13026-1516	T1 EFF	ORG 630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	6/18/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3493				
NAL13026-1516	T1 EFF	ORG XYLMP	p&m-Xylene	380		ug/L	200	26.14	6/18/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3493				
NAL13026-1516	T1 EFF	ORG 95-47-6	o-Xylene	210		ug/L	100	12.90	6/18/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3493				
NAL13026-1516	T1 EFF	ORG 100-42-5	Styrene	31	J	ug/L	100	20.23	6/18/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3493				
NAL13026-1516	T1 EFF	ORG 75-25-2	Bromoform		U	ug/L	200	46.83	6/18/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3493				
NAL13026-1516	T1 EFF	ORG 98-82-8	Isopropylbenzene	91	J	ug/L	200	20.48	6/18/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3493				
NAL13026-1516	T1 EFF	ORG 103-65-1	n-Propylbenzene	87	J	ug/L	200	27.00	6/18/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3493				
NAL13026-1516	T1 EFF	ORG 79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	6/18/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3493				
NAL13026-1516	T1 EFF	ORG 96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	6/18/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3493				

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1516	T1 EFF	ORG 108-67-8	1,3,5-Trimethylbenzene	170	J	ug/L	200	20.03	6/18/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3493				
NAL13026-1516	T1 EFF	ORG 98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	6/18/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3493				
NAL13026-1516	T1 EFF	ORG 95-63-6	1,2,4-Trimethylbenzene	690		ug/L	200	20.03	6/18/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3493				
NAL13026-1516	T1 EFF	ORG 135-98-8	sec-Butylbenzene	42	J	ug/L	200	32.34	6/18/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3493				
NAL13026-1516	T1 EFF	ORG 541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	6/18/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3493				
NAL13026-1516	T1 EFF	ORG 99-87-6	p-Isopropyltoluene	2300		ug/L	200	25.48	6/18/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3493				
NAL13026-1516	T1 EFF	ORG 106-46-7	1,4-Dichlorobenzene	790		ug/L	200	33.03	6/18/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3493				
NAL13026-1516	T1 EFF	ORG 95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	6/18/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3493				
NAL13026-1516	T1 EFF	ORG 104-51-8	n-Butylbenzene	110	J	ug/L	500	27.81	6/18/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3493				
NAL13026-1516	T1 EFF	ORG 96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	6/18/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3493				
NAL13026-1516	T1 EFF	ORG 87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	6/18/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3493				
NAL13026-1516	T1 EFF	ORG 120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	6/18/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3493				
NAL13026-1516	T1 EFF	ORG 91-20-3	Naphthalene	1100		ug/L	500	56.04	6/18/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3493				
NAL13026-1516	T1 EFF	ORG 87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	6/18/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3493				
NAL13026-1516	T1 EFF	STD 1868-53-7	Dibromofluoromethane	51		ug/L	1	0	6/18/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3493	50	102%		
NAL13026-1516	T1 EFF	STD 17060-07-0	1,2-Dichloroethane d4	60		ug/L	1	0	6/18/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3493	50	120%		
NAL13026-1516	T1 EFF	STD 2037-26-5	Toluene d8	52		ug/L	1	0	6/18/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3493	50	104%		
NAL13026-1516	T1 EFF	STD 460-00-4	Bromofluorobenzene	54		ug/L	1	0	6/18/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3493	50	108%		

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D061914CCVA	D061914CCVA	ORG 108-67-8	1,3,5-Trimethylbenzene	54		ug/L	2	0.20	NA	6/19/2014	6/19/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3484	50	108%		
D061914CCVA	D061914CCVA	ORG 98-06-6	tert-Butylbenzene	55		ug/L	2	0.33	NA	6/19/2014	6/19/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3484	50	110%		
D061914CCVA	D061914CCVA	ORG 95-63-6	1,2,4-Trimethylbenzene	54		ug/L	2	0.20	NA	6/19/2014	6/19/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3484	50	108%		
D061914CCVA	D061914CCVA	ORG 135-98-8	sec-Butylbenzene	54		ug/L	2	0.32	NA	6/19/2014	6/19/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3484	50	108%		
D061914CCVA	D061914CCVA	ORG 541-73-1	1,3-Dichlorobenzene	51		ug/L	2	0.22	NA	6/19/2014	6/19/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3484	50	102%		
D061914CCVA	D061914CCVA	ORG 99-87-6	p-Isopropyltoluene	54		ug/L	2	0.25	NA	6/19/2014	6/19/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3484	50	108%		
D061914CCVA	D061914CCVA	ORG 106-46-7	1,4-Dichlorobenzene	50		ug/L	2	0.33	NA	6/19/2014	6/19/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3484	50	100%		
D061914CCVA	D061914CCVA	ORG 95-50-1	1,2-Dichlorobenzene	50		ug/L	2	0.26	NA	6/19/2014	6/19/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3484	50	100%		
D061914CCVA	D061914CCVA	ORG 104-51-8	n-Butylbenzene	57		ug/L	5	0.28	NA	6/19/2014	6/19/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3484	50	114%		
D061914CCVA	D061914CCVA	ORG 96-12-8	1,2-Dibromo-3-chloropropane	54		ug/L	5	1.59	NA	6/19/2014	6/19/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3484	50	108%		
D061914CCVA	D061914CCVA	ORG 87-68-3	Hexachlorobutadiene	63		ug/L	5	0.65	NA	6/19/2014	6/19/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3484	50	126%		
D061914CCVA	D061914CCVA	ORG 120-82-1	1,2,4-Trichlorobenzene	53		ug/L	5	0.28	NA	6/19/2014	6/19/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3484	50	106%		
D061914CCVA	D061914CCVA	ORG 91-20-3	Naphthalene	46		ug/L	5	0.56	NA	6/19/2014	6/19/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3484	50	92%		
D061914CCVA	D061914CCVA	ORG 87-61-6	1,2,3-Trichlorobenzene	51		ug/L	5	0.23	NA	6/19/2014	6/19/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3484	50	102%		
D061914CCVA	D061914CCVA	STD 1868-53-7	Dibromofluoromethane	51		ug/L	1	0	NA	6/19/2014	6/19/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3484	50	102%		
D061914CCVA	D061914CCVA	STD 17060-07-0	1,2-Dichloroethane d4	55		ug/L	1	0	NA	6/19/2014	6/19/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3484	50	110%		
D061914CCVA	D061914CCVA	STD 2037-26-5	Toluene d8	51		ug/L	1	0	NA	6/19/2014	6/19/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3484	50	102%		
D061914CCVA	D061914CCVA	STD 460-00-4	Bromofluorobenzene	52		ug/L	1	0	NA	6/19/2014	6/19/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3484	50	104%		

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D061914MBKA	D061914MBKA	ORG 108-67-8	1,3,5-Trimethylbenzene		U	ug/L	2	0.20	NA	6/19/2014	6/19/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3486				
D061914MBKA	D061914MBKA	ORG 98-06-6	tert-Butylbenzene		U	ug/L	2	0.33	NA	6/19/2014	6/19/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3486				
D061914MBKA	D061914MBKA	ORG 95-63-6	1,2,4-Trimethylbenzene		U	ug/L	2	0.20	NA	6/19/2014	6/19/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3486				
D061914MBKA	D061914MBKA	ORG 135-98-8	sec-Butylbenzene		U	ug/L	2	0.32	NA	6/19/2014	6/19/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3486				
D061914MBKA	D061914MBKA	ORG 541-73-1	1,3-Dichlorobenzene		U	ug/L	2	0.22	NA	6/19/2014	6/19/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3486				
D061914MBKA	D061914MBKA	ORG 99-87-6	p-Isopropyltoluene		U	ug/L	2	0.25	NA	6/19/2014	6/19/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3486				
D061914MBKA	D061914MBKA	ORG 106-46-7	1,4-Dichlorobenzene		U	ug/L	2	0.33	NA	6/19/2014	6/19/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3486				
D061914MBKA	D061914MBKA	ORG 95-50-1	1,2-Dichlorobenzene		U	ug/L	2	0.26	NA	6/19/2014	6/19/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3486				
D061914MBKA	D061914MBKA	ORG 104-51-8	n-Butylbenzene		U	ug/L	5	0.28	NA	6/19/2014	6/19/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3486				
D061914MBKA	D061914MBKA	ORG 96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	5	1.59	NA	6/19/2014	6/19/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3486				
D061914MBKA	D061914MBKA	ORG 87-68-3	Hexachlorobutadiene		U	ug/L	5	0.65	NA	6/19/2014	6/19/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3486				
D061914MBKA	D061914MBKA	ORG 120-82-1	1,2,4-Trichlorobenzene		U	ug/L	5	0.28	NA	6/19/2014	6/19/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3486				
D061914MBKA	D061914MBKA	ORG 91-20-3	Naphthalene		U	ug/L	5	0.56	NA	6/19/2014	6/19/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3486				
D061914MBKA	D061914MBKA	ORG 87-61-6	1,2,3-Trichlorobenzene		U	ug/L	5	0.23	NA	6/19/2014	6/19/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3486				
D061914MBKA	D061914MBKA	STD 1868-53-7	Dibromofluoromethane	49		ug/L	1	0	NA	6/19/2014	6/19/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3486	50	98%		
D061914MBKA	D061914MBKA	STD 17060-07-0	1,2-Dichloroethane d4	62		ug/L	1	0	NA	6/19/2014	6/19/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3486	50	124%		
D061914MBKA	D061914MBKA	STD 2037-26-5	Toluene d8	51		ug/L	1	0	NA	6/19/2014	6/19/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3486	50	102%		
D061914MBKA	D061914MBKA	STD 460-00-4	Bromofluorobenzene	54		ug/L	1	0	NA	6/19/2014	6/19/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3486	50	108%		

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D061914ALCS	D061914ALCS	ORG 108-67-8	1,3,5-Trimethylbenzene	53		ug/L	2	0.20	NA	6/19/2014	6/19/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3485	50	106%		
D061914ALCS	D061914ALCS	ORG 98-06-6	tert-Butylbenzene	54		ug/L	2	0.33	NA	6/19/2014	6/19/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3485	50	108%		
D061914ALCS	D061914ALCS	ORG 95-63-6	1,2,4-Trimethylbenzene	53		ug/L	2	0.20	NA	6/19/2014	6/19/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3485	50	106%		
D061914ALCS	D061914ALCS	ORG 135-98-8	sec-Butylbenzene	53		ug/L	2	0.32	NA	6/19/2014	6/19/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3485	50	106%		
D061914ALCS	D061914ALCS	ORG 541-73-1	1,3-Dichlorobenzene	50		ug/L	2	0.22	NA	6/19/2014	6/19/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3485	50	100%		
D061914ALCS	D061914ALCS	ORG 99-87-6	p-Isopropyltoluene	54		ug/L	2	0.25	NA	6/19/2014	6/19/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3485	50	108%		
D061914ALCS	D061914ALCS	ORG 106-46-7	1,4-Dichlorobenzene	50		ug/L	2	0.33	NA	6/19/2014	6/19/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3485	50	100%		
D061914ALCS	D061914ALCS	ORG 95-50-1	1,2-Dichlorobenzene	50		ug/L	2	0.26	NA	6/19/2014	6/19/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3485	50	100%		
D061914ALCS	D061914ALCS	ORG 104-51-8	n-Butylbenzene	57		ug/L	5	0.28	NA	6/19/2014	6/19/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3485	50	114%		
D061914ALCS	D061914ALCS	ORG 96-12-8	1,2-Dibromo-3-chloropropane	54		ug/L	5	1.59	NA	6/19/2014	6/19/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3485	50	108%		
D061914ALCS	D061914ALCS	ORG 87-68-3	Hexachlorobutadiene	62		ug/L	5	0.65	NA	6/19/2014	6/19/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3485	50	124%		
D061914ALCS	D061914ALCS	ORG 120-82-1	1,2,4-Trichlorobenzene	53		ug/L	5	0.28	NA	6/19/2014	6/19/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3485	50	106%		
D061914ALCS	D061914ALCS	ORG 91-20-3	Naphthalene	48		ug/L	5	0.56	NA	6/19/2014	6/19/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3485	50	96%		
D061914ALCS	D061914ALCS	ORG 87-61-6	1,2,3-Trichlorobenzene	52		ug/L	5	0.23	NA	6/19/2014	6/19/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3485	50	104%		
D061914ALCS	D061914ALCS	STD 1868-53-7	Dibromofluoromethane	51		ug/L	1	0	NA	6/19/2014	6/19/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3485	50	102%		
D061914ALCS	D061914ALCS	STD 17060-07-0	1,2-Dichloroethane d4	56		ug/L	1	0	NA	6/19/2014	6/19/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3485	50	112%		
D061914ALCS	D061914ALCS	STD 2037-26-5	Toluene d8	51		ug/L	1	0	NA	6/19/2014	6/19/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3485	50	102%		
D061914ALCS	D061914ALCS	STD 460-00-4	Bromofluorobenzene	52		ug/L	1	0	NA	6/19/2014	6/19/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3485	50	104%		

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D061914ALCD	D061914ALCD	ORG 108-67-8	1,3,5-Trimethylbenzene	55		ug/L	2	0.20	NA	6/19/2014	6/19/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3495	50	110%	4%	
D061914ALCD	D061914ALCD	ORG 98-06-6	tert-Butylbenzene	55		ug/L	2	0.33	NA	6/19/2014	6/19/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3495	50	110%	2%	
D061914ALCD	D061914ALCD	ORG 95-63-6	1,2,4-Trimethylbenzene	54		ug/L	2	0.20	NA	6/19/2014	6/19/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3495	50	108%	2%	
D061914ALCD	D061914ALCD	ORG 135-98-8	sec-Butylbenzene	53		ug/L	2	0.32	NA	6/19/2014	6/19/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3495	50	106%	0%	
D061914ALCD	D061914ALCD	ORG 541-73-1	1,3-Dichlorobenzene	51		ug/L	2	0.22	NA	6/19/2014	6/19/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3495	50	102%	2%	
D061914ALCD	D061914ALCD	ORG 99-87-6	p-Isopropyltoluene	54		ug/L	2	0.25	NA	6/19/2014	6/19/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3495	50	108%	0%	
D061914ALCD	D061914ALCD	ORG 106-46-7	1,4-Dichlorobenzene	50		ug/L	2	0.33	NA	6/19/2014	6/19/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3495	50	100%	0%	
D061914ALCD	D061914ALCD	ORG 95-50-1	1,2-Dichlorobenzene	50		ug/L	2	0.26	NA	6/19/2014	6/19/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3495	50	100%	0%	
D061914ALCD	D061914ALCD	ORG 104-51-8	n-Butylbenzene	57		ug/L	5	0.28	NA	6/19/2014	6/19/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3495	50	114%	0%	
D061914ALCD	D061914ALCD	ORG 96-12-8	1,2-Dibromo-3-chloropropane	60		ug/L	5	1.59	NA	6/19/2014	6/19/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3495	50	120%	11%	
D061914ALCD	D061914ALCD	ORG 87-68-3	Hexachlorobutadiene	61		ug/L	5	0.65	NA	6/19/2014	6/19/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3495	50	122%	2%	
D061914ALCD	D061914ALCD	ORG 120-82-1	1,2,4-Trichlorobenzene	53		ug/L	5	0.28	NA	6/19/2014	6/19/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3495	50	106%	0%	
D061914ALCD	D061914ALCD	ORG 91-20-3	Naphthalene	48		ug/L	5	0.56	NA	6/19/2014	6/19/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3495	50	96%	0%	
D061914ALCD	D061914ALCD	ORG 87-61-6	1,2,3-Trichlorobenzene	51		ug/L	5	0.23	NA	6/19/2014	6/19/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3495	50	102%	2%	
D061914ALCD	D061914ALCD	STD 1868-53-7	Dibromofluoromethane	51		ug/L	1	0	NA	6/19/2014	6/19/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3495	50	102%	0%	
D061914ALCD	D061914ALCD	STD 17060-07-0	1,2-Dichloroethane d4	56		ug/L	1	0	NA	6/19/2014	6/19/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3495	50	112%	0%	
D061914ALCD	D061914ALCD	STD 2037-26-5	Toluene d8	51		ug/L	1	0	NA	6/19/2014	6/19/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3495	50	102%	0%	
D061914ALCD	D061914ALCD	STD 460-00-4	Bromofluorobenzene	53		ug/L	1	0	NA	6/19/2014	6/19/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3495	50	106%	2%	



New Age/Landmark Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090 Tel: 888-685-1628 • mobilelabs@newagelandmark.com

Republic Services 12976 St. Charles Rock Rd. Bridgeton, MO 63044 ATTN: Brian Power

FINAL ANALYTICAL REPORT

Project #: NAL13-026 Project Site: Bridgeton Landfill

Table with columns: Lab ID, Sample ID, CAS #, ANALYTES, Results, QC, Units, RDL, MDL, Sample Date, Prep. Date, Analysis Date, Matrix, Dil., Weight(g), Vol.(ml), % Solid, Method, Data file, Spike, % Rec, % RPD, Parent. Contains 40 rows of analytical data for various compounds like Dichlorodifluoromethane, Chloromethane, Vinyl chloride, etc.

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President. B = Analyte is found in the associated blank as well as in the sample. D = Compound identified in an analysis at a secondary dilution factor. E = Compound's concentration exceeds the calibration range of the instrument at this dilution. X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation. J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL. M = Matrix assessment, QC analyses parameter exceeded control limits. U = Non-detect * NAL is not certified for these compound by NELAC.

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1517MS	316-335	ORG 108-67-8	1,3,5-Trimethylbenzene	5600		ug/L	200	20.03	6/19/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3496	5000	105%		360
NAL13026-1517MS	316-335	ORG 98-06-6	tert-Butylbenzene	5400		ug/L	200	32.61	6/19/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3496	5000	108%		
NAL13026-1517MS	316-335	ORG 95-63-6	1,2,4-Trimethylbenzene	6300		ug/L	200	20.03	6/19/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3496	5000	92%		1700
NAL13026-1517MS	316-335	ORG 135-98-8	sec-Butylbenzene	5300		ug/L	200	32.34	6/19/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3496	5000	105%		52
NAL13026-1517MS	316-335	ORG 541-73-1	1,3-Dichlorobenzene	5100		ug/L	200	22.21	6/19/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3496	5000	102%		
NAL13026-1517MS	316-335	ORG 99-87-6	p-Isopropyltoluene	10000		ug/L	200	25.48	6/19/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3496	5000	24%		8800
NAL13026-1517MS	316-335	ORG 106-46-7	1,4-Dichlorobenzene	6000		ug/L	200	33.03	6/19/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3496	5000	84%		1800
NAL13026-1517MS	316-335	ORG 95-50-1	1,2-Dichlorobenzene	5000		ug/L	200	26.38	6/19/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3496	5000	100%		
NAL13026-1517MS	316-335	ORG 104-51-8	n-Butylbenzene	5800		ug/L	500	27.81	6/19/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3496	5000	111%		240
NAL13026-1517MS	316-335	ORG 96-12-8	1,2-Dibromo-3-chloropropane	6700		ug/L	500	159.11	6/19/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3496	5000	134%		
NAL13026-1517MS	316-335	ORG 87-68-3	Hexachlorobutadiene	5400		ug/L	500	65.42	6/19/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3496	5000	108%		
NAL13026-1517MS	316-335	ORG 120-82-1	1,2,4-Trichlorobenzene	5300		ug/L	500	27.63	6/19/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3496	5000	106%		
NAL13026-1517MS	316-335	ORG 91-20-3	Naphthalene	7500		ug/L	500	56.04	6/19/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3496	5000	76%		3700
NAL13026-1517MS	316-335	ORG 87-61-6	1,2,3-Trichlorobenzene	5000		ug/L	500	23.28	6/19/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3496	5000	100%		
NAL13026-1517MS	316-335	STD 1868-53-7	Dibromofluoromethane	52		ug/L	1	0	6/19/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3496	50	104%		
NAL13026-1517MS	316-335	STD 17060-07-0	1,2-Dichloroethane d4	56		ug/L	1	0	6/19/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3496	50	112%		
NAL13026-1517MS	316-335	STD 2037-26-5	Toluene d8	50		ug/L	1	0	6/19/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3496	50	100%		
NAL13026-1517MS	316-335	STD 460-00-4	Bromofluorobenzene	54		ug/L	1	0	6/19/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3496	50	108%		



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assessment, QC analyses parameter exceeded control limits.
U = Non-detect
* NAL is not certified for these compound by NELAC.

Table with columns: Lab ID, Sample ID, CAS #, ANALYTES, Results, QC, Units, RDL, MDL, Sample Date, Prep. Date, Analysis Date, Matrix, Dil., Weight(g), Vol.(ml), % Solid, Method, Data file, Spike, % Rec, % RPD, Parent. Contains 40 rows of analytical data for various compounds like Dichlorodifluoromethane, Chloromethane, Vinyl chloride, etc.

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assessment, QC analyses parameter exceeded control limits.
U = Non-detect
 * NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1517MSD	316-335	ORG 108-67-8	1,3,5-Trimethylbenzene	5900		ug/L	200	20.03	6/19/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3497	5000	111%	5%	360
NAL13026-1517MSD	316-335	ORG 98-06-6	tert-Butylbenzene	5800		ug/L	200	32.61	6/19/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3497	5000	116%	7%	
NAL13026-1517MSD	316-335	ORG 95-63-6	1,2,4-Trimethylbenzene	6600		ug/L	200	20.03	6/19/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3497	5000	98%	5%	1700
NAL13026-1517MSD	316-335	ORG 135-98-8	sec-Butylbenzene	5800		ug/L	200	32.34	6/19/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3497	5000	115%	9%	52
NAL13026-1517MSD	316-335	ORG 541-73-1	1,3-Dichlorobenzene	5300		ug/L	200	22.21	6/19/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3497	5000	106%	4%	
NAL13026-1517MSD	316-335	ORG 99-87-6	p-Isopropyltoluene	11000		ug/L	200	25.48	6/19/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3497	5000	44%	10%	8800
NAL13026-1517MSD	316-335	ORG 106-46-7	1,4-Dichlorobenzene	6400		ug/L	200	33.03	6/19/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3497	5000	92%	6%	1800
NAL13026-1517MSD	316-335	ORG 95-50-1	1,2-Dichlorobenzene	5100		ug/L	200	26.38	6/19/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3497	5000	102%	2%	
NAL13026-1517MSD	316-335	ORG 104-51-8	n-Butylbenzene	6300		ug/L	500	27.81	6/19/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3497	5000	121%	8%	240
NAL13026-1517MSD	316-335	ORG 96-12-8	1,2-Dibromo-3-chloropropane	5700		ug/L	500	159.11	6/19/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3497	5000	114%	16%	
NAL13026-1517MSD	316-335	ORG 87-68-3	Hexachlorobutadiene	6100		ug/L	500	65.42	6/19/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3497	5000	122%	12%	
NAL13026-1517MSD	316-335	ORG 120-82-1	1,2,4-Trichlorobenzene	5400		ug/L	500	27.63	6/19/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3497	5000	108%	2%	
NAL13026-1517MSD	316-335	ORG 91-20-3	Naphthalene	7000		ug/L	500	56.04	6/19/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3497	5000	66%	7%	3700
NAL13026-1517MSD	316-335	ORG 87-61-6	1,2,3-Trichlorobenzene	5100		ug/L	500	23.28	6/19/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3497	5000	102%	2%	
NAL13026-1517MSD	316-335	STD 1868-53-7	Dibromofluoromethane	51		ug/L	1	0	6/19/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3497	50	102%	2%	
NAL13026-1517MSD	316-335	STD 17060-07-0	1,2-Dichloroethane d4	54		ug/L	1	0	6/19/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3497	50	108%	4%	
NAL13026-1517MSD	316-335	STD 2037-26-5	Toluene d8	50		ug/L	1	0	6/19/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3497	50	100%	0%	
NAL13026-1517MSD	316-335	STD 460-00-4	Bromofluorobenzene	55		ug/L	1	0	6/19/2014	6/19/2014	6/19/2014	WG	100	NA	5.0	NA	SW8260B	NALD3497	50	110%	2%	

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1519	316-336	ORG 108-67-8	1,3,5-Trimethylbenzene	240		ug/L	200	20.03	6/20/2014	6/20/2014	6/20/2014	WG	100	NA	5.0	NA	SW8260B	NALD3504				
NAL13026-1519	316-336	ORG 98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	6/20/2014	6/20/2014	6/20/2014	WG	100	NA	5.0	NA	SW8260B	NALD3504				
NAL13026-1519	316-336	ORG 95-63-6	1,2,4-Trimethylbenzene	1200		ug/L	200	20.03	6/20/2014	6/20/2014	6/20/2014	WG	100	NA	5.0	NA	SW8260B	NALD3504				
NAL13026-1519	316-336	ORG 135-98-8	sec-Butylbenzene	54	J	ug/L	200	32.34	6/20/2014	6/20/2014	6/20/2014	WG	100	NA	5.0	NA	SW8260B	NALD3504				
NAL13026-1519	316-336	ORG 541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	6/20/2014	6/20/2014	6/20/2014	WG	100	NA	5.0	NA	SW8260B	NALD3504				
NAL13026-1519	316-336	ORG 99-87-6	p-Isopropyltoluene	6500		ug/L	200	25.48	6/20/2014	6/20/2014	6/20/2014	WG	100	NA	5.0	NA	SW8260B	NALD3504				
NAL13026-1519	316-336	ORG 106-46-7	1,4-Dichlorobenzene	1300		ug/L	200	33.03	6/20/2014	6/20/2014	6/20/2014	WG	100	NA	5.0	NA	SW8260B	NALD3504				
NAL13026-1519	316-336	ORG 95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	6/20/2014	6/20/2014	6/20/2014	WG	100	NA	5.0	NA	SW8260B	NALD3504				
NAL13026-1519	316-336	ORG 104-51-8	n-Butylbenzene	150	J	ug/L	500	27.81	6/20/2014	6/20/2014	6/20/2014	WG	100	NA	5.0	NA	SW8260B	NALD3504				
NAL13026-1519	316-336	ORG 96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	6/20/2014	6/20/2014	6/20/2014	WG	100	NA	5.0	NA	SW8260B	NALD3504				
NAL13026-1519	316-336	ORG 87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	6/20/2014	6/20/2014	6/20/2014	WG	100	NA	5.0	NA	SW8260B	NALD3504				
NAL13026-1519	316-336	ORG 120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	6/20/2014	6/20/2014	6/20/2014	WG	100	NA	5.0	NA	SW8260B	NALD3504				
NAL13026-1519	316-336	ORG 91-20-3	Naphthalene	2600		ug/L	500	56.04	6/20/2014	6/20/2014	6/20/2014	WG	100	NA	5.0	NA	SW8260B	NALD3504				
NAL13026-1519	316-336	ORG 87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	6/20/2014	6/20/2014	6/20/2014	WG	100	NA	5.0	NA	SW8260B	NALD3504				
NAL13026-1519	316-336	STD 1868-53-7	Dibromofluoromethane	51		ug/L	1	0.10	6/20/2014	6/20/2014	6/20/2014	WG	100	NA	5.0	NA	SW8260B	NALD3504	50	102%		
NAL13026-1519	316-336	STD 17060-07-0	1,2-Dichloroethane d4	59		ug/L	1	0.10	6/20/2014	6/20/2014	6/20/2014	WG	100	NA	5.0	NA	SW8260B	NALD3504	50	118%		
NAL13026-1519	316-336	STD 2037-26-5	Toluene d8	52		ug/L	1	0.10	6/20/2014	6/20/2014	6/20/2014	WG	100	NA	5.0	NA	SW8260B	NALD3504	50	104%		
NAL13026-1519	316-336	STD 460-00-4	Bromofluorobenzene	56		ug/L	1	0.10	6/20/2014	6/20/2014	6/20/2014	WG	100	NA	5.0	NA	SW8260B	NALD3504	50	112%		

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1520	CB 6-20-14	ORG 108-67-8	1,3,5-Trimethylbenzene	41	J	ug/L	200	20.03	6/20/2014	6/20/2014	6/20/2014	WG	100	NA	5.0	NA	SW8260B	NALD3506				
NAL13026-1520	CB 6-20-14	ORG 98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	6/20/2014	6/20/2014	6/20/2014	WG	100	NA	5.0	NA	SW8260B	NALD3506				
NAL13026-1520	CB 6-20-14	ORG 95-63-6	1,2,4-Trimethylbenzene	130	J	ug/L	200	20.03	6/20/2014	6/20/2014	6/20/2014	WG	100	NA	5.0	NA	SW8260B	NALD3506				
NAL13026-1520	CB 6-20-14	ORG 135-98-8	sec-Butylbenzene	33	J	ug/L	200	32.34	6/20/2014	6/20/2014	6/20/2014	WG	100	NA	5.0	NA	SW8260B	NALD3506				
NAL13026-1520	CB 6-20-14	ORG 541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	6/20/2014	6/20/2014	6/20/2014	WG	100	NA	5.0	NA	SW8260B	NALD3506				
NAL13026-1520	CB 6-20-14	ORG 99-87-6	p-Isopropyltoluene	980		ug/L	200	25.48	6/20/2014	6/20/2014	6/20/2014	WG	100	NA	5.0	NA	SW8260B	NALD3506				
NAL13026-1520	CB 6-20-14	ORG 106-46-7	1,4-Dichlorobenzene	140	J	ug/L	200	33.03	6/20/2014	6/20/2014	6/20/2014	WG	100	NA	5.0	NA	SW8260B	NALD3506				
NAL13026-1520	CB 6-20-14	ORG 95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	6/20/2014	6/20/2014	6/20/2014	WG	100	NA	5.0	NA	SW8260B	NALD3506				
NAL13026-1520	CB 6-20-14	ORG 104-51-8	n-Butylbenzene	48	J	ug/L	500	27.81	6/20/2014	6/20/2014	6/20/2014	WG	100	NA	5.0	NA	SW8260B	NALD3506				
NAL13026-1520	CB 6-20-14	ORG 96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	6/20/2014	6/20/2014	6/20/2014	WG	100	NA	5.0	NA	SW8260B	NALD3506				
NAL13026-1520	CB 6-20-14	ORG 87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	6/20/2014	6/20/2014	6/20/2014	WG	100	NA	5.0	NA	SW8260B	NALD3506				
NAL13026-1520	CB 6-20-14	ORG 120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	6/20/2014	6/20/2014	6/20/2014	WG	100	NA	5.0	NA	SW8260B	NALD3506				
NAL13026-1520	CB 6-20-14	ORG 91-20-3	Naphthalene	590		ug/L	500	56.04	6/20/2014	6/20/2014	6/20/2014	WG	100	NA	5.0	NA	SW8260B	NALD3506				
NAL13026-1520	CB 6-20-14	ORG 87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	6/20/2014	6/20/2014	6/20/2014	WG	100	NA	5.0	NA	SW8260B	NALD3506				
NAL13026-1520	CB 6-20-14	STD 1868-53-7	Dibromofluoromethane	51		ug/L	1	0.10	6/20/2014	6/20/2014	6/20/2014	WG	100	NA	5.0	NA	SW8260B	NALD3506	50	102%		
NAL13026-1520	CB 6-20-14	STD 17060-07-0	1,2-Dichloroethane d4	60		ug/L	1	0.10	6/20/2014	6/20/2014	6/20/2014	WG	100	NA	5.0	NA	SW8260B	NALD3506	50	120%		
NAL13026-1520	CB 6-20-14	STD 2037-26-5	Toluene d8	51		ug/L	1	0.10	6/20/2014	6/20/2014	6/20/2014	WG	100	NA	5.0	NA	SW8260B	NALD3506	50	102%		
NAL13026-1520	CB 6-20-14	STD 460-00-4	Bromofluorobenzene	55		ug/L	1	0.10	6/20/2014	6/20/2014	6/20/2014	WG	100	NA	5.0	NA	SW8260B	NALD3506	50	110%		

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1521	T1 INF	ORG 108-67-8	1,3,5-Trimethylbenzene	470		ug/L	200	20.03	6/20/2014	6/20/2014	6/20/2014	WG	100	NA	5.0	NA	SW8260B	NALD3508				
NAL13026-1521	T1 INF	ORG 98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	6/20/2014	6/20/2014	6/20/2014	WG	100	NA	5.0	NA	SW8260B	NALD3508				
NAL13026-1521	T1 INF	ORG 95-63-6	1,2,4-Trimethylbenzene	2100		ug/L	200	20.03	6/20/2014	6/20/2014	6/20/2014	WG	100	NA	5.0	NA	SW8260B	NALD3508				
NAL13026-1521	T1 INF	ORG 135-98-8	sec-Butylbenzene	80	J	ug/L	200	32.34	6/20/2014	6/20/2014	6/20/2014	WG	100	NA	5.0	NA	SW8260B	NALD3508				
NAL13026-1521	T1 INF	ORG 541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	6/20/2014	6/20/2014	6/20/2014	WG	100	NA	5.0	NA	SW8260B	NALD3508				
NAL13026-1521	T1 INF	ORG 99-87-6	p-Isopropyltoluene	8400		ug/L	200	25.48	6/20/2014	6/20/2014	6/20/2014	WG	100	NA	5.0	NA	SW8260B	NALD3508				
NAL13026-1521	T1 INF	ORG 106-46-7	1,4-Dichlorobenzene	1800		ug/L	200	33.03	6/20/2014	6/20/2014	6/20/2014	WG	100	NA	5.0	NA	SW8260B	NALD3508				
NAL13026-1521	T1 INF	ORG 95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	6/20/2014	6/20/2014	6/20/2014	WG	100	NA	5.0	NA	SW8260B	NALD3508				
NAL13026-1521	T1 INF	ORG 104-51-8	n-Butylbenzene	160	J	ug/L	500	27.81	6/20/2014	6/20/2014	6/20/2014	WG	100	NA	5.0	NA	SW8260B	NALD3508				
NAL13026-1521	T1 INF	ORG 96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	6/20/2014	6/20/2014	6/20/2014	WG	100	NA	5.0	NA	SW8260B	NALD3508				
NAL13026-1521	T1 INF	ORG 87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	6/20/2014	6/20/2014	6/20/2014	WG	100	NA	5.0	NA	SW8260B	NALD3508				
NAL13026-1521	T1 INF	ORG 120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	6/20/2014	6/20/2014	6/20/2014	WG	100	NA	5.0	NA	SW8260B	NALD3508				
NAL13026-1521	T1 INF	ORG 91-20-3	Naphthalene	1800		ug/L	500	56.04	6/20/2014	6/20/2014	6/20/2014	WG	100	NA	5.0	NA	SW8260B	NALD3508				
NAL13026-1521	T1 INF	ORG 87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	6/20/2014	6/20/2014	6/20/2014	WG	100	NA	5.0	NA	SW8260B	NALD3508				
NAL13026-1521	T1 INF	STD 1868-53-7	Dibromofluoromethane	51		ug/L	1	0.10	6/20/2014	6/20/2014	6/20/2014	WG	100	NA	5.0	NA	SW8260B	NALD3508	50	102%		
NAL13026-1521	T1 INF	STD 17060-07-0	1,2-Dichloroethane d4	58		ug/L	1	0.10	6/20/2014	6/20/2014	6/20/2014	WG	100	NA	5.0	NA	SW8260B	NALD3508	50	116%		
NAL13026-1521	T1 INF	STD 2037-26-5	Toluene d8	52		ug/L	1	0.10	6/20/2014	6/20/2014	6/20/2014	WG	100	NA	5.0	NA	SW8260B	NALD3508	50	104%		
NAL13026-1521	T1 INF	STD 460-00-4	Bromofluorobenzene	54		ug/L	1	0.10	6/20/2014	6/20/2014	6/20/2014	WG	100	NA	5.0	NA	SW8260B	NALD3508	50	108%		

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1522	T1 EFF	ORG 108-67-8	1,3,5-Trimethylbenzene	350		ug/L	200	20.03	6/20/2014	6/20/2014	6/20/2014	WG	100	NA	5.0	NA	SW8260B	NALD3510				
NAL13026-1522	T1 EFF	ORG 98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	6/20/2014	6/20/2014	6/20/2014	WG	100	NA	5.0	NA	SW8260B	NALD3510				
NAL13026-1522	T1 EFF	ORG 95-63-6	1,2,4-Trimethylbenzene	1700		ug/L	200	20.03	6/20/2014	6/20/2014	6/20/2014	WG	100	NA	5.0	NA	SW8260B	NALD3510				
NAL13026-1522	T1 EFF	ORG 135-98-8	sec-Butylbenzene	59	J	ug/L	200	32.34	6/20/2014	6/20/2014	6/20/2014	WG	100	NA	5.0	NA	SW8260B	NALD3510				
NAL13026-1522	T1 EFF	ORG 541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	6/20/2014	6/20/2014	6/20/2014	WG	100	NA	5.0	NA	SW8260B	NALD3510				
NAL13026-1522	T1 EFF	ORG 99-87-6	p-Isopropyltoluene	7800		ug/L	200	25.48	6/20/2014	6/20/2014	6/20/2014	WG	100	NA	5.0	NA	SW8260B	NALD3510				
NAL13026-1522	T1 EFF	ORG 106-46-7	1,4-Dichlorobenzene	1700		ug/L	200	33.03	6/20/2014	6/20/2014	6/20/2014	WG	100	NA	5.0	NA	SW8260B	NALD3510				
NAL13026-1522	T1 EFF	ORG 95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	6/20/2014	6/20/2014	6/20/2014	WG	100	NA	5.0	NA	SW8260B	NALD3510				
NAL13026-1522	T1 EFF	ORG 104-51-8	n-Butylbenzene	180	J	ug/L	500	27.81	6/20/2014	6/20/2014	6/20/2014	WG	100	NA	5.0	NA	SW8260B	NALD3510				
NAL13026-1522	T1 EFF	ORG 96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	6/20/2014	6/20/2014	6/20/2014	WG	100	NA	5.0	NA	SW8260B	NALD3510				
NAL13026-1522	T1 EFF	ORG 87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	6/20/2014	6/20/2014	6/20/2014	WG	100	NA	5.0	NA	SW8260B	NALD3510				
NAL13026-1522	T1 EFF	ORG 120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	6/20/2014	6/20/2014	6/20/2014	WG	100	NA	5.0	NA	SW8260B	NALD3510				
NAL13026-1522	T1 EFF	ORG 91-20-3	Naphthalene	2900		ug/L	500	56.04	6/20/2014	6/20/2014	6/20/2014	WG	100	NA	5.0	NA	SW8260B	NALD3510				
NAL13026-1522	T1 EFF	ORG 87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	6/20/2014	6/20/2014	6/20/2014	WG	100	NA	5.0	NA	SW8260B	NALD3510				
NAL13026-1522	T1 EFF	STD 1868-53-7	Dibromofluoromethane	51		ug/L	1	0.10	6/20/2014	6/20/2014	6/20/2014	WG	100	NA	5.0	NA	SW8260B	NALD3510	50	102%		
NAL13026-1522	T1 EFF	STD 17060-07-0	1,2-Dichloroethane d4	60		ug/L	1	0.10	6/20/2014	6/20/2014	6/20/2014	WG	100	NA	5.0	NA	SW8260B	NALD3510	50	120%		
NAL13026-1522	T1 EFF	STD 2037-26-5	Toluene d8	51		ug/L	1	0.10	6/20/2014	6/20/2014	6/20/2014	WG	100	NA	5.0	NA	SW8260B	NALD3510	50	102%		
NAL13026-1522	T1 EFF	STD 460-00-4	Bromofluorobenzene	54		ug/L	1	0.10	6/20/2014	6/20/2014	6/20/2014	WG	100	NA	5.0	NA	SW8260B	NALD3510	50	108%		

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D062014CCVA	D062014CCVA	ORG 108-67-8	1,3,5-Trimethylbenzene	54		ug/L	2	0.20	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3502	50	108%		
D062014CCVA	D062014CCVA	ORG 98-06-6	tert-Butylbenzene	56		ug/L	2	0.33	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3502	50	112%		
D062014CCVA	D062014CCVA	ORG 95-63-6	1,2,4-Trimethylbenzene	54		ug/L	2	0.20	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3502	50	108%		
D062014CCVA	D062014CCVA	ORG 135-98-8	sec-Butylbenzene	54		ug/L	2	0.32	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3502	50	108%		
D062014CCVA	D062014CCVA	ORG 541-73-1	1,3-Dichlorobenzene	51		ug/L	2	0.22	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3502	50	102%		
D062014CCVA	D062014CCVA	ORG 99-87-6	p-Isopropyltoluene	54		ug/L	2	0.25	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3502	50	108%		
D062014CCVA	D062014CCVA	ORG 106-46-7	1,4-Dichlorobenzene	51		ug/L	2	0.33	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3502	50	102%		
D062014CCVA	D062014CCVA	ORG 95-50-1	1,2-Dichlorobenzene	51		ug/L	2	0.26	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3502	50	102%		
D062014CCVA	D062014CCVA	ORG 104-51-8	n-Butylbenzene	57		ug/L	5	0.28	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3502	50	114%		
D062014CCVA	D062014CCVA	ORG 96-12-8	1,2-Dibromo-3-chloropropane	60		ug/L	5	1.59	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3502	50	120%		
D062014CCVA	D062014CCVA	ORG 87-68-3	Hexachlorobutadiene	63		ug/L	5	0.65	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3502	50	126%		
D062014CCVA	D062014CCVA	ORG 120-82-1	1,2,4-Trichlorobenzene	54		ug/L	5	0.28	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3502	50	108%		
D062014CCVA	D062014CCVA	ORG 91-20-3	Naphthalene	49		ug/L	5	0.56	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3502	50	98%		
D062014CCVA	D062014CCVA	ORG 87-61-6	1,2,3-Trichlorobenzene	52		ug/L	5	0.23	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3502	50	104%		
D062014CCVA	D062014CCVA	STD 1868-53-7	Dibromofluoromethane	52		ug/L	1	0.10	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3502	50	104%		
D062014CCVA	D062014CCVA	STD 17060-07-0	1,2-Dichloroethane d4	55		ug/L	1	0.10	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3502	50	110%		
D062014CCVA	D062014CCVA	STD 2037-26-5	Toluene d8	49		ug/L	1	0.10	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3502	50	98%		
D062014CCVA	D062014CCVA	STD 460-00-4	Bromofluorobenzene	55		ug/L	1	0.10	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3502	50	110%		

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D062014MBKA	D062014MBKA	ORG 108-67-8	1,3,5-Trimethylbenzene		U	ug/L	2	0.20	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3503				
D062014MBKA	D062014MBKA	ORG 98-06-6	tert-Butylbenzene		U	ug/L	2	0.33	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3503				
D062014MBKA	D062014MBKA	ORG 95-63-6	1,2,4-Trimethylbenzene		U	ug/L	2	0.20	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3503				
D062014MBKA	D062014MBKA	ORG 135-98-8	sec-Butylbenzene		U	ug/L	2	0.32	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3503				
D062014MBKA	D062014MBKA	ORG 541-73-1	1,3-Dichlorobenzene		U	ug/L	2	0.22	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3503				
D062014MBKA	D062014MBKA	ORG 99-87-6	p-Isopropyltoluene		U	ug/L	2	0.25	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3503				
D062014MBKA	D062014MBKA	ORG 106-46-7	1,4-Dichlorobenzene		U	ug/L	2	0.33	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3503				
D062014MBKA	D062014MBKA	ORG 95-50-1	1,2-Dichlorobenzene		U	ug/L	2	0.26	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3503				
D062014MBKA	D062014MBKA	ORG 104-51-8	n-Butylbenzene		U	ug/L	5	0.28	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3503				
D062014MBKA	D062014MBKA	ORG 96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	5	1.59	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3503				
D062014MBKA	D062014MBKA	ORG 87-68-3	Hexachlorobutadiene		U	ug/L	5	0.65	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3503				
D062014MBKA	D062014MBKA	ORG 120-82-1	1,2,4-Trichlorobenzene		U	ug/L	5	0.28	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3503				
D062014MBKA	D062014MBKA	ORG 91-20-3	Naphthalene		U	ug/L	5	0.56	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3503				
D062014MBKA	D062014MBKA	ORG 87-61-6	1,2,3-Trichlorobenzene		U	ug/L	5	0.23	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3503				
D062014MBKA	D062014MBKA	STD 1868-53-7	Dibromofluoromethane	51		ug/L	1	0.10	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3503	50	102%		
D062014MBKA	D062014MBKA	STD 17060-07-0	1,2-Dichloroethane d4	60		ug/L	1	0.10	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3503	50	120%		
D062014MBKA	D062014MBKA	STD 2037-26-5	Toluene d8	52		ug/L	1	0.10	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3503	50	104%		
D062014MBKA	D062014MBKA	STD 460-00-4	Bromofluorobenzene	52		ug/L	1	0.10	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3503	50	104%		



FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D062014ALCS	D062014ALCS	ORG 75-71-8	Dichlorodifluoromethane	58		ug/L	5	0.29	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3512	50	116%		
D062014ALCS	D062014ALCS	ORG 74-87-3	Chloromethane	45		ug/L	5	0.43	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3512	50	90%		
D062014ALCS	D062014ALCS	ORG 75-01-4	Vinyl chloride	53		ug/L	2	0.32	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3512	50	106%		
D062014ALCS	D062014ALCS	ORG 74-83-9	Bromomethane	90		ug/L	5	0.50	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3512	50	180%		
D062014ALCS	D062014ALCS	ORG 75-00-3	Chloroethane	100		ug/L	5	0.56	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3512	50	200%		
D062014ALCS	D062014ALCS	ORG 75-69-4	Trichlorofluoromethane	220		ug/L	5	0.20	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3512	50	440%		
D062014ALCS	D062014ALCS	ORG 75-35-4	1,1-Dichloroethene	55		ug/L	1	0.47	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3512	50	110%		
D062014ALCS	D062014ALCS	ORG 75-09-2	Methylene chloride	53		ug/L	5	0.26	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3512	50	106%		
D062014ALCS	D062014ALCS	ORG 67-64-1	Acetone	86		ug/L	10	1.56	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3512	50	172%		
D062014ALCS	D062014ALCS	ORG 156-60-5	trans-1,2-Dichloroethene	47		ug/L	1	0.56	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3512	50	94%		
D062014ALCS	D062014ALCS	ORG 1634-04-4	MTBE	51		ug/L	5	0.61	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3512	50	102%		
D062014ALCS	D062014ALCS	ORG 75-34-3	1,1-Dichloroethane	52		ug/L	1	0.53	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3512	50	104%		
D062014ALCS	D062014ALCS	ORG 156-59-2	cis-1,2-Dichloroethene	49		ug/L	1	0.32	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3512	50	98%		
D062014ALCS	D062014ALCS	ORG 74-97-5	Bromochloromethane	48		ug/L	10	0.41	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3512	50	96%		
D062014ALCS	D062014ALCS	ORG 67-66-3	Chloroform	52		ug/L	2	0.16	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3512	50	104%		
D062014ALCS	D062014ALCS	ORG 71-55-6	1,1,1-Trichloroethane	57		ug/L	1	0.17	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3512	50	114%		
D062014ALCS	D062014ALCS	ORG 78-93-3	2-Butanone	63		ug/L	1	0.81	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3512	50	126%		
D062014ALCS	D062014ALCS	ORG 56-23-5	Carbon tetrachloride	59		ug/L	1	0.28	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3512	50	118%		
D062014ALCS	D062014ALCS	ORG 71-43-2	Benzene	47		ug/L	1	0.14	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3512	50	94%		
D062014ALCS	D062014ALCS	ORG 107-06-2	1,2-Dichloroethane	54		ug/L	1	0.20	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3512	50	108%		
D062014ALCS	D062014ALCS	ORG 79-01-6	Trichloroethene	50		ug/L	1	0.36	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3512	50	100%		
D062014ALCS	D062014ALCS	ORG 74-95-3	Dibromomethane	49		ug/L	2	0.32	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3512	50	98%		
D062014ALCS	D062014ALCS	ORG 78-87-5	1,2-Dichloropropane	49		ug/L	1	0.18	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3512	50	98%		
D062014ALCS	D062014ALCS	ORG 75-27-4	Bromodichloromethane	54		ug/L	2	0.12	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3512	50	108%		
D062014ALCS	D062014ALCS	ORG 10061-01-5	cis-1,3-Dichloropropene	54		ug/L	1	0.25	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3512	50	108%		
D062014ALCS	D062014ALCS	ORG 108-88-3	Toluene	47		ug/L	1	0.21	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3512	50	94%		
D062014ALCS	D062014ALCS	ORG 108-10-1	4-Methyl-2-pentanone	50		ug/L	5	0.74	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3512	50	100%		
D062014ALCS	D062014ALCS	ORG 10061-02-6	trans-1,3-Dichloropropene	59		ug/L	1	0.31	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3512	50	118%		
D062014ALCS	D062014ALCS	ORG 127-18-4	Tetrachloroethene	40		ug/L	1	0.49	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3512	50	80%		
D062014ALCS	D062014ALCS	ORG 79-00-5	1,1,2-Trichloroethane	48		ug/L	1	0.34	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3512	50	96%		
D062014ALCS	D062014ALCS	ORG 124-48-1	Dibromochloromethane	54		ug/L	5	0.30	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3512	50	108%		
D062014ALCS	D062014ALCS	ORG 106-93-4	1,2-Dibromoethane	48		ug/L	2	0.26	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3512	50	96%		
D062014ALCS	D062014ALCS	ORG 591-78-6	2-Hexanone	62		ug/L	2	0.69	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3512	50	124%		
D062014ALCS	D062014ALCS	ORG 100-41-4	Ethylbenzene	53		ug/L	1	0.25	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3512	50	106%		
D062014ALCS	D062014ALCS	ORG 108-90-7	Chlorobenzene	50		ug/L	1	0.28	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3512	50	100%		
D062014ALCS	D062014ALCS	ORG 630-20-6	1,1,1,2-Tetrachloroethane	56		ug/L	2	0.19	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3512	50	112%		
D062014ALCS	D062014ALCS	ORG XYLYMP	p&m-Xylene	100		ug/L	2	0.26	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3512	100	100%		
D062014ALCS	D062014ALCS	ORG 95-47-6	o-Xylene	53		ug/L	1	0.13	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3512	50	106%		
D062014ALCS	D062014ALCS	ORG 100-42-5	Styrene	54		ug/L	1	0.20	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3512	50	108%		
D062014ALCS	D062014ALCS	ORG 75-25-2	Bromoform	52		ug/L	2	0.47	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3512	50	104%		
D062014ALCS	D062014ALCS	ORG 98-82-8	Isopropylbenzene	54		ug/L	2	0.20	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3512	50	108%		
D062014ALCS	D062014ALCS	ORG 103-65-1	n-Propylbenzene	53		ug/L	2	0.27	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3512	50	106%		
D062014ALCS	D062014ALCS	ORG 79-34-5	1,1,2,2-Tetrachloroethane	51		ug/L	2	0.29	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3512	50	102%		
D062014ALCS	D062014ALCS	ORG 96-18-4	1,2,3-Trichloropropane	51		ug/L	2	0.29	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3512	50	102%		

Confidential
D062014AKCF

D062014AKCF



FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

- B** = Analyte is found in the associated blank as well as in the sample.
 - D** = Compound identified in an analysis at a secondary dilution factor.
 - E** = Compound's concentration exceeds the calibration range of the instrument at this dilution.
 - X** = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
 - J** = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
 - M** = Matrix assessment, QC analyses parameter exceeded control limits.
 - U** = Non-detect
- * NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D062014ALCS	D062014ALCS	ORG 108-67-8	1,3,5-Trimethylbenzene	54		ug/L	2	0.20	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3512	50	108%		
D062014ALCS	D062014ALCS	ORG 98-06-6	tert-Butylbenzene	55		ug/L	2	0.33	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3512	50	110%		
D062014ALCS	D062014ALCS	ORG 95-63-6	1,2,4-Trimethylbenzene	53		ug/L	2	0.20	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3512	50	106%		
D062014ALCS	D062014ALCS	ORG 135-98-8	sec-Butylbenzene	53		ug/L	2	0.32	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3512	50	106%		
D062014ALCS	D062014ALCS	ORG 541-73-1	1,3-Dichlorobenzene	51		ug/L	2	0.22	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3512	50	102%		
D062014ALCS	D062014ALCS	ORG 99-87-6	p-Isopropyltoluene	53		ug/L	2	0.25	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3512	50	106%		
D062014ALCS	D062014ALCS	ORG 106-46-7	1,4-Dichlorobenzene	50		ug/L	2	0.33	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3512	50	100%		
D062014ALCS	D062014ALCS	ORG 95-50-1	1,2-Dichlorobenzene	49		ug/L	2	0.26	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3512	50	98%		
D062014ALCS	D062014ALCS	ORG 104-51-8	n-Butylbenzene	56		ug/L	5	0.28	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3512	50	112%		
D062014ALCS	D062014ALCS	ORG 96-12-8	1,2-Dibromo-3-chloropropane	53		ug/L	5	1.59	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3512	50	106%		
D062014ALCS	D062014ALCS	ORG 87-68-3	Hexachlorobutadiene	61		ug/L	5	0.65	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3512	50	122%		
D062014ALCS	D062014ALCS	ORG 120-82-1	1,2,4-Trichlorobenzene	52		ug/L	5	0.28	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3512	50	104%		
D062014ALCS	D062014ALCS	ORG 91-20-3	Naphthalene	46		ug/L	5	0.56	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3512	50	92%		
D062014ALCS	D062014ALCS	ORG 87-61-6	1,2,3-Trichlorobenzene	50		ug/L	5	0.23	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3512	50	100%		
D062014ALCS	D062014ALCS	STD 1868-53-7	Dibromofluoromethane	51		ug/L	1	0.10	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3512	50	102%		
D062014ALCS	D062014ALCS	STD 17060-07-0	1,2-Dichloroethane d4	55		ug/L	1	0.10	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3512	50	110%		
D062014ALCS	D062014ALCS	STD 2037-26-5	Toluene d8	50		ug/L	1	0.10	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3512	50	100%		
D062014ALCS	D062014ALCS	STD 460-00-4	Bromofluorobenzene	52		ug/L	1	0.10	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3512	50	104%		



FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

- B = Analyte is found in the associated blank as well as in the sample.
 D = Compound identified in an analysis at a secondary dilution factor.
 E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
 X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
 J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
 M = Matrix assessment, QC analyses parameter exceeded control limits.
 U = Non-detect
 * NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D062014ALCD	D062014ALCD	ORG 75-71-8	Dichlorodifluoromethane	58		ug/L	5	0.29	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3513	50	116%	0%	
D062014ALCD	D062014ALCD	ORG 74-87-3	Chloromethane	51		ug/L	5	0.43	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3513	50	102%	13%	
D062014ALCD	D062014ALCD	ORG 75-01-4	Vinyl chloride	53		ug/L	2	0.32	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3513	50	106%	0%	
D062014ALCD	D062014ALCD	ORG 74-83-9	Bromomethane	84		ug/L	5	0.50	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3513	50	168%	7%	
D062014ALCD	D062014ALCD	ORG 75-00-3	Chloroethane	110		ug/L	5	0.56	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3513	50	220%	10%	
D062014ALCD	D062014ALCD	ORG 75-69-4	Trichlorofluoromethane	130		ug/L	5	0.20	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3513	50	260%	51%	
D062014ALCD	D062014ALCD	ORG 75-35-4	1,1-Dichloroethane	57		ug/L	1	0.47	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3513	50	114%	4%	
D062014ALCD	D062014ALCD	ORG 75-09-2	Methylene chloride	53		ug/L	5	0.26	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3513	50	106%	0%	
D062014ALCD	D062014ALCD	ORG 67-64-1	Acetone	98		ug/L	10	1.56	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3513	50	196%	13%	
D062014ALCD	D062014ALCD	ORG 156-60-5	trans-1,2-Dichloroethene	48		ug/L	1	0.56	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3513	50	96%	2%	
D062014ALCD	D062014ALCD	ORG 1634-04-4	MTBE	52		ug/L	5	0.61	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3513	50	104%	2%	
D062014ALCD	D062014ALCD	ORG 75-34-3	1,1-Dichloroethane	53		ug/L	1	0.53	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3513	50	106%	2%	
D062014ALCD	D062014ALCD	ORG 156-59-2	cis-1,2-Dichloroethene	50		ug/L	1	0.32	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3513	50	100%	2%	
D062014ALCD	D062014ALCD	ORG 74-97-5	Bromochloromethane	48		ug/L	10	0.41	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3513	50	96%	0%	
D062014ALCD	D062014ALCD	ORG 67-66-3	Chloroform	53		ug/L	2	0.16	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3513	50	106%	2%	
D062014ALCD	D062014ALCD	ORG 71-55-6	1,1,1-Trichloroethane	58		ug/L	1	0.17	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3513	50	116%	2%	
D062014ALCD	D062014ALCD	ORG 78-93-3	2-Butanone	61		ug/L	1	0.81	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3513	50	122%	3%	
D062014ALCD	D062014ALCD	ORG 56-23-5	Carbon tetrachloride	61		ug/L	1	0.28	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3513	50	122%	3%	
D062014ALCD	D062014ALCD	ORG 71-43-2	Benzene	48		ug/L	1	0.14	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3513	50	96%	2%	
D062014ALCD	D062014ALCD	ORG 107-06-2	1,2-Dichloroethane	55		ug/L	1	0.20	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3513	50	110%	2%	
D062014ALCD	D062014ALCD	ORG 79-01-6	Trichloroethene	50		ug/L	1	0.36	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3513	50	100%	0%	
D062014ALCD	D062014ALCD	ORG 74-95-3	Dibromomethane	52		ug/L	2	0.32	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3513	50	104%	6%	
D062014ALCD	D062014ALCD	ORG 78-87-5	1,2-Dichloropropane	51		ug/L	1	0.18	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3513	50	102%	4%	
D062014ALCD	D062014ALCD	ORG 75-27-4	Bromodichloromethane	57		ug/L	2	0.12	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3513	50	114%	5%	
D062014ALCD	D062014ALCD	ORG 10061-01-5	cis-1,3-Dichloropropene	55		ug/L	1	0.25	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3513	50	110%	2%	
D062014ALCD	D062014ALCD	ORG 108-88-3	Toluene	48		ug/L	1	0.21	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3513	50	96%	2%	
D062014ALCD	D062014ALCD	ORG 108-10-1	4-Methyl-2-pentanone	51		ug/L	5	0.74	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3513	50	102%	2%	
D062014ALCD	D062014ALCD	ORG 10061-02-6	trans-1,3-Dichloropropene	61		ug/L	1	0.31	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3513	50	122%	3%	
D062014ALCD	D062014ALCD	ORG 127-18-4	Tetrachloroethene	43		ug/L	1	0.49	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3513	50	86%	7%	
D062014ALCD	D062014ALCD	ORG 79-00-5	1,1,2-Trichloroethane	49		ug/L	1	0.34	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3513	50	98%	2%	
D062014ALCD	D062014ALCD	ORG 124-48-1	Dibromochloromethane	56		ug/L	5	0.30	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3513	50	112%	4%	
D062014ALCD	D062014ALCD	ORG 106-93-4	1,2-Dibromoethane	50		ug/L	2	0.26	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3513	50	100%	4%	
D062014ALCD	D062014ALCD	ORG 591-78-6	2-Hexanone	66		ug/L	2	0.69	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3513	50	132%	6%	
D062014ALCD	D062014ALCD	ORG 100-41-4	Ethylbenzene	52		ug/L	1	0.25	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3513	50	104%	2%	
D062014ALCD	D062014ALCD	ORG 108-90-7	Chlorobenzene	49		ug/L	1	0.28	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3513	50	98%	2%	
D062014ALCD	D062014ALCD	ORG 630-20-6	1,1,1,2-Tetrachloroethane	55		ug/L	2	0.19	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3513	50	110%	2%	
D062014ALCD	D062014ALCD	ORG XYLYMP	p&m-Xylene	100		ug/L	2	0.26	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3513	100	100%	0%	
D062014ALCD	D062014ALCD	ORG 95-47-6	o-Xylene	52		ug/L	1	0.13	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3513	50	104%	2%	
D062014ALCD	D062014ALCD	ORG 100-42-5	Styrene	53		ug/L	1	0.20	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3513	50	106%	2%	
D062014ALCD	D062014ALCD	ORG 75-25-2	Bromoform	52		ug/L	2	0.47	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3513	50	104%	0%	
D062014ALCD	D062014ALCD	ORG 98-82-8	Isopropylbenzene	53		ug/L	2	0.20	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3513	50	106%	2%	
D062014ALCD	D062014ALCD	ORG 103-65-1	n-Propylbenzene	52		ug/L	2	0.27	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3513	50	104%	2%	
D062014ALCD	D062014ALCD	ORG 79-34-5	1,1,2,2-Tetrachloroethane	52		ug/L	2	0.29	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3513	50	104%	2%	
D062014ALCD	D062014ALCD	ORG 96-18-4	1,2,3-Trichloropropane	53		ug/L	2	0.29	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3513	50	106%	4%	

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assessment, QC analyses parameter exceeded control limits.
U = Non-detect
 * NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D062014ALCD	D062014ALCD	ORG 108-67-8	1,3,5-Trimethylbenzene	53		ug/L	2	0.20	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3513	50	106%	2%	
D062014ALCD	D062014ALCD	ORG 98-06-6	tert-Butylbenzene	53		ug/L	2	0.33	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3513	50	106%	4%	
D062014ALCD	D062014ALCD	ORG 95-63-6	1,2,4-Trimethylbenzene	52		ug/L	2	0.20	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3513	50	104%	2%	
D062014ALCD	D062014ALCD	ORG 135-98-8	sec-Butylbenzene	51		ug/L	2	0.32	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3513	50	102%	4%	
D062014ALCD	D062014ALCD	ORG 541-73-1	1,3-Dichlorobenzene	50		ug/L	2	0.22	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3513	50	100%	2%	
D062014ALCD	D062014ALCD	ORG 99-87-6	p-Isopropyltoluene	52		ug/L	2	0.25	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3513	50	104%	2%	
D062014ALCD	D062014ALCD	ORG 106-46-7	1,4-Dichlorobenzene	50		ug/L	2	0.33	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3513	50	100%	0%	
D062014ALCD	D062014ALCD	ORG 95-50-1	1,2-Dichlorobenzene	50		ug/L	2	0.26	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3513	50	100%	2%	
D062014ALCD	D062014ALCD	ORG 104-51-8	n-Butylbenzene	55		ug/L	5	0.28	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3513	50	110%	2%	
D062014ALCD	D062014ALCD	ORG 96-12-8	1,2-Dibromo-3-chloropropane	59		ug/L	5	1.59	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3513	50	118%	11%	
D062014ALCD	D062014ALCD	ORG 87-68-3	Hexachlorobutadiene	58		ug/L	5	0.65	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3513	50	116%	5%	
D062014ALCD	D062014ALCD	ORG 120-82-1	1,2,4-Trichlorobenzene	51		ug/L	5	0.28	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3513	50	102%	2%	
D062014ALCD	D062014ALCD	ORG 91-20-3	Naphthalene	48		ug/L	5	0.56	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3513	50	96%	4%	
D062014ALCD	D062014ALCD	ORG 87-61-6	1,2,3-Trichlorobenzene	49		ug/L	5	0.23	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3513	50	98%	2%	
D062014ALCD	D062014ALCD	STD 1868-53-7	Dibromofluoromethane	53		ug/L	1	0.10	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3513	50	106%	4%	
D062014ALCD	D062014ALCD	STD 17060-07-0	1,2-Dichloroethane d4	58		ug/L	1	0.10	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3513	50	116%	5%	
D062014ALCD	D062014ALCD	STD 2037-26-5	Toluene d8	50		ug/L	1	0.10	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3513	50	100%	0%	
D062014ALCD	D062014ALCD	STD 460-00-4	Bromofluorobenzene	53		ug/L	1	0.10	NA	6/20/2014	6/20/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3513	50	106%	2%	

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

- B** = Analyte is found in the associated blank as well as in the sample.
 - D** = Compound identified in an analysis at a secondary dilution factor.
 - E** = Compound's concentration exceeds the calibration range of the instrument at this dilution.
 - X** = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
 - J** = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
 - M** = Matrix assessment, QC analyses parameter exceeded control limits.
 - U** = Non-detect
- * NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1519MS	316-336	ORG 108-67-8	1,3,5-Trimethylbenzene	5700		ug/L	200	20.03	6/20/2014	6/20/2014	6/20/2014	WG	100	NA	5.0	NA	SW8260B	NALD3514	5000	109%		240
NAL13026-1519MS	316-336	ORG 98-06-6	tert-Butylbenzene	5600		ug/L	200	32.61	6/20/2014	6/20/2014	6/20/2014	WG	100	NA	5.0	NA	SW8260B	NALD3514	5000	112%		
NAL13026-1519MS	316-336	ORG 95-63-6	1,2,4-Trimethylbenzene	6200		ug/L	200	20.03	6/20/2014	6/20/2014	6/20/2014	WG	100	NA	5.0	NA	SW8260B	NALD3514	5000	100%		1200
NAL13026-1519MS	316-336	ORG 135-98-8	sec-Butylbenzene	5500		ug/L	200	32.34	6/20/2014	6/20/2014	6/20/2014	WG	100	NA	5.0	NA	SW8260B	NALD3514	5000	109%		54
NAL13026-1519MS	316-336	ORG 541-73-1	1,3-Dichlorobenzene	5200		ug/L	200	22.21	6/20/2014	6/20/2014	6/20/2014	WG	100	NA	5.0	NA	SW8260B	NALD3514	5000	104%		
NAL13026-1519MS	316-336	ORG 99-87-6	p-Isopropyltoluene	9000		ug/L	200	25.48	6/20/2014	6/20/2014	6/20/2014	WG	100	NA	5.0	NA	SW8260B	NALD3514	5000	50%		6500
NAL13026-1519MS	316-336	ORG 106-46-7	1,4-Dichlorobenzene	6000		ug/L	200	33.03	6/20/2014	6/20/2014	6/20/2014	WG	100	NA	5.0	NA	SW8260B	NALD3514	5000	94%		1300
NAL13026-1519MS	316-336	ORG 95-50-1	1,2-Dichlorobenzene	5100		ug/L	200	26.38	6/20/2014	6/20/2014	6/20/2014	WG	100	NA	5.0	NA	SW8260B	NALD3514	5000	102%		
NAL13026-1519MS	316-336	ORG 104-51-8	n-Butylbenzene	5800		ug/L	500	27.81	6/20/2014	6/20/2014	6/20/2014	WG	100	NA	5.0	NA	SW8260B	NALD3514	5000	113%		150
NAL13026-1519MS	316-336	ORG 96-12-8	1,2-Dibromo-3-chloropropane	6600		ug/L	500	159.11	6/20/2014	6/20/2014	6/20/2014	WG	100	NA	5.0	NA	SW8260B	NALD3514	5000	132%		
NAL13026-1519MS	316-336	ORG 87-68-3	Hexachlorobutadiene	5700		ug/L	500	65.42	6/20/2014	6/20/2014	6/20/2014	WG	100	NA	5.0	NA	SW8260B	NALD3514	5000	114%		
NAL13026-1519MS	316-336	ORG 120-82-1	1,2,4-Trichlorobenzene	5300		ug/L	500	27.63	6/20/2014	6/20/2014	6/20/2014	WG	100	NA	5.0	NA	SW8260B	NALD3514	5000	106%		
NAL13026-1519MS	316-336	ORG 91-20-3	Naphthalene	6900		ug/L	500	56.04	6/20/2014	6/20/2014	6/20/2014	WG	100	NA	5.0	NA	SW8260B	NALD3514	5000	86%		2600
NAL13026-1519MS	316-336	ORG 87-61-6	1,2,3-Trichlorobenzene	5100		ug/L	500	23.28	6/20/2014	6/20/2014	6/20/2014	WG	100	NA	5.0	NA	SW8260B	NALD3514	5000	102%		
NAL13026-1519MS	316-336	STD 1868-53-7	Dibromofluoromethane	53		ug/L	1	0.10	6/20/2014	6/20/2014	6/20/2014	WG	100	NA	5.0	NA	SW8260B	NALD3514	50	106%		
NAL13026-1519MS	316-336	STD 17060-07-0	1,2-Dichloroethane d4	56		ug/L	1	0.10	6/20/2014	6/20/2014	6/20/2014	WG	100	NA	5.0	NA	SW8260B	NALD3514	50	112%		
NAL13026-1519MS	316-336	STD 2037-26-5	Toluene d8	51		ug/L	1	0.10	6/20/2014	6/20/2014	6/20/2014	WG	100	NA	5.0	NA	SW8260B	NALD3514	50	102%		
NAL13026-1519MS	316-336	STD 460-00-4	Bromofluorobenzene	53		ug/L	1	0.10	6/20/2014	6/20/2014	6/20/2014	WG	100	NA	5.0	NA	SW8260B	NALD3514	50	106%		

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1519MSD	316-336	ORG 108-67-8	1,3,5-Trimethylbenzene	5400		ug/L	200	20.03	6/20/2014	6/20/2014	6/20/2014	WG	100	NA	5.0	NA	SW8260B	NALD3515	5000	103%	5%	240
NAL13026-1519MSD	316-336	ORG 98-06-6	tert-Butylbenzene	5400		ug/L	200	32.61	6/20/2014	6/20/2014	6/20/2014	WG	100	NA	5.0	NA	SW8260B	NALD3515	5000	108%	4%	
NAL13026-1519MSD	316-336	ORG 95-63-6	1,2,4-Trimethylbenzene	6000		ug/L	200	20.03	6/20/2014	6/20/2014	6/20/2014	WG	100	NA	5.0	NA	SW8260B	NALD3515	5000	96%	3%	1200
NAL13026-1519MSD	316-336	ORG 135-98-8	sec-Butylbenzene	5300		ug/L	200	32.34	6/20/2014	6/20/2014	6/20/2014	WG	100	NA	5.0	NA	SW8260B	NALD3515	5000	105%	4%	54
NAL13026-1519MSD	316-336	ORG 541-73-1	1,3-Dichlorobenzene	5000		ug/L	200	22.21	6/20/2014	6/20/2014	6/20/2014	WG	100	NA	5.0	NA	SW8260B	NALD3515	5000	100%	4%	
NAL13026-1519MSD	316-336	ORG 99-87-6	p-Isopropyltoluene	9100		ug/L	200	25.48	6/20/2014	6/20/2014	6/20/2014	WG	100	NA	5.0	NA	SW8260B	NALD3515	5000	52%	1%	6500
NAL13026-1519MSD	316-336	ORG 106-46-7	1,4-Dichlorobenzene	5900		ug/L	200	33.03	6/20/2014	6/20/2014	6/20/2014	WG	100	NA	5.0	NA	SW8260B	NALD3515	5000	92%	2%	1300
NAL13026-1519MSD	316-336	ORG 95-50-1	1,2-Dichlorobenzene	4900		ug/L	200	26.38	6/20/2014	6/20/2014	6/20/2014	WG	100	NA	5.0	NA	SW8260B	NALD3515	5000	98%	4%	
NAL13026-1519MSD	316-336	ORG 104-51-8	n-Butylbenzene	5700		ug/L	500	27.81	6/20/2014	6/20/2014	6/20/2014	WG	100	NA	5.0	NA	SW8260B	NALD3515	5000	111%	2%	150
NAL13026-1519MSD	316-336	ORG 96-12-8	1,2-Dibromo-3-chloropropane	6000		ug/L	500	159.11	6/20/2014	6/20/2014	6/20/2014	WG	100	NA	5.0	NA	SW8260B	NALD3515	5000	120%	10%	
NAL13026-1519MSD	316-336	ORG 87-68-3	Hexachlorobutadiene	5600		ug/L	500	65.42	6/20/2014	6/20/2014	6/20/2014	WG	100	NA	5.0	NA	SW8260B	NALD3515	5000	112%	2%	
NAL13026-1519MSD	316-336	ORG 120-82-1	1,2,4-Trichlorobenzene	5100		ug/L	500	27.63	6/20/2014	6/20/2014	6/20/2014	WG	100	NA	5.0	NA	SW8260B	NALD3515	5000	102%	4%	
NAL13026-1519MSD	316-336	ORG 91-20-3	Naphthalene	6900		ug/L	500	56.04	6/20/2014	6/20/2014	6/20/2014	WG	100	NA	5.0	NA	SW8260B	NALD3515	5000	86%	0%	2600
NAL13026-1519MSD	316-336	ORG 87-61-6	1,2,3-Trichlorobenzene	5000		ug/L	500	23.28	6/20/2014	6/20/2014	6/20/2014	WG	100	NA	5.0	NA	SW8260B	NALD3515	5000	100%	2%	
NAL13026-1519MSD	316-336	STD 1868-53-7	Dibromofluoromethane	52		ug/L	1	0.10	6/20/2014	6/20/2014	6/20/2014	WG	100	NA	5.0	NA	SW8260B	NALD3515	50	104%	2%	
NAL13026-1519MSD	316-336	STD 17060-07-0	1,2-Dichloroethane d4	58		ug/L	1	0.10	6/20/2014	6/20/2014	6/20/2014	WG	100	NA	5.0	NA	SW8260B	NALD3515	50	116%	4%	
NAL13026-1519MSD	316-336	STD 2037-26-5	Toluene d8	51		ug/L	1	0.10	6/20/2014	6/20/2014	6/20/2014	WG	100	NA	5.0	NA	SW8260B	NALD3515	50	102%	0%	
NAL13026-1519MSD	316-336	STD 460-00-4	Bromofluorobenzene	53		ug/L	1	0.10	6/20/2014	6/20/2014	6/20/2014	WG	100	NA	5.0	NA	SW8260B	NALD3515	50	106%	0%	



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

- B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assessment, QC analyses parameter exceeded control limits.
U = Non-detect
* NAL is not certified for these compound by NELAC.

Table with columns: Lab ID, Sample ID, CAS #, ANALYTES, Results, QC, Units, RDL, MDL, Sample Date, Prep. Date, Analysis Date, Matrix, Dil., Weight(g), Vol.(ml), % Solid, Method, Data file, Spike, % Rec, % RPD, Parent. Contains 50 rows of analytical data.



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment. QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1523	316-337	ORG 108-67-8	1,3,5-Trimethylbenzene	79	J	ug/L	200	20.03	6/21/2014	6/21/2014	6/21/2014	WG	100	NA	5.0	NA	SW8260B	NALD3520				
NAL13026-1523	316-337	ORG 98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	6/21/2014	6/21/2014	6/21/2014	WG	100	NA	5.0	NA	SW8260B	NALD3520				
NAL13026-1523	316-337	ORG 95-63-6	1,2,4-Trimethylbenzene	430		ug/L	200	20.03	6/21/2014	6/21/2014	6/21/2014	WG	100	NA	5.0	NA	SW8260B	NALD3520				
NAL13026-1523	316-337	ORG 135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	6/21/2014	6/21/2014	6/21/2014	WG	100	NA	5.0	NA	SW8260B	NALD3520				
NAL13026-1523	316-337	ORG 541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	6/21/2014	6/21/2014	6/21/2014	WG	100	NA	5.0	NA	SW8260B	NALD3520				
NAL13026-1523	316-337	ORG 99-87-6	p-Isopropyltoluene	2800		ug/L	200	25.48	6/21/2014	6/21/2014	6/21/2014	WG	100	NA	5.0	NA	SW8260B	NALD3520				
NAL13026-1523	316-337	ORG 106-46-7	1,4-Dichlorobenzene	570		ug/L	200	33.03	6/21/2014	6/21/2014	6/21/2014	WG	100	NA	5.0	NA	SW8260B	NALD3520				
NAL13026-1523	316-337	ORG 95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	6/21/2014	6/21/2014	6/21/2014	WG	100	NA	5.0	NA	SW8260B	NALD3520				
NAL13026-1523	316-337	ORG 104-51-8	n-Butylbenzene	83	J	ug/L	500	27.81	6/21/2014	6/21/2014	6/21/2014	WG	100	NA	5.0	NA	SW8260B	NALD3520				
NAL13026-1523	316-337	ORG 96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	6/21/2014	6/21/2014	6/21/2014	WG	100	NA	5.0	NA	SW8260B	NALD3520				
NAL13026-1523	316-337	ORG 87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	6/21/2014	6/21/2014	6/21/2014	WG	100	NA	5.0	NA	SW8260B	NALD3520				
NAL13026-1523	316-337	ORG 120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	6/21/2014	6/21/2014	6/21/2014	WG	100	NA	5.0	NA	SW8260B	NALD3520				
NAL13026-1523	316-337	ORG 91-20-3	Naphthalene	2000		ug/L	500	56.04	6/21/2014	6/21/2014	6/21/2014	WG	100	NA	5.0	NA	SW8260B	NALD3520				
NAL13026-1523	316-337	ORG 87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	6/21/2014	6/21/2014	6/21/2014	WG	100	NA	5.0	NA	SW8260B	NALD3520				
NAL13026-1523	316-337	STD 1868-53-7	Dibromofluoromethane	52		ug/L	1	0.10	6/21/2014	6/21/2014	6/21/2014	WG	100	NA	5.0	NA	SW8260B	NALD3520	50	104%		
NAL13026-1523	316-337	STD 17060-07-0	1,2-Dichloroethane d4	60		ug/L	1	0.10	6/21/2014	6/21/2014	6/21/2014	WG	100	NA	5.0	NA	SW8260B	NALD3520	50	120%		
NAL13026-1523	316-337	STD 2037-26-5	Toluene d8	52		ug/L	1	0.10	6/21/2014	6/21/2014	6/21/2014	WG	100	NA	5.0	NA	SW8260B	NALD3520	50	104%		
NAL13026-1523	316-337	STD 460-00-4	Bromofluorobenzene	55		ug/L	1	0.10	6/21/2014	6/21/2014	6/21/2014	WG	100	NA	5.0	NA	SW8260B	NALD3520	50	110%		



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

- B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assessment, QC analyses parameter exceeded control limits.
U = Non-detect
* NAL is not certified for these compound by NELAC.

Table with columns: Lab ID, Sample ID, CAS #, ANALYTES, Results, QC, Units, RDL, MDL, Sample Date, Prep. Date, Analysis Date, Matrix, Dil., Weight(g), Vol.(ml), % Solid, Method, Data file, Spike, % Rec, % RPD, Parent. Contains 50 rows of analytical data.



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment. QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1524	CB 6-21-14	ORG 108-67-8	1,3,5-Trimethylbenzene	38	J	ug/L	200	20.03	6/21/2014	6/21/2014	6/21/2014	WG	100	NA	5.0	NA	SW8260B	NALD3522				
NAL13026-1524	CB 6-21-14	ORG 98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	6/21/2014	6/21/2014	6/21/2014	WG	100	NA	5.0	NA	SW8260B	NALD3522				
NAL13026-1524	CB 6-21-14	ORG 95-63-6	1,2,4-Trimethylbenzene	140	J	ug/L	200	20.03	6/21/2014	6/21/2014	6/21/2014	WG	100	NA	5.0	NA	SW8260B	NALD3522				
NAL13026-1524	CB 6-21-14	ORG 135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	6/21/2014	6/21/2014	6/21/2014	WG	100	NA	5.0	NA	SW8260B	NALD3522				
NAL13026-1524	CB 6-21-14	ORG 541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	6/21/2014	6/21/2014	6/21/2014	WG	100	NA	5.0	NA	SW8260B	NALD3522				
NAL13026-1524	CB 6-21-14	ORG 99-87-6	p-Isopropyltoluene	940		ug/L	200	25.48	6/21/2014	6/21/2014	6/21/2014	WG	100	NA	5.0	NA	SW8260B	NALD3522				
NAL13026-1524	CB 6-21-14	ORG 106-46-7	1,4-Dichlorobenzene	130	J	ug/L	200	33.03	6/21/2014	6/21/2014	6/21/2014	WG	100	NA	5.0	NA	SW8260B	NALD3522				
NAL13026-1524	CB 6-21-14	ORG 95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	6/21/2014	6/21/2014	6/21/2014	WG	100	NA	5.0	NA	SW8260B	NALD3522				
NAL13026-1524	CB 6-21-14	ORG 104-51-8	n-Butylbenzene	48	J	ug/L	500	27.81	6/21/2014	6/21/2014	6/21/2014	WG	100	NA	5.0	NA	SW8260B	NALD3522				
NAL13026-1524	CB 6-21-14	ORG 96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	6/21/2014	6/21/2014	6/21/2014	WG	100	NA	5.0	NA	SW8260B	NALD3522				
NAL13026-1524	CB 6-21-14	ORG 87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	6/21/2014	6/21/2014	6/21/2014	WG	100	NA	5.0	NA	SW8260B	NALD3522				
NAL13026-1524	CB 6-21-14	ORG 120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	6/21/2014	6/21/2014	6/21/2014	WG	100	NA	5.0	NA	SW8260B	NALD3522				
NAL13026-1524	CB 6-21-14	ORG 91-20-3	Naphthalene	550		ug/L	500	56.04	6/21/2014	6/21/2014	6/21/2014	WG	100	NA	5.0	NA	SW8260B	NALD3522				
NAL13026-1524	CB 6-21-14	ORG 87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	6/21/2014	6/21/2014	6/21/2014	WG	100	NA	5.0	NA	SW8260B	NALD3522				
NAL13026-1524	CB 6-21-14	STD 1868-53-7	Dibromofluoromethane	52		ug/L	1	0.10	6/21/2014	6/21/2014	6/21/2014	WG	100	NA	5.0	NA	SW8260B	NALD3522	50	104%		
NAL13026-1524	CB 6-21-14	STD 17060-07-0	1,2-Dichloroethane d4	60		ug/L	1	0.10	6/21/2014	6/21/2014	6/21/2014	WG	100	NA	5.0	NA	SW8260B	NALD3522	50	120%		
NAL13026-1524	CB 6-21-14	STD 2037-26-5	Toluene d8	51		ug/L	1	0.10	6/21/2014	6/21/2014	6/21/2014	WG	100	NA	5.0	NA	SW8260B	NALD3522	50	102%		
NAL13026-1524	CB 6-21-14	STD 460-00-4	Bromofluorobenzene	56		ug/L	1	0.10	6/21/2014	6/21/2014	6/21/2014	WG	100	NA	5.0	NA	SW8260B	NALD3522	50	112%		



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assessment, QC analyses parameter exceeded control limits.
U = Non-detect
* NAL is not certified for these compound by NELAC.

Table with columns: Lab ID, Sample ID, CAS #, ANALYTES, Results, QC, Units, RDL, MDL, Sample Date, Prep. Date, Analysis Date, Matrix, Dil., Weight(g), Vol.(ml), % Solid, Method, Data file, Spike, % Rec, % RPD, Parent. Contains 40 rows of analytical data.



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

- B** = Analyte is found in the associated blank as well as in the sample.
 - D** = Compound identified in an analysis at a secondary dilution factor.
 - E** = Compound's concentration exceeds the calibration range of the instrument at this dilution.
 - X** = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
 - J** = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
 - M** = Matrix assessment. QC analyses parameter exceeded control limits.
 - U** = Non-detect
- * NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D062114CCVA	D062114CCVA	ORG	108-67-8	1,3,5-Trimethylbenzene	54		ug/L	2	0.20	NA	6/21/2014	6/21/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3518	50	108%	
D062114CCVA	D062114CCVA	ORG	98-06-6	tert-Butylbenzene	54		ug/L	2	0.33	NA	6/21/2014	6/21/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3518	50	108%	
D062114CCVA	D062114CCVA	ORG	95-63-6	1,2,4-Trimethylbenzene	53		ug/L	2	0.20	NA	6/21/2014	6/21/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3518	50	106%	
D062114CCVA	D062114CCVA	ORG	135-98-8	sec-Butylbenzene	53		ug/L	2	0.32	NA	6/21/2014	6/21/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3518	50	106%	
D062114CCVA	D062114CCVA	ORG	541-73-1	1,3-Dichlorobenzene	50		ug/L	2	0.22	NA	6/21/2014	6/21/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3518	50	100%	
D062114CCVA	D062114CCVA	ORG	99-87-6	p-Isopropyltoluene	53		ug/L	2	0.25	NA	6/21/2014	6/21/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3518	50	106%	
D062114CCVA	D062114CCVA	ORG	106-46-7	1,4-Dichlorobenzene	50		ug/L	2	0.33	NA	6/21/2014	6/21/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3518	50	100%	
D062114CCVA	D062114CCVA	ORG	95-50-1	1,2-Dichlorobenzene	50		ug/L	2	0.26	NA	6/21/2014	6/21/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3518	50	100%	
D062114CCVA	D062114CCVA	ORG	104-51-8	n-Butylbenzene	57		ug/L	5	0.28	NA	6/21/2014	6/21/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3518	50	114%	
D062114CCVA	D062114CCVA	ORG	96-12-8	1,2-Dibromo-3-chloropropane	56		ug/L	5	1.59	NA	6/21/2014	6/21/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3518	50	112%	
D062114CCVA	D062114CCVA	ORG	87-68-3	Hexachlorobutadiene	61		ug/L	5	0.65	NA	6/21/2014	6/21/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3518	50	122%	
D062114CCVA	D062114CCVA	ORG	120-82-1	1,2,4-Trichlorobenzene	52		ug/L	5	0.28	NA	6/21/2014	6/21/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3518	50	104%	
D062114CCVA	D062114CCVA	ORG	91-20-3	Naphthalene	47		ug/L	5	0.56	NA	6/21/2014	6/21/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3518	50	94%	
D062114CCVA	D062114CCVA	ORG	87-61-6	1,2,3-Trichlorobenzene	51		ug/L	5	0.23	NA	6/21/2014	6/21/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3518	50	102%	
D062114CCVA	D062114CCVA	STD	1868-53-7	Dibromofluoromethane	53		ug/L	1	0.10	NA	6/21/2014	6/21/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3518	50	106%	
D062114CCVA	D062114CCVA	STD	17060-07-0	1,2-Dichloroethane d4	56		ug/L	1	0.10	NA	6/21/2014	6/21/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3518	50	112%	
D062114CCVA	D062114CCVA	STD	2037-26-5	Toluene d8	50		ug/L	1	0.10	NA	6/21/2014	6/21/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3518	50	100%	
D062114CCVA	D062114CCVA	STD	460-00-4	Bromofluorobenzene	54		ug/L	1	0.10	NA	6/21/2014	6/21/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3518	50	108%	



New Age/Landmark Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090 Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services 12976 St. Charles Rock Rd. Bridgeton, MO 63044 ATTN: Brian Power

Project #: NAL13-026 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

- B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assessment, QC analyses parameter exceeded control limits.
U = Non-detect
* NAL is not certified for these compound by NELAC.

Table with columns: Lab ID, Sample ID, CAS #, ANALYTES, Results, QC, Units, RDL, MDL, Sample Date, Prep. Date, Analysis Date, Matrix, Dil., Weight(g), Vol.(ml), % Solid, Method, Data file, Spike, % Rec, % RPD, Parent. Contains 50 rows of analytical data.



New Age/Landmark Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment. QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D062114MBKA	D062114MBKA	ORG 108-67-8	1,3,5-Trimethylbenzene		U	ug/L	2	0.20	NA	6/21/2014	6/21/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3519				
D062114MBKA	D062114MBKA	ORG 98-06-6	tert-Butylbenzene		U	ug/L	2	0.33	NA	6/21/2014	6/21/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3519				
D062114MBKA	D062114MBKA	ORG 95-63-6	1,2,4-Trimethylbenzene		U	ug/L	2	0.20	NA	6/21/2014	6/21/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3519				
D062114MBKA	D062114MBKA	ORG 135-98-8	sec-Butylbenzene		U	ug/L	2	0.32	NA	6/21/2014	6/21/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3519				
D062114MBKA	D062114MBKA	ORG 541-73-1	1,3-Dichlorobenzene		U	ug/L	2	0.22	NA	6/21/2014	6/21/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3519				
D062114MBKA	D062114MBKA	ORG 99-87-6	p-Isopropyltoluene		U	ug/L	2	0.25	NA	6/21/2014	6/21/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3519				
D062114MBKA	D062114MBKA	ORG 106-46-7	1,4-Dichlorobenzene		U	ug/L	2	0.33	NA	6/21/2014	6/21/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3519				
D062114MBKA	D062114MBKA	ORG 95-50-1	1,2-Dichlorobenzene		U	ug/L	2	0.26	NA	6/21/2014	6/21/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3519				
D062114MBKA	D062114MBKA	ORG 104-51-8	n-Butylbenzene		U	ug/L	5	0.28	NA	6/21/2014	6/21/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3519				
D062114MBKA	D062114MBKA	ORG 96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	5	1.59	NA	6/21/2014	6/21/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3519				
D062114MBKA	D062114MBKA	ORG 87-68-3	Hexachlorobutadiene		U	ug/L	5	0.65	NA	6/21/2014	6/21/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3519				
D062114MBKA	D062114MBKA	ORG 120-82-1	1,2,4-Trichlorobenzene		U	ug/L	5	0.28	NA	6/21/2014	6/21/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3519				
D062114MBKA	D062114MBKA	ORG 91-20-3	Naphthalene		U	ug/L	5	0.56	NA	6/21/2014	6/21/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3519				
D062114MBKA	D062114MBKA	ORG 87-61-6	1,2,3-Trichlorobenzene		U	ug/L	5	0.23	NA	6/21/2014	6/21/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3519				
D062114MBKA	D062114MBKA	STD 1868-53-7	Dibromofluoromethane	51		ug/L	1	0.10	NA	6/21/2014	6/21/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3519	50	102%		
D062114MBKA	D062114MBKA	STD 17060-07-0	1,2-Dichloroethane d4	60		ug/L	1	0.10	NA	6/21/2014	6/21/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3519	50	120%		
D062114MBKA	D062114MBKA	STD 2037-26-5	Toluene d8	51		ug/L	1	0.10	NA	6/21/2014	6/21/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3519	50	102%		
D062114MBKA	D062114MBKA	STD 460-00-4	Bromofluorobenzene	53		ug/L	1	0.10	NA	6/21/2014	6/21/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3519	50	106%		



Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

FINAL ANALYTICAL REPORT

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assessment, QC analyses parameter exceeded control limits.
U = Non-detect
* NAL is not certified for these compound by NELAC.

Table with columns: Lab ID, Sample ID, CAS #, ANALYTES, Results, QC, Units, RDL, MDL, Sample Date, Prep. Date, Analysis Date, Matrix, Dil., Weight(g), Vol.(ml), % Solid, Method, Data file, Spike, % Rec, % RPD, Parent. The table contains 100 rows of analytical data for various compounds.

Confidential
D062114AKCF

D062114AKCF



New Age/Landmark Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment. QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D062114ALCS	D062114ALCS	ORG 108-67-8	1,3,5-Trimethylbenzene	56		ug/L	2	0.20	NA	6/21/2014	6/21/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3524	50	112%		
D062114ALCS	D062114ALCS	ORG 98-06-6	tert-Butylbenzene	56		ug/L	2	0.33	NA	6/21/2014	6/21/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3524	50	112%		
D062114ALCS	D062114ALCS	ORG 95-63-6	1,2,4-Trimethylbenzene	56		ug/L	2	0.20	NA	6/21/2014	6/21/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3524	50	112%		
D062114ALCS	D062114ALCS	ORG 135-98-8	sec-Butylbenzene	55		ug/L	2	0.32	NA	6/21/2014	6/21/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3524	50	110%		
D062114ALCS	D062114ALCS	ORG 541-73-1	1,3-Dichlorobenzene	52		ug/L	2	0.22	NA	6/21/2014	6/21/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3524	50	104%		
D062114ALCS	D062114ALCS	ORG 99-87-6	p-Isopropyltoluene	56		ug/L	2	0.25	NA	6/21/2014	6/21/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3524	50	112%		
D062114ALCS	D062114ALCS	ORG 106-46-7	1,4-Dichlorobenzene	51		ug/L	2	0.33	NA	6/21/2014	6/21/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3524	50	102%		
D062114ALCS	D062114ALCS	ORG 95-50-1	1,2-Dichlorobenzene	51		ug/L	2	0.26	NA	6/21/2014	6/21/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3524	50	102%		
D062114ALCS	D062114ALCS	ORG 104-51-8	n-Butylbenzene	59		ug/L	5	0.28	NA	6/21/2014	6/21/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3524	50	118%		
D062114ALCS	D062114ALCS	ORG 96-12-8	1,2-Dibromo-3-chloropropane	55		ug/L	5	1.59	NA	6/21/2014	6/21/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3524	50	110%		
D062114ALCS	D062114ALCS	ORG 87-68-3	Hexachlorobutadiene	65		ug/L	5	0.65	NA	6/21/2014	6/21/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3524	50	130%		
D062114ALCS	D062114ALCS	ORG 120-82-1	1,2,4-Trichlorobenzene	52		ug/L	5	0.28	NA	6/21/2014	6/21/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3524	50	104%		
D062114ALCS	D062114ALCS	ORG 91-20-3	Naphthalene	46		ug/L	5	0.56	NA	6/21/2014	6/21/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3524	50	92%		
D062114ALCS	D062114ALCS	ORG 87-61-6	1,2,3-Trichlorobenzene	51		ug/L	5	0.23	NA	6/21/2014	6/21/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3524	50	102%		
D062114ALCS	D062114ALCS	STD 1868-53-7	Dibromofluoromethane	52		ug/L	1	0.10	NA	6/21/2014	6/21/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3524	50	104%		
D062114ALCS	D062114ALCS	STD 17060-07-0	1,2-Dichloroethane d4	55		ug/L	1	0.10	NA	6/21/2014	6/21/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3524	50	110%		
D062114ALCS	D062114ALCS	STD 2037-26-5	Toluene d8	51		ug/L	1	0.10	NA	6/21/2014	6/21/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3524	50	102%		
D062114ALCS	D062114ALCS	STD 460-00-4	Bromofluorobenzene	54		ug/L	1	0.10	NA	6/21/2014	6/21/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3524	50	108%		



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Table with columns: Lab ID, Sample ID, CAS #, ANALYTES, Results, QC, Units, RDL, MDL, Sample Date, Prep. Date, Analysis Date, Matrix, Dil., Weight(g), Vol.(ml), % Solid, Method, Data file, Spike, % Rec, % RPD, Parent. Contains 90 rows of analytical data for various compounds like Dichlorodifluoromethane, Chloromethane, Vinyl chloride, etc.



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

- B** = Analyte is found in the associated blank as well as in the sample.
 - D** = Compound identified in an analysis at a secondary dilution factor.
 - E** = Compound's concentration exceeds the calibration range of the instrument at this dilution.
 - X** = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
 - J** = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
 - M** = Matrix assessment. QC analyses parameter exceeded control limits.
 - U** = Non-detect
- * NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D062114ALCD	D062114ALCD	ORG 108-67-8	1,3,5-Trimethylbenzene	54		ug/L	2	0.20	NA	6/21/2014	6/21/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3525	50	108%	4%	
D062114ALCD	D062114ALCD	ORG 98-06-6	tert-Butylbenzene	54		ug/L	2	0.33	NA	6/21/2014	6/21/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3525	50	108%	4%	
D062114ALCD	D062114ALCD	ORG 95-63-6	1,2,4-Trimethylbenzene	53		ug/L	2	0.20	NA	6/21/2014	6/21/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3525	50	106%	6%	
D062114ALCD	D062114ALCD	ORG 135-98-8	sec-Butylbenzene	53		ug/L	2	0.32	NA	6/21/2014	6/21/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3525	50	106%	4%	
D062114ALCD	D062114ALCD	ORG 541-73-1	1,3-Dichlorobenzene	50		ug/L	2	0.22	NA	6/21/2014	6/21/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3525	50	100%	4%	
D062114ALCD	D062114ALCD	ORG 99-87-6	p-Isopropyltoluene	54		ug/L	2	0.25	NA	6/21/2014	6/21/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3525	50	108%	4%	
D062114ALCD	D062114ALCD	ORG 106-46-7	1,4-Dichlorobenzene	49		ug/L	2	0.33	NA	6/21/2014	6/21/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3525	50	98%	4%	
D062114ALCD	D062114ALCD	ORG 95-50-1	1,2-Dichlorobenzene	49		ug/L	2	0.26	NA	6/21/2014	6/21/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3525	50	98%	4%	
D062114ALCD	D062114ALCD	ORG 104-51-8	n-Butylbenzene	56		ug/L	5	0.28	NA	6/21/2014	6/21/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3525	50	112%	5%	
D062114ALCD	D062114ALCD	ORG 96-12-8	1,2-Dibromo-3-chloropropane	56		ug/L	5	1.59	NA	6/21/2014	6/21/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3525	50	112%	2%	
D062114ALCD	D062114ALCD	ORG 87-68-3	Hexachlorobutadiene	60		ug/L	5	0.65	NA	6/21/2014	6/21/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3525	50	120%	8%	
D062114ALCD	D062114ALCD	ORG 120-82-1	1,2,4-Trichlorobenzene	50		ug/L	5	0.28	NA	6/21/2014	6/21/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3525	50	100%	4%	
D062114ALCD	D062114ALCD	ORG 91-20-3	Naphthalene	45		ug/L	5	0.56	NA	6/21/2014	6/21/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3525	50	90%	2%	
D062114ALCD	D062114ALCD	ORG 87-61-6	1,2,3-Trichlorobenzene	48		ug/L	5	0.23	NA	6/21/2014	6/21/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3525	50	96%	6%	
D062114ALCD	D062114ALCD	STD 1868-53-7	Dibromofluoromethane	53		ug/L	1	0.10	NA	6/21/2014	6/21/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3525	50	106%	2%	
D062114ALCD	D062114ALCD	STD 17060-07-0	1,2-Dichloroethane d4	56		ug/L	1	0.10	NA	6/21/2014	6/21/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3525	50	112%	2%	
D062114ALCD	D062114ALCD	STD 2037-26-5	Toluene d8	50		ug/L	1	0.10	NA	6/21/2014	6/21/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3525	50	100%	2%	
D062114ALCD	D062114ALCD	STD 460-00-4	Bromofluorobenzene	55		ug/L	1	0.10	NA	6/21/2014	6/21/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3525	50	110%	2%	



New Age/Landmark Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assessment, QC analyses parameter exceeded control limits.
U = Non-detect
* NAL is not certified for these compound by NELAC.

Table with columns: Lab ID, Sample ID, CAS #, ANALYTES, Results, QC, Units, RDL, MDL, Sample Date, Prep. Date, Analysis Date, Matrix, Dil., Weight(g), Vol.(ml), % Solid, Method, Data file, Spike, % Rec, % RPD, Parent. Contains 40 rows of analytical data for various compounds like Dichlorodifluoromethane, Chloromethane, Vinyl chloride, etc.



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1523MS	316-337	ORG 108-67-8	1,3,5-Trimethylbenzene	5400		ug/L	200	20.03	6/21/2014	6/21/2014	6/21/2014	WG	100	NA	5.0	NA	SW8260B	NALD3526	5000	106%		79
NAL13026-1523MS	316-337	ORG 98-06-6	tert-Butylbenzene	5500		ug/L	200	32.61	6/21/2014	6/21/2014	6/21/2014	WG	100	NA	5.0	NA	SW8260B	NALD3526	5000	110%		
NAL13026-1523MS	316-337	ORG 95-63-6	1,2,4-Trimethylbenzene	5600		ug/L	200	20.03	6/21/2014	6/21/2014	6/21/2014	WG	100	NA	5.0	NA	SW8260B	NALD3526	5000	103%		430
NAL13026-1523MS	316-337	ORG 135-98-8	sec-Butylbenzene	5300		ug/L	200	32.34	6/21/2014	6/21/2014	6/21/2014	WG	100	NA	5.0	NA	SW8260B	NALD3526	5000	106%		
NAL13026-1523MS	316-337	ORG 541-73-1	1,3-Dichlorobenzene	5000		ug/L	200	22.21	6/21/2014	6/21/2014	6/21/2014	WG	100	NA	5.0	NA	SW8260B	NALD3526	5000	100%		
NAL13026-1523MS	316-337	ORG 99-87-6	p-Isopropyltoluene	7300		ug/L	200	25.48	6/21/2014	6/21/2014	6/21/2014	WG	100	NA	5.0	NA	SW8260B	NALD3526	5000	90%		2800
NAL13026-1523MS	316-337	ORG 106-46-7	1,4-Dichlorobenzene	5400		ug/L	200	33.03	6/21/2014	6/21/2014	6/21/2014	WG	100	NA	5.0	NA	SW8260B	NALD3526	5000	97%		570
NAL13026-1523MS	316-337	ORG 95-50-1	1,2-Dichlorobenzene	4900		ug/L	200	26.38	6/21/2014	6/21/2014	6/21/2014	WG	100	NA	5.0	NA	SW8260B	NALD3526	5000	98%		
NAL13026-1523MS	316-337	ORG 104-51-8	n-Butylbenzene	5600		ug/L	500	27.81	6/21/2014	6/21/2014	6/21/2014	WG	100	NA	5.0	NA	SW8260B	NALD3526	5000	110%		83
NAL13026-1523MS	316-337	ORG 96-12-8	1,2-Dibromo-3-chloropropane	5800		ug/L	500	159.11	6/21/2014	6/21/2014	6/21/2014	WG	100	NA	5.0	NA	SW8260B	NALD3526	5000	116%		
NAL13026-1523MS	316-337	ORG 87-68-3	Hexachlorobutadiene	5300		ug/L	500	65.42	6/21/2014	6/21/2014	6/21/2014	WG	100	NA	5.0	NA	SW8260B	NALD3526	5000	106%		
NAL13026-1523MS	316-337	ORG 120-82-1	1,2,4-Trichlorobenzene	5000		ug/L	500	27.63	6/21/2014	6/21/2014	6/21/2014	WG	100	NA	5.0	NA	SW8260B	NALD3526	5000	100%		
NAL13026-1523MS	316-337	ORG 91-20-3	Naphthalene	6200		ug/L	500	56.04	6/21/2014	6/21/2014	6/21/2014	WG	100	NA	5.0	NA	SW8260B	NALD3526	5000	84%		2000
NAL13026-1523MS	316-337	ORG 87-61-6	1,2,3-Trichlorobenzene	4800		ug/L	500	23.28	6/21/2014	6/21/2014	6/21/2014	WG	100	NA	5.0	NA	SW8260B	NALD3526	5000	96%		
NAL13026-1523MS	316-337	STD 1868-53-7	Dibromofluoromethane	52		ug/L	1	0.10	6/21/2014	6/21/2014	6/21/2014	WG	100	NA	5.0	NA	SW8260B	NALD3526	50	104%		
NAL13026-1523MS	316-337	STD 17060-07-0	1,2-Dichloroethane d4	56		ug/L	1	0.10	6/21/2014	6/21/2014	6/21/2014	WG	100	NA	5.0	NA	SW8260B	NALD3526	50	112%		
NAL13026-1523MS	316-337	STD 2037-26-5	Toluene d8	51		ug/L	1	0.10	6/21/2014	6/21/2014	6/21/2014	WG	100	NA	5.0	NA	SW8260B	NALD3526	50	102%		
NAL13026-1523MS	316-337	STD 460-00-4	Bromofluorobenzene	54		ug/L	1	0.10	6/21/2014	6/21/2014	6/21/2014	WG	100	NA	5.0	NA	SW8260B	NALD3526	50	108%		



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assessment, QC analyses parameter exceeded control limits.
U = Non-detect
* NAL is not certified for these compound by NELAC.

Table with columns: Lab ID, Sample ID, CAS #, ANALYTES, Results, QC, Units, RDL, MDL, Sample Date, Prep. Date, Analysis Date, Matrix, Dil., Weight(g), Vol.(ml), % Solid, Method, Data file, Spike, % Rec, % RPD, Parent. Contains 40 rows of analytical data for various compounds like Dichlorodifluoromethane, Chloromethane, Vinyl chloride, etc.



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

- B** = Analyte is found in the associated blank as well as in the sample.
 - D** = Compound identified in an analysis at a secondary dilution factor.
 - E** = Compound's concentration exceeds the calibration range of the instrument at this dilution.
 - X** = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
 - J** = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
 - M** = Matrix assessment, QC analyses parameter exceeded control limits.
 - U** = Non-detect
- * NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1523MSD	316-337	ORG 108-67-8	1,3,5-Trimethylbenzene	5600		ug/L	200	20.03	6/21/2014	6/21/2014	6/21/2014	WG	100	NA	5.0	NA	SW8260B	NALD3527	5000	110%	4%	79
NAL13026-1523MSD	316-337	ORG 98-06-6	tert-Butylbenzene	5600		ug/L	200	32.61	6/21/2014	6/21/2014	6/21/2014	WG	100	NA	5.0	NA	SW8260B	NALD3527	5000	112%	2%	
NAL13026-1523MSD	316-337	ORG 95-63-6	1,2,4-Trimethylbenzene	5900		ug/L	200	20.03	6/21/2014	6/21/2014	6/21/2014	WG	100	NA	5.0	NA	SW8260B	NALD3527	5000	109%	5%	430
NAL13026-1523MSD	316-337	ORG 135-98-8	sec-Butylbenzene	5500		ug/L	200	32.34	6/21/2014	6/21/2014	6/21/2014	WG	100	NA	5.0	NA	SW8260B	NALD3527	5000	110%	4%	
NAL13026-1523MSD	316-337	ORG 541-73-1	1,3-Dichlorobenzene	5100		ug/L	200	22.21	6/21/2014	6/21/2014	6/21/2014	WG	100	NA	5.0	NA	SW8260B	NALD3527	5000	102%	2%	
NAL13026-1523MSD	316-337	ORG 99-87-6	p-Isopropyltoluene	7600		ug/L	200	25.48	6/21/2014	6/21/2014	6/21/2014	WG	100	NA	5.0	NA	SW8260B	NALD3527	5000	96%	4%	2800
NAL13026-1523MSD	316-337	ORG 106-46-7	1,4-Dichlorobenzene	5500		ug/L	200	33.03	6/21/2014	6/21/2014	6/21/2014	WG	100	NA	5.0	NA	SW8260B	NALD3527	5000	99%	2%	570
NAL13026-1523MSD	316-337	ORG 95-50-1	1,2-Dichlorobenzene	5200		ug/L	200	26.38	6/21/2014	6/21/2014	6/21/2014	WG	100	NA	5.0	NA	SW8260B	NALD3527	5000	104%	6%	
NAL13026-1523MSD	316-337	ORG 104-51-8	n-Butylbenzene	5900		ug/L	500	27.81	6/21/2014	6/21/2014	6/21/2014	WG	100	NA	5.0	NA	SW8260B	NALD3527	5000	116%	5%	83
NAL13026-1523MSD	316-337	ORG 96-12-8	1,2-Dibromo-3-chloropropane	6000		ug/L	500	159.11	6/21/2014	6/21/2014	6/21/2014	WG	100	NA	5.0	NA	SW8260B	NALD3527	5000	120%	3%	
NAL13026-1523MSD	316-337	ORG 87-68-3	Hexachlorobutadiene	5800		ug/L	500	65.42	6/21/2014	6/21/2014	6/21/2014	WG	100	NA	5.0	NA	SW8260B	NALD3527	5000	116%	9%	
NAL13026-1523MSD	316-337	ORG 120-82-1	1,2,4-Trichlorobenzene	5300		ug/L	500	27.63	6/21/2014	6/21/2014	6/21/2014	WG	100	NA	5.0	NA	SW8260B	NALD3527	5000	106%	6%	
NAL13026-1523MSD	316-337	ORG 91-20-3	Naphthalene	6600		ug/L	500	56.04	6/21/2014	6/21/2014	6/21/2014	WG	100	NA	5.0	NA	SW8260B	NALD3527	5000	92%	6%	2000
NAL13026-1523MSD	316-337	ORG 87-61-6	1,2,3-Trichlorobenzene	5000		ug/L	500	23.28	6/21/2014	6/21/2014	6/21/2014	WG	100	NA	5.0	NA	SW8260B	NALD3527	5000	100%	4%	
NAL13026-1523MSD	316-337	STD 1868-53-7	Dibromofluoromethane	53		ug/L	1	0.10	6/21/2014	6/21/2014	6/21/2014	WG	100	NA	5.0	NA	SW8260B	NALD3527	50	106%	2%	
NAL13026-1523MSD	316-337	STD 17060-07-0	1,2-Dichloroethane d4	55		ug/L	1	0.10	6/21/2014	6/21/2014	6/21/2014	WG	100	NA	5.0	NA	SW8260B	NALD3527	50	110%	2%	
NAL13026-1523MSD	316-337	STD 2037-26-5	Toluene d8	51		ug/L	1	0.10	6/21/2014	6/21/2014	6/21/2014	WG	100	NA	5.0	NA	SW8260B	NALD3527	50	102%	0%	
NAL13026-1523MSD	316-337	STD 460-00-4	Bromofluorobenzene	54		ug/L	1	0.10	6/21/2014	6/21/2014	6/21/2014	WG	100	NA	5.0	NA	SW8260B	NALD3527	50	108%	0%	

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1525	316-338	ORG 108-67-8	1,3,5-Trimethylbenzene	30	J	ug/L	200	20.03	6/22/2014	6/22/2014	6/22/2014	WG	100	NA	5.0	NA	SW8260B	NALD3532				
NAL13026-1525	316-338	ORG 98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	6/22/2014	6/22/2014	6/22/2014	WG	100	NA	5.0	NA	SW8260B	NALD3532				
NAL13026-1525	316-338	ORG 95-63-6	1,2,4-Trimethylbenzene	180	J	ug/L	200	20.03	6/22/2014	6/22/2014	6/22/2014	WG	100	NA	5.0	NA	SW8260B	NALD3532				
NAL13026-1525	316-338	ORG 135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	6/22/2014	6/22/2014	6/22/2014	WG	100	NA	5.0	NA	SW8260B	NALD3532				
NAL13026-1525	316-338	ORG 541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	6/22/2014	6/22/2014	6/22/2014	WG	100	NA	5.0	NA	SW8260B	NALD3532				
NAL13026-1525	316-338	ORG 99-87-6	p-Isopropyltoluene	1200		ug/L	200	25.48	6/22/2014	6/22/2014	6/22/2014	WG	100	NA	5.0	NA	SW8260B	NALD3532				
NAL13026-1525	316-338	ORG 106-46-7	1,4-Dichlorobenzene	260		ug/L	200	33.03	6/22/2014	6/22/2014	6/22/2014	WG	100	NA	5.0	NA	SW8260B	NALD3532				
NAL13026-1525	316-338	ORG 95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	6/22/2014	6/22/2014	6/22/2014	WG	100	NA	5.0	NA	SW8260B	NALD3532				
NAL13026-1525	316-338	ORG 104-51-8	n-Butylbenzene	56	J	ug/L	500	27.81	6/22/2014	6/22/2014	6/22/2014	WG	100	NA	5.0	NA	SW8260B	NALD3532				
NAL13026-1525	316-338	ORG 96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	6/22/2014	6/22/2014	6/22/2014	WG	100	NA	5.0	NA	SW8260B	NALD3532				
NAL13026-1525	316-338	ORG 87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	6/22/2014	6/22/2014	6/22/2014	WG	100	NA	5.0	NA	SW8260B	NALD3532				
NAL13026-1525	316-338	ORG 120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	6/22/2014	6/22/2014	6/22/2014	WG	100	NA	5.0	NA	SW8260B	NALD3532				
NAL13026-1525	316-338	ORG 91-20-3	Naphthalene	1500		ug/L	500	56.04	6/22/2014	6/22/2014	6/22/2014	WG	100	NA	5.0	NA	SW8260B	NALD3532				
NAL13026-1525	316-338	ORG 87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	6/22/2014	6/22/2014	6/22/2014	WG	100	NA	5.0	NA	SW8260B	NALD3532				
NAL13026-1525	316-338	STD 1868-53-7	Dibromofluoromethane	52		ug/L	1	0.10	6/22/2014	6/22/2014	6/22/2014	WG	100	NA	5.0	NA	SW8260B	NALD3532	50	104%		
NAL13026-1525	316-338	STD 17060-07-0	1,2-Dichloroethane d4	61		ug/L	1	0.10	6/22/2014	6/22/2014	6/22/2014	WG	100	NA	5.0	NA	SW8260B	NALD3532	50	122%		
NAL13026-1525	316-338	STD 2037-26-5	Toluene d8	52		ug/L	1	0.10	6/22/2014	6/22/2014	6/22/2014	WG	100	NA	5.0	NA	SW8260B	NALD3532	50	104%		
NAL13026-1525	316-338	STD 460-00-4	Bromofluorobenzene	56		ug/L	1	0.10	6/22/2014	6/22/2014	6/22/2014	WG	100	NA	5.0	NA	SW8260B	NALD3532	50	112%		

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1526	CB 06-22-14	ORG 108-67-8	1,3,5-Trimethylbenzene	28	J	ug/L	200	20.03	6/22/2014	6/22/2014	6/22/2014	WG	100	NA	5.0	NA	SW8260B	NALD3538				
NAL13026-1526	CB 06-22-14	ORG 98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	6/22/2014	6/22/2014	6/22/2014	WG	100	NA	5.0	NA	SW8260B	NALD3538				
NAL13026-1526	CB 06-22-14	ORG 95-63-6	1,2,4-Trimethylbenzene	78	J	ug/L	200	20.03	6/22/2014	6/22/2014	6/22/2014	WG	100	NA	5.0	NA	SW8260B	NALD3538				
NAL13026-1526	CB 06-22-14	ORG 135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	6/22/2014	6/22/2014	6/22/2014	WG	100	NA	5.0	NA	SW8260B	NALD3538				
NAL13026-1526	CB 06-22-14	ORG 541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	6/22/2014	6/22/2014	6/22/2014	WG	100	NA	5.0	NA	SW8260B	NALD3538				
NAL13026-1526	CB 06-22-14	ORG 99-87-6	p-Isopropyltoluene	410		ug/L	200	25.48	6/22/2014	6/22/2014	6/22/2014	WG	100	NA	5.0	NA	SW8260B	NALD3538				
NAL13026-1526	CB 06-22-14	ORG 106-46-7	1,4-Dichlorobenzene	99	J	ug/L	200	33.03	6/22/2014	6/22/2014	6/22/2014	WG	100	NA	5.0	NA	SW8260B	NALD3538				
NAL13026-1526	CB 06-22-14	ORG 95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	6/22/2014	6/22/2014	6/22/2014	WG	100	NA	5.0	NA	SW8260B	NALD3538				
NAL13026-1526	CB 06-22-14	ORG 104-51-8	n-Butylbenzene	38	J	ug/L	500	27.81	6/22/2014	6/22/2014	6/22/2014	WG	100	NA	5.0	NA	SW8260B	NALD3538				
NAL13026-1526	CB 06-22-14	ORG 96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	6/22/2014	6/22/2014	6/22/2014	WG	100	NA	5.0	NA	SW8260B	NALD3538				
NAL13026-1526	CB 06-22-14	ORG 87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	6/22/2014	6/22/2014	6/22/2014	WG	100	NA	5.0	NA	SW8260B	NALD3538				
NAL13026-1526	CB 06-22-14	ORG 120-82-1	1,2,4-Trichlorobenzene	46	J	ug/L	500	27.63	6/22/2014	6/22/2014	6/22/2014	WG	100	NA	5.0	NA	SW8260B	NALD3538				
NAL13026-1526	CB 06-22-14	ORG 91-20-3	Naphthalene	360	J	ug/L	500	56.04	6/22/2014	6/22/2014	6/22/2014	WG	100	NA	5.0	NA	SW8260B	NALD3538				
NAL13026-1526	CB 06-22-14	ORG 87-61-6	1,2,3-Trichlorobenzene	46	J	ug/L	500	23.28	6/22/2014	6/22/2014	6/22/2014	WG	100	NA	5.0	NA	SW8260B	NALD3538				
NAL13026-1526	CB 06-22-14	STD 1868-53-7	Dibromofluoromethane	52		ug/L	1	0.10	6/22/2014	6/22/2014	6/22/2014	WG	100	NA	5.0	NA	SW8260B	NALD3538	50	104%		
NAL13026-1526	CB 06-22-14	STD 17060-07-0	1,2-Dichloroethane d4	59		ug/L	1	0.10	6/22/2014	6/22/2014	6/22/2014	WG	100	NA	5.0	NA	SW8260B	NALD3538	50	118%		
NAL13026-1526	CB 06-22-14	STD 2037-26-5	Toluene d8	50		ug/L	1	0.10	6/22/2014	6/22/2014	6/22/2014	WG	100	NA	5.0	NA	SW8260B	NALD3538	50	100%		
NAL13026-1526	CB 06-22-14	STD 460-00-4	Bromofluorobenzene	56		ug/L	1	0.10	6/22/2014	6/22/2014	6/22/2014	WG	100	NA	5.0	NA	SW8260B	NALD3538	50	112%		

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D062214CCVA	D062214CCVA	ORG 108-67-8	1,3,5-Trimethylbenzene	53		ug/L	2	0.20	NA	6/22/2014	6/22/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3529	50	106%		
D062214CCVA	D062214CCVA	ORG 98-06-6	tert-Butylbenzene	55		ug/L	2	0.33	NA	6/22/2014	6/22/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3529	50	110%		
D062214CCVA	D062214CCVA	ORG 95-63-6	1,2,4-Trimethylbenzene	52		ug/L	2	0.20	NA	6/22/2014	6/22/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3529	50	104%		
D062214CCVA	D062214CCVA	ORG 135-98-8	sec-Butylbenzene	53		ug/L	2	0.32	NA	6/22/2014	6/22/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3529	50	106%		
D062214CCVA	D062214CCVA	ORG 541-73-1	1,3-Dichlorobenzene	51		ug/L	2	0.22	NA	6/22/2014	6/22/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3529	50	102%		
D062214CCVA	D062214CCVA	ORG 99-87-6	p-Isopropyltoluene	53		ug/L	2	0.25	NA	6/22/2014	6/22/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3529	50	106%		
D062214CCVA	D062214CCVA	ORG 106-46-7	1,4-Dichlorobenzene	51		ug/L	2	0.33	NA	6/22/2014	6/22/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3529	50	102%		
D062214CCVA	D062214CCVA	ORG 95-50-1	1,2-Dichlorobenzene	50		ug/L	2	0.26	NA	6/22/2014	6/22/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3529	50	100%		
D062214CCVA	D062214CCVA	ORG 104-51-8	n-Butylbenzene	56		ug/L	5	0.28	NA	6/22/2014	6/22/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3529	50	112%		
D062214CCVA	D062214CCVA	ORG 96-12-8	1,2-Dibromo-3-chloropropane	59		ug/L	5	1.59	NA	6/22/2014	6/22/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3529	50	118%		
D062214CCVA	D062214CCVA	ORG 87-68-3	Hexachlorobutadiene	62		ug/L	5	0.65	NA	6/22/2014	6/22/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3529	50	124%		
D062214CCVA	D062214CCVA	ORG 120-82-1	1,2,4-Trichlorobenzene	53		ug/L	5	0.28	NA	6/22/2014	6/22/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3529	50	106%		
D062214CCVA	D062214CCVA	ORG 91-20-3	Naphthalene	48		ug/L	5	0.56	NA	6/22/2014	6/22/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3529	50	96%		
D062214CCVA	D062214CCVA	ORG 87-61-6	1,2,3-Trichlorobenzene	51		ug/L	5	0.23	NA	6/22/2014	6/22/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3529	50	102%		
D062214CCVA	D062214CCVA	STD 1868-53-7	Dibromofluoromethane	52		ug/L	1	0.10	NA	6/22/2014	6/22/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3529	50	104%		
D062214CCVA	D062214CCVA	STD 17060-07-0	1,2-Dichloroethane d4	53		ug/L	1	0.10	NA	6/22/2014	6/22/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3529	50	106%		
D062214CCVA	D062214CCVA	STD 2037-26-5	Toluene d8	50		ug/L	1	0.10	NA	6/22/2014	6/22/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3529	50	100%		
D062214CCVA	D062214CCVA	STD 460-00-4	Bromofluorobenzene	54		ug/L	1	0.10	NA	6/22/2014	6/22/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3529	50	108%		



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

- B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assessment, QC analyses parameter exceeded control limits.
U = Non-detect

Table with columns: Lab ID, Sample ID, CAS #, ANALYTES, Results, QC, Units, RDL, MDL, Sample Date, Prep. Date, Analysis Date, Matrix, Dil., Weight(g), Vol.(ml), % Solid, Method, Data file, Spike, % Rec, % RPD, Parent. Contains 40 rows of analytical data.

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D062214MBKA	D062214MBKA	ORG 108-67-8	1,3,5-Trimethylbenzene		U	ug/L	2	0.20	NA	6/22/2014	6/22/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3531				
D062214MBKA	D062214MBKA	ORG 98-06-6	tert-Butylbenzene		U	ug/L	2	0.33	NA	6/22/2014	6/22/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3531				
D062214MBKA	D062214MBKA	ORG 95-63-6	1,2,4-Trimethylbenzene		U	ug/L	2	0.20	NA	6/22/2014	6/22/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3531				
D062214MBKA	D062214MBKA	ORG 135-98-8	sec-Butylbenzene		U	ug/L	2	0.32	NA	6/22/2014	6/22/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3531				
D062214MBKA	D062214MBKA	ORG 541-73-1	1,3-Dichlorobenzene		U	ug/L	2	0.22	NA	6/22/2014	6/22/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3531				
D062214MBKA	D062214MBKA	ORG 99-87-6	p-Isopropyltoluene		U	ug/L	2	0.25	NA	6/22/2014	6/22/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3531				
D062214MBKA	D062214MBKA	ORG 106-46-7	1,4-Dichlorobenzene		U	ug/L	2	0.33	NA	6/22/2014	6/22/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3531				
D062214MBKA	D062214MBKA	ORG 95-50-1	1,2-Dichlorobenzene		U	ug/L	2	0.26	NA	6/22/2014	6/22/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3531				
D062214MBKA	D062214MBKA	ORG 104-51-8	n-Butylbenzene		U	ug/L	5	0.28	NA	6/22/2014	6/22/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3531				
D062214MBKA	D062214MBKA	ORG 96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	5	1.59	NA	6/22/2014	6/22/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3531				
D062214MBKA	D062214MBKA	ORG 87-68-3	Hexachlorobutadiene		U	ug/L	5	0.65	NA	6/22/2014	6/22/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3531				
D062214MBKA	D062214MBKA	ORG 120-82-1	1,2,4-Trichlorobenzene		U	ug/L	5	0.28	NA	6/22/2014	6/22/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3531				
D062214MBKA	D062214MBKA	ORG 91-20-3	Naphthalene		U	ug/L	5	0.56	NA	6/22/2014	6/22/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3531				
D062214MBKA	D062214MBKA	ORG 87-61-6	1,2,3-Trichlorobenzene		U	ug/L	5	0.23	NA	6/22/2014	6/22/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3531				
D062214MBKA	D062214MBKA	STD 1868-53-7	Dibromofluoromethane	53		ug/L	1	0.10	NA	6/22/2014	6/22/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3531	50	106%		
D062214MBKA	D062214MBKA	STD 17060-07-0	1,2-Dichloroethane d4	62		ug/L	1	0.10	NA	6/22/2014	6/22/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3531	50	124%		
D062214MBKA	D062214MBKA	STD 2037-26-5	Toluene d8	51		ug/L	1	0.10	NA	6/22/2014	6/22/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3531	50	102%		
D062214MBKA	D062214MBKA	STD 460-00-4	Bromofluorobenzene	54		ug/L	1	0.10	NA	6/22/2014	6/22/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3531	50	108%		



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

FINAL ANALYTICAL REPORT

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

- B** = Analyte is found in the associated blank as well as in the sample.
- D** = Compound identified in an analysis at a secondary dilution factor.
- E** = Compound's concentration exceeds the calibration range of the instrument at this dilution.
- X** = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
- J** = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
- M** = Matrix assessment, QC analyses parameter exceeded control limits.
- U** = Non-detect

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D062214ALCS	D062214ALCS	ORG 75-71-8	Dichlorodifluoromethane	53		ug/L	5	0.29	NA	6/22/2014	6/22/2014	WQ	1 NA	5.0	NA	SW8260B	NALD3530	50	106%			
D062214ALCS	D062214ALCS	ORG 74-87-3	Chloromethane	47		ug/L	5	0.43	NA	6/22/2014	6/22/2014	WQ	1 NA	5.0	NA	SW8260B	NALD3530	50	94%			
D062214ALCS	D062214ALCS	ORG 75-01-4	Vinyl chloride	50		ug/L	2	0.32	NA	6/22/2014	6/22/2014	WQ	1 NA	5.0	NA	SW8260B	NALD3530	50	100%			
D062214ALCS	D062214ALCS	ORG 74-83-9	Bromomethane	88		ug/L	5	0.50	NA	6/22/2014	6/22/2014	WQ	1 NA	5.0	NA	SW8260B	NALD3530	50	176%			
D062214ALCS	D062214ALCS	ORG 75-00-3	Chloroethane	110		ug/L	5	0.56	NA	6/22/2014	6/22/2014	WQ	1 NA	5.0	NA	SW8260B	NALD3530	50	220%			
D062214ALCS	D062214ALCS	ORG 75-69-4	Trichlorofluoromethane	78		ug/L	5	0.20	NA	6/22/2014	6/22/2014	WQ	1 NA	5.0	NA	SW8260B	NALD3530	50	156%			
D062214ALCS	D062214ALCS	ORG 75-35-4	1,1-Dichloroethene	56		ug/L	1	0.47	NA	6/22/2014	6/22/2014	WQ	1 NA	5.0	NA	SW8260B	NALD3530	50	112%			
D062214ALCS	D062214ALCS	ORG 75-09-2	Methylene chloride	54		ug/L	5	0.26	NA	6/22/2014	6/22/2014	WQ	1 NA	5.0	NA	SW8260B	NALD3530	50	108%			
D062214ALCS	D062214ALCS	ORG 67-64-1	Acetone	100		ug/L	10	1.56	NA	6/22/2014	6/22/2014	WQ	1 NA	5.0	NA	SW8260B	NALD3530	50	200%			
D062214ALCS	D062214ALCS	ORG 156-60-5	trans-1,2-Dichloroethene	47		ug/L	1	0.56	NA	6/22/2014	6/22/2014	WQ	1 NA	5.0	NA	SW8260B	NALD3530	50	94%			
D062214ALCS	D062214ALCS	ORG 1634-04-4	MTBE	53		ug/L	5	0.61	NA	6/22/2014	6/22/2014	WQ	1 NA	5.0	NA	SW8260B	NALD3530	50	106%			
D062214ALCS	D062214ALCS	ORG 75-34-3	1,1-Dichloroethane	52		ug/L	1	0.53	NA	6/22/2014	6/22/2014	WQ	1 NA	5.0	NA	SW8260B	NALD3530	50	104%			
D062214ALCS	D062214ALCS	ORG 156-59-2	cis-1,2-Dichloroethene	50		ug/L	1	0.32	NA	6/22/2014	6/22/2014	WQ	1 NA	5.0	NA	SW8260B	NALD3530	50	100%			
D062214ALCS	D062214ALCS	ORG 74-97-5	Bromochloromethane	48		ug/L	10	0.41	NA	6/22/2014	6/22/2014	WQ	1 NA	5.0	NA	SW8260B	NALD3530	50	96%			
D062214ALCS	D062214ALCS	ORG 67-66-3	Chloroform	53		ug/L	2	0.16	NA	6/22/2014	6/22/2014	WQ	1 NA	5.0	NA	SW8260B	NALD3530	50	106%			
D062214ALCS	D062214ALCS	ORG 71-55-6	1,1,1-Trichloroethane	58		ug/L	1	0.17	NA	6/22/2014	6/22/2014	WQ	1 NA	5.0	NA	SW8260B	NALD3530	50	116%			
D062214ALCS	D062214ALCS	ORG 78-93-3	2-Butanone	58		ug/L	1	0.81	NA	6/22/2014	6/22/2014	WQ	1 NA	5.0	NA	SW8260B	NALD3530	50	116%			
D062214ALCS	D062214ALCS	ORG 56-23-5	Carbon tetrachloride	61		ug/L	1	0.28	NA	6/22/2014	6/22/2014	WQ	1 NA	5.0	NA	SW8260B	NALD3530	50	122%			
D062214ALCS	D062214ALCS	ORG 71-43-2	Benzene	48		ug/L	1	0.14	NA	6/22/2014	6/22/2014	WQ	1 NA	5.0	NA	SW8260B	NALD3530	50	96%			
D062214ALCS	D062214ALCS	ORG 107-06-2	1,2-Dichloroethane	56		ug/L	1	0.20	NA	6/22/2014	6/22/2014	WQ	1 NA	5.0	NA	SW8260B	NALD3530	50	112%			
D062214ALCS	D062214ALCS	ORG 79-01-6	Trichloroethene	50		ug/L	1	0.36	NA	6/22/2014	6/22/2014	WQ	1 NA	5.0	NA	SW8260B	NALD3530	50	100%			
D062214ALCS	D062214ALCS	ORG 74-95-3	Dibromomethane	54		ug/L	2	0.32	NA	6/22/2014	6/22/2014	WQ	1 NA	5.0	NA	SW8260B	NALD3530	50	108%			
D062214ALCS	D062214ALCS	ORG 78-87-5	1,2-Dichloropropane	50		ug/L	1	0.18	NA	6/22/2014	6/22/2014	WQ	1 NA	5.0	NA	SW8260B	NALD3530	50	100%			
D062214ALCS	D062214ALCS	ORG 75-27-4	Bromodichloromethane	57		ug/L	2	0.12	NA	6/22/2014	6/22/2014	WQ	1 NA	5.0	NA	SW8260B	NALD3530	50	114%			
D062214ALCS	D062214ALCS	ORG 10061-01-5	cis-1,3-Dichloropropene	56		ug/L	1	0.25	NA	6/22/2014	6/22/2014	WQ	1 NA	5.0	NA	SW8260B	NALD3530	50	112%			
D062214ALCS	D062214ALCS	ORG 108-88-3	Toluene	47		ug/L	1	0.21	NA	6/22/2014	6/22/2014	WQ	1 NA	5.0	NA	SW8260B	NALD3530	50	94%			
D062214ALCS	D062214ALCS	ORG 108-10-1	4-Methyl-2-pentanone	53		ug/L	5	0.74	NA	6/22/2014	6/22/2014	WQ	1 NA	5.0	NA	SW8260B	NALD3530	50	106%			
D062214ALCS	D062214ALCS	ORG 10061-02-6	trans-1,3-Dichloropropene	61		ug/L	1	0.31	NA	6/22/2014	6/22/2014	WQ	1 NA	5.0	NA	SW8260B	NALD3530	50	122%			
D062214ALCS	D062214ALCS	ORG 127-18-4	Tetrachloroethene	43		ug/L	1	0.49	NA	6/22/2014	6/22/2014	WQ	1 NA	5.0	NA	SW8260B	NALD3530	50	86%			
D062214ALCS	D062214ALCS	ORG 79-00-5	1,1,2-Trichloroethane	49		ug/L	1	0.34	NA	6/22/2014	6/22/2014	WQ	1 NA	5.0	NA	SW8260B	NALD3530	50	98%			
D062214ALCS	D062214ALCS	ORG 124-48-1	Dibromochloromethane	57		ug/L	5	0.30	NA	6/22/2014	6/22/2014	WQ	1 NA	5.0	NA	SW8260B	NALD3530	50	114%			
D062214ALCS	D062214ALCS	ORG 106-93-4	1,2-Dibromoethane	51		ug/L	2	0.26	NA	6/22/2014	6/22/2014	WQ	1 NA	5.0	NA	SW8260B	NALD3530	50	102%			
D062214ALCS	D062214ALCS	ORG 591-78-6	2-Hexanone	66		ug/L	2	0.69	NA	6/22/2014	6/22/2014	WQ	1 NA	5.0	NA	SW8260B	NALD3530	50	132%			
D062214ALCS	D062214ALCS	ORG 100-41-4	Ethylbenzene	51		ug/L	1	0.25	NA	6/22/2014	6/22/2014	WQ	1 NA	5.0	NA	SW8260B	NALD3530	50	102%			
D062214ALCS	D062214ALCS	ORG 108-90-7	Chlorobenzene	49		ug/L	1	0.28	NA	6/22/2014	6/22/2014	WQ	1 NA	5.0	NA	SW8260B	NALD3530	50	98%			
D062214ALCS	D062214ALCS	ORG 630-20-6	1,1,1,2-Tetrachloroethane	55		ug/L	2	0.19	NA	6/22/2014	6/22/2014	WQ	1 NA	5.0	NA	SW8260B	NALD3530	50	110%			
D062214ALCS	D062214ALCS	ORG XYLMP	p&m-Xylene	100		ug/L	2	0.26	NA	6/22/2014	6/22/2014	WQ	1 NA	5.0	NA	SW8260B	NALD3530	100	100%			
D062214ALCS	D062214ALCS	ORG 95-47-6	o-Xylene	52		ug/L	1	0.13	NA	6/22/2014	6/22/2014	WQ	1 NA	5.0	NA	SW8260B	NALD3530	50	104%			
D062214ALCS	D062214ALCS	ORG 100-42-5	Styrene	54		ug/L	1	0.20	NA	6/22/2014	6/22/2014	WQ	1 NA	5.0	NA	SW8260B	NALD3530	50	108%			
D062214ALCS	D062214ALCS	ORG 75-25-2	Bromoform	54		ug/L	2	0.47	NA	6/22/2014	6/22/2014	WQ	1 NA	5.0	NA	SW8260B	NALD3530	50	108%			
D062214ALCS	D062214ALCS	ORG 98-82-8	Isopropylbenzene	53		ug/L	2	0.20	NA	6/22/2014	6/22/2014	WQ	1 NA	5.0	NA	SW8260B	NALD3530	50	106%			
D062214ALCS	D062214ALCS	ORG 103-65-1	n-Propylbenzene	52		ug/L	2	0.27	NA	6/22/2014	6/22/2014	WQ	1 NA	5.0	NA	SW8260B	NALD3530	50	104%			
D062214ALCS	D062214ALCS	ORG 79-34-5	1,1,2,2-Tetrachloroethane	53		ug/L	2	0.29	NA	6/22/2014	6/22/2014	WQ	1 NA	5.0	NA	SW8260B	NALD3530	50	106%			
D062214ALCS	D062214ALCS	ORG 96-18-4	1,2,3-Trichloropropane	53		ug/L	2	0.29	NA	6/22/2014	6/22/2014	WQ	1 NA	5.0	NA	SW8260B	NALD3530	50	106%			

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D062214ALCS	D062214ALCS	ORG 108-67-8	1,3,5-Trimethylbenzene	53		ug/L	2	0.20	NA	6/22/2014	6/22/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3530	50	106%		
D062214ALCS	D062214ALCS	ORG 98-06-6	tert-Butylbenzene	54		ug/L	2	0.33	NA	6/22/2014	6/22/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3530	50	108%		
D062214ALCS	D062214ALCS	ORG 95-63-6	1,2,4-Trimethylbenzene	53		ug/L	2	0.20	NA	6/22/2014	6/22/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3530	50	106%		
D062214ALCS	D062214ALCS	ORG 135-98-8	sec-Butylbenzene	52		ug/L	2	0.32	NA	6/22/2014	6/22/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3530	50	104%		
D062214ALCS	D062214ALCS	ORG 541-73-1	1,3-Dichlorobenzene	51		ug/L	2	0.22	NA	6/22/2014	6/22/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3530	50	102%		
D062214ALCS	D062214ALCS	ORG 99-87-6	p-Isopropyltoluene	53		ug/L	2	0.25	NA	6/22/2014	6/22/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3530	50	106%		
D062214ALCS	D062214ALCS	ORG 106-46-7	1,4-Dichlorobenzene	50		ug/L	2	0.33	NA	6/22/2014	6/22/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3530	50	100%		
D062214ALCS	D062214ALCS	ORG 95-50-1	1,2-Dichlorobenzene	51		ug/L	2	0.26	NA	6/22/2014	6/22/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3530	50	102%		
D062214ALCS	D062214ALCS	ORG 104-51-8	n-Butylbenzene	56		ug/L	5	0.28	NA	6/22/2014	6/22/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3530	50	112%		
D062214ALCS	D062214ALCS	ORG 96-12-8	1,2-Dibromo-3-chloropropane	66		ug/L	5	1.59	NA	6/22/2014	6/22/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3530	50	132%		
D062214ALCS	D062214ALCS	ORG 87-68-3	Hexachlorobutadiene	63		ug/L	5	0.65	NA	6/22/2014	6/22/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3530	50	126%		
D062214ALCS	D062214ALCS	ORG 120-82-1	1,2,4-Trichlorobenzene	55		ug/L	5	0.28	NA	6/22/2014	6/22/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3530	50	110%		
D062214ALCS	D062214ALCS	ORG 91-20-3	Naphthalene	53		ug/L	5	0.56	NA	6/22/2014	6/22/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3530	50	106%		
D062214ALCS	D062214ALCS	ORG 87-61-6	1,2,3-Trichlorobenzene	53		ug/L	5	0.23	NA	6/22/2014	6/22/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3530	50	106%		
D062214ALCS	D062214ALCS	STD 1868-53-7	Dibromofluoromethane	53		ug/L	1	0.10	NA	6/22/2014	6/22/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3530	50	106%		
D062214ALCS	D062214ALCS	STD 17060-07-0	1,2-Dichloroethane d4	57		ug/L	1	0.10	NA	6/22/2014	6/22/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3530	50	114%		
D062214ALCS	D062214ALCS	STD 2037-26-5	Toluene d8	50		ug/L	1	0.10	NA	6/22/2014	6/22/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3530	50	100%		
D062214ALCS	D062214ALCS	STD 460-00-4	Bromofluorobenzene	54		ug/L	1	0.10	NA	6/22/2014	6/22/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3530	50	108%		



New Age/Landmark

Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assessment, QC analyses parameter exceeded control limits.
U = Non-detect

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D062214ALCD	D062214ALCD	ORG 75-71-8	Dichlorodifluoromethane	56		ug/L	5	0.29	NA	6/22/2014	6/22/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3534	50	112%	6%	
D062214ALCD	D062214ALCD	ORG 74-87-3	Chloromethane	49		ug/L	5	0.43	NA	6/22/2014	6/22/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3534	50	98%	4%	
D062214ALCD	D062214ALCD	ORG 75-01-4	Vinyl chloride	52		ug/L	2	0.32	NA	6/22/2014	6/22/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3534	50	104%	4%	
D062214ALCD	D062214ALCD	ORG 74-83-9	Bromomethane	96		ug/L	5	0.50	NA	6/22/2014	6/22/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3534	50	192%	9%	
D062214ALCD	D062214ALCD	ORG 75-00-3	Chloroethane	120		ug/L	5	0.56	NA	6/22/2014	6/22/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3534	50	240%	9%	
D062214ALCD	D062214ALCD	ORG 75-69-4	Trichlorofluoromethane	190		ug/L	5	0.20	NA	6/22/2014	6/22/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3534	50	380%	84%	
D062214ALCD	D062214ALCD	ORG 75-35-4	1,1-Dichloroethane	62		ug/L	1	0.47	NA	6/22/2014	6/22/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3534	50	124%	10%	
D062214ALCD	D062214ALCD	ORG 75-09-2	Methylene chloride	57		ug/L	5	0.26	NA	6/22/2014	6/22/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3534	50	114%	5%	
D062214ALCD	D062214ALCD	ORG 67-64-1	Acetone	65		ug/L	10	1.56	NA	6/22/2014	6/22/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3534	50	130%	42%	
D062214ALCD	D062214ALCD	ORG 156-60-5	trans-1,2-Dichloroethane	50		ug/L	1	0.56	NA	6/22/2014	6/22/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3534	50	100%	6%	
D062214ALCD	D062214ALCD	ORG 1634-04-4	MTBE	51		ug/L	5	0.61	NA	6/22/2014	6/22/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3534	50	102%	4%	
D062214ALCD	D062214ALCD	ORG 75-34-3	1,1-Dichloroethane	55		ug/L	1	0.53	NA	6/22/2014	6/22/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3534	50	110%	6%	
D062214ALCD	D062214ALCD	ORG 156-59-2	cis-1,2-Dichloroethane	53		ug/L	1	0.32	NA	6/22/2014	6/22/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3534	50	106%	6%	
D062214ALCD	D062214ALCD	ORG 74-97-5	Bromochloromethane	51		ug/L	10	0.41	NA	6/22/2014	6/22/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3534	50	102%	6%	
D062214ALCD	D062214ALCD	ORG 67-66-3	Chloroform	57		ug/L	2	0.16	NA	6/22/2014	6/22/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3534	50	114%	7%	
D062214ALCD	D062214ALCD	ORG 71-55-6	1,1,1-Trichloroethane	63		ug/L	1	0.17	NA	6/22/2014	6/22/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3534	50	126%	8%	
D062214ALCD	D062214ALCD	ORG 78-93-3	2-Butanone	55		ug/L	1	0.81	NA	6/22/2014	6/22/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3534	50	110%	5%	
D062214ALCD	D062214ALCD	ORG 56-23-5	Carbon tetrachloride	67		ug/L	1	0.28	NA	6/22/2014	6/22/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3534	50	134%	9%	
D062214ALCD	D062214ALCD	ORG 71-43-2	Benzene	52		ug/L	1	0.14	NA	6/22/2014	6/22/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3534	50	104%	8%	
D062214ALCD	D062214ALCD	ORG 107-06-2	1,2-Dichloroethane	60		ug/L	1	0.20	NA	6/22/2014	6/22/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3534	50	120%	7%	
D062214ALCD	D062214ALCD	ORG 79-01-6	Trichloroethene	55		ug/L	1	0.36	NA	6/22/2014	6/22/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3534	50	110%	10%	
D062214ALCD	D062214ALCD	ORG 74-95-3	Dibromomethane	54		ug/L	2	0.32	NA	6/22/2014	6/22/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3534	50	108%	0%	
D062214ALCD	D062214ALCD	ORG 78-87-5	1,2-Dichloropropane	54		ug/L	1	0.18	NA	6/22/2014	6/22/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3534	50	108%	8%	
D062214ALCD	D062214ALCD	ORG 75-27-4	Bromodichloromethane	61		ug/L	2	0.12	NA	6/22/2014	6/22/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3534	50	122%	7%	
D062214ALCD	D062214ALCD	ORG 10061-01-5	cis-1,3-Dichloropropene	59		ug/L	1	0.25	NA	6/22/2014	6/22/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3534	50	118%	5%	
D062214ALCD	D062214ALCD	ORG 108-88-3	Toluene	50		ug/L	1	0.21	NA	6/22/2014	6/22/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3534	50	100%	6%	
D062214ALCD	D062214ALCD	ORG 108-10-1	4-Methyl-2-pentanone	46		ug/L	5	0.74	NA	6/22/2014	6/22/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3534	50	92%	14%	
D062214ALCD	D062214ALCD	ORG 10061-02-6	trans-1,3-Dichloropropene	64		ug/L	1	0.31	NA	6/22/2014	6/22/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3534	50	128%	5%	
D062214ALCD	D062214ALCD	ORG 127-18-4	Tetrachloroethene	43		ug/L	1	0.49	NA	6/22/2014	6/22/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3534	50	86%	0%	
D062214ALCD	D062214ALCD	ORG 79-00-5	1,1,2-Trichloroethane	50		ug/L	1	0.34	NA	6/22/2014	6/22/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3534	50	100%	2%	
D062214ALCD	D062214ALCD	ORG 124-48-1	Dibromochloromethane	58		ug/L	5	0.30	NA	6/22/2014	6/22/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3534	50	116%	2%	
D062214ALCD	D062214ALCD	ORG 106-93-4	1,2-Dibromoethane	51		ug/L	2	0.26	NA	6/22/2014	6/22/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3534	50	102%	0%	
D062214ALCD	D062214ALCD	ORG 591-78-6	2-Hexanone	54		ug/L	2	0.69	NA	6/22/2014	6/22/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3534	50	108%	20%	
D062214ALCD	D062214ALCD	ORG 100-41-4	Ethylbenzene	55		ug/L	1	0.25	NA	6/22/2014	6/22/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3534	50	110%	8%	
D062214ALCD	D062214ALCD	ORG 108-90-7	Chlorobenzene	53		ug/L	1	0.28	NA	6/22/2014	6/22/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3534	50	106%	8%	
D062214ALCD	D062214ALCD	ORG 630-20-6	1,1,1,2-Tetrachloroethane	58		ug/L	2	0.19	NA	6/22/2014	6/22/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3534	50	116%	5%	
D062214ALCD	D062214ALCD	ORG XYLMP	p&m-Xylene	110		ug/L	2	0.26	NA	6/22/2014	6/22/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3534	100	110%	10%	
D062214ALCD	D062214ALCD	ORG 95-47-6	o-Xylene	56		ug/L	1	0.13	NA	6/22/2014	6/22/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3534	50	112%	7%	
D062214ALCD	D062214ALCD	ORG 100-42-5	Styrene	57		ug/L	1	0.20	NA	6/22/2014	6/22/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3534	50	114%	5%	
D062214ALCD	D062214ALCD	ORG 75-25-2	Bromoform	54		ug/L	2	0.47	NA	6/22/2014	6/22/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3534	50	108%	0%	
D062214ALCD	D062214ALCD	ORG 98-82-8	Isopropylbenzene	57		ug/L	2	0.20	NA	6/22/2014	6/22/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3534	50	114%	7%	
D062214ALCD	D062214ALCD	ORG 103-65-1	n-Propylbenzene	56		ug/L	2	0.27	NA	6/22/2014	6/22/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3534	50	112%	7%	
D062214ALCD	D062214ALCD	ORG 79-34-5	1,1,2,2-Tetrachloroethane	50		ug/L	2	0.29	NA	6/22/2014	6/22/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3534	50	100%	6%	
D062214ALCD	D062214ALCD	ORG 96-18-4	1,2,3-Trichloropropane	52		ug/L	2	0.29	NA	6/22/2014	6/22/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3534	50	104%	2%	

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D062214ALCD	D062214ALCD	ORG 108-67-8	1,3,5-Trimethylbenzene	58		ug/L	2	0.20	NA	6/22/2014	6/22/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3534	50	116%	9%	
D062214ALCD	D062214ALCD	ORG 98-06-6	tert-Butylbenzene	58		ug/L	2	0.33	NA	6/22/2014	6/22/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3534	50	116%	7%	
D062214ALCD	D062214ALCD	ORG 95-63-6	1,2,4-Trimethylbenzene	57		ug/L	2	0.20	NA	6/22/2014	6/22/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3534	50	114%	7%	
D062214ALCD	D062214ALCD	ORG 135-98-8	sec-Butylbenzene	56		ug/L	2	0.32	NA	6/22/2014	6/22/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3534	50	112%	7%	
D062214ALCD	D062214ALCD	ORG 541-73-1	1,3-Dichlorobenzene	53		ug/L	2	0.22	NA	6/22/2014	6/22/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3534	50	106%	4%	
D062214ALCD	D062214ALCD	ORG 99-87-6	p-Isopropyltoluene	56		ug/L	2	0.25	NA	6/22/2014	6/22/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3534	50	112%	6%	
D062214ALCD	D062214ALCD	ORG 106-46-7	1,4-Dichlorobenzene	53		ug/L	2	0.33	NA	6/22/2014	6/22/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3534	50	106%	6%	
D062214ALCD	D062214ALCD	ORG 95-50-1	1,2-Dichlorobenzene	52		ug/L	2	0.26	NA	6/22/2014	6/22/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3534	50	104%	2%	
D062214ALCD	D062214ALCD	ORG 104-51-8	n-Butylbenzene	59		ug/L	5	0.28	NA	6/22/2014	6/22/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3534	50	118%	5%	
D062214ALCD	D062214ALCD	ORG 96-12-8	1,2-Dibromo-3-chloropropane	58		ug/L	5	1.59	NA	6/22/2014	6/22/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3534	50	116%	13%	
D062214ALCD	D062214ALCD	ORG 87-68-3	Hexachlorobutadiene	65		ug/L	5	0.65	NA	6/22/2014	6/22/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3534	50	130%	3%	
D062214ALCD	D062214ALCD	ORG 120-82-1	1,2,4-Trichlorobenzene	54		ug/L	5	0.28	NA	6/22/2014	6/22/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3534	50	108%	2%	
D062214ALCD	D062214ALCD	ORG 91-20-3	Naphthalene	48		ug/L	5	0.56	NA	6/22/2014	6/22/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3534	50	96%	10%	
D062214ALCD	D062214ALCD	ORG 87-61-6	1,2,3-Trichlorobenzene	51		ug/L	5	0.23	NA	6/22/2014	6/22/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3534	50	102%	4%	
D062214ALCD	D062214ALCD	STD 1868-53-7	Dibromofluoromethane	53		ug/L	1	0.10	NA	6/22/2014	6/22/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3534	50	106%	0%	
D062214ALCD	D062214ALCD	STD 17060-07-0	1,2-Dichloroethane d4	57		ug/L	1	0.10	NA	6/22/2014	6/22/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3534	50	114%	0%	
D062214ALCD	D062214ALCD	STD 2037-26-5	Toluene d8	50		ug/L	1	0.10	NA	6/22/2014	6/22/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3534	50	100%	0%	
D062214ALCD	D062214ALCD	STD 460-00-4	Bromofluorobenzene	54		ug/L	1	0.10	NA	6/22/2014	6/22/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3534	50	108%	0%	

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1525MS	316-338	ORG 108-67-8	1,3,5-Trimethylbenzene	5800		ug/L	200	20.03	6/22/2014	6/22/2014	6/22/2014	WG	100	NA	5.0	NA	SW8260B	NALD3535	5000	115%		30
NAL13026-1525MS	316-338	ORG 98-06-6	tert-Butylbenzene	5800		ug/L	200	32.61	6/22/2014	6/22/2014	6/22/2014	WG	100	NA	5.0	NA	SW8260B	NALD3535	5000	116%		
NAL13026-1525MS	316-338	ORG 95-63-6	1,2,4-Trimethylbenzene	5900		ug/L	200	20.03	6/22/2014	6/22/2014	6/22/2014	WG	100	NA	5.0	NA	SW8260B	NALD3535	5000	114%		180
NAL13026-1525MS	316-338	ORG 135-98-8	sec-Butylbenzene	5600		ug/L	200	32.34	6/22/2014	6/22/2014	6/22/2014	WG	100	NA	5.0	NA	SW8260B	NALD3535	5000	112%		
NAL13026-1525MS	316-338	ORG 541-73-1	1,3-Dichlorobenzene	5400		ug/L	200	22.21	6/22/2014	6/22/2014	6/22/2014	WG	100	NA	5.0	NA	SW8260B	NALD3535	5000	108%		
NAL13026-1525MS	316-338	ORG 99-87-6	p-Isopropyltoluene	6800		ug/L	200	25.48	6/22/2014	6/22/2014	6/22/2014	WG	100	NA	5.0	NA	SW8260B	NALD3535	5000	112%		1200
NAL13026-1525MS	316-338	ORG 106-46-7	1,4-Dichlorobenzene	5600		ug/L	200	33.03	6/22/2014	6/22/2014	6/22/2014	WG	100	NA	5.0	NA	SW8260B	NALD3535	5000	107%		260
NAL13026-1525MS	316-338	ORG 95-50-1	1,2-Dichlorobenzene	5300		ug/L	200	26.38	6/22/2014	6/22/2014	6/22/2014	WG	100	NA	5.0	NA	SW8260B	NALD3535	5000	106%		
NAL13026-1525MS	316-338	ORG 104-51-8	n-Butylbenzene	6000		ug/L	500	27.81	6/22/2014	6/22/2014	6/22/2014	WG	100	NA	5.0	NA	SW8260B	NALD3535	5000	119%		56
NAL13026-1525MS	316-338	ORG 96-12-8	1,2-Dibromo-3-chloropropane	6300		ug/L	500	159.11	6/22/2014	6/22/2014	6/22/2014	WG	100	NA	5.0	NA	SW8260B	NALD3535	5000	126%		
NAL13026-1525MS	316-338	ORG 87-68-3	Hexachlorobutadiene	6000		ug/L	500	65.42	6/22/2014	6/22/2014	6/22/2014	WG	100	NA	5.0	NA	SW8260B	NALD3535	5000	120%		
NAL13026-1525MS	316-338	ORG 120-82-1	1,2,4-Trichlorobenzene	5300		ug/L	500	27.63	6/22/2014	6/22/2014	6/22/2014	WG	100	NA	5.0	NA	SW8260B	NALD3535	5000	106%		
NAL13026-1525MS	316-338	ORG 91-20-3	Naphthalene	6600		ug/L	500	56.04	6/22/2014	6/22/2014	6/22/2014	WG	100	NA	5.0	NA	SW8260B	NALD3535	5000	102%		1500
NAL13026-1525MS	316-338	ORG 87-61-6	1,2,3-Trichlorobenzene	5000		ug/L	500	23.28	6/22/2014	6/22/2014	6/22/2014	WG	100	NA	5.0	NA	SW8260B	NALD3535	5000	100%		
NAL13026-1525MS	316-338	STD 1868-53-7	Dibromofluoromethane	55		ug/L	1	0.10	6/22/2014	6/22/2014	6/22/2014	WG	100	NA	5.0	NA	SW8260B	NALD3535	50	110%		
NAL13026-1525MS	316-338	STD 17060-07-0	1,2-Dichloroethane d4	58		ug/L	1	0.10	6/22/2014	6/22/2014	6/22/2014	WG	100	NA	5.0	NA	SW8260B	NALD3535	50	116%		
NAL13026-1525MS	316-338	STD 2037-26-5	Toluene d8	50		ug/L	1	0.10	6/22/2014	6/22/2014	6/22/2014	WG	100	NA	5.0	NA	SW8260B	NALD3535	50	100%		
NAL13026-1525MS	316-338	STD 460-00-4	Bromofluorobenzene	54		ug/L	1	0.10	6/22/2014	6/22/2014	6/22/2014	WG	100	NA	5.0	NA	SW8260B	NALD3535	50	108%		

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1525MSD	316-338	ORG 108-67-8	1,3,5-Trimethylbenzene	5600		ug/L	200	20.03	6/22/2014	6/22/2014	6/22/2014	WG	100	NA	5.0	NA	SW8260B	NALD3536	5000	111%	4%	30
NAL13026-1525MSD	316-338	ORG 98-06-6	tert-Butylbenzene	5700		ug/L	200	32.61	6/22/2014	6/22/2014	6/22/2014	WG	100	NA	5.0	NA	SW8260B	NALD3536	5000	114%	2%	
NAL13026-1525MSD	316-338	ORG 95-63-6	1,2,4-Trimethylbenzene	5700		ug/L	200	20.03	6/22/2014	6/22/2014	6/22/2014	WG	100	NA	5.0	NA	SW8260B	NALD3536	5000	110%	3%	180
NAL13026-1525MSD	316-338	ORG 135-98-8	sec-Butylbenzene	5600		ug/L	200	32.34	6/22/2014	6/22/2014	6/22/2014	WG	100	NA	5.0	NA	SW8260B	NALD3536	5000	112%	0%	
NAL13026-1525MSD	316-338	ORG 541-73-1	1,3-Dichlorobenzene	5200		ug/L	200	22.21	6/22/2014	6/22/2014	6/22/2014	WG	100	NA	5.0	NA	SW8260B	NALD3536	5000	104%	4%	
NAL13026-1525MSD	316-338	ORG 99-87-6	p-Isopropyltoluene	6700		ug/L	200	25.48	6/22/2014	6/22/2014	6/22/2014	WG	100	NA	5.0	NA	SW8260B	NALD3536	5000	110%	1%	1200
NAL13026-1525MSD	316-338	ORG 106-46-7	1,4-Dichlorobenzene	5400		ug/L	200	33.03	6/22/2014	6/22/2014	6/22/2014	WG	100	NA	5.0	NA	SW8260B	NALD3536	5000	103%	4%	260
NAL13026-1525MSD	316-338	ORG 95-50-1	1,2-Dichlorobenzene	5100		ug/L	200	26.38	6/22/2014	6/22/2014	6/22/2014	WG	100	NA	5.0	NA	SW8260B	NALD3536	5000	102%	4%	
NAL13026-1525MSD	316-338	ORG 104-51-8	n-Butylbenzene	5800		ug/L	500	27.81	6/22/2014	6/22/2014	6/22/2014	WG	100	NA	5.0	NA	SW8260B	NALD3536	5000	115%	3%	56
NAL13026-1525MSD	316-338	ORG 96-12-8	1,2-Dibromo-3-chloropropane	6000		ug/L	500	159.11	6/22/2014	6/22/2014	6/22/2014	WG	100	NA	5.0	NA	SW8260B	NALD3536	5000	120%	5%	
NAL13026-1525MSD	316-338	ORG 87-68-3	Hexachlorobutadiene	5900		ug/L	500	65.42	6/22/2014	6/22/2014	6/22/2014	WG	100	NA	5.0	NA	SW8260B	NALD3536	5000	118%	2%	
NAL13026-1525MSD	316-338	ORG 120-82-1	1,2,4-Trichlorobenzene	5300		ug/L	500	27.63	6/22/2014	6/22/2014	6/22/2014	WG	100	NA	5.0	NA	SW8260B	NALD3536	5000	106%	0%	
NAL13026-1525MSD	316-338	ORG 91-20-3	Naphthalene	6500		ug/L	500	56.04	6/22/2014	6/22/2014	6/22/2014	WG	100	NA	5.0	NA	SW8260B	NALD3536	5000	100%	2%	1500
NAL13026-1525MSD	316-338	ORG 87-61-6	1,2,3-Trichlorobenzene	5100		ug/L	500	23.28	6/22/2014	6/22/2014	6/22/2014	WG	100	NA	5.0	NA	SW8260B	NALD3536	5000	102%	2%	
NAL13026-1525MSD	316-338	STD 1868-53-7	Dibromofluoromethane	52		ug/L	1	0.10	6/22/2014	6/22/2014	6/22/2014	WG	100	NA	5.0	NA	SW8260B	NALD3536	50	104%	6%	
NAL13026-1525MSD	316-338	STD 17060-07-0	1,2-Dichloroethane d4	56		ug/L	1	0.10	6/22/2014	6/22/2014	6/22/2014	WG	100	NA	5.0	NA	SW8260B	NALD3536	50	112%	4%	
NAL13026-1525MSD	316-338	STD 2037-26-5	Toluene d8	50		ug/L	1	0.10	6/22/2014	6/22/2014	6/22/2014	WG	100	NA	5.0	NA	SW8260B	NALD3536	50	100%	0%	
NAL13026-1525MSD	316-338	STD 460-00-4	Bromofluorobenzene	54		ug/L	1	0.10	6/22/2014	6/22/2014	6/22/2014	WG	100	NA	5.0	NA	SW8260B	NALD3536	50	108%	0%	



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

- B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assessment, QC analyses parameter exceeded control limits.
U = Non-detect

Table with columns: Lab ID, Sample ID, CAS #, ANALYTES, Results, QC, Units, RDL, MDL, Sample Date, Prep. Date, Analysis Date, Matrix, Dil., Weight(g), Vol.(ml), % Solid, Method, Data file, Spike, % Rec, % RPD, Parent. Contains 50 rows of analytical data.



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1527	316-339	ORG 96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3549				
NAL13026-1527	316-339	ORG 108-67-8	1,3,5-Trimethylbenzene	38	J	ug/L	200	20.03	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3549				
NAL13026-1527	316-339	ORG 98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3549				
NAL13026-1527	316-339	ORG 95-63-6	1,2,4-Trimethylbenzene	240		ug/L	200	20.03	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3549				
NAL13026-1527	316-339	ORG 135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3549				
NAL13026-1527	316-339	ORG 541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3549				
NAL13026-1527	316-339	ORG 99-87-6	p-Isopropyltoluene	1600		ug/L	200	25.48	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3549				
NAL13026-1527	316-339	ORG 106-46-7	1,4-Dichlorobenzene	360		ug/L	200	33.03	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3549				
NAL13026-1527	316-339	ORG 95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3549				
NAL13026-1527	316-339	ORG 104-51-8	n-Butylbenzene	55	J	ug/L	500	27.81	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3549				
NAL13026-1527	316-339	ORG 96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3549				
NAL13026-1527	316-339	ORG 87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3549				
NAL13026-1527	316-339	ORG 120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3549				
NAL13026-1527	316-339	ORG 91-20-3	Naphthalene	1600		ug/L	500	56.04	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3549				
NAL13026-1527	316-339	ORG 87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3549				
NAL13026-1527	316-339	STD 1868-53-7	Dibromofluoromethane	47		ug/L	1	0.10	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3549	50	94%		
NAL13026-1527	316-339	STD 17060-07-0	1,2-Dichloroethane d4	49		ug/L	1	0.10	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3549	50	98%		
NAL13026-1527	316-339	STD 2037-26-5	Toluene d8	49		ug/L	1	0.10	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3549	50	98%		
NAL13026-1527	316-339	STD 460-00-4	Bromofluorobenzene	51		ug/L	1	0.10	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3549	50	102%		

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1528	CB 06-23-14	ORG 75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3554				
NAL13026-1528	CB 06-23-14	ORG 74-87-3	Chloromethane		U	ug/L	500	43.07	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3554				
NAL13026-1528	CB 06-23-14	ORG 75-01-4	Vinyl chloride		U	ug/L	200	31.86	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3554				
NAL13026-1528	CB 06-23-14	ORG 74-83-9	Bromomethane		U	ug/L	500	50.04	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3554				
NAL13026-1528	CB 06-23-14	ORG 75-00-3	Chloroethane		U	ug/L	500	55.61	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3554				
NAL13026-1528	CB 06-23-14	ORG 75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3554				
NAL13026-1528	CB 06-23-14	ORG 75-35-4	1,1-Dichloroethane		U	ug/L	100	47.11	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3554				
NAL13026-1528	CB 06-23-14	ORG 75-09-2	Methylene chloride		UX-	ug/L	500	26.46	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3554				
NAL13026-1528	CB 06-23-14	ORG 67-64-1	Acetone	12000	DX+	ug/L	10000	1556.07	6/23/2014	6/23/2014	6/23/2014	WG	1000	NA	5.0	NA	SW8260B	NALD3555				
NAL13026-1528	CB 06-23-14	ORG 156-60-5	trans-1,2-Dichloroethane		U	ug/L	100	55.61	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3554				
NAL13026-1528	CB 06-23-14	ORG 1634-04-4	MTBE		U	ug/L	500	61.18	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3554				
NAL13026-1528	CB 06-23-14	ORG 75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3554				
NAL13026-1528	CB 06-23-14	ORG 156-59-2	cis-1,2-Dichloroethane		U	ug/L	100	32.11	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3554				
NAL13026-1528	CB 06-23-14	ORG 74-97-5	Bromochloromethane		U	ug/L	200	41.37	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3554				
NAL13026-1528	CB 06-23-14	ORG 67-66-3	Chloroform		U	ug/L	100	15.73	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3554				
NAL13026-1528	CB 06-23-14	ORG 71-55-6	1,1,1-Trichloroethane		U	ug/L	100	16.65	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3554				
NAL13026-1528	CB 06-23-14	ORG 78-93-3	2-Butanone	12000	E	ug/L	1000	81.18	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3554				
NAL13026-1528	CB 06-23-14	ORG 56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3554				
NAL13026-1528	CB 06-23-14	ORG 71-43-2	Benzene		U	ug/L	100	13.53	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3554				
NAL13026-1528	CB 06-23-14	ORG 107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3554				
NAL13026-1528	CB 06-23-14	ORG 79-01-6	Trichloroethene		U	ug/L	100	36.33	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3554				
NAL13026-1528	CB 06-23-14	ORG 74-95-3	Dibromomethane		U	ug/L	200	32.20	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3554				
NAL13026-1528	CB 06-23-14	ORG 78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3554				
NAL13026-1528	CB 06-23-14	ORG 75-27-4	Bromodichloromethane		U	ug/L	200	11.58	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3554				
NAL13026-1528	CB 06-23-14	ORG 10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3554				
NAL13026-1528	CB 06-23-14	ORG 108-88-3	Toluene		U	ug/L	100	20.96	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3554				
NAL13026-1528	CB 06-23-14	ORG 108-10-1	4-Methyl-2-pentanone	190	J	ug/L	500	74.00	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3554				
NAL13026-1528	CB 06-23-14	ORG 10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3554				
NAL13026-1528	CB 06-23-14	ORG 127-18-4	Tetrachloroethene		U	ug/L	100	48.56	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3554				
NAL13026-1528	CB 06-23-14	ORG 79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3554				
NAL13026-1528	CB 06-23-14	ORG 124-48-1	Dibromochloromethane		U	ug/L	200	29.90	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3554				
NAL13026-1528	CB 06-23-14	ORG 106-93-4	1,2-Dibromoethane		U	ug/L	200	26.49	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3554				
NAL13026-1528	CB 06-23-14	ORG 591-78-6	2-Hexanone	150	JX+	ug/L	500	68.90	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3554				
NAL13026-1528	CB 06-23-14	ORG 100-41-4	Ethylbenzene		U	ug/L	100	25.38	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3554				
NAL13026-1528	CB 06-23-14	ORG 108-90-7	Chlorobenzene		U	ug/L	100	27.52	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3554				
NAL13026-1528	CB 06-23-14	ORG 630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3554				
NAL13026-1528	CB 06-23-14	ORG XYLMP	p&m-Xylene		U	ug/L	200	26.14	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3554				
NAL13026-1528	CB 06-23-14	ORG 95-47-6	o-Xylene		U	ug/L	100	12.90	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3554				
NAL13026-1528	CB 06-23-14	ORG 100-42-5	Styrene		U	ug/L	100	20.23	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3554				
NAL13026-1528	CB 06-23-14	ORG 75-25-2	Bromoform		U	ug/L	200	46.83	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3554				
NAL13026-1528	CB 06-23-14	ORG 98-82-8	Isopropylbenzene		U	ug/L	200	20.48	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3554				
NAL13026-1528	CB 06-23-14	ORG 103-65-1	n-Propylbenzene		U	ug/L	200	27.00	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3554				
NAL13026-1528	CB 06-23-14	ORG 79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3554				

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1528	CB 06-23-14	ORG 96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3554				
NAL13026-1528	CB 06-23-14	ORG 108-67-8	1,3,5-Trimethylbenzene		U	ug/L	200	20.03	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3554				
NAL13026-1528	CB 06-23-14	ORG 98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3554				
NAL13026-1528	CB 06-23-14	ORG 95-63-6	1,2,4-Trimethylbenzene	45	J	ug/L	200	20.03	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3554				
NAL13026-1528	CB 06-23-14	ORG 135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3554				
NAL13026-1528	CB 06-23-14	ORG 541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3554				
NAL13026-1528	CB 06-23-14	ORG 99-87-6	p-Isopropyltoluene	270		ug/L	200	25.48	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3554				
NAL13026-1528	CB 06-23-14	ORG 106-46-7	1,4-Dichlorobenzene	63	J	ug/L	200	33.03	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3554				
NAL13026-1528	CB 06-23-14	ORG 95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3554				
NAL13026-1528	CB 06-23-14	ORG 104-51-8	n-Butylbenzene		U	ug/L	500	27.81	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3554				
NAL13026-1528	CB 06-23-14	ORG 96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3554				
NAL13026-1528	CB 06-23-14	ORG 87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3554				
NAL13026-1528	CB 06-23-14	ORG 120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3554				
NAL13026-1528	CB 06-23-14	ORG 91-20-3	Naphthalene	390	J	ug/L	500	56.04	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3554				
NAL13026-1528	CB 06-23-14	ORG 87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3554				
NAL13026-1528	CB 06-23-14	STD 1868-53-7	Dibromofluoromethane	48		ug/L	1	0.10	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3554	50	96%		
NAL13026-1528	CB 06-23-14	STD 17060-07-0	1,2-Dichloroethane d4	49		ug/L	1	0.10	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3554	50	98%		
NAL13026-1528	CB 06-23-14	STD 2037-26-5	Toluene d8	50		ug/L	1	0.10	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3554	50	100%		
NAL13026-1528	CB 06-23-14	STD 460-00-4	Bromofluorobenzene	51		ug/L	1	0.10	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3554	50	102%		



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

- B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assessment, QC analyses parameter exceeded control limits.
U = Non-detect

Table with columns: Lab ID, Sample ID, CAS #, ANALYTES, Results, QC, Units, RDL, MDL, Sample Date, Prep. Date, Analysis Date, Matrix, Dil., Weight(g), Vol.(ml), % Solid, Method, Data file, Spike, % Rec, % RPD, Parent. Contains 50 rows of analytical data.



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1529	T1 INF	ORG 96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3556				
NAL13026-1529	T1 INF	ORG 108-67-8	1,3,5-Trimethylbenzene	210		ug/L	200	20.03	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3556				
NAL13026-1529	T1 INF	ORG 98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3556				
NAL13026-1529	T1 INF	ORG 95-63-6	1,2,4-Trimethylbenzene	930		ug/L	200	20.03	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3556				
NAL13026-1529	T1 INF	ORG 135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3556				
NAL13026-1529	T1 INF	ORG 541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3556				
NAL13026-1529	T1 INF	ORG 99-87-6	p-Isopropyltoluene	3900		ug/L	200	25.48	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3556				
NAL13026-1529	T1 INF	ORG 106-46-7	1,4-Dichlorobenzene	850		ug/L	200	33.03	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3556				
NAL13026-1529	T1 INF	ORG 95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3556				
NAL13026-1529	T1 INF	ORG 104-51-8	n-Butylbenzene	93	J	ug/L	500	27.81	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3556				
NAL13026-1529	T1 INF	ORG 96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3556				
NAL13026-1529	T1 INF	ORG 87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3556				
NAL13026-1529	T1 INF	ORG 120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3556				
NAL13026-1529	T1 INF	ORG 91-20-3	Naphthalene	990		ug/L	500	56.04	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3556				
NAL13026-1529	T1 INF	ORG 87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3556				
NAL13026-1529	T1 INF	STD 1868-53-7	Dibromofluoromethane	48		ug/L	1	0.10	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3556	50	96%		
NAL13026-1529	T1 INF	STD 17060-07-0	1,2-Dichloroethane d4	50		ug/L	1	0.10	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3556	50	100%		
NAL13026-1529	T1 INF	STD 2037-26-5	Toluene d8	49		ug/L	1	0.10	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3556	50	98%		
NAL13026-1529	T1 INF	STD 460-00-4	Bromofluorobenzene	53		ug/L	1	0.10	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3556	50	106%		



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
 Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

- B** = Analyte is found in the associated blank as well as in the sample.
- D** = Compound identified in an analysis at a secondary dilution factor.
- E** = Compound's concentration exceeds the calibration range of the instrument at this dilution.
- X** = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
- J** = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
- M** = Matrix assessment, QC analyses parameter exceeded control limits.
- U** = Non-detect

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1530	T1 EFF	ORG 75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3558				
NAL13026-1530	T1 EFF	ORG 74-87-3	Chloromethane		U	ug/L	500	43.07	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3558				
NAL13026-1530	T1 EFF	ORG 75-01-4	Vinyl chloride		U	ug/L	200	31.86	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3558				
NAL13026-1530	T1 EFF	ORG 74-83-9	Bromomethane		U	ug/L	500	50.04	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3558				
NAL13026-1530	T1 EFF	ORG 75-00-3	Chloroethane		U	ug/L	500	55.61	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3558				
NAL13026-1530	T1 EFF	ORG 75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3558				
NAL13026-1530	T1 EFF	ORG 75-35-4	1,1-Dichloroethane		U	ug/L	100	47.11	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3558				
NAL13026-1530	T1 EFF	ORG 75-09-2	Methylene chloride		UX-	ug/L	500	26.46	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3558				
NAL13026-1530	T1 EFF	ORG 67-64-1	Acetone	108000	DX+	ug/L	10000	1556.07	6/23/2014	6/23/2014	6/23/2014	WG	1000	NA	5.0	NA	SW8260B	NALD3559				
NAL13026-1530	T1 EFF	ORG 156-60-5	trans-1,2-Dichloroethane		U	ug/L	100	55.61	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3558				
NAL13026-1530	T1 EFF	ORG 1634-04-4	MTBE		U	ug/L	500	61.18	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3558				
NAL13026-1530	T1 EFF	ORG 75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3558				
NAL13026-1530	T1 EFF	ORG 156-59-2	cis-1,2-Dichloroethane		U	ug/L	100	32.11	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3558				
NAL13026-1530	T1 EFF	ORG 74-97-5	Bromochloromethane		U	ug/L	200	41.37	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3558				
NAL13026-1530	T1 EFF	ORG 67-66-3	Chloroform		U	ug/L	100	15.73	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3558				
NAL13026-1530	T1 EFF	ORG 71-55-6	1,1,1-Trichloroethane		U	ug/L	100	16.65	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3558				
NAL13026-1530	T1 EFF	ORG 78-93-3	2-Butanone	18000	D	ug/L	10000	811.80	6/23/2014	6/23/2014	6/23/2014	WG	1000	NA	5.0	NA	SW8260B	NALD3559				
NAL13026-1530	T1 EFF	ORG 56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3558				
NAL13026-1530	T1 EFF	ORG 71-43-2	Benzene	81	J	ug/L	100	13.53	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3558				
NAL13026-1530	T1 EFF	ORG 107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3558				
NAL13026-1530	T1 EFF	ORG 79-01-6	Trichloroethene		U	ug/L	100	36.33	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3558				
NAL13026-1530	T1 EFF	ORG 74-95-3	Dibromomethane		U	ug/L	200	32.20	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3558				
NAL13026-1530	T1 EFF	ORG 78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3558				
NAL13026-1530	T1 EFF	ORG 75-27-4	Bromodichloromethane		U	ug/L	200	11.58	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3558				
NAL13026-1530	T1 EFF	ORG 10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3558				
NAL13026-1530	T1 EFF	ORG 108-88-3	Toluene	52	J	ug/L	100	20.96	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3558				
NAL13026-1530	T1 EFF	ORG 108-10-1	4-Methyl-2-pentanone	570		ug/L	500	74.00	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3558				
NAL13026-1530	T1 EFF	ORG 10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3558				
NAL13026-1530	T1 EFF	ORG 127-18-4	Tetrachloroethene		U	ug/L	100	48.56	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3558				
NAL13026-1530	T1 EFF	ORG 79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3558				
NAL13026-1530	T1 EFF	ORG 124-48-1	Dibromochloromethane		U	ug/L	200	29.90	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3558				
NAL13026-1530	T1 EFF	ORG 106-93-4	1,2-Dibromoethane		U	ug/L	200	26.49	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3558				
NAL13026-1530	T1 EFF	ORG 591-78-6	2-Hexanone	1500	X+	ug/L	500	68.90	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3558				
NAL13026-1530	T1 EFF	ORG 100-41-4	Ethylbenzene	110		ug/L	100	25.38	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3558				
NAL13026-1530	T1 EFF	ORG 108-90-7	Chlorobenzene		U	ug/L	100	27.52	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3558				
NAL13026-1530	T1 EFF	ORG 630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3558				
NAL13026-1530	T1 EFF	ORG XYLMP	p&m-Xylene	240		ug/L	200	26.14	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3558				
NAL13026-1530	T1 EFF	ORG 95-47-6	o-Xylene	150		ug/L	100	12.90	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3558				
NAL13026-1530	T1 EFF	ORG 100-42-5	Styrene		U	ug/L	100	20.23	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3558				
NAL13026-1530	T1 EFF	ORG 75-25-2	Bromoform		U	ug/L	200	46.83	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3558				
NAL13026-1530	T1 EFF	ORG 98-82-8	Isopropylbenzene	62	J	ug/L	200	20.48	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3558				
NAL13026-1530	T1 EFF	ORG 103-65-1	n-Propylbenzene	66	J	ug/L	200	27.00	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3558				
NAL13026-1530	T1 EFF	ORG 79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3558				

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1530	T1 EFF	ORG 96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3558				
NAL13026-1530	T1 EFF	ORG 108-67-8	1,3,5-Trimethylbenzene	150	J	ug/L	200	20.03	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3558				
NAL13026-1530	T1 EFF	ORG 98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3558				
NAL13026-1530	T1 EFF	ORG 95-63-6	1,2,4-Trimethylbenzene	720		ug/L	200	20.03	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3558				
NAL13026-1530	T1 EFF	ORG 135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3558				
NAL13026-1530	T1 EFF	ORG 541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3558				
NAL13026-1530	T1 EFF	ORG 99-87-6	p-Isopropyltoluene	3100		ug/L	200	25.48	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3558				
NAL13026-1530	T1 EFF	ORG 106-46-7	1,4-Dichlorobenzene	820		ug/L	200	33.03	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3558				
NAL13026-1530	T1 EFF	ORG 95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3558				
NAL13026-1530	T1 EFF	ORG 104-51-8	n-Butylbenzene	80	J	ug/L	500	27.81	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3558				
NAL13026-1530	T1 EFF	ORG 96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3558				
NAL13026-1530	T1 EFF	ORG 87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3558				
NAL13026-1530	T1 EFF	ORG 120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3558				
NAL13026-1530	T1 EFF	ORG 91-20-3	Naphthalene	1400		ug/L	500	56.04	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3558				
NAL13026-1530	T1 EFF	ORG 87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3558				
NAL13026-1530	T1 EFF	STD 1868-53-7	Dibromofluoromethane	49		ug/L	1	0.10	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3558	50	98%		
NAL13026-1530	T1 EFF	STD 17060-07-0	1,2-Dichloroethane d4	50		ug/L	1	0.10	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3558	50	100%		
NAL13026-1530	T1 EFF	STD 2037-26-5	Toluene d8	48		ug/L	1	0.10	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3558	50	96%		
NAL13026-1530	T1 EFF	STD 460-00-4	Bromofluorobenzene	52		ug/L	1	0.10	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3558	50	104%		



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

Table with columns: Lab ID, Sample ID, CAS #, ANALYTES, Results, QC, Units, RDL, MDL, Sample Date, Prep. Date, Analysis Date, Matrix, Dil., Weight(g), Vol.(ml), % Solid, Method, Data file, Spike, % Rec, % RPD, Parent. Contains 40 rows of analytical data for various compounds like Dichlorodifluoromethane, Chloromethane, Vinyl chloride, etc.

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D062314CCVA	D062314CCVA	ORG 96-18-4	1,2,3-Trichloropropane	48		ug/L	2	0.29	NA	6/23/2014	6/23/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3545	50	96%		
D062314CCVA	D062314CCVA	ORG 108-67-8	1,3,5-Trimethylbenzene	50		ug/L	2	0.20	NA	6/23/2014	6/23/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3545	50	100%		
D062314CCVA	D062314CCVA	ORG 98-06-6	tert-Butylbenzene	52		ug/L	2	0.33	NA	6/23/2014	6/23/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3545	50	104%		
D062314CCVA	D062314CCVA	ORG 95-63-6	1,2,4-Trimethylbenzene	50		ug/L	2	0.20	NA	6/23/2014	6/23/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3545	50	100%		
D062314CCVA	D062314CCVA	ORG 135-98-8	sec-Butylbenzene	51		ug/L	2	0.32	NA	6/23/2014	6/23/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3545	50	102%		
D062314CCVA	D062314CCVA	ORG 541-73-1	1,3-Dichlorobenzene	49		ug/L	2	0.22	NA	6/23/2014	6/23/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3545	50	98%		
D062314CCVA	D062314CCVA	ORG 99-87-6	p-Isoprophtoluene	50		ug/L	2	0.25	NA	6/23/2014	6/23/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3545	50	100%		
D062314CCVA	D062314CCVA	ORG 106-46-7	1,4-Dichlorobenzene	48		ug/L	2	0.33	NA	6/23/2014	6/23/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3545	50	96%		
D062314CCVA	D062314CCVA	ORG 95-50-1	1,2-Dichlorobenzene	49		ug/L	2	0.26	NA	6/23/2014	6/23/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3545	50	98%		
D062314CCVA	D062314CCVA	ORG 104-51-8	n-Butylbenzene	53		ug/L	5	0.28	NA	6/23/2014	6/23/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3545	50	106%		
D062314CCVA	D062314CCVA	ORG 96-12-8	1,2-Dibromo-3-chloropropane	51		ug/L	5	1.59	NA	6/23/2014	6/23/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3545	50	102%		
D062314CCVA	D062314CCVA	ORG 87-68-3	Hexachlorobutadiene	52		ug/L	5	0.65	NA	6/23/2014	6/23/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3545	50	104%		
D062314CCVA	D062314CCVA	ORG 120-82-1	1,2,4-Trichlorobenzene	51		ug/L	5	0.28	NA	6/23/2014	6/23/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3545	50	102%		
D062314CCVA	D062314CCVA	ORG 91-20-3	Naphthalene	47		ug/L	5	0.56	NA	6/23/2014	6/23/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3545	50	94%		
D062314CCVA	D062314CCVA	ORG 87-61-6	1,2,3-Trichlorobenzene	49		ug/L	5	0.23	NA	6/23/2014	6/23/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3545	50	98%		
D062314CCVA	D062314CCVA	STD 1868-53-7	Dibromofluoromethane	48		ug/L	1	0.10	NA	6/23/2014	6/23/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3545	50	96%		
D062314CCVA	D062314CCVA	STD 17060-07-0	1,2-Dichloroethane d4	45		ug/L	1	0.10	NA	6/23/2014	6/23/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3545	50	90%		
D062314CCVA	D062314CCVA	STD 2037-26-5	Toluene d8	49		ug/L	1	0.10	NA	6/23/2014	6/23/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3545	50	98%		
D062314CCVA	D062314CCVA	STD 460-00-4	Bromofluorobenzene	52		ug/L	1	0.10	NA	6/23/2014	6/23/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3545	50	104%		



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

- B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assessment, QC analyses parameter exceeded control limits.
U = Non-detect

Table with columns: Lab ID, Sample ID, CAS #, ANALYTES, Results, QC, Units, RDL, MDL, Sample Date, Prep. Date, Analysis Date, Matrix, Dil., Weight(g), Vol.(ml), % Solid, Method, Data file, Spike, % Rec, % RPD, Parent. Contains 50 rows of analytical data.

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D062314MBKA	D062314MBKA	ORG 96-18-4	1,2,3-Trichloropropane		U	ug/L	2	0.29	NA	6/23/2014	6/23/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3548				
D062314MBKA	D062314MBKA	ORG 108-67-8	1,3,5-Trimethylbenzene		U	ug/L	2	0.20	NA	6/23/2014	6/23/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3548				
D062314MBKA	D062314MBKA	ORG 98-06-6	tert-Butylbenzene		U	ug/L	2	0.33	NA	6/23/2014	6/23/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3548				
D062314MBKA	D062314MBKA	ORG 95-63-6	1,2,4-Trimethylbenzene		U	ug/L	2	0.20	NA	6/23/2014	6/23/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3548				
D062314MBKA	D062314MBKA	ORG 135-98-8	sec-Butylbenzene		U	ug/L	2	0.32	NA	6/23/2014	6/23/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3548				
D062314MBKA	D062314MBKA	ORG 541-73-1	1,3-Dichlorobenzene		U	ug/L	2	0.22	NA	6/23/2014	6/23/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3548				
D062314MBKA	D062314MBKA	ORG 99-87-6	p-Isopropyltoluene		U	ug/L	2	0.25	NA	6/23/2014	6/23/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3548				
D062314MBKA	D062314MBKA	ORG 106-46-7	1,4-Dichlorobenzene		U	ug/L	2	0.33	NA	6/23/2014	6/23/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3548				
D062314MBKA	D062314MBKA	ORG 95-50-1	1,2-Dichlorobenzene		U	ug/L	2	0.26	NA	6/23/2014	6/23/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3548				
D062314MBKA	D062314MBKA	ORG 104-51-8	n-Butylbenzene		U	ug/L	5	0.28	NA	6/23/2014	6/23/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3548				
D062314MBKA	D062314MBKA	ORG 96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	5	1.59	NA	6/23/2014	6/23/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3548				
D062314MBKA	D062314MBKA	ORG 87-68-3	Hexachlorobutadiene		U	ug/L	5	0.65	NA	6/23/2014	6/23/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3548				
D062314MBKA	D062314MBKA	ORG 120-82-1	1,2,4-Trichlorobenzene		U	ug/L	5	0.28	NA	6/23/2014	6/23/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3548				
D062314MBKA	D062314MBKA	ORG 91-20-3	Naphthalene		U	ug/L	5	0.56	NA	6/23/2014	6/23/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3548				
D062314MBKA	D062314MBKA	ORG 87-61-6	1,2,3-Trichlorobenzene		U	ug/L	5	0.23	NA	6/23/2014	6/23/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3548				
D062314MBKA	D062314MBKA	STD 1868-53-7	Dibromofluoromethane	49		ug/L	1	0.10	NA	6/23/2014	6/23/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3548	50	98%		
D062314MBKA	D062314MBKA	STD 17060-07-0	1,2-Dichloroethane d4	51		ug/L	1	0.10	NA	6/23/2014	6/23/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3548	50	102%		
D062314MBKA	D062314MBKA	STD 2037-26-5	Toluene d8	49		ug/L	1	0.10	NA	6/23/2014	6/23/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3548	50	98%		
D062314MBKA	D062314MBKA	STD 460-00-4	Bromofluorobenzene	52		ug/L	1	0.10	NA	6/23/2014	6/23/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3548	50	104%		



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

- B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assessment, QC analyses parameter exceeded control limits.
U = Non-detect

Table with columns: Lab ID, Sample ID, CAS #, ANALYTES, Results, QC, Units, RDL, MDL, Sample Date, Prep. Date, Analysis Date, Matrix, Dil., Weight(g), Vol.(ml), % Solid, Method, Data file, Spike, % Rec, % RPD, Parent. Contains 40 rows of analytical data.



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
 Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

- B** = Analyte is found in the associated blank as well as in the sample.
- D** = Compound identified in an analysis at a secondary dilution factor.
- E** = Compound's concentration exceeds the calibration range of the instrument at this dilution.
- X** = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
- J** = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
- M** = Matrix assessment, QC analyses parameter exceeded control limits.
- U** = Non-detect

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D062314ALCS	D062314ALCS	ORG 96-18-4	1,2,3-Trichloropropane	46		ug/L	2	0.29	NA	6/23/2014	6/23/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3546	50	92%		
D062314ALCS	D062314ALCS	ORG 108-67-8	1,3,5-Trimethylbenzene	51		ug/L	2	0.20	NA	6/23/2014	6/23/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3546	50	102%		
D062314ALCS	D062314ALCS	ORG 98-06-6	tert-Butylbenzene	53		ug/L	2	0.33	NA	6/23/2014	6/23/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3546	50	106%		
D062314ALCS	D062314ALCS	ORG 95-63-6	1,2,4-Trimethylbenzene	50		ug/L	2	0.20	NA	6/23/2014	6/23/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3546	50	100%		
D062314ALCS	D062314ALCS	ORG 135-98-8	sec-Butylbenzene	51		ug/L	2	0.32	NA	6/23/2014	6/23/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3546	50	102%		
D062314ALCS	D062314ALCS	ORG 541-73-1	1,3-Dichlorobenzene	49		ug/L	2	0.22	NA	6/23/2014	6/23/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3546	50	98%		
D062314ALCS	D062314ALCS	ORG 99-87-6	p-Isopropyltoluene	51		ug/L	2	0.25	NA	6/23/2014	6/23/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3546	50	102%		
D062314ALCS	D062314ALCS	ORG 106-46-7	1,4-Dichlorobenzene	49		ug/L	2	0.33	NA	6/23/2014	6/23/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3546	50	98%		
D062314ALCS	D062314ALCS	ORG 95-50-1	1,2-Dichlorobenzene	49		ug/L	2	0.26	NA	6/23/2014	6/23/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3546	50	98%		
D062314ALCS	D062314ALCS	ORG 104-51-8	n-Butylbenzene	54		ug/L	5	0.28	NA	6/23/2014	6/23/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3546	50	108%		
D062314ALCS	D062314ALCS	ORG 96-12-8	1,2-Dibromo-3-chloropropane	48		ug/L	5	1.59	NA	6/23/2014	6/23/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3546	50	96%		
D062314ALCS	D062314ALCS	ORG 87-68-3	Hexachlorobutadiene	52		ug/L	5	0.65	NA	6/23/2014	6/23/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3546	50	104%		
D062314ALCS	D062314ALCS	ORG 120-82-1	1,2,4-Trichlorobenzene	51		ug/L	5	0.28	NA	6/23/2014	6/23/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3546	50	102%		
D062314ALCS	D062314ALCS	ORG 91-20-3	Naphthalene	47		ug/L	5	0.56	NA	6/23/2014	6/23/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3546	50	94%		
D062314ALCS	D062314ALCS	ORG 87-61-6	1,2,3-Trichlorobenzene	50		ug/L	5	0.23	NA	6/23/2014	6/23/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3546	50	100%		
D062314ALCS	D062314ALCS	STD 1868-53-7	Dibromofluoromethane	49		ug/L	1	0.10	NA	6/23/2014	6/23/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3546	50	98%		
D062314ALCS	D062314ALCS	STD 17060-07-0	1,2-Dichloroethane d4	47		ug/L	1	0.10	NA	6/23/2014	6/23/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3546	50	94%		
D062314ALCS	D062314ALCS	STD 2037-26-5	Toluene d8	48		ug/L	1	0.10	NA	6/23/2014	6/23/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3546	50	96%		
D062314ALCS	D062314ALCS	STD 460-00-4	Bromofluorobenzene	51		ug/L	1	0.10	NA	6/23/2014	6/23/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3546	50	102%		



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

- B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assessment, QC analyses parameter exceeded control limits.
U = Non-detect

Table with columns: Lab ID, Sample ID, CAS #, ANALYTES, Results, QC, Units, RDL, MDL, Sample Date, Prep. Date, Analysis Date, Matrix, Dil., Weight(g), Vol.(ml), % Solid, Method, Data file, Spike, % Rec, % RPD, Parent. Contains 40 rows of analytical data.

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D062314ALCD	D062314ALCD	ORG 96-18-4	1,2,3-Trichloropropane	46		ug/L	2	0.29	NA	6/23/2014	6/23/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3547	50	92%	0%	
D062314ALCD	D062314ALCD	ORG 108-67-8	1,3,5-Trimethylbenzene	51		ug/L	2	0.20	NA	6/23/2014	6/23/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3547	50	102%	0%	
D062314ALCD	D062314ALCD	ORG 98-06-6	tert-Butylbenzene	53		ug/L	2	0.33	NA	6/23/2014	6/23/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3547	50	106%	0%	
D062314ALCD	D062314ALCD	ORG 95-63-6	1,2,4-Trimethylbenzene	51		ug/L	2	0.20	NA	6/23/2014	6/23/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3547	50	102%	2%	
D062314ALCD	D062314ALCD	ORG 135-98-8	sec-Butylbenzene	52		ug/L	2	0.32	NA	6/23/2014	6/23/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3547	50	104%	2%	
D062314ALCD	D062314ALCD	ORG 541-73-1	1,3-Dichlorobenzene	49		ug/L	2	0.22	NA	6/23/2014	6/23/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3547	50	98%	0%	
D062314ALCD	D062314ALCD	ORG 99-87-6	p-Isopropyltoluene	51		ug/L	2	0.25	NA	6/23/2014	6/23/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3547	50	102%	0%	
D062314ALCD	D062314ALCD	ORG 106-46-7	1,4-Dichlorobenzene	48		ug/L	2	0.33	NA	6/23/2014	6/23/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3547	50	96%	2%	
D062314ALCD	D062314ALCD	ORG 95-50-1	1,2-Dichlorobenzene	48		ug/L	2	0.26	NA	6/23/2014	6/23/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3547	50	96%	2%	
D062314ALCD	D062314ALCD	ORG 104-51-8	n-Butylbenzene	54		ug/L	5	0.28	NA	6/23/2014	6/23/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3547	50	108%	0%	
D062314ALCD	D062314ALCD	ORG 96-12-8	1,2-Dibromo-3-chloropropane	48		ug/L	5	1.59	NA	6/23/2014	6/23/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3547	50	96%	0%	
D062314ALCD	D062314ALCD	ORG 87-68-3	Hexachlorobutadiene	51		ug/L	5	0.65	NA	6/23/2014	6/23/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3547	50	102%	2%	
D062314ALCD	D062314ALCD	ORG 120-82-1	1,2,4-Trichlorobenzene	50		ug/L	5	0.28	NA	6/23/2014	6/23/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3547	50	100%	2%	
D062314ALCD	D062314ALCD	ORG 91-20-3	Naphthalene	47		ug/L	5	0.56	NA	6/23/2014	6/23/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3547	50	94%	0%	
D062314ALCD	D062314ALCD	ORG 87-61-6	1,2,3-Trichlorobenzene	49		ug/L	5	0.23	NA	6/23/2014	6/23/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3547	50	98%	2%	
D062314ALCD	D062314ALCD	STD 1868-53-7	Dibromofluoromethane	50		ug/L	1	0.10	NA	6/23/2014	6/23/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3547	50	100%	2%	
D062314ALCD	D062314ALCD	STD 17060-07-0	1,2-Dichloroethane d4	47		ug/L	1	0.10	NA	6/23/2014	6/23/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3547	50	94%	0%	
D062314ALCD	D062314ALCD	STD 2037-26-5	Toluene d8	49		ug/L	1	0.10	NA	6/23/2014	6/23/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3547	50	98%	2%	
D062314ALCD	D062314ALCD	STD 460-00-4	Bromofluorobenzene	52		ug/L	1	0.10	NA	6/23/2014	6/23/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3547	50	104%	2%	



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

- B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assessment, QC analyses parameter exceeded control limits.
U = Non-detect

Table with columns: Lab ID, Sample ID, CAS #, ANALYTES, Results, QC, Units, RDL, MDL, Sample Date, Prep. Date, Analysis Date, Matrix, Dil., Weight(g), Vol.(ml), % Solid, Method, Data file, Spike, % Rec, % RPD, Parent. Contains 40 rows of analytical data.

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1527MS	316-339	ORG 96-18-4	1,2,3-Trichloropropane	4700		ug/L	200	29.47	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3551	5000	94%		
NAL13026-1527MS	316-339	ORG 108-67-8	1,3,5-Trimethylbenzene	5100		ug/L	200	20.03	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3551	5000	101%		38
NAL13026-1527MS	316-339	ORG 98-06-6	tert-Butylbenzene	5300		ug/L	200	32.61	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3551	5000	106%		
NAL13026-1527MS	316-339	ORG 95-63-6	1,2,4-Trimethylbenzene	5300		ug/L	200	20.03	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3551	5000	101%		240
NAL13026-1527MS	316-339	ORG 135-98-8	sec-Butylbenzene	5100		ug/L	200	32.34	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3551	5000	102%		
NAL13026-1527MS	316-339	ORG 541-73-1	1,3-Dichlorobenzene	4900		ug/L	200	22.21	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3551	5000	98%		
NAL13026-1527MS	316-339	ORG 99-87-6	p-Isopropyltoluene	6600		ug/L	200	25.48	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3551	5000	100%		1600
NAL13026-1527MS	316-339	ORG 106-46-7	1,4-Dichlorobenzene	5200		ug/L	200	33.03	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3551	5000	97%		360
NAL13026-1527MS	316-339	ORG 95-50-1	1,2-Dichlorobenzene	4800		ug/L	200	26.38	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3551	5000	96%		
NAL13026-1527MS	316-339	ORG 104-51-8	n-Butylbenzene	5300		ug/L	500	27.81	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3551	5000	105%		55
NAL13026-1527MS	316-339	ORG 96-12-8	1,2-Dibromo-3-chloropropane	5500		ug/L	500	159.11	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3551	5000	110%		
NAL13026-1527MS	316-339	ORG 87-68-3	Hexachlorobutadiene	4700		ug/L	500	65.42	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3551	5000	94%		
NAL13026-1527MS	316-339	ORG 120-82-1	1,2,4-Trichlorobenzene	5000		ug/L	500	27.63	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3551	5000	100%		
NAL13026-1527MS	316-339	ORG 91-20-3	Naphthalene	6400		ug/L	500	56.04	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3551	5000	96%		1600
NAL13026-1527MS	316-339	ORG 87-61-6	1,2,3-Trichlorobenzene	4900		ug/L	500	23.28	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3551	5000	98%		
NAL13026-1527MS	316-339	STD 1868-53-7	Dibromofluoromethane	49		ug/L	1	0.10	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3551	50	98%		
NAL13026-1527MS	316-339	STD 17060-07-0	1,2-Dichloroethane d4	46		ug/L	1	0.10	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3551	50	92%		
NAL13026-1527MS	316-339	STD 2037-26-5	Toluene d8	48		ug/L	1	0.10	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3551	50	96%		
NAL13026-1527MS	316-339	STD 460-00-4	Bromofluorobenzene	52		ug/L	1	0.10	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3551	50	104%		



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

- B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assessment, QC analyses parameter exceeded control limits.
U = Non-detect

Table with columns: Lab ID, Sample ID, CAS #, ANALYTES, Results, QC, Units, RDL, MDL, Sample Date, Prep. Date, Analysis Date, Matrix, Dil., Weight(g), Vol.(ml), % Solid, Method, Data file, Spike, % Rec, % RPD, Parent. Contains 40 rows of analytical data for various compounds like Dichlorodifluoromethane, Vinyl chloride, Bromomethane, etc.

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1527MSD	316-339	ORG 96-18-4	1,2,3-Trichloropropane	4600		ug/L	200	29.47	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3552	5000	92%	2%	
NAL13026-1527MSD	316-339	ORG 108-67-8	1,3,5-Trimethylbenzene	5200		ug/L	200	20.03	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3552	5000	103%	2%	38
NAL13026-1527MSD	316-339	ORG 98-06-6	tert-Butylbenzene	5300		ug/L	200	32.61	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3552	5000	106%	0%	
NAL13026-1527MSD	316-339	ORG 95-63-6	1,2,4-Trimethylbenzene	5300		ug/L	200	20.03	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3552	5000	101%	0%	240
NAL13026-1527MSD	316-339	ORG 135-98-8	sec-Butylbenzene	5200		ug/L	200	32.34	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3552	5000	104%	2%	
NAL13026-1527MSD	316-339	ORG 541-73-1	1,3-Dichlorobenzene	5000		ug/L	200	22.21	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3552	5000	100%	2%	
NAL13026-1527MSD	316-339	ORG 99-87-6	p-Isopropyltoluene	6600		ug/L	200	25.48	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3552	5000	100%	0%	1600
NAL13026-1527MSD	316-339	ORG 106-46-7	1,4-Dichlorobenzene	5100		ug/L	200	33.03	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3552	5000	95%	2%	360
NAL13026-1527MSD	316-339	ORG 95-50-1	1,2-Dichlorobenzene	4800		ug/L	200	26.38	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3552	5000	96%	0%	
NAL13026-1527MSD	316-339	ORG 104-51-8	n-Butylbenzene	5400		ug/L	500	27.81	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3552	5000	107%	2%	55
NAL13026-1527MSD	316-339	ORG 96-12-8	1,2-Dibromo-3-chloropropane	5100		ug/L	500	159.11	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3552	5000	102%	8%	
NAL13026-1527MSD	316-339	ORG 87-68-3	Hexachlorobutadiene	4700		ug/L	500	65.42	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3552	5000	94%	0%	
NAL13026-1527MSD	316-339	ORG 120-82-1	1,2,4-Trichlorobenzene	5000		ug/L	500	27.63	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3552	5000	100%	0%	
NAL13026-1527MSD	316-339	ORG 91-20-3	Naphthalene	6300		ug/L	500	56.04	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3552	5000	94%	2%	1600
NAL13026-1527MSD	316-339	ORG 87-61-6	1,2,3-Trichlorobenzene	4900		ug/L	500	23.28	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3552	5000	98%	0%	
NAL13026-1527MSD	316-339	STD 1868-53-7	Dibromofluoromethane	47		ug/L	1	0.10	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3552	50	94%	4%	
NAL13026-1527MSD	316-339	STD 17060-07-0	1,2-Dichloroethane d4	45		ug/L	1	0.10	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3552	50	90%	2%	
NAL13026-1527MSD	316-339	STD 2037-26-5	Toluene d8	49		ug/L	1	0.10	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3552	50	98%	2%	
NAL13026-1527MSD	316-339	STD 460-00-4	Bromofluorobenzene	53		ug/L	1	0.10	6/23/2014	6/23/2014	6/23/2014	WG	100	NA	5.0	NA	SW8260B	NALD3552	50	106%	2%	



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
 Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

- B** = Analyte is found in the associated blank as well as in the sample.
- D** = Compound identified in an analysis at a secondary dilution factor.
- E** = Compound's concentration exceeds the calibration range of the instrument at this dilution.
- X** = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
- J** = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
- M** = Matrix assessment, QC analyses parameter exceeded control limits.
- U** = Non-detect

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1531	316-340	ORG 96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	6/24/2014	6/24/2014	6/24/2014	WG	100	NA	5.0	NA	SW8260B	NALD3565				
NAL13026-1531	316-340	ORG 108-67-8	1,3,5-Trimethylbenzene	33	J	ug/L	200	20.03	6/24/2014	6/24/2014	6/24/2014	WG	100	NA	5.0	NA	SW8260B	NALD3565				
NAL13026-1531	316-340	ORG 98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	6/24/2014	6/24/2014	6/24/2014	WG	100	NA	5.0	NA	SW8260B	NALD3565				
NAL13026-1531	316-340	ORG 95-63-6	1,2,4-Trimethylbenzene	210		ug/L	200	20.03	6/24/2014	6/24/2014	6/24/2014	WG	100	NA	5.0	NA	SW8260B	NALD3565				
NAL13026-1531	316-340	ORG 135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	6/24/2014	6/24/2014	6/24/2014	WG	100	NA	5.0	NA	SW8260B	NALD3565				
NAL13026-1531	316-340	ORG 541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	6/24/2014	6/24/2014	6/24/2014	WG	100	NA	5.0	NA	SW8260B	NALD3565				
NAL13026-1531	316-340	ORG 99-87-6	p-Isopropyltoluene	1300		ug/L	200	25.48	6/24/2014	6/24/2014	6/24/2014	WG	100	NA	5.0	NA	SW8260B	NALD3565				
NAL13026-1531	316-340	ORG 106-46-7	1,4-Dichlorobenzene	320		ug/L	200	33.03	6/24/2014	6/24/2014	6/24/2014	WG	100	NA	5.0	NA	SW8260B	NALD3565				
NAL13026-1531	316-340	ORG 95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	6/24/2014	6/24/2014	6/24/2014	WG	100	NA	5.0	NA	SW8260B	NALD3565				
NAL13026-1531	316-340	ORG 104-51-8	n-Butylbenzene	44	J	ug/L	500	27.81	6/24/2014	6/24/2014	6/24/2014	WG	100	NA	5.0	NA	SW8260B	NALD3565				
NAL13026-1531	316-340	ORG 96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	6/24/2014	6/24/2014	6/24/2014	WG	100	NA	5.0	NA	SW8260B	NALD3565				
NAL13026-1531	316-340	ORG 87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	6/24/2014	6/24/2014	6/24/2014	WG	100	NA	5.0	NA	SW8260B	NALD3565				
NAL13026-1531	316-340	ORG 120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	6/24/2014	6/24/2014	6/24/2014	WG	100	NA	5.0	NA	SW8260B	NALD3565				
NAL13026-1531	316-340	ORG 91-20-3	Naphthalene	1600		ug/L	500	56.04	6/24/2014	6/24/2014	6/24/2014	WG	100	NA	5.0	NA	SW8260B	NALD3565				
NAL13026-1531	316-340	ORG 87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	6/24/2014	6/24/2014	6/24/2014	WG	100	NA	5.0	NA	SW8260B	NALD3565				
NAL13026-1531	316-340	STD 1868-53-7	Dibromofluoromethane	48		ug/L	1	0.10	6/24/2014	6/24/2014	6/24/2014	WG	100	NA	5.0	NA	SW8260B	NALD3565	50	96%		
NAL13026-1531	316-340	STD 17060-07-0	1,2-Dichloroethane d4	49		ug/L	1	0.10	6/24/2014	6/24/2014	6/24/2014	WG	100	NA	5.0	NA	SW8260B	NALD3565	50	98%		
NAL13026-1531	316-340	STD 2037-26-5	Toluene d8	50		ug/L	1	0.10	6/24/2014	6/24/2014	6/24/2014	WG	100	NA	5.0	NA	SW8260B	NALD3565	50	100%		
NAL13026-1531	316-340	STD 460-00-4	Bromofluorobenzene	52		ug/L	1	0.10	6/24/2014	6/24/2014	6/24/2014	WG	100	NA	5.0	NA	SW8260B	NALD3565	50	104%		

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

- B** = Analyte is found in the associated blank as well as in the sample.
- D** = Compound identified in an analysis at a secondary dilution factor.
- E** = Compound's concentration exceeds the calibration range of the instrument at this dilution.
- X** = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
- J** = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
- M** = Matrix assessment, QC analyses parameter exceeded control limits.
- U** = Non-detect

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D062414CCVA	D062414CCVA	ORG 75-71-8	Dichlorodifluoromethane	40		ug/L	5	0.29	NA	6/24/2014	6/24/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3561	50	80%		
D062414CCVA	D062414CCVA	ORG 74-87-3	Chloromethane	51		ug/L	5	0.43	NA	6/24/2014	6/24/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3561	50	102%		
D062414CCVA	D062414CCVA	ORG 75-01-4	Vinyl chloride	49		ug/L	2	0.32	NA	6/24/2014	6/24/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3561	50	98%		
D062414CCVA	D062414CCVA	ORG 74-83-9	Bromomethane	64		ug/L	5	0.50	NA	6/24/2014	6/24/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3561	50	128%		
D062414CCVA	D062414CCVA	ORG 75-00-3	Chloroethane	69		ug/L	5	0.56	NA	6/24/2014	6/24/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3561	50	138%		
D062414CCVA	D062414CCVA	ORG 75-69-4	Trichlorofluoromethane	128		ug/L	5	0.20	NA	6/24/2014	6/24/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3561	50	256%		
D062414CCVA	D062414CCVA	ORG 75-35-4	1,1-Dichloroethene	48		ug/L	1	0.47	NA	6/24/2014	6/24/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3561	50	96%		
D062414CCVA	D062414CCVA	ORG 75-09-2	Methylene chloride	34		ug/L	5	0.26	NA	6/24/2014	6/24/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3561	50	68%		
D062414CCVA	D062414CCVA	ORG 67-64-1	Acetone	50		ug/L	10	1.56	NA	6/24/2014	6/24/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3561	50	100%		
D062414CCVA	D062414CCVA	ORG 156-60-5	trans-1,2-Dichloroethene	42		ug/L	1	0.56	NA	6/24/2014	6/24/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3561	50	84%		
D062414CCVA	D062414CCVA	ORG 1634-04-4	MTBE	43		ug/L	5	0.61	NA	6/24/2014	6/24/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3561	50	86%		
D062414CCVA	D062414CCVA	ORG 75-34-3	1,1-Dichloroethane	49		ug/L	1	0.53	NA	6/24/2014	6/24/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3561	50	98%		
D062414CCVA	D062414CCVA	ORG 156-59-2	cis-1,2-Dichloroethene	47		ug/L	1	0.32	NA	6/24/2014	6/24/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3561	50	94%		
D062414CCVA	D062414CCVA	ORG 74-97-5	Bromochloromethane	47		ug/L	10	0.41	NA	6/24/2014	6/24/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3561	50	94%		
D062414CCVA	D062414CCVA	ORG 67-66-3	Chloroform	46		ug/L	2	0.16	NA	6/24/2014	6/24/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3561	50	92%		
D062414CCVA	D062414CCVA	ORG 71-55-6	1,1,1-Trichloroethane	46		ug/L	1	0.17	NA	6/24/2014	6/24/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3561	50	92%		
D062414CCVA	D062414CCVA	ORG 78-93-3	2-Butanone	54		ug/L	1	0.81	NA	6/24/2014	6/24/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3561	50	108%		
D062414CCVA	D062414CCVA	ORG 56-23-5	Carbon tetrachloride	48		ug/L	1	0.28	NA	6/24/2014	6/24/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3561	50	96%		
D062414CCVA	D062414CCVA	ORG 71-43-2	Benzene	46		ug/L	1	0.14	NA	6/24/2014	6/24/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3561	50	92%		
D062414CCVA	D062414CCVA	ORG 107-06-2	1,2-Dichloroethane	43		ug/L	1	0.20	NA	6/24/2014	6/24/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3561	50	86%		
D062414CCVA	D062414CCVA	ORG 79-01-6	Trichloroethene	47		ug/L	1	0.36	NA	6/24/2014	6/24/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3561	50	94%		
D062414CCVA	D062414CCVA	ORG 74-95-3	Dibromomethane	45		ug/L	2	0.32	NA	6/24/2014	6/24/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3561	50	90%		
D062414CCVA	D062414CCVA	ORG 78-87-5	1,2-Dichloropropane	50		ug/L	1	0.18	NA	6/24/2014	6/24/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3561	50	100%		
D062414CCVA	D062414CCVA	ORG 75-27-4	Bromodichloromethane	50		ug/L	2	0.12	NA	6/24/2014	6/24/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3561	50	100%		
D062414CCVA	D062414CCVA	ORG 10061-01-5	cis-1,3-Dichloropropene	52		ug/L	1	0.25	NA	6/24/2014	6/24/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3561	50	104%		
D062414CCVA	D062414CCVA	ORG 108-88-3	Toluene	46		ug/L	1	0.21	NA	6/24/2014	6/24/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3561	50	92%		
D062414CCVA	D062414CCVA	ORG 108-10-1	4-Methyl-2-pentanone	48		ug/L	5	0.74	NA	6/24/2014	6/24/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3561	50	96%		
D062414CCVA	D062414CCVA	ORG 10061-02-6	trans-1,3-Dichloropropene	54		ug/L	1	0.31	NA	6/24/2014	6/24/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3561	50	108%		
D062414CCVA	D062414CCVA	ORG 127-18-4	Tetrachloroethene	40		ug/L	1	0.49	NA	6/24/2014	6/24/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3561	50	80%		
D062414CCVA	D062414CCVA	ORG 79-00-5	1,1,2-Trichloroethane	47		ug/L	1	0.34	NA	6/24/2014	6/24/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3561	50	94%		
D062414CCVA	D062414CCVA	ORG 124-48-1	Dibromochloromethane	50		ug/L	5	0.30	NA	6/24/2014	6/24/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3561	50	100%		
D062414CCVA	D062414CCVA	ORG 106-93-4	1,2-Dibromoethane	47		ug/L	2	0.26	NA	6/24/2014	6/24/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3561	50	94%		
D062414CCVA	D062414CCVA	ORG 591-78-6	2-Hexanone	58		ug/L	2	0.69	NA	6/24/2014	6/24/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3561	50	116%		
D062414CCVA	D062414CCVA	ORG 100-41-4	Ethylbenzene	52		ug/L	1	0.25	NA	6/24/2014	6/24/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3561	50	104%		
D062414CCVA	D062414CCVA	ORG 108-90-7	Chlorobenzene	50		ug/L	1	0.28	NA	6/24/2014	6/24/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3561	50	100%		
D062414CCVA	D062414CCVA	ORG 630-20-6	1,1,1,2-Tetrachloroethane	54		ug/L	2	0.19	NA	6/24/2014	6/24/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3561	50	108%		
D062414CCVA	D062414CCVA	ORG XYLMP	p&m-Xylene	99		ug/L	2	0.26	NA	6/24/2014	6/24/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3561	100	99%		
D062414CCVA	D062414CCVA	ORG 95-47-6	o-Xylene	51		ug/L	1	0.13	NA	6/24/2014	6/24/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3561	50	102%		
D062414CCVA	D062414CCVA	ORG 100-42-5	Styrene	55		ug/L	1	0.20	NA	6/24/2014	6/24/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3561	50	110%		
D062414CCVA	D062414CCVA	ORG 75-25-2	Bromoform	51		ug/L	2	0.47	NA	6/24/2014	6/24/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3561	50	102%		
D062414CCVA	D062414CCVA	ORG 98-82-8	Isopropylbenzene	52		ug/L	2	0.20	NA	6/24/2014	6/24/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3561	50	104%		
D062414CCVA	D062414CCVA	ORG 103-65-1	n-Propylbenzene	53		ug/L	2	0.27	NA	6/24/2014	6/24/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3561	50	106%		
D062414CCVA	D062414CCVA	ORG 79-34-5	1,1,2,2-Tetrachloroethane	50		ug/L	2	0.29	NA	6/24/2014	6/24/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3561	50	100%		



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@nevagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D062414CCVA	D062414CCVA	ORG 96-18-4	1,2,3-Trichloropropane	47		ug/L	2	0.29	NA	6/24/2014	6/24/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3561	50	94%		
D062414CCVA	D062414CCVA	ORG 108-67-8	1,3,5-Trimethylbenzene	51		ug/L	2	0.20	NA	6/24/2014	6/24/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3561	50	102%		
D062414CCVA	D062414CCVA	ORG 98-06-6	tert-Butylbenzene	53		ug/L	2	0.33	NA	6/24/2014	6/24/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3561	50	106%		
D062414CCVA	D062414CCVA	ORG 95-63-6	1,2,4-Trimethylbenzene	52		ug/L	2	0.20	NA	6/24/2014	6/24/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3561	50	104%		
D062414CCVA	D062414CCVA	ORG 135-98-8	sec-Butylbenzene	53		ug/L	2	0.32	NA	6/24/2014	6/24/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3561	50	106%		
D062414CCVA	D062414CCVA	ORG 541-73-1	1,3-Dichlorobenzene	50		ug/L	2	0.22	NA	6/24/2014	6/24/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3561	50	100%		
D062414CCVA	D062414CCVA	ORG 99-87-6	p-Isopropyltoluene	52		ug/L	2	0.25	NA	6/24/2014	6/24/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3561	50	104%		
D062414CCVA	D062414CCVA	ORG 106-46-7	1,4-Dichlorobenzene	48		ug/L	2	0.33	NA	6/24/2014	6/24/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3561	50	96%		
D062414CCVA	D062414CCVA	ORG 95-50-1	1,2-Dichlorobenzene	49		ug/L	2	0.26	NA	6/24/2014	6/24/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3561	50	98%		
D062414CCVA	D062414CCVA	ORG 104-51-8	n-Butylbenzene	55		ug/L	5	0.28	NA	6/24/2014	6/24/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3561	50	110%		
D062414CCVA	D062414CCVA	ORG 96-12-8	1,2-Dibromo-3-chloropropane	46		ug/L	5	1.59	NA	6/24/2014	6/24/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3561	50	92%		
D062414CCVA	D062414CCVA	ORG 87-68-3	Hexachlorobutadiene	54		ug/L	5	0.65	NA	6/24/2014	6/24/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3561	50	108%		
D062414CCVA	D062414CCVA	ORG 120-82-1	1,2,4-Trichlorobenzene	51		ug/L	5	0.28	NA	6/24/2014	6/24/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3561	50	102%		
D062414CCVA	D062414CCVA	ORG 91-20-3	Naphthalene	45		ug/L	5	0.56	NA	6/24/2014	6/24/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3561	50	90%		
D062414CCVA	D062414CCVA	ORG 87-61-6	1,2,3-Trichlorobenzene	49		ug/L	5	0.23	NA	6/24/2014	6/24/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3561	50	98%		
D062414CCVA	D062414CCVA	STD 1868-53-7	Dibromofluoromethane	49		ug/L	1	0.10	NA	6/24/2014	6/24/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3561	50	98%		
D062414CCVA	D062414CCVA	STD 17060-07-0	1,2-Dichloroethane d4	46		ug/L	1	0.10	NA	6/24/2014	6/24/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3561	50	92%		
D062414CCVA	D062414CCVA	STD 2037-26-5	Toluene d8	49		ug/L	1	0.10	NA	6/24/2014	6/24/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3561	50	98%		
D062414CCVA	D062414CCVA	STD 460-00-4	Bromofluorobenzene	52		ug/L	1	0.10	NA	6/24/2014	6/24/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3561	50	104%		



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@nevagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

Table with columns: Lab ID, Sample ID, CAS #, ANALYTES, Results, QC, Units, RDL, MDL, Sample Date, Prep. Date, Analysis Date, Matrix, Dil., Weight(g), Vol.(ml), % Solid, Method, Data file, Spike, % Rec, % RPD, Parent. The table contains 50 rows of analytical data for various compounds including Dichlorodifluoromethane, Chloromethane, Vinyl chloride, Bromomethane, Chloroethane, Trichlorofluoromethane, 1,1-Dichloroethene, Methylene chloride, Acetone, trans-1,2-Dichloroethene, MTBE, 1,1-Dichloroethane, cis-1,2-Dichloroethene, Bromochloromethane, Chloroform, 1,1,1-Trichloroethane, 2-Butanone, Carbon tetrachloride, Benzene, 1,2-Dichloroethane, Trichloroethene, Dibromomethane, 1,2-Dichloropropane, Bromodichloromethane, cis-1,3-Dichloropropene, Toluene, 4-Methyl-2-pentanone, trans-1,3-Dichloropropene, Tetrachloroethene, 1,1,2-Trichloroethane, Dibromochloromethane, 1,2-Dibromoethane, 2-Hexanone, Ethylbenzene, Chlorobenzene, 1,1,1,2-Tetrachloroethane, p&m-Xylene, o-Xylene, Styrene, Bromoform, Isopropylbenzene, n-Propylbenzene, and 1,1,2,2-Tetrachloroethane.



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
 Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D062414MBKA	D062414MBKA	ORG 96-18-4	1,2,3-Trichloropropane		U	ug/L	2	0.29	NA	6/24/2014	6/24/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3564				
D062414MBKA	D062414MBKA	ORG 108-67-8	1,3,5-Trimethylbenzene		U	ug/L	2	0.20	NA	6/24/2014	6/24/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3564				
D062414MBKA	D062414MBKA	ORG 98-06-6	tert-Butylbenzene		U	ug/L	2	0.33	NA	6/24/2014	6/24/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3564				
D062414MBKA	D062414MBKA	ORG 95-63-6	1,2,4-Trimethylbenzene		U	ug/L	2	0.20	NA	6/24/2014	6/24/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3564				
D062414MBKA	D062414MBKA	ORG 135-98-8	sec-Butylbenzene		U	ug/L	2	0.32	NA	6/24/2014	6/24/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3564				
D062414MBKA	D062414MBKA	ORG 541-73-1	1,3-Dichlorobenzene		U	ug/L	2	0.22	NA	6/24/2014	6/24/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3564				
D062414MBKA	D062414MBKA	ORG 99-87-6	p-Isopropyltoluene		U	ug/L	2	0.25	NA	6/24/2014	6/24/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3564				
D062414MBKA	D062414MBKA	ORG 106-46-7	1,4-Dichlorobenzene		U	ug/L	2	0.33	NA	6/24/2014	6/24/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3564				
D062414MBKA	D062414MBKA	ORG 95-50-1	1,2-Dichlorobenzene		U	ug/L	2	0.26	NA	6/24/2014	6/24/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3564				
D062414MBKA	D062414MBKA	ORG 104-51-8	n-Butylbenzene		U	ug/L	5	0.28	NA	6/24/2014	6/24/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3564				
D062414MBKA	D062414MBKA	ORG 96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	5	1.59	NA	6/24/2014	6/24/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3564				
D062414MBKA	D062414MBKA	ORG 87-68-3	Hexachlorobutadiene		U	ug/L	5	0.65	NA	6/24/2014	6/24/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3564				
D062414MBKA	D062414MBKA	ORG 120-82-1	1,2,4-Trichlorobenzene		U	ug/L	5	0.28	NA	6/24/2014	6/24/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3564				
D062414MBKA	D062414MBKA	ORG 91-20-3	Naphthalene		U	ug/L	5	0.56	NA	6/24/2014	6/24/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3564				
D062414MBKA	D062414MBKA	ORG 87-61-6	1,2,3-Trichlorobenzene		U	ug/L	5	0.23	NA	6/24/2014	6/24/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3564				
D062414MBKA	D062414MBKA	STD 1868-53-7	Dibromofluoromethane	49		ug/L	1	0.10	NA	6/24/2014	6/24/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3564	50	98%		
D062414MBKA	D062414MBKA	STD 17060-07-0	1,2-Dichloroethane d4	51		ug/L	1	0.10	NA	6/24/2014	6/24/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3564	50	102%		
D062414MBKA	D062414MBKA	STD 2037-26-5	Toluene d8	49		ug/L	1	0.10	NA	6/24/2014	6/24/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3564	50	98%		
D062414MBKA	D062414MBKA	STD 460-00-4	Bromofluorobenzene	52		ug/L	1	0.10	NA	6/24/2014	6/24/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3564	50	104%		



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@nevagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

Table with 21 columns: Lab ID, Sample ID, CAS #, ANALYTES, Results, QC, Units, RDL, MDL, Sample Date, Prep. Date, Analysis Date, Matrix, Dil., Weight(g), Vol.(ml), % Solid, Method, Data file, Spike, % Rec, % RPD, Parent. Contains 40 rows of analytical data for various compounds like Dichlorodifluoromethane, Chloromethane, Vinyl chloride, etc.



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D062414ALCS	D062414ALCS	ORG 96-18-4	1,2,3-Trichloropropane	47		ug/L	2	0.29	NA	6/24/2014	6/24/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3562	50	94%		
D062414ALCS	D062414ALCS	ORG 108-67-8	1,3,5-Trimethylbenzene	51		ug/L	2	0.20	NA	6/24/2014	6/24/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3562	50	102%		
D062414ALCS	D062414ALCS	ORG 98-06-6	tert-Butylbenzene	53		ug/L	2	0.33	NA	6/24/2014	6/24/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3562	50	106%		
D062414ALCS	D062414ALCS	ORG 95-63-6	1,2,4-Trimethylbenzene	51		ug/L	2	0.20	NA	6/24/2014	6/24/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3562	50	102%		
D062414ALCS	D062414ALCS	ORG 135-98-8	sec-Butylbenzene	51		ug/L	2	0.32	NA	6/24/2014	6/24/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3562	50	102%		
D062414ALCS	D062414ALCS	ORG 541-73-1	1,3-Dichlorobenzene	49		ug/L	2	0.22	NA	6/24/2014	6/24/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3562	50	98%		
D062414ALCS	D062414ALCS	ORG 99-87-6	p-Isopropyltoluene	50		ug/L	2	0.25	NA	6/24/2014	6/24/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3562	50	100%		
D062414ALCS	D062414ALCS	ORG 106-46-7	1,4-Dichlorobenzene	49		ug/L	2	0.33	NA	6/24/2014	6/24/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3562	50	98%		
D062414ALCS	D062414ALCS	ORG 95-50-1	1,2-Dichlorobenzene	50		ug/L	2	0.26	NA	6/24/2014	6/24/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3562	50	100%		
D062414ALCS	D062414ALCS	ORG 104-51-8	n-Butylbenzene	53		ug/L	5	0.28	NA	6/24/2014	6/24/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3562	50	106%		
D062414ALCS	D062414ALCS	ORG 96-12-8	1,2-Dibromo-3-chloropropane	52		ug/L	5	1.59	NA	6/24/2014	6/24/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3562	50	104%		
D062414ALCS	D062414ALCS	ORG 87-68-3	Hexachlorobutadiene	51		ug/L	5	0.65	NA	6/24/2014	6/24/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3562	50	102%		
D062414ALCS	D062414ALCS	ORG 120-82-1	1,2,4-Trichlorobenzene	53		ug/L	5	0.28	NA	6/24/2014	6/24/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3562	50	106%		
D062414ALCS	D062414ALCS	ORG 91-20-3	Naphthalene	49		ug/L	5	0.56	NA	6/24/2014	6/24/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3562	50	98%		
D062414ALCS	D062414ALCS	ORG 87-61-6	1,2,3-Trichlorobenzene	51		ug/L	5	0.23	NA	6/24/2014	6/24/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3562	50	102%		
D062414ALCS	D062414ALCS	STD 1868-53-7	Dibromofluoromethane	49		ug/L	1	0.10	NA	6/24/2014	6/24/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3562	50	98%		
D062414ALCS	D062414ALCS	STD 17060-07-0	1,2-Dichloroethane d4	48		ug/L	1	0.10	NA	6/24/2014	6/24/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3562	50	96%		
D062414ALCS	D062414ALCS	STD 2037-26-5	Toluene d8	48		ug/L	1	0.10	NA	6/24/2014	6/24/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3562	50	96%		
D062414ALCS	D062414ALCS	STD 460-00-4	Bromofluorobenzene	52		ug/L	1	0.10	NA	6/24/2014	6/24/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3562	50	104%		



New Age/Landmark Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@nevagelandmark.com

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

FINAL ANALYTICAL REPORT

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

- B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assessment, QC analyses parameter exceeded control limits.
U = Non-detect

Table with 23 columns: Lab ID, Sample ID, CAS #, ANALYTES, Results, QC, Units, RDL, MDL, Sample Date, Prep. Date, Analysis Date, Matrix, Dil., Weight(g), Vol.(ml), % Solid, Method, Data file, Spike, % Rec, % RPD, Parent. Contains 40 rows of analytical data.



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

Table with 24 columns: Lab ID, Sample ID, CAS #, ANALYTES, Results, QC, Units, RDL, MDL, Sample Date, Prep. Date, Analysis Date, Matrix, Dil., Weight(g), Vol.(ml), % Solid, Method, Data file, Spike, % Rec, % RPD, Parent. It contains 24 rows of analytical data for various compounds like Trichloropropane, Tert-Butylbenzene, etc.



New Age/Landmark Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@nevagelandmark.com

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

FINAL ANALYTICAL REPORT

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

Table with 21 columns: Lab ID, Sample ID, CAS #, ANALYTES, Results, QC, Units, RDL, MDL, Sample Date, Prep. Date, Analysis Date, Matrix, Dil., Weight(g), Vol.(ml), % Solid, Method, Data file, Spike, % Rec, % RPD, Parent. Contains multiple rows of analytical data for various compounds like Dichlorodifluoromethane, Chloromethane, Vinyl chloride, Bromomethane, Chloroethane, Trichlorofluoromethane, 1,1-Dichloroethene, Methylene chloride, Acetone, trans-1,2-Dichloroethene, MTBE, 1,1-Dichloroethane, cis-1,2-Dichloroethene, Bromochloromethane, Chloroform, 1,1,1-Trichloroethane, 2-Butanone, Carbon tetrachloride, Benzene, 1,2-Dichloroethane, Trichloroethane, Dibromomethane, 1,2-Dichloropropane, Bromodichloromethane, cis-1,3-Dichloropropene, Toluene, 4-Methyl-2-pentanone, trans-1,3-Dichloropropene, Tetrachloroethene, 1,1,2-Trichloroethane, Dibromochloromethane, 1,2-Dibromoethane, 2-Hexanone, Ethylbenzene, Chlorobenzene, 1,1,1,2-Tetrachloroethane, XYLMP, p&m-Xylene, o-Xylene, Styrene, Bromoform, Isopropylbenzene, n-Propylbenzene, 1,1,2,2-Tetrachloroethane.



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1531MS	316-340	ORG 96-18-4	1,2,3-Trichloropropane	4800		ug/L	200	29.47	6/24/2014	6/24/2014	6/24/2014	WG	100	NA	5.0	NA	SW8260B	NALD3568	5000	96%		
NAL13026-1531MS	316-340	ORG 108-67-8	1,3,5-Trimethylbenzene	5200		ug/L	200	20.03	6/24/2014	6/24/2014	6/24/2014	WG	100	NA	5.0	NA	SW8260B	NALD3568	5000	103%		33
NAL13026-1531MS	316-340	ORG 98-06-6	tert-Butylbenzene	5300		ug/L	200	32.61	6/24/2014	6/24/2014	6/24/2014	WG	100	NA	5.0	NA	SW8260B	NALD3568	5000	106%		
NAL13026-1531MS	316-340	ORG 95-63-6	1,2,4-Trimethylbenzene	5300		ug/L	200	20.03	6/24/2014	6/24/2014	6/24/2014	WG	100	NA	5.0	NA	SW8260B	NALD3568	5000	102%		210
NAL13026-1531MS	316-340	ORG 135-98-8	sec-Butylbenzene	5200		ug/L	200	32.34	6/24/2014	6/24/2014	6/24/2014	WG	100	NA	5.0	NA	SW8260B	NALD3568	5000	104%		
NAL13026-1531MS	316-340	ORG 541-73-1	1,3-Dichlorobenzene	4900		ug/L	200	22.21	6/24/2014	6/24/2014	6/24/2014	WG	100	NA	5.0	NA	SW8260B	NALD3568	5000	98%		
NAL13026-1531MS	316-340	ORG 99-87-6	p-Isopropyltoluene	6300		ug/L	200	25.48	6/24/2014	6/24/2014	6/24/2014	WG	100	NA	5.0	NA	SW8260B	NALD3568	5000	100%		1300
NAL13026-1531MS	316-340	ORG 106-46-7	1,4-Dichlorobenzene	5200		ug/L	200	33.03	6/24/2014	6/24/2014	6/24/2014	WG	100	NA	5.0	NA	SW8260B	NALD3568	5000	98%		320
NAL13026-1531MS	316-340	ORG 95-50-1	1,2-Dichlorobenzene	4800		ug/L	200	26.38	6/24/2014	6/24/2014	6/24/2014	WG	100	NA	5.0	NA	SW8260B	NALD3568	5000	96%		
NAL13026-1531MS	316-340	ORG 104-51-8	n-Butylbenzene	5400		ug/L	500	27.81	6/24/2014	6/24/2014	6/24/2014	WG	100	NA	5.0	NA	SW8260B	NALD3568	5000	107%		44
NAL13026-1531MS	316-340	ORG 96-12-8	1,2-Dibromo-3-chloropropane	5400		ug/L	500	159.11	6/24/2014	6/24/2014	6/24/2014	WG	100	NA	5.0	NA	SW8260B	NALD3568	5000	108%		
NAL13026-1531MS	316-340	ORG 87-68-3	Hexachlorobutadiene	4800		ug/L	500	65.42	6/24/2014	6/24/2014	6/24/2014	WG	100	NA	5.0	NA	SW8260B	NALD3568	5000	96%		
NAL13026-1531MS	316-340	ORG 120-82-1	1,2,4-Trichlorobenzene	5200		ug/L	500	27.63	6/24/2014	6/24/2014	6/24/2014	WG	100	NA	5.0	NA	SW8260B	NALD3568	5000	104%		
NAL13026-1531MS	316-340	ORG 91-20-3	Naphthalene	6600		ug/L	500	56.04	6/24/2014	6/24/2014	6/24/2014	WG	100	NA	5.0	NA	SW8260B	NALD3568	5000	100%		1600
NAL13026-1531MS	316-340	ORG 87-61-6	1,2,3-Trichlorobenzene	5100		ug/L	500	23.28	6/24/2014	6/24/2014	6/24/2014	WG	100	NA	5.0	NA	SW8260B	NALD3568	5000	102%		
NAL13026-1531MS	316-340	STD 1868-53-7	Dibromofluoromethane	49		ug/L	1	0.10	6/24/2014	6/24/2014	6/24/2014	WG	100	NA	5.0	NA	SW8260B	NALD3568	50	98%		
NAL13026-1531MS	316-340	STD 17060-07-0	1,2-Dichloroethane d4	47		ug/L	1	0.10	6/24/2014	6/24/2014	6/24/2014	WG	100	NA	5.0	NA	SW8260B	NALD3568	50	94%		
NAL13026-1531MS	316-340	STD 2037-26-5	Toluene d8	48		ug/L	1	0.10	6/24/2014	6/24/2014	6/24/2014	WG	100	NA	5.0	NA	SW8260B	NALD3568	50	96%		
NAL13026-1531MS	316-340	STD 460-00-4	Bromofluorobenzene	52		ug/L	1	0.10	6/24/2014	6/24/2014	6/24/2014	WG	100	NA	5.0	NA	SW8260B	NALD3568	50	104%		



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@nevagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1531MSD	316-340	ORG 96-18-4	1,2,3-Trichloropropane	4800		ug/L	200	29.47	6/24/2014	6/24/2014	6/24/2014	WG	100	NA	5.0	NA	SW8260B	NALD3569	5000	96%	0%	
NAL13026-1531MSD	316-340	ORG 108-67-8	1,3,5-Trimethylbenzene	5300		ug/L	200	20.03	6/24/2014	6/24/2014	6/24/2014	WG	100	NA	5.0	NA	SW8260B	NALD3569	5000	105%	2%	33
NAL13026-1531MSD	316-340	ORG 98-06-6	tert-Butylbenzene	5500		ug/L	200	32.61	6/24/2014	6/24/2014	6/24/2014	WG	100	NA	5.0	NA	SW8260B	NALD3569	5000	110%	4%	
NAL13026-1531MSD	316-340	ORG 95-63-6	1,2,4-Trimethylbenzene	5500		ug/L	200	20.03	6/24/2014	6/24/2014	6/24/2014	WG	100	NA	5.0	NA	SW8260B	NALD3569	5000	106%	4%	210
NAL13026-1531MSD	316-340	ORG 135-98-8	sec-Butylbenzene	5400		ug/L	200	32.34	6/24/2014	6/24/2014	6/24/2014	WG	100	NA	5.0	NA	SW8260B	NALD3569	5000	108%	4%	
NAL13026-1531MSD	316-340	ORG 541-73-1	1,3-Dichlorobenzene	5100		ug/L	200	22.21	6/24/2014	6/24/2014	6/24/2014	WG	100	NA	5.0	NA	SW8260B	NALD3569	5000	102%	4%	
NAL13026-1531MSD	316-340	ORG 99-87-6	p-Isopropyltoluene	6600		ug/L	200	25.48	6/24/2014	6/24/2014	6/24/2014	WG	100	NA	5.0	NA	SW8260B	NALD3569	5000	106%	5%	1300
NAL13026-1531MSD	316-340	ORG 106-46-7	1,4-Dichlorobenzene	5200		ug/L	200	33.03	6/24/2014	6/24/2014	6/24/2014	WG	100	NA	5.0	NA	SW8260B	NALD3569	5000	98%	0%	320
NAL13026-1531MSD	316-340	ORG 95-50-1	1,2-Dichlorobenzene	5000		ug/L	200	26.38	6/24/2014	6/24/2014	6/24/2014	WG	100	NA	5.0	NA	SW8260B	NALD3569	5000	100%	4%	
NAL13026-1531MSD	316-340	ORG 104-51-8	n-Butylbenzene	5600		ug/L	500	27.81	6/24/2014	6/24/2014	6/24/2014	WG	100	NA	5.0	NA	SW8260B	NALD3569	5000	111%	4%	44
NAL13026-1531MSD	316-340	ORG 96-12-8	1,2-Dibromo-3-chloropropane	5500		ug/L	500	159.11	6/24/2014	6/24/2014	6/24/2014	WG	100	NA	5.0	NA	SW8260B	NALD3569	5000	110%	2%	
NAL13026-1531MSD	316-340	ORG 87-68-3	Hexachlorobutadiene	5100		ug/L	500	65.42	6/24/2014	6/24/2014	6/24/2014	WG	100	NA	5.0	NA	SW8260B	NALD3569	5000	102%	6%	
NAL13026-1531MSD	316-340	ORG 120-82-1	1,2,4-Trichlorobenzene	5400		ug/L	500	27.63	6/24/2014	6/24/2014	6/24/2014	WG	100	NA	5.0	NA	SW8260B	NALD3569	5000	108%	4%	
NAL13026-1531MSD	316-340	ORG 91-20-3	Naphthalene	6700		ug/L	500	56.04	6/24/2014	6/24/2014	6/24/2014	WG	100	NA	5.0	NA	SW8260B	NALD3569	5000	102%	2%	1600
NAL13026-1531MSD	316-340	ORG 87-61-6	1,2,3-Trichlorobenzene	5200		ug/L	500	23.28	6/24/2014	6/24/2014	6/24/2014	WG	100	NA	5.0	NA	SW8260B	NALD3569	5000	104%	2%	
NAL13026-1531MSD	316-340	STD 1868-53-7	Dibromofluoromethane	49		ug/L	1	0.10	6/24/2014	6/24/2014	6/24/2014	WG	100	NA	5.0	NA	SW8260B	NALD3569	50	98%	0%	
NAL13026-1531MSD	316-340	STD 17060-07-0	1,2-Dichloroethane d4	48		ug/L	1	0.10	6/24/2014	6/24/2014	6/24/2014	WG	100	NA	5.0	NA	SW8260B	NALD3569	50	96%	2%	
NAL13026-1531MSD	316-340	STD 2037-26-5	Toluene d8	48		ug/L	1	0.10	6/24/2014	6/24/2014	6/24/2014	WG	100	NA	5.0	NA	SW8260B	NALD3569	50	96%	0%	
NAL13026-1531MSD	316-340	STD 460-00-4	Bromofluorobenzene	52		ug/L	1	0.10	6/24/2014	6/24/2014	6/24/2014	WG	100	NA	5.0	NA	SW8260B	NALD3569	50	104%	0%	



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
 Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1532	316-341	ORG 96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3575				
NAL13026-1532	316-341	ORG 108-67-8	1,3,5-Trimethylbenzene		U	ug/L	200	20.03	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3575				
NAL13026-1532	316-341	ORG 98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3575				
NAL13026-1532	316-341	ORG 95-63-6	1,2,4-Trimethylbenzene	130	J	ug/L	200	20.03	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3575				
NAL13026-1532	316-341	ORG 135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3575				
NAL13026-1532	316-341	ORG 541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3575				
NAL13026-1532	316-341	ORG 99-87-6	p-Isopropyltoluene	830		ug/L	200	25.48	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3575				
NAL13026-1532	316-341	ORG 106-46-7	1,4-Dichlorobenzene	230		ug/L	200	33.03	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3575				
NAL13026-1532	316-341	ORG 95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3575				
NAL13026-1532	316-341	ORG 104-51-8	n-Butylbenzene	34	J	ug/L	500	27.81	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3575				
NAL13026-1532	316-341	ORG 96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3575				
NAL13026-1532	316-341	ORG 87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3575				
NAL13026-1532	316-341	ORG 120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3575				
NAL13026-1532	316-341	ORG 91-20-3	Naphthalene	1300		ug/L	500	56.04	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3575				
NAL13026-1532	316-341	ORG 87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3575				
NAL13026-1532	316-341	STD 1868-53-7	Dibromofluoromethane	47		ug/L	1	0.10	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3575	50	94%		
NAL13026-1532	316-341	STD 17060-07-0	1,2-Dichloroethane d4	49		ug/L	1	0.10	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3575	50	98%		
NAL13026-1532	316-341	STD 2037-26-5	Toluene d8	49		ug/L	1	0.10	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3575	50	98%		
NAL13026-1532	316-341	STD 460-00-4	Bromofluorobenzene	51		ug/L	1	0.10	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3575	50	102%		



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
 Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1533	CB 06-25-14	ORG 96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3580				
NAL13026-1533	CB 06-25-14	ORG 108-67-8	1,3,5-Trimethylbenzene		U	ug/L	200	20.03	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3580				
NAL13026-1533	CB 06-25-14	ORG 98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3580				
NAL13026-1533	CB 06-25-14	ORG 95-63-6	1,2,4-Trimethylbenzene	45	J	ug/L	200	20.03	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3580				
NAL13026-1533	CB 06-25-14	ORG 135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3580				
NAL13026-1533	CB 06-25-14	ORG 541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3580				
NAL13026-1533	CB 06-25-14	ORG 99-87-6	p-Isopropyltoluene	270		ug/L	200	25.48	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3580				
NAL13026-1533	CB 06-25-14	ORG 106-46-7	1,4-Dichlorobenzene	66	J	ug/L	200	33.03	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3580				
NAL13026-1533	CB 06-25-14	ORG 95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3580				
NAL13026-1533	CB 06-25-14	ORG 104-51-8	n-Butylbenzene		U	ug/L	500	27.81	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3580				
NAL13026-1533	CB 06-25-14	ORG 96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3580				
NAL13026-1533	CB 06-25-14	ORG 87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3580				
NAL13026-1533	CB 06-25-14	ORG 120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3580				
NAL13026-1533	CB 06-25-14	ORG 91-20-3	Naphthalene	330	J	ug/L	500	56.04	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3580				
NAL13026-1533	CB 06-25-14	ORG 87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3580				
NAL13026-1533	CB 06-25-14	STD 1868-53-7	Dibromofluoromethane	48		ug/L	1	0.10	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3580	50	96%		
NAL13026-1533	CB 06-25-14	STD 17060-07-0	1,2-Dichloroethane d4	49		ug/L	1	0.10	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3580	50	98%		
NAL13026-1533	CB 06-25-14	STD 2037-26-5	Toluene d8	49		ug/L	1	0.10	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3580	50	98%		
NAL13026-1533	CB 06-25-14	STD 460-00-4	Bromofluorobenzene	52		ug/L	1	0.10	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3580	50	104%		



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
 Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1534	T1 INF	ORG 96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3582				
NAL13026-1534	T1 INF	ORG 108-67-8	1,3,5-Trimethylbenzene	86	J	ug/L	200	20.03	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3582				
NAL13026-1534	T1 INF	ORG 98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3582				
NAL13026-1534	T1 INF	ORG 95-63-6	1,2,4-Trimethylbenzene	390		ug/L	200	20.03	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3582				
NAL13026-1534	T1 INF	ORG 135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3582				
NAL13026-1534	T1 INF	ORG 541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3582				
NAL13026-1534	T1 INF	ORG 99-87-6	p-Isopropyltoluene	1600		ug/L	200	25.48	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3582				
NAL13026-1534	T1 INF	ORG 106-46-7	1,4-Dichlorobenzene	400		ug/L	200	33.03	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3582				
NAL13026-1534	T1 INF	ORG 95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3582				
NAL13026-1534	T1 INF	ORG 104-51-8	n-Butylbenzene	41	J	ug/L	500	27.81	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3582				
NAL13026-1534	T1 INF	ORG 96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3582				
NAL13026-1534	T1 INF	ORG 87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3582				
NAL13026-1534	T1 INF	ORG 120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3582				
NAL13026-1534	T1 INF	ORG 91-20-3	Naphthalene	530		ug/L	500	56.04	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3582				
NAL13026-1534	T1 INF	ORG 87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3582				
NAL13026-1534	T1 INF	STD 1868-53-7	Dibromofluoromethane	49		ug/L	1	0.10	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3582	50	98%		
NAL13026-1534	T1 INF	STD 17060-07-0	1,2-Dichloroethane d4	51		ug/L	1	0.10	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3582	50	102%		
NAL13026-1534	T1 INF	STD 2037-26-5	Toluene d8	49		ug/L	1	0.10	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3582	50	98%		
NAL13026-1534	T1 INF	STD 460-00-4	Bromofluorobenzene	53		ug/L	1	0.10	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3582	50	106%		

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

- B = Analyte is found in the associated blank as well as in the sample.
- D = Compound identified in an analysis at a secondary dilution factor.
- E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
- X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
- J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
- M = Matrix assessment, QC analyses parameter exceeded control limits.
- U = Non-detect

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1535	T1 EFF	ORG 75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3584				
NAL13026-1535	T1 EFF	ORG 74-87-3	Chloromethane		U	ug/L	500	43.07	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3584				
NAL13026-1535	T1 EFF	ORG 75-01-4	Vinyl chloride		U	ug/L	200	31.86	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3584				
NAL13026-1535	T1 EFF	ORG 74-83-9	Bromomethane		U	ug/L	500	50.04	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3584				
NAL13026-1535	T1 EFF	ORG 75-00-3	Chloroethane		U	ug/L	500	55.61	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3584				
NAL13026-1535	T1 EFF	ORG 75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3584				
NAL13026-1535	T1 EFF	ORG 75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3584				
NAL13026-1535	T1 EFF	ORG 75-09-2	Methylene chloride		U	ug/L	500	26.46	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3584				
NAL13026-1535	T1 EFF	ORG 67-64-1	Acetone	126000	DX+	ug/L	10000	1556.07	6/25/2014	6/25/2014	6/25/2014	WG	1000	NA	5.0	NA	SW8260B	NALD3585				
NAL13026-1535	T1 EFF	ORG 156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3584				
NAL13026-1535	T1 EFF	ORG 1634-04-4	MTBE		U	ug/L	500	61.18	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3584				
NAL13026-1535	T1 EFF	ORG 75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3584				
NAL13026-1535	T1 EFF	ORG 156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3584				
NAL13026-1535	T1 EFF	ORG 74-97-5	Bromochloromethane		U	ug/L	200	41.37	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3584				
NAL13026-1535	T1 EFF	ORG 67-66-3	Chloroform		U	ug/L	100	15.73	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3584				
NAL13026-1535	T1 EFF	ORG 71-55-6	1,1,1-Trichloroethane		U	ug/L	100	16.65	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3584				
NAL13026-1535	T1 EFF	ORG 78-93-3	2-Butanone	22000	D	ug/L	10000	811.80	6/25/2014	6/25/2014	6/25/2014	WG	1000	NA	5.0	NA	SW8260B	NALD3585				
NAL13026-1535	T1 EFF	ORG 56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3584				
NAL13026-1535	T1 EFF	ORG 71-43-2	Benzene	79	J	ug/L	100	13.53	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3584				
NAL13026-1535	T1 EFF	ORG 107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3584				
NAL13026-1535	T1 EFF	ORG 79-01-6	Trichloroethene		U	ug/L	100	36.33	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3584				
NAL13026-1535	T1 EFF	ORG 74-95-3	Dibromomethane		U	ug/L	200	32.20	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3584				
NAL13026-1535	T1 EFF	ORG 78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3584				
NAL13026-1535	T1 EFF	ORG 75-27-4	Bromodichloromethane		U	ug/L	200	11.58	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3584				
NAL13026-1535	T1 EFF	ORG 10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3584				
NAL13026-1535	T1 EFF	ORG 108-88-3	Toluene	49	J	ug/L	100	20.96	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3584				
NAL13026-1535	T1 EFF	ORG 108-10-1	4-Methyl-2-pentanone	590		ug/L	500	74.00	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3584				
NAL13026-1535	T1 EFF	ORG 10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3584				
NAL13026-1535	T1 EFF	ORG 127-18-4	Tetrachloroethene		UX-	ug/L	100	48.56	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3584				
NAL13026-1535	T1 EFF	ORG 79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3584				
NAL13026-1535	T1 EFF	ORG 124-48-1	Dibromochloromethane		U	ug/L	200	29.90	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3584				
NAL13026-1535	T1 EFF	ORG 106-93-4	1,2-Dibromoethane		U	ug/L	200	26.49	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3584				
NAL13026-1535	T1 EFF	ORG 591-78-6	2-Hexanone	1600		ug/L	500	68.90	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3584				
NAL13026-1535	T1 EFF	ORG 100-41-4	Ethylbenzene	69	J	ug/L	100	25.38	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3584				
NAL13026-1535	T1 EFF	ORG 108-90-7	Chlorobenzene		U	ug/L	100	27.52	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3584				
NAL13026-1535	T1 EFF	ORG 630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3584				
NAL13026-1535	T1 EFF	ORG XYLMP	p&m-Xylene	160	J	ug/L	200	26.14	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3584				
NAL13026-1535	T1 EFF	ORG 95-47-6	o-Xylene	92	J	ug/L	100	12.90	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3584				
NAL13026-1535	T1 EFF	ORG 100-42-5	Styrene		U	ug/L	100	20.23	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3584				
NAL13026-1535	T1 EFF	ORG 75-25-2	Bromoform		U	ug/L	200	46.83	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3584				
NAL13026-1535	T1 EFF	ORG 98-82-8	Isopropylbenzene	25	J	ug/L	200	20.48	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3584				
NAL13026-1535	T1 EFF	ORG 103-65-1	n-Propylbenzene		U	ug/L	200	27.00	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3584				
NAL13026-1535	T1 EFF	ORG 79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3584				



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
 Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1535	T1 EFF	ORG 96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3584				
NAL13026-1535	T1 EFF	ORG 108-67-8	1,3,5-Trimethylbenzene	53	J	ug/L	200	20.03	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3584				
NAL13026-1535	T1 EFF	ORG 98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3584				
NAL13026-1535	T1 EFF	ORG 95-63-6	1,2,4-Trimethylbenzene	260		ug/L	200	20.03	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3584				
NAL13026-1535	T1 EFF	ORG 135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3584				
NAL13026-1535	T1 EFF	ORG 541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3584				
NAL13026-1535	T1 EFF	ORG 99-87-6	p-Isopropyltoluene	730		ug/L	200	25.48	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3584				
NAL13026-1535	T1 EFF	ORG 106-46-7	1,4-Dichlorobenzene	410		ug/L	200	33.03	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3584				
NAL13026-1535	T1 EFF	ORG 95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3584				
NAL13026-1535	T1 EFF	ORG 104-51-8	n-Butylbenzene		U	ug/L	500	27.81	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3584				
NAL13026-1535	T1 EFF	ORG 96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3584				
NAL13026-1535	T1 EFF	ORG 87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3584				
NAL13026-1535	T1 EFF	ORG 120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3584				
NAL13026-1535	T1 EFF	ORG 91-20-3	Naphthalene	660		ug/L	500	56.04	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3584				
NAL13026-1535	T1 EFF	ORG 87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3584				
NAL13026-1535	T1 EFF	STD 1868-53-7	Dibromofluoromethane	49		ug/L	1	0.10	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3584	50	98%		
NAL13026-1535	T1 EFF	STD 17060-07-0	1,2-Dichloroethane d4	51		ug/L	1	0.10	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3584	50	102%		
NAL13026-1535	T1 EFF	STD 2037-26-5	Toluene d8	49		ug/L	1	0.10	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3584	50	98%		
NAL13026-1535	T1 EFF	STD 460-00-4	Bromofluorobenzene	53		ug/L	1	0.10	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3584	50	106%		



New Age/Landmark Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@nevagelandmark.com

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

FINAL ANALYTICAL REPORT

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

Table with 20 columns: Lab ID, Sample ID, CAS #, ANALYTES, Results, QC, Units, RDL, MDL, Sample Date, Prep. Date, Analysis Date, Matrix, Dil., Weight(g), Vol.(ml), % Solid, Method, Data file, Spike, % Rec, % RPD, Parent. Contains 40 rows of analytical data for various compounds like Dichlorodifluoromethane, Chloromethane, Vinyl chloride, etc.



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D062514CCVA	D062514CCVA	ORG 96-18-4	1,2,3-Trichloropropane	44		ug/L	2	0.29	NA	6/25/2014	6/25/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3571	50	88%		
D062514CCVA	D062514CCVA	ORG 108-67-8	1,3,5-Trimethylbenzene	51		ug/L	2	0.20	NA	6/25/2014	6/25/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3571	50	102%		
D062514CCVA	D062514CCVA	ORG 98-06-6	tert-Butylbenzene	53		ug/L	2	0.33	NA	6/25/2014	6/25/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3571	50	106%		
D062514CCVA	D062514CCVA	ORG 95-63-6	1,2,4-Trimethylbenzene	51		ug/L	2	0.20	NA	6/25/2014	6/25/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3571	50	102%		
D062514CCVA	D062514CCVA	ORG 135-98-8	sec-Butylbenzene	52		ug/L	2	0.32	NA	6/25/2014	6/25/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3571	50	104%		
D062514CCVA	D062514CCVA	ORG 541-73-1	1,3-Dichlorobenzene	49		ug/L	2	0.22	NA	6/25/2014	6/25/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3571	50	98%		
D062514CCVA	D062514CCVA	ORG 99-87-6	p-Isopropyltoluene	52		ug/L	2	0.25	NA	6/25/2014	6/25/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3571	50	104%		
D062514CCVA	D062514CCVA	ORG 106-46-7	1,4-Dichlorobenzene	49		ug/L	2	0.33	NA	6/25/2014	6/25/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3571	50	98%		
D062514CCVA	D062514CCVA	ORG 95-50-1	1,2-Dichlorobenzene	48		ug/L	2	0.26	NA	6/25/2014	6/25/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3571	50	96%		
D062514CCVA	D062514CCVA	ORG 104-51-8	n-Butylbenzene	55		ug/L	5	0.28	NA	6/25/2014	6/25/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3571	50	110%		
D062514CCVA	D062514CCVA	ORG 96-12-8	1,2-Dibromo-3-chloropropane	42		ug/L	5	1.59	NA	6/25/2014	6/25/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3571	50	84%		
D062514CCVA	D062514CCVA	ORG 87-68-3	Hexachlorobutadiene	54		ug/L	5	0.65	NA	6/25/2014	6/25/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3571	50	108%		
D062514CCVA	D062514CCVA	ORG 120-82-1	1,2,4-Trichlorobenzene	51		ug/L	5	0.28	NA	6/25/2014	6/25/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3571	50	102%		
D062514CCVA	D062514CCVA	ORG 91-20-3	Naphthalene	43		ug/L	5	0.56	NA	6/25/2014	6/25/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3571	50	86%		
D062514CCVA	D062514CCVA	ORG 87-61-6	1,2,3-Trichlorobenzene	48		ug/L	5	0.23	NA	6/25/2014	6/25/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3571	50	96%		
D062514CCVA	D062514CCVA	STD 1868-53-7	Dibromofluoromethane	48		ug/L	1	0.10	NA	6/25/2014	6/25/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3571	50	96%		
D062514CCVA	D062514CCVA	STD 17060-07-0	1,2-Dichloroethane d4	45		ug/L	1	0.10	NA	6/25/2014	6/25/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3571	50	90%		
D062514CCVA	D062514CCVA	STD 2037-26-5	Toluene d8	49		ug/L	1	0.10	NA	6/25/2014	6/25/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3571	50	98%		
D062514CCVA	D062514CCVA	STD 460-00-4	Bromofluorobenzene	51		ug/L	1	0.10	NA	6/25/2014	6/25/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3571	50	102%		



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@nevagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

Table with 20 columns: Lab ID, Sample ID, CAS #, ANALYTES, Results, QC, Units, RDL, MDL, Sample Date, Prep. Date, Analysis Date, Matrix, Dil., Weight(g), Vol.(ml), % Solid, Method, Data file, Spike, % Rec, % RPD, Parent. The table contains 40 rows of analytical data for various compounds like Dichlorodifluoromethane, Chloromethane, Vinyl chloride, etc.



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

Table with 25 columns: Lab ID, Sample ID, CAS #, ANALYTES, Results, QC, Units, RDL, MDL, Sample Date, Prep. Date, Analysis Date, Matrix, Dil., Weight(g), Vol.(ml), % Solid, Method, Data file, Spike, % Rec, % RPD, Parent. Rows list various chemical analytes such as Trichloropropane, Butylbenzene, and Dichlorobenzene with their respective results and QC status.



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
 Tel: 888-685-1628 • mobilelabs@nevagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

- B** = Analyte is found in the associated blank as well as in the sample.
- D** = Compound identified in an analysis at a secondary dilution factor.
- E** = Compound's concentration exceeds the calibration range of the instrument at this dilution.
- X** = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
- J** = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
- M** = Matrix assessment, QC analyses parameter exceeded control limits.
- U** = Non-detect

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D062514ALCS	D062514ALCS	ORG 75-71-8	Dichlorodifluoromethane	37		ug/L	5	0.29	NA	6/25/2014	6/25/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3572	50	74%		
D062514ALCS	D062514ALCS	ORG 74-87-3	Chloromethane	49		ug/L	5	0.43	NA	6/25/2014	6/25/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3572	50	98%		
D062514ALCS	D062514ALCS	ORG 75-01-4	Vinyl chloride	48		ug/L	2	0.32	NA	6/25/2014	6/25/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3572	50	96%		
D062514ALCS	D062514ALCS	ORG 74-83-9	Bromomethane	71		ug/L	5	0.50	NA	6/25/2014	6/25/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3572	50	142%		
D062514ALCS	D062514ALCS	ORG 75-00-3	Chloroethane	63		ug/L	5	0.56	NA	6/25/2014	6/25/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3572	50	126%		
D062514ALCS	D062514ALCS	ORG 75-69-4	Trichlorofluoromethane	275		ug/L	5	0.20	NA	6/25/2014	6/25/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3572	50	550%		
D062514ALCS	D062514ALCS	ORG 75-35-4	1,1-Dichloroethene	47		ug/L	1	0.47	NA	6/25/2014	6/25/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3572	50	94%		
D062514ALCS	D062514ALCS	ORG 75-09-2	Methylene chloride	36		ug/L	5	0.26	NA	6/25/2014	6/25/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3572	50	72%		
D062514ALCS	D062514ALCS	ORG 67-64-1	Acetone	62		ug/L	10	1.56	NA	6/25/2014	6/25/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3572	50	124%		
D062514ALCS	D062514ALCS	ORG 156-60-5	trans-1,2-Dichloroethene	40		ug/L	1	0.56	NA	6/25/2014	6/25/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3572	50	80%		
D062514ALCS	D062514ALCS	ORG 1634-04-4	MTBE	43		ug/L	5	0.61	NA	6/25/2014	6/25/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3572	50	86%		
D062514ALCS	D062514ALCS	ORG 75-34-3	1,1-Dichloroethane	50		ug/L	1	0.53	NA	6/25/2014	6/25/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3572	50	100%		
D062514ALCS	D062514ALCS	ORG 156-59-2	cis-1,2-Dichloroethene	48		ug/L	1	0.32	NA	6/25/2014	6/25/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3572	50	96%		
D062514ALCS	D062514ALCS	ORG 74-97-5	Bromochloromethane	47		ug/L	10	0.41	NA	6/25/2014	6/25/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3572	50	94%		
D062514ALCS	D062514ALCS	ORG 67-66-3	Chloroform	48		ug/L	2	0.16	NA	6/25/2014	6/25/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3572	50	96%		
D062514ALCS	D062514ALCS	ORG 71-55-6	1,1,1-Trichloroethane	48		ug/L	1	0.17	NA	6/25/2014	6/25/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3572	50	96%		
D062514ALCS	D062514ALCS	ORG 78-93-3	2-Butanone	50		ug/L	1	0.81	NA	6/25/2014	6/25/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3572	50	100%		
D062514ALCS	D062514ALCS	ORG 56-23-5	Carbon tetrachloride	48		ug/L	1	0.28	NA	6/25/2014	6/25/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3572	50	96%		
D062514ALCS	D062514ALCS	ORG 71-43-2	Benzene	46		ug/L	1	0.14	NA	6/25/2014	6/25/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3572	50	92%		
D062514ALCS	D062514ALCS	ORG 107-06-2	1,2-Dichloroethane	46		ug/L	1	0.20	NA	6/25/2014	6/25/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3572	50	92%		
D062514ALCS	D062514ALCS	ORG 79-01-6	Trichloroethene	46		ug/L	1	0.36	NA	6/25/2014	6/25/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3572	50	92%		
D062514ALCS	D062514ALCS	ORG 74-95-3	Dibromomethane	47		ug/L	2	0.32	NA	6/25/2014	6/25/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3572	50	94%		
D062514ALCS	D062514ALCS	ORG 78-87-5	1,2-Dichloropropane	51		ug/L	1	0.18	NA	6/25/2014	6/25/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3572	50	102%		
D062514ALCS	D062514ALCS	ORG 75-27-4	Bromodichloromethane	50		ug/L	2	0.12	NA	6/25/2014	6/25/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3572	50	100%		
D062514ALCS	D062514ALCS	ORG 10061-01-5	cis-1,3-Dichloropropene	52		ug/L	1	0.25	NA	6/25/2014	6/25/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3572	50	104%		
D062514ALCS	D062514ALCS	ORG 108-88-3	Toluene	46		ug/L	1	0.21	NA	6/25/2014	6/25/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3572	50	92%		
D062514ALCS	D062514ALCS	ORG 108-10-1	4-Methyl-2-pentanone	47		ug/L	5	0.74	NA	6/25/2014	6/25/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3572	50	94%		
D062514ALCS	D062514ALCS	ORG 10061-02-6	trans-1,3-Dichloropropene	56		ug/L	1	0.31	NA	6/25/2014	6/25/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3572	50	112%		
D062514ALCS	D062514ALCS	ORG 127-18-4	Tetrachloroethene	42		ug/L	1	0.49	NA	6/25/2014	6/25/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3572	50	84%		
D062514ALCS	D062514ALCS	ORG 79-00-5	1,1,2-Trichloroethane	48		ug/L	1	0.34	NA	6/25/2014	6/25/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3572	50	96%		
D062514ALCS	D062514ALCS	ORG 124-48-1	Dibromochloromethane	52		ug/L	5	0.30	NA	6/25/2014	6/25/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3572	50	104%		
D062514ALCS	D062514ALCS	ORG 106-93-4	1,2-Dibromoethane	49		ug/L	2	0.26	NA	6/25/2014	6/25/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3572	50	98%		
D062514ALCS	D062514ALCS	ORG 591-78-6	2-Hexanone	54		ug/L	2	0.69	NA	6/25/2014	6/25/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3572	50	108%		
D062514ALCS	D062514ALCS	ORG 100-41-4	Ethylbenzene	52		ug/L	1	0.25	NA	6/25/2014	6/25/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3572	50	104%		
D062514ALCS	D062514ALCS	ORG 108-90-7	Chlorobenzene	51		ug/L	1	0.28	NA	6/25/2014	6/25/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3572	50	102%		
D062514ALCS	D062514ALCS	ORG 630-20-6	1,1,1,2-Tetrachloroethane	55		ug/L	2	0.19	NA	6/25/2014	6/25/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3572	50	110%		
D062514ALCS	D062514ALCS	ORG XYLMP	p&m-Xylene	98		ug/L	2	0.26	NA	6/25/2014	6/25/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3572	100	98%		
D062514ALCS	D062514ALCS	ORG 95-47-6	o-Xylene	51		ug/L	1	0.13	NA	6/25/2014	6/25/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3572	50	102%		
D062514ALCS	D062514ALCS	ORG 100-42-5	Styrene	54		ug/L	1	0.20	NA	6/25/2014	6/25/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3572	50	108%		
D062514ALCS	D062514ALCS	ORG 75-25-2	Bromoform	51		ug/L	2	0.47	NA	6/25/2014	6/25/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3572	50	102%		
D062514ALCS	D062514ALCS	ORG 98-82-8	Isopropylbenzene	52		ug/L	2	0.20	NA	6/25/2014	6/25/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3572	50	104%		
D062514ALCS	D062514ALCS	ORG 103-65-1	n-Propylbenzene	52		ug/L	2	0.27	NA	6/25/2014	6/25/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3572	50	104%		
D062514ALCS	D062514ALCS	ORG 79-34-5	1,1,2,2-Tetrachloroethane	50		ug/L	2	0.29	NA	6/25/2014	6/25/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3572	50	100%		

Confidential
 D062514AVPP



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D062514ALCS	D062514ALCS	ORG 96-18-4	1,2,3-Trichloropropane	46		ug/L	2	0.29	NA	6/25/2014	6/25/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3572	50	92%		
D062514ALCS	D062514ALCS	ORG 108-67-8	1,3,5-Trimethylbenzene	52		ug/L	2	0.20	NA	6/25/2014	6/25/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3572	50	104%		
D062514ALCS	D062514ALCS	ORG 98-06-6	tert-Butylbenzene	53		ug/L	2	0.33	NA	6/25/2014	6/25/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3572	50	106%		
D062514ALCS	D062514ALCS	ORG 95-63-6	1,2,4-Trimethylbenzene	51		ug/L	2	0.20	NA	6/25/2014	6/25/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3572	50	102%		
D062514ALCS	D062514ALCS	ORG 135-98-8	sec-Butylbenzene	52		ug/L	2	0.32	NA	6/25/2014	6/25/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3572	50	104%		
D062514ALCS	D062514ALCS	ORG 541-73-1	1,3-Dichlorobenzene	49		ug/L	2	0.22	NA	6/25/2014	6/25/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3572	50	98%		
D062514ALCS	D062514ALCS	ORG 99-87-6	p-Isopropyltoluene	51		ug/L	2	0.25	NA	6/25/2014	6/25/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3572	50	102%		
D062514ALCS	D062514ALCS	ORG 106-46-7	1,4-Dichlorobenzene	49		ug/L	2	0.33	NA	6/25/2014	6/25/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3572	50	98%		
D062514ALCS	D062514ALCS	ORG 95-50-1	1,2-Dichlorobenzene	49		ug/L	2	0.26	NA	6/25/2014	6/25/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3572	50	98%		
D062514ALCS	D062514ALCS	ORG 104-51-8	n-Butylbenzene	54		ug/L	5	0.28	NA	6/25/2014	6/25/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3572	50	108%		
D062514ALCS	D062514ALCS	ORG 96-12-8	1,2-Dibromo-3-chloropropane	49		ug/L	5	1.59	NA	6/25/2014	6/25/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3572	50	98%		
D062514ALCS	D062514ALCS	ORG 87-68-3	Hexachlorobutadiene	52		ug/L	5	0.65	NA	6/25/2014	6/25/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3572	50	104%		
D062514ALCS	D062514ALCS	ORG 120-82-1	1,2,4-Trichlorobenzene	53		ug/L	5	0.28	NA	6/25/2014	6/25/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3572	50	106%		
D062514ALCS	D062514ALCS	ORG 91-20-3	Naphthalene	48		ug/L	5	0.56	NA	6/25/2014	6/25/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3572	50	96%		
D062514ALCS	D062514ALCS	ORG 87-61-6	1,2,3-Trichlorobenzene	52		ug/L	5	0.23	NA	6/25/2014	6/25/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3572	50	104%		
D062514ALCS	D062514ALCS	STD 1868-53-7	Dibromofluoromethane	49		ug/L	1	0.10	NA	6/25/2014	6/25/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3572	50	98%		
D062514ALCS	D062514ALCS	STD 17060-07-0	1,2-Dichloroethane d4	48		ug/L	1	0.10	NA	6/25/2014	6/25/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3572	50	96%		
D062514ALCS	D062514ALCS	STD 2037-26-5	Toluene d8	48		ug/L	1	0.10	NA	6/25/2014	6/25/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3572	50	96%		
D062514ALCS	D062514ALCS	STD 460-00-4	Bromofluorobenzene	52		ug/L	1	0.10	NA	6/25/2014	6/25/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3572	50	104%		



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

- B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assessment, QC analyses parameter exceeded control limits.
U = Non-detect

Table with columns: Lab ID, Sample ID, CAS #, ANALYTES, Results, QC, Units, RDL, MDL, Sample Date, Prep. Date, Analysis Date, Matrix, Dil., Weight(g), Vol.(ml), % Solid, Method, Data file, Spike, % Rec, % RPD, Parent. Contains 50 rows of analytical data.



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@nevagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D062514ALCD	D062514ALCD	ORG 96-18-4	1,2,3-Trichloropropane	47		ug/L	2	0.29	NA	6/25/2014	6/25/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3573	50	94%	2%	
D062514ALCD	D062514ALCD	ORG 108-67-8	1,3,5-Trimethylbenzene	52		ug/L	2	0.20	NA	6/25/2014	6/25/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3573	50	104%	0%	
D062514ALCD	D062514ALCD	ORG 98-06-6	tert-Butylbenzene	54		ug/L	2	0.33	NA	6/25/2014	6/25/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3573	50	108%	2%	
D062514ALCD	D062514ALCD	ORG 95-63-6	1,2,4-Trimethylbenzene	52		ug/L	2	0.20	NA	6/25/2014	6/25/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3573	50	104%	2%	
D062514ALCD	D062514ALCD	ORG 135-98-8	sec-Butylbenzene	53		ug/L	2	0.32	NA	6/25/2014	6/25/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3573	50	106%	2%	
D062514ALCD	D062514ALCD	ORG 541-73-1	1,3-Dichlorobenzene	50		ug/L	2	0.22	NA	6/25/2014	6/25/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3573	50	100%	2%	
D062514ALCD	D062514ALCD	ORG 99-87-6	p-Isopropyltoluene	53		ug/L	2	0.25	NA	6/25/2014	6/25/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3573	50	106%	4%	
D062514ALCD	D062514ALCD	ORG 106-46-7	1,4-Dichlorobenzene	49		ug/L	2	0.33	NA	6/25/2014	6/25/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3573	50	98%	0%	
D062514ALCD	D062514ALCD	ORG 95-50-1	1,2-Dichlorobenzene	49		ug/L	2	0.26	NA	6/25/2014	6/25/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3573	50	98%	0%	
D062514ALCD	D062514ALCD	ORG 104-51-8	n-Butylbenzene	56		ug/L	5	0.28	NA	6/25/2014	6/25/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3573	50	112%	4%	
D062514ALCD	D062514ALCD	ORG 96-12-8	1,2-Dibromo-3-chloropropane	49		ug/L	5	1.59	NA	6/25/2014	6/25/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3573	50	98%	0%	
D062514ALCD	D062514ALCD	ORG 87-68-3	Hexachlorobutadiene	53		ug/L	5	0.65	NA	6/25/2014	6/25/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3573	50	106%	2%	
D062514ALCD	D062514ALCD	ORG 120-82-1	1,2,4-Trichlorobenzene	53		ug/L	5	0.28	NA	6/25/2014	6/25/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3573	50	106%	0%	
D062514ALCD	D062514ALCD	ORG 91-20-3	Naphthalene	49		ug/L	5	0.56	NA	6/25/2014	6/25/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3573	50	98%	2%	
D062514ALCD	D062514ALCD	ORG 87-61-6	1,2,3-Trichlorobenzene	51		ug/L	5	0.23	NA	6/25/2014	6/25/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3573	50	102%	2%	
D062514ALCD	D062514ALCD	STD 1868-53-7	Dibromofluoromethane	50		ug/L	1	0.10	NA	6/25/2014	6/25/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3573	50	100%	2%	
D062514ALCD	D062514ALCD	STD 17060-07-0	1,2-Dichloroethane d4	48		ug/L	1	0.10	NA	6/25/2014	6/25/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3573	50	96%	0%	
D062514ALCD	D062514ALCD	STD 2037-26-5	Toluene d8	50		ug/L	1	0.10	NA	6/25/2014	6/25/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3573	50	100%	4%	
D062514ALCD	D062514ALCD	STD 460-00-4	Bromofluorobenzene	52		ug/L	1	0.10	NA	6/25/2014	6/25/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3573	50	104%	0%	



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@nevagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1532MS	316-341	ORG 75-71-8	Dichlorodifluoromethane	4000		ug/L	500	29.28	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3577	5000	80%		
NAL13026-1532MS	316-341	ORG 74-87-3	Chloromethane	5100		ug/L	500	43.07	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3577	5000	102%		
NAL13026-1532MS	316-341	ORG 75-01-4	Vinyl chloride	4900		ug/L	200	31.86	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3577	5000	98%		
NAL13026-1532MS	316-341	ORG 74-83-9	Bromomethane	6800		ug/L	500	50.04	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3577	5000	136%		
NAL13026-1532MS	316-341	ORG 75-00-3	Chloroethane	6700		ug/L	500	55.61	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3577	5000	134%		
NAL13026-1532MS	316-341	ORG 75-69-4	Trichlorofluoromethane	25000		ug/L	500	19.65	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3577	5000	500%		
NAL13026-1532MS	316-341	ORG 75-35-4	1,1-Dichloroethene	4900		ug/L	100	47.11	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3577	5000	98%		
NAL13026-1532MS	316-341	ORG 75-09-2	Methylene chloride	5000		ug/L	500	26.46	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3577	5000	100%		
NAL13026-1532MS	316-341	ORG 67-64-1	Acetone	99000		ug/L	1000	155.61	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3577	5000	-220%		110000
NAL13026-1532MS	316-341	ORG 156-60-5	trans-1,2-Dichloroethene	4600		ug/L	100	55.61	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3577	5000	92%		
NAL13026-1532MS	316-341	ORG 1634-04-4	MTBE	4200		ug/L	500	61.18	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3577	5000	84%		
NAL13026-1532MS	316-341	ORG 75-34-3	1,1-Dichloroethane	4900		ug/L	100	52.66	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3577	5000	98%		
NAL13026-1532MS	316-341	ORG 156-59-2	cis-1,2-Dichloroethene	4800		ug/L	100	32.11	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3577	5000	96%		
NAL13026-1532MS	316-341	ORG 74-97-5	Bromochloromethane	4600		ug/L	1000	41.37	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3577	5000	92%		
NAL13026-1532MS	316-341	ORG 67-66-3	Chloroform	4700		ug/L	200	15.73	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3577	5000	94%		
NAL13026-1532MS	316-341	ORG 71-55-6	1,1,1-Trichloroethane	4800		ug/L	100	16.65	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3577	5000	96%		
NAL13026-1532MS	316-341	ORG 78-93-3	2-Butanone	23000		ug/L	100	81.18	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3577	5000	100%		18000
NAL13026-1532MS	316-341	ORG 56-23-5	Carbon tetrachloride	4800		ug/L	100	27.64	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3577	5000	96%		
NAL13026-1532MS	316-341	ORG 71-43-2	Benzene	4600		ug/L	100	13.53	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3577	5000	92%		
NAL13026-1532MS	316-341	ORG 107-06-2	1,2-Dichloroethane	4600		ug/L	100	20.01	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3577	5000	92%		
NAL13026-1532MS	316-341	ORG 79-01-6	Trichloroethene	4700		ug/L	100	36.33	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3577	5000	94%		
NAL13026-1532MS	316-341	ORG 74-95-3	Dibromomethane	4700		ug/L	200	32.20	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3577	5000	94%		
NAL13026-1532MS	316-341	ORG 78-87-5	1,2-Dichloropropane	5000		ug/L	100	18.17	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3577	5000	100%		
NAL13026-1532MS	316-341	ORG 75-27-4	Bromodichloromethane	5100		ug/L	200	11.58	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3577	5000	102%		
NAL13026-1532MS	316-341	ORG 10061-01-5	cis-1,3-Dichloropropene	5200		ug/L	100	25.01	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3577	5000	104%		
NAL13026-1532MS	316-341	ORG 108-88-3	Toluene	4600		ug/L	100	20.96	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3577	5000	92%		
NAL13026-1532MS	316-341	ORG 108-10-1	4-Methyl-2-pentanone	4800		ug/L	500	74.00	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3577	5000	88%		390
NAL13026-1532MS	316-341	ORG 10061-02-6	trans-1,3-Dichloropropene	5500		ug/L	100	31.15	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3577	5000	110%		
NAL13026-1532MS	316-341	ORG 127-18-4	Tetrachloroethene	3900		ug/L	100	48.56	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3577	5000	78%		
NAL13026-1532MS	316-341	ORG 79-00-5	1,1,2-Trichloroethane	4700		ug/L	100	34.28	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3577	5000	94%		
NAL13026-1532MS	316-341	ORG 124-48-1	Dibromochloromethane	5000		ug/L	500	29.90	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3577	5000	100%		
NAL13026-1532MS	316-341	ORG 106-93-4	1,2-Dibromoethane	4800		ug/L	200	26.49	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3577	5000	96%		
NAL13026-1532MS	316-341	ORG 591-78-6	2-Hexanone	4400		ug/L	200	68.90	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3577	5000	72%		810
NAL13026-1532MS	316-341	ORG 100-41-4	Ethylbenzene	5100		ug/L	100	25.38	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3577	5000	102%		
NAL13026-1532MS	316-341	ORG 108-90-7	Chlorobenzene	5000		ug/L	100	27.52	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3577	5000	100%		
NAL13026-1532MS	316-341	ORG 630-20-6	1,1,1,2-Tetrachloroethane	5400		ug/L	200	19.28	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3577	5000	108%		
NAL13026-1532MS	316-341	ORG XYLMP	p&m-Xylene	9900		ug/L	200	26.14	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3577	10000	99%		
NAL13026-1532MS	316-341	ORG 95-47-6	o-Xylene	5100		ug/L	100	12.90	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3577	5000	102%		
NAL13026-1532MS	316-341	ORG 100-42-5	Styrene	5400		ug/L	100	20.23	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3577	5000	108%		
NAL13026-1532MS	316-341	ORG 75-25-2	Bromoform	4900		ug/L	200	46.83	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3577	5000	98%		
NAL13026-1532MS	316-341	ORG 98-82-8	Isopropylbenzene	5300		ug/L	200	20.48	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3577	5000	106%		
NAL13026-1532MS	316-341	ORG 103-65-1	n-Propylbenzene	5300		ug/L	200	27.00	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3577	5000	106%		
NAL13026-1532MS	316-341	ORG 79-34-5	1,1,2,2-Tetrachloroethane	5000		ug/L	200	29.16	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3577	5000	100%		



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
 Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1532MS	316-341	ORG 96-18-4	1,2,3-Trichloropropane	4500		ug/L	200	29.47	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3577	5000	90%		
NAL13026-1532MS	316-341	ORG 108-67-8	1,3,5-Trimethylbenzene	5100		ug/L	200	20.03	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3577	5000	102%		
NAL13026-1532MS	316-341	ORG 98-06-6	tert-Butylbenzene	5300		ug/L	200	32.61	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3577	5000	106%		
NAL13026-1532MS	316-341	ORG 95-63-6	1,2,4-Trimethylbenzene	5200		ug/L	200	20.03	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3577	5000	101%		130
NAL13026-1532MS	316-341	ORG 135-98-8	sec-Butylbenzene	5300		ug/L	200	32.34	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3577	5000	106%		
NAL13026-1532MS	316-341	ORG 541-73-1	1,3-Dichlorobenzene	4900		ug/L	200	22.21	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3577	5000	98%		
NAL13026-1532MS	316-341	ORG 99-87-6	p-Isopropyltoluene	5900		ug/L	200	25.48	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3577	5000	101%		830
NAL13026-1532MS	316-341	ORG 106-46-7	1,4-Dichlorobenzene	5000		ug/L	200	33.03	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3577	5000	95%		230
NAL13026-1532MS	316-341	ORG 95-50-1	1,2-Dichlorobenzene	4800		ug/L	200	26.38	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3577	5000	96%		
NAL13026-1532MS	316-341	ORG 104-51-8	n-Butylbenzene	5500		ug/L	500	27.81	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3577	5000	109%		34
NAL13026-1532MS	316-341	ORG 96-12-8	1,2-Dibromo-3-chloropropane	5100		ug/L	500	159.11	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3577	5000	102%		
NAL13026-1532MS	316-341	ORG 87-68-3	Hexachlorobutadiene	5000		ug/L	500	65.42	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3577	5000	100%		
NAL13026-1532MS	316-341	ORG 120-82-1	1,2,4-Trichlorobenzene	5200		ug/L	500	27.63	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3577	5000	104%		
NAL13026-1532MS	316-341	ORG 91-20-3	Naphthalene	5900		ug/L	500	56.04	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3577	5000	92%		1300
NAL13026-1532MS	316-341	ORG 87-61-6	1,2,3-Trichlorobenzene	4900		ug/L	500	23.28	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3577	5000	98%		
NAL13026-1532MS	316-341	STD 1868-53-7	Dibromofluoromethane	50		ug/L	1	0.10	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3577	50	100%		
NAL13026-1532MS	316-341	STD 17060-07-0	1,2-Dichloroethane d4	48		ug/L	1	0.10	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3577	50	96%		
NAL13026-1532MS	316-341	STD 2037-26-5	Toluene d8	49		ug/L	1	0.10	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3577	50	98%		
NAL13026-1532MS	316-341	STD 460-00-4	Bromofluorobenzene	52		ug/L	1	0.10	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3577	50	104%		



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@nevagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

Table with 23 columns: Lab ID, Sample ID, CAS #, ANALYTES, Results, QC, Units, RDL, MDL, Sample Date, Prep. Date, Analysis Date, Matrix, Dil., Weight(g), Vol.(ml), % Solid, Method, Data file, Spike, % Rec, % RPD, Parent. Contains 40 rows of analytical data for various compounds like Dichlorodifluoromethane, Chloromethane, Vinyl chloride, etc.



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@nevagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1532MSD	316-341	ORG 96-18-4	1,2,3-Trichloropropane	4500		ug/L	200	29.47	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3578	5000	90%	0%	
NAL13026-1532MSD	316-341	ORG 108-67-8	1,3,5-Trimethylbenzene	5300		ug/L	200	20.03	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3578	5000	106%	4%	
NAL13026-1532MSD	316-341	ORG 98-06-6	tert-Butylbenzene	5500		ug/L	200	32.61	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3578	5000	110%	4%	
NAL13026-1532MSD	316-341	ORG 95-63-6	1,2,4-Trimethylbenzene	5400		ug/L	200	20.03	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3578	5000	105%	4%	130
NAL13026-1532MSD	316-341	ORG 135-98-8	sec-Butylbenzene	5400		ug/L	200	32.34	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3578	5000	108%	2%	
NAL13026-1532MSD	316-341	ORG 541-73-1	1,3-Dichlorobenzene	5000		ug/L	200	22.21	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3578	5000	100%	2%	
NAL13026-1532MSD	316-341	ORG 99-87-6	p-Isopropyltoluene	6100		ug/L	200	25.48	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3578	5000	105%	3%	830
NAL13026-1532MSD	316-341	ORG 106-46-7	1,4-Dichlorobenzene	5100		ug/L	200	33.03	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3578	5000	97%	2%	230
NAL13026-1532MSD	316-341	ORG 95-50-1	1,2-Dichlorobenzene	4900		ug/L	200	26.38	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3578	5000	98%	2%	
NAL13026-1532MSD	316-341	ORG 104-51-8	n-Butylbenzene	5700		ug/L	500	27.81	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3578	5000	113%	4%	34
NAL13026-1532MSD	316-341	ORG 96-12-8	1,2-Dibromo-3-chloropropane	5100		ug/L	500	159.11	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3578	5000	102%	0%	
NAL13026-1532MSD	316-341	ORG 87-68-3	Hexachlorobutadiene	5200		ug/L	500	65.42	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3578	5000	104%	4%	
NAL13026-1532MSD	316-341	ORG 120-82-1	1,2,4-Trichlorobenzene	5300		ug/L	500	27.63	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3578	5000	106%	2%	
NAL13026-1532MSD	316-341	ORG 91-20-3	Naphthalene	6100		ug/L	500	56.04	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3578	5000	96%	3%	1300
NAL13026-1532MSD	316-341	ORG 87-61-6	1,2,3-Trichlorobenzene	5100		ug/L	500	23.28	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3578	5000	102%	4%	
NAL13026-1532MSD	316-341	STD 1868-53-7	Dibromofluoromethane	49		ug/L	1	0.10	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3578	50	98%	2%	
NAL13026-1532MSD	316-341	STD 17060-07-0	1,2-Dichloroethane d4	47		ug/L	1	0.10	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3578	50	94%	2%	
NAL13026-1532MSD	316-341	STD 2037-26-5	Toluene d8	49		ug/L	1	0.10	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3578	50	98%	0%	
NAL13026-1532MSD	316-341	STD 460-00-4	Bromofluorobenzene	51		ug/L	1	0.10	6/25/2014	6/25/2014	6/25/2014	WG	100	NA	5.0	NA	SW8260B	NALD3578	50	102%	2%	



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

- B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assessment, QC analyses parameter exceeded control limits.
U = Non-detect

* NAL is not certified for these compound by NELAC.

Table with columns: Lab ID, Sample ID, CAS #, ANALYTES, Results, QC, Units, RDL, MDL, Sample Date, Prep. Date, Analysis Date, Matrix, Dbl., Weight(g), Vol.(ml), % Solid, Method, Data file, Spike, % Rec, % RPD, Parent. Contains 40 rows of analytical data.



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

- B** = Analyte is found in the associated blank as well as in the sample.
 - D** = Compound identified in an analysis at a secondary dilution factor.
 - E** = Compound's concentration exceeds the calibration range of the instrument at this dilution.
 - X** = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
 - J** = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
 - M** = Matrix assessment. QC analyses parameter exceeded control limits.
 - U** = Non-detect
- * NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1536	316-342	ORG 108-67-8	1,3,5-Trimethylbenzene		U	ug/L	200	20.03	6/26/2014	6/26/2014	6/26/2014	WG	100	NA	5.0	NA	SW8260B	NALD3590				
NAL13026-1536	316-342	ORG 98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	6/26/2014	6/26/2014	6/26/2014	WG	100	NA	5.0	NA	SW8260B	NALD3590				
NAL13026-1536	316-342	ORG 95-63-6	1,2,4-Trimethylbenzene	190	J	ug/L	200	20.03	6/26/2014	6/26/2014	6/26/2014	WG	100	NA	5.0	NA	SW8260B	NALD3590				
NAL13026-1536	316-342	ORG 135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	6/26/2014	6/26/2014	6/26/2014	WG	100	NA	5.0	NA	SW8260B	NALD3590				
NAL13026-1536	316-342	ORG 541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	6/26/2014	6/26/2014	6/26/2014	WG	100	NA	5.0	NA	SW8260B	NALD3590				
NAL13026-1536	316-342	ORG 99-87-6	p-Isopropyltoluene	1100		ug/L	200	25.48	6/26/2014	6/26/2014	6/26/2014	WG	100	NA	5.0	NA	SW8260B	NALD3590				
NAL13026-1536	316-342	ORG 106-46-7	1,4-Dichlorobenzene	260		ug/L	200	33.03	6/26/2014	6/26/2014	6/26/2014	WG	100	NA	5.0	NA	SW8260B	NALD3590				
NAL13026-1536	316-342	ORG 95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	6/26/2014	6/26/2014	6/26/2014	WG	100	NA	5.0	NA	SW8260B	NALD3590				
NAL13026-1536	316-342	ORG 104-51-8	n-Butylbenzene	47	J	ug/L	500	27.81	6/26/2014	6/26/2014	6/26/2014	WG	100	NA	5.0	NA	SW8260B	NALD3590				
NAL13026-1536	316-342	ORG 96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	6/26/2014	6/26/2014	6/26/2014	WG	100	NA	5.0	NA	SW8260B	NALD3590				
NAL13026-1536	316-342	ORG 87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	6/26/2014	6/26/2014	6/26/2014	WG	100	NA	5.0	NA	SW8260B	NALD3590				
NAL13026-1536	316-342	ORG 120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	6/26/2014	6/26/2014	6/26/2014	WG	100	NA	5.0	NA	SW8260B	NALD3590				
NAL13026-1536	316-342	ORG 91-20-3	Naphthalene	1300		ug/L	500	56.04	6/26/2014	6/26/2014	6/26/2014	WG	100	NA	5.0	NA	SW8260B	NALD3590				
NAL13026-1536	316-342	ORG 87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	6/26/2014	6/26/2014	6/26/2014	WG	100	NA	5.0	NA	SW8260B	NALD3590				
NAL13026-1536	316-342	STD 1868-53-7	Dibromofluoromethane	49		ug/L	1	0	6/26/2014	6/26/2014	6/26/2014	WG	100	NA	5.0	NA	SW8260B	NALD3590	50	98%		
NAL13026-1536	316-342	STD 17060-07-0	1,2-Dichloroethane d4	50		ug/L	1	0	6/26/2014	6/26/2014	6/26/2014	WG	100	NA	5.0	NA	SW8260B	NALD3590	50	100%		
NAL13026-1536	316-342	STD 2037-26-5	Toluene d8	47		ug/L	1	0	6/26/2014	6/26/2014	6/26/2014	WG	100	NA	5.0	NA	SW8260B	NALD3590	50	94%		
NAL13026-1536	316-342	STD 460-00-4	Bromofluorobenzene	52		ug/L	1	0	6/26/2014	6/26/2014	6/26/2014	WG	100	NA	5.0	NA	SW8260B	NALD3590	50	104%		



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

FINAL ANALYTICAL REPORT

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

- B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assessment, QC analyses parameter exceeded control limits.
U = Non-detect
* NAL is not certified for these compound by NELAC.

Table with columns: Lab ID, Sample ID, CAS #, ANALYTES, Results, QC, Units, RDL, MDL, Sample Date, Prep. Date, Analysis Date, Matrix, Dil., Weight(g), Vol.(ml), % Solid, Method, Data file, Spike, % Rec, % RPD, Parent. Contains 40 rows of analytical data.



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment. QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1537	CB 6-26-14	ORG 108-67-8	1,3,5-Trimethylbenzene		U	ug/L	200	20.03	6/26/2014	6/26/2014	6/26/2014	WG	100	NA	5.0	NA	SW8260B	NALD3592				
NAL13026-1537	CB 6-26-14	ORG 98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	6/26/2014	6/26/2014	6/26/2014	WG	100	NA	5.0	NA	SW8260B	NALD3592				
NAL13026-1537	CB 6-26-14	ORG 95-63-6	1,2,4-Trimethylbenzene	110	J	ug/L	200	20.03	6/26/2014	6/26/2014	6/26/2014	WG	100	NA	5.0	NA	SW8260B	NALD3592				
NAL13026-1537	CB 6-26-14	ORG 135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	6/26/2014	6/26/2014	6/26/2014	WG	100	NA	5.0	NA	SW8260B	NALD3592				
NAL13026-1537	CB 6-26-14	ORG 541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	6/26/2014	6/26/2014	6/26/2014	WG	100	NA	5.0	NA	SW8260B	NALD3592				
NAL13026-1537	CB 6-26-14	ORG 99-87-6	p-Isopropyltoluene	820		ug/L	200	25.48	6/26/2014	6/26/2014	6/26/2014	WG	100	NA	5.0	NA	SW8260B	NALD3592				
NAL13026-1537	CB 6-26-14	ORG 106-46-7	1,4-Dichlorobenzene	120	J	ug/L	200	33.03	6/26/2014	6/26/2014	6/26/2014	WG	100	NA	5.0	NA	SW8260B	NALD3592				
NAL13026-1537	CB 6-26-14	ORG 95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	6/26/2014	6/26/2014	6/26/2014	WG	100	NA	5.0	NA	SW8260B	NALD3592				
NAL13026-1537	CB 6-26-14	ORG 104-51-8	n-Butylbenzene	51	J	ug/L	500	27.81	6/26/2014	6/26/2014	6/26/2014	WG	100	NA	5.0	NA	SW8260B	NALD3592				
NAL13026-1537	CB 6-26-14	ORG 96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	6/26/2014	6/26/2014	6/26/2014	WG	100	NA	5.0	NA	SW8260B	NALD3592				
NAL13026-1537	CB 6-26-14	ORG 87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	6/26/2014	6/26/2014	6/26/2014	WG	100	NA	5.0	NA	SW8260B	NALD3592				
NAL13026-1537	CB 6-26-14	ORG 120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	6/26/2014	6/26/2014	6/26/2014	WG	100	NA	5.0	NA	SW8260B	NALD3592				
NAL13026-1537	CB 6-26-14	ORG 91-20-3	Naphthalene	530		ug/L	500	56.04	6/26/2014	6/26/2014	6/26/2014	WG	100	NA	5.0	NA	SW8260B	NALD3592				
NAL13026-1537	CB 6-26-14	ORG 87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	6/26/2014	6/26/2014	6/26/2014	WG	100	NA	5.0	NA	SW8260B	NALD3592				
NAL13026-1537	CB 6-26-14	STD 1868-53-7	Dibromofluoromethane	49		ug/L	1	0	6/26/2014	6/26/2014	6/26/2014	WG	100	NA	5.0	NA	SW8260B	NALD3592	50	98%		
NAL13026-1537	CB 6-26-14	STD 17060-07-0	1,2-Dichloroethane d4	50		ug/L	1	0	6/26/2014	6/26/2014	6/26/2014	WG	100	NA	5.0	NA	SW8260B	NALD3592	50	100%		
NAL13026-1537	CB 6-26-14	STD 2037-26-5	Toluene d8	49		ug/L	1	0	6/26/2014	6/26/2014	6/26/2014	WG	100	NA	5.0	NA	SW8260B	NALD3592	50	98%		
NAL13026-1537	CB 6-26-14	STD 460-00-4	Bromofluorobenzene	51		ug/L	1	0	6/26/2014	6/26/2014	6/26/2014	WG	100	NA	5.0	NA	SW8260B	NALD3592	50	102%		



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assessment, QC analyses parameter exceeded control limits.
U = Non-detect
* NAL is not certified for these compound by NELAC.

Table with columns: Lab ID, Sample ID, CAS #, ANALYTES, Results, QC, Units, RDL, MDL, Sample Date, Prep. Date, Analysis Date, Matrix, Dil., Weight(g), Vol.(ml), % Solid, Method, Data file, Spike, % Rec, % RPD, Parent. Contains 48 rows of analytical data.



New Age/Landmark Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D062614CCVA	D062614CCVA	ORG 108-67-8	1,3,5-Trimethylbenzene	52		ug/L	2	0.20	NA	6/26/2014	6/26/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3588	50	104%		
D062614CCVA	D062614CCVA	ORG 98-06-6	tert-Butylbenzene	53		ug/L	2	0.33	NA	6/26/2014	6/26/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3588	50	106%		
D062614CCVA	D062614CCVA	ORG 95-63-6	1,2,4-Trimethylbenzene	51		ug/L	2	0.20	NA	6/26/2014	6/26/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3588	50	102%		
D062614CCVA	D062614CCVA	ORG 135-98-8	sec-Butylbenzene	54		ug/L	2	0.32	NA	6/26/2014	6/26/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3588	50	108%		
D062614CCVA	D062614CCVA	ORG 541-73-1	1,3-Dichlorobenzene	50		ug/L	2	0.22	NA	6/26/2014	6/26/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3588	50	100%		
D062614CCVA	D062614CCVA	ORG 99-87-6	p-Isopropyltoluene	52		ug/L	2	0.25	NA	6/26/2014	6/26/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3588	50	104%		
D062614CCVA	D062614CCVA	ORG 106-46-7	1,4-Dichlorobenzene	49		ug/L	2	0.33	NA	6/26/2014	6/26/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3588	50	98%		
D062614CCVA	D062614CCVA	ORG 95-50-1	1,2-Dichlorobenzene	50		ug/L	2	0.26	NA	6/26/2014	6/26/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3588	50	100%		
D062614CCVA	D062614CCVA	ORG 104-51-8	n-Butylbenzene	56		ug/L	5	0.28	NA	6/26/2014	6/26/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3588	50	112%		
D062614CCVA	D062614CCVA	ORG 96-12-8	1,2-Dibromo-3-chloropropane	49		ug/L	5	1.59	NA	6/26/2014	6/26/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3588	50	98%		
D062614CCVA	D062614CCVA	ORG 87-68-3	Hexachlorobutadiene	57		ug/L	5	0.65	NA	6/26/2014	6/26/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3588	50	114%		
D062614CCVA	D062614CCVA	ORG 120-82-1	1,2,4-Trichlorobenzene	54		ug/L	5	0.28	NA	6/26/2014	6/26/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3588	50	108%		
D062614CCVA	D062614CCVA	ORG 91-20-3	Naphthalene	49		ug/L	5	0.56	NA	6/26/2014	6/26/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3588	50	98%		
D062614CCVA	D062614CCVA	ORG 87-61-6	1,2,3-Trichlorobenzene	52		ug/L	5	0.23	NA	6/26/2014	6/26/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3588	50	104%		
D062614CCVA	D062614CCVA	STD 1868-53-7	Dibromofluoromethane	50		ug/L	1	0	NA	6/26/2014	6/26/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3588	50	100%		
D062614CCVA	D062614CCVA	STD 17060-07-0	1,2-Dichloroethane d4	49		ug/L	1	0	NA	6/26/2014	6/26/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3588	50	98%		
D062614CCVA	D062614CCVA	STD 2037-26-5	Toluene d8	49		ug/L	1	0	NA	6/26/2014	6/26/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3588	50	98%		
D062614CCVA	D062614CCVA	STD 460-00-4	Bromofluorobenzene	51		ug/L	1	0	NA	6/26/2014	6/26/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3588	50	102%		



New Age/Landmark Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

- B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assessment, QC analyses parameter exceeded control limits.
U = Non-detect
* NAL is not certified for these compound by NELAC.

Table with columns: Lab ID, Sample ID, CAS #, ANALYTES, Results, QC, Units, RDL, MDL, Sample Date, Prep. Date, Analysis Date, Matrix, Dil., Weight(g), Vol.(ml), % Solid, Method, Data file, Spike, % Rec, % RPD, Parent. Contains 40 rows of analytical data.



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

- B** = Analyte is found in the associated blank as well as in the sample.
 - D** = Compound identified in an analysis at a secondary dilution factor.
 - E** = Compound's concentration exceeds the calibration range of the instrument at this dilution.
 - X** = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
 - J** = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
 - M** = Matrix assessment. QC analyses parameter exceeded control limits.
 - U** = Non-detect
- * NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D062614MBKA	D062614MBKA	ORG 108-67-8	1,3,5-Trimethylbenzene		U	ug/L	2	0.20	NA	6/26/2014	6/26/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3589				
D062614MBKA	D062614MBKA	ORG 98-06-6	tert-Butylbenzene		U	ug/L	2	0.33	NA	6/26/2014	6/26/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3589				
D062614MBKA	D062614MBKA	ORG 95-63-6	1,2,4-Trimethylbenzene		U	ug/L	2	0.20	NA	6/26/2014	6/26/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3589				
D062614MBKA	D062614MBKA	ORG 135-98-8	sec-Butylbenzene		U	ug/L	2	0.32	NA	6/26/2014	6/26/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3589				
D062614MBKA	D062614MBKA	ORG 541-73-1	1,3-Dichlorobenzene		U	ug/L	2	0.22	NA	6/26/2014	6/26/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3589				
D062614MBKA	D062614MBKA	ORG 99-87-6	p-Isopropyltoluene		U	ug/L	2	0.25	NA	6/26/2014	6/26/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3589				
D062614MBKA	D062614MBKA	ORG 106-46-7	1,4-Dichlorobenzene		U	ug/L	2	0.33	NA	6/26/2014	6/26/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3589				
D062614MBKA	D062614MBKA	ORG 95-50-1	1,2-Dichlorobenzene		U	ug/L	2	0.26	NA	6/26/2014	6/26/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3589				
D062614MBKA	D062614MBKA	ORG 104-51-8	n-Butylbenzene		U	ug/L	5	0.28	NA	6/26/2014	6/26/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3589				
D062614MBKA	D062614MBKA	ORG 96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	5	1.59	NA	6/26/2014	6/26/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3589				
D062614MBKA	D062614MBKA	ORG 87-68-3	Hexachlorobutadiene		U	ug/L	5	0.65	NA	6/26/2014	6/26/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3589				
D062614MBKA	D062614MBKA	ORG 120-82-1	1,2,4-Trichlorobenzene		U	ug/L	5	0.28	NA	6/26/2014	6/26/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3589				
D062614MBKA	D062614MBKA	ORG 91-20-3	Naphthalene		U	ug/L	5	0.56	NA	6/26/2014	6/26/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3589				
D062614MBKA	D062614MBKA	ORG 87-61-6	1,2,3-Trichlorobenzene		U	ug/L	5	0.23	NA	6/26/2014	6/26/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3589				
D062614MBKA	D062614MBKA	STD 1868-53-7	Dibromofluoromethane	49		ug/L	1	0	NA	6/26/2014	6/26/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3589	50	98%		
D062614MBKA	D062614MBKA	STD 17060-07-0	1,2-Dichloroethane d4	51		ug/L	1	0	NA	6/26/2014	6/26/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3589	50	102%		
D062614MBKA	D062614MBKA	STD 2037-26-5	Toluene d8	49		ug/L	1	0	NA	6/26/2014	6/26/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3589	50	98%		
D062614MBKA	D062614MBKA	STD 460-00-4	Bromofluorobenzene	52		ug/L	1	0	NA	6/26/2014	6/26/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3589	50	104%		



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

- B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assessment, QC analyses parameter exceeded control limits.
U = Non-detect
* NAL is not certified for these compound by NELAC.

Table with columns: Lab ID, Sample ID, CAS #, ANALYTES, Results, QC, Units, RDL, MDL, Sample Date, Prep. Date, Analysis Date, Matrix, Dil., Weight(g), Vol.(ml), % Solid, Method, Data file, Spike, % Rec, % RPD, Parent. Contains 40 rows of analytical data.



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

- B** = Analyte is found in the associated blank as well as in the sample.
 - D** = Compound identified in an analysis at a secondary dilution factor.
 - E** = Compound's concentration exceeds the calibration range of the instrument at this dilution.
 - X** = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
 - J** = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
 - M** = Matrix assessment, QC analyses parameter exceeded control limits.
 - U** = Non-detect
- * NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D062614ALCS	D062614ALCS	ORG 108-67-8	1,3,5-Trimethylbenzene	54		ug/L	2	0.20	NA	6/26/2014	6/26/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3594	50	108%		
D062614ALCS	D062614ALCS	ORG 98-06-6	tert-Butylbenzene	54		ug/L	2	0.33	NA	6/26/2014	6/26/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3594	50	108%		
D062614ALCS	D062614ALCS	ORG 95-63-6	1,2,4-Trimethylbenzene	53		ug/L	2	0.20	NA	6/26/2014	6/26/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3594	50	106%		
D062614ALCS	D062614ALCS	ORG 135-98-8	sec-Butylbenzene	54		ug/L	2	0.32	NA	6/26/2014	6/26/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3594	50	108%		
D062614ALCS	D062614ALCS	ORG 541-73-1	1,3-Dichlorobenzene	51		ug/L	2	0.22	NA	6/26/2014	6/26/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3594	50	102%		
D062614ALCS	D062614ALCS	ORG 99-87-6	p-Isopropyltoluene	54		ug/L	2	0.25	NA	6/26/2014	6/26/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3594	50	108%		
D062614ALCS	D062614ALCS	ORG 106-46-7	1,4-Dichlorobenzene	50		ug/L	2	0.33	NA	6/26/2014	6/26/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3594	50	100%		
D062614ALCS	D062614ALCS	ORG 95-50-1	1,2-Dichlorobenzene	50		ug/L	2	0.26	NA	6/26/2014	6/26/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3594	50	100%		
D062614ALCS	D062614ALCS	ORG 104-51-8	n-Butylbenzene	56		ug/L	5	0.28	NA	6/26/2014	6/26/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3594	50	112%		
D062614ALCS	D062614ALCS	ORG 96-12-8	1,2-Dibromo-3-chloropropane	50		ug/L	5	1.59	NA	6/26/2014	6/26/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3594	50	100%		
D062614ALCS	D062614ALCS	ORG 87-68-3	Hexachlorobutadiene	53		ug/L	5	0.65	NA	6/26/2014	6/26/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3594	50	106%		
D062614ALCS	D062614ALCS	ORG 120-82-1	1,2,4-Trichlorobenzene	55		ug/L	5	0.28	NA	6/26/2014	6/26/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3594	50	110%		
D062614ALCS	D062614ALCS	ORG 91-20-3	Naphthalene	50		ug/L	5	0.56	NA	6/26/2014	6/26/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3594	50	100%		
D062614ALCS	D062614ALCS	ORG 87-61-6	1,2,3-Trichlorobenzene	53		ug/L	5	0.23	NA	6/26/2014	6/26/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3594	50	106%		
D062614ALCS	D062614ALCS	STD 1868-53-7	Dibromofluoromethane	49		ug/L	1	0	NA	6/26/2014	6/26/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3594	50	98%		
D062614ALCS	D062614ALCS	STD 17060-07-0	1,2-Dichloroethane d4	49		ug/L	1	0	NA	6/26/2014	6/26/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3594	50	98%		
D062614ALCS	D062614ALCS	STD 2037-26-5	Toluene d8	49		ug/L	1	0	NA	6/26/2014	6/26/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3594	50	98%		
D062614ALCS	D062614ALCS	STD 460-00-4	Bromofluorobenzene	52		ug/L	1	0	NA	6/26/2014	6/26/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3594	50	104%		



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

FINAL ANALYTICAL REPORT

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

- B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assessment, QC analyses parameter exceeded control limits.
U = Non-detect
* NAL is not certified for these compound by NELAC.

Table with columns: Lab ID, Sample ID, CAS #, ANALYTES, Results, QC, Units, RDL, MDL, Sample Date, Prep. Date, Analysis Date, Matrix, Dil., Weight(g), Vol.(ml), % Solid, Method, Data file, Spike, % Rec, % RPD, Parent. Contains 46 rows of analytical data.



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
 Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment. QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D062614ALCD	D062614ALCD	ORG 108-67-8	1,3,5-Trimethylbenzene	51		ug/L	2	0.20	NA	6/26/2014	6/26/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3595	50	102%	6%	
D062614ALCD	D062614ALCD	ORG 98-06-6	tert-Butylbenzene	51		ug/L	2	0.33	NA	6/26/2014	6/26/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3595	50	102%	6%	
D062614ALCD	D062614ALCD	ORG 95-63-6	1,2,4-Trimethylbenzene	50		ug/L	2	0.20	NA	6/26/2014	6/26/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3595	50	100%	6%	
D062614ALCD	D062614ALCD	ORG 135-98-8	sec-Butylbenzene	52		ug/L	2	0.32	NA	6/26/2014	6/26/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3595	50	104%	4%	
D062614ALCD	D062614ALCD	ORG 541-73-1	1,3-Dichlorobenzene	49		ug/L	2	0.22	NA	6/26/2014	6/26/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3595	50	98%	4%	
D062614ALCD	D062614ALCD	ORG 99-87-6	p-Isopropyltoluene	51		ug/L	2	0.25	NA	6/26/2014	6/26/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3595	50	102%	6%	
D062614ALCD	D062614ALCD	ORG 106-46-7	1,4-Dichlorobenzene	49		ug/L	2	0.33	NA	6/26/2014	6/26/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3595	50	98%	2%	
D062614ALCD	D062614ALCD	ORG 95-50-1	1,2-Dichlorobenzene	49		ug/L	2	0.26	NA	6/26/2014	6/26/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3595	50	98%	2%	
D062614ALCD	D062614ALCD	ORG 104-51-8	n-Butylbenzene	53		ug/L	5	0.28	NA	6/26/2014	6/26/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3595	50	106%	6%	
D062614ALCD	D062614ALCD	ORG 96-12-8	1,2-Dibromo-3-chloropropane	47		ug/L	5	1.59	NA	6/26/2014	6/26/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3595	50	94%	6%	
D062614ALCD	D062614ALCD	ORG 87-68-3	Hexachlorobutadiene	51		ug/L	5	0.65	NA	6/26/2014	6/26/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3595	50	102%	4%	
D062614ALCD	D062614ALCD	ORG 120-82-1	1,2,4-Trichlorobenzene	52		ug/L	5	0.28	NA	6/26/2014	6/26/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3595	50	104%	6%	
D062614ALCD	D062614ALCD	ORG 91-20-3	Naphthalene	47		ug/L	5	0.56	NA	6/26/2014	6/26/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3595	50	94%	6%	
D062614ALCD	D062614ALCD	ORG 87-61-6	1,2,3-Trichlorobenzene	49		ug/L	5	0.23	NA	6/26/2014	6/26/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3595	50	98%	8%	
D062614ALCD	D062614ALCD	STD 1868-53-7	Dibromofluoromethane	50		ug/L	1	0	NA	6/26/2014	6/26/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3595	50	100%	2%	
D062614ALCD	D062614ALCD	STD 17060-07-0	1,2-Dichloroethane d4	49		ug/L	1	0	NA	6/26/2014	6/26/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3595	50	98%	0%	
D062614ALCD	D062614ALCD	STD 2037-26-5	Toluene d8	48		ug/L	1	0	NA	6/26/2014	6/26/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3595	50	96%	2%	
D062614ALCD	D062614ALCD	STD 460-00-4	Bromofluorobenzene	51		ug/L	1	0	NA	6/26/2014	6/26/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3595	50	102%	2%	



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

FINAL ANALYTICAL REPORT

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assessment, QC analyses parameter exceeded control limits.
U = Non-detect
* NAL is not certified for these compound by NELAC.

Table with columns: Lab ID, Sample ID, CAS #, ANALYTES, Results, QC, Units, RDL, MDL, Sample Date, Prep. Date, Analysis Date, Matrix, Dil., Weight(g), Vol.(ml), % Solid, Method, Data file, Spike, % Rec, % RPD, Parent. Contains 40 rows of analytical data for various compounds like Dichlorodifluoromethane, Chloromethane, Vinyl chloride, etc.



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
 Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

- B** = Analyte is found in the associated blank as well as in the sample.
 - D** = Compound identified in an analysis at a secondary dilution factor.
 - E** = Compound's concentration exceeds the calibration range of the instrument at this dilution.
 - X** = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
 - J** = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
 - M** = Matrix assessment, QC analyses parameter exceeded control limits.
 - U** = Non-detect
- * NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1536MS	316-342	ORG 108-67-8	1,3,5-Trimethylbenzene	5300		ug/L	200	20.03	6/26/2014	6/26/2014	6/26/2014	WG	100	NA	5.0	NA	SW8260B	NALD3596	5000	106%		
NAL13026-1536MS	316-342	ORG 98-06-6	tert-Butylbenzene	5500		ug/L	200	32.61	6/26/2014	6/26/2014	6/26/2014	WG	100	NA	5.0	NA	SW8260B	NALD3596	5000	110%		
NAL13026-1536MS	316-342	ORG 95-63-6	1,2,4-Trimethylbenzene	5400		ug/L	200	20.03	6/26/2014	6/26/2014	6/26/2014	WG	100	NA	5.0	NA	SW8260B	NALD3596	5000	104%		190
NAL13026-1536MS	316-342	ORG 135-98-8	sec-Butylbenzene	5500		ug/L	200	32.34	6/26/2014	6/26/2014	6/26/2014	WG	100	NA	5.0	NA	SW8260B	NALD3596	5000	110%		
NAL13026-1536MS	316-342	ORG 541-73-1	1,3-Dichlorobenzene	5000		ug/L	200	22.21	6/26/2014	6/26/2014	6/26/2014	WG	100	NA	5.0	NA	SW8260B	NALD3596	5000	100%		
NAL13026-1536MS	316-342	ORG 99-87-6	p-Isopropyltoluene	6400		ug/L	200	25.48	6/26/2014	6/26/2014	6/26/2014	WG	100	NA	5.0	NA	SW8260B	NALD3596	5000	106%		1100
NAL13026-1536MS	316-342	ORG 106-46-7	1,4-Dichlorobenzene	5100		ug/L	200	33.03	6/26/2014	6/26/2014	6/26/2014	WG	100	NA	5.0	NA	SW8260B	NALD3596	5000	97%		260
NAL13026-1536MS	316-342	ORG 95-50-1	1,2-Dichlorobenzene	4900		ug/L	200	26.38	6/26/2014	6/26/2014	6/26/2014	WG	100	NA	5.0	NA	SW8260B	NALD3596	5000	98%		
NAL13026-1536MS	316-342	ORG 104-51-8	n-Butylbenzene	5700		ug/L	500	27.81	6/26/2014	6/26/2014	6/26/2014	WG	100	NA	5.0	NA	SW8260B	NALD3596	5000	113%		47
NAL13026-1536MS	316-342	ORG 96-12-8	1,2-Dibromo-3-chloropropane	5300		ug/L	500	159.11	6/26/2014	6/26/2014	6/26/2014	WG	100	NA	5.0	NA	SW8260B	NALD3596	5000	106%		
NAL13026-1536MS	316-342	ORG 87-68-3	Hexachlorobutadiene	5100		ug/L	500	65.42	6/26/2014	6/26/2014	6/26/2014	WG	100	NA	5.0	NA	SW8260B	NALD3596	5000	102%		
NAL13026-1536MS	316-342	ORG 120-82-1	1,2,4-Trichlorobenzene	5300		ug/L	500	27.63	6/26/2014	6/26/2014	6/26/2014	WG	100	NA	5.0	NA	SW8260B	NALD3596	5000	106%		
NAL13026-1536MS	316-342	ORG 91-20-3	Naphthalene	6400		ug/L	500	56.04	6/26/2014	6/26/2014	6/26/2014	WG	100	NA	5.0	NA	SW8260B	NALD3596	5000	102%		1300
NAL13026-1536MS	316-342	ORG 87-61-6	1,2,3-Trichlorobenzene	5100		ug/L	500	23.28	6/26/2014	6/26/2014	6/26/2014	WG	100	NA	5.0	NA	SW8260B	NALD3596	5000	102%		
NAL13026-1536MS	316-342	STD 1868-53-7	Dibromofluoromethane	50		ug/L	1	0	6/26/2014	6/26/2014	6/26/2014	WG	100	NA	5.0	NA	SW8260B	NALD3596	50	100%		
NAL13026-1536MS	316-342	STD 17060-07-0	1,2-Dichloroethane d4	49		ug/L	1	0	6/26/2014	6/26/2014	6/26/2014	WG	100	NA	5.0	NA	SW8260B	NALD3596	50	98%		
NAL13026-1536MS	316-342	STD 2037-26-5	Toluene d8	49		ug/L	1	0	6/26/2014	6/26/2014	6/26/2014	WG	100	NA	5.0	NA	SW8260B	NALD3596	50	98%		
NAL13026-1536MS	316-342	STD 460-00-4	Bromofluorobenzene	52		ug/L	1	0	6/26/2014	6/26/2014	6/26/2014	WG	100	NA	5.0	NA	SW8260B	NALD3596	50	104%		



New Age/Landmark Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090 Tel: 888-685-1628 • mobilelabs@newagelandmark.com

Republic Services 12976 St. Charles Rock Rd. Bridgeton, MO 63044 ATTN: Brian Power

FINAL ANALYTICAL REPORT

Project #: NAL13-026 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

- B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assessment, QC analyses parameter exceeded control limits.
U = Non-detect
* NAL is not certified for these compound by NELAC.

Table with columns: Lab ID, Sample ID, CAS #, ANALYTES, Results, QC, Units, RDL, MDL, Sample Date, Prep. Date, Analysis Date, Matrix, Dil., Weight(g), Vol.(ml), % Solid, Method, Data file, Spike, % Rec, % RPD, Parent. Contains 40 rows of analytical data.



New Age/Landmark Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent	
NAL13026-1536MSD	316-342	ORG	108-67-8	1,3,5-Trimethylbenzene	5300		ug/L	200	20.03	6/26/2014	6/26/2014	6/26/2014	WG	100	NA	5.0	NA	SW8260B	NALD3597	5000	106%	0%	
NAL13026-1536MSD	316-342	ORG	98-06-6	tert-Butylbenzene	5400		ug/L	200	32.61	6/26/2014	6/26/2014	6/26/2014	WG	100	NA	5.0	NA	SW8260B	NALD3597	5000	108%	2%	
NAL13026-1536MSD	316-342	ORG	95-63-6	1,2,4-Trimethylbenzene	5400		ug/L	200	20.03	6/26/2014	6/26/2014	6/26/2014	WG	100	NA	5.0	NA	SW8260B	NALD3597	5000	104%	0%	190
NAL13026-1536MSD	316-342	ORG	135-98-8	sec-Butylbenzene	5400		ug/L	200	32.34	6/26/2014	6/26/2014	6/26/2014	WG	100	NA	5.0	NA	SW8260B	NALD3597	5000	108%	2%	
NAL13026-1536MSD	316-342	ORG	541-73-1	1,3-Dichlorobenzene	5000		ug/L	200	22.21	6/26/2014	6/26/2014	6/26/2014	WG	100	NA	5.0	NA	SW8260B	NALD3597	5000	100%	0%	
NAL13026-1536MSD	316-342	ORG	99-87-6	p-Isopropyltoluene	6400		ug/L	200	25.48	6/26/2014	6/26/2014	6/26/2014	WG	100	NA	5.0	NA	SW8260B	NALD3597	5000	106%	0%	1100
NAL13026-1536MSD	316-342	ORG	106-46-7	1,4-Dichlorobenzene	5100		ug/L	200	33.03	6/26/2014	6/26/2014	6/26/2014	WG	100	NA	5.0	NA	SW8260B	NALD3597	5000	97%	0%	260
NAL13026-1536MSD	316-342	ORG	95-50-1	1,2-Dichlorobenzene	4900		ug/L	200	26.38	6/26/2014	6/26/2014	6/26/2014	WG	100	NA	5.0	NA	SW8260B	NALD3597	5000	98%	0%	
NAL13026-1536MSD	316-342	ORG	104-51-8	n-Butylbenzene	5700		ug/L	500	27.81	6/26/2014	6/26/2014	6/26/2014	WG	100	NA	5.0	NA	SW8260B	NALD3597	5000	113%	0%	47
NAL13026-1536MSD	316-342	ORG	96-12-8	1,2-Dibromo-3-chloropropane	5300		ug/L	500	159.11	6/26/2014	6/26/2014	6/26/2014	WG	100	NA	5.0	NA	SW8260B	NALD3597	5000	106%	0%	
NAL13026-1536MSD	316-342	ORG	87-68-3	Hexachlorobutadiene	5300		ug/L	500	65.42	6/26/2014	6/26/2014	6/26/2014	WG	100	NA	5.0	NA	SW8260B	NALD3597	5000	106%	4%	
NAL13026-1536MSD	316-342	ORG	120-82-1	1,2,4-Trichlorobenzene	5400		ug/L	500	27.63	6/26/2014	6/26/2014	6/26/2014	WG	100	NA	5.0	NA	SW8260B	NALD3597	5000	108%	2%	
NAL13026-1536MSD	316-342	ORG	91-20-3	Naphthalene	6600		ug/L	500	56.04	6/26/2014	6/26/2014	6/26/2014	WG	100	NA	5.0	NA	SW8260B	NALD3597	5000	106%	3%	1300
NAL13026-1536MSD	316-342	ORG	87-61-6	1,2,3-Trichlorobenzene	5300		ug/L	500	23.28	6/26/2014	6/26/2014	6/26/2014	WG	100	NA	5.0	NA	SW8260B	NALD3597	5000	106%	4%	
NAL13026-1536MSD	316-342	STD	1868-53-7	Dibromofluoromethane	49		ug/L	1	0	6/26/2014	6/26/2014	6/26/2014	WG	100	NA	5.0	NA	SW8260B	NALD3597	50	98%	2%	
NAL13026-1536MSD	316-342	STD	17060-07-0	1,2-Dichloroethane d4	49		ug/L	1	0	6/26/2014	6/26/2014	6/26/2014	WG	100	NA	5.0	NA	SW8260B	NALD3597	50	98%	0%	
NAL13026-1536MSD	316-342	STD	2037-26-5	Toluene d8	48		ug/L	1	0	6/26/2014	6/26/2014	6/26/2014	WG	100	NA	5.0	NA	SW8260B	NALD3597	50	96%	2%	
NAL13026-1536MSD	316-342	STD	460-00-4	Bromofluorobenzene	53		ug/L	1	0	6/26/2014	6/26/2014	6/26/2014	WG	100	NA	5.0	NA	SW8260B	NALD3597	50	106%	2%	



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1538	316-343	ORG 75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3602				
NAL13026-1538	316-343	ORG 74-87-3	Chloromethane		U	ug/L	500	43.07	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3602				
NAL13026-1538	316-343	ORG 75-01-4	Vinyl chloride		U	ug/L	200	31.86	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3602				
NAL13026-1538	316-343	ORG 74-83-9	Bromomethane		U	ug/L	500	50.04	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3602				
NAL13026-1538	316-343	ORG 75-00-3	Chloroethane		U	ug/L	500	55.61	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3602				
NAL13026-1538	316-343	ORG 75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3602				
NAL13026-1538	316-343	ORG 75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3602				
NAL13026-1538	316-343	ORG 75-09-2	Methylene chloride		U	ug/L	500	26.46	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3602				
NAL13026-1538	316-343	ORG 67-64-1	Acetone	93000	DX+	ug/L	10000	1556.07	6/27/2014	6/27/2014	6/27/2014	WG	1000	NA	5.0	NA	SW8260B	NALD3603				
NAL13026-1538	316-343	ORG 156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3602				
NAL13026-1538	316-343	ORG 1634-04-4	MTBE		U	ug/L	500	61.18	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3602				
NAL13026-1538	316-343	ORG 75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3602				
NAL13026-1538	316-343	ORG 156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3602				
NAL13026-1538	316-343	ORG 74-97-5	Bromochloromethane		U	ug/L	200	41.37	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3602				
NAL13026-1538	316-343	ORG 67-66-3	Chloroform		U	ug/L	100	15.73	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3602				
NAL13026-1538	316-343	ORG 71-55-6	1,1,1-Trichloroethane		U	ug/L	100	16.65	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3602				
NAL13026-1538	316-343	ORG 78-93-3	2-Butanone	16000		ug/L	1000	81.18	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3602				
NAL13026-1538	316-343	ORG 56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3602				
NAL13026-1538	316-343	ORG 71-43-2	Benzene		U	ug/L	100	13.53	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3602				
NAL13026-1538	316-343	ORG 107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3602				
NAL13026-1538	316-343	ORG 79-01-6	Trichloroethene		U	ug/L	100	36.33	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3602				
NAL13026-1538	316-343	ORG 74-95-3	Dibromomethane		U	ug/L	200	32.20	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3602				
NAL13026-1538	316-343	ORG 78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3602				
NAL13026-1538	316-343	ORG 75-27-4	Bromodichloromethane		U	ug/L	200	11.58	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3602				
NAL13026-1538	316-343	ORG 10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3602				
NAL13026-1538	316-343	ORG 108-88-3	Toluene		U	ug/L	100	20.96	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3602				
NAL13026-1538	316-343	ORG 108-10-1	4-Methyl-2-pentanone	300	J	ug/L	500	74.00	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3602				
NAL13026-1538	316-343	ORG 10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3602				
NAL13026-1538	316-343	ORG 127-18-4	Tetrachloroethene		UX-	ug/L	100	48.56	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3602				
NAL13026-1538	316-343	ORG 79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3602				
NAL13026-1538	316-343	ORG 124-48-1	Dibromochloromethane		U	ug/L	200	29.90	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3602				
NAL13026-1538	316-343	ORG 106-93-4	1,2-Dibromoethane		U	ug/L	200	26.49	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3602				
NAL13026-1538	316-343	ORG 591-78-6	2-Hexanone	580		ug/L	500	68.90	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3602				
NAL13026-1538	316-343	ORG 100-41-4	Ethylbenzene		U	ug/L	100	25.38	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3602				
NAL13026-1538	316-343	ORG 108-90-7	Chlorobenzene		U	ug/L	100	27.52	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3602				
NAL13026-1538	316-343	ORG 630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3602				
NAL13026-1538	316-343	ORG XYLMP	p&m-Xylene		U	ug/L	200	26.14	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3602				
NAL13026-1538	316-343	ORG 95-47-6	o-Xylene		U	ug/L	100	12.90	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3602				
NAL13026-1538	316-343	ORG 100-42-5	Styrene		U	ug/L	100	20.23	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3602				
NAL13026-1538	316-343	ORG 75-25-2	Bromoform		U	ug/L	200	46.83	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3602				
NAL13026-1538	316-343	ORG 98-82-8	Isopropylbenzene		U	ug/L	200	20.48	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3602				
NAL13026-1538	316-343	ORG 103-65-1	n-Propylbenzene		U	ug/L	200	27.00	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3602				
NAL13026-1538	316-343	ORG 79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3602				



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
 Tel: 888-685-1628 • mobilelabs@nevagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

- B** = Analyte is found in the associated blank as well as in the sample.
- D** = Compound identified in an analysis at a secondary dilution factor.
- E** = Compound's concentration exceeds the calibration range of the instrument at this dilution.
- X** = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
- J** = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
- M** = Matrix assessment, QC analyses parameter exceeded control limits.
- U** = Non-detect
- * NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1538	316-343	ORG 96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3602				
NAL13026-1538	316-343	ORG 108-67-8	1,3,5-Trimethylbenzene		U	ug/L	200	20.03	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3602				
NAL13026-1538	316-343	ORG 98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3602				
NAL13026-1538	316-343	ORG 95-63-6	1,2,4-Trimethylbenzene	54	J	ug/L	200	20.03	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3602				
NAL13026-1538	316-343	ORG 135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3602				
NAL13026-1538	316-343	ORG 541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3602				
NAL13026-1538	316-343	ORG 99-87-6	p-Isopropyltoluene	380		ug/L	200	25.48	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3602				
NAL13026-1538	316-343	ORG 106-46-7	1,4-Dichlorobenzene	120	J	ug/L	200	33.03	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3602				
NAL13026-1538	316-343	ORG 95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3602				
NAL13026-1538	316-343	ORG 104-51-8	n-Butylbenzene		U	ug/L	500	27.81	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3602				
NAL13026-1538	316-343	ORG 96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3602				
NAL13026-1538	316-343	ORG 87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3602				
NAL13026-1538	316-343	ORG 120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3602				
NAL13026-1538	316-343	ORG 91-20-3	Naphthalene	1000		ug/L	500	56.04	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3602				
NAL13026-1538	316-343	ORG 87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3602				
NAL13026-1538	316-343	STD 1868-53-7	Dibromofluoromethane	49		ug/L	1	0	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3602	50	98%		
NAL13026-1538	316-343	STD 17060-07-0	1,2-Dichloroethane d4	51		ug/L	1	0	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3602	50	102%		
NAL13026-1538	316-343	STD 2037-26-5	Toluene d8	48		ug/L	1	0	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3602	50	96%		
NAL13026-1538	316-343	STD 460-00-4	Bromofluorobenzene	53		ug/L	1	0	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3602	50	106%		

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assessment, QC analyses parameter exceeded control limits.
U = Non-detect
 * NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1539	CB 06-27-14	ORG 75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3604				
NAL13026-1539	CB 06-27-14	ORG 74-87-3	Chloromethane		U	ug/L	500	43.07	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3604				
NAL13026-1539	CB 06-27-14	ORG 75-01-4	Vinyl chloride		U	ug/L	200	31.86	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3604				
NAL13026-1539	CB 06-27-14	ORG 74-83-9	Bromomethane		U	ug/L	500	50.04	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3604				
NAL13026-1539	CB 06-27-14	ORG 75-00-3	Chloroethane		U	ug/L	500	55.61	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3604				
NAL13026-1539	CB 06-27-14	ORG 75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3604				
NAL13026-1539	CB 06-27-14	ORG 75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3604				
NAL13026-1539	CB 06-27-14	ORG 75-09-2	Methylene chloride		U	ug/L	500	26.46	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3604				
NAL13026-1539	CB 06-27-14	ORG 67-64-1	Acetone	4300	X+	ug/L	1000	155.61	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3604				
NAL13026-1539	CB 06-27-14	ORG 156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3604				
NAL13026-1539	CB 06-27-14	ORG 1634-04-4	MTBE		U	ug/L	500	61.18	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3604				
NAL13026-1539	CB 06-27-14	ORG 75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3604				
NAL13026-1539	CB 06-27-14	ORG 156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3604				
NAL13026-1539	CB 06-27-14	ORG 74-97-5	Bromochloromethane		U	ug/L	200	41.37	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3604				
NAL13026-1539	CB 06-27-14	ORG 67-66-3	Chloroform		U	ug/L	100	15.73	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3604				
NAL13026-1539	CB 06-27-14	ORG 71-55-6	1,1,1-Trichloroethane		U	ug/L	100	16.65	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3604				
NAL13026-1539	CB 06-27-14	ORG 78-93-3	2-Butanone	910	J	ug/L	1000	81.18	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3604				
NAL13026-1539	CB 06-27-14	ORG 56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3604				
NAL13026-1539	CB 06-27-14	ORG 71-43-2	Benzene		U	ug/L	100	13.53	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3604				
NAL13026-1539	CB 06-27-14	ORG 107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3604				
NAL13026-1539	CB 06-27-14	ORG 79-01-6	Trichloroethene		U	ug/L	100	36.33	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3604				
NAL13026-1539	CB 06-27-14	ORG 74-95-3	Dibromomethane		U	ug/L	200	32.20	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3604				
NAL13026-1539	CB 06-27-14	ORG 78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3604				
NAL13026-1539	CB 06-27-14	ORG 75-27-4	Bromodichloromethane		U	ug/L	200	11.58	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3604				
NAL13026-1539	CB 06-27-14	ORG 10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3604				
NAL13026-1539	CB 06-27-14	ORG 108-88-3	Toluene		U	ug/L	100	20.96	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3604				
NAL13026-1539	CB 06-27-14	ORG 108-10-1	4-Methyl-2-pentanone		U	ug/L	500	74.00	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3604				
NAL13026-1539	CB 06-27-14	ORG 10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3604				
NAL13026-1539	CB 06-27-14	ORG 127-18-4	Tetrachloroethene		UX-	ug/L	100	48.56	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3604				
NAL13026-1539	CB 06-27-14	ORG 79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3604				
NAL13026-1539	CB 06-27-14	ORG 124-48-1	Dibromochloromethane		U	ug/L	200	29.90	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3604				
NAL13026-1539	CB 06-27-14	ORG 106-93-4	1,2-Dibromoethane		U	ug/L	200	26.49	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3604				
NAL13026-1539	CB 06-27-14	ORG 591-78-6	2-Hexanone		U	ug/L	500	68.90	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3604				
NAL13026-1539	CB 06-27-14	ORG 100-41-4	Ethylbenzene		U	ug/L	100	25.38	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3604				
NAL13026-1539	CB 06-27-14	ORG 108-90-7	Chlorobenzene		U	ug/L	100	27.52	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3604				
NAL13026-1539	CB 06-27-14	ORG 630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3604				
NAL13026-1539	CB 06-27-14	ORG XYLMP	p&m-Xylene		U	ug/L	200	26.14	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3604				
NAL13026-1539	CB 06-27-14	ORG 95-47-6	o-Xylene		U	ug/L	100	12.90	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3604				
NAL13026-1539	CB 06-27-14	ORG 100-42-5	Styrene		U	ug/L	100	20.23	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3604				
NAL13026-1539	CB 06-27-14	ORG 75-25-2	Bromoform		U	ug/L	200	46.83	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3604				
NAL13026-1539	CB 06-27-14	ORG 98-82-8	Isopropylbenzene		U	ug/L	200	20.48	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3604				
NAL13026-1539	CB 06-27-14	ORG 103-65-1	n-Propylbenzene		U	ug/L	200	27.00	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3604				
NAL13026-1539	CB 06-27-14	ORG 79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3604				



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1539	CB 06-27-14	ORG 96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3604				
NAL13026-1539	CB 06-27-14	ORG 108-67-8	1,3,5-Trimethylbenzene		U	ug/L	200	20.03	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3604				
NAL13026-1539	CB 06-27-14	ORG 98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3604				
NAL13026-1539	CB 06-27-14	ORG 95-63-6	1,2,4-Trimethylbenzene	99	J	ug/L	200	20.03	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3604				
NAL13026-1539	CB 06-27-14	ORG 135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3604				
NAL13026-1539	CB 06-27-14	ORG 541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3604				
NAL13026-1539	CB 06-27-14	ORG 99-87-6	p-Isopropyltoluene	710		ug/L	200	25.48	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3604				
NAL13026-1539	CB 06-27-14	ORG 106-46-7	1,4-Dichlorobenzene		U	ug/L	200	33.03	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3604				
NAL13026-1539	CB 06-27-14	ORG 95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3604				
NAL13026-1539	CB 06-27-14	ORG 104-51-8	n-Butylbenzene	32	J	ug/L	500	27.81	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3604				
NAL13026-1539	CB 06-27-14	ORG 96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3604				
NAL13026-1539	CB 06-27-14	ORG 87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3604				
NAL13026-1539	CB 06-27-14	ORG 120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3604				
NAL13026-1539	CB 06-27-14	ORG 91-20-3	Naphthalene	490	J	ug/L	500	56.04	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3604				
NAL13026-1539	CB 06-27-14	ORG 87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3604				
NAL13026-1539	CB 06-27-14	STD 1868-53-7	Dibromofluoromethane	49		ug/L	1	0	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3604	50	98%		
NAL13026-1539	CB 06-27-14	STD 17060-07-0	1,2-Dichloroethane d4	51		ug/L	1	0	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3604	50	102%		
NAL13026-1539	CB 06-27-14	STD 2037-26-5	Toluene d8	49		ug/L	1	0	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3604	50	98%		
NAL13026-1539	CB 06-27-14	STD 460-00-4	Bromofluorobenzene	52		ug/L	1	0	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3604	50	104%		



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
 Tel: 888-685-1628 • mobilelabs@nevagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

- B** = Analyte is found in the associated blank as well as in the sample.
- D** = Compound identified in an analysis at a secondary dilution factor.
- E** = Compound's concentration exceeds the calibration range of the instrument at this dilution.
- X** = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
- J** = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
- M** = Matrix assessment, QC analyses parameter exceeded control limits.
- U** = Non-detect
- * NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1540	T1 INF	ORG 75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3605				
NAL13026-1540	T1 INF	ORG 74-87-3	Chloromethane		U	ug/L	500	43.07	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3605				
NAL13026-1540	T1 INF	ORG 75-01-4	Vinyl chloride		U	ug/L	200	31.86	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3605				
NAL13026-1540	T1 INF	ORG 74-83-9	Bromomethane		U	ug/L	500	50.04	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3605				
NAL13026-1540	T1 INF	ORG 75-00-3	Chloroethane		U	ug/L	500	55.61	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3605				
NAL13026-1540	T1 INF	ORG 75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3605				
NAL13026-1540	T1 INF	ORG 75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3605				
NAL13026-1540	T1 INF	ORG 75-09-2	Methylene chloride		U	ug/L	500	26.46	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3605				
NAL13026-1540	T1 INF	ORG 67-64-1	Acetone	100000	DX+	ug/L	10000	1556.07	6/27/2014	6/27/2014	6/27/2014	WG	1000	NA	5.0	NA	SW8260B	NALD3606				
NAL13026-1540	T1 INF	ORG 156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3605				
NAL13026-1540	T1 INF	ORG 1634-04-4	MTBE		U	ug/L	500	61.18	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3605				
NAL13026-1540	T1 INF	ORG 75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3605				
NAL13026-1540	T1 INF	ORG 156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3605				
NAL13026-1540	T1 INF	ORG 74-97-5	Bromochloromethane		U	ug/L	200	41.37	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3605				
NAL13026-1540	T1 INF	ORG 67-66-3	Chloroform		U	ug/L	100	15.73	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3605				
NAL13026-1540	T1 INF	ORG 71-55-6	1,1,1-Trichloroethane		U	ug/L	100	16.65	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3605				
NAL13026-1540	T1 INF	ORG 78-93-3	2-Butanone	21000	D	ug/L	10000	811.80	6/27/2014	6/27/2014	6/27/2014	WG	1000	NA	5.0	NA	SW8260B	NALD3606				
NAL13026-1540	T1 INF	ORG 56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3605				
NAL13026-1540	T1 INF	ORG 71-43-2	Benzene	720		ug/L	100	13.53	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3605				
NAL13026-1540	T1 INF	ORG 107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3605				
NAL13026-1540	T1 INF	ORG 79-01-6	Trichloroethene		U	ug/L	100	36.33	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3605				
NAL13026-1540	T1 INF	ORG 74-95-3	Dibromomethane		U	ug/L	200	32.20	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3605				
NAL13026-1540	T1 INF	ORG 78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3605				
NAL13026-1540	T1 INF	ORG 75-27-4	Bromodichloromethane		U	ug/L	200	11.58	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3605				
NAL13026-1540	T1 INF	ORG 10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3605				
NAL13026-1540	T1 INF	ORG 108-88-3	Toluene	200		ug/L	100	20.96	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3605				
NAL13026-1540	T1 INF	ORG 108-10-1	4-Methyl-2-pentanone	700		ug/L	500	74.00	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3605				
NAL13026-1540	T1 INF	ORG 10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3605				
NAL13026-1540	T1 INF	ORG 127-18-4	Tetrachloroethene		UX-	ug/L	100	48.56	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3605				
NAL13026-1540	T1 INF	ORG 79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3605				
NAL13026-1540	T1 INF	ORG 124-48-1	Dibromochloromethane		U	ug/L	200	29.90	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3605				
NAL13026-1540	T1 INF	ORG 106-93-4	1,2-Dibromoethane		U	ug/L	200	26.49	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3605				
NAL13026-1540	T1 INF	ORG 591-78-6	2-Hexanone	2000		ug/L	500	68.90	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3605				
NAL13026-1540	T1 INF	ORG 100-41-4	Ethylbenzene	270		ug/L	100	25.38	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3605				
NAL13026-1540	T1 INF	ORG 108-90-7	Chlorobenzene	70	J	ug/L	100	27.52	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3605				
NAL13026-1540	T1 INF	ORG 630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3605				
NAL13026-1540	T1 INF	ORG XYLMP	p&m-Xylene	600		ug/L	200	26.14	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3605				
NAL13026-1540	T1 INF	ORG 95-47-6	o-Xylene	310		ug/L	100	12.90	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3605				
NAL13026-1540	T1 INF	ORG 100-42-5	Styrene	31	J	ug/L	100	20.23	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3605				
NAL13026-1540	T1 INF	ORG 75-25-2	Bromoform		U	ug/L	200	46.83	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3605				
NAL13026-1540	T1 INF	ORG 98-82-8	Isopropylbenzene	140	J	ug/L	200	20.48	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3605				
NAL13026-1540	T1 INF	ORG 103-65-1	n-Propylbenzene	130	J	ug/L	200	27.00	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3605				
NAL13026-1540	T1 INF	ORG 79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3605				

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assessment, QC analyses parameter exceeded control limits.
U = Non-detect
 * NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1540	T1 INF	ORG 96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3605				
NAL13026-1540	T1 INF	ORG 108-67-8	1,3,5-Trimethylbenzene	250		ug/L	200	20.03	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3605				
NAL13026-1540	T1 INF	ORG 98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3605				
NAL13026-1540	T1 INF	ORG 95-63-6	1,2,4-Trimethylbenzene	1100		ug/L	200	20.03	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3605				
NAL13026-1540	T1 INF	ORG 135-98-8	sec-Butylbenzene	42	J	ug/L	200	32.34	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3605				
NAL13026-1540	T1 INF	ORG 541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3605				
NAL13026-1540	T1 INF	ORG 99-87-6	p-Isopropyltoluene	4400		ug/L	200	25.48	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3605				
NAL13026-1540	T1 INF	ORG 106-46-7	1,4-Dichlorobenzene	1100		ug/L	200	33.03	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3605				
NAL13026-1540	T1 INF	ORG 95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3605				
NAL13026-1540	T1 INF	ORG 104-51-8	n-Butylbenzene	130	J	ug/L	500	27.81	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3605				
NAL13026-1540	T1 INF	ORG 96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3605				
NAL13026-1540	T1 INF	ORG 87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3605				
NAL13026-1540	T1 INF	ORG 120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3605				
NAL13026-1540	T1 INF	ORG 91-20-3	Naphthalene	1200		ug/L	500	56.04	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3605				
NAL13026-1540	T1 INF	ORG 87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3605				
NAL13026-1540	T1 INF	STD 1868-53-7	Dibromofluoromethane	48		ug/L	1	0	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3605	50	96%		
NAL13026-1540	T1 INF	STD 17060-07-0	1,2-Dichloroethane d4	50		ug/L	1	0	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3605	50	100%		
NAL13026-1540	T1 INF	STD 2037-26-5	Toluene d8	49		ug/L	1	0	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3605	50	98%		
NAL13026-1540	T1 INF	STD 460-00-4	Bromofluorobenzene	54		ug/L	1	0	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3605	50	108%		



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@nevagelandmark.com

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

FINAL ANALYTICAL REPORT

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

- B = Analyte is found in the associated blank as well as in the sample.
- D = Compound identified in an analysis at a secondary dilution factor.
- E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
- X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
- J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
- M = Matrix assessment, QC analyses parameter exceeded control limits.
- U = Non-detect
- * NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1541	T1 EFF	ORG 75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3607				
NAL13026-1541	T1 EFF	ORG 74-87-3	Chloromethane		U	ug/L	500	43.07	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3607				
NAL13026-1541	T1 EFF	ORG 75-01-4	Vinyl chloride		U	ug/L	200	31.86	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3607				
NAL13026-1541	T1 EFF	ORG 74-83-9	Bromomethane		U	ug/L	500	50.04	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3607				
NAL13026-1541	T1 EFF	ORG 75-00-3	Chloroethane		U	ug/L	500	55.61	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3607				
NAL13026-1541	T1 EFF	ORG 75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3607				
NAL13026-1541	T1 EFF	ORG 75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3607				
NAL13026-1541	T1 EFF	ORG 75-09-2	Methylene chloride		U	ug/L	500	26.46	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3607				
NAL13026-1541	T1 EFF	ORG 67-64-1	Acetone	110000	DX+	ug/L	10000	1556.07	6/27/2014	6/27/2014	6/27/2014	WG	1000	NA	5.0	NA	SW8260B	NALD3608				
NAL13026-1541	T1 EFF	ORG 156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3607				
NAL13026-1541	T1 EFF	ORG 1634-04-4	MTBE		U	ug/L	500	61.18	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3607				
NAL13026-1541	T1 EFF	ORG 75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3607				
NAL13026-1541	T1 EFF	ORG 156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3607				
NAL13026-1541	T1 EFF	ORG 74-97-5	Bromochloromethane		U	ug/L	200	41.37	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3607				
NAL13026-1541	T1 EFF	ORG 67-66-3	Chloroform		U	ug/L	100	15.73	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3607				
NAL13026-1541	T1 EFF	ORG 71-55-6	1,1,1-Trichloroethane		U	ug/L	100	16.65	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3607				
NAL13026-1541	T1 EFF	ORG 78-93-3	2-Butanone	19000	D	ug/L	10000	811.80	6/27/2014	6/27/2014	6/27/2014	WG	1000	NA	5.0	NA	SW8260B	NALD3608				
NAL13026-1541	T1 EFF	ORG 56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3607				
NAL13026-1541	T1 EFF	ORG 71-43-2	Benzene	48	J	ug/L	100	13.53	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3607				
NAL13026-1541	T1 EFF	ORG 107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3607				
NAL13026-1541	T1 EFF	ORG 79-01-6	Trichloroethene		U	ug/L	100	36.33	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3607				
NAL13026-1541	T1 EFF	ORG 74-95-3	Dibromomethane		U	ug/L	200	32.20	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3607				
NAL13026-1541	T1 EFF	ORG 78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3607				
NAL13026-1541	T1 EFF	ORG 75-27-4	Bromodichloromethane		U	ug/L	200	11.58	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3607				
NAL13026-1541	T1 EFF	ORG 10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3607				
NAL13026-1541	T1 EFF	ORG 108-88-3	Toluene	48	J	ug/L	100	20.96	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3607				
NAL13026-1541	T1 EFF	ORG 108-10-1	4-Methyl-2-pentanone	450	J	ug/L	500	74.00	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3607				
NAL13026-1541	T1 EFF	ORG 10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3607				
NAL13026-1541	T1 EFF	ORG 127-18-4	Tetrachloroethene		UX-	ug/L	100	48.56	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3607				
NAL13026-1541	T1 EFF	ORG 79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3607				
NAL13026-1541	T1 EFF	ORG 124-48-1	Dibromochloromethane		U	ug/L	200	29.90	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3607				
NAL13026-1541	T1 EFF	ORG 106-93-4	1,2-Dibromoethane		U	ug/L	200	26.49	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3607				
NAL13026-1541	T1 EFF	ORG 591-78-6	2-Hexanone	1000		ug/L	500	68.90	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3607				
NAL13026-1541	T1 EFF	ORG 100-41-4	Ethylbenzene	170		ug/L	100	25.38	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3607				
NAL13026-1541	T1 EFF	ORG 108-90-7	Chlorobenzene		U	ug/L	100	27.52	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3607				
NAL13026-1541	T1 EFF	ORG 630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3607				
NAL13026-1541	T1 EFF	ORG XYLMP	p&m-Xylene	390		ug/L	200	26.14	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3607				
NAL13026-1541	T1 EFF	ORG 95-47-6	o-Xylene	220		ug/L	100	12.90	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3607				
NAL13026-1541	T1 EFF	ORG 100-42-5	Styrene		U	ug/L	100	20.23	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3607				
NAL13026-1541	T1 EFF	ORG 75-25-2	Bromoform		U	ug/L	200	46.83	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3607				
NAL13026-1541	T1 EFF	ORG 98-82-8	Isopropylbenzene	140		ug/L	200	20.48	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3607				
NAL13026-1541	T1 EFF	ORG 103-65-1	n-Propylbenzene	160		ug/L	200	27.00	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3607				
NAL13026-1541	T1 EFF	ORG 79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3607				



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

- B** = Analyte is found in the associated blank as well as in the sample.
- D** = Compound identified in an analysis at a secondary dilution factor.
- E** = Compound's concentration exceeds the calibration range of the instrument at this dilution.
- X** = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
- J** = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
- M** = Matrix assessment, QC analyses parameter exceeded control limits.
- U** = Non-detect
- * NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1541	T1 EFF	ORG 96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3607				
NAL13026-1541	T1 EFF	ORG 108-67-8	1,3,5-Trimethylbenzene	320		ug/L	200	20.03	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3607				
NAL13026-1541	T1 EFF	ORG 98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3607				
NAL13026-1541	T1 EFF	ORG 95-63-6	1,2,4-Trimethylbenzene	1500		ug/L	200	20.03	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3607				
NAL13026-1541	T1 EFF	ORG 135-98-8	sec-Butylbenzene	45	J	ug/L	200	32.34	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3607				
NAL13026-1541	T1 EFF	ORG 541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3607				
NAL13026-1541	T1 EFF	ORG 99-87-6	p-Isopropyltoluene	7000		ug/L	200	25.48	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3607				
NAL13026-1541	T1 EFF	ORG 106-46-7	1,4-Dichlorobenzene	1500		ug/L	200	33.03	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3607				
NAL13026-1541	T1 EFF	ORG 95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3607				
NAL13026-1541	T1 EFF	ORG 104-51-8	n-Butylbenzene	200	J	ug/L	500	27.81	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3607				
NAL13026-1541	T1 EFF	ORG 96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3607				
NAL13026-1541	T1 EFF	ORG 87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3607				
NAL13026-1541	T1 EFF	ORG 120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3607				
NAL13026-1541	T1 EFF	ORG 91-20-3	Naphthalene	2900		ug/L	500	56.04	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3607				
NAL13026-1541	T1 EFF	ORG 87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3607				
NAL13026-1541	T1 EFF	STD 1868-53-7	Dibromofluoromethane	49		ug/L	1	0	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3607	50	98%		
NAL13026-1541	T1 EFF	STD 17060-07-0	1,2-Dichloroethane d4	50		ug/L	1	0	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3607	50	100%		
NAL13026-1541	T1 EFF	STD 2037-26-5	Toluene d8	48		ug/L	1	0	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3607	50	96%		
NAL13026-1541	T1 EFF	STD 460-00-4	Bromofluorobenzene	53		ug/L	1	0	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3607	50	106%		



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@nevagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

- B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assessment, QC analyses parameter exceeded control limits.
U = Non-detect
* NAL is not certified for these compound by NELAC.

Table with columns: Lab ID, Sample ID, CAS #, ANALYTES, Results, QC, Units, RDL, MDL, Sample Date, Prep. Date, Analysis Date, Matrix, Dil., Weight(g), Vol.(ml), % Solid, Method, Data file, Spike, % Rec, % RPD, Parent. Contains 40 rows of analytical data.



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D062714CCVA	D062714CCVA	ORG 96-18-4	1,2,3-Trichloropropane	46		ug/L	2	0.29	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3600	50	92%		
D062714CCVA	D062714CCVA	ORG 108-67-8	1,3,5-Trimethylbenzene	50		ug/L	2	0.20	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3600	50	100%		
D062714CCVA	D062714CCVA	ORG 98-06-6	tert-Butylbenzene	51		ug/L	2	0.33	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3600	50	102%		
D062714CCVA	D062714CCVA	ORG 95-63-6	1,2,4-Trimethylbenzene	50		ug/L	2	0.20	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3600	50	100%		
D062714CCVA	D062714CCVA	ORG 135-98-8	sec-Butylbenzene	50		ug/L	2	0.32	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3600	50	100%		
D062714CCVA	D062714CCVA	ORG 541-73-1	1,3-Dichlorobenzene	49		ug/L	2	0.22	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3600	50	98%		
D062714CCVA	D062714CCVA	ORG 99-87-6	p-Isopropyltoluene	50		ug/L	2	0.25	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3600	50	100%		
D062714CCVA	D062714CCVA	ORG 106-46-7	1,4-Dichlorobenzene	48		ug/L	2	0.33	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3600	50	96%		
D062714CCVA	D062714CCVA	ORG 95-50-1	1,2-Dichlorobenzene	48		ug/L	2	0.26	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3600	50	96%		
D062714CCVA	D062714CCVA	ORG 104-51-8	n-Butylbenzene	53		ug/L	5	0.28	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3600	50	106%		
D062714CCVA	D062714CCVA	ORG 96-12-8	1,2-Dibromo-3-chloropropane	48		ug/L	5	1.59	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3600	50	96%		
D062714CCVA	D062714CCVA	ORG 87-68-3	Hexachlorobutadiene	54		ug/L	5	0.65	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3600	50	108%		
D062714CCVA	D062714CCVA	ORG 120-82-1	1,2,4-Trichlorobenzene	51		ug/L	5	0.28	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3600	50	102%		
D062714CCVA	D062714CCVA	ORG 91-20-3	Naphthalene	47		ug/L	5	0.56	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3600	50	94%		
D062714CCVA	D062714CCVA	ORG 87-61-6	1,2,3-Trichlorobenzene	50		ug/L	5	0.23	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3600	50	100%		
D062714CCVA	D062714CCVA	STD 1868-53-7	Dibromofluoromethane	49		ug/L	1	0	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3600	50	98%		
D062714CCVA	D062714CCVA	STD 17060-07-0	1,2-Dichloroethane d4	47		ug/L	1	0	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3600	50	94%		
D062714CCVA	D062714CCVA	STD 2037-26-5	Toluene d8	48		ug/L	1	0	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3600	50	96%		
D062714CCVA	D062714CCVA	STD 460-00-4	Bromofluorobenzene	51		ug/L	1	0	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3600	50	102%		



New Age Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@nevagelandmark.com

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

FINAL ANALYTICAL REPORT

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

- B** = Analyte is found in the associated blank as well as in the sample.
 - D** = Compound identified in an analysis at a secondary dilution factor.
 - E** = Compound's concentration exceeds the calibration range of the instrument at this dilution.
 - X** = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
 - J** = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
 - M** = Matrix assessment, QC analyses parameter exceeded control limits.
 - U** = Non-detect
- * NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D062714MBKA	D062714MBKA	ORG 75-71-8	Dichlorodifluoromethane	U		ug/L	5	0.29	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3601				
D062714MBKA	D062714MBKA	ORG 74-87-3	Chloromethane	U		ug/L	5	0.43	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3601				
D062714MBKA	D062714MBKA	ORG 75-01-4	Vinyl chloride	U		ug/L	2	0.32	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3601				
D062714MBKA	D062714MBKA	ORG 74-83-9	Bromomethane	U		ug/L	5	0.50	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3601				
D062714MBKA	D062714MBKA	ORG 75-00-3	Chloroethane	U		ug/L	5	0.56	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3601				
D062714MBKA	D062714MBKA	ORG 75-69-4	Trichlorofluoromethane	U		ug/L	5	0.20	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3601				
D062714MBKA	D062714MBKA	ORG 75-35-4	1,1-Dichloroethene	U		ug/L	1	0.47	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3601				
D062714MBKA	D062714MBKA	ORG 75-09-2	Methylene chloride	U		ug/L	5	0.26	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3601				
D062714MBKA	D062714MBKA	ORG 67-64-1	Acetone	U		ug/L	10	1.56	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3601				
D062714MBKA	D062714MBKA	ORG 156-60-5	trans-1,2-Dichloroethene	U		ug/L	1	0.56	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3601				
D062714MBKA	D062714MBKA	ORG 1634-04-4	MTBE	U		ug/L	5	0.61	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3601				
D062714MBKA	D062714MBKA	ORG 75-34-3	1,1-Dichloroethane	U		ug/L	1	0.53	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3601				
D062714MBKA	D062714MBKA	ORG 156-59-2	cis-1,2-Dichloroethene	U		ug/L	1	0.32	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3601				
D062714MBKA	D062714MBKA	ORG 74-97-5	Bromochloromethane	U		ug/L	10	0.41	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3601				
D062714MBKA	D062714MBKA	ORG 67-66-3	Chloroform	U		ug/L	2	0.16	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3601				
D062714MBKA	D062714MBKA	ORG 71-55-6	1,1,1-Trichloroethane	U		ug/L	1	0.17	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3601				
D062714MBKA	D062714MBKA	ORG 78-93-3	2-Butanone	U		ug/L	1	0.81	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3601				
D062714MBKA	D062714MBKA	ORG 56-23-5	Carbon tetrachloride	U		ug/L	1	0.28	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3601				
D062714MBKA	D062714MBKA	ORG 71-43-2	Benzene	U		ug/L	1	0.14	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3601				
D062714MBKA	D062714MBKA	ORG 107-06-2	1,2-Dichloroethane	U		ug/L	1	0.20	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3601				
D062714MBKA	D062714MBKA	ORG 79-01-6	Trichloroethene	U		ug/L	1	0.36	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3601				
D062714MBKA	D062714MBKA	ORG 74-95-3	Dibromomethane	U		ug/L	2	0.32	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3601				
D062714MBKA	D062714MBKA	ORG 78-87-5	1,2-Dichloropropane	U		ug/L	1	0.18	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3601				
D062714MBKA	D062714MBKA	ORG 75-27-4	Bromodichloromethane	U		ug/L	2	0.12	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3601				
D062714MBKA	D062714MBKA	ORG 10061-01-5	cis-1,3-Dichloropropene	U		ug/L	1	0.25	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3601				
D062714MBKA	D062714MBKA	ORG 108-88-3	Toluene	U		ug/L	1	0.21	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3601				
D062714MBKA	D062714MBKA	ORG 108-10-1	4-Methyl-2-pentanone	U		ug/L	5	0.74	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3601				
D062714MBKA	D062714MBKA	ORG 10061-02-6	trans-1,3-Dichloropropene	U		ug/L	1	0.31	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3601				
D062714MBKA	D062714MBKA	ORG 127-18-4	Tetrachloroethene	U		ug/L	1	0.49	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3601				
D062714MBKA	D062714MBKA	ORG 79-00-5	1,1,2-Trichloroethane	U		ug/L	1	0.34	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3601				
D062714MBKA	D062714MBKA	ORG 124-48-1	Dibromochloromethane	U		ug/L	5	0.30	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3601				
D062714MBKA	D062714MBKA	ORG 106-93-4	1,2-Dibromoethane	U		ug/L	2	0.26	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3601				
D062714MBKA	D062714MBKA	ORG 591-78-6	2-Hexanone	U		ug/L	2	0.69	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3601				
D062714MBKA	D062714MBKA	ORG 100-41-4	Ethylbenzene	U		ug/L	1	0.25	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3601				
D062714MBKA	D062714MBKA	ORG 108-90-7	Chlorobenzene	U		ug/L	1	0.28	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3601				
D062714MBKA	D062714MBKA	ORG 630-20-6	1,1,1,2-Tetrachloroethane	U		ug/L	2	0.19	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3601				
D062714MBKA	D062714MBKA	ORG XYLMP	p&m-Xylene	U		ug/L	2	0.26	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3601				
D062714MBKA	D062714MBKA	ORG 95-47-6	o-Xylene	U		ug/L	1	0.13	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3601				
D062714MBKA	D062714MBKA	ORG 100-42-5	Styrene	U		ug/L	1	0.20	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3601				
D062714MBKA	D062714MBKA	ORG 75-25-2	Bromoform	U		ug/L	2	0.47	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3601				
D062714MBKA	D062714MBKA	ORG 98-82-8	Isopropylbenzene	U		ug/L	2	0.20	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3601				
D062714MBKA	D062714MBKA	ORG 103-65-1	n-Propylbenzene	U		ug/L	2	0.27	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3601				
D062714MBKA	D062714MBKA	ORG 79-34-5	1,1,2,2-Tetrachloroethane	U		ug/L	2	0.29	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3601				



New Age/Landmark Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D062714MBKA	D062714MBKA	ORG 96-18-4	1,2,3-Trichloropropane		U	ug/L	2	0.29	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3601				
D062714MBKA	D062714MBKA	ORG 108-67-8	1,3,5-Trimethylbenzene		U	ug/L	2	0.20	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3601				
D062714MBKA	D062714MBKA	ORG 98-06-6	tert-Butylbenzene		U	ug/L	2	0.33	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3601				
D062714MBKA	D062714MBKA	ORG 95-63-6	1,2,4-Trimethylbenzene		U	ug/L	2	0.20	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3601				
D062714MBKA	D062714MBKA	ORG 135-98-8	sec-Butylbenzene		U	ug/L	2	0.32	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3601				
D062714MBKA	D062714MBKA	ORG 541-73-1	1,3-Dichlorobenzene		U	ug/L	2	0.22	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3601				
D062714MBKA	D062714MBKA	ORG 99-87-6	p-Isopropyltoluene		U	ug/L	2	0.25	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3601				
D062714MBKA	D062714MBKA	ORG 106-46-7	1,4-Dichlorobenzene		U	ug/L	2	0.33	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3601				
D062714MBKA	D062714MBKA	ORG 95-50-1	1,2-Dichlorobenzene		U	ug/L	2	0.26	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3601				
D062714MBKA	D062714MBKA	ORG 104-51-8	n-Butylbenzene		U	ug/L	5	0.28	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3601				
D062714MBKA	D062714MBKA	ORG 96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	5	1.59	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3601				
D062714MBKA	D062714MBKA	ORG 87-68-3	Hexachlorobutadiene		U	ug/L	5	0.65	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3601				
D062714MBKA	D062714MBKA	ORG 120-82-1	1,2,4-Trichlorobenzene		U	ug/L	5	0.28	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3601				
D062714MBKA	D062714MBKA	ORG 91-20-3	Naphthalene		U	ug/L	5	0.56	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3601				
D062714MBKA	D062714MBKA	ORG 87-61-6	1,2,3-Trichlorobenzene		U	ug/L	5	0.23	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3601				
D062714MBKA	D062714MBKA	STD 1868-53-7	Dibromofluoromethane	49		ug/L	1	0	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3601	50	98%		
D062714MBKA	D062714MBKA	STD 17060-07-0	1,2-Dichloroethane d4	51		ug/L	1	0	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3601	50	102%		
D062714MBKA	D062714MBKA	STD 2037-26-5	Toluene d8	49		ug/L	1	0	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3601	50	98%		
D062714MBKA	D062714MBKA	STD 460-00-4	Bromofluorobenzene	51		ug/L	1	0	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3601	50	102%		



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@nevagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Table with columns: Lab ID, Sample ID, CAS #, ANALYTES, Results, QC, Units, RDL, MDL, Sample Date, Prep. Date, Analysis Date, Matrix, Dil., Weight(g), Vol.(ml), % Solid, Method, Data file, Spike, % Rec, % RPD, Parent. Contains 50 rows of analytical data.



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
 Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

- B** = Analyte is found in the associated blank as well as in the sample.
- D** = Compound identified in an analysis at a secondary dilution factor.
- E** = Compound's concentration exceeds the calibration range of the instrument at this dilution.
- X** = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
- J** = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
- M** = Matrix assessment, QC analyses parameter exceeded control limits.
- U** = Non-detect
- * NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D062714ALCS	D062714ALCS	ORG 96-18-4	1,2,3-Trichloropropane	46		ug/L	2	0.29	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3609	50	92%		
D062714ALCS	D062714ALCS	ORG 108-67-8	1,3,5-Trimethylbenzene	52		ug/L	2	0.20	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3609	50	104%		
D062714ALCS	D062714ALCS	ORG 98-06-6	tert-Butylbenzene	55		ug/L	2	0.33	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3609	50	110%		
D062714ALCS	D062714ALCS	ORG 95-63-6	1,2,4-Trimethylbenzene	52		ug/L	2	0.20	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3609	50	104%		
D062714ALCS	D062714ALCS	ORG 135-98-8	sec-Butylbenzene	54		ug/L	2	0.32	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3609	50	108%		
D062714ALCS	D062714ALCS	ORG 541-73-1	1,3-Dichlorobenzene	50		ug/L	2	0.22	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3609	50	100%		
D062714ALCS	D062714ALCS	ORG 99-87-6	p-Isopropyltoluene	53		ug/L	2	0.25	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3609	50	106%		
D062714ALCS	D062714ALCS	ORG 106-46-7	1,4-Dichlorobenzene	49		ug/L	2	0.33	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3609	50	98%		
D062714ALCS	D062714ALCS	ORG 95-50-1	1,2-Dichlorobenzene	49		ug/L	2	0.26	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3609	50	98%		
D062714ALCS	D062714ALCS	ORG 104-51-8	n-Butylbenzene	56		ug/L	5	0.28	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3609	50	112%		
D062714ALCS	D062714ALCS	ORG 96-12-8	1,2-Dibromo-3-chloropropane	45		ug/L	5	1.59	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3609	50	90%		
D062714ALCS	D062714ALCS	ORG 87-68-3	Hexachlorobutadiene	55		ug/L	5	0.65	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3609	50	110%		
D062714ALCS	D062714ALCS	ORG 120-82-1	1,2,4-Trichlorobenzene	53		ug/L	5	0.28	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3609	50	106%		
D062714ALCS	D062714ALCS	ORG 91-20-3	Naphthalene	48		ug/L	5	0.56	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3609	50	96%		
D062714ALCS	D062714ALCS	ORG 87-61-6	1,2,3-Trichlorobenzene	53		ug/L	5	0.23	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3609	50	106%		
D062714ALCS	D062714ALCS	STD 1868-53-7	Dibromofluoromethane	48		ug/L	1	0	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3609	50	96%		
D062714ALCS	D062714ALCS	STD 17060-07-0	1,2-Dichloroethane d4	47		ug/L	1	0	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3609	50	94%		
D062714ALCS	D062714ALCS	STD 2037-26-5	Toluene d8	49		ug/L	1	0	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3609	50	98%		
D062714ALCS	D062714ALCS	STD 460-00-4	Bromofluorobenzene	53		ug/L	1	0	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3609	50	106%		



Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

FINAL ANALYTICAL REPORT

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

- B** = Analyte is found in the associated blank as well as in the sample.
- D** = Compound identified in an analysis at a secondary dilution factor.
- E** = Compound's concentration exceeds the calibration range of the instrument at this dilution.
- X** = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
- J** = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
- M** = Matrix assessment, QC analyses parameter exceeded control limits.
- U** = Non-detect
- * NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D062714ALCD	D062714ALCD	ORG 75-71-8	Dichlorodifluoromethane	68		ug/L	5	0.29	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3610	50	136%	8%	
D062714ALCD	D062714ALCD	ORG 74-87-3	Chloromethane	62		ug/L	5	0.43	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3610	50	124%	12%	
D062714ALCD	D062714ALCD	ORG 75-01-4	Vinyl chloride	58		ug/L	2	0.32	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3610	50	116%	4%	
D062714ALCD	D062714ALCD	ORG 74-83-9	Bromomethane	76		ug/L	5	0.50	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3610	50	152%	10%	
D062714ALCD	D062714ALCD	ORG 75-00-3	Chloroethane	76		ug/L	5	0.56	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3610	50	152%	1%	
D062714ALCD	D062714ALCD	ORG 75-69-4	Trichlorofluoromethane	140		ug/L	5	0.20	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3610	50	280%	88%	
D062714ALCD	D062714ALCD	ORG 75-35-4	1,1-Dichloroethene	46		ug/L	1	0.47	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3610	50	92%	4%	
D062714ALCD	D062714ALCD	ORG 75-09-2	Methylene chloride	51		ug/L	5	0.26	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3610	50	102%	0%	
D062714ALCD	D062714ALCD	ORG 67-64-1	Acetone	62		ug/L	10	1.56	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3610	50	124%	3%	
D062714ALCD	D062714ALCD	ORG 156-60-5	trans-1,2-Dichloroethene	45		ug/L	1	0.56	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3610	50	90%	2%	
D062714ALCD	D062714ALCD	ORG 1634-04-4	MTBE	42		ug/L	5	0.61	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3610	50	84%	2%	
D062714ALCD	D062714ALCD	ORG 75-34-3	1,1-Dichloroethane	49		ug/L	1	0.53	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3610	50	98%	2%	
D062714ALCD	D062714ALCD	ORG 156-59-2	cis-1,2-Dichloroethene	48		ug/L	1	0.32	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3610	50	96%	2%	
D062714ALCD	D062714ALCD	ORG 74-97-5	Bromochloromethane	47		ug/L	10	0.41	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3610	50	94%	4%	
D062714ALCD	D062714ALCD	ORG 67-66-3	Chloroform	48		ug/L	2	0.16	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3610	50	96%	4%	
D062714ALCD	D062714ALCD	ORG 71-55-6	1,1,1-Trichloroethane	49		ug/L	1	0.17	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3610	50	98%	4%	
D062714ALCD	D062714ALCD	ORG 78-93-3	2-Butanone	47		ug/L	1	0.81	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3610	50	94%	12%	
D062714ALCD	D062714ALCD	ORG 56-23-5	Carbon tetrachloride	49		ug/L	1	0.28	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3610	50	98%	2%	
D062714ALCD	D062714ALCD	ORG 71-43-2	Benzene	47		ug/L	1	0.14	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3610	50	94%	0%	
D062714ALCD	D062714ALCD	ORG 107-06-2	1,2-Dichloroethane	47		ug/L	1	0.20	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3610	50	94%	2%	
D062714ALCD	D062714ALCD	ORG 79-01-6	Trichloroethene	47		ug/L	1	0.36	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3610	50	94%	2%	
D062714ALCD	D062714ALCD	ORG 74-95-3	Dibromomethane	47		ug/L	2	0.32	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3610	50	94%	0%	
D062714ALCD	D062714ALCD	ORG 78-87-5	1,2-Dichloropropane	50		ug/L	1	0.18	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3610	50	100%	0%	
D062714ALCD	D062714ALCD	ORG 75-27-4	Bromodichloromethane	49		ug/L	2	0.12	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3610	50	98%	0%	
D062714ALCD	D062714ALCD	ORG 10061-01-5	cis-1,3-Dichloropropene	50		ug/L	1	0.25	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3610	50	100%	2%	
D062714ALCD	D062714ALCD	ORG 108-88-3	Toluene	46		ug/L	1	0.21	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3610	50	92%	2%	
D062714ALCD	D062714ALCD	ORG 108-10-1	4-Methyl-2-pentanone	45		ug/L	5	0.74	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3610	50	90%	6%	
D062714ALCD	D062714ALCD	ORG 10061-02-6	trans-1,3-Dichloropropene	52		ug/L	1	0.31	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3610	50	104%	2%	
D062714ALCD	D062714ALCD	ORG 127-18-4	Tetrachloroethene	38		ug/L	1	0.49	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3610	50	76%	5%	
D062714ALCD	D062714ALCD	ORG 79-00-5	1,1,2-Trichloroethane	45		ug/L	1	0.34	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3610	50	90%	6%	
D062714ALCD	D062714ALCD	ORG 124-48-1	Dibromochloromethane	49		ug/L	5	0.30	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3610	50	98%	2%	
D062714ALCD	D062714ALCD	ORG 106-93-4	1,2-Dibromoethane	45		ug/L	2	0.26	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3610	50	90%	4%	
D062714ALCD	D062714ALCD	ORG 591-78-6	2-Hexanone	49		ug/L	2	0.69	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3610	50	98%	4%	
D062714ALCD	D062714ALCD	ORG 100-41-4	Ethylbenzene	50		ug/L	1	0.25	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3610	50	100%	4%	
D062714ALCD	D062714ALCD	ORG 108-90-7	Chlorobenzene	48		ug/L	1	0.28	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3610	50	96%	6%	
D062714ALCD	D062714ALCD	ORG 630-20-6	1,1,1,2-Tetrachloroethane	51		ug/L	2	0.19	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3610	50	102%	8%	
D062714ALCD	D062714ALCD	ORG XYLMP	p&m-Xylene	95		ug/L	2	0.26	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3610	100	95%	5%	
D062714ALCD	D062714ALCD	ORG 95-47-6	o-Xylene	50		ug/L	1	0.13	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3610	50	100%	2%	
D062714ALCD	D062714ALCD	ORG 100-42-5	Styrene	52		ug/L	1	0.20	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3610	50	104%	6%	
D062714ALCD	D062714ALCD	ORG 75-25-2	Bromoform	48		ug/L	2	0.47	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3610	50	96%	0%	
D062714ALCD	D062714ALCD	ORG 98-82-8	Isopropylbenzene	50		ug/L	2	0.20	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3610	50	100%	6%	
D062714ALCD	D062714ALCD	ORG 103-65-1	n-Propylbenzene	52		ug/L	2	0.27	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3610	50	104%	4%	
D062714ALCD	D062714ALCD	ORG 79-34-5	1,1,2,2-Tetrachloroethane	48		ug/L	2	0.29	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3610	50	96%	4%	



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
 Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

- B** = Analyte is found in the associated blank as well as in the sample.
- D** = Compound identified in an analysis at a secondary dilution factor.
- E** = Compound's concentration exceeds the calibration range of the instrument at this dilution.
- X** = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
- J** = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
- M** = Matrix assessment, QC analyses parameter exceeded control limits.
- U** = Non-detect
- * NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D062714ALCD	D062714ALCD	ORG 96-18-4	1,2,3-Trichloropropane	45		ug/L	2	0.29	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3610	50	90%	2%	
D062714ALCD	D062714ALCD	ORG 108-67-8	1,3,5-Trimethylbenzene	51		ug/L	2	0.20	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3610	50	102%	2%	
D062714ALCD	D062714ALCD	ORG 98-06-6	tert-Butylbenzene	53		ug/L	2	0.33	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3610	50	106%	4%	
D062714ALCD	D062714ALCD	ORG 95-63-6	1,2,4-Trimethylbenzene	51		ug/L	2	0.20	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3610	50	102%	2%	
D062714ALCD	D062714ALCD	ORG 135-98-8	sec-Butylbenzene	52		ug/L	2	0.32	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3610	50	104%	4%	
D062714ALCD	D062714ALCD	ORG 541-73-1	1,3-Dichlorobenzene	49		ug/L	2	0.22	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3610	50	98%	2%	
D062714ALCD	D062714ALCD	ORG 99-87-6	p-Isopropyltoluene	51		ug/L	2	0.25	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3610	50	102%	4%	
D062714ALCD	D062714ALCD	ORG 106-46-7	1,4-Dichlorobenzene	48		ug/L	2	0.33	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3610	50	96%	2%	
D062714ALCD	D062714ALCD	ORG 95-50-1	1,2-Dichlorobenzene	48		ug/L	2	0.26	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3610	50	96%	2%	
D062714ALCD	D062714ALCD	ORG 104-51-8	n-Butylbenzene	54		ug/L	5	0.28	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3610	50	108%	4%	
D062714ALCD	D062714ALCD	ORG 96-12-8	1,2-Dibromo-3-chloropropane	47		ug/L	5	1.59	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3610	50	94%	4%	
D062714ALCD	D062714ALCD	ORG 87-68-3	Hexachlorobutadiene	53		ug/L	5	0.65	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3610	50	106%	4%	
D062714ALCD	D062714ALCD	ORG 120-82-1	1,2,4-Trichlorobenzene	52		ug/L	5	0.28	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3610	50	104%	2%	
D062714ALCD	D062714ALCD	ORG 91-20-3	Naphthalene	46		ug/L	5	0.56	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3610	50	92%	4%	
D062714ALCD	D062714ALCD	ORG 87-61-6	1,2,3-Trichlorobenzene	49		ug/L	5	0.23	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3610	50	98%	8%	
D062714ALCD	D062714ALCD	STD 1868-53-7	Dibromofluoromethane	49		ug/L	1	0	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3610	50	98%	2%	
D062714ALCD	D062714ALCD	STD 17060-07-0	1,2-Dichloroethane d4	47		ug/L	1	0	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3610	50	94%	0%	
D062714ALCD	D062714ALCD	STD 2037-26-5	Toluene d8	48		ug/L	1	0	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3610	50	96%	2%	
D062714ALCD	D062714ALCD	STD 460-00-4	Bromofluorobenzene	51		ug/L	1	0	NA	6/27/2014	6/27/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3610	50	102%	4%	



**New Age/Landmark
Mobile Laboratory Services**

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@nevagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

- B** = Analyte is found in the associated blank as well as in the sample.
- D** = Compound identified in an analysis at a secondary dilution factor.
- E** = Compound's concentration exceeds the calibration range of the instrument at this dilution.
- X** = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
- J** = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
- M** = Matrix assessment, QC analyses parameter exceeded control limits.
- U** = Non-detect
- * NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1538MS	316-343	ORG 75-71-8	Dichlorodifluoromethane	6600		ug/L	500	29.28	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3611	5000	132%		
NAL13026-1538MS	316-343	ORG 74-87-3	Chloromethane	6100		ug/L	500	43.07	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3611	5000	122%		
NAL13026-1538MS	316-343	ORG 75-01-4	Vinyl chloride	5600		ug/L	200	31.86	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3611	5000	112%		
NAL13026-1538MS	316-343	ORG 74-83-9	Bromomethane	6700		ug/L	500	50.04	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3611	5000	134%		
NAL13026-1538MS	316-343	ORG 75-00-3	Chloroethane	7600		ug/L	500	55.61	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3611	5000	152%		
NAL13026-1538MS	316-343	ORG 75-69-4	Trichlorofluoromethane	10000		ug/L	500	19.65	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3611	5000	200%		
NAL13026-1538MS	316-343	ORG 75-35-4	1,1-Dichloroethene	4300		ug/L	100	47.11	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3611	5000	86%		
NAL13026-1538MS	316-343	ORG 75-09-2	Methylene chloride	5000		ug/L	500	26.46	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3611	5000	100%		
NAL13026-1538MS	316-343	ORG 67-64-1	Acetone	95000		ug/L	1000	155.61	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3611	5000	40%		93000
NAL13026-1538MS	316-343	ORG 156-60-5	trans-1,2-Dichloroethene	4500		ug/L	100	55.61	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3611	5000	90%		
NAL13026-1538MS	316-343	ORG 1634-04-4	MTBE	4300		ug/L	500	61.18	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3611	5000	86%		
NAL13026-1538MS	316-343	ORG 75-34-3	1,1-Dichloroethane	4900		ug/L	100	52.66	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3611	5000	98%		
NAL13026-1538MS	316-343	ORG 156-59-2	cis-1,2-Dichloroethene	4700		ug/L	100	32.11	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3611	5000	94%		
NAL13026-1538MS	316-343	ORG 74-97-5	Bromochloromethane	4700		ug/L	1000	41.37	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3611	5000	94%		
NAL13026-1538MS	316-343	ORG 67-66-3	Chloroform	4700		ug/L	200	15.73	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3611	5000	94%		
NAL13026-1538MS	316-343	ORG 71-55-6	1,1,1-Trichloroethane	4800		ug/L	100	16.65	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3611	5000	96%		
NAL13026-1538MS	316-343	ORG 78-93-3	2-Butanone	22000		ug/L	100	81.18	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3611	5000	120%		16000
NAL13026-1538MS	316-343	ORG 56-23-5	Carbon tetrachloride	4800		ug/L	100	27.64	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3611	5000	96%		
NAL13026-1538MS	316-343	ORG 71-43-2	Benzene	4600		ug/L	100	13.53	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3611	5000	92%		
NAL13026-1538MS	316-343	ORG 107-06-2	1,2-Dichloroethane	4600		ug/L	100	20.01	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3611	5000	92%		
NAL13026-1538MS	316-343	ORG 79-01-6	Trichloroethene	4700		ug/L	100	36.33	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3611	5000	94%		
NAL13026-1538MS	316-343	ORG 74-95-3	Dibromomethane	4800		ug/L	200	32.20	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3611	5000	96%		
NAL13026-1538MS	316-343	ORG 78-87-5	1,2-Dichloropropane	5100		ug/L	100	18.17	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3611	5000	102%		
NAL13026-1538MS	316-343	ORG 75-27-4	Bromodichloromethane	4900		ug/L	200	11.58	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3611	5000	98%		
NAL13026-1538MS	316-343	ORG 10061-01-5	cis-1,3-Dichloropropene	4900		ug/L	100	25.01	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3611	5000	98%		
NAL13026-1538MS	316-343	ORG 108-88-3	Toluene	4500		ug/L	100	20.96	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3611	5000	90%		
NAL13026-1538MS	316-343	ORG 108-10-1	4-Methyl-2-pentanone	4800		ug/L	500	74.00	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3611	5000	90%		300
NAL13026-1538MS	316-343	ORG 10061-02-6	trans-1,3-Dichloropropene	5300		ug/L	100	31.15	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3611	5000	106%		
NAL13026-1538MS	316-343	ORG 127-18-4	Tetrachloroethene	3900		ug/L	100	48.56	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3611	5000	78%		
NAL13026-1538MS	316-343	ORG 79-00-5	1,1,2-Trichloroethane	4600		ug/L	100	34.28	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3611	5000	92%		
NAL13026-1538MS	316-343	ORG 124-48-1	Dibromochloromethane	4900		ug/L	500	29.90	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3611	5000	98%		
NAL13026-1538MS	316-343	ORG 106-93-4	1,2-Dibromoethane	4700		ug/L	200	26.49	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3611	5000	94%		
NAL13026-1538MS	316-343	ORG 591-78-6	2-Hexanone	4200		ug/L	200	68.90	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3611	5000	72%		580
NAL13026-1538MS	316-343	ORG 100-41-4	Ethylbenzene	5100		ug/L	100	25.38	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3611	5000	102%		
NAL13026-1538MS	316-343	ORG 108-90-7	Chlorobenzene	4900		ug/L	100	27.52	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3611	5000	98%		
NAL13026-1538MS	316-343	ORG 630-20-6	1,1,1,2-Tetrachloroethane	5200		ug/L	200	19.28	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3611	5000	104%		
NAL13026-1538MS	316-343	ORG XYLMP	p&m-Xylene	9700		ug/L	200	26.14	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3611	10000	97%		
NAL13026-1538MS	316-343	ORG 95-47-6	o-Xylene	5100		ug/L	100	12.90	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3611	5000	102%		
NAL13026-1538MS	316-343	ORG 100-42-5	Styrene	5300		ug/L	100	20.23	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3611	5000	106%		
NAL13026-1538MS	316-343	ORG 75-25-2	Bromoform	4900		ug/L	200	46.83	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3611	5000	98%		
NAL13026-1538MS	316-343	ORG 98-82-8	Isopropylbenzene	5200		ug/L	200	20.48	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3611	5000	104%		
NAL13026-1538MS	316-343	ORG 103-65-1	n-Propylbenzene	5200		ug/L	200	27.00	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3611	5000	104%		
NAL13026-1538MS	316-343	ORG 79-34-5	1,1,2,2-Tetrachloroethane	5100		ug/L	200	29.16	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3611	5000	102%		



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@nevagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

- B** = Analyte is found in the associated blank as well as in the sample.
- D** = Compound identified in an analysis at a secondary dilution factor.
- E** = Compound's concentration exceeds the calibration range of the instrument at this dilution.
- X** = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
- J** = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
- M** = Matrix assessment, QC analyses parameter exceeded control limits.
- U** = Non-detect
- * NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1538MS	316-343	ORG 96-18-4	1,2,3-Trichloropropane	4700		ug/L	200	29.47	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3611	5000	94%		
NAL13026-1538MS	316-343	ORG 108-67-8	1,3,5-Trimethylbenzene	5200		ug/L	200	20.03	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3611	5000	104%		
NAL13026-1538MS	316-343	ORG 98-06-6	tert-Butylbenzene	5300		ug/L	200	32.61	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3611	5000	106%		
NAL13026-1538MS	316-343	ORG 95-63-6	1,2,4-Trimethylbenzene	5200		ug/L	200	20.03	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3611	5000	103%		54
NAL13026-1538MS	316-343	ORG 135-98-8	sec-Butylbenzene	5200		ug/L	200	32.34	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3611	5000	104%		
NAL13026-1538MS	316-343	ORG 541-73-1	1,3-Dichlorobenzene	4900		ug/L	200	22.21	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3611	5000	98%		
NAL13026-1538MS	316-343	ORG 99-87-6	p-Isopropyltoluene	5400		ug/L	200	25.48	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3611	5000	100%		380
NAL13026-1538MS	316-343	ORG 106-46-7	1,4-Dichlorobenzene	5000		ug/L	200	33.03	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3611	5000	98%		120
NAL13026-1538MS	316-343	ORG 95-50-1	1,2-Dichlorobenzene	4900		ug/L	200	26.38	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3611	5000	98%		
NAL13026-1538MS	316-343	ORG 104-51-8	n-Butylbenzene	5400		ug/L	500	27.81	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3611	5000	108%		
NAL13026-1538MS	316-343	ORG 96-12-8	1,2-Dibromo-3-chloropropane	5200		ug/L	500	159.11	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3611	5000	104%		
NAL13026-1538MS	316-343	ORG 87-68-3	Hexachlorobutadiene	5000		ug/L	500	65.42	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3611	5000	100%		
NAL13026-1538MS	316-343	ORG 120-82-1	1,2,4-Trichlorobenzene	5200		ug/L	500	27.63	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3611	5000	104%		
NAL13026-1538MS	316-343	ORG 91-20-3	Naphthalene	5800		ug/L	500	56.04	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3611	5000	96%		1000
NAL13026-1538MS	316-343	ORG 87-61-6	1,2,3-Trichlorobenzene	5000		ug/L	500	23.28	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3611	5000	100%		
NAL13026-1538MS	316-343	STD 1868-53-7	Dibromofluoromethane	49		ug/L	1	0	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3611	50	98%		
NAL13026-1538MS	316-343	STD 17060-07-0	1,2-Dichloroethane d4	48		ug/L	1	0	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3611	50	96%		
NAL13026-1538MS	316-343	STD 2037-26-5	Toluene d8	47		ug/L	1	0	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3611	50	94%		
NAL13026-1538MS	316-343	STD 460-00-4	Bromofluorobenzene	52		ug/L	1	0	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3611	50	104%		



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

FINAL ANALYTICAL REPORT

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

- B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assessment, QC analyses parameter exceeded control limits.
U = Non-detect
* NAL is not certified for these compound by NELAC.

Table with 23 columns: Lab ID, Sample ID, CAS #, ANALYTES, Results, QC, Units, RDL, MDL, Sample Date, Prep. Date, Analysis Date, Matrix, Dil., Weight(g), Vol.(ml), % Solid, Method, Data file, Spike, % Rec, % RPD, Parent. Contains 40 rows of analytical data for various compounds like Dichlorodifluoromethane, Chloromethane, Vinyl chloride, etc.

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assessment, QC analyses parameter exceeded control limits.
U = Non-detect
 * NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1538MSD	316-343	ORG 96-18-4	1,2,3-Trichloropropane	4600		ug/L	200	29.47	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3612	5000	92%	2%	
NAL13026-1538MSD	316-343	ORG 108-67-8	1,3,5-Trimethylbenzene	5000		ug/L	200	20.03	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3612	5000	100%	4%	
NAL13026-1538MSD	316-343	ORG 98-06-6	tert-Butylbenzene	5200		ug/L	200	32.61	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3612	5000	104%	2%	
NAL13026-1538MSD	316-343	ORG 95-63-6	1,2,4-Trimethylbenzene	5000		ug/L	200	20.03	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3612	5000	99%	4%	54
NAL13026-1538MSD	316-343	ORG 135-98-8	sec-Butylbenzene	5100		ug/L	200	32.34	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3612	5000	102%	2%	
NAL13026-1538MSD	316-343	ORG 541-73-1	1,3-Dichlorobenzene	4800		ug/L	200	22.21	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3612	5000	96%	2%	
NAL13026-1538MSD	316-343	ORG 99-87-6	p-Isopropyltoluene	5300		ug/L	200	25.48	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3612	5000	98%	2%	380
NAL13026-1538MSD	316-343	ORG 106-46-7	1,4-Dichlorobenzene	4800		ug/L	200	33.03	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3612	5000	94%	4%	120
NAL13026-1538MSD	316-343	ORG 95-50-1	1,2-Dichlorobenzene	4700		ug/L	200	26.38	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3612	5000	94%	4%	
NAL13026-1538MSD	316-343	ORG 104-51-8	n-Butylbenzene	5400		ug/L	500	27.81	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3612	5000	108%	0%	
NAL13026-1538MSD	316-343	ORG 96-12-8	1,2-Dibromo-3-chloropropane	5100		ug/L	500	159.11	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3612	5000	102%	2%	
NAL13026-1538MSD	316-343	ORG 87-68-3	Hexachlorobutadiene	5200		ug/L	500	65.42	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3612	5000	104%	4%	
NAL13026-1538MSD	316-343	ORG 120-82-1	1,2,4-Trichlorobenzene	5100		ug/L	500	27.63	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3612	5000	102%	2%	
NAL13026-1538MSD	316-343	ORG 91-20-3	Naphthalene	5800		ug/L	500	56.04	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3612	5000	96%	0%	1000
NAL13026-1538MSD	316-343	ORG 87-61-6	1,2,3-Trichlorobenzene	5000		ug/L	500	23.28	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3612	5000	100%	0%	
NAL13026-1538MSD	316-343	STD 1868-53-7	Dibromofluoromethane	50		ug/L	1	0	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3612	50	100%	2%	
NAL13026-1538MSD	316-343	STD 17060-07-0	1,2-Dichloroethane d4	48		ug/L	1	0	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3612	50	96%	0%	
NAL13026-1538MSD	316-343	STD 2037-26-5	Toluene d8	48		ug/L	1	0	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3612	50	96%	2%	
NAL13026-1538MSD	316-343	STD 460-00-4	Bromofluorobenzene	52		ug/L	1	0	6/27/2014	6/27/2014	6/27/2014	WG	100	NA	5.0	NA	SW8260B	NALD3612	50	104%	0%	

FINAL ANALYTICAL REPORT

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1542	316-344	ORG 75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3617				
NAL13026-1542	316-344	ORG 74-87-3	Chloromethane		U	ug/L	500	43.07	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3617				
NAL13026-1542	316-344	ORG 75-01-4	Vinyl chloride		U	ug/L	200	31.86	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3617				
NAL13026-1542	316-344	ORG 74-83-9	Bromomethane		U	ug/L	500	50.04	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3617				
NAL13026-1542	316-344	ORG 75-00-3	Chloroethane		U	ug/L	500	55.61	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3617				
NAL13026-1542	316-344	ORG 75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3617				
NAL13026-1542	316-344	ORG 75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3617				
NAL13026-1542	316-344	ORG 75-09-2	Methylene chloride		U	ug/L	500	26.46	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3617				
NAL13026-1542	316-344	ORG 67-64-1	Acetone	110000	D	ug/L	10000	1556.07	6/28/2014	6/28/2014	6/28/2014	WG	1000	NA	5.0	NA	SW8260B	NALD3618				
NAL13026-1542	316-344	ORG 156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3617				
NAL13026-1542	316-344	ORG 1634-04-4	MTBE		U	ug/L	500	61.18	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3617				
NAL13026-1542	316-344	ORG 75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3617				
NAL13026-1542	316-344	ORG 156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3617				
NAL13026-1542	316-344	ORG 74-97-5	Bromochloromethane		U	ug/L	200	41.37	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3617				
NAL13026-1542	316-344	ORG 67-66-3	Chloroform		U	ug/L	100	15.73	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3617				
NAL13026-1542	316-344	ORG 71-55-6	1,1,1-Trichloroethane		U	ug/L	100	16.65	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3617				
NAL13026-1542	316-344	ORG 78-93-3	2-Butanone	17000	D	ug/L	10000	811.80	6/28/2014	6/28/2014	6/28/2014	WG	1000	NA	5.0	NA	SW8260B	NALD3618				
NAL13026-1542	316-344	ORG 56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3617				
NAL13026-1542	316-344	ORG 71-43-2	Benzene		U	ug/L	100	13.53	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3617				
NAL13026-1542	316-344	ORG 107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3617				
NAL13026-1542	316-344	ORG 79-01-6	Trichloroethene		U	ug/L	100	36.33	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3617				
NAL13026-1542	316-344	ORG 74-95-3	Dibromomethane		U	ug/L	200	32.20	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3617				
NAL13026-1542	316-344	ORG 78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3617				
NAL13026-1542	316-344	ORG 75-27-4	Bromodichloromethane		U	ug/L	200	11.58	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3617				
NAL13026-1542	316-344	ORG 10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3617				
NAL13026-1542	316-344	ORG 108-88-3	Toluene		U	ug/L	100	20.96	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3617				
NAL13026-1542	316-344	ORG 108-10-1	4-Methyl-2-pentanone	270	J	ug/L	500	74.00	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3617				
NAL13026-1542	316-344	ORG 10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3617				
NAL13026-1542	316-344	ORG 127-18-4	Tetrachloroethene		UX-	ug/L	100	48.56	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3617				
NAL13026-1542	316-344	ORG 79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3617				
NAL13026-1542	316-344	ORG 124-48-1	Dibromochloromethane		U	ug/L	200	29.90	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3617				
NAL13026-1542	316-344	ORG 106-93-4	1,2-Dibromoethane		U	ug/L	200	26.49	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3617				
NAL13026-1542	316-344	ORG 591-78-6	2-Hexanone	550		ug/L	500	68.90	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3617				
NAL13026-1542	316-344	ORG 100-41-4	Ethylbenzene		U	ug/L	100	25.38	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3617				
NAL13026-1542	316-344	ORG 108-90-7	Chlorobenzene		U	ug/L	100	27.52	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3617				
NAL13026-1542	316-344	ORG 630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3617				
NAL13026-1542	316-344	ORG XYLMP	p&m-Xylene		U	ug/L	200	26.14	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3617				
NAL13026-1542	316-344	ORG 95-47-6	o-Xylene		U	ug/L	100	12.90	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3617				
NAL13026-1542	316-344	ORG 100-42-5	Styrene		U	ug/L	100	20.23	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3617				
NAL13026-1542	316-344	ORG 75-25-2	Bromoform		U	ug/L	200	46.83	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3617				
NAL13026-1542	316-344	ORG 98-82-8	Isopropylbenzene		U	ug/L	200	20.48	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3617				
NAL13026-1542	316-344	ORG 103-65-1	n-Propylbenzene		U	ug/L	200	27.00	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3617				
NAL13026-1542	316-344	ORG 79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3617				
NAL13026-1542	316-344	ORG 96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3617				

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1542	316-344	ORG 108-67-8	1,3,5-Trimethylbenzene		U	ug/L	200	20.03	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3617				
NAL13026-1542	316-344	ORG 98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3617				
NAL13026-1542	316-344	ORG 95-63-6	1,2,4-Trimethylbenzene	92	J	ug/L	200	20.03	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3617				
NAL13026-1542	316-344	ORG 135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3617				
NAL13026-1542	316-344	ORG 541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3617				
NAL13026-1542	316-344	ORG 99-87-6	p-Isopropyltoluene	510		ug/L	200	25.48	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3617				
NAL13026-1542	316-344	ORG 106-46-7	1,4-Dichlorobenzene	130	J	ug/L	200	33.03	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3617				
NAL13026-1542	316-344	ORG 95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3617				
NAL13026-1542	316-344	ORG 104-51-8	n-Butylbenzene		U	ug/L	500	27.81	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3617				
NAL13026-1542	316-344	ORG 96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3617				
NAL13026-1542	316-344	ORG 87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3617				
NAL13026-1542	316-344	ORG 120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3617				
NAL13026-1542	316-344	ORG 91-20-3	Naphthalene	950		ug/L	500	56.04	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3617				
NAL13026-1542	316-344	ORG 87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3617				
NAL13026-1542	316-344	STD 1868-53-7	Dibromofluoromethane	49		ug/L	1	0	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3617	50	98%		
NAL13026-1542	316-344	STD 17060-07-0	1,2-Dichloroethane d4	51		ug/L	1	0	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3617	50	102%		
NAL13026-1542	316-344	STD 2037-26-5	Toluene d8	48		ug/L	1	0	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3617	50	96%		
NAL13026-1542	316-344	STD 460-00-4	Bromofluorobenzene	51		ug/L	1	0	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3617	50	102%		

FINAL ANALYTICAL REPORT

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assessment, QC analyses parameter exceeded control limits.
U = Non-detect
* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1543	CB 06-28-14	ORG 75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3619				
NAL13026-1543	CB 06-28-14	ORG 74-87-3	Chloromethane		U	ug/L	500	43.07	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3619				
NAL13026-1543	CB 06-28-14	ORG 75-01-4	Vinyl chloride		U	ug/L	200	31.86	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3619				
NAL13026-1543	CB 06-28-14	ORG 74-83-9	Bromomethane		U	ug/L	500	50.04	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3619				
NAL13026-1543	CB 06-28-14	ORG 75-00-3	Chloroethane		U	ug/L	500	55.61	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3619				
NAL13026-1543	CB 06-28-14	ORG 75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3619				
NAL13026-1543	CB 06-28-14	ORG 75-35-4	1,1-Dichloroethane		U	ug/L	100	47.11	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3619				
NAL13026-1543	CB 06-28-14	ORG 75-09-2	Methylene chloride		U	ug/L	500	26.46	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3619				
NAL13026-1543	CB 06-28-14	ORG 67-64-1	Acetone	4300		ug/L	1000	155.61	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3619				
NAL13026-1543	CB 06-28-14	ORG 156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3619				
NAL13026-1543	CB 06-28-14	ORG 1634-04-4	MTBE		U	ug/L	500	61.18	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3619				
NAL13026-1543	CB 06-28-14	ORG 75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3619				
NAL13026-1543	CB 06-28-14	ORG 156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3619				
NAL13026-1543	CB 06-28-14	ORG 74-97-5	Bromochloromethane		U	ug/L	200	41.37	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3619				
NAL13026-1543	CB 06-28-14	ORG 67-66-3	Chloroform		U	ug/L	100	15.73	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3619				
NAL13026-1543	CB 06-28-14	ORG 71-55-6	1,1,1-Trichloroethane		U	ug/L	100	16.65	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3619				
NAL13026-1543	CB 06-28-14	ORG 78-93-3	2-Butanone	900		J	ug/L	1000	81.18	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3619				
NAL13026-1543	CB 06-28-14	ORG 56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3619				
NAL13026-1543	CB 06-28-14	ORG 71-43-2	Benzene		U	ug/L	100	13.53	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3619				
NAL13026-1543	CB 06-28-14	ORG 107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3619				
NAL13026-1543	CB 06-28-14	ORG 79-01-6	Trichloroethene		U	ug/L	100	36.33	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3619				
NAL13026-1543	CB 06-28-14	ORG 74-95-3	Dibromomethane		U	ug/L	200	32.20	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3619				
NAL13026-1543	CB 06-28-14	ORG 78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3619				
NAL13026-1543	CB 06-28-14	ORG 75-27-4	Bromodichloromethane		U	ug/L	200	11.58	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3619				
NAL13026-1543	CB 06-28-14	ORG 10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3619				
NAL13026-1543	CB 06-28-14	ORG 108-88-3	Toluene		U	ug/L	100	20.96	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3619				
NAL13026-1543	CB 06-28-14	ORG 108-10-1	4-Methyl-2-pentanone		U	ug/L	500	74.00	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3619				
NAL13026-1543	CB 06-28-14	ORG 10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3619				
NAL13026-1543	CB 06-28-14	ORG 127-18-4	Tetrachloroethene		UX-	ug/L	100	48.56	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3619				
NAL13026-1543	CB 06-28-14	ORG 79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3619				
NAL13026-1543	CB 06-28-14	ORG 124-48-1	Dibromochloromethane		U	ug/L	200	29.90	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3619				
NAL13026-1543	CB 06-28-14	ORG 106-93-4	1,2-Dibromoethane		U	ug/L	200	26.49	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3619				
NAL13026-1543	CB 06-28-14	ORG 591-78-6	2-Hexanone		U	ug/L	500	68.90	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3619				
NAL13026-1543	CB 06-28-14	ORG 100-41-4	Ethylbenzene		U	ug/L	100	25.38	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3619				
NAL13026-1543	CB 06-28-14	ORG 108-90-7	Chlorobenzene		U	ug/L	100	27.52	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3619				
NAL13026-1543	CB 06-28-14	ORG 630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3619				
NAL13026-1543	CB 06-28-14	ORG XYLMP	p&m-Xylene		U	ug/L	200	26.14	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3619				
NAL13026-1543	CB 06-28-14	ORG 95-47-6	o-Xylene		U	ug/L	100	12.90	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3619				
NAL13026-1543	CB 06-28-14	ORG 100-42-5	Styrene		U	ug/L	100	20.23	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3619				
NAL13026-1543	CB 06-28-14	ORG 75-25-2	Bromoform		U	ug/L	200	46.83	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3619				
NAL13026-1543	CB 06-28-14	ORG 98-82-8	Isopropylbenzene		U	ug/L	200	20.48	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3619				
NAL13026-1543	CB 06-28-14	ORG 103-65-1	n-Propylbenzene		U	ug/L	200	27.00	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3619				
NAL13026-1543	CB 06-28-14	ORG 79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3619				
NAL13026-1543	CB 06-28-14	ORG 96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3619				

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1543	CB 06-28-14	ORG 108-67-8	1,3,5-Trimethylbenzene	25	J	ug/L	200	20.03	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3619				
NAL13026-1543	CB 06-28-14	ORG 98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3619				
NAL13026-1543	CB 06-28-14	ORG 95-63-6	1,2,4-Trimethylbenzene	110	J	ug/L	200	20.03	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3619				
NAL13026-1543	CB 06-28-14	ORG 135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3619				
NAL13026-1543	CB 06-28-14	ORG 541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3619				
NAL13026-1543	CB 06-28-14	ORG 99-87-6	p-Isopropyltoluene	910		ug/L	200	25.48	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3619				
NAL13026-1543	CB 06-28-14	ORG 106-46-7	1,4-Dichlorobenzene	110	J	ug/L	200	33.03	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3619				
NAL13026-1543	CB 06-28-14	ORG 95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3619				
NAL13026-1543	CB 06-28-14	ORG 104-51-8	n-Butylbenzene	36	J	ug/L	500	27.81	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3619				
NAL13026-1543	CB 06-28-14	ORG 96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3619				
NAL13026-1543	CB 06-28-14	ORG 87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3619				
NAL13026-1543	CB 06-28-14	ORG 120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3619				
NAL13026-1543	CB 06-28-14	ORG 91-20-3	Naphthalene	520		ug/L	500	56.04	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3619				
NAL13026-1543	CB 06-28-14	ORG 87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3619				
NAL13026-1543	CB 06-28-14	STD 1868-53-7	Dibromofluoromethane	49		ug/L	1	0	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3619	50	98%		
NAL13026-1543	CB 06-28-14	STD 17060-07-0	1,2-Dichloroethane d4	51		ug/L	1	0	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3619	50	102%		
NAL13026-1543	CB 06-28-14	STD 2037-26-5	Toluene d8	48		ug/L	1	0	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3619	50	96%		
NAL13026-1543	CB 06-28-14	STD 460-00-4	Bromofluorobenzene	53		ug/L	1	0	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3619	50	106%		



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
 Tel: 888-685-1628 • mobilelabs@newagelandmark.com

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

FINAL ANALYTICAL REPORT

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

- B** = Analyte is found in the associated blank as well as in the sample.
 - D** = Compound identified in an analysis at a secondary dilution factor.
 - E** = Compound's concentration exceeds the calibration range of the instrument at this dilution.
 - X** = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
 - J** = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
 - M** = Matrix assessment, QC analyses parameter exceeded control limits.
 - U** = Non-detect
- * NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D062814CCVA	D062814CCVA	ORG 75-71-8	Dichlorodifluoromethane	63		ug/L	5	0.29	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3614	50	126%		
D062814CCVA	D062814CCVA	ORG 74-87-3	Chloromethane	59		ug/L	5	0.43	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3614	50	118%		
D062814CCVA	D062814CCVA	ORG 75-01-4	Vinyl chloride	57		ug/L	2	0.32	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3614	50	114%		
D062814CCVA	D062814CCVA	ORG 74-83-9	Bromomethane	80		ug/L	5	0.50	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3614	50	160%		
D062814CCVA	D062814CCVA	ORG 75-00-3	Chloroethane	74		ug/L	5	0.56	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3614	50	148%		
D062814CCVA	D062814CCVA	ORG 75-69-4	Trichlorofluoromethane	160		ug/L	5	0.20	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3614	50	320%		
D062814CCVA	D062814CCVA	ORG 75-35-4	1,1-Dichloroethene	44		ug/L	1	0.47	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3614	50	88%		
D062814CCVA	D062814CCVA	ORG 75-09-2	Methylene chloride	52		ug/L	5	0.26	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3614	50	104%		
D062814CCVA	D062814CCVA	ORG 67-64-1	Acetone	57		ug/L	10	1.56	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3614	50	114%		
D062814CCVA	D062814CCVA	ORG 156-60-5	trans-1,2-Dichloroethene	47		ug/L	1	0.56	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3614	50	94%		
D062814CCVA	D062814CCVA	ORG 1634-04-4	MTBE	44		ug/L	5	0.61	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3614	50	88%		
D062814CCVA	D062814CCVA	ORG 75-34-3	1,1-Dichloroethane	49		ug/L	1	0.53	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3614	50	98%		
D062814CCVA	D062814CCVA	ORG 156-59-2	cis-1,2-Dichloroethene	48		ug/L	1	0.32	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3614	50	96%		
D062814CCVA	D062814CCVA	ORG 74-97-5	Bromochloromethane	46		ug/L	10	0.41	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3614	50	92%		
D062814CCVA	D062814CCVA	ORG 67-66-3	Chloroform	46		ug/L	2	0.16	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3614	50	92%		
D062814CCVA	D062814CCVA	ORG 71-55-6	1,1,1-Trichloroethane	48		ug/L	1	0.17	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3614	50	96%		
D062814CCVA	D062814CCVA	ORG 78-93-3	2-Butanone	49		ug/L	1	0.81	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3614	50	98%		
D062814CCVA	D062814CCVA	ORG 56-23-5	Carbon tetrachloride	48		ug/L	1	0.28	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3614	50	96%		
D062814CCVA	D062814CCVA	ORG 71-43-2	Benzene	46		ug/L	1	0.14	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3614	50	92%		
D062814CCVA	D062814CCVA	ORG 107-06-2	1,2-Dichloroethane	44		ug/L	1	0.20	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3614	50	88%		
D062814CCVA	D062814CCVA	ORG 79-01-6	Trichloroethene	46		ug/L	1	0.36	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3614	50	92%		
D062814CCVA	D062814CCVA	ORG 74-95-3	Dibromomethane	47		ug/L	2	0.32	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3614	50	94%		
D062814CCVA	D062814CCVA	ORG 78-87-5	1,2-Dichloropropane	50		ug/L	1	0.18	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3614	50	100%		
D062814CCVA	D062814CCVA	ORG 75-27-4	Bromodichloromethane	49		ug/L	2	0.12	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3614	50	98%		
D062814CCVA	D062814CCVA	ORG 10061-01-5	cis-1,3-Dichloropropene	51		ug/L	1	0.25	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3614	50	102%		
D062814CCVA	D062814CCVA	ORG 108-88-3	Toluene	46		ug/L	1	0.21	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3614	50	92%		
D062814CCVA	D062814CCVA	ORG 108-10-1	4-Methyl-2-pentanone	47		ug/L	5	0.74	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3614	50	94%		
D062814CCVA	D062814CCVA	ORG 10061-02-6	trans-1,3-Dichloropropene	53		ug/L	1	0.31	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3614	50	106%		
D062814CCVA	D062814CCVA	ORG 127-18-4	Tetrachloroethene	40		ug/L	1	0.49	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3614	50	80%		
D062814CCVA	D062814CCVA	ORG 79-00-5	1,1,2-Trichloroethane	46		ug/L	1	0.34	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3614	50	92%		
D062814CCVA	D062814CCVA	ORG 124-48-1	Dibromochloromethane	50		ug/L	5	0.30	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3614	50	100%		
D062814CCVA	D062814CCVA	ORG 106-93-4	1,2-Dibromoethane	45		ug/L	2	0.26	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3614	50	90%		
D062814CCVA	D062814CCVA	ORG 591-78-6	2-Hexanone	50		ug/L	2	0.69	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3614	50	100%		
D062814CCVA	D062814CCVA	ORG 100-41-4	Ethylbenzene	49		ug/L	1	0.25	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3614	50	98%		
D062814CCVA	D062814CCVA	ORG 108-90-7	Chlorobenzene	47		ug/L	1	0.28	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3614	50	94%		
D062814CCVA	D062814CCVA	ORG 630-20-6	1,1,1,2-Tetrachloroethane	52		ug/L	2	0.19	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3614	50	104%		
D062814CCVA	D062814CCVA	ORG XYLMP	p&m-Xylene	93		ug/L	2	0.26	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3614	100	93%		
D062814CCVA	D062814CCVA	ORG 95-47-6	o-Xylene	48		ug/L	1	0.13	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3614	50	96%		
D062814CCVA	D062814CCVA	ORG 100-42-5	Styrene	52		ug/L	1	0.20	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3614	50	104%		
D062814CCVA	D062814CCVA	ORG 75-25-2	Bromoform	47		ug/L	2	0.47	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3614	50	94%		
D062814CCVA	D062814CCVA	ORG 98-82-8	Isopropylbenzene	51		ug/L	2	0.20	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3614	50	102%		
D062814CCVA	D062814CCVA	ORG 103-65-1	n-Propylbenzene	52		ug/L	2	0.27	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3614	50	104%		
D062814CCVA	D062814CCVA	ORG 79-34-5	1,1,2,2-Tetrachloroethane	47		ug/L	2	0.29	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3614	50	94%		
D062814CCVA	D062814CCVA	ORG 96-18-4	1,2,3-Trichloropropane	43		ug/L	2	0.29	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3614	50	86%		

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D062814CCVA	D062814CCVA	ORG 108-67-8	1,3,5-Trimethylbenzene	50		ug/L	2	0.20	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3614	50	100%		
D062814CCVA	D062814CCVA	ORG 98-06-6	tert-Butylbenzene	52		ug/L	2	0.33	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3614	50	104%		
D062814CCVA	D062814CCVA	ORG 95-63-6	1,2,4-Trimethylbenzene	50		ug/L	2	0.20	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3614	50	100%		
D062814CCVA	D062814CCVA	ORG 135-98-8	sec-Butylbenzene	51		ug/L	2	0.32	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3614	50	102%		
D062814CCVA	D062814CCVA	ORG 541-73-1	1,3-Dichlorobenzene	49		ug/L	2	0.22	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3614	50	98%		
D062814CCVA	D062814CCVA	ORG 99-87-6	p-Isopropyltoluene	51		ug/L	2	0.25	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3614	50	102%		
D062814CCVA	D062814CCVA	ORG 106-46-7	1,4-Dichlorobenzene	47		ug/L	2	0.33	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3614	50	94%		
D062814CCVA	D062814CCVA	ORG 95-50-1	1,2-Dichlorobenzene	47		ug/L	2	0.26	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3614	50	94%		
D062814CCVA	D062814CCVA	ORG 104-51-8	n-Butylbenzene	54		ug/L	5	0.28	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3614	50	108%		
D062814CCVA	D062814CCVA	ORG 96-12-8	1,2-Dibromo-3-chloropropane	45		ug/L	5	1.59	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3614	50	90%		
D062814CCVA	D062814CCVA	ORG 87-68-3	Hexachlorobutadiene	52		ug/L	5	0.65	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3614	50	104%		
D062814CCVA	D062814CCVA	ORG 120-82-1	1,2,4-Trichlorobenzene	48		ug/L	5	0.28	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3614	50	96%		
D062814CCVA	D062814CCVA	ORG 91-20-3	Naphthalene	41		ug/L	5	0.56	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3614	50	82%		
D062814CCVA	D062814CCVA	ORG 87-61-6	1,2,3-Trichlorobenzene	46		ug/L	5	0.23	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3614	50	92%		
D062814CCVA	D062814CCVA	STD 1868-53-7	Dibromofluoromethane	49		ug/L	1	0	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3614	50	98%		
D062814CCVA	D062814CCVA	STD 17060-07-0	1,2-Dichloroethane d4	46		ug/L	1	0	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3614	50	92%		
D062814CCVA	D062814CCVA	STD 2037-26-5	Toluene d8	48		ug/L	1	0	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3614	50	96%		
D062814CCVA	D062814CCVA	STD 460-00-4	Bromofluorobenzene	52		ug/L	1	0	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3614	50	104%		



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D062814MBKA	D062814MBKA	ORG 75-71-8	Dichlorodifluoromethane	U		ug/L	5	0.29	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3616				
D062814MBKA	D062814MBKA	ORG 74-87-3	Chloromethane	U		ug/L	5	0.43	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3616				
D062814MBKA	D062814MBKA	ORG 75-01-4	Vinyl chloride	U		ug/L	2	0.32	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3616				
D062814MBKA	D062814MBKA	ORG 74-83-9	Bromomethane	U		ug/L	5	0.50	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3616				
D062814MBKA	D062814MBKA	ORG 75-00-3	Chloroethane	U		ug/L	5	0.56	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3616				
D062814MBKA	D062814MBKA	ORG 75-69-4	Trichlorofluoromethane	U		ug/L	5	0.20	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3616				
D062814MBKA	D062814MBKA	ORG 75-35-4	1,1-Dichloroethene	U		ug/L	1	0.47	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3616				
D062814MBKA	D062814MBKA	ORG 75-09-2	Methylene chloride	U		ug/L	5	0.26	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3616				
D062814MBKA	D062814MBKA	ORG 67-64-1	Acetone	U		ug/L	10	1.56	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3616				
D062814MBKA	D062814MBKA	ORG 156-60-5	trans-1,2-Dichloroethene	U		ug/L	1	0.56	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3616				
D062814MBKA	D062814MBKA	ORG 1634-04-4	MTBE	U		ug/L	5	0.61	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3616				
D062814MBKA	D062814MBKA	ORG 75-34-3	1,1-Dichloroethane	U		ug/L	1	0.53	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3616				
D062814MBKA	D062814MBKA	ORG 156-59-2	cis-1,2-Dichloroethene	U		ug/L	1	0.32	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3616				
D062814MBKA	D062814MBKA	ORG 74-97-5	Bromochloromethane	U		ug/L	10	0.41	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3616				
D062814MBKA	D062814MBKA	ORG 67-66-3	Chloroform	U		ug/L	2	0.16	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3616				
D062814MBKA	D062814MBKA	ORG 71-55-6	1,1,1-Trichloroethane	U		ug/L	1	0.17	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3616				
D062814MBKA	D062814MBKA	ORG 78-93-3	2-Butanone	U		ug/L	1	0.81	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3616				
D062814MBKA	D062814MBKA	ORG 56-23-5	Carbon tetrachloride	U		ug/L	1	0.28	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3616				
D062814MBKA	D062814MBKA	ORG 71-43-2	Benzene	U		ug/L	1	0.14	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3616				
D062814MBKA	D062814MBKA	ORG 107-06-2	1,2-Dichloroethane	U		ug/L	1	0.20	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3616				
D062814MBKA	D062814MBKA	ORG 79-01-6	Trichloroethene	U		ug/L	1	0.36	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3616				
D062814MBKA	D062814MBKA	ORG 74-95-3	Dibromomethane	U		ug/L	2	0.32	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3616				
D062814MBKA	D062814MBKA	ORG 78-87-5	1,2-Dichloropropane	U		ug/L	1	0.18	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3616				
D062814MBKA	D062814MBKA	ORG 75-27-4	Bromodichloromethane	U		ug/L	2	0.12	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3616				
D062814MBKA	D062814MBKA	ORG 10061-01-5	cis-1,3-Dichloropropene	U		ug/L	1	0.25	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3616				
D062814MBKA	D062814MBKA	ORG 108-88-3	Toluene	U		ug/L	1	0.21	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3616				
D062814MBKA	D062814MBKA	ORG 108-10-1	4-Methyl-2-pentanone	U		ug/L	5	0.74	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3616				
D062814MBKA	D062814MBKA	ORG 10061-02-6	trans-1,3-Dichloropropene	U		ug/L	1	0.31	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3616				
D062814MBKA	D062814MBKA	ORG 127-18-4	Tetrachloroethene	U		ug/L	1	0.49	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3616				
D062814MBKA	D062814MBKA	ORG 79-00-5	1,1,2-Trichloroethane	U		ug/L	1	0.34	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3616				
D062814MBKA	D062814MBKA	ORG 124-48-1	Dibromochloromethane	U		ug/L	5	0.30	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3616				
D062814MBKA	D062814MBKA	ORG 106-93-4	1,2-Dibromoethane	U		ug/L	2	0.26	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3616				
D062814MBKA	D062814MBKA	ORG 591-78-6	2-Hexanone	U		ug/L	2	0.69	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3616				
D062814MBKA	D062814MBKA	ORG 100-41-4	Ethylbenzene	U		ug/L	1	0.25	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3616				
D062814MBKA	D062814MBKA	ORG 108-90-7	Chlorobenzene	U		ug/L	1	0.28	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3616				
D062814MBKA	D062814MBKA	ORG 630-20-6	1,1,1,2-Tetrachloroethane	U		ug/L	2	0.19	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3616				
D062814MBKA	D062814MBKA	ORG XYLMP	p&m-Xylene	U		ug/L	2	0.26	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3616				
D062814MBKA	D062814MBKA	ORG 95-47-6	o-Xylene	U		ug/L	1	0.13	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3616				
D062814MBKA	D062814MBKA	ORG 100-42-5	Styrene	U		ug/L	1	0.20	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3616				
D062814MBKA	D062814MBKA	ORG 75-25-2	Bromoform	U		ug/L	2	0.47	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3616				
D062814MBKA	D062814MBKA	ORG 98-82-8	Isopropylbenzene	U		ug/L	2	0.20	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3616				
D062814MBKA	D062814MBKA	ORG 103-65-1	n-Propylbenzene	U		ug/L	2	0.27	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3616				
D062814MBKA	D062814MBKA	ORG 79-34-5	1,1,2,2-Tetrachloroethane	U		ug/L	2	0.29	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3616				
D062814MBKA	D062814MBKA	ORG 96-18-4	1,2,3-Trichloropropane	U		ug/L	2	0.29	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3616				

Confidential
D062814AKCF

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D062814MBKA	D062814MBKA	ORG 108-67-8	1,3,5-Trimethylbenzene		U	ug/L	2	0.20	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3616				
D062814MBKA	D062814MBKA	ORG 98-06-6	tert-Butylbenzene		U	ug/L	2	0.33	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3616				
D062814MBKA	D062814MBKA	ORG 95-63-6	1,2,4-Trimethylbenzene		U	ug/L	2	0.20	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3616				
D062814MBKA	D062814MBKA	ORG 135-98-8	sec-Butylbenzene		U	ug/L	2	0.32	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3616				
D062814MBKA	D062814MBKA	ORG 541-73-1	1,3-Dichlorobenzene		U	ug/L	2	0.22	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3616				
D062814MBKA	D062814MBKA	ORG 99-87-6	p-Isopropyltoluene		U	ug/L	2	0.25	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3616				
D062814MBKA	D062814MBKA	ORG 106-46-7	1,4-Dichlorobenzene		U	ug/L	2	0.33	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3616				
D062814MBKA	D062814MBKA	ORG 95-50-1	1,2-Dichlorobenzene		U	ug/L	2	0.26	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3616				
D062814MBKA	D062814MBKA	ORG 104-51-8	n-Butylbenzene		U	ug/L	5	0.28	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3616				
D062814MBKA	D062814MBKA	ORG 96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	5	1.59	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3616				
D062814MBKA	D062814MBKA	ORG 87-68-3	Hexachlorobutadiene		U	ug/L	5	0.65	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3616				
D062814MBKA	D062814MBKA	ORG 120-82-1	1,2,4-Trichlorobenzene		U	ug/L	5	0.28	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3616				
D062814MBKA	D062814MBKA	ORG 91-20-3	Naphthalene		U	ug/L	5	0.56	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3616				
D062814MBKA	D062814MBKA	ORG 87-61-6	1,2,3-Trichlorobenzene		U	ug/L	5	0.23	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3616				
D062814MBKA	D062814MBKA	STD 1868-53-7	Dibromofluoromethane	48		ug/L	1	0	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3616	50	96%		
D062814MBKA	D062814MBKA	STD 17060-07-0	1,2-Dichloroethane d4	51		ug/L	1	0	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3616	50	102%		
D062814MBKA	D062814MBKA	STD 2037-26-5	Toluene d8	49		ug/L	1	0	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3616	50	98%		
D062814MBKA	D062814MBKA	STD 460-00-4	Bromofluorobenzene	52		ug/L	1	0	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3616	50	104%		



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

FINAL ANALYTICAL REPORT

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assessment, QC analyses parameter exceeded control limits.
U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D062814ALCS	D062814ALCS	ORG 75-71-8	Dichlorodifluoromethane	62		ug/L	5	0.29	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3615	50	124%		
D062814ALCS	D062814ALCS	ORG 74-87-3	Chloromethane	56		ug/L	5	0.43	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3615	50	112%		
D062814ALCS	D062814ALCS	ORG 75-01-4	Vinyl chloride	55		ug/L	2	0.32	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3615	50	110%		
D062814ALCS	D062814ALCS	ORG 74-83-9	Bromomethane	87		ug/L	5	0.50	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3615	50	174%		
D062814ALCS	D062814ALCS	ORG 75-00-3	Chloroethane	75		ug/L	5	0.56	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3615	50	150%		
D062814ALCS	D062814ALCS	ORG 75-69-4	Trichlorofluoromethane	180		ug/L	5	0.20	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3615	50	360%		
D062814ALCS	D062814ALCS	ORG 75-35-4	1,1-Dichloroethene	43		ug/L	1	0.47	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3615	50	86%		
D062814ALCS	D062814ALCS	ORG 75-09-2	Methylene chloride	52		ug/L	5	0.26	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3615	50	104%		
D062814ALCS	D062814ALCS	ORG 67-64-1	Acetone	71		ug/L	10	1.56	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3615	50	142%		
D062814ALCS	D062814ALCS	ORG 156-60-5	trans-1,2-Dichloroethene	46		ug/L	1	0.56	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3615	50	92%		
D062814ALCS	D062814ALCS	ORG 1634-04-4	MTBE	44		ug/L	5	0.61	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3615	50	88%		
D062814ALCS	D062814ALCS	ORG 75-34-3	1,1-Dichloroethane	49		ug/L	1	0.53	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3615	50	98%		
D062814ALCS	D062814ALCS	ORG 156-59-2	cis-1,2-Dichloroethene	48		ug/L	1	0.32	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3615	50	96%		
D062814ALCS	D062814ALCS	ORG 74-97-5	Bromochloromethane	48		ug/L	10	0.41	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3615	50	96%		
D062814ALCS	D062814ALCS	ORG 67-66-3	Chloroform	48		ug/L	2	0.16	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3615	50	96%		
D062814ALCS	D062814ALCS	ORG 71-55-6	1,1,1-Trichloroethane	48		ug/L	1	0.17	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3615	50	96%		
D062814ALCS	D062814ALCS	ORG 78-93-3	2-Butanone	48		ug/L	1	0.81	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3615	50	96%		
D062814ALCS	D062814ALCS	ORG 56-23-5	Carbon tetrachloride	48		ug/L	1	0.28	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3615	50	96%		
D062814ALCS	D062814ALCS	ORG 71-43-2	Benzene	47		ug/L	1	0.14	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3615	50	94%		
D062814ALCS	D062814ALCS	ORG 107-06-2	1,2-Dichloroethane	46		ug/L	1	0.20	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3615	50	92%		
D062814ALCS	D062814ALCS	ORG 79-01-6	Trichloroethene	48		ug/L	1	0.36	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3615	50	96%		
D062814ALCS	D062814ALCS	ORG 74-95-3	Dibromomethane	50		ug/L	2	0.32	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3615	50	100%		
D062814ALCS	D062814ALCS	ORG 78-87-5	1,2-Dichloropropane	52		ug/L	1	0.18	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3615	50	104%		
D062814ALCS	D062814ALCS	ORG 75-27-4	Bromodichloromethane	50		ug/L	2	0.12	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3615	50	100%		
D062814ALCS	D062814ALCS	ORG 10061-01-5	cis-1,3-Dichloropropene	52		ug/L	1	0.25	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3615	50	104%		
D062814ALCS	D062814ALCS	ORG 108-88-3	Toluene	46		ug/L	1	0.21	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3615	50	92%		
D062814ALCS	D062814ALCS	ORG 108-10-1	4-Methyl-2-pentanone	47		ug/L	5	0.74	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3615	50	94%		
D062814ALCS	D062814ALCS	ORG 10061-02-6	trans-1,3-Dichloropropene	56		ug/L	1	0.31	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3615	50	112%		
D062814ALCS	D062814ALCS	ORG 127-18-4	Tetrachloroethene	40		ug/L	1	0.49	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3615	50	80%		
D062814ALCS	D062814ALCS	ORG 79-00-5	1,1,2-Trichloroethane	48		ug/L	1	0.34	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3615	50	96%		
D062814ALCS	D062814ALCS	ORG 124-48-1	Dibromochloromethane	50		ug/L	5	0.30	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3615	50	100%		
D062814ALCS	D062814ALCS	ORG 106-93-4	1,2-Dibromoethane	47		ug/L	2	0.26	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3615	50	94%		
D062814ALCS	D062814ALCS	ORG 591-78-6	2-Hexanone	51		ug/L	2	0.69	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3615	50	102%		
D062814ALCS	D062814ALCS	ORG 100-41-4	Ethylbenzene	51		ug/L	1	0.25	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3615	50	102%		
D062814ALCS	D062814ALCS	ORG 108-90-7	Chlorobenzene	50		ug/L	1	0.28	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3615	50	100%		
D062814ALCS	D062814ALCS	ORG 630-20-6	1,1,1,2-Tetrachloroethane	54		ug/L	2	0.19	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3615	50	108%		
D062814ALCS	D062814ALCS	ORG XYLMP	p&w-Xylene	98		ug/L	2	0.26	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3615	100	98%		
D062814ALCS	D062814ALCS	ORG 95-47-6	o-Xylene	51		ug/L	1	0.13	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3615	50	102%		
D062814ALCS	D062814ALCS	ORG 100-42-5	Styrene	54		ug/L	1	0.20	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3615	50	108%		
D062814ALCS	D062814ALCS	ORG 75-25-2	Bromoform	51		ug/L	2	0.47	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3615	50	102%		
D062814ALCS	D062814ALCS	ORG 98-82-8	Isopropylbenzene	52		ug/L	2	0.20	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3615	50	104%		
D062814ALCS	D062814ALCS	ORG 103-65-1	n-Propylbenzene	52		ug/L	2	0.27	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3615	50	104%		
D062814ALCS	D062814ALCS	ORG 79-34-5	1,1,2,2-Tetrachloroethane	51		ug/L	2	0.29	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3615	50	102%		
D062814ALCS	D062814ALCS	ORG 96-18-4	1,2,3-Trichloropropane	47		ug/L	2	0.29	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3615	50	94%		

Confidential
D062814AKCF

D062814AKCF

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D062814ALCS	D062814ALCS	ORG 108-67-8	1,3,5-Trimethylbenzene	51		ug/L	2	0.20	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3615	50	102%		
D062814ALCS	D062814ALCS	ORG 98-06-6	tert-Butylbenzene	54		ug/L	2	0.33	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3615	50	108%		
D062814ALCS	D062814ALCS	ORG 95-63-6	1,2,4-Trimethylbenzene	51		ug/L	2	0.20	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3615	50	102%		
D062814ALCS	D062814ALCS	ORG 135-98-8	sec-Butylbenzene	53		ug/L	2	0.32	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3615	50	106%		
D062814ALCS	D062814ALCS	ORG 541-73-1	1,3-Dichlorobenzene	50		ug/L	2	0.22	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3615	50	100%		
D062814ALCS	D062814ALCS	ORG 99-87-6	p-Isopropyltoluene	52		ug/L	2	0.25	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3615	50	104%		
D062814ALCS	D062814ALCS	ORG 106-46-7	1,4-Dichlorobenzene	49		ug/L	2	0.33	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3615	50	98%		
D062814ALCS	D062814ALCS	ORG 95-50-1	1,2-Dichlorobenzene	49		ug/L	2	0.26	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3615	50	98%		
D062814ALCS	D062814ALCS	ORG 104-51-8	n-Butylbenzene	55		ug/L	5	0.28	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3615	50	110%		
D062814ALCS	D062814ALCS	ORG 96-12-8	1,2-Dibromo-3-chloropropane	50		ug/L	5	1.59	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3615	50	100%		
D062814ALCS	D062814ALCS	ORG 87-68-3	Hexachlorobutadiene	55		ug/L	5	0.65	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3615	50	110%		
D062814ALCS	D062814ALCS	ORG 120-82-1	1,2,4-Trichlorobenzene	53		ug/L	5	0.28	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3615	50	106%		
D062814ALCS	D062814ALCS	ORG 91-20-3	Naphthalene	48		ug/L	5	0.56	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3615	50	96%		
D062814ALCS	D062814ALCS	ORG 87-61-6	1,2,3-Trichlorobenzene	52		ug/L	5	0.23	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3615	50	104%		
D062814ALCS	D062814ALCS	STD 1868-53-7	Dibromofluoromethane	50		ug/L	1	0	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3615	50	100%		
D062814ALCS	D062814ALCS	STD 17060-07-0	1,2-Dichloroethane d4	48		ug/L	1	0	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3615	50	96%		
D062814ALCS	D062814ALCS	STD 2037-26-5	Toluene d8	48		ug/L	1	0	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3615	50	96%		
D062814ALCS	D062814ALCS	STD 460-00-4	Bromofluorobenzene	52		ug/L	1	0	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3615	50	104%		

FINAL ANALYTICAL REPORT

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D062814ALCD	D062814ALCD	ORG 75-71-8	Dichlorodifluoromethane	64		ug/L	5	0.29	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3620	50	128%	3%	
D062814ALCD	D062814ALCD	ORG 74-87-3	Chloromethane	58		ug/L	5	0.43	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3620	50	116%	4%	
D062814ALCD	D062814ALCD	ORG 75-01-4	Vinyl chloride	56		ug/L	2	0.32	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3620	50	112%	2%	
D062814ALCD	D062814ALCD	ORG 74-83-9	Bromomethane	91		ug/L	5	0.50	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3620	50	182%	4%	
D062814ALCD	D062814ALCD	ORG 75-00-3	Chloroethane	77		ug/L	5	0.56	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3620	50	154%	3%	
D062814ALCD	D062814ALCD	ORG 75-69-4	Trichlorofluoromethane	260		ug/L	5	0.20	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3620	50	520%	36%	
D062814ALCD	D062814ALCD	ORG 75-35-4	1,1-Dichloroethene	46		ug/L	1	0.47	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3620	50	92%	7%	
D062814ALCD	D062814ALCD	ORG 75-09-2	Methylene chloride	52		ug/L	5	0.26	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3620	50	104%	0%	
D062814ALCD	D062814ALCD	ORG 67-64-1	Acetone	56		ug/L	10	1.56	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3620	50	112%	24%	
D062814ALCD	D062814ALCD	ORG 156-60-5	trans-1,2-Dichloroethene	47		ug/L	1	0.56	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3620	50	94%	2%	
D062814ALCD	D062814ALCD	ORG 1634-04-4	MTBE	42		ug/L	5	0.61	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3620	50	84%	5%	
D062814ALCD	D062814ALCD	ORG 75-34-3	1,1-Dichloroethane	50		ug/L	1	0.53	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3620	50	100%	2%	
D062814ALCD	D062814ALCD	ORG 156-59-2	cis-1,2-Dichloroethene	49		ug/L	1	0.32	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3620	50	98%	2%	
D062814ALCD	D062814ALCD	ORG 74-97-5	Bromochloromethane	47		ug/L	10	0.41	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3620	50	94%	2%	
D062814ALCD	D062814ALCD	ORG 67-66-3	Chloroform	48		ug/L	2	0.16	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3620	50	96%	0%	
D062814ALCD	D062814ALCD	ORG 71-55-6	1,1,1-Trichloroethane	49		ug/L	1	0.17	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3620	50	98%	2%	
D062814ALCD	D062814ALCD	ORG 78-93-3	2-Butanone	49		ug/L	1	0.81	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3620	50	98%	2%	
D062814ALCD	D062814ALCD	ORG 56-23-5	Carbon tetrachloride	48		ug/L	1	0.28	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3620	50	96%	0%	
D062814ALCD	D062814ALCD	ORG 71-43-2	Benzene	47		ug/L	1	0.14	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3620	50	94%	0%	
D062814ALCD	D062814ALCD	ORG 107-06-2	1,2-Dichloroethane	46		ug/L	1	0.20	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3620	50	92%	0%	
D062814ALCD	D062814ALCD	ORG 79-01-6	Trichloroethene	47		ug/L	1	0.36	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3620	50	94%	2%	
D062814ALCD	D062814ALCD	ORG 74-95-3	Dibromomethane	46		ug/L	2	0.32	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3620	50	92%	8%	
D062814ALCD	D062814ALCD	ORG 78-87-5	1,2-Dichloropropane	51		ug/L	1	0.18	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3620	50	102%	2%	
D062814ALCD	D062814ALCD	ORG 75-27-4	Bromodichloromethane	51		ug/L	2	0.12	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3620	50	102%	2%	
D062814ALCD	D062814ALCD	ORG 10061-01-5	cis-1,3-Dichloropropene	53		ug/L	1	0.25	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3620	50	106%	2%	
D062814ALCD	D062814ALCD	ORG 108-88-3	Toluene	47		ug/L	1	0.21	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3620	50	94%	2%	
D062814ALCD	D062814ALCD	ORG 108-10-1	4-Methyl-2-pentanone	43		ug/L	5	0.74	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3620	50	86%	9%	
D062814ALCD	D062814ALCD	ORG 10061-02-6	trans-1,3-Dichloropropene	54		ug/L	1	0.31	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3620	50	108%	4%	
D062814ALCD	D062814ALCD	ORG 127-18-4	Tetrachloroethene	40		ug/L	1	0.49	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3620	50	80%	0%	
D062814ALCD	D062814ALCD	ORG 79-00-5	1,1,2-Trichloroethane	46		ug/L	1	0.34	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3620	50	92%	4%	
D062814ALCD	D062814ALCD	ORG 124-48-1	Dibromochloromethane	46		ug/L	5	0.30	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3620	50	102%	2%	
D062814ALCD	D062814ALCD	ORG 106-93-4	1,2-Dibromoethane	51		ug/L	2	0.26	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3620	50	92%	2%	
D062814ALCD	D062814ALCD	ORG 591-78-6	2-Hexanone	46		ug/L	2	0.69	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3620	50	92%	10%	
D062814ALCD	D062814ALCD	ORG 100-41-4	Ethylbenzene	52		ug/L	1	0.25	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3620	50	104%	2%	
D062814ALCD	D062814ALCD	ORG 108-90-7	Chlorobenzene	50		ug/L	1	0.28	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3620	50	100%	0%	
D062814ALCD	D062814ALCD	ORG 630-20-6	1,1,1,2-Tetrachloroethane	54		ug/L	2	0.19	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3620	50	108%	0%	
D062814ALCD	D062814ALCD	ORG XYLMP	p&m-Xylene	99		ug/L	2	0.26	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3620	100	99%	1%	
D062814ALCD	D062814ALCD	ORG 95-47-6	o-Xylene	51		ug/L	1	0.13	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3620	50	102%	0%	
D062814ALCD	D062814ALCD	ORG 100-42-5	Styrene	55		ug/L	1	0.20	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3620	50	110%	2%	
D062814ALCD	D062814ALCD	ORG 75-25-2	Bromoform	47		ug/L	2	0.47	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3620	50	94%	8%	
D062814ALCD	D062814ALCD	ORG 98-82-8	Isopropylbenzene	52		ug/L	2	0.20	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3620	50	104%	0%	
D062814ALCD	D062814ALCD	ORG 103-65-1	n-Propylbenzene	53		ug/L	2	0.27	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3620	50	106%	2%	
D062814ALCD	D062814ALCD	ORG 79-34-5	1,1,2,2-Tetrachloroethane	46		ug/L	2	0.29	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3620	50	92%	10%	
D062814ALCD	D062814ALCD	ORG 96-18-4	1,2,3-Trichloropropane	43		ug/L	2	0.29	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3620	50	86%	9%	

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D062814ALCD	D062814ALCD	ORG 108-67-8	1,3,5-Trimethylbenzene	52		ug/L	2	0.20	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3620	50	104%	2%	
D062814ALCD	D062814ALCD	ORG 98-06-6	tert-Butylbenzene	54		ug/L	2	0.33	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3620	50	108%	0%	
D062814ALCD	D062814ALCD	ORG 95-63-6	1,2,4-Trimethylbenzene	51		ug/L	2	0.20	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3620	50	102%	0%	
D062814ALCD	D062814ALCD	ORG 135-98-8	sec-Butylbenzene	53		ug/L	2	0.32	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3620	50	106%	0%	
D062814ALCD	D062814ALCD	ORG 541-73-1	1,3-Dichlorobenzene	50		ug/L	2	0.22	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3620	50	100%	0%	
D062814ALCD	D062814ALCD	ORG 99-87-6	p-Isopropyltoluene	52		ug/L	2	0.25	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3620	50	104%	0%	
D062814ALCD	D062814ALCD	ORG 106-46-7	1,4-Dichlorobenzene	48		ug/L	2	0.33	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3620	50	96%	2%	
D062814ALCD	D062814ALCD	ORG 95-50-1	1,2-Dichlorobenzene	49		ug/L	2	0.26	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3620	50	98%	0%	
D062814ALCD	D062814ALCD	ORG 104-51-8	n-Butylbenzene	56		ug/L	5	0.28	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3620	50	112%	2%	
D062814ALCD	D062814ALCD	ORG 96-12-8	1,2-Dibromo-3-chloropropane	43		ug/L	5	1.59	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3620	50	86%	15%	
D062814ALCD	D062814ALCD	ORG 87-68-3	Hexachlorobutadiene	57		ug/L	5	0.65	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3620	50	114%	4%	
D062814ALCD	D062814ALCD	ORG 120-82-1	1,2,4-Trichlorobenzene	52		ug/L	5	0.28	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3620	50	104%	2%	
D062814ALCD	D062814ALCD	ORG 91-20-3	Naphthalene	43		ug/L	5	0.56	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3620	50	86%	11%	
D062814ALCD	D062814ALCD	ORG 87-61-6	1,2,3-Trichlorobenzene	49		ug/L	5	0.23	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3620	50	98%	6%	
D062814ALCD	D062814ALCD	STD 1868-53-7	Dibromofluoromethane	49		ug/L	1	0	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3620	50	98%	2%	
D062814ALCD	D062814ALCD	STD 17060-07-0	1,2-Dichloroethane d4	47		ug/L	1	0	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3620	50	94%	2%	
D062814ALCD	D062814ALCD	STD 2037-26-5	Toluene d8	49		ug/L	1	0	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3620	50	98%	2%	
D062814ALCD	D062814ALCD	STD 460-00-4	Bromofluorobenzene	51		ug/L	1	0	NA	6/28/2014	6/28/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3620	50	102%	2%	



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

FINAL ANALYTICAL REPORT

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assessment, QC analyses parameter exceeded control limits.
U = Non-detect
* NAL is not certified for these compound by NELAC.

Table with columns: Lab ID, Sample ID, CAS #, ANALYTES, Results, QC, Units, RDL, MDL, Sample Date, Prep. Date, Analysis Date, Matrix, Dil., Weight(g), Vol.(ml), % Solid, Method, Data file, Spike, % Rec, % RPD, Parent. Contains 40 rows of analytical data.

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1542MS	316-344	ORG 108-67-8	1,3,5-Trimethylbenzene	5200		ug/L	200	20.03	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3621	5000	104%		
NAL13026-1542MS	316-344	ORG 98-06-6	tert-Butylbenzene	5300		ug/L	200	32.61	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3621	5000	106%		
NAL13026-1542MS	316-344	ORG 95-63-6	1,2,4-Trimethylbenzene	5200		ug/L	200	20.03	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3621	5000	102%		92
NAL13026-1542MS	316-344	ORG 135-98-8	sec-Butylbenzene	5200		ug/L	200	32.34	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3621	5000	104%		
NAL13026-1542MS	316-344	ORG 541-73-1	1,3-Dichlorobenzene	4900		ug/L	200	22.21	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3621	5000	98%		
NAL13026-1542MS	316-344	ORG 99-87-6	p-Isopropyltoluene	5500		ug/L	200	25.48	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3621	5000	100%		510
NAL13026-1542MS	316-344	ORG 106-46-7	1,4-Dichlorobenzene	5000		ug/L	200	33.03	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3621	5000	97%		130
NAL13026-1542MS	316-344	ORG 95-50-1	1,2-Dichlorobenzene	4800		ug/L	200	26.38	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3621	5000	96%		
NAL13026-1542MS	316-344	ORG 104-51-8	n-Butylbenzene	5400		ug/L	500	27.81	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3621	5000	108%		
NAL13026-1542MS	316-344	ORG 96-12-8	1,2-Dibromo-3-chloropropane	4900		ug/L	500	159.11	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3621	5000	98%		
NAL13026-1542MS	316-344	ORG 87-68-3	Hexachlorobutadiene	5100		ug/L	500	65.42	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3621	5000	102%		
NAL13026-1542MS	316-344	ORG 120-82-1	1,2,4-Trichlorobenzene	5100		ug/L	500	27.63	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3621	5000	102%		
NAL13026-1542MS	316-344	ORG 91-20-3	Naphthalene	5600		ug/L	500	56.04	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3621	5000	93%		950
NAL13026-1542MS	316-344	ORG 87-61-6	1,2,3-Trichlorobenzene	4900		ug/L	500	23.28	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3621	5000	98%		
NAL13026-1542MS	316-344	STD 1868-53-7	Dibromofluoromethane	49		ug/L	1	0	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3621	50	98%		
NAL13026-1542MS	316-344	STD 17060-07-0	1,2-Dichloroethane d4	49		ug/L	1	0	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3621	50	98%		
NAL13026-1542MS	316-344	STD 2037-26-5	Toluene d8	48		ug/L	1	0	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3621	50	96%		
NAL13026-1542MS	316-344	STD 460-00-4	Bromofluorobenzene	53		ug/L	1	0	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3621	50	106%		



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

FINAL ANALYTICAL REPORT

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assessment, QC analyses parameter exceeded control limits.
U = Non-detected
* NAL is not certified for these compound by NELAC.

Table with columns: Lab ID, Sample ID, CAS #, ANALYTES, Results, QC, Units, RDL, MDL, Sample Date, Prep. Date, Analysis Date, Matrix, Dil., Weight(g), Vol.(ml), % Solid, Method, Data file, Spike, % Rec, % RFD, Parent. Contains 40 rows of analytical data for various compounds like Dichlorodifluoromethane, Chloromethane, Vinyl chloride, etc.

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1542MSD	316-344	ORG 108-67-8	1,3,5-Trimethylbenzene	5100		ug/L	200	20.03	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3622	5000	102%	2%	
NAL13026-1542MSD	316-344	ORG 98-06-6	tert-Butylbenzene	5400		ug/L	200	32.61	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3622	5000	108%	2%	
NAL13026-1542MSD	316-344	ORG 95-63-6	1,2,4-Trimethylbenzene	5200		ug/L	200	20.03	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3622	5000	102%	0%	92
NAL13026-1542MSD	316-344	ORG 135-98-8	sec-Butylbenzene	5200		ug/L	200	32.34	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3622	5000	104%	0%	
NAL13026-1542MSD	316-344	ORG 541-73-1	1,3-Dichlorobenzene	4900		ug/L	200	22.21	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3622	5000	98%	0%	
NAL13026-1542MSD	316-344	ORG 99-87-6	p-Isopropyltoluene	5500		ug/L	200	25.48	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3622	5000	100%	0%	510
NAL13026-1542MSD	316-344	ORG 106-46-7	1,4-Dichlorobenzene	5000		ug/L	200	33.03	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3622	5000	97%	0%	130
NAL13026-1542MSD	316-344	ORG 95-50-1	1,2-Dichlorobenzene	4800		ug/L	200	26.38	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3622	5000	96%	0%	
NAL13026-1542MSD	316-344	ORG 104-51-8	n-Butylbenzene	5600		ug/L	500	27.81	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3622	5000	112%	4%	
NAL13026-1542MSD	316-344	ORG 96-12-8	1,2-Dibromo-3-chloropropane	4900		ug/L	500	159.11	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3622	5000	98%	0%	
NAL13026-1542MSD	316-344	ORG 87-68-3	Hexachlorobutadiene	5100		ug/L	500	65.42	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3622	5000	102%	0%	
NAL13026-1542MSD	316-344	ORG 120-82-1	1,2,4-Trichlorobenzene	5200		ug/L	500	27.63	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3622	5000	104%	2%	
NAL13026-1542MSD	316-344	ORG 91-20-3	Naphthalene	5700		ug/L	500	56.04	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3622	5000	95%	2%	950
NAL13026-1542MSD	316-344	ORG 87-61-6	1,2,3-Trichlorobenzene	4900		ug/L	500	23.28	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3622	5000	98%	0%	
NAL13026-1542MSD	316-344	STD 1868-53-7	Dibromofluoromethane	49		ug/L	1	0	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3622	50	98%	0%	
NAL13026-1542MSD	316-344	STD 17060-07-0	1,2-Dichloroethane d4	47		ug/L	1	0	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3622	50	94%	4%	
NAL13026-1542MSD	316-344	STD 2037-26-5	Toluene d8	49		ug/L	1	0	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3622	50	98%	2%	
NAL13026-1542MSD	316-344	STD 460-00-4	Bromofluorobenzene	52		ug/L	1	0	6/28/2014	6/28/2014	6/28/2014	WG	100	NA	5.0	NA	SW8260B	NALD3622	50	104%	2%	

FINAL ANALYTICAL REPORT

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1544	316-345	ORG 75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3627				
NAL13026-1544	316-345	ORG 74-87-3	Chloromethane		U	ug/L	500	43.07	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3627				
NAL13026-1544	316-345	ORG 75-01-4	Vinyl chloride		U	ug/L	200	31.86	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3627				
NAL13026-1544	316-345	ORG 74-83-9	Bromomethane		U	ug/L	500	50.04	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3627				
NAL13026-1544	316-345	ORG 75-00-3	Chloroethane		U	ug/L	500	55.61	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3627				
NAL13026-1544	316-345	ORG 75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3627				
NAL13026-1544	316-345	ORG 75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3627				
NAL13026-1544	316-345	ORG 75-09-2	Methylene chloride		UX-	ug/L	500	26.46	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3627				
NAL13026-1544	316-345	ORG 67-64-1	Acetone	110000	D	ug/L	10000	1556.07	6/29/2014	6/29/2014	6/29/2014	WG	1000	NA	5.0	NA	SW8260B	NALD3628				
NAL13026-1544	316-345	ORG 156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3627				
NAL13026-1544	316-345	ORG 1634-04-4	MTBE		U	ug/L	500	61.18	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3627				
NAL13026-1544	316-345	ORG 75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3627				
NAL13026-1544	316-345	ORG 156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3627				
NAL13026-1544	316-345	ORG 74-97-5	Bromochloromethane		U	ug/L	200	41.37	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3627				
NAL13026-1544	316-345	ORG 67-66-3	Chloroform		U	ug/L	100	15.73	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3627				
NAL13026-1544	316-345	ORG 71-55-6	1,1,1-Trichloroethane		U	ug/L	100	16.65	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3627				
NAL13026-1544	316-345	ORG 78-93-3	2-Butanone	18000	D	ug/L	10000	811.80	6/29/2014	6/29/2014	6/29/2014	WG	1000	NA	5.0	NA	SW8260B	NALD3628				
NAL13026-1544	316-345	ORG 56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3627				
NAL13026-1544	316-345	ORG 71-43-2	Benzene		U	ug/L	100	13.53	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3627				
NAL13026-1544	316-345	ORG 107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3627				
NAL13026-1544	316-345	ORG 79-01-6	Trichloroethene		U	ug/L	100	36.33	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3627				
NAL13026-1544	316-345	ORG 74-95-3	Dibromomethane		U	ug/L	200	32.20	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3627				
NAL13026-1544	316-345	ORG 78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3627				
NAL13026-1544	316-345	ORG 75-27-4	Bromodichloromethane		U	ug/L	200	11.58	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3627				
NAL13026-1544	316-345	ORG 10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3627				
NAL13026-1544	316-345	ORG 108-88-3	Toluene		U	ug/L	100	20.96	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3627				
NAL13026-1544	316-345	ORG 108-10-1	4-Methyl-2-pentanone	260	J	ug/L	500	74.00	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3627				
NAL13026-1544	316-345	ORG 10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3627				
NAL13026-1544	316-345	ORG 127-18-4	Tetrachloroethene		U	ug/L	100	48.56	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3627				
NAL13026-1544	316-345	ORG 79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3627				
NAL13026-1544	316-345	ORG 124-48-1	Dibromochloromethane		U	ug/L	200	29.90	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3627				
NAL13026-1544	316-345	ORG 106-93-4	1,2-Dibromoethane		U	ug/L	200	26.49	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3627				
NAL13026-1544	316-345	ORG 591-78-6	2-Hexanone	490	J	ug/L	500	68.90	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3627				
NAL13026-1544	316-345	ORG 100-41-4	Ethylbenzene		U	ug/L	100	25.38	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3627				
NAL13026-1544	316-345	ORG 108-90-7	Chlorobenzene		U	ug/L	100	27.52	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3627				
NAL13026-1544	316-345	ORG 630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3627				
NAL13026-1544	316-345	ORG XYLMP	p&m-Xylene		U	ug/L	200	26.14	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3627				
NAL13026-1544	316-345	ORG 95-47-6	o-Xylene		U	ug/L	100	12.90	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3627				
NAL13026-1544	316-345	ORG 100-42-5	Styrene		U	ug/L	100	20.23	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3627				
NAL13026-1544	316-345	ORG 75-25-2	Bromoform		U	ug/L	200	46.83	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3627				
NAL13026-1544	316-345	ORG 98-82-8	Isopropylbenzene		U	ug/L	200	20.48	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3627				
NAL13026-1544	316-345	ORG 103-65-1	n-Propylbenzene		U	ug/L	200	27.00	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3627				
NAL13026-1544	316-345	ORG 79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3627				
NAL13026-1544	316-345	ORG 96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3627				

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1544	316-345	ORG 108-67-8	1,3,5-Trimethylbenzene		U	ug/L	200	20.03	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3627				
NAL13026-1544	316-345	ORG 98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3627				
NAL13026-1544	316-345	ORG 95-63-6	1,2,4-Trimethylbenzene	31	J	ug/L	200	20.03	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3627				
NAL13026-1544	316-345	ORG 135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3627				
NAL13026-1544	316-345	ORG 541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3627				
NAL13026-1544	316-345	ORG 99-87-6	p-Isopropyltoluene	190	J	ug/L	200	25.48	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3627				
NAL13026-1544	316-345	ORG 106-46-7	1,4-Dichlorobenzene	72	J	ug/L	200	33.03	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3627				
NAL13026-1544	316-345	ORG 95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3627				
NAL13026-1544	316-345	ORG 104-51-8	n-Butylbenzene		U	ug/L	500	27.81	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3627				
NAL13026-1544	316-345	ORG 96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3627				
NAL13026-1544	316-345	ORG 87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3627				
NAL13026-1544	316-345	ORG 120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3627				
NAL13026-1544	316-345	ORG 91-20-3	Naphthalene	710		ug/L	500	56.04	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3627				
NAL13026-1544	316-345	ORG 87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3627				
NAL13026-1544	316-345	STD 1868-53-7	Dibromofluoromethane	50		ug/L	1	0	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3627	50	100%		
NAL13026-1544	316-345	STD 17060-07-0	1,2-Dichloroethane d4	52		ug/L	1	0	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3627	50	104%		
NAL13026-1544	316-345	STD 2037-26-5	Toluene d8	49		ug/L	1	0	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3627	50	98%		
NAL13026-1544	316-345	STD 460-00-4	Bromofluorobenzene	53		ug/L	1	0	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3627	50	106%		



Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

FINAL ANALYTICAL REPORT

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1545	CB 06-29-14	ORG 75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3629				
NAL13026-1545	CB 06-29-14	ORG 74-87-3	Chloromethane		U	ug/L	500	43.07	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3629				
NAL13026-1545	CB 06-29-14	ORG 75-01-4	Vinyl chloride		U	ug/L	200	31.86	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3629				
NAL13026-1545	CB 06-29-14	ORG 74-83-9	Bromomethane		U	ug/L	500	50.04	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3629				
NAL13026-1545	CB 06-29-14	ORG 75-00-3	Chloroethane		U	ug/L	500	55.61	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3629				
NAL13026-1545	CB 06-29-14	ORG 75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3629				
NAL13026-1545	CB 06-29-14	ORG 75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3629				
NAL13026-1545	CB 06-29-14	ORG 75-09-2	Methylene chloride	4600	UX-	ug/L	500	26.46	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3629				
NAL13026-1545	CB 06-29-14	ORG 67-64-1	Acetone		U	ug/L	1000	155.61	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3629				
NAL13026-1545	CB 06-29-14	ORG 156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3629				
NAL13026-1545	CB 06-29-14	ORG 1634-04-4	MTBE		U	ug/L	500	61.18	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3629				
NAL13026-1545	CB 06-29-14	ORG 75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3629				
NAL13026-1545	CB 06-29-14	ORG 156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3629				
NAL13026-1545	CB 06-29-14	ORG 74-97-5	Bromochloromethane		U	ug/L	200	41.37	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3629				
NAL13026-1545	CB 06-29-14	ORG 67-66-3	Chloroform		U	ug/L	100	15.73	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3629				
NAL13026-1545	CB 06-29-14	ORG 71-55-6	1,1,1-Trichloroethane		U	ug/L	100	16.65	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3629				
NAL13026-1545	CB 06-29-14	ORG 78-93-3	2-Butanone	800	J	ug/L	1000	81.18	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3629				
NAL13026-1545	CB 06-29-14	ORG 56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3629				
NAL13026-1545	CB 06-29-14	ORG 71-43-2	Benzene		U	ug/L	100	13.53	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3629				
NAL13026-1545	CB 06-29-14	ORG 107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3629				
NAL13026-1545	CB 06-29-14	ORG 79-01-6	Trichloroethene		U	ug/L	100	36.33	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3629				
NAL13026-1545	CB 06-29-14	ORG 74-95-3	Dibromomethane		U	ug/L	200	32.20	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3629				
NAL13026-1545	CB 06-29-14	ORG 78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3629				
NAL13026-1545	CB 06-29-14	ORG 75-27-4	Bromodichloromethane		U	ug/L	200	11.58	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3629				
NAL13026-1545	CB 06-29-14	ORG 10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3629				
NAL13026-1545	CB 06-29-14	ORG 108-88-3	Toluene		U	ug/L	100	20.96	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3629				
NAL13026-1545	CB 06-29-14	ORG 108-10-1	4-Methyl-2-pentanone		U	ug/L	500	74.00	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3629				
NAL13026-1545	CB 06-29-14	ORG 10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3629				
NAL13026-1545	CB 06-29-14	ORG 127-18-4	Tetrachloroethene		U	ug/L	100	48.56	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3629				
NAL13026-1545	CB 06-29-14	ORG 79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3629				
NAL13026-1545	CB 06-29-14	ORG 124-48-1	Dibromochloromethane		U	ug/L	200	29.90	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3629				
NAL13026-1545	CB 06-29-14	ORG 106-93-4	1,2-Dibromoethane		U	ug/L	200	26.49	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3629				
NAL13026-1545	CB 06-29-14	ORG 591-78-6	2-Hexanone		U	ug/L	500	68.90	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3629				
NAL13026-1545	CB 06-29-14	ORG 100-41-4	Ethylbenzene		U	ug/L	100	25.38	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3629				
NAL13026-1545	CB 06-29-14	ORG 108-90-7	Chlorobenzene		U	ug/L	100	27.52	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3629				
NAL13026-1545	CB 06-29-14	ORG 630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3629				
NAL13026-1545	CB 06-29-14	ORG XYLMP	p&m-Xylene		U	ug/L	200	26.14	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3629				
NAL13026-1545	CB 06-29-14	ORG 95-47-6	o-Xylene		U	ug/L	100	12.90	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3629				
NAL13026-1545	CB 06-29-14	ORG 100-42-5	Styrene		U	ug/L	100	20.23	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3629				
NAL13026-1545	CB 06-29-14	ORG 75-25-2	Bromoform		U	ug/L	200	46.83	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3629				
NAL13026-1545	CB 06-29-14	ORG 98-82-8	Isopropylbenzene		U	ug/L	200	20.48	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3629				
NAL13026-1545	CB 06-29-14	ORG 103-65-1	n-Propylbenzene		U	ug/L	200	27.00	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3629				
NAL13026-1545	CB 06-29-14	ORG 79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3629				
NAL13026-1545	CB 06-29-14	ORG 96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3629				

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1545	CB 06-29-14	ORG 108-67-8	1,3,5-Trimethylbenzene		U	ug/L	200	20.03	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3629				
NAL13026-1545	CB 06-29-14	ORG 98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3629				
NAL13026-1545	CB 06-29-14	ORG 95-63-6	1,2,4-Trimethylbenzene	79	J	ug/L	200	20.03	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3629				
NAL13026-1545	CB 06-29-14	ORG 135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3629				
NAL13026-1545	CB 06-29-14	ORG 541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3629				
NAL13026-1545	CB 06-29-14	ORG 99-87-6	p-Isopropyltoluene	630		ug/L	200	25.48	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3629				
NAL13026-1545	CB 06-29-14	ORG 106-46-7	1,4-Dichlorobenzene		U	ug/L	200	33.03	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3629				
NAL13026-1545	CB 06-29-14	ORG 95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3629				
NAL13026-1545	CB 06-29-14	ORG 104-51-8	n-Butylbenzene	29	J	ug/L	500	27.81	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3629				
NAL13026-1545	CB 06-29-14	ORG 96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3629				
NAL13026-1545	CB 06-29-14	ORG 87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3629				
NAL13026-1545	CB 06-29-14	ORG 120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3629				
NAL13026-1545	CB 06-29-14	ORG 91-20-3	Naphthalene	470	J	ug/L	500	56.04	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3629				
NAL13026-1545	CB 06-29-14	ORG 87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3629				
NAL13026-1545	CB 06-29-14	STD 1868-53-7	Dibromofluoromethane	50		ug/L	1	0	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3629	50	100%		
NAL13026-1545	CB 06-29-14	STD 17060-07-0	1,2-Dichloroethane d4	51		ug/L	1	0	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3629	50	102%		
NAL13026-1545	CB 06-29-14	STD 2037-26-5	Toluene d8	49		ug/L	1	0	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3629	50	98%		
NAL13026-1545	CB 06-29-14	STD 460-00-4	Bromofluorobenzene	53		ug/L	1	0	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3629	50	106%		



New Age/Landmark Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

FINAL ANALYTICAL REPORT

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assessment, QC analyses parameter exceeded control limits.
U = Non-detect
 * NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Splitte	% Rec	% RPD	Parent
D062914CCVA	D062914CCVA	ORG 75-71-8	Dichlorodifluoromethane	61		ug/L	5	0.29	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3624	50	122%		
D062914CCVA	D062914CCVA	ORG 74-87-3	Chloromethane	56		ug/L	5	0.43	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3624	50	112%		
D062914CCVA	D062914CCVA	ORG 75-01-4	Vinyl chloride	57		ug/L	2	0.32	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3624	50	114%		
D062914CCVA	D062914CCVA	ORG 74-83-9	Bromomethane	70		ug/L	5	0.50	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3624	50	140%		
D062914CCVA	D062914CCVA	ORG 75-00-3	Chloroethane	74		ug/L	5	0.56	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3624	50	148%		
D062914CCVA	D062914CCVA	ORG 75-69-4	Trichlorofluoromethane	61		ug/L	5	0.20	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3624	50	122%		
D062914CCVA	D062914CCVA	ORG 75-35-4	1,1-Dichloroethane	44		ug/L	1	0.47	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3624	50	88%		
D062914CCVA	D062914CCVA	ORG 75-09-2	Methylene chloride	33		ug/L	5	0.26	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3624	50	66%		
D062914CCVA	D062914CCVA	ORG 67-64-1	Acetone	54		ug/L	10	1.56	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3624	50	108%		
D062914CCVA	D062914CCVA	ORG 156-60-5	trans-1,2-Dichloroethene	48		ug/L	1	0.56	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3624	50	96%		
D062914CCVA	D062914CCVA	ORG 1634-04-4	MTBE	45		ug/L	5	0.61	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3624	50	90%		
D062914CCVA	D062914CCVA	ORG 75-34-3	1,1-Dichloroethane	50		ug/L	1	0.53	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3624	50	100%		
D062914CCVA	D062914CCVA	ORG 156-59-2	cis-1,2-Dichloroethene	50		ug/L	1	0.32	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3624	50	100%		
D062914CCVA	D062914CCVA	ORG 74-97-5	Bromochloromethane	49		ug/L	10	0.41	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3624	50	98%		
D062914CCVA	D062914CCVA	ORG 67-66-3	Chloroform	48		ug/L	2	0.16	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3624	50	96%		
D062914CCVA	D062914CCVA	ORG 71-55-6	1,1,1-Trichloroethane	49		ug/L	1	0.17	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3624	50	98%		
D062914CCVA	D062914CCVA	ORG 78-93-3	2-Butanone	52		ug/L	1	0.81	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3624	50	104%		
D062914CCVA	D062914CCVA	ORG 56-23-5	Carbon tetrachloride	50		ug/L	1	0.28	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3624	50	100%		
D062914CCVA	D062914CCVA	ORG 71-43-2	Benzene	48		ug/L	1	0.14	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3624	50	96%		
D062914CCVA	D062914CCVA	ORG 107-06-2	1,2-Dichloroethane	45		ug/L	1	0.20	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3624	50	90%		
D062914CCVA	D062914CCVA	ORG 79-01-6	Trichloroethene	49		ug/L	1	0.36	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3624	50	98%		
D062914CCVA	D062914CCVA	ORG 74-95-3	Dibromomethane	48		ug/L	2	0.32	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3624	50	96%		
D062914CCVA	D062914CCVA	ORG 78-87-5	1,2-Dichloropropane	52		ug/L	1	0.18	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3624	50	104%		
D062914CCVA	D062914CCVA	ORG 75-27-4	Bromodichloromethane	51		ug/L	2	0.12	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3624	50	102%		
D062914CCVA	D062914CCVA	ORG 10061-01-5	cis-1,3-Dichloropropene	53		ug/L	1	0.25	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3624	50	106%		
D062914CCVA	D062914CCVA	ORG 108-88-3	Toluene	47		ug/L	1	0.21	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3624	50	94%		
D062914CCVA	D062914CCVA	ORG 108-10-1	4-Methyl-2-pentanone	47		ug/L	5	0.74	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3624	50	94%		
D062914CCVA	D062914CCVA	ORG 10061-02-6	trans-1,3-Dichloropropene	54		ug/L	1	0.31	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3624	50	108%		
D062914CCVA	D062914CCVA	ORG 127-18-4	Tetrahydroethene	41		ug/L	1	0.49	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3624	50	82%		
D062914CCVA	D062914CCVA	ORG 79-00-5	1,1,2-Trichloroethane	47		ug/L	1	0.34	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3624	50	94%		
D062914CCVA	D062914CCVA	ORG 124-48-1	Dibromochloromethane	47		ug/L	5	0.30	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3624	50	102%		
D062914CCVA	D062914CCVA	ORG 106-93-4	1,2-Dibromoethane	51		ug/L	2	0.26	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3624	50	94%		
D062914CCVA	D062914CCVA	ORG 591-78-6	2-Hexanone	52		ug/L	2	0.69	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3624	50	104%		
D062914CCVA	D062914CCVA	ORG 100-41-4	Ethylbenzene	52		ug/L	1	0.25	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3624	50	104%		
D062914CCVA	D062914CCVA	ORG 108-90-7	Chlorobenzene	51		ug/L	1	0.28	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3624	50	102%		
D062914CCVA	D062914CCVA	ORG 630-20-6	1,1,1,2-Tetrachloroethane	55		ug/L	2	0.19	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3624	50	110%		
D062914CCVA	D062914CCVA	ORG XYLMP	p&m-Xylene	100		ug/L	2	0.26	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3624	100	100%		
D062914CCVA	D062914CCVA	ORG 95-47-6	o-Xylene	51		ug/L	1	0.13	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3624	50	102%		
D062914CCVA	D062914CCVA	ORG 100-42-5	Styrene	54		ug/L	1	0.20	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3624	50	108%		
D062914CCVA	D062914CCVA	ORG 75-25-2	Bromoform	50		ug/L	2	0.47	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3624	50	100%		
D062914CCVA	D062914CCVA	ORG 98-82-8	Isopropylbenzene	52		ug/L	2	0.20	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3624	50	104%		
D062914CCVA	D062914CCVA	ORG 103-65-1	n-Propylbenzene	53		ug/L	2	0.27	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3624	50	106%		
D062914CCVA	D062914CCVA	ORG 79-34-5	1,1,2,2-Tetrachloroethane	48		ug/L	2	0.29	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3624	50	96%		
D062914CCVA	D062914CCVA	ORG 96-18-4	1,2,3-Trichloropropane	44		ug/L	2	0.29	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3624	50	88%		

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D062914CCVA	D062914CCVA	ORG 108-67-8	1,3,5-Trimethylbenzene	52		ug/L	2	0.20	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3624	50	104%		
D062914CCVA	D062914CCVA	ORG 98-06-6	tert-Butylbenzene	54		ug/L	2	0.33	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3624	50	108%		
D062914CCVA	D062914CCVA	ORG 95-63-6	1,2,4-Trimethylbenzene	52		ug/L	2	0.20	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3624	50	104%		
D062914CCVA	D062914CCVA	ORG 135-98-8	sec-Butylbenzene	54		ug/L	2	0.32	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3624	50	108%		
D062914CCVA	D062914CCVA	ORG 541-73-1	1,3-Dichlorobenzene	50		ug/L	2	0.22	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3624	50	100%		
D062914CCVA	D062914CCVA	ORG 99-87-6	p-Isopropyltoluene	52		ug/L	2	0.25	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3624	50	104%		
D062914CCVA	D062914CCVA	ORG 106-46-7	1,4-Dichlorobenzene	49		ug/L	2	0.33	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3624	50	98%		
D062914CCVA	D062914CCVA	ORG 95-50-1	1,2-Dichlorobenzene	49		ug/L	2	0.26	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3624	50	98%		
D062914CCVA	D062914CCVA	ORG 104-51-8	n-Butylbenzene	55		ug/L	5	0.28	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3624	50	110%		
D062914CCVA	D062914CCVA	ORG 96-12-8	1,2-Dibromo-3-chloropropane	45		ug/L	5	1.59	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3624	50	90%		
D062914CCVA	D062914CCVA	ORG 87-68-3	Hexachlorobutadiene	57		ug/L	5	0.65	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3624	50	114%		
D062914CCVA	D062914CCVA	ORG 120-82-1	1,2,4-Trichlorobenzene	53		ug/L	5	0.28	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3624	50	106%		
D062914CCVA	D062914CCVA	ORG 91-20-3	Naphthalene	47		ug/L	5	0.56	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3624	50	94%		
D062914CCVA	D062914CCVA	ORG 87-61-6	1,2,3-Trichlorobenzene	51		ug/L	5	0.23	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3624	50	102%		
D062914CCVA	D062914CCVA	STD 1868-53-7	Dibromofluoromethane	50		ug/L	1	0	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3624	50	100%		
D062914CCVA	D062914CCVA	STD 17060-07-0	1,2-Dichloroethane d4	46		ug/L	1	0	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3624	50	92%		
D062914CCVA	D062914CCVA	STD 2037-26-5	Toluene d8	48		ug/L	1	0	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3624	50	96%		
D062914CCVA	D062914CCVA	STD 460-00-4	Bromofluorobenzene	51		ug/L	1	0	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3624	50	102%		



New Age/Landmark Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D062914MBKA	D062914MBKA	ORG 75-71-8	Dichlorodifluoromethane	U		ug/L	5	0.29	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3626				
D062914MBKA	D062914MBKA	ORG 74-87-3	Chloromethane	U		ug/L	5	0.43	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3626				
D062914MBKA	D062914MBKA	ORG 75-01-4	Vinyl chloride	U		ug/L	2	0.32	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3626				
D062914MBKA	D062914MBKA	ORG 74-83-9	Bromomethane	U		ug/L	5	0.50	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3626				
D062914MBKA	D062914MBKA	ORG 75-00-3	Chloroethane	U		ug/L	5	0.56	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3626				
D062914MBKA	D062914MBKA	ORG 75-69-4	Trichlorofluoromethane	U		ug/L	5	0.20	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3626				
D062914MBKA	D062914MBKA	ORG 75-35-4	1,1-Dichloroethene	U		ug/L	1	0.47	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3626				
D062914MBKA	D062914MBKA	ORG 75-09-2	Methylene chloride	U		ug/L	5	0.26	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3626				
D062914MBKA	D062914MBKA	ORG 67-64-1	Acetone	U		ug/L	10	1.56	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3626				
D062914MBKA	D062914MBKA	ORG 156-60-5	trans-1,2-Dichloroethene	U		ug/L	1	0.56	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3626				
D062914MBKA	D062914MBKA	ORG 1634-04-4	MTBE	U		ug/L	5	0.61	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3626				
D062914MBKA	D062914MBKA	ORG 75-34-3	1,1-Dichloroethane	U		ug/L	1	0.53	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3626				
D062914MBKA	D062914MBKA	ORG 156-59-2	cis-1,2-Dichloroethene	U		ug/L	1	0.32	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3626				
D062914MBKA	D062914MBKA	ORG 74-97-5	Bromochloromethane	U		ug/L	10	0.41	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3626				
D062914MBKA	D062914MBKA	ORG 67-66-3	Chloroform	U		ug/L	2	0.16	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3626				
D062914MBKA	D062914MBKA	ORG 71-55-6	1,1,1-Trichloroethane	U		ug/L	1	0.17	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3626				
D062914MBKA	D062914MBKA	ORG 78-93-3	2-Butanone	U		ug/L	1	0.81	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3626				
D062914MBKA	D062914MBKA	ORG 56-23-5	Carbon tetrachloride	U		ug/L	1	0.28	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3626				
D062914MBKA	D062914MBKA	ORG 71-43-2	Benzene	U		ug/L	1	0.14	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3626				
D062914MBKA	D062914MBKA	ORG 107-06-2	1,2-Dichloroethane	U		ug/L	1	0.20	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3626				
D062914MBKA	D062914MBKA	ORG 79-01-6	Trichloroethene	U		ug/L	1	0.36	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3626				
D062914MBKA	D062914MBKA	ORG 74-95-3	Dibromomethane	U		ug/L	2	0.32	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3626				
D062914MBKA	D062914MBKA	ORG 78-87-5	1,2-Dichloropropane	U		ug/L	1	0.18	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3626				
D062914MBKA	D062914MBKA	ORG 75-27-4	Bromodichloromethane	U		ug/L	2	0.12	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3626				
D062914MBKA	D062914MBKA	ORG 10061-01-5	cis-1,3-Dichloropropene	U		ug/L	1	0.25	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3626				
D062914MBKA	D062914MBKA	ORG 108-88-3	Toluene	U		ug/L	1	0.21	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3626				
D062914MBKA	D062914MBKA	ORG 108-10-1	4-Methyl-2-pentanone	U		ug/L	5	0.74	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3626				
D062914MBKA	D062914MBKA	ORG 10061-02-6	trans-1,3-Dichloropropene	U		ug/L	1	0.31	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3626				
D062914MBKA	D062914MBKA	ORG 127-18-4	Tetrachloroethene	U		ug/L	1	0.49	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3626				
D062914MBKA	D062914MBKA	ORG 79-00-5	1,1,2-Trichloroethane	U		ug/L	1	0.34	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3626				
D062914MBKA	D062914MBKA	ORG 124-48-1	Dibromochloromethane	U		ug/L	5	0.30	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3626				
D062914MBKA	D062914MBKA	ORG 106-93-4	1,2-Dibromoethane	U		ug/L	2	0.26	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3626				
D062914MBKA	D062914MBKA	ORG 591-78-6	2-Hexanone	U		ug/L	2	0.69	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3626				
D062914MBKA	D062914MBKA	ORG 100-41-4	Ethylbenzene	U		ug/L	1	0.25	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3626				
D062914MBKA	D062914MBKA	ORG 108-90-7	Chlorobenzene	U		ug/L	1	0.28	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3626				
D062914MBKA	D062914MBKA	ORG 630-20-6	1,1,1,2-Tetrachloroethane	U		ug/L	2	0.19	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3626				
D062914MBKA	D062914MBKA	ORG XYLMP	p&m-Xylene	U		ug/L	2	0.26	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3626				
D062914MBKA	D062914MBKA	ORG 95-47-6	o-Xylene	U		ug/L	1	0.13	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3626				
D062914MBKA	D062914MBKA	ORG 100-42-5	Styrene	U		ug/L	1	0.20	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3626				
D062914MBKA	D062914MBKA	ORG 75-25-2	Bromoform	U		ug/L	2	0.47	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3626				
D062914MBKA	D062914MBKA	ORG 98-82-8	Isopropylbenzene	U		ug/L	2	0.20	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3626				
D062914MBKA	D062914MBKA	ORG 103-65-1	n-Propylbenzene	U		ug/L	2	0.27	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3626				
D062914MBKA	D062914MBKA	ORG 79-34-5	1,1,2,2-Tetrachloroethane	U		ug/L	2	0.29	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3626				
D062914MBKA	D062914MBKA	ORG 96-18-4	1,2,3-Trichloropropane	U		ug/L	2	0.29	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3626				

Confidential
D062914AKCF

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D062914MBKA	D062914MBKA	ORG 108-67-8	1,3,5-Trimethylbenzene		U	ug/L	2	0.20	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3626				
D062914MBKA	D062914MBKA	ORG 98-06-6	tert-Butylbenzene		U	ug/L	2	0.33	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3626				
D062914MBKA	D062914MBKA	ORG 95-63-6	1,2,4-Trimethylbenzene		U	ug/L	2	0.20	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3626				
D062914MBKA	D062914MBKA	ORG 135-98-8	sec-Butylbenzene		U	ug/L	2	0.32	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3626				
D062914MBKA	D062914MBKA	ORG 541-73-1	1,3-Dichlorobenzene		U	ug/L	2	0.22	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3626				
D062914MBKA	D062914MBKA	ORG 99-87-6	p-Isopropyltoluene		U	ug/L	2	0.25	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3626				
D062914MBKA	D062914MBKA	ORG 106-46-7	1,4-Dichlorobenzene		U	ug/L	2	0.33	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3626				
D062914MBKA	D062914MBKA	ORG 95-50-1	1,2-Dichlorobenzene		U	ug/L	2	0.26	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3626				
D062914MBKA	D062914MBKA	ORG 104-51-8	n-Butylbenzene		U	ug/L	5	0.28	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3626				
D062914MBKA	D062914MBKA	ORG 96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	5	1.59	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3626				
D062914MBKA	D062914MBKA	ORG 87-68-3	Hexachlorobutadiene		U	ug/L	5	0.65	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3626				
D062914MBKA	D062914MBKA	ORG 120-82-1	1,2,4-Trichlorobenzene		U	ug/L	5	0.28	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3626				
D062914MBKA	D062914MBKA	ORG 91-20-3	Naphthalene		U	ug/L	5	0.56	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3626				
D062914MBKA	D062914MBKA	ORG 87-61-6	1,2,3-Trichlorobenzene		U	ug/L	5	0.23	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3626				
D062914MBKA	D062914MBKA	STD 1868-53-7	Dibromofluoromethane	50		ug/L	1	0	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3626	50	100%		
D062914MBKA	D062914MBKA	STD 17060-07-0	1,2-Dichloroethane d4	51		ug/L	1	0	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3626	50	102%		
D062914MBKA	D062914MBKA	STD 2037-26-5	Toluene d8	48		ug/L	1	0	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3626	50	96%		
D062914MBKA	D062914MBKA	STD 460-00-4	Bromofluorobenzene	52		ug/L	1	0	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3626	50	104%		



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

FINAL ANALYTICAL REPORT

Project #: NAL13-026
Project Site: Bridgeton Landfill

Table with columns: Lab ID, Sample ID, CAS #, ANALYTES, Results, QC, Units, RDL, MDL, Sample Date, Prep. Date, Analysis Date, Matrix, Dil., Weight(g), Vol.(ml), % Solid, Method, Data file, Spike, % Rec, % RPD, Parent. Contains 40 rows of analytical data for various compounds like Dichlorodifluoromethane, Chloromethane, Vinyl chloride, etc.

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assessment, QC analyses parameter exceeded control limits.
U = Non-detected
* NAL is not certified for these compound by NELAC.

Confidential
D062914AKCF

D062914AKCF

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D062914ALCS	D062914ALCS	ORG 108-67-8	1,3,5-Trimethylbenzene	52		ug/L	2	0.20	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3635	50	104%		
D062914ALCS	D062914ALCS	ORG 98-06-6	tert-Butylbenzene	54		ug/L	2	0.33	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3635	50	108%		
D062914ALCS	D062914ALCS	ORG 95-63-6	1,2,4-Trimethylbenzene	51		ug/L	2	0.20	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3635	50	102%		
D062914ALCS	D062914ALCS	ORG 135-98-8	sec-Butylbenzene	53		ug/L	2	0.32	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3635	50	106%		
D062914ALCS	D062914ALCS	ORG 541-73-1	1,3-Dichlorobenzene	49		ug/L	2	0.22	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3635	50	98%		
D062914ALCS	D062914ALCS	ORG 99-87-6	p-Isopropyltoluene	52		ug/L	2	0.25	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3635	50	104%		
D062914ALCS	D062914ALCS	ORG 106-46-7	1,4-Dichlorobenzene	48		ug/L	2	0.33	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3635	50	96%		
D062914ALCS	D062914ALCS	ORG 95-50-1	1,2-Dichlorobenzene	49		ug/L	2	0.26	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3635	50	98%		
D062914ALCS	D062914ALCS	ORG 104-51-8	n-Butylbenzene	54		ug/L	5	0.28	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3635	50	108%		
D062914ALCS	D062914ALCS	ORG 96-12-8	1,2-Dibromo-3-chloropropane	46		ug/L	5	1.59	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3635	50	92%		
D062914ALCS	D062914ALCS	ORG 87-68-3	Hexachlorobutadiene	54		ug/L	5	0.65	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3635	50	108%		
D062914ALCS	D062914ALCS	ORG 120-82-1	1,2,4-Trichlorobenzene	51		ug/L	5	0.28	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3635	50	102%		
D062914ALCS	D062914ALCS	ORG 91-20-3	Naphthalene	46		ug/L	5	0.56	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3635	50	92%		
D062914ALCS	D062914ALCS	ORG 87-61-6	1,2,3-Trichlorobenzene	50		ug/L	5	0.23	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3635	50	100%		
D062914ALCS	D062914ALCS	STD 1868-53-7	Dibromofluoromethane	49		ug/L	1	0	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3635	50	98%		
D062914ALCS	D062914ALCS	STD 17060-07-0	1,2-Dichloroethane d4	47		ug/L	1	0	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3635	50	94%		
D062914ALCS	D062914ALCS	STD 2037-26-5	Toluene d8	49		ug/L	1	0	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3635	50	98%		
D062914ALCS	D062914ALCS	STD 460-00-4	Bromofluorobenzene	53		ug/L	1	0	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3635	50	106%		



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assessment, QC analyses parameter exceeded control limits.
U = Non-detect
 * NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D062914ALCD	D062914ALCD	ORG 75-71-8	Dichlorodifluoromethane	67		ug/L	5	0.29	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3631	50	134%	3%	
D062914ALCD	D062914ALCD	ORG 74-87-3	Chloromethane	63		ug/L	5	0.43	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3631	50	126%	7%	
D062914ALCD	D062914ALCD	ORG 75-01-4	Vinyl chloride	56		ug/L	2	0.32	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3631	50	112%	2%	
D062914ALCD	D062914ALCD	ORG 74-83-9	Bromomethane	75		ug/L	5	0.50	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3631	50	150%	21%	
D062914ALCD	D062914ALCD	ORG 75-00-3	Chloroethane	77		ug/L	5	0.56	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3631	50	154%	1%	
D062914ALCD	D062914ALCD	ORG 75-69-4	Trichlorofluoromethane	230		ug/L	5	0.20	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3631	50	460%	26%	
D062914ALCD	D062914ALCD	ORG 75-35-4	1,1-Dichloroethene	44		ug/L	1	0.47	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3631	50	88%	2%	
D062914ALCD	D062914ALCD	ORG 75-09-2	Methylene chloride	51		ug/L	5	0.26	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3631	50	102%	2%	
D062914ALCD	D062914ALCD	ORG 67-64-1	Acetone	63		ug/L	10	1.56	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3631	50	126%	9%	
D062914ALCD	D062914ALCD	ORG 156-60-5	trans-1,2-Dichloroethene	46		ug/L	1	0.56	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3631	50	92%	0%	
D062914ALCD	D062914ALCD	ORG 1634-04-4	MTBE	43		ug/L	5	0.61	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3631	50	86%	0%	
D062914ALCD	D062914ALCD	ORG 75-34-3	1,1-Dichloroethane	50		ug/L	1	0.53	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3631	50	100%	2%	
D062914ALCD	D062914ALCD	ORG 156-59-2	cis-1,2-Dichloroethene	49		ug/L	1	0.32	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3631	50	98%	2%	
D062914ALCD	D062914ALCD	ORG 74-97-5	Bromochloromethane	45		ug/L	10	0.41	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3631	50	90%	6%	
D062914ALCD	D062914ALCD	ORG 67-66-3	Chloroform	48		ug/L	2	0.16	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3631	50	96%	2%	
D062914ALCD	D062914ALCD	ORG 71-55-6	1,1,1-Trichloroethane	49		ug/L	1	0.17	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3631	50	98%	2%	
D062914ALCD	D062914ALCD	ORG 78-93-3	2-Butanone	45		ug/L	1	0.81	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3631	50	90%	9%	
D062914ALCD	D062914ALCD	ORG 56-23-5	Carbon tetrachloride	48		ug/L	1	0.28	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3631	50	96%	2%	
D062914ALCD	D062914ALCD	ORG 71-43-2	Benzene	47		ug/L	1	0.14	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3631	50	94%	0%	
D062914ALCD	D062914ALCD	ORG 107-06-2	1,2-Dichloroethane	47		ug/L	1	0.20	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3631	50	94%	2%	
D062914ALCD	D062914ALCD	ORG 79-01-6	Trichloroethene	48		ug/L	1	0.36	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3631	50	96%	0%	
D062914ALCD	D062914ALCD	ORG 74-95-3	Dibromomethane	47		ug/L	2	0.32	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3631	50	94%	0%	
D062914ALCD	D062914ALCD	ORG 78-87-5	1,2-Dichloropropane	50		ug/L	1	0.18	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3631	50	100%	2%	
D062914ALCD	D062914ALCD	ORG 75-27-4	Bromodichloromethane	51		ug/L	2	0.12	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3631	50	102%	2%	
D062914ALCD	D062914ALCD	ORG 10061-01-5	cis-1,3-Dichloropropene	51		ug/L	1	0.25	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3631	50	102%	2%	
D062914ALCD	D062914ALCD	ORG 108-88-3	Toluene	47		ug/L	1	0.21	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3631	50	94%	2%	
D062914ALCD	D062914ALCD	ORG 108-10-1	4-Methyl-2-pentanone	46		ug/L	5	0.74	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3631	50	92%	0%	
D062914ALCD	D062914ALCD	ORG 10061-02-6	trans-1,3-Dichloropropene	54		ug/L	1	0.31	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3631	50	108%	2%	
D062914ALCD	D062914ALCD	ORG 127-18-4	Tetrachloroethene	42		ug/L	1	0.49	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3631	50	84%	5%	
D062914ALCD	D062914ALCD	ORG 79-00-5	1,1,2-Trichloroethane	47		ug/L	1	0.34	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3631	50	94%	2%	
D062914ALCD	D062914ALCD	ORG 124-48-1	Dibromochloromethane	51		ug/L	5	0.30	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3631	50	102%	2%	
D062914ALCD	D062914ALCD	ORG 106-93-4	1,2-Dibromoethane	47		ug/L	2	0.26	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3631	50	94%	0%	
D062914ALCD	D062914ALCD	ORG 591-78-6	2-Hexanone	49		ug/L	2	0.69	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3631	50	98%	2%	
D062914ALCD	D062914ALCD	ORG 100-41-4	Ethylbenzene	52		ug/L	1	0.25	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3631	50	104%	0%	
D062914ALCD	D062914ALCD	ORG 108-90-7	Chlorobenzene	50		ug/L	1	0.28	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3631	50	100%	2%	
D062914ALCD	D062914ALCD	ORG 630-20-6	1,1,1,2-Tetrachloroethane	54		ug/L	2	0.19	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3631	50	108%	2%	
D062914ALCD	D062914ALCD	ORG XYLM	p&m-Xylene	100		ug/L	2	0.26	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3631	100	100%	0%	
D062914ALCD	D062914ALCD	ORG 95-47-6	o-Xylene	52		ug/L	1	0.13	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3631	50	104%	0%	
D062914ALCD	D062914ALCD	ORG 100-42-5	Styrene	55		ug/L	1	0.20	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3631	50	110%	2%	
D062914ALCD	D062914ALCD	ORG 75-25-2	Bromoform	49		ug/L	2	0.47	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3631	50	98%	2%	
D062914ALCD	D062914ALCD	ORG 98-82-8	Isopropylbenzene	53		ug/L	2	0.20	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3631	50	106%	0%	
D062914ALCD	D062914ALCD	ORG 103-65-1	n-Propylbenzene	53		ug/L	2	0.27	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3631	50	106%	0%	
D062914ALCD	D062914ALCD	ORG 79-34-5	1,1,2,2-Tetrachloroethane	49		ug/L	2	0.29	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3631	50	98%	0%	
D062914ALCD	D062914ALCD	ORG 96-18-4	1,2,3-Trichloropropane	47		ug/L	2	0.29	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3631	50	94%	2%	

Confidential
D062914AKCF

D062914AKCF

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D062914ALCD	D062914ALCD	ORG 108-67-8	1,3,5-Trimethylbenzene	52		ug/L	2	0.20	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3631	50	104%	0%	
D062914ALCD	D062914ALCD	ORG 98-06-6	tert-Butylbenzene	53		ug/L	2	0.33	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3631	50	106%	2%	
D062914ALCD	D062914ALCD	ORG 95-63-6	1,2,4-Trimethylbenzene	52		ug/L	2	0.20	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3631	50	104%	2%	
D062914ALCD	D062914ALCD	ORG 135-98-8	sec-Butylbenzene	53		ug/L	2	0.32	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3631	50	106%	0%	
D062914ALCD	D062914ALCD	ORG 541-73-1	1,3-Dichlorobenzene	50		ug/L	2	0.22	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3631	50	100%	2%	
D062914ALCD	D062914ALCD	ORG 99-87-6	p-Isopropyltoluene	52		ug/L	2	0.25	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3631	50	104%	0%	
D062914ALCD	D062914ALCD	ORG 106-46-7	1,4-Dichlorobenzene	49		ug/L	2	0.33	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3631	50	98%	2%	
D062914ALCD	D062914ALCD	ORG 95-50-1	1,2-Dichlorobenzene	49		ug/L	2	0.26	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3631	50	98%	0%	
D062914ALCD	D062914ALCD	ORG 104-51-8	n-Butylbenzene	55		ug/L	5	0.28	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3631	50	110%	2%	
D062914ALCD	D062914ALCD	ORG 96-12-8	1,2-Dibromo-3-chloropropane	48		ug/L	5	1.59	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3631	50	96%	4%	
D062914ALCD	D062914ALCD	ORG 87-68-3	Hexachlorobutadiene	54		ug/L	5	0.65	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3631	50	108%	0%	
D062914ALCD	D062914ALCD	ORG 120-82-1	1,2,4-Trichlorobenzene	52		ug/L	5	0.28	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3631	50	104%	2%	
D062914ALCD	D062914ALCD	ORG 91-20-3	Naphthalene	46		ug/L	5	0.56	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3631	50	92%	0%	
D062914ALCD	D062914ALCD	ORG 87-61-6	1,2,3-Trichlorobenzene	49		ug/L	5	0.23	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3631	50	98%	2%	
D062914ALCD	D062914ALCD	STD 1868-53-7	Dibromofluoromethane	49		ug/L	1	0	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3631	50	98%	0%	
D062914ALCD	D062914ALCD	STD 17060-07-0	1,2-Dichloroethane d4	48		ug/L	1	0	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3631	50	96%	2%	
D062914ALCD	D062914ALCD	STD 2037-26-5	Toluene d8	49		ug/L	1	0	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3631	50	98%	0%	
D062914ALCD	D062914ALCD	STD 460-00-4	Bromofluorobenzene	52		ug/L	1	0	NA	6/29/2014	6/29/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3631	50	104%	2%	



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

FINAL ANALYTICAL REPORT

Project #: NAL13-026
Project Site: Bridgeton Landfill

Table with columns: Lab ID, Sample ID, CAS #, ANALYTES, Results, QC, Units, RDL, MDL, Sample Date, Prep. Date, Analysis Date, Matrix, Dil., Weight(g), Vol.(ml), % Solid, Method, Data file, Spike, % Rec, % RPD, Parent. Contains 40 rows of analytical data for various compounds like Dichlorodifluoromethane, Chloromethane, Vinyl chloride, etc.

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assessment, QC analyses parameter exceeded control limits.
U = Non-detect
* NAL is not certified for these compound by NELAC.

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1544MS	316-345	ORG 108-67-8	1,3,5-Trimethylbenzene	5300		ug/L	200	20.03	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3632	5000	106%		
NAL13026-1544MS	316-345	ORG 98-06-6	tert-Butylbenzene	5500		ug/L	200	32.61	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3632	5000	110%		
NAL13026-1544MS	316-345	ORG 95-63-6	1,2,4-Trimethylbenzene	5300		ug/L	200	20.03	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3632	5000	105%		31
NAL13026-1544MS	316-345	ORG 135-98-8	sec-Butylbenzene	5300		ug/L	200	32.34	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3632	5000	106%		
NAL13026-1544MS	316-345	ORG 541-73-1	1,3-Dichlorobenzene	5100		ug/L	200	22.21	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3632	5000	102%		
NAL13026-1544MS	316-345	ORG 99-87-6	p-Isopropyltoluene	5400		ug/L	200	25.48	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3632	5000	104%		190
NAL13026-1544MS	316-345	ORG 106-46-7	1,4-Dichlorobenzene	5000		ug/L	200	33.03	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3632	5000	99%		72
NAL13026-1544MS	316-345	ORG 95-50-1	1,2-Dichlorobenzene	4900		ug/L	200	26.38	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3632	5000	98%		
NAL13026-1544MS	316-345	ORG 104-51-8	n-Butylbenzene	5600		ug/L	500	27.81	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3632	5000	112%		
NAL13026-1544MS	316-345	ORG 96-12-8	1,2-Dibromo-3-chloropropane	5000		ug/L	500	159.11	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3632	5000	100%		
NAL13026-1544MS	316-345	ORG 87-68-3	Hexachlorobutadiene	5200		ug/L	500	65.42	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3632	5000	104%		
NAL13026-1544MS	316-345	ORG 120-82-1	1,2,4-Trichlorobenzene	5300		ug/L	500	27.63	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3632	5000	106%		
NAL13026-1544MS	316-345	ORG 91-20-3	Naphthalene	5500		ug/L	500	56.04	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3632	5000	96%		710
NAL13026-1544MS	316-345	ORG 87-61-6	1,2,3-Trichlorobenzene	5000		ug/L	500	23.28	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3632	5000	100%		
NAL13026-1544MS	316-345	STD 1868-53-7	Dibromofluoromethane	50		ug/L	1	0	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3632	50	100%		
NAL13026-1544MS	316-345	STD 17060-07-0	1,2-Dichloroethane d4	48		ug/L	1	0	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3632	50	96%		
NAL13026-1544MS	316-345	STD 2037-26-5	Toluene d8	47		ug/L	1	0	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3632	50	94%		
NAL13026-1544MS	316-345	STD 460-00-4	Bromofluorobenzene	52		ug/L	1	0	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3632	50	104%		



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

FINAL ANALYTICAL REPORT

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assessment, QC analyses parameter exceeded control limits.
U = Non-detect
* NAL is not certified for these compound by NELAC.

Table with columns: Lab ID, Sample ID, CAS #, ANALYTES, Results, QC, Units, RDL, MDL, Sample Date, Prep. Date, Analysis Date, Matrix, Dil., Weight(g), Vol.(ml), % Solid, Method, Data file, Spike, % Rec, % RFD, Parent. Contains 40 rows of analytical data.

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1544MSD	316-345	ORG 108-67-8	1,3,5-Trimethylbenzene	5100		ug/L	200	20.03	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3633	5000	102%	4%	
NAL13026-1544MSD	316-345	ORG 98-06-6	tert-Butylbenzene	5300		ug/L	200	32.61	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3633	5000	106%	4%	
NAL13026-1544MSD	316-345	ORG 95-63-6	1,2,4-Trimethylbenzene	5100		ug/L	200	20.03	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3633	5000	101%	4%	31
NAL13026-1544MSD	316-345	ORG 135-98-8	sec-Butylbenzene	5200		ug/L	200	32.34	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3633	5000	104%	2%	
NAL13026-1544MSD	316-345	ORG 541-73-1	1,3-Dichlorobenzene	4900		ug/L	200	22.21	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3633	5000	98%	4%	
NAL13026-1544MSD	316-345	ORG 99-87-6	p-Isopropyltoluene	5300		ug/L	200	25.48	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3633	5000	102%	2%	190
NAL13026-1544MSD	316-345	ORG 106-46-7	1,4-Dichlorobenzene	4900		ug/L	200	33.03	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3633	5000	97%	2%	72
NAL13026-1544MSD	316-345	ORG 95-50-1	1,2-Dichlorobenzene	4700		ug/L	200	26.38	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3633	5000	94%	4%	
NAL13026-1544MSD	316-345	ORG 104-51-8	n-Butylbenzene	5400		ug/L	500	27.81	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3633	5000	108%	4%	
NAL13026-1544MSD	316-345	ORG 96-12-8	1,2-Dibromo-3-chloropropane	4600		ug/L	500	159.11	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3633	5000	92%	8%	
NAL13026-1544MSD	316-345	ORG 87-68-3	Hexachlorobutadiene	5200		ug/L	500	65.42	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3633	5000	104%	0%	
NAL13026-1544MSD	316-345	ORG 120-82-1	1,2,4-Trichlorobenzene	5100		ug/L	500	27.63	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3633	5000	102%	4%	
NAL13026-1544MSD	316-345	ORG 91-20-3	Naphthalene	5300		ug/L	500	56.04	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3633	5000	92%	4%	710
NAL13026-1544MSD	316-345	ORG 87-61-6	1,2,3-Trichlorobenzene	5000		ug/L	500	23.28	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3633	5000	100%	0%	
NAL13026-1544MSD	316-345	STD 1868-53-7	Dibromofluoromethane	49		ug/L	1	0	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3633	50	98%	2%	
NAL13026-1544MSD	316-345	STD 17060-07-0	1,2-Dichloroethane d4	46		ug/L	1	0	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3633	50	92%	4%	
NAL13026-1544MSD	316-345	STD 2037-26-5	Toluene d8	47		ug/L	1	0	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3633	50	94%	0%	
NAL13026-1544MSD	316-345	STD 460-00-4	Bromofluorobenzene	52		ug/L	1	0	6/29/2014	6/29/2014	6/29/2014	WG	100	NA	5.0	NA	SW8260B	NALD3633	50	104%	0%	

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Splice	% Rec	% RPD	Parent
NAL13026-1546	316-346	ORG 75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3641				
NAL13026-1546	316-346	ORG 74-87-3	Chloromethane		U	ug/L	500	43.07	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3641				
NAL13026-1546	316-346	ORG 75-01-4	Vinyl chloride		U	ug/L	200	31.86	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3641				
NAL13026-1546	316-346	ORG 74-83-9	Bromomethane		U	ug/L	500	50.04	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3641				
NAL13026-1546	316-346	ORG 75-00-3	Chloroethane		U	ug/L	500	55.61	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3641				
NAL13026-1546	316-346	ORG 75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3641				
NAL13026-1546	316-346	ORG 75-35-4	1,1-Dichloroethane		U	ug/L	100	47.11	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3641				
NAL13026-1546	316-346	ORG 75-09-2	Methylene chloride		U	ug/L	500	26.46	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3641				
NAL13026-1546	316-346	ORG 67-64-1	Acetone	105000	DX+	ug/L	10000	1556.07	6/30/2014	6/30/2014	6/30/2014	WG	1000	NA	5.0	NA	SW8260B	NALD3642				
NAL13026-1546	316-346	ORG 156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3641				
NAL13026-1546	316-346	ORG 1634-04-4	MTBE		U	ug/L	500	61.18	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3641				
NAL13026-1546	316-346	ORG 75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3641				
NAL13026-1546	316-346	ORG 156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3641				
NAL13026-1546	316-346	ORG 74-97-5	Bromochloromethane		U	ug/L	200	41.37	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3641				
NAL13026-1546	316-346	ORG 67-66-3	Chloroform		U	ug/L	100	15.73	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3641				
NAL13026-1546	316-346	ORG 71-55-6	1,1,1-Trichloroethane		U	ug/L	100	16.65	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3641				
NAL13026-1546	316-346	ORG 78-93-3	2-Butanone	15000	D	ug/L	10000	811.80	6/30/2014	6/30/2014	6/30/2014	WG	1000	NA	5.0	NA	SW8260B	NALD3642				
NAL13026-1546	316-346	ORG 56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3641				
NAL13026-1546	316-346	ORG 71-43-2	Benzene		U	ug/L	100	13.53	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3641				
NAL13026-1546	316-346	ORG 107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3641				
NAL13026-1546	316-346	ORG 79-01-6	Trichloroethene		U	ug/L	100	36.33	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3641				
NAL13026-1546	316-346	ORG 74-95-3	Dibromomethane		U	ug/L	200	32.20	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3641				
NAL13026-1546	316-346	ORG 78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3641				
NAL13026-1546	316-346	ORG 75-27-4	Bromodichloromethane		U	ug/L	200	11.58	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3641				
NAL13026-1546	316-346	ORG 10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3641				
NAL13026-1546	316-346	ORG 108-88-3	Toluene		U	ug/L	100	20.96	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3641				
NAL13026-1546	316-346	ORG 108-10-1	4-Methyl-2-pentanone	220	J	ug/L	500	74.00	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3641				
NAL13026-1546	316-346	ORG 10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3641				
NAL13026-1546	316-346	ORG 127-18-4	Tetrachloroethene		U	ug/L	100	48.56	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3641				
NAL13026-1546	316-346	ORG 79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3641				
NAL13026-1546	316-346	ORG 124-48-1	Dibromochloromethane		U	ug/L	200	29.90	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3641				
NAL13026-1546	316-346	ORG 106-93-4	1,2-Dibromoethane		U	ug/L	200	26.49	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3641				
NAL13026-1546	316-346	ORG 591-78-6	2-Hexanone	380	J	ug/L	500	68.90	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3641				
NAL13026-1546	316-346	ORG 100-41-4	Ethylbenzene		U	ug/L	100	25.38	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3641				
NAL13026-1546	316-346	ORG 108-90-7	Chlorobenzene		U	ug/L	100	27.52	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3641				
NAL13026-1546	316-346	ORG 630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3641				
NAL13026-1546	316-346	ORG XYLMP	p&m-Xylene		U	ug/L	200	26.14	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3641				
NAL13026-1546	316-346	ORG 95-47-6	o-Xylene		U	ug/L	100	12.90	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3641				
NAL13026-1546	316-346	ORG 100-42-5	Styrene		U	ug/L	100	20.23	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3641				
NAL13026-1546	316-346	ORG 75-25-2	Bromoform		U	ug/L	200	46.83	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3641				
NAL13026-1546	316-346	ORG 98-82-8	Isopropylbenzene		U	ug/L	200	20.48	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3641				
NAL13026-1546	316-346	ORG 103-65-1	n-Propylbenzene		U	ug/L	200	27.00	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3641				
NAL13026-1546	316-346	ORG 79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3641				
NAL13026-1546	316-346	ORG 96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3641				

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

- B** = Analyte is found in the associated blank as well as in the sample.
- D** = Compound identified in an analysis at a secondary dilution factor.
- E** = Compound's concentration exceeds the calibration range of the instrument at this dilution.
- X** = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
- J** = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
- M** = Matrix assessment, QC analyses parameter exceeded control limits.
- U** = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	DIL.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spilte	% Rec	% RPD	Parent
NAL13026-1546	316-346	ORG 108-67-8	1,3,5-Trimethylbenzene		U	ug/L	200	20.03	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3641				
NAL13026-1546	316-346	ORG 98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3641				
NAL13026-1546	316-346	ORG 95-63-6	1,2,4-Trimethylbenzene		U	ug/L	200	20.03	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3641				
NAL13026-1546	316-346	ORG 135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3641				
NAL13026-1546	316-346	ORG 541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3641				
NAL13026-1546	316-346	ORG 99-87-6	p-Isopropyltoluene	30	J	ug/L	200	25.48	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3641				
NAL13026-1546	316-346	ORG 106-46-7	1,4-Dichlorobenzene		U	ug/L	200	33.03	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3641				
NAL13026-1546	316-346	ORG 95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3641				
NAL13026-1546	316-346	ORG 104-51-8	n-Butylbenzene		U	ug/L	500	27.81	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3641				
NAL13026-1546	316-346	ORG 96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3641				
NAL13026-1546	316-346	ORG 87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3641				
NAL13026-1546	316-346	ORG 120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3641				
NAL13026-1546	316-346	ORG 91-20-3	Naphthalene	500	J	ug/L	500	56.04	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3641				
NAL13026-1546	316-346	ORG 87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3641				
NAL13026-1546	316-346	STD 1868-53-7	Dibromofluoromethane	49		ug/L	1	0	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3641	50	98%		
NAL13026-1546	316-346	STD 17060-07-0	1,2-Dichloroethane d4	51		ug/L	1	0	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3641	50	102%		
NAL13026-1546	316-346	STD 2037-26-5	Toluene d8	50		ug/L	1	0	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3641	50	100%		
NAL13026-1546	316-346	STD 460-00-4	Bromofluorobenzene	52		ug/L	1	0	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3641	50	104%		



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assessment, QC analyses parameter exceeded control limits.
U = Non-detect
* NAL is not certified for these compound by NELAC.

Table with columns: Lab ID, Sample ID, CAS #, ANALYTES, Results, QC, Units, RDL, MDL, Sample Date, Prep. Date, Analysis Date, Matrix, Dil., Weight(g), Vol.(ml), % Solid, Method, Data file, Splitte, % Rec, % RPD, Parent. Contains 48 rows of analytical data for various compounds like Dichlorodifluoromethane, Chloromethane, Vinyl chloride, etc.

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assessment, QC analyses parameter exceeded control limits.
U = Non-detect
 * NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	DIL.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spilte	% Rec	% RPD	Parent
NAL13026-1547	T1 INF	ORG 108-67-8	1,3,5-Trimethylbenzene	35	J	ug/L	200	20.03	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3647				
NAL13026-1547	T1 INF	ORG 98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3647				
NAL13026-1547	T1 INF	ORG 95-63-6	1,2,4-Trimethylbenzene	160	J	ug/L	200	20.03	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3647				
NAL13026-1547	T1 INF	ORG 135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3647				
NAL13026-1547	T1 INF	ORG 541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3647				
NAL13026-1547	T1 INF	ORG 99-87-6	p-Isopropyltoluene	630		ug/L	200	25.48	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3647				
NAL13026-1547	T1 INF	ORG 106-46-7	1,4-Dichlorobenzene	190	J	ug/L	200	33.03	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3647				
NAL13026-1547	T1 INF	ORG 95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3647				
NAL13026-1547	T1 INF	ORG 104-51-8	n-Butylbenzene		U	ug/L	500	27.81	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3647				
NAL13026-1547	T1 INF	ORG 96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3647				
NAL13026-1547	T1 INF	ORG 87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3647				
NAL13026-1547	T1 INF	ORG 120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3647				
NAL13026-1547	T1 INF	ORG 91-20-3	Naphthalene	280	J	ug/L	500	56.04	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3647				
NAL13026-1547	T1 INF	ORG 87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3647				
NAL13026-1547	T1 INF	STD 1868-53-7	Dibromofluoromethane	49		ug/L	1	0	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3647	50	98%		
NAL13026-1547	T1 INF	STD 17060-07-0	1,2-Dichloroethane d4	51		ug/L	1	0	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3647	50	102%		
NAL13026-1547	T1 INF	STD 2037-26-5	Toluene d8	50		ug/L	1	0	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3647	50	100%		
NAL13026-1547	T1 INF	STD 460-00-4	Bromofluorobenzene	53		ug/L	1	0	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3647	50	106%		



New Age/Landmark Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assessment, QC analyses parameter exceeded control limits.
U = Non-detect
* NAL is not certified for these compound by NELAC.

Table with columns: Lab ID, Sample ID, CAS #, ANALYTES, Results, QC, Units, RDL, MDL, Sample Date, Prep. Date, Analysis Date, Matrix, Dil., Weight(g), Vol.(ml), % Solid, Method, Data file, Splitte, % Rec, % RPD, Parent. Contains 48 rows of analytical data.



FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

- B** = Analyte is found in the associated blank as well as in the sample.
- D** = Compound identified in an analysis at a secondary dilution factor.
- E** = Compound's concentration exceeds the calibration range of the instrument at this dilution.
- X** = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
- J** = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
- M** = Matrix assessment, QC analyses parameter exceeded control limits.
- U** = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	DIL.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spilte	% Rec	% RPD	Parent
NAL13026-1548	T1 EFF	ORG 108-67-8	1,3,5-Trimethylbenzene	130	J	ug/L	200	20.03	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3649				
NAL13026-1548	T1 EFF	ORG 98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3649				
NAL13026-1548	T1 EFF	ORG 95-63-6	1,2,4-Trimethylbenzene	600		ug/L	200	20.03	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3649				
NAL13026-1548	T1 EFF	ORG 135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3649				
NAL13026-1548	T1 EFF	ORG 541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3649				
NAL13026-1548	T1 EFF	ORG 99-87-6	p-Isopropyltoluene	2400		ug/L	200	25.48	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3649				
NAL13026-1548	T1 EFF	ORG 106-46-7	1,4-Dichlorobenzene	730		ug/L	200	33.03	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3649				
NAL13026-1548	T1 EFF	ORG 95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3649				
NAL13026-1548	T1 EFF	ORG 104-51-8	n-Butylbenzene	62	J	ug/L	500	27.81	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3649				
NAL13026-1548	T1 EFF	ORG 96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3649				
NAL13026-1548	T1 EFF	ORG 87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3649				
NAL13026-1548	T1 EFF	ORG 120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3649				
NAL13026-1548	T1 EFF	ORG 91-20-3	Naphthalene	1200		ug/L	500	56.04	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3649				
NAL13026-1548	T1 EFF	ORG 87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3649				
NAL13026-1548	T1 EFF	STD 1868-53-7	Dibromofluoromethane	49		ug/L	1	0	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3649	50	98%		
NAL13026-1548	T1 EFF	STD 17060-07-0	1,2-Dichloroethane d4	54		ug/L	1	0	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3649	50	108%		
NAL13026-1548	T1 EFF	STD 2037-26-5	Toluene d8	49		ug/L	1	0	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3649	50	98%		
NAL13026-1548	T1 EFF	STD 460-00-4	Bromofluorobenzene	53		ug/L	1	0	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3649	50	106%		



New Age/Landmark Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assessment, QC analyses parameter exceeded control limits.
U = Non-detect
* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	DIL.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Splice	% Rec	% RPD	Parent
D063014CCVA	D063014CCVA	ORG 75-71-8	Dichlorodifluoromethane	62		ug/L	5	0.29	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3638	50	124%		
D063014CCVA	D063014CCVA	ORG 74-87-3	Chloromethane	52		ug/L	5	0.43	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3638	50	104%		
D063014CCVA	D063014CCVA	ORG 75-01-4	Vinyl chloride	55		ug/L	2	0.32	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3638	50	110%		
D063014CCVA	D063014CCVA	ORG 74-83-9	Bromomethane	91		ug/L	5	0.50	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3638	50	182%		
D063014CCVA	D063014CCVA	ORG 75-00-3	Chloroethane	74		ug/L	5	0.56	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3638	50	148%		
D063014CCVA	D063014CCVA	ORG 75-69-4	Trichlorofluoromethane	383		ug/L	5	0.20	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3638	50	766%		
D063014CCVA	D063014CCVA	ORG 75-35-4	1,1-Dichloroethene	47		ug/L	1	0.47	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3638	50	94%		
D063014CCVA	D063014CCVA	ORG 75-09-2	Methylene chloride	40		ug/L	5	0.26	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3638	50	80%		
D063014CCVA	D063014CCVA	ORG 67-64-1	Acetone	81		ug/L	10	1.56	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3638	50	162%		
D063014CCVA	D063014CCVA	ORG 156-60-5	trans-1,2-Dichloroethene	44		ug/L	1	0.56	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3638	50	88%		
D063014CCVA	D063014CCVA	ORG 1634-04-4	MTBE	43		ug/L	5	0.61	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3638	50	86%		
D063014CCVA	D063014CCVA	ORG 75-34-3	1,1-Dichloroethane	48		ug/L	1	0.53	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3638	50	96%		
D063014CCVA	D063014CCVA	ORG 156-59-2	cis-1,2-Dichloroethene	46		ug/L	1	0.32	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3638	50	92%		
D063014CCVA	D063014CCVA	ORG 74-97-5	Bromochloromethane	48		ug/L	10	0.41	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3638	50	96%		
D063014CCVA	D063014CCVA	ORG 67-66-3	Chloroform	46		ug/L	2	0.16	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3638	50	92%		
D063014CCVA	D063014CCVA	ORG 71-55-6	1,1,1-Trichloroethane	47		ug/L	1	0.17	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3638	50	94%		
D063014CCVA	D063014CCVA	ORG 78-93-3	2-Butanone	54		ug/L	1	0.81	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3638	50	108%		
D063014CCVA	D063014CCVA	ORG 56-23-5	Carbon tetrachloride	47		ug/L	1	0.28	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3638	50	94%		
D063014CCVA	D063014CCVA	ORG 71-43-2	Benzene	45		ug/L	1	0.14	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3638	50	90%		
D063014CCVA	D063014CCVA	ORG 107-06-2	1,2-Dichloroethane	46		ug/L	1	0.20	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3638	50	92%		
D063014CCVA	D063014CCVA	ORG 79-01-6	Trichloroethene	46		ug/L	1	0.36	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3638	50	92%		
D063014CCVA	D063014CCVA	ORG 74-95-3	Dibromomethane	49		ug/L	2	0.32	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3638	50	98%		
D063014CCVA	D063014CCVA	ORG 78-87-5	1,2-Dichloropropane	48		ug/L	1	0.18	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3638	50	96%		
D063014CCVA	D063014CCVA	ORG 75-27-4	Bromodichloromethane	53		ug/L	2	0.12	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3638	50	106%		
D063014CCVA	D063014CCVA	ORG 10061-01-5	cis-1,3-Dichloropropene	52		ug/L	1	0.25	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3638	50	104%		
D063014CCVA	D063014CCVA	ORG 108-88-3	Toluene	46		ug/L	1	0.21	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3638	50	92%		
D063014CCVA	D063014CCVA	ORG 108-10-1	4-Methyl-2-pentanone	51		ug/L	5	0.74	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3638	50	102%		
D063014CCVA	D063014CCVA	ORG 10061-02-6	trans-1,3-Dichloropropene	57		ug/L	1	0.31	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3638	50	114%		
D063014CCVA	D063014CCVA	ORG 127-18-4	Tetrachloroethene	43		ug/L	1	0.49	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3638	50	86%		
D063014CCVA	D063014CCVA	ORG 79-00-5	1,1,2-Trichloroethane	49		ug/L	1	0.34	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3638	50	98%		
D063014CCVA	D063014CCVA	ORG 124-48-1	Dibromochloromethane	52		ug/L	5	0.30	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3638	50	104%		
D063014CCVA	D063014CCVA	ORG 106-93-4	1,2-Dibromoethane	50		ug/L	2	0.26	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3638	50	100%		
D063014CCVA	D063014CCVA	ORG 591-78-6	2-Hexanone	56		ug/L	2	0.69	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3638	50	112%		
D063014CCVA	D063014CCVA	ORG 100-41-4	Ethylbenzene	48		ug/L	1	0.25	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3638	50	100%		
D063014CCVA	D063014CCVA	ORG 108-90-7	Chlorobenzene	50		ug/L	1	0.28	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3638	50	96%		
D063014CCVA	D063014CCVA	ORG 630-20-6	1,1,1,2-Tetrachloroethane	54		ug/L	2	0.19	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3638	50	108%		
D063014CCVA	D063014CCVA	ORG XYLMP	p&m-Xylene	96		ug/L	2	0.26	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3638	100	96%		
D063014CCVA	D063014CCVA	ORG 95-47-6	o-Xylene	49		ug/L	1	0.13	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3638	50	98%		
D063014CCVA	D063014CCVA	ORG 100-42-5	Styrene	51		ug/L	1	0.20	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3638	50	102%		
D063014CCVA	D063014CCVA	ORG 75-25-2	Bromoform	50		ug/L	2	0.47	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3638	50	100%		
D063014CCVA	D063014CCVA	ORG 98-82-8	Isopropylbenzene	51		ug/L	2	0.20	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3638	50	102%		
D063014CCVA	D063014CCVA	ORG 103-65-1	n-Propylbenzene	51		ug/L	2	0.27	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3638	50	102%		
D063014CCVA	D063014CCVA	ORG 79-34-5	1,1,2,2-Tetrachloroethane	50		ug/L	2	0.29	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3638	50	100%		
D063014CCVA	D063014CCVA	ORG 96-18-4	1,2,3-Trichloropropane	48		ug/L	2	0.29	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3638	50	96%		



FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	DIL.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spilte	% Rec	% RPD	Parent
D063014CCVA	D063014CCVA	ORG 108-67-8	1,3,5-Trimethylbenzene	50		ug/L	2	0.20	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3638	50	100%		
D063014CCVA	D063014CCVA	ORG 98-06-6	tert-Butylbenzene	52		ug/L	2	0.33	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3638	50	104%		
D063014CCVA	D063014CCVA	ORG 95-63-6	1,2,4-Trimethylbenzene	50		ug/L	2	0.20	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3638	50	100%		
D063014CCVA	D063014CCVA	ORG 135-98-8	sec-Butylbenzene	52		ug/L	2	0.32	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3638	50	104%		
D063014CCVA	D063014CCVA	ORG 541-73-1	1,3-Dichlorobenzene	49		ug/L	2	0.22	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3638	50	98%		
D063014CCVA	D063014CCVA	ORG 99-87-6	p-Isopropyltoluene	51		ug/L	2	0.25	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3638	50	102%		
D063014CCVA	D063014CCVA	ORG 106-46-7	1,4-Dichlorobenzene	49		ug/L	2	0.33	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3638	50	98%		
D063014CCVA	D063014CCVA	ORG 95-50-1	1,2-Dichlorobenzene	49		ug/L	2	0.26	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3638	50	98%		
D063014CCVA	D063014CCVA	ORG 104-51-8	n-Butylbenzene	54		ug/L	5	0.28	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3638	50	108%		
D063014CCVA	D063014CCVA	ORG 96-12-8	1,2-Dibromo-3-chloropropane	52		ug/L	5	1.59	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3638	50	104%		
D063014CCVA	D063014CCVA	ORG 87-68-3	Hexachlorobutadiene	54		ug/L	5	0.65	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3638	50	108%		
D063014CCVA	D063014CCVA	ORG 120-82-1	1,2,4-Trichlorobenzene	52		ug/L	5	0.28	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3638	50	104%		
D063014CCVA	D063014CCVA	ORG 91-20-3	Naphthalene	48		ug/L	5	0.56	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3638	50	96%		
D063014CCVA	D063014CCVA	ORG 87-61-6	1,2,3-Trichlorobenzene	51		ug/L	5	0.23	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3638	50	102%		
D063014CCVA	D063014CCVA	STD 1868-53-7	Dibromofluoromethane	49		ug/L	1	0	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3638	50	98%		
D063014CCVA	D063014CCVA	STD 17060-07-0	1,2-Dichloroethane d4	49		ug/L	1	0	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3638	50	98%		
D063014CCVA	D063014CCVA	STD 2037-26-5	Toluene d8	50		ug/L	1	0	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3638	50	100%		
D063014CCVA	D063014CCVA	STD 460-00-4	Bromofluorobenzene	51		ug/L	1	0	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3638	50	102%		

FINAL ANALYTICAL REPORT

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	DIL.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Splice	% Rec	% RPD	Parent
D063014MBKA	D063014MBKA	ORG 75-71-8	Dichlorodifluoromethane	U	ug/L	5	0.29	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3640					
D063014MBKA	D063014MBKA	ORG 74-87-3	Chloromethane	U	ug/L	5	0.43	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3640					
D063014MBKA	D063014MBKA	ORG 75-01-4	Vinyl chloride	U	ug/L	2	0.32	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3640					
D063014MBKA	D063014MBKA	ORG 74-83-9	Bromomethane	U	ug/L	5	0.50	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3640					
D063014MBKA	D063014MBKA	ORG 75-00-3	Chloroethane	U	ug/L	5	0.56	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3640					
D063014MBKA	D063014MBKA	ORG 75-69-4	Trichlorofluoromethane	U	ug/L	5	0.20	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3640					
D063014MBKA	D063014MBKA	ORG 75-35-4	1,1-Dichloroethene	U	ug/L	1	0.47	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3640					
D063014MBKA	D063014MBKA	ORG 75-09-2	Methylene chloride	U	ug/L	5	0.26	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3640					
D063014MBKA	D063014MBKA	ORG 67-64-1	Acetone	U	ug/L	10	1.56	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3640					
D063014MBKA	D063014MBKA	ORG 156-60-5	trans-1,2-Dichloroethene	U	ug/L	1	0.56	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3640					
D063014MBKA	D063014MBKA	ORG 1634-04-4	MTBE	U	ug/L	5	0.61	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3640					
D063014MBKA	D063014MBKA	ORG 75-34-3	1,1-Dichloroethane	U	ug/L	1	0.53	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3640					
D063014MBKA	D063014MBKA	ORG 156-59-2	cis-1,2-Dichloroethene	U	ug/L	1	0.32	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3640					
D063014MBKA	D063014MBKA	ORG 74-97-5	Bromochloromethane	U	ug/L	10	0.41	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3640					
D063014MBKA	D063014MBKA	ORG 67-66-3	Chloroform	U	ug/L	2	0.16	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3640					
D063014MBKA	D063014MBKA	ORG 71-55-6	1,1,1-Trichloroethane	U	ug/L	1	0.17	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3640					
D063014MBKA	D063014MBKA	ORG 78-93-3	2-Butanone	U	ug/L	1	0.81	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3640					
D063014MBKA	D063014MBKA	ORG 56-23-5	Carbon tetrachloride	U	ug/L	1	0.28	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3640					
D063014MBKA	D063014MBKA	ORG 71-43-2	Benzene	U	ug/L	1	0.14	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3640					
D063014MBKA	D063014MBKA	ORG 107-06-2	1,2-Dichloroethane	U	ug/L	1	0.20	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3640					
D063014MBKA	D063014MBKA	ORG 79-01-6	Trichloroethene	U	ug/L	1	0.36	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3640					
D063014MBKA	D063014MBKA	ORG 74-95-3	Dibromomethane	U	ug/L	2	0.32	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3640					
D063014MBKA	D063014MBKA	ORG 78-87-5	1,2-Dichloropropane	U	ug/L	1	0.18	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3640					
D063014MBKA	D063014MBKA	ORG 75-27-4	Bromodichloromethane	U	ug/L	2	0.12	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3640					
D063014MBKA	D063014MBKA	ORG 10061-01-5	cis-1,3-Dichloropropene	U	ug/L	1	0.25	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3640					
D063014MBKA	D063014MBKA	ORG 108-88-3	Toluene	U	ug/L	1	0.21	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3640					
D063014MBKA	D063014MBKA	ORG 108-10-1	4-Methyl-2-pentanone	U	ug/L	5	0.74	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3640					
D063014MBKA	D063014MBKA	ORG 10061-02-6	trans-1,3-Dichloropropene	U	ug/L	1	0.31	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3640					
D063014MBKA	D063014MBKA	ORG 127-18-4	Tetrachloroethene	U	ug/L	1	0.49	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3640					
D063014MBKA	D063014MBKA	ORG 79-00-5	1,1,2-Trichloroethane	U	ug/L	1	0.34	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3640					
D063014MBKA	D063014MBKA	ORG 124-48-1	Dibromochloromethane	U	ug/L	5	0.30	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3640					
D063014MBKA	D063014MBKA	ORG 106-93-4	1,2-Dibromoethane	U	ug/L	2	0.26	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3640					
D063014MBKA	D063014MBKA	ORG 591-78-6	2-Hexanone	U	ug/L	2	0.69	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3640					
D063014MBKA	D063014MBKA	ORG 100-41-4	Ethylbenzene	U	ug/L	1	0.25	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3640					
D063014MBKA	D063014MBKA	ORG 108-90-7	Chlorobenzene	U	ug/L	1	0.28	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3640					
D063014MBKA	D063014MBKA	ORG 630-20-6	1,1,1,2-Tetrachloroethane	U	ug/L	2	0.19	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3640					
D063014MBKA	D063014MBKA	ORG XYLMP	p&m-Xylene	U	ug/L	2	0.26	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3640					
D063014MBKA	D063014MBKA	ORG 95-47-6	o-Xylene	U	ug/L	1	0.13	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3640					
D063014MBKA	D063014MBKA	ORG 100-42-5	Styrene	U	ug/L	1	0.20	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3640					
D063014MBKA	D063014MBKA	ORG 75-25-2	Bromoform	U	ug/L	2	0.47	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3640					
D063014MBKA	D063014MBKA	ORG 98-82-8	Isopropylbenzene	U	ug/L	2	0.20	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3640					
D063014MBKA	D063014MBKA	ORG 103-65-1	n-Propylbenzene	U	ug/L	2	0.27	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3640					
D063014MBKA	D063014MBKA	ORG 79-34-5	1,1,2,2-Tetrachloroethane	U	ug/L	2	0.29	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3640					
D063014MBKA	D063014MBKA	ORG 96-18-4	1,2,3-Trichloropropane	U	ug/L	2	0.29	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3640					

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assessment, QC analyses parameter exceeded control limits.
U = Non-detect
 * NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	DIL.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spilte	% Rec	% RPD	Parent
D063014MBKA	D063014MBKA	ORG 108-67-8	1,3,5-Trimethylbenzene		U	ug/L	2	0.20	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3640				
D063014MBKA	D063014MBKA	ORG 98-06-6	tert-Butylbenzene		U	ug/L	2	0.33	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3640				
D063014MBKA	D063014MBKA	ORG 95-63-6	1,2,4-Trimethylbenzene		U	ug/L	2	0.20	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3640				
D063014MBKA	D063014MBKA	ORG 135-98-8	sec-Butylbenzene		U	ug/L	2	0.32	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3640				
D063014MBKA	D063014MBKA	ORG 541-73-1	1,3-Dichlorobenzene		U	ug/L	2	0.22	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3640				
D063014MBKA	D063014MBKA	ORG 99-87-6	p-Isopropyltoluene		U	ug/L	2	0.25	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3640				
D063014MBKA	D063014MBKA	ORG 106-46-7	1,4-Dichlorobenzene		U	ug/L	2	0.33	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3640				
D063014MBKA	D063014MBKA	ORG 95-50-1	1,2-Dichlorobenzene		U	ug/L	2	0.26	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3640				
D063014MBKA	D063014MBKA	ORG 104-51-8	n-Butylbenzene		U	ug/L	5	0.28	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3640				
D063014MBKA	D063014MBKA	ORG 96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	5	1.59	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3640				
D063014MBKA	D063014MBKA	ORG 87-68-3	Hexachlorobutadiene		U	ug/L	5	0.65	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3640				
D063014MBKA	D063014MBKA	ORG 120-82-1	1,2,4-Trichlorobenzene		U	ug/L	5	0.28	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3640				
D063014MBKA	D063014MBKA	ORG 91-20-3	Naphthalene		U	ug/L	5	0.56	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3640				
D063014MBKA	D063014MBKA	ORG 87-61-6	1,2,3-Trichlorobenzene		U	ug/L	5	0.23	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3640				
D063014MBKA	D063014MBKA	STD 1868-53-7	Dibromofluoromethane	52		ug/L	1	0	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3640	50	104%		
D063014MBKA	D063014MBKA	STD 17060-07-0	1,2-Dichloroethane d4	54		ug/L	1	0	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3640	50	108%		
D063014MBKA	D063014MBKA	STD 2037-26-5	Toluene d8	49		ug/L	1	0	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3640	50	98%		
D063014MBKA	D063014MBKA	STD 460-00-4	Bromofluorobenzene	52		ug/L	1	0	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3640	50	104%		



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assessment, QC analyses parameter exceeded control limits.
U = Non-detect
* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	DIL.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Splice	% Rec	% RPD	Parent
D063014ALCS	D063014ALCS	ORG 75-71-8	Dichlorodifluoromethane	62		ug/L	5	0.29	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3639	50	124%		
D063014ALCS	D063014ALCS	ORG 74-87-3	Chloromethane	61		ug/L	5	0.43	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3639	50	122%		
D063014ALCS	D063014ALCS	ORG 75-01-4	Vinyl chloride	54		ug/L	2	0.32	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3639	50	108%		
D063014ALCS	D063014ALCS	ORG 74-83-9	Bromomethane	73		ug/L	5	0.50	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3639	50	146%		
D063014ALCS	D063014ALCS	ORG 75-00-3	Chloroethane	76		ug/L	5	0.56	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3639	50	152%		
D063014ALCS	D063014ALCS	ORG 75-69-4	Trichlorofluoromethane	121		ug/L	5	0.20	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3639	50	242%		
D063014ALCS	D063014ALCS	ORG 75-35-4	1,1-Dichloroethene	45		ug/L	1	0.47	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3639	50	90%		
D063014ALCS	D063014ALCS	ORG 75-09-2	Methylene chloride	34		ug/L	5	0.26	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3639	50	68%		
D063014ALCS	D063014ALCS	ORG 67-64-1	Acetone	58		ug/L	10	1.56	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3639	50	116%		
D063014ALCS	D063014ALCS	ORG 156-60-5	trans-1,2-Dichloroethene	32		ug/L	1	0.56	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3639	50	64%		
D063014ALCS	D063014ALCS	ORG 1634-04-4	MTBE	32		ug/L	5	0.61	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3639	50	64%		
D063014ALCS	D063014ALCS	ORG 75-34-3	1,1-Dichloroethane	49		ug/L	1	0.53	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3639	50	98%		
D063014ALCS	D063014ALCS	ORG 156-59-2	cis-1,2-Dichloroethene	47		ug/L	1	0.32	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3639	50	94%		
D063014ALCS	D063014ALCS	ORG 74-97-5	Bromochloromethane	47		ug/L	10	0.41	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3639	50	94%		
D063014ALCS	D063014ALCS	ORG 67-66-3	Chloroform	48		ug/L	2	0.16	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3639	50	96%		
D063014ALCS	D063014ALCS	ORG 71-55-6	1,1,1-Trichloroethane	48		ug/L	1	0.17	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3639	50	96%		
D063014ALCS	D063014ALCS	ORG 78-93-3	2-Butanone	50		ug/L	1	0.81	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3639	50	100%		
D063014ALCS	D063014ALCS	ORG 56-23-5	Carbon tetrachloride	48		ug/L	1	0.28	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3639	50	96%		
D063014ALCS	D063014ALCS	ORG 71-43-2	Benzene	45		ug/L	1	0.14	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3639	50	90%		
D063014ALCS	D063014ALCS	ORG 107-06-2	1,2-Dichloroethane	46		ug/L	1	0.20	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3639	50	92%		
D063014ALCS	D063014ALCS	ORG 79-01-6	Trichloroethene	46		ug/L	1	0.36	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3639	50	92%		
D063014ALCS	D063014ALCS	ORG 74-95-3	Dibromomethane	46		ug/L	2	0.32	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3639	50	92%		
D063014ALCS	D063014ALCS	ORG 78-87-5	1,2-Dichloropropane	50		ug/L	1	0.18	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3639	50	100%		
D063014ALCS	D063014ALCS	ORG 75-27-4	Bromodichloromethane	51		ug/L	2	0.12	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3639	50	102%		
D063014ALCS	D063014ALCS	ORG 10061-01-5	cis-1,3-Dichloropropene	51		ug/L	1	0.25	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3639	50	102%		
D063014ALCS	D063014ALCS	ORG 108-88-3	Toluene	45		ug/L	1	0.21	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3639	50	90%		
D063014ALCS	D063014ALCS	ORG 108-10-1	4-Methyl-2-pentanone	47		ug/L	5	0.74	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3639	50	94%		
D063014ALCS	D063014ALCS	ORG 10061-02-6	trans-1,3-Dichloropropene	54		ug/L	1	0.31	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3639	50	108%		
D063014ALCS	D063014ALCS	ORG 127-18-4	Tetrachloroethene	43		ug/L	1	0.49	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3639	50	86%		
D063014ALCS	D063014ALCS	ORG 79-00-5	1,1,2-Trichloroethane	47		ug/L	1	0.34	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3639	50	94%		
D063014ALCS	D063014ALCS	ORG 124-48-1	Dibromochloromethane	52		ug/L	5	0.30	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3639	50	104%		
D063014ALCS	D063014ALCS	ORG 106-93-4	1,2-Dibromoethane	49		ug/L	2	0.26	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3639	50	98%		
D063014ALCS	D063014ALCS	ORG 591-78-6	2-Hexanone	54		ug/L	2	0.69	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3639	50	108%		
D063014ALCS	D063014ALCS	ORG 100-41-4	Ethylbenzene	49		ug/L	1	0.25	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3639	50	98%		
D063014ALCS	D063014ALCS	ORG 108-90-7	Chlorobenzene	49		ug/L	1	0.28	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3639	50	98%		
D063014ALCS	D063014ALCS	ORG 630-20-6	1,1,1,2-Tetrachloroethane	54		ug/L	2	0.19	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3639	50	108%		
D063014ALCS	D063014ALCS	ORG XYLMP	p&m-Xylene	97		ug/L	2	0.26	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3639	100	97%		
D063014ALCS	D063014ALCS	ORG 95-47-6	o-Xylene	50		ug/L	1	0.13	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3639	50	100%		
D063014ALCS	D063014ALCS	ORG 100-42-5	Styrene	53		ug/L	1	0.20	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3639	50	106%		
D063014ALCS	D063014ALCS	ORG 75-25-2	Bromoform	52		ug/L	2	0.47	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3639	50	104%		
D063014ALCS	D063014ALCS	ORG 98-82-8	Isopropylbenzene	52		ug/L	2	0.20	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3639	50	104%		
D063014ALCS	D063014ALCS	ORG 103-65-1	n-Propylbenzene	52		ug/L	2	0.27	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3639	50	104%		
D063014ALCS	D063014ALCS	ORG 79-34-5	1,1,2,2-Tetrachloroethane	51		ug/L	2	0.29	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3639	50	102%		
D063014ALCS	D063014ALCS	ORG 96-18-4	1,2,3-Trichloropropane	48		ug/L	2	0.29	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3639	50	96%		

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assessment, QC analyses parameter exceeded control limits.
U = Non-detect
 * NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	DIL.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spilte	% Rec	% RPD	Parent
D063014ALCS	D063014ALCS	ORG 108-67-8	1,3,5-Trimethylbenzene	51		ug/L	2	0.20	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3639	50	102%		
D063014ALCS	D063014ALCS	ORG 98-06-6	tert-Butylbenzene	52		ug/L	2	0.33	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3639	50	104%		
D063014ALCS	D063014ALCS	ORG 95-63-6	1,2,4-Trimethylbenzene	52		ug/L	2	0.20	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3639	50	104%		
D063014ALCS	D063014ALCS	ORG 135-98-8	sec-Butylbenzene	52		ug/L	2	0.32	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3639	50	104%		
D063014ALCS	D063014ALCS	ORG 541-73-1	1,3-Dichlorobenzene	50		ug/L	2	0.22	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3639	50	100%		
D063014ALCS	D063014ALCS	ORG 99-87-6	p-Isopropyltoluene	51		ug/L	2	0.25	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3639	50	102%		
D063014ALCS	D063014ALCS	ORG 106-46-7	1,4-Dichlorobenzene	48		ug/L	2	0.33	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3639	50	96%		
D063014ALCS	D063014ALCS	ORG 95-50-1	1,2-Dichlorobenzene	49		ug/L	2	0.26	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3639	50	98%		
D063014ALCS	D063014ALCS	ORG 104-51-8	n-Butylbenzene	55		ug/L	5	0.28	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3639	50	110%		
D063014ALCS	D063014ALCS	ORG 96-12-8	1,2-Dibromo-3-chloropropane	53		ug/L	5	1.59	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3639	50	106%		
D063014ALCS	D063014ALCS	ORG 87-68-3	Hexachlorobutadiene	53		ug/L	5	0.65	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3639	50	106%		
D063014ALCS	D063014ALCS	ORG 120-82-1	1,2,4-Trichlorobenzene	53		ug/L	5	0.28	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3639	50	106%		
D063014ALCS	D063014ALCS	ORG 91-20-3	Naphthalene	49		ug/L	5	0.56	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3639	50	98%		
D063014ALCS	D063014ALCS	ORG 87-61-6	1,2,3-Trichlorobenzene	51		ug/L	5	0.23	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3639	50	102%		
D063014ALCS	D063014ALCS	STD 1868-53-7	Dibromofluoromethane	50		ug/L	1	0	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3639	50	100%		
D063014ALCS	D063014ALCS	STD 17060-07-0	1,2-Dichloroethane d4	50		ug/L	1	0	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3639	50	100%		
D063014ALCS	D063014ALCS	STD 2037-26-5	Toluene d8	49		ug/L	1	0	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3639	50	98%		
D063014ALCS	D063014ALCS	STD 460-00-4	Bromofluorobenzene	53		ug/L	1	0	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3639	50	106%		



New Age/Landmark Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

FINAL ANALYTICAL REPORT

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assessment, QC analyses parameter exceeded control limits.
U = Non-detect
* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	DIL.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Splice	% Rec	% RPD	Parent
D063014ALCD	D063014ALCD	ORG 75-71-8	Dichlorodifluoromethane	62		ug/L	5	0.29	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3643	50	124%	0%	
D063014ALCD	D063014ALCD	ORG 74-87-3	Chloromethane	56		ug/L	5	0.43	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3643	50	112%	9%	
D063014ALCD	D063014ALCD	ORG 75-01-4	Vinyl chloride	50		ug/L	2	0.32	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3643	50	100%	8%	
D063014ALCD	D063014ALCD	ORG 74-83-9	Bromomethane	62		ug/L	5	0.50	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3643	50	124%	16%	
D063014ALCD	D063014ALCD	ORG 75-00-3	Chloroethane	67		ug/L	5	0.56	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3643	50	134%	13%	
D063014ALCD	D063014ALCD	ORG 75-69-4	Trichlorofluoromethane	80		ug/L	5	0.20	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3643	50	160%	41%	
D063014ALCD	D063014ALCD	ORG 75-35-4	1,1-Dichloroethene	40		ug/L	1	0.47	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3643	50	80%	12%	
D063014ALCD	D063014ALCD	ORG 75-09-2	Methylene chloride	49		ug/L	5	0.26	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3643	50	98%	36%	
D063014ALCD	D063014ALCD	ORG 67-64-1	Acetone	70		ug/L	10	1.56	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3643	50	140%	19%	
D063014ALCD	D063014ALCD	ORG 156-60-5	trans-1,2-Dichloroethene	44		ug/L	1	0.56	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3643	50	88%	32%	
D063014ALCD	D063014ALCD	ORG 1634-04-4	MTBE	41		ug/L	5	0.61	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3643	50	82%	25%	
D063014ALCD	D063014ALCD	ORG 75-34-3	1,1-Dichloroethane	47		ug/L	1	0.53	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3643	50	94%	4%	
D063014ALCD	D063014ALCD	ORG 156-59-2	cis-1,2-Dichloroethene	46		ug/L	1	0.32	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3643	50	92%	2%	
D063014ALCD	D063014ALCD	ORG 74-97-5	Bromochloromethane	46		ug/L	10	0.41	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3643	50	92%	2%	
D063014ALCD	D063014ALCD	ORG 67-66-3	Chloroform	46		ug/L	2	0.16	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3643	50	92%	4%	
D063014ALCD	D063014ALCD	ORG 71-55-6	1,1,1-Trichloroethane	47		ug/L	1	0.17	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3643	50	94%	2%	
D063014ALCD	D063014ALCD	ORG 78-93-3	2-Butanone	51		ug/L	1	0.81	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3643	50	102%	2%	
D063014ALCD	D063014ALCD	ORG 56-23-5	Carbon tetrachloride	48		ug/L	1	0.28	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3643	50	96%	0%	
D063014ALCD	D063014ALCD	ORG 71-43-2	Benzene	45		ug/L	1	0.14	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3643	50	90%	0%	
D063014ALCD	D063014ALCD	ORG 107-06-2	1,2-Dichloroethane	45		ug/L	1	0.20	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3643	50	90%	2%	
D063014ALCD	D063014ALCD	ORG 79-01-6	Trichloroethene	46		ug/L	1	0.36	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3643	50	92%	0%	
D063014ALCD	D063014ALCD	ORG 74-95-3	Dibromomethane	47		ug/L	2	0.32	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3643	50	94%	2%	
D063014ALCD	D063014ALCD	ORG 78-87-5	1,2-Dichloropropane	48		ug/L	1	0.18	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3643	50	96%	4%	
D063014ALCD	D063014ALCD	ORG 75-27-4	Bromodichloromethane	49		ug/L	2	0.12	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3643	50	98%	4%	
D063014ALCD	D063014ALCD	ORG 10061-01-5	cis-1,3-Dichloropropene	50		ug/L	1	0.25	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3643	50	100%	2%	
D063014ALCD	D063014ALCD	ORG 108-88-3	Toluene	45		ug/L	1	0.21	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3643	50	90%	0%	
D063014ALCD	D063014ALCD	ORG 108-10-1	4-Methyl-2-pentanone	47		ug/L	5	0.74	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3643	50	94%	0%	
D063014ALCD	D063014ALCD	ORG 10061-02-6	trans-1,3-Dichloropropene	53		ug/L	1	0.31	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3643	50	106%	2%	
D063014ALCD	D063014ALCD	ORG 127-18-4	Tetrachloroethene	41		ug/L	1	0.49	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3643	50	82%	5%	
D063014ALCD	D063014ALCD	ORG 79-00-5	1,1,2-Trichloroethane	47		ug/L	1	0.34	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3643	50	94%	0%	
D063014ALCD	D063014ALCD	ORG 124-48-1	Dibromochloromethane	50		ug/L	5	0.30	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3643	50	100%	4%	
D063014ALCD	D063014ALCD	ORG 106-93-4	1,2-Dibromoethane	47		ug/L	2	0.26	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3643	50	94%	4%	
D063014ALCD	D063014ALCD	ORG 591-78-6	2-Hexanone	51		ug/L	2	0.69	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3643	50	102%	6%	
D063014ALCD	D063014ALCD	ORG 100-41-4	Ethylbenzene	50		ug/L	1	0.25	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3643	50	100%	2%	
D063014ALCD	D063014ALCD	ORG 108-90-7	Chlorobenzene	49		ug/L	1	0.28	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3643	50	98%	0%	
D063014ALCD	D063014ALCD	ORG 630-20-6	1,1,1,2-Tetrachloroethane	53		ug/L	2	0.19	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3643	50	106%	2%	
D063014ALCD	D063014ALCD	ORG XYLMP	p&m-Xylene	97		ug/L	2	0.26	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3643	100	97%	0%	
D063014ALCD	D063014ALCD	ORG 95-47-6	o-Xylene	50		ug/L	1	0.13	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3643	50	100%	0%	
D063014ALCD	D063014ALCD	ORG 100-42-5	Styrene	54		ug/L	1	0.20	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3643	50	108%	2%	
D063014ALCD	D063014ALCD	ORG 75-25-2	Bromoform	50		ug/L	2	0.47	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3643	50	100%	4%	
D063014ALCD	D063014ALCD	ORG 98-82-8	Isopropylbenzene	51		ug/L	2	0.20	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3643	50	102%	2%	
D063014ALCD	D063014ALCD	ORG 103-65-1	n-Propylbenzene	52		ug/L	2	0.27	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3643	50	104%	0%	
D063014ALCD	D063014ALCD	ORG 79-34-5	1,1,2,2-Tetrachloroethane	51		ug/L	2	0.29	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3643	50	102%	0%	
D063014ALCD	D063014ALCD	ORG 96-18-4	1,2,3-Trichloropropane	48		ug/L	2	0.29	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3643	50	96%	0%	

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

- B** = Analyte is found in the associated blank as well as in the sample.
 - D** = Compound identified in an analysis at a secondary dilution factor.
 - E** = Compound's concentration exceeds the calibration range of the instrument at this dilution.
 - X** = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
 - J** = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
 - M** = Matrix assessment, QC analyses parameter exceeded control limits.
 - U** = Non-detect
- * NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	DIL.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spilte	% Rec	% RPD	Parent
D063014ALCD	D063014ALCD	ORG 108-67-8	1,3,5-Trimethylbenzene	51		ug/L	2	0.20	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3643	50	102%	0%	
D063014ALCD	D063014ALCD	ORG 98-06-6	tert-Butylbenzene	52		ug/L	2	0.33	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3643	50	104%	0%	
D063014ALCD	D063014ALCD	ORG 95-63-6	1,2,4-Trimethylbenzene	51		ug/L	2	0.20	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3643	50	102%	2%	
D063014ALCD	D063014ALCD	ORG 135-98-8	sec-Butylbenzene	52		ug/L	2	0.32	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3643	50	104%	0%	
D063014ALCD	D063014ALCD	ORG 541-73-1	1,3-Dichlorobenzene	49		ug/L	2	0.22	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3643	50	98%	2%	
D063014ALCD	D063014ALCD	ORG 99-87-6	p-Isopropyltoluene	51		ug/L	2	0.25	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3643	50	102%	0%	
D063014ALCD	D063014ALCD	ORG 106-46-7	1,4-Dichlorobenzene	48		ug/L	2	0.33	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3643	50	96%	0%	
D063014ALCD	D063014ALCD	ORG 95-50-1	1,2-Dichlorobenzene	49		ug/L	2	0.26	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3643	50	98%	0%	
D063014ALCD	D063014ALCD	ORG 104-51-8	n-Butylbenzene	55		ug/L	5	0.28	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3643	50	110%	0%	
D063014ALCD	D063014ALCD	ORG 96-12-8	1,2-Dibromo-3-chloropropane	51		ug/L	5	1.59	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3643	50	102%	4%	
D063014ALCD	D063014ALCD	ORG 87-68-3	Hexachlorobutadiene	55		ug/L	5	0.65	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3643	50	110%	4%	
D063014ALCD	D063014ALCD	ORG 120-82-1	1,2,4-Trichlorobenzene	52		ug/L	5	0.28	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3643	50	104%	2%	
D063014ALCD	D063014ALCD	ORG 91-20-3	Naphthalene	48		ug/L	5	0.56	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3643	50	96%	2%	
D063014ALCD	D063014ALCD	ORG 87-61-6	1,2,3-Trichlorobenzene	50		ug/L	5	0.23	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3643	50	100%	2%	
D063014ALCD	D063014ALCD	STD 1868-53-7	Dibromofluoromethane	50		ug/L	1	0	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3643	50	100%	0%	
D063014ALCD	D063014ALCD	STD 17060-07-0	1,2-Dichloroethane d4	48		ug/L	1	0	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3643	50	96%	4%	
D063014ALCD	D063014ALCD	STD 2037-26-5	Toluene d8	48		ug/L	1	0	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3643	50	96%	2%	
D063014ALCD	D063014ALCD	STD 460-00-4	Bromofluorobenzene	52		ug/L	1	0	NA	6/30/2014	6/30/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3643	50	104%	2%	

FINAL ANALYTICAL REPORT

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assessment, QC analyses parameter exceeded control limits.
U = Non-detect
 * NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Splice	% Rec	% RPD	Parent
NAL13026-1546MS	316-346	ORG 75-71-8	Dichlorodifluoromethane	6400		ug/L	500	29.28	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3644	5000	128%		
NAL13026-1546MS	316-346	ORG 74-87-3	Chloromethane	5800		ug/L	500	43.07	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3644	5000	116%		
NAL13026-1546MS	316-346	ORG 75-01-4	Vinyl chloride	5400		ug/L	200	31.86	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3644	5000	108%		
NAL13026-1546MS	316-346	ORG 74-83-9	Bromomethane	6800		ug/L	500	50.04	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3644	5000	136%		
NAL13026-1546MS	316-346	ORG 75-00-3	Chloroethane	7300		ug/L	500	55.61	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3644	5000	146%		
NAL13026-1546MS	316-346	ORG 75-69-4	Trichlorofluoromethane	9700		ug/L	500	19.65	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3644	5000	194%		
NAL13026-1546MS	316-346	ORG 75-35-4	1,1-Dichloroethene	4400		ug/L	100	47.11	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3644	5000	88%		
NAL13026-1546MS	316-346	ORG 75-09-2	Methylene chloride	4900		ug/L	500	26.46	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3644	5000	98%		
NAL13026-1546MS	316-346	ORG 67-64-1	Acetone	94000		ug/L	1000	155.61	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3644	5000	-220%		105000
NAL13026-1546MS	316-346	ORG 156-60-5	trans-1,2-Dichloroethene	4400		ug/L	100	55.61	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3644	5000	88%		
NAL13026-1546MS	316-346	ORG 1634-04-4	MTBE	4200		ug/L	500	61.18	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3644	5000	84%		
NAL13026-1546MS	316-346	ORG 75-34-3	1,1-Dichloroethane	4700		ug/L	100	52.66	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3644	5000	94%		
NAL13026-1546MS	316-346	ORG 156-59-2	cis-1,2-Dichloroethene	4500		ug/L	100	32.11	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3644	5000	90%		
NAL13026-1546MS	316-346	ORG 74-97-5	Bromochloromethane	4500		ug/L	1000	41.37	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3644	5000	90%		
NAL13026-1546MS	316-346	ORG 67-66-3	Chloroform	4600		ug/L	200	15.73	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3644	5000	92%		
NAL13026-1546MS	316-346	ORG 71-55-6	1,1,1-Trichloroethane	4700		ug/L	100	16.65	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3644	5000	94%		
NAL13026-1546MS	316-346	ORG 78-93-3	2-Butanone	21000		ug/L	100	81.18	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3644	5000	120%		15000
NAL13026-1546MS	316-346	ORG 56-23-5	Carbon tetrachloride	4700		ug/L	100	27.64	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3644	5000	94%		
NAL13026-1546MS	316-346	ORG 71-43-2	Benzene	4400		ug/L	100	13.53	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3644	5000	88%		
NAL13026-1546MS	316-346	ORG 107-06-2	1,2-Dichloroethane	4600		ug/L	100	20.01	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3644	5000	92%		
NAL13026-1546MS	316-346	ORG 79-01-6	Trichloroethene	4500		ug/L	100	36.33	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3644	5000	90%		
NAL13026-1546MS	316-346	ORG 74-95-3	Dibromomethane	4700		ug/L	200	32.20	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3644	5000	94%		
NAL13026-1546MS	316-346	ORG 78-87-5	1,2-Dichloropropane	4800		ug/L	100	18.17	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3644	5000	96%		
NAL13026-1546MS	316-346	ORG 75-27-4	Bromodichloromethane	4900		ug/L	200	11.58	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3644	5000	98%		
NAL13026-1546MS	316-346	ORG 10061-01-5	cis-1,3-Dichloropropene	5000		ug/L	100	25.01	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3644	5000	100%		
NAL13026-1546MS	316-346	ORG 108-88-3	Toluene	4400		ug/L	100	20.96	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3644	5000	88%		
NAL13026-1546MS	316-346	ORG 108-10-1	4-Methyl-2-pentanone	4800		ug/L	500	74.00	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3644	5000	92%		220
NAL13026-1546MS	316-346	ORG 10061-02-6	trans-1,3-Dichloropropene	5300		ug/L	100	31.15	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3644	5000	106%		
NAL13026-1546MS	316-346	ORG 127-18-4	Tetrachloroethene	3900		ug/L	100	48.56	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3644	5000	78%		
NAL13026-1546MS	316-346	ORG 79-00-5	1,1,2-Trichloroethane	4700		ug/L	100	34.28	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3644	5000	94%		
NAL13026-1546MS	316-346	ORG 124-48-1	Dibromochloromethane	5000		ug/L	500	29.90	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3644	5000	100%		
NAL13026-1546MS	316-346	ORG 106-93-4	1,2-Dibromoethane	4800		ug/L	200	26.49	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3644	5000	96%		
NAL13026-1546MS	316-346	ORG 591-78-6	2-Hexanone	4500		ug/L	200	68.90	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3644	5000	82%		380
NAL13026-1546MS	316-346	ORG 100-41-4	Ethylbenzene	51000		ug/L	100	25.38	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3644	5000	1020%		
NAL13026-1546MS	316-346	ORG 108-90-7	Chlorobenzene	4900		ug/L	100	27.52	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3644	5000	98%		
NAL13026-1546MS	316-346	ORG 630-20-6	1,1,1,2-Tetrachloroethane	5400		ug/L	200	19.28	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3644	5000	108%		
NAL13026-1546MS	316-346	ORG XYLMP	p&m-Xylene	9800		ug/L	200	26.14	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3644	10000	98%		
NAL13026-1546MS	316-346	ORG 95-47-6	o-Xylene	5100		ug/L	100	12.90	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3644	5000	102%		
NAL13026-1546MS	316-346	ORG 100-42-5	Styrene	5400		ug/L	100	20.23	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3644	5000	108%		
NAL13026-1546MS	316-346	ORG 75-25-2	Bromoform	5100		ug/L	200	46.83	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3644	5000	102%		
NAL13026-1546MS	316-346	ORG 98-82-8	Isopropylbenzene	5300		ug/L	200	20.48	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3644	5000	106%		
NAL13026-1546MS	316-346	ORG 103-65-1	n-Propylbenzene	5200		ug/L	200	27.00	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3644	5000	104%		
NAL13026-1546MS	316-346	ORG 79-34-5	1,1,2,2-Tetrachloroethane	5200		ug/L	200	29.16	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3644	5000	104%		
NAL13026-1546MS	316-346	ORG 96-18-4	1,2,3-Trichloropropane	4800		ug/L	200	29.47	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3644	5000	96%		



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
 Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

- B** = Analyte is found in the associated blank as well as in the sample.
- D** = Compound identified in an analysis at a secondary dilution factor.
- E** = Compound's concentration exceeds the calibration range of the instrument at this dilution.
- X** = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
- J** = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
- M** = Matrix assessment, QC analyses parameter exceeded control limits.
- U** = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	DIL.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Splice	% Rec	% RPD	Parent
NAL13026-1546MS	316-346	ORG 108-67-8	1,3,5-Trimethylbenzene	5100		ug/L	200	20.03	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3644	5000	102%		
NAL13026-1546MS	316-346	ORG 98-06-6	tert-Butylbenzene	5300		ug/L	200	32.61	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3644	5000	106%		
NAL13026-1546MS	316-346	ORG 95-63-6	1,2,4-Trimethylbenzene	5100		ug/L	200	20.03	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3644	5000	102%		
NAL13026-1546MS	316-346	ORG 135-98-8	sec-Butylbenzene	5200		ug/L	200	32.34	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3644	5000	104%		
NAL13026-1546MS	316-346	ORG 541-73-1	1,3-Dichlorobenzene	4900		ug/L	200	22.21	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3644	5000	98%		
NAL13026-1546MS	316-346	ORG 99-87-6	p-Isopropyltoluene	5200		ug/L	200	25.48	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3644	5000	103%		30
NAL13026-1546MS	316-346	ORG 106-46-7	1,4-Dichlorobenzene	4900		ug/L	200	33.03	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3644	5000	98%		
NAL13026-1546MS	316-346	ORG 95-50-1	1,2-Dichlorobenzene	4800		ug/L	200	26.38	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3644	5000	96%		
NAL13026-1546MS	316-346	ORG 104-51-8	n-Butylbenzene	5400		ug/L	500	27.81	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3644	5000	108%		
NAL13026-1546MS	316-346	ORG 96-12-8	1,2-Dibromo-3-chloropropane	5500		ug/L	500	159.11	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3644	5000	110%		
NAL13026-1546MS	316-346	ORG 87-68-3	Hexachlorobutadiene	5100		ug/L	500	65.42	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3644	5000	102%		
NAL13026-1546MS	316-346	ORG 120-82-1	1,2,4-Trichlorobenzene	5200		ug/L	500	27.63	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3644	5000	104%		
NAL13026-1546MS	316-346	ORG 91-20-3	Naphthalene	5600		ug/L	500	56.04	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3644	5000	102%		500
NAL13026-1546MS	316-346	ORG 87-61-6	1,2,3-Trichlorobenzene	5100		ug/L	500	23.28	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3644	5000	102%		
NAL13026-1546MS	316-346	STD 1868-53-7	Dibromofluoromethane	49		ug/L	1	0	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3644	50	98%		
NAL13026-1546MS	316-346	STD 17060-07-0	1,2-Dichloroethane d4	49		ug/L	1	0	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3644	50	98%		
NAL13026-1546MS	316-346	STD 2037-26-5	Toluene d8	48		ug/L	1	0	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3644	50	96%		
NAL13026-1546MS	316-346	STD 460-00-4	Bromofluorobenzene	53		ug/L	1	0	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3644	50	106%		



Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

FINAL ANALYTICAL REPORT

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assessment, QC analyses parameter exceeded control limits.
U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Splice	% Rec	% RPD	Parent
NAL13026-1546MSD	316-346	ORG 75-71-8	Dichlorodifluoromethane	6300		ug/L	500	29.28	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3645	5000	126%	2%	
NAL13026-1546MSD	316-346	ORG 74-87-3	Chloromethane	6200		ug/L	500	43.07	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3645	5000	124%	7%	
NAL13026-1546MSD	316-346	ORG 75-01-4	Vinyl chloride	5400		ug/L	200	31.86	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3645	5000	108%	0%	
NAL13026-1546MSD	316-346	ORG 74-83-9	Bromomethane	7000		ug/L	500	50.04	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3645	5000	140%	3%	
NAL13026-1546MSD	316-346	ORG 75-00-3	Chloroethane	7400		ug/L	500	55.61	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3645	5000	148%	1%	
NAL13026-1546MSD	316-346	ORG 75-69-4	Trichlorofluoromethane	11000		ug/L	500	19.65	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3645	5000	220%	13%	
NAL13026-1546MSD	316-346	ORG 75-35-4	1,1-Dichloroethene	4000		ug/L	100	47.11	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3645	5000	80%	10%	
NAL13026-1546MSD	316-346	ORG 75-09-2	Methylene chloride	4800		ug/L	500	26.46	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3645	5000	96%	2%	
NAL13026-1546MSD	316-346	ORG 67-64-1	Acetone	91000		ug/L	1000	155.61	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3645	5000	-280%	3%	105000
NAL13026-1546MSD	316-346	ORG 156-60-5	trans-1,2-Dichloroethene	4300		ug/L	100	55.61	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3645	5000	86%	2%	
NAL13026-1546MSD	316-346	ORG 1634-04-4	MTBE	4300		ug/L	500	61.18	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3645	5000	86%	2%	
NAL13026-1546MSD	316-346	ORG 75-34-3	1,1-Dichloroethane	4700		ug/L	100	52.66	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3645	5000	94%	0%	
NAL13026-1546MSD	316-346	ORG 156-59-2	cis-1,2-Dichloroethene	4600		ug/L	100	32.11	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3645	5000	92%	2%	
NAL13026-1546MSD	316-346	ORG 74-97-5	Bromochloromethane	4500		ug/L	1000	41.37	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3645	5000	90%	0%	
NAL13026-1546MSD	316-346	ORG 67-66-3	Chloroform	4600		ug/L	200	15.73	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3645	5000	92%	0%	
NAL13026-1546MSD	316-346	ORG 71-55-6	1,1,1-Trichloroethane	4700		ug/L	100	16.65	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3645	5000	94%	0%	
NAL13026-1546MSD	316-346	ORG 78-93-3	2-Butanone	20000		ug/L	100	81.18	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3645	5000	100%	5%	15000
NAL13026-1546MSD	316-346	ORG 56-23-5	Carbon tetrachloride	4700		ug/L	100	27.64	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3645	5000	94%	0%	
NAL13026-1546MSD	316-346	ORG 71-43-2	Benzene	4400		ug/L	100	13.53	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3645	5000	88%	0%	
NAL13026-1546MSD	316-346	ORG 107-06-2	1,2-Dichloroethane	4600		ug/L	100	20.01	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3645	5000	92%	0%	
NAL13026-1546MSD	316-346	ORG 79-01-6	Trichloroethene	4500		ug/L	100	36.33	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3645	5000	90%	0%	
NAL13026-1546MSD	316-346	ORG 74-95-3	Dibromomethane	4600		ug/L	200	32.20	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3645	5000	92%	2%	
NAL13026-1546MSD	316-346	ORG 78-87-5	1,2-Dichloropropane	4900		ug/L	100	18.17	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3645	5000	98%	2%	
NAL13026-1546MSD	316-346	ORG 75-27-4	Bromodichloromethane	5000		ug/L	200	11.58	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3645	5000	100%	2%	
NAL13026-1546MSD	316-346	ORG 10061-01-5	cis-1,3-Dichloropropene	5000		ug/L	100	25.01	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3645	5000	100%	0%	
NAL13026-1546MSD	316-346	ORG 108-88-3	Toluene	4500		ug/L	100	20.96	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3645	5000	90%	2%	
NAL13026-1546MSD	316-346	ORG 108-10-1	4-Methyl-2-pentanone	4800		ug/L	500	74.00	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3645	5000	92%	0%	220
NAL13026-1546MSD	316-346	ORG 10061-02-6	trans-1,3-Dichloropropene	5400		ug/L	100	31.15	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3645	5000	108%	2%	
NAL13026-1546MSD	316-346	ORG 127-18-4	Tetrachloroethene	4100		ug/L	100	48.56	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3645	5000	82%	5%	
NAL13026-1546MSD	316-346	ORG 79-00-5	1,1,2-Trichloroethane	4700		ug/L	100	34.28	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3645	5000	94%	0%	
NAL13026-1546MSD	316-346	ORG 124-48-1	Dibromochloromethane	5000		ug/L	500	29.90	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3645	5000	100%	0%	
NAL13026-1546MSD	316-346	ORG 106-93-4	1,2-Dibromoethane	4800		ug/L	200	26.49	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3645	5000	96%	0%	
NAL13026-1546MSD	316-346	ORG 591-78-6	2-Hexanone	4000		ug/L	200	68.90	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3645	5000	72%	12%	380
NAL13026-1546MSD	316-346	ORG 100-41-4	Ethylbenzene	5000		ug/L	100	25.38	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3645	5000	100%	164%	
NAL13026-1546MSD	316-346	ORG 108-90-7	Chlorobenzene	4800		ug/L	100	27.52	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3645	5000	96%	2%	
NAL13026-1546MSD	316-346	ORG 630-20-6	1,1,1,2-Tetrachloroethane	5300		ug/L	200	19.28	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3645	5000	106%	2%	
NAL13026-1546MSD	316-346	ORG XYLMP	p&m-Xylene	9600		ug/L	200	26.14	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3645	10000	96%	2%	
NAL13026-1546MSD	316-346	ORG 95-47-6	o-Xylene	5000		ug/L	100	12.90	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3645	5000	100%	2%	
NAL13026-1546MSD	316-346	ORG 100-42-5	Styrene	5300		ug/L	100	20.23	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3645	5000	106%	2%	
NAL13026-1546MSD	316-346	ORG 75-25-2	Bromoform	4900		ug/L	200	46.83	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3645	5000	98%	4%	
NAL13026-1546MSD	316-346	ORG 98-82-8	Isopropylbenzene	5100		ug/L	200	20.48	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3645	5000	102%	4%	
NAL13026-1546MSD	316-346	ORG 103-65-1	n-Propylbenzene	5100		ug/L	200	27.00	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3645	5000	102%	2%	
NAL13026-1546MSD	316-346	ORG 79-34-5	1,1,2,2-Tetrachloroethane	5000		ug/L	200	29.16	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3645	5000	100%	4%	
NAL13026-1546MSD	316-346	ORG 96-18-4	1,2,3-Trichloropropane	4600		ug/L	200	29.47	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3645	5000	92%	4%	

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assessment, QC analyses parameter exceeded control limits.
U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	DIL.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Splice	% Rec	% RPD	Parent
NAL13026-1546MSD	316-346	ORG 108-67-8	1,3,5-Trimethylbenzene	5000		ug/L	200	20.03	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3645	5000	100%	2%	
NAL13026-1546MSD	316-346	ORG 98-06-6	tert-Butylbenzene	5200		ug/L	200	32.61	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3645	5000	104%	2%	
NAL13026-1546MSD	316-346	ORG 95-63-6	1,2,4-Trimethylbenzene	5000		ug/L	200	20.03	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3645	5000	100%	2%	
NAL13026-1546MSD	316-346	ORG 135-98-8	sec-Butylbenzene	5000		ug/L	200	32.34	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3645	5000	100%	4%	
NAL13026-1546MSD	316-346	ORG 541-73-1	1,3-Dichlorobenzene	4900		ug/L	200	22.21	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3645	5000	98%	0%	
NAL13026-1546MSD	316-346	ORG 99-87-6	p-Isopropyltoluene	5000		ug/L	200	25.48	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3645	5000	99%	4%	30
NAL13026-1546MSD	316-346	ORG 106-46-7	1,4-Dichlorobenzene	4800		ug/L	200	33.03	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3645	5000	96%	2%	
NAL13026-1546MSD	316-346	ORG 95-50-1	1,2-Dichlorobenzene	4800		ug/L	200	26.38	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3645	5000	96%	0%	
NAL13026-1546MSD	316-346	ORG 104-51-8	n-Butylbenzene	5200		ug/L	500	27.81	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3645	5000	104%	4%	
NAL13026-1546MSD	316-346	ORG 96-12-8	1,2-Dibromo-3-chloropropane	5000		ug/L	500	159.11	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3645	5000	100%	10%	
NAL13026-1546MSD	316-346	ORG 87-68-3	Hexachlorobutadiene	5200		ug/L	500	65.42	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3645	5000	104%	2%	
NAL13026-1546MSD	316-346	ORG 120-82-1	1,2,4-Trichlorobenzene	5200		ug/L	500	27.63	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3645	5000	104%	0%	
NAL13026-1546MSD	316-346	ORG 91-20-3	Naphthalene	5400		ug/L	500	56.04	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3645	5000	98%	4%	500
NAL13026-1546MSD	316-346	ORG 87-61-6	1,2,3-Trichlorobenzene	5100		ug/L	500	23.28	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3645	5000	102%	0%	
NAL13026-1546MSD	316-346	STD 1868-53-7	Dibromofluoromethane	50		ug/L	1	0	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3645	50	100%	2%	
NAL13026-1546MSD	316-346	STD 17060-07-0	1,2-Dichloroethane d4	49		ug/L	1	0	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3645	50	98%	0%	
NAL13026-1546MSD	316-346	STD 2037-26-5	Toluene d8	49		ug/L	1	0	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3645	50	98%	2%	
NAL13026-1546MSD	316-346	STD 460-00-4	Bromofluorobenzene	52		ug/L	1	0	6/30/2014	6/30/2014	6/30/2014	WG	100	NA	5.0	NA	SW8260B	NALD3645	50	104%	2%	



Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

FINAL ANALYTICAL REPORT

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1549	316-347	ORG 75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3656				
NAL13026-1549	316-347	ORG 74-87-3	Chloromethane		U	ug/L	500	43.07	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3656				
NAL13026-1549	316-347	ORG 75-01-4	Vinyl chloride		U	ug/L	200	31.86	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3656				
NAL13026-1549	316-347	ORG 74-83-9	Bromomethane		U	ug/L	500	50.04	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3656				
NAL13026-1549	316-347	ORG 75-00-3	Chloroethane		U	ug/L	500	55.61	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3656				
NAL13026-1549	316-347	ORG 75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3656				
NAL13026-1549	316-347	ORG 75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3656				
NAL13026-1549	316-347	ORG 75-09-2	Methylene chloride		UX-	ug/L	500	26.46	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3656				
NAL13026-1549	316-347	ORG 67-64-1	Acetone	120000	DX	ug/L	10000	1556.07	7/1/2014	7/1/2014	7/1/2014	WG	1000	NA	5.0	NA	SW8260B	NALD3657				
NAL13026-1549	316-347	ORG 156-60-5	trans-1,2-Dichloroethene		UX-	ug/L	100	55.61	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3656				
NAL13026-1549	316-347	ORG 1634-04-4	MTBE		U	ug/L	500	61.18	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3656				
NAL13026-1549	316-347	ORG 75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3656				
NAL13026-1549	316-347	ORG 156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3656				
NAL13026-1549	316-347	ORG 74-97-5	Bromochloromethane		U	ug/L	200	41.37	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3656				
NAL13026-1549	316-347	ORG 67-66-3	Chloroform		U	ug/L	100	15.73	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3656				
NAL13026-1549	316-347	ORG 71-55-6	1,1,1-Trichloroethane		U	ug/L	100	16.65	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3656				
NAL13026-1549	316-347	ORG 78-93-3	2-Butanone	18000	D	ug/L	10000	811.80	7/1/2014	7/1/2014	7/1/2014	WG	1000	NA	5.0	NA	SW8260B	NALD3657				
NAL13026-1549	316-347	ORG 56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3656				
NAL13026-1549	316-347	ORG 71-43-2	Benzene		U	ug/L	100	13.53	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3656				
NAL13026-1549	316-347	ORG 107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3656				
NAL13026-1549	316-347	ORG 79-01-6	Trichloroethene		U	ug/L	100	36.33	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3656				
NAL13026-1549	316-347	ORG 74-95-3	Dibromomethane		U	ug/L	200	32.20	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3656				
NAL13026-1549	316-347	ORG 78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3656				
NAL13026-1549	316-347	ORG 75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3656				
NAL13026-1549	316-347	ORG 10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3656				
NAL13026-1549	316-347	ORG 108-88-3	Toluene		U	ug/L	100	20.96	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3656				
NAL13026-1549	316-347	ORG 108-10-1	4-Methyl-2-pentanone	320	J	ug/L	500	74.00	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3656				
NAL13026-1549	316-347	ORG 10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3656				
NAL13026-1549	316-347	ORG 127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3656				
NAL13026-1549	316-347	ORG 79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3656				
NAL13026-1549	316-347	ORG 124-48-1	Dibromochloromethane		U	ug/L	200	29.90	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3656				
NAL13026-1549	316-347	ORG 106-93-4	1,2-Dibromoethane		U	ug/L	200	26.49	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3656				
NAL13026-1549	316-347	ORG 591-78-6	2-Hexanone	500	J	ug/L	500	68.90	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3656				
NAL13026-1549	316-347	ORG 100-41-4	Ethylbenzene		U	ug/L	100	25.38	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3656				
NAL13026-1549	316-347	ORG 108-90-7	Chlorobenzene		U	ug/L	100	27.52	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3656				
NAL13026-1549	316-347	ORG 630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3656				
NAL13026-1549	316-347	ORG XYLMP	p&m-Xylene		U	ug/L	200	26.14	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3656				
NAL13026-1549	316-347	ORG 95-47-6	o-Xylene		U	ug/L	100	12.90	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3656				
NAL13026-1549	316-347	ORG 100-42-5	Styrene		U	ug/L	100	20.23	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3656				
NAL13026-1549	316-347	ORG 75-25-2	Bromoform		U	ug/L	200	46.83	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3656				
NAL13026-1549	316-347	ORG 98-82-8	Isopropylbenzene		U	ug/L	200	20.48	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3656				
NAL13026-1549	316-347	ORG 103-65-1	n-Propylbenzene		U	ug/L	200	27.00	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3656				
NAL13026-1549	316-347	ORG 79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3656				
NAL13026-1549	316-347	ORG 96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3656				

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1549	316-347	ORG 108-67-8	1,3,5-Trimethylbenzene		U	ug/L	200	20.03	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3656				
NAL13026-1549	316-347	ORG 98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3656				
NAL13026-1549	316-347	ORG 95-63-6	1,2,4-Trimethylbenzene		U	ug/L	200	20.03	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3656				
NAL13026-1549	316-347	ORG 135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3656				
NAL13026-1549	316-347	ORG 541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3656				
NAL13026-1549	316-347	ORG 99-87-6	p-Isopropyltoluene	55	J	ug/L	200	25.48	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3656				
NAL13026-1549	316-347	ORG 106-46-7	1,4-Dichlorobenzene		U	ug/L	200	33.03	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3656				
NAL13026-1549	316-347	ORG 95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3656				
NAL13026-1549	316-347	ORG 104-51-8	n-Butylbenzene		U	ug/L	500	27.81	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3656				
NAL13026-1549	316-347	ORG 96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3656				
NAL13026-1549	316-347	ORG 87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3656				
NAL13026-1549	316-347	ORG 120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3656				
NAL13026-1549	316-347	ORG 91-20-3	Naphthalene	420	J	ug/L	500	56.04	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3656				
NAL13026-1549	316-347	ORG 87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3656				
NAL13026-1549	316-347	STD 1868-53-7	Dibromofluoromethane	50		ug/L	1	0	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3656	50	100%		
NAL13026-1549	316-347	STD 17060-07-0	1,2-Dichloroethane d4	53		ug/L	1	0	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3656	50	106%		
NAL13026-1549	316-347	STD 2037-26-5	Toluene d8	50		ug/L	1	0	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3656	50	100%		
NAL13026-1549	316-347	STD 460-00-4	Bromofluorobenzene	52		ug/L	1	0	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3656	50	104%		

FINAL ANALYTICAL REPORT

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1550	CB 07/01/14	ORG 75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3661				
NAL13026-1550	CB 07/01/14	ORG 74-87-3	Chloromethane		U	ug/L	500	43.07	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3661				
NAL13026-1550	CB 07/01/14	ORG 75-01-4	Vinyl chloride		U	ug/L	200	31.86	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3661				
NAL13026-1550	CB 07/01/14	ORG 74-83-9	Bromomethane		U	ug/L	500	50.04	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3661				
NAL13026-1550	CB 07/01/14	ORG 75-00-3	Chloroethane		U	ug/L	500	55.61	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3661				
NAL13026-1550	CB 07/01/14	ORG 75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3661				
NAL13026-1550	CB 07/01/14	ORG 75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3661				
NAL13026-1550	CB 07/01/14	ORG 75-09-2	Methylene chloride		UX-	ug/L	500	26.46	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3661				
NAL13026-1550	CB 07/01/14	ORG 67-64-1	Acetone	9000	U	ug/L	1000	155.61	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3661				
NAL13026-1550	CB 07/01/14	ORG 156-60-5	trans-1,2-Dichloroethene		UX-	ug/L	100	55.61	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3661				
NAL13026-1550	CB 07/01/14	ORG 1634-04-4	MTBE		U	ug/L	500	61.18	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3661				
NAL13026-1550	CB 07/01/14	ORG 75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3661				
NAL13026-1550	CB 07/01/14	ORG 156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3661				
NAL13026-1550	CB 07/01/14	ORG 74-97-5	Bromochloromethane		U	ug/L	200	41.37	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3661				
NAL13026-1550	CB 07/01/14	ORG 67-66-3	Chloroform		U	ug/L	100	15.73	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3661				
NAL13026-1550	CB 07/01/14	ORG 71-55-6	1,1,1-Trichloroethane		U	ug/L	100	16.65	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3661				
NAL13026-1550	CB 07/01/14	ORG 78-93-3	2-Butanone	2100	J	ug/L	1000	81.18	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3661				
NAL13026-1550	CB 07/01/14	ORG 56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3661				
NAL13026-1550	CB 07/01/14	ORG 71-43-2	Benzene		U	ug/L	100	13.53	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3661				
NAL13026-1550	CB 07/01/14	ORG 107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3661				
NAL13026-1550	CB 07/01/14	ORG 79-01-6	Trichloroethene		U	ug/L	100	36.33	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3661				
NAL13026-1550	CB 07/01/14	ORG 74-95-3	Dibromomethane		U	ug/L	200	32.20	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3661				
NAL13026-1550	CB 07/01/14	ORG 78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3661				
NAL13026-1550	CB 07/01/14	ORG 75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3661				
NAL13026-1550	CB 07/01/14	ORG 10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3661				
NAL13026-1550	CB 07/01/14	ORG 108-88-3	Toluene		U	ug/L	100	20.96	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3661				
NAL13026-1550	CB 07/01/14	ORG 108-10-1	4-Methyl-2-pentanone	130	J	ug/L	500	74.00	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3661				
NAL13026-1550	CB 07/01/14	ORG 10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3661				
NAL13026-1550	CB 07/01/14	ORG 127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3661				
NAL13026-1550	CB 07/01/14	ORG 79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3661				
NAL13026-1550	CB 07/01/14	ORG 124-48-1	Dibromochloromethane		U	ug/L	200	29.90	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3661				
NAL13026-1550	CB 07/01/14	ORG 106-93-4	1,2-Dibromomethane		U	ug/L	200	26.49	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3661				
NAL13026-1550	CB 07/01/14	ORG 591-78-6	2-Hexanone		U	ug/L	500	68.90	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3661				
NAL13026-1550	CB 07/01/14	ORG 100-41-4	Ethylbenzene		U	ug/L	100	25.38	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3661				
NAL13026-1550	CB 07/01/14	ORG 108-90-7	Chlorobenzene		U	ug/L	100	27.52	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3661				
NAL13026-1550	CB 07/01/14	ORG 630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3661				
NAL13026-1550	CB 07/01/14	ORG XYLMP	p&m-Xylene		U	ug/L	200	26.14	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3661				
NAL13026-1550	CB 07/01/14	ORG 95-47-6	o-Xylene		U	ug/L	100	12.90	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3661				
NAL13026-1550	CB 07/01/14	ORG 100-42-5	Styrene		U	ug/L	100	20.23	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3661				
NAL13026-1550	CB 07/01/14	ORG 75-25-2	Bromoform		U	ug/L	200	46.83	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3661				
NAL13026-1550	CB 07/01/14	ORG 98-82-8	Isopropylbenzene		U	ug/L	200	20.48	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3661				
NAL13026-1550	CB 07/01/14	ORG 103-65-1	n-Propylbenzene		U	ug/L	200	27.00	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3661				
NAL13026-1550	CB 07/01/14	ORG 79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3661				
NAL13026-1550	CB 07/01/14	ORG 96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3661				

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1550	CB 07/01/14	ORG 108-67-8	1,3,5-Trimethylbenzene		U	ug/L	200	20.03	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3661				
NAL13026-1550	CB 07/01/14	ORG 98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3661				
NAL13026-1550	CB 07/01/14	ORG 95-63-6	1,2,4-Trimethylbenzene	58	J	ug/L	200	20.03	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3661				
NAL13026-1550	CB 07/01/14	ORG 135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3661				
NAL13026-1550	CB 07/01/14	ORG 541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3661				
NAL13026-1550	CB 07/01/14	ORG 99-87-6	p-Isopropyltoluene	510		ug/L	200	25.48	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3661				
NAL13026-1550	CB 07/01/14	ORG 106-46-7	1,4-Dichlorobenzene	66	J	ug/L	200	33.03	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3661				
NAL13026-1550	CB 07/01/14	ORG 95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3661				
NAL13026-1550	CB 07/01/14	ORG 104-51-8	n-Butylbenzene		U	ug/L	500	27.81	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3661				
NAL13026-1550	CB 07/01/14	ORG 96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3661				
NAL13026-1550	CB 07/01/14	ORG 87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3661				
NAL13026-1550	CB 07/01/14	ORG 120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3661				
NAL13026-1550	CB 07/01/14	ORG 91-20-3	Naphthalene	460	J	ug/L	500	56.04	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3661				
NAL13026-1550	CB 07/01/14	ORG 87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3661				
NAL13026-1550	CB 07/01/14	STD 1868-53-7	Dibromofluoromethane	49		ug/L	1	0	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3661	50	98%		
NAL13026-1550	CB 07/01/14	STD 17060-07-0	1,2-Dichloroethane d4	51		ug/L	1	0	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3661	50	102%		
NAL13026-1550	CB 07/01/14	STD 2037-26-5	Toluene d8	50		ug/L	1	0	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3661	50	100%		
NAL13026-1550	CB 07/01/14	STD 460-00-4	Bromofluorobenzene	52		ug/L	1	0	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3661	50	104%		



Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

FINAL ANALYTICAL REPORT

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

- B** = Analyte is found in the associated blank as well as in the sample.
 - D** = Compound identified in an analysis at a secondary dilution factor.
 - E** = Compound's concentration exceeds the calibration range of the instrument at this dilution.
 - X** = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
 - J** = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
 - M** = Matrix assessment, QC analyses parameter exceeded control limits.
 - U** = Non-detect
- * NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D070114CCVA	D070114CCVA	ORG 75-71-8	Dichlorodifluoromethane	60		ug/L	5	0.29	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3652	50	120%		
D070114CCVA	D070114CCVA	ORG 74-87-3	Chloromethane	54		ug/L	5	0.43	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3652	50	108%		
D070114CCVA	D070114CCVA	ORG 75-01-4	Vinyl chloride	53		ug/L	2	0.32	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3652	50	106%		
D070114CCVA	D070114CCVA	ORG 74-83-9	Bromomethane	72		ug/L	5	0.50	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3652	50	144%		
D070114CCVA	D070114CCVA	ORG 75-00-3	Chloroethane	72		ug/L	5	0.56	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3652	50	144%		
D070114CCVA	D070114CCVA	ORG 75-69-4	Trichlorofluoromethane	107		ug/L	5	0.20	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3652	50	214%		
D070114CCVA	D070114CCVA	ORG 75-35-4	1,1-Dichloroethene	43		ug/L	1	0.47	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3652	50	86%		
D070114CCVA	D070114CCVA	ORG 75-09-2	Methylene chloride	33		ug/L	5	0.26	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3652	50	66%		
D070114CCVA	D070114CCVA	ORG 67-64-1	Acetone	51		ug/L	10	1.56	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3652	50	102%		
D070114CCVA	D070114CCVA	ORG 156-60-5	trans-1,2-Dichloroethene	31		ug/L	1	0.56	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3652	50	62%		
D070114CCVA	D070114CCVA	ORG 1634-04-4	MTBE	43		ug/L	5	0.61	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3652	50	86%		
D070114CCVA	D070114CCVA	ORG 75-34-3	1,1-Dichloroethane	47		ug/L	1	0.53	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3652	50	94%		
D070114CCVA	D070114CCVA	ORG 156-59-2	cis-1,2-Dichloroethene	46		ug/L	1	0.32	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3652	50	92%		
D070114CCVA	D070114CCVA	ORG 74-97-5	Bromochloromethane	46		ug/L	10	0.41	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3652	50	92%		
D070114CCVA	D070114CCVA	ORG 67-66-3	Chloroform	46		ug/L	2	0.16	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3652	50	92%		
D070114CCVA	D070114CCVA	ORG 71-55-6	1,1,1-Trichloroethane	46		ug/L	1	0.17	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3652	50	92%		
D070114CCVA	D070114CCVA	ORG 78-93-3	2-Butanone	51		ug/L	1	0.81	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3652	50	102%		
D070114CCVA	D070114CCVA	ORG 56-23-5	Carbon tetrachloride	46		ug/L	1	0.28	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3652	50	92%		
D070114CCVA	D070114CCVA	ORG 71-43-2	Benzene	44		ug/L	1	0.14	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3652	50	88%		
D070114CCVA	D070114CCVA	ORG 107-06-2	1,2-Dichloroethane	44		ug/L	1	0.20	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3652	50	88%		
D070114CCVA	D070114CCVA	ORG 79-01-6	Trichloroethene	45		ug/L	1	0.36	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3652	50	90%		
D070114CCVA	D070114CCVA	ORG 74-95-3	Dibromomethane	46		ug/L	2	0.32	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3652	50	92%		
D070114CCVA	D070114CCVA	ORG 78-87-5	1,2-Dichloropropane	47		ug/L	1	0.18	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3652	50	94%		
D070114CCVA	D070114CCVA	ORG 75-27-4	Bromodichloromethane	50		ug/L	2	0.12	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3652	50	100%		
D070114CCVA	D070114CCVA	ORG 10061-01-5	cis-1,3-Dichloropropene	51		ug/L	1	0.25	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3652	50	102%		
D070114CCVA	D070114CCVA	ORG 108-88-3	Toluene	45		ug/L	1	0.21	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3652	50	90%		
D070114CCVA	D070114CCVA	ORG 108-10-1	4-Methyl-2-pentanone	48		ug/L	5	0.74	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3652	50	96%		
D070114CCVA	D070114CCVA	ORG 10061-02-6	trans-1,3-Dichloropropene	54		ug/L	1	0.31	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3652	50	108%		
D070114CCVA	D070114CCVA	ORG 127-18-4	Tetrachloroethene	40		ug/L	1	0.49	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3652	50	80%		
D070114CCVA	D070114CCVA	ORG 79-00-5	1,1,2-Trichloroethane	47		ug/L	1	0.34	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3652	50	94%		
D070114CCVA	D070114CCVA	ORG 124-48-1	Dibromochloromethane	51		ug/L	5	0.30	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3652	50	102%		
D070114CCVA	D070114CCVA	ORG 106-93-4	1,2-Dibromoethane	47		ug/L	2	0.26	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3652	50	94%		
D070114CCVA	D070114CCVA	ORG 591-78-6	2-Hexanone	54		ug/L	2	0.69	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3652	50	108%		
D070114CCVA	D070114CCVA	ORG 100-41-4	Ethylbenzene	49		ug/L	1	0.25	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3652	50	98%		
D070114CCVA	D070114CCVA	ORG 108-90-7	Chlorobenzene	48		ug/L	1	0.28	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3652	50	96%		
D070114CCVA	D070114CCVA	ORG 630-20-6	1,1,1,2-Tetrachloroethane	53		ug/L	2	0.19	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3652	50	106%		
D070114CCVA	D070114CCVA	ORG XYLMP	p&m-Xylene	95		ug/L	2	0.26	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3652	100	95%		
D070114CCVA	D070114CCVA	ORG 95-47-6	o-Xylene	48		ug/L	1	0.13	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3652	50	96%		
D070114CCVA	D070114CCVA	ORG 100-42-5	Styrene	52		ug/L	1	0.20	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3652	50	104%		
D070114CCVA	D070114CCVA	ORG 75-25-2	Bromoform	50		ug/L	2	0.47	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3652	50	100%		
D070114CCVA	D070114CCVA	ORG 98-82-8	Isopropylbenzene	50		ug/L	2	0.20	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3652	50	100%		
D070114CCVA	D070114CCVA	ORG 103-65-1	n-Propylbenzene	50		ug/L	2	0.27	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3652	50	100%		
D070114CCVA	D070114CCVA	ORG 79-34-5	1,1,2,2-Tetrachloroethane	49		ug/L	2	0.29	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3652	50	98%		
D070114CCVA	D070114CCVA	ORG 96-18-4	1,2,3-Trichloropropane	45		ug/L	2	0.29	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3652	50	90%		

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D070114CCVA	D070114CCVA	ORG 108-67-8	1,3,5-Trimethylbenzene	49		ug/L	2	0.20	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3652	50	98%		
D070114CCVA	D070114CCVA	ORG 98-06-6	tert-Butylbenzene	52		ug/L	2	0.33	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3652	50	104%		
D070114CCVA	D070114CCVA	ORG 95-63-6	1,2,4-Trimethylbenzene	49		ug/L	2	0.20	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3652	50	98%		
D070114CCVA	D070114CCVA	ORG 135-98-8	sec-Butylbenzene	50		ug/L	2	0.32	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3652	50	100%		
D070114CCVA	D070114CCVA	ORG 541-73-1	1,3-Dichlorobenzene	48		ug/L	2	0.22	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3652	50	96%		
D070114CCVA	D070114CCVA	ORG 99-87-6	p-Isopropyltoluene	50		ug/L	2	0.25	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3652	50	100%		
D070114CCVA	D070114CCVA	ORG 106-46-7	1,4-Dichlorobenzene	47		ug/L	2	0.33	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3652	50	94%		
D070114CCVA	D070114CCVA	ORG 95-50-1	1,2-Dichlorobenzene	48		ug/L	2	0.26	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3652	50	96%		
D070114CCVA	D070114CCVA	ORG 104-51-8	n-Butylbenzene	53		ug/L	5	0.28	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3652	50	106%		
D070114CCVA	D070114CCVA	ORG 96-12-8	1,2-Dibromo-3-chloropropane	48		ug/L	5	1.59	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3652	50	96%		
D070114CCVA	D070114CCVA	ORG 87-68-3	Hexachlorobutadiene	54		ug/L	5	0.65	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3652	50	108%		
D070114CCVA	D070114CCVA	ORG 120-82-1	1,2,4-Trichlorobenzene	50		ug/L	5	0.28	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3652	50	100%		
D070114CCVA	D070114CCVA	ORG 91-20-3	Naphthalene	45		ug/L	5	0.56	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3652	50	90%		
D070114CCVA	D070114CCVA	ORG 87-61-6	1,2,3-Trichlorobenzene	49		ug/L	5	0.23	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3652	50	98%		
D070114CCVA	D070114CCVA	STD 1868-53-7	Dibromofluoromethane	50		ug/L	1	0	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3652	50	100%		
D070114CCVA	D070114CCVA	STD 17060-07-0	1,2-Dichloroethane d4	47		ug/L	1	0	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3652	50	94%		
D070114CCVA	D070114CCVA	STD 2037-26-5	Toluene d8	49		ug/L	1	0	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3652	50	98%		
D070114CCVA	D070114CCVA	STD 460-00-4	Bromofluorobenzene	50		ug/L	1	0	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3652	50	100%		

FINAL ANALYTICAL REPORT

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assessment, QC analyses parameter exceeded control limits.
U = Non-detect
* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D070114MBKA	D070114MBKA	ORG 75-71-8	Dichlorodifluoromethane	U	ug/L	5	0.29	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3655					
D070114MBKA	D070114MBKA	ORG 74-87-3	Chloromethane	U	ug/L	5	0.43	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3655					
D070114MBKA	D070114MBKA	ORG 75-01-4	Vinyl chloride	U	ug/L	2	0.32	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3655					
D070114MBKA	D070114MBKA	ORG 74-83-9	Bromomethane	U	ug/L	5	0.50	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3655					
D070114MBKA	D070114MBKA	ORG 75-00-3	Chloroethane	U	ug/L	5	0.56	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3655					
D070114MBKA	D070114MBKA	ORG 75-69-4	Trichlorofluoromethane	U	ug/L	5	0.20	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3655					
D070114MBKA	D070114MBKA	ORG 75-35-4	1,1-Dichloroethene	U	ug/L	1	0.47	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3655					
D070114MBKA	D070114MBKA	ORG 75-09-2	Methylene chloride	U	ug/L	5	0.26	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3655					
D070114MBKA	D070114MBKA	ORG 67-64-1	Acetone	U	ug/L	10	1.56	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3655					
D070114MBKA	D070114MBKA	ORG 156-60-5	trans-1,2-Dichloroethene	U	ug/L	1	0.56	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3655					
D070114MBKA	D070114MBKA	ORG 1634-04-4	MTBE	U	ug/L	5	0.61	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3655					
D070114MBKA	D070114MBKA	ORG 75-34-3	1,1-Dichloroethane	U	ug/L	1	0.53	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3655					
D070114MBKA	D070114MBKA	ORG 156-59-2	cis-1,2-Dichloroethene	U	ug/L	1	0.32	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3655					
D070114MBKA	D070114MBKA	ORG 74-97-5	Bromochloromethane	U	ug/L	10	0.41	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3655					
D070114MBKA	D070114MBKA	ORG 67-66-3	Chloroform	U	ug/L	2	0.16	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3655					
D070114MBKA	D070114MBKA	ORG 71-55-6	1,1,1-Trichloroethane	U	ug/L	1	0.17	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3655					
D070114MBKA	D070114MBKA	ORG 78-93-3	2-Butanone	U	ug/L	1	0.81	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3655					
D070114MBKA	D070114MBKA	ORG 56-23-5	Carbon tetrachloride	U	ug/L	1	0.28	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3655					
D070114MBKA	D070114MBKA	ORG 71-43-2	Benzene	U	ug/L	1	0.14	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3655					
D070114MBKA	D070114MBKA	ORG 107-06-2	1,2-Dichloroethane	U	ug/L	1	0.20	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3655					
D070114MBKA	D070114MBKA	ORG 79-01-6	Trichloroethene	U	ug/L	1	0.36	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3655					
D070114MBKA	D070114MBKA	ORG 74-95-3	Dibromomethane	U	ug/L	2	0.32	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3655					
D070114MBKA	D070114MBKA	ORG 78-87-5	1,2-Dichloropropane	U	ug/L	1	0.18	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3655					
D070114MBKA	D070114MBKA	ORG 75-27-4	Bromodichloromethane	U	ug/L	2	0.12	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3655					
D070114MBKA	D070114MBKA	ORG 10061-01-5	cis-1,3-Dichloropropene	U	ug/L	1	0.25	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3655					
D070114MBKA	D070114MBKA	ORG 108-88-3	Toluene	U	ug/L	1	0.21	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3655					
D070114MBKA	D070114MBKA	ORG 108-10-1	4-Methyl-2-pentanone	U	ug/L	5	0.74	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3655					
D070114MBKA	D070114MBKA	ORG 10061-02-6	trans-1,3-Dichloropropene	U	ug/L	1	0.31	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3655					
D070114MBKA	D070114MBKA	ORG 127-18-4	Tetrachloroethene	U	ug/L	1	0.49	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3655					
D070114MBKA	D070114MBKA	ORG 79-00-5	1,1,2-Trichloroethane	U	ug/L	1	0.34	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3655					
D070114MBKA	D070114MBKA	ORG 124-48-1	Dibromochloromethane	U	ug/L	5	0.30	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3655					
D070114MBKA	D070114MBKA	ORG 106-93-4	1,2-Dibromoethane	U	ug/L	2	0.26	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3655					
D070114MBKA	D070114MBKA	ORG 591-78-6	2-Hexanone	U	ug/L	2	0.69	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3655					
D070114MBKA	D070114MBKA	ORG 100-41-4	Ethylbenzene	U	ug/L	1	0.25	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3655					
D070114MBKA	D070114MBKA	ORG 108-90-7	Chlorobenzene	U	ug/L	1	0.28	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3655					
D070114MBKA	D070114MBKA	ORG 630-20-6	1,1,1,2-Tetrachloroethane	U	ug/L	2	0.19	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3655					
D070114MBKA	D070114MBKA	ORG XYLMP	p&m-Xylene	U	ug/L	2	0.26	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3655					
D070114MBKA	D070114MBKA	ORG 95-47-6	o-Xylene	U	ug/L	1	0.13	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3655					
D070114MBKA	D070114MBKA	ORG 100-42-5	Styrene	U	ug/L	1	0.20	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3655					
D070114MBKA	D070114MBKA	ORG 75-25-2	Bromoform	U	ug/L	2	0.47	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3655					
D070114MBKA	D070114MBKA	ORG 98-82-8	Isopropylbenzene	U	ug/L	2	0.20	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3655					
D070114MBKA	D070114MBKA	ORG 103-65-1	n-Propylbenzene	U	ug/L	2	0.27	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3655					
D070114MBKA	D070114MBKA	ORG 79-34-5	1,1,2,2-Tetrachloroethane	U	ug/L	2	0.29	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3655					
D070114MBKA	D070114MBKA	ORG 96-18-4	1,2,3-Trichloropropane	U	ug/L	2	0.29	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3655					

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D070114MBKA	D070114MBKA	ORG 108-67-8	1,3,5-Trimethylbenzene		U	ug/L	2	0.20	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3655				
D070114MBKA	D070114MBKA	ORG 98-06-6	tert-Butylbenzene		U	ug/L	2	0.33	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3655				
D070114MBKA	D070114MBKA	ORG 95-63-6	1,2,4-Trimethylbenzene		U	ug/L	2	0.20	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3655				
D070114MBKA	D070114MBKA	ORG 135-98-8	sec-Butylbenzene		U	ug/L	2	0.32	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3655				
D070114MBKA	D070114MBKA	ORG 541-73-1	1,3-Dichlorobenzene		U	ug/L	2	0.22	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3655				
D070114MBKA	D070114MBKA	ORG 99-87-6	p-Isopropyltoluene		U	ug/L	2	0.25	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3655				
D070114MBKA	D070114MBKA	ORG 106-46-7	1,4-Dichlorobenzene		U	ug/L	2	0.33	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3655				
D070114MBKA	D070114MBKA	ORG 95-50-1	1,2-Dichlorobenzene		U	ug/L	2	0.26	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3655				
D070114MBKA	D070114MBKA	ORG 104-51-8	n-Butylbenzene		U	ug/L	5	0.28	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3655				
D070114MBKA	D070114MBKA	ORG 96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	5	1.59	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3655				
D070114MBKA	D070114MBKA	ORG 87-68-3	Hexachlorobutadiene		U	ug/L	5	0.65	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3655				
D070114MBKA	D070114MBKA	ORG 120-82-1	1,2,4-Trichlorobenzene		U	ug/L	5	0.28	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3655				
D070114MBKA	D070114MBKA	ORG 91-20-3	Naphthalene		U	ug/L	5	0.56	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3655				
D070114MBKA	D070114MBKA	ORG 87-61-6	1,2,3-Trichlorobenzene		U	ug/L	5	0.23	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3655				
D070114MBKA	D070114MBKA	STD 1868-53-7	Dibromofluoromethane	50		ug/L	1	0	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3655	50	100%		
D070114MBKA	D070114MBKA	STD 17060-07-0	1,2-Dichloroethane d4	55		ug/L	1	0	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3655	50	110%		
D070114MBKA	D070114MBKA	STD 2037-26-5	Toluene d8	49		ug/L	1	0	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3655	50	98%		
D070114MBKA	D070114MBKA	STD 460-00-4	Bromofluorobenzene	51		ug/L	1	0	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3655	50	102%		

FINAL ANALYTICAL REPORT

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D070114ALCS	D070114ALCS	ORG 75-71-8	Dichlorodifluoromethane	60		ug/L	5	0.29	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3653	50	120%		
D070114ALCS	D070114ALCS	ORG 74-87-3	Chloromethane	53		ug/L	5	0.43	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3653	50	106%		
D070114ALCS	D070114ALCS	ORG 75-01-4	Vinyl chloride	53		ug/L	2	0.32	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3653	50	106%		
D070114ALCS	D070114ALCS	ORG 74-83-9	Bromomethane	85		ug/L	5	0.50	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3653	50	170%		
D070114ALCS	D070114ALCS	ORG 75-00-3	Chloroethane	74		ug/L	5	0.56	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3653	50	148%		
D070114ALCS	D070114ALCS	ORG 75-69-4	Trichlorofluoromethane	239		ug/L	5	0.20	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3653	50	478%		
D070114ALCS	D070114ALCS	ORG 75-35-4	1,1-Dichloroethene	44		ug/L	1	0.47	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3653	50	88%		
D070114ALCS	D070114ALCS	ORG 75-09-2	Methylene chloride	50		ug/L	5	0.26	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3653	50	100%		
D070114ALCS	D070114ALCS	ORG 67-64-1	Acetone	86		ug/L	10	1.56	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3653	50	172%		
D070114ALCS	D070114ALCS	ORG 156-60-5	trans-1,2-Dichloroethene	43		ug/L	1	0.56	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3653	50	86%		
D070114ALCS	D070114ALCS	ORG 1634-04-4	MTBE	43		ug/L	5	0.61	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3653	50	86%		
D070114ALCS	D070114ALCS	ORG 75-34-3	1,1-Dichloroethane	47		ug/L	1	0.53	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3653	50	94%		
D070114ALCS	D070114ALCS	ORG 156-59-2	cis-1,2-Dichloroethene	47		ug/L	1	0.32	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3653	50	94%		
D070114ALCS	D070114ALCS	ORG 74-97-5	Bromochloromethane	47		ug/L	10	0.41	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3653	50	94%		
D070114ALCS	D070114ALCS	ORG 67-66-3	Chloroform	47		ug/L	2	0.16	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3653	50	94%		
D070114ALCS	D070114ALCS	ORG 71-55-6	1,1,1-Trichloroethane	47		ug/L	1	0.17	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3653	50	94%		
D070114ALCS	D070114ALCS	ORG 78-93-3	2-Butanone	53		ug/L	1	0.81	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3653	50	106%		
D070114ALCS	D070114ALCS	ORG 56-23-5	Carbon tetrachloride	47		ug/L	1	0.28	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3653	50	94%		
D070114ALCS	D070114ALCS	ORG 71-43-2	Benzene	45		ug/L	1	0.14	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3653	50	90%		
D070114ALCS	D070114ALCS	ORG 107-06-2	1,2-Dichloroethane	47		ug/L	1	0.20	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3653	50	94%		
D070114ALCS	D070114ALCS	ORG 79-01-6	Trichloroethene	46		ug/L	1	0.36	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3653	50	92%		
D070114ALCS	D070114ALCS	ORG 74-95-3	Dibromomethane	48		ug/L	2	0.32	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3653	50	96%		
D070114ALCS	D070114ALCS	ORG 78-87-5	1,2-Dichloropropane	49		ug/L	1	0.18	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3653	50	98%		
D070114ALCS	D070114ALCS	ORG 75-27-4	Bromodichloromethane	50		ug/L	2	0.12	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3653	50	100%		
D070114ALCS	D070114ALCS	ORG 10061-01-5	cis-1,3-Dichloropropene	51		ug/L	1	0.25	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3653	50	102%		
D070114ALCS	D070114ALCS	ORG 108-88-3	Toluene	45		ug/L	1	0.21	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3653	50	90%		
D070114ALCS	D070114ALCS	ORG 108-10-1	4-Methyl-2-pentanone	51		ug/L	5	0.74	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3653	50	102%		
D070114ALCS	D070114ALCS	ORG 10061-02-6	trans-1,3-Dichloropropene	56		ug/L	1	0.31	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3653	50	112%		
D070114ALCS	D070114ALCS	ORG 127-18-4	Tetrachloroethene	41		ug/L	1	0.49	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3653	50	82%		
D070114ALCS	D070114ALCS	ORG 79-00-5	1,1,2-Trichloroethane	49		ug/L	1	0.34	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3653	50	98%		
D070114ALCS	D070114ALCS	ORG 124-48-1	Dibromochloromethane	52		ug/L	5	0.30	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3653	50	104%		
D070114ALCS	D070114ALCS	ORG 106-93-4	1,2-Dibromoethane	50		ug/L	2	0.26	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3653	50	100%		
D070114ALCS	D070114ALCS	ORG 591-78-6	2-Hexanone	56		ug/L	2	0.69	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3653	50	112%		
D070114ALCS	D070114ALCS	ORG 100-41-4	Ethylbenzene	51		ug/L	1	0.25	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3653	50	102%		
D070114ALCS	D070114ALCS	ORG 108-90-7	Chlorobenzene	49		ug/L	1	0.28	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3653	50	98%		
D070114ALCS	D070114ALCS	ORG 630-20-6	1,1,1,2-Tetrachloroethane	55		ug/L	2	0.19	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3653	50	110%		
D070114ALCS	D070114ALCS	ORG XYLMP	p&m-Xylene	98		ug/L	2	0.26	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3653	100	98%		
D070114ALCS	D070114ALCS	ORG 95-47-6	o-Xylene	51		ug/L	1	0.13	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3653	50	102%		
D070114ALCS	D070114ALCS	ORG 100-42-5	Styrene	54		ug/L	1	0.20	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3653	50	108%		
D070114ALCS	D070114ALCS	ORG 75-25-2	Bromoform	52		ug/L	2	0.47	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3653	50	104%		
D070114ALCS	D070114ALCS	ORG 98-82-8	Isopropylbenzene	52		ug/L	2	0.20	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3653	50	104%		
D070114ALCS	D070114ALCS	ORG 103-65-1	n-Propylbenzene	52		ug/L	2	0.27	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3653	50	104%		
D070114ALCS	D070114ALCS	ORG 79-34-5	1,1,2,2-Tetrachloroethane	54		ug/L	2	0.29	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3653	50	108%		
D070114ALCS	D070114ALCS	ORG 96-18-4	1,2,3-Trichloropropane	50		ug/L	2	0.29	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3653	50	100%		

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D070114ALCS	D070114ALCS	ORG 108-67-8	1,3,5-Trimethylbenzene	51		ug/L	2	0.20	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3653	50	102%		
D070114ALCS	D070114ALCS	ORG 98-06-6	tert-Butylbenzene	52		ug/L	2	0.33	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3653	50	104%		
D070114ALCS	D070114ALCS	ORG 95-63-6	1,2,4-Trimethylbenzene	51		ug/L	2	0.20	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3653	50	102%		
D070114ALCS	D070114ALCS	ORG 135-98-8	sec-Butylbenzene	51		ug/L	2	0.32	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3653	50	102%		
D070114ALCS	D070114ALCS	ORG 541-73-1	1,3-Dichlorobenzene	50		ug/L	2	0.22	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3653	50	100%		
D070114ALCS	D070114ALCS	ORG 99-87-6	p-Isopropyltoluene	51		ug/L	2	0.25	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3653	50	102%		
D070114ALCS	D070114ALCS	ORG 106-46-7	1,4-Dichlorobenzene	48		ug/L	2	0.33	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3653	50	96%		
D070114ALCS	D070114ALCS	ORG 95-50-1	1,2-Dichlorobenzene	49		ug/L	2	0.26	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3653	50	98%		
D070114ALCS	D070114ALCS	ORG 104-51-8	n-Butylbenzene	53		ug/L	5	0.28	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3653	50	106%		
D070114ALCS	D070114ALCS	ORG 96-12-8	1,2-Dibromo-3-chloropropane	53		ug/L	5	1.59	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3653	50	106%		
D070114ALCS	D070114ALCS	ORG 87-68-3	Hexachlorobutadiene	53		ug/L	5	0.65	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3653	50	106%		
D070114ALCS	D070114ALCS	ORG 120-82-1	1,2,4-Trichlorobenzene	54		ug/L	5	0.28	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3653	50	108%		
D070114ALCS	D070114ALCS	ORG 91-20-3	Naphthalene	51		ug/L	5	0.56	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3653	50	102%		
D070114ALCS	D070114ALCS	ORG 87-61-6	1,2,3-Trichlorobenzene	52		ug/L	5	0.23	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3653	50	104%		
D070114ALCS	D070114ALCS	STD 1868-53-7	Dibromofluoromethane	50		ug/L	1	0	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3653	50	100%		
D070114ALCS	D070114ALCS	STD 17060-07-0	1,2-Dichloroethane d4	50		ug/L	1	0	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3653	50	100%		
D070114ALCS	D070114ALCS	STD 2037-26-5	Toluene d8	48		ug/L	1	0	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3653	50	96%		
D070114ALCS	D070114ALCS	STD 460-00-4	Bromofluorobenzene	52		ug/L	1	0	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3653	50	104%		



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

FINAL ANALYTICAL REPORT

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Table with columns: Lab ID, Sample ID, CAS #, ANALYTES, Results, QC, Units, RDL, MDL, Sample Date, Prep. Date, Analysis Date, Matrix, Dil., Weight(g), Vol.(ml), % Solid, Method, Data file, Spike, % Rec, % RPD, Parent. Contains 40 rows of analytical data.

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D070114ALCD	D070114ALCD	ORG 108-67-8	1,3,5-Trimethylbenzene	51		ug/L	2	0.20	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3654	50	102%	0%	
D070114ALCD	D070114ALCD	ORG 98-06-6	tert-Butylbenzene	52		ug/L	2	0.33	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3654	50	104%	0%	
D070114ALCD	D070114ALCD	ORG 95-63-6	1,2,4-Trimethylbenzene	50		ug/L	2	0.20	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3654	50	100%	2%	
D070114ALCD	D070114ALCD	ORG 135-98-8	sec-Butylbenzene	51		ug/L	2	0.32	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3654	50	102%	0%	
D070114ALCD	D070114ALCD	ORG 541-73-1	1,3-Dichlorobenzene	49		ug/L	2	0.22	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3654	50	98%	2%	
D070114ALCD	D070114ALCD	ORG 99-87-6	p-Isopropyltoluene	51		ug/L	2	0.25	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3654	50	102%	0%	
D070114ALCD	D070114ALCD	ORG 106-46-7	1,4-Dichlorobenzene	48		ug/L	2	0.33	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3654	50	96%	0%	
D070114ALCD	D070114ALCD	ORG 95-50-1	1,2-Dichlorobenzene	48		ug/L	2	0.26	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3654	50	96%	2%	
D070114ALCD	D070114ALCD	ORG 104-51-8	n-Butylbenzene	53		ug/L	5	0.28	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3654	50	106%	0%	
D070114ALCD	D070114ALCD	ORG 96-12-8	1,2-Dibromo-3-chloropropane	51		ug/L	5	1.59	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3654	50	102%	4%	
D070114ALCD	D070114ALCD	ORG 87-68-3	Hexachlorobutadiene	54		ug/L	5	0.65	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3654	50	108%	2%	
D070114ALCD	D070114ALCD	ORG 120-82-1	1,2,4-Trichlorobenzene	52		ug/L	5	0.28	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3654	50	104%	4%	
D070114ALCD	D070114ALCD	ORG 91-20-3	Naphthalene	50		ug/L	5	0.56	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3654	50	100%	2%	
D070114ALCD	D070114ALCD	ORG 87-61-6	1,2,3-Trichlorobenzene	50		ug/L	5	0.23	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3654	50	100%	4%	
D070114ALCD	D070114ALCD	STD 1868-53-7	Dibromofluoromethane	50		ug/L	1	0	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3654	50	100%	0%	
D070114ALCD	D070114ALCD	STD 17060-07-0	1,2-Dichloroethane d4	50		ug/L	1	0	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3654	50	100%	0%	
D070114ALCD	D070114ALCD	STD 2037-26-5	Toluene d8	48		ug/L	1	0	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3654	50	96%	0%	
D070114ALCD	D070114ALCD	STD 460-00-4	Bromofluorobenzene	52		ug/L	1	0	NA	7/1/2014	7/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3654	50	104%	0%	

FINAL ANALYTICAL REPORT

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

- B** = Analyte is found in the associated blank as well as in the sample.
 - D** = Compound identified in an analysis at a secondary dilution factor.
 - E** = Compound's concentration exceeds the calibration range of the instrument at this dilution.
 - X** = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
 - J** = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
 - M** = Matrix assessment, QC analyses parameter exceeded control limits.
 - U** = Non-detect
- * NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1549MS	316-347	ORG 75-71-8	Dichlorodifluoromethane	6200		ug/L	500	29.28	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3658	5000	124%		
NAL13026-1549MS	316-347	ORG 74-87-3	Chloromethane	5700		ug/L	500	43.07	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3658	5000	114%		
NAL13026-1549MS	316-347	ORG 75-01-4	Vinyl chloride	5300		ug/L	200	31.86	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3658	5000	106%		
NAL13026-1549MS	316-347	ORG 74-83-9	Bromomethane	6300		ug/L	500	50.04	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3658	5000	126%		
NAL13026-1549MS	316-347	ORG 75-00-3	Chloroethane	7400		ug/L	500	55.61	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3658	5000	148%		
NAL13026-1549MS	316-347	ORG 75-69-4	Trichlorofluoromethane	8500		ug/L	500	19.65	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3658	5000	170%		
NAL13026-1549MS	316-347	ORG 75-35-4	1,1-Dichloroethene	4000		ug/L	100	47.11	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3658	5000	80%		
NAL13026-1549MS	316-347	ORG 75-09-2	Methylene chloride	4800		ug/L	500	26.46	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3658	5000	96%		
NAL13026-1549MS	316-347	ORG 67-64-1	Acetone	99000		ug/L	1000	155.61	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3658	5000	-420%		120000
NAL13026-1549MS	316-347	ORG 156-60-5	trans-1,2-Dichloroethene	4200		ug/L	100	55.61	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3658	5000	84%		
NAL13026-1549MS	316-347	ORG 1634-04-4	MTBE	4200		ug/L	500	61.18	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3658	5000	84%		
NAL13026-1549MS	316-347	ORG 75-34-3	1,1-Dichloroethane	4600		ug/L	100	52.66	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3658	5000	92%		
NAL13026-1549MS	316-347	ORG 156-59-2	cis-1,2-Dichloroethene	4500		ug/L	100	32.11	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3658	5000	90%		
NAL13026-1549MS	316-347	ORG 74-97-5	Bromochloromethane	4500		ug/L	1000	41.37	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3658	5000	90%		
NAL13026-1549MS	316-347	ORG 67-66-3	Chloroform	4600		ug/L	200	15.73	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3658	5000	92%		
NAL13026-1549MS	316-347	ORG 71-55-6	1,1,1-Trichloroethane	4700		ug/L	100	16.65	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3658	5000	94%		
NAL13026-1549MS	316-347	ORG 78-93-3	2-Butanone	23000		ug/L	100	81.18	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3658	5000	100%		18000
NAL13026-1549MS	316-347	ORG 56-23-5	Carbon tetrachloride	4700		ug/L	100	27.64	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3658	5000	94%		
NAL13026-1549MS	316-347	ORG 71-43-2	Benzene	4400		ug/L	100	13.53	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3658	5000	88%		
NAL13026-1549MS	316-347	ORG 107-06-2	1,2-Dichloroethane	4600		ug/L	100	20.01	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3658	5000	92%		
NAL13026-1549MS	316-347	ORG 79-01-6	Trichloroethene	4600		ug/L	100	36.33	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3658	5000	92%		
NAL13026-1549MS	316-347	ORG 74-95-3	Dibromomethane	4600		ug/L	200	32.20	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3658	5000	92%		
NAL13026-1549MS	316-347	ORG 78-87-5	1,2-Dichloropropane	4800		ug/L	100	18.17	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3658	5000	96%		
NAL13026-1549MS	316-347	ORG 75-27-4	Bromodichloromethane	4900		ug/L	200	11.58	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3658	5000	98%		
NAL13026-1549MS	316-347	ORG 10061-01-5	cis-1,3-Dichloropropene	4800		ug/L	100	25.01	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3658	5000	96%		
NAL13026-1549MS	316-347	ORG 108-88-3	Toluene	4400		ug/L	100	20.96	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3658	5000	88%		
NAL13026-1549MS	316-347	ORG 108-10-1	4-Methyl-2-pentanone	4900		ug/L	500	74.00	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3658	5000	92%		320
NAL13026-1549MS	316-347	ORG 10061-02-6	trans-1,3-Dichloropropene	5300		ug/L	100	31.15	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3658	5000	106%		
NAL13026-1549MS	316-347	ORG 127-18-4	Tetrachloroethene	3800		ug/L	100	48.56	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3658	5000	76%		
NAL13026-1549MS	316-347	ORG 79-00-5	1,1,2-Trichloroethane	4600		ug/L	100	34.28	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3658	5000	92%		
NAL13026-1549MS	316-347	ORG 124-48-1	Dibromochloromethane	5000		ug/L	500	29.90	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3658	5000	100%		
NAL13026-1549MS	316-347	ORG 106-93-4	1,2-Dibromoethane	4700		ug/L	200	26.49	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3658	5000	94%		
NAL13026-1549MS	316-347	ORG 591-78-6	2-Hexanone	4500		ug/L	200	68.90	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3658	5000	80%		500
NAL13026-1549MS	316-347	ORG 100-41-4	Ethylbenzene	4900		ug/L	100	25.38	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3658	5000	98%		
NAL13026-1549MS	316-347	ORG 108-90-7	Chlorobenzene	4800		ug/L	100	27.52	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3658	5000	96%		
NAL13026-1549MS	316-347	ORG 630-20-6	1,1,1,2-Tetrachloroethane	5200		ug/L	200	19.28	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3658	5000	104%		
NAL13026-1549MS	316-347	ORG XYLMP	p&m-Xylene	9500		ug/L	200	26.14	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3658	10000	95%		
NAL13026-1549MS	316-347	ORG 95-47-6	o-Xylene	4900		ug/L	100	12.90	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3658	5000	98%		
NAL13026-1549MS	316-347	ORG 100-42-5	Styrene	5200		ug/L	100	20.23	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3658	5000	104%		
NAL13026-1549MS	316-347	ORG 75-25-2	Bromoform	5000		ug/L	200	46.83	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3658	5000	100%		
NAL13026-1549MS	316-347	ORG 98-82-8	Isopropylbenzene	5000		ug/L	200	20.48	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3658	5000	100%		
NAL13026-1549MS	316-347	ORG 103-65-1	n-Propylbenzene	5100		ug/L	200	27.00	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3658	5000	102%		
NAL13026-1549MS	316-347	ORG 79-34-5	1,1,2,2-Tetrachloroethane	5100		ug/L	200	29.16	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3658	5000	102%		
NAL13026-1549MS	316-347	ORG 96-18-4	1,2,3-Trichloropropane	4700		ug/L	200	29.47	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3658	5000	94%		

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

- B** = Analyte is found in the associated blank as well as in the sample.
 - D** = Compound identified in an analysis at a secondary dilution factor.
 - E** = Compound's concentration exceeds the calibration range of the instrument at this dilution.
 - X** = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
 - J** = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
 - M** = Matrix assessment, QC analyses parameter exceeded control limits.
 - U** = Non-detect
- * NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1549MS	316-347	ORG 108-67-8	1,3,5-Trimethylbenzene	5000		ug/L	200	20.03	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3658	5000	100%		
NAL13026-1549MS	316-347	ORG 98-06-6	tert-Butylbenzene	5100		ug/L	200	32.61	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3658	5000	102%		
NAL13026-1549MS	316-347	ORG 95-63-6	1,2,4-Trimethylbenzene	5000		ug/L	200	20.03	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3658	5000	100%		
NAL13026-1549MS	316-347	ORG 135-98-8	sec-Butylbenzene	5100		ug/L	200	32.34	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3658	5000	102%		
NAL13026-1549MS	316-347	ORG 541-73-1	1,3-Dichlorobenzene	4800		ug/L	200	22.21	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3658	5000	96%		
NAL13026-1549MS	316-347	ORG 99-87-6	p-Isopropyltoluene	5100		ug/L	200	25.48	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3658	5000	101%		55
NAL13026-1549MS	316-347	ORG 106-46-7	1,4-Dichlorobenzene	4800		ug/L	200	33.03	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3658	5000	96%		
NAL13026-1549MS	316-347	ORG 95-50-1	1,2-Dichlorobenzene	4800		ug/L	200	26.38	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3658	5000	96%		
NAL13026-1549MS	316-347	ORG 104-51-8	n-Butylbenzene	5200		ug/L	500	27.81	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3658	5000	104%		
NAL13026-1549MS	316-347	ORG 96-12-8	1,2-Dibromo-3-chloropropane	5400		ug/L	500	159.11	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3658	5000	108%		
NAL13026-1549MS	316-347	ORG 87-68-3	Hexachlorobutadiene	5000		ug/L	500	65.42	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3658	5000	100%		
NAL13026-1549MS	316-347	ORG 120-82-1	1,2,4-Trichlorobenzene	5200		ug/L	500	27.63	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3658	5000	104%		
NAL13026-1549MS	316-347	ORG 91-20-3	Naphthalene	5300		ug/L	500	56.04	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3658	5000	98%		420
NAL13026-1549MS	316-347	ORG 87-61-6	1,2,3-Trichlorobenzene	5000		ug/L	500	23.28	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3658	5000	100%		
NAL13026-1549MS	316-347	STD 1868-53-7	Dibromofluoromethane	50		ug/L	1	0	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3658	50	100%		
NAL13026-1549MS	316-347	STD 17060-07-0	1,2-Dichloroethane d4	50		ug/L	1	0	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3658	50	100%		
NAL13026-1549MS	316-347	STD 2037-26-5	Toluene d8	47		ug/L	1	0	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3658	50	94%		
NAL13026-1549MS	316-347	STD 460-00-4	Bromofluorobenzene	52		ug/L	1	0	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3658	50	104%		



Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

FINAL ANALYTICAL REPORT

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assessment, QC analyses parameter exceeded control limits.
U = Non-detect
 * NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1549MSD	316-347	ORG 75-71-8	Dichlorodifluoromethane	6200		ug/L	500	29.28	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3659	5000	124%	0%	
NAL13026-1549MSD	316-347	ORG 74-87-3	Chloromethane	6000		ug/L	500	43.07	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3659	5000	120%	5%	
NAL13026-1549MSD	316-347	ORG 75-01-4	Vinyl chloride	5200		ug/L	200	31.86	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3659	5000	104%	2%	
NAL13026-1549MSD	316-347	ORG 74-83-9	Bromomethane	6800		ug/L	500	50.04	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3659	5000	136%	8%	
NAL13026-1549MSD	316-347	ORG 75-00-3	Chloroethane	7400		ug/L	500	55.61	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3659	5000	148%	0%	
NAL13026-1549MSD	316-347	ORG 75-69-4	Trichlorofluoromethane	11000		ug/L	500	19.65	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3659	5000	220%	26%	
NAL13026-1549MSD	316-347	ORG 75-35-4	1,1-Dichloroethene	4300		ug/L	100	47.11	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3659	5000	86%	7%	
NAL13026-1549MSD	316-347	ORG 75-09-2	Methylene chloride	4700		ug/L	500	26.46	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3659	5000	94%	2%	
NAL13026-1549MSD	316-347	ORG 67-64-1	Acetone	94000		ug/L	1000	155.61	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3659	5000	-520%	5%	120000
NAL13026-1549MSD	316-347	ORG 156-60-5	trans-1,2-Dichloroethene	4300		ug/L	100	55.61	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3659	5000	86%	2%	
NAL13026-1549MSD	316-347	ORG 1634-04-4	MTBE	4200		ug/L	500	61.18	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3659	5000	84%	0%	
NAL13026-1549MSD	316-347	ORG 75-34-3	1,1-Dichloroethane	4600		ug/L	100	52.66	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3659	5000	92%	0%	
NAL13026-1549MSD	316-347	ORG 156-59-2	cis-1,2-Dichloroethane	4600		ug/L	100	32.11	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3659	5000	92%	2%	
NAL13026-1549MSD	316-347	ORG 74-97-5	Bromochloromethane	4400		ug/L	1000	41.37	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3659	5000	88%	2%	
NAL13026-1549MSD	316-347	ORG 67-66-3	Chloroform	4600		ug/L	200	15.73	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3659	5000	92%	0%	
NAL13026-1549MSD	316-347	ORG 71-55-6	1,1,1-Trichloroethane	4700		ug/L	100	16.65	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3659	5000	94%	0%	
NAL13026-1549MSD	316-347	ORG 78-93-3	2-Butanone	22000		ug/L	100	81.18	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3659	5000	80%	4%	18000
NAL13026-1549MSD	316-347	ORG 56-23-5	Carbon tetrachloride	4700		ug/L	100	27.64	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3659	5000	94%	0%	
NAL13026-1549MSD	316-347	ORG 71-43-2	Benzene	4400		ug/L	100	13.53	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3659	5000	88%	0%	
NAL13026-1549MSD	316-347	ORG 107-06-2	1,2-Dichloroethane	4500		ug/L	100	20.01	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3659	5000	90%	2%	
NAL13026-1549MSD	316-347	ORG 79-01-6	Trichloroethene	4500		ug/L	100	36.33	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3659	5000	90%	2%	
NAL13026-1549MSD	316-347	ORG 74-95-3	Dibromomethane	4600		ug/L	200	32.20	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3659	5000	92%	0%	
NAL13026-1549MSD	316-347	ORG 78-87-5	1,2-Dichloropropane	4800		ug/L	100	18.17	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3659	5000	96%	0%	
NAL13026-1549MSD	316-347	ORG 75-27-4	Bromodichloromethane	4900		ug/L	200	11.58	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3659	5000	98%	0%	
NAL13026-1549MSD	316-347	ORG 10061-01-5	cis-1,3-Dichloropropene	5000		ug/L	100	25.01	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3659	5000	100%	4%	
NAL13026-1549MSD	316-347	ORG 108-88-3	Toluene	4500		ug/L	100	20.96	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3659	5000	90%	2%	
NAL13026-1549MSD	316-347	ORG 108-10-1	4-Methyl-2-pentanone	4800		ug/L	500	74.00	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3659	5000	90%	2%	320
NAL13026-1549MSD	316-347	ORG 10061-02-6	trans-1,3-Dichloropropene	5400		ug/L	100	31.15	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3659	5000	108%	2%	
NAL13026-1549MSD	316-347	ORG 127-18-4	Tetrachloroethene	3900		ug/L	100	48.56	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3659	5000	78%	3%	
NAL13026-1549MSD	316-347	ORG 79-00-5	1,1,2-Trichloroethane	4700		ug/L	100	34.28	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3659	5000	94%	2%	
NAL13026-1549MSD	316-347	ORG 124-48-1	Dibromochloromethane	4900		ug/L	500	29.90	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3659	5000	98%	2%	
NAL13026-1549MSD	316-347	ORG 106-93-4	1,2-Dibromoethane	4700		ug/L	200	26.49	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3659	5000	94%	0%	
NAL13026-1549MSD	316-347	ORG 591-78-6	2-Hexanone	4100		ug/L	200	68.90	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3659	5000	72%	9%	500
NAL13026-1549MSD	316-347	ORG 100-41-4	Ethylbenzene	5000		ug/L	100	25.38	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3659	5000	100%	2%	
NAL13026-1549MSD	316-347	ORG 108-90-7	Chlorobenzene	4800		ug/L	100	27.52	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3659	5000	96%	0%	
NAL13026-1549MSD	316-347	ORG 630-20-6	1,1,1,2-Tetrachloroethane	5200		ug/L	200	19.28	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3659	5000	104%	0%	
NAL13026-1549MSD	316-347	ORG XYLMP	p&m-Xylene	9500		ug/L	200	26.14	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3659	10000	95%	0%	
NAL13026-1549MSD	316-347	ORG 95-47-6	o-Xylene	4900		ug/L	100	12.90	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3659	5000	98%	0%	
NAL13026-1549MSD	316-347	ORG 100-42-5	Styrene	5200		ug/L	100	20.23	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3659	5000	104%	0%	
NAL13026-1549MSD	316-347	ORG 75-25-2	Bromoform	4900		ug/L	200	46.83	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3659	5000	98%	2%	
NAL13026-1549MSD	316-347	ORG 98-82-8	Isopropylbenzene	5100		ug/L	200	20.48	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3659	5000	102%	2%	
NAL13026-1549MSD	316-347	ORG 103-65-1	n-Propylbenzene	5100		ug/L	200	27.00	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3659	5000	102%	0%	
NAL13026-1549MSD	316-347	ORG 79-34-5	1,1,2,2-Tetrachloroethane	5000		ug/L	200	29.16	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3659	5000	100%	2%	
NAL13026-1549MSD	316-347	ORG 96-18-4	1,2,3-Trichloropropane	4700		ug/L	200	29.47	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3659	5000	94%	0%	

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

- B** = Analyte is found in the associated blank as well as in the sample.
 - D** = Compound identified in an analysis at a secondary dilution factor.
 - E** = Compound's concentration exceeds the calibration range of the instrument at this dilution.
 - X** = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
 - J** = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
 - M** = Matrix assessment, QC analyses parameter exceeded control limits.
 - U** = Non-detect
- * NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1549MSD	316-347	ORG 108-67-8	1,3,5-Trimethylbenzene	5000		ug/L	200	20.03	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3659	5000	100%	0%	
NAL13026-1549MSD	316-347	ORG 98-06-6	tert-Butylbenzene	5300		ug/L	200	32.61	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3659	5000	106%	4%	
NAL13026-1549MSD	316-347	ORG 95-63-6	1,2,4-Trimethylbenzene	5100		ug/L	200	20.03	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3659	5000	102%	2%	
NAL13026-1549MSD	316-347	ORG 135-98-8	sec-Butylbenzene	5200		ug/L	200	32.34	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3659	5000	104%	2%	
NAL13026-1549MSD	316-347	ORG 541-73-1	1,3-Dichlorobenzene	4900		ug/L	200	22.21	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3659	5000	98%	2%	
NAL13026-1549MSD	316-347	ORG 99-87-6	p-Isopropyltoluene	5200		ug/L	200	25.48	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3659	5000	103%	2%	55
NAL13026-1549MSD	316-347	ORG 106-46-7	1,4-Dichlorobenzene	4800		ug/L	200	33.03	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3659	5000	96%	0%	
NAL13026-1549MSD	316-347	ORG 95-50-1	1,2-Dichlorobenzene	4700		ug/L	200	26.38	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3659	5000	94%	2%	
NAL13026-1549MSD	316-347	ORG 104-51-8	n-Butylbenzene	5400		ug/L	500	27.81	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3659	5000	108%	4%	
NAL13026-1549MSD	316-347	ORG 96-12-8	1,2-Dibromo-3-chloropropane	5200		ug/L	500	159.11	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3659	5000	104%	4%	
NAL13026-1549MSD	316-347	ORG 87-68-3	Hexachlorobutadiene	5400		ug/L	500	65.42	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3659	5000	108%	8%	
NAL13026-1549MSD	316-347	ORG 120-82-1	1,2,4-Trichlorobenzene	5200		ug/L	500	27.63	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3659	5000	104%	0%	
NAL13026-1549MSD	316-347	ORG 91-20-3	Naphthalene	5300		ug/L	500	56.04	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3659	5000	98%	0%	420
NAL13026-1549MSD	316-347	ORG 87-61-6	1,2,3-Trichlorobenzene	5200		ug/L	500	23.28	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3659	5000	104%	4%	
NAL13026-1549MSD	316-347	STD 1868-53-7	Dibromofluoromethane	49		ug/L	1	0	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3659	50	98%	2%	
NAL13026-1549MSD	316-347	STD 17060-07-0	1,2-Dichloroethane d4	49		ug/L	1	0	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3659	50	98%	2%	
NAL13026-1549MSD	316-347	STD 2037-26-5	Toluene d8	49		ug/L	1	0	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3659	50	98%	4%	
NAL13026-1549MSD	316-347	STD 460-00-4	Bromofluorobenzene	52		ug/L	1	0	7/1/2014	7/1/2014	7/1/2014	WG	100	NA	5.0	NA	SW8260B	NALD3659	50	104%	0%	



New Age/Landmark Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090 Tel: 888-685-1628 • mobilelabs@newagelandmark.com

Republic Services 12976 St. Charles Rock Rd. Bridgeton, MO 63044 ATTN: Brian Power

FINAL ANALYTICAL REPORT

Project #: NAL13-026 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

- B = Analyte is found in the associated blank as well as in the sample. D = Compound identified in an analysis at a secondary dilution factor. E = Compound's concentration exceeds the calibration range of the instrument at this dilution. X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation. J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL. M = Matrix assessment, QC analyses parameter exceeded control limits. U = Non-detect * NAL is not certified for these compound by NELAC.

Table with columns: Lab ID, Sample ID, CAS #, ANALYTES, Results, QC, Units, RDL, MDL, Sample Date, Prep. Date, Analysis Date, Matrix, Dil., Weight(g), Vol.(ml), % Solid, Method, Data file, Spike, % Rec, % RPD, Parent. Contains 40 rows of analytical data.

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1551	316-348	ORG 108-67-8	1,3,5-Trimethylbenzene		U	ug/L	200	20.03	7/2/2014	7/2/2014	7/2/2014	WG	100	NA	5.0	NA	SW8260B	NALD3668				
NAL13026-1551	316-348	ORG 98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/2/2014	7/2/2014	7/2/2014	WG	100	NA	5.0	NA	SW8260B	NALD3668				
NAL13026-1551	316-348	ORG 95-63-6	1,2,4-Trimethylbenzene		U	ug/L	200	20.03	7/2/2014	7/2/2014	7/2/2014	WG	100	NA	5.0	NA	SW8260B	NALD3668				
NAL13026-1551	316-348	ORG 135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	7/2/2014	7/2/2014	7/2/2014	WG	100	NA	5.0	NA	SW8260B	NALD3668				
NAL13026-1551	316-348	ORG 541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	7/2/2014	7/2/2014	7/2/2014	WG	100	NA	5.0	NA	SW8260B	NALD3668				
NAL13026-1551	316-348	ORG 99-87-6	p-Isopropyltoluene	59	J	ug/L	200	25.48	7/2/2014	7/2/2014	7/2/2014	WG	100	NA	5.0	NA	SW8260B	NALD3668				
NAL13026-1551	316-348	ORG 106-46-7	1,4-Dichlorobenzene		U	ug/L	200	33.03	7/2/2014	7/2/2014	7/2/2014	WG	100	NA	5.0	NA	SW8260B	NALD3668				
NAL13026-1551	316-348	ORG 95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	7/2/2014	7/2/2014	7/2/2014	WG	100	NA	5.0	NA	SW8260B	NALD3668				
NAL13026-1551	316-348	ORG 104-51-8	n-Butylbenzene		U	ug/L	500	27.81	7/2/2014	7/2/2014	7/2/2014	WG	100	NA	5.0	NA	SW8260B	NALD3668				
NAL13026-1551	316-348	ORG 96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	7/2/2014	7/2/2014	7/2/2014	WG	100	NA	5.0	NA	SW8260B	NALD3668				
NAL13026-1551	316-348	ORG 87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/2/2014	7/2/2014	7/2/2014	WG	100	NA	5.0	NA	SW8260B	NALD3668				
NAL13026-1551	316-348	ORG 120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	7/2/2014	7/2/2014	7/2/2014	WG	100	NA	5.0	NA	SW8260B	NALD3668				
NAL13026-1551	316-348	ORG 91-20-3	Naphthalene	310	J	ug/L	500	56.04	7/2/2014	7/2/2014	7/2/2014	WG	100	NA	5.0	NA	SW8260B	NALD3668				
NAL13026-1551	316-348	ORG 87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	7/2/2014	7/2/2014	7/2/2014	WG	100	NA	5.0	NA	SW8260B	NALD3668				
NAL13026-1551	316-348	STD 1868-53-7	Dibromofluoromethane	49		ug/L	1	0	7/2/2014	7/2/2014	7/2/2014	WG	100	NA	5.0	NA	SW8260B	NALD3668	50	98%		
NAL13026-1551	316-348	STD 17060-07-0	1,2-Dichloroethane d4	52		ug/L	1	0	7/2/2014	7/2/2014	7/2/2014	WG	100	NA	5.0	NA	SW8260B	NALD3668	50	104%		
NAL13026-1551	316-348	STD 2037-26-5	Toluene d8	49		ug/L	1	0	7/2/2014	7/2/2014	7/2/2014	WG	100	NA	5.0	NA	SW8260B	NALD3668	50	98%		
NAL13026-1551	316-348	STD 460-00-4	Bromofluorobenzene	51		ug/L	1	0	7/2/2014	7/2/2014	7/2/2014	WG	100	NA	5.0	NA	SW8260B	NALD3668	50	102%		



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D070214CCVA	D070214CCVA	ORG 75-71-8	Dichlorodifluoromethane	60		ug/L	5	0.29	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3664	50	120%		
D070214CCVA	D070214CCVA	ORG 74-87-3	Chloromethane	55		ug/L	5	0.43	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3664	50	110%		
D070214CCVA	D070214CCVA	ORG 75-01-4	Vinyl chloride	54		ug/L	2	0.32	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3664	50	108%		
D070214CCVA	D070214CCVA	ORG 74-83-9	Bromomethane	72		ug/L	5	0.50	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3664	50	144%		
D070214CCVA	D070214CCVA	ORG 75-00-3	Chloroethane	71		ug/L	5	0.56	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3664	50	142%		
D070214CCVA	D070214CCVA	ORG 75-69-4	Trichlorofluoromethane	205		ug/L	5	0.20	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3664	50	410%		
D070214CCVA	D070214CCVA	ORG 75-35-4	1,1-Dichloroethene	43		ug/L	1	0.47	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3664	50	86%		
D070214CCVA	D070214CCVA	ORG 75-09-2	Methylene chloride	48		ug/L	5	0.26	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3664	50	96%		
D070214CCVA	D070214CCVA	ORG 67-64-1	Acetone	71		ug/L	10	1.56	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3664	50	142%		
D070214CCVA	D070214CCVA	ORG 156-60-5	trans-1,2-Dichloroethene	44		ug/L	1	0.56	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3664	50	88%		
D070214CCVA	D070214CCVA	ORG 1634-04-4	MTBE	41		ug/L	5	0.61	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3664	50	82%		
D070214CCVA	D070214CCVA	ORG 75-34-3	1,1-Dichloroethane	46		ug/L	1	0.53	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3664	50	92%		
D070214CCVA	D070214CCVA	ORG 156-59-2	cis-1,2-Dichloroethene	45		ug/L	1	0.32	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3664	50	90%		
D070214CCVA	D070214CCVA	ORG 74-97-5	Bromochloromethane	44		ug/L	10	0.41	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3664	50	88%		
D070214CCVA	D070214CCVA	ORG 67-66-3	Chloroform	44		ug/L	2	0.16	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3664	50	88%		
D070214CCVA	D070214CCVA	ORG 71-55-6	1,1,1-Trichloroethane	46		ug/L	1	0.17	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3664	50	92%		
D070214CCVA	D070214CCVA	ORG 78-93-3	2-Butanone	46		ug/L	1	0.81	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3664	50	92%		
D070214CCVA	D070214CCVA	ORG 56-23-5	Carbon tetrachloride	46		ug/L	1	0.28	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3664	50	92%		
D070214CCVA	D070214CCVA	ORG 71-43-2	Benzene	44		ug/L	1	0.14	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3664	50	88%		
D070214CCVA	D070214CCVA	ORG 107-06-2	1,2-Dichloroethane	43		ug/L	1	0.20	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3664	50	86%		
D070214CCVA	D070214CCVA	ORG 79-01-6	Trichloroethene	45		ug/L	1	0.36	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3664	50	90%		
D070214CCVA	D070214CCVA	ORG 74-95-3	Dibromomethane	44		ug/L	2	0.32	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3664	50	88%		
D070214CCVA	D070214CCVA	ORG 78-87-5	1,2-Dichloropropane	47		ug/L	1	0.18	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3664	50	94%		
D070214CCVA	D070214CCVA	ORG 75-27-4	Bromodichloromethane	48		ug/L	2	0.12	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3664	50	96%		
D070214CCVA	D070214CCVA	ORG 10061-01-5	cis-1,3-Dichloropropene	44		ug/L	1	0.25	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3664	50	100%		
D070214CCVA	D070214CCVA	ORG 108-88-3	Toluene	50		ug/L	1	0.21	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3664	50	88%		
D070214CCVA	D070214CCVA	ORG 108-10-1	4-Methyl-2-pentanone	45		ug/L	5	0.74	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3664	50	90%		
D070214CCVA	D070214CCVA	ORG 10061-02-6	trans-1,3-Dichloropropene	51		ug/L	1	0.31	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3664	50	102%		
D070214CCVA	D070214CCVA	ORG 127-18-4	Tetrahydroethene	39		ug/L	1	0.49	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3664	50	78%		
D070214CCVA	D070214CCVA	ORG 79-00-5	1,1,2-Trichloroethane	45		ug/L	1	0.34	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3664	50	90%		
D070214CCVA	D070214CCVA	ORG 124-48-1	Dibromochloromethane	49		ug/L	5	0.30	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3664	50	98%		
D070214CCVA	D070214CCVA	ORG 106-93-4	1,2-Dibromoethane	44		ug/L	2	0.26	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3664	50	88%		
D070214CCVA	D070214CCVA	ORG 591-78-6	2-Hexanone	49		ug/L	2	0.69	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3664	50	98%		
D070214CCVA	D070214CCVA	ORG 100-41-4	Ethylbenzene	49		ug/L	1	0.25	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3664	50	98%		
D070214CCVA	D070214CCVA	ORG 108-90-7	Chlorobenzene	47		ug/L	1	0.28	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3664	50	94%		
D070214CCVA	D070214CCVA	ORG 630-20-6	1,1,1,2-Tetrachloroethane	52		ug/L	2	0.19	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3664	50	104%		
D070214CCVA	D070214CCVA	ORG XYLMP	p&m-Xylene	94		ug/L	2	0.26	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3664	100	94%		
D070214CCVA	D070214CCVA	ORG 95-47-6	o-Xylene	48		ug/L	1	0.13	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3664	50	96%		
D070214CCVA	D070214CCVA	ORG 100-42-5	Styrene	51		ug/L	1	0.20	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3664	50	102%		
D070214CCVA	D070214CCVA	ORG 75-25-2	Bromoform	48		ug/L	2	0.47	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3664	50	96%		
D070214CCVA	D070214CCVA	ORG 98-82-8	Isopropylbenzene	50		ug/L	2	0.20	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3664	50	100%		
D070214CCVA	D070214CCVA	ORG 103-65-1	n-Propylbenzene	50		ug/L	2	0.27	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3664	50	100%		
D070214CCVA	D070214CCVA	ORG 79-34-5	1,1,2,2-Tetrachloroethane	46		ug/L	2	0.29	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3664	50	92%		
D070214CCVA	D070214CCVA	ORG 96-18-4	1,2,3-Trichloropropane	42		ug/L	2	0.29	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3664	50	84%		

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D070214CCVA	D070214CCVA	ORG 108-67-8	1,3,5-Trimethylbenzene	49		ug/L	2	0.20	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3664	50	98%		
D070214CCVA	D070214CCVA	ORG 98-06-6	tert-Butylbenzene	51		ug/L	2	0.33	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3664	50	102%		
D070214CCVA	D070214CCVA	ORG 95-63-6	1,2,4-Trimethylbenzene	49		ug/L	2	0.20	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3664	50	98%		
D070214CCVA	D070214CCVA	ORG 135-98-8	sec-Butylbenzene	51		ug/L	2	0.32	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3664	50	102%		
D070214CCVA	D070214CCVA	ORG 541-73-1	1,3-Dichlorobenzene	48		ug/L	2	0.22	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3664	50	96%		
D070214CCVA	D070214CCVA	ORG 99-87-6	p-Isopropyltoluene	50		ug/L	2	0.25	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3664	50	100%		
D070214CCVA	D070214CCVA	ORG 106-46-7	1,4-Dichlorobenzene	47		ug/L	2	0.33	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3664	50	94%		
D070214CCVA	D070214CCVA	ORG 95-50-1	1,2-Dichlorobenzene	46		ug/L	2	0.26	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3664	50	92%		
D070214CCVA	D070214CCVA	ORG 104-51-8	n-Butylbenzene	53		ug/L	5	0.28	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3664	50	106%		
D070214CCVA	D070214CCVA	ORG 96-12-8	1,2-Dibromo-3-chloropropane	43		ug/L	5	1.59	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3664	50	86%		
D070214CCVA	D070214CCVA	ORG 87-68-3	Hexachlorobutadiene	55		ug/L	5	0.65	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3664	50	110%		
D070214CCVA	D070214CCVA	ORG 120-82-1	1,2,4-Trichlorobenzene	50		ug/L	5	0.28	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3664	50	100%		
D070214CCVA	D070214CCVA	ORG 91-20-3	Naphthalene	42		ug/L	5	0.56	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3664	50	84%		
D070214CCVA	D070214CCVA	ORG 87-61-6	1,2,3-Trichlorobenzene	47		ug/L	5	0.23	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3664	50	94%		
D070214CCVA	D070214CCVA	STD 1868-53-7	Dibromofluoromethane	50		ug/L	1	0	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3664	50	100%		
D070214CCVA	D070214CCVA	STD 17060-07-0	1,2-Dichloroethane d4	48		ug/L	1	0	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3664	50	96%		
D070214CCVA	D070214CCVA	STD 2037-26-5	Toluene d8	49		ug/L	1	0	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3664	50	98%		
D070214CCVA	D070214CCVA	STD 460-00-4	Bromofluorobenzene	51		ug/L	1	0	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3664	50	102%		

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D070214MBKA	D070214MBKA	ORG 75-71-8	Dichlorodifluoromethane	U	ug/L	5	0.29	NA	7/2/2014	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3667				
D070214MBKA	D070214MBKA	ORG 74-87-3	Chloromethane	U	ug/L	5	0.43	NA	7/2/2014	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3667				
D070214MBKA	D070214MBKA	ORG 75-01-4	Vinyl chloride	U	ug/L	2	0.32	NA	7/2/2014	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3667				
D070214MBKA	D070214MBKA	ORG 74-83-9	Bromomethane	U	ug/L	5	0.50	NA	7/2/2014	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3667				
D070214MBKA	D070214MBKA	ORG 75-00-3	Chloroethane	U	ug/L	5	0.56	NA	7/2/2014	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3667				
D070214MBKA	D070214MBKA	ORG 75-69-4	Trichlorofluoromethane	U	ug/L	5	0.20	NA	7/2/2014	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3667				
D070214MBKA	D070214MBKA	ORG 75-35-4	1,1-Dichloroethene	U	ug/L	1	0.47	NA	7/2/2014	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3667				
D070214MBKA	D070214MBKA	ORG 75-09-2	Methylene chloride	U	ug/L	5	0.26	NA	7/2/2014	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3667				
D070214MBKA	D070214MBKA	ORG 67-64-1	Acetone	U	ug/L	10	1.56	NA	7/2/2014	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3667				
D070214MBKA	D070214MBKA	ORG 156-60-5	trans-1,2-Dichloroethene	U	ug/L	1	0.56	NA	7/2/2014	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3667				
D070214MBKA	D070214MBKA	ORG 1634-04-4	MTBE	U	ug/L	5	0.61	NA	7/2/2014	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3667				
D070214MBKA	D070214MBKA	ORG 75-34-3	1,1-Dichloroethane	U	ug/L	1	0.53	NA	7/2/2014	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3667				
D070214MBKA	D070214MBKA	ORG 156-59-2	cis-1,2-Dichloroethene	U	ug/L	1	0.32	NA	7/2/2014	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3667				
D070214MBKA	D070214MBKA	ORG 74-97-5	Bromochloromethane	U	ug/L	10	0.41	NA	7/2/2014	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3667				
D070214MBKA	D070214MBKA	ORG 67-66-3	Chloroform	U	ug/L	2	0.16	NA	7/2/2014	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3667				
D070214MBKA	D070214MBKA	ORG 71-55-6	1,1,1-Trichloroethane	U	ug/L	1	0.17	NA	7/2/2014	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3667				
D070214MBKA	D070214MBKA	ORG 78-93-3	2-Butanone	U	ug/L	1	0.81	NA	7/2/2014	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3667				
D070214MBKA	D070214MBKA	ORG 56-23-5	Carbon tetrachloride	U	ug/L	1	0.28	NA	7/2/2014	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3667				
D070214MBKA	D070214MBKA	ORG 71-43-2	Benzene	U	ug/L	1	0.14	NA	7/2/2014	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3667				
D070214MBKA	D070214MBKA	ORG 107-06-2	1,2-Dichloroethane	U	ug/L	1	0.20	NA	7/2/2014	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3667				
D070214MBKA	D070214MBKA	ORG 79-01-6	Trichloroethene	U	ug/L	1	0.36	NA	7/2/2014	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3667				
D070214MBKA	D070214MBKA	ORG 74-95-3	Dibromomethane	U	ug/L	2	0.32	NA	7/2/2014	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3667				
D070214MBKA	D070214MBKA	ORG 78-87-5	1,2-Dichloropropane	U	ug/L	1	0.18	NA	7/2/2014	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3667				
D070214MBKA	D070214MBKA	ORG 75-27-4	Bromodichloromethane	U	ug/L	2	0.12	NA	7/2/2014	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3667				
D070214MBKA	D070214MBKA	ORG 10061-01-5	cis-1,3-Dichloropropene	U	ug/L	1	0.25	NA	7/2/2014	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3667				
D070214MBKA	D070214MBKA	ORG 108-88-3	Toluene	U	ug/L	1	0.21	NA	7/2/2014	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3667				
D070214MBKA	D070214MBKA	ORG 108-10-1	4-Methyl-2-pentanone	U	ug/L	5	0.74	NA	7/2/2014	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3667				
D070214MBKA	D070214MBKA	ORG 10061-02-6	trans-1,3-Dichloropropene	U	ug/L	1	0.31	NA	7/2/2014	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3667				
D070214MBKA	D070214MBKA	ORG 127-18-4	Tetrachloroethene	U	ug/L	1	0.49	NA	7/2/2014	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3667				
D070214MBKA	D070214MBKA	ORG 79-00-5	1,1,2-Trichloroethane	U	ug/L	1	0.34	NA	7/2/2014	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3667				
D070214MBKA	D070214MBKA	ORG 124-48-1	Dibromochloromethane	U	ug/L	5	0.30	NA	7/2/2014	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3667				
D070214MBKA	D070214MBKA	ORG 106-93-4	1,2-Dibromoethane	U	ug/L	2	0.26	NA	7/2/2014	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3667				
D070214MBKA	D070214MBKA	ORG 591-78-6	2-Hexanone	U	ug/L	2	0.69	NA	7/2/2014	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3667				
D070214MBKA	D070214MBKA	ORG 100-41-4	Ethylbenzene	U	ug/L	1	0.25	NA	7/2/2014	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3667				
D070214MBKA	D070214MBKA	ORG 108-90-7	Chlorobenzene	U	ug/L	1	0.28	NA	7/2/2014	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3667				
D070214MBKA	D070214MBKA	ORG 630-20-6	1,1,1,2-Tetrachloroethane	U	ug/L	2	0.19	NA	7/2/2014	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3667				
D070214MBKA	D070214MBKA	ORG XYLMP	p&m-Xylene	U	ug/L	2	0.26	NA	7/2/2014	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3667				
D070214MBKA	D070214MBKA	ORG 95-47-6	o-Xylene	U	ug/L	1	0.13	NA	7/2/2014	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3667				
D070214MBKA	D070214MBKA	ORG 100-42-5	Styrene	U	ug/L	1	0.20	NA	7/2/2014	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3667				
D070214MBKA	D070214MBKA	ORG 75-25-2	Bromoform	U	ug/L	2	0.47	NA	7/2/2014	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3667				
D070214MBKA	D070214MBKA	ORG 98-82-8	Isopropylbenzene	U	ug/L	2	0.20	NA	7/2/2014	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3667				
D070214MBKA	D070214MBKA	ORG 103-65-1	n-Propylbenzene	U	ug/L	2	0.27	NA	7/2/2014	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3667				
D070214MBKA	D070214MBKA	ORG 79-34-5	1,1,2,2-Tetrachloroethane	U	ug/L	2	0.29	NA	7/2/2014	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3667				
D070214MBKA	D070214MBKA	ORG 96-18-4	1,2,3-Trichloropropane	U	ug/L	2	0.29	NA	7/2/2014	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3667				

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D070214MBKA	D070214MBKA	ORG 108-67-8	1,3,5-Trimethylbenzene		U	ug/L	2	0.20	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3667				
D070214MBKA	D070214MBKA	ORG 98-06-6	tert-Butylbenzene		U	ug/L	2	0.33	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3667				
D070214MBKA	D070214MBKA	ORG 95-63-6	1,2,4-Trimethylbenzene		U	ug/L	2	0.20	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3667				
D070214MBKA	D070214MBKA	ORG 135-98-8	sec-Butylbenzene		U	ug/L	2	0.32	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3667				
D070214MBKA	D070214MBKA	ORG 541-73-1	1,3-Dichlorobenzene		U	ug/L	2	0.22	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3667				
D070214MBKA	D070214MBKA	ORG 99-87-6	p-Isopropyltoluene		U	ug/L	2	0.25	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3667				
D070214MBKA	D070214MBKA	ORG 106-46-7	1,4-Dichlorobenzene		U	ug/L	2	0.33	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3667				
D070214MBKA	D070214MBKA	ORG 95-50-1	1,2-Dichlorobenzene		U	ug/L	2	0.26	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3667				
D070214MBKA	D070214MBKA	ORG 104-51-8	n-Butylbenzene		U	ug/L	5	0.28	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3667				
D070214MBKA	D070214MBKA	ORG 96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	5	1.59	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3667				
D070214MBKA	D070214MBKA	ORG 87-68-3	Hexachlorobutadiene		U	ug/L	5	0.65	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3667				
D070214MBKA	D070214MBKA	ORG 120-82-1	1,2,4-Trichlorobenzene		U	ug/L	5	0.28	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3667				
D070214MBKA	D070214MBKA	ORG 91-20-3	Naphthalene		U	ug/L	5	0.56	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3667				
D070214MBKA	D070214MBKA	ORG 87-61-6	1,2,3-Trichlorobenzene		U	ug/L	5	0.23	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3667				
D070214MBKA	D070214MBKA	STD 1868-53-7	Dibromofluoromethane	50		ug/L	1	0	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3667	50	100%		
D070214MBKA	D070214MBKA	STD 17060-07-0	1,2-Dichloroethane d4	53		ug/L	1	0	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3667	50	106%		
D070214MBKA	D070214MBKA	STD 2037-26-5	Toluene d8	49		ug/L	1	0	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3667	50	98%		
D070214MBKA	D070214MBKA	STD 460-00-4	Bromofluorobenzene	52		ug/L	1	0	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3667	50	104%		



Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

FINAL ANALYTICAL REPORT

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

- B** = Analyte is found in the associated blank as well as in the sample.
 - D** = Compound identified in an analysis at a secondary dilution factor.
 - E** = Compound's concentration exceeds the calibration range of the instrument at this dilution.
 - X** = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
 - J** = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
 - M** = Matrix assessment, QC analyses parameter exceeded control limits.
 - U** = Non-detect
- * NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D070214ALCS	D070214ALCS	ORG 75-71-8	Dichlorodifluoromethane	60		ug/L	5	0.29	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3665	50	120%		
D070214ALCS	D070214ALCS	ORG 74-87-3	Chloromethane	57		ug/L	5	0.43	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3665	50	114%		
D070214ALCS	D070214ALCS	ORG 75-01-4	Vinyl chloride	53		ug/L	2	0.32	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3665	50	106%		
D070214ALCS	D070214ALCS	ORG 74-83-9	Bromomethane	72		ug/L	5	0.50	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3665	50	144%		
D070214ALCS	D070214ALCS	ORG 75-00-3	Chloroethane	75		ug/L	5	0.56	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3665	50	150%		
D070214ALCS	D070214ALCS	ORG 75-69-4	Trichlorofluoromethane	193		ug/L	5	0.20	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3665	50	386%		
D070214ALCS	D070214ALCS	ORG 75-35-4	1,1-Dichloroethene	43		ug/L	1	0.47	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3665	50	86%		
D070214ALCS	D070214ALCS	ORG 75-09-2	Methylene chloride	47		ug/L	5	0.26	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3665	50	94%		
D070214ALCS	D070214ALCS	ORG 67-64-1	Acetone	77		ug/L	10	1.56	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3665	50	154%		
D070214ALCS	D070214ALCS	ORG 156-60-5	trans-1,2-Dichloroethene	42		ug/L	1	0.56	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3665	50	84%		
D070214ALCS	D070214ALCS	ORG 1634-04-4	MTBE	42		ug/L	5	0.61	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3665	50	84%		
D070214ALCS	D070214ALCS	ORG 75-34-3	1,1-Dichloroethane	46		ug/L	1	0.53	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3665	50	92%		
D070214ALCS	D070214ALCS	ORG 156-59-2	cis-1,2-Dichloroethene	45		ug/L	1	0.32	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3665	50	90%		
D070214ALCS	D070214ALCS	ORG 74-97-5	Bromochloromethane	45		ug/L	10	0.41	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3665	50	90%		
D070214ALCS	D070214ALCS	ORG 67-66-3	Chloroform	46		ug/L	2	0.16	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3665	50	92%		
D070214ALCS	D070214ALCS	ORG 71-55-6	1,1,1-Trichloroethane	46		ug/L	1	0.17	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3665	50	92%		
D070214ALCS	D070214ALCS	ORG 78-93-3	2-Butanone	46		ug/L	1	0.81	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3665	50	92%		
D070214ALCS	D070214ALCS	ORG 56-23-5	Carbon tetrachloride	47		ug/L	1	0.28	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3665	50	94%		
D070214ALCS	D070214ALCS	ORG 71-43-2	Benzene	44		ug/L	1	0.14	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3665	50	88%		
D070214ALCS	D070214ALCS	ORG 107-06-2	1,2-Dichloroethane	45		ug/L	1	0.20	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3665	50	90%		
D070214ALCS	D070214ALCS	ORG 79-01-6	Trichloroethene	44		ug/L	1	0.36	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3665	50	88%		
D070214ALCS	D070214ALCS	ORG 74-95-3	Dibromomethane	46		ug/L	2	0.32	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3665	50	92%		
D070214ALCS	D070214ALCS	ORG 78-87-5	1,2-Dichloropropane	48		ug/L	1	0.18	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3665	50	96%		
D070214ALCS	D070214ALCS	ORG 75-27-4	Bromodichloromethane	49		ug/L	2	0.12	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3665	50	98%		
D070214ALCS	D070214ALCS	ORG 10061-01-5	cis-1,3-Dichloropropene	50		ug/L	1	0.25	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3665	50	100%		
D070214ALCS	D070214ALCS	ORG 108-88-3	Toluene	44		ug/L	1	0.21	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3665	50	88%		
D070214ALCS	D070214ALCS	ORG 108-10-1	4-Methyl-2-pentanone	47		ug/L	5	0.74	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3665	50	94%		
D070214ALCS	D070214ALCS	ORG 10061-02-6	trans-1,3-Dichloropropene	53		ug/L	1	0.31	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3665	50	106%		
D070214ALCS	D070214ALCS	ORG 127-18-4	Tetrahydroethene	41		ug/L	1	0.49	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3665	50	82%		
D070214ALCS	D070214ALCS	ORG 79-00-5	1,1,2-Trichloroethane	46		ug/L	1	0.34	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3665	50	92%		
D070214ALCS	D070214ALCS	ORG 124-48-1	Dibromochloromethane	50		ug/L	5	0.30	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3665	50	100%		
D070214ALCS	D070214ALCS	ORG 106-93-4	1,2-Dibromoethane	46		ug/L	2	0.26	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3665	50	92%		
D070214ALCS	D070214ALCS	ORG 591-78-6	2-Hexanone	53		ug/L	2	0.69	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3665	50	106%		
D070214ALCS	D070214ALCS	ORG 100-41-4	Ethylbenzene	49		ug/L	1	0.25	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3665	50	98%		
D070214ALCS	D070214ALCS	ORG 108-90-7	Chlorobenzene	48		ug/L	1	0.28	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3665	50	96%		
D070214ALCS	D070214ALCS	ORG 630-20-6	1,1,1,2-Tetrachloroethane	52		ug/L	2	0.19	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3665	50	104%		
D070214ALCS	D070214ALCS	ORG XYLMP	p&m-Xylene	94		ug/L	2	0.26	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3665	100	94%		
D070214ALCS	D070214ALCS	ORG 95-47-6	o-Xylene	48		ug/L	1	0.13	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3665	50	96%		
D070214ALCS	D070214ALCS	ORG 100-42-5	Styrene	51		ug/L	1	0.20	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3665	50	102%		
D070214ALCS	D070214ALCS	ORG 75-25-2	Bromoform	48		ug/L	2	0.47	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3665	50	96%		
D070214ALCS	D070214ALCS	ORG 98-82-8	Isopropylbenzene	50		ug/L	2	0.20	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3665	50	100%		
D070214ALCS	D070214ALCS	ORG 103-65-1	n-Propylbenzene	50		ug/L	2	0.27	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3665	50	100%		
D070214ALCS	D070214ALCS	ORG 79-34-5	1,1,2,2-Tetrachloroethane	48		ug/L	2	0.29	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3665	50	96%		
D070214ALCS	D070214ALCS	ORG 96-18-4	1,2,3-Trichloropropane	45		ug/L	2	0.29	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3665	50	90%		

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D070214ALCS	D070214ALCS	ORG 108-67-8	1,3,5-Trimethylbenzene	49		ug/L	2	0.20	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3665	50	98%		
D070214ALCS	D070214ALCS	ORG 98-06-6	tert-Butylbenzene	50		ug/L	2	0.33	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3665	50	100%		
D070214ALCS	D070214ALCS	ORG 95-63-6	1,2,4-Trimethylbenzene	49		ug/L	2	0.20	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3665	50	98%		
D070214ALCS	D070214ALCS	ORG 135-98-8	sec-Butylbenzene	50		ug/L	2	0.32	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3665	50	100%		
D070214ALCS	D070214ALCS	ORG 541-73-1	1,3-Dichlorobenzene	47		ug/L	2	0.22	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3665	50	94%		
D070214ALCS	D070214ALCS	ORG 99-87-6	p-Isopropyltoluene	50		ug/L	2	0.25	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3665	50	100%		
D070214ALCS	D070214ALCS	ORG 106-46-7	1,4-Dichlorobenzene	47		ug/L	2	0.33	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3665	50	94%		
D070214ALCS	D070214ALCS	ORG 95-50-1	1,2-Dichlorobenzene	48		ug/L	2	0.26	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3665	50	96%		
D070214ALCS	D070214ALCS	ORG 104-51-8	n-Butylbenzene	52		ug/L	5	0.28	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3665	50	104%		
D070214ALCS	D070214ALCS	ORG 96-12-8	1,2-Dibromo-3-chloropropane	48		ug/L	5	1.59	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3665	50	96%		
D070214ALCS	D070214ALCS	ORG 87-68-3	Hexachlorobutadiene	51		ug/L	5	0.65	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3665	50	102%		
D070214ALCS	D070214ALCS	ORG 120-82-1	1,2,4-Trichlorobenzene	51		ug/L	5	0.28	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3665	50	102%		
D070214ALCS	D070214ALCS	ORG 91-20-3	Naphthalene	46		ug/L	5	0.56	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3665	50	92%		
D070214ALCS	D070214ALCS	ORG 87-61-6	1,2,3-Trichlorobenzene	50		ug/L	5	0.23	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3665	50	100%		
D070214ALCS	D070214ALCS	STD 1868-53-7	Dibromofluoromethane	50		ug/L	1	0	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3665	50	100%		
D070214ALCS	D070214ALCS	STD 17060-07-0	1,2-Dichloroethane d4	49		ug/L	1	0	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3665	50	98%		
D070214ALCS	D070214ALCS	STD 2037-26-5	Toluene d8	48		ug/L	1	0	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3665	50	96%		
D070214ALCS	D070214ALCS	STD 460-00-4	Bromofluorobenzene	53		ug/L	1	0	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3665	50	106%		



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assessment, QC analyses parameter exceeded control limits.
U = Non-detect
* NAL is not certified for these compound by NELAC.

Table with columns: Lab ID, Sample ID, CAS #, ANALYTES, Results, QC, Units, RDL, MDL, Sample Date, Prep. Date, Analysis Date, Matrix, Dil., Weight(g), Vol.(ml), % Solid, Method, Data file, Spike, % Rec, % RPD, Parent. Contains 48 rows of analytical data.

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D070214ALCD	D070214ALCD	ORG 108-67-8	1,3,5-Trimethylbenzene	52		ug/L	2	0.20	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3666	50	104%	6%	
D070214ALCD	D070214ALCD	ORG 98-06-6	tert-Butylbenzene	52		ug/L	2	0.33	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3666	50	104%	4%	
D070214ALCD	D070214ALCD	ORG 95-63-6	1,2,4-Trimethylbenzene	51		ug/L	2	0.20	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3666	50	102%	4%	
D070214ALCD	D070214ALCD	ORG 135-98-8	sec-Butylbenzene	52		ug/L	2	0.32	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3666	50	104%	4%	
D070214ALCD	D070214ALCD	ORG 541-73-1	1,3-Dichlorobenzene	50		ug/L	2	0.22	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3666	50	100%	6%	
D070214ALCD	D070214ALCD	ORG 99-87-6	p-Isopropyltoluene	52		ug/L	2	0.25	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3666	50	104%	4%	
D070214ALCD	D070214ALCD	ORG 106-46-7	1,4-Dichlorobenzene	48		ug/L	2	0.33	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3666	50	96%	2%	
D070214ALCD	D070214ALCD	ORG 95-50-1	1,2-Dichlorobenzene	49		ug/L	2	0.26	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3666	50	98%	2%	
D070214ALCD	D070214ALCD	ORG 104-51-8	n-Butylbenzene	55		ug/L	5	0.28	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3666	50	110%	6%	
D070214ALCD	D070214ALCD	ORG 96-12-8	1,2-Dibromo-3-chloropropane	50		ug/L	5	1.59	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3666	50	100%	4%	
D070214ALCD	D070214ALCD	ORG 87-68-3	Hexachlorobutadiene	54		ug/L	5	0.65	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3666	50	108%	6%	
D070214ALCD	D070214ALCD	ORG 120-82-1	1,2,4-Trichlorobenzene	53		ug/L	5	0.28	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3666	50	106%	4%	
D070214ALCD	D070214ALCD	ORG 91-20-3	Naphthalene	49		ug/L	5	0.56	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3666	50	98%	6%	
D070214ALCD	D070214ALCD	ORG 87-61-6	1,2,3-Trichlorobenzene	51		ug/L	5	0.23	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3666	50	102%	2%	
D070214ALCD	D070214ALCD	STD 1868-53-7	Dibromofluoromethane	51		ug/L	1	0	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3666	50	102%	2%	
D070214ALCD	D070214ALCD	STD 17060-07-0	1,2-Dichloroethane d4	50		ug/L	1	0	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3666	50	100%	2%	
D070214ALCD	D070214ALCD	STD 2037-26-5	Toluene d8	48		ug/L	1	0	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3666	50	96%	0%	
D070214ALCD	D070214ALCD	STD 460-00-4	Bromofluorobenzene	52		ug/L	1	0	NA	7/2/2014	7/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3666	50	104%	2%	



New Age/Landmark Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090 Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services 12976 St. Charles Rock Rd. Bridgeton, MO 63044 ATTN: Brian Power

Project #: NAL13-026 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President. B = Analyte is found in the associated blank as well as in the sample. D = Compound identified in an analysis at a secondary dilution factor. E = Compound's concentration exceeds the calibration range of the instrument at this dilution. X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation. J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL. M = Matrix assessment, QC analyses parameter exceeded control limits. U = Non-detect * NAL is not certified for these compound by NELAC.

Table with columns: Lab ID, Sample ID, CAS #, ANALYTES, Results, QC, Units, RDL, MDL, Sample Date, Prep. Date, Analysis Date, Matrix, Dil., Weight(g), Vol.(ml), % Solid, Method, Data file, Spike, % Rec, % RPD, Parent. Contains 40 rows of analytical data.

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1551MS	316-348	ORG	108-67-8	1,3,5-Trimethylbenzene	5200		ug/L	200	20.03	7/2/2014	7/2/2014	7/2/2014	WG	100	NA	5.0	NA	SW8260B	NALD3670	5000	104%	
NAL13026-1551MS	316-348	ORG	98-06-6	tert-Butylbenzene	5400		ug/L	200	32.61	7/2/2014	7/2/2014	7/2/2014	WG	100	NA	5.0	NA	SW8260B	NALD3670	5000	108%	
NAL13026-1551MS	316-348	ORG	95-63-6	1,2,4-Trimethylbenzene	5200		ug/L	200	20.03	7/2/2014	7/2/2014	7/2/2014	WG	100	NA	5.0	NA	SW8260B	NALD3670	5000	104%	
NAL13026-1551MS	316-348	ORG	135-98-8	sec-Butylbenzene	5300		ug/L	200	32.34	7/2/2014	7/2/2014	7/2/2014	WG	100	NA	5.0	NA	SW8260B	NALD3670	5000	106%	
NAL13026-1551MS	316-348	ORG	541-73-1	1,3-Dichlorobenzene	4900		ug/L	200	22.21	7/2/2014	7/2/2014	7/2/2014	WG	100	NA	5.0	NA	SW8260B	NALD3670	5000	98%	
NAL13026-1551MS	316-348	ORG	99-87-6	p-Isopropyltoluene	5300		ug/L	200	25.48	7/2/2014	7/2/2014	7/2/2014	WG	100	NA	5.0	NA	SW8260B	NALD3670	5000	105%	59
NAL13026-1551MS	316-348	ORG	106-46-7	1,4-Dichlorobenzene	4900		ug/L	200	33.03	7/2/2014	7/2/2014	7/2/2014	WG	100	NA	5.0	NA	SW8260B	NALD3670	5000	98%	
NAL13026-1551MS	316-348	ORG	95-50-1	1,2-Dichlorobenzene	4800		ug/L	200	26.38	7/2/2014	7/2/2014	7/2/2014	WG	100	NA	5.0	NA	SW8260B	NALD3670	5000	96%	
NAL13026-1551MS	316-348	ORG	104-51-8	n-Butylbenzene	5600		ug/L	500	27.81	7/2/2014	7/2/2014	7/2/2014	WG	100	NA	5.0	NA	SW8260B	NALD3670	5000	112%	
NAL13026-1551MS	316-348	ORG	96-12-8	1,2-Dibromo-3-chloropropane	5000		ug/L	500	159.11	7/2/2014	7/2/2014	7/2/2014	WG	100	NA	5.0	NA	SW8260B	NALD3670	5000	100%	
NAL13026-1551MS	316-348	ORG	87-68-3	Hexachlorobutadiene	5400		ug/L	500	65.42	7/2/2014	7/2/2014	7/2/2014	WG	100	NA	5.0	NA	SW8260B	NALD3670	5000	108%	
NAL13026-1551MS	316-348	ORG	120-82-1	1,2,4-Trichlorobenzene	5300		ug/L	500	27.63	7/2/2014	7/2/2014	7/2/2014	WG	100	NA	5.0	NA	SW8260B	NALD3670	5000	106%	
NAL13026-1551MS	316-348	ORG	91-20-3	Naphthalene	5200		ug/L	500	56.04	7/2/2014	7/2/2014	7/2/2014	WG	100	NA	5.0	NA	SW8260B	NALD3670	5000	98%	310
NAL13026-1551MS	316-348	ORG	87-61-6	1,2,3-Trichlorobenzene	5200		ug/L	500	23.28	7/2/2014	7/2/2014	7/2/2014	WG	100	NA	5.0	NA	SW8260B	NALD3670	5000	104%	
NAL13026-1551MS	316-348	STD	1868-53-7	Dibromofluoromethane	50		ug/L	1	0	7/2/2014	7/2/2014	7/2/2014	WG	100	NA	5.0	NA	SW8260B	NALD3670	50	100%	
NAL13026-1551MS	316-348	STD	17060-07-0	1,2-Dichloroethane d4	49		ug/L	1	0	7/2/2014	7/2/2014	7/2/2014	WG	100	NA	5.0	NA	SW8260B	NALD3670	50	98%	
NAL13026-1551MS	316-348	STD	2037-26-5	Toluene d8	48		ug/L	1	0	7/2/2014	7/2/2014	7/2/2014	WG	100	NA	5.0	NA	SW8260B	NALD3670	50	96%	
NAL13026-1551MS	316-348	STD	460-00-4	Bromofluorobenzene	53		ug/L	1	0	7/2/2014	7/2/2014	7/2/2014	WG	100	NA	5.0	NA	SW8260B	NALD3670	50	106%	



New Age/Landmark
Mobile Laboratory Services

160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

FINAL ANALYTICAL REPORT

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assessment, QC analyses parameter exceeded control limits.
U = Non-detect
 * NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1551MSD	316-348	ORG 75-71-8	Dichlorodifluoromethane	6000		ug/L	500	29.28	7/2/2014	7/2/2014	7/2/2014	WG	100	NA	5.0	NA	SW8260B	NALD3671	5000	120%	3%	
NAL13026-1551MSD	316-348	ORG 74-87-3	Chloromethane	5800		ug/L	500	43.07	7/2/2014	7/2/2014	7/2/2014	WG	100	NA	5.0	NA	SW8260B	NALD3671	5000	116%	5%	
NAL13026-1551MSD	316-348	ORG 75-01-4	Vinyl chloride	5400		ug/L	200	31.86	7/2/2014	7/2/2014	7/2/2014	WG	100	NA	5.0	NA	SW8260B	NALD3671	5000	108%	0%	
NAL13026-1551MSD	316-348	ORG 74-83-9	Bromomethane	7200		ug/L	500	50.04	7/2/2014	7/2/2014	7/2/2014	WG	100	NA	5.0	NA	SW8260B	NALD3671	5000	144%	7%	
NAL13026-1551MSD	316-348	ORG 75-00-3	Chloroethane	7600		ug/L	500	55.61	7/2/2014	7/2/2014	7/2/2014	WG	100	NA	5.0	NA	SW8260B	NALD3671	5000	152%	1%	
NAL13026-1551MSD	316-348	ORG 75-69-4	Trichlorofluoromethane	33000		ug/L	500	19.65	7/2/2014	7/2/2014	7/2/2014	WG	100	NA	5.0	NA	SW8260B	NALD3671	5000	660%	49%	
NAL13026-1551MSD	316-348	ORG 75-35-4	1,1-Dichloroethene	4500		ug/L	100	47.11	7/2/2014	7/2/2014	7/2/2014	WG	100	NA	5.0	NA	SW8260B	NALD3671	5000	90%	5%	
NAL13026-1551MSD	316-348	ORG 75-09-2	Methylene chloride	4700		ug/L	500	26.46	7/2/2014	7/2/2014	7/2/2014	WG	100	NA	5.0	NA	SW8260B	NALD3671	5000	94%	2%	
NAL13026-1551MSD	316-348	ORG 67-64-1	Acetone	86000		ug/L	1000	155.61	7/2/2014	7/2/2014	7/2/2014	WG	100	NA	5.0	NA	SW8260B	NALD3671	5000	-680%	7%	120000
NAL13026-1551MSD	316-348	ORG 156-60-5	trans-1,2-Dichloroethene	4300		ug/L	100	55.61	7/2/2014	7/2/2014	7/2/2014	WG	100	NA	5.0	NA	SW8260B	NALD3671	5000	86%	2%	
NAL13026-1551MSD	316-348	ORG 1634-04-4	MTBE	4100		ug/L	500	61.18	7/2/2014	7/2/2014	7/2/2014	WG	100	NA	5.0	NA	SW8260B	NALD3671	5000	82%	2%	
NAL13026-1551MSD	316-348	ORG 75-34-3	1,1-Dichloroethane	4700		ug/L	100	52.66	7/2/2014	7/2/2014	7/2/2014	WG	100	NA	5.0	NA	SW8260B	NALD3671	5000	94%	0%	
NAL13026-1551MSD	316-348	ORG 156-59-2	cis-1,2-Dichloroethene	4600		ug/L	100	32.11	7/2/2014	7/2/2014	7/2/2014	WG	100	NA	5.0	NA	SW8260B	NALD3671	5000	92%	0%	
NAL13026-1551MSD	316-348	ORG 74-97-5	Bromochloromethane	4500		ug/L	1000	41.37	7/2/2014	7/2/2014	7/2/2014	WG	100	NA	5.0	NA	SW8260B	NALD3671	5000	90%	0%	
NAL13026-1551MSD	316-348	ORG 67-66-3	Chloroform	4700		ug/L	200	15.73	7/2/2014	7/2/2014	7/2/2014	WG	100	NA	5.0	NA	SW8260B	NALD3671	5000	94%	0%	
NAL13026-1551MSD	316-348	ORG 71-55-6	1,1,1-Trichloroethane	4700		ug/L	100	16.65	7/2/2014	7/2/2014	7/2/2014	WG	100	NA	5.0	NA	SW8260B	NALD3671	5000	94%	0%	
NAL13026-1551MSD	316-348	ORG 78-93-3	2-Butanone	20000		ug/L	100	81.18	7/2/2014	7/2/2014	7/2/2014	WG	100	NA	5.0	NA	SW8260B	NALD3671	5000	40%	5%	18000
NAL13026-1551MSD	316-348	ORG 56-23-5	Carbon tetrachloride	4800		ug/L	100	27.64	7/2/2014	7/2/2014	7/2/2014	WG	100	NA	5.0	NA	SW8260B	NALD3671	5000	96%	0%	
NAL13026-1551MSD	316-348	ORG 71-43-2	Benzene	4400		ug/L	100	13.53	7/2/2014	7/2/2014	7/2/2014	WG	100	NA	5.0	NA	SW8260B	NALD3671	5000	88%	0%	
NAL13026-1551MSD	316-348	ORG 107-06-2	1,2-Dichloroethane	4500		ug/L	100	20.01	7/2/2014	7/2/2014	7/2/2014	WG	100	NA	5.0	NA	SW8260B	NALD3671	5000	90%	2%	
NAL13026-1551MSD	316-348	ORG 79-01-6	Trichloroethene	4600		ug/L	100	36.33	7/2/2014	7/2/2014	7/2/2014	WG	100	NA	5.0	NA	SW8260B	NALD3671	5000	92%	2%	
NAL13026-1551MSD	316-348	ORG 74-95-3	Dibromomethane	4600		ug/L	200	32.20	7/2/2014	7/2/2014	7/2/2014	WG	100	NA	5.0	NA	SW8260B	NALD3671	5000	92%	0%	
NAL13026-1551MSD	316-348	ORG 78-87-5	1,2-Dichloropropane	4900		ug/L	100	18.17	7/2/2014	7/2/2014	7/2/2014	WG	100	NA	5.0	NA	SW8260B	NALD3671	5000	98%	0%	
NAL13026-1551MSD	316-348	ORG 75-27-4	Bromodichloromethane	4900		ug/L	200	11.58	7/2/2014	7/2/2014	7/2/2014	WG	100	NA	5.0	NA	SW8260B	NALD3671	5000	98%	2%	
NAL13026-1551MSD	316-348	ORG 10061-01-5	cis-1,3-Dichloropropene	5000		ug/L	100	25.01	7/2/2014	7/2/2014	7/2/2014	WG	100	NA	5.0	NA	SW8260B	NALD3671	5000	100%	2%	
NAL13026-1551MSD	316-348	ORG 108-88-3	Toluene	4400		ug/L	100	20.96	7/2/2014	7/2/2014	7/2/2014	WG	100	NA	5.0	NA	SW8260B	NALD3671	5000	88%	2%	
NAL13026-1551MSD	316-348	ORG 108-10-1	4-Methyl-2-pentanone	4200		ug/L	500	74.00	7/2/2014	7/2/2014	7/2/2014	WG	100	NA	5.0	NA	SW8260B	NALD3671	5000	79%	11%	250
NAL13026-1551MSD	316-348	ORG 10061-02-6	trans-1,3-Dichloropropene	5200		ug/L	100	31.15	7/2/2014	7/2/2014	7/2/2014	WG	100	NA	5.0	NA	SW8260B	NALD3671	5000	104%	4%	
NAL13026-1551MSD	316-348	ORG 127-18-4	Tetrahydroethene	4000		ug/L	100	48.56	7/2/2014	7/2/2014	7/2/2014	WG	100	NA	5.0	NA	SW8260B	NALD3671	5000	80%	0%	
NAL13026-1551MSD	316-348	ORG 79-00-5	1,1,2-Trichloroethane	4600		ug/L	100	34.28	7/2/2014	7/2/2014	7/2/2014	WG	100	NA	5.0	NA	SW8260B	NALD3671	5000	92%	0%	
NAL13026-1551MSD	316-348	ORG 124-48-1	Dibromochloromethane	4900		ug/L	500	29.90	7/2/2014	7/2/2014	7/2/2014	WG	100	NA	5.0	NA	SW8260B	NALD3671	5000	98%	2%	
NAL13026-1551MSD	316-348	ORG 106-93-4	1,2-Dibromoethane	4500		ug/L	200	26.49	7/2/2014	7/2/2014	7/2/2014	WG	100	NA	5.0	NA	SW8260B	NALD3671	5000	90%	2%	
NAL13026-1551MSD	316-348	ORG 591-78-6	2-Hexanone	3700		ug/L	200	68.90	7/2/2014	7/2/2014	7/2/2014	WG	100	NA	5.0	NA	SW8260B	NALD3671	5000	65%	10%	450
NAL13026-1551MSD	316-348	ORG 100-41-4	Ethylbenzene	5100		ug/L	100	25.38	7/2/2014	7/2/2014	7/2/2014	WG	100	NA	5.0	NA	SW8260B	NALD3671	5000	102%	0%	
NAL13026-1551MSD	316-348	ORG 108-90-7	Chlorobenzene	4900		ug/L	100	27.52	7/2/2014	7/2/2014	7/2/2014	WG	100	NA	5.0	NA	SW8260B	NALD3671	5000	98%	0%	
NAL13026-1551MSD	316-348	ORG 630-20-6	1,1,1,2-Tetrachloroethane	5400		ug/L	200	19.28	7/2/2014	7/2/2014	7/2/2014	WG	100	NA	5.0	NA	SW8260B	NALD3671	5000	108%	0%	
NAL13026-1551MSD	316-348	ORG XYLMP	p&m-Xylene	9800		ug/L	200	26.14	7/2/2014	7/2/2014	7/2/2014	WG	100	NA	5.0	NA	SW8260B	NALD3671	10000	98%	0%	
NAL13026-1551MSD	316-348	ORG 95-47-6	o-Xylene	5100		ug/L	100	12.90	7/2/2014	7/2/2014	7/2/2014	WG	100	NA	5.0	NA	SW8260B	NALD3671	5000	102%	2%	
NAL13026-1551MSD	316-348	ORG 100-42-5	Styrene	5300		ug/L	100	20.23	7/2/2014	7/2/2014	7/2/2014	WG	100	NA	5.0	NA	SW8260B	NALD3671	5000	106%	0%	
NAL13026-1551MSD	316-348	ORG 75-25-2	Bromoform	4700		ug/L	200	46.83	7/2/2014	7/2/2014	7/2/2014	WG	100	NA	5.0	NA	SW8260B	NALD3671	5000	94%	4%	
NAL13026-1551MSD	316-348	ORG 98-82-8	Isopropylbenzene	5200		ug/L	200	20.48	7/2/2014	7/2/2014	7/2/2014	WG	100	NA	5.0	NA	SW8260B	NALD3671	5000	104%	2%	
NAL13026-1551MSD	316-348	ORG 103-65-1	n-Propylbenzene	5300		ug/L	200	27.00	7/2/2014	7/2/2014	7/2/2014	WG	100	NA	5.0	NA	SW8260B	NALD3671	5000	106%	0%	
NAL13026-1551MSD	316-348	ORG 79-34-5	1,1,2,2-Tetrachloroethane	4800		ug/L	200	29.16	7/2/2014	7/2/2014	7/2/2014	WG	100	NA	5.0	NA	SW8260B	NALD3671	5000	96%	4%	
NAL13026-1551MSD	316-348	ORG 96-18-4	1,2,3-Trichloropropane	4500		ug/L	200	29.47	7/2/2014	7/2/2014	7/2/2014	WG	100	NA	5.0	NA	SW8260B	NALD3671	5000	90%	2%	

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent	
NAL13026-1551MSD	316-348	ORG	108-67-8	1,3,5-Trimethylbenzene	5200		ug/L	200	20.03	7/2/2014	7/2/2014	7/2/2014	WG	100	NA	5.0	NA	SW8260B	NALD3671	5000	104%	0%	
NAL13026-1551MSD	316-348	ORG	98-06-6	tert-Butylbenzene	5400		ug/L	200	32.61	7/2/2014	7/2/2014	7/2/2014	WG	100	NA	5.0	NA	SW8260B	NALD3671	5000	108%	0%	
NAL13026-1551MSD	316-348	ORG	95-63-6	1,2,4-Trimethylbenzene	5200		ug/L	200	20.03	7/2/2014	7/2/2014	7/2/2014	WG	100	NA	5.0	NA	SW8260B	NALD3671	5000	104%	0%	
NAL13026-1551MSD	316-348	ORG	135-98-8	sec-Butylbenzene	5300		ug/L	200	32.34	7/2/2014	7/2/2014	7/2/2014	WG	100	NA	5.0	NA	SW8260B	NALD3671	5000	106%	0%	
NAL13026-1551MSD	316-348	ORG	541-73-1	1,3-Dichlorobenzene	4900		ug/L	200	22.21	7/2/2014	7/2/2014	7/2/2014	WG	100	NA	5.0	NA	SW8260B	NALD3671	5000	98%	0%	
NAL13026-1551MSD	316-348	ORG	99-87-6	p-Isopropyltoluene	5300		ug/L	200	25.48	7/2/2014	7/2/2014	7/2/2014	WG	100	NA	5.0	NA	SW8260B	NALD3671	5000	105%	0%	59
NAL13026-1551MSD	316-348	ORG	106-46-7	1,4-Dichlorobenzene	4800		ug/L	200	33.03	7/2/2014	7/2/2014	7/2/2014	WG	100	NA	5.0	NA	SW8260B	NALD3671	5000	96%	2%	
NAL13026-1551MSD	316-348	ORG	95-50-1	1,2-Dichlorobenzene	4900		ug/L	200	26.38	7/2/2014	7/2/2014	7/2/2014	WG	100	NA	5.0	NA	SW8260B	NALD3671	5000	98%	2%	
NAL13026-1551MSD	316-348	ORG	104-51-8	n-Butylbenzene	5500		ug/L	500	27.81	7/2/2014	7/2/2014	7/2/2014	WG	100	NA	5.0	NA	SW8260B	NALD3671	5000	110%	2%	
NAL13026-1551MSD	316-348	ORG	96-12-8	1,2-Dibromo-3-chloropropane	4800		ug/L	500	159.11	7/2/2014	7/2/2014	7/2/2014	WG	100	NA	5.0	NA	SW8260B	NALD3671	5000	96%	4%	
NAL13026-1551MSD	316-348	ORG	87-68-3	Hexachlorobutadiene	5500		ug/L	500	65.42	7/2/2014	7/2/2014	7/2/2014	WG	100	NA	5.0	NA	SW8260B	NALD3671	5000	110%	2%	
NAL13026-1551MSD	316-348	ORG	120-82-1	1,2,4-Trichlorobenzene	5300		ug/L	500	27.63	7/2/2014	7/2/2014	7/2/2014	WG	100	NA	5.0	NA	SW8260B	NALD3671	5000	106%	0%	
NAL13026-1551MSD	316-348	ORG	91-20-3	Naphthalene	5100		ug/L	500	56.04	7/2/2014	7/2/2014	7/2/2014	WG	100	NA	5.0	NA	SW8260B	NALD3671	5000	96%	2%	310
NAL13026-1551MSD	316-348	ORG	87-61-6	1,2,3-Trichlorobenzene	5100		ug/L	500	23.28	7/2/2014	7/2/2014	7/2/2014	WG	100	NA	5.0	NA	SW8260B	NALD3671	5000	102%	2%	
NAL13026-1551MSD	316-348	STD	1868-53-7	Dibromofluoromethane	49		ug/L	1	0	7/2/2014	7/2/2014	7/2/2014	WG	100	NA	5.0	NA	SW8260B	NALD3671	50	98%	2%	
NAL13026-1551MSD	316-348	STD	17060-07-0	1,2-Dichloroethane d4	48		ug/L	1	0	7/2/2014	7/2/2014	7/2/2014	WG	100	NA	5.0	NA	SW8260B	NALD3671	50	96%	2%	
NAL13026-1551MSD	316-348	STD	2037-26-5	Toluene d8	48		ug/L	1	0	7/2/2014	7/2/2014	7/2/2014	WG	100	NA	5.0	NA	SW8260B	NALD3671	50	96%	0%	
NAL13026-1551MSD	316-348	STD	460-00-4	Bromofluorobenzene	53		ug/L	1	0	7/2/2014	7/2/2014	7/2/2014	WG	100	NA	5.0	NA	SW8260B	NALD3671	50	106%	0%	

FINAL ANALYTICAL REPORT

Project #: NAL13-026
Project Site: Bridgeton Landfill
Scott D. Wall, President.

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assessment, QC analyses parameter exceeded control limits.
U = Non-detect
 * NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1552	316-349	ORG 75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3676				
NAL13026-1552	316-349	ORG 74-87-3	Chloromethane		U	ug/L	500	43.07	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3676				
NAL13026-1552	316-349	ORG 75-01-4	Vinyl chloride		U	ug/L	200	31.86	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3676				
NAL13026-1552	316-349	ORG 74-83-9	Bromomethane		U	ug/L	500	50.04	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3676				
NAL13026-1552	316-349	ORG 75-00-3	Chloroethane		U	ug/L	500	55.61	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3676				
NAL13026-1552	316-349	ORG 75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3676				
NAL13026-1552	316-349	ORG 75-35-4	1,1-Dichloroethane		U	ug/L	100	47.11	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3676				
NAL13026-1552	316-349	ORG 75-09-2	Methylene chloride		UX-	ug/L	500	26.46	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3676				
NAL13026-1552	316-349	ORG 67-64-1	Acetone	97000	D	ug/L	10000	1556.07	7/3/2014	7/3/2014	7/3/2014	WG	1000	NA	5.0	NA	SW8260B	NALD3677				
NAL13026-1552	316-349	ORG 156-60-5	trans-1,2-Dichloroethene		UX-	ug/L	100	55.61	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3676				
NAL13026-1552	316-349	ORG 1634-04-4	MTBE		U	ug/L	500	61.18	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3676				
NAL13026-1552	316-349	ORG 75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3676				
NAL13026-1552	316-349	ORG 156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3676				
NAL13026-1552	316-349	ORG 74-97-5	Bromochloromethane		U	ug/L	200	41.37	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3676				
NAL13026-1552	316-349	ORG 67-66-3	Chloroform		U	ug/L	100	15.73	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3676				
NAL13026-1552	316-349	ORG 71-55-6	1,1,1-Trichloroethane		U	ug/L	100	16.65	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3676				
NAL13026-1552	316-349	ORG 78-93-3	2-Butanone	16000	D	ug/L	10000	811.80	7/3/2014	7/3/2014	7/3/2014	WG	1000	NA	5.0	NA	SW8260B	NALD3677				
NAL13026-1552	316-349	ORG 56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3676				
NAL13026-1552	316-349	ORG 71-43-2	Benzene		U	ug/L	100	13.53	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3676				
NAL13026-1552	316-349	ORG 107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3676				
NAL13026-1552	316-349	ORG 79-01-6	Trichloroethene		U	ug/L	100	36.33	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3676				
NAL13026-1552	316-349	ORG 74-95-3	Dibromomethane		U	ug/L	200	32.20	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3676				
NAL13026-1552	316-349	ORG 78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3676				
NAL13026-1552	316-349	ORG 75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3676				
NAL13026-1552	316-349	ORG 10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3676				
NAL13026-1552	316-349	ORG 108-88-3	Toluene		U	ug/L	100	20.96	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3676				
NAL13026-1552	316-349	ORG 108-10-1	4-Methyl-2-pentanone	240	J	ug/L	500	74.00	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3676				
NAL13026-1552	316-349	ORG 10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3676				
NAL13026-1552	316-349	ORG 127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3676				
NAL13026-1552	316-349	ORG 79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3676				
NAL13026-1552	316-349	ORG 124-48-1	Dibromochloromethane		U	ug/L	200	29.90	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3676				
NAL13026-1552	316-349	ORG 106-93-4	1,2-Dibromoethane		U	ug/L	200	26.49	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3676				
NAL13026-1552	316-349	ORG 591-78-6	2-Hexanone	430	J	ug/L	500	68.90	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3676				
NAL13026-1552	316-349	ORG 100-41-4	Ethylbenzene		U	ug/L	100	25.38	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3676				
NAL13026-1552	316-349	ORG 108-90-7	Chlorobenzene		U	ug/L	100	27.52	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3676				
NAL13026-1552	316-349	ORG 630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3676				
NAL13026-1552	316-349	ORG XYLMP	p&m-Xylene		U	ug/L	200	26.14	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3676				
NAL13026-1552	316-349	ORG 95-47-6	o-Xylene		U	ug/L	100	12.90	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3676				
NAL13026-1552	316-349	ORG 100-42-5	Styrene		U	ug/L	100	20.23	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3676				
NAL13026-1552	316-349	ORG 75-25-2	Bromoform		U	ug/L	200	46.83	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3676				
NAL13026-1552	316-349	ORG 98-82-8	Isopropylbenzene		U	ug/L	200	20.48	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3676				
NAL13026-1552	316-349	ORG 103-65-1	n-Propylbenzene		U	ug/L	200	27.00	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3676				
NAL13026-1552	316-349	ORG 79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3676				
NAL13026-1552	316-349	ORG 96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3676				

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1552	316-349	ORG 108-67-8	1,3,5-Trimethylbenzene		U	ug/L	200	20.03	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3676				
NAL13026-1552	316-349	ORG 98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3676				
NAL13026-1552	316-349	ORG 95-63-6	1,2,4-Trimethylbenzene		U	ug/L	200	20.03	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3676				
NAL13026-1552	316-349	ORG 135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3676				
NAL13026-1552	316-349	ORG 541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3676				
NAL13026-1552	316-349	ORG 99-87-6	p-Isopropyltoluene	41	J	ug/L	200	25.48	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3676				
NAL13026-1552	316-349	ORG 106-46-7	1,4-Dichlorobenzene		U	ug/L	200	33.03	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3676				
NAL13026-1552	316-349	ORG 95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3676				
NAL13026-1552	316-349	ORG 104-51-8	n-Butylbenzene		U	ug/L	500	27.81	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3676				
NAL13026-1552	316-349	ORG 96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3676				
NAL13026-1552	316-349	ORG 87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3676				
NAL13026-1552	316-349	ORG 120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3676				
NAL13026-1552	316-349	ORG 91-20-3	Naphthalene	290	J	ug/L	500	56.04	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3676				
NAL13026-1552	316-349	ORG 87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3676				
NAL13026-1552	316-349	STD 1868-53-7	Dibromofluoromethane	50		ug/L	1	0.10	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3676	50	100%		
NAL13026-1552	316-349	STD 17060-07-0	1,2-Dichloroethane d4	52		ug/L	1	0.10	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3676	50	104%		
NAL13026-1552	316-349	STD 2037-26-5	Toluene d8	49		ug/L	1	0.10	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3676	50	98%		
NAL13026-1552	316-349	STD 460-00-4	Bromofluorobenzene	53		ug/L	1	0.10	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3676	50	106%		



Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

FINAL ANALYTICAL REPORT

Project #: NAL13-026
Project Site: Bridgeton Landfill
Scott D. Wall, President.

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assessment, QC analyses parameter exceeded control limits.
U = Non-detect
 * NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1553	T1 EFF	ORG 75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3682				
NAL13026-1553	T1 EFF	ORG 74-87-3	Chloromethane		U	ug/L	500	43.07	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3682				
NAL13026-1553	T1 EFF	ORG 75-01-4	Vinyl chloride		U	ug/L	200	31.86	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3682				
NAL13026-1553	T1 EFF	ORG 74-83-9	Bromomethane		U	ug/L	500	50.04	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3682				
NAL13026-1553	T1 EFF	ORG 75-00-3	Chloroethane		U	ug/L	500	55.61	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3682				
NAL13026-1553	T1 EFF	ORG 75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3682				
NAL13026-1553	T1 EFF	ORG 75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3682				
NAL13026-1553	T1 EFF	ORG 75-09-2	Methylene chloride		UX-	ug/L	500	26.46	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3682				
NAL13026-1553	T1 EFF	ORG 67-64-1	Acetone	110000	D	ug/L	10000	1556.07	7/3/2014	7/3/2014	7/3/2014	WG	1000	NA	5.0	NA	SW8260B	NALD3683				
NAL13026-1553	T1 EFF	ORG 156-60-5	trans-1,2-Dichloroethene		UX-	ug/L	100	55.61	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3682				
NAL13026-1553	T1 EFF	ORG 1634-04-4	MTBE		U	ug/L	500	61.18	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3682				
NAL13026-1553	T1 EFF	ORG 75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3682				
NAL13026-1553	T1 EFF	ORG 156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3682				
NAL13026-1553	T1 EFF	ORG 74-97-5	Bromochloromethane		U	ug/L	200	41.37	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3682				
NAL13026-1553	T1 EFF	ORG 67-66-3	Chloroform		U	ug/L	100	15.73	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3682				
NAL13026-1553	T1 EFF	ORG 71-55-6	1,1,1-Trichloroethane		U	ug/L	100	16.65	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3682				
NAL13026-1553	T1 EFF	ORG 78-93-3	2-Butanone	19000	D	ug/L	10000	811.80	7/3/2014	7/3/2014	7/3/2014	WG	1000	NA	5.0	NA	SW8260B	NALD3683				
NAL13026-1553	T1 EFF	ORG 56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3682				
NAL13026-1553	T1 EFF	ORG 71-43-2	Benzene	36	J	ug/L	100	13.53	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3682				
NAL13026-1553	T1 EFF	ORG 107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3682				
NAL13026-1553	T1 EFF	ORG 79-01-6	Trichloroethene		U	ug/L	100	36.33	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3682				
NAL13026-1553	T1 EFF	ORG 74-95-3	Dibromomethane		U	ug/L	200	32.20	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3682				
NAL13026-1553	T1 EFF	ORG 78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3682				
NAL13026-1553	T1 EFF	ORG 75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3682				
NAL13026-1553	T1 EFF	ORG 10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3682				
NAL13026-1553	T1 EFF	ORG 108-88-3	Toluene	33	J	ug/L	100	20.96	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3682				
NAL13026-1553	T1 EFF	ORG 108-10-1	4-Methyl-2-pentanone	370	J	ug/L	500	74.00	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3682				
NAL13026-1553	T1 EFF	ORG 10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3682				
NAL13026-1553	T1 EFF	ORG 127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3682				
NAL13026-1553	T1 EFF	ORG 79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3682				
NAL13026-1553	T1 EFF	ORG 124-48-1	Dibromochloromethane		U	ug/L	200	29.90	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3682				
NAL13026-1553	T1 EFF	ORG 106-93-4	1,2-Dibromomethane		U	ug/L	200	26.49	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3682				
NAL13026-1553	T1 EFF	ORG 591-78-6	2-Hexanone	920		ug/L	500	68.90	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3682				
NAL13026-1553	T1 EFF	ORG 100-41-4	Ethylbenzene	95	J	ug/L	100	25.38	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3682				
NAL13026-1553	T1 EFF	ORG 108-90-7	Chlorobenzene		U	ug/L	100	27.52	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3682				
NAL13026-1553	T1 EFF	ORG 630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3682				
NAL13026-1553	T1 EFF	ORG XYLMP	p&m-Xylene	210		ug/L	200	26.14	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3682				
NAL13026-1553	T1 EFF	ORG 95-47-6	o-Xylene	120		ug/L	100	12.90	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3682				
NAL13026-1553	T1 EFF	ORG 100-42-5	Styrene		U	ug/L	100	20.23	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3682				
NAL13026-1553	T1 EFF	ORG 75-25-2	Bromoform		U	ug/L	200	46.83	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3682				
NAL13026-1553	T1 EFF	ORG 98-82-8	Isopropylbenzene	71	J	ug/L	200	20.48	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3682				
NAL13026-1553	T1 EFF	ORG 103-65-1	n-Propylbenzene	71	J	ug/L	200	27.00	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3682				
NAL13026-1553	T1 EFF	ORG 79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3682				
NAL13026-1553	T1 EFF	ORG 96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3682				

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1553	T1 EFF	ORG 108-67-8	1,3,5-Trimethylbenzene	150	J	ug/L	200	20.03	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3682				
NAL13026-1553	T1 EFF	ORG 98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3682				
NAL13026-1553	T1 EFF	ORG 95-63-6	1,2,4-Trimethylbenzene	630		ug/L	200	20.03	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3682				
NAL13026-1553	T1 EFF	ORG 135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3682				
NAL13026-1553	T1 EFF	ORG 541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3682				
NAL13026-1553	T1 EFF	ORG 99-87-6	p-Isopropyltoluene	2900		ug/L	200	25.48	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3682				
NAL13026-1553	T1 EFF	ORG 106-46-7	1,4-Dichlorobenzene	680		ug/L	200	33.03	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3682				
NAL13026-1553	T1 EFF	ORG 95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3682				
NAL13026-1553	T1 EFF	ORG 104-51-8	n-Butylbenzene	84	J	ug/L	500	27.81	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3682				
NAL13026-1553	T1 EFF	ORG 96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3682				
NAL13026-1553	T1 EFF	ORG 87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3682				
NAL13026-1553	T1 EFF	ORG 120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3682				
NAL13026-1553	T1 EFF	ORG 91-20-3	Naphthalene	1200		ug/L	500	56.04	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3682				
NAL13026-1553	T1 EFF	ORG 87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3682				
NAL13026-1553	T1 EFF	STD 1868-53-7	Dibromofluoromethane	49		ug/L	1	0.10	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3682	50	98%		
NAL13026-1553	T1 EFF	STD 17060-07-0	1,2-Dichloroethane d4	52		ug/L	1	0.10	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3682	50	104%		
NAL13026-1553	T1 EFF	STD 2037-26-5	Toluene d8	49		ug/L	1	0.10	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3682	50	98%		
NAL13026-1553	T1 EFF	STD 460-00-4	Bromofluorobenzene	53		ug/L	1	0.10	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3682	50	106%		

FINAL ANALYTICAL REPORT

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1554	T1 INF	ORG 75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3684				
NAL13026-1554	T1 INF	ORG 74-87-3	Chloromethane		U	ug/L	500	43.07	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3684				
NAL13026-1554	T1 INF	ORG 75-01-4	Vinyl chloride		U	ug/L	200	31.86	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3684				
NAL13026-1554	T1 INF	ORG 74-83-9	Bromomethane		U	ug/L	500	50.04	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3684				
NAL13026-1554	T1 INF	ORG 75-00-3	Chloroethane		U	ug/L	500	55.61	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3684				
NAL13026-1554	T1 INF	ORG 75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3684				
NAL13026-1554	T1 INF	ORG 75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3684				
NAL13026-1554	T1 INF	ORG 75-09-2	Methylene chloride		UX-	ug/L	500	26.46	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3684				
NAL13026-1554	T1 INF	ORG 67-64-1	Acetone	86000	D	ug/L	10000	1556.07	7/3/2014	7/3/2014	7/3/2014	WG	1000	NA	5.0	NA	SW8260B	NALD3685				
NAL13026-1554	T1 INF	ORG 156-60-5	trans-1,2-Dichloroethene		UX-	ug/L	100	55.61	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3684				
NAL13026-1554	T1 INF	ORG 1634-04-4	MTBE		U	ug/L	500	61.18	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3684				
NAL13026-1554	T1 INF	ORG 75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3684				
NAL13026-1554	T1 INF	ORG 156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3684				
NAL13026-1554	T1 INF	ORG 74-97-5	Bromochloromethane		U	ug/L	200	41.37	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3684				
NAL13026-1554	T1 INF	ORG 67-66-3	Chloroform		U	ug/L	100	15.73	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3684				
NAL13026-1554	T1 INF	ORG 71-55-6	1,1,1-Trichloroethane		U	ug/L	100	16.65	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3684				
NAL13026-1554	T1 INF	ORG 78-93-3	2-Butanone	16000	D	ug/L	10000	811.80	7/3/2014	7/3/2014	7/3/2014	WG	1000	NA	5.0	NA	SW8260B	NALD3685				
NAL13026-1554	T1 INF	ORG 56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3684				
NAL13026-1554	T1 INF	ORG 71-43-2	Benzene	430		ug/L	100	13.53	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3684				
NAL13026-1554	T1 INF	ORG 107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3684				
NAL13026-1554	T1 INF	ORG 79-01-6	Trichloroethene		U	ug/L	100	36.33	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3684				
NAL13026-1554	T1 INF	ORG 74-95-3	Dibromomethane		U	ug/L	200	32.20	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3684				
NAL13026-1554	T1 INF	ORG 78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3684				
NAL13026-1554	T1 INF	ORG 75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3684				
NAL13026-1554	T1 INF	ORG 10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3684				
NAL13026-1554	T1 INF	ORG 108-88-3	Toluene	93	J	ug/L	100	20.96	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3684				
NAL13026-1554	T1 INF	ORG 108-10-1	4-Methyl-2-pentanone	490	J	ug/L	500	74.00	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3684				
NAL13026-1554	T1 INF	ORG 10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3684				
NAL13026-1554	T1 INF	ORG 127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3684				
NAL13026-1554	T1 INF	ORG 79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3684				
NAL13026-1554	T1 INF	ORG 124-48-1	Dibromochloromethane		U	ug/L	200	29.90	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3684				
NAL13026-1554	T1 INF	ORG 106-93-4	1,2-Dibromomethane		U	ug/L	200	26.49	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3684				
NAL13026-1554	T1 INF	ORG 591-78-6	2-Hexanone	1200		ug/L	500	68.90	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3684				
NAL13026-1554	T1 INF	ORG 100-41-4	Ethylbenzene	99	J	ug/L	100	25.38	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3684				
NAL13026-1554	T1 INF	ORG 108-90-7	Chlorobenzene		U	ug/L	100	27.52	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3684				
NAL13026-1554	T1 INF	ORG 630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3684				
NAL13026-1554	T1 INF	ORG XYLMP	p&m-Xylene	210		ug/L	200	26.14	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3684				
NAL13026-1554	T1 INF	ORG 95-47-6	o-Xylene	110		ug/L	100	12.90	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3684				
NAL13026-1554	T1 INF	ORG 100-42-5	Styrene		U	ug/L	100	20.23	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3684				
NAL13026-1554	T1 INF	ORG 75-25-2	Bromoform		U	ug/L	200	46.83	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3684				
NAL13026-1554	T1 INF	ORG 98-82-8	Isopropylbenzene	53	J	ug/L	200	20.48	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3684				
NAL13026-1554	T1 INF	ORG 103-65-1	n-Propylbenzene	51	J	ug/L	200	27.00	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3684				
NAL13026-1554	T1 INF	ORG 79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3684				
NAL13026-1554	T1 INF	ORG 96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3684				

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1554	T1 INF	ORG 108-67-8	1,3,5-Trimethylbenzene	99	J	ug/L	200	20.03	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3684				
NAL13026-1554	T1 INF	ORG 98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3684				
NAL13026-1554	T1 INF	ORG 95-63-6	1,2,4-Trimethylbenzene	440		ug/L	200	20.03	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3684				
NAL13026-1554	T1 INF	ORG 135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3684				
NAL13026-1554	T1 INF	ORG 541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3684				
NAL13026-1554	T1 INF	ORG 99-87-6	p-Isopropyltoluene	2000		ug/L	200	25.48	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3684				
NAL13026-1554	T1 INF	ORG 106-46-7	1,4-Dichlorobenzene	450		ug/L	200	33.03	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3684				
NAL13026-1554	T1 INF	ORG 95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3684				
NAL13026-1554	T1 INF	ORG 104-51-8	n-Butylbenzene	50	J	ug/L	500	27.81	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3684				
NAL13026-1554	T1 INF	ORG 96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3684				
NAL13026-1554	T1 INF	ORG 87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3684				
NAL13026-1554	T1 INF	ORG 120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3684				
NAL13026-1554	T1 INF	ORG 91-20-3	Naphthalene	540		ug/L	500	56.04	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3684				
NAL13026-1554	T1 INF	ORG 87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3684				
NAL13026-1554	T1 INF	STD 1868-53-7	Dibromofluoromethane	49		ug/L	1	0.10	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3684	50	98%		
NAL13026-1554	T1 INF	STD 17060-07-0	1,2-Dichloroethane d4	52		ug/L	1	0.10	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3684	50	104%		
NAL13026-1554	T1 INF	STD 2037-26-5	Toluene d8	50		ug/L	1	0.10	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3684	50	100%		
NAL13026-1554	T1 INF	STD 460-00-4	Bromofluorobenzene	52		ug/L	1	0.10	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3684	50	104%		



Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

FINAL ANALYTICAL REPORT

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D070314CCVA	D070314CCVA	ORG 75-71-8	Dichlorodifluoromethane	60		ug/L	5	0.29	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3673	50	120%		
D070314CCVA	D070314CCVA	ORG 74-87-3	Chloromethane	58		ug/L	5	0.43	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3673	50	116%		
D070314CCVA	D070314CCVA	ORG 75-01-4	Vinyl chloride	54		ug/L	2	0.32	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3673	50	108%		
D070314CCVA	D070314CCVA	ORG 74-83-9	Bromomethane	86		ug/L	5	0.50	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3673	50	172%		
D070314CCVA	D070314CCVA	ORG 75-00-3	Chloroethane	76		ug/L	5	0.56	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3673	50	152%		
D070314CCVA	D070314CCVA	ORG 75-69-4	Trichlorofluoromethane	220		ug/L	5	0.20	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3673	50	440%		
D070314CCVA	D070314CCVA	ORG 75-35-4	1,1-Dichloroethene	45		ug/L	1	0.47	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3673	50	90%		
D070314CCVA	D070314CCVA	ORG 75-09-2	Methylene chloride	33		ug/L	5	0.26	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3673	50	66%		
D070314CCVA	D070314CCVA	ORG 67-64-1	Acetone	41		ug/L	10	1.56	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3673	50	82%		
D070314CCVA	D070314CCVA	ORG 156-60-5	trans-1,2-Dichloroethene	30		ug/L	1	0.56	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3673	50	60%		
D070314CCVA	D070314CCVA	ORG 1634-04-4	MTBE	41		ug/L	5	0.61	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3673	50	82%		
D070314CCVA	D070314CCVA	ORG 75-34-3	1,1-Dichloroethane	46		ug/L	1	0.53	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3673	50	92%		
D070314CCVA	D070314CCVA	ORG 156-59-2	cis-1,2-Dichloroethene	46		ug/L	1	0.32	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3673	50	92%		
D070314CCVA	D070314CCVA	ORG 74-97-5	Bromochloromethane	43		ug/L	10	0.41	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3673	50	86%		
D070314CCVA	D070314CCVA	ORG 67-66-3	Chloroform	45		ug/L	2	0.16	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3673	50	90%		
D070314CCVA	D070314CCVA	ORG 71-55-6	1,1,1-Trichloroethane	46		ug/L	1	0.17	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3673	50	92%		
D070314CCVA	D070314CCVA	ORG 78-93-3	2-Butanone	52		ug/L	1	0.81	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3673	50	104%		
D070314CCVA	D070314CCVA	ORG 56-23-5	Carbon tetrachloride	46		ug/L	1	0.28	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3673	50	92%		
D070314CCVA	D070314CCVA	ORG 71-43-2	Benzene	44		ug/L	1	0.14	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3673	50	88%		
D070314CCVA	D070314CCVA	ORG 107-06-2	1,2-Dichloroethane	43		ug/L	1	0.20	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3673	50	86%		
D070314CCVA	D070314CCVA	ORG 79-01-6	Trichloroethene	46		ug/L	1	0.36	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3673	50	92%		
D070314CCVA	D070314CCVA	ORG 74-95-3	Dibromomethane	47		ug/L	2	0.32	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3673	50	94%		
D070314CCVA	D070314CCVA	ORG 78-87-5	1,2-Dichloropropane	49		ug/L	1	0.18	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3673	50	98%		
D070314CCVA	D070314CCVA	ORG 75-27-4	Bromodichloromethane	53		ug/L	2	0.12	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3673	50	106%		
D070314CCVA	D070314CCVA	ORG 10061-01-5	cis-1,3-Dichloropropene	53		ug/L	1	0.25	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3673	50	106%		
D070314CCVA	D070314CCVA	ORG 108-88-3	Toluene	45		ug/L	1	0.21	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3673	50	90%		
D070314CCVA	D070314CCVA	ORG 108-10-1	4-Methyl-2-pentanone	48		ug/L	5	0.74	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3673	50	96%		
D070314CCVA	D070314CCVA	ORG 10061-02-6	trans-1,3-Dichloropropene	55		ug/L	1	0.31	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3673	50	110%		
D070314CCVA	D070314CCVA	ORG 127-18-4	Tetrachloroethene	40		ug/L	1	0.49	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3673	50	80%		
D070314CCVA	D070314CCVA	ORG 79-00-5	1,1,2-Trichloroethane	47		ug/L	1	0.34	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3673	50	94%		
D070314CCVA	D070314CCVA	ORG 124-48-1	Dibromochloromethane	51		ug/L	5	0.30	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3673	50	102%		
D070314CCVA	D070314CCVA	ORG 106-93-4	1,2-Dibromomethane	46		ug/L	2	0.26	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3673	50	92%		
D070314CCVA	D070314CCVA	ORG 591-78-6	2-Hexanone	49		ug/L	2	0.69	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3673	50	98%		
D070314CCVA	D070314CCVA	ORG 100-41-4	Ethylbenzene	50		ug/L	1	0.25	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3673	50	100%		
D070314CCVA	D070314CCVA	ORG 108-90-7	Chlorobenzene	49		ug/L	1	0.28	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3673	50	98%		
D070314CCVA	D070314CCVA	ORG 630-20-6	1,1,1,2-Tetrachloroethane	55		ug/L	2	0.19	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3673	50	110%		
D070314CCVA	D070314CCVA	ORG XYLMP	p&m-Xylene	97		ug/L	2	0.26	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3673	100	97%		
D070314CCVA	D070314CCVA	ORG 95-47-6	o-Xylene	50		ug/L	1	0.13	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3673	50	100%		
D070314CCVA	D070314CCVA	ORG 100-42-5	Styrene	53		ug/L	1	0.20	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3673	50	106%		
D070314CCVA	D070314CCVA	ORG 75-25-2	Bromoform	52		ug/L	2	0.47	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3673	50	104%		
D070314CCVA	D070314CCVA	ORG 98-82-8	Isopropylbenzene	51		ug/L	2	0.20	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3673	50	102%		
D070314CCVA	D070314CCVA	ORG 103-65-1	n-Propylbenzene	51		ug/L	2	0.27	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3673	50	102%		
D070314CCVA	D070314CCVA	ORG 79-34-5	1,1,2,2-Tetrachloroethane	48		ug/L	2	0.29	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3673	50	96%		
D070314CCVA	D070314CCVA	ORG 96-18-4	1,2,3-Trichloropropane	44		ug/L	2	0.29	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3673	50	88%		

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D070314CCVA	D070314CCVA	ORG 108-67-8	1,3,5-Trimethylbenzene	51		ug/L	2	0.20	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3673	50	102%		
D070314CCVA	D070314CCVA	ORG 98-06-6	tert-Butylbenzene	53		ug/L	2	0.33	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3673	50	106%		
D070314CCVA	D070314CCVA	ORG 95-63-6	1,2,4-Trimethylbenzene	50		ug/L	2	0.20	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3673	50	100%		
D070314CCVA	D070314CCVA	ORG 135-98-8	sec-Butylbenzene	52		ug/L	2	0.32	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3673	50	104%		
D070314CCVA	D070314CCVA	ORG 541-73-1	1,3-Dichlorobenzene	49		ug/L	2	0.22	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3673	50	98%		
D070314CCVA	D070314CCVA	ORG 99-87-6	p-Isopropyltoluene	51		ug/L	2	0.25	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3673	50	102%		
D070314CCVA	D070314CCVA	ORG 106-46-7	1,4-Dichlorobenzene	48		ug/L	2	0.33	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3673	50	96%		
D070314CCVA	D070314CCVA	ORG 95-50-1	1,2-Dichlorobenzene	48		ug/L	2	0.26	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3673	50	96%		
D070314CCVA	D070314CCVA	ORG 104-51-8	n-Butylbenzene	55		ug/L	5	0.28	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3673	50	110%		
D070314CCVA	D070314CCVA	ORG 96-12-8	1,2-Dibromo-3-chloropropane	47		ug/L	5	1.59	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3673	50	94%		
D070314CCVA	D070314CCVA	ORG 87-68-3	Hexachlorobutadiene	55		ug/L	5	0.65	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3673	50	110%		
D070314CCVA	D070314CCVA	ORG 120-82-1	1,2,4-Trichlorobenzene	51		ug/L	5	0.28	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3673	50	102%		
D070314CCVA	D070314CCVA	ORG 91-20-3	Naphthalene	43		ug/L	5	0.56	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3673	50	86%		
D070314CCVA	D070314CCVA	ORG 87-61-6	1,2,3-Trichlorobenzene	48		ug/L	5	0.23	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3673	50	96%		
D070314CCVA	D070314CCVA	STD 1868-53-7	Dibromofluoromethane	49		ug/L	1	0.10	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3673	50	98%		
D070314CCVA	D070314CCVA	STD 17060-07-0	1,2-Dichloroethane d4	46		ug/L	1	0.10	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3673	50	92%		
D070314CCVA	D070314CCVA	STD 2037-26-5	Toluene d8	49		ug/L	1	0.10	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3673	50	98%		
D070314CCVA	D070314CCVA	STD 460-00-4	Bromofluorobenzene	51		ug/L	1	0.10	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3673	50	102%		



Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

FINAL ANALYTICAL REPORT

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D070314MBKA	D070314MBKA	ORG 75-71-8	Dichlorodifluoromethane	U	ug/L	5	0.29	NA	7/3/2014	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3675				
D070314MBKA	D070314MBKA	ORG 74-87-3	Chloromethane	U	ug/L	5	0.43	NA	7/3/2014	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3675				
D070314MBKA	D070314MBKA	ORG 75-01-4	Vinyl chloride	U	ug/L	2	0.32	NA	7/3/2014	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3675				
D070314MBKA	D070314MBKA	ORG 74-83-9	Bromomethane	U	ug/L	5	0.50	NA	7/3/2014	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3675				
D070314MBKA	D070314MBKA	ORG 75-00-3	Chloroethane	U	ug/L	5	0.56	NA	7/3/2014	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3675				
D070314MBKA	D070314MBKA	ORG 75-69-4	Trichlorofluoromethane	U	ug/L	5	0.20	NA	7/3/2014	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3675				
D070314MBKA	D070314MBKA	ORG 75-35-4	1,1-Dichloroethene	U	ug/L	1	0.47	NA	7/3/2014	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3675				
D070314MBKA	D070314MBKA	ORG 75-09-2	Methylene chloride	U	ug/L	5	0.26	NA	7/3/2014	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3675				
D070314MBKA	D070314MBKA	ORG 67-64-1	Acetone	U	ug/L	10	1.56	NA	7/3/2014	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3675				
D070314MBKA	D070314MBKA	ORG 156-60-5	trans-1,2-Dichloroethene	U	ug/L	1	0.56	NA	7/3/2014	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3675				
D070314MBKA	D070314MBKA	ORG 1634-04-4	MTBE	U	ug/L	5	0.61	NA	7/3/2014	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3675				
D070314MBKA	D070314MBKA	ORG 75-34-3	1,1-Dichloroethane	U	ug/L	1	0.53	NA	7/3/2014	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3675				
D070314MBKA	D070314MBKA	ORG 156-59-2	cis-1,2-Dichloroethene	U	ug/L	1	0.32	NA	7/3/2014	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3675				
D070314MBKA	D070314MBKA	ORG 74-97-5	Bromochloromethane	U	ug/L	10	0.41	NA	7/3/2014	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3675				
D070314MBKA	D070314MBKA	ORG 67-66-3	Chloroform	U	ug/L	2	0.16	NA	7/3/2014	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3675				
D070314MBKA	D070314MBKA	ORG 71-55-6	1,1,1-Trichloroethane	U	ug/L	1	0.17	NA	7/3/2014	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3675				
D070314MBKA	D070314MBKA	ORG 78-93-3	2-Butanone	U	ug/L	1	0.81	NA	7/3/2014	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3675				
D070314MBKA	D070314MBKA	ORG 56-23-5	Carbon tetrachloride	U	ug/L	1	0.28	NA	7/3/2014	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3675				
D070314MBKA	D070314MBKA	ORG 71-43-2	Benzene	U	ug/L	1	0.14	NA	7/3/2014	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3675				
D070314MBKA	D070314MBKA	ORG 107-06-2	1,2-Dichloroethane	U	ug/L	1	0.20	NA	7/3/2014	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3675				
D070314MBKA	D070314MBKA	ORG 79-01-6	Trichloroethene	U	ug/L	1	0.36	NA	7/3/2014	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3675				
D070314MBKA	D070314MBKA	ORG 74-95-3	Dibromomethane	U	ug/L	2	0.32	NA	7/3/2014	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3675				
D070314MBKA	D070314MBKA	ORG 78-87-5	1,2-Dichloropropane	U	ug/L	1	0.18	NA	7/3/2014	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3675				
D070314MBKA	D070314MBKA	ORG 75-27-4	Bromodichloromethane	U	ug/L	2	0.12	NA	7/3/2014	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3675				
D070314MBKA	D070314MBKA	ORG 10061-01-5	cis-1,3-Dichloropropene	U	ug/L	1	0.25	NA	7/3/2014	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3675				
D070314MBKA	D070314MBKA	ORG 108-88-3	Toluene	U	ug/L	1	0.21	NA	7/3/2014	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3675				
D070314MBKA	D070314MBKA	ORG 108-10-1	4-Methyl-2-pentanone	U	ug/L	5	0.74	NA	7/3/2014	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3675				
D070314MBKA	D070314MBKA	ORG 10061-02-6	trans-1,3-Dichloropropene	U	ug/L	1	0.31	NA	7/3/2014	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3675				
D070314MBKA	D070314MBKA	ORG 127-18-4	Tetrachloroethene	U	ug/L	1	0.49	NA	7/3/2014	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3675				
D070314MBKA	D070314MBKA	ORG 79-00-5	1,1,2-Trichloroethane	U	ug/L	1	0.34	NA	7/3/2014	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3675				
D070314MBKA	D070314MBKA	ORG 124-48-1	Dibromochloromethane	U	ug/L	5	0.30	NA	7/3/2014	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3675				
D070314MBKA	D070314MBKA	ORG 106-93-4	1,2-Dibromoethane	U	ug/L	2	0.26	NA	7/3/2014	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3675				
D070314MBKA	D070314MBKA	ORG 591-78-6	2-Hexanone	U	ug/L	2	0.69	NA	7/3/2014	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3675				
D070314MBKA	D070314MBKA	ORG 100-41-4	Ethylbenzene	U	ug/L	1	0.25	NA	7/3/2014	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3675				
D070314MBKA	D070314MBKA	ORG 108-90-7	Chlorobenzene	U	ug/L	1	0.28	NA	7/3/2014	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3675				
D070314MBKA	D070314MBKA	ORG 630-20-6	1,1,1,2-Tetrachloroethane	U	ug/L	2	0.19	NA	7/3/2014	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3675				
D070314MBKA	D070314MBKA	ORG XYLMP	p&m-Xylene	U	ug/L	2	0.26	NA	7/3/2014	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3675				
D070314MBKA	D070314MBKA	ORG 95-47-6	o-Xylene	U	ug/L	1	0.13	NA	7/3/2014	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3675				
D070314MBKA	D070314MBKA	ORG 100-42-5	Styrene	U	ug/L	1	0.20	NA	7/3/2014	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3675				
D070314MBKA	D070314MBKA	ORG 75-25-2	Bromoform	U	ug/L	2	0.47	NA	7/3/2014	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3675				
D070314MBKA	D070314MBKA	ORG 98-82-8	Isopropylbenzene	U	ug/L	2	0.20	NA	7/3/2014	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3675				
D070314MBKA	D070314MBKA	ORG 103-65-1	n-Propylbenzene	U	ug/L	2	0.27	NA	7/3/2014	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3675				
D070314MBKA	D070314MBKA	ORG 79-34-5	1,1,2,2-Tetrachloroethane	U	ug/L	2	0.29	NA	7/3/2014	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3675				
D070314MBKA	D070314MBKA	ORG 96-18-4	1,2,3-Trichloropropane	U	ug/L	2	0.29	NA	7/3/2014	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3675				

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D070314MBKA	D070314MBKA	ORG 108-67-8	1,3,5-Trimethylbenzene		U	ug/L	2	0.20	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3675				
D070314MBKA	D070314MBKA	ORG 98-06-6	tert-Butylbenzene		U	ug/L	2	0.33	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3675				
D070314MBKA	D070314MBKA	ORG 95-63-6	1,2,4-Trimethylbenzene		U	ug/L	2	0.20	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3675				
D070314MBKA	D070314MBKA	ORG 135-98-8	sec-Butylbenzene		U	ug/L	2	0.32	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3675				
D070314MBKA	D070314MBKA	ORG 541-73-1	1,3-Dichlorobenzene		U	ug/L	2	0.22	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3675				
D070314MBKA	D070314MBKA	ORG 99-87-6	p-Isopropyltoluene		U	ug/L	2	0.25	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3675				
D070314MBKA	D070314MBKA	ORG 106-46-7	1,4-Dichlorobenzene		U	ug/L	2	0.33	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3675				
D070314MBKA	D070314MBKA	ORG 95-50-1	1,2-Dichlorobenzene		U	ug/L	2	0.26	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3675				
D070314MBKA	D070314MBKA	ORG 104-51-8	n-Butylbenzene		U	ug/L	5	0.28	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3675				
D070314MBKA	D070314MBKA	ORG 96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	5	1.59	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3675				
D070314MBKA	D070314MBKA	ORG 87-68-3	Hexachlorobutadiene		U	ug/L	5	0.65	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3675				
D070314MBKA	D070314MBKA	ORG 120-82-1	1,2,4-Trichlorobenzene		U	ug/L	5	0.28	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3675				
D070314MBKA	D070314MBKA	ORG 91-20-3	Naphthalene		U	ug/L	5	0.56	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3675				
D070314MBKA	D070314MBKA	ORG 87-61-6	1,2,3-Trichlorobenzene		U	ug/L	5	0.23	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3675				
D070314MBKA	D070314MBKA	STD 1868-53-7	Dibromofluoromethane	49		ug/L	1	0.10	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3675	50	98%		
D070314MBKA	D070314MBKA	STD 17060-07-0	1,2-Dichloroethane d4	52		ug/L	1	0.10	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3675	50	104%		
D070314MBKA	D070314MBKA	STD 2037-26-5	Toluene d8	49		ug/L	1	0.10	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3675	50	98%		
D070314MBKA	D070314MBKA	STD 460-00-4	Bromofluorobenzene	52		ug/L	1	0.10	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3675	50	104%		

FINAL ANALYTICAL REPORT

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D070314ALCS	D070314ALCS	ORG 75-71-8	Dichlorodifluoromethane	58		ug/L	5	0.29	NA	7/3/2014	7/3/2014	WQ	1 NA	5.0	NA	NA	SW8260B	NALD3674	50	116%		
D070314ALCS	D070314ALCS	ORG 74-87-3	Chloromethane	58		ug/L	5	0.43	NA	7/3/2014	7/3/2014	WQ	1 NA	5.0	NA	NA	SW8260B	NALD3674	50	116%		
D070314ALCS	D070314ALCS	ORG 75-01-4	Vinyl chloride	53		ug/L	2	0.32	NA	7/3/2014	7/3/2014	WQ	1 NA	5.0	NA	NA	SW8260B	NALD3674	50	106%		
D070314ALCS	D070314ALCS	ORG 74-83-9	Bromomethane	73		ug/L	5	0.50	NA	7/3/2014	7/3/2014	WQ	1 NA	5.0	NA	NA	SW8260B	NALD3674	50	146%		
D070314ALCS	D070314ALCS	ORG 75-00-3	Chloroethane	71		ug/L	5	0.56	NA	7/3/2014	7/3/2014	WQ	1 NA	5.0	NA	NA	SW8260B	NALD3674	50	142%		
D070314ALCS	D070314ALCS	ORG 75-69-4	Trichlorofluoromethane	81		ug/L	5	0.20	NA	7/3/2014	7/3/2014	WQ	1 NA	5.0	NA	NA	SW8260B	NALD3674	50	162%		
D070314ALCS	D070314ALCS	ORG 75-35-4	1,1-Dichloroethene	42		ug/L	1	0.47	NA	7/3/2014	7/3/2014	WQ	1 NA	5.0	NA	NA	SW8260B	NALD3674	50	84%		
D070314ALCS	D070314ALCS	ORG 75-09-2	Methylene chloride	48		ug/L	5	0.26	NA	7/3/2014	7/3/2014	WQ	1 NA	5.0	NA	NA	SW8260B	NALD3674	50	96%		
D070314ALCS	D070314ALCS	ORG 67-64-1	Acetone	64		ug/L	10	1.56	NA	7/3/2014	7/3/2014	WQ	1 NA	5.0	NA	NA	SW8260B	NALD3674	50	128%		
D070314ALCS	D070314ALCS	ORG 156-60-5	trans-1,2-Dichloroethene	43		ug/L	1	0.56	NA	7/3/2014	7/3/2014	WQ	1 NA	5.0	NA	NA	SW8260B	NALD3674	50	86%		
D070314ALCS	D070314ALCS	ORG 1634-04-4	MTBE	42		ug/L	5	0.61	NA	7/3/2014	7/3/2014	WQ	1 NA	5.0	NA	NA	SW8260B	NALD3674	50	84%		
D070314ALCS	D070314ALCS	ORG 75-34-3	1,1-Dichloroethane	46		ug/L	1	0.53	NA	7/3/2014	7/3/2014	WQ	1 NA	5.0	NA	NA	SW8260B	NALD3674	50	92%		
D070314ALCS	D070314ALCS	ORG 156-59-2	cis-1,2-Dichloroethene	46		ug/L	1	0.32	NA	7/3/2014	7/3/2014	WQ	1 NA	5.0	NA	NA	SW8260B	NALD3674	50	92%		
D070314ALCS	D070314ALCS	ORG 74-97-5	Bromochloromethane	46		ug/L	10	0.41	NA	7/3/2014	7/3/2014	WQ	1 NA	5.0	NA	NA	SW8260B	NALD3674	50	92%		
D070314ALCS	D070314ALCS	ORG 67-66-3	Chloroform	46		ug/L	2	0.16	NA	7/3/2014	7/3/2014	WQ	1 NA	5.0	NA	NA	SW8260B	NALD3674	50	92%		
D070314ALCS	D070314ALCS	ORG 71-55-6	1,1,1-Trichloroethane	47		ug/L	1	0.17	NA	7/3/2014	7/3/2014	WQ	1 NA	5.0	NA	NA	SW8260B	NALD3674	50	94%		
D070314ALCS	D070314ALCS	ORG 78-93-3	2-Butanone	51		ug/L	1	0.81	NA	7/3/2014	7/3/2014	WQ	1 NA	5.0	NA	NA	SW8260B	NALD3674	50	102%		
D070314ALCS	D070314ALCS	ORG 56-23-5	Carbon tetrachloride	47		ug/L	1	0.28	NA	7/3/2014	7/3/2014	WQ	1 NA	5.0	NA	NA	SW8260B	NALD3674	50	94%		
D070314ALCS	D070314ALCS	ORG 71-43-2	Benzene	44		ug/L	1	0.14	NA	7/3/2014	7/3/2014	WQ	1 NA	5.0	NA	NA	SW8260B	NALD3674	50	88%		
D070314ALCS	D070314ALCS	ORG 107-06-2	1,2-Dichloroethane	45		ug/L	1	0.20	NA	7/3/2014	7/3/2014	WQ	1 NA	5.0	NA	NA	SW8260B	NALD3674	50	90%		
D070314ALCS	D070314ALCS	ORG 79-01-6	Trichloroethene	45		ug/L	1	0.36	NA	7/3/2014	7/3/2014	WQ	1 NA	5.0	NA	NA	SW8260B	NALD3674	50	90%		
D070314ALCS	D070314ALCS	ORG 74-95-3	Dibromomethane	46		ug/L	2	0.32	NA	7/3/2014	7/3/2014	WQ	1 NA	5.0	NA	NA	SW8260B	NALD3674	50	92%		
D070314ALCS	D070314ALCS	ORG 78-87-5	1,2-Dichloropropane	48		ug/L	1	0.18	NA	7/3/2014	7/3/2014	WQ	1 NA	5.0	NA	NA	SW8260B	NALD3674	50	96%		
D070314ALCS	D070314ALCS	ORG 75-27-4	Bromodichloromethane	50		ug/L	2	0.12	NA	7/3/2014	7/3/2014	WQ	1 NA	5.0	NA	NA	SW8260B	NALD3674	50	100%		
D070314ALCS	D070314ALCS	ORG 10061-01-5	cis-1,3-Dichloropropene	50		ug/L	1	0.25	NA	7/3/2014	7/3/2014	WQ	1 NA	5.0	NA	NA	SW8260B	NALD3674	50	100%		
D070314ALCS	D070314ALCS	ORG 108-88-3	Toluene	45		ug/L	1	0.21	NA	7/3/2014	7/3/2014	WQ	1 NA	5.0	NA	NA	SW8260B	NALD3674	50	90%		
D070314ALCS	D070314ALCS	ORG 108-10-1	4-Methyl-2-pentanone	48		ug/L	5	0.74	NA	7/3/2014	7/3/2014	WQ	1 NA	5.0	NA	NA	SW8260B	NALD3674	50	96%		
D070314ALCS	D070314ALCS	ORG 10061-02-6	trans-1,3-Dichloropropene	54		ug/L	1	0.31	NA	7/3/2014	7/3/2014	WQ	1 NA	5.0	NA	NA	SW8260B	NALD3674	50	108%		
D070314ALCS	D070314ALCS	ORG 127-18-4	Tetrachloroethene	40		ug/L	1	0.49	NA	7/3/2014	7/3/2014	WQ	1 NA	5.0	NA	NA	SW8260B	NALD3674	50	80%		
D070314ALCS	D070314ALCS	ORG 79-00-5	1,1,2-Trichloroethane	46		ug/L	1	0.34	NA	7/3/2014	7/3/2014	WQ	1 NA	5.0	NA	NA	SW8260B	NALD3674	50	92%		
D070314ALCS	D070314ALCS	ORG 124-48-1	Dibromochloromethane	50		ug/L	5	0.30	NA	7/3/2014	7/3/2014	WQ	1 NA	5.0	NA	NA	SW8260B	NALD3674	50	100%		
D070314ALCS	D070314ALCS	ORG 106-93-4	1,2-Dibromoethane	47		ug/L	2	0.26	NA	7/3/2014	7/3/2014	WQ	1 NA	5.0	NA	NA	SW8260B	NALD3674	50	94%		
D070314ALCS	D070314ALCS	ORG 591-78-6	2-Hexanone	54		ug/L	2	0.69	NA	7/3/2014	7/3/2014	WQ	1 NA	5.0	NA	NA	SW8260B	NALD3674	50	108%		
D070314ALCS	D070314ALCS	ORG 100-41-4	Ethylbenzene	48		ug/L	1	0.25	NA	7/3/2014	7/3/2014	WQ	1 NA	5.0	NA	NA	SW8260B	NALD3674	50	96%		
D070314ALCS	D070314ALCS	ORG 108-90-7	Chlorobenzene	47		ug/L	1	0.28	NA	7/3/2014	7/3/2014	WQ	1 NA	5.0	NA	NA	SW8260B	NALD3674	50	94%		
D070314ALCS	D070314ALCS	ORG 630-20-6	1,1,1,2-Tetrachloroethane	52		ug/L	2	0.19	NA	7/3/2014	7/3/2014	WQ	1 NA	5.0	NA	NA	SW8260B	NALD3674	50	104%		
D070314ALCS	D070314ALCS	ORG XYLMP	p&m-Xylene	94		ug/L	2	0.26	NA	7/3/2014	7/3/2014	WQ	1 NA	5.0	NA	NA	SW8260B	NALD3674	100	94%		
D070314ALCS	D070314ALCS	ORG 95-47-6	o-Xylene	49		ug/L	1	0.13	NA	7/3/2014	7/3/2014	WQ	1 NA	5.0	NA	NA	SW8260B	NALD3674	50	98%		
D070314ALCS	D070314ALCS	ORG 100-42-5	Styrene	51		ug/L	1	0.20	NA	7/3/2014	7/3/2014	WQ	1 NA	5.0	NA	NA	SW8260B	NALD3674	50	102%		
D070314ALCS	D070314ALCS	ORG 75-25-2	Bromoform	50		ug/L	2	0.47	NA	7/3/2014	7/3/2014	WQ	1 NA	5.0	NA	NA	SW8260B	NALD3674	50	100%		
D070314ALCS	D070314ALCS	ORG 98-82-8	Isopropylbenzene	50		ug/L	2	0.20	NA	7/3/2014	7/3/2014	WQ	1 NA	5.0	NA	NA	SW8260B	NALD3674	50	100%		
D070314ALCS	D070314ALCS	ORG 103-65-1	n-Propylbenzene	50		ug/L	2	0.27	NA	7/3/2014	7/3/2014	WQ	1 NA	5.0	NA	NA	SW8260B	NALD3674	50	100%		
D070314ALCS	D070314ALCS	ORG 79-34-5	1,1,2,2-Tetrachloroethane	49		ug/L	2	0.29	NA	7/3/2014	7/3/2014	WQ	1 NA	5.0	NA	NA	SW8260B	NALD3674	50	98%		
D070314ALCS	D070314ALCS	ORG 96-18-4	1,2,3-Trichloropropane	46		ug/L	2	0.29	NA	7/3/2014	7/3/2014	WQ	1 NA	5.0	NA	NA	SW8260B	NALD3674	50	92%		

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D070314ALCS	D070314ALCS	ORG 108-67-8	1,3,5-Trimethylbenzene	50		ug/L	2	0.20	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3674	50	100%		
D070314ALCS	D070314ALCS	ORG 98-06-6	tert-Butylbenzene	52		ug/L	2	0.33	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3674	50	104%		
D070314ALCS	D070314ALCS	ORG 95-63-6	1,2,4-Trimethylbenzene	50		ug/L	2	0.20	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3674	50	100%		
D070314ALCS	D070314ALCS	ORG 135-98-8	sec-Butylbenzene	51		ug/L	2	0.32	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3674	50	102%		
D070314ALCS	D070314ALCS	ORG 541-73-1	1,3-Dichlorobenzene	48		ug/L	2	0.22	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3674	50	96%		
D070314ALCS	D070314ALCS	ORG 99-87-6	p-Isopropyltoluene	50		ug/L	2	0.25	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3674	50	100%		
D070314ALCS	D070314ALCS	ORG 106-46-7	1,4-Dichlorobenzene	48		ug/L	2	0.33	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3674	50	96%		
D070314ALCS	D070314ALCS	ORG 95-50-1	1,2-Dichlorobenzene	48		ug/L	2	0.26	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3674	50	96%		
D070314ALCS	D070314ALCS	ORG 104-51-8	n-Butylbenzene	53		ug/L	5	0.28	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3674	50	106%		
D070314ALCS	D070314ALCS	ORG 96-12-8	1,2-Dibromo-3-chloropropane	49		ug/L	5	1.59	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3674	50	98%		
D070314ALCS	D070314ALCS	ORG 87-68-3	Hexachlorobutadiene	52		ug/L	5	0.65	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3674	50	104%		
D070314ALCS	D070314ALCS	ORG 120-82-1	1,2,4-Trichlorobenzene	52		ug/L	5	0.28	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3674	50	104%		
D070314ALCS	D070314ALCS	ORG 91-20-3	Naphthalene	47		ug/L	5	0.56	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3674	50	94%		
D070314ALCS	D070314ALCS	ORG 87-61-6	1,2,3-Trichlorobenzene	51		ug/L	5	0.23	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3674	50	102%		
D070314ALCS	D070314ALCS	STD 1868-53-7	Dibromofluoromethane	50		ug/L	1	0.10	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3674	50	100%		
D070314ALCS	D070314ALCS	STD 17060-07-0	1,2-Dichloroethane d4	49		ug/L	1	0.10	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3674	50	98%		
D070314ALCS	D070314ALCS	STD 2037-26-5	Toluene d8	48		ug/L	1	0.10	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3674	50	96%		
D070314ALCS	D070314ALCS	STD 460-00-4	Bromofluorobenzene	51		ug/L	1	0.10	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3674	50	102%		



Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

FINAL ANALYTICAL REPORT

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

- B** = Analyte is found in the associated blank as well as in the sample.
 - D** = Compound identified in an analysis at a secondary dilution factor.
 - E** = Compound's concentration exceeds the calibration range of the instrument at this dilution.
 - X** = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
 - J** = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
 - M** = Matrix assessment, QC analyses parameter exceeded control limits.
 - U** = Non-detect
- * NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D070314ALCD	D070314ALCD	ORG 75-71-8	Dichlorodifluoromethane	62		ug/L	5	0.29	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3678	50	124%	7%	
D070314ALCD	D070314ALCD	ORG 74-87-3	Chloromethane	55		ug/L	5	0.43	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3678	50	110%	5%	
D070314ALCD	D070314ALCD	ORG 75-01-4	Vinyl chloride	54		ug/L	2	0.32	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3678	50	108%	2%	
D070314ALCD	D070314ALCD	ORG 74-83-9	Bromomethane	76		ug/L	5	0.50	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3678	50	152%	4%	
D070314ALCD	D070314ALCD	ORG 75-00-3	Chloroethane	76		ug/L	5	0.56	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3678	50	152%	7%	
D070314ALCD	D070314ALCD	ORG 75-69-4	Trichlorofluoromethane	230		ug/L	5	0.20	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3678	50	460%	96%	
D070314ALCD	D070314ALCD	ORG 75-35-4	1,1-Dichloroethene	43		ug/L	1	0.47	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3678	50	86%	2%	
D070314ALCD	D070314ALCD	ORG 75-09-2	Methylene chloride	49		ug/L	5	0.26	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3678	50	98%	2%	
D070314ALCD	D070314ALCD	ORG 67-64-1	Acetone	59		ug/L	10	1.56	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3678	50	118%	8%	
D070314ALCD	D070314ALCD	ORG 156-60-5	trans-1,2-Dichloroethene	44		ug/L	1	0.56	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3678	50	88%	2%	
D070314ALCD	D070314ALCD	ORG 1634-04-4	MTBE	40		ug/L	5	0.61	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3678	50	80%	5%	
D070314ALCD	D070314ALCD	ORG 75-34-3	1,1-Dichloroethane	47		ug/L	1	0.53	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3678	50	94%	2%	
D070314ALCD	D070314ALCD	ORG 156-59-2	cis-1,2-Dichloroethene	45		ug/L	1	0.32	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3678	50	90%	2%	
D070314ALCD	D070314ALCD	ORG 74-97-5	Bromochloromethane	45		ug/L	10	0.41	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3678	50	90%	2%	
D070314ALCD	D070314ALCD	ORG 67-66-3	Chloroform	46		ug/L	2	0.16	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3678	50	92%	0%	
D070314ALCD	D070314ALCD	ORG 71-55-6	1,1,1-Trichloroethane	48		ug/L	1	0.17	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3678	50	96%	2%	
D070314ALCD	D070314ALCD	ORG 78-93-3	2-Butanone	54		ug/L	1	0.81	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3678	50	108%	6%	
D070314ALCD	D070314ALCD	ORG 56-23-5	Carbon tetrachloride	48		ug/L	1	0.28	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3678	50	96%	2%	
D070314ALCD	D070314ALCD	ORG 71-43-2	Benzene	44		ug/L	1	0.14	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3678	50	88%	0%	
D070314ALCD	D070314ALCD	ORG 107-06-2	1,2-Dichloroethane	45		ug/L	1	0.20	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3678	50	90%	0%	
D070314ALCD	D070314ALCD	ORG 79-01-6	Trichloroethene	46		ug/L	1	0.36	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3678	50	92%	2%	
D070314ALCD	D070314ALCD	ORG 74-95-3	Dibromomethane	44		ug/L	2	0.32	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3678	50	88%	4%	
D070314ALCD	D070314ALCD	ORG 78-87-5	1,2-Dichloropropane	47		ug/L	1	0.18	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3678	50	94%	2%	
D070314ALCD	D070314ALCD	ORG 75-27-4	Bromodichloromethane	52		ug/L	2	0.12	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3678	50	104%	4%	
D070314ALCD	D070314ALCD	ORG 10061-01-5	cis-1,3-Dichloropropene	51		ug/L	1	0.25	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3678	50	102%	2%	
D070314ALCD	D070314ALCD	ORG 108-88-3	Toluene	46		ug/L	1	0.21	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3678	50	92%	2%	
D070314ALCD	D070314ALCD	ORG 108-10-1	4-Methyl-2-pentanone	43		ug/L	5	0.74	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3678	50	86%	11%	
D070314ALCD	D070314ALCD	ORG 10061-02-6	trans-1,3-Dichloropropene	54		ug/L	1	0.31	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3678	50	108%	0%	
D070314ALCD	D070314ALCD	ORG 127-18-4	Tetrachloroethene	40		ug/L	1	0.49	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3678	50	80%	0%	
D070314ALCD	D070314ALCD	ORG 79-00-5	1,1,2-Trichloroethane	46		ug/L	1	0.34	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3678	50	92%	0%	
D070314ALCD	D070314ALCD	ORG 124-48-1	Dibromochloromethane	51		ug/L	5	0.30	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3678	50	102%	2%	
D070314ALCD	D070314ALCD	ORG 106-93-4	1,2-Dibromoethane	46		ug/L	2	0.26	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3678	50	92%	2%	
D070314ALCD	D070314ALCD	ORG 591-78-6	2-Hexanone	46		ug/L	2	0.69	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3678	50	92%	16%	
D070314ALCD	D070314ALCD	ORG 100-41-4	Ethylbenzene	50		ug/L	1	0.25	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3678	50	100%	4%	
D070314ALCD	D070314ALCD	ORG 108-90-7	Chlorobenzene	48		ug/L	1	0.28	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3678	50	96%	2%	
D070314ALCD	D070314ALCD	ORG 630-20-6	1,1,1,2-Tetrachloroethane	53		ug/L	2	0.19	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3678	50	106%	2%	
D070314ALCD	D070314ALCD	ORG XYLMP	p&m-Xylene	97		ug/L	2	0.26	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3678	100	97%	3%	
D070314ALCD	D070314ALCD	ORG 95-47-6	o-Xylene	50		ug/L	1	0.13	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3678	50	100%	2%	
D070314ALCD	D070314ALCD	ORG 100-42-5	Styrene	52		ug/L	1	0.20	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3678	50	104%	2%	
D070314ALCD	D070314ALCD	ORG 75-25-2	Bromoform	47		ug/L	2	0.47	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3678	50	94%	6%	
D070314ALCD	D070314ALCD	ORG 98-82-8	Isopropylbenzene	51		ug/L	2	0.20	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3678	50	102%	2%	
D070314ALCD	D070314ALCD	ORG 103-65-1	n-Propylbenzene	52		ug/L	2	0.27	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3678	50	104%	4%	
D070314ALCD	D070314ALCD	ORG 79-34-5	1,1,2,2-Tetrachloroethane	47		ug/L	2	0.29	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3678	50	94%	4%	
D070314ALCD	D070314ALCD	ORG 96-18-4	1,2,3-Trichloropropane	42		ug/L	2	0.29	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3678	50	84%	9%	

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D070314ALCD	D070314ALCD	ORG 108-67-8	1,3,5-Trimethylbenzene	51		ug/L	2	0.20	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3678	50	102%	2%	
D070314ALCD	D070314ALCD	ORG 98-06-6	tert-Butylbenzene	53		ug/L	2	0.33	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3678	50	106%	2%	
D070314ALCD	D070314ALCD	ORG 95-63-6	1,2,4-Trimethylbenzene	51		ug/L	2	0.20	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3678	50	102%	2%	
D070314ALCD	D070314ALCD	ORG 135-98-8	sec-Butylbenzene	52		ug/L	2	0.32	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3678	50	104%	2%	
D070314ALCD	D070314ALCD	ORG 541-73-1	1,3-Dichlorobenzene	49		ug/L	2	0.22	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3678	50	98%	2%	
D070314ALCD	D070314ALCD	ORG 99-87-6	p-Isopropyltoluene	52		ug/L	2	0.25	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3678	50	104%	4%	
D070314ALCD	D070314ALCD	ORG 106-46-7	1,4-Dichlorobenzene	48		ug/L	2	0.33	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3678	50	96%	0%	
D070314ALCD	D070314ALCD	ORG 95-50-1	1,2-Dichlorobenzene	48		ug/L	2	0.26	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3678	50	96%	0%	
D070314ALCD	D070314ALCD	ORG 104-51-8	n-Butylbenzene	56		ug/L	5	0.28	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3678	50	112%	6%	
D070314ALCD	D070314ALCD	ORG 96-12-8	1,2-Dibromo-3-chloropropane	44		ug/L	5	1.59	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3678	50	88%	11%	
D070314ALCD	D070314ALCD	ORG 87-68-3	Hexachlorobutadiene	57		ug/L	5	0.65	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3678	50	114%	9%	
D070314ALCD	D070314ALCD	ORG 120-82-1	1,2,4-Trichlorobenzene	52		ug/L	5	0.28	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3678	50	104%	0%	
D070314ALCD	D070314ALCD	ORG 91-20-3	Naphthalene	44		ug/L	5	0.56	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3678	50	88%	7%	
D070314ALCD	D070314ALCD	ORG 87-61-6	1,2,3-Trichlorobenzene	50		ug/L	5	0.23	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3678	50	100%	2%	
D070314ALCD	D070314ALCD	STD 1868-53-7	Dibromofluoromethane	50		ug/L	1	0.10	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3678	50	100%	0%	
D070314ALCD	D070314ALCD	STD 17060-07-0	1,2-Dichloroethane d4	49		ug/L	1	0.10	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3678	50	98%	0%	
D070314ALCD	D070314ALCD	STD 2037-26-5	Toluene d8	49		ug/L	1	0.10	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3678	50	98%	2%	
D070314ALCD	D070314ALCD	STD 460-00-4	Bromofluorobenzene	51		ug/L	1	0.10	NA	7/3/2014	7/3/2014	WQ	1	NA	5.0	NA	SW8260B	NALD3678	50	102%	0%	

FINAL ANALYTICAL REPORT

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assessment, QC analyses parameter exceeded control limits.
U = Non-detect
 * NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1552MS	316-349	ORG 75-71-8	Dichlorodifluoromethane	6100		ug/L	500	29.28	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3679	5000	122%		
NAL13026-1552MS	316-349	ORG 74-87-3	Chloromethane	5700		ug/L	500	43.07	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3679	5000	114%		
NAL13026-1552MS	316-349	ORG 75-01-4	Vinyl chloride	5200		ug/L	200	31.86	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3679	5000	104%		
NAL13026-1552MS	316-349	ORG 74-83-9	Bromomethane	7000		ug/L	500	50.04	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3679	5000	140%		
NAL13026-1552MS	316-349	ORG 75-00-3	Chloroethane	7700		ug/L	500	55.61	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3679	5000	154%		
NAL13026-1552MS	316-349	ORG 75-69-4	Trichlorofluoromethane	14000		ug/L	500	19.65	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3679	5000	280%		
NAL13026-1552MS	316-349	ORG 75-35-4	1,1-Dichloroethene	4000		ug/L	100	47.11	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3679	5000	80%		
NAL13026-1552MS	316-349	ORG 75-09-2	Methylene chloride	4600		ug/L	500	26.46	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3679	5000	92%		
NAL13026-1552MS	316-349	ORG 67-64-1	Acetone	87000		ug/L	1000	155.61	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3679	5000	-200%		97000
NAL13026-1552MS	316-349	ORG 156-60-5	trans-1,2-Dichloroethene	4200		ug/L	100	55.61	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3679	5000	84%		
NAL13026-1552MS	316-349	ORG 1634-04-4	MTBE	4000		ug/L	500	61.18	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3679	5000	80%		
NAL13026-1552MS	316-349	ORG 75-34-3	1,1-Dichloroethane	4500		ug/L	100	52.66	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3679	5000	90%		
NAL13026-1552MS	316-349	ORG 156-59-2	cis-1,2-Dichloroethene	4400		ug/L	100	32.11	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3679	5000	88%		
NAL13026-1552MS	316-349	ORG 74-97-5	Bromochloromethane	4400		ug/L	1000	41.37	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3679	5000	88%		
NAL13026-1552MS	316-349	ORG 67-66-3	Chloroform	4500		ug/L	200	15.73	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3679	5000	90%		
NAL13026-1552MS	316-349	ORG 71-55-6	1,1,1-Trichloroethane	4700		ug/L	100	16.65	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3679	5000	94%		
NAL13026-1552MS	316-349	ORG 78-93-3	2-Butanone	20000		ug/L	100	81.18	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3679	5000	80%		16000
NAL13026-1552MS	316-349	ORG 56-23-5	Carbon tetrachloride	4600		ug/L	100	27.64	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3679	5000	92%		
NAL13026-1552MS	316-349	ORG 71-43-2	Benzene	4300		ug/L	100	13.53	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3679	5000	86%		
NAL13026-1552MS	316-349	ORG 107-06-2	1,2-Dichloroethane	4500		ug/L	100	20.01	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3679	5000	90%		
NAL13026-1552MS	316-349	ORG 79-01-6	Trichloroethene	4500		ug/L	100	36.33	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3679	5000	90%		
NAL13026-1552MS	316-349	ORG 74-95-3	Dibromomethane	4400		ug/L	200	32.20	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3679	5000	88%		
NAL13026-1552MS	316-349	ORG 78-87-5	1,2-Dichloropropane	4700		ug/L	100	18.17	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3679	5000	94%		
NAL13026-1552MS	316-349	ORG 75-27-4	Bromodichloromethane	5000		ug/L	200	11.58	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3679	5000	100%		
NAL13026-1552MS	316-349	ORG 10061-01-5	cis-1,3-Dichloropropene	5000		ug/L	100	25.01	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3679	5000	100%		
NAL13026-1552MS	316-349	ORG 108-88-3	Toluene	4500		ug/L	100	20.96	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3679	5000	90%		
NAL13026-1552MS	316-349	ORG 108-10-1	4-Methyl-2-pentanone	4300		ug/L	500	74.00	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3679	5000	81%		240
NAL13026-1552MS	316-349	ORG 10061-02-6	trans-1,3-Dichloropropene	5300		ug/L	100	31.15	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3679	5000	106%		
NAL13026-1552MS	316-349	ORG 127-18-4	Tetrachloroethene	3900		ug/L	100	48.56	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3679	5000	78%		
NAL13026-1552MS	316-349	ORG 79-00-5	1,1,2-Trichloroethane	4600		ug/L	100	34.28	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3679	5000	92%		
NAL13026-1552MS	316-349	ORG 124-48-1	Dibromochloromethane	4900		ug/L	500	29.90	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3679	5000	98%		
NAL13026-1552MS	316-349	ORG 106-93-4	1,2-Dibromoethane	4700		ug/L	200	26.49	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3679	5000	94%		
NAL13026-1552MS	316-349	ORG 591-78-6	2-Hexanone	3800		ug/L	200	68.90	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3679	5000	67%		430
NAL13026-1552MS	316-349	ORG 100-41-4	Ethylbenzene	4900		ug/L	100	25.38	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3679	5000	98%		
NAL13026-1552MS	316-349	ORG 108-90-7	Chlorobenzene	4700		ug/L	100	27.52	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3679	5000	94%		
NAL13026-1552MS	316-349	ORG 630-20-6	1,1,1,2-Tetrachloroethane	5100		ug/L	200	19.28	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3679	5000	102%		
NAL13026-1552MS	316-349	ORG XYLMP	p&m-Xylene	9500		ug/L	200	26.14	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3679	10000	95%		
NAL13026-1552MS	316-349	ORG 95-47-6	o-Xylene	4900		ug/L	100	12.90	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3679	5000	98%		
NAL13026-1552MS	316-349	ORG 100-42-5	Styrene	5100		ug/L	100	20.23	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3679	5000	102%		
NAL13026-1552MS	316-349	ORG 75-25-2	Bromoforn	4700		ug/L	200	46.83	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3679	5000	94%		
NAL13026-1552MS	316-349	ORG 98-82-8	Isopropylbenzene	5000		ug/L	200	20.48	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3679	5000	100%		
NAL13026-1552MS	316-349	ORG 103-65-1	n-Propylbenzene	5100		ug/L	200	27.00	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3679	5000	102%		
NAL13026-1552MS	316-349	ORG 79-34-5	1,1,2,2-Tetrachloroethane	4700		ug/L	200	29.16	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3679	5000	94%		
NAL13026-1552MS	316-349	ORG 96-18-4	1,2,3-Trichloropropane	4500		ug/L	200	29.47	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3679	5000	90%		

FINAL ANALYTICAL REPORT

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1552MS	316-349	ORG 108-67-8	1,3,5-Trimethylbenzene	5000		ug/L	200	20.03	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3679	5000	100%		
NAL13026-1552MS	316-349	ORG 98-06-6	tert-Butylbenzene	5200		ug/L	200	32.61	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3679	5000	104%		
NAL13026-1552MS	316-349	ORG 95-63-6	1,2,4-Trimethylbenzene	5000		ug/L	200	20.03	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3679	5000	100%		
NAL13026-1552MS	316-349	ORG 135-98-8	sec-Butylbenzene	5100		ug/L	200	32.34	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3679	5000	102%		
NAL13026-1552MS	316-349	ORG 541-73-1	1,3-Dichlorobenzene	4800		ug/L	200	22.21	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3679	5000	96%		
NAL13026-1552MS	316-349	ORG 99-87-6	p-Isopropyltoluene	5100		ug/L	200	25.48	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3679	5000	101%		41
NAL13026-1552MS	316-349	ORG 106-46-7	1,4-Dichlorobenzene	4700		ug/L	200	33.03	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3679	5000	94%		
NAL13026-1552MS	316-349	ORG 95-50-1	1,2-Dichlorobenzene	4700		ug/L	200	26.38	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3679	5000	94%		
NAL13026-1552MS	316-349	ORG 104-51-8	n-Butylbenzene	5300		ug/L	500	27.81	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3679	5000	106%		
NAL13026-1552MS	316-349	ORG 96-12-8	1,2-Dibromo-3-chloropropane	4800		ug/L	500	159.11	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3679	5000	96%		
NAL13026-1552MS	316-349	ORG 87-68-3	Hexachlorobutadiene	5200		ug/L	500	65.42	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3679	5000	104%		
NAL13026-1552MS	316-349	ORG 120-82-1	1,2,4-Trichlorobenzene	5100		ug/L	500	27.63	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3679	5000	102%		
NAL13026-1552MS	316-349	ORG 91-20-3	Naphthalene	5000		ug/L	500	56.04	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3679	5000	94%		290
NAL13026-1552MS	316-349	ORG 87-61-6	1,2,3-Trichlorobenzene	4900		ug/L	500	23.28	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3679	5000	98%		
NAL13026-1552MS	316-349	STD 1868-53-7	Dibromofluoromethane	49		ug/L	1	0.10	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3679	50	98%		
NAL13026-1552MS	316-349	STD 17060-07-0	1,2-Dichloroethane d4	48		ug/L	1	0.10	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3679	50	96%		
NAL13026-1552MS	316-349	STD 2037-26-5	Toluene d8	49		ug/L	1	0.10	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3679	50	98%		
NAL13026-1552MS	316-349	STD 460-00-4	Bromofluorobenzene	52		ug/L	1	0.10	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3679	50	104%		



Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Brian Power

FINAL ANALYTICAL REPORT

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assessment, QC analyses parameter exceeded control limits.
U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1552MSD	316-349	ORG 75-71-8	Dichlorodifluoromethane	6200		ug/L	500	29.28	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3680	5000	124%	2%	
NAL13026-1552MSD	316-349	ORG 74-87-3	Chloromethane	6000		ug/L	500	43.07	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3680	5000	120%	5%	
NAL13026-1552MSD	316-349	ORG 75-01-4	Vinyl chloride	5400		ug/L	200	31.86	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3680	5000	108%	4%	
NAL13026-1552MSD	316-349	ORG 74-83-9	Bromomethane	7500		ug/L	500	50.04	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3680	5000	150%	7%	
NAL13026-1552MSD	316-349	ORG 75-00-3	Chloroethane	7800		ug/L	500	55.61	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3680	5000	156%	1%	
NAL13026-1552MSD	316-349	ORG 75-69-4	Trichlorofluoromethane	24000		ug/L	500	19.65	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3680	5000	480%	53%	
NAL13026-1552MSD	316-349	ORG 75-35-4	1,1-Dichloroethene	4300		ug/L	100	47.11	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3680	5000	86%	7%	
NAL13026-1552MSD	316-349	ORG 75-09-2	Methylene chloride	4800		ug/L	500	26.46	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3680	5000	96%	4%	
NAL13026-1552MSD	316-349	ORG 67-64-1	Acetone	87000		ug/L	1000	155.61	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3680	5000	-200%	0%	97000
NAL13026-1552MSD	316-349	ORG 156-60-5	trans-1,2-Dichloroethene	4200		ug/L	100	55.61	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3680	5000	84%	0%	
NAL13026-1552MSD	316-349	ORG 1634-04-4	MTBE	4100		ug/L	500	61.18	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3680	5000	82%	2%	
NAL13026-1552MSD	316-349	ORG 75-34-3	1,1-Dichloroethane	4700		ug/L	100	52.66	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3680	5000	94%	4%	
NAL13026-1552MSD	316-349	ORG 156-59-2	cis-1,2-Dichloroethene	4700		ug/L	100	32.11	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3680	5000	94%	7%	
NAL13026-1552MSD	316-349	ORG 74-97-5	Bromochloromethane	4400		ug/L	1000	41.37	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3680	5000	88%	0%	
NAL13026-1552MSD	316-349	ORG 67-66-3	Chloroform	4700		ug/L	200	15.73	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3680	5000	94%	4%	
NAL13026-1552MSD	316-349	ORG 71-55-6	1,1,1-Trichloroethane	4800		ug/L	100	16.65	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3680	5000	96%	2%	
NAL13026-1552MSD	316-349	ORG 78-93-3	2-Butanone	20000		ug/L	100	81.18	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3680	5000	80%	0%	16000
NAL13026-1552MSD	316-349	ORG 56-23-5	Carbon tetrachloride	4800		ug/L	100	27.64	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3680	5000	96%	4%	
NAL13026-1552MSD	316-349	ORG 71-43-2	Benzene	4500		ug/L	100	13.53	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3680	5000	90%	5%	
NAL13026-1552MSD	316-349	ORG 107-06-2	1,2-Dichloroethane	4600		ug/L	100	20.01	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3680	5000	92%	2%	
NAL13026-1552MSD	316-349	ORG 79-01-6	Trichloroethene	4500		ug/L	100	36.33	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3680	5000	90%	0%	
NAL13026-1552MSD	316-349	ORG 74-95-3	Dibromomethane	4500		ug/L	200	32.20	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3680	5000	90%	2%	
NAL13026-1552MSD	316-349	ORG 78-87-5	1,2-Dichloropropane	4900		ug/L	100	18.17	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3680	5000	98%	4%	
NAL13026-1552MSD	316-349	ORG 75-27-4	Bromodichloromethane	4900		ug/L	200	11.58	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3680	5000	98%	2%	
NAL13026-1552MSD	316-349	ORG 10061-01-5	cis-1,3-Dichloropropene	4900		ug/L	100	25.01	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3680	5000	98%	2%	
NAL13026-1552MSD	316-349	ORG 108-88-3	Toluene	4400		ug/L	100	20.96	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3680	5000	88%	2%	
NAL13026-1552MSD	316-349	ORG 108-10-1	4-Methyl-2-pentanone	4200		ug/L	500	74.00	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3680	5000	79%	2%	240
NAL13026-1552MSD	316-349	ORG 10061-02-6	trans-1,3-Dichloropropene	5200		ug/L	100	31.15	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3680	5000	104%	2%	
NAL13026-1552MSD	316-349	ORG 127-18-4	Tetrachloroethene	3900		ug/L	100	48.56	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3680	5000	78%	0%	
NAL13026-1552MSD	316-349	ORG 79-00-5	1,1,2-Trichloroethane	4500		ug/L	100	34.28	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3680	5000	90%	2%	
NAL13026-1552MSD	316-349	ORG 124-48-1	Dibromochloromethane	4900		ug/L	500	29.90	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3680	5000	98%	0%	
NAL13026-1552MSD	316-349	ORG 106-93-4	1,2-Dibromoethane	4600		ug/L	200	26.49	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3680	5000	92%	2%	
NAL13026-1552MSD	316-349	ORG 591-78-6	2-Hexanone	3700		ug/L	200	68.90	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3680	5000	65%	3%	430
NAL13026-1552MSD	316-349	ORG 100-41-4	Ethylbenzene	5100		ug/L	100	25.38	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3680	5000	102%	4%	
NAL13026-1552MSD	316-349	ORG 108-90-7	Chlorobenzene	4900		ug/L	100	27.52	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3680	5000	98%	4%	
NAL13026-1552MSD	316-349	ORG 630-20-6	1,1,1,2-Tetrachloroethane	5300		ug/L	200	19.28	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3680	5000	106%	4%	
NAL13026-1552MSD	316-349	ORG XYLMP	p&m-Xylene	9800		ug/L	200	26.14	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3680	10000	98%	3%	
NAL13026-1552MSD	316-349	ORG 95-47-6	o-Xylene	5100		ug/L	100	12.90	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3680	5000	102%	4%	
NAL13026-1552MSD	316-349	ORG 100-42-5	Styrene	5300		ug/L	100	20.23	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3680	5000	106%	4%	
NAL13026-1552MSD	316-349	ORG 75-25-2	Bromoforn	4800		ug/L	200	46.83	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3680	5000	96%	2%	
NAL13026-1552MSD	316-349	ORG 98-82-8	Isopropylbenzene	5300		ug/L	200	20.48	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3680	5000	106%	6%	
NAL13026-1552MSD	316-349	ORG 103-65-1	n-Propylbenzene	5300		ug/L	200	27.00	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3680	5000	106%	4%	
NAL13026-1552MSD	316-349	ORG 79-34-5	1,1,2,2-Tetrachloroethane	4800		ug/L	200	29.16	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3680	5000	96%	2%	
NAL13026-1552MSD	316-349	ORG 96-18-4	1,2,3-Trichloropropane	4600		ug/L	200	29.47	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3680	5000	92%	2%	

FINAL ANALYTICAL REPORT

Republic Services
 12976 St. Charles Rock Rd.
 Bridgeton, MO 63044
 ATTN: Brian Power

Project #: NAL13-026
 Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.

D = Compound identified in an analysis at a secondary dilution factor.

E = Compound's concentration exceeds the calibration range of the instrument at this dilution.

X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.

J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.

M = Matrix assessment, QC analyses parameter exceeded control limits.

U = Non-detect

* NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:	CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-1552MSD	316-349	ORG 108-67-8	1,3,5-Trimethylbenzene	5200		ug/L	200	20.03	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3680	5000	104%	4%	
NAL13026-1552MSD	316-349	ORG 98-06-6	tert-Butylbenzene	5500		ug/L	200	32.61	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3680	5000	110%	6%	
NAL13026-1552MSD	316-349	ORG 95-63-6	1,2,4-Trimethylbenzene	5200		ug/L	200	20.03	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3680	5000	104%	4%	
NAL13026-1552MSD	316-349	ORG 135-98-8	sec-Butylbenzene	5300		ug/L	200	32.34	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3680	5000	106%	4%	
NAL13026-1552MSD	316-349	ORG 541-73-1	1,3-Dichlorobenzene	5000		ug/L	200	22.21	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3680	5000	100%	4%	
NAL13026-1552MSD	316-349	ORG 99-87-6	p-Isopropyltoluene	5300		ug/L	200	25.48	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3680	5000	105%	4%	41
NAL13026-1552MSD	316-349	ORG 106-46-7	1,4-Dichlorobenzene	4900		ug/L	200	33.03	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3680	5000	98%	4%	
NAL13026-1552MSD	316-349	ORG 95-50-1	1,2-Dichlorobenzene	4800		ug/L	200	26.38	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3680	5000	96%	2%	
NAL13026-1552MSD	316-349	ORG 104-51-8	n-Butylbenzene	5700		ug/L	500	27.81	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3680	5000	114%	7%	
NAL13026-1552MSD	316-349	ORG 96-12-8	1,2-Dibromo-3-chloropropane	4700		ug/L	500	159.11	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3680	5000	94%	2%	
NAL13026-1552MSD	316-349	ORG 87-68-3	Hexachlorobutadiene	5600		ug/L	500	65.42	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3680	5000	112%	7%	
NAL13026-1552MSD	316-349	ORG 120-82-1	1,2,4-Trichlorobenzene	5400		ug/L	500	27.63	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3680	5000	108%	6%	
NAL13026-1552MSD	316-349	ORG 91-20-3	Naphthalene	5100		ug/L	500	56.04	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3680	5000	96%	2%	290
NAL13026-1552MSD	316-349	ORG 87-61-6	1,2,3-Trichlorobenzene	5100		ug/L	500	23.28	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3680	5000	102%	4%	
NAL13026-1552MSD	316-349	STD 1868-53-7	Dibromofluoromethane	50		ug/L	1	0.10	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3680	50	100%	2%	
NAL13026-1552MSD	316-349	STD 17060-07-0	1,2-Dichloroethane d4	48		ug/L	1	0.10	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3680	50	96%	0%	
NAL13026-1552MSD	316-349	STD 2037-26-5	Toluene d8	48		ug/L	1	0.10	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3680	50	96%	2%	
NAL13026-1552MSD	316-349	STD 460-00-4	Bromofluorobenzene	52		ug/L	1	0.10	7/3/2014	7/3/2014	7/3/2014	WG	100	NA	5.0	NA	SW8260B	NALD3680	50	104%	0%	