New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-438	OB-269 MSD	ORG	75-71-8	Dichlorodifluoromethane		UX-	ug/L	500	29.28	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9274				
NAL13026-438	OB-269 MSD	ORG	74-87-3	Chloromethane		UX-	ug/L	500	43.07	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9274				
NAL13026-438	OB-269 MSD	ORG	75-01-4	Vinyl chloride		UX-	ug/L	200	31.86	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9274				
NAL13026-438	OB-269 MSD	ORG	74-83-9	Bromomethane		UX-	ug/L	500	50.04	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9274				
NAL13026-438	OB-269 MSD	ORG	75-00-3	Chloroethane		UX-	ug/L	500	55.61	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9274				
NAL13026-438	OB-269 MSD	ORG	75-69-4	Trichlorofluoromethane		UX-	ug/L	500	19.65	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9274				
NAL13026-438	OB-269 MSD	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9274				
NAL13026-438	OB-269 MSD	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9274				
NAL13026-438	OB-269 MSD	ORG	67-64-1	Acetone	67000	D	ug/L	10000	1556.07	7/5/2013	7/5/2013	7/5/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9275				
NAL13026-438	OB-269 MSD	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9274				
NAL13026-438	OB-269 MSD	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9274				
NAL13026-438	OB-269 MSD	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9274				
NAL13026-438	OB-269 MSD	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9274				
NAL13026-438	OB-269 MSD	ORG	74-97-5	Bromochloromethane		U	ug/L	200	41.37	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9274				
NAL13026-438	OB-269 MSD	ORG	67-66-3	Chloroform		U	ug/L	100	15.73	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9274				
NAL13026-438	OB-269 MSD	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	16.65	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9274				
NAL13026-438	OB-269 MSD	ORG	78-93-3	2-Butanone	36000	D	ug/L	10000	811.80	7/5/2013	7/5/2013	7/5/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9275				
NAL13026-438	OB-269 MSD	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9274				
NAL13026-438	OB-269 MSD	ORG	71-43-2	Benzene	14	J	ug/L	100	13.53	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9274				
NAL13026-438	OB-269 MSD	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9274				
NAL13026-438	OB-269 MSD	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9274				
NAL13026-438	OB-269 MSD	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9274				
NAL13026-438	OB-269 MSD	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9274				
NAL13026-438	OB-269 MSD	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9274				
NAL13026-438	OB-269 MSD	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9274				
NAL13026-438	OB-269 MSD	ORG	108-88-3	Toluene	680		ug/L	100	20.96	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9274				
NAL13026-438	OB-269 MSD	ORG	108-10-1	4-Methyl-2-pentanone		U	ug/L	500	74.00	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9274				
NAL13026-438	OB-269 MSD	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9274				
NAL13026-438	OB-269 MSD	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9274				
NAL13026-438	OB-269 MSD	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9274				
NAL13026-438	OB-269 MSD	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	29.90	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9274				
NAL13026-438	OB-269 MSD	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	26.49	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9274				
NAL13026-438	OB-269 MSD	ORG	591-78-6	2-Hexanone		U	ug/L	500	68.90	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9274				
NAL13026-438	OB-269 MSD	ORG	100-41-4	Ethylbenzene		U	ug/L	100	25.38	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9274				
NAL13026-438	OB-269 MSD	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9274				
NAL13026-438	OB-269 MSD	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9274				
NAL13026-438	OB-269 MSD	ORG	XYLMP	p&m-Xylene		U	ug/L	200	26.14	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9274				
NAL13026-438	OB-269 MSD	ORG	95-47-6	o-Xylene		U	ug/L	100	12.90	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9274				
NAL13026-438	OB-269 MSD	ORG	100-42-5	Styrene		U	ug/L	100	20.23	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9274				
NAL13026-438	OB-269 MSD	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9274				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-438	OB-269 MSD	ORG	98-82-8	Isopropylbenzene		U	ug/L	200	20.48	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9274				
NAL13026-438	OB-269 MSD	ORG	103-65-1	n-Propylbenzene		U	ug/L	200	27.00	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9274				
NAL13026-438	OB-269 MSD	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9274				
NAL13026-438	OB-269 MSD	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9274				
NAL13026-438	OB-269 MSD	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	200	20.03	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9274				
NAL13026-438	OB-269 MSD	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9274				
NAL13026-438	OB-269 MSD	ORG	95-63-6	1,2,4-Trimethylbenzene	30	J	ug/L	200	20.03	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9274				
NAL13026-438	OB-269 MSD	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9274				
NAL13026-438	OB-269 MSD	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9274				
NAL13026-438	OB-269 MSD	ORG	99-87-6	p-Isopropltoluene	97	J	ug/L	200	25.48	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9274				
NAL13026-438	OB-269 MSD	ORG	106-46-7	1,4-Dichlorobenzene	54	J	ug/L	200	33.03	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9274				
NAL13026-438	OB-269 MSD	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9274				
NAL13026-438	OB-269 MSD	ORG	104-51-8	n-Butylbenzene		U	ug/L	500	27.81	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9274				
NAL13026-438	OB-269 MSD	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9274				
NAL13026-438	OB-269 MSD	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9274				
NAL13026-438	OB-269 MSD	ORG	120-82-1	1,2,4-Trichlorobenzene	48	J	ug/L	500	27.63	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9274				
NAL13026-438	OB-269 MSD	ORG	91-20-3	Naphthalene	270	J	ug/L	500	56.04	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9274				
NAL13026-438	OB-269 MSD	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9274				
NAL13026-438	OB-269 MSD	STD	1868-53-7	Dibromofluoromethane	51		ng			7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9274	50	102%		
NAL13026-438	OB-269 MSD	STD	17060-07-0	1,2-Dichloroethane d4	52		ng			7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9274	50	104%		
NAL13026-438	OB-269 MSD	STD	2037-26-5	Toluene d8	49		ng			7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9274	50	98%		
NAL13026-438	OB-269 MSD	STD	460-00-4	Bromofluorobenzene	47		ng			7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9274	50	94%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-439	96-001e	ORG	75-71-8	Dichlorodifluoromethane		UX-	ug/L	500	29.28	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9277				
NAL13026-439	96-001e	ORG	74-87-3	Chloromethane		UX-	ug/L	500	43.07	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9277				
NAL13026-439	96-001e	ORG	75-01-4	Vinyl chloride		UX-	ug/L	200	31.86	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9277				
NAL13026-439	96-001e	ORG	74-83-9	Bromomethane		UX-	ug/L	500	50.04	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9277				
NAL13026-439	96-001e	ORG	75-00-3	Chloroethane		UX-	ug/L	500	55.61	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9277				
NAL13026-439	96-001e	ORG	75-69-4	Trichlorofluoromethane		UX-	ug/L	500	19.65	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9277				
NAL13026-439	96-001e	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9277				
NAL13026-439	96-001e	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9277				
NAL13026-439	96-001e	ORG	67-64-1	Acetone	34000	D	ug/L	10000	1556.07	7/5/2013	7/5/2013	7/5/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9280				
NAL13026-439	96-001e	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9277				
NAL13026-439	96-001e	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9277				
NAL13026-439	96-001e	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9277				
NAL13026-439	96-001e	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9277				
NAL13026-439	96-001e	ORG	74-97-5	Bromochloromethane		U	ug/L	200	81.18	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9277				
NAL13026-439	96-001e	ORG	67-66-3	Chloroform		U	ug/L	100	41.37	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9277				
NAL13026-439	96-001e	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	15.73	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9277				
NAL13026-439	96-001e	ORG	78-93-3	2-Butanone	19000	D	ug/L	10000	166.52	7/5/2013	7/5/2013	7/5/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9280				
NAL13026-439	96-001e	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9277				
NAL13026-439	96-001e	ORG	71-43-2	Benzene	340		ug/L	100	13.53	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9277				
NAL13026-439	96-001e	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9277				
NAL13026-439	96-001e	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9277				
NAL13026-439	96-001e	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9277				
NAL13026-439	96-001e	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9277				
NAL13026-439	96-001e	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9277				
NAL13026-439	96-001e	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9277				
NAL13026-439	96-001e	ORG	108-88-3	Toluene	48	J	ug/L	100	20.96	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9277				
NAL13026-439	96-001e	ORG	108-10-1	4-Methyl-2-pentanone	300	J	ug/L	500	74.00	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9277				
NAL13026-439	96-001e	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9277				
NAL13026-439	96-001e	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9277				
NAL13026-439	96-001e	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9277				
NAL13026-439	96-001e	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	68.90	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9277				
NAL13026-439	96-001e	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	29.90	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9277				
NAL13026-439	96-001e	ORG	591-78-6	2-Hexanone		U	ug/L	500	26.49	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9277				
NAL13026-439	96-001e	ORG	100-41-4	Ethylbenzene		U	ug/L	100	25.38	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9277				
NAL13026-439	96-001e	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9277				
NAL13026-439	96-001e	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9277				
NAL13026-439	96-001e	ORG	XYLMP	p&m-Xylene	45	J	ug/L	200	26.14	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9277				
NAL13026-439	96-001e	ORG	95-47-6	o-Xylene	17	J	ug/L	100	12.90	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9277				
NAL13026-439	96-001e	ORG	100-42-5	Styrene	24	J	ug/L	100	20.23	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9277				
NAL13026-439	96-001e	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9277				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-439	96-001e	ORG	98-82-8	Isopropylbenzene		U	ug/L	200	20.48	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9277				
NAL13026-439	96-001e	ORG	103-65-1	n-Propylbenzene		U	ug/L	200	27.00	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9277				
NAL13026-439	96-001e	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9277				
NAL13026-439	96-001e	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9277				
NAL13026-439	96-001e	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	200	20.03	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9277				
NAL13026-439	96-001e	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9277				
NAL13026-439	96-001e	ORG	95-63-6	1,2,4-Trimethylbenzene	35	J	ug/L	200	20.03	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9277				
NAL13026-439	96-001e	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9277				
NAL13026-439	96-001e	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9277				
NAL13026-439	96-001e	ORG	99-87-6	p-Isopropltoluene	140	J	ug/L	200	25.48	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9277				
NAL13026-439	96-001e	ORG	106-46-7	1,4-Dichlorobenzene		U	ug/L	200	33.03	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9277				
NAL13026-439	96-001e	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9277				
NAL13026-439	96-001e	ORG	104-51-8	n-Butylbenzene		U	ug/L	500	27.81	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9277				
NAL13026-439	96-001e	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9277				
NAL13026-439	96-001e	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9277				
NAL13026-439	96-001e	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9277				
NAL13026-439	96-001e	ORG	91-20-3	Naphthalene	180	J	ug/L	500	56.04	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9277				
NAL13026-439	96-001e	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9277				
NAL13026-439	96-001e	STD	1868-53-7	Dibromofluoromethane	50		ng			7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9277	50	100%		
NAL13026-439	96-001e	STD	17060-07-0	1,2-Dichloroethane d4	54		ng			7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9277	50	108%		
NAL13026-439	96-001e	STD	2037-26-5	Toluene d8	52		ng			7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9277	50	104%		
NAL13026-439	96-001e	STD	460-00-4	Bromofluorobenzene	49		ng			7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9277	50	98%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-440	96-001 8 IN PIPE	ORG	75-71-8	Dichlorodifluoromethane		UX-	ug/L	500	29.28	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9278				
NAL13026-440	96-001 8 IN PIPE	ORG	74-87-3	Chloromethane		UX-	ug/L	500	43.07	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9278				
NAL13026-440	96-001 8 IN PIPE	ORG	75-01-4	Vinyl chloride		UX-	ug/L	200	31.86	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9278				
NAL13026-440	96-001 8 IN PIPE	ORG	74-83-9	Bromomethane		UX-	ug/L	500	50.04	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9278				
NAL13026-440	96-001 8 IN PIPE	ORG	75-00-3	Chloroethane		UX-	ug/L	500	55.61	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9278				
NAL13026-440	96-001 8 IN PIPE	ORG	75-69-4	Trichlorofluoromethane		UX-	ug/L	500	19.65	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9278				
NAL13026-440	96-001 8 IN PIPE	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9278				
NAL13026-440	96-001 8 IN PIPE	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9278				
NAL13026-440	96-001 8 IN PIPE	ORG	67-64-1	Acetone	27000	E	ug/L	1000	155.61	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9278				
NAL13026-440	96-001 8 IN PIPE	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9278				
NAL13026-440	96-001 8 IN PIPE	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9278				
NAL13026-440	96-001 8 IN PIPE	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9278				
NAL13026-440	96-001 8 IN PIPE	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9278				
NAL13026-440	96-001 8 IN PIPE	ORG	74-97-5	Bromochloromethane		U	ug/L	200	81.18	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9278				
NAL13026-440	96-001 8 IN PIPE	ORG	67-66-3	Chloroform		U	ug/L	100	41.37	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9278				
NAL13026-440	96-001 8 IN PIPE	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	15.73	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9278				
NAL13026-440	96-001 8 IN PIPE	ORG	78-93-3	2-Butanone	12000	E	ug/L	1000	16.65	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9278				
NAL13026-440	96-001 8 IN PIPE	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9278				
NAL13026-440	96-001 8 IN PIPE	ORG	71-43-2	Benzene	93	J	ug/L	100	13.53	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9278				
NAL13026-440	96-001 8 IN PIPE	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9278				
NAL13026-440	96-001 8 IN PIPE	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9278				
NAL13026-440	96-001 8 IN PIPE	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9278				
NAL13026-440	96-001 8 IN PIPE	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9278				
NAL13026-440	96-001 8 IN PIPE	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9278				
NAL13026-440	96-001 8 IN PIPE	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9278				
NAL13026-440	96-001 8 IN PIPE	ORG	108-88-3	Toluene	47	J	ug/L	100	20.96	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9278				
NAL13026-440	96-001 8 IN PIPE	ORG	108-10-1	4-Methyl-2-pentanone	170	J	ug/L	500	74.00	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9278				
NAL13026-440	96-001 8 IN PIPE	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9278				
NAL13026-440	96-001 8 IN PIPE	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9278				
NAL13026-440	96-001 8 IN PIPE	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9278				
NAL13026-440	96-001 8 IN PIPE	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	68.90	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9278				
NAL13026-440	96-001 8 IN PIPE	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	29.90	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9278				
NAL13026-440	96-001 8 IN PIPE	ORG	591-78-6	2-Hexanone		U	ug/L	500	26.49	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9278				
NAL13026-440	96-001 8 IN PIPE	ORG	100-41-4	Ethylbenzene	53	J	ug/L	100	25.38	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9278				
NAL13026-440	96-001 8 IN PIPE	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9278				
NAL13026-440	96-001 8 IN PIPE	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9278				
NAL13026-440	96-001 8 IN PIPE	ORG	XYLMP	p&m-Xylene	140	J	ug/L	200	26.14	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9278				
NAL13026-440	96-001 8 IN PIPE	ORG	95-47-6	o-Xylene	60	J	ug/L	100	12.90	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9278				
NAL13026-440	96-001 8 IN PIPE	ORG	100-42-5	Styrene	34	J	ug/L	100	20.23	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9278				
NAL13026-440	96-001 8 IN PIPE	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9278				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-440	96-001 8 IN PIPE	ORG	98-82-8	Isopropylbenzene	43	J	ug/L	200	20.48	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9278				
NAL13026-440	96-001 8 IN PIPE	ORG	103-65-1	n-Propylbenzene	51	J	ug/L	200	27.00	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9278				
NAL13026-440	96-001 8 IN PIPE	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9278				
NAL13026-440	96-001 8 IN PIPE	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9278				
NAL13026-440	96-001 8 IN PIPE	ORG	108-67-8	1,3,5-Trimethylbenzene	88	J	ug/L	200	20.03	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9278				
NAL13026-440	96-001 8 IN PIPE	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9278				
NAL13026-440	96-001 8 IN PIPE	ORG	95-63-6	1,2,4-Trimethylbenzene	270		ug/L	200	20.03	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9278				
NAL13026-440	96-001 8 IN PIPE	ORG	135-98-8	sec-Butylbenzene	200		ug/L	200	32.34	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9278				
NAL13026-440	96-001 8 IN PIPE	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9278				
NAL13026-440	96-001 8 IN PIPE	ORG	99-87-6	p-Isopropltoluene	1300		ug/L	200	25.48	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9278				
NAL13026-440	96-001 8 IN PIPE	ORG	106-46-7	1,4-Dichlorobenzene	300		ug/L	200	33.03	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9278				
NAL13026-440	96-001 8 IN PIPE	ORG	95-50-1	1,2-Dichlorobenzene	39	J	ug/L	200	26.38	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9278				
NAL13026-440	96-001 8 IN PIPE	ORG	104-51-8	n-Butylbenzene	100	J	ug/L	500	27.81	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9278				
NAL13026-440	96-001 8 IN PIPE	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9278				
NAL13026-440	96-001 8 IN PIPE	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9278				
NAL13026-440	96-001 8 IN PIPE	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9278				
NAL13026-440	96-001 8 IN PIPE	ORG	91-20-3	Naphthalene	700		ug/L	500	56.04	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9278				
NAL13026-440	96-001 8 IN PIPE	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9278				
NAL13026-440	96-001 8 IN PIPE	STD	1868-53-7	Dibromofluoromethane	50		ng			7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9278	50	100%		
NAL13026-440	96-001 8 IN PIPE	STD	17060-07-0	1,2-Dichloroethane d4	52		ng			7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9278	50	104%		
NAL13026-440	96-001 8 IN PIPE	STD	2037-26-5	Toluene d8	48		ng			7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9278	50	96%		
NAL13026-440	96-001 8 IN PIPE	STD	460-00-4	Bromofluorobenzene	48		ng			7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9278	50	96%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-441	FM INFLUENT	ORG	75-71-8	Dichlorodifluoromethane		UX-	ug/L	500	29.28	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9279				
NAL13026-441	FM INFLUENT	ORG	74-87-3	Chloromethane		UX-	ug/L	500	43.07	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9279				
NAL13026-441	FM INFLUENT	ORG	75-01-4	Vinyl chloride		UX-	ug/L	200	31.86	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9279				
NAL13026-441	FM INFLUENT	ORG	74-83-9	Bromomethane		UX-	ug/L	500	50.04	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9279				
NAL13026-441	FM INFLUENT	ORG	75-00-3	Chloroethane		UX-	ug/L	500	55.61	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9279				
NAL13026-441	FM INFLUENT	ORG	75-69-4	Trichlorofluoromethane		UX-	ug/L	500	19.65	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9279				
NAL13026-441	FM INFLUENT	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9279				
NAL13026-441	FM INFLUENT	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9279				
NAL13026-441	FM INFLUENT	ORG	67-64-1	Acetone	79000	D	ug/L	10000	1556.07	7/5/2013	7/5/2013	7/5/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9281				
NAL13026-441	FM INFLUENT	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9279				
NAL13026-441	FM INFLUENT	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9279				
NAL13026-441	FM INFLUENT	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9279				
NAL13026-441	FM INFLUENT	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9279				
NAL13026-441	FM INFLUENT	ORG	74-97-5	Bromochloromethane		U	ug/L	200	81.18	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9279				
NAL13026-441	FM INFLUENT	ORG	67-66-3	Chloroform		U	ug/L	100	41.37	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9279				
NAL13026-441	FM INFLUENT	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	15.73	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9279				
NAL13026-441	FM INFLUENT	ORG	78-93-3	2-Butanone	46000	D	ug/L	10000	166.52	7/5/2013	7/5/2013	7/5/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9281				
NAL13026-441	FM INFLUENT	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9279				
NAL13026-441	FM INFLUENT	ORG	71-43-2	Benzene	670		ug/L	100	13.53	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9279				
NAL13026-441	FM INFLUENT	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9279				
NAL13026-441	FM INFLUENT	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9279				
NAL13026-441	FM INFLUENT	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9279				
NAL13026-441	FM INFLUENT	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9279				
NAL13026-441	FM INFLUENT	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9279				
NAL13026-441	FM INFLUENT	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9279				
NAL13026-441	FM INFLUENT	ORG	108-88-3	Toluene	110		ug/L	100	20.96	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9279				
NAL13026-441	FM INFLUENT	ORG	108-10-1	4-Methyl-2-pentanone	1400		ug/L	500	74.00	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9279				
NAL13026-441	FM INFLUENT	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9279				
NAL13026-441	FM INFLUENT	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9279				
NAL13026-441	FM INFLUENT	ORG	79-00-5	1,1,2-Trichloroethane	170		ug/L	100	34.28	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9279				
NAL13026-441	FM INFLUENT	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	68.90	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9279				
NAL13026-441	FM INFLUENT	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	29.90	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9279				
NAL13026-441	FM INFLUENT	ORG	591-78-6	2-Hexanone	390	JX+	ug/L	500	26.49	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9279				
NAL13026-441	FM INFLUENT	ORG	100-41-4	Ethylbenzene	80	J	ug/L	100	25.38	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9279				
NAL13026-441	FM INFLUENT	ORG	108-90-7	Chlorobenzene	39	J	ug/L	100	27.52	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9279				
NAL13026-441	FM INFLUENT	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9279				
NAL13026-441	FM INFLUENT	ORG	XYLMP	p&m-Xylene	170	J	ug/L	200	26.14	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9279				
NAL13026-441	FM INFLUENT	ORG	95-47-6	o-Xylene	91	J	ug/L	100	12.90	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9279				
NAL13026-441	FM INFLUENT	ORG	100-42-5	Styrene	42	J	ug/L	100	20.23	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9279				
NAL13026-441	FM INFLUENT	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9279				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-441	FM INFLUENT	ORG	98-82-8	Isopropylbenzene	46	J	ug/L	200	20.48	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9279				
NAL13026-441	FM INFLUENT	ORG	103-65-1	n-Propylbenzene	45	J	ug/L	200	27.00	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9279				
NAL13026-441	FM INFLUENT	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9279				
NAL13026-441	FM INFLUENT	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9279				
NAL13026-441	FM INFLUENT	ORG	108-67-8	1,3,5-Trimethylbenzene	71	J	ug/L	200	20.03	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9279				
NAL13026-441	FM INFLUENT	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9279				
NAL13026-441	FM INFLUENT	ORG	95-63-6	1,2,4-Trimethylbenzene	200	J	ug/L	200	20.03	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9279				
NAL13026-441	FM INFLUENT	ORG	135-98-8	sec-Butylbenzene	49	J	ug/L	200	32.34	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9279				
NAL13026-441	FM INFLUENT	ORG	541-73-1	1,3-Dichlorobenzene	41	J	ug/L	200	22.21	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9279				
NAL13026-441	FM INFLUENT	ORG	99-87-6	p-Isopropltoluene	750		ug/L	200	25.48	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9279				
NAL13026-441	FM INFLUENT	ORG	106-46-7	1,4-Dichlorobenzene	270		ug/L	200	33.03	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9279				
NAL13026-441	FM INFLUENT	ORG	95-50-1	1,2-Dichlorobenzene	43	J	ug/L	200	26.38	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9279				
NAL13026-441	FM INFLUENT	ORG	104-51-8	n-Butylbenzene	100	J	ug/L	500	27.81	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9279				
NAL13026-441	FM INFLUENT	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9279				
NAL13026-441	FM INFLUENT	ORG	87-68-3	Hexachlorobutadiene	180	J	ug/L	500	65.42	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9279				
NAL13026-441	FM INFLUENT	ORG	120-82-1	1,2,4-Trichlorobenzene	93	J	ug/L	500	27.63	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9279				
NAL13026-441	FM INFLUENT	ORG	91-20-3	Naphthalene	460	J	ug/L	500	56.04	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9279				
NAL13026-441	FM INFLUENT	ORG	87-61-6	1,2,3-Trichlorobenzene	110	J	ug/L	500	23.28	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9279				
NAL13026-441	FM INFLUENT	STD	1868-53-7	Dibromofluoromethane	51		ng			7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9279	50	102%		
NAL13026-441	FM INFLUENT	STD	17060-07-0	1,2-Dichloroethane d4	53		ng			7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9279	50	106%		
NAL13026-441	FM INFLUENT	STD	2037-26-5	Toluene d8	47		ng			7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9279	50	94%		
NAL13026-441	FM INFLUENT	STD	460-00-4	Bromofluorobenzene	47		ng			7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9279	50	94%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-442	OB-270	ORG	75-71-8	Dichlorodifluoromethane		UX-	ug/L	500	29.28	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9282				
NAL13026-442	OB-270	ORG	74-87-3	Chloromethane		UX-	ug/L	500	43.07	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9282				
NAL13026-442	OB-270	ORG	75-01-4	Vinyl chloride		UX-	ug/L	200	31.86	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9282				
NAL13026-442	OB-270	ORG	74-83-9	Bromomethane		UX-	ug/L	500	50.04	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9282				
NAL13026-442	OB-270	ORG	75-00-3	Chloroethane		UX-	ug/L	500	55.61	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9282				
NAL13026-442	OB-270	ORG	75-69-4	Trichlorofluoromethane		UX-	ug/L	500	19.65	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9282				
NAL13026-442	OB-270	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9282				
NAL13026-442	OB-270	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9282				
NAL13026-442	OB-270	ORG	67-64-1	Acetone	41000	D	ug/L	10000	1556.07	7/5/2013	7/5/2013	7/5/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9283				
NAL13026-442	OB-270	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9282				
NAL13026-442	OB-270	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9282				
NAL13026-442	OB-270	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9282				
NAL13026-442	OB-270	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9282				
NAL13026-442	OB-270	ORG	74-97-5	Bromochloromethane		U	ug/L	200	81.18	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9282				
NAL13026-442	OB-270	ORG	67-66-3	Chloroform		U	ug/L	100	41.37	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9282				
NAL13026-442	OB-270	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	15.73	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9282				
NAL13026-442	OB-270	ORG	78-93-3	2-Butanone	23000	D	ug/L	10000	166.52	7/5/2013	7/5/2013	7/5/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9283				
NAL13026-442	OB-270	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9282				
NAL13026-442	OB-270	ORG	71-43-2	Benzene		U	ug/L	100	13.53	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9282				
NAL13026-442	OB-270	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9282				
NAL13026-442	OB-270	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9282				
NAL13026-442	OB-270	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9282				
NAL13026-442	OB-270	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9282				
NAL13026-442	OB-270	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9282				
NAL13026-442	OB-270	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9282				
NAL13026-442	OB-270	ORG	108-88-3	Toluene		U	ug/L	100	20.96	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9282				
NAL13026-442	OB-270	ORG	108-10-1	4-Methyl-2-pentanone	630		ug/L	500	74.00	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9282				
NAL13026-442	OB-270	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9282				
NAL13026-442	OB-270	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9282				
NAL13026-442	OB-270	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9282				
NAL13026-442	OB-270	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	68.90	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9282				
NAL13026-442	OB-270	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	29.90	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9282				
NAL13026-442	OB-270	ORG	591-78-6	2-Hexanone		U	ug/L	500	26.49	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9282				
NAL13026-442	OB-270	ORG	100-41-4	Ethylbenzene		U	ug/L	100	25.38	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9282				
NAL13026-442	OB-270	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9282				
NAL13026-442	OB-270	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9282				
NAL13026-442	OB-270	ORG	XYLMP	p&m-Xylene		U	ug/L	200	26.14	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9282				
NAL13026-442	OB-270	ORG	95-47-6	o-Xylene		U	ug/L	100	12.90	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9282				
NAL13026-442	OB-270	ORG	100-42-5	Styrene	23	J	ug/L	100	20.23	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9282				
NAL13026-442	OB-270	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9282				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-442	OB-270	ORG	98-82-8	Isopropylbenzene		U	ug/L	200	20.48	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9282				
NAL13026-442	OB-270	ORG	103-65-1	n-Propylbenzene		U	ug/L	200	27.00	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9282				
NAL13026-442	OB-270	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9282				
NAL13026-442	OB-270	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9282				
NAL13026-442	OB-270	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	200	20.03	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9282				
NAL13026-442	OB-270	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9282				
NAL13026-442	OB-270	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	200	20.03	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9282				
NAL13026-442	OB-270	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9282				
NAL13026-442	OB-270	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9282				
NAL13026-442	OB-270	ORG	99-87-6	p-Isopropltoluene	42	J	ug/L	200	25.48	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9282				
NAL13026-442	OB-270	ORG	106-46-7	1,4-Dichlorobenzene	37	J	ug/L	200	33.03	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9282				
NAL13026-442	OB-270	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9282				
NAL13026-442	OB-270	ORG	104-51-8	n-Butylbenzene		U	ug/L	500	27.81	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9282				
NAL13026-442	OB-270	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9282				
NAL13026-442	OB-270	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9282				
NAL13026-442	OB-270	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9282				
NAL13026-442	OB-270	ORG	91-20-3	Naphthalene	150	J	ug/L	500	56.04	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9282				
NAL13026-442	OB-270	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9282				
NAL13026-442	OB-270	STD	1868-53-7	Dibromofluoromethane	50		ng			7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9282	50	100%		
NAL13026-442	OB-270	STD	17060-07-0	1,2-Dichloroethane d4	51		ng			7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9282	50	102%		
NAL13026-442	OB-270	STD	2037-26-5	Toluene d8	47		ng			7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9282	50	94%		
NAL13026-442	OB-270	STD	460-00-4	Bromofluorobenzene	48		ng			7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9282	50	96%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J070513CCVA	J070513CCVA	ORG	75-71-8	Dichlorodifluoromethane	8.0		ug/L	5	0.29	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9272	50	16%		
J070513CCVA	J070513CCVA	ORG	74-87-3	Chloromethane	9.0		ug/L	5	0.43	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9272	50	18%		
J070513CCVA	J070513CCVA	ORG	75-01-4	Vinyl chloride	12		ug/L	2	0.32	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9272	50	24%		
J070513CCVA	J070513CCVA	ORG	74-83-9	Bromomethane	26		ug/L	5	0.50	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9272	50	52%		
J070513CCVA	J070513CCVA	ORG	75-00-3	Chloroethane	25		ug/L	5	0.56	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9272	50	50%		
J070513CCVA	J070513CCVA	ORG	75-69-4	Trichlorofluoromethane	25		ug/L	5	0.20	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9272	50	50%		
J070513CCVA	J070513CCVA	ORG	75-35-4	1,1-Dichloroethene	49		ug/L	1	0.47	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9272	50	98%		
J070513CCVA	J070513CCVA	ORG	75-09-2	Methylene chloride	51		ug/L	5	0.26	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9272	50	102%		
J070513CCVA	J070513CCVA	ORG	67-64-1	Acetone	51		ug/L	10	1.56	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9272	50	102%		
J070513CCVA	J070513CCVA	ORG	156-60-5	trans-1,2-Dichloroethene	53		ug/L	1	0.56	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9272	50	106%		
J070513CCVA	J070513CCVA	ORG	1634-04-4	MTBE	51		ug/L	5	0.61	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9272	50	102%		
J070513CCVA	J070513CCVA	ORG	75-34-3	1,1-Dichloroethane	58		ug/L	1	0.53	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9272	50	116%		
J070513CCVA	J070513CCVA	ORG	156-59-2	cis-1,2-Dichloroethene	52		ug/L	1	0.32	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9272	50	104%		
J070513CCVA	J070513CCVA	ORG	74-97-5	Bromochloromethane	52		ug/L	10	0.81	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9272	50	104%		
J070513CCVA	J070513CCVA	ORG	67-66-3	Chloroform	50		ug/L	2	0.41	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9272	50	100%		
J070513CCVA	J070513CCVA	ORG	71-55-6	1,1,1-Trichloroethane	52		ug/L	1	0.16	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9272	50	104%		
J070513CCVA	J070513CCVA	ORG	78-93-3	2-Butanone	48		ug/L	1	0.17	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9272	50	96%		
J070513CCVA	J070513CCVA	ORG	56-23-5	Carbon tetrachloride	53		ug/L	1	0.28	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9272	50	106%		
J070513CCVA	J070513CCVA	ORG	71-43-2	Benzene	50		ug/L	1	0.14	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9272	50	100%		
J070513CCVA	J070513CCVA	ORG	107-06-2	1,2-Dichloroethane	50		ug/L	1	0.20	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9272	50	100%		
J070513CCVA	J070513CCVA	ORG	79-01-6	Trichloroethene	51		ug/L	1	0.36	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9272	50	102%		
J070513CCVA	J070513CCVA	ORG	74-95-3	Dibromomethane	51		ug/L	2	0.32	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9272	50	102%		
J070513CCVA	J070513CCVA	ORG	78-87-5	1,2-Dichloropropane	49		ug/L	1	0.18	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9272	50	98%		
J070513CCVA	J070513CCVA	ORG	75-27-4	Bromodichloromethane	50		ug/L	2	0.12	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9272	50	100%		
J070513CCVA	J070513CCVA	ORG	10061-01-5	cis-1,3-Dichloropropene	49		ug/L	1	0.25	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9272	50	98%		
J070513CCVA	J070513CCVA	ORG	108-88-3	Toluene	48		ug/L	5	0.74	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9272	50	96%		
J070513CCVA	J070513CCVA	ORG	108-10-1	4-Methyl-2-pentanone	59		ug/L	1	0.21	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9272	50	118%		
J070513CCVA	J070513CCVA	ORG	10061-02-6	trans-1,3-Dichloropropene	51		ug/L	1	0.31	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9272	50	102%		
J070513CCVA	J070513CCVA	ORG	127-18-4	Tetrachloroethene	40		ug/L	1	0.49	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9272	50	80%		
J070513CCVA	J070513CCVA	ORG	79-00-5	1,1,2-Trichloroethane	49		ug/L	1	0.34	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9272	50	98%		
J070513CCVA	J070513CCVA	ORG	124-48-1	Dibromochloromethane	52		ug/L	5	0.69	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9272	50	104%		
J070513CCVA	J070513CCVA	ORG	106-93-4	1,2-Dibromoethane	50		ug/L	2	0.30	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9272	50	100%		
J070513CCVA	J070513CCVA	ORG	591-78-6	2-Hexanone	64		ug/L	2	0.26	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9272	50	128%		
J070513CCVA	J070513CCVA	ORG	100-41-4	Ethylbenzene	45		ug/L	1	0.25	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9272	50	90%		
J070513CCVA	J070513CCVA	ORG	108-90-7	Chlorobenzene	45		ug/L	1	0.28	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9272	50	90%		
J070513CCVA	J070513CCVA	ORG	630-20-6	1,1,1,2-Tetrachloroethane	46		ug/L	2	0.19	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9272	50	92%		
J070513CCVA	J070513CCVA	ORG	XYLMP	p&m-Xylene	90		ug/L	2	0.26	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9272	100	90%		
J070513CCVA	J070513CCVA	ORG	95-47-6	o-Xylene	46		ug/L	1	0.13	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9272	50	92%		
J070513CCVA	J070513CCVA	ORG	100-42-5	Styrene	44		ug/L	1	0.20	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9272	50	88%		
J070513CCVA	J070513CCVA	ORG	75-25-2	Bromoform	51		ug/L	2	0.47	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9272	50	102%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J070513CCVA	J070513CCVA	ORG	98-82-8	Isopropylbenzene	42		ug/L	2	0.20	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9272	50	84%		
J070513CCVA	J070513CCVA	ORG	103-65-1	n-Propylbenzene	47		ug/L	2	0.27	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9272	50	94%		
J070513CCVA	J070513CCVA	ORG	79-34-5	1,1,2,2-Tetrachloroethane	53		ug/L	2	0.29	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9272	50	106%		
J070513CCVA	J070513CCVA	ORG	96-18-4	1,2,3-Trichloropropane	52		ug/L	2	0.29	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9272	50	104%		
J070513CCVA	J070513CCVA	ORG	108-67-8	1,3,5-Trimethylbenzene	46		ug/L	2	0.20	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9272	50	92%		
J070513CCVA	J070513CCVA	ORG	98-06-6	tert-Butylbenzene	47		ug/L	2	0.33	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9272	50	94%		
J070513CCVA	J070513CCVA	ORG	95-63-6	1,2,4-Trimethylbenzene	47		ug/L	2	0.20	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9272	50	94%		
J070513CCVA	J070513CCVA	ORG	135-98-8	sec-Butylbenzene	48		ug/L	2	0.32	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9272	50	96%		
J070513CCVA	J070513CCVA	ORG	541-73-1	1,3-Dichlorobenzene	51		ug/L	2	0.22	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9272	50	102%		
J070513CCVA	J070513CCVA	ORG	99-87-6	p-Isopropltoluene	49		ug/L	2	0.25	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9272	50	98%		
J070513CCVA	J070513CCVA	ORG	106-46-7	1,4-Dichlorobenzene	53		ug/L	2	0.33	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9272	50	106%		
J070513CCVA	J070513CCVA	ORG	95-50-1	1,2-Dichlorobenzene	51		ug/L	2	0.26	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9272	50	102%		
J070513CCVA	J070513CCVA	ORG	104-51-8	n-Butylbenzene	50		ug/L	5	0.28	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9272	50	100%		
J070513CCVA	J070513CCVA	ORG	96-12-8	1,2-Dibromo-3-chloropropane	51		ug/L	5	1.59	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9272	50	102%		
J070513CCVA	J070513CCVA	ORG	87-68-3	Hexachlorobutadiene	54		ug/L	5	0.65	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9272	50	108%		
J070513CCVA	J070513CCVA	ORG	120-82-1	1,2,4-Trichlorobenzene	51		ug/L	5	0.28	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9272	50	102%		
J070513CCVA	J070513CCVA	ORG	91-20-3	Naphthalene	45		ug/L	5	0.56	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9272	50	90%		
J070513CCVA	J070513CCVA	ORG	87-61-6	1,2,3-Trichlorobenzene	48		ug/L	5	0.23	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9272	50	96%		
J070513CCVA	J070513CCVA	STD	1868-53-7	Dibromofluoromethane	50		ng			NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9272	50	100%		
J070513CCVA	J070513CCVA	STD	17060-07-0	1,2-Dichloroethane d4	47		ng			NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9272	50	94%		
J070513CCVA	J070513CCVA	STD	2037-26-5	Toluene d8	47		ng			NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9272	50	94%		
J070513CCVA	J070513CCVA	STD	460-00-4	Bromofluorobenzene	47		ng			NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9272	50	94%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J070513MBKA	J070513MBKA	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	5	0.29	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9273				
J070513MBKA	J070513MBKA	ORG	74-87-3	Chloromethane		U	ug/L	5	0.43	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9273				
J070513MBKA	J070513MBKA	ORG	75-01-4	Vinyl chloride		U	ug/L	2	0.32	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9273				
J070513MBKA	J070513MBKA	ORG	74-83-9	Bromomethane		U	ug/L	5	0.50	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9273				
J070513MBKA	J070513MBKA	ORG	75-00-3	Chloroethane		U	ug/L	5	0.56	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9273				
J070513MBKA	J070513MBKA	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	5	0.20	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9273				
J070513MBKA	J070513MBKA	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	1	0.47	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9273				
J070513MBKA	J070513MBKA	ORG	75-09-2	Methylene chloride		U	ug/L	5	0.26	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9273				
J070513MBKA	J070513MBKA	ORG	67-64-1	Acetone		U	ug/L	10	1.56	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9273				
J070513MBKA	J070513MBKA	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	1	0.56	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9273				
J070513MBKA	J070513MBKA	ORG	1634-04-4	MTBE		U	ug/L	5	0.61	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9273				
J070513MBKA	J070513MBKA	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	1	0.53	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9273				
J070513MBKA	J070513MBKA	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	1	0.32	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9273				
J070513MBKA	J070513MBKA	ORG	74-97-5	Bromochloromethane		U	ug/L	10	0.81	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9273				
J070513MBKA	J070513MBKA	ORG	67-66-3	Chloroform		U	ug/L	2	0.41	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9273				
J070513MBKA	J070513MBKA	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	1	0.16	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9273				
J070513MBKA	J070513MBKA	ORG	78-93-3	2-Butanone		U	ug/L	1	0.17	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9273				
J070513MBKA	J070513MBKA	ORG	56-23-5	Carbon tetrachloride		U	ug/L	1	0.28	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9273				
J070513MBKA	J070513MBKA	ORG	71-43-2	Benzene		U	ug/L	1	0.14	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9273				
J070513MBKA	J070513MBKA	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	1	0.20	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9273				
J070513MBKA	J070513MBKA	ORG	79-01-6	Trichloroethene		U	ug/L	1	0.36	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9273				
J070513MBKA	J070513MBKA	ORG	74-95-3	Dibromomethane		U	ug/L	2	0.32	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9273				
J070513MBKA	J070513MBKA	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	1	0.18	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9273				
J070513MBKA	J070513MBKA	ORG	75-27-4	Bromodichloromethane		U	ug/L	2	0.12	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9273				
J070513MBKA	J070513MBKA	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	1	0.25	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9273				
J070513MBKA	J070513MBKA	ORG	108-88-3	Toluene		U	ug/L	5	0.74	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9273				
J070513MBKA	J070513MBKA	ORG	108-10-1	4-Methyl-2-pentanone		U	ug/L	1	0.21	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9273				
J070513MBKA	J070513MBKA	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	1	0.31	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9273				
J070513MBKA	J070513MBKA	ORG	127-18-4	Tetrachloroethene		U	ug/L	1	0.49	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9273				
J070513MBKA	J070513MBKA	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	1	0.34	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9273				
J070513MBKA	J070513MBKA	ORG	124-48-1	Dibromochloromethane		U	ug/L	5	0.69	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9273				
J070513MBKA	J070513MBKA	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	2	0.30	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9273				
J070513MBKA	J070513MBKA	ORG	591-78-6	2-Hexanone		U	ug/L	2	0.26	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9273				
J070513MBKA	J070513MBKA	ORG	100-41-4	Ethylbenzene		U	ug/L	1	0.25	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9273				
J070513MBKA	J070513MBKA	ORG	108-90-7	Chlorobenzene		U	ug/L	1	0.28	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9273				
J070513MBKA	J070513MBKA	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	2	0.19	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9273				
J070513MBKA	J070513MBKA	ORG	XYLMP	p&m-Xylene		U	ug/L	2	0.26	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9273				
J070513MBKA	J070513MBKA	ORG	95-47-6	o-Xylene		U	ug/L	1	0.13	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9273				
J070513MBKA	J070513MBKA	ORG	100-42-5	Styrene		U	ug/L	1	0.20	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9273				
J070513MBKA	J070513MBKA	ORG	75-25-2	Bromoform		U	ug/L	2	0.47	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9273				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J070513MBKA	J070513MBKA	ORG	98-82-8	Isopropylbenzene		U	ug/L	2	0.20	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9273				
J070513MBKA	J070513MBKA	ORG	103-65-1	n-Propylbenzene		U	ug/L	2	0.27	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9273				
J070513MBKA	J070513MBKA	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	2	0.29	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9273				
J070513MBKA	J070513MBKA	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	2	0.29	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9273				
J070513MBKA	J070513MBKA	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	2	0.20	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9273				
J070513MBKA	J070513MBKA	ORG	98-06-6	tert-Butylbenzene		U	ug/L	2	0.33	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9273				
J070513MBKA	J070513MBKA	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	2	0.20	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9273				
J070513MBKA	J070513MBKA	ORG	135-98-8	sec-Butylbenzene		U	ug/L	2	0.32	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9273				
J070513MBKA	J070513MBKA	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	2	0.22	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9273				
J070513MBKA	J070513MBKA	ORG	99-87-6	p-Isopropltoluene		U	ug/L	2	0.25	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9273				
J070513MBKA	J070513MBKA	ORG	106-46-7	1,4-Dichlorobenzene		U	ug/L	2	0.33	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9273				
J070513MBKA	J070513MBKA	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	2	0.26	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9273				
J070513MBKA	J070513MBKA	ORG	104-51-8	n-Butylbenzene		U	ug/L	5	0.28	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9273				
J070513MBKA	J070513MBKA	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	5	1.59	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9273				
J070513MBKA	J070513MBKA	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	5	0.65	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9273				
J070513MBKA	J070513MBKA	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	5	0.28	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9273				
J070513MBKA	J070513MBKA	ORG	91-20-3	Naphthalene		U	ug/L	5	0.56	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9273				
J070513MBKA	J070513MBKA	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	5	0.23	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9273				
J070513MBKA	J070513MBKA	STD	1868-53-7	Dibromofluoromethane	51		ng			NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9273	50	102%		
J070513MBKA	J070513MBKA	STD	17060-07-0	1,2-Dichloroethane d4	50		ng			NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9273	50	100%		
J070513MBKA	J070513MBKA	STD	2037-26-5	Toluene d8	47		ng			NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9273	50	94%		
J070513MBKA	J070513MBKA	STD	460-00-4	Bromofluorobenzene	46		ng			NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9273	50	92%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J070513CCVB	J070513CCVB	ORG	75-71-8	Dichlorodifluoromethane	5.6		ug/L	5	0.29	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9284	50	11%		
J070513CCVB	J070513CCVB	ORG	74-87-3	Chloromethane	7.8		ug/L	5	0.43	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9284	50	16%		
J070513CCVB	J070513CCVB	ORG	75-01-4	Vinyl chloride	9.6		ug/L	2	0.32	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9284	50	19%		
J070513CCVB	J070513CCVB	ORG	74-83-9	Bromomethane	25		ug/L	5	0.50	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9284	50	50%		
J070513CCVB	J070513CCVB	ORG	75-00-3	Chloroethane	22		ug/L	5	0.56	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9284	50	44%		
J070513CCVB	J070513CCVB	ORG	75-69-4	Trichlorofluoromethane	25		ug/L	5	0.20	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9284	50	50%		
J070513CCVB	J070513CCVB	ORG	75-35-4	1,1-Dichloroethene	52		ug/L	1	0.47	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9284	50	104%		
J070513CCVB	J070513CCVB	ORG	75-09-2	Methylene chloride	53		ug/L	5	0.26	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9284	50	106%		
J070513CCVB	J070513CCVB	ORG	67-64-1	Acetone	60		ug/L	10	1.56	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9284	50	120%		
J070513CCVB	J070513CCVB	ORG	156-60-5	trans-1,2-Dichloroethene	50		ug/L	1	0.56	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9284	50	100%		
J070513CCVB	J070513CCVB	ORG	1634-04-4	MTBE	48		ug/L	5	0.61	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9284	50	96%		
J070513CCVB	J070513CCVB	ORG	75-34-3	1,1-Dichloroethane	44		ug/L	1	0.53	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9284	50	88%		
J070513CCVB	J070513CCVB	ORG	156-59-2	cis-1,2-Dichloroethene	55		ug/L	1	0.32	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9284	50	110%		
J070513CCVB	J070513CCVB	ORG	74-97-5	Bromochloromethane	57		ug/L	10	0.81	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9284	50	114%		
J070513CCVB	J070513CCVB	ORG	67-66-3	Chloroform	53		ug/L	2	0.41	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9284	50	106%		
J070513CCVB	J070513CCVB	ORG	71-55-6	1,1,1-Trichloroethane	53		ug/L	1	0.16	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9284	50	106%		
J070513CCVB	J070513CCVB	ORG	78-93-3	2-Butanone	63		ug/L	1	0.17	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9284	50	126%		
J070513CCVB	J070513CCVB	ORG	56-23-5	Carbon tetrachloride	54		ug/L	1	0.28	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9284	50	108%		
J070513CCVB	J070513CCVB	ORG	71-43-2	Benzene	51		ug/L	1	0.14	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9284	50	102%		
J070513CCVB	J070513CCVB	ORG	107-06-2	1,2-Dichloroethane	53		ug/L	1	0.20	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9284	50	106%		
J070513CCVB	J070513CCVB	ORG	79-01-6	Trichloroethene	54		ug/L	1	0.36	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9284	50	108%		
J070513CCVB	J070513CCVB	ORG	74-95-3	Dibromomethane	54		ug/L	2	0.32	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9284	50	108%		
J070513CCVB	J070513CCVB	ORG	78-87-5	1,2-Dichloropropane	52		ug/L	1	0.18	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9284	50	104%		
J070513CCVB	J070513CCVB	ORG	75-27-4	Bromodichloromethane	50		ug/L	2	0.12	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9284	50	100%		
J070513CCVB	J070513CCVB	ORG	10061-01-5	cis-1,3-Dichloropropene	50		ug/L	1	0.25	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9284	50	100%		
J070513CCVB	J070513CCVB	ORG	108-88-3	Toluene	48		ug/L	5	0.74	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9284	50	96%		
J070513CCVB	J070513CCVB	ORG	108-10-1	4-Methyl-2-pentanone	63		ug/L	1	0.21	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9284	50	126%		
J070513CCVB	J070513CCVB	ORG	10061-02-6	trans-1,3-Dichloropropene	53		ug/L	1	0.31	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9284	50	106%		
J070513CCVB	J070513CCVB	ORG	127-18-4	Tetrachloroethene	41		ug/L	1	0.49	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9284	50	82%		
J070513CCVB	J070513CCVB	ORG	79-00-5	1,1,2-Trichloroethane	51		ug/L	1	0.34	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9284	50	102%		
J070513CCVB	J070513CCVB	ORG	124-48-1	Dibromochloromethane	53		ug/L	5	0.69	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9284	50	106%		
J070513CCVB	J070513CCVB	ORG	106-93-4	1,2-Dibromoethane	52		ug/L	2	0.30	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9284	50	104%		
J070513CCVB	J070513CCVB	ORG	591-78-6	2-Hexanone	68		ug/L	2	0.26	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9284	50	136%		
J070513CCVB	J070513CCVB	ORG	100-41-4	Ethylbenzene	47		ug/L	1	0.25	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9284	50	94%		
J070513CCVB	J070513CCVB	ORG	108-90-7	Chlorobenzene	47		ug/L	1	0.28	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9284	50	94%		
J070513CCVB	J070513CCVB	ORG	630-20-6	1,1,1,2-Tetrachloroethane	48		ug/L	2	0.19	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9284	50	96%		
J070513CCVB	J070513CCVB	ORG	XYLMP	p&m-Xylene	95		ug/L	2	0.26	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9284	100	95%		
J070513CCVB	J070513CCVB	ORG	95-47-6	o-Xylene	47		ug/L	1	0.13	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9284	50	94%		
J070513CCVB	J070513CCVB	ORG	100-42-5	Styrene	45		ug/L	1	0.20	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9284	50	90%		
J070513CCVB	J070513CCVB	ORG	75-25-2	Bromoform	55		ug/L	2	0.47	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9284	50	110%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J070513CCVB	J070513CCVB	ORG	98-82-8	Isopropylbenzene	47		ug/L	2	0.20	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9284	50	94%		
J070513CCVB	J070513CCVB	ORG	103-65-1	n-Propylbenzene	48		ug/L	2	0.27	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9284	50	96%		
J070513CCVB	J070513CCVB	ORG	79-34-5	1,1,2,2-Tetrachloroethane	55		ug/L	2	0.29	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9284	50	110%		
J070513CCVB	J070513CCVB	ORG	96-18-4	1,2,3-Trichloropropane	56		ug/L	2	0.29	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9284	50	112%		
J070513CCVB	J070513CCVB	ORG	108-67-8	1,3,5-Trimethylbenzene	48		ug/L	2	0.20	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9284	50	96%		
J070513CCVB	J070513CCVB	ORG	98-06-6	tert-Butylbenzene	49		ug/L	2	0.33	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9284	50	98%		
J070513CCVB	J070513CCVB	ORG	95-63-6	1,2,4-Trimethylbenzene	49		ug/L	2	0.20	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9284	50	98%		
J070513CCVB	J070513CCVB	ORG	135-98-8	sec-Butylbenzene	50		ug/L	2	0.32	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9284	50	100%		
J070513CCVB	J070513CCVB	ORG	541-73-1	1,3-Dichlorobenzene	52		ug/L	2	0.22	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9284	50	104%		
J070513CCVB	J070513CCVB	ORG	99-87-6	p-Isopropltoluene	51		ug/L	2	0.25	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9284	50	102%		
J070513CCVB	J070513CCVB	ORG	106-46-7	1,4-Dichlorobenzene	53		ug/L	2	0.33	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9284	50	106%		
J070513CCVB	J070513CCVB	ORG	95-50-1	1,2-Dichlorobenzene	51		ug/L	2	0.26	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9284	50	102%		
J070513CCVB	J070513CCVB	ORG	104-51-8	n-Butylbenzene	52		ug/L	5	0.28	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9284	50	104%		
J070513CCVB	J070513CCVB	ORG	96-12-8	1,2-Dibromo-3-chloropropane	55		ug/L	5	1.59	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9284	50	110%		
J070513CCVB	J070513CCVB	ORG	87-68-3	Hexachlorobutadiene	55		ug/L	5	0.65	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9284	50	110%		
J070513CCVB	J070513CCVB	ORG	120-82-1	1,2,4-Trichlorobenzene	53		ug/L	5	0.28	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9284	50	106%		
J070513CCVB	J070513CCVB	ORG	91-20-3	Naphthalene	52		ug/L	5	0.56	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9284	50	104%		
J070513CCVB	J070513CCVB	ORG	87-61-6	1,2,3-Trichlorobenzene	52		ug/L	5	0.23	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9284	50	104%		
J070513CCVB	J070513CCVB	STD	1868-53-7	Dibromofluoromethane	51		ng			NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9284	50	102%		
J070513CCVB	J070513CCVB	STD	17060-07-0	1,2-Dichloroethane d4	48		ng			NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9284	50	96%		
J070513CCVB	J070513CCVB	STD	2037-26-5	Toluene d8	47		ng			NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9284	50	94%		
J070513CCVB	J070513CCVB	STD	460-00-4	Bromofluorobenzene	47		ng			NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9284	50	94%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J070513MBKB	J070513MBKB	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	5	0.29	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9285				
J070513MBKB	J070513MBKB	ORG	74-87-3	Chloromethane		U	ug/L	5	0.43	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9285				
J070513MBKB	J070513MBKB	ORG	75-01-4	Vinyl chloride		U	ug/L	2	0.32	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9285				
J070513MBKB	J070513MBKB	ORG	74-83-9	Bromomethane		U	ug/L	5	0.50	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9285				
J070513MBKB	J070513MBKB	ORG	75-00-3	Chloroethane		U	ug/L	5	0.56	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9285				
J070513MBKB	J070513MBKB	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	5	0.20	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9285				
J070513MBKB	J070513MBKB	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	1	0.47	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9285				
J070513MBKB	J070513MBKB	ORG	75-09-2	Methylene chloride		U	ug/L	5	0.26	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9285				
J070513MBKB	J070513MBKB	ORG	67-64-1	Acetone		U	ug/L	10	1.56	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9285				
J070513MBKB	J070513MBKB	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	1	0.56	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9285				
J070513MBKB	J070513MBKB	ORG	1634-04-4	MTBE		U	ug/L	5	0.61	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9285				
J070513MBKB	J070513MBKB	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	1	0.53	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9285				
J070513MBKB	J070513MBKB	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	1	0.32	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9285				
J070513MBKB	J070513MBKB	ORG	74-97-5	Bromochloromethane		U	ug/L	10	0.81	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9285				
J070513MBKB	J070513MBKB	ORG	67-66-3	Chloroform		U	ug/L	2	0.41	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9285				
J070513MBKB	J070513MBKB	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	1	0.16	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9285				
J070513MBKB	J070513MBKB	ORG	78-93-3	2-Butanone		U	ug/L	1	0.17	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9285				
J070513MBKB	J070513MBKB	ORG	56-23-5	Carbon tetrachloride		U	ug/L	1	0.28	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9285				
J070513MBKB	J070513MBKB	ORG	71-43-2	Benzene		U	ug/L	1	0.14	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9285				
J070513MBKB	J070513MBKB	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	1	0.20	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9285				
J070513MBKB	J070513MBKB	ORG	79-01-6	Trichloroethene		U	ug/L	1	0.36	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9285				
J070513MBKB	J070513MBKB	ORG	74-95-3	Dibromomethane		U	ug/L	2	0.32	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9285				
J070513MBKB	J070513MBKB	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	1	0.18	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9285				
J070513MBKB	J070513MBKB	ORG	75-27-4	Bromodichloromethane		U	ug/L	2	0.12	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9285				
J070513MBKB	J070513MBKB	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	1	0.25	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9285				
J070513MBKB	J070513MBKB	ORG	108-88-3	Toluene		U	ug/L	5	0.74	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9285				
J070513MBKB	J070513MBKB	ORG	108-10-1	4-Methyl-2-pentanone		U	ug/L	1	0.21	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9285				
J070513MBKB	J070513MBKB	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	1	0.31	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9285				
J070513MBKB	J070513MBKB	ORG	127-18-4	Tetrachloroethene		U	ug/L	1	0.49	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9285				
J070513MBKB	J070513MBKB	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	1	0.34	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9285				
J070513MBKB	J070513MBKB	ORG	124-48-1	Dibromochloromethane		U	ug/L	5	0.69	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9285				
J070513MBKB	J070513MBKB	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	2	0.30	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9285				
J070513MBKB	J070513MBKB	ORG	591-78-6	2-Hexanone		U	ug/L	2	0.26	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9285				
J070513MBKB	J070513MBKB	ORG	100-41-4	Ethylbenzene		U	ug/L	1	0.25	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9285				
J070513MBKB	J070513MBKB	ORG	108-90-7	Chlorobenzene		U	ug/L	1	0.28	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9285				
J070513MBKB	J070513MBKB	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	2	0.19	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9285				
J070513MBKB	J070513MBKB	ORG	XYLMP	p&m-Xylene		U	ug/L	2	0.26	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9285				
J070513MBKB	J070513MBKB	ORG	95-47-6	o-Xylene		U	ug/L	1	0.13	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9285				
J070513MBKB	J070513MBKB	ORG	100-42-5	Styrene		U	ug/L	1	0.20	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9285				
J070513MBKB	J070513MBKB	ORG	75-25-2	Bromoform		U	ug/L	2	0.47	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9285				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J070513MBKB	J070513MBKB	ORG	98-82-8	Isopropylbenzene		U	ug/L	2	0.20	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9285				
J070513MBKB	J070513MBKB	ORG	103-65-1	n-Propylbenzene		U	ug/L	2	0.27	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9285				
J070513MBKB	J070513MBKB	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	2	0.29	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9285				
J070513MBKB	J070513MBKB	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	2	0.29	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9285				
J070513MBKB	J070513MBKB	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	2	0.20	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9285				
J070513MBKB	J070513MBKB	ORG	98-06-6	tert-Butylbenzene		U	ug/L	2	0.33	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9285				
J070513MBKB	J070513MBKB	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	2	0.20	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9285				
J070513MBKB	J070513MBKB	ORG	135-98-8	sec-Butylbenzene		U	ug/L	2	0.32	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9285				
J070513MBKB	J070513MBKB	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	2	0.22	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9285				
J070513MBKB	J070513MBKB	ORG	99-87-6	p-Isopropltoluene		U	ug/L	2	0.25	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9285				
J070513MBKB	J070513MBKB	ORG	106-46-7	1,4-Dichlorobenzene		U	ug/L	2	0.33	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9285				
J070513MBKB	J070513MBKB	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	2	0.26	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9285				
J070513MBKB	J070513MBKB	ORG	104-51-8	n-Butylbenzene		U	ug/L	5	0.28	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9285				
J070513MBKB	J070513MBKB	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	5	1.59	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9285				
J070513MBKB	J070513MBKB	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	5	0.65	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9285				
J070513MBKB	J070513MBKB	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	5	0.28	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9285				
J070513MBKB	J070513MBKB	ORG	91-20-3	Naphthalene		U	ug/L	5	0.56	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9285				
J070513MBKB	J070513MBKB	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	5	0.23	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9285				
J070513MBKB	J070513MBKB	STD	1868-53-7	Dibromofluoromethane	51		ng			NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9285	50	102%		
J070513MBKB	J070513MBKB	STD	17060-07-0	1,2-Dichloroethane d4	52		ng			NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9285	50	104%		
J070513MBKB	J070513MBKB	STD	2037-26-5	Toluene d8	47		ng			NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9285	50	94%		
J070513MBKB	J070513MBKB	STD	460-00-4	Bromofluorobenzene	47		ng			NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9285	50	94%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J070513ALCS	J070513ALCS	ORG	75-71-8	Dichlorodifluoromethane	6.0		ug/L	5	0.29	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9286	50	12%		
J070513ALCS	J070513ALCS	ORG	74-87-3	Chloromethane	9.5		ug/L	5	0.43	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9286	50	19%		
J070513ALCS	J070513ALCS	ORG	75-01-4	Vinyl chloride	10		ug/L	2	0.32	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9286	50	20%		
J070513ALCS	J070513ALCS	ORG	74-83-9	Bromomethane	25		ug/L	5	0.50	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9286	50	50%		
J070513ALCS	J070513ALCS	ORG	75-00-3	Chloroethane	22		ug/L	5	0.56	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9286	50	44%		
J070513ALCS	J070513ALCS	ORG	75-69-4	Trichlorofluoromethane	26		ug/L	5	0.20	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9286	50	52%		
J070513ALCS	J070513ALCS	ORG	75-35-4	1,1-Dichloroethene	54		ug/L	1	0.47	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9286	50	108%		
J070513ALCS	J070513ALCS	ORG	75-09-2	Methylene chloride	53		ug/L	5	0.26	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9286	50	106%		
J070513ALCS	J070513ALCS	ORG	67-64-1	Acetone	62		ug/L	10	1.56	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9286	50	124%		
J070513ALCS	J070513ALCS	ORG	156-60-5	trans-1,2-Dichloroethene	51		ug/L	1	0.56	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9286	50	102%		
J070513ALCS	J070513ALCS	ORG	1634-04-4	MTBE	49		ug/L	5	0.61	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9286	50	98%		
J070513ALCS	J070513ALCS	ORG	75-34-3	1,1-Dichloroethane	39		ug/L	1	0.53	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9286	50	78%		
J070513ALCS	J070513ALCS	ORG	156-59-2	cis-1,2-Dichloroethene	51		ug/L	1	0.32	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9286	50	102%		
J070513ALCS	J070513ALCS	ORG	74-97-5	Bromochloromethane	50		ug/L	10	0.81	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9286	50	100%		
J070513ALCS	J070513ALCS	ORG	67-66-3	Chloroform	50		ug/L	2	0.41	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9286	50	100%		
J070513ALCS	J070513ALCS	ORG	71-55-6	1,1,1-Trichloroethane	50		ug/L	1	0.16	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9286	50	100%		
J070513ALCS	J070513ALCS	ORG	78-93-3	2-Butanone	50		ug/L	1	0.17	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9286	50	100%		
J070513ALCS	J070513ALCS	ORG	56-23-5	Carbon tetrachloride	51		ug/L	1	0.28	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9286	50	102%		
J070513ALCS	J070513ALCS	ORG	71-43-2	Benzene	48		ug/L	1	0.14	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9286	50	96%		
J070513ALCS	J070513ALCS	ORG	107-06-2	1,2-Dichloroethane	48		ug/L	1	0.20	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9286	50	96%		
J070513ALCS	J070513ALCS	ORG	79-01-6	Trichloroethene	51		ug/L	1	0.36	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9286	50	102%		
J070513ALCS	J070513ALCS	ORG	74-95-3	Dibromomethane	50		ug/L	2	0.32	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9286	50	100%		
J070513ALCS	J070513ALCS	ORG	78-87-5	1,2-Dichloropropane	47		ug/L	1	0.18	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9286	50	94%		
J070513ALCS	J070513ALCS	ORG	75-27-4	Bromodichloromethane	48		ug/L	2	0.12	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9286	50	96%		
J070513ALCS	J070513ALCS	ORG	10061-01-5	cis-1,3-Dichloropropene	47		ug/L	1	0.25	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9286	50	94%		
J070513ALCS	J070513ALCS	ORG	108-88-3	Toluene	46		ug/L	5	0.74	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9286	50	92%		
J070513ALCS	J070513ALCS	ORG	108-10-1	4-Methyl-2-pentanone	56		ug/L	1	0.21	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9286	50	112%		
J070513ALCS	J070513ALCS	ORG	10061-02-6	trans-1,3-Dichloropropene	49		ug/L	1	0.31	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9286	50	98%		
J070513ALCS	J070513ALCS	ORG	127-18-4	Tetrachloroethene	42		ug/L	1	0.49	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9286	50	84%		
J070513ALCS	J070513ALCS	ORG	79-00-5	1,1,2-Trichloroethane	48		ug/L	1	0.34	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9286	50	96%		
J070513ALCS	J070513ALCS	ORG	124-48-1	Dibromochloromethane	50		ug/L	5	0.69	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9286	50	100%		
J070513ALCS	J070513ALCS	ORG	106-93-4	1,2-Dibromoethane	50		ug/L	2	0.30	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9286	50	100%		
J070513ALCS	J070513ALCS	ORG	591-78-6	2-Hexanone	60		ug/L	2	0.26	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9286	50	120%		
J070513ALCS	J070513ALCS	ORG	100-41-4	Ethylbenzene	45		ug/L	1	0.25	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9286	50	90%		
J070513ALCS	J070513ALCS	ORG	108-90-7	Chlorobenzene	44		ug/L	1	0.28	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9286	50	88%		
J070513ALCS	J070513ALCS	ORG	630-20-6	1,1,1,2-Tetrachloroethane	44		ug/L	2	0.19	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9286	50	88%		
J070513ALCS	J070513ALCS	ORG	XYLMP	p&m-Xylene	90		ug/L	2	0.26	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9286	100	90%		
J070513ALCS	J070513ALCS	ORG	95-47-6	o-Xylene	43		ug/L	1	0.13	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9286	50	86%		
J070513ALCS	J070513ALCS	ORG	100-42-5	Styrene	43		ug/L	1	0.20	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9286	50	86%		
J070513ALCS	J070513ALCS	ORG	75-25-2	Bromoform	52		ug/L	2	0.47	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9286	50	104%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J070513ALCS	J070513ALCS	ORG	98-82-8	Isopropylbenzene	46		ug/L	2	0.20	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9286	50	92%		
J070513ALCS	J070513ALCS	ORG	103-65-1	n-Propylbenzene	47		ug/L	2	0.27	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9286	50	94%		
J070513ALCS	J070513ALCS	ORG	79-34-5	1,1,2,2-Tetrachloroethane	51		ug/L	2	0.29	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9286	50	102%		
J070513ALCS	J070513ALCS	ORG	96-18-4	1,2,3-Trichloropropane	52		ug/L	2	0.29	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9286	50	104%		
J070513ALCS	J070513ALCS	ORG	108-67-8	1,3,5-Trimethylbenzene	45		ug/L	2	0.20	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9286	50	90%		
J070513ALCS	J070513ALCS	ORG	98-06-6	tert-Butylbenzene	47		ug/L	2	0.33	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9286	50	94%		
J070513ALCS	J070513ALCS	ORG	95-63-6	1,2,4-Trimethylbenzene	46		ug/L	2	0.20	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9286	50	92%		
J070513ALCS	J070513ALCS	ORG	135-98-8	sec-Butylbenzene	47		ug/L	2	0.32	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9286	50	94%		
J070513ALCS	J070513ALCS	ORG	541-73-1	1,3-Dichlorobenzene	48		ug/L	2	0.22	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9286	50	96%		
J070513ALCS	J070513ALCS	ORG	99-87-6	p-Isopropltoluene	47		ug/L	2	0.25	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9286	50	94%		
J070513ALCS	J070513ALCS	ORG	106-46-7	1,4-Dichlorobenzene	48		ug/L	2	0.33	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9286	50	96%		
J070513ALCS	J070513ALCS	ORG	95-50-1	1,2-Dichlorobenzene	48		ug/L	2	0.26	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9286	50	96%		
J070513ALCS	J070513ALCS	ORG	104-51-8	n-Butylbenzene	47		ug/L	5	0.28	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9286	50	94%		
J070513ALCS	J070513ALCS	ORG	96-12-8	1,2-Dibromo-3-chloropropane	51		ug/L	5	1.59	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9286	50	102%		
J070513ALCS	J070513ALCS	ORG	87-68-3	Hexachlorobutadiene	47		ug/L	5	0.65	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9286	50	94%		
J070513ALCS	J070513ALCS	ORG	120-82-1	1,2,4-Trichlorobenzene	47		ug/L	5	0.28	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9286	50	94%		
J070513ALCS	J070513ALCS	ORG	91-20-3	Naphthalene	47		ug/L	5	0.56	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9286	50	94%		
J070513ALCS	J070513ALCS	ORG	87-61-6	1,2,3-Trichlorobenzene	46		ug/L	5	0.23	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9286	50	92%		
J070513ALCS	J070513ALCS	STD	1868-53-7	Dibromofluoromethane	51		ng			NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9286	50	102%		
J070513ALCS	J070513ALCS	STD	17060-07-0	1,2-Dichloroethane d4	48		ng			NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9286	50	96%		
J070513ALCS	J070513ALCS	STD	2037-26-5	Toluene d8	47		ng			NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9286	50	94%		
J070513ALCS	J070513ALCS	STD	460-00-4	Bromofluorobenzene	49		ng			NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9286	50	98%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J070513ALCD	J070513ALCD	ORG	75-71-8	Dichlorodifluoromethane	5.4		ug/L	5	0.29	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9287	50	11%	11%	
J070513ALCD	J070513ALCD	ORG	74-87-3	Chloromethane	9.0		ug/L	5	0.43	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9287	50	18%	5%	
J070513ALCD	J070513ALCD	ORG	75-01-4	Vinyl chloride	9.7		ug/L	2	0.32	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9287	50	19%	3%	
J070513ALCD	J070513ALCD	ORG	74-83-9	Bromomethane	24		ug/L	5	0.50	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9287	50	48%	4%	
J070513ALCD	J070513ALCD	ORG	75-00-3	Chloroethane	22		ug/L	5	0.56	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9287	50	44%	0%	
J070513ALCD	J070513ALCD	ORG	75-69-4	Trichlorofluoromethane	25		ug/L	5	0.20	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9287	50	50%	4%	
J070513ALCD	J070513ALCD	ORG	75-35-4	1,1-Dichloroethene	53		ug/L	1	0.47	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9287	50	106%	2%	
J070513ALCD	J070513ALCD	ORG	75-09-2	Methylene chloride	53		ug/L	5	0.26	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9287	50	106%	0%	
J070513ALCD	J070513ALCD	ORG	67-64-1	Acetone	61		ug/L	10	1.56	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9287	50	122%	2%	
J070513ALCD	J070513ALCD	ORG	156-60-5	trans-1,2-Dichloroethene	50		ug/L	1	0.56	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9287	50	100%	2%	
J070513ALCD	J070513ALCD	ORG	1634-04-4	MTBE	50		ug/L	5	0.61	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9287	50	100%	2%	
J070513ALCD	J070513ALCD	ORG	75-34-3	1,1-Dichloroethane	38		ug/L	1	0.53	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9287	50	76%	3%	
J070513ALCD	J070513ALCD	ORG	156-59-2	cis-1,2-Dichloroethene	50		ug/L	1	0.32	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9287	50	100%	2%	
J070513ALCD	J070513ALCD	ORG	74-97-5	Bromochloromethane	50		ug/L	10	0.81	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9287	50	100%	0%	
J070513ALCD	J070513ALCD	ORG	67-66-3	Chloroform	50		ug/L	2	0.41	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9287	50	100%	0%	
J070513ALCD	J070513ALCD	ORG	71-55-6	1,1,1-Trichloroethane	50		ug/L	1	0.16	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9287	50	100%	0%	
J070513ALCD	J070513ALCD	ORG	78-93-3	2-Butanone	56		ug/L	1	0.17	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9287	50	112%	11%	
J070513ALCD	J070513ALCD	ORG	56-23-5	Carbon tetrachloride	51		ug/L	1	0.28	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9287	50	102%	0%	
J070513ALCD	J070513ALCD	ORG	71-43-2	Benzene	48		ug/L	1	0.14	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9287	50	96%	0%	
J070513ALCD	J070513ALCD	ORG	107-06-2	1,2-Dichloroethane	50		ug/L	1	0.20	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9287	50	100%	4%	
J070513ALCD	J070513ALCD	ORG	79-01-6	Trichloroethene	51		ug/L	1	0.36	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9287	50	102%	0%	
J070513ALCD	J070513ALCD	ORG	74-95-3	Dibromomethane	52		ug/L	2	0.32	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9287	50	104%	4%	
J070513ALCD	J070513ALCD	ORG	78-87-5	1,2-Dichloropropane	48		ug/L	1	0.18	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9287	50	96%	2%	
J070513ALCD	J070513ALCD	ORG	75-27-4	Bromodichloromethane	49		ug/L	2	0.12	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9287	50	98%	2%	
J070513ALCD	J070513ALCD	ORG	10061-01-5	cis-1,3-Dichloropropene	47		ug/L	1	0.25	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9287	50	94%	0%	
J070513ALCD	J070513ALCD	ORG	108-88-3	Toluene	46		ug/L	5	0.74	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9287	50	92%	0%	
J070513ALCD	J070513ALCD	ORG	108-10-1	4-Methyl-2-pentanone	55		ug/L	1	0.21	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9287	50	110%	2%	
J070513ALCD	J070513ALCD	ORG	10061-02-6	trans-1,3-Dichloropropene	49		ug/L	1	0.31	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9287	50	98%	0%	
J070513ALCD	J070513ALCD	ORG	127-18-4	Tetrachloroethene	42		ug/L	1	0.49	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9287	50	84%	0%	
J070513ALCD	J070513ALCD	ORG	79-00-5	1,1,2-Trichloroethane	49		ug/L	1	0.34	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9287	50	98%	2%	
J070513ALCD	J070513ALCD	ORG	124-48-1	Dibromochloromethane	51		ug/L	5	0.69	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9287	50	102%	2%	
J070513ALCD	J070513ALCD	ORG	106-93-4	1,2-Dibromoethane	50		ug/L	2	0.30	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9287	50	100%	0%	
J070513ALCD	J070513ALCD	ORG	591-78-6	2-Hexanone	59		ug/L	2	0.26	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9287	50	118%	2%	
J070513ALCD	J070513ALCD	ORG	100-41-4	Ethylbenzene	44		ug/L	1	0.25	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9287	50	88%	2%	
J070513ALCD	J070513ALCD	ORG	108-90-7	Chlorobenzene	45		ug/L	1	0.28	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9287	50	90%	2%	
J070513ALCD	J070513ALCD	ORG	630-20-6	1,1,1,2-Tetrachloroethane	46		ug/L	2	0.19	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9287	50	92%	4%	
J070513ALCD	J070513ALCD	ORG	XYLMP	p&m-Xylene	89		ug/L	2	0.26	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9287	100	89%	1%	
J070513ALCD	J070513ALCD	ORG	95-47-6	o-Xylene	43		ug/L	1	0.13	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9287	50	86%	0%	
J070513ALCD	J070513ALCD	ORG	100-42-5	Styrene	44		ug/L	1	0.20	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9287	50	88%	2%	
J070513ALCD	J070513ALCD	ORG	75-25-2	Bromoform	55		ug/L	2	0.47	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9287	50	110%	6%	

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J070513ALCD	J070513ALCD	ORG	98-82-8	Isopropylbenzene	45		ug/L	2	0.20	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9287	50	90%	2%	
J070513ALCD	J070513ALCD	ORG	103-65-1	n-Propylbenzene	46		ug/L	2	0.27	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9287	50	92%	2%	
J070513ALCD	J070513ALCD	ORG	79-34-5	1,1,2,2-Tetrachloroethane	53		ug/L	2	0.29	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9287	50	106%	4%	
J070513ALCD	J070513ALCD	ORG	96-18-4	1,2,3-Trichloropropane	53		ug/L	2	0.29	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9287	50	106%	2%	
J070513ALCD	J070513ALCD	ORG	108-67-8	1,3,5-Trimethylbenzene	45		ug/L	2	0.20	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9287	50	90%	0%	
J070513ALCD	J070513ALCD	ORG	98-06-6	tert-Butylbenzene	45		ug/L	2	0.33	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9287	50	90%	4%	
J070513ALCD	J070513ALCD	ORG	95-63-6	1,2,4-Trimethylbenzene	45		ug/L	2	0.20	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9287	50	90%	2%	
J070513ALCD	J070513ALCD	ORG	135-98-8	sec-Butylbenzene	46		ug/L	2	0.32	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9287	50	92%	2%	
J070513ALCD	J070513ALCD	ORG	541-73-1	1,3-Dichlorobenzene	47		ug/L	2	0.22	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9287	50	94%	2%	
J070513ALCD	J070513ALCD	ORG	99-87-6	p-Isopropltoluene	46		ug/L	2	0.25	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9287	50	92%	2%	
J070513ALCD	J070513ALCD	ORG	106-46-7	1,4-Dichlorobenzene	48		ug/L	2	0.33	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9287	50	96%	0%	
J070513ALCD	J070513ALCD	ORG	95-50-1	1,2-Dichlorobenzene	48		ug/L	2	0.26	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9287	50	96%	0%	
J070513ALCD	J070513ALCD	ORG	104-51-8	n-Butylbenzene	46		ug/L	5	0.28	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9287	50	92%	2%	
J070513ALCD	J070513ALCD	ORG	96-12-8	1,2-Dibromo-3-chloropropane	51		ug/L	5	1.59	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9287	50	102%	0%	
J070513ALCD	J070513ALCD	ORG	87-68-3	Hexachlorobutadiene	46		ug/L	5	0.65	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9287	50	92%	2%	
J070513ALCD	J070513ALCD	ORG	120-82-1	1,2,4-Trichlorobenzene	46		ug/L	5	0.28	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9287	50	92%	2%	
J070513ALCD	J070513ALCD	ORG	91-20-3	Naphthalene	48		ug/L	5	0.56	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9287	50	96%	2%	
J070513ALCD	J070513ALCD	ORG	87-61-6	1,2,3-Trichlorobenzene	47		ug/L	5	0.23	NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9287	50	94%	2%	
J070513ALCD	J070513ALCD	STD	1868-53-7	Dibromofluoromethane	51		ng			NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9287	50	102%	0%	
J070513ALCD	J070513ALCD	STD	17060-07-0	1,2-Dichloroethane d4	49		ng			NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9287	50	98%	2%	
J070513ALCD	J070513ALCD	STD	2037-26-5	Toluene d8	47		ng			NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9287	50	94%	0%	
J070513ALCD	J070513ALCD	STD	460-00-4	Bromofluorobenzene	50		ng			NA	7/5/2013	7/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9287	50	100%	2%	

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-438MS	OB-269 MSD	ORG	75-71-8	Dichlorodifluoromethane	550		ug/L	500	29.28	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9288	5000	11%		
NAL13026-438MS	OB-269 MSD	ORG	74-87-3	Chloromethane	1100		ug/L	500	43.07	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9288	5000	22%		
NAL13026-438MS	OB-269 MSD	ORG	75-01-4	Vinyl chloride	1200		ug/L	200	31.86	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9288	5000	24%		
NAL13026-438MS	OB-269 MSD	ORG	74-83-9	Bromomethane	2200		ug/L	500	50.04	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9288	5000	44%		
NAL13026-438MS	OB-269 MSD	ORG	75-00-3	Chloroethane	2300		ug/L	500	55.61	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9288	5000	46%		
NAL13026-438MS	OB-269 MSD	ORG	75-69-4	Trichlorofluoromethane	2500		ug/L	500	19.65	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9288	5000	50%		
NAL13026-438MS	OB-269 MSD	ORG	75-35-4	1,1-Dichloroethene	5400		ug/L	100	47.11	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9288	5000	108%		
NAL13026-438MS	OB-269 MSD	ORG	75-09-2	Methylene chloride	5600		ug/L	500	26.46	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9288	5000	112%		
NAL13026-438MS	OB-269 MSD	ORG	67-64-1	Acetone	48000		ug/L	1000	155.61	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9288	5000	-380%		67000
NAL13026-438MS	OB-269 MSD	ORG	156-60-5	trans-1,2-Dichloroethene	5400		ug/L	100	55.61	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9288	5000	108%		
NAL13026-438MS	OB-269 MSD	ORG	1634-04-4	MTBE	5100		ug/L	500	61.18	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9288	5000	102%		
NAL13026-438MS	OB-269 MSD	ORG	75-34-3	1,1-Dichloroethane	4400		ug/L	100	52.66	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9288	5000	88%		
NAL13026-438MS	OB-269 MSD	ORG	156-59-2	cis-1,2-Dichloroethene	5200		ug/L	100	32.11	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9288	5000	104%		
NAL13026-438MS	OB-269 MSD	ORG	74-97-5	Bromochloromethane	5200		ug/L	1000	81.18	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9288	5000	104%		
NAL13026-438MS	OB-269 MSD	ORG	67-66-3	Chloroform	5200		ug/L	200	41.37	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9288	5000	104%		
NAL13026-438MS	OB-269 MSD	ORG	71-55-6	1,1,1-Trichloroethane	5100		ug/L	100	15.73	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9288	5000	102%		
NAL13026-438MS	OB-269 MSD	ORG	78-93-3	2-Butanone	23000		ug/L	100	16.65	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9288	5000	-260%		36000
NAL13026-438MS	OB-269 MSD	ORG	56-23-5	Carbon tetrachloride	5300		ug/L	100	27.64	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9288	5000	106%		
NAL13026-438MS	OB-269 MSD	ORG	71-43-2	Benzene	5000		ug/L	100	13.53	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9288	5000	100%		14
NAL13026-438MS	OB-269 MSD	ORG	107-06-2	1,2-Dichloroethane	5100		ug/L	100	20.01	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9288	5000	102%		
NAL13026-438MS	OB-269 MSD	ORG	79-01-6	Trichloroethene	5400		ug/L	100	36.33	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9288	5000	108%		
NAL13026-438MS	OB-269 MSD	ORG	74-95-3	Dibromomethane	5300		ug/L	200	32.20	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9288	5000	106%		
NAL13026-438MS	OB-269 MSD	ORG	78-87-5	1,2-Dichloropropane	5000		ug/L	100	18.17	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9288	5000	100%		
NAL13026-438MS	OB-269 MSD	ORG	75-27-4	Bromodichloromethane	5200		ug/L	200	11.58	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9288	5000	104%		
NAL13026-438MS	OB-269 MSD	ORG	10061-01-5	cis-1,3-Dichloropropene	4900		ug/L	100	25.01	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9288	5000	98%		
NAL13026-438MS	OB-269 MSD	ORG	108-88-3	Toluene	5000		ug/L	500	74.00	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9288	5000	86%		680
NAL13026-438MS	OB-269 MSD	ORG	108-10-1	4-Methyl-2-pentanone	4900		ug/L	100	20.96	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9288	5000	98%		
NAL13026-438MS	OB-269 MSD	ORG	10061-02-6	trans-1,3-Dichloropropene	4900		ug/L	100	31.15	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9288	5000	98%		
NAL13026-438MS	OB-269 MSD	ORG	127-18-4	Tetrachloroethene	5400		ug/L	100	48.56	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9288	5000	108%		
NAL13026-438MS	OB-269 MSD	ORG	79-00-5	1,1,2-Trichloroethane	5000		ug/L	100	34.28	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9288	5000	100%		
NAL13026-438MS	OB-269 MSD	ORG	124-48-1	Dibromochloromethane	5200		ug/L	500	68.90	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9288	5000	104%		
NAL13026-438MS	OB-269 MSD	ORG	106-93-4	1,2-Dibromoethane	5300		ug/L	200	29.90	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9288	5000	106%		
NAL13026-438MS	OB-269 MSD	ORG	591-78-6	2-Hexanone	3600		ug/L	200	26.49	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9288	5000	72%		
NAL13026-438MS	OB-269 MSD	ORG	100-41-4	Ethylbenzene	5800		ug/L	100	25.38	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9288	5000	116%		
NAL13026-438MS	OB-269 MSD	ORG	108-90-7	Chlorobenzene	5700		ug/L	100	27.52	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9288	5000	114%		
NAL13026-438MS	OB-269 MSD	ORG	630-20-6	1,1,1,2-Tetrachloroethane	5700		ug/L	200	19.28	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9288	5000	114%		
NAL13026-438MS	OB-269 MSD	ORG	XYLMP	p&m-Xylene	11000		ug/L	200	26.14	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9288	10000	110%		
NAL13026-438MS	OB-269 MSD	ORG	95-47-6	o-Xylene	5600		ug/L	100	12.90	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9288	5000	112%		
NAL13026-438MS	OB-269 MSD	ORG	100-42-5	Styrene	5300		ug/L	100	20.23	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9288	5000	106%		
NAL13026-438MS	OB-269 MSD	ORG	75-25-2	Bromoform	5600		ug/L	200	46.83	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9288	5000	112%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-438MS	OB-269 MSD	ORG	98-82-8	Isopropylbenzene	5600		ug/L	200	20.48	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9288	5000	112%		
NAL13026-438MS	OB-269 MSD	ORG	103-65-1	n-Propylbenzene	5500		ug/L	200	27.00	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9288	5000	110%		
NAL13026-438MS	OB-269 MSD	ORG	79-34-5	1,1,2,2-Tetrachloroethane	5400		ug/L	200	29.16	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9288	5000	108%		
NAL13026-438MS	OB-269 MSD	ORG	96-18-4	1,2,3-Trichloropropane	5200		ug/L	200	29.47	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9288	5000	104%		
NAL13026-438MS	OB-269 MSD	ORG	108-67-8	1,3,5-Trimethylbenzene	5300		ug/L	200	20.03	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9288	5000	106%		
NAL13026-438MS	OB-269 MSD	ORG	98-06-6	tert-Butylbenzene	5300		ug/L	200	32.61	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9288	5000	106%		
NAL13026-438MS	OB-269 MSD	ORG	95-63-6	1,2,4-Trimethylbenzene	5300		ug/L	200	20.03	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9288	5000	105%		30
NAL13026-438MS	OB-269 MSD	ORG	135-98-8	sec-Butylbenzene	5300		ug/L	200	32.34	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9288	5000	106%		
NAL13026-438MS	OB-269 MSD	ORG	541-73-1	1,3-Dichlorobenzene	5100		ug/L	200	22.21	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9288	5000	102%		
NAL13026-438MS	OB-269 MSD	ORG	99-87-6	p-Isopropltoluene	5300		ug/L	200	25.48	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9288	5000	104%		97
NAL13026-438MS	OB-269 MSD	ORG	106-46-7	1,4-Dichlorobenzene	5100		ug/L	200	33.03	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9288	5000	101%		54
NAL13026-438MS	OB-269 MSD	ORG	95-50-1	1,2-Dichlorobenzene	5100		ug/L	200	26.38	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9288	5000	102%		
NAL13026-438MS	OB-269 MSD	ORG	104-51-8	n-Butylbenzene	5100		ug/L	500	27.81	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9288	5000	102%		
NAL13026-438MS	OB-269 MSD	ORG	96-12-8	1,2-Dibromo-3-chloropropane	6300		ug/L	500	159.11	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9288	5000	126%		
NAL13026-438MS	OB-269 MSD	ORG	87-68-3	Hexachlorobutadiene	4900		ug/L	500	65.42	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9288	5000	98%		
NAL13026-438MS	OB-269 MSD	ORG	120-82-1	1,2,4-Trichlorobenzene	5400		ug/L	500	27.63	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9288	5000	107%		48
NAL13026-438MS	OB-269 MSD	ORG	91-20-3	Naphthalene	6100		ug/L	500	56.04	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9288	5000	117%		270
NAL13026-438MS	OB-269 MSD	ORG	87-61-6	1,2,3-Trichlorobenzene	5600		ug/L	500	23.28	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9288	5000	112%		
NAL13026-438MS	OB-269 MSD	STD	1868-53-7	Dibromofluoromethane	51		ng			7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9288	50	102%		
NAL13026-438MS	OB-269 MSD	STD	17060-07-0	1,2-Dichloroethane d4	47		ng			7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9288	50	94%		
NAL13026-438MS	OB-269 MSD	STD	2037-26-5	Toluene d8	49		ng			7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9288	50	98%		
NAL13026-438MS	OB-269 MSD	STD	460-00-4	Bromofluorobenzene	53		ng			7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9288	50	106%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-438MSD	OB-269 MSD	ORG	75-71-8	Dichlorodifluoromethane	550		ug/L	500	29.28	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9289	5000	11%	0%	0
NAL13026-438MSD	OB-269 MSD	ORG	74-87-3	Chloromethane	1200		ug/L	500	43.07	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9289	5000	24%	9%	0
NAL13026-438MSD	OB-269 MSD	ORG	75-01-4	Vinyl chloride	1200		ug/L	200	31.86	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9289	5000	24%	0%	0
NAL13026-438MSD	OB-269 MSD	ORG	74-83-9	Bromomethane	2100		ug/L	500	50.04	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9289	5000	42%	5%	0
NAL13026-438MSD	OB-269 MSD	ORG	75-00-3	Chloroethane	2200		ug/L	500	55.61	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9289	5000	44%	4%	0
NAL13026-438MSD	OB-269 MSD	ORG	75-69-4	Trichlorofluoromethane	2600		ug/L	500	19.65	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9289	5000	52%	4%	0
NAL13026-438MSD	OB-269 MSD	ORG	75-35-4	1,1-Dichloroethene	5300		ug/L	100	47.11	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9289	5000	106%	2%	0
NAL13026-438MSD	OB-269 MSD	ORG	75-09-2	Methylene chloride	5800		ug/L	500	26.46	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9289	5000	116%	4%	0
NAL13026-438MSD	OB-269 MSD	ORG	67-64-1	Acetone	50000		ug/L	1000	155.61	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9289	5000	-340%	4%	67000
NAL13026-438MSD	OB-269 MSD	ORG	156-60-5	trans-1,2-Dichloroethene	5500		ug/L	100	55.61	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9289	5000	110%	2%	0
NAL13026-438MSD	OB-269 MSD	ORG	1634-04-4	MTBE	5500		ug/L	500	61.18	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9289	5000	110%	8%	0
NAL13026-438MSD	OB-269 MSD	ORG	75-34-3	1,1-Dichloroethane	4200		ug/L	100	52.66	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9289	5000	84%	5%	0
NAL13026-438MSD	OB-269 MSD	ORG	156-59-2	cis-1,2-Dichloroethene	5400		ug/L	100	32.11	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9289	5000	108%	4%	0
NAL13026-438MSD	OB-269 MSD	ORG	74-97-5	Bromochloromethane	5500		ug/L	1000	81.18	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9289	5000	110%	6%	0
NAL13026-438MSD	OB-269 MSD	ORG	67-66-3	Chloroform	5300		ug/L	200	41.37	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9289	5000	106%	2%	0
NAL13026-438MSD	OB-269 MSD	ORG	71-55-6	1,1,1-Trichloroethane	5300		ug/L	100	15.73	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9289	5000	106%	4%	0
NAL13026-438MSD	OB-269 MSD	ORG	78-93-3	2-Butanone	25000		ug/L	100	16.65	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9289	5000	-220%	8%	36000
NAL13026-438MSD	OB-269 MSD	ORG	56-23-5	Carbon tetrachloride	5300		ug/L	100	27.64	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9289	5000	106%	0%	0
NAL13026-438MSD	OB-269 MSD	ORG	71-43-2	Benzene	5200		ug/L	100	13.53	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9289	5000	104%	4%	14
NAL13026-438MSD	OB-269 MSD	ORG	107-06-2	1,2-Dichloroethane	5400		ug/L	100	20.01	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9289	5000	108%	6%	0
NAL13026-438MSD	OB-269 MSD	ORG	79-01-6	Trichloroethene	5500		ug/L	100	36.33	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9289	5000	110%	2%	0
NAL13026-438MSD	OB-269 MSD	ORG	74-95-3	Dibromomethane	5500		ug/L	200	32.20	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9289	5000	110%	4%	0
NAL13026-438MSD	OB-269 MSD	ORG	78-87-5	1,2-Dichloropropane	5200		ug/L	100	18.17	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9289	5000	104%	4%	0
NAL13026-438MSD	OB-269 MSD	ORG	75-27-4	Bromodichloromethane	5400		ug/L	200	11.58	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9289	5000	108%	4%	0
NAL13026-438MSD	OB-269 MSD	ORG	10061-01-5	cis-1,3-Dichloropropene	5000		ug/L	100	25.01	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9289	5000	100%	2%	0
NAL13026-438MSD	OB-269 MSD	ORG	108-88-3	Toluene	5200		ug/L	500	74.00	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9289	5000	90%	4%	680
NAL13026-438MSD	OB-269 MSD	ORG	108-10-1	4-Methyl-2-pentanone	5200		ug/L	100	20.96	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9289	5000	104%	6%	0
NAL13026-438MSD	OB-269 MSD	ORG	10061-02-6	trans-1,3-Dichloropropene	5200		ug/L	100	31.15	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9289	5000	104%	6%	0
NAL13026-438MSD	OB-269 MSD	ORG	127-18-4	Tetrachloroethene	5700		ug/L	100	48.56	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9289	5000	114%	5%	0
NAL13026-438MSD	OB-269 MSD	ORG	79-00-5	1,1,2-Trichloroethane	5300		ug/L	100	34.28	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9289	5000	106%	6%	0
NAL13026-438MSD	OB-269 MSD	ORG	124-48-1	Dibromochloromethane	5400		ug/L	500	68.90	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9289	5000	108%	4%	0
NAL13026-438MSD	OB-269 MSD	ORG	106-93-4	1,2-Dibromoethane	5600		ug/L	200	29.90	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9289	5000	112%	6%	0
NAL13026-438MSD	OB-269 MSD	ORG	591-78-6	2-Hexanone	3400		ug/L	200	26.49	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9289	5000	68%	6%	0
NAL13026-438MSD	OB-269 MSD	ORG	100-41-4	Ethylbenzene	5900		ug/L	100	25.38	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9289	5000	118%	2%	0
NAL13026-438MSD	OB-269 MSD	ORG	108-90-7	Chlorobenzene	5900		ug/L	100	27.52	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9289	5000	118%	3%	0
NAL13026-438MSD	OB-269 MSD	ORG	630-20-6	1,1,1,2-Tetrachloroethane	5900		ug/L	200	19.28	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9289	5000	118%	3%	0
NAL13026-438MSD	OB-269 MSD	ORG	XYLMP	p&m-Xylene	12000		ug/L	200	26.14	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9289	10000	120%	9%	0
NAL13026-438MSD	OB-269 MSD	ORG	95-47-6	o-Xylene	5700		ug/L	100	12.90	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9289	5000	114%	2%	0
NAL13026-438MSD	OB-269 MSD	ORG	100-42-5	Styrene	5300		ug/L	100	20.23	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9289	5000	106%	0%	0
NAL13026-438MSD	OB-269 MSD	ORG	75-25-2	Bromoform	5900		ug/L	200	46.83	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9289	5000	118%	5%	0

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-438MSD	OB-269 MSD	ORG	98-82-8	Isopropylbenzene	5600		ug/L	200	20.48	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9289	5000	112%	0%	0
NAL13026-438MSD	OB-269 MSD	ORG	103-65-1	n-Propylbenzene	5500		ug/L	200	27.00	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9289	5000	110%	0%	0
NAL13026-438MSD	OB-269 MSD	ORG	79-34-5	1,1,2,2-Tetrachloroethane	5700		ug/L	200	29.16	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9289	5000	114%	5%	0
NAL13026-438MSD	OB-269 MSD	ORG	96-18-4	1,2,3-Trichloropropane	5500		ug/L	200	29.47	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9289	5000	110%	6%	0
NAL13026-438MSD	OB-269 MSD	ORG	108-67-8	1,3,5-Trimethylbenzene	5400		ug/L	200	20.03	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9289	5000	108%	2%	0
NAL13026-438MSD	OB-269 MSD	ORG	98-06-6	tert-Butylbenzene	5400		ug/L	200	32.61	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9289	5000	108%	2%	0
NAL13026-438MSD	OB-269 MSD	ORG	95-63-6	1,2,4-Trimethylbenzene	5300		ug/L	200	20.03	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9289	5000	105%	0%	30
NAL13026-438MSD	OB-269 MSD	ORG	135-98-8	sec-Butylbenzene	5200		ug/L	200	32.34	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9289	5000	104%	2%	0
NAL13026-438MSD	OB-269 MSD	ORG	541-73-1	1,3-Dichlorobenzene	5300		ug/L	200	22.21	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9289	5000	106%	4%	0
NAL13026-438MSD	OB-269 MSD	ORG	99-87-6	p-Isopropltoluene	5300		ug/L	200	25.48	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9289	5000	104%	0%	97
NAL13026-438MSD	OB-269 MSD	ORG	106-46-7	1,4-Dichlorobenzene	5300		ug/L	200	33.03	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9289	5000	105%	4%	54
NAL13026-438MSD	OB-269 MSD	ORG	95-50-1	1,2-Dichlorobenzene	5300		ug/L	200	26.38	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9289	5000	106%	4%	0
NAL13026-438MSD	OB-269 MSD	ORG	104-51-8	n-Butylbenzene	5000		ug/L	500	27.81	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9289	5000	100%	2%	0
NAL13026-438MSD	OB-269 MSD	ORG	96-12-8	1,2-Dibromo-3-chloropropane	6300		ug/L	500	159.11	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9289	5000	126%	0%	0
NAL13026-438MSD	OB-269 MSD	ORG	87-68-3	Hexachlorobutadiene	5000		ug/L	500	65.42	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9289	5000	100%	2%	0
NAL13026-438MSD	OB-269 MSD	ORG	120-82-1	1,2,4-Trichlorobenzene	5700		ug/L	500	27.63	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9289	5000	113%	5%	48
NAL13026-438MSD	OB-269 MSD	ORG	91-20-3	Naphthalene	6600		ug/L	500	56.04	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9289	5000	127%	8%	270
NAL13026-438MSD	OB-269 MSD	ORG	87-61-6	1,2,3-Trichlorobenzene	6000		ug/L	500	23.28	7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9289	5000	120%	7%	0
NAL13026-438MSD	OB-269 MSD	STD	1868-53-7	Dibromofluoromethane	51		ng			7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9289	50	102%	0%	0
NAL13026-438MSD	OB-269 MSD	STD	17060-07-0	1,2-Dichloroethane d4	49		ng			7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9289	50	98%	4%	0
NAL13026-438MSD	OB-269 MSD	STD	2037-26-5	Toluene d8	50		ng			7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9289	50	100%	2%	0
NAL13026-438MSD	OB-269 MSD	STD	460-00-4	Bromofluorobenzene	52		ng			7/5/2013	7/5/2013	7/5/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9289	50	104%	2%	0

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-443	316-009	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9293				
NAL13026-443	316-009	ORG	74-87-3	Chloromethane		U	ug/L	500	43.07	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9293				
NAL13026-443	316-009	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9293				
NAL13026-443	316-009	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9293				
NAL13026-443	316-009	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9293				
NAL13026-443	316-009	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9293				
NAL13026-443	316-009	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9293				
NAL13026-443	316-009	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9293				
NAL13026-443	316-009	ORG	67-64-1	Acetone	36000	D	ug/L	10000	1556.07	7/6/2013	7/6/2013	7/6/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9294				
NAL13026-443	316-009	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9293				
NAL13026-443	316-009	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9293				
NAL13026-443	316-009	ORG	75-34-3	1,1-Dichloroethane		UX-	ug/L	100	52.66	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9293				
NAL13026-443	316-009	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9293				
NAL13026-443	316-009	ORG	74-97-5	Bromochloromethane		U	ug/L	200	41.37	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9293				
NAL13026-443	316-009	ORG	67-66-3	Chloroform		U	ug/L	100	15.73	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9293				
NAL13026-443	316-009	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	16.65	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9293				
NAL13026-443	316-009	ORG	78-93-3	2-Butanone	22000	D	ug/L	10000	811.80	7/6/2013	7/6/2013	7/6/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9294				
NAL13026-443	316-009	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9293				
NAL13026-443	316-009	ORG	71-43-2	Benzene	25	J	ug/L	100	13.53	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9293				
NAL13026-443	316-009	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9293				
NAL13026-443	316-009	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9293				
NAL13026-443	316-009	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9293				
NAL13026-443	316-009	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9293				
NAL13026-443	316-009	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9293				
NAL13026-443	316-009	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9293				
NAL13026-443	316-009	ORG	108-88-3	Toluene		U	ug/L	100	20.96	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9293				
NAL13026-443	316-009	ORG	108-10-1	4-Methyl-2-pentanone	640		ug/L	500	74.00	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9293				
NAL13026-443	316-009	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9293				
NAL13026-443	316-009	ORG	127-18-4	Tetrachloroethene		UX-	ug/L	100	48.56	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9293				
NAL13026-443	316-009	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9293				
NAL13026-443	316-009	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	29.90	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9293				
NAL13026-443	316-009	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	26.49	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9293				
NAL13026-443	316-009	ORG	591-78-6	2-Hexanone		U	ug/L	500	68.90	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9293				
NAL13026-443	316-009	ORG	100-41-4	Ethylbenzene		U	ug/L	100	25.38	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9293				
NAL13026-443	316-009	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9293				
NAL13026-443	316-009	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9293				
NAL13026-443	316-009	ORG	XYLMP	p&m-Xylene		U	ug/L	200	26.14	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9293				
NAL13026-443	316-009	ORG	95-47-6	o-Xylene		U	ug/L	100	12.90	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9293				
NAL13026-443	316-009	ORG	100-42-5	Styrene	29	J	ug/L	100	20.23	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9293				
NAL13026-443	316-009	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9293				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-443	316-009	ORG	98-82-8	Isopropylbenzene		U	ug/L	200	20.48	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9293				
NAL13026-443	316-009	ORG	103-65-1	n-Propylbenzene		U	ug/L	200	27.00	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9293				
NAL13026-443	316-009	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9293				
NAL13026-443	316-009	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9293				
NAL13026-443	316-009	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	200	20.03	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9293				
NAL13026-443	316-009	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9293				
NAL13026-443	316-009	ORG	95-63-6	1,2,4-Trimethylbenzene	29	J	ug/L	200	20.03	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9293				
NAL13026-443	316-009	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9293				
NAL13026-443	316-009	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9293				
NAL13026-443	316-009	ORG	99-87-6	p-Isopropltoluene	80	J	ug/L	200	25.48	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9293				
NAL13026-443	316-009	ORG	106-46-7	1,4-Dichlorobenzene	68	J	ug/L	200	33.03	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9293				
NAL13026-443	316-009	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9293				
NAL13026-443	316-009	ORG	104-51-8	n-Butylbenzene		U	ug/L	500	27.81	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9293				
NAL13026-443	316-009	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9293				
NAL13026-443	316-009	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9293				
NAL13026-443	316-009	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9293				
NAL13026-443	316-009	ORG	91-20-3	Naphthalene	210	J	ug/L	500	56.04	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9293				
NAL13026-443	316-009	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9293				
NAL13026-443	316-009	STD	1868-53-7	Dibromofluoromethane	50		ng			7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9293	50	100%		
NAL13026-443	316-009	STD	17060-07-0	1,2-Dichloroethane d4	50		ng			7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9293	50	100%		
NAL13026-443	316-009	STD	2037-26-5	Toluene d8	47		ng			7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9293	50	94%		
NAL13026-443	316-009	STD	460-00-4	Bromofluorobenzene	48		ng			7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9293	50	96%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-444	OB-271	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9295				
NAL13026-444	OB-271	ORG	74-87-3	Chloromethane		U	ug/L	500	43.07	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9295				
NAL13026-444	OB-271	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9295				
NAL13026-444	OB-271	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9295				
NAL13026-444	OB-271	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9295				
NAL13026-444	OB-271	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9295				
NAL13026-444	OB-271	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9295				
NAL13026-444	OB-271	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9295				
NAL13026-444	OB-271	ORG	67-64-1	Acetone	42000	D	ug/L	10000	1556.07	7/6/2013	7/6/2013	7/6/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9296				
NAL13026-444	OB-271	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9295				
NAL13026-444	OB-271	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9295				
NAL13026-444	OB-271	ORG	75-34-3	1,1-Dichloroethane		UX-	ug/L	100	52.66	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9295				
NAL13026-444	OB-271	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9295				
NAL13026-444	OB-271	ORG	74-97-5	Bromochloromethane		U	ug/L	200	81.18	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9295				
NAL13026-444	OB-271	ORG	67-66-3	Chloroform		U	ug/L	100	41.37	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9295				
NAL13026-444	OB-271	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	15.73	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9295				
NAL13026-444	OB-271	ORG	78-93-3	2-Butanone	25000	D	ug/L	10000	166.52	7/6/2013	7/6/2013	7/6/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9296				
NAL13026-444	OB-271	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9295				
NAL13026-444	OB-271	ORG	71-43-2	Benzene		U	ug/L	100	13.53	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9295				
NAL13026-444	OB-271	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9295				
NAL13026-444	OB-271	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9295				
NAL13026-444	OB-271	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9295				
NAL13026-444	OB-271	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9295				
NAL13026-444	OB-271	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9295				
NAL13026-444	OB-271	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9295				
NAL13026-444	OB-271	ORG	108-88-3	Toluene		U	ug/L	100	20.96	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9295				
NAL13026-444	OB-271	ORG	108-10-1	4-Methyl-2-pentanone	620		ug/L	500	74.00	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9295				
NAL13026-444	OB-271	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9295				
NAL13026-444	OB-271	ORG	127-18-4	Tetrachloroethene		UX-	ug/L	100	48.56	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9295				
NAL13026-444	OB-271	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9295				
NAL13026-444	OB-271	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	68.90	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9295				
NAL13026-444	OB-271	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	29.90	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9295				
NAL13026-444	OB-271	ORG	591-78-6	2-Hexanone		U	ug/L	500	26.49	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9295				
NAL13026-444	OB-271	ORG	100-41-4	Ethylbenzene		U	ug/L	100	25.38	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9295				
NAL13026-444	OB-271	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9295				
NAL13026-444	OB-271	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9295				
NAL13026-444	OB-271	ORG	XYLMP	p&m-Xylene		U	ug/L	200	26.14	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9295				
NAL13026-444	OB-271	ORG	95-47-6	o-Xylene		U	ug/L	100	12.90	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9295				
NAL13026-444	OB-271	ORG	100-42-5	Styrene		U	ug/L	100	20.23	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9295				
NAL13026-444	OB-271	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9295				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-444	OB-271	ORG	98-82-8	Isopropylbenzene		U	ug/L	200	20.48	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9295				
NAL13026-444	OB-271	ORG	103-65-1	n-Propylbenzene		U	ug/L	200	27.00	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9295				
NAL13026-444	OB-271	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9295				
NAL13026-444	OB-271	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9295				
NAL13026-444	OB-271	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	200	20.03	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9295				
NAL13026-444	OB-271	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9295				
NAL13026-444	OB-271	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	200	20.03	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9295				
NAL13026-444	OB-271	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9295				
NAL13026-444	OB-271	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9295				
NAL13026-444	OB-271	ORG	99-87-6	p-Isopropltoluene		U	ug/L	200	25.48	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9295				
NAL13026-444	OB-271	ORG	106-46-7	1,4-Dichlorobenzene		U	ug/L	200	33.03	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9295				
NAL13026-444	OB-271	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9295				
NAL13026-444	OB-271	ORG	104-51-8	n-Butylbenzene		U	ug/L	500	27.81	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9295				
NAL13026-444	OB-271	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9295				
NAL13026-444	OB-271	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9295				
NAL13026-444	OB-271	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9295				
NAL13026-444	OB-271	ORG	91-20-3	Naphthalene	120	J	ug/L	500	56.04	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9295				
NAL13026-444	OB-271	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9295				
NAL13026-444	OB-271	STD	1868-53-7	Dibromofluoromethane	50		ng			7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9295	50	100%		
NAL13026-444	OB-271	STD	17060-07-0	1,2-Dichloroethane d4	50		ng			7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9295	50	100%		
NAL13026-444	OB-271	STD	2037-26-5	Toluene d8	47		ng			7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9295	50	94%		
NAL13026-444	OB-271	STD	460-00-4	Bromofluorobenzene	47		ng			7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9295	50	94%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-445	273-ST T1	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9302				
NAL13026-445	273-ST T1	ORG	74-87-3	Chloromethane		U	ug/L	500	43.07	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9302				
NAL13026-445	273-ST T1	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9302				
NAL13026-445	273-ST T1	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9302				
NAL13026-445	273-ST T1	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9302				
NAL13026-445	273-ST T1	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9302				
NAL13026-445	273-ST T1	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9302				
NAL13026-445	273-ST T1	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9302				
NAL13026-445	273-ST T1	ORG	67-64-1	Acetone	82000	D	ug/L	10000	1556.07	7/6/2013	7/6/2013	7/6/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9309				
NAL13026-445	273-ST T1	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9302				
NAL13026-445	273-ST T1	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9302				
NAL13026-445	273-ST T1	ORG	75-34-3	1,1-Dichloroethane		UX-	ug/L	100	52.66	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9302				
NAL13026-445	273-ST T1	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9302				
NAL13026-445	273-ST T1	ORG	74-97-5	Bromochloromethane		U	ug/L	200	81.18	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9302				
NAL13026-445	273-ST T1	ORG	67-66-3	Chloroform		U	ug/L	100	41.37	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9302				
NAL13026-445	273-ST T1	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	15.73	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9302				
NAL13026-445	273-ST T1	ORG	78-93-3	2-Butanone	43000	D	ug/L	10000	166.52	7/6/2013	7/6/2013	7/6/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9309				
NAL13026-445	273-ST T1	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9302				
NAL13026-445	273-ST T1	ORG	71-43-2	Benzene		U	ug/L	100	13.53	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9302				
NAL13026-445	273-ST T1	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9302				
NAL13026-445	273-ST T1	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9302				
NAL13026-445	273-ST T1	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9302				
NAL13026-445	273-ST T1	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9302				
NAL13026-445	273-ST T1	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9302				
NAL13026-445	273-ST T1	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9302				
NAL13026-445	273-ST T1	ORG	108-88-3	Toluene		U	ug/L	100	20.96	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9302				
NAL13026-445	273-ST T1	ORG	108-10-1	4-Methyl-2-pentanone	1500		ug/L	500	74.00	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9302				
NAL13026-445	273-ST T1	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9302				
NAL13026-445	273-ST T1	ORG	127-18-4	Tetrachloroethene		UX-	ug/L	100	48.56	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9302				
NAL13026-445	273-ST T1	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9302				
NAL13026-445	273-ST T1	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	68.90	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9302				
NAL13026-445	273-ST T1	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	29.90	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9302				
NAL13026-445	273-ST T1	ORG	591-78-6	2-Hexanone	600		ug/L	500	26.49	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9302				
NAL13026-445	273-ST T1	ORG	100-41-4	Ethylbenzene		U	ug/L	100	25.38	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9302				
NAL13026-445	273-ST T1	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9302				
NAL13026-445	273-ST T1	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9302				
NAL13026-445	273-ST T1	ORG	XYLMP	p&m-Xylene	45	J	ug/L	200	26.14	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9302				
NAL13026-445	273-ST T1	ORG	95-47-6	o-Xylene	17	J	ug/L	100	12.90	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9302				
NAL13026-445	273-ST T1	ORG	100-42-5	Styrene	42	J	ug/L	100	20.23	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9302				
NAL13026-445	273-ST T1	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9302				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-445	273-ST T1	ORG	98-82-8	Isopropylbenzene		U	ug/L	200	20.48	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9302				
NAL13026-445	273-ST T1	ORG	103-65-1	n-Propylbenzene		U	ug/L	200	27.00	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9302				
NAL13026-445	273-ST T1	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9302				
NAL13026-445	273-ST T1	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9302				
NAL13026-445	273-ST T1	ORG	108-67-8	1,3,5-Trimethylbenzene	26	J	ug/L	200	20.03	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9302				
NAL13026-445	273-ST T1	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9302				
NAL13026-445	273-ST T1	ORG	95-63-6	1,2,4-Trimethylbenzene	32	J	ug/L	200	20.03	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9302				
NAL13026-445	273-ST T1	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9302				
NAL13026-445	273-ST T1	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9302				
NAL13026-445	273-ST T1	ORG	99-87-6	p-Isopropltoluene	80	J	ug/L	200	25.48	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9302				
NAL13026-445	273-ST T1	ORG	106-46-7	1,4-Dichlorobenzene	63	J	ug/L	200	33.03	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9302				
NAL13026-445	273-ST T1	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9302				
NAL13026-445	273-ST T1	ORG	104-51-8	n-Butylbenzene		U	ug/L	500	27.81	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9302				
NAL13026-445	273-ST T1	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9302				
NAL13026-445	273-ST T1	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9302				
NAL13026-445	273-ST T1	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9302				
NAL13026-445	273-ST T1	ORG	91-20-3	Naphthalene	300	J	ug/L	500	56.04	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9302				
NAL13026-445	273-ST T1	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9302				
NAL13026-445	273-ST T1	STD	1868-53-7	Dibromofluoromethane	51		ng			7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9302	50	102%		
NAL13026-445	273-ST T1	STD	17060-07-0	1,2-Dichloroethane d4	51		ng			7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9302	50	102%		
NAL13026-445	273-ST T1	STD	2037-26-5	Toluene d8	48		ng			7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9302	50	96%		
NAL13026-445	273-ST T1	STD	460-00-4	Bromofluorobenzene	48		ng			7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9302	50	96%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-446	273-ST T2	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9303				
NAL13026-446	273-ST T2	ORG	74-87-3	Chloromethane		U	ug/L	500	43.07	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9303				
NAL13026-446	273-ST T2	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9303				
NAL13026-446	273-ST T2	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9303				
NAL13026-446	273-ST T2	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9303				
NAL13026-446	273-ST T2	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9303				
NAL13026-446	273-ST T2	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9303				
NAL13026-446	273-ST T2	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9303				
NAL13026-446	273-ST T2	ORG	67-64-1	Acetone	92000	D	ug/L	10000	1556.07	7/6/2013	7/6/2013	7/6/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9310				
NAL13026-446	273-ST T2	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9303				
NAL13026-446	273-ST T2	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9303				
NAL13026-446	273-ST T2	ORG	75-34-3	1,1-Dichloroethane		UX-	ug/L	100	52.66	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9303				
NAL13026-446	273-ST T2	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9303				
NAL13026-446	273-ST T2	ORG	74-97-5	Bromochloromethane		U	ug/L	200	81.18	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9303				
NAL13026-446	273-ST T2	ORG	67-66-3	Chloroform		U	ug/L	100	41.37	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9303				
NAL13026-446	273-ST T2	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	15.73	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9303				
NAL13026-446	273-ST T2	ORG	78-93-3	2-Butanone	48000	D	ug/L	10000	166.52	7/6/2013	7/6/2013	7/6/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9310				
NAL13026-446	273-ST T2	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9303				
NAL13026-446	273-ST T2	ORG	71-43-2	Benzene		U	ug/L	100	13.53	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9303				
NAL13026-446	273-ST T2	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9303				
NAL13026-446	273-ST T2	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9303				
NAL13026-446	273-ST T2	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9303				
NAL13026-446	273-ST T2	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9303				
NAL13026-446	273-ST T2	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9303				
NAL13026-446	273-ST T2	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9303				
NAL13026-446	273-ST T2	ORG	108-88-3	Toluene		U	ug/L	100	20.96	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9303				
NAL13026-446	273-ST T2	ORG	108-10-1	4-Methyl-2-pentanone	1600		ug/L	500	74.00	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9303				
NAL13026-446	273-ST T2	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9303				
NAL13026-446	273-ST T2	ORG	127-18-4	Tetrachloroethene		UX-	ug/L	100	48.56	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9303				
NAL13026-446	273-ST T2	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9303				
NAL13026-446	273-ST T2	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	68.90	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9303				
NAL13026-446	273-ST T2	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	29.90	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9303				
NAL13026-446	273-ST T2	ORG	591-78-6	2-Hexanone	700	X+	ug/L	500	26.49	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9303				
NAL13026-446	273-ST T2	ORG	100-41-4	Ethylbenzene	66	J	ug/L	100	25.38	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9303				
NAL13026-446	273-ST T2	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9303				
NAL13026-446	273-ST T2	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9303				
NAL13026-446	273-ST T2	ORG	XYLMP	p&m-Xylene	190	J	ug/L	200	26.14	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9303				
NAL13026-446	273-ST T2	ORG	95-47-6	o-Xylene	100		ug/L	100	12.90	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9303				
NAL13026-446	273-ST T2	ORG	100-42-5	Styrene	50	J	ug/L	100	20.23	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9303				
NAL13026-446	273-ST T2	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9303				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-446	273-ST T2	ORG	98-82-8	Isopropylbenzene	130	J	ug/L	200	20.48	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9303				
NAL13026-446	273-ST T2	ORG	103-65-1	n-Propylbenzene	110	J	ug/L	200	27.00	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9303				
NAL13026-446	273-ST T2	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9303				
NAL13026-446	273-ST T2	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9303				
NAL13026-446	273-ST T2	ORG	108-67-8	1,3,5-Trimethylbenzene	250		ug/L	200	20.03	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9303				
NAL13026-446	273-ST T2	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9303				
NAL13026-446	273-ST T2	ORG	95-63-6	1,2,4-Trimethylbenzene	970		ug/L	200	20.03	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9303				
NAL13026-446	273-ST T2	ORG	135-98-8	sec-Butylbenzene	140	J	ug/L	200	32.34	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9303				
NAL13026-446	273-ST T2	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9303				
NAL13026-446	273-ST T2	ORG	99-87-6	p-Isopropltoluene	5400		ug/L	200	25.48	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9303				
NAL13026-446	273-ST T2	ORG	106-46-7	1,4-Dichlorobenzene	1100		ug/L	200	33.03	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9303				
NAL13026-446	273-ST T2	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9303				
NAL13026-446	273-ST T2	ORG	104-51-8	n-Butylbenzene	250	J	ug/L	500	27.81	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9303				
NAL13026-446	273-ST T2	ORG	96-12-8	1,2-Dibromo-3-chloropropane	2200		ug/L	500	159.11	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9303				
NAL13026-446	273-ST T2	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9303				
NAL13026-446	273-ST T2	ORG	120-82-1	1,2,4-Trichlorobenzene	89	J	ug/L	500	27.63	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9303				
NAL13026-446	273-ST T2	ORG	91-20-3	Naphthalene	1700		ug/L	500	56.04	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9303				
NAL13026-446	273-ST T2	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9303				
NAL13026-446	273-ST T2	STD	1868-53-7	Dibromofluoromethane	50		ng			7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9303	50	100%		
NAL13026-446	273-ST T2	STD	17060-07-0	1,2-Dichloroethane d4	51		ng			7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9303	50	102%		
NAL13026-446	273-ST T2	STD	2037-26-5	Toluene d8	48		ng			7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9303	50	96%		
NAL13026-446	273-ST T2	STD	460-00-4	Bromofluorobenzene	50		ng			7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9303	50	100%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-447	273-ST T3	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9304				
NAL13026-447	273-ST T3	ORG	74-87-3	Chloromethane		U	ug/L	500	43.07	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9304				
NAL13026-447	273-ST T3	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9304				
NAL13026-447	273-ST T3	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9304				
NAL13026-447	273-ST T3	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9304				
NAL13026-447	273-ST T3	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9304				
NAL13026-447	273-ST T3	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9304				
NAL13026-447	273-ST T3	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9304				
NAL13026-447	273-ST T3	ORG	67-64-1	Acetone	77000	D	ug/L	10000	1556.07	7/6/2013	7/6/2013	7/6/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9311				
NAL13026-447	273-ST T3	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9304				
NAL13026-447	273-ST T3	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9304				
NAL13026-447	273-ST T3	ORG	75-34-3	1,1-Dichloroethane		UX-	ug/L	100	52.66	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9304				
NAL13026-447	273-ST T3	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9304				
NAL13026-447	273-ST T3	ORG	74-97-5	Bromochloromethane		U	ug/L	200	81.18	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9304				
NAL13026-447	273-ST T3	ORG	67-66-3	Chloroform		U	ug/L	100	41.37	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9304				
NAL13026-447	273-ST T3	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	15.73	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9304				
NAL13026-447	273-ST T3	ORG	78-93-3	2-Butanone	38000	D	ug/L	10000	166.52	7/6/2013	7/6/2013	7/6/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9311				
NAL13026-447	273-ST T3	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9304				
NAL13026-447	273-ST T3	ORG	71-43-2	Benzene	14	J	ug/L	100	13.53	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9304				
NAL13026-447	273-ST T3	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9304				
NAL13026-447	273-ST T3	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9304				
NAL13026-447	273-ST T3	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9304				
NAL13026-447	273-ST T3	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9304				
NAL13026-447	273-ST T3	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9304				
NAL13026-447	273-ST T3	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9304				
NAL13026-447	273-ST T3	ORG	108-88-3	Toluene	24	J	ug/L	100	20.96	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9304				
NAL13026-447	273-ST T3	ORG	108-10-1	4-Methyl-2-pentanone	1200		ug/L	500	74.00	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9304				
NAL13026-447	273-ST T3	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9304				
NAL13026-447	273-ST T3	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9304				
NAL13026-447	273-ST T3	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9304				
NAL13026-447	273-ST T3	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	68.90	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9304				
NAL13026-447	273-ST T3	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	29.90	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9304				
NAL13026-447	273-ST T3	ORG	591-78-6	2-Hexanone	380	JX+	ug/L	500	26.49	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9304				
NAL13026-447	273-ST T3	ORG	100-41-4	Ethylbenzene	76	J	ug/L	100	25.38	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9304				
NAL13026-447	273-ST T3	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9304				
NAL13026-447	273-ST T3	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9304				
NAL13026-447	273-ST T3	ORG	XYLMP	p&m-Xylene	210		ug/L	200	26.14	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9304				
NAL13026-447	273-ST T3	ORG	95-47-6	o-Xylene	120		ug/L	100	12.90	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9304				
NAL13026-447	273-ST T3	ORG	100-42-5	Styrene	59	J	ug/L	100	20.23	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9304				
NAL13026-447	273-ST T3	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9304				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-447	273-ST T3	ORG	98-82-8	Isopropylbenzene	130	J	ug/L	200	20.48	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9304				
NAL13026-447	273-ST T3	ORG	103-65-1	n-Propylbenzene	110	J	ug/L	200	27.00	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9304				
NAL13026-447	273-ST T3	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9304				
NAL13026-447	273-ST T3	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9304				
NAL13026-447	273-ST T3	ORG	108-67-8	1,3,5-Trimethylbenzene	270		ug/L	200	20.03	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9304				
NAL13026-447	273-ST T3	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9304				
NAL13026-447	273-ST T3	ORG	95-63-6	1,2,4-Trimethylbenzene	1000		ug/L	200	20.03	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9304				
NAL13026-447	273-ST T3	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9304				
NAL13026-447	273-ST T3	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9304				
NAL13026-447	273-ST T3	ORG	99-87-6	p-Isopropltoluene	5600		ug/L	200	25.48	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9304				
NAL13026-447	273-ST T3	ORG	106-46-7	1,4-Dichlorobenzene	1100		ug/L	200	33.03	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9304				
NAL13026-447	273-ST T3	ORG	95-50-1	1,2-Dichlorobenzene	58	J	ug/L	200	26.38	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9304				
NAL13026-447	273-ST T3	ORG	104-51-8	n-Butylbenzene	270	J	ug/L	500	27.81	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9304				
NAL13026-447	273-ST T3	ORG	96-12-8	1,2-Dibromo-3-chloropropane	2000		ug/L	500	159.11	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9304				
NAL13026-447	273-ST T3	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9304				
NAL13026-447	273-ST T3	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9304				
NAL13026-447	273-ST T3	ORG	91-20-3	Naphthalene	1800		ug/L	500	56.04	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9304				
NAL13026-447	273-ST T3	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9304				
NAL13026-447	273-ST T3	STD	1868-53-7	Dibromofluoromethane	50		ng			7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9304	50	100%		
NAL13026-447	273-ST T3	STD	17060-07-0	1,2-Dichloroethane d4	51		ng			7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9304	50	102%		
NAL13026-447	273-ST T3	STD	2037-26-5	Toluene d8	48		ng			7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9304	50	96%		
NAL13026-447	273-ST T3	STD	460-00-4	Bromofluorobenzene	50		ng			7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9304	50	100%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-448	273-ST T4	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9305				
NAL13026-448	273-ST T4	ORG	74-87-3	Chloromethane		U	ug/L	500	43.07	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9305				
NAL13026-448	273-ST T4	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9305				
NAL13026-448	273-ST T4	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9305				
NAL13026-448	273-ST T4	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9305				
NAL13026-448	273-ST T4	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9305				
NAL13026-448	273-ST T4	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9305				
NAL13026-448	273-ST T4	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9305				
NAL13026-448	273-ST T4	ORG	67-64-1	Acetone	83000	D	ug/L	10000	1556.07	7/6/2013	7/6/2013	7/6/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9312				
NAL13026-448	273-ST T4	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9305				
NAL13026-448	273-ST T4	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9305				
NAL13026-448	273-ST T4	ORG	75-34-3	1,1-Dichloroethane		UX-	ug/L	100	52.66	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9305				
NAL13026-448	273-ST T4	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9305				
NAL13026-448	273-ST T4	ORG	74-97-5	Bromochloromethane		U	ug/L	200	81.18	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9305				
NAL13026-448	273-ST T4	ORG	67-66-3	Chloroform		U	ug/L	100	41.37	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9305				
NAL13026-448	273-ST T4	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	15.73	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9305				
NAL13026-448	273-ST T4	ORG	78-93-3	2-Butanone	40000	D	ug/L	10000	166.52	7/6/2013	7/6/2013	7/6/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9312				
NAL13026-448	273-ST T4	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9305				
NAL13026-448	273-ST T4	ORG	71-43-2	Benzene		U	ug/L	100	13.53	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9305				
NAL13026-448	273-ST T4	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9305				
NAL13026-448	273-ST T4	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9305				
NAL13026-448	273-ST T4	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9305				
NAL13026-448	273-ST T4	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9305				
NAL13026-448	273-ST T4	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9305				
NAL13026-448	273-ST T4	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9305				
NAL13026-448	273-ST T4	ORG	108-88-3	Toluene		U	ug/L	100	20.96	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9305				
NAL13026-448	273-ST T4	ORG	108-10-1	4-Methyl-2-pentanone	1400		ug/L	500	74.00	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9305				
NAL13026-448	273-ST T4	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9305				
NAL13026-448	273-ST T4	ORG	127-18-4	Tetrachloroethene		UX-	ug/L	100	48.56	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9305				
NAL13026-448	273-ST T4	ORG	79-00-5	1,1,2-Trichloroethane	96	J	ug/L	100	34.28	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9305				
NAL13026-448	273-ST T4	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	68.90	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9305				
NAL13026-448	273-ST T4	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	29.90	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9305				
NAL13026-448	273-ST T4	ORG	591-78-6	2-Hexanone	480	JX+	ug/L	500	26.49	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9305				
NAL13026-448	273-ST T4	ORG	100-41-4	Ethylbenzene		U	ug/L	100	25.38	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9305				
NAL13026-448	273-ST T4	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9305				
NAL13026-448	273-ST T4	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9305				
NAL13026-448	273-ST T4	ORG	XYLMP	p&m-Xylene	53	J	ug/L	200	26.14	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9305				
NAL13026-448	273-ST T4	ORG	95-47-6	o-Xylene	42	J	ug/L	100	12.90	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9305				
NAL13026-448	273-ST T4	ORG	100-42-5	Styrene	30	J	ug/L	100	20.23	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9305				
NAL13026-448	273-ST T4	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9305				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-448	273-ST T4	ORG	98-82-8	Isopropylbenzene	53	J	ug/L	200	20.48	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9305				
NAL13026-448	273-ST T4	ORG	103-65-1	n-Propylbenzene	41	J	ug/L	200	27.00	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9305				
NAL13026-448	273-ST T4	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9305				
NAL13026-448	273-ST T4	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9305				
NAL13026-448	273-ST T4	ORG	108-67-8	1,3,5-Trimethylbenzene	120	J	ug/L	200	20.03	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9305				
NAL13026-448	273-ST T4	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9305				
NAL13026-448	273-ST T4	ORG	95-63-6	1,2,4-Trimethylbenzene	450		ug/L	200	20.03	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9305				
NAL13026-448	273-ST T4	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9305				
NAL13026-448	273-ST T4	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9305				
NAL13026-448	273-ST T4	ORG	99-87-6	p-Isopropltoluene	2700		ug/L	200	25.48	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9305				
NAL13026-448	273-ST T4	ORG	106-46-7	1,4-Dichlorobenzene	560		ug/L	200	33.03	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9305				
NAL13026-448	273-ST T4	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9305				
NAL13026-448	273-ST T4	ORG	104-51-8	n-Butylbenzene	150	J	ug/L	500	27.81	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9305				
NAL13026-448	273-ST T4	ORG	96-12-8	1,2-Dibromo-3-chloropropane	1400		ug/L	500	159.11	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9305				
NAL13026-448	273-ST T4	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9305				
NAL13026-448	273-ST T4	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9305				
NAL13026-448	273-ST T4	ORG	91-20-3	Naphthalene	1200		ug/L	500	56.04	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9305				
NAL13026-448	273-ST T4	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9305				
NAL13026-448	273-ST T4	STD	1868-53-7	Dibromofluoromethane	50		ng			7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9305	50	100%		
NAL13026-448	273-ST T4	STD	17060-07-0	1,2-Dichloroethane d4	52		ng			7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9305	50	104%		
NAL13026-448	273-ST T4	STD	2037-26-5	Toluene d8	49		ng			7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9305	50	98%		
NAL13026-448	273-ST T4	STD	460-00-4	Bromofluorobenzene	50		ng			7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9305	50	100%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J070613CCVA	J070613CCVA	ORG	75-71-8	Dichlorodifluoromethane	57		ug/L	5	0.29	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9291	50	114%		
J070613CCVA	J070613CCVA	ORG	74-87-3	Chloromethane	51		ug/L	5	0.43	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9291	50	102%		
J070613CCVA	J070613CCVA	ORG	75-01-4	Vinyl chloride	48		ug/L	2	0.32	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9291	50	96%		
J070613CCVA	J070613CCVA	ORG	74-83-9	Bromomethane	47		ug/L	5	0.50	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9291	50	94%		
J070613CCVA	J070613CCVA	ORG	75-00-3	Chloroethane	59		ug/L	5	0.56	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9291	50	118%		
J070613CCVA	J070613CCVA	ORG	75-69-4	Trichlorofluoromethane	56		ug/L	5	0.20	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9291	50	112%		
J070613CCVA	J070613CCVA	ORG	75-35-4	1,1-Dichloroethene	52		ug/L	1	0.47	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9291	50	104%		
J070613CCVA	J070613CCVA	ORG	75-09-2	Methylene chloride	53		ug/L	5	0.26	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9291	50	106%		
J070613CCVA	J070613CCVA	ORG	67-64-1	Acetone	56		ug/L	10	1.56	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9291	50	112%		
J070613CCVA	J070613CCVA	ORG	156-60-5	trans-1,2-Dichloroethene	50		ug/L	1	0.56	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9291	50	100%		
J070613CCVA	J070613CCVA	ORG	1634-04-4	MTBE	49		ug/L	5	0.61	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9291	50	98%		
J070613CCVA	J070613CCVA	ORG	75-34-3	1,1-Dichloroethane	39		ug/L	1	0.53	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9291	50	78%		
J070613CCVA	J070613CCVA	ORG	156-59-2	cis-1,2-Dichloroethene	49		ug/L	1	0.32	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9291	50	98%		
J070613CCVA	J070613CCVA	ORG	74-97-5	Bromochloromethane	50		ug/L	10	0.81	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9291	50	100%		
J070613CCVA	J070613CCVA	ORG	67-66-3	Chloroform	48		ug/L	2	0.41	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9291	50	96%		
J070613CCVA	J070613CCVA	ORG	71-55-6	1,1,1-Trichloroethane	48		ug/L	1	0.16	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9291	50	96%		
J070613CCVA	J070613CCVA	ORG	78-93-3	2-Butanone	57		ug/L	1	0.17	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9291	50	114%		
J070613CCVA	J070613CCVA	ORG	56-23-5	Carbon tetrachloride	49		ug/L	1	0.28	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9291	50	98%		
J070613CCVA	J070613CCVA	ORG	71-43-2	Benzene	47		ug/L	1	0.14	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9291	50	94%		
J070613CCVA	J070613CCVA	ORG	107-06-2	1,2-Dichloroethane	49		ug/L	1	0.20	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9291	50	98%		
J070613CCVA	J070613CCVA	ORG	79-01-6	Trichloroethene	49		ug/L	1	0.36	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9291	50	98%		
J070613CCVA	J070613CCVA	ORG	74-95-3	Dibromomethane	50		ug/L	2	0.32	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9291	50	100%		
J070613CCVA	J070613CCVA	ORG	78-87-5	1,2-Dichloropropane	47		ug/L	1	0.18	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9291	50	94%		
J070613CCVA	J070613CCVA	ORG	75-27-4	Bromodichloromethane	49		ug/L	2	0.12	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9291	50	98%		
J070613CCVA	J070613CCVA	ORG	10061-01-5	cis-1,3-Dichloropropene	49		ug/L	1	0.25	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9291	50	98%		
J070613CCVA	J070613CCVA	ORG	108-88-3	Toluene	47		ug/L	5	0.74	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9291	50	94%		
J070613CCVA	J070613CCVA	ORG	108-10-1	4-Methyl-2-pentanone	59		ug/L	1	0.21	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9291	50	118%		
J070613CCVA	J070613CCVA	ORG	10061-02-6	trans-1,3-Dichloropropene	52		ug/L	1	0.31	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9291	50	104%		
J070613CCVA	J070613CCVA	ORG	127-18-4	Tetrachloroethene	39		ug/L	1	0.49	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9291	50	78%		
J070613CCVA	J070613CCVA	ORG	79-00-5	1,1,2-Trichloroethane	49		ug/L	1	0.34	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9291	50	98%		
J070613CCVA	J070613CCVA	ORG	124-48-1	Dibromochloromethane	52		ug/L	5	0.69	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9291	50	104%		
J070613CCVA	J070613CCVA	ORG	106-93-4	1,2-Dibromoethane	50		ug/L	2	0.30	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9291	50	100%		
J070613CCVA	J070613CCVA	ORG	591-78-6	2-Hexanone	65		ug/L	2	0.26	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9291	50	130%		
J070613CCVA	J070613CCVA	ORG	100-41-4	Ethylbenzene	47		ug/L	1	0.25	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9291	50	94%		
J070613CCVA	J070613CCVA	ORG	108-90-7	Chlorobenzene	47		ug/L	1	0.28	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9291	50	94%		
J070613CCVA	J070613CCVA	ORG	630-20-6	1,1,1,2-Tetrachloroethane	48		ug/L	2	0.19	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9291	50	96%		
J070613CCVA	J070613CCVA	ORG	XYLMP	p&m-Xylene	94		ug/L	2	0.26	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9291	100	94%		
J070613CCVA	J070613CCVA	ORG	95-47-6	o-Xylene	48		ug/L	1	0.13	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9291	50	96%		
J070613CCVA	J070613CCVA	ORG	100-42-5	Styrene	45		ug/L	1	0.20	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9291	50	90%		
J070613CCVA	J070613CCVA	ORG	75-25-2	Bromoform	53		ug/L	2	0.47	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9291	50	106%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J070613CCVA	J070613CCVA	ORG	98-82-8	Isopropylbenzene	47		ug/L	2	0.20	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9291	50	94%		
J070613CCVA	J070613CCVA	ORG	103-65-1	n-Propylbenzene	48		ug/L	2	0.27	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9291	50	96%		
J070613CCVA	J070613CCVA	ORG	79-34-5	1,1,2,2-Tetrachloroethane	52		ug/L	2	0.29	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9291	50	104%		
J070613CCVA	J070613CCVA	ORG	96-18-4	1,2,3-Trichloropropane	54		ug/L	2	0.29	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9291	50	108%		
J070613CCVA	J070613CCVA	ORG	108-67-8	1,3,5-Trimethylbenzene	47		ug/L	2	0.20	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9291	50	94%		
J070613CCVA	J070613CCVA	ORG	98-06-6	tert-Butylbenzene	48		ug/L	2	0.33	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9291	50	96%		
J070613CCVA	J070613CCVA	ORG	95-63-6	1,2,4-Trimethylbenzene	47		ug/L	2	0.20	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9291	50	94%		
J070613CCVA	J070613CCVA	ORG	135-98-8	sec-Butylbenzene	48		ug/L	2	0.32	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9291	50	96%		
J070613CCVA	J070613CCVA	ORG	541-73-1	1,3-Dichlorobenzene	50		ug/L	2	0.22	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9291	50	100%		
J070613CCVA	J070613CCVA	ORG	99-87-6	p-Isopropltoluene	48		ug/L	2	0.25	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9291	50	96%		
J070613CCVA	J070613CCVA	ORG	106-46-7	1,4-Dichlorobenzene	49		ug/L	2	0.33	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9291	50	98%		
J070613CCVA	J070613CCVA	ORG	95-50-1	1,2-Dichlorobenzene	49		ug/L	2	0.26	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9291	50	98%		
J070613CCVA	J070613CCVA	ORG	104-51-8	n-Butylbenzene	49		ug/L	5	0.28	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9291	50	98%		
J070613CCVA	J070613CCVA	ORG	96-12-8	1,2-Dibromo-3-chloropropane	53		ug/L	5	1.59	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9291	50	106%		
J070613CCVA	J070613CCVA	ORG	87-68-3	Hexachlorobutadiene	49		ug/L	5	0.65	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9291	50	98%		
J070613CCVA	J070613CCVA	ORG	120-82-1	1,2,4-Trichlorobenzene	48		ug/L	5	0.28	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9291	50	96%		
J070613CCVA	J070613CCVA	ORG	91-20-3	Naphthalene	50		ug/L	5	0.56	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9291	50	100%		
J070613CCVA	J070613CCVA	ORG	87-61-6	1,2,3-Trichlorobenzene	49		ug/L	5	0.23	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9291	50	98%		
J070613CCVA	J070613CCVA	STD	1868-53-7	Dibromofluoromethane	50		ng			NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9291	50	100%		
J070613CCVA	J070613CCVA	STD	17060-07-0	1,2-Dichloroethane d4	47		ng			NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9291	50	94%		
J070613CCVA	J070613CCVA	STD	2037-26-5	Toluene d8	49		ng			NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9291	50	98%		
J070613CCVA	J070613CCVA	STD	460-00-4	Bromofluorobenzene	49		ng			NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9291	50	98%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J070613MBKA	J070613MBKA	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	5	0.29	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9292				
J070613MBKA	J070613MBKA	ORG	74-87-3	Chloromethane		U	ug/L	5	0.43	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9292				
J070613MBKA	J070613MBKA	ORG	75-01-4	Vinyl chloride		U	ug/L	2	0.32	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9292				
J070613MBKA	J070613MBKA	ORG	74-83-9	Bromomethane		U	ug/L	5	0.50	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9292				
J070613MBKA	J070613MBKA	ORG	75-00-3	Chloroethane		U	ug/L	5	0.56	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9292				
J070613MBKA	J070613MBKA	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	5	0.20	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9292				
J070613MBKA	J070613MBKA	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	1	0.47	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9292				
J070613MBKA	J070613MBKA	ORG	75-09-2	Methylene chloride		U	ug/L	5	0.26	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9292				
J070613MBKA	J070613MBKA	ORG	67-64-1	Acetone		U	ug/L	10	1.56	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9292				
J070613MBKA	J070613MBKA	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	1	0.56	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9292				
J070613MBKA	J070613MBKA	ORG	1634-04-4	MTBE		U	ug/L	5	0.61	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9292				
J070613MBKA	J070613MBKA	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	1	0.53	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9292				
J070613MBKA	J070613MBKA	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	1	0.32	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9292				
J070613MBKA	J070613MBKA	ORG	74-97-5	Bromochloromethane		U	ug/L	10	0.81	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9292				
J070613MBKA	J070613MBKA	ORG	67-66-3	Chloroform		U	ug/L	2	0.41	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9292				
J070613MBKA	J070613MBKA	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	1	0.16	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9292				
J070613MBKA	J070613MBKA	ORG	78-93-3	2-Butanone		U	ug/L	1	0.17	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9292				
J070613MBKA	J070613MBKA	ORG	56-23-5	Carbon tetrachloride		U	ug/L	1	0.28	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9292				
J070613MBKA	J070613MBKA	ORG	71-43-2	Benzene		U	ug/L	1	0.14	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9292				
J070613MBKA	J070613MBKA	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	1	0.20	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9292				
J070613MBKA	J070613MBKA	ORG	79-01-6	Trichloroethene		U	ug/L	1	0.36	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9292				
J070613MBKA	J070613MBKA	ORG	74-95-3	Dibromomethane		U	ug/L	2	0.32	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9292				
J070613MBKA	J070613MBKA	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	1	0.18	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9292				
J070613MBKA	J070613MBKA	ORG	75-27-4	Bromodichloromethane		U	ug/L	2	0.12	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9292				
J070613MBKA	J070613MBKA	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	1	0.25	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9292				
J070613MBKA	J070613MBKA	ORG	108-88-3	Toluene		U	ug/L	5	0.74	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9292				
J070613MBKA	J070613MBKA	ORG	108-10-1	4-Methyl-2-pentanone		U	ug/L	1	0.21	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9292				
J070613MBKA	J070613MBKA	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	1	0.31	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9292				
J070613MBKA	J070613MBKA	ORG	127-18-4	Tetrachloroethene		U	ug/L	1	0.49	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9292				
J070613MBKA	J070613MBKA	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	1	0.34	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9292				
J070613MBKA	J070613MBKA	ORG	124-48-1	Dibromochloromethane		U	ug/L	5	0.69	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9292				
J070613MBKA	J070613MBKA	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	2	0.30	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9292				
J070613MBKA	J070613MBKA	ORG	591-78-6	2-Hexanone		U	ug/L	2	0.26	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9292				
J070613MBKA	J070613MBKA	ORG	100-41-4	Ethylbenzene		U	ug/L	1	0.25	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9292				
J070613MBKA	J070613MBKA	ORG	108-90-7	Chlorobenzene		U	ug/L	1	0.28	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9292				
J070613MBKA	J070613MBKA	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	2	0.19	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9292				
J070613MBKA	J070613MBKA	ORG	XYLMP	p&m-Xylene		U	ug/L	2	0.26	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9292				
J070613MBKA	J070613MBKA	ORG	95-47-6	o-Xylene		U	ug/L	1	0.13	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9292				
J070613MBKA	J070613MBKA	ORG	100-42-5	Styrene		U	ug/L	1	0.20	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9292				
J070613MBKA	J070613MBKA	ORG	75-25-2	Bromoform		U	ug/L	2	0.47	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9292				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J070613MBKA	J070613MBKA	ORG	98-82-8	Isopropylbenzene		U	ug/L	2	0.20	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9292				
J070613MBKA	J070613MBKA	ORG	103-65-1	n-Propylbenzene		U	ug/L	2	0.27	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9292				
J070613MBKA	J070613MBKA	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	2	0.29	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9292				
J070613MBKA	J070613MBKA	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	2	0.29	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9292				
J070613MBKA	J070613MBKA	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	2	0.20	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9292				
J070613MBKA	J070613MBKA	ORG	98-06-6	tert-Butylbenzene		U	ug/L	2	0.33	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9292				
J070613MBKA	J070613MBKA	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	2	0.20	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9292				
J070613MBKA	J070613MBKA	ORG	135-98-8	sec-Butylbenzene		U	ug/L	2	0.32	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9292				
J070613MBKA	J070613MBKA	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	2	0.22	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9292				
J070613MBKA	J070613MBKA	ORG	99-87-6	p-Isopropltoluene		U	ug/L	2	0.25	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9292				
J070613MBKA	J070613MBKA	ORG	106-46-7	1,4-Dichlorobenzene		U	ug/L	2	0.33	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9292				
J070613MBKA	J070613MBKA	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	2	0.26	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9292				
J070613MBKA	J070613MBKA	ORG	104-51-8	n-Butylbenzene		U	ug/L	5	0.28	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9292				
J070613MBKA	J070613MBKA	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	5	1.59	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9292				
J070613MBKA	J070613MBKA	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	5	0.65	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9292				
J070613MBKA	J070613MBKA	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	5	0.28	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9292				
J070613MBKA	J070613MBKA	ORG	91-20-3	Naphthalene		U	ug/L	5	0.56	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9292				
J070613MBKA	J070613MBKA	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	5	0.23	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9292				
J070613MBKA	J070613MBKA	STD	1868-53-7	Dibromofluoromethane	51		ng			NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9292	50	102%		
J070613MBKA	J070613MBKA	STD	17060-07-0	1,2-Dichloroethane d4	52		ng			NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9292	50	104%		
J070613MBKA	J070613MBKA	STD	2037-26-5	Toluene d8	47		ng			NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9292	50	94%		
J070613MBKA	J070613MBKA	STD	460-00-4	Bromofluorobenzene	47		ng			NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9292	50	94%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J070613CCVB	J070613CCVB	ORG	75-71-8	Dichlorodifluoromethane	51		ug/L	5	0.29	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9307	50	102%		
J070613CCVB	J070613CCVB	ORG	74-87-3	Chloromethane	43		ug/L	5	0.43	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9307	50	86%		
J070613CCVB	J070613CCVB	ORG	75-01-4	Vinyl chloride	45		ug/L	2	0.32	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9307	50	90%		
J070613CCVB	J070613CCVB	ORG	74-83-9	Bromomethane	54		ug/L	5	0.50	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9307	50	108%		
J070613CCVB	J070613CCVB	ORG	75-00-3	Chloroethane	59		ug/L	5	0.56	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9307	50	118%		
J070613CCVB	J070613CCVB	ORG	75-69-4	Trichlorofluoromethane	49		ug/L	5	0.20	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9307	50	98%		
J070613CCVB	J070613CCVB	ORG	75-35-4	1,1-Dichloroethene	48		ug/L	1	0.47	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9307	50	96%		
J070613CCVB	J070613CCVB	ORG	75-09-2	Methylene chloride	50		ug/L	5	0.26	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9307	50	100%		
J070613CCVB	J070613CCVB	ORG	67-64-1	Acetone	54		ug/L	10	1.56	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9307	50	108%		
J070613CCVB	J070613CCVB	ORG	156-60-5	trans-1,2-Dichloroethene	49		ug/L	1	0.56	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9307	50	98%		
J070613CCVB	J070613CCVB	ORG	1634-04-4	MTBE	47		ug/L	5	0.61	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9307	50	94%		
J070613CCVB	J070613CCVB	ORG	75-34-3	1,1-Dichloroethane	47		ug/L	1	0.53	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9307	50	94%		
J070613CCVB	J070613CCVB	ORG	156-59-2	cis-1,2-Dichloroethene	51		ug/L	1	0.32	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9307	50	102%		
J070613CCVB	J070613CCVB	ORG	74-97-5	Bromochloromethane	52		ug/L	10	0.81	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9307	50	104%		
J070613CCVB	J070613CCVB	ORG	67-66-3	Chloroform	50		ug/L	2	0.41	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9307	50	100%		
J070613CCVB	J070613CCVB	ORG	71-55-6	1,1,1-Trichloroethane	49		ug/L	1	0.16	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9307	50	98%		
J070613CCVB	J070613CCVB	ORG	78-93-3	2-Butanone	57		ug/L	1	0.17	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9307	50	114%		
J070613CCVB	J070613CCVB	ORG	56-23-5	Carbon tetrachloride	49		ug/L	1	0.28	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9307	50	98%		
J070613CCVB	J070613CCVB	ORG	71-43-2	Benzene	48		ug/L	1	0.14	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9307	50	96%		
J070613CCVB	J070613CCVB	ORG	107-06-2	1,2-Dichloroethane	49		ug/L	1	0.20	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9307	50	98%		
J070613CCVB	J070613CCVB	ORG	79-01-6	Trichloroethene	51		ug/L	1	0.36	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9307	50	102%		
J070613CCVB	J070613CCVB	ORG	74-95-3	Dibromomethane	51		ug/L	2	0.32	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9307	50	102%		
J070613CCVB	J070613CCVB	ORG	78-87-5	1,2-Dichloropropane	47		ug/L	1	0.18	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9307	50	94%		
J070613CCVB	J070613CCVB	ORG	75-27-4	Bromodichloromethane	46		ug/L	2	0.12	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9307	50	92%		
J070613CCVB	J070613CCVB	ORG	10061-01-5	cis-1,3-Dichloropropene	48		ug/L	1	0.25	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9307	50	96%		
J070613CCVB	J070613CCVB	ORG	108-88-3	Toluene	47		ug/L	5	0.74	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9307	50	94%		
J070613CCVB	J070613CCVB	ORG	108-10-1	4-Methyl-2-pentanone	59		ug/L	1	0.21	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9307	50	118%		
J070613CCVB	J070613CCVB	ORG	10061-02-6	trans-1,3-Dichloropropene	50		ug/L	1	0.31	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9307	50	100%		
J070613CCVB	J070613CCVB	ORG	127-18-4	Tetrachloroethene	42		ug/L	1	0.49	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9307	50	84%		
J070613CCVB	J070613CCVB	ORG	79-00-5	1,1,2-Trichloroethane	49		ug/L	1	0.34	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9307	50	98%		
J070613CCVB	J070613CCVB	ORG	124-48-1	Dibromochloromethane	52		ug/L	5	0.69	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9307	50	104%		
J070613CCVB	J070613CCVB	ORG	106-93-4	1,2-Dibromoethane	51		ug/L	2	0.30	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9307	50	102%		
J070613CCVB	J070613CCVB	ORG	591-78-6	2-Hexanone	66		ug/L	2	0.26	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9307	50	132%		
J070613CCVB	J070613CCVB	ORG	100-41-4	Ethylbenzene	45		ug/L	1	0.25	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9307	50	90%		
J070613CCVB	J070613CCVB	ORG	108-90-7	Chlorobenzene	46		ug/L	1	0.28	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9307	50	92%		
J070613CCVB	J070613CCVB	ORG	630-20-6	1,1,1,2-Tetrachloroethane	46		ug/L	2	0.19	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9307	50	92%		
J070613CCVB	J070613CCVB	ORG	XYLMP	p&m-Xylene	90		ug/L	2	0.26	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9307	100	90%		
J070613CCVB	J070613CCVB	ORG	95-47-6	o-Xylene	46		ug/L	1	0.13	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9307	50	92%		
J070613CCVB	J070613CCVB	ORG	100-42-5	Styrene	44		ug/L	1	0.20	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9307	50	88%		
J070613CCVB	J070613CCVB	ORG	75-25-2	Bromoform	53		ug/L	2	0.47	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9307	50	106%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J070613CCVB	J070613CCVB	ORG	98-82-8	Isopropylbenzene	46		ug/L	2	0.20	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9307	50	92%		
J070613CCVB	J070613CCVB	ORG	103-65-1	n-Propylbenzene	47		ug/L	2	0.27	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9307	50	94%		
J070613CCVB	J070613CCVB	ORG	79-34-5	1,1,2,2-Tetrachloroethane	55		ug/L	2	0.29	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9307	50	110%		
J070613CCVB	J070613CCVB	ORG	96-18-4	1,2,3-Trichloropropane	54		ug/L	2	0.29	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9307	50	108%		
J070613CCVB	J070613CCVB	ORG	108-67-8	1,3,5-Trimethylbenzene	46		ug/L	2	0.20	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9307	50	92%		
J070613CCVB	J070613CCVB	ORG	98-06-6	tert-Butylbenzene	46		ug/L	2	0.33	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9307	50	92%		
J070613CCVB	J070613CCVB	ORG	95-63-6	1,2,4-Trimethylbenzene	47		ug/L	2	0.20	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9307	50	94%		
J070613CCVB	J070613CCVB	ORG	135-98-8	sec-Butylbenzene	48		ug/L	2	0.32	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9307	50	96%		
J070613CCVB	J070613CCVB	ORG	541-73-1	1,3-Dichlorobenzene	51		ug/L	2	0.22	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9307	50	102%		
J070613CCVB	J070613CCVB	ORG	99-87-6	p-Isopropltoluene	49		ug/L	2	0.25	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9307	50	98%		
J070613CCVB	J070613CCVB	ORG	106-46-7	1,4-Dichlorobenzene	52		ug/L	2	0.33	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9307	50	104%		
J070613CCVB	J070613CCVB	ORG	95-50-1	1,2-Dichlorobenzene	51		ug/L	2	0.26	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9307	50	102%		
J070613CCVB	J070613CCVB	ORG	104-51-8	n-Butylbenzene	50		ug/L	5	0.28	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9307	50	100%		
J070613CCVB	J070613CCVB	ORG	96-12-8	1,2-Dibromo-3-chloropropane	52		ug/L	5	1.59	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9307	50	104%		
J070613CCVB	J070613CCVB	ORG	87-68-3	Hexachlorobutadiene	53		ug/L	5	0.65	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9307	50	106%		
J070613CCVB	J070613CCVB	ORG	120-82-1	1,2,4-Trichlorobenzene	51		ug/L	5	0.28	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9307	50	102%		
J070613CCVB	J070613CCVB	ORG	91-20-3	Naphthalene	50		ug/L	5	0.56	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9307	50	100%		
J070613CCVB	J070613CCVB	ORG	87-61-6	1,2,3-Trichlorobenzene	50		ug/L	5	0.23	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9307	50	100%		
J070613CCVB	J070613CCVB	STD	1868-53-7	Dibromofluoromethane	51		ng			NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9307	50	102%		
J070613CCVB	J070613CCVB	STD	17060-07-0	1,2-Dichloroethane d4	48		ng			NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9307	50	96%		
J070613CCVB	J070613CCVB	STD	2037-26-5	Toluene d8	48		ng			NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9307	50	96%		
J070613CCVB	J070613CCVB	STD	460-00-4	Bromofluorobenzene	48		ng			NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9307	50	96%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J070613MBKB	J070613MBKB	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	5	0.29	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9308				
J070613MBKB	J070613MBKB	ORG	74-87-3	Chloromethane		U	ug/L	5	0.43	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9308				
J070613MBKB	J070613MBKB	ORG	75-01-4	Vinyl chloride		U	ug/L	2	0.32	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9308				
J070613MBKB	J070613MBKB	ORG	74-83-9	Bromomethane		U	ug/L	5	0.50	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9308				
J070613MBKB	J070613MBKB	ORG	75-00-3	Chloroethane		U	ug/L	5	0.56	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9308				
J070613MBKB	J070613MBKB	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	5	0.20	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9308				
J070613MBKB	J070613MBKB	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	1	0.47	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9308				
J070613MBKB	J070613MBKB	ORG	75-09-2	Methylene chloride		U	ug/L	5	0.26	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9308				
J070613MBKB	J070613MBKB	ORG	67-64-1	Acetone		U	ug/L	10	1.56	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9308				
J070613MBKB	J070613MBKB	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	1	0.56	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9308				
J070613MBKB	J070613MBKB	ORG	1634-04-4	MTBE		U	ug/L	5	0.61	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9308				
J070613MBKB	J070613MBKB	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	1	0.53	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9308				
J070613MBKB	J070613MBKB	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	1	0.32	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9308				
J070613MBKB	J070613MBKB	ORG	74-97-5	Bromochloromethane		U	ug/L	10	0.81	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9308				
J070613MBKB	J070613MBKB	ORG	67-66-3	Chloroform		U	ug/L	2	0.41	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9308				
J070613MBKB	J070613MBKB	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	1	0.16	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9308				
J070613MBKB	J070613MBKB	ORG	78-93-3	2-Butanone		U	ug/L	1	0.17	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9308				
J070613MBKB	J070613MBKB	ORG	56-23-5	Carbon tetrachloride		U	ug/L	1	0.28	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9308				
J070613MBKB	J070613MBKB	ORG	71-43-2	Benzene		U	ug/L	1	0.14	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9308				
J070613MBKB	J070613MBKB	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	1	0.20	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9308				
J070613MBKB	J070613MBKB	ORG	79-01-6	Trichloroethene		U	ug/L	1	0.36	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9308				
J070613MBKB	J070613MBKB	ORG	74-95-3	Dibromomethane		U	ug/L	2	0.32	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9308				
J070613MBKB	J070613MBKB	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	1	0.18	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9308				
J070613MBKB	J070613MBKB	ORG	75-27-4	Bromodichloromethane		U	ug/L	2	0.12	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9308				
J070613MBKB	J070613MBKB	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	1	0.25	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9308				
J070613MBKB	J070613MBKB	ORG	108-88-3	Toluene		U	ug/L	5	0.74	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9308				
J070613MBKB	J070613MBKB	ORG	108-10-1	4-Methyl-2-pentanone		U	ug/L	1	0.21	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9308				
J070613MBKB	J070613MBKB	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	1	0.31	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9308				
J070613MBKB	J070613MBKB	ORG	127-18-4	Tetrachloroethene		U	ug/L	1	0.49	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9308				
J070613MBKB	J070613MBKB	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	1	0.34	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9308				
J070613MBKB	J070613MBKB	ORG	124-48-1	Dibromochloromethane		U	ug/L	5	0.69	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9308				
J070613MBKB	J070613MBKB	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	2	0.30	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9308				
J070613MBKB	J070613MBKB	ORG	591-78-6	2-Hexanone		U	ug/L	2	0.26	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9308				
J070613MBKB	J070613MBKB	ORG	100-41-4	Ethylbenzene		U	ug/L	1	0.25	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9308				
J070613MBKB	J070613MBKB	ORG	108-90-7	Chlorobenzene		U	ug/L	1	0.28	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9308				
J070613MBKB	J070613MBKB	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	2	0.19	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9308				
J070613MBKB	J070613MBKB	ORG	XYLMP	p&m-Xylene		U	ug/L	2	0.26	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9308				
J070613MBKB	J070613MBKB	ORG	95-47-6	o-Xylene		U	ug/L	1	0.13	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9308				
J070613MBKB	J070613MBKB	ORG	100-42-5	Styrene		U	ug/L	1	0.20	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9308				
J070613MBKB	J070613MBKB	ORG	75-25-2	Bromoform		U	ug/L	2	0.47	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9308				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J070613MBKB	J070613MBKB	ORG	98-82-8	Isopropylbenzene		U	ug/L	2	0.20	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9308				
J070613MBKB	J070613MBKB	ORG	103-65-1	n-Propylbenzene		U	ug/L	2	0.27	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9308				
J070613MBKB	J070613MBKB	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	2	0.29	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9308				
J070613MBKB	J070613MBKB	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	2	0.29	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9308				
J070613MBKB	J070613MBKB	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	2	0.20	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9308				
J070613MBKB	J070613MBKB	ORG	98-06-6	tert-Butylbenzene		U	ug/L	2	0.33	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9308				
J070613MBKB	J070613MBKB	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	2	0.20	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9308				
J070613MBKB	J070613MBKB	ORG	135-98-8	sec-Butylbenzene		U	ug/L	2	0.32	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9308				
J070613MBKB	J070613MBKB	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	2	0.22	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9308				
J070613MBKB	J070613MBKB	ORG	99-87-6	p-Isopropltoluene		U	ug/L	2	0.25	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9308				
J070613MBKB	J070613MBKB	ORG	106-46-7	1,4-Dichlorobenzene		U	ug/L	2	0.33	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9308				
J070613MBKB	J070613MBKB	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	2	0.26	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9308				
J070613MBKB	J070613MBKB	ORG	104-51-8	n-Butylbenzene		U	ug/L	5	0.28	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9308				
J070613MBKB	J070613MBKB	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	5	1.59	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9308				
J070613MBKB	J070613MBKB	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	5	0.65	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9308				
J070613MBKB	J070613MBKB	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	5	0.28	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9308				
J070613MBKB	J070613MBKB	ORG	91-20-3	Naphthalene		U	ug/L	5	0.56	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9308				
J070613MBKB	J070613MBKB	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	5	0.23	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9308				
J070613MBKB	J070613MBKB	STD	1868-53-7	Dibromofluoromethane	51		ng			NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9308	50	102%		
J070613MBKB	J070613MBKB	STD	17060-07-0	1,2-Dichloroethane d4	52		ng			NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9308	50	104%		
J070613MBKB	J070613MBKB	STD	2037-26-5	Toluene d8	48		ng			NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9308	50	96%		
J070613MBKB	J070613MBKB	STD	460-00-4	Bromofluorobenzene	46		ng			NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9308	50	92%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J070613ALCS	J070613ALCS	ORG	75-71-8	Dichlorodifluoromethane	46		ug/L	5	0.29	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9297	50	92%		
J070613ALCS	J070613ALCS	ORG	74-87-3	Chloromethane	43		ug/L	5	0.43	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9297	50	86%		
J070613ALCS	J070613ALCS	ORG	75-01-4	Vinyl chloride	39		ug/L	2	0.32	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9297	50	78%		
J070613ALCS	J070613ALCS	ORG	74-83-9	Bromomethane	40		ug/L	5	0.50	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9297	50	80%		
J070613ALCS	J070613ALCS	ORG	75-00-3	Chloroethane	49		ug/L	5	0.56	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9297	50	98%		
J070613ALCS	J070613ALCS	ORG	75-69-4	Trichlorofluoromethane	40		ug/L	5	0.20	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9297	50	80%		
J070613ALCS	J070613ALCS	ORG	75-35-4	1,1-Dichloroethene	45		ug/L	1	0.47	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9297	50	90%		
J070613ALCS	J070613ALCS	ORG	75-09-2	Methylene chloride	45		ug/L	5	0.26	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9297	50	90%		
J070613ALCS	J070613ALCS	ORG	67-64-1	Acetone	42		ug/L	10	1.56	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9297	50	84%		
J070613ALCS	J070613ALCS	ORG	156-60-5	trans-1,2-Dichloroethene	45		ug/L	1	0.56	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9297	50	90%		
J070613ALCS	J070613ALCS	ORG	1634-04-4	MTBE	43		ug/L	5	0.61	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9297	50	86%		
J070613ALCS	J070613ALCS	ORG	75-34-3	1,1-Dichloroethane	53		ug/L	1	0.53	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9297	50	106%		
J070613ALCS	J070613ALCS	ORG	156-59-2	cis-1,2-Dichloroethene	49		ug/L	1	0.32	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9297	50	98%		
J070613ALCS	J070613ALCS	ORG	74-97-5	Bromochloromethane	49		ug/L	10	0.81	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9297	50	98%		
J070613ALCS	J070613ALCS	ORG	67-66-3	Chloroform	48		ug/L	2	0.41	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9297	50	96%		
J070613ALCS	J070613ALCS	ORG	71-55-6	1,1,1-Trichloroethane	48		ug/L	1	0.16	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9297	50	96%		
J070613ALCS	J070613ALCS	ORG	78-93-3	2-Butanone	50		ug/L	1	0.17	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9297	50	100%		
J070613ALCS	J070613ALCS	ORG	56-23-5	Carbon tetrachloride	49		ug/L	1	0.28	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9297	50	98%		
J070613ALCS	J070613ALCS	ORG	71-43-2	Benzene	46		ug/L	1	0.14	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9297	50	92%		
J070613ALCS	J070613ALCS	ORG	107-06-2	1,2-Dichloroethane	47		ug/L	1	0.20	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9297	50	94%		
J070613ALCS	J070613ALCS	ORG	79-01-6	Trichloroethene	50		ug/L	1	0.36	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9297	50	100%		
J070613ALCS	J070613ALCS	ORG	74-95-3	Dibromomethane	48		ug/L	2	0.32	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9297	50	96%		
J070613ALCS	J070613ALCS	ORG	78-87-5	1,2-Dichloropropane	44		ug/L	1	0.18	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9297	50	88%		
J070613ALCS	J070613ALCS	ORG	75-27-4	Bromodichloromethane	49		ug/L	2	0.12	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9297	50	98%		
J070613ALCS	J070613ALCS	ORG	10061-01-5	cis-1,3-Dichloropropene	47		ug/L	1	0.25	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9297	50	94%		
J070613ALCS	J070613ALCS	ORG	108-88-3	Toluene	48		ug/L	5	0.74	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9297	50	96%		
J070613ALCS	J070613ALCS	ORG	108-10-1	4-Methyl-2-pentanone	52		ug/L	1	0.21	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9297	50	104%		
J070613ALCS	J070613ALCS	ORG	10061-02-6	trans-1,3-Dichloropropene	49		ug/L	1	0.31	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9297	50	98%		
J070613ALCS	J070613ALCS	ORG	127-18-4	Tetrachloroethene	45		ug/L	1	0.49	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9297	50	90%		
J070613ALCS	J070613ALCS	ORG	79-00-5	1,1,2-Trichloroethane	48		ug/L	1	0.34	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9297	50	96%		
J070613ALCS	J070613ALCS	ORG	124-48-1	Dibromochloromethane	50		ug/L	5	0.69	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9297	50	100%		
J070613ALCS	J070613ALCS	ORG	106-93-4	1,2-Dibromoethane	50		ug/L	2	0.30	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9297	50	100%		
J070613ALCS	J070613ALCS	ORG	591-78-6	2-Hexanone	55		ug/L	2	0.26	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9297	50	110%		
J070613ALCS	J070613ALCS	ORG	100-41-4	Ethylbenzene	43		ug/L	1	0.25	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9297	50	86%		
J070613ALCS	J070613ALCS	ORG	108-90-7	Chlorobenzene	43		ug/L	1	0.28	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9297	50	86%		
J070613ALCS	J070613ALCS	ORG	630-20-6	1,1,1,2-Tetrachloroethane	41		ug/L	2	0.19	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9297	50	82%		
J070613ALCS	J070613ALCS	ORG	XYLMP	p&m-Xylene	88		ug/L	2	0.26	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9297	100	88%		
J070613ALCS	J070613ALCS	ORG	95-47-6	o-Xylene	41		ug/L	1	0.13	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9297	50	82%		
J070613ALCS	J070613ALCS	ORG	100-42-5	Styrene	41		ug/L	1	0.20	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9297	50	82%		
J070613ALCS	J070613ALCS	ORG	75-25-2	Bromoform	52		ug/L	2	0.47	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9297	50	104%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J070613ALCS	J070613ALCS	ORG	98-82-8	Isopropylbenzene	44		ug/L	2	0.20	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9297	50	88%		
J070613ALCS	J070613ALCS	ORG	103-65-1	n-Propylbenzene	46		ug/L	2	0.27	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9297	50	92%		
J070613ALCS	J070613ALCS	ORG	79-34-5	1,1,2,2-Tetrachloroethane	55		ug/L	2	0.29	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9297	50	110%		
J070613ALCS	J070613ALCS	ORG	96-18-4	1,2,3-Trichloropropane	52		ug/L	2	0.29	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9297	50	104%		
J070613ALCS	J070613ALCS	ORG	108-67-8	1,3,5-Trimethylbenzene	45		ug/L	2	0.20	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9297	50	90%		
J070613ALCS	J070613ALCS	ORG	98-06-6	tert-Butylbenzene	47		ug/L	2	0.33	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9297	50	94%		
J070613ALCS	J070613ALCS	ORG	95-63-6	1,2,4-Trimethylbenzene	45		ug/L	2	0.20	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9297	50	90%		
J070613ALCS	J070613ALCS	ORG	135-98-8	sec-Butylbenzene	45		ug/L	2	0.32	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9297	50	90%		
J070613ALCS	J070613ALCS	ORG	541-73-1	1,3-Dichlorobenzene	47		ug/L	2	0.22	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9297	50	94%		
J070613ALCS	J070613ALCS	ORG	99-87-6	p-Isopropltoluene	47		ug/L	2	0.25	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9297	50	94%		
J070613ALCS	J070613ALCS	ORG	106-46-7	1,4-Dichlorobenzene	48		ug/L	2	0.33	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9297	50	96%		
J070613ALCS	J070613ALCS	ORG	95-50-1	1,2-Dichlorobenzene	49		ug/L	2	0.26	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9297	50	98%		
J070613ALCS	J070613ALCS	ORG	104-51-8	n-Butylbenzene	46		ug/L	5	0.28	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9297	50	92%		
J070613ALCS	J070613ALCS	ORG	96-12-8	1,2-Dibromo-3-chloropropane	56		ug/L	5	1.59	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9297	50	112%		
J070613ALCS	J070613ALCS	ORG	87-68-3	Hexachlorobutadiene	49		ug/L	5	0.65	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9297	50	98%		
J070613ALCS	J070613ALCS	ORG	120-82-1	1,2,4-Trichlorobenzene	48		ug/L	5	0.28	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9297	50	96%		
J070613ALCS	J070613ALCS	ORG	91-20-3	Naphthalene	49		ug/L	5	0.56	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9297	50	98%		
J070613ALCS	J070613ALCS	ORG	87-61-6	1,2,3-Trichlorobenzene	47		ug/L	5	0.23	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9297	50	94%		
J070613ALCS	J070613ALCS	STD	1868-53-7	Dibromofluoromethane	50		ng			NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9297	50	100%		
J070613ALCS	J070613ALCS	STD	17060-07-0	1,2-Dichloroethane d4	48		ng			NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9297	50	96%		
J070613ALCS	J070613ALCS	STD	2037-26-5	Toluene d8	50		ng			NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9297	50	100%		
J070613ALCS	J070613ALCS	STD	460-00-4	Bromofluorobenzene	49		ng			NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9297	50	98%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J070613ALCD	J070613ALCD	ORG	75-71-8	Dichlorodifluoromethane	48		ug/L	5	0.29	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9298	50	96%	4%	
J070613ALCD	J070613ALCD	ORG	74-87-3	Chloromethane	46		ug/L	5	0.43	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9298	50	92%	7%	
J070613ALCD	J070613ALCD	ORG	75-01-4	Vinyl chloride	49		ug/L	2	0.32	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9298	50	98%	23%	
J070613ALCD	J070613ALCD	ORG	74-83-9	Bromomethane	39		ug/L	5	0.50	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9298	50	78%	3%	
J070613ALCD	J070613ALCD	ORG	75-00-3	Chloroethane	51		ug/L	5	0.56	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9298	50	102%	4%	
J070613ALCD	J070613ALCD	ORG	75-69-4	Trichlorofluoromethane	26		ug/L	5	0.20	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9298	50	52%	42%	
J070613ALCD	J070613ALCD	ORG	75-35-4	1,1-Dichloroethene	41		ug/L	1	0.47	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9298	50	82%	9%	
J070613ALCD	J070613ALCD	ORG	75-09-2	Methylene chloride	43		ug/L	5	0.26	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9298	50	86%	5%	
J070613ALCD	J070613ALCD	ORG	67-64-1	Acetone	52		ug/L	10	1.56	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9298	50	104%	21%	
J070613ALCD	J070613ALCD	ORG	156-60-5	trans-1,2-Dichloroethene	42		ug/L	1	0.56	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9298	50	84%	7%	
J070613ALCD	J070613ALCD	ORG	1634-04-4	MTBE	44		ug/L	5	0.61	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9298	50	88%	2%	
J070613ALCD	J070613ALCD	ORG	75-34-3	1,1-Dichloroethane	49		ug/L	1	0.53	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9298	50	98%	8%	
J070613ALCD	J070613ALCD	ORG	156-59-2	cis-1,2-Dichloroethene	47		ug/L	1	0.32	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9298	50	94%	4%	
J070613ALCD	J070613ALCD	ORG	74-97-5	Bromochloromethane	48		ug/L	10	0.81	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9298	50	96%	2%	
J070613ALCD	J070613ALCD	ORG	67-66-3	Chloroform	46		ug/L	2	0.41	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9298	50	92%	4%	
J070613ALCD	J070613ALCD	ORG	71-55-6	1,1,1-Trichloroethane	46		ug/L	1	0.16	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9298	50	92%	4%	
J070613ALCD	J070613ALCD	ORG	78-93-3	2-Butanone	60		ug/L	1	0.17	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9298	50	120%	18%	
J070613ALCD	J070613ALCD	ORG	56-23-5	Carbon tetrachloride	47		ug/L	1	0.28	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9298	50	94%	4%	
J070613ALCD	J070613ALCD	ORG	71-43-2	Benzene	45		ug/L	1	0.14	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9298	50	90%	2%	
J070613ALCD	J070613ALCD	ORG	107-06-2	1,2-Dichloroethane	46		ug/L	1	0.20	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9298	50	92%	2%	
J070613ALCD	J070613ALCD	ORG	79-01-6	Trichloroethene	47		ug/L	1	0.36	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9298	50	94%	6%	
J070613ALCD	J070613ALCD	ORG	74-95-3	Dibromomethane	49		ug/L	2	0.32	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9298	50	98%	2%	
J070613ALCD	J070613ALCD	ORG	78-87-5	1,2-Dichloropropane	43		ug/L	1	0.18	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9298	50	86%	2%	
J070613ALCD	J070613ALCD	ORG	75-27-4	Bromodichloromethane	50		ug/L	2	0.12	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9298	50	100%	2%	
J070613ALCD	J070613ALCD	ORG	10061-01-5	cis-1,3-Dichloropropene	47		ug/L	1	0.25	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9298	50	94%	0%	
J070613ALCD	J070613ALCD	ORG	108-88-3	Toluene	46		ug/L	5	0.74	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9298	50	92%	4%	
J070613ALCD	J070613ALCD	ORG	108-10-1	4-Methyl-2-pentanone	60		ug/L	1	0.21	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9298	50	120%	14%	
J070613ALCD	J070613ALCD	ORG	10061-02-6	trans-1,3-Dichloropropene	49		ug/L	1	0.31	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9298	50	98%	0%	
J070613ALCD	J070613ALCD	ORG	127-18-4	Tetrachloroethene	46		ug/L	1	0.49	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9298	50	92%	2%	
J070613ALCD	J070613ALCD	ORG	79-00-5	1,1,2-Trichloroethane	50		ug/L	1	0.34	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9298	50	100%	4%	
J070613ALCD	J070613ALCD	ORG	124-48-1	Dibromochloromethane	51		ug/L	5	0.69	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9298	50	102%	2%	
J070613ALCD	J070613ALCD	ORG	106-93-4	1,2-Dibromoethane	51		ug/L	2	0.30	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9298	50	102%	2%	
J070613ALCD	J070613ALCD	ORG	591-78-6	2-Hexanone	64		ug/L	2	0.26	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9298	50	128%	15%	
J070613ALCD	J070613ALCD	ORG	100-41-4	Ethylbenzene	47		ug/L	1	0.25	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9298	50	94%	9%	
J070613ALCD	J070613ALCD	ORG	108-90-7	Chlorobenzene	48		ug/L	1	0.28	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9298	50	96%	11%	
J070613ALCD	J070613ALCD	ORG	630-20-6	1,1,1,2-Tetrachloroethane	47		ug/L	2	0.19	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9298	50	94%	14%	
J070613ALCD	J070613ALCD	ORG	XYLMP	p&m-Xylene	94		ug/L	2	0.26	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9298	100	94%	7%	
J070613ALCD	J070613ALCD	ORG	95-47-6	o-Xylene	46		ug/L	1	0.13	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9298	50	92%	11%	
J070613ALCD	J070613ALCD	ORG	100-42-5	Styrene	45		ug/L	1	0.20	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9298	50	90%	9%	
J070613ALCD	J070613ALCD	ORG	75-25-2	Bromoform	55		ug/L	2	0.47	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9298	50	110%	6%	

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J070613ALCD	J070613ALCD	ORG	98-82-8	Isopropylbenzene	47		ug/L	2	0.20	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9298	50	94%	7%	
J070613ALCD	J070613ALCD	ORG	103-65-1	n-Propylbenzene	48		ug/L	2	0.27	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9298	50	96%	4%	
J070613ALCD	J070613ALCD	ORG	79-34-5	1,1,2,2-Tetrachloroethane	56		ug/L	2	0.29	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9298	50	112%	2%	
J070613ALCD	J070613ALCD	ORG	96-18-4	1,2,3-Trichloropropane	56		ug/L	2	0.29	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9298	50	112%	7%	
J070613ALCD	J070613ALCD	ORG	108-67-8	1,3,5-Trimethylbenzene	47		ug/L	2	0.20	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9298	50	94%	4%	
J070613ALCD	J070613ALCD	ORG	98-06-6	tert-Butylbenzene	59		ug/L	2	0.33	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9298	50	118%	23%	
J070613ALCD	J070613ALCD	ORG	95-63-6	1,2,4-Trimethylbenzene	47		ug/L	2	0.20	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9298	50	94%	4%	
J070613ALCD	J070613ALCD	ORG	135-98-8	sec-Butylbenzene	47		ug/L	2	0.32	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9298	50	94%	4%	
J070613ALCD	J070613ALCD	ORG	541-73-1	1,3-Dichlorobenzene	48		ug/L	2	0.22	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9298	50	96%	2%	
J070613ALCD	J070613ALCD	ORG	99-87-6	p-Isopropltoluene	48		ug/L	2	0.25	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9298	50	96%	2%	
J070613ALCD	J070613ALCD	ORG	106-46-7	1,4-Dichlorobenzene	48		ug/L	2	0.33	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9298	50	96%	0%	
J070613ALCD	J070613ALCD	ORG	95-50-1	1,2-Dichlorobenzene	49		ug/L	2	0.26	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9298	50	98%	0%	
J070613ALCD	J070613ALCD	ORG	104-51-8	n-Butylbenzene	47		ug/L	5	0.28	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9298	50	94%	2%	
J070613ALCD	J070613ALCD	ORG	96-12-8	1,2-Dibromo-3-chloropropane	63		ug/L	5	1.59	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9298	50	126%	12%	
J070613ALCD	J070613ALCD	ORG	87-68-3	Hexachlorobutadiene	45		ug/L	5	0.65	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9298	50	90%	9%	
J070613ALCD	J070613ALCD	ORG	120-82-1	1,2,4-Trichlorobenzene	49		ug/L	5	0.28	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9298	50	98%	2%	
J070613ALCD	J070613ALCD	ORG	91-20-3	Naphthalene	56		ug/L	5	0.56	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9298	50	112%	13%	
J070613ALCD	J070613ALCD	ORG	87-61-6	1,2,3-Trichlorobenzene	52		ug/L	5	0.23	NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9298	50	104%	10%	
J070613ALCD	J070613ALCD	STD	1868-53-7	Dibromofluoromethane	50		ng			NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9298	50	100%	0%	
J070613ALCD	J070613ALCD	STD	17060-07-0	1,2-Dichloroethane d4	54		ng			NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9298	50	108%	12%	
J070613ALCD	J070613ALCD	STD	2037-26-5	Toluene d8	50		ng			NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9298	50	100%	0%	
J070613ALCD	J070613ALCD	STD	460-00-4	Bromofluorobenzene	50		ng			NA	7/6/2013	7/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9298	50	100%	2%	

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-444MS	OB-271	ORG	75-71-8	Dichlorodifluoromethane	4700		ug/L	500	29.28	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9299	5000	94%		
NAL13026-444MS	OB-271	ORG	74-87-3	Chloromethane	4400		ug/L	500	43.07	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9299	5000	88%		
NAL13026-444MS	OB-271	ORG	75-01-4	Vinyl chloride	5000		ug/L	200	31.86	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9299	5000	100%		
NAL13026-444MS	OB-271	ORG	74-83-9	Bromomethane	4200		ug/L	500	50.04	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9299	5000	84%		
NAL13026-444MS	OB-271	ORG	75-00-3	Chloroethane	4500		ug/L	500	55.61	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9299	5000	90%		
NAL13026-444MS	OB-271	ORG	75-69-4	Trichlorofluoromethane	2000		ug/L	500	19.65	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9299	5000	40%		
NAL13026-444MS	OB-271	ORG	75-35-4	1,1-Dichloroethene	4500		ug/L	100	47.11	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9299	5000	90%		
NAL13026-444MS	OB-271	ORG	75-09-2	Methylene chloride	4700		ug/L	500	26.46	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9299	5000	94%		
NAL13026-444MS	OB-271	ORG	67-64-1	Acetone	50000		ug/L	1000	155.61	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9299	5000	160%		42000
NAL13026-444MS	OB-271	ORG	156-60-5	trans-1,2-Dichloroethene	4700		ug/L	100	55.61	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9299	5000	94%		
NAL13026-444MS	OB-271	ORG	1634-04-4	MTBE	4800		ug/L	500	61.18	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9299	5000	96%		
NAL13026-444MS	OB-271	ORG	75-34-3	1,1-Dichloroethane	4100		ug/L	100	52.66	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9299	5000	82%		
NAL13026-444MS	OB-271	ORG	156-59-2	cis-1,2-Dichloroethene	5300		ug/L	100	32.11	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9299	5000	106%		
NAL13026-444MS	OB-271	ORG	74-97-5	Bromochloromethane	5200		ug/L	1000	81.18	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9299	5000	104%		
NAL13026-444MS	OB-271	ORG	67-66-3	Chloroform	5100		ug/L	200	41.37	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9299	5000	102%		
NAL13026-444MS	OB-271	ORG	71-55-6	1,1,1-Trichloroethane	5000		ug/L	100	15.73	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9299	5000	100%		
NAL13026-444MS	OB-271	ORG	78-93-3	2-Butanone	30000		ug/L	100	16.65	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9299	5000	100%		25000
NAL13026-444MS	OB-271	ORG	56-23-5	Carbon tetrachloride	5200		ug/L	100	27.64	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9299	5000	104%		
NAL13026-444MS	OB-271	ORG	71-43-2	Benzene	4700		ug/L	100	13.53	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9299	5000	94%		
NAL13026-444MS	OB-271	ORG	107-06-2	1,2-Dichloroethane	5200		ug/L	100	20.01	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9299	5000	104%		
NAL13026-444MS	OB-271	ORG	79-01-6	Trichloroethene	5300		ug/L	100	36.33	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9299	5000	106%		
NAL13026-444MS	OB-271	ORG	74-95-3	Dibromomethane	5300		ug/L	200	32.20	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9299	5000	106%		
NAL13026-444MS	OB-271	ORG	78-87-5	1,2-Dichloropropane	4800		ug/L	100	18.17	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9299	5000	96%		
NAL13026-444MS	OB-271	ORG	75-27-4	Bromodichloromethane	5300		ug/L	200	11.58	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9299	5000	106%		
NAL13026-444MS	OB-271	ORG	10061-01-5	cis-1,3-Dichloropropene	5200		ug/L	100	25.01	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9299	5000	104%		
NAL13026-444MS	OB-271	ORG	108-88-3	Toluene	5100		ug/L	500	74.00	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9299	5000	102%		
NAL13026-444MS	OB-271	ORG	108-10-1	4-Methyl-2-pentanone	6700		ug/L	100	20.96	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9299	5000	122%		620
NAL13026-444MS	OB-271	ORG	10061-02-6	trans-1,3-Dichloropropene	5400		ug/L	100	31.15	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9299	5000	108%		
NAL13026-444MS	OB-271	ORG	127-18-4	Tetrachloroethene	4500		ug/L	100	48.56	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9299	5000	90%		
NAL13026-444MS	OB-271	ORG	79-00-5	1,1,2-Trichloroethane	5400		ug/L	100	34.28	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9299	5000	108%		
NAL13026-444MS	OB-271	ORG	124-48-1	Dibromochloromethane	5600		ug/L	500	68.90	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9299	5000	112%		
NAL13026-444MS	OB-271	ORG	106-93-4	1,2-Dibromoethane	5700		ug/L	200	29.90	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9299	5000	114%		
NAL13026-444MS	OB-271	ORG	591-78-6	2-Hexanone	5800		ug/L	200	26.49	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9299	5000	116%		
NAL13026-444MS	OB-271	ORG	100-41-4	Ethylbenzene	5300		ug/L	100	25.38	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9299	5000	106%		
NAL13026-444MS	OB-271	ORG	108-90-7	Chlorobenzene	5400		ug/L	100	27.52	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9299	5000	108%		
NAL13026-444MS	OB-271	ORG	630-20-6	1,1,1,2-Tetrachloroethane	5300		ug/L	200	19.28	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9299	5000	106%		
NAL13026-444MS	OB-271	ORG	XYLMP	p&m-Xylene	11000		ug/L	200	26.14	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9299	10000	110%		
NAL13026-444MS	OB-271	ORG	95-47-6	o-Xylene	5400		ug/L	100	12.90	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9299	5000	108%		
NAL13026-444MS	OB-271	ORG	100-42-5	Styrene	5000		ug/L	100	20.23	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9299	5000	100%		
NAL13026-444MS	OB-271	ORG	75-25-2	Bromoform	6000		ug/L	200	46.83	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9299	5000	120%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-444MS	OB-271	ORG	98-82-8	Isopropylbenzene	5300		ug/L	200	20.48	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9299	5000	106%		
NAL13026-444MS	OB-271	ORG	103-65-1	n-Propylbenzene	5300		ug/L	200	27.00	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9299	5000	106%		
NAL13026-444MS	OB-271	ORG	79-34-5	1,1,2,2-Tetrachloroethane	6300		ug/L	200	29.16	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9299	5000	126%		
NAL13026-444MS	OB-271	ORG	96-18-4	1,2,3-Trichloropropane	6300		ug/L	200	29.47	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9299	5000	126%		
NAL13026-444MS	OB-271	ORG	108-67-8	1,3,5-Trimethylbenzene	5300		ug/L	200	20.03	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9299	5000	106%		
NAL13026-444MS	OB-271	ORG	98-06-6	tert-Butylbenzene	5300		ug/L	200	32.61	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9299	5000	106%		
NAL13026-444MS	OB-271	ORG	95-63-6	1,2,4-Trimethylbenzene	5200		ug/L	200	20.03	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9299	5000	104%		
NAL13026-444MS	OB-271	ORG	135-98-8	sec-Butylbenzene	5100		ug/L	200	32.34	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9299	5000	102%		
NAL13026-444MS	OB-271	ORG	541-73-1	1,3-Dichlorobenzene	5200		ug/L	200	22.21	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9299	5000	104%		
NAL13026-444MS	OB-271	ORG	99-87-6	p-Isopropltoluene	5300		ug/L	200	25.48	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9299	5000	106%		
NAL13026-444MS	OB-271	ORG	106-46-7	1,4-Dichlorobenzene	5300		ug/L	200	33.03	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9299	5000	106%		
NAL13026-444MS	OB-271	ORG	95-50-1	1,2-Dichlorobenzene	5200		ug/L	200	26.38	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9299	5000	104%		
NAL13026-444MS	OB-271	ORG	104-51-8	n-Butylbenzene	5100		ug/L	500	27.81	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9299	5000	102%		
NAL13026-444MS	OB-271	ORG	96-12-8	1,2-Dibromo-3-chloropropane	7200		ug/L	500	159.11	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9299	5000	144%		
NAL13026-444MS	OB-271	ORG	87-68-3	Hexachlorobutadiene	4900		ug/L	500	65.42	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9299	5000	98%		
NAL13026-444MS	OB-271	ORG	120-82-1	1,2,4-Trichlorobenzene	5500		ug/L	500	27.63	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9299	5000	110%		
NAL13026-444MS	OB-271	ORG	91-20-3	Naphthalene	6500		ug/L	500	56.04	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9299	5000	128%		120
NAL13026-444MS	OB-271	ORG	87-61-6	1,2,3-Trichlorobenzene	5700		ug/L	500	23.28	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9299	5000	114%		
NAL13026-444MS	OB-271	STD	1868-53-7	Dibromofluoromethane	50		ng			7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9299	50	100%		
NAL13026-444MS	OB-271	STD	17060-07-0	1,2-Dichloroethane d4	46		ng			7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9299	50	92%		
NAL13026-444MS	OB-271	STD	2037-26-5	Toluene d8	50		ng			7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9299	50	100%		
NAL13026-444MS	OB-271	STD	460-00-4	Bromofluorobenzene	52		ng			7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9299	50	104%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-444MSD	OB-271	ORG	75-71-8	Dichlorodifluoromethane	4300		ug/L	500	29.28	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9300	5000	86%	9%	0
NAL13026-444MSD	OB-271	ORG	74-87-3	Chloromethane	4000		ug/L	500	43.07	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9300	5000	80%	10%	0
NAL13026-444MSD	OB-271	ORG	75-01-4	Vinyl chloride	4200		ug/L	200	31.86	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9300	5000	84%	17%	0
NAL13026-444MSD	OB-271	ORG	74-83-9	Bromomethane	4200		ug/L	500	50.04	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9300	5000	84%	0%	0
NAL13026-444MSD	OB-271	ORG	75-00-3	Chloroethane	4600		ug/L	500	55.61	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9300	5000	92%	2%	0
NAL13026-444MSD	OB-271	ORG	75-69-4	Trichlorofluoromethane	4400		ug/L	500	19.65	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9300	5000	88%	75%	0
NAL13026-444MSD	OB-271	ORG	75-35-4	1,1-Dichloroethene	4300		ug/L	100	47.11	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9300	5000	86%	5%	0
NAL13026-444MSD	OB-271	ORG	75-09-2	Methylene chloride	4700		ug/L	500	26.46	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9300	5000	94%	0%	0
NAL13026-444MSD	OB-271	ORG	67-64-1	Acetone	39000		ug/L	1000	155.61	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9300	5000	-60%	25%	42000
NAL13026-444MSD	OB-271	ORG	156-60-5	trans-1,2-Dichloroethene	4500		ug/L	100	55.61	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9300	5000	90%	4%	0
NAL13026-444MSD	OB-271	ORG	1634-04-4	MTBE	4900		ug/L	500	61.18	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9300	5000	98%	2%	0
NAL13026-444MSD	OB-271	ORG	75-34-3	1,1-Dichloroethane	5400		ug/L	100	52.66	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9300	5000	108%	27%	0
NAL13026-444MSD	OB-271	ORG	156-59-2	cis-1,2-Dichloroethene	5100		ug/L	100	32.11	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9300	5000	102%	4%	0
NAL13026-444MSD	OB-271	ORG	74-97-5	Bromochloromethane	5100		ug/L	1000	81.18	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9300	5000	102%	2%	0
NAL13026-444MSD	OB-271	ORG	67-66-3	Chloroform	5000		ug/L	200	41.37	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9300	5000	100%	2%	0
NAL13026-444MSD	OB-271	ORG	71-55-6	1,1,1-Trichloroethane	4900		ug/L	100	15.73	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9300	5000	98%	2%	0
NAL13026-444MSD	OB-271	ORG	78-93-3	2-Butanone	28000		ug/L	100	16.65	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9300	5000	60%	7%	25000
NAL13026-444MSD	OB-271	ORG	56-23-5	Carbon tetrachloride	4900		ug/L	100	27.64	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9300	5000	98%	6%	0
NAL13026-444MSD	OB-271	ORG	71-43-2	Benzene	4800		ug/L	100	13.53	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9300	5000	96%	2%	0
NAL13026-444MSD	OB-271	ORG	107-06-2	1,2-Dichloroethane	5000		ug/L	100	20.01	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9300	5000	100%	4%	0
NAL13026-444MSD	OB-271	ORG	79-01-6	Trichloroethene	5200		ug/L	100	36.33	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9300	5000	104%	2%	0
NAL13026-444MSD	OB-271	ORG	74-95-3	Dibromomethane	5300		ug/L	200	32.20	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9300	5000	106%	0%	0
NAL13026-444MSD	OB-271	ORG	78-87-5	1,2-Dichloropropane	4700		ug/L	100	18.17	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9300	5000	94%	2%	0
NAL13026-444MSD	OB-271	ORG	75-27-4	Bromodichloromethane	5100		ug/L	200	11.58	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9300	5000	102%	4%	0
NAL13026-444MSD	OB-271	ORG	10061-01-5	cis-1,3-Dichloropropene	5000		ug/L	100	25.01	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9300	5000	100%	4%	0
NAL13026-444MSD	OB-271	ORG	108-88-3	Toluene	4900		ug/L	500	74.00	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9300	5000	98%	4%	0
NAL13026-444MSD	OB-271	ORG	108-10-1	4-Methyl-2-pentanone	6200		ug/L	100	20.96	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9300	5000	112%	8%	620
NAL13026-444MSD	OB-271	ORG	10061-02-6	trans-1,3-Dichloropropene	5300		ug/L	100	31.15	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9300	5000	106%	2%	0
NAL13026-444MSD	OB-271	ORG	127-18-4	Tetrachloroethene	4500		ug/L	100	48.56	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9300	5000	90%	0%	0
NAL13026-444MSD	OB-271	ORG	79-00-5	1,1,2-Trichloroethane	5300		ug/L	100	34.28	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9300	5000	106%	2%	0
NAL13026-444MSD	OB-271	ORG	124-48-1	Dibromochloromethane	5400		ug/L	500	68.90	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9300	5000	108%	4%	0
NAL13026-444MSD	OB-271	ORG	106-93-4	1,2-Dibromoethane	5500		ug/L	200	29.90	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9300	5000	110%	4%	0
NAL13026-444MSD	OB-271	ORG	591-78-6	2-Hexanone	5400		ug/L	200	26.49	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9300	5000	108%	7%	0
NAL13026-444MSD	OB-271	ORG	100-41-4	Ethylbenzene	4600		ug/L	100	25.38	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9300	5000	92%	14%	0
NAL13026-444MSD	OB-271	ORG	108-90-7	Chlorobenzene	4600		ug/L	100	27.52	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9300	5000	92%	16%	0
NAL13026-444MSD	OB-271	ORG	630-20-6	1,1,1,2-Tetrachloroethane	4500		ug/L	200	19.28	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9300	5000	90%	16%	0
NAL13026-444MSD	OB-271	ORG	XYLMP	p&m-Xylene	9300		ug/L	200	26.14	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9300	10000	93%	17%	0
NAL13026-444MSD	OB-271	ORG	95-47-6	o-Xylene	4900		ug/L	100	12.90	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9300	5000	98%	10%	0
NAL13026-444MSD	OB-271	ORG	100-42-5	Styrene	4600		ug/L	100	20.23	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9300	5000	92%	8%	0
NAL13026-444MSD	OB-271	ORG	75-25-2	Bromoform	5600		ug/L	200	46.83	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9300	5000	112%	7%	0

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-444MSD	OB-271	ORG	98-82-8	Isopropylbenzene	4900		ug/L	200	20.48	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9300	5000	98%	8%	0
NAL13026-444MSD	OB-271	ORG	103-65-1	n-Propylbenzene	4700		ug/L	200	27.00	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9300	5000	94%	12%	0
NAL13026-444MSD	OB-271	ORG	79-34-5	1,1,2,2-Tetrachloroethane	6100		ug/L	200	29.16	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9300	5000	122%	3%	0
NAL13026-444MSD	OB-271	ORG	96-18-4	1,2,3-Trichloropropane	5700		ug/L	200	29.47	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9300	5000	114%	10%	0
NAL13026-444MSD	OB-271	ORG	108-67-8	1,3,5-Trimethylbenzene	4900		ug/L	200	20.03	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9300	5000	98%	8%	0
NAL13026-444MSD	OB-271	ORG	98-06-6	tert-Butylbenzene	4900		ug/L	200	32.61	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9300	5000	98%	8%	0
NAL13026-444MSD	OB-271	ORG	95-63-6	1,2,4-Trimethylbenzene	4900		ug/L	200	20.03	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9300	5000	98%	6%	0
NAL13026-444MSD	OB-271	ORG	135-98-8	sec-Butylbenzene	5000		ug/L	200	32.34	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9300	5000	100%	2%	0
NAL13026-444MSD	OB-271	ORG	541-73-1	1,3-Dichlorobenzene	5000		ug/L	200	22.21	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9300	5000	100%	4%	0
NAL13026-444MSD	OB-271	ORG	99-87-6	p-Isopropltoluene	5200		ug/L	200	25.48	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9300	5000	104%	2%	0
NAL13026-444MSD	OB-271	ORG	106-46-7	1,4-Dichlorobenzene	5200		ug/L	200	33.03	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9300	5000	104%	2%	0
NAL13026-444MSD	OB-271	ORG	95-50-1	1,2-Dichlorobenzene	5200		ug/L	200	26.38	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9300	5000	104%	0%	0
NAL13026-444MSD	OB-271	ORG	104-51-8	n-Butylbenzene	5100		ug/L	500	27.81	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9300	5000	102%	0%	0
NAL13026-444MSD	OB-271	ORG	96-12-8	1,2-Dibromo-3-chloropropane	6500		ug/L	500	159.11	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9300	5000	130%	10%	0
NAL13026-444MSD	OB-271	ORG	87-68-3	Hexachlorobutadiene	5300		ug/L	500	65.42	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9300	5000	106%	8%	0
NAL13026-444MSD	OB-271	ORG	120-82-1	1,2,4-Trichlorobenzene	5300		ug/L	500	27.63	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9300	5000	106%	4%	0
NAL13026-444MSD	OB-271	ORG	91-20-3	Naphthalene	5800		ug/L	500	56.04	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9300	5000	114%	11%	120
NAL13026-444MSD	OB-271	ORG	87-61-6	1,2,3-Trichlorobenzene	5200		ug/L	500	23.28	7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9300	5000	104%	9%	0
NAL13026-444MSD	OB-271	STD	1868-53-7	Dibromofluoromethane	51		ng			7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9300	50	102%	2%	0
NAL13026-444MSD	OB-271	STD	17060-07-0	1,2-Dichloroethane d4	52		ng			7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9300	50	104%	12%	0
NAL13026-444MSD	OB-271	STD	2037-26-5	Toluene d8	50		ng			7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9300	50	100%	0%	0
NAL13026-444MSD	OB-271	STD	460-00-4	Bromofluorobenzene	50		ng			7/6/2013	7/6/2013	7/6/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9300	50	100%	4%	0

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-449	96-001f	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9316				
NAL13026-449	96-001f	ORG	74-87-3	Chloromethane		U	ug/L	500	43.07	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9316				
NAL13026-449	96-001f	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9316				
NAL13026-449	96-001f	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9316				
NAL13026-449	96-001f	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9316				
NAL13026-449	96-001f	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9316				
NAL13026-449	96-001f	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9316				
NAL13026-449	96-001f	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9316				
NAL13026-449	96-001f	ORG	67-64-1	Acetone	43000	D	ug/L	10000	1556.07	7/7/2013	7/7/2013	7/7/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9318				
NAL13026-449	96-001f	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9316				
NAL13026-449	96-001f	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9316				
NAL13026-449	96-001f	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9316				
NAL13026-449	96-001f	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9316				
NAL13026-449	96-001f	ORG	74-97-5	Bromochloromethane		U	ug/L	200	41.37	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9316				
NAL13026-449	96-001f	ORG	67-66-3	Chloroform		U	ug/L	100	15.73	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9316				
NAL13026-449	96-001f	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	16.65	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9316				
NAL13026-449	96-001f	ORG	78-93-3	2-Butanone	22000	D	ug/L	10000	811.80	7/7/2013	7/7/2013	7/7/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9318				
NAL13026-449	96-001f	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9316				
NAL13026-449	96-001f	ORG	71-43-2	Benzene	260		ug/L	100	13.53	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9316				
NAL13026-449	96-001f	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9316				
NAL13026-449	96-001f	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9316				
NAL13026-449	96-001f	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9316				
NAL13026-449	96-001f	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9316				
NAL13026-449	96-001f	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9316				
NAL13026-449	96-001f	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9316				
NAL13026-449	96-001f	ORG	108-88-3	Toluene	31	J	ug/L	100	20.96	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9316				
NAL13026-449	96-001f	ORG	108-10-1	4-Methyl-2-pentanone	280	J	ug/L	500	74.00	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9316				
NAL13026-449	96-001f	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9316				
NAL13026-449	96-001f	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9316				
NAL13026-449	96-001f	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9316				
NAL13026-449	96-001f	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	29.90	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9316				
NAL13026-449	96-001f	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	26.49	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9316				
NAL13026-449	96-001f	ORG	591-78-6	2-Hexanone		U	ug/L	500	68.90	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9316				
NAL13026-449	96-001f	ORG	100-41-4	Ethylbenzene		U	ug/L	100	25.38	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9316				
NAL13026-449	96-001f	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9316				
NAL13026-449	96-001f	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9316				
NAL13026-449	96-001f	ORG	XYLMP	p&m-Xylene	37	J	ug/L	200	26.14	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9316				
NAL13026-449	96-001f	ORG	95-47-6	o-Xylene		U	ug/L	100	12.90	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9316				
NAL13026-449	96-001f	ORG	100-42-5	Styrene	30	J	ug/L	100	20.23	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9316				
NAL13026-449	96-001f	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9316				
NAL13026-449	96-001f	ORG	98-82-8	Isopropylbenzene		U	ug/L	200	20.48	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9316				
NAL13026-449	96-001f	ORG	103-65-1	n-Propylbenzene		U	ug/L	200	27.00	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9316				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-449	96-001f	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9316				
NAL13026-449	96-001f	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9316				
NAL13026-449	96-001f	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	200	20.03	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9316				
NAL13026-449	96-001f	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9316				
NAL13026-449	96-001f	ORG	95-63-6	1,2,4-Trimethylbenzene	38	J	ug/L	200	20.03	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9316				
NAL13026-449	96-001f	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9316				
NAL13026-449	96-001f	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9316				
NAL13026-449	96-001f	ORG	99-87-6	p-Isopropltoluene	160	J	ug/L	200	25.48	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9316				
NAL13026-449	96-001f	ORG	106-46-7	1,4-Dichlorobenzene		U	ug/L	200	33.03	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9316				
NAL13026-449	96-001f	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9316				
NAL13026-449	96-001f	ORG	104-51-8	n-Butylbenzene		U	ug/L	500	27.81	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9316				
NAL13026-449	96-001f	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9316				
NAL13026-449	96-001f	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9316				
NAL13026-449	96-001f	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9316				
NAL13026-449	96-001f	ORG	91-20-3	Naphthalene	160	J	ug/L	500	56.04	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9316				
NAL13026-449	96-001f	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9316				
NAL13026-449	96-001f	STD	1868-53-7	Dibromofluoromethane	49		ng			7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9316	50	98%		
NAL13026-449	96-001f	STD	17060-07-0	1,2-Dichloroethane d4	51		ng			7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9316	50	102%		
NAL13026-449	96-001f	STD	2037-26-5	Toluene d8	49		ng			7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9316	50	98%		
NAL13026-449	96-001f	STD	460-00-4	Bromofluorobenzene	48		ng			7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9316	50	96%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-450	OB-272	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9317				
NAL13026-450	OB-272	ORG	74-87-3	Chloromethane		U	ug/L	500	43.07	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9317				
NAL13026-450	OB-272	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9317				
NAL13026-450	OB-272	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9317				
NAL13026-450	OB-272	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9317				
NAL13026-450	OB-272	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9317				
NAL13026-450	OB-272	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9317				
NAL13026-450	OB-272	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9317				
NAL13026-450	OB-272	ORG	67-64-1	Acetone	60000	D	ug/L	10000	1556.07	7/7/2013	7/7/2013	7/7/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9319				
NAL13026-450	OB-272	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9317				
NAL13026-450	OB-272	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9317				
NAL13026-450	OB-272	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9317				
NAL13026-450	OB-272	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9317				
NAL13026-450	OB-272	ORG	74-97-5	Bromochloromethane		U	ug/L	200	81.18	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9317				
NAL13026-450	OB-272	ORG	67-66-3	Chloroform		U	ug/L	100	41.37	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9317				
NAL13026-450	OB-272	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	15.73	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9317				
NAL13026-450	OB-272	ORG	78-93-3	2-Butanone	34000	D	ug/L	10000	166.52	7/7/2013	7/7/2013	7/7/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9319				
NAL13026-450	OB-272	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9317				
NAL13026-450	OB-272	ORG	71-43-2	Benzene	27	J	ug/L	100	13.53	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9317				
NAL13026-450	OB-272	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9317				
NAL13026-450	OB-272	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9317				
NAL13026-450	OB-272	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9317				
NAL13026-450	OB-272	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9317				
NAL13026-450	OB-272	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9317				
NAL13026-450	OB-272	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9317				
NAL13026-450	OB-272	ORG	108-88-3	Toluene		U	ug/L	100	20.96	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9317				
NAL13026-450	OB-272	ORG	108-10-1	4-Methyl-2-pentanone	870		ug/L	500	74.00	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9317				
NAL13026-450	OB-272	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9317				
NAL13026-450	OB-272	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9317				
NAL13026-450	OB-272	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9317				
NAL13026-450	OB-272	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	68.90	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9317				
NAL13026-450	OB-272	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	29.90	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9317				
NAL13026-450	OB-272	ORG	591-78-6	2-Hexanone		U	ug/L	500	26.49	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9317				
NAL13026-450	OB-272	ORG	100-41-4	Ethylbenzene		U	ug/L	100	25.38	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9317				
NAL13026-450	OB-272	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9317				
NAL13026-450	OB-272	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9317				
NAL13026-450	OB-272	ORG	XYLMP	p&m-Xylene	34	J	ug/L	200	26.14	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9317				
NAL13026-450	OB-272	ORG	95-47-6	o-Xylene		U	ug/L	100	12.90	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9317				
NAL13026-450	OB-272	ORG	100-42-5	Styrene	26	J	ug/L	100	20.23	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9317				
NAL13026-450	OB-272	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9317				
NAL13026-450	OB-272	ORG	98-82-8	Isopropylbenzene		U	ug/L	200	20.48	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9317				
NAL13026-450	OB-272	ORG	103-65-1	n-Propylbenzene		U	ug/L	200	27.00	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9317				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-450	OB-272	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9317				
NAL13026-450	OB-272	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9317				
NAL13026-450	OB-272	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	200	20.03	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9317				
NAL13026-450	OB-272	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9317				
NAL13026-450	OB-272	ORG	95-63-6	1,2,4-Trimethylbenzene	31	J	ug/L	200	20.03	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9317				
NAL13026-450	OB-272	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9317				
NAL13026-450	OB-272	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9317				
NAL13026-450	OB-272	ORG	99-87-6	p-Isopropltoluene	57	J	ug/L	200	25.48	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9317				
NAL13026-450	OB-272	ORG	106-46-7	1,4-Dichlorobenzene		U	ug/L	200	33.03	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9317				
NAL13026-450	OB-272	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9317				
NAL13026-450	OB-272	ORG	104-51-8	n-Butylbenzene		U	ug/L	500	27.81	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9317				
NAL13026-450	OB-272	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9317				
NAL13026-450	OB-272	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9317				
NAL13026-450	OB-272	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9317				
NAL13026-450	OB-272	ORG	91-20-3	Naphthalene	200	J	ug/L	500	56.04	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9317				
NAL13026-450	OB-272	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9317				
NAL13026-450	OB-272	STD	1868-53-7	Dibromofluoromethane	50		ng			7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9317	50	100%		
NAL13026-450	OB-272	STD	17060-07-0	1,2-Dichloroethane d4	52		ng			7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9317	50	104%		
NAL13026-450	OB-272	STD	2037-26-5	Toluene d8	51		ng			7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9317	50	102%		
NAL13026-450	OB-272	STD	460-00-4	Bromofluorobenzene	49		ng			7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9317	50	98%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-451	316-010	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9320				
NAL13026-451	316-010	ORG	74-87-3	Chloromethane		U	ug/L	500	43.07	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9320				
NAL13026-451	316-010	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9320				
NAL13026-451	316-010	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9320				
NAL13026-451	316-010	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9320				
NAL13026-451	316-010	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9320				
NAL13026-451	316-010	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9320				
NAL13026-451	316-010	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9320				
NAL13026-451	316-010	ORG	67-64-1	Acetone	49000	D	ug/L	10000	1556.07	7/7/2013	7/7/2013	7/7/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9321				
NAL13026-451	316-010	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9320				
NAL13026-451	316-010	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9320				
NAL13026-451	316-010	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9320				
NAL13026-451	316-010	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9320				
NAL13026-451	316-010	ORG	74-97-5	Bromochloromethane		U	ug/L	200	81.18	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9320				
NAL13026-451	316-010	ORG	67-66-3	Chloroform		U	ug/L	100	41.37	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9320				
NAL13026-451	316-010	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	15.73	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9320				
NAL13026-451	316-010	ORG	78-93-3	2-Butanone	27000	D	ug/L	10000	166.52	7/7/2013	7/7/2013	7/7/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9321				
NAL13026-451	316-010	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9320				
NAL13026-451	316-010	ORG	71-43-2	Benzene	16	J	ug/L	100	13.53	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9320				
NAL13026-451	316-010	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9320				
NAL13026-451	316-010	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9320				
NAL13026-451	316-010	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9320				
NAL13026-451	316-010	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9320				
NAL13026-451	316-010	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9320				
NAL13026-451	316-010	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9320				
NAL13026-451	316-010	ORG	108-88-3	Toluene		U	ug/L	100	20.96	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9320				
NAL13026-451	316-010	ORG	108-10-1	4-Methyl-2-pentanone	940		ug/L	500	74.00	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9320				
NAL13026-451	316-010	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9320				
NAL13026-451	316-010	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9320				
NAL13026-451	316-010	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9320				
NAL13026-451	316-010	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	68.90	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9320				
NAL13026-451	316-010	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	29.90	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9320				
NAL13026-451	316-010	ORG	591-78-6	2-Hexanone		U	ug/L	500	26.49	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9320				
NAL13026-451	316-010	ORG	100-41-4	Ethylbenzene		U	ug/L	100	25.38	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9320				
NAL13026-451	316-010	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9320				
NAL13026-451	316-010	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9320				
NAL13026-451	316-010	ORG	XYLMP	p&m-Xylene		U	ug/L	200	26.14	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9320				
NAL13026-451	316-010	ORG	95-47-6	o-Xylene		U	ug/L	100	12.90	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9320				
NAL13026-451	316-010	ORG	100-42-5	Styrene	22	J	ug/L	100	20.23	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9320				
NAL13026-451	316-010	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9320				
NAL13026-451	316-010	ORG	98-82-8	Isopropylbenzene		U	ug/L	200	20.48	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9320				
NAL13026-451	316-010	ORG	103-65-1	n-Propylbenzene		U	ug/L	200	27.00	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9320				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-451	316-010	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9320				
NAL13026-451	316-010	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9320				
NAL13026-451	316-010	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	200	20.03	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9320				
NAL13026-451	316-010	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9320				
NAL13026-451	316-010	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	200	20.03	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9320				
NAL13026-451	316-010	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9320				
NAL13026-451	316-010	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9320				
NAL13026-451	316-010	ORG	99-87-6	p-Isopropltoluene	32	J	ug/L	200	25.48	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9320				
NAL13026-451	316-010	ORG	106-46-7	1,4-Dichlorobenzene	43	J	ug/L	200	33.03	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9320				
NAL13026-451	316-010	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9320				
NAL13026-451	316-010	ORG	104-51-8	n-Butylbenzene		U	ug/L	500	27.81	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9320				
NAL13026-451	316-010	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9320				
NAL13026-451	316-010	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9320				
NAL13026-451	316-010	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9320				
NAL13026-451	316-010	ORG	91-20-3	Naphthalene	230	J	ug/L	500	56.04	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9320				
NAL13026-451	316-010	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9320				
NAL13026-451	316-010	STD	1868-53-7	Dibromofluoromethane	50		ng			7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9320	50	100%		
NAL13026-451	316-010	STD	17060-07-0	1,2-Dichloroethane d4	54		ng			7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9320	50	108%		
NAL13026-451	316-010	STD	2037-26-5	Toluene d8	50		ng			7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9320	50	100%		
NAL13026-451	316-010	STD	460-00-4	Bromofluorobenzene	48		ng			7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9320	50	96%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-452	274-ST T1	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9329				
NAL13026-452	274-ST T1	ORG	74-87-3	Chloromethane		U	ug/L	500	43.07	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9329				
NAL13026-452	274-ST T1	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9329				
NAL13026-452	274-ST T1	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9329				
NAL13026-452	274-ST T1	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9329				
NAL13026-452	274-ST T1	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9329				
NAL13026-452	274-ST T1	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9329				
NAL13026-452	274-ST T1	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9329				
NAL13026-452	274-ST T1	ORG	67-64-1	Acetone	76000	D	ug/L	10000	1556.07	7/7/2013	7/7/2013	7/7/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9333				
NAL13026-452	274-ST T1	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9329				
NAL13026-452	274-ST T1	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9329				
NAL13026-452	274-ST T1	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9329				
NAL13026-452	274-ST T1	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9329				
NAL13026-452	274-ST T1	ORG	74-97-5	Bromochloromethane		U	ug/L	200	81.18	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9329				
NAL13026-452	274-ST T1	ORG	67-66-3	Chloroform		U	ug/L	100	41.37	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9329				
NAL13026-452	274-ST T1	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	15.73	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9329				
NAL13026-452	274-ST T1	ORG	78-93-3	2-Butanone	39000	D	ug/L	10000	166.52	7/7/2013	7/7/2013	7/7/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9333				
NAL13026-452	274-ST T1	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9329				
NAL13026-452	274-ST T1	ORG	71-43-2	Benzene		U	ug/L	100	13.53	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9329				
NAL13026-452	274-ST T1	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9329				
NAL13026-452	274-ST T1	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9329				
NAL13026-452	274-ST T1	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9329				
NAL13026-452	274-ST T1	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9329				
NAL13026-452	274-ST T1	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9329				
NAL13026-452	274-ST T1	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9329				
NAL13026-452	274-ST T1	ORG	108-88-3	Toluene		U	ug/L	100	20.96	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9329				
NAL13026-452	274-ST T1	ORG	108-10-1	4-Methyl-2-pentanone	940		ug/L	500	74.00	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9329				
NAL13026-452	274-ST T1	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9329				
NAL13026-452	274-ST T1	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9329				
NAL13026-452	274-ST T1	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9329				
NAL13026-452	274-ST T1	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	68.90	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9329				
NAL13026-452	274-ST T1	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	29.90	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9329				
NAL13026-452	274-ST T1	ORG	591-78-6	2-Hexanone	500		ug/L	500	26.49	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9329				
NAL13026-452	274-ST T1	ORG	100-41-4	Ethylbenzene		U	ug/L	100	25.38	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9329				
NAL13026-452	274-ST T1	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9329				
NAL13026-452	274-ST T1	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9329				
NAL13026-452	274-ST T1	ORG	XYLMP	p&m-Xylene		U	ug/L	200	26.14	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9329				
NAL13026-452	274-ST T1	ORG	95-47-6	o-Xylene		U	ug/L	100	12.90	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9329				
NAL13026-452	274-ST T1	ORG	100-42-5	Styrene		U	ug/L	100	20.23	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9329				
NAL13026-452	274-ST T1	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9329				
NAL13026-452	274-ST T1	ORG	98-82-8	Isopropylbenzene		U	ug/L	200	20.48	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9329				
NAL13026-452	274-ST T1	ORG	103-65-1	n-Propylbenzene		U	ug/L	200	27.00	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9329				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-452	274-ST T1	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9329				
NAL13026-452	274-ST T1	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9329				
NAL13026-452	274-ST T1	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	200	20.03	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9329				
NAL13026-452	274-ST T1	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9329				
NAL13026-452	274-ST T1	ORG	95-63-6	1,2,4-Trimethylbenzene	76	J	ug/L	200	20.03	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9329				
NAL13026-452	274-ST T1	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9329				
NAL13026-452	274-ST T1	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9329				
NAL13026-452	274-ST T1	ORG	99-87-6	p-Isopropltoluene	620		ug/L	200	25.48	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9329				
NAL13026-452	274-ST T1	ORG	106-46-7	1,4-Dichlorobenzene	110	J	ug/L	200	33.03	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9329				
NAL13026-452	274-ST T1	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9329				
NAL13026-452	274-ST T1	ORG	104-51-8	n-Butylbenzene	53	J	ug/L	500	27.81	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9329				
NAL13026-452	274-ST T1	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9329				
NAL13026-452	274-ST T1	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9329				
NAL13026-452	274-ST T1	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9329				
NAL13026-452	274-ST T1	ORG	91-20-3	Naphthalene	610	X+	ug/L	500	56.04	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9329				
NAL13026-452	274-ST T1	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9329				
NAL13026-452	274-ST T1	STD	1868-53-7	Dibromofluoromethane	51		ng			7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9329	50	102%		
NAL13026-452	274-ST T1	STD	17060-07-0	1,2-Dichloroethane d4	53		ng			7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9329	50	106%		
NAL13026-452	274-ST T1	STD	2037-26-5	Toluene d8	47		ng			7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9329	50	94%		
NAL13026-452	274-ST T1	STD	460-00-4	Bromofluorobenzene	48		ng			7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9329	50	96%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-453	274-ST T2	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9330				
NAL13026-453	274-ST T2	ORG	74-87-3	Chloromethane		U	ug/L	500	43.07	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9330				
NAL13026-453	274-ST T2	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9330				
NAL13026-453	274-ST T2	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9330				
NAL13026-453	274-ST T2	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9330				
NAL13026-453	274-ST T2	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9330				
NAL13026-453	274-ST T2	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9330				
NAL13026-453	274-ST T2	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9330				
NAL13026-453	274-ST T2	ORG	67-64-1	Acetone	100000	D	ug/L	10000	1556.07	7/7/2013	7/7/2013	7/7/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9334				
NAL13026-453	274-ST T2	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9330				
NAL13026-453	274-ST T2	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9330				
NAL13026-453	274-ST T2	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9330				
NAL13026-453	274-ST T2	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9330				
NAL13026-453	274-ST T2	ORG	74-97-5	Bromochloromethane		U	ug/L	200	81.18	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9330				
NAL13026-453	274-ST T2	ORG	67-66-3	Chloroform		U	ug/L	100	41.37	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9330				
NAL13026-453	274-ST T2	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	15.73	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9330				
NAL13026-453	274-ST T2	ORG	78-93-3	2-Butanone	55000	D	ug/L	10000	166.52	7/7/2013	7/7/2013	7/7/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9334				
NAL13026-453	274-ST T2	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9330				
NAL13026-453	274-ST T2	ORG	71-43-2	Benzene		U	ug/L	100	13.53	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9330				
NAL13026-453	274-ST T2	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9330				
NAL13026-453	274-ST T2	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9330				
NAL13026-453	274-ST T2	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9330				
NAL13026-453	274-ST T2	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9330				
NAL13026-453	274-ST T2	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9330				
NAL13026-453	274-ST T2	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9330				
NAL13026-453	274-ST T2	ORG	108-88-3	Toluene		U	ug/L	100	20.96	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9330				
NAL13026-453	274-ST T2	ORG	108-10-1	4-Methyl-2-pentanone	1500		ug/L	500	74.00	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9330				
NAL13026-453	274-ST T2	ORG	10061-02-6	trans-1,3-Dichloropropene	46	J	ug/L	100	31.15	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9330				
NAL13026-453	274-ST T2	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9330				
NAL13026-453	274-ST T2	ORG	79-00-5	1,1,2-Trichloroethane	94	J	ug/L	100	34.28	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9330				
NAL13026-453	274-ST T2	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	68.90	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9330				
NAL13026-453	274-ST T2	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	29.90	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9330				
NAL13026-453	274-ST T2	ORG	591-78-6	2-Hexanone	560		ug/L	500	26.49	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9330				
NAL13026-453	274-ST T2	ORG	100-41-4	Ethylbenzene	50	J	ug/L	100	25.38	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9330				
NAL13026-453	274-ST T2	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9330				
NAL13026-453	274-ST T2	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9330				
NAL13026-453	274-ST T2	ORG	XYLMP	p&m-Xylene	160	J	ug/L	200	26.14	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9330				
NAL13026-453	274-ST T2	ORG	95-47-6	o-Xylene	95	J	ug/L	100	12.90	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9330				
NAL13026-453	274-ST T2	ORG	100-42-5	Styrene	33	J	ug/L	100	20.23	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9330				
NAL13026-453	274-ST T2	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9330				
NAL13026-453	274-ST T2	ORG	98-82-8	Isopropylbenzene	130	J	ug/L	200	20.48	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9330				
NAL13026-453	274-ST T2	ORG	103-65-1	n-Propylbenzene	86	J	ug/L	200	27.00	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9330				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-453	274-ST T2	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9330				
NAL13026-453	274-ST T2	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9330				
NAL13026-453	274-ST T2	ORG	108-67-8	1,3,5-Trimethylbenzene	260		ug/L	200	20.03	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9330				
NAL13026-453	274-ST T2	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9330				
NAL13026-453	274-ST T2	ORG	95-63-6	1,2,4-Trimethylbenzene	1000		ug/L	200	20.03	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9330				
NAL13026-453	274-ST T2	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9330				
NAL13026-453	274-ST T2	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9330				
NAL13026-453	274-ST T2	ORG	99-87-6	p-Isopropltoluene	5800		ug/L	200	25.48	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9330				
NAL13026-453	274-ST T2	ORG	106-46-7	1,4-Dichlorobenzene	1700		ug/L	200	33.03	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9330				
NAL13026-453	274-ST T2	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9330				
NAL13026-453	274-ST T2	ORG	104-51-8	n-Butylbenzene	230	J	ug/L	500	27.81	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9330				
NAL13026-453	274-ST T2	ORG	96-12-8	1,2-Dibromo-3-chloropropane	1700	X+	ug/L	500	159.11	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9330				
NAL13026-453	274-ST T2	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9330				
NAL13026-453	274-ST T2	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9330				
NAL13026-453	274-ST T2	ORG	91-20-3	Naphthalene	1800	X+	ug/L	500	56.04	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9330				
NAL13026-453	274-ST T2	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9330				
NAL13026-453	274-ST T2	STD	1868-53-7	Dibromofluoromethane	51		ng			7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9330	50	102%		
NAL13026-453	274-ST T2	STD	17060-07-0	1,2-Dichloroethane d4	53		ng			7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9330	50	106%		
NAL13026-453	274-ST T2	STD	2037-26-5	Toluene d8	49		ng			7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9330	50	98%		
NAL13026-453	274-ST T2	STD	460-00-4	Bromofluorobenzene	49		ng			7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9330	50	98%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-454	274-ST T3	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9331				
NAL13026-454	274-ST T3	ORG	74-87-3	Chloromethane		U	ug/L	500	43.07	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9331				
NAL13026-454	274-ST T3	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9331				
NAL13026-454	274-ST T3	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9331				
NAL13026-454	274-ST T3	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9331				
NAL13026-454	274-ST T3	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9331				
NAL13026-454	274-ST T3	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9331				
NAL13026-454	274-ST T3	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9331				
NAL13026-454	274-ST T3	ORG	67-64-1	Acetone	120000	D	ug/L	10000	1556.07	7/7/2013	7/7/2013	7/7/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9335				
NAL13026-454	274-ST T3	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9331				
NAL13026-454	274-ST T3	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9331				
NAL13026-454	274-ST T3	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9331				
NAL13026-454	274-ST T3	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9331				
NAL13026-454	274-ST T3	ORG	74-97-5	Bromochloromethane		U	ug/L	200	81.18	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9331				
NAL13026-454	274-ST T3	ORG	67-66-3	Chloroform		U	ug/L	100	41.37	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9331				
NAL13026-454	274-ST T3	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	15.73	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9331				
NAL13026-454	274-ST T3	ORG	78-93-3	2-Butanone	58000	D	ug/L	10000	166.52	7/7/2013	7/7/2013	7/7/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9335				
NAL13026-454	274-ST T3	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9331				
NAL13026-454	274-ST T3	ORG	71-43-2	Benzene		U	ug/L	100	13.53	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9331				
NAL13026-454	274-ST T3	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9331				
NAL13026-454	274-ST T3	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9331				
NAL13026-454	274-ST T3	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9331				
NAL13026-454	274-ST T3	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9331				
NAL13026-454	274-ST T3	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9331				
NAL13026-454	274-ST T3	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9331				
NAL13026-454	274-ST T3	ORG	108-88-3	Toluene		U	ug/L	100	20.96	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9331				
NAL13026-454	274-ST T3	ORG	108-10-1	4-Methyl-2-pentanone	1700		ug/L	500	74.00	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9331				
NAL13026-454	274-ST T3	ORG	10061-02-6	trans-1,3-Dichloropropene	55	J	ug/L	100	31.15	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9331				
NAL13026-454	274-ST T3	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9331				
NAL13026-454	274-ST T3	ORG	79-00-5	1,1,2-Trichloroethane	120		ug/L	100	34.28	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9331				
NAL13026-454	274-ST T3	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	68.90	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9331				
NAL13026-454	274-ST T3	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	29.90	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9331				
NAL13026-454	274-ST T3	ORG	591-78-6	2-Hexanone	1300		ug/L	500	26.49	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9331				
NAL13026-454	274-ST T3	ORG	100-41-4	Ethylbenzene	27	J	ug/L	100	25.38	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9331				
NAL13026-454	274-ST T3	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9331				
NAL13026-454	274-ST T3	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9331				
NAL13026-454	274-ST T3	ORG	XYLMP	p&m-Xylene	90	J	ug/L	200	26.14	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9331				
NAL13026-454	274-ST T3	ORG	95-47-6	o-Xylene	63	J	ug/L	100	12.90	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9331				
NAL13026-454	274-ST T3	ORG	100-42-5	Styrene	28	J	ug/L	100	20.23	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9331				
NAL13026-454	274-ST T3	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9331				
NAL13026-454	274-ST T3	ORG	98-82-8	Isopropylbenzene	68	J	ug/L	200	20.48	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9331				
NAL13026-454	274-ST T3	ORG	103-65-1	n-Propylbenzene	47	J	ug/L	200	27.00	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9331				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-454	274-ST T3	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9331				
NAL13026-454	274-ST T3	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9331				
NAL13026-454	274-ST T3	ORG	108-67-8	1,3,5-Trimethylbenzene	120	J	ug/L	200	20.03	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9331				
NAL13026-454	274-ST T3	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9331				
NAL13026-454	274-ST T3	ORG	95-63-6	1,2,4-Trimethylbenzene	510		ug/L	200	20.03	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9331				
NAL13026-454	274-ST T3	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9331				
NAL13026-454	274-ST T3	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9331				
NAL13026-454	274-ST T3	ORG	99-87-6	p-Isopropltoluene	3000		ug/L	200	25.48	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9331				
NAL13026-454	274-ST T3	ORG	106-46-7	1,4-Dichlorobenzene	580		ug/L	200	33.03	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9331				
NAL13026-454	274-ST T3	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9331				
NAL13026-454	274-ST T3	ORG	104-51-8	n-Butylbenzene	140	J	ug/L	500	27.81	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9331				
NAL13026-454	274-ST T3	ORG	96-12-8	1,2-Dibromo-3-chloropropane	1100	X+	ug/L	500	159.11	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9331				
NAL13026-454	274-ST T3	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9331				
NAL13026-454	274-ST T3	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9331				
NAL13026-454	274-ST T3	ORG	91-20-3	Naphthalene	1000	X+	ug/L	500	56.04	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9331				
NAL13026-454	274-ST T3	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9331				
NAL13026-454	274-ST T3	STD	1868-53-7	Dibromofluoromethane	50		ng			7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9331	50	100%		
NAL13026-454	274-ST T3	STD	17060-07-0	1,2-Dichloroethane d4	52		ng			7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9331	50	104%		
NAL13026-454	274-ST T3	STD	2037-26-5	Toluene d8	48		ng			7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9331	50	96%		
NAL13026-454	274-ST T3	STD	460-00-4	Bromofluorobenzene	50		ng			7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9331	50	100%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-455	274-ST T4	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9332				
NAL13026-455	274-ST T4	ORG	74-87-3	Chloromethane		U	ug/L	500	43.07	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9332				
NAL13026-455	274-ST T4	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9332				
NAL13026-455	274-ST T4	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9332				
NAL13026-455	274-ST T4	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9332				
NAL13026-455	274-ST T4	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9332				
NAL13026-455	274-ST T4	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9332				
NAL13026-455	274-ST T4	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9332				
NAL13026-455	274-ST T4	ORG	67-64-1	Acetone	96000	D	ug/L	10000	1556.07	7/7/2013	7/7/2013	7/7/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9336				
NAL13026-455	274-ST T4	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9332				
NAL13026-455	274-ST T4	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9332				
NAL13026-455	274-ST T4	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9332				
NAL13026-455	274-ST T4	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9332				
NAL13026-455	274-ST T4	ORG	74-97-5	Bromochloromethane		U	ug/L	200	81.18	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9332				
NAL13026-455	274-ST T4	ORG	67-66-3	Chloroform		U	ug/L	100	41.37	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9332				
NAL13026-455	274-ST T4	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	15.73	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9332				
NAL13026-455	274-ST T4	ORG	78-93-3	2-Butanone	50000	D	ug/L	10000	166.52	7/7/2013	7/7/2013	7/7/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9336				
NAL13026-455	274-ST T4	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9332				
NAL13026-455	274-ST T4	ORG	71-43-2	Benzene		U	ug/L	100	13.53	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9332				
NAL13026-455	274-ST T4	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9332				
NAL13026-455	274-ST T4	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9332				
NAL13026-455	274-ST T4	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9332				
NAL13026-455	274-ST T4	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9332				
NAL13026-455	274-ST T4	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9332				
NAL13026-455	274-ST T4	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9332				
NAL13026-455	274-ST T4	ORG	108-88-3	Toluene		U	ug/L	100	20.96	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9332				
NAL13026-455	274-ST T4	ORG	108-10-1	4-Methyl-2-pentanone	1500		ug/L	500	74.00	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9332				
NAL13026-455	274-ST T4	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9332				
NAL13026-455	274-ST T4	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9332				
NAL13026-455	274-ST T4	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9332				
NAL13026-455	274-ST T4	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	68.90	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9332				
NAL13026-455	274-ST T4	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	29.90	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9332				
NAL13026-455	274-ST T4	ORG	591-78-6	2-Hexanone	620		ug/L	500	26.49	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9332				
NAL13026-455	274-ST T4	ORG	100-41-4	Ethylbenzene	110		ug/L	100	25.38	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9332				
NAL13026-455	274-ST T4	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9332				
NAL13026-455	274-ST T4	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9332				
NAL13026-455	274-ST T4	ORG	XYLMP	p&m-Xylene	310		ug/L	200	26.14	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9332				
NAL13026-455	274-ST T4	ORG	95-47-6	o-Xylene	180		ug/L	100	12.90	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9332				
NAL13026-455	274-ST T4	ORG	100-42-5	Styrene	44	J	ug/L	100	20.23	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9332				
NAL13026-455	274-ST T4	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9332				
NAL13026-455	274-ST T4	ORG	98-82-8	Isopropylbenzene	210		ug/L	200	20.48	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9332				
NAL13026-455	274-ST T4	ORG	103-65-1	n-Propylbenzene	150	J	ug/L	200	27.00	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9332				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-455	274-ST T4	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9332				
NAL13026-455	274-ST T4	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9332				
NAL13026-455	274-ST T4	ORG	108-67-8	1,3,5-Trimethylbenzene	380		ug/L	200	20.03	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9332				
NAL13026-455	274-ST T4	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9332				
NAL13026-455	274-ST T4	ORG	95-63-6	1,2,4-Trimethylbenzene	1500		ug/L	200	20.03	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9332				
NAL13026-455	274-ST T4	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9332				
NAL13026-455	274-ST T4	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9332				
NAL13026-455	274-ST T4	ORG	99-87-6	p-Isopropltoluene	8000		ug/L	200	25.48	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9332				
NAL13026-455	274-ST T4	ORG	106-46-7	1,4-Dichlorobenzene	1600		ug/L	200	33.03	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9332				
NAL13026-455	274-ST T4	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9332				
NAL13026-455	274-ST T4	ORG	104-51-8	n-Butylbenzene	320	J	ug/L	500	27.81	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9332				
NAL13026-455	274-ST T4	ORG	96-12-8	1,2-Dibromo-3-chloropropane	2400	X+	ug/L	500	159.11	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9332				
NAL13026-455	274-ST T4	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9332				
NAL13026-455	274-ST T4	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9332				
NAL13026-455	274-ST T4	ORG	91-20-3	Naphthalene	2100	X+	ug/L	500	56.04	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9332				
NAL13026-455	274-ST T4	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9332				
NAL13026-455	274-ST T4	STD	1868-53-7	Dibromofluoromethane	51		ng			7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9332	50	102%		
NAL13026-455	274-ST T4	STD	17060-07-0	1,2-Dichloroethane d4	53		ng			7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9332	50	106%		
NAL13026-455	274-ST T4	STD	2037-26-5	Toluene d8	49		ng			7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9332	50	98%		
NAL13026-455	274-ST T4	STD	460-00-4	Bromofluorobenzene	51		ng			7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9332	50	102%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J0707113CCVA	J0707113CCVA	ORG	75-71-8	Dichlorodifluoromethane	56		ug/L	5	0.29	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9314	50	112%		
J0707113CCVA	J0707113CCVA	ORG	74-87-3	Chloromethane	48		ug/L	5	0.43	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9314	50	96%		
J0707113CCVA	J0707113CCVA	ORG	75-01-4	Vinyl chloride	47		ug/L	2	0.32	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9314	50	94%		
J0707113CCVA	J0707113CCVA	ORG	74-83-9	Bromomethane	58		ug/L	5	0.50	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9314	50	116%		
J0707113CCVA	J0707113CCVA	ORG	75-00-3	Chloroethane	64		ug/L	5	0.56	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9314	50	128%		
J0707113CCVA	J0707113CCVA	ORG	75-69-4	Trichlorofluoromethane	51		ug/L	5	0.20	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9314	50	102%		
J0707113CCVA	J0707113CCVA	ORG	75-35-4	1,1-Dichloroethene	48		ug/L	1	0.47	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9314	50	96%		
J0707113CCVA	J0707113CCVA	ORG	75-09-2	Methylene chloride	49		ug/L	5	0.26	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9314	50	98%		
J0707113CCVA	J0707113CCVA	ORG	67-64-1	Acetone	49		ug/L	10	1.56	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9314	50	98%		
J0707113CCVA	J0707113CCVA	ORG	156-60-5	trans-1,2-Dichloroethene	61		ug/L	1	0.56	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9314	50	122%		
J0707113CCVA	J0707113CCVA	ORG	1634-04-4	MTBE	59		ug/L	5	0.61	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9314	50	118%		
J0707113CCVA	J0707113CCVA	ORG	75-34-3	1,1-Dichloroethane	59		ug/L	1	0.53	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9314	50	118%		
J0707113CCVA	J0707113CCVA	ORG	156-59-2	cis-1,2-Dichloroethene	53		ug/L	1	0.32	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9314	50	106%		
J0707113CCVA	J0707113CCVA	ORG	74-97-5	Bromochloromethane	55		ug/L	10	0.81	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9314	50	110%		
J0707113CCVA	J0707113CCVA	ORG	67-66-3	Chloroform	51		ug/L	2	0.41	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9314	50	102%		
J0707113CCVA	J0707113CCVA	ORG	71-55-6	1,1,1-Trichloroethane	52		ug/L	1	0.16	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9314	50	104%		
J0707113CCVA	J0707113CCVA	ORG	78-93-3	2-Butanone	53		ug/L	1	0.17	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9314	50	106%		
J0707113CCVA	J0707113CCVA	ORG	56-23-5	Carbon tetrachloride	52		ug/L	1	0.28	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9314	50	104%		
J0707113CCVA	J0707113CCVA	ORG	71-43-2	Benzene	50		ug/L	1	0.14	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9314	50	100%		
J0707113CCVA	J0707113CCVA	ORG	107-06-2	1,2-Dichloroethane	51		ug/L	1	0.20	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9314	50	102%		
J0707113CCVA	J0707113CCVA	ORG	79-01-6	Trichloroethene	52		ug/L	1	0.36	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9314	50	104%		
J0707113CCVA	J0707113CCVA	ORG	74-95-3	Dibromomethane	52		ug/L	2	0.32	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9314	50	104%		
J0707113CCVA	J0707113CCVA	ORG	78-87-5	1,2-Dichloropropane	50		ug/L	1	0.18	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9314	50	100%		
J0707113CCVA	J0707113CCVA	ORG	75-27-4	Bromodichloromethane	51		ug/L	2	0.12	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9314	50	102%		
J0707113CCVA	J0707113CCVA	ORG	10061-01-5	cis-1,3-Dichloropropene	52		ug/L	1	0.25	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9314	50	104%		
J0707113CCVA	J0707113CCVA	ORG	108-88-3	Toluene	49		ug/L	5	0.74	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9314	50	98%		
J0707113CCVA	J0707113CCVA	ORG	108-10-1	4-Methyl-2-pentanone	59		ug/L	1	0.21	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9314	50	118%		
J0707113CCVA	J0707113CCVA	ORG	10061-02-6	trans-1,3-Dichloropropene	55		ug/L	1	0.31	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9314	50	110%		
J0707113CCVA	J0707113CCVA	ORG	127-18-4	Tetrachloroethene	41		ug/L	1	0.49	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9314	50	82%		
J0707113CCVA	J0707113CCVA	ORG	79-00-5	1,1,2-Trichloroethane	51		ug/L	1	0.34	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9314	50	102%		
J0707113CCVA	J0707113CCVA	ORG	124-48-1	Dibromochloromethane	54		ug/L	5	0.69	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9314	50	108%		
J0707113CCVA	J0707113CCVA	ORG	106-93-4	1,2-Dibromoethane	53		ug/L	2	0.30	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9314	50	106%		
J0707113CCVA	J0707113CCVA	ORG	591-78-6	2-Hexanone	65		ug/L	2	0.26	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9314	50	130%		
J0707113CCVA	J0707113CCVA	ORG	100-41-4	Ethylbenzene	46		ug/L	1	0.25	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9314	50	92%		
J0707113CCVA	J0707113CCVA	ORG	108-90-7	Chlorobenzene	45		ug/L	1	0.28	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9314	50	90%		
J0707113CCVA	J0707113CCVA	ORG	630-20-6	1,1,1,2-Tetrachloroethane	47		ug/L	2	0.19	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9314	50	94%		
J0707113CCVA	J0707113CCVA	ORG	XYLMP	p&m-Xylene	92		ug/L	2	0.26	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9314	100	92%		
J0707113CCVA	J0707113CCVA	ORG	95-47-6	o-Xylene	47		ug/L	1	0.13	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9314	50	94%		
J0707113CCVA	J0707113CCVA	ORG	100-42-5	Styrene	45		ug/L	1	0.20	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9314	50	90%		
J0707113CCVA	J0707113CCVA	ORG	75-25-2	Bromoform	53		ug/L	2	0.47	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9314	50	106%		
J0707113CCVA	J0707113CCVA	ORG	98-82-8	Isopropylbenzene	46		ug/L	2	0.20	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9314	50	92%		
J0707113CCVA	J0707113CCVA	ORG	103-65-1	n-Propylbenzene	48		ug/L	2	0.27	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9314	50	96%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J0707113CCVA	J0707113CCVA	ORG	79-34-5	1,1,2,2-Tetrachloroethane	55		ug/L	2	0.29	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9314	50	110%		
J0707113CCVA	J0707113CCVA	ORG	96-18-4	1,2,3-Trichloropropane	53		ug/L	2	0.29	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9314	50	106%		
J0707113CCVA	J0707113CCVA	ORG	108-67-8	1,3,5-Trimethylbenzene	47		ug/L	2	0.20	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9314	50	94%		
J0707113CCVA	J0707113CCVA	ORG	98-06-6	tert-Butylbenzene	47		ug/L	2	0.33	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9314	50	94%		
J0707113CCVA	J0707113CCVA	ORG	95-63-6	1,2,4-Trimethylbenzene	47		ug/L	2	0.20	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9314	50	94%		
J0707113CCVA	J0707113CCVA	ORG	135-98-8	sec-Butylbenzene	49		ug/L	2	0.32	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9314	50	98%		
J0707113CCVA	J0707113CCVA	ORG	541-73-1	1,3-Dichlorobenzene	52		ug/L	2	0.22	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9314	50	104%		
J0707113CCVA	J0707113CCVA	ORG	99-87-6	p-Isopropltoluene	49		ug/L	2	0.25	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9314	50	98%		
J0707113CCVA	J0707113CCVA	ORG	106-46-7	1,4-Dichlorobenzene	52		ug/L	2	0.33	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9314	50	104%		
J0707113CCVA	J0707113CCVA	ORG	95-50-1	1,2-Dichlorobenzene	53		ug/L	2	0.26	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9314	50	106%		
J0707113CCVA	J0707113CCVA	ORG	104-51-8	n-Butylbenzene	51		ug/L	5	0.28	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9314	50	102%		
J0707113CCVA	J0707113CCVA	ORG	96-12-8	1,2-Dibromo-3-chloropropane	53		ug/L	5	1.59	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9314	50	106%		
J0707113CCVA	J0707113CCVA	ORG	87-68-3	Hexachlorobutadiene	56		ug/L	5	0.65	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9314	50	112%		
J0707113CCVA	J0707113CCVA	ORG	120-82-1	1,2,4-Trichlorobenzene	52		ug/L	5	0.28	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9314	50	104%		
J0707113CCVA	J0707113CCVA	ORG	91-20-3	Naphthalene	47		ug/L	5	0.56	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9314	50	94%		
J0707113CCVA	J0707113CCVA	ORG	87-61-6	1,2,3-Trichlorobenzene	49		ug/L	5	0.23	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9314	50	98%		
J0707113CCVA	J0707113CCVA	STD	1868-53-7	Dibromofluoromethane	50		ng			NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9314	50	100%		
J0707113CCVA	J0707113CCVA	STD	17060-07-0	1,2-Dichloroethane d4	48		ng			NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9314	50	96%		
J0707113CCVA	J0707113CCVA	STD	2037-26-5	Toluene d8	48		ng			NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9314	50	96%		
J0707113CCVA	J0707113CCVA	STD	460-00-4	Bromofluorobenzene	46		ng			NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9314	50	92%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J070713MBKA	J070713MBKA	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	5	0.29	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9315				
J070713MBKA	J070713MBKA	ORG	74-87-3	Chloromethane		U	ug/L	5	0.43	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9315				
J070713MBKA	J070713MBKA	ORG	75-01-4	Vinyl chloride		U	ug/L	2	0.32	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9315				
J070713MBKA	J070713MBKA	ORG	74-83-9	Bromomethane		U	ug/L	5	0.50	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9315				
J070713MBKA	J070713MBKA	ORG	75-00-3	Chloroethane		U	ug/L	5	0.56	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9315				
J070713MBKA	J070713MBKA	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	5	0.20	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9315				
J070713MBKA	J070713MBKA	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	1	0.47	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9315				
J070713MBKA	J070713MBKA	ORG	75-09-2	Methylene chloride		U	ug/L	5	0.26	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9315				
J070713MBKA	J070713MBKA	ORG	67-64-1	Acetone		U	ug/L	10	1.56	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9315				
J070713MBKA	J070713MBKA	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	1	0.56	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9315				
J070713MBKA	J070713MBKA	ORG	1634-04-4	MTBE		U	ug/L	5	0.61	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9315				
J070713MBKA	J070713MBKA	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	1	0.53	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9315				
J070713MBKA	J070713MBKA	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	1	0.32	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9315				
J070713MBKA	J070713MBKA	ORG	74-97-5	Bromochloromethane		U	ug/L	10	0.81	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9315				
J070713MBKA	J070713MBKA	ORG	67-66-3	Chloroform		U	ug/L	2	0.41	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9315				
J070713MBKA	J070713MBKA	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	1	0.16	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9315				
J070713MBKA	J070713MBKA	ORG	78-93-3	2-Butanone		U	ug/L	1	0.17	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9315				
J070713MBKA	J070713MBKA	ORG	56-23-5	Carbon tetrachloride		U	ug/L	1	0.28	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9315				
J070713MBKA	J070713MBKA	ORG	71-43-2	Benzene		U	ug/L	1	0.14	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9315				
J070713MBKA	J070713MBKA	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	1	0.20	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9315				
J070713MBKA	J070713MBKA	ORG	79-01-6	Trichloroethene		U	ug/L	1	0.36	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9315				
J070713MBKA	J070713MBKA	ORG	74-95-3	Dibromomethane		U	ug/L	2	0.32	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9315				
J070713MBKA	J070713MBKA	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	1	0.18	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9315				
J070713MBKA	J070713MBKA	ORG	75-27-4	Bromodichloromethane		U	ug/L	2	0.12	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9315				
J070713MBKA	J070713MBKA	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	1	0.25	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9315				
J070713MBKA	J070713MBKA	ORG	108-88-3	Toluene		U	ug/L	5	0.74	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9315				
J070713MBKA	J070713MBKA	ORG	108-10-1	4-Methyl-2-pentanone		U	ug/L	1	0.21	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9315				
J070713MBKA	J070713MBKA	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	1	0.31	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9315				
J070713MBKA	J070713MBKA	ORG	127-18-4	Tetrachloroethene		U	ug/L	1	0.49	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9315				
J070713MBKA	J070713MBKA	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	1	0.34	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9315				
J070713MBKA	J070713MBKA	ORG	124-48-1	Dibromochloromethane		U	ug/L	5	0.69	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9315				
J070713MBKA	J070713MBKA	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	2	0.30	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9315				
J070713MBKA	J070713MBKA	ORG	591-78-6	2-Hexanone		U	ug/L	2	0.26	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9315				
J070713MBKA	J070713MBKA	ORG	100-41-4	Ethylbenzene		U	ug/L	1	0.25	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9315				
J070713MBKA	J070713MBKA	ORG	108-90-7	Chlorobenzene		U	ug/L	1	0.28	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9315				
J070713MBKA	J070713MBKA	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	2	0.19	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9315				
J070713MBKA	J070713MBKA	ORG	XYLMP	p&m-Xylene		U	ug/L	2	0.26	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9315				
J070713MBKA	J070713MBKA	ORG	95-47-6	o-Xylene		U	ug/L	1	0.13	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9315				
J070713MBKA	J070713MBKA	ORG	100-42-5	Styrene		U	ug/L	1	0.20	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9315				
J070713MBKA	J070713MBKA	ORG	75-25-2	Bromoform		U	ug/L	2	0.47	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9315				
J070713MBKA	J070713MBKA	ORG	98-82-8	Isopropylbenzene		U	ug/L	2	0.20	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9315				
J070713MBKA	J070713MBKA	ORG	103-65-1	n-Propylbenzene		U	ug/L	2	0.27	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9315				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J070713MBKA	J070713MBKA	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	2	0.29	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9315				
J070713MBKA	J070713MBKA	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	2	0.29	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9315				
J070713MBKA	J070713MBKA	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	2	0.20	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9315				
J070713MBKA	J070713MBKA	ORG	98-06-6	tert-Butylbenzene		U	ug/L	2	0.33	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9315				
J070713MBKA	J070713MBKA	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	2	0.20	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9315				
J070713MBKA	J070713MBKA	ORG	135-98-8	sec-Butylbenzene		U	ug/L	2	0.32	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9315				
J070713MBKA	J070713MBKA	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	2	0.22	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9315				
J070713MBKA	J070713MBKA	ORG	99-87-6	p-Isopropltoluene		U	ug/L	2	0.25	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9315				
J070713MBKA	J070713MBKA	ORG	106-46-7	1,4-Dichlorobenzene		U	ug/L	2	0.33	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9315				
J070713MBKA	J070713MBKA	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	2	0.26	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9315				
J070713MBKA	J070713MBKA	ORG	104-51-8	n-Butylbenzene		U	ug/L	5	0.28	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9315				
J070713MBKA	J070713MBKA	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	5	1.59	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9315				
J070713MBKA	J070713MBKA	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	5	0.65	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9315				
J070713MBKA	J070713MBKA	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	5	0.28	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9315				
J070713MBKA	J070713MBKA	ORG	91-20-3	Naphthalene		U	ug/L	5	0.56	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9315				
J070713MBKA	J070713MBKA	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	5	0.23	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9315				
J070713MBKA	J070713MBKA	STD	1868-53-7	Dibromofluoromethane	50		ng			NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9315	50	100%		
J070713MBKA	J070713MBKA	STD	17060-07-0	1,2-Dichloroethane d4	51		ng			NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9315	50	102%		
J070713MBKA	J070713MBKA	STD	2037-26-5	Toluene d8	48		ng			NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9315	50	96%		
J070713MBKA	J070713MBKA	STD	460-00-4	Bromofluorobenzene	47		ng			NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9315	50	94%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J070113CCVB	J070113CCVB	ORG	75-71-8	Dichlorodifluoromethane	44		ug/L	5	0.29	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9327	50	88%		
J070113CCVB	J070113CCVB	ORG	74-87-3	Chloromethane	43		ug/L	5	0.43	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9327	50	86%		
J070113CCVB	J070113CCVB	ORG	75-01-4	Vinyl chloride	49		ug/L	2	0.32	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9327	50	98%		
J070113CCVB	J070113CCVB	ORG	74-83-9	Bromomethane	47		ug/L	5	0.50	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9327	50	94%		
J070113CCVB	J070113CCVB	ORG	75-00-3	Chloroethane	49		ug/L	5	0.56	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9327	50	98%		
J070113CCVB	J070113CCVB	ORG	75-69-4	Trichlorofluoromethane	42		ug/L	5	0.20	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9327	50	84%		
J070113CCVB	J070113CCVB	ORG	75-35-4	1,1-Dichloroethene	48		ug/L	1	0.47	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9327	50	96%		
J070113CCVB	J070113CCVB	ORG	75-09-2	Methylene chloride	51		ug/L	5	0.26	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9327	50	102%		
J070113CCVB	J070113CCVB	ORG	67-64-1	Acetone	47		ug/L	10	1.56	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9327	50	94%		
J070113CCVB	J070113CCVB	ORG	156-60-5	trans-1,2-Dichloroethene	53		ug/L	1	0.56	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9327	50	106%		
J070113CCVB	J070113CCVB	ORG	1634-04-4	MTBE	50		ug/L	5	0.61	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9327	50	100%		
J070113CCVB	J070113CCVB	ORG	75-34-3	1,1-Dichloroethane	59		ug/L	1	0.53	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9327	50	118%		
J070113CCVB	J070113CCVB	ORG	156-59-2	cis-1,2-Dichloroethene	55		ug/L	1	0.32	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9327	50	110%		
J070113CCVB	J070113CCVB	ORG	74-97-5	Bromochloromethane	57		ug/L	10	0.81	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9327	50	114%		
J070113CCVB	J070113CCVB	ORG	67-66-3	Chloroform	55		ug/L	2	0.41	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9327	50	110%		
J070113CCVB	J070113CCVB	ORG	71-55-6	1,1,1-Trichloroethane	55		ug/L	1	0.16	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9327	50	110%		
J070113CCVB	J070113CCVB	ORG	78-93-3	2-Butanone	50		ug/L	1	0.17	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9327	50	100%		
J070113CCVB	J070113CCVB	ORG	56-23-5	Carbon tetrachloride	54		ug/L	1	0.28	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9327	50	108%		
J070113CCVB	J070113CCVB	ORG	71-43-2	Benzene	52		ug/L	1	0.14	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9327	50	104%		
J070113CCVB	J070113CCVB	ORG	107-06-2	1,2-Dichloroethane	56		ug/L	1	0.20	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9327	50	112%		
J070113CCVB	J070113CCVB	ORG	79-01-6	Trichloroethene	55		ug/L	1	0.36	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9327	50	110%		
J070113CCVB	J070113CCVB	ORG	74-95-3	Dibromomethane	57		ug/L	2	0.32	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9327	50	114%		
J070113CCVB	J070113CCVB	ORG	78-87-5	1,2-Dichloropropane	51		ug/L	1	0.18	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9327	50	102%		
J070113CCVB	J070113CCVB	ORG	75-27-4	Bromodichloromethane	56		ug/L	2	0.12	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9327	50	112%		
J070113CCVB	J070113CCVB	ORG	10061-01-5	cis-1,3-Dichloropropene	52		ug/L	1	0.25	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9327	50	104%		
J070113CCVB	J070113CCVB	ORG	108-88-3	Toluene	52		ug/L	5	0.74	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9327	50	104%		
J070113CCVB	J070113CCVB	ORG	108-10-1	4-Methyl-2-pentanone	49		ug/L	1	0.21	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9327	50	98%		
J070113CCVB	J070113CCVB	ORG	10061-02-6	trans-1,3-Dichloropropene	54		ug/L	1	0.31	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9327	50	108%		
J070113CCVB	J070113CCVB	ORG	127-18-4	Tetrachloroethene	56		ug/L	1	0.49	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9327	50	112%		
J070113CCVB	J070113CCVB	ORG	79-00-5	1,1,2-Trichloroethane	55		ug/L	1	0.34	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9327	50	110%		
J070113CCVB	J070113CCVB	ORG	124-48-1	Dibromochloromethane	57		ug/L	5	0.69	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9327	50	114%		
J070113CCVB	J070113CCVB	ORG	106-93-4	1,2-Dibromoethane	58		ug/L	2	0.30	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9327	50	116%		
J070113CCVB	J070113CCVB	ORG	591-78-6	2-Hexanone	48		ug/L	2	0.26	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9327	50	96%		
J070113CCVB	J070113CCVB	ORG	100-41-4	Ethylbenzene	54		ug/L	1	0.25	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9327	50	108%		
J070113CCVB	J070113CCVB	ORG	108-90-7	Chlorobenzene	55		ug/L	1	0.28	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9327	50	110%		
J070113CCVB	J070113CCVB	ORG	630-20-6	1,1,1,2-Tetrachloroethane	57		ug/L	2	0.19	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9327	50	114%		
J070113CCVB	J070113CCVB	ORG	XYLMP	p&m-Xylene	110		ug/L	2	0.26	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9327	100	110%		
J070113CCVB	J070113CCVB	ORG	95-47-6	o-Xylene	56		ug/L	1	0.13	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9327	50	112%		
J070113CCVB	J070113CCVB	ORG	100-42-5	Styrene	51		ug/L	1	0.20	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9327	50	102%		
J070113CCVB	J070113CCVB	ORG	75-25-2	Bromoform	62		ug/L	2	0.47	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9327	50	124%		
J070113CCVB	J070113CCVB	ORG	98-82-8	Isopropylbenzene	55		ug/L	2	0.20	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9327	50	110%		
J070113CCVB	J070113CCVB	ORG	103-65-1	n-Propylbenzene	54		ug/L	2	0.27	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9327	50	108%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J070113CCVB	J070113CCVB	ORG	79-34-5	1,1,2,2-Tetrachloroethane	58		ug/L	2	0.29	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9327	50	116%		
J070113CCVB	J070113CCVB	ORG	96-18-4	1,2,3-Trichloropropane	58		ug/L	2	0.29	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9327	50	116%		
J070113CCVB	J070113CCVB	ORG	108-67-8	1,3,5-Trimethylbenzene	53		ug/L	2	0.20	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9327	50	106%		
J070113CCVB	J070113CCVB	ORG	98-06-6	tert-Butylbenzene	54		ug/L	2	0.33	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9327	50	108%		
J070113CCVB	J070113CCVB	ORG	95-63-6	1,2,4-Trimethylbenzene	53		ug/L	2	0.20	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9327	50	106%		
J070113CCVB	J070113CCVB	ORG	135-98-8	sec-Butylbenzene	53		ug/L	2	0.32	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9327	50	106%		
J070113CCVB	J070113CCVB	ORG	541-73-1	1,3-Dichlorobenzene	53		ug/L	2	0.22	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9327	50	106%		
J070113CCVB	J070113CCVB	ORG	99-87-6	p-Isopropltoluene	53		ug/L	2	0.25	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9327	50	106%		
J070113CCVB	J070113CCVB	ORG	106-46-7	1,4-Dichlorobenzene	53		ug/L	2	0.33	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9327	50	106%		
J070113CCVB	J070113CCVB	ORG	95-50-1	1,2-Dichlorobenzene	54		ug/L	2	0.26	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9327	50	108%		
J070113CCVB	J070113CCVB	ORG	104-51-8	n-Butylbenzene	52		ug/L	5	0.28	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9327	50	104%		
J070113CCVB	J070113CCVB	ORG	96-12-8	1,2-Dibromo-3-chloropropane	64		ug/L	5	1.59	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9327	50	128%		
J070113CCVB	J070113CCVB	ORG	87-68-3	Hexachlorobutadiene	53		ug/L	5	0.65	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9327	50	106%		
J070113CCVB	J070113CCVB	ORG	120-82-1	1,2,4-Trichlorobenzene	56		ug/L	5	0.28	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9327	50	112%		
J070113CCVB	J070113CCVB	ORG	91-20-3	Naphthalene	61		ug/L	5	0.56	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9327	50	122%		
J070113CCVB	J070113CCVB	ORG	87-61-6	1,2,3-Trichlorobenzene	58		ug/L	5	0.23	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9327	50	116%		
J070113CCVB	J070113CCVB	STD	1868-53-7	Dibromofluoromethane	51		ng			NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9327	50	102%		
J070113CCVB	J070113CCVB	STD	17060-07-0	1,2-Dichloroethane d4	49		ng			NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9327	50	98%		
J070113CCVB	J070113CCVB	STD	2037-26-5	Toluene d8	49		ng			NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9327	50	98%		
J070113CCVB	J070113CCVB	STD	460-00-4	Bromofluorobenzene	51		ng			NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9327	50	102%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J070113MBKB	J070113MBKB	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	5	0.29	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9328				
J070113MBKB	J070113MBKB	ORG	74-87-3	Chloromethane		U	ug/L	5	0.43	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9328				
J070113MBKB	J070113MBKB	ORG	75-01-4	Vinyl chloride		U	ug/L	2	0.32	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9328				
J070113MBKB	J070113MBKB	ORG	74-83-9	Bromomethane		U	ug/L	5	0.50	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9328				
J070113MBKB	J070113MBKB	ORG	75-00-3	Chloroethane		U	ug/L	5	0.56	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9328				
J070113MBKB	J070113MBKB	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	5	0.20	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9328				
J070113MBKB	J070113MBKB	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	1	0.47	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9328				
J070113MBKB	J070113MBKB	ORG	75-09-2	Methylene chloride		U	ug/L	5	0.26	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9328				
J070113MBKB	J070113MBKB	ORG	67-64-1	Acetone		U	ug/L	10	1.56	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9328				
J070113MBKB	J070113MBKB	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	1	0.56	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9328				
J070113MBKB	J070113MBKB	ORG	1634-04-4	MTBE		U	ug/L	5	0.61	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9328				
J070113MBKB	J070113MBKB	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	1	0.53	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9328				
J070113MBKB	J070113MBKB	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	1	0.32	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9328				
J070113MBKB	J070113MBKB	ORG	74-97-5	Bromochloromethane		U	ug/L	10	0.81	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9328				
J070113MBKB	J070113MBKB	ORG	67-66-3	Chloroform		U	ug/L	2	0.41	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9328				
J070113MBKB	J070113MBKB	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	1	0.16	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9328				
J070113MBKB	J070113MBKB	ORG	78-93-3	2-Butanone		U	ug/L	1	0.17	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9328				
J070113MBKB	J070113MBKB	ORG	56-23-5	Carbon tetrachloride		U	ug/L	1	0.28	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9328				
J070113MBKB	J070113MBKB	ORG	71-43-2	Benzene		U	ug/L	1	0.14	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9328				
J070113MBKB	J070113MBKB	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	1	0.20	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9328				
J070113MBKB	J070113MBKB	ORG	79-01-6	Trichloroethene		U	ug/L	1	0.36	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9328				
J070113MBKB	J070113MBKB	ORG	74-95-3	Dibromomethane		U	ug/L	2	0.32	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9328				
J070113MBKB	J070113MBKB	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	1	0.18	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9328				
J070113MBKB	J070113MBKB	ORG	75-27-4	Bromodichloromethane		U	ug/L	2	0.12	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9328				
J070113MBKB	J070113MBKB	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	1	0.25	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9328				
J070113MBKB	J070113MBKB	ORG	108-88-3	Toluene		U	ug/L	5	0.74	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9328				
J070113MBKB	J070113MBKB	ORG	108-10-1	4-Methyl-2-pentanone		U	ug/L	1	0.21	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9328				
J070113MBKB	J070113MBKB	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	1	0.31	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9328				
J070113MBKB	J070113MBKB	ORG	127-18-4	Tetrachloroethene		U	ug/L	1	0.49	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9328				
J070113MBKB	J070113MBKB	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	1	0.34	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9328				
J070113MBKB	J070113MBKB	ORG	124-48-1	Dibromochloromethane		U	ug/L	5	0.69	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9328				
J070113MBKB	J070113MBKB	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	2	0.30	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9328				
J070113MBKB	J070113MBKB	ORG	591-78-6	2-Hexanone		U	ug/L	2	0.26	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9328				
J070113MBKB	J070113MBKB	ORG	100-41-4	Ethylbenzene		U	ug/L	1	0.25	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9328				
J070113MBKB	J070113MBKB	ORG	108-90-7	Chlorobenzene		U	ug/L	1	0.28	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9328				
J070113MBKB	J070113MBKB	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	2	0.19	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9328				
J070113MBKB	J070113MBKB	ORG	XYLMP	p&m-Xylene		U	ug/L	2	0.26	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9328				
J070113MBKB	J070113MBKB	ORG	95-47-6	o-Xylene		U	ug/L	1	0.13	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9328				
J070113MBKB	J070113MBKB	ORG	100-42-5	Styrene		U	ug/L	1	0.20	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9328				
J070113MBKB	J070113MBKB	ORG	75-25-2	Bromoform		U	ug/L	2	0.47	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9328				
J070113MBKB	J070113MBKB	ORG	98-82-8	Isopropylbenzene		U	ug/L	2	0.20	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9328				
J070113MBKB	J070113MBKB	ORG	103-65-1	n-Propylbenzene		U	ug/L	2	0.27	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9328				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J070113MBKB	J070113MBKB	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	2	0.29	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9328				
J070113MBKB	J070113MBKB	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	2	0.29	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9328				
J070113MBKB	J070113MBKB	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	2	0.20	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9328				
J070113MBKB	J070113MBKB	ORG	98-06-6	tert-Butylbenzene		U	ug/L	2	0.33	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9328				
J070113MBKB	J070113MBKB	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	2	0.20	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9328				
J070113MBKB	J070113MBKB	ORG	135-98-8	sec-Butylbenzene		U	ug/L	2	0.32	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9328				
J070113MBKB	J070113MBKB	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	2	0.22	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9328				
J070113MBKB	J070113MBKB	ORG	99-87-6	p-Isopropltoluene		U	ug/L	2	0.25	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9328				
J070113MBKB	J070113MBKB	ORG	106-46-7	1,4-Dichlorobenzene		U	ug/L	2	0.33	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9328				
J070113MBKB	J070113MBKB	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	2	0.26	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9328				
J070113MBKB	J070113MBKB	ORG	104-51-8	n-Butylbenzene		U	ug/L	5	0.28	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9328				
J070113MBKB	J070113MBKB	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	5	1.59	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9328				
J070113MBKB	J070113MBKB	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	5	0.65	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9328				
J070113MBKB	J070113MBKB	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	5	0.28	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9328				
J070113MBKB	J070113MBKB	ORG	91-20-3	Naphthalene		U	ug/L	5	0.56	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9328				
J070113MBKB	J070113MBKB	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	5	0.23	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9328				
J070113MBKB	J070113MBKB	STD	1868-53-7	Dibromofluoromethane	53		ng			NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9328	50	106%		
J070113MBKB	J070113MBKB	STD	17060-07-0	1,2-Dichloroethane d4	56		ng			NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9328	50	112%		
J070113MBKB	J070113MBKB	STD	2037-26-5	Toluene d8	48		ng			NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9328	50	96%		
J070113MBKB	J070113MBKB	STD	460-00-4	Bromofluorobenzene	48		ng			NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9328	50	96%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J070713ALCS	J070713ALCS	ORG	75-71-8	Dichlorodifluoromethane	48		ug/L	5	0.29	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9322	50	96%		
J070713ALCS	J070713ALCS	ORG	74-87-3	Chloromethane	42		ug/L	5	0.43	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9322	50	84%		
J070713ALCS	J070713ALCS	ORG	75-01-4	Vinyl chloride	51		ug/L	2	0.32	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9322	50	102%		
J070713ALCS	J070713ALCS	ORG	74-83-9	Bromomethane	53		ug/L	5	0.50	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9322	50	106%		
J070713ALCS	J070713ALCS	ORG	75-00-3	Chloroethane	55		ug/L	5	0.56	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9322	50	110%		
J070713ALCS	J070713ALCS	ORG	75-69-4	Trichlorofluoromethane	45		ug/L	5	0.20	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9322	50	90%		
J070713ALCS	J070713ALCS	ORG	75-35-4	1,1-Dichloroethene	49		ug/L	1	0.47	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9322	50	98%		
J070713ALCS	J070713ALCS	ORG	75-09-2	Methylene chloride	50		ug/L	5	0.26	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9322	50	100%		
J070713ALCS	J070713ALCS	ORG	67-64-1	Acetone	54		ug/L	10	1.56	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9322	50	108%		
J070713ALCS	J070713ALCS	ORG	156-60-5	trans-1,2-Dichloroethene	56		ug/L	1	0.56	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9322	50	112%		
J070713ALCS	J070713ALCS	ORG	1634-04-4	MTBE	51		ug/L	5	0.61	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9322	50	102%		
J070713ALCS	J070713ALCS	ORG	75-34-3	1,1-Dichloroethane	60		ug/L	1	0.53	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9322	50	120%		
J070713ALCS	J070713ALCS	ORG	156-59-2	cis-1,2-Dichloroethene	55		ug/L	1	0.32	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9322	50	110%		
J070713ALCS	J070713ALCS	ORG	74-97-5	Bromochloromethane	57		ug/L	10	0.81	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9322	50	114%		
J070713ALCS	J070713ALCS	ORG	67-66-3	Chloroform	55		ug/L	2	0.41	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9322	50	110%		
J070713ALCS	J070713ALCS	ORG	71-55-6	1,1,1-Trichloroethane	56		ug/L	1	0.16	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9322	50	112%		
J070713ALCS	J070713ALCS	ORG	78-93-3	2-Butanone	56		ug/L	1	0.17	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9322	50	112%		
J070713ALCS	J070713ALCS	ORG	56-23-5	Carbon tetrachloride	55		ug/L	1	0.28	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9322	50	110%		
J070713ALCS	J070713ALCS	ORG	71-43-2	Benzene	52		ug/L	1	0.14	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9322	50	104%		
J070713ALCS	J070713ALCS	ORG	107-06-2	1,2-Dichloroethane	55		ug/L	1	0.20	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9322	50	110%		
J070713ALCS	J070713ALCS	ORG	79-01-6	Trichloroethene	57		ug/L	1	0.36	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9322	50	114%		
J070713ALCS	J070713ALCS	ORG	74-95-3	Dibromomethane	57		ug/L	2	0.32	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9322	50	114%		
J070713ALCS	J070713ALCS	ORG	78-87-5	1,2-Dichloropropane	51		ug/L	1	0.18	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9322	50	102%		
J070713ALCS	J070713ALCS	ORG	75-27-4	Bromodichloromethane	57		ug/L	2	0.12	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9322	50	114%		
J070713ALCS	J070713ALCS	ORG	10061-01-5	cis-1,3-Dichloropropene	54		ug/L	1	0.25	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9322	50	108%		
J070713ALCS	J070713ALCS	ORG	108-88-3	Toluene	53		ug/L	5	0.74	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9322	50	106%		
J070713ALCS	J070713ALCS	ORG	108-10-1	4-Methyl-2-pentanone	54		ug/L	1	0.21	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9322	50	108%		
J070713ALCS	J070713ALCS	ORG	10061-02-6	trans-1,3-Dichloropropene	57		ug/L	1	0.31	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9322	50	114%		
J070713ALCS	J070713ALCS	ORG	127-18-4	Tetrachloroethene	60		ug/L	1	0.49	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9322	50	120%		
J070713ALCS	J070713ALCS	ORG	79-00-5	1,1,2-Trichloroethane	58		ug/L	1	0.34	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9322	50	116%		
J070713ALCS	J070713ALCS	ORG	124-48-1	Dibromochloromethane	58		ug/L	5	0.69	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9322	50	116%		
J070713ALCS	J070713ALCS	ORG	106-93-4	1,2-Dibromoethane	59		ug/L	2	0.30	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9322	50	118%		
J070713ALCS	J070713ALCS	ORG	591-78-6	2-Hexanone	56		ug/L	2	0.26	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9322	50	112%		
J070713ALCS	J070713ALCS	ORG	100-41-4	Ethylbenzene	55		ug/L	1	0.25	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9322	50	110%		
J070713ALCS	J070713ALCS	ORG	108-90-7	Chlorobenzene	55		ug/L	1	0.28	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9322	50	110%		
J070713ALCS	J070713ALCS	ORG	630-20-6	1,1,1,2-Tetrachloroethane	55		ug/L	2	0.19	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9322	50	110%		
J070713ALCS	J070713ALCS	ORG	XYLMP	p&m-Xylene	110		ug/L	2	0.26	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9322	100	110%		
J070713ALCS	J070713ALCS	ORG	95-47-6	o-Xylene	57		ug/L	1	0.13	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9322	50	114%		
J070713ALCS	J070713ALCS	ORG	100-42-5	Styrene	53		ug/L	1	0.20	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9322	50	106%		
J070713ALCS	J070713ALCS	ORG	75-25-2	Bromoform	62		ug/L	2	0.47	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9322	50	124%		
J070713ALCS	J070713ALCS	ORG	98-82-8	Isopropylbenzene	56		ug/L	2	0.20	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9322	50	112%		
J070713ALCS	J070713ALCS	ORG	103-65-1	n-Propylbenzene	56		ug/L	2	0.27	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9322	50	112%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J070713ALCS	J070713ALCS	ORG	79-34-5	1,1,2,2-Tetrachloroethane	60		ug/L	2	0.29	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9322	50	120%		
J070713ALCS	J070713ALCS	ORG	96-18-4	1,2,3-Trichloropropane	60		ug/L	2	0.29	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9322	50	120%		
J070713ALCS	J070713ALCS	ORG	108-67-8	1,3,5-Trimethylbenzene	53		ug/L	2	0.20	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9322	50	106%		
J070713ALCS	J070713ALCS	ORG	98-06-6	tert-Butylbenzene	65		ug/L	2	0.33	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9322	50	130%		
J070713ALCS	J070713ALCS	ORG	95-63-6	1,2,4-Trimethylbenzene	53		ug/L	2	0.20	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9322	50	106%		
J070713ALCS	J070713ALCS	ORG	135-98-8	sec-Butylbenzene	54		ug/L	2	0.32	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9322	50	108%		
J070713ALCS	J070713ALCS	ORG	541-73-1	1,3-Dichlorobenzene	55		ug/L	2	0.22	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9322	50	110%		
J070713ALCS	J070713ALCS	ORG	99-87-6	p-Isopropltoluene	54		ug/L	2	0.25	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9322	50	108%		
J070713ALCS	J070713ALCS	ORG	106-46-7	1,4-Dichlorobenzene	55		ug/L	2	0.33	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9322	50	110%		
J070713ALCS	J070713ALCS	ORG	95-50-1	1,2-Dichlorobenzene	54		ug/L	2	0.26	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9322	50	108%		
J070713ALCS	J070713ALCS	ORG	104-51-8	n-Butylbenzene	52		ug/L	5	0.28	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9322	50	104%		
J070713ALCS	J070713ALCS	ORG	96-12-8	1,2-Dibromo-3-chloropropane	62		ug/L	5	1.59	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9322	50	124%		
J070713ALCS	J070713ALCS	ORG	87-68-3	Hexachlorobutadiene	50		ug/L	5	0.65	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9322	50	100%		
J070713ALCS	J070713ALCS	ORG	120-82-1	1,2,4-Trichlorobenzene	54		ug/L	5	0.28	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9322	50	108%		
J070713ALCS	J070713ALCS	ORG	91-20-3	Naphthalene	58		ug/L	5	0.56	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9322	50	116%		
J070713ALCS	J070713ALCS	ORG	87-61-6	1,2,3-Trichlorobenzene	55		ug/L	5	0.23	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9322	50	110%		
J070713ALCS	J070713ALCS	STD	1868-53-7	Dibromofluoromethane	51		ng			NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9322	50	102%		
J070713ALCS	J070713ALCS	STD	17060-07-0	1,2-Dichloroethane d4	48		ng			NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9322	50	96%		
J070713ALCS	J070713ALCS	STD	2037-26-5	Toluene d8	48		ng			NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9322	50	96%		
J070713ALCS	J070713ALCS	STD	460-00-4	Bromofluorobenzene	51		ng			NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9322	50	102%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J070713ALCD	J070713ALCD	ORG	75-71-8	Dichlorodifluoromethane	51		ug/L	5	0.29	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9323	50	102%	6%	
J070713ALCD	J070713ALCD	ORG	74-87-3	Chloromethane	45		ug/L	5	0.43	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9323	50	90%	7%	
J070713ALCD	J070713ALCD	ORG	75-01-4	Vinyl chloride	57		ug/L	2	0.32	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9323	50	114%	11%	
J070713ALCD	J070713ALCD	ORG	74-83-9	Bromomethane	52		ug/L	5	0.50	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9323	50	104%	2%	
J070713ALCD	J070713ALCD	ORG	75-00-3	Chloroethane	56		ug/L	5	0.56	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9323	50	112%	2%	
J070713ALCD	J070713ALCD	ORG	75-69-4	Trichlorofluoromethane	45		ug/L	5	0.20	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9323	50	90%	0%	
J070713ALCD	J070713ALCD	ORG	75-35-4	1,1-Dichloroethene	47		ug/L	1	0.47	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9323	50	94%	4%	
J070713ALCD	J070713ALCD	ORG	75-09-2	Methylene chloride	45		ug/L	5	0.26	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9323	50	90%	11%	
J070713ALCD	J070713ALCD	ORG	67-64-1	Acetone	50		ug/L	10	1.56	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9323	50	100%	8%	
J070713ALCD	J070713ALCD	ORG	156-60-5	trans-1,2-Dichloroethene	51		ug/L	1	0.56	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9323	50	102%	9%	
J070713ALCD	J070713ALCD	ORG	1634-04-4	MTBE	47		ug/L	5	0.61	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9323	50	94%	8%	
J070713ALCD	J070713ALCD	ORG	75-34-3	1,1-Dichloroethane	55		ug/L	1	0.53	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9323	50	110%	9%	
J070713ALCD	J070713ALCD	ORG	156-59-2	cis-1,2-Dichloroethene	51		ug/L	1	0.32	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9323	50	102%	8%	
J070713ALCD	J070713ALCD	ORG	74-97-5	Bromochloromethane	51		ug/L	10	0.81	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9323	50	102%	11%	
J070713ALCD	J070713ALCD	ORG	67-66-3	Chloroform	52		ug/L	2	0.41	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9323	50	104%	6%	
J070713ALCD	J070713ALCD	ORG	71-55-6	1,1,1-Trichloroethane	52		ug/L	1	0.16	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9323	50	104%	7%	
J070713ALCD	J070713ALCD	ORG	78-93-3	2-Butanone	52		ug/L	1	0.17	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9323	50	104%	7%	
J070713ALCD	J070713ALCD	ORG	56-23-5	Carbon tetrachloride	52		ug/L	1	0.28	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9323	50	104%	6%	
J070713ALCD	J070713ALCD	ORG	71-43-2	Benzene	49		ug/L	1	0.14	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9323	50	98%	6%	
J070713ALCD	J070713ALCD	ORG	107-06-2	1,2-Dichloroethane	50		ug/L	1	0.20	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9323	50	100%	10%	
J070713ALCD	J070713ALCD	ORG	79-01-6	Trichloroethene	54		ug/L	1	0.36	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9323	50	108%	5%	
J070713ALCD	J070713ALCD	ORG	74-95-3	Dibromomethane	50		ug/L	2	0.32	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9323	50	100%	13%	
J070713ALCD	J070713ALCD	ORG	78-87-5	1,2-Dichloropropane	47		ug/L	1	0.18	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9323	50	94%	8%	
J070713ALCD	J070713ALCD	ORG	75-27-4	Bromodichloromethane	52		ug/L	2	0.12	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9323	50	104%	9%	
J070713ALCD	J070713ALCD	ORG	10061-01-5	cis-1,3-Dichloropropene	50		ug/L	1	0.25	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9323	50	100%	8%	
J070713ALCD	J070713ALCD	ORG	108-88-3	Toluene	50		ug/L	5	0.74	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9323	50	100%	6%	
J070713ALCD	J070713ALCD	ORG	108-10-1	4-Methyl-2-pentanone	50		ug/L	1	0.21	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9323	50	100%	8%	
J070713ALCD	J070713ALCD	ORG	10061-02-6	trans-1,3-Dichloropropene	50		ug/L	1	0.31	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9323	50	100%	13%	
J070713ALCD	J070713ALCD	ORG	127-18-4	Tetrachloroethene	60		ug/L	1	0.49	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9323	50	120%	0%	
J070713ALCD	J070713ALCD	ORG	79-00-5	1,1,2-Trichloroethane	50		ug/L	1	0.34	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9323	50	100%	15%	
J070713ALCD	J070713ALCD	ORG	124-48-1	Dibromochloromethane	51		ug/L	5	0.69	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9323	50	102%	13%	
J070713ALCD	J070713ALCD	ORG	106-93-4	1,2-Dibromoethane	52		ug/L	2	0.30	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9323	50	104%	13%	
J070713ALCD	J070713ALCD	ORG	591-78-6	2-Hexanone	48		ug/L	2	0.26	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9323	50	96%	15%	
J070713ALCD	J070713ALCD	ORG	100-41-4	Ethylbenzene	56		ug/L	1	0.25	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9323	50	112%	2%	
J070713ALCD	J070713ALCD	ORG	108-90-7	Chlorobenzene	55		ug/L	1	0.28	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9323	50	110%	0%	
J070713ALCD	J070713ALCD	ORG	630-20-6	1,1,1,2-Tetrachloroethane	53		ug/L	2	0.19	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9323	50	106%	4%	
J070713ALCD	J070713ALCD	ORG	XYLMP	p&m-Xylene	111		ug/L	2	0.26	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9323	100	111%	1%	
J070713ALCD	J070713ALCD	ORG	95-47-6	o-Xylene	53		ug/L	1	0.13	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9323	50	106%	7%	
J070713ALCD	J070713ALCD	ORG	100-42-5	Styrene	51		ug/L	1	0.20	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9323	50	102%	4%	
J070713ALCD	J070713ALCD	ORG	75-25-2	Bromoform	57		ug/L	2	0.47	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9323	50	114%	8%	
J070713ALCD	J070713ALCD	ORG	98-82-8	Isopropylbenzene	55		ug/L	2	0.20	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9323	50	110%	2%	
J070713ALCD	J070713ALCD	ORG	103-65-1	n-Propylbenzene	55		ug/L	2	0.27	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9323	50	110%	2%	

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J070713ALCD	J070713ALCD	ORG	79-34-5	1,1,2,2-Tetrachloroethane	55		ug/L	2	0.29	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9323	50	110%	9%	
J070713ALCD	J070713ALCD	ORG	96-18-4	1,2,3-Trichloropropane	56		ug/L	2	0.29	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9323	50	112%	7%	
J070713ALCD	J070713ALCD	ORG	108-67-8	1,3,5-Trimethylbenzene	53		ug/L	2	0.20	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9323	50	106%	0%	
J070713ALCD	J070713ALCD	ORG	98-06-6	tert-Butylbenzene	65		ug/L	2	0.33	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9323	50	130%	0%	
J070713ALCD	J070713ALCD	ORG	95-63-6	1,2,4-Trimethylbenzene	53		ug/L	2	0.20	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9323	50	106%	0%	
J070713ALCD	J070713ALCD	ORG	135-98-8	sec-Butylbenzene	54		ug/L	2	0.32	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9323	50	108%	0%	
J070713ALCD	J070713ALCD	ORG	541-73-1	1,3-Dichlorobenzene	52		ug/L	2	0.22	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9323	50	104%	6%	
J070713ALCD	J070713ALCD	ORG	99-87-6	p-Isopropltoluene	54		ug/L	2	0.25	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9323	50	108%	0%	
J070713ALCD	J070713ALCD	ORG	106-46-7	1,4-Dichlorobenzene	50		ug/L	2	0.33	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9323	50	100%	10%	
J070713ALCD	J070713ALCD	ORG	95-50-1	1,2-Dichlorobenzene	51		ug/L	2	0.26	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9323	50	102%	6%	
J070713ALCD	J070713ALCD	ORG	104-51-8	n-Butylbenzene	53		ug/L	5	0.28	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9323	50	106%	2%	
J070713ALCD	J070713ALCD	ORG	96-12-8	1,2-Dibromo-3-chloropropane	62		ug/L	5	1.59	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9323	50	124%	0%	
J070713ALCD	J070713ALCD	ORG	87-68-3	Hexachlorobutadiene	51		ug/L	5	0.65	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9323	50	102%	2%	
J070713ALCD	J070713ALCD	ORG	120-82-1	1,2,4-Trichlorobenzene	53		ug/L	5	0.28	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9323	50	106%	2%	
J070713ALCD	J070713ALCD	ORG	91-20-3	Naphthalene	58		ug/L	5	0.56	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9323	50	116%	0%	
J070713ALCD	J070713ALCD	ORG	87-61-6	1,2,3-Trichlorobenzene	56		ug/L	5	0.23	NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9323	50	112%	2%	
J070713ALCD	J070713ALCD	STD	1868-53-7	Dibromofluoromethane	50		ng			NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9323	50	100%	2%	
J070713ALCD	J070713ALCD	STD	17060-07-0	1,2-Dichloroethane d4	49		ng			NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9323	50	98%	2%	
J070713ALCD	J070713ALCD	STD	2037-26-5	Toluene d8	50		ng			NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9323	50	100%	4%	
J070713ALCD	J070713ALCD	STD	460-00-4	Bromofluorobenzene	52		ng			NA	7/7/2013	7/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9323	50	104%	2%	

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-451MS	316-010	ORG	75-71-8	Dichlorodifluoromethane	4700		ug/L	500	29.28	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9324	5000	94%		
NAL13026-451MS	316-010	ORG	74-87-3	Chloromethane	4300		ug/L	500	43.07	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9324	5000	86%		
NAL13026-451MS	316-010	ORG	75-01-4	Vinyl chloride	5200		ug/L	200	31.86	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9324	5000	104%		
NAL13026-451MS	316-010	ORG	74-83-9	Bromomethane	5000		ug/L	500	50.04	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9324	5000	100%		
NAL13026-451MS	316-010	ORG	75-00-3	Chloroethane	5200		ug/L	500	55.61	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9324	5000	104%		
NAL13026-451MS	316-010	ORG	75-69-4	Trichlorofluoromethane	4200		ug/L	500	19.65	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9324	5000	84%		
NAL13026-451MS	316-010	ORG	75-35-4	1,1-Dichloroethene	4500		ug/L	100	47.11	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9324	5000	90%		
NAL13026-451MS	316-010	ORG	75-09-2	Methylene chloride	4500		ug/L	500	26.46	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9324	5000	90%		
NAL13026-451MS	316-010	ORG	67-64-1	Acetone	40000		ug/L	1000	155.61	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9324	5000	-180%		49000
NAL13026-451MS	316-010	ORG	156-60-5	trans-1,2-Dichloroethene	4800		ug/L	100	55.61	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9324	5000	96%		
NAL13026-451MS	316-010	ORG	1634-04-4	MTBE	4800		ug/L	500	61.18	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9324	5000	96%		
NAL13026-451MS	316-010	ORG	75-34-3	1,1-Dichloroethane	5400		ug/L	100	52.66	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9324	5000	108%		
NAL13026-451MS	316-010	ORG	156-59-2	cis-1,2-Dichloroethene	5200		ug/L	100	32.11	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9324	5000	104%		
NAL13026-451MS	316-010	ORG	74-97-5	Bromochloromethane	5300		ug/L	1000	81.18	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9324	5000	106%		
NAL13026-451MS	316-010	ORG	67-66-3	Chloroform	5100		ug/L	200	41.37	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9324	5000	102%		
NAL13026-451MS	316-010	ORG	71-55-6	1,1,1-Trichloroethane	5100		ug/L	100	15.73	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9324	5000	102%		
NAL13026-451MS	316-010	ORG	78-93-3	2-Butanone	24000		ug/L	100	16.65	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9324	5000	-60%		27000
NAL13026-451MS	316-010	ORG	56-23-5	Carbon tetrachloride	5100		ug/L	100	27.64	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9324	5000	102%		
NAL13026-451MS	316-010	ORG	71-43-2	Benzene	5000		ug/L	100	13.53	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9324	5000	100%		16
NAL13026-451MS	316-010	ORG	107-06-2	1,2-Dichloroethane	5300		ug/L	100	20.01	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9324	5000	106%		
NAL13026-451MS	316-010	ORG	79-01-6	Trichloroethene	5300		ug/L	100	36.33	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9324	5000	106%		
NAL13026-451MS	316-010	ORG	74-95-3	Dibromomethane	5300		ug/L	200	32.20	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9324	5000	106%		
NAL13026-451MS	316-010	ORG	78-87-5	1,2-Dichloropropane	4800		ug/L	100	18.17	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9324	5000	96%		
NAL13026-451MS	316-010	ORG	75-27-4	Bromodichloromethane	5200		ug/L	200	11.58	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9324	5000	104%		
NAL13026-451MS	316-010	ORG	10061-01-5	cis-1,3-Dichloropropene	5000		ug/L	100	25.01	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9324	5000	100%		
NAL13026-451MS	316-010	ORG	108-88-3	Toluene	4900		ug/L	500	74.00	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9324	5000	98%		
NAL13026-451MS	316-010	ORG	108-10-1	4-Methyl-2-pentanone	5300		ug/L	100	20.96	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9324	5000	87%		940
NAL13026-451MS	316-010	ORG	10061-02-6	trans-1,3-Dichloropropene	5300		ug/L	100	31.15	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9324	5000	106%		
NAL13026-451MS	316-010	ORG	127-18-4	Tetrachloroethene	4600		ug/L	100	48.56	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9324	5000	92%		
NAL13026-451MS	316-010	ORG	79-00-5	1,1,2-Trichloroethane	5200		ug/L	100	34.28	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9324	5000	104%		
NAL13026-451MS	316-010	ORG	124-48-1	Dibromochloromethane	5400		ug/L	500	68.90	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9324	5000	108%		
NAL13026-451MS	316-010	ORG	106-93-4	1,2-Dibromoethane	5500		ug/L	200	29.90	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9324	5000	110%		
NAL13026-451MS	316-010	ORG	591-78-6	2-Hexanone	4300		ug/L	200	26.49	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9324	5000	86%		
NAL13026-451MS	316-010	ORG	100-41-4	Ethylbenzene	5200		ug/L	100	25.38	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9324	5000	104%		
NAL13026-451MS	316-010	ORG	108-90-7	Chlorobenzene	5300		ug/L	100	27.52	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9324	5000	106%		
NAL13026-451MS	316-010	ORG	630-20-6	1,1,1,2-Tetrachloroethane	5300		ug/L	200	19.28	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9324	5000	106%		
NAL13026-451MS	316-010	ORG	XYLMP	p&m-Xylene	11000		ug/L	200	26.14	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9324	10000	110%		
NAL13026-451MS	316-010	ORG	95-47-6	o-Xylene	5300		ug/L	100	12.90	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9324	5000	106%		
NAL13026-451MS	316-010	ORG	100-42-5	Styrene	4900		ug/L	100	20.23	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9324	5000	98%		22
NAL13026-451MS	316-010	ORG	75-25-2	Bromoform	5700		ug/L	200	46.83	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9324	5000	114%		
NAL13026-451MS	316-010	ORG	98-82-8	Isopropylbenzene	5200		ug/L	200	20.48	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9324	5000	104%		
NAL13026-451MS	316-010	ORG	103-65-1	n-Propylbenzene	5200		ug/L	200	27.00	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9324	5000	104%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-451MS	316-010	ORG	79-34-5	1,1,2,2-Tetrachloroethane	5700		ug/L	200	29.16	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9324	5000	114%		
NAL13026-451MS	316-010	ORG	96-18-4	1,2,3-Trichloropropane	5400		ug/L	200	29.47	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9324	5000	108%		
NAL13026-451MS	316-010	ORG	108-67-8	1,3,5-Trimethylbenzene	5100		ug/L	200	20.03	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9324	5000	102%		
NAL13026-451MS	316-010	ORG	98-06-6	tert-Butylbenzene	5100		ug/L	200	32.61	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9324	5000	102%		
NAL13026-451MS	316-010	ORG	95-63-6	1,2,4-Trimethylbenzene	5100		ug/L	200	20.03	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9324	5000	102%		
NAL13026-451MS	316-010	ORG	135-98-8	sec-Butylbenzene	5000		ug/L	200	32.34	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9324	5000	100%		
NAL13026-451MS	316-010	ORG	541-73-1	1,3-Dichlorobenzene	5000		ug/L	200	22.21	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9324	5000	100%		
NAL13026-451MS	316-010	ORG	99-87-6	p-Isopropltoluene	5100		ug/L	200	25.48	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9324	5000	101%		32
NAL13026-451MS	316-010	ORG	106-46-7	1,4-Dichlorobenzene	5100		ug/L	200	33.03	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9324	5000	101%		43
NAL13026-451MS	316-010	ORG	95-50-1	1,2-Dichlorobenzene	5100		ug/L	200	26.38	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9324	5000	102%		
NAL13026-451MS	316-010	ORG	104-51-8	n-Butylbenzene	4900		ug/L	500	27.81	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9324	5000	98%		
NAL13026-451MS	316-010	ORG	96-12-8	1,2-Dibromo-3-chloropropane	6200		ug/L	500	159.11	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9324	5000	124%		
NAL13026-451MS	316-010	ORG	87-68-3	Hexachlorobutadiene	4700		ug/L	500	65.42	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9324	5000	94%		
NAL13026-451MS	316-010	ORG	120-82-1	1,2,4-Trichlorobenzene	5400		ug/L	500	27.63	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9324	5000	108%		
NAL13026-451MS	316-010	ORG	91-20-3	Naphthalene	6000		ug/L	500	56.04	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9324	5000	115%		230
NAL13026-451MS	316-010	ORG	87-61-6	1,2,3-Trichlorobenzene	5600		ug/L	500	23.28	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9324	5000	112%		
NAL13026-451MS	316-010	STD	1868-53-7	Dibromofluoromethane	50		ng			7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9324	50	100%		
NAL13026-451MS	316-010	STD	17060-07-0	1,2-Dichloroethane d4	49		ng			7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9324	50	98%		
NAL13026-451MS	316-010	STD	2037-26-5	Toluene d8	50		ng			7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9324	50	100%		
NAL13026-451MS	316-010	STD	460-00-4	Bromofluorobenzene	52		ng			7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9324	50	104%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-451MSD	316-010	ORG	75-71-8	Dichlorodifluoromethane	4400		ug/L	500	29.28	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9325	5000	88%	7%	0
NAL13026-451MSD	316-010	ORG	74-87-3	Chloromethane	4200		ug/L	500	43.07	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9325	5000	84%	2%	0
NAL13026-451MSD	316-010	ORG	75-01-4	Vinyl chloride	5000		ug/L	200	31.86	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9325	5000	100%	4%	0
NAL13026-451MSD	316-010	ORG	74-83-9	Bromomethane	4500		ug/L	500	50.04	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9325	5000	90%	11%	0
NAL13026-451MSD	316-010	ORG	75-00-3	Chloroethane	4600		ug/L	500	55.61	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9325	5000	92%	12%	0
NAL13026-451MSD	316-010	ORG	75-69-4	Trichlorofluoromethane	4000		ug/L	500	19.65	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9325	5000	80%	5%	0
NAL13026-451MSD	316-010	ORG	75-35-4	1,1-Dichloroethene	4300		ug/L	100	47.11	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9325	5000	86%	5%	0
NAL13026-451MSD	316-010	ORG	75-09-2	Methylene chloride	4500		ug/L	500	26.46	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9325	5000	90%	0%	0
NAL13026-451MSD	316-010	ORG	67-64-1	Acetone	41000		ug/L	1000	155.61	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9325	5000	-160%	2%	49000
NAL13026-451MSD	316-010	ORG	156-60-5	trans-1,2-Dichloroethene	4500		ug/L	100	55.61	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9325	5000	90%	6%	0
NAL13026-451MSD	316-010	ORG	1634-04-4	MTBE	4600		ug/L	500	61.18	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9325	5000	92%	4%	0
NAL13026-451MSD	316-010	ORG	75-34-3	1,1-Dichloroethane	5300		ug/L	100	52.66	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9325	5000	106%	2%	0
NAL13026-451MSD	316-010	ORG	156-59-2	cis-1,2-Dichloroethene	5000		ug/L	100	32.11	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9325	5000	100%	4%	0
NAL13026-451MSD	316-010	ORG	74-97-5	Bromochloromethane	5100		ug/L	1000	81.18	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9325	5000	102%	4%	0
NAL13026-451MSD	316-010	ORG	67-66-3	Chloroform	4900		ug/L	200	41.37	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9325	5000	98%	4%	0
NAL13026-451MSD	316-010	ORG	71-55-6	1,1,1-Trichloroethane	4900		ug/L	100	15.73	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9325	5000	98%	4%	0
NAL13026-451MSD	316-010	ORG	78-93-3	2-Butanone	24000		ug/L	100	16.65	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9325	5000	-60%	0%	27000
NAL13026-451MSD	316-010	ORG	56-23-5	Carbon tetrachloride	5000		ug/L	100	27.64	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9325	5000	100%	2%	0
NAL13026-451MSD	316-010	ORG	71-43-2	Benzene	4800		ug/L	100	13.53	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9325	5000	96%	4%	16
NAL13026-451MSD	316-010	ORG	107-06-2	1,2-Dichloroethane	5000		ug/L	100	20.01	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9325	5000	100%	6%	0
NAL13026-451MSD	316-010	ORG	79-01-6	Trichloroethene	5100		ug/L	100	36.33	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9325	5000	102%	4%	0
NAL13026-451MSD	316-010	ORG	74-95-3	Dibromomethane	5200		ug/L	200	32.20	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9325	5000	104%	2%	0
NAL13026-451MSD	316-010	ORG	78-87-5	1,2-Dichloropropane	4700		ug/L	100	18.17	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9325	5000	94%	2%	0
NAL13026-451MSD	316-010	ORG	75-27-4	Bromodichloromethane	4900		ug/L	200	11.58	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9325	5000	98%	6%	0
NAL13026-451MSD	316-010	ORG	10061-01-5	cis-1,3-Dichloropropene	4700		ug/L	100	25.01	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9325	5000	94%	6%	0
NAL13026-451MSD	316-010	ORG	108-88-3	Toluene	4700		ug/L	500	74.00	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9325	5000	94%	4%	0
NAL13026-451MSD	316-010	ORG	108-10-1	4-Methyl-2-pentanone	5200		ug/L	100	20.96	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9325	5000	85%	2%	940
NAL13026-451MSD	316-010	ORG	10061-02-6	trans-1,3-Dichloropropene	5100		ug/L	100	31.15	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9325	5000	102%	4%	0
NAL13026-451MSD	316-010	ORG	127-18-4	Tetrachloroethene	4300		ug/L	100	48.56	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9325	5000	86%	7%	0
NAL13026-451MSD	316-010	ORG	79-00-5	1,1,2-Trichloroethane	5000		ug/L	100	34.28	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9325	5000	100%	4%	0
NAL13026-451MSD	316-010	ORG	124-48-1	Dibromochloromethane	5200		ug/L	500	68.90	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9325	5000	104%	4%	0
NAL13026-451MSD	316-010	ORG	106-93-4	1,2-Dibromoethane	5300		ug/L	200	29.90	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9325	5000	106%	4%	0
NAL13026-451MSD	316-010	ORG	591-78-6	2-Hexanone	4200		ug/L	200	26.49	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9325	5000	84%	2%	0
NAL13026-451MSD	316-010	ORG	100-41-4	Ethylbenzene	5000		ug/L	100	25.38	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9325	5000	100%	4%	0
NAL13026-451MSD	316-010	ORG	108-90-7	Chlorobenzene	5000		ug/L	100	27.52	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9325	5000	100%	6%	0
NAL13026-451MSD	316-010	ORG	630-20-6	1,1,1,2-Tetrachloroethane	5100		ug/L	200	19.28	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9325	5000	102%	4%	0
NAL13026-451MSD	316-010	ORG	XYLMP	p&m-Xylene	10000		ug/L	200	26.14	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9325	10000	100%	10%	0
NAL13026-451MSD	316-010	ORG	95-47-6	o-Xylene	5100		ug/L	100	12.90	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9325	5000	102%	4%	0
NAL13026-451MSD	316-010	ORG	100-42-5	Styrene	4700		ug/L	100	20.23	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9325	5000	94%	4%	22
NAL13026-451MSD	316-010	ORG	75-25-2	Bromoform	5600		ug/L	200	46.83	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9325	5000	112%	2%	0
NAL13026-451MSD	316-010	ORG	98-82-8	Isopropylbenzene	5000		ug/L	200	20.48	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9325	5000	100%	4%	0
NAL13026-451MSD	316-010	ORG	103-65-1	n-Propylbenzene	5000		ug/L	200	27.00	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9325	5000	100%	4%	0

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-451MSD	316-010	ORG	79-34-5	1,1,2,2-Tetrachloroethane	5600		ug/L	200	29.16	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9325	5000	112%	2%	0
NAL13026-451MSD	316-010	ORG	96-18-4	1,2,3-Trichloropropane	5400		ug/L	200	29.47	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9325	5000	108%	0%	0
NAL13026-451MSD	316-010	ORG	108-67-8	1,3,5-Trimethylbenzene	4900		ug/L	200	20.03	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9325	5000	98%	4%	0
NAL13026-451MSD	316-010	ORG	98-06-6	tert-Butylbenzene	4900		ug/L	200	32.61	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9325	5000	98%	4%	0
NAL13026-451MSD	316-010	ORG	95-63-6	1,2,4-Trimethylbenzene	4900		ug/L	200	20.03	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9325	5000	98%	4%	0
NAL13026-451MSD	316-010	ORG	135-98-8	sec-Butylbenzene	4900		ug/L	200	32.34	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9325	5000	98%	2%	0
NAL13026-451MSD	316-010	ORG	541-73-1	1,3-Dichlorobenzene	4900		ug/L	200	22.21	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9325	5000	98%	2%	0
NAL13026-451MSD	316-010	ORG	99-87-6	p-Isopropltoluene	5000		ug/L	200	25.48	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9325	5000	99%	2%	32
NAL13026-451MSD	316-010	ORG	106-46-7	1,4-Dichlorobenzene	4700		ug/L	200	33.03	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9325	5000	93%	8%	43
NAL13026-451MSD	316-010	ORG	95-50-1	1,2-Dichlorobenzene	4900		ug/L	200	26.38	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9325	5000	98%	4%	0
NAL13026-451MSD	316-010	ORG	104-51-8	n-Butylbenzene	4800		ug/L	500	27.81	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9325	5000	96%	2%	0
NAL13026-451MSD	316-010	ORG	96-12-8	1,2-Dibromo-3-chloropropane	6000		ug/L	500	159.11	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9325	5000	120%	3%	0
NAL13026-451MSD	316-010	ORG	87-68-3	Hexachlorobutadiene	4500		ug/L	500	65.42	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9325	5000	90%	4%	0
NAL13026-451MSD	316-010	ORG	120-82-1	1,2,4-Trichlorobenzene	5000		ug/L	500	27.63	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9325	5000	100%	8%	0
NAL13026-451MSD	316-010	ORG	91-20-3	Naphthalene	5700		ug/L	500	56.04	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9325	5000	109%	5%	230
NAL13026-451MSD	316-010	ORG	87-61-6	1,2,3-Trichlorobenzene	5100		ug/L	500	23.28	7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9325	5000	102%	9%	0
NAL13026-451MSD	316-010	STD	1868-53-7	Dibromofluoromethane	50		ng			7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9325	50	100%	0%	0
NAL13026-451MSD	316-010	STD	17060-07-0	1,2-Dichloroethane d4	49		ng			7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9325	50	98%	0%	0
NAL13026-451MSD	316-010	STD	2037-26-5	Toluene d8	48		ng			7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9325	50	96%	4%	0
NAL13026-451MSD	316-010	STD	460-00-4	Bromofluorobenzene	51		ng			7/7/2013	7/7/2013	7/7/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9325	50	102%	2%	0

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-456	96-001g	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9340				
NAL13026-456	96-001g	ORG	74-87-3	Chloromethane		U	ug/L	500	43.07	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9340				
NAL13026-456	96-001g	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9340				
NAL13026-456	96-001g	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9340				
NAL13026-456	96-001g	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9340				
NAL13026-456	96-001g	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9340				
NAL13026-456	96-001g	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9340				
NAL13026-456	96-001g	ORG	75-09-2	Methylene chloride	39	J	ug/L	500	26.46	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9340				
NAL13026-456	96-001g	ORG	67-64-1	Acetone	40000	D	ug/L	10000	1556.07	7/8/2013	7/8/2013	7/8/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9341				
NAL13026-456	96-001g	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9340				
NAL13026-456	96-001g	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9340				
NAL13026-456	96-001g	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9340				
NAL13026-456	96-001g	ORG	156-59-2	cis-1,2-Dichloroethene	40	J	ug/L	100	32.11	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9340				
NAL13026-456	96-001g	ORG	74-97-5	Bromochloromethane		U	ug/L	200	41.37	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9340				
NAL13026-456	96-001g	ORG	67-66-3	Chloroform	46	J	ug/L	100	15.73	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9340				
NAL13026-456	96-001g	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	16.65	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9340				
NAL13026-456	96-001g	ORG	78-93-3	2-Butanone	21000	D	ug/L	10000	811.80	7/8/2013	7/8/2013	7/8/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9341				
NAL13026-456	96-001g	ORG	56-23-5	Carbon tetrachloride	48	J	ug/L	100	27.64	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9340				
NAL13026-456	96-001g	ORG	71-43-2	Benzene	280		ug/L	100	13.53	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9340				
NAL13026-456	96-001g	ORG	107-06-2	1,2-Dichloroethane	57	J	ug/L	100	20.01	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9340				
NAL13026-456	96-001g	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9340				
NAL13026-456	96-001g	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9340				
NAL13026-456	96-001g	ORG	78-87-5	1,2-Dichloropropane	45	J	ug/L	100	18.17	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9340				
NAL13026-456	96-001g	ORG	75-27-4	Bromodichloromethane	50	J	ug/L	200	11.58	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9340				
NAL13026-456	96-001g	ORG	10061-01-5	cis-1,3-Dichloropropene	49	J	ug/L	100	25.01	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9340				
NAL13026-456	96-001g	ORG	108-88-3	Toluene	73	J	ug/L	100	20.96	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9340				
NAL13026-456	96-001g	ORG	108-10-1	4-Methyl-2-pentanone	200	J	ug/L	500	74.00	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9340				
NAL13026-456	96-001g	ORG	10061-02-6	trans-1,3-Dichloropropene	56	J	ug/L	100	31.15	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9340				
NAL13026-456	96-001g	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9340				
NAL13026-456	96-001g	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9340				
NAL13026-456	96-001g	ORG	124-48-1	Dibromochloromethane	49	J	ug/L	200	29.90	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9340				
NAL13026-456	96-001g	ORG	106-93-4	1,2-Dibromoethane	57	J	ug/L	200	26.49	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9340				
NAL13026-456	96-001g	ORG	591-78-6	2-Hexanone		U	ug/L	500	68.90	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9340				
NAL13026-456	96-001g	ORG	100-41-4	Ethylbenzene	56	J	ug/L	100	25.38	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9340				
NAL13026-456	96-001g	ORG	108-90-7	Chlorobenzene	49	J	ug/L	100	27.52	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9340				
NAL13026-456	96-001g	ORG	630-20-6	1,1,1,2-Tetrachloroethane	37	J	ug/L	200	19.28	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9340				
NAL13026-456	96-001g	ORG	XYLMP	p&m-Xylene	120	J	ug/L	200	26.14	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9340				
NAL13026-456	96-001g	ORG	95-47-6	o-Xylene	59	J	ug/L	100	12.90	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9340				
NAL13026-456	96-001g	ORG	100-42-5	Styrene	53	J	ug/L	100	20.23	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9340				
NAL13026-456	96-001g	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9340				
NAL13026-456	96-001g	ORG	98-82-8	Isopropylbenzene	50	J	ug/L	200	20.48	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9340				
NAL13026-456	96-001g	ORG	103-65-1	n-Propylbenzene	50	J	ug/L	200	27.00	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9340				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-456	96-001g	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9340				
NAL13026-456	96-001g	ORG	96-18-4	1,2,3-Trichloropropane	54	J	ug/L	200	29.47	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9340				
NAL13026-456	96-001g	ORG	108-67-8	1,3,5-Trimethylbenzene	59	J	ug/L	200	20.03	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9340				
NAL13026-456	96-001g	ORG	98-06-6	tert-Butylbenzene	47	J	ug/L	200	32.61	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9340				
NAL13026-456	96-001g	ORG	95-63-6	1,2,4-Trimethylbenzene	82	J	ug/L	200	20.03	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9340				
NAL13026-456	96-001g	ORG	135-98-8	sec-Butylbenzene	56	J	ug/L	200	32.34	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9340				
NAL13026-456	96-001g	ORG	541-73-1	1,3-Dichlorobenzene	70	J	ug/L	200	22.21	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9340				
NAL13026-456	96-001g	ORG	99-87-6	p-Isopropltoluene	200	J	ug/L	200	25.48	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9340				
NAL13026-456	96-001g	ORG	106-46-7	1,4-Dichlorobenzene	110	J	ug/L	200	33.03	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9340				
NAL13026-456	96-001g	ORG	95-50-1	1,2-Dichlorobenzene	68	J	ug/L	200	26.38	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9340				
NAL13026-456	96-001g	ORG	104-51-8	n-Butylbenzene	68	J	ug/L	500	27.81	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9340				
NAL13026-456	96-001g	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9340				
NAL13026-456	96-001g	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9340				
NAL13026-456	96-001g	ORG	120-82-1	1,2,4-Trichlorobenzene	100	J	ug/L	500	27.63	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9340				
NAL13026-456	96-001g	ORG	91-20-3	Naphthalene	220	J	ug/L	500	56.04	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9340				
NAL13026-456	96-001g	ORG	87-61-6	1,2,3-Trichlorobenzene	100	J	ug/L	500	23.28	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9340				
NAL13026-456	96-001g	STD	1868-53-7	Dibromofluoromethane	51		ng			7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9340	50	102%		
NAL13026-456	96-001g	STD	17060-07-0	1,2-Dichloroethane d4	52		ng			7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9340	50	104%		
NAL13026-456	96-001g	STD	2037-26-5	Toluene d8	48		ng			7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9340	50	96%		
NAL13026-456	96-001g	STD	460-00-4	Bromofluorobenzene	46		ng			7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9340	50	92%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J070813CCVA	J070813CCVA	ORG	75-71-8	Dichlorodifluoromethane	47		ug/L	5	0.29	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9338	50	94%		
J070813CCVA	J070813CCVA	ORG	74-87-3	Chloromethane	43		ug/L	5	0.43	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9338	50	86%		
J070813CCVA	J070813CCVA	ORG	75-01-4	Vinyl chloride	43		ug/L	2	0.32	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9338	50	86%		
J070813CCVA	J070813CCVA	ORG	74-83-9	Bromomethane	60		ug/L	5	0.50	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9338	50	120%		
J070813CCVA	J070813CCVA	ORG	75-00-3	Chloroethane	57		ug/L	5	0.56	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9338	50	114%		
J070813CCVA	J070813CCVA	ORG	75-69-4	Trichlorofluoromethane	51		ug/L	5	0.20	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9338	50	102%		
J070813CCVA	J070813CCVA	ORG	75-35-4	1,1-Dichloroethene	47		ug/L	1	0.47	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9338	50	94%		
J070813CCVA	J070813CCVA	ORG	75-09-2	Methylene chloride	49		ug/L	5	0.26	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9338	50	98%		
J070813CCVA	J070813CCVA	ORG	67-64-1	Acetone	49		ug/L	10	1.56	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9338	50	98%		
J070813CCVA	J070813CCVA	ORG	156-60-5	trans-1,2-Dichloroethene	49		ug/L	1	0.56	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9338	50	98%		
J070813CCVA	J070813CCVA	ORG	1634-04-4	MTBE	45		ug/L	5	0.61	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9338	50	90%		
J070813CCVA	J070813CCVA	ORG	75-34-3	1,1-Dichloroethane	57		ug/L	1	0.53	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9338	50	114%		
J070813CCVA	J070813CCVA	ORG	156-59-2	cis-1,2-Dichloroethene	52		ug/L	1	0.32	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9338	50	104%		
J070813CCVA	J070813CCVA	ORG	74-97-5	Bromochloromethane	53		ug/L	10	0.81	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9338	50	106%		
J070813CCVA	J070813CCVA	ORG	67-66-3	Chloroform	50		ug/L	2	0.41	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9338	50	100%		
J070813CCVA	J070813CCVA	ORG	71-55-6	1,1,1-Trichloroethane	50		ug/L	1	0.16	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9338	50	100%		
J070813CCVA	J070813CCVA	ORG	78-93-3	2-Butanone	51		ug/L	1	0.17	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9338	50	102%		
J070813CCVA	J070813CCVA	ORG	56-23-5	Carbon tetrachloride	52		ug/L	1	0.28	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9338	50	104%		
J070813CCVA	J070813CCVA	ORG	71-43-2	Benzene	48		ug/L	1	0.14	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9338	50	96%		
J070813CCVA	J070813CCVA	ORG	107-06-2	1,2-Dichloroethane	50		ug/L	1	0.20	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9338	50	100%		
J070813CCVA	J070813CCVA	ORG	79-01-6	Trichloroethene	50		ug/L	1	0.36	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9338	50	100%		
J070813CCVA	J070813CCVA	ORG	74-95-3	Dibromomethane	51		ug/L	2	0.32	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9338	50	102%		
J070813CCVA	J070813CCVA	ORG	78-87-5	1,2-Dichloropropane	49		ug/L	1	0.18	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9338	50	98%		
J070813CCVA	J070813CCVA	ORG	75-27-4	Bromodichloromethane	49		ug/L	2	0.12	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9338	50	98%		
J070813CCVA	J070813CCVA	ORG	10061-01-5	cis-1,3-Dichloropropene	49		ug/L	1	0.25	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9338	50	98%		
J070813CCVA	J070813CCVA	ORG	108-88-3	Toluene	47		ug/L	5	0.74	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9338	50	94%		
J070813CCVA	J070813CCVA	ORG	108-10-1	4-Methyl-2-pentanone	56		ug/L	1	0.21	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9338	50	112%		
J070813CCVA	J070813CCVA	ORG	10061-02-6	trans-1,3-Dichloropropene	51		ug/L	1	0.31	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9338	50	102%		
J070813CCVA	J070813CCVA	ORG	127-18-4	Tetrachloroethene	39		ug/L	1	0.49	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9338	50	78%		
J070813CCVA	J070813CCVA	ORG	79-00-5	1,1,2-Trichloroethane	48		ug/L	1	0.34	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9338	50	96%		
J070813CCVA	J070813CCVA	ORG	124-48-1	Dibromochloromethane	52		ug/L	5	0.69	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9338	50	104%		
J070813CCVA	J070813CCVA	ORG	106-93-4	1,2-Dibromoethane	50		ug/L	2	0.30	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9338	50	100%		
J070813CCVA	J070813CCVA	ORG	591-78-6	2-Hexanone	62		ug/L	2	0.26	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9338	50	124%		
J070813CCVA	J070813CCVA	ORG	100-41-4	Ethylbenzene	44		ug/L	1	0.25	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9338	50	88%		
J070813CCVA	J070813CCVA	ORG	108-90-7	Chlorobenzene	44		ug/L	1	0.28	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9338	50	88%		
J070813CCVA	J070813CCVA	ORG	630-20-6	1,1,1,2-Tetrachloroethane	45		ug/L	2	0.19	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9338	50	90%		
J070813CCVA	J070813CCVA	ORG	XYLMP	p&m-Xylene	87		ug/L	2	0.26	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9338	100	87%		
J070813CCVA	J070813CCVA	ORG	95-47-6	o-Xylene	44		ug/L	1	0.13	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9338	50	88%		
J070813CCVA	J070813CCVA	ORG	100-42-5	Styrene	43		ug/L	1	0.20	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9338	50	86%		
J070813CCVA	J070813CCVA	ORG	75-25-2	Bromoform	51		ug/L	2	0.47	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9338	50	102%		
J070813CCVA	J070813CCVA	ORG	98-82-8	Isopropylbenzene	45		ug/L	2	0.20	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9338	50	90%		
J070813CCVA	J070813CCVA	ORG	103-65-1	n-Propylbenzene	45		ug/L	2	0.27	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9338	50	90%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J070813CCVA	J070813CCVA	ORG	79-34-5	1,1,2,2-Tetrachloroethane	51		ug/L	2	0.29	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9338	50	102%		
J070813CCVA	J070813CCVA	ORG	96-18-4	1,2,3-Trichloropropane	49		ug/L	2	0.29	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9338	50	98%		
J070813CCVA	J070813CCVA	ORG	108-67-8	1,3,5-Trimethylbenzene	45		ug/L	2	0.20	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9338	50	90%		
J070813CCVA	J070813CCVA	ORG	98-06-6	tert-Butylbenzene	47		ug/L	2	0.33	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9338	50	94%		
J070813CCVA	J070813CCVA	ORG	95-63-6	1,2,4-Trimethylbenzene	46		ug/L	2	0.20	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9338	50	92%		
J070813CCVA	J070813CCVA	ORG	135-98-8	sec-Butylbenzene	47		ug/L	2	0.32	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9338	50	94%		
J070813CCVA	J070813CCVA	ORG	541-73-1	1,3-Dichlorobenzene	50		ug/L	2	0.22	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9338	50	100%		
J070813CCVA	J070813CCVA	ORG	99-87-6	p-Isopropltoluene	49		ug/L	2	0.25	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9338	50	98%		
J070813CCVA	J070813CCVA	ORG	106-46-7	1,4-Dichlorobenzene	49		ug/L	2	0.33	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9338	50	98%		
J070813CCVA	J070813CCVA	ORG	95-50-1	1,2-Dichlorobenzene	51		ug/L	2	0.26	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9338	50	102%		
J070813CCVA	J070813CCVA	ORG	104-51-8	n-Butylbenzene	49		ug/L	5	0.28	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9338	50	98%		
J070813CCVA	J070813CCVA	ORG	96-12-8	1,2-Dibromo-3-chloropropane	48		ug/L	5	1.59	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9338	50	96%		
J070813CCVA	J070813CCVA	ORG	87-68-3	Hexachlorobutadiene	56		ug/L	5	0.65	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9338	50	112%		
J070813CCVA	J070813CCVA	ORG	120-82-1	1,2,4-Trichlorobenzene	50		ug/L	5	0.28	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9338	50	100%		
J070813CCVA	J070813CCVA	ORG	91-20-3	Naphthalene	45		ug/L	5	0.56	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9338	50	90%		
J070813CCVA	J070813CCVA	ORG	87-61-6	1,2,3-Trichlorobenzene	48		ug/L	5	0.23	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9338	50	96%		
J070813CCVA	J070813CCVA	STD	1868-53-7	Dibromofluoromethane	50		ng			NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9338	50	100%		
J070813CCVA	J070813CCVA	STD	17060-07-0	1,2-Dichloroethane d4	49		ng			NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9338	50	98%		
J070813CCVA	J070813CCVA	STD	2037-26-5	Toluene d8	48		ng			NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9338	50	96%		
J070813CCVA	J070813CCVA	STD	460-00-4	Bromofluorobenzene	46		ng			NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9338	50	92%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J070813MBKA	J070813MBKA	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	5	0.29	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9339				
J070813MBKA	J070813MBKA	ORG	74-87-3	Chloromethane		U	ug/L	5	0.43	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9339				
J070813MBKA	J070813MBKA	ORG	75-01-4	Vinyl chloride		U	ug/L	2	0.32	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9339				
J070813MBKA	J070813MBKA	ORG	74-83-9	Bromomethane		U	ug/L	5	0.50	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9339				
J070813MBKA	J070813MBKA	ORG	75-00-3	Chloroethane		U	ug/L	5	0.56	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9339				
J070813MBKA	J070813MBKA	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	5	0.20	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9339				
J070813MBKA	J070813MBKA	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	1	0.47	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9339				
J070813MBKA	J070813MBKA	ORG	75-09-2	Methylene chloride		U	ug/L	5	0.26	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9339				
J070813MBKA	J070813MBKA	ORG	67-64-1	Acetone		U	ug/L	10	1.56	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9339				
J070813MBKA	J070813MBKA	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	1	0.56	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9339				
J070813MBKA	J070813MBKA	ORG	1634-04-4	MTBE		U	ug/L	5	0.61	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9339				
J070813MBKA	J070813MBKA	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	1	0.53	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9339				
J070813MBKA	J070813MBKA	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	1	0.32	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9339				
J070813MBKA	J070813MBKA	ORG	74-97-5	Bromochloromethane		U	ug/L	10	0.81	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9339				
J070813MBKA	J070813MBKA	ORG	67-66-3	Chloroform		U	ug/L	2	0.41	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9339				
J070813MBKA	J070813MBKA	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	1	0.16	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9339				
J070813MBKA	J070813MBKA	ORG	78-93-3	2-Butanone		U	ug/L	1	0.17	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9339				
J070813MBKA	J070813MBKA	ORG	56-23-5	Carbon tetrachloride		U	ug/L	1	0.28	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9339				
J070813MBKA	J070813MBKA	ORG	71-43-2	Benzene		U	ug/L	1	0.14	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9339				
J070813MBKA	J070813MBKA	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	1	0.20	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9339				
J070813MBKA	J070813MBKA	ORG	79-01-6	Trichloroethene		U	ug/L	1	0.36	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9339				
J070813MBKA	J070813MBKA	ORG	74-95-3	Dibromomethane		U	ug/L	2	0.32	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9339				
J070813MBKA	J070813MBKA	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	1	0.18	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9339				
J070813MBKA	J070813MBKA	ORG	75-27-4	Bromodichloromethane		U	ug/L	2	0.12	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9339				
J070813MBKA	J070813MBKA	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	1	0.25	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9339				
J070813MBKA	J070813MBKA	ORG	108-88-3	Toluene		U	ug/L	5	0.74	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9339				
J070813MBKA	J070813MBKA	ORG	108-10-1	4-Methyl-2-pentanone		U	ug/L	1	0.21	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9339				
J070813MBKA	J070813MBKA	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	1	0.31	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9339				
J070813MBKA	J070813MBKA	ORG	127-18-4	Tetrachloroethene		U	ug/L	1	0.49	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9339				
J070813MBKA	J070813MBKA	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	1	0.34	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9339				
J070813MBKA	J070813MBKA	ORG	124-48-1	Dibromochloromethane		U	ug/L	5	0.69	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9339				
J070813MBKA	J070813MBKA	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	2	0.30	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9339				
J070813MBKA	J070813MBKA	ORG	591-78-6	2-Hexanone		U	ug/L	2	0.26	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9339				
J070813MBKA	J070813MBKA	ORG	100-41-4	Ethylbenzene		U	ug/L	1	0.25	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9339				
J070813MBKA	J070813MBKA	ORG	108-90-7	Chlorobenzene		U	ug/L	1	0.28	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9339				
J070813MBKA	J070813MBKA	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	2	0.19	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9339				
J070813MBKA	J070813MBKA	ORG	XYLMP	p&m-Xylene		U	ug/L	2	0.26	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9339				
J070813MBKA	J070813MBKA	ORG	95-47-6	o-Xylene		U	ug/L	1	0.13	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9339				
J070813MBKA	J070813MBKA	ORG	100-42-5	Styrene		U	ug/L	1	0.20	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9339				
J070813MBKA	J070813MBKA	ORG	75-25-2	Bromoform		U	ug/L	2	0.47	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9339				
J070813MBKA	J070813MBKA	ORG	98-82-8	Isopropylbenzene		U	ug/L	2	0.20	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9339				
J070813MBKA	J070813MBKA	ORG	103-65-1	n-Propylbenzene		U	ug/L	2	0.27	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9339				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J070813MBKA	J070813MBKA	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	2	0.29	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9339				
J070813MBKA	J070813MBKA	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	2	0.29	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9339				
J070813MBKA	J070813MBKA	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	2	0.20	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9339				
J070813MBKA	J070813MBKA	ORG	98-06-6	tert-Butylbenzene		U	ug/L	2	0.33	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9339				
J070813MBKA	J070813MBKA	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	2	0.20	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9339				
J070813MBKA	J070813MBKA	ORG	135-98-8	sec-Butylbenzene		U	ug/L	2	0.32	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9339				
J070813MBKA	J070813MBKA	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	2	0.22	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9339				
J070813MBKA	J070813MBKA	ORG	99-87-6	p-Isopropltoluene		U	ug/L	2	0.25	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9339				
J070813MBKA	J070813MBKA	ORG	106-46-7	1,4-Dichlorobenzene		U	ug/L	2	0.33	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9339				
J070813MBKA	J070813MBKA	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	2	0.26	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9339				
J070813MBKA	J070813MBKA	ORG	104-51-8	n-Butylbenzene		U	ug/L	5	0.28	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9339				
J070813MBKA	J070813MBKA	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	5	1.59	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9339				
J070813MBKA	J070813MBKA	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	5	0.65	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9339				
J070813MBKA	J070813MBKA	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	5	0.28	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9339				
J070813MBKA	J070813MBKA	ORG	91-20-3	Naphthalene		U	ug/L	5	0.56	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9339				
J070813MBKA	J070813MBKA	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	5	0.23	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9339				
J070813MBKA	J070813MBKA	STD	1868-53-7	Dibromofluoromethane	52		ng			NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9339	50	104%		
J070813MBKA	J070813MBKA	STD	17060-07-0	1,2-Dichloroethane d4	52		ng			NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9339	50	104%		
J070813MBKA	J070813MBKA	STD	2037-26-5	Toluene d8	48		ng			NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9339	50	96%		
J070813MBKA	J070813MBKA	STD	460-00-4	Bromofluorobenzene	45		ng			NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9339	50	90%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J070813ALCS	J070813ALCS	ORG	75-71-8	Dichlorodifluoromethane	43		ug/L	5	0.29	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9342	50	86%		
J070813ALCS	J070813ALCS	ORG	74-87-3	Chloromethane	39		ug/L	5	0.43	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9342	50	78%		
J070813ALCS	J070813ALCS	ORG	75-01-4	Vinyl chloride	45		ug/L	2	0.32	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9342	50	90%		
J070813ALCS	J070813ALCS	ORG	74-83-9	Bromomethane	52		ug/L	5	0.50	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9342	50	104%		
J070813ALCS	J070813ALCS	ORG	75-00-3	Chloroethane	58		ug/L	5	0.56	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9342	50	116%		
J070813ALCS	J070813ALCS	ORG	75-69-4	Trichlorofluoromethane	47		ug/L	5	0.20	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9342	50	94%		
J070813ALCS	J070813ALCS	ORG	75-35-4	1,1-Dichloroethene	46		ug/L	1	0.47	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9342	50	92%		
J070813ALCS	J070813ALCS	ORG	75-09-2	Methylene chloride	48		ug/L	5	0.26	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9342	50	96%		
J070813ALCS	J070813ALCS	ORG	67-64-1	Acetone	85		ug/L	10	1.56	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9342	50	170%		
J070813ALCS	J070813ALCS	ORG	156-60-5	trans-1,2-Dichloroethene	48		ug/L	1	0.56	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9342	50	96%		
J070813ALCS	J070813ALCS	ORG	1634-04-4	MTBE	47		ug/L	5	0.61	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9342	50	94%		
J070813ALCS	J070813ALCS	ORG	75-34-3	1,1-Dichloroethane	44		ug/L	1	0.53	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9342	50	88%		
J070813ALCS	J070813ALCS	ORG	156-59-2	cis-1,2-Dichloroethene	53		ug/L	1	0.32	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9342	50	106%		
J070813ALCS	J070813ALCS	ORG	74-97-5	Bromochloromethane	53		ug/L	10	0.81	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9342	50	106%		
J070813ALCS	J070813ALCS	ORG	67-66-3	Chloroform	52		ug/L	2	0.41	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9342	50	104%		
J070813ALCS	J070813ALCS	ORG	71-55-6	1,1,1-Trichloroethane	49		ug/L	1	0.16	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9342	50	98%		
J070813ALCS	J070813ALCS	ORG	78-93-3	2-Butanone	80		ug/L	1	0.17	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9342	50	160%		
J070813ALCS	J070813ALCS	ORG	56-23-5	Carbon tetrachloride	50		ug/L	1	0.28	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9342	50	100%		
J070813ALCS	J070813ALCS	ORG	71-43-2	Benzene	49		ug/L	1	0.14	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9342	50	98%		
J070813ALCS	J070813ALCS	ORG	107-06-2	1,2-Dichloroethane	51		ug/L	1	0.20	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9342	50	102%		
J070813ALCS	J070813ALCS	ORG	79-01-6	Trichloroethene	52		ug/L	1	0.36	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9342	50	104%		
J070813ALCS	J070813ALCS	ORG	74-95-3	Dibromomethane	55		ug/L	2	0.32	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9342	50	110%		
J070813ALCS	J070813ALCS	ORG	78-87-5	1,2-Dichloropropane	48		ug/L	1	0.18	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9342	50	96%		
J070813ALCS	J070813ALCS	ORG	75-27-4	Bromodichloromethane	51		ug/L	2	0.12	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9342	50	102%		
J070813ALCS	J070813ALCS	ORG	10061-01-5	cis-1,3-Dichloropropene	50		ug/L	1	0.25	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9342	50	100%		
J070813ALCS	J070813ALCS	ORG	108-88-3	Toluene	49		ug/L	5	0.74	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9342	50	98%		
J070813ALCS	J070813ALCS	ORG	108-10-1	4-Methyl-2-pentanone	70		ug/L	1	0.21	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9342	50	140%		
J070813ALCS	J070813ALCS	ORG	10061-02-6	trans-1,3-Dichloropropene	54		ug/L	1	0.31	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9342	50	108%		
J070813ALCS	J070813ALCS	ORG	127-18-4	Tetrachloroethene	46		ug/L	1	0.49	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9342	50	92%		
J070813ALCS	J070813ALCS	ORG	79-00-5	1,1,2-Trichloroethane	54		ug/L	1	0.34	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9342	50	108%		
J070813ALCS	J070813ALCS	ORG	124-48-1	Dibromochloromethane	55		ug/L	5	0.69	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9342	50	110%		
J070813ALCS	J070813ALCS	ORG	106-93-4	1,2-Dibromoethane	56		ug/L	2	0.30	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9342	50	112%		
J070813ALCS	J070813ALCS	ORG	591-78-6	2-Hexanone	80		ug/L	2	0.26	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9342	50	160%		
J070813ALCS	J070813ALCS	ORG	100-41-4	Ethylbenzene	44		ug/L	1	0.25	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9342	50	88%		
J070813ALCS	J070813ALCS	ORG	108-90-7	Chlorobenzene	44		ug/L	1	0.28	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9342	50	88%		
J070813ALCS	J070813ALCS	ORG	630-20-6	1,1,1,2-Tetrachloroethane	43		ug/L	2	0.19	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9342	50	86%		
J070813ALCS	J070813ALCS	ORG	XYLMP	p&m-Xylene	89		ug/L	2	0.26	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9342	100	89%		
J070813ALCS	J070813ALCS	ORG	95-47-6	o-Xylene	46		ug/L	1	0.13	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9342	50	92%		
J070813ALCS	J070813ALCS	ORG	100-42-5	Styrene	41		ug/L	1	0.20	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9342	50	82%		
J070813ALCS	J070813ALCS	ORG	75-25-2	Bromoform	55		ug/L	2	0.47	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9342	50	110%		
J070813ALCS	J070813ALCS	ORG	98-82-8	Isopropylbenzene	46		ug/L	2	0.20	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9342	50	92%		
J070813ALCS	J070813ALCS	ORG	103-65-1	n-Propylbenzene	47		ug/L	2	0.27	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9342	50	94%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J070813ALCS	J070813ALCS	ORG	79-34-5	1,1,2,2-Tetrachloroethane	65		ug/L	2	0.29	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9342	50	130%		
J070813ALCS	J070813ALCS	ORG	96-18-4	1,2,3-Trichloropropane	63		ug/L	2	0.29	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9342	50	126%		
J070813ALCS	J070813ALCS	ORG	108-67-8	1,3,5-Trimethylbenzene	46		ug/L	2	0.20	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9342	50	92%		
J070813ALCS	J070813ALCS	ORG	98-06-6	tert-Butylbenzene	48		ug/L	2	0.33	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9342	50	96%		
J070813ALCS	J070813ALCS	ORG	95-63-6	1,2,4-Trimethylbenzene	47		ug/L	2	0.20	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9342	50	94%		
J070813ALCS	J070813ALCS	ORG	135-98-8	sec-Butylbenzene	48		ug/L	2	0.32	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9342	50	96%		
J070813ALCS	J070813ALCS	ORG	541-73-1	1,3-Dichlorobenzene	50		ug/L	2	0.22	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9342	50	100%		
J070813ALCS	J070813ALCS	ORG	99-87-6	p-Isopropltoluene	50		ug/L	2	0.25	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9342	50	100%		
J070813ALCS	J070813ALCS	ORG	106-46-7	1,4-Dichlorobenzene	50		ug/L	2	0.33	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9342	50	100%		
J070813ALCS	J070813ALCS	ORG	95-50-1	1,2-Dichlorobenzene	53		ug/L	2	0.26	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9342	50	106%		
J070813ALCS	J070813ALCS	ORG	104-51-8	n-Butylbenzene	50		ug/L	5	0.28	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9342	50	100%		
J070813ALCS	J070813ALCS	ORG	96-12-8	1,2-Dibromo-3-chloropropane	73		ug/L	5	1.59	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9342	50	146%		
J070813ALCS	J070813ALCS	ORG	87-68-3	Hexachlorobutadiene	51		ug/L	5	0.65	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9342	50	102%		
J070813ALCS	J070813ALCS	ORG	120-82-1	1,2,4-Trichlorobenzene	52		ug/L	5	0.28	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9342	50	104%		
J070813ALCS	J070813ALCS	ORG	91-20-3	Naphthalene	58		ug/L	5	0.56	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9342	50	116%		
J070813ALCS	J070813ALCS	ORG	87-61-6	1,2,3-Trichlorobenzene	52		ug/L	5	0.23	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9342	50	104%		
J070813ALCS	J070813ALCS	STD	1868-53-7	Dibromofluoromethane	51		ng			NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9342	50	102%		
J070813ALCS	J070813ALCS	STD	17060-07-0	1,2-Dichloroethane d4	50		ng			NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9342	50	100%		
J070813ALCS	J070813ALCS	STD	2037-26-5	Toluene d8	50		ng			NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9342	50	100%		
J070813ALCS	J070813ALCS	STD	460-00-4	Bromofluorobenzene	48		ng			NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9342	50	96%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J070813ALCD	J070813ALCD	ORG	75-71-8	Dichlorodifluoromethane	48		ug/L	5	0.29	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9343	50	96%	11%	
J070813ALCD	J070813ALCD	ORG	74-87-3	Chloromethane	41		ug/L	5	0.43	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9343	50	82%	5%	
J070813ALCD	J070813ALCD	ORG	75-01-4	Vinyl chloride	47		ug/L	2	0.32	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9343	50	94%	4%	
J070813ALCD	J070813ALCD	ORG	74-83-9	Bromomethane	55		ug/L	5	0.50	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9343	50	110%	6%	
J070813ALCD	J070813ALCD	ORG	75-00-3	Chloroethane	59		ug/L	5	0.56	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9343	50	118%	2%	
J070813ALCD	J070813ALCD	ORG	75-69-4	Trichlorofluoromethane	49		ug/L	5	0.20	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9343	50	98%	4%	
J070813ALCD	J070813ALCD	ORG	75-35-4	1,1-Dichloroethene	44		ug/L	1	0.47	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9343	50	88%	4%	
J070813ALCD	J070813ALCD	ORG	75-09-2	Methylene chloride	47		ug/L	5	0.26	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9343	50	94%	2%	
J070813ALCD	J070813ALCD	ORG	67-64-1	Acetone	58		ug/L	10	1.56	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9343	50	116%	38%	
J070813ALCD	J070813ALCD	ORG	156-60-5	trans-1,2-Dichloroethene	45		ug/L	1	0.56	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9343	50	90%	6%	
J070813ALCD	J070813ALCD	ORG	1634-04-4	MTBE	47		ug/L	5	0.61	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9343	50	94%	0%	
J070813ALCD	J070813ALCD	ORG	75-34-3	1,1-Dichloroethane	55		ug/L	1	0.53	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9343	50	110%	22%	
J070813ALCD	J070813ALCD	ORG	156-59-2	cis-1,2-Dichloroethene	51		ug/L	1	0.32	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9343	50	102%	4%	
J070813ALCD	J070813ALCD	ORG	74-97-5	Bromochloromethane	52		ug/L	10	0.81	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9343	50	104%	2%	
J070813ALCD	J070813ALCD	ORG	67-66-3	Chloroform	50		ug/L	2	0.41	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9343	50	100%	4%	
J070813ALCD	J070813ALCD	ORG	71-55-6	1,1,1-Trichloroethane	48		ug/L	1	0.16	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9343	50	96%	2%	
J070813ALCD	J070813ALCD	ORG	78-93-3	2-Butanone	63		ug/L	1	0.17	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9343	50	126%	24%	
J070813ALCD	J070813ALCD	ORG	56-23-5	Carbon tetrachloride	49		ug/L	1	0.28	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9343	50	98%	2%	
J070813ALCD	J070813ALCD	ORG	71-43-2	Benzene	49		ug/L	1	0.14	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9343	50	98%	0%	
J070813ALCD	J070813ALCD	ORG	107-06-2	1,2-Dichloroethane	50		ug/L	1	0.20	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9343	50	100%	2%	
J070813ALCD	J070813ALCD	ORG	79-01-6	Trichloroethene	52		ug/L	1	0.36	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9343	50	104%	0%	
J070813ALCD	J070813ALCD	ORG	74-95-3	Dibromomethane	53		ug/L	2	0.32	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9343	50	106%	4%	
J070813ALCD	J070813ALCD	ORG	78-87-5	1,2-Dichloropropane	46		ug/L	1	0.18	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9343	50	92%	4%	
J070813ALCD	J070813ALCD	ORG	75-27-4	Bromodichloromethane	49		ug/L	2	0.12	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9343	50	98%	4%	
J070813ALCD	J070813ALCD	ORG	10061-01-5	cis-1,3-Dichloropropene	47		ug/L	1	0.25	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9343	50	94%	6%	
J070813ALCD	J070813ALCD	ORG	108-88-3	Toluene	47		ug/L	5	0.74	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9343	50	94%	4%	
J070813ALCD	J070813ALCD	ORG	108-10-1	4-Methyl-2-pentanone	64		ug/L	1	0.21	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9343	50	128%	9%	
J070813ALCD	J070813ALCD	ORG	10061-02-6	trans-1,3-Dichloropropene	51		ug/L	1	0.31	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9343	50	102%	6%	
J070813ALCD	J070813ALCD	ORG	127-18-4	Tetrachloroethene	49		ug/L	1	0.49	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9343	50	98%	6%	
J070813ALCD	J070813ALCD	ORG	79-00-5	1,1,2-Trichloroethane	51		ug/L	1	0.34	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9343	50	102%	6%	
J070813ALCD	J070813ALCD	ORG	124-48-1	Dibromochloromethane	52		ug/L	5	0.69	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9343	50	104%	6%	
J070813ALCD	J070813ALCD	ORG	106-93-4	1,2-Dibromoethane	53		ug/L	2	0.30	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9343	50	106%	6%	
J070813ALCD	J070813ALCD	ORG	591-78-6	2-Hexanone	72		ug/L	2	0.26	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9343	50	144%	11%	
J070813ALCD	J070813ALCD	ORG	100-41-4	Ethylbenzene	43		ug/L	1	0.25	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9343	50	86%	2%	
J070813ALCD	J070813ALCD	ORG	108-90-7	Chlorobenzene	44		ug/L	1	0.28	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9343	50	88%	0%	
J070813ALCD	J070813ALCD	ORG	630-20-6	1,1,1,2-Tetrachloroethane	43		ug/L	2	0.19	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9343	50	86%	0%	
J070813ALCD	J070813ALCD	ORG	XYLMP	p&m-Xylene	87		ug/L	2	0.26	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9343	100	87%	2%	
J070813ALCD	J070813ALCD	ORG	95-47-6	o-Xylene	42		ug/L	1	0.13	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9343	50	84%	9%	
J070813ALCD	J070813ALCD	ORG	100-42-5	Styrene	42		ug/L	1	0.20	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9343	50	84%	2%	
J070813ALCD	J070813ALCD	ORG	75-25-2	Bromoform	55		ug/L	2	0.47	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9343	50	110%	0%	
J070813ALCD	J070813ALCD	ORG	98-82-8	Isopropylbenzene	44		ug/L	2	0.20	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9343	50	88%	4%	
J070813ALCD	J070813ALCD	ORG	103-65-1	n-Propylbenzene	45		ug/L	2	0.27	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9343	50	90%	4%	

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J070813ALCD	J070813ALCD	ORG	79-34-5	1,1,2,2-Tetrachloroethane	59		ug/L	2	0.29	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9343	50	118%	10%	
J070813ALCD	J070813ALCD	ORG	96-18-4	1,2,3-Trichloropropane	58		ug/L	2	0.29	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9343	50	116%	8%	
J070813ALCD	J070813ALCD	ORG	108-67-8	1,3,5-Trimethylbenzene	44		ug/L	2	0.20	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9343	50	88%	4%	
J070813ALCD	J070813ALCD	ORG	98-06-6	tert-Butylbenzene	46		ug/L	2	0.33	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9343	50	92%	4%	
J070813ALCD	J070813ALCD	ORG	95-63-6	1,2,4-Trimethylbenzene	45		ug/L	2	0.20	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9343	50	90%	4%	
J070813ALCD	J070813ALCD	ORG	135-98-8	sec-Butylbenzene	46		ug/L	2	0.32	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9343	50	92%	4%	
J070813ALCD	J070813ALCD	ORG	541-73-1	1,3-Dichlorobenzene	48		ug/L	2	0.22	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9343	50	96%	4%	
J070813ALCD	J070813ALCD	ORG	99-87-6	p-Isopropltoluene	48		ug/L	2	0.25	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9343	50	96%	4%	
J070813ALCD	J070813ALCD	ORG	106-46-7	1,4-Dichlorobenzene	48		ug/L	2	0.33	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9343	50	96%	4%	
J070813ALCD	J070813ALCD	ORG	95-50-1	1,2-Dichlorobenzene	50		ug/L	2	0.26	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9343	50	100%	6%	
J070813ALCD	J070813ALCD	ORG	104-51-8	n-Butylbenzene	48		ug/L	5	0.28	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9343	50	96%	4%	
J070813ALCD	J070813ALCD	ORG	96-12-8	1,2-Dibromo-3-chloropropane	58		ug/L	5	1.59	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9343	50	116%	23%	
J070813ALCD	J070813ALCD	ORG	87-68-3	Hexachlorobutadiene	49		ug/L	5	0.65	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9343	50	98%	4%	
J070813ALCD	J070813ALCD	ORG	120-82-1	1,2,4-Trichlorobenzene	49		ug/L	5	0.28	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9343	50	98%	6%	
J070813ALCD	J070813ALCD	ORG	91-20-3	Naphthalene	53		ug/L	5	0.56	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9343	50	106%	9%	
J070813ALCD	J070813ALCD	ORG	87-61-6	1,2,3-Trichlorobenzene	49		ug/L	5	0.23	NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9343	50	98%	6%	
J070813ALCD	J070813ALCD	STD	1868-53-7	Dibromofluoromethane	52		ng			NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9343	50	104%	2%	
J070813ALCD	J070813ALCD	STD	17060-07-0	1,2-Dichloroethane d4	49		ng			NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9343	50	98%	2%	
J070813ALCD	J070813ALCD	STD	2037-26-5	Toluene d8	48		ng			NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9343	50	96%	4%	
J070813ALCD	J070813ALCD	STD	460-00-4	Bromofluorobenzene	48		ng			NA	7/8/2013	7/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9343	50	96%	0%	

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-456MS	96-001g	ORG	75-71-8	Dichlorodifluoromethane	4400		ug/L	500	29.28	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9344	5000	88%		
NAL13026-456MS	96-001g	ORG	74-87-3	Chloromethane	3900		ug/L	500	43.07	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9344	5000	78%		
NAL13026-456MS	96-001g	ORG	75-01-4	Vinyl chloride	4300		ug/L	200	31.86	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9344	5000	86%		
NAL13026-456MS	96-001g	ORG	74-83-9	Bromomethane	5200		ug/L	500	50.04	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9344	5000	104%		
NAL13026-456MS	96-001g	ORG	75-00-3	Chloroethane	5300		ug/L	500	55.61	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9344	5000	106%		
NAL13026-456MS	96-001g	ORG	75-69-4	Trichlorofluoromethane	4700		ug/L	500	19.65	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9344	5000	94%		
NAL13026-456MS	96-001g	ORG	75-35-4	1,1-Dichloroethene	4500		ug/L	100	47.11	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9344	5000	90%		
NAL13026-456MS	96-001g	ORG	75-09-2	Methylene chloride	4500		ug/L	500	26.46	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9344	5000	89%		39
NAL13026-456MS	96-001g	ORG	67-64-1	Acetone	31000		ug/L	1000	155.61	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9344	5000	-180%		40000
NAL13026-456MS	96-001g	ORG	156-60-5	trans-1,2-Dichloroethene	4400		ug/L	100	55.61	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9344	5000	88%		
NAL13026-456MS	96-001g	ORG	1634-04-4	MTBE	4400		ug/L	500	61.18	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9344	5000	88%		
NAL13026-456MS	96-001g	ORG	75-34-3	1,1-Dichloroethane	5300		ug/L	100	52.66	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9344	5000	106%		
NAL13026-456MS	96-001g	ORG	156-59-2	cis-1,2-Dichloroethene	4900		ug/L	100	32.11	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9344	5000	97%		40
NAL13026-456MS	96-001g	ORG	74-97-5	Bromochloromethane	5000		ug/L	1000	81.18	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9344	5000	100%		
NAL13026-456MS	96-001g	ORG	67-66-3	Chloroform	4900		ug/L	200	41.37	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9344	5000	97%		46
NAL13026-456MS	96-001g	ORG	71-55-6	1,1,1-Trichloroethane	4800		ug/L	100	15.73	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9344	5000	96%		
NAL13026-456MS	96-001g	ORG	78-93-3	2-Butanone	17000		ug/L	100	16.65	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9344	5000	-80%		21000
NAL13026-456MS	96-001g	ORG	56-23-5	Carbon tetrachloride	4900		ug/L	100	27.64	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9344	5000	97%		48
NAL13026-456MS	96-001g	ORG	71-43-2	Benzene	4900		ug/L	100	13.53	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9344	5000	92%		280
NAL13026-456MS	96-001g	ORG	107-06-2	1,2-Dichloroethane	4900		ug/L	100	20.01	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9344	5000	97%		57
NAL13026-456MS	96-001g	ORG	79-01-6	Trichloroethene	5100		ug/L	100	36.33	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9344	5000	102%		
NAL13026-456MS	96-001g	ORG	74-95-3	Dibromomethane	5000		ug/L	200	32.20	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9344	5000	100%		
NAL13026-456MS	96-001g	ORG	78-87-5	1,2-Dichloropropane	4600		ug/L	100	18.17	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9344	5000	91%		45
NAL13026-456MS	96-001g	ORG	75-27-4	Bromodichloromethane	4700		ug/L	200	11.58	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9344	5000	93%		50
NAL13026-456MS	96-001g	ORG	10061-01-5	cis-1,3-Dichloropropene	4600		ug/L	100	25.01	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9344	5000	91%		49
NAL13026-456MS	96-001g	ORG	108-88-3	Toluene	4600		ug/L	500	74.00	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9344	5000	91%		73
NAL13026-456MS	96-001g	ORG	108-10-1	4-Methyl-2-pentanone	5500		ug/L	100	20.96	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9344	5000	106%		200
NAL13026-456MS	96-001g	ORG	10061-02-6	trans-1,3-Dichloropropene	4800		ug/L	100	31.15	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9344	5000	95%		56
NAL13026-456MS	96-001g	ORG	127-18-4	Tetrachloroethene	4500		ug/L	100	48.56	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9344	5000	90%		
NAL13026-456MS	96-001g	ORG	79-00-5	1,1,2-Trichloroethane	4900		ug/L	100	34.28	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9344	5000	98%		
NAL13026-456MS	96-001g	ORG	124-48-1	Dibromochloromethane	5100		ug/L	500	68.90	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9344	5000	101%		49
NAL13026-456MS	96-001g	ORG	106-93-4	1,2-Dibromoethane	5100		ug/L	200	29.90	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9344	5000	101%		57
NAL13026-456MS	96-001g	ORG	591-78-6	2-Hexanone	5800		ug/L	200	26.49	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9344	5000	116%		
NAL13026-456MS	96-001g	ORG	100-41-4	Ethylbenzene	4300		ug/L	100	25.38	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9344	5000	85%		56
NAL13026-456MS	96-001g	ORG	108-90-7	Chlorobenzene	4400		ug/L	100	27.52	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9344	5000	87%		49
NAL13026-456MS	96-001g	ORG	630-20-6	1,1,1,2-Tetrachloroethane	4300		ug/L	200	19.28	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9344	5000	85%		37
NAL13026-456MS	96-001g	ORG	XYLMP	p&m-Xylene	8900		ug/L	200	26.14	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9344	10000	88%		120
NAL13026-456MS	96-001g	ORG	95-47-6	o-Xylene	4200		ug/L	100	12.90	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9344	5000	83%		59
NAL13026-456MS	96-001g	ORG	100-42-5	Styrene	4300		ug/L	100	20.23	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9344	5000	85%		53
NAL13026-456MS	96-001g	ORG	75-25-2	Bromoform	5400		ug/L	200	46.83	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9344	5000	108%		
NAL13026-456MS	96-001g	ORG	98-82-8	Isopropylbenzene	4500		ug/L	200	20.48	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9344	5000	89%		50
NAL13026-456MS	96-001g	ORG	103-65-1	n-Propylbenzene	4600		ug/L	200	27.00	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9344	5000	91%		50

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-456MS	96-001g	ORG	79-34-5	1,1,2,2-Tetrachloroethane	5700		ug/L	200	29.16	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9344	5000	114%		
NAL13026-456MS	96-001g	ORG	96-18-4	1,2,3-Trichloropropane	5500		ug/L	200	29.47	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9344	5000	109%		54
NAL13026-456MS	96-001g	ORG	108-67-8	1,3,5-Trimethylbenzene	4500		ug/L	200	20.03	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9344	5000	89%		59
NAL13026-456MS	96-001g	ORG	98-06-6	tert-Butylbenzene	4700		ug/L	200	32.61	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9344	5000	93%		47
NAL13026-456MS	96-001g	ORG	95-63-6	1,2,4-Trimethylbenzene	4500		ug/L	200	20.03	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9344	5000	88%		82
NAL13026-456MS	96-001g	ORG	135-98-8	sec-Butylbenzene	4600		ug/L	200	32.34	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9344	5000	91%		56
NAL13026-456MS	96-001g	ORG	541-73-1	1,3-Dichlorobenzene	4800		ug/L	200	22.21	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9344	5000	95%		70
NAL13026-456MS	96-001g	ORG	99-87-6	p-Isopropltoluene	4800		ug/L	200	25.48	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9344	5000	92%		200
NAL13026-456MS	96-001g	ORG	106-46-7	1,4-Dichlorobenzene	4900		ug/L	200	33.03	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9344	5000	96%		110
NAL13026-456MS	96-001g	ORG	95-50-1	1,2-Dichlorobenzene	5000		ug/L	200	26.38	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9344	5000	99%		68
NAL13026-456MS	96-001g	ORG	104-51-8	n-Butylbenzene	4700		ug/L	500	27.81	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9344	5000	93%		68
NAL13026-456MS	96-001g	ORG	96-12-8	1,2-Dibromo-3-chloropropane	5900		ug/L	500	159.11	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9344	5000	118%		
NAL13026-456MS	96-001g	ORG	87-68-3	Hexachlorobutadiene	4600		ug/L	500	65.42	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9344	5000	92%		
NAL13026-456MS	96-001g	ORG	120-82-1	1,2,4-Trichlorobenzene	4800		ug/L	500	27.63	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9344	5000	94%		100
NAL13026-456MS	96-001g	ORG	91-20-3	Naphthalene	5200		ug/L	500	56.04	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9344	5000	100%		220
NAL13026-456MS	96-001g	ORG	87-61-6	1,2,3-Trichlorobenzene	4800		ug/L	500	23.28	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9344	5000	94%		100
NAL13026-456MS	96-001g	STD	1868-53-7	Dibromofluoromethane	51		ng			7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9344	50	102%		
NAL13026-456MS	96-001g	STD	17060-07-0	1,2-Dichloroethane d4	48		ng			7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9344	50	96%		
NAL13026-456MS	96-001g	STD	2037-26-5	Toluene d8	48		ng			7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9344	50	96%		
NAL13026-456MS	96-001g	STD	460-00-4	Bromofluorobenzene	49		ng			7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9344	50	98%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-456MSD	96-001g	ORG	75-71-8	Dichlorodifluoromethane	4400		ug/L	500	29.28	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9345	5000	88%	0%	0
NAL13026-456MSD	96-001g	ORG	74-87-3	Chloromethane	4000		ug/L	500	43.07	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9345	5000	80%	3%	0
NAL13026-456MSD	96-001g	ORG	75-01-4	Vinyl chloride	4400		ug/L	200	31.86	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9345	5000	88%	2%	0
NAL13026-456MSD	96-001g	ORG	74-83-9	Bromomethane	5200		ug/L	500	50.04	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9345	5000	104%	0%	0
NAL13026-456MSD	96-001g	ORG	75-00-3	Chloroethane	5700		ug/L	500	55.61	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9345	5000	114%	7%	0
NAL13026-456MSD	96-001g	ORG	75-69-4	Trichlorofluoromethane	4800		ug/L	500	19.65	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9345	5000	96%	2%	0
NAL13026-456MSD	96-001g	ORG	75-35-4	1,1-Dichloroethene	4300		ug/L	100	47.11	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9345	5000	86%	5%	0
NAL13026-456MSD	96-001g	ORG	75-09-2	Methylene chloride	4600		ug/L	500	26.46	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9345	5000	91%	2%	39
NAL13026-456MSD	96-001g	ORG	67-64-1	Acetone	33000		ug/L	1000	155.61	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9345	5000	-140%	6%	40000
NAL13026-456MSD	96-001g	ORG	156-60-5	trans-1,2-Dichloroethene	4800		ug/L	100	55.61	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9345	5000	96%	9%	0
NAL13026-456MSD	96-001g	ORG	1634-04-4	MTBE	5000		ug/L	500	61.18	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9345	5000	100%	13%	0
NAL13026-456MSD	96-001g	ORG	75-34-3	1,1-Dichloroethane	5500		ug/L	100	52.66	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9345	5000	110%	4%	0
NAL13026-456MSD	96-001g	ORG	156-59-2	cis-1,2-Dichloroethene	5200		ug/L	100	32.11	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9345	5000	103%	6%	40
NAL13026-456MSD	96-001g	ORG	74-97-5	Bromochloromethane	5200		ug/L	1000	81.18	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9345	5000	104%	4%	0
NAL13026-456MSD	96-001g	ORG	67-66-3	Chloroform	5000		ug/L	200	41.37	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9345	5000	99%	2%	46
NAL13026-456MSD	96-001g	ORG	71-55-6	1,1,1-Trichloroethane	5000		ug/L	100	15.73	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9345	5000	100%	4%	0
NAL13026-456MSD	96-001g	ORG	78-93-3	2-Butanone	18000		ug/L	100	16.65	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9345	5000	-60%	6%	21000
NAL13026-456MSD	96-001g	ORG	56-23-5	Carbon tetrachloride	5000		ug/L	100	27.64	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9345	5000	99%	2%	48
NAL13026-456MSD	96-001g	ORG	71-43-2	Benzene	5100		ug/L	100	13.53	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9345	5000	96%	4%	280
NAL13026-456MSD	96-001g	ORG	107-06-2	1,2-Dichloroethane	5200		ug/L	100	20.01	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9345	5000	103%	6%	57
NAL13026-456MSD	96-001g	ORG	79-01-6	Trichloroethene	5200		ug/L	100	36.33	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9345	5000	104%	2%	0
NAL13026-456MSD	96-001g	ORG	74-95-3	Dibromomethane	5400		ug/L	200	32.20	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9345	5000	108%	8%	0
NAL13026-456MSD	96-001g	ORG	78-87-5	1,2-Dichloropropane	4800		ug/L	100	18.17	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9345	5000	95%	4%	45
NAL13026-456MSD	96-001g	ORG	75-27-4	Bromodichloromethane	4900		ug/L	200	11.58	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9345	5000	97%	4%	50
NAL13026-456MSD	96-001g	ORG	10061-01-5	cis-1,3-Dichloropropene	4700		ug/L	100	25.01	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9345	5000	93%	2%	49
NAL13026-456MSD	96-001g	ORG	108-88-3	Toluene	4600		ug/L	500	74.00	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9345	5000	91%	0%	73
NAL13026-456MSD	96-001g	ORG	108-10-1	4-Methyl-2-pentanone	5500		ug/L	100	20.96	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9345	5000	106%	0%	200
NAL13026-456MSD	96-001g	ORG	10061-02-6	trans-1,3-Dichloropropene	5000		ug/L	100	31.15	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9345	5000	99%	4%	56
NAL13026-456MSD	96-001g	ORG	127-18-4	Tetrachloroethene	4600		ug/L	100	48.56	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9345	5000	92%	2%	0
NAL13026-456MSD	96-001g	ORG	79-00-5	1,1,2-Trichloroethane	5000		ug/L	100	34.28	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9345	5000	100%	2%	0
NAL13026-456MSD	96-001g	ORG	124-48-1	Dibromochloromethane	5300		ug/L	500	68.90	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9345	5000	105%	4%	49
NAL13026-456MSD	96-001g	ORG	106-93-4	1,2-Dibromoethane	5200		ug/L	200	29.90	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9345	5000	103%	2%	57
NAL13026-456MSD	96-001g	ORG	591-78-6	2-Hexanone	5500		ug/L	200	26.49	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9345	5000	110%	5%	0
NAL13026-456MSD	96-001g	ORG	100-41-4	Ethylbenzene	4400		ug/L	100	25.38	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9345	5000	87%	2%	56
NAL13026-456MSD	96-001g	ORG	108-90-7	Chlorobenzene	4400		ug/L	100	27.52	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9345	5000	87%	0%	49
NAL13026-456MSD	96-001g	ORG	630-20-6	1,1,1,2-Tetrachloroethane	4500		ug/L	200	19.28	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9345	5000	89%	5%	37
NAL13026-456MSD	96-001g	ORG	XYLMP	p&m-Xylene	8800		ug/L	200	26.14	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9345	10000	87%	1%	120
NAL13026-456MSD	96-001g	ORG	95-47-6	o-Xylene	4600		ug/L	100	12.90	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9345	5000	91%	9%	59
NAL13026-456MSD	96-001g	ORG	100-42-5	Styrene	4400		ug/L	100	20.23	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9345	5000	87%	2%	53
NAL13026-456MSD	96-001g	ORG	75-25-2	Bromoform	5600		ug/L	200	46.83	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9345	5000	112%	4%	0
NAL13026-456MSD	96-001g	ORG	98-82-8	Isopropylbenzene	4500		ug/L	200	20.48	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9345	5000	89%	0%	50
NAL13026-456MSD	96-001g	ORG	103-65-1	n-Propylbenzene	4600		ug/L	200	27.00	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9345	5000	91%	0%	50

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-456MSD	96-001g	ORG	79-34-5	1,1,2,2-Tetrachloroethane	5800		ug/L	200	29.16	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9345	5000	116%	2%	0
NAL13026-456MSD	96-001g	ORG	96-18-4	1,2,3-Trichloropropane	5600		ug/L	200	29.47	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9345	5000	111%	2%	54
NAL13026-456MSD	96-001g	ORG	108-67-8	1,3,5-Trimethylbenzene	4600		ug/L	200	20.03	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9345	5000	91%	2%	59
NAL13026-456MSD	96-001g	ORG	98-06-6	tert-Butylbenzene	4800		ug/L	200	32.61	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9345	5000	95%	2%	47
NAL13026-456MSD	96-001g	ORG	95-63-6	1,2,4-Trimethylbenzene	4600		ug/L	200	20.03	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9345	5000	90%	2%	82
NAL13026-456MSD	96-001g	ORG	135-98-8	sec-Butylbenzene	4700		ug/L	200	32.34	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9345	5000	93%	2%	56
NAL13026-456MSD	96-001g	ORG	541-73-1	1,3-Dichlorobenzene	4900		ug/L	200	22.21	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9345	5000	97%	2%	70
NAL13026-456MSD	96-001g	ORG	99-87-6	p-Isopropltoluene	4800		ug/L	200	25.48	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9345	5000	92%	0%	200
NAL13026-456MSD	96-001g	ORG	106-46-7	1,4-Dichlorobenzene	5100		ug/L	200	33.03	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9345	5000	100%	4%	110
NAL13026-456MSD	96-001g	ORG	95-50-1	1,2-Dichlorobenzene	5100		ug/L	200	26.38	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9345	5000	101%	2%	68
NAL13026-456MSD	96-001g	ORG	104-51-8	n-Butylbenzene	4700		ug/L	500	27.81	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9345	5000	93%	0%	68
NAL13026-456MSD	96-001g	ORG	96-12-8	1,2-Dibromo-3-chloropropane	6000		ug/L	500	159.11	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9345	5000	120%	2%	0
NAL13026-456MSD	96-001g	ORG	87-68-3	Hexachlorobutadiene	4700		ug/L	500	65.42	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9345	5000	94%	2%	0
NAL13026-456MSD	96-001g	ORG	120-82-1	1,2,4-Trichlorobenzene	5100		ug/L	500	27.63	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9345	5000	100%	6%	100
NAL13026-456MSD	96-001g	ORG	91-20-3	Naphthalene	5400		ug/L	500	56.04	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9345	5000	104%	4%	220
NAL13026-456MSD	96-001g	ORG	87-61-6	1,2,3-Trichlorobenzene	5100		ug/L	500	23.28	7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9345	5000	100%	6%	100
NAL13026-456MSD	96-001g	STD	1868-53-7	Dibromofluoromethane	51		ng			7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9345	50	102%	0%	0
NAL13026-456MSD	96-001g	STD	17060-07-0	1,2-Dichloroethane d4	50		ng			7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9345	50	100%	4%	0
NAL13026-456MSD	96-001g	STD	2037-26-5	Toluene d8	47		ng			7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9345	50	94%	2%	0
NAL13026-456MSD	96-001g	STD	460-00-4	Bromofluorobenzene	48		ng			7/8/2013	7/8/2013	7/8/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9345	50	96%	2%	0

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-457	316-011	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9349				
NAL13026-457	316-011	ORG	74-87-3	Chloromethane		U	ug/L	500	43.07	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9349				
NAL13026-457	316-011	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9349				
NAL13026-457	316-011	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9349				
NAL13026-457	316-011	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9349				
NAL13026-457	316-011	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9349				
NAL13026-457	316-011	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9349				
NAL13026-457	316-011	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9349				
NAL13026-457	316-011	ORG	67-64-1	Acetone	42000	D	ug/L	10000	1556.07	7/9/2013	7/9/2013	7/9/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9350				
NAL13026-457	316-011	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9349				
NAL13026-457	316-011	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9349				
NAL13026-457	316-011	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9349				
NAL13026-457	316-011	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9349				
NAL13026-457	316-011	ORG	74-97-5	Bromochloromethane		U	ug/L	200	41.37	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9349				
NAL13026-457	316-011	ORG	67-66-3	Chloroform		U	ug/L	100	15.73	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9349				
NAL13026-457	316-011	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	16.65	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9349				
NAL13026-457	316-011	ORG	78-93-3	2-Butanone	23000	D	ug/L	10000	811.80	7/9/2013	7/9/2013	7/9/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9350				
NAL13026-457	316-011	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9349				
NAL13026-457	316-011	ORG	71-43-2	Benzene	32	J	ug/L	100	13.53	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9349				
NAL13026-457	316-011	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9349				
NAL13026-457	316-011	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9349				
NAL13026-457	316-011	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9349				
NAL13026-457	316-011	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9349				
NAL13026-457	316-011	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9349				
NAL13026-457	316-011	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9349				
NAL13026-457	316-011	ORG	108-88-3	Toluene		U	ug/L	100	20.96	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9349				
NAL13026-457	316-011	ORG	108-10-1	4-Methyl-2-pentanone	700		ug/L	500	74.00	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9349				
NAL13026-457	316-011	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9349				
NAL13026-457	316-011	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9349				
NAL13026-457	316-011	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9349				
NAL13026-457	316-011	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	29.90	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9349				
NAL13026-457	316-011	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	26.49	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9349				
NAL13026-457	316-011	ORG	591-78-6	2-Hexanone		U	ug/L	500	68.90	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9349				
NAL13026-457	316-011	ORG	100-41-4	Ethylbenzene		U	ug/L	100	25.38	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9349				
NAL13026-457	316-011	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9349				
NAL13026-457	316-011	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9349				
NAL13026-457	316-011	ORG	XYLMP	p&m-Xylene		U	ug/L	200	26.14	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9349				
NAL13026-457	316-011	ORG	95-47-6	o-Xylene		U	ug/L	100	12.90	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9349				
NAL13026-457	316-011	ORG	100-42-5	Styrene		U	ug/L	100	20.23	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9349				
NAL13026-457	316-011	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9349				
NAL13026-457	316-011	ORG	98-82-8	Isopropylbenzene		U	ug/L	200	20.48	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9349				
NAL13026-457	316-011	ORG	103-65-1	n-Propylbenzene		U	ug/L	200	27.00	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9349				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-457	316-011	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9349				
NAL13026-457	316-011	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9349				
NAL13026-457	316-011	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	200	20.03	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9349				
NAL13026-457	316-011	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9349				
NAL13026-457	316-011	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	200	20.03	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9349				
NAL13026-457	316-011	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9349				
NAL13026-457	316-011	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9349				
NAL13026-457	316-011	ORG	99-87-6	p-Isopropltoluene		U	ug/L	200	25.48	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9349				
NAL13026-457	316-011	ORG	106-46-7	1,4-Dichlorobenzene		U	ug/L	200	33.03	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9349				
NAL13026-457	316-011	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9349				
NAL13026-457	316-011	ORG	104-51-8	n-Butylbenzene		U	ug/L	500	27.81	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9349				
NAL13026-457	316-011	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9349				
NAL13026-457	316-011	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9349				
NAL13026-457	316-011	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9349				
NAL13026-457	316-011	ORG	91-20-3	Naphthalene	170	J	ug/L	500	56.04	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9349				
NAL13026-457	316-011	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9349				
NAL13026-457	316-011	STD	1868-53-7	Dibromofluoromethane	51		ng			7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9349	50	102%		
NAL13026-457	316-011	STD	17060-07-0	1,2-Dichloroethane d4	51		ng			7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9349	50	102%		
NAL13026-457	316-011	STD	2037-26-5	Toluene d8	48		ng			7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9349	50	96%		
NAL13026-457	316-011	STD	460-00-4	Bromofluorobenzene	47		ng			7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9349	50	94%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-458	OB-275	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9356				
NAL13026-458	OB-275	ORG	74-87-3	Chloromethane		U	ug/L	500	43.07	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9356				
NAL13026-458	OB-275	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9356				
NAL13026-458	OB-275	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9356				
NAL13026-458	OB-275	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9356				
NAL13026-458	OB-275	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9356				
NAL13026-458	OB-275	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9356				
NAL13026-458	OB-275	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9356				
NAL13026-458	OB-275	ORG	67-64-1	Acetone	43000	D	ug/L	10000	1556.07	7/9/2013	7/9/2013	7/9/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9357				
NAL13026-458	OB-275	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9356				
NAL13026-458	OB-275	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9356				
NAL13026-458	OB-275	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9356				
NAL13026-458	OB-275	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9356				
NAL13026-458	OB-275	ORG	74-97-5	Bromochloromethane		U	ug/L	200	81.18	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9356				
NAL13026-458	OB-275	ORG	67-66-3	Chloroform		U	ug/L	100	41.37	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9356				
NAL13026-458	OB-275	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	15.73	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9356				
NAL13026-458	OB-275	ORG	78-93-3	2-Butanone	19000	D	ug/L	10000	166.52	7/9/2013	7/9/2013	7/9/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9357				
NAL13026-458	OB-275	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9356				
NAL13026-458	OB-275	ORG	71-43-2	Benzene		U	ug/L	100	13.53	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9356				
NAL13026-458	OB-275	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9356				
NAL13026-458	OB-275	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9356				
NAL13026-458	OB-275	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9356				
NAL13026-458	OB-275	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9356				
NAL13026-458	OB-275	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9356				
NAL13026-458	OB-275	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9356				
NAL13026-458	OB-275	ORG	108-88-3	Toluene		U	ug/L	100	20.96	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9356				
NAL13026-458	OB-275	ORG	108-10-1	4-Methyl-2-pentanone	400		ug/L	500	74.00	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9356				
NAL13026-458	OB-275	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9356				
NAL13026-458	OB-275	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9356				
NAL13026-458	OB-275	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9356				
NAL13026-458	OB-275	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	68.90	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9356				
NAL13026-458	OB-275	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	29.90	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9356				
NAL13026-458	OB-275	ORG	591-78-6	2-Hexanone		U	ug/L	500	26.49	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9356				
NAL13026-458	OB-275	ORG	100-41-4	Ethylbenzene		U	ug/L	100	25.38	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9356				
NAL13026-458	OB-275	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9356				
NAL13026-458	OB-275	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9356				
NAL13026-458	OB-275	ORG	XYLMP	p&m-Xylene		U	ug/L	200	26.14	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9356				
NAL13026-458	OB-275	ORG	95-47-6	o-Xylene		U	ug/L	100	12.90	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9356				
NAL13026-458	OB-275	ORG	100-42-5	Styrene		U	ug/L	100	20.23	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9356				
NAL13026-458	OB-275	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9356				
NAL13026-458	OB-275	ORG	98-82-8	Isopropylbenzene		U	ug/L	200	20.48	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9356				
NAL13026-458	OB-275	ORG	103-65-1	n-Propylbenzene		U	ug/L	200	27.00	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9356				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-458	OB-275	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9356				
NAL13026-458	OB-275	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9356				
NAL13026-458	OB-275	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	200	20.03	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9356				
NAL13026-458	OB-275	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9356				
NAL13026-458	OB-275	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	200	20.03	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9356				
NAL13026-458	OB-275	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9356				
NAL13026-458	OB-275	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9356				
NAL13026-458	OB-275	ORG	99-87-6	p-Isopropltoluene		U	ug/L	200	25.48	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9356				
NAL13026-458	OB-275	ORG	106-46-7	1,4-Dichlorobenzene		U	ug/L	200	33.03	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9356				
NAL13026-458	OB-275	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9356				
NAL13026-458	OB-275	ORG	104-51-8	n-Butylbenzene		U	ug/L	500	27.81	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9356				
NAL13026-458	OB-275	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9356				
NAL13026-458	OB-275	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9356				
NAL13026-458	OB-275	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9356				
NAL13026-458	OB-275	ORG	91-20-3	Naphthalene	100	J	ug/L	500	56.04	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9356				
NAL13026-458	OB-275	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9356				
NAL13026-458	OB-275	STD	1868-53-7	Dibromofluoromethane	50		ng			7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9356	50	100%		
NAL13026-458	OB-275	STD	17060-07-0	1,2-Dichloroethane d4	51		ng			7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9356	50	102%		
NAL13026-458	OB-275	STD	2037-26-5	Toluene d8	48		ng			7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9356	50	96%		
NAL13026-458	OB-275	STD	460-00-4	Bromofluorobenzene	49		ng			7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9356	50	98%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-459	276-ST T1	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9358				
NAL13026-459	276-ST T1	ORG	74-87-3	Chloromethane		U	ug/L	500	43.07	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9358				
NAL13026-459	276-ST T1	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9358				
NAL13026-459	276-ST T1	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9358				
NAL13026-459	276-ST T1	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9358				
NAL13026-459	276-ST T1	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9358				
NAL13026-459	276-ST T1	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9358				
NAL13026-459	276-ST T1	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9358				
NAL13026-459	276-ST T1	ORG	67-64-1	Acetone	30000	DX+	ug/L	10000	1556.07	7/9/2013	7/9/2013	7/9/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9365				
NAL13026-459	276-ST T1	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9358				
NAL13026-459	276-ST T1	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9358				
NAL13026-459	276-ST T1	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9358				
NAL13026-459	276-ST T1	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9358				
NAL13026-459	276-ST T1	ORG	74-97-5	Bromochloromethane		U	ug/L	200	81.18	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9358				
NAL13026-459	276-ST T1	ORG	67-66-3	Chloroform		U	ug/L	100	41.37	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9358				
NAL13026-459	276-ST T1	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	15.73	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9358				
NAL13026-459	276-ST T1	ORG	78-93-3	2-Butanone	19000	D	ug/L	10000	166.52	7/9/2013	7/9/2013	7/9/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9365				
NAL13026-459	276-ST T1	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9358				
NAL13026-459	276-ST T1	ORG	71-43-2	Benzene	23	J	ug/L	100	13.53	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9358				
NAL13026-459	276-ST T1	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9358				
NAL13026-459	276-ST T1	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9358				
NAL13026-459	276-ST T1	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9358				
NAL13026-459	276-ST T1	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9358				
NAL13026-459	276-ST T1	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9358				
NAL13026-459	276-ST T1	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9358				
NAL13026-459	276-ST T1	ORG	108-88-3	Toluene	24	J	ug/L	100	20.96	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9358				
NAL13026-459	276-ST T1	ORG	108-10-1	4-Methyl-2-pentanone	930		ug/L	500	74.00	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9358				
NAL13026-459	276-ST T1	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9358				
NAL13026-459	276-ST T1	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9358				
NAL13026-459	276-ST T1	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9358				
NAL13026-459	276-ST T1	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	68.90	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9358				
NAL13026-459	276-ST T1	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	29.90	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9358				
NAL13026-459	276-ST T1	ORG	591-78-6	2-Hexanone		U	ug/L	500	26.49	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9358				
NAL13026-459	276-ST T1	ORG	100-41-4	Ethylbenzene	60	J	ug/L	100	25.38	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9358				
NAL13026-459	276-ST T1	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9358				
NAL13026-459	276-ST T1	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9358				
NAL13026-459	276-ST T1	ORG	XYLMP	p&m-Xylene	170	J	ug/L	200	26.14	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9358				
NAL13026-459	276-ST T1	ORG	95-47-6	o-Xylene	83	J	ug/L	100	12.90	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9358				
NAL13026-459	276-ST T1	ORG	100-42-5	Styrene	38	J	ug/L	100	20.23	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9358				
NAL13026-459	276-ST T1	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9358				
NAL13026-459	276-ST T1	ORG	98-82-8	Isopropylbenzene	87	J	ug/L	200	20.48	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9358				
NAL13026-459	276-ST T1	ORG	103-65-1	n-Propylbenzene	70	J	ug/L	200	27.00	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9358				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-459	276-ST T1	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9358				
NAL13026-459	276-ST T1	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9358				
NAL13026-459	276-ST T1	ORG	108-67-8	1,3,5-Trimethylbenzene	170	J	ug/L	200	20.03	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9358				
NAL13026-459	276-ST T1	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9358				
NAL13026-459	276-ST T1	ORG	95-63-6	1,2,4-Trimethylbenzene	640		ug/L	200	20.03	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9358				
NAL13026-459	276-ST T1	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9358				
NAL13026-459	276-ST T1	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9358				
NAL13026-459	276-ST T1	ORG	99-87-6	p-Isopropltoluene	3900		ug/L	200	25.48	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9358				
NAL13026-459	276-ST T1	ORG	106-46-7	1,4-Dichlorobenzene	670		ug/L	200	33.03	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9358				
NAL13026-459	276-ST T1	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9358				
NAL13026-459	276-ST T1	ORG	104-51-8	n-Butylbenzene	180	J	ug/L	500	27.81	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9358				
NAL13026-459	276-ST T1	ORG	96-12-8	1,2-Dibromo-3-chloropropane	1200		ug/L	500	159.11	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9358				
NAL13026-459	276-ST T1	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9358				
NAL13026-459	276-ST T1	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9358				
NAL13026-459	276-ST T1	ORG	91-20-3	Naphthalene	1100		ug/L	500	56.04	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9358				
NAL13026-459	276-ST T1	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9358				
NAL13026-459	276-ST T1	STD	1868-53-7	Dibromofluoromethane	51		ng			7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9358	50	102%		
NAL13026-459	276-ST T1	STD	17060-07-0	1,2-Dichloroethane d4	52		ng			7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9358	50	104%		
NAL13026-459	276-ST T1	STD	2037-26-5	Toluene d8	49		ng			7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9358	50	98%		
NAL13026-459	276-ST T1	STD	460-00-4	Bromofluorobenzene	50		ng			7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9358	50	100%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-460	276-ST T2	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9359				
NAL13026-460	276-ST T2	ORG	74-87-3	Chloromethane		U	ug/L	500	43.07	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9359				
NAL13026-460	276-ST T2	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9359				
NAL13026-460	276-ST T2	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9359				
NAL13026-460	276-ST T2	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9359				
NAL13026-460	276-ST T2	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9359				
NAL13026-460	276-ST T2	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9359				
NAL13026-460	276-ST T2	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9359				
NAL13026-460	276-ST T2	ORG	67-64-1	Acetone	17000	DX+	ug/L	10000	1556.07	7/9/2013	7/9/2013	7/9/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9366				
NAL13026-460	276-ST T2	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9359				
NAL13026-460	276-ST T2	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9359				
NAL13026-460	276-ST T2	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9359				
NAL13026-460	276-ST T2	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9359				
NAL13026-460	276-ST T2	ORG	74-97-5	Bromochloromethane		U	ug/L	200	81.18	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9359				
NAL13026-460	276-ST T2	ORG	67-66-3	Chloroform		U	ug/L	100	41.37	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9359				
NAL13026-460	276-ST T2	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	15.73	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9359				
NAL13026-460	276-ST T2	ORG	78-93-3	2-Butanone	11000	D	ug/L	10000	166.52	7/9/2013	7/9/2013	7/9/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9366				
NAL13026-460	276-ST T2	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9359				
NAL13026-460	276-ST T2	ORG	71-43-2	Benzene	130		ug/L	100	13.53	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9359				
NAL13026-460	276-ST T2	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9359				
NAL13026-460	276-ST T2	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9359				
NAL13026-460	276-ST T2	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9359				
NAL13026-460	276-ST T2	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9359				
NAL13026-460	276-ST T2	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9359				
NAL13026-460	276-ST T2	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9359				
NAL13026-460	276-ST T2	ORG	108-88-3	Toluene	140		ug/L	100	20.96	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9359				
NAL13026-460	276-ST T2	ORG	108-10-1	4-Methyl-2-pentanone	490	J	ug/L	500	74.00	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9359				
NAL13026-460	276-ST T2	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9359				
NAL13026-460	276-ST T2	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9359				
NAL13026-460	276-ST T2	ORG	79-00-5	1,1,2-Trichloroethane	140		ug/L	100	34.28	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9359				
NAL13026-460	276-ST T2	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	68.90	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9359				
NAL13026-460	276-ST T2	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	29.90	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9359				
NAL13026-460	276-ST T2	ORG	591-78-6	2-Hexanone		U	ug/L	500	26.49	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9359				
NAL13026-460	276-ST T2	ORG	100-41-4	Ethylbenzene	290		ug/L	100	25.38	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9359				
NAL13026-460	276-ST T2	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9359				
NAL13026-460	276-ST T2	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9359				
NAL13026-460	276-ST T2	ORG	XYLMP	p&m-Xylene	720		ug/L	200	26.14	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9359				
NAL13026-460	276-ST T2	ORG	95-47-6	o-Xylene	360		ug/L	100	12.90	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9359				
NAL13026-460	276-ST T2	ORG	100-42-5	Styrene	69	J	ug/L	100	20.23	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9359				
NAL13026-460	276-ST T2	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9359				
NAL13026-460	276-ST T2	ORG	98-82-8	Isopropylbenzene	230		ug/L	200	20.48	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9359				
NAL13026-460	276-ST T2	ORG	103-65-1	n-Propylbenzene	180	J	ug/L	200	27.00	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9359				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-460	276-ST T2	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9359				
NAL13026-460	276-ST T2	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9359				
NAL13026-460	276-ST T2	ORG	108-67-8	1,3,5-Trimethylbenzene	420		ug/L	200	20.03	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9359				
NAL13026-460	276-ST T2	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9359				
NAL13026-460	276-ST T2	ORG	95-63-6	1,2,4-Trimethylbenzene	1600		ug/L	200	20.03	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9359				
NAL13026-460	276-ST T2	ORG	135-98-8	sec-Butylbenzene	97	J	ug/L	200	32.34	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9359				
NAL13026-460	276-ST T2	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9359				
NAL13026-460	276-ST T2	ORG	99-87-6	p-Isopropltoluene	7900		ug/L	200	25.48	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9359				
NAL13026-460	276-ST T2	ORG	106-46-7	1,4-Dichlorobenzene	1700		ug/L	200	33.03	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9359				
NAL13026-460	276-ST T2	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9359				
NAL13026-460	276-ST T2	ORG	104-51-8	n-Butylbenzene	300	J	ug/L	500	27.81	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9359				
NAL13026-460	276-ST T2	ORG	96-12-8	1,2-Dibromo-3-chloropropane	1700		ug/L	500	159.11	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9359				
NAL13026-460	276-ST T2	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9359				
NAL13026-460	276-ST T2	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9359				
NAL13026-460	276-ST T2	ORG	91-20-3	Naphthalene	1800		ug/L	500	56.04	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9359				
NAL13026-460	276-ST T2	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9359				
NAL13026-460	276-ST T2	STD	1868-53-7	Dibromofluoromethane	51		ng			7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9359	50	102%		
NAL13026-460	276-ST T2	STD	17060-07-0	1,2-Dichloroethane d4	51		ng			7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9359	50	102%		
NAL13026-460	276-ST T2	STD	2037-26-5	Toluene d8	48		ng			7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9359	50	96%		
NAL13026-460	276-ST T2	STD	460-00-4	Bromofluorobenzene	51		ng			7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9359	50	102%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-461	276-ST T3	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9360				
NAL13026-461	276-ST T3	ORG	74-87-3	Chloromethane		U	ug/L	500	43.07	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9360				
NAL13026-461	276-ST T3	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9360				
NAL13026-461	276-ST T3	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9360				
NAL13026-461	276-ST T3	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9360				
NAL13026-461	276-ST T3	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9360				
NAL13026-461	276-ST T3	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9360				
NAL13026-461	276-ST T3	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9360				
NAL13026-461	276-ST T3	ORG	67-64-1	Acetone	18000	DX+	ug/L	10000	1556.07	7/9/2013	7/9/2013	7/9/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9367				
NAL13026-461	276-ST T3	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9360				
NAL13026-461	276-ST T3	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9360				
NAL13026-461	276-ST T3	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9360				
NAL13026-461	276-ST T3	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9360				
NAL13026-461	276-ST T3	ORG	74-97-5	Bromochloromethane		U	ug/L	200	81.18	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9360				
NAL13026-461	276-ST T3	ORG	67-66-3	Chloroform		U	ug/L	100	41.37	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9360				
NAL13026-461	276-ST T3	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	15.73	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9360				
NAL13026-461	276-ST T3	ORG	78-93-3	2-Butanone	11000	D	ug/L	10000	166.52	7/9/2013	7/9/2013	7/9/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9367				
NAL13026-461	276-ST T3	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9360				
NAL13026-461	276-ST T3	ORG	71-43-2	Benzene	120		ug/L	100	13.53	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9360				
NAL13026-461	276-ST T3	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9360				
NAL13026-461	276-ST T3	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9360				
NAL13026-461	276-ST T3	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9360				
NAL13026-461	276-ST T3	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9360				
NAL13026-461	276-ST T3	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9360				
NAL13026-461	276-ST T3	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9360				
NAL13026-461	276-ST T3	ORG	108-88-3	Toluene	230		ug/L	100	20.96	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9360				
NAL13026-461	276-ST T3	ORG	108-10-1	4-Methyl-2-pentanone	890		ug/L	500	74.00	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9360				
NAL13026-461	276-ST T3	ORG	10061-02-6	trans-1,3-Dichloropropene	50	J	ug/L	100	31.15	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9360				
NAL13026-461	276-ST T3	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9360				
NAL13026-461	276-ST T3	ORG	79-00-5	1,1,2-Trichloroethane	200		ug/L	100	34.28	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9360				
NAL13026-461	276-ST T3	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	68.90	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9360				
NAL13026-461	276-ST T3	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	29.90	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9360				
NAL13026-461	276-ST T3	ORG	591-78-6	2-Hexanone	80	JX+	ug/L	500	26.49	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9360				
NAL13026-461	276-ST T3	ORG	100-41-4	Ethylbenzene	510		ug/L	100	25.38	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9360				
NAL13026-461	276-ST T3	ORG	108-90-7	Chlorobenzene	44	J	ug/L	100	27.52	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9360				
NAL13026-461	276-ST T3	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9360				
NAL13026-461	276-ST T3	ORG	XYLMP	p&m-Xylene	1300		ug/L	200	26.14	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9360				
NAL13026-461	276-ST T3	ORG	95-47-6	o-Xylene	630		ug/L	100	12.90	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9360				
NAL13026-461	276-ST T3	ORG	100-42-5	Styrene	110		ug/L	100	20.23	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9360				
NAL13026-461	276-ST T3	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9360				
NAL13026-461	276-ST T3	ORG	98-82-8	Isopropylbenzene	400		ug/L	200	20.48	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9360				
NAL13026-461	276-ST T3	ORG	103-65-1	n-Propylbenzene	290		ug/L	200	27.00	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9360				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-461	276-ST T3	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9360				
NAL13026-461	276-ST T3	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9360				
NAL13026-461	276-ST T3	ORG	108-67-8	1,3,5-Trimethylbenzene	620		ug/L	200	20.03	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9360				
NAL13026-461	276-ST T3	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9360				
NAL13026-461	276-ST T3	ORG	95-63-6	1,2,4-Trimethylbenzene	2500		ug/L	200	20.03	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9360				
NAL13026-461	276-ST T3	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9360				
NAL13026-461	276-ST T3	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9360				
NAL13026-461	276-ST T3	ORG	99-87-6	p-Isopropltoluene	11000		ug/L	200	25.48	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9360				
NAL13026-461	276-ST T3	ORG	106-46-7	1,4-Dichlorobenzene	2700		ug/L	200	33.03	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9360				
NAL13026-461	276-ST T3	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9360				
NAL13026-461	276-ST T3	ORG	104-51-8	n-Butylbenzene	450	J	ug/L	500	27.81	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9360				
NAL13026-461	276-ST T3	ORG	96-12-8	1,2-Dibromo-3-chloropropane	1900		ug/L	500	159.11	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9360				
NAL13026-461	276-ST T3	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9360				
NAL13026-461	276-ST T3	ORG	120-82-1	1,2,4-Trichlorobenzene	120	J	ug/L	500	27.63	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9360				
NAL13026-461	276-ST T3	ORG	91-20-3	Naphthalene	2500		ug/L	500	56.04	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9360				
NAL13026-461	276-ST T3	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9360				
NAL13026-461	276-ST T3	STD	1868-53-7	Dibromofluoromethane	51		ng			7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9360	50	102%		
NAL13026-461	276-ST T3	STD	17060-07-0	1,2-Dichloroethane d4	52		ng			7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9360	50	104%		
NAL13026-461	276-ST T3	STD	2037-26-5	Toluene d8	47		ng			7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9360	50	94%		
NAL13026-461	276-ST T3	STD	460-00-4	Bromofluorobenzene	52		ng			7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9360	50	104%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-462	276-ST T4	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9361				
NAL13026-462	276-ST T4	ORG	74-87-3	Chloromethane		U	ug/L	500	43.07	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9361				
NAL13026-462	276-ST T4	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9361				
NAL13026-462	276-ST T4	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9361				
NAL13026-462	276-ST T4	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9361				
NAL13026-462	276-ST T4	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9361				
NAL13026-462	276-ST T4	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9361				
NAL13026-462	276-ST T4	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9361				
NAL13026-462	276-ST T4	ORG	67-64-1	Acetone	14000	DX+	ug/L	10000	1556.07	7/9/2013	7/9/2013	7/9/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9368				
NAL13026-462	276-ST T4	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9361				
NAL13026-462	276-ST T4	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9361				
NAL13026-462	276-ST T4	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9361				
NAL13026-462	276-ST T4	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9361				
NAL13026-462	276-ST T4	ORG	74-97-5	Bromochloromethane		U	ug/L	200	81.18	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9361				
NAL13026-462	276-ST T4	ORG	67-66-3	Chloroform		U	ug/L	100	41.37	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9361				
NAL13026-462	276-ST T4	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	15.73	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9361				
NAL13026-462	276-ST T4	ORG	78-93-3	2-Butanone	9800	D	ug/L	10000	166.52	7/9/2013	7/9/2013	7/9/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9368				
NAL13026-462	276-ST T4	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9361				
NAL13026-462	276-ST T4	ORG	71-43-2	Benzene	100		ug/L	100	13.53	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9361				
NAL13026-462	276-ST T4	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9361				
NAL13026-462	276-ST T4	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9361				
NAL13026-462	276-ST T4	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9361				
NAL13026-462	276-ST T4	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9361				
NAL13026-462	276-ST T4	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9361				
NAL13026-462	276-ST T4	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9361				
NAL13026-462	276-ST T4	ORG	108-88-3	Toluene	200		ug/L	100	74.00	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9361				
NAL13026-462	276-ST T4	ORG	108-10-1	4-Methyl-2-pentanone	900		ug/L	500	20.96	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9361				
NAL13026-462	276-ST T4	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9361				
NAL13026-462	276-ST T4	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9361				
NAL13026-462	276-ST T4	ORG	79-00-5	1,1,2-Trichloroethane	140		ug/L	100	34.28	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9361				
NAL13026-462	276-ST T4	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	68.90	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9361				
NAL13026-462	276-ST T4	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	29.90	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9361				
NAL13026-462	276-ST T4	ORG	591-78-6	2-Hexanone		U	ug/L	500	26.49	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9361				
NAL13026-462	276-ST T4	ORG	100-41-4	Ethylbenzene	410		ug/L	100	25.38	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9361				
NAL13026-462	276-ST T4	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9361				
NAL13026-462	276-ST T4	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9361				
NAL13026-462	276-ST T4	ORG	XYLMP	p&m-Xylene	1000		ug/L	200	26.14	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9361				
NAL13026-462	276-ST T4	ORG	95-47-6	o-Xylene	510		ug/L	100	12.90	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9361				
NAL13026-462	276-ST T4	ORG	100-42-5	Styrene	83	J	ug/L	100	20.23	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9361				
NAL13026-462	276-ST T4	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9361				
NAL13026-462	276-ST T4	ORG	98-82-8	Isopropylbenzene	290		ug/L	200	20.48	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9361				
NAL13026-462	276-ST T4	ORG	103-65-1	n-Propylbenzene	210		ug/L	200	27.00	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9361				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-462	276-ST T4	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9361				
NAL13026-462	276-ST T4	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9361				
NAL13026-462	276-ST T4	ORG	108-67-8	1,3,5-Trimethylbenzene	490		ug/L	200	20.03	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9361				
NAL13026-462	276-ST T4	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9361				
NAL13026-462	276-ST T4	ORG	95-63-6	1,2,4-Trimethylbenzene	1900		ug/L	200	20.03	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9361				
NAL13026-462	276-ST T4	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9361				
NAL13026-462	276-ST T4	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9361				
NAL13026-462	276-ST T4	ORG	99-87-6	p-Isopropltoluene	8600		ug/L	200	25.48	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9361				
NAL13026-462	276-ST T4	ORG	106-46-7	1,4-Dichlorobenzene	2100		ug/L	200	33.03	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9361				
NAL13026-462	276-ST T4	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9361				
NAL13026-462	276-ST T4	ORG	104-51-8	n-Butylbenzene	350	J	ug/L	500	27.81	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9361				
NAL13026-462	276-ST T4	ORG	96-12-8	1,2-Dibromo-3-chloropropane	1300		ug/L	500	159.11	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9361				
NAL13026-462	276-ST T4	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9361				
NAL13026-462	276-ST T4	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9361				
NAL13026-462	276-ST T4	ORG	91-20-3	Naphthalene	2000		ug/L	500	56.04	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9361				
NAL13026-462	276-ST T4	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9361				
NAL13026-462	276-ST T4	STD	1868-53-7	Dibromofluoromethane	52		ng			7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9361	50	104%		
NAL13026-462	276-ST T4	STD	17060-07-0	1,2-Dichloroethane d4	51		ng			7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9361	50	102%		
NAL13026-462	276-ST T4	STD	2037-26-5	Toluene d8	49		ng			7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9361	50	98%		
NAL13026-462	276-ST T4	STD	460-00-4	Bromofluorobenzene	51		ng			7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9361	50	102%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J070913CCVA	J070913CCVA	ORG	75-71-8	Dichlorodifluoromethane	46		ug/L	5	0.29	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9347	50	92%		
J070913CCVA	J070913CCVA	ORG	74-87-3	Chloromethane	46		ug/L	5	0.43	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9347	50	92%		
J070913CCVA	J070913CCVA	ORG	75-01-4	Vinyl chloride	44		ug/L	2	0.32	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9347	50	88%		
J070913CCVA	J070913CCVA	ORG	74-83-9	Bromomethane	60		ug/L	5	0.50	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9347	50	120%		
J070913CCVA	J070913CCVA	ORG	75-00-3	Chloroethane	46		ug/L	5	0.56	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9347	50	92%		
J070913CCVA	J070913CCVA	ORG	75-69-4	Trichlorofluoromethane	56		ug/L	5	0.20	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9347	50	112%		
J070913CCVA	J070913CCVA	ORG	75-35-4	1,1-Dichloroethene	51		ug/L	1	0.47	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9347	50	102%		
J070913CCVA	J070913CCVA	ORG	75-09-2	Methylene chloride	53		ug/L	5	0.26	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9347	50	106%		
J070913CCVA	J070913CCVA	ORG	67-64-1	Acetone	56		ug/L	10	1.56	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9347	50	112%		
J070913CCVA	J070913CCVA	ORG	156-60-5	trans-1,2-Dichloroethene	54		ug/L	1	0.56	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9347	50	108%		
J070913CCVA	J070913CCVA	ORG	1634-04-4	MTBE	50		ug/L	5	0.61	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9347	50	100%		
J070913CCVA	J070913CCVA	ORG	75-34-3	1,1-Dichloroethane	60		ug/L	1	0.53	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9347	50	120%		
J070913CCVA	J070913CCVA	ORG	156-59-2	cis-1,2-Dichloroethene	54		ug/L	1	0.32	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9347	50	108%		
J070913CCVA	J070913CCVA	ORG	74-97-5	Bromochloromethane	56		ug/L	10	0.81	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9347	50	112%		
J070913CCVA	J070913CCVA	ORG	67-66-3	Chloroform	52		ug/L	2	0.41	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9347	50	104%		
J070913CCVA	J070913CCVA	ORG	71-55-6	1,1,1-Trichloroethane	53		ug/L	1	0.16	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9347	50	106%		
J070913CCVA	J070913CCVA	ORG	78-93-3	2-Butanone	54		ug/L	1	0.17	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9347	50	108%		
J070913CCVA	J070913CCVA	ORG	56-23-5	Carbon tetrachloride	54		ug/L	1	0.28	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9347	50	108%		
J070913CCVA	J070913CCVA	ORG	71-43-2	Benzene	51		ug/L	1	0.14	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9347	50	102%		
J070913CCVA	J070913CCVA	ORG	107-06-2	1,2-Dichloroethane	54		ug/L	1	0.20	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9347	50	108%		
J070913CCVA	J070913CCVA	ORG	79-01-6	Trichloroethene	53		ug/L	1	0.36	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9347	50	106%		
J070913CCVA	J070913CCVA	ORG	74-95-3	Dibromomethane	54		ug/L	2	0.32	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9347	50	108%		
J070913CCVA	J070913CCVA	ORG	78-87-5	1,2-Dichloropropane	49		ug/L	1	0.18	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9347	50	98%		
J070913CCVA	J070913CCVA	ORG	75-27-4	Bromodichloromethane	52		ug/L	2	0.12	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9347	50	104%		
J070913CCVA	J070913CCVA	ORG	10061-01-5	cis-1,3-Dichloropropene	52		ug/L	1	0.25	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9347	50	104%		
J070913CCVA	J070913CCVA	ORG	108-88-3	Toluene	49		ug/L	5	0.74	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9347	50	98%		
J070913CCVA	J070913CCVA	ORG	108-10-1	4-Methyl-2-pentanone	58		ug/L	1	0.21	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9347	50	116%		
J070913CCVA	J070913CCVA	ORG	10061-02-6	trans-1,3-Dichloropropene	54		ug/L	1	0.31	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9347	50	108%		
J070913CCVA	J070913CCVA	ORG	127-18-4	Tetrachloroethene	47		ug/L	1	0.49	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9347	50	94%		
J070913CCVA	J070913CCVA	ORG	79-00-5	1,1,2-Trichloroethane	52		ug/L	1	0.34	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9347	50	104%		
J070913CCVA	J070913CCVA	ORG	124-48-1	Dibromochloromethane	55		ug/L	5	0.69	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9347	50	110%		
J070913CCVA	J070913CCVA	ORG	106-93-4	1,2-Dibromoethane	54		ug/L	2	0.30	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9347	50	108%		
J070913CCVA	J070913CCVA	ORG	591-78-6	2-Hexanone	64		ug/L	2	0.26	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9347	50	128%		
J070913CCVA	J070913CCVA	ORG	100-41-4	Ethylbenzene	46		ug/L	1	0.25	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9347	50	92%		
J070913CCVA	J070913CCVA	ORG	108-90-7	Chlorobenzene	47		ug/L	1	0.28	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9347	50	94%		
J070913CCVA	J070913CCVA	ORG	630-20-6	1,1,1,2-Tetrachloroethane	48		ug/L	2	0.19	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9347	50	96%		
J070913CCVA	J070913CCVA	ORG	XYLMP	p&m-Xylene	93		ug/L	2	0.26	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9347	100	93%		
J070913CCVA	J070913CCVA	ORG	95-47-6	o-Xylene	48		ug/L	1	0.13	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9347	50	96%		
J070913CCVA	J070913CCVA	ORG	100-42-5	Styrene	46		ug/L	1	0.20	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9347	50	92%		
J070913CCVA	J070913CCVA	ORG	75-25-2	Bromoform	55		ug/L	2	0.47	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9347	50	110%		
J070913CCVA	J070913CCVA	ORG	98-82-8	Isopropylbenzene	47		ug/L	2	0.20	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9347	50	94%		
J070913CCVA	J070913CCVA	ORG	103-65-1	n-Propylbenzene	48		ug/L	2	0.27	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9347	50	96%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J070913CCVA	J070913CCVA	ORG	79-34-5	1,1,2,2-Tetrachloroethane	55		ug/L	2	0.29	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9347	50	110%		
J070913CCVA	J070913CCVA	ORG	96-18-4	1,2,3-Trichloropropane	54		ug/L	2	0.29	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9347	50	108%		
J070913CCVA	J070913CCVA	ORG	108-67-8	1,3,5-Trimethylbenzene	48		ug/L	2	0.20	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9347	50	96%		
J070913CCVA	J070913CCVA	ORG	98-06-6	tert-Butylbenzene	50		ug/L	2	0.33	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9347	50	100%		
J070913CCVA	J070913CCVA	ORG	95-63-6	1,2,4-Trimethylbenzene	49		ug/L	2	0.20	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9347	50	98%		
J070913CCVA	J070913CCVA	ORG	135-98-8	sec-Butylbenzene	50		ug/L	2	0.32	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9347	50	100%		
J070913CCVA	J070913CCVA	ORG	541-73-1	1,3-Dichlorobenzene	53		ug/L	2	0.22	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9347	50	106%		
J070913CCVA	J070913CCVA	ORG	99-87-6	p-Isopropltoluene	51		ug/L	2	0.25	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9347	50	102%		
J070913CCVA	J070913CCVA	ORG	106-46-7	1,4-Dichlorobenzene	54		ug/L	2	0.33	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9347	50	108%		
J070913CCVA	J070913CCVA	ORG	95-50-1	1,2-Dichlorobenzene	54		ug/L	2	0.26	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9347	50	108%		
J070913CCVA	J070913CCVA	ORG	104-51-8	n-Butylbenzene	51		ug/L	5	0.28	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9347	50	102%		
J070913CCVA	J070913CCVA	ORG	96-12-8	1,2-Dibromo-3-chloropropane	55		ug/L	5	1.59	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9347	50	110%		
J070913CCVA	J070913CCVA	ORG	87-68-3	Hexachlorobutadiene	56		ug/L	5	0.65	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9347	50	112%		
J070913CCVA	J070913CCVA	ORG	120-82-1	1,2,4-Trichlorobenzene	53		ug/L	5	0.28	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9347	50	106%		
J070913CCVA	J070913CCVA	ORG	91-20-3	Naphthalene	51		ug/L	5	0.56	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9347	50	102%		
J070913CCVA	J070913CCVA	ORG	87-61-6	1,2,3-Trichlorobenzene	51		ug/L	5	0.23	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9347	50	102%		
J070913CCVA	J070913CCVA	STD	1868-53-7	Dibromofluoromethane	51		ng			NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9347	50	102%		
J070913CCVA	J070913CCVA	STD	17060-07-0	1,2-Dichloroethane d4	48		ng			NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9347	50	96%		
J070913CCVA	J070913CCVA	STD	2037-26-5	Toluene d8	48		ng			NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9347	50	96%		
J070913CCVA	J070913CCVA	STD	460-00-4	Bromofluorobenzene	46		ng			NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9347	50	92%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J070913MBKA	J070913MBKA	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	5	0.29	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9348				
J070913MBKA	J070913MBKA	ORG	74-87-3	Chloromethane		U	ug/L	5	0.43	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9348				
J070913MBKA	J070913MBKA	ORG	75-01-4	Vinyl chloride		U	ug/L	2	0.32	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9348				
J070913MBKA	J070913MBKA	ORG	74-83-9	Bromomethane		U	ug/L	5	0.50	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9348				
J070913MBKA	J070913MBKA	ORG	75-00-3	Chloroethane		U	ug/L	5	0.56	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9348				
J070913MBKA	J070913MBKA	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	5	0.20	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9348				
J070913MBKA	J070913MBKA	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	1	0.47	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9348				
J070913MBKA	J070913MBKA	ORG	75-09-2	Methylene chloride		U	ug/L	5	0.26	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9348				
J070913MBKA	J070913MBKA	ORG	67-64-1	Acetone		U	ug/L	10	1.56	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9348				
J070913MBKA	J070913MBKA	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	1	0.56	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9348				
J070913MBKA	J070913MBKA	ORG	1634-04-4	MTBE		U	ug/L	5	0.61	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9348				
J070913MBKA	J070913MBKA	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	1	0.53	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9348				
J070913MBKA	J070913MBKA	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	1	0.32	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9348				
J070913MBKA	J070913MBKA	ORG	74-97-5	Bromochloromethane		U	ug/L	10	0.81	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9348				
J070913MBKA	J070913MBKA	ORG	67-66-3	Chloroform		U	ug/L	2	0.41	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9348				
J070913MBKA	J070913MBKA	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	1	0.16	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9348				
J070913MBKA	J070913MBKA	ORG	78-93-3	2-Butanone		U	ug/L	1	0.17	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9348				
J070913MBKA	J070913MBKA	ORG	56-23-5	Carbon tetrachloride		U	ug/L	1	0.28	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9348				
J070913MBKA	J070913MBKA	ORG	71-43-2	Benzene		U	ug/L	1	0.14	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9348				
J070913MBKA	J070913MBKA	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	1	0.20	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9348				
J070913MBKA	J070913MBKA	ORG	79-01-6	Trichloroethene		U	ug/L	1	0.36	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9348				
J070913MBKA	J070913MBKA	ORG	74-95-3	Dibromomethane		U	ug/L	2	0.32	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9348				
J070913MBKA	J070913MBKA	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	1	0.18	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9348				
J070913MBKA	J070913MBKA	ORG	75-27-4	Bromodichloromethane		U	ug/L	2	0.12	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9348				
J070913MBKA	J070913MBKA	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	1	0.25	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9348				
J070913MBKA	J070913MBKA	ORG	108-88-3	Toluene		U	ug/L	5	0.74	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9348				
J070913MBKA	J070913MBKA	ORG	108-10-1	4-Methyl-2-pentanone		U	ug/L	1	0.21	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9348				
J070913MBKA	J070913MBKA	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	1	0.31	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9348				
J070913MBKA	J070913MBKA	ORG	127-18-4	Tetrachloroethene		U	ug/L	1	0.49	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9348				
J070913MBKA	J070913MBKA	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	1	0.34	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9348				
J070913MBKA	J070913MBKA	ORG	124-48-1	Dibromochloromethane		U	ug/L	5	0.69	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9348				
J070913MBKA	J070913MBKA	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	2	0.30	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9348				
J070913MBKA	J070913MBKA	ORG	591-78-6	2-Hexanone		U	ug/L	2	0.26	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9348				
J070913MBKA	J070913MBKA	ORG	100-41-4	Ethylbenzene		U	ug/L	1	0.25	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9348				
J070913MBKA	J070913MBKA	ORG	108-90-7	Chlorobenzene		U	ug/L	1	0.28	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9348				
J070913MBKA	J070913MBKA	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	2	0.19	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9348				
J070913MBKA	J070913MBKA	ORG	XYLMP	p&m-Xylene		U	ug/L	2	0.26	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9348				
J070913MBKA	J070913MBKA	ORG	95-47-6	o-Xylene		U	ug/L	1	0.13	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9348				
J070913MBKA	J070913MBKA	ORG	100-42-5	Styrene		U	ug/L	1	0.20	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9348				
J070913MBKA	J070913MBKA	ORG	75-25-2	Bromoform		U	ug/L	2	0.47	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9348				
J070913MBKA	J070913MBKA	ORG	98-82-8	Isopropylbenzene		U	ug/L	2	0.20	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9348				
J070913MBKA	J070913MBKA	ORG	103-65-1	n-Propylbenzene		U	ug/L	2	0.27	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9348				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J070913MBKA	J070913MBKA	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	2	0.29	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9348				
J070913MBKA	J070913MBKA	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	2	0.29	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9348				
J070913MBKA	J070913MBKA	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	2	0.20	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9348				
J070913MBKA	J070913MBKA	ORG	98-06-6	tert-Butylbenzene		U	ug/L	2	0.33	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9348				
J070913MBKA	J070913MBKA	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	2	0.20	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9348				
J070913MBKA	J070913MBKA	ORG	135-98-8	sec-Butylbenzene		U	ug/L	2	0.32	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9348				
J070913MBKA	J070913MBKA	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	2	0.22	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9348				
J070913MBKA	J070913MBKA	ORG	99-87-6	p-Isopropltoluene		U	ug/L	2	0.25	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9348				
J070913MBKA	J070913MBKA	ORG	106-46-7	1,4-Dichlorobenzene		U	ug/L	2	0.33	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9348				
J070913MBKA	J070913MBKA	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	2	0.26	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9348				
J070913MBKA	J070913MBKA	ORG	104-51-8	n-Butylbenzene		U	ug/L	5	0.28	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9348				
J070913MBKA	J070913MBKA	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	5	1.59	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9348				
J070913MBKA	J070913MBKA	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	5	0.65	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9348				
J070913MBKA	J070913MBKA	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	5	0.28	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9348				
J070913MBKA	J070913MBKA	ORG	91-20-3	Naphthalene		U	ug/L	5	0.56	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9348				
J070913MBKA	J070913MBKA	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	5	0.23	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9348				
J070913MBKA	J070913MBKA	STD	1868-53-7	Dibromofluoromethane	51		ng			NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9348	50	102%		
J070913MBKA	J070913MBKA	STD	17060-07-0	1,2-Dichloroethane d4	53		ng			NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9348	50	106%		
J070913MBKA	J070913MBKA	STD	2037-26-5	Toluene d8	48		ng			NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9348	50	96%		
J070913MBKA	J070913MBKA	STD	460-00-4	Bromofluorobenzene	47		ng			NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9348	50	94%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J070913CCVB	J070913CCVB	ORG	75-71-8	Dichlorodifluoromethane	40		ug/L	5	0.29	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9363	50	80%		
J070913CCVB	J070913CCVB	ORG	74-87-3	Chloromethane	37		ug/L	5	0.43	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9363	50	74%		
J070913CCVB	J070913CCVB	ORG	75-01-4	Vinyl chloride	42		ug/L	2	0.32	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9363	50	84%		
J070913CCVB	J070913CCVB	ORG	74-83-9	Bromomethane	63		ug/L	5	0.50	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9363	50	126%		
J070913CCVB	J070913CCVB	ORG	75-00-3	Chloroethane	66		ug/L	5	0.56	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9363	50	132%		
J070913CCVB	J070913CCVB	ORG	75-69-4	Trichlorofluoromethane	54		ug/L	5	0.20	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9363	50	108%		
J070913CCVB	J070913CCVB	ORG	75-35-4	1,1-Dichloroethene	52		ug/L	1	0.47	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9363	50	104%		
J070913CCVB	J070913CCVB	ORG	75-09-2	Methylene chloride	46		ug/L	5	0.26	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9363	50	92%		
J070913CCVB	J070913CCVB	ORG	67-64-1	Acetone	62		ug/L	10	1.56	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9363	50	124%		
J070913CCVB	J070913CCVB	ORG	156-60-5	trans-1,2-Dichloroethene	54		ug/L	1	0.56	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9363	50	108%		
J070913CCVB	J070913CCVB	ORG	1634-04-4	MTBE	52		ug/L	5	0.61	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9363	50	104%		
J070913CCVB	J070913CCVB	ORG	75-34-3	1,1-Dichloroethane	46		ug/L	1	0.53	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9363	50	92%		
J070913CCVB	J070913CCVB	ORG	156-59-2	cis-1,2-Dichloroethene	53		ug/L	1	0.32	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9363	50	106%		
J070913CCVB	J070913CCVB	ORG	74-97-5	Bromochloromethane	55		ug/L	10	0.81	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9363	50	110%		
J070913CCVB	J070913CCVB	ORG	67-66-3	Chloroform	53		ug/L	2	0.41	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9363	50	106%		
J070913CCVB	J070913CCVB	ORG	71-55-6	1,1,1-Trichloroethane	52		ug/L	1	0.16	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9363	50	104%		
J070913CCVB	J070913CCVB	ORG	78-93-3	2-Butanone	53		ug/L	1	0.17	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9363	50	106%		
J070913CCVB	J070913CCVB	ORG	56-23-5	Carbon tetrachloride	52		ug/L	1	0.28	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9363	50	104%		
J070913CCVB	J070913CCVB	ORG	71-43-2	Benzene	50		ug/L	1	0.14	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9363	50	100%		
J070913CCVB	J070913CCVB	ORG	107-06-2	1,2-Dichloroethane	52		ug/L	1	0.20	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9363	50	104%		
J070913CCVB	J070913CCVB	ORG	79-01-6	Trichloroethene	54		ug/L	1	0.36	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9363	50	108%		
J070913CCVB	J070913CCVB	ORG	74-95-3	Dibromomethane	55		ug/L	2	0.32	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9363	50	110%		
J070913CCVB	J070913CCVB	ORG	78-87-5	1,2-Dichloropropane	50		ug/L	1	0.18	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9363	50	100%		
J070913CCVB	J070913CCVB	ORG	75-27-4	Bromodichloromethane	52		ug/L	2	0.12	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9363	50	104%		
J070913CCVB	J070913CCVB	ORG	10061-01-5	cis-1,3-Dichloropropene	50		ug/L	1	0.25	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9363	50	100%		
J070913CCVB	J070913CCVB	ORG	108-88-3	Toluene	50		ug/L	5	0.74	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9363	50	100%		
J070913CCVB	J070913CCVB	ORG	108-10-1	4-Methyl-2-pentanone	59		ug/L	1	0.21	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9363	50	118%		
J070913CCVB	J070913CCVB	ORG	10061-02-6	trans-1,3-Dichloropropene	53		ug/L	1	0.31	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9363	50	106%		
J070913CCVB	J070913CCVB	ORG	127-18-4	Tetrachloroethene	46		ug/L	1	0.49	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9363	50	92%		
J070913CCVB	J070913CCVB	ORG	79-00-5	1,1,2-Trichloroethane	52		ug/L	1	0.34	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9363	50	104%		
J070913CCVB	J070913CCVB	ORG	124-48-1	Dibromochloromethane	55		ug/L	5	0.69	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9363	50	110%		
J070913CCVB	J070913CCVB	ORG	106-93-4	1,2-Dibromoethane	53		ug/L	2	0.30	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9363	50	106%		
J070913CCVB	J070913CCVB	ORG	591-78-6	2-Hexanone	64		ug/L	2	0.26	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9363	50	128%		
J070913CCVB	J070913CCVB	ORG	100-41-4	Ethylbenzene	48		ug/L	1	0.25	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9363	50	96%		
J070913CCVB	J070913CCVB	ORG	108-90-7	Chlorobenzene	49		ug/L	1	0.28	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9363	50	98%		
J070913CCVB	J070913CCVB	ORG	630-20-6	1,1,1,2-Tetrachloroethane	49		ug/L	2	0.19	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9363	50	98%		
J070913CCVB	J070913CCVB	ORG	XYLMP	p&m-Xylene	96		ug/L	2	0.26	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9363	100	96%		
J070913CCVB	J070913CCVB	ORG	95-47-6	o-Xylene	49		ug/L	1	0.13	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9363	50	98%		
J070913CCVB	J070913CCVB	ORG	100-42-5	Styrene	46		ug/L	1	0.20	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9363	50	92%		
J070913CCVB	J070913CCVB	ORG	75-25-2	Bromoform	54		ug/L	2	0.47	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9363	50	108%		
J070913CCVB	J070913CCVB	ORG	98-82-8	Isopropylbenzene	48		ug/L	2	0.20	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9363	50	96%		
J070913CCVB	J070913CCVB	ORG	103-65-1	n-Propylbenzene	50		ug/L	2	0.27	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9363	50	100%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J070913CCVB	J070913CCVB	ORG	79-34-5	1,1,2,2-Tetrachloroethane	55		ug/L	2	0.29	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9363	50	110%		
J070913CCVB	J070913CCVB	ORG	96-18-4	1,2,3-Trichloropropane	55		ug/L	2	0.29	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9363	50	110%		
J070913CCVB	J070913CCVB	ORG	108-67-8	1,3,5-Trimethylbenzene	48		ug/L	2	0.20	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9363	50	96%		
J070913CCVB	J070913CCVB	ORG	98-06-6	tert-Butylbenzene	50		ug/L	2	0.33	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9363	50	100%		
J070913CCVB	J070913CCVB	ORG	95-63-6	1,2,4-Trimethylbenzene	49		ug/L	2	0.20	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9363	50	98%		
J070913CCVB	J070913CCVB	ORG	135-98-8	sec-Butylbenzene	50		ug/L	2	0.32	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9363	50	100%		
J070913CCVB	J070913CCVB	ORG	541-73-1	1,3-Dichlorobenzene	54		ug/L	2	0.22	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9363	50	108%		
J070913CCVB	J070913CCVB	ORG	99-87-6	p-Isopropltoluene	52		ug/L	2	0.25	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9363	50	104%		
J070913CCVB	J070913CCVB	ORG	106-46-7	1,4-Dichlorobenzene	53		ug/L	2	0.33	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9363	50	106%		
J070913CCVB	J070913CCVB	ORG	95-50-1	1,2-Dichlorobenzene	54		ug/L	2	0.26	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9363	50	108%		
J070913CCVB	J070913CCVB	ORG	104-51-8	n-Butylbenzene	52		ug/L	5	0.28	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9363	50	104%		
J070913CCVB	J070913CCVB	ORG	96-12-8	1,2-Dibromo-3-chloropropane	51		ug/L	5	1.59	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9363	50	102%		
J070913CCVB	J070913CCVB	ORG	87-68-3	Hexachlorobutadiene	52		ug/L	5	0.65	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9363	50	104%		
J070913CCVB	J070913CCVB	ORG	120-82-1	1,2,4-Trichlorobenzene	53		ug/L	5	0.28	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9363	50	106%		
J070913CCVB	J070913CCVB	ORG	91-20-3	Naphthalene	50		ug/L	5	0.56	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9363	50	100%		
J070913CCVB	J070913CCVB	ORG	87-61-6	1,2,3-Trichlorobenzene	51		ug/L	5	0.23	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9363	50	102%		
J070913CCVB	J070913CCVB	STD	1868-53-7	Dibromofluoromethane	50		ng			NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9363	50	100%		
J070913CCVB	J070913CCVB	STD	17060-07-0	1,2-Dichloroethane d4	47		ng			NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9363	50	94%		
J070913CCVB	J070913CCVB	STD	2037-26-5	Toluene d8	48		ng			NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9363	50	96%		
J070913CCVB	J070913CCVB	STD	460-00-4	Bromofluorobenzene	48		ng			NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9363	50	96%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J070913MBKB	J070913MBKB	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	5	0.29	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9364				
J070913MBKB	J070913MBKB	ORG	74-87-3	Chloromethane		U	ug/L	5	0.43	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9364				
J070913MBKB	J070913MBKB	ORG	75-01-4	Vinyl chloride		U	ug/L	2	0.32	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9364				
J070913MBKB	J070913MBKB	ORG	74-83-9	Bromomethane		U	ug/L	5	0.50	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9364				
J070913MBKB	J070913MBKB	ORG	75-00-3	Chloroethane		U	ug/L	5	0.56	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9364				
J070913MBKB	J070913MBKB	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	5	0.20	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9364				
J070913MBKB	J070913MBKB	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	1	0.47	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9364				
J070913MBKB	J070913MBKB	ORG	75-09-2	Methylene chloride		U	ug/L	5	0.26	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9364				
J070913MBKB	J070913MBKB	ORG	67-64-1	Acetone		U	ug/L	10	1.56	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9364				
J070913MBKB	J070913MBKB	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	1	0.56	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9364				
J070913MBKB	J070913MBKB	ORG	1634-04-4	MTBE		U	ug/L	5	0.61	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9364				
J070913MBKB	J070913MBKB	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	1	0.53	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9364				
J070913MBKB	J070913MBKB	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	1	0.32	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9364				
J070913MBKB	J070913MBKB	ORG	74-97-5	Bromochloromethane		U	ug/L	10	0.81	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9364				
J070913MBKB	J070913MBKB	ORG	67-66-3	Chloroform		U	ug/L	2	0.41	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9364				
J070913MBKB	J070913MBKB	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	1	0.16	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9364				
J070913MBKB	J070913MBKB	ORG	78-93-3	2-Butanone		U	ug/L	1	0.17	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9364				
J070913MBKB	J070913MBKB	ORG	56-23-5	Carbon tetrachloride		U	ug/L	1	0.28	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9364				
J070913MBKB	J070913MBKB	ORG	71-43-2	Benzene		U	ug/L	1	0.14	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9364				
J070913MBKB	J070913MBKB	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	1	0.20	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9364				
J070913MBKB	J070913MBKB	ORG	79-01-6	Trichloroethene		U	ug/L	1	0.36	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9364				
J070913MBKB	J070913MBKB	ORG	74-95-3	Dibromomethane		U	ug/L	2	0.32	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9364				
J070913MBKB	J070913MBKB	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	1	0.18	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9364				
J070913MBKB	J070913MBKB	ORG	75-27-4	Bromodichloromethane		U	ug/L	2	0.12	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9364				
J070913MBKB	J070913MBKB	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	1	0.25	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9364				
J070913MBKB	J070913MBKB	ORG	108-88-3	Toluene		U	ug/L	5	0.74	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9364				
J070913MBKB	J070913MBKB	ORG	108-10-1	4-Methyl-2-pentanone		U	ug/L	1	0.21	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9364				
J070913MBKB	J070913MBKB	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	1	0.31	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9364				
J070913MBKB	J070913MBKB	ORG	127-18-4	Tetrachloroethene		U	ug/L	1	0.49	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9364				
J070913MBKB	J070913MBKB	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	1	0.34	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9364				
J070913MBKB	J070913MBKB	ORG	124-48-1	Dibromochloromethane		U	ug/L	5	0.69	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9364				
J070913MBKB	J070913MBKB	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	2	0.30	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9364				
J070913MBKB	J070913MBKB	ORG	591-78-6	2-Hexanone		U	ug/L	2	0.26	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9364				
J070913MBKB	J070913MBKB	ORG	100-41-4	Ethylbenzene		U	ug/L	1	0.25	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9364				
J070913MBKB	J070913MBKB	ORG	108-90-7	Chlorobenzene		U	ug/L	1	0.28	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9364				
J070913MBKB	J070913MBKB	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	2	0.19	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9364				
J070913MBKB	J070913MBKB	ORG	XYLMP	p&m-Xylene		U	ug/L	2	0.26	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9364				
J070913MBKB	J070913MBKB	ORG	95-47-6	o-Xylene		U	ug/L	1	0.13	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9364				
J070913MBKB	J070913MBKB	ORG	100-42-5	Styrene		U	ug/L	1	0.20	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9364				
J070913MBKB	J070913MBKB	ORG	75-25-2	Bromoform		U	ug/L	2	0.47	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9364				
J070913MBKB	J070913MBKB	ORG	98-82-8	Isopropylbenzene		U	ug/L	2	0.20	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9364				
J070913MBKB	J070913MBKB	ORG	103-65-1	n-Propylbenzene		U	ug/L	2	0.27	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9364				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J070913MBKB	J070913MBKB	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	2	0.29	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9364				
J070913MBKB	J070913MBKB	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	2	0.29	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9364				
J070913MBKB	J070913MBKB	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	2	0.20	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9364				
J070913MBKB	J070913MBKB	ORG	98-06-6	tert-Butylbenzene		U	ug/L	2	0.33	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9364				
J070913MBKB	J070913MBKB	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	2	0.20	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9364				
J070913MBKB	J070913MBKB	ORG	135-98-8	sec-Butylbenzene		U	ug/L	2	0.32	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9364				
J070913MBKB	J070913MBKB	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	2	0.22	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9364				
J070913MBKB	J070913MBKB	ORG	99-87-6	p-Isopropltoluene		U	ug/L	2	0.25	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9364				
J070913MBKB	J070913MBKB	ORG	106-46-7	1,4-Dichlorobenzene		U	ug/L	2	0.33	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9364				
J070913MBKB	J070913MBKB	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	2	0.26	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9364				
J070913MBKB	J070913MBKB	ORG	104-51-8	n-Butylbenzene		U	ug/L	5	0.28	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9364				
J070913MBKB	J070913MBKB	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	5	1.59	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9364				
J070913MBKB	J070913MBKB	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	5	0.65	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9364				
J070913MBKB	J070913MBKB	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	5	0.28	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9364				
J070913MBKB	J070913MBKB	ORG	91-20-3	Naphthalene		U	ug/L	5	0.56	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9364				
J070913MBKB	J070913MBKB	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	5	0.23	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9364				
J070913MBKB	J070913MBKB	STD	1868-53-7	Dibromofluoromethane	51		ng			NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9364	50	102%		
J070913MBKB	J070913MBKB	STD	17060-07-0	1,2-Dichloroethane d4	51		ng			NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9364	50	102%		
J070913MBKB	J070913MBKB	STD	2037-26-5	Toluene d8	46		ng			NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9364	50	92%		
J070913MBKB	J070913MBKB	STD	460-00-4	Bromofluorobenzene	48		ng			NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9364	50	96%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J070913ALCS	J070913ALCS	ORG	75-71-8	Dichlorodifluoromethane	37		ug/L	5	0.29	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9351	50	74%		
J070913ALCS	J070913ALCS	ORG	74-87-3	Chloromethane	37		ug/L	5	0.43	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9351	50	74%		
J070913ALCS	J070913ALCS	ORG	75-01-4	Vinyl chloride	43		ug/L	2	0.32	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9351	50	86%		
J070913ALCS	J070913ALCS	ORG	74-83-9	Bromomethane	46		ug/L	5	0.50	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9351	50	92%		
J070913ALCS	J070913ALCS	ORG	75-00-3	Chloroethane	44		ug/L	5	0.56	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9351	50	88%		
J070913ALCS	J070913ALCS	ORG	75-69-4	Trichlorofluoromethane	41		ug/L	5	0.20	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9351	50	82%		
J070913ALCS	J070913ALCS	ORG	75-35-4	1,1-Dichloroethene	49		ug/L	1	0.47	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9351	50	98%		
J070913ALCS	J070913ALCS	ORG	75-09-2	Methylene chloride	50		ug/L	5	0.26	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9351	50	100%		
J070913ALCS	J070913ALCS	ORG	67-64-1	Acetone	49		ug/L	10	1.56	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9351	50	98%		
J070913ALCS	J070913ALCS	ORG	156-60-5	trans-1,2-Dichloroethene	52		ug/L	1	0.56	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9351	50	104%		
J070913ALCS	J070913ALCS	ORG	1634-04-4	MTBE	48		ug/L	5	0.61	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9351	50	96%		
J070913ALCS	J070913ALCS	ORG	75-34-3	1,1-Dichloroethane	56		ug/L	1	0.53	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9351	50	112%		
J070913ALCS	J070913ALCS	ORG	156-59-2	cis-1,2-Dichloroethene	52		ug/L	1	0.32	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9351	50	104%		
J070913ALCS	J070913ALCS	ORG	74-97-5	Bromochloromethane	53		ug/L	10	0.81	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9351	50	106%		
J070913ALCS	J070913ALCS	ORG	67-66-3	Chloroform	52		ug/L	2	0.41	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9351	50	104%		
J070913ALCS	J070913ALCS	ORG	71-55-6	1,1,1-Trichloroethane	52		ug/L	1	0.16	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9351	50	104%		
J070913ALCS	J070913ALCS	ORG	78-93-3	2-Butanone	47		ug/L	1	0.17	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9351	50	94%		
J070913ALCS	J070913ALCS	ORG	56-23-5	Carbon tetrachloride	52		ug/L	1	0.28	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9351	50	104%		
J070913ALCS	J070913ALCS	ORG	71-43-2	Benzene	49		ug/L	1	0.14	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9351	50	98%		
J070913ALCS	J070913ALCS	ORG	107-06-2	1,2-Dichloroethane	52		ug/L	1	0.20	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9351	50	104%		
J070913ALCS	J070913ALCS	ORG	79-01-6	Trichloroethene	53		ug/L	1	0.36	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9351	50	106%		
J070913ALCS	J070913ALCS	ORG	74-95-3	Dibromomethane	51		ug/L	2	0.32	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9351	50	102%		
J070913ALCS	J070913ALCS	ORG	78-87-5	1,2-Dichloropropane	48		ug/L	1	0.18	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9351	50	96%		
J070913ALCS	J070913ALCS	ORG	75-27-4	Bromodichloromethane	52		ug/L	2	0.12	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9351	50	104%		
J070913ALCS	J070913ALCS	ORG	10061-01-5	cis-1,3-Dichloropropene	51		ug/L	1	0.25	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9351	50	102%		
J070913ALCS	J070913ALCS	ORG	108-88-3	Toluene	51		ug/L	5	0.74	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9351	50	102%		
J070913ALCS	J070913ALCS	ORG	108-10-1	4-Methyl-2-pentanone	49		ug/L	1	0.21	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9351	50	98%		
J070913ALCS	J070913ALCS	ORG	10061-02-6	trans-1,3-Dichloropropene	53		ug/L	1	0.31	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9351	50	106%		
J070913ALCS	J070913ALCS	ORG	127-18-4	Tetrachloroethene	47		ug/L	1	0.49	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9351	50	94%		
J070913ALCS	J070913ALCS	ORG	79-00-5	1,1,2-Trichloroethane	48		ug/L	1	0.34	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9351	50	96%		
J070913ALCS	J070913ALCS	ORG	124-48-1	Dibromochloromethane	53		ug/L	5	0.69	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9351	50	106%		
J070913ALCS	J070913ALCS	ORG	106-93-4	1,2-Dibromoethane	52		ug/L	2	0.30	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9351	50	104%		
J070913ALCS	J070913ALCS	ORG	591-78-6	2-Hexanone	49		ug/L	2	0.26	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9351	50	98%		
J070913ALCS	J070913ALCS	ORG	100-41-4	Ethylbenzene	52		ug/L	1	0.25	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9351	50	104%		
J070913ALCS	J070913ALCS	ORG	108-90-7	Chlorobenzene	52		ug/L	1	0.28	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9351	50	104%		
J070913ALCS	J070913ALCS	ORG	630-20-6	1,1,1,2-Tetrachloroethane	52		ug/L	2	0.19	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9351	50	104%		
J070913ALCS	J070913ALCS	ORG	XYLMP	p&m-Xylene	104		ug/L	2	0.26	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9351	100	104%		
J070913ALCS	J070913ALCS	ORG	95-47-6	o-Xylene	50		ug/L	1	0.13	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9351	50	100%		
J070913ALCS	J070913ALCS	ORG	100-42-5	Styrene	49		ug/L	1	0.20	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9351	50	98%		
J070913ALCS	J070913ALCS	ORG	75-25-2	Bromoform	53		ug/L	2	0.47	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9351	50	106%		
J070913ALCS	J070913ALCS	ORG	98-82-8	Isopropylbenzene	53		ug/L	2	0.20	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9351	50	106%		
J070913ALCS	J070913ALCS	ORG	103-65-1	n-Propylbenzene	53		ug/L	2	0.27	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9351	50	106%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J070913ALCS	J070913ALCS	ORG	79-34-5	1,1,2,2-Tetrachloroethane	51		ug/L	2	0.29	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9351	50	102%		
J070913ALCS	J070913ALCS	ORG	96-18-4	1,2,3-Trichloropropane	52		ug/L	2	0.29	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9351	50	104%		
J070913ALCS	J070913ALCS	ORG	108-67-8	1,3,5-Trimethylbenzene	52		ug/L	2	0.20	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9351	50	104%		
J070913ALCS	J070913ALCS	ORG	98-06-6	tert-Butylbenzene	49		ug/L	2	0.33	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9351	50	98%		
J070913ALCS	J070913ALCS	ORG	95-63-6	1,2,4-Trimethylbenzene	51		ug/L	2	0.20	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9351	50	102%		
J070913ALCS	J070913ALCS	ORG	135-98-8	sec-Butylbenzene	53		ug/L	2	0.32	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9351	50	106%		
J070913ALCS	J070913ALCS	ORG	541-73-1	1,3-Dichlorobenzene	51		ug/L	2	0.22	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9351	50	102%		
J070913ALCS	J070913ALCS	ORG	99-87-6	p-Isopropltoluene	52		ug/L	2	0.25	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9351	50	104%		
J070913ALCS	J070913ALCS	ORG	106-46-7	1,4-Dichlorobenzene	51		ug/L	2	0.33	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9351	50	102%		
J070913ALCS	J070913ALCS	ORG	95-50-1	1,2-Dichlorobenzene	50		ug/L	2	0.26	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9351	50	100%		
J070913ALCS	J070913ALCS	ORG	104-51-8	n-Butylbenzene	52		ug/L	5	0.28	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9351	50	104%		
J070913ALCS	J070913ALCS	ORG	96-12-8	1,2-Dibromo-3-chloropropane	52		ug/L	5	1.59	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9351	50	104%		
J070913ALCS	J070913ALCS	ORG	87-68-3	Hexachlorobutadiene	52		ug/L	5	0.65	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9351	50	104%		
J070913ALCS	J070913ALCS	ORG	120-82-1	1,2,4-Trichlorobenzene	54		ug/L	5	0.28	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9351	50	108%		
J070913ALCS	J070913ALCS	ORG	91-20-3	Naphthalene	51		ug/L	5	0.56	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9351	50	102%		
J070913ALCS	J070913ALCS	ORG	87-61-6	1,2,3-Trichlorobenzene	52		ug/L	5	0.23	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9351	50	104%		
J070913ALCS	J070913ALCS	STD	1868-53-7	Dibromofluoromethane	50		ng			NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9351	50	100%		
J070913ALCS	J070913ALCS	STD	17060-07-0	1,2-Dichloroethane d4	47		ng			NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9351	50	94%		
J070913ALCS	J070913ALCS	STD	2037-26-5	Toluene d8	50		ng			NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9351	50	100%		
J070913ALCS	J070913ALCS	STD	460-00-4	Bromofluorobenzene	50		ng			NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9351	50	100%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J070913ALCD	J070913ALCD	ORG	75-71-8	Dichlorodifluoromethane	42		ug/L	5	0.29	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9352	50	84%	13%	
J070913ALCD	J070913ALCD	ORG	74-87-3	Chloromethane	43		ug/L	5	0.43	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9352	50	86%	15%	
J070913ALCD	J070913ALCD	ORG	75-01-4	Vinyl chloride	52		ug/L	2	0.32	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9352	50	104%	19%	
J070913ALCD	J070913ALCD	ORG	74-83-9	Bromomethane	49		ug/L	5	0.50	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9352	50	98%	6%	
J070913ALCD	J070913ALCD	ORG	75-00-3	Chloroethane	52		ug/L	5	0.56	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9352	50	104%	17%	
J070913ALCD	J070913ALCD	ORG	75-69-4	Trichlorofluoromethane	51		ug/L	5	0.20	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9352	50	102%	22%	
J070913ALCD	J070913ALCD	ORG	75-35-4	1,1-Dichloroethene	47		ug/L	1	0.47	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9352	50	94%	4%	
J070913ALCD	J070913ALCD	ORG	75-09-2	Methylene chloride	49		ug/L	5	0.26	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9352	50	98%	2%	
J070913ALCD	J070913ALCD	ORG	67-64-1	Acetone	48		ug/L	10	1.56	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9352	50	96%	2%	
J070913ALCD	J070913ALCD	ORG	156-60-5	trans-1,2-Dichloroethene	50		ug/L	1	0.56	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9352	50	100%	4%	
J070913ALCD	J070913ALCD	ORG	1634-04-4	MTBE	47		ug/L	5	0.61	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9352	50	94%	2%	
J070913ALCD	J070913ALCD	ORG	75-34-3	1,1-Dichloroethane	55		ug/L	1	0.53	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9352	50	110%	2%	
J070913ALCD	J070913ALCD	ORG	156-59-2	cis-1,2-Dichloroethene	53		ug/L	1	0.32	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9352	50	106%	2%	
J070913ALCD	J070913ALCD	ORG	74-97-5	Bromochloromethane	51		ug/L	10	0.81	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9352	50	102%	4%	
J070913ALCD	J070913ALCD	ORG	67-66-3	Chloroform	51		ug/L	2	0.41	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9352	50	102%	2%	
J070913ALCD	J070913ALCD	ORG	71-55-6	1,1,1-Trichloroethane	51		ug/L	1	0.16	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9352	50	102%	2%	
J070913ALCD	J070913ALCD	ORG	78-93-3	2-Butanone	48		ug/L	1	0.17	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9352	50	96%	2%	
J070913ALCD	J070913ALCD	ORG	56-23-5	Carbon tetrachloride	53		ug/L	1	0.28	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9352	50	106%	2%	
J070913ALCD	J070913ALCD	ORG	71-43-2	Benzene	49		ug/L	1	0.14	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9352	50	98%	0%	
J070913ALCD	J070913ALCD	ORG	107-06-2	1,2-Dichloroethane	51		ug/L	1	0.20	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9352	50	102%	2%	
J070913ALCD	J070913ALCD	ORG	79-01-6	Trichloroethene	53		ug/L	1	0.36	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9352	50	106%	0%	
J070913ALCD	J070913ALCD	ORG	74-95-3	Dibromomethane	51		ug/L	2	0.32	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9352	50	102%	0%	
J070913ALCD	J070913ALCD	ORG	78-87-5	1,2-Dichloropropane	48		ug/L	1	0.18	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9352	50	96%	0%	
J070913ALCD	J070913ALCD	ORG	75-27-4	Bromodichloromethane	52		ug/L	2	0.12	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9352	50	104%	0%	
J070913ALCD	J070913ALCD	ORG	10061-01-5	cis-1,3-Dichloropropene	51		ug/L	1	0.25	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9352	50	102%	0%	
J070913ALCD	J070913ALCD	ORG	108-88-3	Toluene	50		ug/L	5	0.74	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9352	50	100%	2%	
J070913ALCD	J070913ALCD	ORG	108-10-1	4-Methyl-2-pentanone	48		ug/L	1	0.21	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9352	50	96%	2%	
J070913ALCD	J070913ALCD	ORG	10061-02-6	trans-1,3-Dichloropropene	52		ug/L	1	0.31	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9352	50	104%	2%	
J070913ALCD	J070913ALCD	ORG	127-18-4	Tetrachloroethene	49		ug/L	1	0.49	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9352	50	98%	4%	
J070913ALCD	J070913ALCD	ORG	79-00-5	1,1,2-Trichloroethane	49		ug/L	1	0.34	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9352	50	98%	2%	
J070913ALCD	J070913ALCD	ORG	124-48-1	Dibromochloromethane	52		ug/L	5	0.69	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9352	50	104%	2%	
J070913ALCD	J070913ALCD	ORG	106-93-4	1,2-Dibromoethane	52		ug/L	2	0.30	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9352	50	104%	0%	
J070913ALCD	J070913ALCD	ORG	591-78-6	2-Hexanone	47		ug/L	2	0.26	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9352	50	94%	4%	
J070913ALCD	J070913ALCD	ORG	100-41-4	Ethylbenzene	53		ug/L	1	0.25	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9352	50	106%	2%	
J070913ALCD	J070913ALCD	ORG	108-90-7	Chlorobenzene	53		ug/L	1	0.28	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9352	50	106%	2%	
J070913ALCD	J070913ALCD	ORG	630-20-6	1,1,1,2-Tetrachloroethane	52		ug/L	2	0.19	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9352	50	104%	0%	
J070913ALCD	J070913ALCD	ORG	XYLMP	p&m-Xylene	106		ug/L	2	0.26	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9352	100	106%	2%	
J070913ALCD	J070913ALCD	ORG	95-47-6	o-Xylene	50		ug/L	1	0.13	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9352	50	100%	0%	
J070913ALCD	J070913ALCD	ORG	100-42-5	Styrene	47		ug/L	1	0.20	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9352	50	94%	4%	
J070913ALCD	J070913ALCD	ORG	75-25-2	Bromoform	53		ug/L	2	0.47	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9352	50	106%	0%	
J070913ALCD	J070913ALCD	ORG	98-82-8	Isopropylbenzene	52		ug/L	2	0.20	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9352	50	104%	2%	
J070913ALCD	J070913ALCD	ORG	103-65-1	n-Propylbenzene	51		ug/L	2	0.27	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9352	50	102%	4%	

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J070913ALCD	J070913ALCD	ORG	79-34-5	1,1,2,2-Tetrachloroethane	52		ug/L	2	0.29	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9352	50	104%	2%	
J070913ALCD	J070913ALCD	ORG	96-18-4	1,2,3-Trichloropropane	52		ug/L	2	0.29	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9352	50	104%	0%	
J070913ALCD	J070913ALCD	ORG	108-67-8	1,3,5-Trimethylbenzene	51		ug/L	2	0.20	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9352	50	102%	2%	
J070913ALCD	J070913ALCD	ORG	98-06-6	tert-Butylbenzene	50		ug/L	2	0.33	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9352	50	100%	2%	
J070913ALCD	J070913ALCD	ORG	95-63-6	1,2,4-Trimethylbenzene	50		ug/L	2	0.20	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9352	50	100%	2%	
J070913ALCD	J070913ALCD	ORG	135-98-8	sec-Butylbenzene	50		ug/L	2	0.32	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9352	50	100%	6%	
J070913ALCD	J070913ALCD	ORG	541-73-1	1,3-Dichlorobenzene	50		ug/L	2	0.22	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9352	50	100%	2%	
J070913ALCD	J070913ALCD	ORG	99-87-6	p-Isopropltoluene	50		ug/L	2	0.25	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9352	50	100%	4%	
J070913ALCD	J070913ALCD	ORG	106-46-7	1,4-Dichlorobenzene	48		ug/L	2	0.33	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9352	50	96%	6%	
J070913ALCD	J070913ALCD	ORG	95-50-1	1,2-Dichlorobenzene	50		ug/L	2	0.26	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9352	50	100%	0%	
J070913ALCD	J070913ALCD	ORG	104-51-8	n-Butylbenzene	49		ug/L	5	0.28	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9352	50	98%	6%	
J070913ALCD	J070913ALCD	ORG	96-12-8	1,2-Dibromo-3-chloropropane	54		ug/L	5	1.59	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9352	50	108%	4%	
J070913ALCD	J070913ALCD	ORG	87-68-3	Hexachlorobutadiene	52		ug/L	5	0.65	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9352	50	104%	0%	
J070913ALCD	J070913ALCD	ORG	120-82-1	1,2,4-Trichlorobenzene	54		ug/L	5	0.28	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9352	50	108%	0%	
J070913ALCD	J070913ALCD	ORG	91-20-3	Naphthalene	54		ug/L	5	0.56	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9352	50	108%	6%	
J070913ALCD	J070913ALCD	ORG	87-61-6	1,2,3-Trichlorobenzene	54		ng	5	0.23	NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9352	50	108%	4%	
J070913ALCD	J070913ALCD	STD	1868-53-7	Dibromofluoromethane	50		ng			NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9352	50	100%	0%	
J070913ALCD	J070913ALCD	STD	17060-07-0	1,2-Dichloroethane d4	51		ng			NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9352	50	102%	8%	
J070913ALCD	J070913ALCD	STD	2037-26-5	Toluene d8	50		ng			NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9352	50	100%	0%	
J070913ALCD	J070913ALCD	STD	460-00-4	Bromofluorobenzene	50		ug/L			NA	7/9/2013	7/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9352	50	100%	0%	

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-457MS	316-011	ORG	75-71-8	Dichlorodifluoromethane	3900		ug/L	500	29.28	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9353	5000	78%		
NAL13026-457MS	316-011	ORG	74-87-3	Chloromethane	4000		ug/L	500	43.07	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9353	5000	80%		
NAL13026-457MS	316-011	ORG	75-01-4	Vinyl chloride	4800		ug/L	200	31.86	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9353	5000	96%		
NAL13026-457MS	316-011	ORG	74-83-9	Bromomethane	4600		ug/L	500	50.04	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9353	5000	92%		
NAL13026-457MS	316-011	ORG	75-00-3	Chloroethane	5100		ug/L	500	55.61	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9353	5000	102%		
NAL13026-457MS	316-011	ORG	75-69-4	Trichlorofluoromethane	4700		ug/L	500	19.65	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9353	5000	94%		
NAL13026-457MS	316-011	ORG	75-35-4	1,1-Dichloroethene	4700		ug/L	100	47.11	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9353	5000	94%		
NAL13026-457MS	316-011	ORG	75-09-2	Methylene chloride	4900		ug/L	500	26.46	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9353	5000	98%		
NAL13026-457MS	316-011	ORG	67-64-1	Acetone	42000		ug/L	1000	155.61	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9353	5000	0%		42000
NAL13026-457MS	316-011	ORG	156-60-5	trans-1,2-Dichloroethene	5100		ug/L	100	55.61	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9353	5000	102%		
NAL13026-457MS	316-011	ORG	1634-04-4	MTBE	4700		ug/L	500	61.18	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9353	5000	94%		
NAL13026-457MS	316-011	ORG	75-34-3	1,1-Dichloroethane	5600		ug/L	100	52.66	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9353	5000	112%		
NAL13026-457MS	316-011	ORG	156-59-2	cis-1,2-Dichloroethene	5300		ug/L	100	32.11	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9353	5000	106%		
NAL13026-457MS	316-011	ORG	74-97-5	Bromochloromethane	5200		ug/L	1000	81.18	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9353	5000	104%		
NAL13026-457MS	316-011	ORG	67-66-3	Chloroform	5100		ug/L	200	41.37	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9353	5000	102%		
NAL13026-457MS	316-011	ORG	71-55-6	1,1,1-Trichloroethane	5200		ug/L	100	15.73	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9353	5000	104%		
NAL13026-457MS	316-011	ORG	78-93-3	2-Butanone	22000		ug/L	100	16.65	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9353	5000	-20%		23000
NAL13026-457MS	316-011	ORG	56-23-5	Carbon tetrachloride	5300		ug/L	100	27.64	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9353	5000	106%		
NAL13026-457MS	316-011	ORG	71-43-2	Benzene	5000		ug/L	100	13.53	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9353	5000	99%		32
NAL13026-457MS	316-011	ORG	107-06-2	1,2-Dichloroethane	5000		ug/L	100	20.01	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9353	5000	100%		
NAL13026-457MS	316-011	ORG	79-01-6	Trichloroethene	5300		ug/L	100	36.33	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9353	5000	106%		
NAL13026-457MS	316-011	ORG	74-95-3	Dibromomethane	5100		ug/L	200	32.20	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9353	5000	102%		
NAL13026-457MS	316-011	ORG	78-87-5	1,2-Dichloropropane	4800		ug/L	100	18.17	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9353	5000	96%		
NAL13026-457MS	316-011	ORG	75-27-4	Bromodichloromethane	5000		ug/L	200	11.58	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9353	5000	100%		
NAL13026-457MS	316-011	ORG	10061-01-5	cis-1,3-Dichloropropene	5100		ug/L	100	25.01	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9353	5000	102%		
NAL13026-457MS	316-011	ORG	108-88-3	Toluene	4900		ug/L	500	74.00	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9353	5000	98%		
NAL13026-457MS	316-011	ORG	108-10-1	4-Methyl-2-pentanone	4800		ug/L	100	20.96	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9353	5000	82%		700
NAL13026-457MS	316-011	ORG	10061-02-6	trans-1,3-Dichloropropene	5100		ug/L	100	31.15	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9353	5000	102%		
NAL13026-457MS	316-011	ORG	127-18-4	Tetrachloroethene	4300		ug/L	100	48.56	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9353	5000	86%		
NAL13026-457MS	316-011	ORG	79-00-5	1,1,2-Trichloroethane	4800		ug/L	100	34.28	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9353	5000	96%		
NAL13026-457MS	316-011	ORG	124-48-1	Dibromochloromethane	5200		ug/L	500	68.90	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9353	5000	104%		
NAL13026-457MS	316-011	ORG	106-93-4	1,2-Dibromoethane	5100		ug/L	200	29.90	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9353	5000	102%		
NAL13026-457MS	316-011	ORG	591-78-6	2-Hexanone	4100		ug/L	200	26.49	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9353	5000	82%		
NAL13026-457MS	316-011	ORG	100-41-4	Ethylbenzene	5300		ug/L	100	25.38	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9353	5000	106%		
NAL13026-457MS	316-011	ORG	108-90-7	Chlorobenzene	5200		ug/L	100	27.52	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9353	5000	104%		
NAL13026-457MS	316-011	ORG	630-20-6	1,1,1,2-Tetrachloroethane	5300		ug/L	200	19.28	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9353	5000	106%		
NAL13026-457MS	316-011	ORG	XYLMP	p&m-Xylene	10000		ug/L	200	26.14	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9353	10000	100%		
NAL13026-457MS	316-011	ORG	95-47-6	o-Xylene	5100		ug/L	100	12.90	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9353	5000	102%		
NAL13026-457MS	316-011	ORG	100-42-5	Styrene	5000		ug/L	100	20.23	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9353	5000	100%		
NAL13026-457MS	316-011	ORG	75-25-2	Bromoform	5400		ug/L	200	46.83	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9353	5000	108%		
NAL13026-457MS	316-011	ORG	98-82-8	Isopropylbenzene	5300		ug/L	200	20.48	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9353	5000	106%		
NAL13026-457MS	316-011	ORG	103-65-1	n-Propylbenzene	5300		ug/L	200	27.00	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9353	5000	106%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-457MS	316-011	ORG	79-34-5	1,1,2,2-Tetrachloroethane	5100		ug/L	200	29.16	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9353	5000	102%		
NAL13026-457MS	316-011	ORG	96-18-4	1,2,3-Trichloropropane	5200		ug/L	200	29.47	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9353	5000	104%		
NAL13026-457MS	316-011	ORG	108-67-8	1,3,5-Trimethylbenzene	5200		ug/L	200	20.03	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9353	5000	104%		
NAL13026-457MS	316-011	ORG	98-06-6	tert-Butylbenzene	5100		ug/L	200	32.61	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9353	5000	102%		
NAL13026-457MS	316-011	ORG	95-63-6	1,2,4-Trimethylbenzene	5100		ug/L	200	20.03	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9353	5000	102%		
NAL13026-457MS	316-011	ORG	135-98-8	sec-Butylbenzene	5200		ug/L	200	32.34	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9353	5000	104%		
NAL13026-457MS	316-011	ORG	541-73-1	1,3-Dichlorobenzene	5100		ug/L	200	22.21	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9353	5000	102%		
NAL13026-457MS	316-011	ORG	99-87-6	p-Isopropltoluene	5200		ug/L	200	25.48	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9353	5000	104%		
NAL13026-457MS	316-011	ORG	106-46-7	1,4-Dichlorobenzene	5000		ug/L	200	33.03	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9353	5000	100%		
NAL13026-457MS	316-011	ORG	95-50-1	1,2-Dichlorobenzene	5000		ug/L	200	26.38	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9353	5000	100%		
NAL13026-457MS	316-011	ORG	104-51-8	n-Butylbenzene	5100		ug/L	500	27.81	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9353	5000	102%		
NAL13026-457MS	316-011	ORG	96-12-8	1,2-Dibromo-3-chloropropane	5500		ug/L	500	159.11	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9353	5000	110%		
NAL13026-457MS	316-011	ORG	87-68-3	Hexachlorobutadiene	4800		ug/L	500	65.42	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9353	5000	96%		
NAL13026-457MS	316-011	ORG	120-82-1	1,2,4-Trichlorobenzene	5300		ug/L	500	27.63	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9353	5000	106%		
NAL13026-457MS	316-011	ORG	91-20-3	Naphthalene	5500		ug/L	500	56.04	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9353	5000	107%		170
NAL13026-457MS	316-011	ORG	87-61-6	1,2,3-Trichlorobenzene	5300		ng	500	23.28	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9353	5000	106%		
NAL13026-457MS	316-011	STD	1868-53-7	Dibromofluoromethane	51		ng			7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9353	50	102%		
NAL13026-457MS	316-011	STD	17060-07-0	1,2-Dichloroethane d4	47		ng			7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9353	50	94%		
NAL13026-457MS	316-011	STD	2037-26-5	Toluene d8	49		ng			7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9353	50	98%		
NAL13026-457MS	316-011	STD	460-00-4	Bromofluorobenzene	51		ug/L			7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9353	50	102%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-457MSD	316-011	ORG	75-71-8	Dichlorodifluoromethane	3900		ug/L	500	29.28	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9354	5000	78%	0%	0
NAL13026-457MSD	316-011	ORG	74-87-3	Chloromethane	4200		ug/L	500	43.07	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9354	5000	84%	5%	0
NAL13026-457MSD	316-011	ORG	75-01-4	Vinyl chloride	4800		ug/L	200	31.86	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9354	5000	96%	0%	0
NAL13026-457MSD	316-011	ORG	74-83-9	Bromomethane	4800		ug/L	500	50.04	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9354	5000	96%	4%	0
NAL13026-457MSD	316-011	ORG	75-00-3	Chloroethane	5200		ug/L	500	55.61	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9354	5000	104%	2%	0
NAL13026-457MSD	316-011	ORG	75-69-4	Trichlorofluoromethane	4000		ug/L	500	19.65	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9354	5000	80%	16%	0
NAL13026-457MSD	316-011	ORG	75-35-4	1,1-Dichloroethene	4500		ug/L	100	47.11	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9354	5000	90%	4%	0
NAL13026-457MSD	316-011	ORG	75-09-2	Methylene chloride	4900		ug/L	500	26.46	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9354	5000	98%	0%	0
NAL13026-457MSD	316-011	ORG	67-64-1	Acetone	45000		ug/L	1000	155.61	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9354	5000	60%	7%	42000
NAL13026-457MSD	316-011	ORG	156-60-5	trans-1,2-Dichloroethene	4800		ug/L	100	55.61	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9354	5000	96%	6%	0
NAL13026-457MSD	316-011	ORG	1634-04-4	MTBE	4700		ug/L	500	61.18	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9354	5000	94%	0%	0
NAL13026-457MSD	316-011	ORG	75-34-3	1,1-Dichloroethane	5800		ug/L	100	52.66	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9354	5000	116%	4%	0
NAL13026-457MSD	316-011	ORG	156-59-2	cis-1,2-Dichloroethene	5400		ug/L	100	32.11	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9354	5000	108%	2%	0
NAL13026-457MSD	316-011	ORG	74-97-5	Bromochloromethane	5500		ug/L	1000	81.18	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9354	5000	110%	6%	0
NAL13026-457MSD	316-011	ORG	67-66-3	Chloroform	5200		ug/L	200	41.37	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9354	5000	104%	2%	0
NAL13026-457MSD	316-011	ORG	71-55-6	1,1,1-Trichloroethane	5300		ug/L	100	15.73	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9354	5000	106%	2%	0
NAL13026-457MSD	316-011	ORG	78-93-3	2-Butanone	27000		ug/L	100	16.65	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9354	5000	80%	20%	23000
NAL13026-457MSD	316-011	ORG	56-23-5	Carbon tetrachloride	5300		ug/L	100	27.64	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9354	5000	106%	0%	0
NAL13026-457MSD	316-011	ORG	71-43-2	Benzene	5200		ug/L	100	13.53	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9354	5000	103%	4%	32
NAL13026-457MSD	316-011	ORG	107-06-2	1,2-Dichloroethane	5400		ug/L	100	20.01	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9354	5000	108%	8%	0
NAL13026-457MSD	316-011	ORG	79-01-6	Trichloroethene	5400		ug/L	100	36.33	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9354	5000	108%	2%	0
NAL13026-457MSD	316-011	ORG	74-95-3	Dibromomethane	5500		ug/L	200	32.20	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9354	5000	110%	8%	0
NAL13026-457MSD	316-011	ORG	78-87-5	1,2-Dichloropropane	5000		ug/L	100	18.17	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9354	5000	100%	4%	0
NAL13026-457MSD	316-011	ORG	75-27-4	Bromodichloromethane	5400		ug/L	200	11.58	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9354	5000	108%	8%	0
NAL13026-457MSD	316-011	ORG	10061-01-5	cis-1,3-Dichloropropene	5200		ug/L	100	25.01	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9354	5000	104%	2%	0
NAL13026-457MSD	316-011	ORG	108-88-3	Toluene	5100		ug/L	500	74.00	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9354	5000	102%	4%	0
NAL13026-457MSD	316-011	ORG	108-10-1	4-Methyl-2-pentanone	5300		ug/L	100	20.96	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9354	5000	92%	10%	700
NAL13026-457MSD	316-011	ORG	10061-02-6	trans-1,3-Dichloropropene	5500		ug/L	100	31.15	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9354	5000	110%	8%	0
NAL13026-457MSD	316-011	ORG	127-18-4	Tetrachloroethene	4400		ug/L	100	48.56	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9354	5000	88%	2%	0
NAL13026-457MSD	316-011	ORG	79-00-5	1,1,2-Trichloroethane	5400		ug/L	100	34.28	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9354	5000	108%	12%	0
NAL13026-457MSD	316-011	ORG	124-48-1	Dibromochloromethane	5700		ug/L	500	68.90	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9354	5000	114%	9%	0
NAL13026-457MSD	316-011	ORG	106-93-4	1,2-Dibromoethane	5600		ug/L	200	29.90	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9354	5000	112%	9%	0
NAL13026-457MSD	316-011	ORG	591-78-6	2-Hexanone	4600		ug/L	200	26.49	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9354	5000	92%	11%	0
NAL13026-457MSD	316-011	ORG	100-41-4	Ethylbenzene	5300		ug/L	100	25.38	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9354	5000	106%	0%	0
NAL13026-457MSD	316-011	ORG	108-90-7	Chlorobenzene	5300		ug/L	100	27.52	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9354	5000	106%	2%	0
NAL13026-457MSD	316-011	ORG	630-20-6	1,1,1,2-Tetrachloroethane	5300		ug/L	200	19.28	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9354	5000	106%	0%	0
NAL13026-457MSD	316-011	ORG	XYLMP	p&m-Xylene	11000		ug/L	200	26.14	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9354	10000	110%	10%	0
NAL13026-457MSD	316-011	ORG	95-47-6	o-Xylene	5500		ug/L	100	12.90	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9354	5000	110%	8%	0
NAL13026-457MSD	316-011	ORG	100-42-5	Styrene	5100		ug/L	100	20.23	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9354	5000	102%	2%	0
NAL13026-457MSD	316-011	ORG	75-25-2	Bromoform	5800		ug/L	200	46.83	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9354	5000	116%	7%	0
NAL13026-457MSD	316-011	ORG	98-82-8	Isopropylbenzene	5300		ug/L	200	20.48	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9354	5000	106%	0%	0
NAL13026-457MSD	316-011	ORG	103-65-1	n-Propylbenzene	5300		ug/L	200	27.00	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9354	5000	106%	0%	0

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-457MSD	316-011	ORG	79-34-5	1,1,2,2-Tetrachloroethane	5800		ug/L	200	29.16	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9354	5000	116%	13%	0
NAL13026-457MSD	316-011	ORG	96-18-4	1,2,3-Trichloropropane	5700		ug/L	200	29.47	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9354	5000	114%	9%	0
NAL13026-457MSD	316-011	ORG	108-67-8	1,3,5-Trimethylbenzene	5200		ug/L	200	20.03	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9354	5000	104%	0%	0
NAL13026-457MSD	316-011	ORG	98-06-6	tert-Butylbenzene	5100		ug/L	200	32.61	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9354	5000	102%	0%	0
NAL13026-457MSD	316-011	ORG	95-63-6	1,2,4-Trimethylbenzene	5100		ug/L	200	20.03	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9354	5000	102%	0%	0
NAL13026-457MSD	316-011	ORG	135-98-8	sec-Butylbenzene	5200		ug/L	200	32.34	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9354	5000	104%	0%	0
NAL13026-457MSD	316-011	ORG	541-73-1	1,3-Dichlorobenzene	5300		ug/L	200	22.21	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9354	5000	106%	4%	0
NAL13026-457MSD	316-011	ORG	99-87-6	p-Isopropltoluene	5300		ug/L	200	25.48	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9354	5000	106%	2%	0
NAL13026-457MSD	316-011	ORG	106-46-7	1,4-Dichlorobenzene	5200		ug/L	200	33.03	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9354	5000	104%	4%	0
NAL13026-457MSD	316-011	ORG	95-50-1	1,2-Dichlorobenzene	5400		ug/L	200	26.38	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9354	5000	108%	8%	0
NAL13026-457MSD	316-011	ORG	104-51-8	n-Butylbenzene	5200		ug/L	500	27.81	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9354	5000	104%	2%	0
NAL13026-457MSD	316-011	ORG	96-12-8	1,2-Dibromo-3-chloropropane	6200		ug/L	500	159.11	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9354	5000	124%	12%	0
NAL13026-457MSD	316-011	ORG	87-68-3	Hexachlorobutadiene	5100		ug/L	500	65.42	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9354	5000	102%	6%	0
NAL13026-457MSD	316-011	ORG	120-82-1	1,2,4-Trichlorobenzene	5600		ug/L	500	27.63	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9354	5000	112%	6%	0
NAL13026-457MSD	316-011	ORG	91-20-3	Naphthalene	6100		ug/L	500	56.04	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9354	5000	119%	10%	170
NAL13026-457MSD	316-011	ORG	87-61-6	1,2,3-Trichlorobenzene	5700		ng	500	23.28	7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9354	5000	114%	7%	0
NAL13026-457MSD	316-011	STD	1868-53-7	Dibromofluoromethane	51		ng			7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9354	50	102%	0%	0
NAL13026-457MSD	316-011	STD	17060-07-0	1,2-Dichloroethane d4	48		ng			7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9354	50	96%	2%	0
NAL13026-457MSD	316-011	STD	2037-26-5	Toluene d8	49		ng			7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9354	50	98%	0%	0
NAL13026-457MSD	316-011	STD	460-00-4	Bromofluorobenzene	51					7/9/2013	7/9/2013	7/9/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9354	50	102%	0%	0

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-463	316-012	ORG	75-71-8	Dichlorodifluoromethane		UX-	ug/L	500	29.28	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9373				
NAL13026-463	316-012	ORG	74-87-3	Chloromethane		UX-	ug/L	500	43.07	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9373				
NAL13026-463	316-012	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9373				
NAL13026-463	316-012	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9373				
NAL13026-463	316-012	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9373				
NAL13026-463	316-012	ORG	75-69-4	Trichlorofluoromethane		UX-	ug/L	500	19.65	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9373				
NAL13026-463	316-012	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9373				
NAL13026-463	316-012	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9373				
NAL13026-463	316-012	ORG	67-64-1	Acetone	45000	D	ug/L	10000	1556.07	7/10/2013	7/10/2013	7/10/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9374				
NAL13026-463	316-012	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9373				
NAL13026-463	316-012	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9373				
NAL13026-463	316-012	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9373				
NAL13026-463	316-012	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9373				
NAL13026-463	316-012	ORG	74-97-5	Bromochloromethane		U	ug/L	200	41.37	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9373				
NAL13026-463	316-012	ORG	67-66-3	Chloroform		U	ug/L	100	15.73	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9373				
NAL13026-463	316-012	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	16.65	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9373				
NAL13026-463	316-012	ORG	78-93-3	2-Butanone	24000	D	ug/L	10000	811.80	7/10/2013	7/10/2013	7/10/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9374				
NAL13026-463	316-012	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9373				
NAL13026-463	316-012	ORG	71-43-2	Benzene	26	J	ug/L	100	13.53	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9373				
NAL13026-463	316-012	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9373				
NAL13026-463	316-012	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9373				
NAL13026-463	316-012	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9373				
NAL13026-463	316-012	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9373				
NAL13026-463	316-012	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9373				
NAL13026-463	316-012	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9373				
NAL13026-463	316-012	ORG	108-88-3	Toluene		U	ug/L	100	20.96	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9373				
NAL13026-463	316-012	ORG	108-10-1	4-Methyl-2-pentanone	670		ug/L	500	74.00	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9373				
NAL13026-463	316-012	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9373				
NAL13026-463	316-012	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9373				
NAL13026-463	316-012	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9373				
NAL13026-463	316-012	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	29.90	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9373				
NAL13026-463	316-012	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	26.49	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9373				
NAL13026-463	316-012	ORG	591-78-6	2-Hexanone	550		ug/L	500	68.90	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9373				
NAL13026-463	316-012	ORG	100-41-4	Ethylbenzene		U	ug/L	100	25.38	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9373				
NAL13026-463	316-012	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9373				
NAL13026-463	316-012	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9373				
NAL13026-463	316-012	ORG	XYLMP	p&m-Xylene		U	ug/L	200	26.14	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9373				
NAL13026-463	316-012	ORG	95-47-6	o-Xylene		U	ug/L	100	12.90	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9373				
NAL13026-463	316-012	ORG	100-42-5	Styrene	28	J	ug/L	100	20.23	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9373				
NAL13026-463	316-012	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9373				
NAL13026-463	316-012	ORG	98-82-8	Isopropylbenzene		U	ug/L	200	20.48	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9373				
NAL13026-463	316-012	ORG	103-65-1	n-Propylbenzene		U	ug/L	200	27.00	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9373				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-463	316-012	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9373				
NAL13026-463	316-012	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9373				
NAL13026-463	316-012	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	200	20.03	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9373				
NAL13026-463	316-012	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9373				
NAL13026-463	316-012	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	200	20.03	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9373				
NAL13026-463	316-012	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9373				
NAL13026-463	316-012	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9373				
NAL13026-463	316-012	ORG	99-87-6	p-Isopropltoluene	81	J	ug/L	200	25.48	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9373				
NAL13026-463	316-012	ORG	106-46-7	1,4-Dichlorobenzene	70	J	ug/L	200	33.03	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9373				
NAL13026-463	316-012	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9373				
NAL13026-463	316-012	ORG	104-51-8	n-Butylbenzene		U	ug/L	500	27.81	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9373				
NAL13026-463	316-012	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9373				
NAL13026-463	316-012	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9373				
NAL13026-463	316-012	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9373				
NAL13026-463	316-012	ORG	91-20-3	Naphthalene	220	J	ug/L	500	56.04	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9373				
NAL13026-463	316-012	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9373				
NAL13026-463	316-012	STD	1868-53-7	Dibromofluoromethane	51		ng			7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9373	50	102%		
NAL13026-463	316-012	STD	17060-07-0	1,2-Dichloroethane d4	50		ng			7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9373	50	100%		
NAL13026-463	316-012	STD	2037-26-5	Toluene d8	47		ng			7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9373	50	94%		
NAL13026-463	316-012	STD	460-00-4	Bromofluorobenzene	46		ng			7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9373	50	92%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-464	96-001h	ORG	75-71-8	Dichlorodifluoromethane		UX-	ug/L	500	29.28	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9376				
NAL13026-464	96-001h	ORG	74-87-3	Chloromethane		UX-	ug/L	500	43.07	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9376				
NAL13026-464	96-001h	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9376				
NAL13026-464	96-001h	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9376				
NAL13026-464	96-001h	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9376				
NAL13026-464	96-001h	ORG	75-69-4	Trichlorofluoromethane		UX-	ug/L	500	19.65	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9376				
NAL13026-464	96-001h	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9376				
NAL13026-464	96-001h	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9376				
NAL13026-464	96-001h	ORG	67-64-1	Acetone	25000	D	ug/L	10000	1556.07	7/10/2013	7/10/2013	7/10/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9377				
NAL13026-464	96-001h	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9376				
NAL13026-464	96-001h	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9376				
NAL13026-464	96-001h	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9376				
NAL13026-464	96-001h	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9376				
NAL13026-464	96-001h	ORG	74-97-5	Bromochloromethane		U	ug/L	200	81.18	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9376				
NAL13026-464	96-001h	ORG	67-66-3	Chloroform		U	ug/L	100	41.37	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9376				
NAL13026-464	96-001h	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	15.73	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9376				
NAL13026-464	96-001h	ORG	78-93-3	2-Butanone	13000	D	ug/L	10000	166.52	7/10/2013	7/10/2013	7/10/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9377				
NAL13026-464	96-001h	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9376				
NAL13026-464	96-001h	ORG	71-43-2	Benzene	270		ug/L	100	13.53	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9376				
NAL13026-464	96-001h	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9376				
NAL13026-464	96-001h	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9376				
NAL13026-464	96-001h	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9376				
NAL13026-464	96-001h	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9376				
NAL13026-464	96-001h	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9376				
NAL13026-464	96-001h	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9376				
NAL13026-464	96-001h	ORG	108-88-3	Toluene	39	J	ug/L	100	20.96	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9376				
NAL13026-464	96-001h	ORG	108-10-1	4-Methyl-2-pentanone	210	J	ug/L	500	74.00	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9376				
NAL13026-464	96-001h	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9376				
NAL13026-464	96-001h	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9376				
NAL13026-464	96-001h	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9376				
NAL13026-464	96-001h	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	68.90	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9376				
NAL13026-464	96-001h	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	29.90	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9376				
NAL13026-464	96-001h	ORG	591-78-6	2-Hexanone		U	ug/L	500	26.49	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9376				
NAL13026-464	96-001h	ORG	100-41-4	Ethylbenzene		U	ug/L	100	25.38	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9376				
NAL13026-464	96-001h	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9376				
NAL13026-464	96-001h	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9376				
NAL13026-464	96-001h	ORG	XYLMP	p&m-Xylene	47	J	ug/L	200	26.14	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9376				
NAL13026-464	96-001h	ORG	95-47-6	o-Xylene	21	J	ug/L	100	12.90	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9376				
NAL13026-464	96-001h	ORG	100-42-5	Styrene	21	J	ug/L	100	20.23	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9376				
NAL13026-464	96-001h	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9376				
NAL13026-464	96-001h	ORG	98-82-8	Isopropylbenzene		U	ug/L	200	20.48	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9376				
NAL13026-464	96-001h	ORG	103-65-1	n-Propylbenzene		U	ug/L	200	27.00	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9376				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-464	96-001h	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9376				
NAL13026-464	96-001h	ORG	96-18-4	1,2,3-Trichloropropane	54	J	ug/L	200	29.47	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9376				
NAL13026-464	96-001h	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	200	20.03	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9376				
NAL13026-464	96-001h	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9376				
NAL13026-464	96-001h	ORG	95-63-6	1,2,4-Trimethylbenzene	35	J	ug/L	200	20.03	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9376				
NAL13026-464	96-001h	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9376				
NAL13026-464	96-001h	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9376				
NAL13026-464	96-001h	ORG	99-87-6	p-Isopropltoluene	110	J	ug/L	200	25.48	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9376				
NAL13026-464	96-001h	ORG	106-46-7	1,4-Dichlorobenzene	63	J	ug/L	200	33.03	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9376				
NAL13026-464	96-001h	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9376				
NAL13026-464	96-001h	ORG	104-51-8	n-Butylbenzene		U	ug/L	500	27.81	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9376				
NAL13026-464	96-001h	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9376				
NAL13026-464	96-001h	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9376				
NAL13026-464	96-001h	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9376				
NAL13026-464	96-001h	ORG	91-20-3	Naphthalene	240	J	ug/L	500	56.04	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9376				
NAL13026-464	96-001h	ORG	87-61-6	1,2,3-Trichlorobenzene	81	J	ug/L	500	23.28	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9376				
NAL13026-464	96-001h	STD	1868-53-7	Dibromofluoromethane	51		ng			7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9376	50	102%		
NAL13026-464	96-001h	STD	17060-07-0	1,2-Dichloroethane d4	51		ng			7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9376	50	102%		
NAL13026-464	96-001h	STD	2037-26-5	Toluene d8	48		ng			7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9376	50	96%		
NAL13026-464	96-001h	STD	460-00-4	Bromofluorobenzene	46		ng			7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9376	50	92%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-465	277-ST T1	ORG	75-71-8	Dichlorodifluoromethane	41	J	ug/L	500	29.28	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9384				
NAL13026-465	277-ST T1	ORG	74-87-3	Chloromethane		U	ug/L	500	43.07	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9384				
NAL13026-465	277-ST T1	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9384				
NAL13026-465	277-ST T1	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9384				
NAL13026-465	277-ST T1	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9384				
NAL13026-465	277-ST T1	ORG	75-69-4	Trichlorofluoromethane	41	J	ug/L	500	19.65	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9384				
NAL13026-465	277-ST T1	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9384				
NAL13026-465	277-ST T1	ORG	75-09-2	Methylene chloride	28	J	ug/L	500	26.46	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9384				
NAL13026-465	277-ST T1	ORG	67-64-1	Acetone	76000	DX+	ug/L	10000	1556.07	7/10/2013	7/10/2013	7/10/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9388				
NAL13026-465	277-ST T1	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9384				
NAL13026-465	277-ST T1	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9384				
NAL13026-465	277-ST T1	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9384				
NAL13026-465	277-ST T1	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9384				
NAL13026-465	277-ST T1	ORG	74-97-5	Bromochloromethane		U	ug/L	200	81.18	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9384				
NAL13026-465	277-ST T1	ORG	67-66-3	Chloroform		U	ug/L	100	41.37	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9384				
NAL13026-465	277-ST T1	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	15.73	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9384				
NAL13026-465	277-ST T1	ORG	78-93-3	2-Butanone	44000	DX+	ug/L	10000	166.52	7/10/2013	7/10/2013	7/10/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9388				
NAL13026-465	277-ST T1	ORG	56-23-5	Carbon tetrachloride	41	J	ug/L	100	27.64	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9384				
NAL13026-465	277-ST T1	ORG	71-43-2	Benzene	50	J	ug/L	100	13.53	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9384				
NAL13026-465	277-ST T1	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9384				
NAL13026-465	277-ST T1	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9384				
NAL13026-465	277-ST T1	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9384				
NAL13026-465	277-ST T1	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9384				
NAL13026-465	277-ST T1	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9384				
NAL13026-465	277-ST T1	ORG	10061-01-5	cis-1,3-Dichloropropene	32	J	ug/L	100	25.01	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9384				
NAL13026-465	277-ST T1	ORG	108-88-3	Toluene	50	J	ug/L	100	20.96	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9384				
NAL13026-465	277-ST T1	ORG	108-10-1	4-Methyl-2-pentanone	1100	X+	ug/L	500	74.00	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9384				
NAL13026-465	277-ST T1	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9384				
NAL13026-465	277-ST T1	ORG	127-18-4	Tetrachloroethene	54	J	ug/L	100	48.56	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9384				
NAL13026-465	277-ST T1	ORG	79-00-5	1,1,2-Trichloroethane	61	J	ug/L	100	34.28	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9384				
NAL13026-465	277-ST T1	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	68.90	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9384				
NAL13026-465	277-ST T1	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	29.90	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9384				
NAL13026-465	277-ST T1	ORG	591-78-6	2-Hexanone	170	JX+	ug/L	500	26.49	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9384				
NAL13026-465	277-ST T1	ORG	100-41-4	Ethylbenzene	54	J	ug/L	100	25.38	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9384				
NAL13026-465	277-ST T1	ORG	108-90-7	Chlorobenzene	46	J	ug/L	100	27.52	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9384				
NAL13026-465	277-ST T1	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9384				
NAL13026-465	277-ST T1	ORG	XYLMP	p&m-Xylene	130	J	ug/L	200	26.14	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9384				
NAL13026-465	277-ST T1	ORG	95-47-6	o-Xylene	65	J	ug/L	100	12.90	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9384				
NAL13026-465	277-ST T1	ORG	100-42-5	Styrene	61	J	ug/L	100	20.23	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9384				
NAL13026-465	277-ST T1	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9384				
NAL13026-465	277-ST T1	ORG	98-82-8	Isopropylbenzene	55	J	ug/L	200	20.48	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9384				
NAL13026-465	277-ST T1	ORG	103-65-1	n-Propylbenzene	56	J	ug/L	200	27.00	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9384				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-465	277-ST T1	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9384				
NAL13026-465	277-ST T1	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9384				
NAL13026-465	277-ST T1	ORG	108-67-8	1,3,5-Trimethylbenzene	81	J	ug/L	200	20.03	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9384				
NAL13026-465	277-ST T1	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9384				
NAL13026-465	277-ST T1	ORG	95-63-6	1,2,4-Trimethylbenzene	170	J	ug/L	200	20.03	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9384				
NAL13026-465	277-ST T1	ORG	135-98-8	sec-Butylbenzene	67	J	ug/L	200	32.34	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9384				
NAL13026-465	277-ST T1	ORG	541-73-1	1,3-Dichlorobenzene	65	J	ug/L	200	22.21	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9384				
NAL13026-465	277-ST T1	ORG	99-87-6	p-Isopropltoluene	600		ug/L	200	25.48	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9384				
NAL13026-465	277-ST T1	ORG	106-46-7	1,4-Dichlorobenzene	240		ug/L	200	33.03	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9384				
NAL13026-465	277-ST T1	ORG	95-50-1	1,2-Dichlorobenzene	62	J	ug/L	200	26.38	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9384				
NAL13026-465	277-ST T1	ORG	104-51-8	n-Butylbenzene	90	J	ug/L	500	27.81	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9384				
NAL13026-465	277-ST T1	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9384				
NAL13026-465	277-ST T1	ORG	87-68-3	Hexachlorobutadiene	110	J	ug/L	500	65.42	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9384				
NAL13026-465	277-ST T1	ORG	120-82-1	1,2,4-Trichlorobenzene	110	J	ug/L	500	27.63	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9384				
NAL13026-465	277-ST T1	ORG	91-20-3	Naphthalene	530		ug/L	500	56.04	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9384				
NAL13026-465	277-ST T1	ORG	87-61-6	1,2,3-Trichlorobenzene	130	J	ug/L	500	23.28	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9384				
NAL13026-465	277-ST T1	STD	1868-53-7	Dibromofluoromethane	52		ng			7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9384	50	104%		
NAL13026-465	277-ST T1	STD	17060-07-0	1,2-Dichloroethane d4	54		ng			7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9384	50	108%		
NAL13026-465	277-ST T1	STD	2037-26-5	Toluene d8	47		ng			7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9384	50	94%		
NAL13026-465	277-ST T1	STD	460-00-4	Bromofluorobenzene	47		ng			7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9384	50	94%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-466	277-ST T2	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9385				
NAL13026-466	277-ST T2	ORG	74-87-3	Chloromethane		U	ug/L	500	43.07	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9385				
NAL13026-466	277-ST T2	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9385				
NAL13026-466	277-ST T2	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9385				
NAL13026-466	277-ST T2	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9385				
NAL13026-466	277-ST T2	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9385				
NAL13026-466	277-ST T2	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9385				
NAL13026-466	277-ST T2	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9385				
NAL13026-466	277-ST T2	ORG	67-64-1	Acetone	100000	DX+	ug/L	10000	1556.07	7/10/2013	7/10/2013	7/10/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9389				
NAL13026-466	277-ST T2	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9385				
NAL13026-466	277-ST T2	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9385				
NAL13026-466	277-ST T2	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9385				
NAL13026-466	277-ST T2	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9385				
NAL13026-466	277-ST T2	ORG	74-97-5	Bromochloromethane		U	ug/L	200	81.18	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9385				
NAL13026-466	277-ST T2	ORG	67-66-3	Chloroform		U	ug/L	100	41.37	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9385				
NAL13026-466	277-ST T2	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	15.73	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9385				
NAL13026-466	277-ST T2	ORG	78-93-3	2-Butanone	53000	DX+	ug/L	10000	166.52	7/10/2013	7/10/2013	7/10/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9389				
NAL13026-466	277-ST T2	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9385				
NAL13026-466	277-ST T2	ORG	71-43-2	Benzene	320		ug/L	100	13.53	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9385				
NAL13026-466	277-ST T2	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9385				
NAL13026-466	277-ST T2	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9385				
NAL13026-466	277-ST T2	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9385				
NAL13026-466	277-ST T2	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9385				
NAL13026-466	277-ST T2	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9385				
NAL13026-466	277-ST T2	ORG	10061-01-5	cis-1,3-Dichloropropene	34	J	ug/L	100	25.01	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9385				
NAL13026-466	277-ST T2	ORG	108-88-3	Toluene	510		ug/L	100	20.96	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9385				
NAL13026-466	277-ST T2	ORG	108-10-1	4-Methyl-2-pentanone	2400	X+	ug/L	500	74.00	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9385				
NAL13026-466	277-ST T2	ORG	10061-02-6	trans-1,3-Dichloropropene	87	J	ug/L	100	31.15	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9385				
NAL13026-466	277-ST T2	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9385				
NAL13026-466	277-ST T2	ORG	79-00-5	1,1,2-Trichloroethane	370		ug/L	100	34.28	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9385				
NAL13026-466	277-ST T2	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	68.90	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9385				
NAL13026-466	277-ST T2	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	29.90	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9385				
NAL13026-466	277-ST T2	ORG	591-78-6	2-Hexanone	1400	X+	ug/L	500	26.49	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9385				
NAL13026-466	277-ST T2	ORG	100-41-4	Ethylbenzene	1200		ug/L	100	25.38	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9385				
NAL13026-466	277-ST T2	ORG	108-90-7	Chlorobenzene	66	J	ug/L	100	27.52	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9385				
NAL13026-466	277-ST T2	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9385				
NAL13026-466	277-ST T2	ORG	XYLMP	p&m-Xylene	2900		ug/L	200	26.14	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9385				
NAL13026-466	277-ST T2	ORG	95-47-6	o-Xylene	1400		ug/L	100	12.90	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9385				
NAL13026-466	277-ST T2	ORG	100-42-5	Styrene	220		ug/L	100	20.23	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9385				
NAL13026-466	277-ST T2	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9385				
NAL13026-466	277-ST T2	ORG	98-82-8	Isopropylbenzene	890		ug/L	200	20.48	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9385				
NAL13026-466	277-ST T2	ORG	103-65-1	n-Propylbenzene	690		ug/L	200	27.00	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9385				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-466	277-ST T2	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9385				
NAL13026-466	277-ST T2	ORG	96-18-4	1,2,3-Trichloropropane	39	J	ug/L	200	29.47	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9385				
NAL13026-466	277-ST T2	ORG	108-67-8	1,3,5-Trimethylbenzene	1500		ug/L	200	20.03	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9385				
NAL13026-466	277-ST T2	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9385				
NAL13026-466	277-ST T2	ORG	95-63-6	1,2,4-Trimethylbenzene	6000		ug/L	200	20.03	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9385				
NAL13026-466	277-ST T2	ORG	135-98-8	sec-Butylbenzene	260		ug/L	200	32.34	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9385				
NAL13026-466	277-ST T2	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9385				
NAL13026-466	277-ST T2	ORG	99-87-6	p-Isopropltoluene	34000	D	ug/L	2000	254.81	7/10/2013	7/10/2013	7/10/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9389				
NAL13026-466	277-ST T2	ORG	106-46-7	1,4-Dichlorobenzene	6300		ug/L	200	33.03	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9385				
NAL13026-466	277-ST T2	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9385				
NAL13026-466	277-ST T2	ORG	104-51-8	n-Butylbenzene	930		ug/L	500	27.81	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9385				
NAL13026-466	277-ST T2	ORG	96-12-8	1,2-Dibromo-3-chloropropane	5800		ug/L	500	159.11	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9385				
NAL13026-466	277-ST T2	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9385				
NAL13026-466	277-ST T2	ORG	120-82-1	1,2,4-Trichlorobenzene	230	J	ug/L	500	27.63	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9385				
NAL13026-466	277-ST T2	ORG	91-20-3	Naphthalene	5400		ug/L	500	56.04	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9385				
NAL13026-466	277-ST T2	ORG	87-61-6	1,2,3-Trichlorobenzene	170	J	ug/L	500	23.28	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9385				
NAL13026-466	277-ST T2	STD	1868-53-7	Dibromofluoromethane	50		ng			7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9385	50	100%		
NAL13026-466	277-ST T2	STD	17060-07-0	1,2-Dichloroethane d4	52		ng			7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9385	50	104%		
NAL13026-466	277-ST T2	STD	2037-26-5	Toluene d8	47		ng			7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9385	50	94%		
NAL13026-466	277-ST T2	STD	460-00-4	Bromofluorobenzene	46		ng			7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9385	50	92%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-467	277-ST T3	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9386				
NAL13026-467	277-ST T3	ORG	74-87-3	Chloromethane		U	ug/L	500	43.07	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9386				
NAL13026-467	277-ST T3	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9386				
NAL13026-467	277-ST T3	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9386				
NAL13026-467	277-ST T3	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9386				
NAL13026-467	277-ST T3	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9386				
NAL13026-467	277-ST T3	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9386				
NAL13026-467	277-ST T3	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9386				
NAL13026-467	277-ST T3	ORG	67-64-1	Acetone	110000	DX+	ug/L	10000	1556.07	7/10/2013	7/10/2013	7/10/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9390				
NAL13026-467	277-ST T3	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9386				
NAL13026-467	277-ST T3	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9386				
NAL13026-467	277-ST T3	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9386				
NAL13026-467	277-ST T3	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9386				
NAL13026-467	277-ST T3	ORG	74-97-5	Bromochloromethane		U	ug/L	200	81.18	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9386				
NAL13026-467	277-ST T3	ORG	67-66-3	Chloroform		U	ug/L	100	41.37	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9386				
NAL13026-467	277-ST T3	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	15.73	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9386				
NAL13026-467	277-ST T3	ORG	78-93-3	2-Butanone	59000	DX+	ug/L	10000	166.52	7/10/2013	7/10/2013	7/10/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9390				
NAL13026-467	277-ST T3	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9386				
NAL13026-467	277-ST T3	ORG	71-43-2	Benzene	370		ug/L	100	13.53	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9386				
NAL13026-467	277-ST T3	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9386				
NAL13026-467	277-ST T3	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9386				
NAL13026-467	277-ST T3	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9386				
NAL13026-467	277-ST T3	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9386				
NAL13026-467	277-ST T3	ORG	75-27-4	Bromodichloromethane	73	J	ug/L	200	11.58	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9386				
NAL13026-467	277-ST T3	ORG	10061-01-5	cis-1,3-Dichloropropene	44	J	ug/L	100	25.01	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9386				
NAL13026-467	277-ST T3	ORG	108-88-3	Toluene	800		ug/L	100	20.96	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9386				
NAL13026-467	277-ST T3	ORG	108-10-1	4-Methyl-2-pentanone	3100	X+	ug/L	500	74.00	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9386				
NAL13026-467	277-ST T3	ORG	10061-02-6	trans-1,3-Dichloropropene	100		ug/L	100	31.15	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9386				
NAL13026-467	277-ST T3	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9386				
NAL13026-467	277-ST T3	ORG	79-00-5	1,1,2-Trichloroethane	460		ug/L	100	34.28	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9386				
NAL13026-467	277-ST T3	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	68.90	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9386				
NAL13026-467	277-ST T3	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	29.90	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9386				
NAL13026-467	277-ST T3	ORG	591-78-6	2-Hexanone	1700	X+	ug/L	500	26.49	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9386				
NAL13026-467	277-ST T3	ORG	100-41-4	Ethylbenzene	2000		ug/L	100	25.38	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9386				
NAL13026-467	277-ST T3	ORG	108-90-7	Chlorobenzene	110		ug/L	100	27.52	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9386				
NAL13026-467	277-ST T3	ORG	630-20-6	1,1,1,2-Tetrachloroethane	65	J	ug/L	200	19.28	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9386				
NAL13026-467	277-ST T3	ORG	XYLMP	p&m-Xylene	5000		ug/L	200	26.14	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9386				
NAL13026-467	277-ST T3	ORG	95-47-6	o-Xylene	2300		ug/L	100	12.90	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9386				
NAL13026-467	277-ST T3	ORG	100-42-5	Styrene	330		ug/L	100	20.23	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9386				
NAL13026-467	277-ST T3	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9386				
NAL13026-467	277-ST T3	ORG	98-82-8	Isopropylbenzene	1500		ug/L	200	20.48	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9386				
NAL13026-467	277-ST T3	ORG	103-65-1	n-Propylbenzene	1100		ug/L	200	27.00	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9386				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-467	277-ST T3	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9386				
NAL13026-467	277-ST T3	ORG	96-18-4	1,2,3-Trichloropropane	70	J	ug/L	200	29.47	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9386				
NAL13026-467	277-ST T3	ORG	108-67-8	1,3,5-Trimethylbenzene	2400		ug/L	200	20.03	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9386				
NAL13026-467	277-ST T3	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9386				
NAL13026-467	277-ST T3	ORG	95-63-6	1,2,4-Trimethylbenzene	9200		ug/L	200	20.03	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9386				
NAL13026-467	277-ST T3	ORG	135-98-8	sec-Butylbenzene	420		ug/L	200	32.34	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9386				
NAL13026-467	277-ST T3	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9386				
NAL13026-467	277-ST T3	ORG	99-87-6	p-Isopropltoluene	43000	D	ug/L	2000	254.81	7/10/2013	7/10/2013	7/10/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9390				
NAL13026-467	277-ST T3	ORG	106-46-7	1,4-Dichlorobenzene	9700		ug/L	200	33.03	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9386				
NAL13026-467	277-ST T3	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9386				
NAL13026-467	277-ST T3	ORG	104-51-8	n-Butylbenzene	1400		ug/L	500	27.81	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9386				
NAL13026-467	277-ST T3	ORG	96-12-8	1,2-Dibromo-3-chloropropane	8100		ug/L	500	159.11	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9386				
NAL13026-467	277-ST T3	ORG	87-68-3	Hexachlorobutadiene	85	J	ug/L	500	65.42	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9386				
NAL13026-467	277-ST T3	ORG	120-82-1	1,2,4-Trichlorobenzene	240	J	ug/L	500	27.63	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9386				
NAL13026-467	277-ST T3	ORG	91-20-3	Naphthalene	8000		ug/L	500	56.04	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9386				
NAL13026-467	277-ST T3	ORG	87-61-6	1,2,3-Trichlorobenzene	170	J	ug/L	500	23.28	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9386				
NAL13026-467	277-ST T3	STD	1868-53-7	Dibromofluoromethane	50		ng			7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9386	50	100%		
NAL13026-467	277-ST T3	STD	17060-07-0	1,2-Dichloroethane d4	52		ng			7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9386	50	104%		
NAL13026-467	277-ST T3	STD	2037-26-5	Toluene d8	47		ng			7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9386	50	94%		
NAL13026-467	277-ST T3	STD	460-00-4	Bromofluorobenzene	40		ng			7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9386	50	80%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-468	277-ST T4	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9387				
NAL13026-468	277-ST T4	ORG	74-87-3	Chloromethane		U	ug/L	500	43.07	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9387				
NAL13026-468	277-ST T4	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9387				
NAL13026-468	277-ST T4	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9387				
NAL13026-468	277-ST T4	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9387				
NAL13026-468	277-ST T4	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9387				
NAL13026-468	277-ST T4	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9387				
NAL13026-468	277-ST T4	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9387				
NAL13026-468	277-ST T4	ORG	67-64-1	Acetone	93000	DX+	ug/L	10000	1556.07	7/10/2013	7/10/2013	7/10/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9391				
NAL13026-468	277-ST T4	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9387				
NAL13026-468	277-ST T4	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9387				
NAL13026-468	277-ST T4	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9387				
NAL13026-468	277-ST T4	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9387				
NAL13026-468	277-ST T4	ORG	74-97-5	Bromochloromethane		U	ug/L	200	81.18	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9387				
NAL13026-468	277-ST T4	ORG	67-66-3	Chloroform		U	ug/L	100	41.37	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9387				
NAL13026-468	277-ST T4	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	15.73	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9387				
NAL13026-468	277-ST T4	ORG	78-93-3	2-Butanone	49000	DX+	ug/L	10000	166.52	7/10/2013	7/10/2013	7/10/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9391				
NAL13026-468	277-ST T4	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9387				
NAL13026-468	277-ST T4	ORG	71-43-2	Benzene		U	ug/L	100	13.53	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9387				
NAL13026-468	277-ST T4	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9387				
NAL13026-468	277-ST T4	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9387				
NAL13026-468	277-ST T4	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9387				
NAL13026-468	277-ST T4	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9387				
NAL13026-468	277-ST T4	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9387				
NAL13026-468	277-ST T4	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9387				
NAL13026-468	277-ST T4	ORG	108-88-3	Toluene	22	J	ug/L	100	20.96	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9387				
NAL13026-468	277-ST T4	ORG	108-10-1	4-Methyl-2-pentanone	2200	X+	ug/L	500	74.00	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9387				
NAL13026-468	277-ST T4	ORG	10061-02-6	trans-1,3-Dichloropropene	46	J	ug/L	100	31.15	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9387				
NAL13026-468	277-ST T4	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9387				
NAL13026-468	277-ST T4	ORG	79-00-5	1,1,2-Trichloroethane	120		ug/L	100	34.28	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9387				
NAL13026-468	277-ST T4	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	68.90	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9387				
NAL13026-468	277-ST T4	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	29.90	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9387				
NAL13026-468	277-ST T4	ORG	591-78-6	2-Hexanone	970	X+	ug/L	500	26.49	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9387				
NAL13026-468	277-ST T4	ORG	100-41-4	Ethylbenzene	31	J	ug/L	100	25.38	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9387				
NAL13026-468	277-ST T4	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9387				
NAL13026-468	277-ST T4	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9387				
NAL13026-468	277-ST T4	ORG	XYLMP	p&m-Xylene	84	J	ug/L	200	26.14	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9387				
NAL13026-468	277-ST T4	ORG	95-47-6	o-Xylene	49	J	ug/L	100	12.90	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9387				
NAL13026-468	277-ST T4	ORG	100-42-5	Styrene	32	J	ug/L	100	20.23	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9387				
NAL13026-468	277-ST T4	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9387				
NAL13026-468	277-ST T4	ORG	98-82-8	Isopropylbenzene	40	J	ug/L	200	20.48	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9387				
NAL13026-468	277-ST T4	ORG	103-65-1	n-Propylbenzene	27	J	ug/L	200	27.00	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9387				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-468	277-ST T4	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9387				
NAL13026-468	277-ST T4	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9387				
NAL13026-468	277-ST T4	ORG	108-67-8	1,3,5-Trimethylbenzene	81	J	ug/L	200	20.03	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9387				
NAL13026-468	277-ST T4	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9387				
NAL13026-468	277-ST T4	ORG	95-63-6	1,2,4-Trimethylbenzene	310		ug/L	200	20.03	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9387				
NAL13026-468	277-ST T4	ORG	135-98-8	sec-Butylbenzene	220		ug/L	200	32.34	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9387				
NAL13026-468	277-ST T4	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9387				
NAL13026-468	277-ST T4	ORG	99-87-6	p-Isopropltoluene	1700		ug/L	200	25.48	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9387				
NAL13026-468	277-ST T4	ORG	106-46-7	1,4-Dichlorobenzene	410		ug/L	200	33.03	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9387				
NAL13026-468	277-ST T4	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9387				
NAL13026-468	277-ST T4	ORG	104-51-8	n-Butylbenzene	110	J	ug/L	500	27.81	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9387				
NAL13026-468	277-ST T4	ORG	96-12-8	1,2-Dibromo-3-chloropropane	910	J	ug/L	500	159.11	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9387				
NAL13026-468	277-ST T4	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9387				
NAL13026-468	277-ST T4	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9387				
NAL13026-468	277-ST T4	ORG	91-20-3	Naphthalene	950		ug/L	500	56.04	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9387				
NAL13026-468	277-ST T4	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9387				
NAL13026-468	277-ST T4	STD	1868-53-7	Dibromofluoromethane	50		ng			7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9387	50	100%		
NAL13026-468	277-ST T4	STD	17060-07-0	1,2-Dichloroethane d4	51		ng			7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9387	50	102%		
NAL13026-468	277-ST T4	STD	2037-26-5	Toluene d8	47		ng			7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9387	50	94%		
NAL13026-468	277-ST T4	STD	460-00-4	Bromofluorobenzene	46		ng			7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9387	50	92%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J071013CCVA	J071013CCVA	ORG	75-71-8	Dichlorodifluoromethane	31		ug/L	5	0.29	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9371	50	62%		
J071013CCVA	J071013CCVA	ORG	74-87-3	Chloromethane	38		ug/L	5	0.43	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9371	50	76%		
J071013CCVA	J071013CCVA	ORG	75-01-4	Vinyl chloride	43		ug/L	2	0.32	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9371	50	86%		
J071013CCVA	J071013CCVA	ORG	74-83-9	Bromomethane	46		ug/L	5	0.50	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9371	50	92%		
J071013CCVA	J071013CCVA	ORG	75-00-3	Chloroethane	46		ug/L	5	0.56	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9371	50	92%		
J071013CCVA	J071013CCVA	ORG	75-69-4	Trichlorofluoromethane	39		ug/L	5	0.20	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9371	50	78%		
J071013CCVA	J071013CCVA	ORG	75-35-4	1,1-Dichloroethene	45		ug/L	1	0.47	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9371	50	90%		
J071013CCVA	J071013CCVA	ORG	75-09-2	Methylene chloride	46		ug/L	5	0.26	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9371	50	92%		
J071013CCVA	J071013CCVA	ORG	67-64-1	Acetone	53		ug/L	10	1.56	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9371	50	106%		
J071013CCVA	J071013CCVA	ORG	156-60-5	trans-1,2-Dichloroethene	47		ug/L	1	0.56	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9371	50	94%		
J071013CCVA	J071013CCVA	ORG	1634-04-4	MTBE	52		ug/L	5	0.61	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9371	50	104%		
J071013CCVA	J071013CCVA	ORG	75-34-3	1,1-Dichloroethane	57		ug/L	1	0.53	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9371	50	114%		
J071013CCVA	J071013CCVA	ORG	156-59-2	cis-1,2-Dichloroethene	54		ug/L	1	0.32	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9371	50	108%		
J071013CCVA	J071013CCVA	ORG	74-97-5	Bromochloromethane	55		ug/L	10	0.81	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9371	50	110%		
J071013CCVA	J071013CCVA	ORG	67-66-3	Chloroform	52		ug/L	2	0.41	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9371	50	104%		
J071013CCVA	J071013CCVA	ORG	71-55-6	1,1,1-Trichloroethane	51		ug/L	1	0.16	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9371	50	102%		
J071013CCVA	J071013CCVA	ORG	78-93-3	2-Butanone	57		ug/L	1	0.17	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9371	50	114%		
J071013CCVA	J071013CCVA	ORG	56-23-5	Carbon tetrachloride	53		ug/L	1	0.28	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9371	50	106%		
J071013CCVA	J071013CCVA	ORG	71-43-2	Benzene	50		ug/L	1	0.14	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9371	50	100%		
J071013CCVA	J071013CCVA	ORG	107-06-2	1,2-Dichloroethane	50		ug/L	1	0.20	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9371	50	100%		
J071013CCVA	J071013CCVA	ORG	79-01-6	Trichloroethene	52		ug/L	1	0.36	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9371	50	104%		
J071013CCVA	J071013CCVA	ORG	74-95-3	Dibromomethane	53		ug/L	2	0.32	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9371	50	106%		
J071013CCVA	J071013CCVA	ORG	78-87-5	1,2-Dichloropropane	47		ug/L	1	0.18	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9371	50	94%		
J071013CCVA	J071013CCVA	ORG	75-27-4	Bromodichloromethane	49		ug/L	2	0.12	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9371	50	98%		
J071013CCVA	J071013CCVA	ORG	10061-01-5	cis-1,3-Dichloropropene	48		ug/L	1	0.25	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9371	50	96%		
J071013CCVA	J071013CCVA	ORG	108-88-3	Toluene	46		ug/L	5	0.74	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9371	50	92%		
J071013CCVA	J071013CCVA	ORG	108-10-1	4-Methyl-2-pentanone	54		ug/L	1	0.21	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9371	50	108%		
J071013CCVA	J071013CCVA	ORG	10061-02-6	trans-1,3-Dichloropropene	50		ug/L	1	0.31	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9371	50	100%		
J071013CCVA	J071013CCVA	ORG	127-18-4	Tetrachloroethene	42		ug/L	1	0.49	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9371	50	84%		
J071013CCVA	J071013CCVA	ORG	79-00-5	1,1,2-Trichloroethane	49		ug/L	1	0.34	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9371	50	98%		
J071013CCVA	J071013CCVA	ORG	124-48-1	Dibromochloromethane	52		ug/L	5	0.69	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9371	50	104%		
J071013CCVA	J071013CCVA	ORG	106-93-4	1,2-Dibromoethane	51		ug/L	2	0.30	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9371	50	102%		
J071013CCVA	J071013CCVA	ORG	591-78-6	2-Hexanone	56		ug/L	2	0.26	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9371	50	112%		
J071013CCVA	J071013CCVA	ORG	100-41-4	Ethylbenzene	46		ug/L	1	0.25	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9371	50	92%		
J071013CCVA	J071013CCVA	ORG	108-90-7	Chlorobenzene	47		ug/L	1	0.28	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9371	50	94%		
J071013CCVA	J071013CCVA	ORG	630-20-6	1,1,1,2-Tetrachloroethane	47		ug/L	2	0.19	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9371	50	94%		
J071013CCVA	J071013CCVA	ORG	XYLMP	p&m-Xylene	91		ug/L	2	0.26	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9371	100	91%		
J071013CCVA	J071013CCVA	ORG	95-47-6	o-Xylene	46		ug/L	1	0.13	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9371	50	92%		
J071013CCVA	J071013CCVA	ORG	100-42-5	Styrene	44		ug/L	1	0.20	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9371	50	88%		
J071013CCVA	J071013CCVA	ORG	75-25-2	Bromoform	52		ug/L	2	0.47	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9371	50	104%		
J071013CCVA	J071013CCVA	ORG	98-82-8	Isopropylbenzene	46		ug/L	2	0.20	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9371	50	92%		
J071013CCVA	J071013CCVA	ORG	103-65-1	n-Propylbenzene	47		ug/L	2	0.27	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9371	50	94%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J071013CCVA	J071013CCVA	ORG	79-34-5	1,1,2,2-Tetrachloroethane	51		ug/L	2	0.29	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9371	50	102%		
J071013CCVA	J071013CCVA	ORG	96-18-4	1,2,3-Trichloropropane	51		ug/L	2	0.29	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9371	50	102%		
J071013CCVA	J071013CCVA	ORG	108-67-8	1,3,5-Trimethylbenzene	46		ug/L	2	0.20	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9371	50	92%		
J071013CCVA	J071013CCVA	ORG	98-06-6	tert-Butylbenzene	48		ug/L	2	0.33	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9371	50	96%		
J071013CCVA	J071013CCVA	ORG	95-63-6	1,2,4-Trimethylbenzene	47		ug/L	2	0.20	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9371	50	94%		
J071013CCVA	J071013CCVA	ORG	135-98-8	sec-Butylbenzene	48		ug/L	2	0.32	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9371	50	96%		
J071013CCVA	J071013CCVA	ORG	541-73-1	1,3-Dichlorobenzene	51		ug/L	2	0.22	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9371	50	102%		
J071013CCVA	J071013CCVA	ORG	99-87-6	p-Isopropltoluene	50		ug/L	2	0.25	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9371	50	100%		
J071013CCVA	J071013CCVA	ORG	106-46-7	1,4-Dichlorobenzene	50		ug/L	2	0.33	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9371	50	100%		
J071013CCVA	J071013CCVA	ORG	95-50-1	1,2-Dichlorobenzene	49		ug/L	2	0.26	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9371	50	98%		
J071013CCVA	J071013CCVA	ORG	104-51-8	n-Butylbenzene	49		ug/L	5	0.28	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9371	50	98%		
J071013CCVA	J071013CCVA	ORG	96-12-8	1,2-Dibromo-3-chloropropane	50		ug/L	5	1.59	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9371	50	100%		
J071013CCVA	J071013CCVA	ORG	87-68-3	Hexachlorobutadiene	54		ug/L	5	0.65	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9371	50	108%		
J071013CCVA	J071013CCVA	ORG	120-82-1	1,2,4-Trichlorobenzene	50		ug/L	5	0.28	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9371	50	100%		
J071013CCVA	J071013CCVA	ORG	91-20-3	Naphthalene	48		ug/L	5	0.56	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9371	50	96%		
J071013CCVA	J071013CCVA	ORG	87-61-6	1,2,3-Trichlorobenzene	50		ug/L	5	0.23	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9371	50	100%		
J071013CCVA	J071013CCVA	STD	1868-53-7	Dibromofluoromethane	52		ng			NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9371	50	104%		
J071013CCVA	J071013CCVA	STD	17060-07-0	1,2-Dichloroethane d4	47		ng			NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9371	50	94%		
J071013CCVA	J071013CCVA	STD	2037-26-5	Toluene d8	46		ng			NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9371	50	92%		
J071013CCVA	J071013CCVA	STD	460-00-4	Bromofluorobenzene	46		ng			NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9371	50	92%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J071013MBKA	J071013MBKA	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	5	0.29	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9372				
J071013MBKA	J071013MBKA	ORG	74-87-3	Chloromethane		U	ug/L	5	0.43	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9372				
J071013MBKA	J071013MBKA	ORG	75-01-4	Vinyl chloride		U	ug/L	2	0.32	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9372				
J071013MBKA	J071013MBKA	ORG	74-83-9	Bromomethane		U	ug/L	5	0.50	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9372				
J071013MBKA	J071013MBKA	ORG	75-00-3	Chloroethane		U	ug/L	5	0.56	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9372				
J071013MBKA	J071013MBKA	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	5	0.20	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9372				
J071013MBKA	J071013MBKA	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	1	0.47	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9372				
J071013MBKA	J071013MBKA	ORG	75-09-2	Methylene chloride		U	ug/L	5	0.26	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9372				
J071013MBKA	J071013MBKA	ORG	67-64-1	Acetone		U	ug/L	10	1.56	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9372				
J071013MBKA	J071013MBKA	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	1	0.56	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9372				
J071013MBKA	J071013MBKA	ORG	1634-04-4	MTBE		U	ug/L	5	0.61	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9372				
J071013MBKA	J071013MBKA	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	1	0.53	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9372				
J071013MBKA	J071013MBKA	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	1	0.32	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9372				
J071013MBKA	J071013MBKA	ORG	74-97-5	Bromochloromethane		U	ug/L	10	0.81	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9372				
J071013MBKA	J071013MBKA	ORG	67-66-3	Chloroform		U	ug/L	2	0.41	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9372				
J071013MBKA	J071013MBKA	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	1	0.16	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9372				
J071013MBKA	J071013MBKA	ORG	78-93-3	2-Butanone		U	ug/L	1	0.17	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9372				
J071013MBKA	J071013MBKA	ORG	56-23-5	Carbon tetrachloride		U	ug/L	1	0.28	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9372				
J071013MBKA	J071013MBKA	ORG	71-43-2	Benzene		U	ug/L	1	0.14	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9372				
J071013MBKA	J071013MBKA	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	1	0.20	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9372				
J071013MBKA	J071013MBKA	ORG	79-01-6	Trichloroethene		U	ug/L	1	0.36	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9372				
J071013MBKA	J071013MBKA	ORG	74-95-3	Dibromomethane		U	ug/L	2	0.32	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9372				
J071013MBKA	J071013MBKA	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	1	0.18	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9372				
J071013MBKA	J071013MBKA	ORG	75-27-4	Bromodichloromethane		U	ug/L	2	0.12	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9372				
J071013MBKA	J071013MBKA	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	1	0.25	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9372				
J071013MBKA	J071013MBKA	ORG	108-88-3	Toluene		U	ug/L	5	0.74	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9372				
J071013MBKA	J071013MBKA	ORG	108-10-1	4-Methyl-2-pentanone		U	ug/L	1	0.21	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9372				
J071013MBKA	J071013MBKA	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	1	0.31	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9372				
J071013MBKA	J071013MBKA	ORG	127-18-4	Tetrachloroethene		U	ug/L	1	0.49	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9372				
J071013MBKA	J071013MBKA	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	1	0.34	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9372				
J071013MBKA	J071013MBKA	ORG	124-48-1	Dibromochloromethane		U	ug/L	5	0.69	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9372				
J071013MBKA	J071013MBKA	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	2	0.30	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9372				
J071013MBKA	J071013MBKA	ORG	591-78-6	2-Hexanone		U	ug/L	2	0.26	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9372				
J071013MBKA	J071013MBKA	ORG	100-41-4	Ethylbenzene		U	ug/L	1	0.25	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9372				
J071013MBKA	J071013MBKA	ORG	108-90-7	Chlorobenzene		U	ug/L	1	0.28	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9372				
J071013MBKA	J071013MBKA	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	2	0.19	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9372				
J071013MBKA	J071013MBKA	ORG	XYLMP	p&m-Xylene		U	ug/L	2	0.26	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9372				
J071013MBKA	J071013MBKA	ORG	95-47-6	o-Xylene		U	ug/L	1	0.13	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9372				
J071013MBKA	J071013MBKA	ORG	100-42-5	Styrene		U	ug/L	1	0.20	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9372				
J071013MBKA	J071013MBKA	ORG	75-25-2	Bromoform		U	ug/L	2	0.47	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9372				
J071013MBKA	J071013MBKA	ORG	98-82-8	Isopropylbenzene		U	ug/L	2	0.20	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9372				
J071013MBKA	J071013MBKA	ORG	103-65-1	n-Propylbenzene		U	ug/L	2	0.27	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9372				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J071013MBKA	J071013MBKA	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	2	0.29	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9372				
J071013MBKA	J071013MBKA	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	2	0.29	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9372				
J071013MBKA	J071013MBKA	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	2	0.20	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9372				
J071013MBKA	J071013MBKA	ORG	98-06-6	tert-Butylbenzene		U	ug/L	2	0.33	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9372				
J071013MBKA	J071013MBKA	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	2	0.20	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9372				
J071013MBKA	J071013MBKA	ORG	135-98-8	sec-Butylbenzene		U	ug/L	2	0.32	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9372				
J071013MBKA	J071013MBKA	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	2	0.22	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9372				
J071013MBKA	J071013MBKA	ORG	99-87-6	p-Isopropltoluene		U	ug/L	2	0.25	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9372				
J071013MBKA	J071013MBKA	ORG	106-46-7	1,4-Dichlorobenzene		U	ug/L	2	0.33	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9372				
J071013MBKA	J071013MBKA	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	2	0.26	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9372				
J071013MBKA	J071013MBKA	ORG	104-51-8	n-Butylbenzene		U	ug/L	5	0.28	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9372				
J071013MBKA	J071013MBKA	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	5	1.59	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9372				
J071013MBKA	J071013MBKA	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	5	0.65	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9372				
J071013MBKA	J071013MBKA	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	5	0.28	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9372				
J071013MBKA	J071013MBKA	ORG	91-20-3	Naphthalene		U	ug/L	5	0.56	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9372				
J071013MBKA	J071013MBKA	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	5	0.23	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9372				
J071013MBKA	J071013MBKA	STD	1868-53-7	Dibromofluoromethane	51		ng			NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9372	50	102%		
J071013MBKA	J071013MBKA	STD	17060-07-0	1,2-Dichloroethane d4	52		ng			NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9372	50	104%		
J071013MBKA	J071013MBKA	STD	2037-26-5	Toluene d8	48		ng			NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9372	50	96%		
J071013MBKA	J071013MBKA	STD	460-00-4	Bromofluorobenzene	47		ng			NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9372	50	94%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J071013CCVB	J071013CCVB	ORG	75-71-8	Dichlorodifluoromethane	59		ug/L	5	0.29	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9382	50	118%		
J071013CCVB	J071013CCVB	ORG	74-87-3	Chloromethane	46		ug/L	5	0.43	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9382	50	92%		
J071013CCVB	J071013CCVB	ORG	75-01-4	Vinyl chloride	48		ug/L	2	0.32	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9382	50	96%		
J071013CCVB	J071013CCVB	ORG	74-83-9	Bromomethane	56		ug/L	5	0.50	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9382	50	112%		
J071013CCVB	J071013CCVB	ORG	75-00-3	Chloroethane	64		ug/L	5	0.56	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9382	50	128%		
J071013CCVB	J071013CCVB	ORG	75-69-4	Trichlorofluoromethane	52		ug/L	5	0.20	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9382	50	104%		
J071013CCVB	J071013CCVB	ORG	75-35-4	1,1-Dichloroethene	44		ug/L	1	0.47	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9382	50	88%		
J071013CCVB	J071013CCVB	ORG	75-09-2	Methylene chloride	46		ug/L	5	0.26	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9382	50	92%		
J071013CCVB	J071013CCVB	ORG	67-64-1	Acetone	63		ug/L	10	1.56	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9382	50	126%		
J071013CCVB	J071013CCVB	ORG	156-60-5	trans-1,2-Dichloroethene	45		ug/L	1	0.56	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9382	50	90%		
J071013CCVB	J071013CCVB	ORG	1634-04-4	MTBE	45		ug/L	5	0.61	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9382	50	90%		
J071013CCVB	J071013CCVB	ORG	75-34-3	1,1-Dichloroethane	53		ug/L	1	0.53	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9382	50	106%		
J071013CCVB	J071013CCVB	ORG	156-59-2	cis-1,2-Dichloroethene	52		ug/L	1	0.32	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9382	50	104%		
J071013CCVB	J071013CCVB	ORG	74-97-5	Bromochloromethane	53		ug/L	10	0.81	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9382	50	106%		
J071013CCVB	J071013CCVB	ORG	67-66-3	Chloroform	51		ug/L	2	0.41	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9382	50	102%		
J071013CCVB	J071013CCVB	ORG	71-55-6	1,1,1-Trichloroethane	49		ug/L	1	0.16	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9382	50	98%		
J071013CCVB	J071013CCVB	ORG	78-93-3	2-Butanone	67		ug/L	1	0.17	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9382	50	134%		
J071013CCVB	J071013CCVB	ORG	56-23-5	Carbon tetrachloride	51		ug/L	1	0.28	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9382	50	102%		
J071013CCVB	J071013CCVB	ORG	71-43-2	Benzene	46		ug/L	1	0.14	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9382	50	92%		
J071013CCVB	J071013CCVB	ORG	107-06-2	1,2-Dichloroethane	50		ug/L	1	0.20	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9382	50	100%		
J071013CCVB	J071013CCVB	ORG	79-01-6	Trichloroethene	51		ug/L	1	0.36	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9382	50	102%		
J071013CCVB	J071013CCVB	ORG	74-95-3	Dibromomethane	54		ug/L	2	0.32	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9382	50	108%		
J071013CCVB	J071013CCVB	ORG	78-87-5	1,2-Dichloropropane	46		ug/L	1	0.18	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9382	50	92%		
J071013CCVB	J071013CCVB	ORG	75-27-4	Bromodichloromethane	47		ug/L	2	0.12	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9382	50	94%		
J071013CCVB	J071013CCVB	ORG	10061-01-5	cis-1,3-Dichloropropene	46		ug/L	1	0.25	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9382	50	92%		
J071013CCVB	J071013CCVB	ORG	108-88-3	Toluene	46		ug/L	5	0.74	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9382	50	92%		
J071013CCVB	J071013CCVB	ORG	108-10-1	4-Methyl-2-pentanone	62		ug/L	1	0.21	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9382	50	124%		
J071013CCVB	J071013CCVB	ORG	10061-02-6	trans-1,3-Dichloropropene	49		ug/L	1	0.31	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9382	50	98%		
J071013CCVB	J071013CCVB	ORG	127-18-4	Tetrachloroethene	39		ug/L	1	0.49	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9382	50	78%		
J071013CCVB	J071013CCVB	ORG	79-00-5	1,1,2-Trichloroethane	50		ug/L	1	0.34	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9382	50	100%		
J071013CCVB	J071013CCVB	ORG	124-48-1	Dibromochloromethane	52		ug/L	5	0.69	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9382	50	104%		
J071013CCVB	J071013CCVB	ORG	106-93-4	1,2-Dibromoethane	53		ug/L	2	0.30	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9382	50	106%		
J071013CCVB	J071013CCVB	ORG	591-78-6	2-Hexanone	74		ug/L	2	0.26	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9382	50	148%		
J071013CCVB	J071013CCVB	ORG	100-41-4	Ethylbenzene	42		ug/L	1	0.25	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9382	50	84%		
J071013CCVB	J071013CCVB	ORG	108-90-7	Chlorobenzene	43		ug/L	1	0.28	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9382	50	86%		
J071013CCVB	J071013CCVB	ORG	630-20-6	1,1,1,2-Tetrachloroethane	42		ug/L	2	0.19	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9382	50	84%		
J071013CCVB	J071013CCVB	ORG	XYLMP	p&m-Xylene	85		ug/L	2	0.26	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9382	100	85%		
J071013CCVB	J071013CCVB	ORG	95-47-6	o-Xylene	43		ug/L	1	0.13	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9382	50	86%		
J071013CCVB	J071013CCVB	ORG	100-42-5	Styrene	42		ug/L	1	0.20	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9382	50	84%		
J071013CCVB	J071013CCVB	ORG	75-25-2	Bromoform	53		ug/L	2	0.47	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9382	50	106%		
J071013CCVB	J071013CCVB	ORG	98-82-8	Isopropylbenzene	43		ug/L	2	0.20	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9382	50	86%		
J071013CCVB	J071013CCVB	ORG	103-65-1	n-Propylbenzene	44		ug/L	2	0.27	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9382	50	88%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J071013CCVB	J071013CCVB	ORG	79-34-5	1,1,2,2-Tetrachloroethane	57		ug/L	2	0.29	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9382	50	114%		
J071013CCVB	J071013CCVB	ORG	96-18-4	1,2,3-Trichloropropane	55		ug/L	2	0.29	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9382	50	110%		
J071013CCVB	J071013CCVB	ORG	108-67-8	1,3,5-Trimethylbenzene	45		ug/L	2	0.20	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9382	50	90%		
J071013CCVB	J071013CCVB	ORG	98-06-6	tert-Butylbenzene	45		ug/L	2	0.33	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9382	50	90%		
J071013CCVB	J071013CCVB	ORG	95-63-6	1,2,4-Trimethylbenzene	46		ug/L	2	0.20	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9382	50	92%		
J071013CCVB	J071013CCVB	ORG	135-98-8	sec-Butylbenzene	46		ug/L	2	0.32	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9382	50	92%		
J071013CCVB	J071013CCVB	ORG	541-73-1	1,3-Dichlorobenzene	50		ug/L	2	0.22	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9382	50	100%		
J071013CCVB	J071013CCVB	ORG	99-87-6	p-Isopropltoluene	48		ug/L	2	0.25	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9382	50	96%		
J071013CCVB	J071013CCVB	ORG	106-46-7	1,4-Dichlorobenzene	52		ug/L	2	0.33	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9382	50	104%		
J071013CCVB	J071013CCVB	ORG	95-50-1	1,2-Dichlorobenzene	51		ug/L	2	0.26	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9382	50	102%		
J071013CCVB	J071013CCVB	ORG	104-51-8	n-Butylbenzene	49		ug/L	5	0.28	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9382	50	98%		
J071013CCVB	J071013CCVB	ORG	96-12-8	1,2-Dibromo-3-chloropropane	64		ug/L	5	1.59	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9382	50	128%		
J071013CCVB	J071013CCVB	ORG	87-68-3	Hexachlorobutadiene	55		ug/L	5	0.65	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9382	50	110%		
J071013CCVB	J071013CCVB	ORG	120-82-1	1,2,4-Trichlorobenzene	54		ug/L	5	0.28	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9382	50	108%		
J071013CCVB	J071013CCVB	ORG	91-20-3	Naphthalene	56		ug/L	5	0.56	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9382	50	112%		
J071013CCVB	J071013CCVB	ORG	87-61-6	1,2,3-Trichlorobenzene	54		ug/L	5	0.23	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9382	50	108%		
J071013CCVB	J071013CCVB	STD	1868-53-7	Dibromofluoromethane	53		ng			NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9382	50	106%		
J071013CCVB	J071013CCVB	STD	17060-07-0	1,2-Dichloroethane d4	49		ng			NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9382	50	98%		
J071013CCVB	J071013CCVB	STD	2037-26-5	Toluene d8	47		ng			NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9382	50	94%		
J071013CCVB	J071013CCVB	STD	460-00-4	Bromofluorobenzene	46		ng			NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9382	50	92%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J071013MBKB	J071013MBKB	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	5	0.29	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9383				
J071013MBKB	J071013MBKB	ORG	74-87-3	Chloromethane		U	ug/L	5	0.43	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9383				
J071013MBKB	J071013MBKB	ORG	75-01-4	Vinyl chloride		U	ug/L	2	0.32	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9383				
J071013MBKB	J071013MBKB	ORG	74-83-9	Bromomethane		U	ug/L	5	0.50	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9383				
J071013MBKB	J071013MBKB	ORG	75-00-3	Chloroethane		U	ug/L	5	0.56	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9383				
J071013MBKB	J071013MBKB	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	5	0.20	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9383				
J071013MBKB	J071013MBKB	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	1	0.47	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9383				
J071013MBKB	J071013MBKB	ORG	75-09-2	Methylene chloride		U	ug/L	5	0.26	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9383				
J071013MBKB	J071013MBKB	ORG	67-64-1	Acetone		U	ug/L	10	1.56	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9383				
J071013MBKB	J071013MBKB	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	1	0.56	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9383				
J071013MBKB	J071013MBKB	ORG	1634-04-4	MTBE		U	ug/L	5	0.61	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9383				
J071013MBKB	J071013MBKB	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	1	0.53	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9383				
J071013MBKB	J071013MBKB	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	1	0.32	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9383				
J071013MBKB	J071013MBKB	ORG	74-97-5	Bromochloromethane		U	ug/L	10	0.81	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9383				
J071013MBKB	J071013MBKB	ORG	67-66-3	Chloroform		U	ug/L	2	0.41	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9383				
J071013MBKB	J071013MBKB	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	1	0.16	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9383				
J071013MBKB	J071013MBKB	ORG	78-93-3	2-Butanone		U	ug/L	1	0.17	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9383				
J071013MBKB	J071013MBKB	ORG	56-23-5	Carbon tetrachloride		U	ug/L	1	0.28	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9383				
J071013MBKB	J071013MBKB	ORG	71-43-2	Benzene		U	ug/L	1	0.14	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9383				
J071013MBKB	J071013MBKB	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	1	0.20	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9383				
J071013MBKB	J071013MBKB	ORG	79-01-6	Trichloroethene		U	ug/L	1	0.36	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9383				
J071013MBKB	J071013MBKB	ORG	74-95-3	Dibromomethane		U	ug/L	2	0.32	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9383				
J071013MBKB	J071013MBKB	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	1	0.18	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9383				
J071013MBKB	J071013MBKB	ORG	75-27-4	Bromodichloromethane		U	ug/L	2	0.12	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9383				
J071013MBKB	J071013MBKB	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	1	0.25	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9383				
J071013MBKB	J071013MBKB	ORG	108-88-3	Toluene		U	ug/L	5	0.74	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9383				
J071013MBKB	J071013MBKB	ORG	108-10-1	4-Methyl-2-pentanone		U	ug/L	1	0.21	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9383				
J071013MBKB	J071013MBKB	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	1	0.31	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9383				
J071013MBKB	J071013MBKB	ORG	127-18-4	Tetrachloroethene		U	ug/L	1	0.49	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9383				
J071013MBKB	J071013MBKB	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	1	0.34	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9383				
J071013MBKB	J071013MBKB	ORG	124-48-1	Dibromochloromethane		U	ug/L	5	0.69	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9383				
J071013MBKB	J071013MBKB	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	2	0.30	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9383				
J071013MBKB	J071013MBKB	ORG	591-78-6	2-Hexanone		U	ug/L	2	0.26	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9383				
J071013MBKB	J071013MBKB	ORG	100-41-4	Ethylbenzene		U	ug/L	1	0.25	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9383				
J071013MBKB	J071013MBKB	ORG	108-90-7	Chlorobenzene		U	ug/L	1	0.28	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9383				
J071013MBKB	J071013MBKB	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	2	0.19	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9383				
J071013MBKB	J071013MBKB	ORG	XYLMP	p&m-Xylene		U	ug/L	2	0.26	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9383				
J071013MBKB	J071013MBKB	ORG	95-47-6	o-Xylene		U	ug/L	1	0.13	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9383				
J071013MBKB	J071013MBKB	ORG	100-42-5	Styrene		U	ug/L	1	0.20	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9383				
J071013MBKB	J071013MBKB	ORG	75-25-2	Bromoform		U	ug/L	2	0.47	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9383				
J071013MBKB	J071013MBKB	ORG	98-82-8	Isopropylbenzene		U	ug/L	2	0.20	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9383				
J071013MBKB	J071013MBKB	ORG	103-65-1	n-Propylbenzene		U	ug/L	2	0.27	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9383				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J071013MBKB	J071013MBKB	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	2	0.29	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9383				
J071013MBKB	J071013MBKB	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	2	0.29	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9383				
J071013MBKB	J071013MBKB	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	2	0.20	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9383				
J071013MBKB	J071013MBKB	ORG	98-06-6	tert-Butylbenzene		U	ug/L	2	0.33	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9383				
J071013MBKB	J071013MBKB	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	2	0.20	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9383				
J071013MBKB	J071013MBKB	ORG	135-98-8	sec-Butylbenzene		U	ug/L	2	0.32	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9383				
J071013MBKB	J071013MBKB	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	2	0.22	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9383				
J071013MBKB	J071013MBKB	ORG	99-87-6	p-Isopropltoluene		U	ug/L	2	0.25	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9383				
J071013MBKB	J071013MBKB	ORG	106-46-7	1,4-Dichlorobenzene		U	ug/L	2	0.33	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9383				
J071013MBKB	J071013MBKB	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	2	0.26	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9383				
J071013MBKB	J071013MBKB	ORG	104-51-8	n-Butylbenzene		U	ug/L	5	0.28	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9383				
J071013MBKB	J071013MBKB	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	5	1.59	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9383				
J071013MBKB	J071013MBKB	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	5	0.65	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9383				
J071013MBKB	J071013MBKB	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	5	0.28	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9383				
J071013MBKB	J071013MBKB	ORG	91-20-3	Naphthalene		U	ug/L	5	0.56	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9383				
J071013MBKB	J071013MBKB	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	5	0.23	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9383				
J071013MBKB	J071013MBKB	STD	1868-53-7	Dibromofluoromethane	51		ng			NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9383	50	102%		
J071013MBKB	J071013MBKB	STD	17060-07-0	1,2-Dichloroethane d4	54		ng			NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9383	50	108%		
J071013MBKB	J071013MBKB	STD	2037-26-5	Toluene d8	47		ng			NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9383	50	94%		
J071013MBKB	J071013MBKB	STD	460-00-4	Bromofluorobenzene	47		ng			NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9383	50	94%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J071013ALCS	J071013ALCS	ORG	75-71-8	Dichlorodifluoromethane	37		ug/L	5	0.29	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9375	50	74%		
J071013ALCS	J071013ALCS	ORG	74-87-3	Chloromethane	44		ug/L	5	0.43	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9375	50	88%		
J071013ALCS	J071013ALCS	ORG	75-01-4	Vinyl chloride	38		ug/L	2	0.32	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9375	50	76%		
J071013ALCS	J071013ALCS	ORG	74-83-9	Bromomethane	48		ug/L	5	0.50	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9375	50	96%		
J071013ALCS	J071013ALCS	ORG	75-00-3	Chloroethane	52		ug/L	5	0.56	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9375	50	104%		
J071013ALCS	J071013ALCS	ORG	75-69-4	Trichlorofluoromethane	44		ug/L	5	0.20	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9375	50	88%		
J071013ALCS	J071013ALCS	ORG	75-35-4	1,1-Dichloroethene	45		ug/L	1	0.47	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9375	50	90%		
J071013ALCS	J071013ALCS	ORG	75-09-2	Methylene chloride	49		ug/L	5	0.26	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9375	50	98%		
J071013ALCS	J071013ALCS	ORG	67-64-1	Acetone	47		ug/L	10	1.56	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9375	50	94%		
J071013ALCS	J071013ALCS	ORG	156-60-5	trans-1,2-Dichloroethene	70		ug/L	1	0.56	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9375	50	140%		
J071013ALCS	J071013ALCS	ORG	1634-04-4	MTBE	66		ug/L	5	0.61	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9375	50	132%		
J071013ALCS	J071013ALCS	ORG	75-34-3	1,1-Dichloroethane	59		ug/L	1	0.53	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9375	50	118%		
J071013ALCS	J071013ALCS	ORG	156-59-2	cis-1,2-Dichloroethene	56		ug/L	1	0.32	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9375	50	112%		
J071013ALCS	J071013ALCS	ORG	74-97-5	Bromochloromethane	58		ug/L	10	0.81	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9375	50	116%		
J071013ALCS	J071013ALCS	ORG	67-66-3	Chloroform	54		ug/L	2	0.41	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9375	50	108%		
J071013ALCS	J071013ALCS	ORG	71-55-6	1,1,1-Trichloroethane	54		ug/L	1	0.16	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9375	50	108%		
J071013ALCS	J071013ALCS	ORG	78-93-3	2-Butanone	50		ug/L	1	0.17	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9375	50	100%		
J071013ALCS	J071013ALCS	ORG	56-23-5	Carbon tetrachloride	55		ug/L	1	0.28	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9375	50	110%		
J071013ALCS	J071013ALCS	ORG	71-43-2	Benzene	52		ug/L	1	0.14	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9375	50	104%		
J071013ALCS	J071013ALCS	ORG	107-06-2	1,2-Dichloroethane	53		ug/L	1	0.20	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9375	50	106%		
J071013ALCS	J071013ALCS	ORG	79-01-6	Trichloroethene	54		ug/L	1	0.36	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9375	50	108%		
J071013ALCS	J071013ALCS	ORG	74-95-3	Dibromomethane	54		ug/L	2	0.32	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9375	50	108%		
J071013ALCS	J071013ALCS	ORG	78-87-5	1,2-Dichloropropane	49		ug/L	1	0.18	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9375	50	98%		
J071013ALCS	J071013ALCS	ORG	75-27-4	Bromodichloromethane	53		ug/L	2	0.12	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9375	50	106%		
J071013ALCS	J071013ALCS	ORG	10061-01-5	cis-1,3-Dichloropropene	51		ug/L	1	0.25	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9375	50	102%		
J071013ALCS	J071013ALCS	ORG	108-88-3	Toluene	50		ug/L	5	0.74	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9375	50	100%		
J071013ALCS	J071013ALCS	ORG	108-10-1	4-Methyl-2-pentanone	50		ug/L	1	0.21	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9375	50	100%		
J071013ALCS	J071013ALCS	ORG	10061-02-6	trans-1,3-Dichloropropene	52		ug/L	1	0.31	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9375	50	104%		
J071013ALCS	J071013ALCS	ORG	127-18-4	Tetrachloroethene	47		ug/L	1	0.49	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9375	50	94%		
J071013ALCS	J071013ALCS	ORG	79-00-5	1,1,2-Trichloroethane	50		ug/L	1	0.34	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9375	50	100%		
J071013ALCS	J071013ALCS	ORG	124-48-1	Dibromochloromethane	55		ug/L	5	0.69	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9375	50	110%		
J071013ALCS	J071013ALCS	ORG	106-93-4	1,2-Dibromoethane	54		ug/L	2	0.30	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9375	50	108%		
J071013ALCS	J071013ALCS	ORG	591-78-6	2-Hexanone	52		ug/L	2	0.26	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9375	50	104%		
J071013ALCS	J071013ALCS	ORG	100-41-4	Ethylbenzene	51		ug/L	1	0.25	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9375	50	102%		
J071013ALCS	J071013ALCS	ORG	108-90-7	Chlorobenzene	51		ug/L	1	0.28	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9375	50	102%		
J071013ALCS	J071013ALCS	ORG	630-20-6	1,1,1,2-Tetrachloroethane	52		ug/L	2	0.19	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9375	50	104%		
J071013ALCS	J071013ALCS	ORG	XYLMP	p&m-Xylene	100		ug/L	2	0.26	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9375	100	100%		
J071013ALCS	J071013ALCS	ORG	95-47-6	o-Xylene	50		ug/L	1	0.13	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9375	50	100%		
J071013ALCS	J071013ALCS	ORG	100-42-5	Styrene	48		ug/L	1	0.20	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9375	50	96%		
J071013ALCS	J071013ALCS	ORG	75-25-2	Bromoform	55		ug/L	2	0.47	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9375	50	110%		
J071013ALCS	J071013ALCS	ORG	98-82-8	Isopropylbenzene	50		ug/L	2	0.20	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9375	50	100%		
J071013ALCS	J071013ALCS	ORG	103-65-1	n-Propylbenzene	50		ug/L	2	0.27	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9375	50	100%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J071013ALCS	J071013ALCS	ORG	79-34-5	1,1,2,2-Tetrachloroethane	53		ug/L	2	0.29	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9375	50	106%		
J071013ALCS	J071013ALCS	ORG	96-18-4	1,2,3-Trichloropropane	53		ug/L	2	0.29	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9375	50	106%		
J071013ALCS	J071013ALCS	ORG	108-67-8	1,3,5-Trimethylbenzene	50		ug/L	2	0.20	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9375	50	100%		
J071013ALCS	J071013ALCS	ORG	98-06-6	tert-Butylbenzene	51		ug/L	2	0.33	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9375	50	102%		
J071013ALCS	J071013ALCS	ORG	95-63-6	1,2,4-Trimethylbenzene	50		ug/L	2	0.20	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9375	50	100%		
J071013ALCS	J071013ALCS	ORG	135-98-8	sec-Butylbenzene	51		ug/L	2	0.32	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9375	50	102%		
J071013ALCS	J071013ALCS	ORG	541-73-1	1,3-Dichlorobenzene	54		ug/L	2	0.22	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9375	50	108%		
J071013ALCS	J071013ALCS	ORG	99-87-6	p-Isopropltoluene	52		ug/L	2	0.25	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9375	50	104%		
J071013ALCS	J071013ALCS	ORG	106-46-7	1,4-Dichlorobenzene	51		ug/L	2	0.33	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9375	50	102%		
J071013ALCS	J071013ALCS	ORG	95-50-1	1,2-Dichlorobenzene	53		ug/L	2	0.26	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9375	50	106%		
J071013ALCS	J071013ALCS	ORG	104-51-8	n-Butylbenzene	51		ug/L	5	0.28	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9375	50	102%		
J071013ALCS	J071013ALCS	ORG	96-12-8	1,2-Dibromo-3-chloropropane	55		ug/L	5	1.59	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9375	50	110%		
J071013ALCS	J071013ALCS	ORG	87-68-3	Hexachlorobutadiene	55		ug/L	5	0.65	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9375	50	110%		
J071013ALCS	J071013ALCS	ORG	120-82-1	1,2,4-Trichlorobenzene	55		ug/L	5	0.28	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9375	50	110%		
J071013ALCS	J071013ALCS	ORG	91-20-3	Naphthalene	53		ug/L	5	0.56	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9375	50	106%		
J071013ALCS	J071013ALCS	ORG	87-61-6	1,2,3-Trichlorobenzene	55		ug/L	5	0.23	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9375	50	110%		
J071013ALCS	J071013ALCS	STD	1868-53-7	Dibromofluoromethane	51		ng			NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9375	50	102%		
J071013ALCS	J071013ALCS	STD	17060-07-0	1,2-Dichloroethane d4	53		ng			NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9375	50	106%		
J071013ALCS	J071013ALCS	STD	2037-26-5	Toluene d8	47		ng			NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9375	50	94%		
J071013ALCS	J071013ALCS	STD	460-00-4	Bromofluorobenzene	47		ng			NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9375	50	94%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J071013ALCD	J071013ALCD	ORG	75-71-8	Dichlorodifluoromethane	35		ug/L	5	0.29	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9378	50	70%	6%	
J071013ALCD	J071013ALCD	ORG	74-87-3	Chloromethane	38		ug/L	5	0.43	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9378	50	76%	15%	
J071013ALCD	J071013ALCD	ORG	75-01-4	Vinyl chloride	45		ug/L	2	0.32	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9378	50	90%	17%	
J071013ALCD	J071013ALCD	ORG	74-83-9	Bromomethane	46		ug/L	5	0.50	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9378	50	92%	4%	
J071013ALCD	J071013ALCD	ORG	75-00-3	Chloroethane	47		ug/L	5	0.56	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9378	50	94%	10%	
J071013ALCD	J071013ALCD	ORG	75-69-4	Trichlorofluoromethane	49		ug/L	5	0.20	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9378	50	98%	11%	
J071013ALCD	J071013ALCD	ORG	75-35-4	1,1-Dichloroethene	45		ug/L	1	0.47	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9378	50	90%	0%	
J071013ALCD	J071013ALCD	ORG	75-09-2	Methylene chloride	45		ug/L	5	0.26	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9378	50	90%	9%	
J071013ALCD	J071013ALCD	ORG	67-64-1	Acetone	37		ug/L	10	1.56	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9378	50	74%	24%	
J071013ALCD	J071013ALCD	ORG	156-60-5	trans-1,2-Dichloroethene	48		ug/L	1	0.56	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9378	50	96%	37%	
J071013ALCD	J071013ALCD	ORG	1634-04-4	MTBE	47		ug/L	5	0.61	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9378	50	94%	34%	
J071013ALCD	J071013ALCD	ORG	75-34-3	1,1-Dichloroethane	52		ug/L	1	0.53	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9378	50	104%	13%	
J071013ALCD	J071013ALCD	ORG	156-59-2	cis-1,2-Dichloroethene	50		ug/L	1	0.32	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9378	50	100%	11%	
J071013ALCD	J071013ALCD	ORG	74-97-5	Bromochloromethane	51		ug/L	10	0.81	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9378	50	102%	13%	
J071013ALCD	J071013ALCD	ORG	67-66-3	Chloroform	50		ug/L	2	0.41	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9378	50	100%	8%	
J071013ALCD	J071013ALCD	ORG	71-55-6	1,1,1-Trichloroethane	49		ug/L	1	0.16	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9378	50	98%	10%	
J071013ALCD	J071013ALCD	ORG	78-93-3	2-Butanone	45		ug/L	1	0.17	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9378	50	90%	11%	
J071013ALCD	J071013ALCD	ORG	56-23-5	Carbon tetrachloride	50		ug/L	1	0.28	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9378	50	100%	10%	
J071013ALCD	J071013ALCD	ORG	71-43-2	Benzene	46		ug/L	1	0.14	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9378	50	92%	12%	
J071013ALCD	J071013ALCD	ORG	107-06-2	1,2-Dichloroethane	50		ug/L	1	0.20	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9378	50	100%	6%	
J071013ALCD	J071013ALCD	ORG	79-01-6	Trichloroethene	50		ug/L	1	0.36	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9378	50	100%	8%	
J071013ALCD	J071013ALCD	ORG	74-95-3	Dibromomethane	50		ug/L	2	0.32	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9378	50	100%	8%	
J071013ALCD	J071013ALCD	ORG	78-87-5	1,2-Dichloropropane	45		ug/L	1	0.18	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9378	50	90%	9%	
J071013ALCD	J071013ALCD	ORG	75-27-4	Bromodichloromethane	47		ug/L	2	0.12	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9378	50	94%	12%	
J071013ALCD	J071013ALCD	ORG	10061-01-5	cis-1,3-Dichloropropene	46		ug/L	1	0.25	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9378	50	92%	10%	
J071013ALCD	J071013ALCD	ORG	108-88-3	Toluene	45		ug/L	5	0.74	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9378	50	90%	11%	
J071013ALCD	J071013ALCD	ORG	108-10-1	4-Methyl-2-pentanone	41		ug/L	1	0.21	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9378	50	82%	20%	
J071013ALCD	J071013ALCD	ORG	10061-02-6	trans-1,3-Dichloropropene	47		ug/L	1	0.31	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9378	50	94%	10%	
J071013ALCD	J071013ALCD	ORG	127-18-4	Tetrachloroethene	45		ug/L	1	0.49	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9378	50	90%	4%	
J071013ALCD	J071013ALCD	ORG	79-00-5	1,1,2-Trichloroethane	45		ug/L	1	0.34	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9378	50	90%	11%	
J071013ALCD	J071013ALCD	ORG	124-48-1	Dibromochloromethane	48		ug/L	5	0.69	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9378	50	96%	14%	
J071013ALCD	J071013ALCD	ORG	106-93-4	1,2-Dibromoethane	48		ug/L	2	0.30	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9378	50	96%	12%	
J071013ALCD	J071013ALCD	ORG	591-78-6	2-Hexanone	40		ug/L	2	0.26	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9378	50	80%	26%	
J071013ALCD	J071013ALCD	ORG	100-41-4	Ethylbenzene	48		ug/L	1	0.25	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9378	50	96%	6%	
J071013ALCD	J071013ALCD	ORG	108-90-7	Chlorobenzene	47		ug/L	1	0.28	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9378	50	94%	8%	
J071013ALCD	J071013ALCD	ORG	630-20-6	1,1,1,2-Tetrachloroethane	48		ug/L	2	0.19	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9378	50	96%	8%	
J071013ALCD	J071013ALCD	ORG	XYLMP	p&m-Xylene	95		ug/L	2	0.26	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9378	100	95%	5%	
J071013ALCD	J071013ALCD	ORG	95-47-6	o-Xylene	46		ug/L	1	0.13	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9378	50	92%	8%	
J071013ALCD	J071013ALCD	ORG	100-42-5	Styrene	44		ug/L	1	0.20	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9378	50	88%	9%	
J071013ALCD	J071013ALCD	ORG	75-25-2	Bromoform	51		ug/L	2	0.47	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9378	50	102%	8%	
J071013ALCD	J071013ALCD	ORG	98-82-8	Isopropylbenzene	48		ug/L	2	0.20	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9378	50	96%	4%	
J071013ALCD	J071013ALCD	ORG	103-65-1	n-Propylbenzene	48		ug/L	2	0.27	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9378	50	96%	4%	

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J071013ALCD	J071013ALCD	ORG	79-34-5	1,1,2,2-Tetrachloroethane	48		ug/L	2	0.29	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9378	50	96%	10%	
J071013ALCD	J071013ALCD	ORG	96-18-4	1,2,3-Trichloropropane	47		ug/L	2	0.29	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9378	50	94%	12%	
J071013ALCD	J071013ALCD	ORG	108-67-8	1,3,5-Trimethylbenzene	47		ug/L	2	0.20	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9378	50	94%	6%	
J071013ALCD	J071013ALCD	ORG	98-06-6	tert-Butylbenzene	47		ug/L	2	0.33	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9378	50	94%	8%	
J071013ALCD	J071013ALCD	ORG	95-63-6	1,2,4-Trimethylbenzene	46		ug/L	2	0.20	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9378	50	92%	8%	
J071013ALCD	J071013ALCD	ORG	135-98-8	sec-Butylbenzene	47		ug/L	2	0.32	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9378	50	94%	8%	
J071013ALCD	J071013ALCD	ORG	541-73-1	1,3-Dichlorobenzene	47		ug/L	2	0.22	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9378	50	94%	14%	
J071013ALCD	J071013ALCD	ORG	99-87-6	p-Isopropltoluene	47		ug/L	2	0.25	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9378	50	94%	10%	
J071013ALCD	J071013ALCD	ORG	106-46-7	1,4-Dichlorobenzene	46		ug/L	2	0.33	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9378	50	92%	10%	
J071013ALCD	J071013ALCD	ORG	95-50-1	1,2-Dichlorobenzene	47		ug/L	2	0.26	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9378	50	94%	12%	
J071013ALCD	J071013ALCD	ORG	104-51-8	n-Butylbenzene	46		ug/L	5	0.28	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9378	50	92%	10%	
J071013ALCD	J071013ALCD	ORG	96-12-8	1,2-Dibromo-3-chloropropane	50		ug/L	5	1.59	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9378	50	100%	10%	
J071013ALCD	J071013ALCD	ORG	87-68-3	Hexachlorobutadiene	47		ug/L	5	0.65	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9378	50	94%	16%	
J071013ALCD	J071013ALCD	ORG	120-82-1	1,2,4-Trichlorobenzene	50		ug/L	5	0.28	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9378	50	100%	10%	
J071013ALCD	J071013ALCD	ORG	91-20-3	Naphthalene	50		ug/L	5	0.56	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9378	50	100%	6%	
J071013ALCD	J071013ALCD	ORG	87-61-6	1,2,3-Trichlorobenzene	50		ug/L	5	0.23	NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9378	50	100%	10%	
J071013ALCD	J071013ALCD	STD	1868-53-7	Dibromofluoromethane	52		ng			NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9378	50	104%	2%	
J071013ALCD	J071013ALCD	STD	17060-07-0	1,2-Dichloroethane d4	48		ng			NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9378	50	96%	10%	
J071013ALCD	J071013ALCD	STD	2037-26-5	Toluene d8	48		ng			NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9378	50	96%	2%	
J071013ALCD	J071013ALCD	STD	460-00-4	Bromofluorobenzene	49		ng			NA	7/10/2013	7/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9378	50	98%	4%	

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-463MS	316-012	ORG	75-71-8	Dichlorodifluoromethane	3400		ug/L	500	29.28	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9379	5000	68%		
NAL13026-463MS	316-012	ORG	74-87-3	Chloromethane	3500		ug/L	500	43.07	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9379	5000	70%		
NAL13026-463MS	316-012	ORG	75-01-4	Vinyl chloride	3800		ug/L	200	31.86	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9379	5000	76%		
NAL13026-463MS	316-012	ORG	74-83-9	Bromomethane	5100		ug/L	500	50.04	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9379	5000	102%		
NAL13026-463MS	316-012	ORG	75-00-3	Chloroethane	5600		ug/L	500	55.61	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9379	5000	112%		
NAL13026-463MS	316-012	ORG	75-69-4	Trichlorofluoromethane	4100		ug/L	500	19.65	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9379	5000	82%		
NAL13026-463MS	316-012	ORG	75-35-4	1,1-Dichloroethene	4400		ug/L	100	47.11	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9379	5000	88%		
NAL13026-463MS	316-012	ORG	75-09-2	Methylene chloride	5000		ug/L	500	26.46	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9379	5000	100%		
NAL13026-463MS	316-012	ORG	67-64-1	Acetone	40000		ug/L	1000	155.61	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9379	5000	-100%		45000
NAL13026-463MS	316-012	ORG	156-60-5	trans-1,2-Dichloroethene	5000		ug/L	100	55.61	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9379	5000	100%		
NAL13026-463MS	316-012	ORG	1634-04-4	MTBE	5000		ug/L	500	61.18	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9379	5000	100%		
NAL13026-463MS	316-012	ORG	75-34-3	1,1-Dichloroethane	5800		ug/L	100	52.66	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9379	5000	116%		
NAL13026-463MS	316-012	ORG	156-59-2	cis-1,2-Dichloroethene	5500		ug/L	100	32.11	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9379	5000	110%		
NAL13026-463MS	316-012	ORG	74-97-5	Bromochloromethane	5700		ug/L	1000	81.18	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9379	5000	114%		
NAL13026-463MS	316-012	ORG	67-66-3	Chloroform	5300		ug/L	200	41.37	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9379	5000	106%		
NAL13026-463MS	316-012	ORG	71-55-6	1,1,1-Trichloroethane	5300		ug/L	100	15.73	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9379	5000	106%		
NAL13026-463MS	316-012	ORG	78-93-3	2-Butanone	23000		ug/L	100	16.65	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9379	5000	-20%		24000
NAL13026-463MS	316-012	ORG	56-23-5	Carbon tetrachloride	5200		ug/L	100	27.64	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9379	5000	104%		
NAL13026-463MS	316-012	ORG	71-43-2	Benzene	4900		ug/L	100	13.53	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9379	5000	97%		26
NAL13026-463MS	316-012	ORG	107-06-2	1,2-Dichloroethane	4900		ug/L	100	20.01	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9379	5000	98%		
NAL13026-463MS	316-012	ORG	79-01-6	Trichloroethene	5300		ug/L	100	36.33	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9379	5000	106%		
NAL13026-463MS	316-012	ORG	74-95-3	Dibromomethane	5600		ug/L	200	32.20	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9379	5000	112%		
NAL13026-463MS	316-012	ORG	78-87-5	1,2-Dichloropropane	4900		ug/L	100	18.17	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9379	5000	98%		
NAL13026-463MS	316-012	ORG	75-27-4	Bromodichloromethane	5100		ug/L	200	11.58	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9379	5000	102%		
NAL13026-463MS	316-012	ORG	10061-01-5	cis-1,3-Dichloropropene	5000		ug/L	100	25.01	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9379	5000	100%		
NAL13026-463MS	316-012	ORG	108-88-3	Toluene	4900		ug/L	500	74.00	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9379	5000	98%		
NAL13026-463MS	316-012	ORG	108-10-1	4-Methyl-2-pentanone	4800		ug/L	100	20.96	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9379	5000	83%		670
NAL13026-463MS	316-012	ORG	10061-02-6	trans-1,3-Dichloropropene	5300		ug/L	100	31.15	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9379	5000	106%		
NAL13026-463MS	316-012	ORG	127-18-4	Tetrachloroethene	4300		ug/L	100	48.56	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9379	5000	86%		
NAL13026-463MS	316-012	ORG	79-00-5	1,1,2-Trichloroethane	5200		ug/L	100	34.28	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9379	5000	104%		
NAL13026-463MS	316-012	ORG	124-48-1	Dibromochloromethane	5600		ug/L	500	68.90	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9379	5000	112%		
NAL13026-463MS	316-012	ORG	106-93-4	1,2-Dibromoethane	5500		ug/L	200	29.90	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9379	5000	110%		
NAL13026-463MS	316-012	ORG	591-78-6	2-Hexanone	4300		ug/L	200	26.49	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9379	5000	75%		550
NAL13026-463MS	316-012	ORG	100-41-4	Ethylbenzene	4500		ug/L	100	25.38	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9379	5000	90%		
NAL13026-463MS	316-012	ORG	108-90-7	Chlorobenzene	4500		ug/L	100	27.52	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9379	5000	90%		
NAL13026-463MS	316-012	ORG	630-20-6	1,1,1,2-Tetrachloroethane	4700		ug/L	200	19.28	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9379	5000	94%		
NAL13026-463MS	316-012	ORG	XYLMP	p&m-Xylene	9100		ug/L	200	26.14	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9379	10000	91%		
NAL13026-463MS	316-012	ORG	95-47-6	o-Xylene	4800		ug/L	100	12.90	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9379	5000	96%		
NAL13026-463MS	316-012	ORG	100-42-5	Styrene	4500		ug/L	100	20.23	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9379	5000	89%		28
NAL13026-463MS	316-012	ORG	75-25-2	Bromoform	5600		ug/L	200	46.83	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9379	5000	112%		
NAL13026-463MS	316-012	ORG	98-82-8	Isopropylbenzene	4800		ug/L	200	20.48	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9379	5000	96%		
NAL13026-463MS	316-012	ORG	103-65-1	n-Propylbenzene	4700		ug/L	200	27.00	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9379	5000	94%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-463MS	316-012	ORG	79-34-5	1,1,2,2-Tetrachloroethane	5600		ug/L	200	29.16	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9379	5000	112%		
NAL13026-463MS	316-012	ORG	96-18-4	1,2,3-Trichloropropane	5200		ug/L	200	29.47	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9379	5000	104%		
NAL13026-463MS	316-012	ORG	108-67-8	1,3,5-Trimethylbenzene	4700		ug/L	200	20.03	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9379	5000	94%		
NAL13026-463MS	316-012	ORG	98-06-6	tert-Butylbenzene	4900		ug/L	200	32.61	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9379	5000	98%		
NAL13026-463MS	316-012	ORG	95-63-6	1,2,4-Trimethylbenzene	4700		ug/L	200	20.03	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9379	5000	94%		
NAL13026-463MS	316-012	ORG	135-98-8	sec-Butylbenzene	4800		ug/L	200	32.34	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9379	5000	96%		
NAL13026-463MS	316-012	ORG	541-73-1	1,3-Dichlorobenzene	5100		ug/L	200	22.21	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9379	5000	102%		
NAL13026-463MS	316-012	ORG	99-87-6	p-Isopropltoluene	5000		ug/L	200	25.48	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9379	5000	98%		81
NAL13026-463MS	316-012	ORG	106-46-7	1,4-Dichlorobenzene	5200		ug/L	200	33.03	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9379	5000	103%		70
NAL13026-463MS	316-012	ORG	95-50-1	1,2-Dichlorobenzene	5200		ug/L	200	26.38	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9379	5000	104%		
NAL13026-463MS	316-012	ORG	104-51-8	n-Butylbenzene	4800		ug/L	500	27.81	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9379	5000	96%		
NAL13026-463MS	316-012	ORG	96-12-8	1,2-Dibromo-3-chloropropane	5400		ug/L	500	159.11	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9379	5000	108%		
NAL13026-463MS	316-012	ORG	87-68-3	Hexachlorobutadiene	5000		ug/L	500	65.42	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9379	5000	100%		
NAL13026-463MS	316-012	ORG	120-82-1	1,2,4-Trichlorobenzene	5000		ug/L	500	27.63	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9379	5000	100%		
NAL13026-463MS	316-012	ORG	91-20-3	Naphthalene	4900		ug/L	500	56.04	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9379	5000	94%		220
NAL13026-463MS	316-012	ORG	87-61-6	1,2,3-Trichlorobenzene	4800		ug/L	500	23.28	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9379	5000	96%		
NAL13026-463MS	316-012	STD	1868-53-7	Dibromofluoromethane	51		ng			7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9379	50	102%		51
NAL13026-463MS	316-012	STD	17060-07-0	1,2-Dichloroethane d4	48		ng			7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9379	50	96%		50
NAL13026-463MS	316-012	STD	2037-26-5	Toluene d8	47		ng			7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9379	50	94%		47
NAL13026-463MS	316-012	STD	460-00-4	Bromofluorobenzene	47		ng			7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9379	50	94%		46

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-463MSD	316-012	ORG	75-71-8	Dichlorodifluoromethane	3200		ug/L	500	29.28	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9380	5000	64%	6%	0
NAL13026-463MSD	316-012	ORG	74-87-3	Chloromethane	3600		ug/L	500	43.07	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9380	5000	72%	3%	0
NAL13026-463MSD	316-012	ORG	75-01-4	Vinyl chloride	4400		ug/L	200	31.86	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9380	5000	88%	15%	0
NAL13026-463MSD	316-012	ORG	74-83-9	Bromomethane	5000		ug/L	500	50.04	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9380	5000	100%	2%	0
NAL13026-463MSD	316-012	ORG	75-00-3	Chloroethane	4900		ug/L	500	55.61	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9380	5000	98%	13%	0
NAL13026-463MSD	316-012	ORG	75-69-4	Trichlorofluoromethane	4100		ug/L	500	19.65	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9380	5000	82%	0%	0
NAL13026-463MSD	316-012	ORG	75-35-4	1,1-Dichloroethene	4400		ug/L	100	47.11	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9380	5000	88%	0%	0
NAL13026-463MSD	316-012	ORG	75-09-2	Methylene chloride	4800		ug/L	500	26.46	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9380	5000	96%	4%	0
NAL13026-463MSD	316-012	ORG	67-64-1	Acetone	44000		ug/L	1000	155.61	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9380	5000	-20%	10%	45000
NAL13026-463MSD	316-012	ORG	156-60-5	trans-1,2-Dichloroethene	5300		ug/L	100	55.61	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9380	5000	106%	6%	0
NAL13026-463MSD	316-012	ORG	1634-04-4	MTBE	6600		ug/L	500	61.18	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9380	5000	132%	28%	0
NAL13026-463MSD	316-012	ORG	75-34-3	1,1-Dichloroethane	5600		ug/L	100	52.66	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9380	5000	112%	4%	0
NAL13026-463MSD	316-012	ORG	156-59-2	cis-1,2-Dichloroethene	5300		ug/L	100	32.11	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9380	5000	106%	4%	0
NAL13026-463MSD	316-012	ORG	74-97-5	Bromochloromethane	5500		ug/L	1000	81.18	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9380	5000	110%	4%	0
NAL13026-463MSD	316-012	ORG	67-66-3	Chloroform	5100		ug/L	200	41.37	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9380	5000	102%	4%	0
NAL13026-463MSD	316-012	ORG	71-55-6	1,1,1-Trichloroethane	5200		ug/L	100	15.73	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9380	5000	104%	2%	0
NAL13026-463MSD	316-012	ORG	78-93-3	2-Butanone	25000		ug/L	100	16.65	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9380	5000	20%	8%	24000
NAL13026-463MSD	316-012	ORG	56-23-5	Carbon tetrachloride	5200		ug/L	100	27.64	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9380	5000	104%	0%	0
NAL13026-463MSD	316-012	ORG	71-43-2	Benzene	5000		ug/L	100	13.53	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9380	5000	99%	2%	26
NAL13026-463MSD	316-012	ORG	107-06-2	1,2-Dichloroethane	5400		ug/L	100	20.01	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9380	5000	108%	10%	0
NAL13026-463MSD	316-012	ORG	79-01-6	Trichloroethene	5300		ug/L	100	36.33	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9380	5000	106%	0%	0
NAL13026-463MSD	316-012	ORG	74-95-3	Dibromomethane	5500		ug/L	200	32.20	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9380	5000	110%	2%	0
NAL13026-463MSD	316-012	ORG	78-87-5	1,2-Dichloropropane	4800		ug/L	100	18.17	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9380	5000	96%	2%	0
NAL13026-463MSD	316-012	ORG	75-27-4	Bromodichloromethane	5200		ug/L	200	11.58	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9380	5000	104%	2%	0
NAL13026-463MSD	316-012	ORG	10061-01-5	cis-1,3-Dichloropropene	5000		ug/L	100	25.01	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9380	5000	100%	0%	0
NAL13026-463MSD	316-012	ORG	108-88-3	Toluene	5000		ug/L	500	74.00	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9380	5000	100%	2%	0
NAL13026-463MSD	316-012	ORG	108-10-1	4-Methyl-2-pentanone	5300		ug/L	100	20.96	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9380	5000	93%	10%	670
NAL13026-463MSD	316-012	ORG	10061-02-6	trans-1,3-Dichloropropene	5300		ug/L	100	31.15	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9380	5000	106%	0%	0
NAL13026-463MSD	316-012	ORG	127-18-4	Tetrachloroethene	4400		ug/L	100	48.56	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9380	5000	88%	2%	0
NAL13026-463MSD	316-012	ORG	79-00-5	1,1,2-Trichloroethane	5200		ug/L	100	34.28	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9380	5000	104%	0%	0
NAL13026-463MSD	316-012	ORG	124-48-1	Dibromochloromethane	5500		ug/L	500	68.90	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9380	5000	110%	2%	0
NAL13026-463MSD	316-012	ORG	106-93-4	1,2-Dibromoethane	5500		ug/L	200	29.90	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9380	5000	110%	0%	0
NAL13026-463MSD	316-012	ORG	591-78-6	2-Hexanone	4400		ug/L	200	26.49	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9380	5000	77%	2%	550
NAL13026-463MSD	316-012	ORG	100-41-4	Ethylbenzene	5100		ug/L	100	25.38	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9380	5000	102%	13%	0
NAL13026-463MSD	316-012	ORG	108-90-7	Chlorobenzene	5100		ug/L	100	27.52	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9380	5000	102%	13%	0
NAL13026-463MSD	316-012	ORG	630-20-6	1,1,1,2-Tetrachloroethane	5300		ug/L	200	19.28	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9380	5000	106%	12%	0
NAL13026-463MSD	316-012	ORG	XYLMP	p&m-Xylene	10000		ug/L	200	26.14	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9380	10000	100%	9%	0
NAL13026-463MSD	316-012	ORG	95-47-6	o-Xylene	5300		ug/L	100	12.90	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9380	5000	106%	10%	0
NAL13026-463MSD	316-012	ORG	100-42-5	Styrene	4900		ug/L	100	20.23	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9380	5000	97%	9%	28
NAL13026-463MSD	316-012	ORG	75-25-2	Bromoform	5800		ug/L	200	46.83	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9380	5000	116%	4%	0
NAL13026-463MSD	316-012	ORG	98-82-8	Isopropylbenzene	5100		ug/L	200	20.48	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9380	5000	102%	6%	0
NAL13026-463MSD	316-012	ORG	103-65-1	n-Propylbenzene	5100		ug/L	200	27.00	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9380	5000	102%	8%	0

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-463MSD	316-012	ORG	79-34-5	1,1,2,2-Tetrachloroethane	5500		ug/L	200	29.16	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9380	5000	110%	2%	0
NAL13026-463MSD	316-012	ORG	96-18-4	1,2,3-Trichloropropane	5400		ug/L	200	29.47	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9380	5000	108%	4%	0
NAL13026-463MSD	316-012	ORG	108-67-8	1,3,5-Trimethylbenzene	5100		ug/L	200	20.03	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9380	5000	102%	8%	0
NAL13026-463MSD	316-012	ORG	98-06-6	tert-Butylbenzene	5200		ug/L	200	32.61	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9380	5000	104%	6%	0
NAL13026-463MSD	316-012	ORG	95-63-6	1,2,4-Trimethylbenzene	5100		ug/L	200	20.03	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9380	5000	102%	8%	0
NAL13026-463MSD	316-012	ORG	135-98-8	sec-Butylbenzene	5100		ug/L	200	32.34	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9380	5000	102%	6%	0
NAL13026-463MSD	316-012	ORG	541-73-1	1,3-Dichlorobenzene	5100		ug/L	200	22.21	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9380	5000	102%	0%	0
NAL13026-463MSD	316-012	ORG	99-87-6	p-Isopropltoluene	5200		ug/L	200	25.48	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9380	5000	102%	4%	81
NAL13026-463MSD	316-012	ORG	106-46-7	1,4-Dichlorobenzene	5300		ug/L	200	33.03	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9380	5000	105%	2%	70
NAL13026-463MSD	316-012	ORG	95-50-1	1,2-Dichlorobenzene	5300		ug/L	200	26.38	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9380	5000	106%	2%	0
NAL13026-463MSD	316-012	ORG	104-51-8	n-Butylbenzene	5000		ug/L	500	27.81	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9380	5000	100%	4%	0
NAL13026-463MSD	316-012	ORG	96-12-8	1,2-Dibromo-3-chloropropane	5800		ug/L	500	159.11	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9380	5000	116%	7%	0
NAL13026-463MSD	316-012	ORG	87-68-3	Hexachlorobutadiene	5000		ug/L	500	65.42	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9380	5000	100%	0%	0
NAL13026-463MSD	316-012	ORG	120-82-1	1,2,4-Trichlorobenzene	5400		ug/L	500	27.63	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9380	5000	108%	8%	0
NAL13026-463MSD	316-012	ORG	91-20-3	Naphthalene	5900		ug/L	500	56.04	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9380	5000	114%	19%	220
NAL13026-463MSD	316-012	ORG	87-61-6	1,2,3-Trichlorobenzene	5700		ug/L	500	23.28	7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9380	5000	114%	17%	0
NAL13026-463MSD	316-012	STD	1868-53-7	Dibromofluoromethane	52		ng			7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9380	50	2%	2%	51
NAL13026-463MSD	316-012	STD	17060-07-0	1,2-Dichloroethane d4	48		ng			7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9380	50	-4%	0%	50
NAL13026-463MSD	316-012	STD	2037-26-5	Toluene d8	48		ng			7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9380	50	2%	2%	47
NAL13026-463MSD	316-012	STD	460-00-4	Bromofluorobenzene	51		ng			7/10/2013	7/10/2013	7/10/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9380	50	10%	8%	46

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-469	316-013	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9397				
NAL13026-469	316-013	ORG	74-87-3	Chloromethane		U	ug/L	500	43.07	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9397				
NAL13026-469	316-013	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9397				
NAL13026-469	316-013	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9397				
NAL13026-469	316-013	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9397				
NAL13026-469	316-013	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9397				
NAL13026-469	316-013	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9397				
NAL13026-469	316-013	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9397				
NAL13026-469	316-013	ORG	67-64-1	Acetone	40000	D	ug/L	10000	1556.07	7/11/2013	7/11/2013	7/11/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9398				
NAL13026-469	316-013	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9397				
NAL13026-469	316-013	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9397				
NAL13026-469	316-013	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9397				
NAL13026-469	316-013	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9397				
NAL13026-469	316-013	ORG	74-97-5	Bromochloromethane		U	ug/L	200	41.37	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9397				
NAL13026-469	316-013	ORG	67-66-3	Chloroform		U	ug/L	100	15.73	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9397				
NAL13026-469	316-013	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	16.65	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9397				
NAL13026-469	316-013	ORG	78-93-3	2-Butanone	21000	D	ug/L	10000	811.80	7/11/2013	7/11/2013	7/11/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9398				
NAL13026-469	316-013	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9397				
NAL13026-469	316-013	ORG	71-43-2	Benzene	40	J	ug/L	100	13.53	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9397				
NAL13026-469	316-013	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9397				
NAL13026-469	316-013	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9397				
NAL13026-469	316-013	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9397				
NAL13026-469	316-013	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9397				
NAL13026-469	316-013	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9397				
NAL13026-469	316-013	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9397				
NAL13026-469	316-013	ORG	108-88-3	Toluene		U	ug/L	100	20.96	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9397				
NAL13026-469	316-013	ORG	108-10-1	4-Methyl-2-pentanone	610		ug/L	500	74.00	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9397				
NAL13026-469	316-013	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9397				
NAL13026-469	316-013	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9397				
NAL13026-469	316-013	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9397				
NAL13026-469	316-013	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	29.90	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9397				
NAL13026-469	316-013	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	26.49	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9397				
NAL13026-469	316-013	ORG	591-78-6	2-Hexanone	530		ug/L	500	68.90	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9397				
NAL13026-469	316-013	ORG	100-41-4	Ethylbenzene		U	ug/L	100	25.38	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9397				
NAL13026-469	316-013	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9397				
NAL13026-469	316-013	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9397				
NAL13026-469	316-013	ORG	XYLMP	p&m-Xylene		U	ug/L	200	26.14	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9397				
NAL13026-469	316-013	ORG	95-47-6	o-Xylene		U	ug/L	100	12.90	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9397				
NAL13026-469	316-013	ORG	100-42-5	Styrene	22	J	ug/L	100	20.23	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9397				
NAL13026-469	316-013	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9397				
NAL13026-469	316-013	ORG	98-82-8	Isopropylbenzene		U	ug/L	200	20.48	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9397				
NAL13026-469	316-013	ORG	103-65-1	n-Propylbenzene		U	ug/L	200	27.00	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9397				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-469	316-013	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9397				
NAL13026-469	316-013	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9397				
NAL13026-469	316-013	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	200	20.03	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9397				
NAL13026-469	316-013	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9397				
NAL13026-469	316-013	ORG	95-63-6	1,2,4-Trimethylbenzene	29	J	ug/L	200	20.03	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9397				
NAL13026-469	316-013	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9397				
NAL13026-469	316-013	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9397				
NAL13026-469	316-013	ORG	99-87-6	p-Isopropltoluene	61	J	ug/L	200	25.48	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9397				
NAL13026-469	316-013	ORG	106-46-7	1,4-Dichlorobenzene	80	J	ug/L	200	33.03	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9397				
NAL13026-469	316-013	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9397				
NAL13026-469	316-013	ORG	104-51-8	n-Butylbenzene		U	ug/L	500	27.81	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9397				
NAL13026-469	316-013	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9397				
NAL13026-469	316-013	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9397				
NAL13026-469	316-013	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9397				
NAL13026-469	316-013	ORG	91-20-3	Naphthalene	200		ug/L	500	56.04	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9397				
NAL13026-469	316-013	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9397				
NAL13026-469	316-013	STD	1868-53-7	Dibromofluoromethane	51		ng			7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9397	50	102%		
NAL13026-469	316-013	STD	17060-07-0	1,2-Dichloroethane d4	50		ng			7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9397	50	100%		
NAL13026-469	316-013	STD	2037-26-5	Toluene d8	47		ng			7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9397	50	94%		
NAL13026-469	316-013	STD	460-00-4	Bromofluorobenzene	47		ng			7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9397	50	94%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-470	277-ST T2R	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9399				
NAL13026-470	277-ST T2R	ORG	74-87-3	Chloromethane		U	ug/L	500	43.07	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9399				
NAL13026-470	277-ST T2R	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9399				
NAL13026-470	277-ST T2R	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9399				
NAL13026-470	277-ST T2R	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9399				
NAL13026-470	277-ST T2R	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9399				
NAL13026-470	277-ST T2R	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9399				
NAL13026-470	277-ST T2R	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9399				
NAL13026-470	277-ST T2R	ORG	67-64-1	Acetone	110000	D	ug/L	10000	1556.07	7/11/2013	7/11/2013	7/11/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9401				
NAL13026-470	277-ST T2R	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9399				
NAL13026-470	277-ST T2R	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9399				
NAL13026-470	277-ST T2R	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9399				
NAL13026-470	277-ST T2R	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9399				
NAL13026-470	277-ST T2R	ORG	74-97-5	Bromochloromethane		U	ug/L	200	81.18	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9399				
NAL13026-470	277-ST T2R	ORG	67-66-3	Chloroform		U	ug/L	100	41.37	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9399				
NAL13026-470	277-ST T2R	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	15.73	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9399				
NAL13026-470	277-ST T2R	ORG	78-93-3	2-Butanone	59000	D	ug/L	10000	166.52	7/11/2013	7/11/2013	7/11/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9401				
NAL13026-470	277-ST T2R	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9399				
NAL13026-470	277-ST T2R	ORG	71-43-2	Benzene	56	J	ug/L	100	13.53	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9399				
NAL13026-470	277-ST T2R	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9399				
NAL13026-470	277-ST T2R	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9399				
NAL13026-470	277-ST T2R	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9399				
NAL13026-470	277-ST T2R	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9399				
NAL13026-470	277-ST T2R	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9399				
NAL13026-470	277-ST T2R	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9399				
NAL13026-470	277-ST T2R	ORG	108-88-3	Toluene	430		ug/L	100	20.96	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9399				
NAL13026-470	277-ST T2R	ORG	108-10-1	4-Methyl-2-pentanone	2000		ug/L	500	74.00	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9399				
NAL13026-470	277-ST T2R	ORG	10061-02-6	trans-1,3-Dichloropropene	80	J	ug/L	100	31.15	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9399				
NAL13026-470	277-ST T2R	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9399				
NAL13026-470	277-ST T2R	ORG	79-00-5	1,1,2-Trichloroethane	370		ug/L	100	34.28	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9399				
NAL13026-470	277-ST T2R	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	68.90	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9399				
NAL13026-470	277-ST T2R	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	29.90	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9399				
NAL13026-470	277-ST T2R	ORG	591-78-6	2-Hexanone	1400		ug/L	500	26.49	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9399				
NAL13026-470	277-ST T2R	ORG	100-41-4	Ethylbenzene	2100		ug/L	100	25.38	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9399				
NAL13026-470	277-ST T2R	ORG	108-90-7	Chlorobenzene	76	J	ug/L	100	27.52	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9399				
NAL13026-470	277-ST T2R	ORG	630-20-6	1,1,1,2-Tetrachloroethane	100	J	ug/L	200	19.28	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9399				
NAL13026-470	277-ST T2R	ORG	XYLMP	p&m-Xylene	5300		ug/L	200	26.14	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9399				
NAL13026-470	277-ST T2R	ORG	95-47-6	o-Xylene	2300		ug/L	100	12.90	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9399				
NAL13026-470	277-ST T2R	ORG	100-42-5	Styrene	340		ug/L	100	20.23	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9399				
NAL13026-470	277-ST T2R	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9399				
NAL13026-470	277-ST T2R	ORG	98-82-8	Isopropylbenzene	1800		ug/L	200	20.48	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9399				
NAL13026-470	277-ST T2R	ORG	103-65-1	n-Propylbenzene	1500		ug/L	200	27.00	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9399				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-470	277-ST T2R	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9399				
NAL13026-470	277-ST T2R	ORG	96-18-4	1,2,3-Trichloropropane	160	J	ug/L	200	29.47	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9399				
NAL13026-470	277-ST T2R	ORG	108-67-8	1,3,5-Trimethylbenzene	3300		ug/L	200	20.03	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9399				
NAL13026-470	277-ST T2R	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9399				
NAL13026-470	277-ST T2R	ORG	95-63-6	1,2,4-Trimethylbenzene	13000		ug/L	200	20.03	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9399				
NAL13026-470	277-ST T2R	ORG	135-98-8	sec-Butylbenzene	640		ug/L	200	32.34	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9399				
NAL13026-470	277-ST T2R	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9399				
NAL13026-470	277-ST T2R	ORG	99-87-6	p-Isopropltoluene	220000	D	ug/L	2000	254.81	7/11/2013	7/11/2013	7/11/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9401				
NAL13026-470	277-ST T2R	ORG	106-46-7	1,4-Dichlorobenzene	14000		ug/L	200	33.03	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9399				
NAL13026-470	277-ST T2R	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9399				
NAL13026-470	277-ST T2R	ORG	104-51-8	n-Butylbenzene	1900		ug/L	500	27.81	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9399				
NAL13026-470	277-ST T2R	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9399				
NAL13026-470	277-ST T2R	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9399				
NAL13026-470	277-ST T2R	ORG	120-82-1	1,2,4-Trichlorobenzene	300	J	ug/L	500	27.63	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9399				
NAL13026-470	277-ST T2R	ORG	91-20-3	Naphthalene	12000		ug/L	500	56.04	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9399				
NAL13026-470	277-ST T2R	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9399				
NAL13026-470	277-ST T2R	STD	1868-53-7	Dibromofluoromethane	51		ng			7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9399	50	102%		
NAL13026-470	277-ST T2R	STD	17060-07-0	1,2-Dichloroethane d4	49		ng			7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9399	50	98%		
NAL13026-470	277-ST T2R	STD	2037-26-5	Toluene d8	47		ng			7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9399	50	94%		
NAL13026-470	277-ST T2R	STD	460-00-4	Bromofluorobenzene	40		ng			7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9399	50	80%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-471	277-ST T3R	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9400				
NAL13026-471	277-ST T3R	ORG	74-87-3	Chloromethane		U	ug/L	500	43.07	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9400				
NAL13026-471	277-ST T3R	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9400				
NAL13026-471	277-ST T3R	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9400				
NAL13026-471	277-ST T3R	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9400				
NAL13026-471	277-ST T3R	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9400				
NAL13026-471	277-ST T3R	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9400				
NAL13026-471	277-ST T3R	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9400				
NAL13026-471	277-ST T3R	ORG	67-64-1	Acetone	130000	D	ug/L	10000	1556.07	7/11/2013	7/11/2013	7/11/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9402				
NAL13026-471	277-ST T3R	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9400				
NAL13026-471	277-ST T3R	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9400				
NAL13026-471	277-ST T3R	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9400				
NAL13026-471	277-ST T3R	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9400				
NAL13026-471	277-ST T3R	ORG	74-97-5	Bromochloromethane		U	ug/L	200	81.18	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9400				
NAL13026-471	277-ST T3R	ORG	67-66-3	Chloroform		U	ug/L	100	41.37	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9400				
NAL13026-471	277-ST T3R	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	15.73	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9400				
NAL13026-471	277-ST T3R	ORG	78-93-3	2-Butanone	78000	D	ug/L	10000	166.52	7/11/2013	7/11/2013	7/11/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9402				
NAL13026-471	277-ST T3R	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9400				
NAL13026-471	277-ST T3R	ORG	71-43-2	Benzene	41	J	ug/L	100	13.53	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9400				
NAL13026-471	277-ST T3R	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9400				
NAL13026-471	277-ST T3R	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9400				
NAL13026-471	277-ST T3R	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9400				
NAL13026-471	277-ST T3R	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9400				
NAL13026-471	277-ST T3R	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9400				
NAL13026-471	277-ST T3R	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9400				
NAL13026-471	277-ST T3R	ORG	108-88-3	Toluene	400		ug/L	100	20.96	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9400				
NAL13026-471	277-ST T3R	ORG	108-10-1	4-Methyl-2-pentanone	2400		ug/L	500	74.00	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9400				
NAL13026-471	277-ST T3R	ORG	10061-02-6	trans-1,3-Dichloropropene	65	J	ug/L	100	31.15	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9400				
NAL13026-471	277-ST T3R	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9400				
NAL13026-471	277-ST T3R	ORG	79-00-5	1,1,2-Trichloroethane	360		ug/L	100	34.28	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9400				
NAL13026-471	277-ST T3R	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	68.90	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9400				
NAL13026-471	277-ST T3R	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	29.90	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9400				
NAL13026-471	277-ST T3R	ORG	591-78-6	2-Hexanone	1700		ug/L	500	26.49	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9400				
NAL13026-471	277-ST T3R	ORG	100-41-4	Ethylbenzene	2100		ug/L	100	25.38	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9400				
NAL13026-471	277-ST T3R	ORG	108-90-7	Chlorobenzene	98	J	ug/L	100	27.52	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9400				
NAL13026-471	277-ST T3R	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9400				
NAL13026-471	277-ST T3R	ORG	XYLMP	p&m-Xylene	5400		ug/L	200	26.14	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9400				
NAL13026-471	277-ST T3R	ORG	95-47-6	o-Xylene	2600		ug/L	100	12.90	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9400				
NAL13026-471	277-ST T3R	ORG	100-42-5	Styrene	380		ug/L	100	20.23	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9400				
NAL13026-471	277-ST T3R	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9400				
NAL13026-471	277-ST T3R	ORG	98-82-8	Isopropylbenzene	2000		ug/L	200	20.48	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9400				
NAL13026-471	277-ST T3R	ORG	103-65-1	n-Propylbenzene	1600		ug/L	200	27.00	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9400				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-471	277-ST T3R	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9400				
NAL13026-471	277-ST T3R	ORG	96-18-4	1,2,3-Trichloropropane	140	J	ug/L	200	29.47	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9400				
NAL13026-471	277-ST T3R	ORG	108-67-8	1,3,5-Trimethylbenzene	3300		ug/L	200	20.03	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9400				
NAL13026-471	277-ST T3R	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9400				
NAL13026-471	277-ST T3R	ORG	95-63-6	1,2,4-Trimethylbenzene	13000		ug/L	200	20.03	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9400				
NAL13026-471	277-ST T3R	ORG	135-98-8	sec-Butylbenzene	590		ug/L	200	32.34	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9400				
NAL13026-471	277-ST T3R	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9400				
NAL13026-471	277-ST T3R	ORG	99-87-6	p-Isopropltoluene	160000	D	ug/L	2000	254.81	7/11/2013	7/11/2013	7/11/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9402				
NAL13026-471	277-ST T3R	ORG	106-46-7	1,4-Dichlorobenzene	13000		ug/L	200	33.03	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9400				
NAL13026-471	277-ST T3R	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9400				
NAL13026-471	277-ST T3R	ORG	104-51-8	n-Butylbenzene	1900		ug/L	500	27.81	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9400				
NAL13026-471	277-ST T3R	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9400				
NAL13026-471	277-ST T3R	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9400				
NAL13026-471	277-ST T3R	ORG	120-82-1	1,2,4-Trichlorobenzene	220	J	ug/L	500	27.63	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9400				
NAL13026-471	277-ST T3R	ORG	91-20-3	Naphthalene	12000		ug/L	500	56.04	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9400				
NAL13026-471	277-ST T3R	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9400				
NAL13026-471	277-ST T3R	STD	1868-53-7	Dibromofluoromethane	51		ng			7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9400	50	102%		
NAL13026-471	277-ST T3R	STD	17060-07-0	1,2-Dichloroethane d4	53		ng			7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9400	50	106%		
NAL13026-471	277-ST T3R	STD	2037-26-5	Toluene d8	47		ng			7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9400	50	94%		
NAL13026-471	277-ST T3R	STD	460-00-4	Bromofluorobenzene	51		ng			7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9400	50	102%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J071113CCVA	J071113CCVA	ORG	75-71-8	Dichlorodifluoromethane	58		ug/L	5	0.29	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9394	50	116%		
J071113CCVA	J071113CCVA	ORG	74-87-3	Chloromethane	48		ug/L	5	0.43	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9394	50	96%		
J071113CCVA	J071113CCVA	ORG	75-01-4	Vinyl chloride	55		ug/L	2	0.32	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9394	50	110%		
J071113CCVA	J071113CCVA	ORG	74-83-9	Bromomethane	56		ug/L	5	0.50	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9394	50	112%		
J071113CCVA	J071113CCVA	ORG	75-00-3	Chloroethane	54		ug/L	5	0.56	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9394	50	108%		
J071113CCVA	J071113CCVA	ORG	75-69-4	Trichlorofluoromethane	57		ug/L	5	0.20	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9394	50	114%		
J071113CCVA	J071113CCVA	ORG	75-35-4	1,1-Dichloroethene	50		ug/L	1	0.47	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9394	50	100%		
J071113CCVA	J071113CCVA	ORG	75-09-2	Methylene chloride	54		ug/L	5	0.26	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9394	50	108%		
J071113CCVA	J071113CCVA	ORG	67-64-1	Acetone	43		ug/L	10	1.56	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9394	50	86%		
J071113CCVA	J071113CCVA	ORG	156-60-5	trans-1,2-Dichloroethene	55		ug/L	1	0.56	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9394	50	110%		
J071113CCVA	J071113CCVA	ORG	1634-04-4	MTBE	46		ug/L	5	0.61	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9394	50	92%		
J071113CCVA	J071113CCVA	ORG	75-34-3	1,1-Dichloroethane	59		ug/L	1	0.53	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9394	50	118%		
J071113CCVA	J071113CCVA	ORG	156-59-2	cis-1,2-Dichloroethene	56		ug/L	1	0.32	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9394	50	112%		
J071113CCVA	J071113CCVA	ORG	74-97-5	Bromochloromethane	57		ug/L	10	0.81	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9394	50	114%		
J071113CCVA	J071113CCVA	ORG	67-66-3	Chloroform	55		ug/L	2	0.41	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9394	50	110%		
J071113CCVA	J071113CCVA	ORG	71-55-6	1,1,1-Trichloroethane	56		ug/L	1	0.16	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9394	50	112%		
J071113CCVA	J071113CCVA	ORG	78-93-3	2-Butanone	41		ug/L	1	0.17	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9394	50	82%		
J071113CCVA	J071113CCVA	ORG	56-23-5	Carbon tetrachloride	56		ug/L	1	0.28	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9394	50	112%		
J071113CCVA	J071113CCVA	ORG	71-43-2	Benzene	52		ug/L	1	0.14	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9394	50	104%		
J071113CCVA	J071113CCVA	ORG	107-06-2	1,2-Dichloroethane	53		ug/L	1	0.20	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9394	50	106%		
J071113CCVA	J071113CCVA	ORG	79-01-6	Trichloroethene	57		ug/L	1	0.36	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9394	50	114%		
J071113CCVA	J071113CCVA	ORG	74-95-3	Dibromomethane	53		ug/L	2	0.32	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9394	50	106%		
J071113CCVA	J071113CCVA	ORG	78-87-5	1,2-Dichloropropane	50		ug/L	1	0.18	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9394	50	100%		
J071113CCVA	J071113CCVA	ORG	75-27-4	Bromodichloromethane	54		ug/L	2	0.12	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9394	50	108%		
J071113CCVA	J071113CCVA	ORG	10061-01-5	cis-1,3-Dichloropropene	52		ug/L	1	0.25	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9394	50	104%		
J071113CCVA	J071113CCVA	ORG	108-88-3	Toluene	51		ug/L	5	0.74	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9394	50	102%		
J071113CCVA	J071113CCVA	ORG	108-10-1	4-Methyl-2-pentanone	41		ug/L	1	0.21	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9394	50	82%		
J071113CCVA	J071113CCVA	ORG	10061-02-6	trans-1,3-Dichloropropene	53		ug/L	1	0.31	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9394	50	106%		
J071113CCVA	J071113CCVA	ORG	127-18-4	Tetrachloroethene	44		ug/L	1	0.49	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9394	50	88%		
J071113CCVA	J071113CCVA	ORG	79-00-5	1,1,2-Trichloroethane	51		ug/L	1	0.34	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9394	50	102%		
J071113CCVA	J071113CCVA	ORG	124-48-1	Dibromochloromethane	54		ug/L	5	0.69	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9394	50	108%		
J071113CCVA	J071113CCVA	ORG	106-93-4	1,2-Dibromoethane	53		ug/L	2	0.30	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9394	50	106%		
J071113CCVA	J071113CCVA	ORG	591-78-6	2-Hexanone	42		ug/L	2	0.26	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9394	50	84%		
J071113CCVA	J071113CCVA	ORG	100-41-4	Ethylbenzene	55		ug/L	1	0.25	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9394	50	110%		
J071113CCVA	J071113CCVA	ORG	108-90-7	Chlorobenzene	54		ug/L	1	0.28	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9394	50	108%		
J071113CCVA	J071113CCVA	ORG	630-20-6	1,1,1,2-Tetrachloroethane	55		ug/L	2	0.19	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9394	50	110%		
J071113CCVA	J071113CCVA	ORG	XYLMP	p&m-Xylene	110		ug/L	2	0.26	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9394	100	110%		
J071113CCVA	J071113CCVA	ORG	95-47-6	o-Xylene	55		ug/L	1	0.13	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9394	50	110%		
J071113CCVA	J071113CCVA	ORG	100-42-5	Styrene	52		ug/L	1	0.20	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9394	50	104%		
J071113CCVA	J071113CCVA	ORG	75-25-2	Bromoform	55		ug/L	2	0.47	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9394	50	110%		
J071113CCVA	J071113CCVA	ORG	98-82-8	Isopropylbenzene	56		ug/L	2	0.20	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9394	50	112%		
J071113CCVA	J071113CCVA	ORG	103-65-1	n-Propylbenzene	55		ug/L	2	0.27	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9394	50	110%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J071113CCVA	J071113CCVA	ORG	79-34-5	1,1,2,2-Tetrachloroethane	50		ug/L	2	0.29	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9394	50	100%		
J071113CCVA	J071113CCVA	ORG	96-18-4	1,2,3-Trichloropropane	49		ug/L	2	0.29	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9394	50	98%		
J071113CCVA	J071113CCVA	ORG	108-67-8	1,3,5-Trimethylbenzene	54		ug/L	2	0.20	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9394	50	108%		
J071113CCVA	J071113CCVA	ORG	98-06-6	tert-Butylbenzene	53		ug/L	2	0.33	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9394	50	106%		
J071113CCVA	J071113CCVA	ORG	95-63-6	1,2,4-Trimethylbenzene	53		ug/L	2	0.20	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9394	50	106%		
J071113CCVA	J071113CCVA	ORG	135-98-8	sec-Butylbenzene	55		ug/L	2	0.32	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9394	50	110%		
J071113CCVA	J071113CCVA	ORG	541-73-1	1,3-Dichlorobenzene	55		ug/L	2	0.22	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9394	50	110%		
J071113CCVA	J071113CCVA	ORG	99-87-6	p-Isopropltoluene	55		ug/L	2	0.25	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9394	50	110%		
J071113CCVA	J071113CCVA	ORG	106-46-7	1,4-Dichlorobenzene	56		ug/L	2	0.33	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9394	50	112%		
J071113CCVA	J071113CCVA	ORG	95-50-1	1,2-Dichlorobenzene	54		ug/L	2	0.26	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9394	50	108%		
J071113CCVA	J071113CCVA	ORG	104-51-8	n-Butylbenzene	55		ug/L	5	0.28	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9394	50	110%		
J071113CCVA	J071113CCVA	ORG	96-12-8	1,2-Dibromo-3-chloropropane	50		ug/L	5	1.59	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9394	50	100%		
J071113CCVA	J071113CCVA	ORG	87-68-3	Hexachlorobutadiene	59		ug/L	5	0.65	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9394	50	118%		
J071113CCVA	J071113CCVA	ORG	120-82-1	1,2,4-Trichlorobenzene	58		ug/L	5	0.28	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9394	50	116%		
J071113CCVA	J071113CCVA	ORG	91-20-3	Naphthalene	52		ug/L	5	0.56	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9394	50	104%		
J071113CCVA	J071113CCVA	ORG	87-61-6	1,2,3-Trichlorobenzene	57		ug/L	5	0.23	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9394	50	114%		
J071113CCVA	J071113CCVA	STD	1868-53-7	Dibromofluoromethane	52		ng			NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9394	50	104%		
J071113CCVA	J071113CCVA	STD	17060-07-0	1,2-Dichloroethane d4	45		ng			NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9394	50	90%		
J071113CCVA	J071113CCVA	STD	2037-26-5	Toluene d8	48		ng			NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9394	50	96%		
J071113CCVA	J071113CCVA	STD	460-00-4	Bromofluorobenzene	51		ng			NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9394	50	102%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J071113MBKA	J071113MBKA	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	5	0.29	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9395				
J071113MBKA	J071113MBKA	ORG	74-87-3	Chloromethane		U	ug/L	5	0.43	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9395				
J071113MBKA	J071113MBKA	ORG	75-01-4	Vinyl chloride		U	ug/L	2	0.32	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9395				
J071113MBKA	J071113MBKA	ORG	74-83-9	Bromomethane		U	ug/L	5	0.50	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9395				
J071113MBKA	J071113MBKA	ORG	75-00-3	Chloroethane		U	ug/L	5	0.56	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9395				
J071113MBKA	J071113MBKA	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	5	0.20	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9395				
J071113MBKA	J071113MBKA	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	1	0.47	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9395				
J071113MBKA	J071113MBKA	ORG	75-09-2	Methylene chloride		U	ug/L	5	0.26	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9395				
J071113MBKA	J071113MBKA	ORG	67-64-1	Acetone		U	ug/L	10	1.56	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9395				
J071113MBKA	J071113MBKA	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	1	0.56	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9395				
J071113MBKA	J071113MBKA	ORG	1634-04-4	MTBE		U	ug/L	5	0.61	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9395				
J071113MBKA	J071113MBKA	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	1	0.53	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9395				
J071113MBKA	J071113MBKA	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	1	0.32	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9395				
J071113MBKA	J071113MBKA	ORG	74-97-5	Bromochloromethane		U	ug/L	10	0.81	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9395				
J071113MBKA	J071113MBKA	ORG	67-66-3	Chloroform		U	ug/L	2	0.41	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9395				
J071113MBKA	J071113MBKA	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	1	0.16	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9395				
J071113MBKA	J071113MBKA	ORG	78-93-3	2-Butanone		U	ug/L	1	0.17	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9395				
J071113MBKA	J071113MBKA	ORG	56-23-5	Carbon tetrachloride		U	ug/L	1	0.28	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9395				
J071113MBKA	J071113MBKA	ORG	71-43-2	Benzene		U	ug/L	1	0.14	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9395				
J071113MBKA	J071113MBKA	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	1	0.20	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9395				
J071113MBKA	J071113MBKA	ORG	79-01-6	Trichloroethene		U	ug/L	1	0.36	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9395				
J071113MBKA	J071113MBKA	ORG	74-95-3	Dibromomethane		U	ug/L	2	0.32	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9395				
J071113MBKA	J071113MBKA	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	1	0.18	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9395				
J071113MBKA	J071113MBKA	ORG	75-27-4	Bromodichloromethane		U	ug/L	2	0.12	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9395				
J071113MBKA	J071113MBKA	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	1	0.25	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9395				
J071113MBKA	J071113MBKA	ORG	108-88-3	Toluene		U	ug/L	5	0.74	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9395				
J071113MBKA	J071113MBKA	ORG	108-10-1	4-Methyl-2-pentanone		U	ug/L	1	0.21	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9395				
J071113MBKA	J071113MBKA	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	1	0.31	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9395				
J071113MBKA	J071113MBKA	ORG	127-18-4	Tetrachloroethene		U	ug/L	1	0.49	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9395				
J071113MBKA	J071113MBKA	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	1	0.34	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9395				
J071113MBKA	J071113MBKA	ORG	124-48-1	Dibromochloromethane		U	ug/L	5	0.69	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9395				
J071113MBKA	J071113MBKA	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	2	0.30	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9395				
J071113MBKA	J071113MBKA	ORG	591-78-6	2-Hexanone		U	ug/L	2	0.26	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9395				
J071113MBKA	J071113MBKA	ORG	100-41-4	Ethylbenzene		U	ug/L	1	0.25	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9395				
J071113MBKA	J071113MBKA	ORG	108-90-7	Chlorobenzene		U	ug/L	1	0.28	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9395				
J071113MBKA	J071113MBKA	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	2	0.19	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9395				
J071113MBKA	J071113MBKA	ORG	XYLMP	p&m-Xylene		U	ug/L	2	0.26	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9395				
J071113MBKA	J071113MBKA	ORG	95-47-6	o-Xylene		U	ug/L	1	0.13	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9395				
J071113MBKA	J071113MBKA	ORG	100-42-5	Styrene		U	ug/L	1	0.20	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9395				
J071113MBKA	J071113MBKA	ORG	75-25-2	Bromoform		U	ug/L	2	0.47	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9395				
J071113MBKA	J071113MBKA	ORG	98-82-8	Isopropylbenzene		U	ug/L	2	0.20	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9395				
J071113MBKA	J071113MBKA	ORG	103-65-1	n-Propylbenzene		U	ug/L	2	0.27	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9395				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J071113MBKA	J071113MBKA	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	2	0.29	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9395				
J071113MBKA	J071113MBKA	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	2	0.29	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9395				
J071113MBKA	J071113MBKA	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	2	0.20	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9395				
J071113MBKA	J071113MBKA	ORG	98-06-6	tert-Butylbenzene		U	ug/L	2	0.33	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9395				
J071113MBKA	J071113MBKA	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	2	0.20	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9395				
J071113MBKA	J071113MBKA	ORG	135-98-8	sec-Butylbenzene		U	ug/L	2	0.32	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9395				
J071113MBKA	J071113MBKA	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	2	0.22	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9395				
J071113MBKA	J071113MBKA	ORG	99-87-6	p-Isopropltoluene		U	ug/L	2	0.25	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9395				
J071113MBKA	J071113MBKA	ORG	106-46-7	1,4-Dichlorobenzene		U	ug/L	2	0.33	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9395				
J071113MBKA	J071113MBKA	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	2	0.26	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9395				
J071113MBKA	J071113MBKA	ORG	104-51-8	n-Butylbenzene		U	ug/L	5	0.28	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9395				
J071113MBKA	J071113MBKA	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	5	1.59	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9395				
J071113MBKA	J071113MBKA	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	5	0.65	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9395				
J071113MBKA	J071113MBKA	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	5	0.28	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9395				
J071113MBKA	J071113MBKA	ORG	91-20-3	Naphthalene		U	ug/L	5	0.56	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9395				
J071113MBKA	J071113MBKA	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	5	0.23	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9395				
J071113MBKA	J071113MBKA	STD	1868-53-7	Dibromofluoromethane	53		ng			NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9395	50	106%		
J071113MBKA	J071113MBKA	STD	17060-07-0	1,2-Dichloroethane d4	52		ng			NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9395	50	104%		
J071113MBKA	J071113MBKA	STD	2037-26-5	Toluene d8	47		ng			NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9395	50	94%		
J071113MBKA	J071113MBKA	STD	460-00-4	Bromofluorobenzene	47		ng			NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9395	50	94%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J071113CCVB	J071113CCVB	ORG	75-71-8	Dichlorodifluoromethane	55		ug/L	5	0.29	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9408	50	110%		
J071113CCVB	J071113CCVB	ORG	74-87-3	Chloromethane	41		ug/L	5	0.43	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9408	50	82%		
J071113CCVB	J071113CCVB	ORG	75-01-4	Vinyl chloride	45		ug/L	2	0.32	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9408	50	90%		
J071113CCVB	J071113CCVB	ORG	74-83-9	Bromomethane	68		ug/L	5	0.50	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9408	50	136%		
J071113CCVB	J071113CCVB	ORG	75-00-3	Chloroethane	61		ug/L	5	0.56	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9408	50	122%		
J071113CCVB	J071113CCVB	ORG	75-69-4	Trichlorofluoromethane	55		ug/L	5	0.20	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9408	50	110%		
J071113CCVB	J071113CCVB	ORG	75-35-4	1,1-Dichloroethene	45		ug/L	1	0.47	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9408	50	90%		
J071113CCVB	J071113CCVB	ORG	75-09-2	Methylene chloride	52		ug/L	5	0.26	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9408	50	104%		
J071113CCVB	J071113CCVB	ORG	67-64-1	Acetone	48		ug/L	10	1.56	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9408	50	96%		
J071113CCVB	J071113CCVB	ORG	156-60-5	trans-1,2-Dichloroethene	50		ug/L	1	0.56	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9408	50	100%		
J071113CCVB	J071113CCVB	ORG	1634-04-4	MTBE	48		ug/L	5	0.61	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9408	50	96%		
J071113CCVB	J071113CCVB	ORG	75-34-3	1,1-Dichloroethane	53		ug/L	1	0.53	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9408	50	106%		
J071113CCVB	J071113CCVB	ORG	156-59-2	cis-1,2-Dichloroethene	52		ug/L	1	0.32	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9408	50	104%		
J071113CCVB	J071113CCVB	ORG	74-97-5	Bromochloromethane	53		ug/L	10	0.81	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9408	50	106%		
J071113CCVB	J071113CCVB	ORG	67-66-3	Chloroform	52		ug/L	2	0.41	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9408	50	104%		
J071113CCVB	J071113CCVB	ORG	71-55-6	1,1,1-Trichloroethane	52		ug/L	1	0.16	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9408	50	104%		
J071113CCVB	J071113CCVB	ORG	78-93-3	2-Butanone	45		ug/L	1	0.17	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9408	50	90%		
J071113CCVB	J071113CCVB	ORG	56-23-5	Carbon tetrachloride	54		ug/L	1	0.28	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9408	50	108%		
J071113CCVB	J071113CCVB	ORG	71-43-2	Benzene	49		ug/L	1	0.14	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9408	50	98%		
J071113CCVB	J071113CCVB	ORG	107-06-2	1,2-Dichloroethane	51		ug/L	1	0.20	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9408	50	102%		
J071113CCVB	J071113CCVB	ORG	79-01-6	Trichloroethene	53		ug/L	1	0.36	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9408	50	106%		
J071113CCVB	J071113CCVB	ORG	74-95-3	Dibromomethane	52		ug/L	2	0.32	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9408	50	104%		
J071113CCVB	J071113CCVB	ORG	78-87-5	1,2-Dichloropropane	48		ug/L	1	0.18	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9408	50	96%		
J071113CCVB	J071113CCVB	ORG	75-27-4	Bromodichloromethane	50		ug/L	2	0.12	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9408	50	100%		
J071113CCVB	J071113CCVB	ORG	10061-01-5	cis-1,3-Dichloropropene	48		ug/L	1	0.25	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9408	50	96%		
J071113CCVB	J071113CCVB	ORG	108-88-3	Toluene	46		ug/L	5	0.74	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9408	50	92%		
J071113CCVB	J071113CCVB	ORG	108-10-1	4-Methyl-2-pentanone	47		ug/L	1	0.21	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9408	50	94%		
J071113CCVB	J071113CCVB	ORG	10061-02-6	trans-1,3-Dichloropropene	49		ug/L	1	0.31	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9408	50	98%		
J071113CCVB	J071113CCVB	ORG	127-18-4	Tetrachloroethene	47		ug/L	1	0.49	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9408	50	94%		
J071113CCVB	J071113CCVB	ORG	79-00-5	1,1,2-Trichloroethane	48		ug/L	1	0.34	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9408	50	96%		
J071113CCVB	J071113CCVB	ORG	124-48-1	Dibromochloromethane	53		ug/L	5	0.69	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9408	50	106%		
J071113CCVB	J071113CCVB	ORG	106-93-4	1,2-Dibromoethane	50		ug/L	2	0.30	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9408	50	100%		
J071113CCVB	J071113CCVB	ORG	591-78-6	2-Hexanone	49		ug/L	2	0.26	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9408	50	98%		
J071113CCVB	J071113CCVB	ORG	100-41-4	Ethylbenzene	44		ug/L	1	0.25	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9408	50	88%		
J071113CCVB	J071113CCVB	ORG	108-90-7	Chlorobenzene	44		ug/L	1	0.28	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9408	50	88%		
J071113CCVB	J071113CCVB	ORG	630-20-6	1,1,1,2-Tetrachloroethane	46		ug/L	2	0.19	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9408	50	92%		
J071113CCVB	J071113CCVB	ORG	XYLMP	p&m-Xylene	88		ug/L	2	0.26	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9408	100	88%		
J071113CCVB	J071113CCVB	ORG	95-47-6	o-Xylene	45		ug/L	1	0.13	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9408	50	90%		
J071113CCVB	J071113CCVB	ORG	100-42-5	Styrene	44		ug/L	1	0.20	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9408	50	88%		
J071113CCVB	J071113CCVB	ORG	75-25-2	Bromoform	53		ug/L	2	0.47	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9408	50	106%		
J071113CCVB	J071113CCVB	ORG	98-82-8	Isopropylbenzene	45		ug/L	2	0.20	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9408	50	90%		
J071113CCVB	J071113CCVB	ORG	103-65-1	n-Propylbenzene	45		ug/L	2	0.27	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9408	50	90%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J071113CCVB	J071113CCVB	ORG	79-34-5	1,1,2,2-Tetrachloroethane	49		ug/L	2	0.29	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9408	50	98%		
J071113CCVB	J071113CCVB	ORG	96-18-4	1,2,3-Trichloropropane	48		ug/L	2	0.29	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9408	50	96%		
J071113CCVB	J071113CCVB	ORG	108-67-8	1,3,5-Trimethylbenzene	45		ug/L	2	0.20	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9408	50	90%		
J071113CCVB	J071113CCVB	ORG	98-06-6	tert-Butylbenzene	47		ug/L	2	0.33	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9408	50	94%		
J071113CCVB	J071113CCVB	ORG	95-63-6	1,2,4-Trimethylbenzene	45		ug/L	2	0.20	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9408	50	90%		
J071113CCVB	J071113CCVB	ORG	135-98-8	sec-Butylbenzene	47		ug/L	2	0.32	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9408	50	94%		
J071113CCVB	J071113CCVB	ORG	541-73-1	1,3-Dichlorobenzene	48		ug/L	2	0.22	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9408	50	96%		
J071113CCVB	J071113CCVB	ORG	99-87-6	p-Isopropltoluene	48		ug/L	2	0.25	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9408	50	96%		
J071113CCVB	J071113CCVB	ORG	106-46-7	1,4-Dichlorobenzene	50		ug/L	2	0.33	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9408	50	100%		
J071113CCVB	J071113CCVB	ORG	95-50-1	1,2-Dichlorobenzene	49		ug/L	2	0.26	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9408	50	98%		
J071113CCVB	J071113CCVB	ORG	104-51-8	n-Butylbenzene	46		ug/L	5	0.28	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9408	50	92%		
J071113CCVB	J071113CCVB	ORG	96-12-8	1,2-Dibromo-3-chloropropane	47		ug/L	5	1.59	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9408	50	94%		
J071113CCVB	J071113CCVB	ORG	87-68-3	Hexachlorobutadiene	51		ug/L	5	0.65	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9408	50	102%		
J071113CCVB	J071113CCVB	ORG	120-82-1	1,2,4-Trichlorobenzene	47		ug/L	5	0.28	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9408	50	94%		
J071113CCVB	J071113CCVB	ORG	91-20-3	Naphthalene	45		ug/L	5	0.56	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9408	50	90%		
J071113CCVB	J071113CCVB	ORG	87-61-6	1,2,3-Trichlorobenzene	46		ug/L	5	0.23	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9408	50	92%		
J071113CCVB	J071113CCVB	STD	1868-53-7	Dibromofluoromethane	51		ng			NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9408	50	102%		
J071113CCVB	J071113CCVB	STD	17060-07-0	1,2-Dichloroethane d4	50		ng			NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9408	50	100%		
J071113CCVB	J071113CCVB	STD	2037-26-5	Toluene d8	47		ng			NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9408	50	94%		
J071113CCVB	J071113CCVB	STD	460-00-4	Bromofluorobenzene	47		ng			NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9408	50	94%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J071113MBKB	J071113MBKB	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	5	0.29	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9409				
J071113MBKB	J071113MBKB	ORG	74-87-3	Chloromethane		U	ug/L	5	0.43	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9409				
J071113MBKB	J071113MBKB	ORG	75-01-4	Vinyl chloride		U	ug/L	2	0.32	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9409				
J071113MBKB	J071113MBKB	ORG	74-83-9	Bromomethane		U	ug/L	5	0.50	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9409				
J071113MBKB	J071113MBKB	ORG	75-00-3	Chloroethane		U	ug/L	5	0.56	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9409				
J071113MBKB	J071113MBKB	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	5	0.20	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9409				
J071113MBKB	J071113MBKB	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	1	0.47	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9409				
J071113MBKB	J071113MBKB	ORG	75-09-2	Methylene chloride		U	ug/L	5	0.26	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9409				
J071113MBKB	J071113MBKB	ORG	67-64-1	Acetone		U	ug/L	10	1.56	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9409				
J071113MBKB	J071113MBKB	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	1	0.56	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9409				
J071113MBKB	J071113MBKB	ORG	1634-04-4	MTBE		U	ug/L	5	0.61	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9409				
J071113MBKB	J071113MBKB	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	1	0.53	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9409				
J071113MBKB	J071113MBKB	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	1	0.32	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9409				
J071113MBKB	J071113MBKB	ORG	74-97-5	Bromochloromethane		U	ug/L	10	0.81	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9409				
J071113MBKB	J071113MBKB	ORG	67-66-3	Chloroform		U	ug/L	2	0.41	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9409				
J071113MBKB	J071113MBKB	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	1	0.16	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9409				
J071113MBKB	J071113MBKB	ORG	78-93-3	2-Butanone		U	ug/L	1	0.17	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9409				
J071113MBKB	J071113MBKB	ORG	56-23-5	Carbon tetrachloride		U	ug/L	1	0.28	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9409				
J071113MBKB	J071113MBKB	ORG	71-43-2	Benzene		U	ug/L	1	0.14	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9409				
J071113MBKB	J071113MBKB	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	1	0.20	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9409				
J071113MBKB	J071113MBKB	ORG	79-01-6	Trichloroethene		U	ug/L	1	0.36	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9409				
J071113MBKB	J071113MBKB	ORG	74-95-3	Dibromomethane		U	ug/L	2	0.32	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9409				
J071113MBKB	J071113MBKB	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	1	0.18	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9409				
J071113MBKB	J071113MBKB	ORG	75-27-4	Bromodichloromethane		U	ug/L	2	0.12	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9409				
J071113MBKB	J071113MBKB	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	1	0.25	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9409				
J071113MBKB	J071113MBKB	ORG	108-88-3	Toluene		U	ug/L	5	0.74	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9409				
J071113MBKB	J071113MBKB	ORG	108-10-1	4-Methyl-2-pentanone		U	ug/L	1	0.21	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9409				
J071113MBKB	J071113MBKB	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	1	0.31	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9409				
J071113MBKB	J071113MBKB	ORG	127-18-4	Tetrachloroethene		U	ug/L	1	0.49	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9409				
J071113MBKB	J071113MBKB	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	1	0.34	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9409				
J071113MBKB	J071113MBKB	ORG	124-48-1	Dibromochloromethane		U	ug/L	5	0.69	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9409				
J071113MBKB	J071113MBKB	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	2	0.30	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9409				
J071113MBKB	J071113MBKB	ORG	591-78-6	2-Hexanone		U	ug/L	2	0.26	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9409				
J071113MBKB	J071113MBKB	ORG	100-41-4	Ethylbenzene		U	ug/L	1	0.25	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9409				
J071113MBKB	J071113MBKB	ORG	108-90-7	Chlorobenzene		U	ug/L	1	0.28	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9409				
J071113MBKB	J071113MBKB	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	2	0.19	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9409				
J071113MBKB	J071113MBKB	ORG	XYLMP	p&m-Xylene		U	ug/L	2	0.26	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9409				
J071113MBKB	J071113MBKB	ORG	95-47-6	o-Xylene		U	ug/L	1	0.13	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9409				
J071113MBKB	J071113MBKB	ORG	100-42-5	Styrene		U	ug/L	1	0.20	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9409				
J071113MBKB	J071113MBKB	ORG	75-25-2	Bromoform		U	ug/L	2	0.47	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9409				
J071113MBKB	J071113MBKB	ORG	98-82-8	Isopropylbenzene		U	ug/L	2	0.20	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9409				
J071113MBKB	J071113MBKB	ORG	103-65-1	n-Propylbenzene		U	ug/L	2	0.27	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9409				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J071113MBKB	J071113MBKB	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	2	0.29	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9409				
J071113MBKB	J071113MBKB	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	2	0.29	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9409				
J071113MBKB	J071113MBKB	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	2	0.20	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9409				
J071113MBKB	J071113MBKB	ORG	98-06-6	tert-Butylbenzene		U	ug/L	2	0.33	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9409				
J071113MBKB	J071113MBKB	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	2	0.20	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9409				
J071113MBKB	J071113MBKB	ORG	135-98-8	sec-Butylbenzene		U	ug/L	2	0.32	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9409				
J071113MBKB	J071113MBKB	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	2	0.22	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9409				
J071113MBKB	J071113MBKB	ORG	99-87-6	p-Isopropltoluene		U	ug/L	2	0.25	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9409				
J071113MBKB	J071113MBKB	ORG	106-46-7	1,4-Dichlorobenzene		U	ug/L	2	0.33	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9409				
J071113MBKB	J071113MBKB	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	2	0.26	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9409				
J071113MBKB	J071113MBKB	ORG	104-51-8	n-Butylbenzene		U	ug/L	5	0.28	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9409				
J071113MBKB	J071113MBKB	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	5	1.59	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9409				
J071113MBKB	J071113MBKB	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	5	0.65	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9409				
J071113MBKB	J071113MBKB	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	5	0.28	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9409				
J071113MBKB	J071113MBKB	ORG	91-20-3	Naphthalene		U	ug/L	5	0.56	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9409				
J071113MBKB	J071113MBKB	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	5	0.23	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9409				
J071113MBKB	J071113MBKB	STD	1868-53-7	Dibromofluoromethane	52		ng			NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9409	50	104%		
J071113MBKB	J071113MBKB	STD	17060-07-0	1,2-Dichloroethane d4	52		ng			NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9409	50	104%		
J071113MBKB	J071113MBKB	STD	2037-26-5	Toluene d8	45		ng			NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9409	50	90%		
J071113MBKB	J071113MBKB	STD	460-00-4	Bromofluorobenzene	46		ng			NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9409	50	92%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J071113ALCS	J071113ALCS	ORG	75-71-8	Dichlorodifluoromethane	52		ug/L	5	0.29	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9403	50	104%		
J071113ALCS	J071113ALCS	ORG	74-87-3	Chloromethane	39		ug/L	5	0.43	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9403	50	78%		
J071113ALCS	J071113ALCS	ORG	75-01-4	Vinyl chloride	47		ug/L	2	0.32	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9403	50	94%		
J071113ALCS	J071113ALCS	ORG	74-83-9	Bromomethane	59		ug/L	5	0.50	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9403	50	118%		
J071113ALCS	J071113ALCS	ORG	75-00-3	Chloroethane	62		ug/L	5	0.56	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9403	50	124%		
J071113ALCS	J071113ALCS	ORG	75-69-4	Trichlorofluoromethane	50		ug/L	5	0.20	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9403	50	100%		
J071113ALCS	J071113ALCS	ORG	75-35-4	1,1-Dichloroethene	45		ug/L	1	0.47	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9403	50	90%		
J071113ALCS	J071113ALCS	ORG	75-09-2	Methylene chloride	47		ug/L	5	0.26	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9403	50	94%		
J071113ALCS	J071113ALCS	ORG	67-64-1	Acetone	59		ug/L	10	1.56	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9403	50	118%		
J071113ALCS	J071113ALCS	ORG	156-60-5	trans-1,2-Dichloroethene	46		ug/L	1	0.56	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9403	50	92%		
J071113ALCS	J071113ALCS	ORG	1634-04-4	MTBE	46		ug/L	5	0.61	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9403	50	92%		
J071113ALCS	J071113ALCS	ORG	75-34-3	1,1-Dichloroethane	55		ug/L	1	0.53	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9403	50	110%		
J071113ALCS	J071113ALCS	ORG	156-59-2	cis-1,2-Dichloroethene	53		ug/L	1	0.32	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9403	50	106%		
J071113ALCS	J071113ALCS	ORG	74-97-5	Bromochloromethane	56		ug/L	10	0.81	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9403	50	112%		
J071113ALCS	J071113ALCS	ORG	67-66-3	Chloroform	52		ug/L	2	0.41	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9403	50	104%		
J071113ALCS	J071113ALCS	ORG	71-55-6	1,1,1-Trichloroethane	51		ug/L	1	0.16	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9403	50	102%		
J071113ALCS	J071113ALCS	ORG	78-93-3	2-Butanone	63		ug/L	1	0.17	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9403	50	126%		
J071113ALCS	J071113ALCS	ORG	56-23-5	Carbon tetrachloride	52		ug/L	1	0.28	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9403	50	104%		
J071113ALCS	J071113ALCS	ORG	71-43-2	Benzene	48		ug/L	1	0.14	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9403	50	96%		
J071113ALCS	J071113ALCS	ORG	107-06-2	1,2-Dichloroethane	51		ug/L	1	0.20	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9403	50	102%		
J071113ALCS	J071113ALCS	ORG	79-01-6	Trichloroethene	53		ug/L	1	0.36	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9403	50	106%		
J071113ALCS	J071113ALCS	ORG	74-95-3	Dibromomethane	55		ug/L	2	0.32	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9403	50	110%		
J071113ALCS	J071113ALCS	ORG	78-87-5	1,2-Dichloropropane	47		ug/L	1	0.18	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9403	50	94%		
J071113ALCS	J071113ALCS	ORG	75-27-4	Bromodichloromethane	48		ug/L	2	0.12	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9403	50	96%		
J071113ALCS	J071113ALCS	ORG	10061-01-5	cis-1,3-Dichloropropene	47		ug/L	1	0.25	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9403	50	94%		
J071113ALCS	J071113ALCS	ORG	108-88-3	Toluene	46		ug/L	5	0.74	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9403	50	92%		
J071113ALCS	J071113ALCS	ORG	108-10-1	4-Methyl-2-pentanone	56		ug/L	1	0.21	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9403	50	112%		
J071113ALCS	J071113ALCS	ORG	10061-02-6	trans-1,3-Dichloropropene	50		ug/L	1	0.31	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9403	50	100%		
J071113ALCS	J071113ALCS	ORG	127-18-4	Tetrachloroethene	40		ug/L	1	0.49	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9403	50	80%		
J071113ALCS	J071113ALCS	ORG	79-00-5	1,1,2-Trichloroethane	50		ug/L	1	0.34	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9403	50	100%		
J071113ALCS	J071113ALCS	ORG	124-48-1	Dibromochloromethane	54		ug/L	5	0.69	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9403	50	108%		
J071113ALCS	J071113ALCS	ORG	106-93-4	1,2-Dibromoethane	53		ug/L	2	0.30	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9403	50	106%		
J071113ALCS	J071113ALCS	ORG	591-78-6	2-Hexanone	63		ug/L	2	0.26	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9403	50	126%		
J071113ALCS	J071113ALCS	ORG	100-41-4	Ethylbenzene	42		ug/L	1	0.25	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9403	50	84%		
J071113ALCS	J071113ALCS	ORG	108-90-7	Chlorobenzene	43		ug/L	1	0.28	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9403	50	86%		
J071113ALCS	J071113ALCS	ORG	630-20-6	1,1,1,2-Tetrachloroethane	44		ug/L	2	0.19	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9403	50	88%		
J071113ALCS	J071113ALCS	ORG	XYLMP	p&m-Xylene	84		ug/L	2	0.26	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9403	100	84%		
J071113ALCS	J071113ALCS	ORG	95-47-6	o-Xylene	43		ug/L	1	0.13	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9403	50	86%		
J071113ALCS	J071113ALCS	ORG	100-42-5	Styrene	42		ug/L	1	0.20	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9403	50	84%		
J071113ALCS	J071113ALCS	ORG	75-25-2	Bromoform	53		ug/L	2	0.47	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9403	50	106%		
J071113ALCS	J071113ALCS	ORG	98-82-8	Isopropylbenzene	43		ug/L	2	0.20	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9403	50	86%		
J071113ALCS	J071113ALCS	ORG	103-65-1	n-Propylbenzene	44		ug/L	2	0.27	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9403	50	88%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J071113ALCS	J071113ALCS	ORG	79-34-5	1,1,2,2-Tetrachloroethane	57		ug/L	2	0.29	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9403	50	114%		
J071113ALCS	J071113ALCS	ORG	96-18-4	1,2,3-Trichloropropane	53		ug/L	2	0.29	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9403	50	106%		
J071113ALCS	J071113ALCS	ORG	108-67-8	1,3,5-Trimethylbenzene	44		ug/L	2	0.20	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9403	50	88%		
J071113ALCS	J071113ALCS	ORG	98-06-6	tert-Butylbenzene	45		ug/L	2	0.33	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9403	50	90%		
J071113ALCS	J071113ALCS	ORG	95-63-6	1,2,4-Trimethylbenzene	46		ug/L	2	0.20	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9403	50	92%		
J071113ALCS	J071113ALCS	ORG	135-98-8	sec-Butylbenzene	45		ug/L	2	0.32	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9403	50	90%		
J071113ALCS	J071113ALCS	ORG	541-73-1	1,3-Dichlorobenzene	50		ug/L	2	0.22	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9403	50	100%		
J071113ALCS	J071113ALCS	ORG	99-87-6	p-Isopropltoluene	50		ug/L	2	0.25	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9403	50	100%		
J071113ALCS	J071113ALCS	ORG	106-46-7	1,4-Dichlorobenzene	51		ug/L	2	0.33	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9403	50	102%		
J071113ALCS	J071113ALCS	ORG	95-50-1	1,2-Dichlorobenzene	51		ug/L	2	0.26	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9403	50	102%		
J071113ALCS	J071113ALCS	ORG	104-51-8	n-Butylbenzene	49		ug/L	5	0.28	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9403	50	98%		
J071113ALCS	J071113ALCS	ORG	96-12-8	1,2-Dibromo-3-chloropropane	59		ug/L	5	1.59	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9403	50	118%		
J071113ALCS	J071113ALCS	ORG	87-68-3	Hexachlorobutadiene	52		ug/L	5	0.65	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9403	50	104%		
J071113ALCS	J071113ALCS	ORG	120-82-1	1,2,4-Trichlorobenzene	55		ug/L	5	0.28	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9403	50	110%		
J071113ALCS	J071113ALCS	ORG	91-20-3	Naphthalene	57		ug/L	5	0.56	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9403	50	114%		
J071113ALCS	J071113ALCS	ORG	87-61-6	1,2,3-Trichlorobenzene	52		ug/L	5	0.23	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9403	50	104%		
J071113ALCS	J071113ALCS	STD	1868-53-7	Dibromofluoromethane	53		ng			NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9403	50	106%		
J071113ALCS	J071113ALCS	STD	17060-07-0	1,2-Dichloroethane d4	49		ng			NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9403	50	98%		
J071113ALCS	J071113ALCS	STD	2037-26-5	Toluene d8	47		ng			NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9403	50	94%		
J071113ALCS	J071113ALCS	STD	460-00-4	Bromofluorobenzene	46		ng			NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9403	50	92%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J071113ALCD	J071113ALCD	ORG	75-71-8	Dichlorodifluoromethane	55		ug/L	5	0.29	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9404	50	110%	6%	
J071113ALCD	J071113ALCD	ORG	74-87-3	Chloromethane	39		ug/L	5	0.43	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9404	50	78%	0%	
J071113ALCD	J071113ALCD	ORG	75-01-4	Vinyl chloride	44		ug/L	2	0.32	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9404	50	88%	7%	
J071113ALCD	J071113ALCD	ORG	74-83-9	Bromomethane	69		ug/L	5	0.50	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9404	50	138%	16%	
J071113ALCD	J071113ALCD	ORG	75-00-3	Chloroethane	64		ug/L	5	0.56	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9404	50	128%	3%	
J071113ALCD	J071113ALCD	ORG	75-69-4	Trichlorofluoromethane	52		ug/L	5	0.20	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9404	50	104%	4%	
J071113ALCD	J071113ALCD	ORG	75-35-4	1,1-Dichloroethene	43		ug/L	1	0.47	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9404	50	86%	5%	
J071113ALCD	J071113ALCD	ORG	75-09-2	Methylene chloride	48		ug/L	5	0.26	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9404	50	96%	2%	
J071113ALCD	J071113ALCD	ORG	67-64-1	Acetone	40		ug/L	10	1.56	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9404	50	80%	38%	
J071113ALCD	J071113ALCD	ORG	156-60-5	trans-1,2-Dichloroethene	56		ug/L	1	0.56	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9404	50	112%	20%	
J071113ALCD	J071113ALCD	ORG	1634-04-4	MTBE	52		ug/L	5	0.61	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9404	50	104%	12%	
J071113ALCD	J071113ALCD	ORG	75-34-3	1,1-Dichloroethane	50		ug/L	1	0.53	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9404	50	100%	10%	
J071113ALCD	J071113ALCD	ORG	156-59-2	cis-1,2-Dichloroethene	49		ug/L	1	0.32	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9404	50	98%	8%	
J071113ALCD	J071113ALCD	ORG	74-97-5	Bromochloromethane	48		ug/L	10	0.81	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9404	50	96%	15%	
J071113ALCD	J071113ALCD	ORG	67-66-3	Chloroform	48		ug/L	2	0.41	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9404	50	96%	8%	
J071113ALCD	J071113ALCD	ORG	71-55-6	1,1,1-Trichloroethane	50		ug/L	1	0.16	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9404	50	100%	2%	
J071113ALCD	J071113ALCD	ORG	78-93-3	2-Butanone	41		ug/L	1	0.17	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9404	50	82%	42%	
J071113ALCD	J071113ALCD	ORG	56-23-5	Carbon tetrachloride	51		ug/L	1	0.28	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9404	50	102%	2%	
J071113ALCD	J071113ALCD	ORG	71-43-2	Benzene	47		ug/L	1	0.14	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9404	50	94%	2%	
J071113ALCD	J071113ALCD	ORG	107-06-2	1,2-Dichloroethane	46		ug/L	1	0.20	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9404	50	92%	10%	
J071113ALCD	J071113ALCD	ORG	79-01-6	Trichloroethene	51		ug/L	1	0.36	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9404	50	102%	4%	
J071113ALCD	J071113ALCD	ORG	74-95-3	Dibromomethane	47		ug/L	2	0.32	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9404	50	94%	16%	
J071113ALCD	J071113ALCD	ORG	78-87-5	1,2-Dichloropropane	45		ug/L	1	0.18	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9404	50	90%	4%	
J071113ALCD	J071113ALCD	ORG	75-27-4	Bromodichloromethane	48		ug/L	2	0.12	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9404	50	96%	0%	
J071113ALCD	J071113ALCD	ORG	10061-01-5	cis-1,3-Dichloropropene	46		ug/L	1	0.25	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9404	50	92%	2%	
J071113ALCD	J071113ALCD	ORG	108-88-3	Toluene	45		ug/L	5	0.74	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9404	50	90%	2%	
J071113ALCD	J071113ALCD	ORG	108-10-1	4-Methyl-2-pentanone	44		ug/L	1	0.21	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9404	50	88%	24%	
J071113ALCD	J071113ALCD	ORG	10061-02-6	trans-1,3-Dichloropropene	46		ug/L	1	0.31	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9404	50	92%	8%	
J071113ALCD	J071113ALCD	ORG	127-18-4	Tetrachloroethene	42		ug/L	1	0.49	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9404	50	84%	5%	
J071113ALCD	J071113ALCD	ORG	79-00-5	1,1,2-Trichloroethane	45		ug/L	1	0.34	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9404	50	90%	11%	
J071113ALCD	J071113ALCD	ORG	124-48-1	Dibromochloromethane	49		ug/L	5	0.69	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9404	50	98%	10%	
J071113ALCD	J071113ALCD	ORG	106-93-4	1,2-Dibromoethane	46		ug/L	2	0.30	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9404	50	92%	14%	
J071113ALCD	J071113ALCD	ORG	591-78-6	2-Hexanone	45		ug/L	2	0.26	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9404	50	90%	33%	
J071113ALCD	J071113ALCD	ORG	100-41-4	Ethylbenzene	43		ug/L	1	0.25	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9404	50	86%	2%	
J071113ALCD	J071113ALCD	ORG	108-90-7	Chlorobenzene	43		ug/L	1	0.28	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9404	50	86%	0%	
J071113ALCD	J071113ALCD	ORG	630-20-6	1,1,1,2-Tetrachloroethane	45		ug/L	2	0.19	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9404	50	90%	2%	
J071113ALCD	J071113ALCD	ORG	XYLMP	p&m-Xylene	87		ug/L	2	0.26	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9404	100	87%	4%	
J071113ALCD	J071113ALCD	ORG	95-47-6	o-Xylene	44		ug/L	1	0.13	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9404	50	88%	2%	
J071113ALCD	J071113ALCD	ORG	100-42-5	Styrene	42		ug/L	1	0.20	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9404	50	84%	0%	
J071113ALCD	J071113ALCD	ORG	75-25-2	Bromoform	49		ug/L	2	0.47	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9404	50	98%	8%	
J071113ALCD	J071113ALCD	ORG	98-82-8	Isopropylbenzene	44		ug/L	2	0.20	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9404	50	88%	2%	
J071113ALCD	J071113ALCD	ORG	103-65-1	n-Propylbenzene	44		ug/L	2	0.27	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9404	50	88%	0%	

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J071113ALCD	J071113ALCD	ORG	79-34-5	1,1,2,2-Tetrachloroethane	48		ug/L	2	0.29	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9404	50	96%	17%	
J071113ALCD	J071113ALCD	ORG	96-18-4	1,2,3-Trichloropropane	46		ug/L	2	0.29	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9404	50	92%	14%	
J071113ALCD	J071113ALCD	ORG	108-67-8	1,3,5-Trimethylbenzene	43		ug/L	2	0.20	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9404	50	86%	2%	
J071113ALCD	J071113ALCD	ORG	98-06-6	tert-Butylbenzene	46		ug/L	2	0.33	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9404	50	92%	2%	
J071113ALCD	J071113ALCD	ORG	95-63-6	1,2,4-Trimethylbenzene	44		ug/L	2	0.20	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9404	50	88%	4%	
J071113ALCD	J071113ALCD	ORG	135-98-8	sec-Butylbenzene	45		ug/L	2	0.32	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9404	50	90%	0%	
J071113ALCD	J071113ALCD	ORG	541-73-1	1,3-Dichlorobenzene	48		ug/L	2	0.22	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9404	50	96%	4%	
J071113ALCD	J071113ALCD	ORG	99-87-6	p-Isopropltoluene	46		ug/L	2	0.25	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9404	50	92%	8%	
J071113ALCD	J071113ALCD	ORG	106-46-7	1,4-Dichlorobenzene	47		ug/L	2	0.33	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9404	50	94%	8%	
J071113ALCD	J071113ALCD	ORG	95-50-1	1,2-Dichlorobenzene	47		ug/L	2	0.26	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9404	50	94%	8%	
J071113ALCD	J071113ALCD	ORG	104-51-8	n-Butylbenzene	46		ug/L	5	0.28	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9404	50	92%	6%	
J071113ALCD	J071113ALCD	ORG	96-12-8	1,2-Dibromo-3-chloropropane	44		ug/L	5	1.59	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9404	50	88%	29%	
J071113ALCD	J071113ALCD	ORG	87-68-3	Hexachlorobutadiene	48		ug/L	5	0.65	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9404	50	96%	8%	
J071113ALCD	J071113ALCD	ORG	120-82-1	1,2,4-Trichlorobenzene	44		ug/L	5	0.28	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9404	50	88%	22%	
J071113ALCD	J071113ALCD	ORG	91-20-3	Naphthalene	42		ug/L	5	0.56	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9404	50	84%	30%	
J071113ALCD	J071113ALCD	ORG	87-61-6	1,2,3-Trichlorobenzene	43		ug/L	5	0.23	NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9404	50	86%	19%	
J071113ALCD	J071113ALCD	STD	1868-53-7	Dibromofluoromethane	49		ng			NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9404	50	98%	8%	
J071113ALCD	J071113ALCD	STD	17060-07-0	1,2-Dichloroethane d4	45		ng			NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9404	50	90%	9%	
J071113ALCD	J071113ALCD	STD	2037-26-5	Toluene d8	47		ng			NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9404	50	94%	0%	
J071113ALCD	J071113ALCD	STD	460-00-4	Bromofluorobenzene	47		ng			NA	7/11/2013	7/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9404	50	94%	2%	

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-469MS	316-013	ORG	75-71-8	Dichlorodifluoromethane	5700		ug/L	500	29.28	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9405	5000	114%		
NAL13026-469MS	316-013	ORG	74-87-3	Chloromethane	4000		ug/L	500	43.07	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9405	5000	80%		
NAL13026-469MS	316-013	ORG	75-01-4	Vinyl chloride	4500		ug/L	200	31.86	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9405	5000	90%		
NAL13026-469MS	316-013	ORG	74-83-9	Bromomethane	7200		ug/L	500	50.04	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9405	5000	144%		
NAL13026-469MS	316-013	ORG	75-00-3	Chloroethane	6900		ug/L	500	55.61	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9405	5000	138%		
NAL13026-469MS	316-013	ORG	75-69-4	Trichlorofluoromethane	5300		ug/L	500	19.65	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9405	5000	106%		
NAL13026-469MS	316-013	ORG	75-35-4	1,1-Dichloroethene	4900		ug/L	100	47.11	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9405	5000	98%		
NAL13026-469MS	316-013	ORG	75-09-2	Methylene chloride	5300		ug/L	500	26.46	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9405	5000	106%		
NAL13026-469MS	316-013	ORG	67-64-1	Acetone	40000		ug/L	1000	155.61	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9405	5000	0%		40000
NAL13026-469MS	316-013	ORG	156-60-5	trans-1,2-Dichloroethene	5200		ug/L	100	55.61	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9405	5000	104%		
NAL13026-469MS	316-013	ORG	1634-04-4	MTBE	4800		ug/L	500	61.18	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9405	5000	96%		
NAL13026-469MS	316-013	ORG	75-34-3	1,1-Dichloroethane	5600		ug/L	100	52.66	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9405	5000	112%		
NAL13026-469MS	316-013	ORG	156-59-2	cis-1,2-Dichloroethene	5400		ug/L	100	32.11	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9405	5000	108%		
NAL13026-469MS	316-013	ORG	74-97-5	Bromochloromethane	5500		ug/L	1000	81.18	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9405	5000	110%		
NAL13026-469MS	316-013	ORG	67-66-3	Chloroform	5300		ug/L	200	41.37	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9405	5000	106%		
NAL13026-469MS	316-013	ORG	71-55-6	1,1,1-Trichloroethane	5400		ug/L	100	15.73	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9405	5000	108%		
NAL13026-469MS	316-013	ORG	78-93-3	2-Butanone	21000		ug/L	100	16.65	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9405	5000	0%		21000
NAL13026-469MS	316-013	ORG	56-23-5	Carbon tetrachloride	5600		ug/L	100	27.64	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9405	5000	112%		
NAL13026-469MS	316-013	ORG	71-43-2	Benzene	5200		ug/L	100	13.53	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9405	5000	103%		40
NAL13026-469MS	316-013	ORG	107-06-2	1,2-Dichloroethane	5300		ug/L	100	20.01	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9405	5000	106%		
NAL13026-469MS	316-013	ORG	79-01-6	Trichloroethene	5600		ug/L	100	36.33	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9405	5000	112%		
NAL13026-469MS	316-013	ORG	74-95-3	Dibromomethane	5400		ug/L	200	32.20	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9405	5000	108%		
NAL13026-469MS	316-013	ORG	78-87-5	1,2-Dichloropropane	5000		ug/L	100	18.17	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9405	5000	100%		
NAL13026-469MS	316-013	ORG	75-27-4	Bromodichloromethane	5200		ug/L	200	11.58	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9405	5000	104%		
NAL13026-469MS	316-013	ORG	10061-01-5	cis-1,3-Dichloropropene	5000		ug/L	100	25.01	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9405	5000	100%		
NAL13026-469MS	316-013	ORG	108-88-3	Toluene	4900		ug/L	500	20.96	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9405	5000	98%		
NAL13026-469MS	316-013	ORG	108-10-1	4-Methyl-2-pentanone	4900		ug/L	100	74.00	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9405	5000	86%		610
NAL13026-469MS	316-013	ORG	10061-02-6	trans-1,3-Dichloropropene	5200		ug/L	100	31.15	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9405	5000	104%		
NAL13026-469MS	316-013	ORG	127-18-4	Tetrachloroethene	4300		ug/L	100	48.56	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9405	5000	86%		
NAL13026-469MS	316-013	ORG	79-00-5	1,1,2-Trichloroethane	5000		ug/L	100	34.28	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9405	5000	100%		
NAL13026-469MS	316-013	ORG	124-48-1	Dibromochloromethane	5500		ug/L	500	68.90	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9405	5000	110%		
NAL13026-469MS	316-013	ORG	106-93-4	1,2-Dibromoethane	5200		ug/L	200	29.90	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9405	5000	104%		
NAL13026-469MS	316-013	ORG	591-78-6	2-Hexanone	4500		ug/L	200	26.49	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9405	5000	79%		530
NAL13026-469MS	316-013	ORG	100-41-4	Ethylbenzene	4600		ug/L	100	25.38	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9405	5000	92%		
NAL13026-469MS	316-013	ORG	108-90-7	Chlorobenzene	4700		ug/L	100	27.52	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9405	5000	94%		
NAL13026-469MS	316-013	ORG	630-20-6	1,1,1,2-Tetrachloroethane	4800		ug/L	200	19.28	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9405	5000	96%		
NAL13026-469MS	316-013	ORG	XYLMP	p&m-Xylene	9100		ug/L	200	26.14	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9405	10000	91%		
NAL13026-469MS	316-013	ORG	95-47-6	o-Xylene	4700		ug/L	100	12.90	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9405	5000	94%		
NAL13026-469MS	316-013	ORG	100-42-5	Styrene	4600		ug/L	100	20.23	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9405	5000	92%		22
NAL13026-469MS	316-013	ORG	75-25-2	Bromoform	5400		ug/L	200	46.83	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9405	5000	108%		
NAL13026-469MS	316-013	ORG	98-82-8	Isopropylbenzene	4700		ug/L	200	20.48	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9405	5000	94%		
NAL13026-469MS	316-013	ORG	103-65-1	n-Propylbenzene	4700		ug/L	200	27.00	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9405	5000	94%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-469MS	316-013	ORG	79-34-5	1,1,2,2-Tetrachloroethane	5200		ug/L	200	29.16	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9405	5000	104%		
NAL13026-469MS	316-013	ORG	96-18-4	1,2,3-Trichloropropane	4900		ug/L	200	29.47	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9405	5000	98%		
NAL13026-469MS	316-013	ORG	108-67-8	1,3,5-Trimethylbenzene	4600		ug/L	200	20.03	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9405	5000	92%		
NAL13026-469MS	316-013	ORG	98-06-6	tert-Butylbenzene	4800		ug/L	200	32.61	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9405	5000	96%		
NAL13026-469MS	316-013	ORG	95-63-6	1,2,4-Trimethylbenzene	4800		ug/L	200	20.03	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9405	5000	95%		29
NAL13026-469MS	316-013	ORG	135-98-8	sec-Butylbenzene	4800		ug/L	200	32.34	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9405	5000	96%		
NAL13026-469MS	316-013	ORG	541-73-1	1,3-Dichlorobenzene	5100		ug/L	200	22.21	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9405	5000	102%		
NAL13026-469MS	316-013	ORG	99-87-6	p-Isopropltoluene	5000		ug/L	200	25.48	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9405	5000	99%		61
NAL13026-469MS	316-013	ORG	106-46-7	1,4-Dichlorobenzene	5400		ug/L	200	33.03	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9405	5000	106%		80
NAL13026-469MS	316-013	ORG	95-50-1	1,2-Dichlorobenzene	5300		ug/L	200	26.38	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9405	5000	106%		
NAL13026-469MS	316-013	ORG	104-51-8	n-Butylbenzene	4800		ug/L	500	27.81	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9405	5000	96%		
NAL13026-469MS	316-013	ORG	96-12-8	1,2-Dibromo-3-chloropropane	4900		ug/L	500	159.11	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9405	5000	98%		
NAL13026-469MS	316-013	ORG	87-68-3	Hexachlorobutadiene	5300		ug/L	500	65.42	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9405	5000	106%		
NAL13026-469MS	316-013	ORG	120-82-1	1,2,4-Trichlorobenzene	5100		ug/L	500	27.63	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9405	5000	102%		
NAL13026-469MS	316-013	ORG	91-20-3	Naphthalene	4900		ug/L	500	56.04	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9405	5000	94%		200
NAL13026-469MS	316-013	ORG	87-61-6	1,2,3-Trichlorobenzene	4900		ug/L	500	23.28	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9405	5000	98%		
NAL13026-469MS	316-013	STD	1868-53-7	Dibromofluoromethane	51		ng			7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9405	50	102%		
NAL13026-469MS	316-013	STD	17060-07-0	1,2-Dichloroethane d4	48		ng			7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9405	50	96%		
NAL13026-469MS	316-013	STD	2037-26-5	Toluene d8	48		ng			7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9405	50	96%		
NAL13026-469MS	316-013	STD	460-00-4	Bromofluorobenzene	47		ng			7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9405	50	94%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-469MSD	316-013	ORG	75-71-8	Dichlorodifluoromethane	5300		ug/L	500	29.28	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9406	5000	106%	7%	0
NAL13026-469MSD	316-013	ORG	74-87-3	Chloromethane	3800		ug/L	500	43.07	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9406	5000	76%	5%	0
NAL13026-469MSD	316-013	ORG	75-01-4	Vinyl chloride	4200		ug/L	200	31.86	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9406	5000	84%	7%	0
NAL13026-469MSD	316-013	ORG	74-83-9	Bromomethane	6800		ug/L	500	50.04	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9406	5000	136%	6%	0
NAL13026-469MSD	316-013	ORG	75-00-3	Chloroethane	6700		ug/L	500	55.61	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9406	5000	134%	3%	0
NAL13026-469MSD	316-013	ORG	75-69-4	Trichlorofluoromethane	5200		ug/L	500	19.65	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9406	5000	104%	2%	0
NAL13026-469MSD	316-013	ORG	75-35-4	1,1-Dichloroethene	4600		ug/L	100	47.11	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9406	5000	92%	6%	0
NAL13026-469MSD	316-013	ORG	75-09-2	Methylene chloride	5000		ug/L	500	26.46	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9406	5000	100%	6%	0
NAL13026-469MSD	316-013	ORG	67-64-1	Acetone	40000		ug/L	1000	155.61	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9406	5000	0%	0%	40000
NAL13026-469MSD	316-013	ORG	156-60-5	trans-1,2-Dichloroethene	5000		ug/L	100	55.61	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9406	5000	100%	4%	0
NAL13026-469MSD	316-013	ORG	1634-04-4	MTBE	4700		ug/L	500	61.18	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9406	5000	94%	2%	0
NAL13026-469MSD	316-013	ORG	75-34-3	1,1-Dichloroethane	5200		ug/L	100	52.66	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9406	5000	104%	7%	0
NAL13026-469MSD	316-013	ORG	156-59-2	cis-1,2-Dichloroethene	5000		ug/L	100	32.11	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9406	5000	100%	8%	0
NAL13026-469MSD	316-013	ORG	74-97-5	Bromochloromethane	5100		ug/L	1000	81.18	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9406	5000	102%	8%	0
NAL13026-469MSD	316-013	ORG	67-66-3	Chloroform	4900		ug/L	200	41.37	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9406	5000	98%	8%	0
NAL13026-469MSD	316-013	ORG	71-55-6	1,1,1-Trichloroethane	5100		ug/L	100	15.73	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9406	5000	102%	6%	0
NAL13026-469MSD	316-013	ORG	78-93-3	2-Butanone	20000		ug/L	100	16.65	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9406	5000	-20%	5%	21000
NAL13026-469MSD	316-013	ORG	56-23-5	Carbon tetrachloride	5100		ug/L	100	27.64	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9406	5000	102%	9%	0
NAL13026-469MSD	316-013	ORG	71-43-2	Benzene	4800		ug/L	100	13.53	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9406	5000	95%	8%	40
NAL13026-469MSD	316-013	ORG	107-06-2	1,2-Dichloroethane	5000		ug/L	100	20.01	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9406	5000	100%	6%	0
NAL13026-469MSD	316-013	ORG	79-01-6	Trichloroethene	5100		ug/L	100	36.33	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9406	5000	102%	9%	0
NAL13026-469MSD	316-013	ORG	74-95-3	Dibromomethane	5000		ug/L	200	32.20	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9406	5000	100%	8%	0
NAL13026-469MSD	316-013	ORG	78-87-5	1,2-Dichloropropane	4600		ug/L	100	18.17	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9406	5000	92%	8%	0
NAL13026-469MSD	316-013	ORG	75-27-4	Bromodichloromethane	4800		ug/L	200	11.58	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9406	5000	96%	8%	0
NAL13026-469MSD	316-013	ORG	10061-01-5	cis-1,3-Dichloropropene	4700		ug/L	100	25.01	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9406	5000	94%	6%	0
NAL13026-469MSD	316-013	ORG	108-88-3	Toluene	4500		ug/L	500	20.96	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9406	5000	90%	9%	0
NAL13026-469MSD	316-013	ORG	108-10-1	4-Methyl-2-pentanone	4600		ug/L	100	74.00	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9406	5000	80%	6%	610
NAL13026-469MSD	316-013	ORG	10061-02-6	trans-1,3-Dichloropropene	4800		ug/L	100	31.15	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9406	5000	96%	8%	0
NAL13026-469MSD	316-013	ORG	127-18-4	Tetrachloroethene	4000		ug/L	100	48.56	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9406	5000	80%	7%	0
NAL13026-469MSD	316-013	ORG	79-00-5	1,1,2-Trichloroethane	4600		ug/L	100	34.28	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9406	5000	92%	8%	0
NAL13026-469MSD	316-013	ORG	124-48-1	Dibromochloromethane	5100		ug/L	500	68.90	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9406	5000	102%	8%	0
NAL13026-469MSD	316-013	ORG	106-93-4	1,2-Dibromoethane	4800		ug/L	200	29.90	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9406	5000	96%	8%	0
NAL13026-469MSD	316-013	ORG	591-78-6	2-Hexanone	3800		ug/L	200	26.49	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9406	5000	65%	17%	530
NAL13026-469MSD	316-013	ORG	100-41-4	Ethylbenzene	4400		ug/L	100	25.38	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9406	5000	88%	4%	0
NAL13026-469MSD	316-013	ORG	108-90-7	Chlorobenzene	4400		ug/L	100	27.52	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9406	5000	88%	7%	0
NAL13026-469MSD	316-013	ORG	630-20-6	1,1,1,2-Tetrachloroethane	4600		ug/L	200	19.28	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9406	5000	92%	4%	0
NAL13026-469MSD	316-013	ORG	XYLMP	p&m-Xylene	8600		ug/L	200	26.14	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9406	10000	86%	6%	0
NAL13026-469MSD	316-013	ORG	95-47-6	o-Xylene	4400		ug/L	100	12.90	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9406	5000	88%	7%	0
NAL13026-469MSD	316-013	ORG	100-42-5	Styrene	4300		ug/L	100	20.23	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9406	5000	86%	7%	22
NAL13026-469MSD	316-013	ORG	75-25-2	Bromoform	5100		ug/L	200	46.83	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9406	5000	102%	6%	0
NAL13026-469MSD	316-013	ORG	98-82-8	Isopropylbenzene	4500		ug/L	200	20.48	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9406	5000	90%	4%	0
NAL13026-469MSD	316-013	ORG	103-65-1	n-Propylbenzene	4400		ug/L	200	27.00	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9406	5000	88%	7%	0

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-469MSD	316-013	ORG	79-34-5	1,1,2,2-Tetrachloroethane	4800		ug/L	200	29.16	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9406	5000	96%	8%	0
NAL13026-469MSD	316-013	ORG	96-18-4	1,2,3-Trichloropropane	4600		ug/L	200	29.47	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9406	5000	92%	6%	0
NAL13026-469MSD	316-013	ORG	108-67-8	1,3,5-Trimethylbenzene	4400		ug/L	200	20.03	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9406	5000	88%	4%	0
NAL13026-469MSD	316-013	ORG	98-06-6	tert-Butylbenzene	4500		ug/L	200	32.61	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9406	5000	90%	6%	0
NAL13026-469MSD	316-013	ORG	95-63-6	1,2,4-Trimethylbenzene	4400		ug/L	200	20.03	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9406	5000	87%	9%	29
NAL13026-469MSD	316-013	ORG	135-98-8	sec-Butylbenzene	4500		ug/L	200	32.34	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9406	5000	90%	6%	0
NAL13026-469MSD	316-013	ORG	541-73-1	1,3-Dichlorobenzene	4800		ug/L	200	22.21	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9406	5000	96%	6%	0
NAL13026-469MSD	316-013	ORG	99-87-6	p-Isopropltoluene	4600		ug/L	200	25.48	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9406	5000	91%	8%	61
NAL13026-469MSD	316-013	ORG	106-46-7	1,4-Dichlorobenzene	5000		ug/L	200	33.03	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9406	5000	98%	8%	80
NAL13026-469MSD	316-013	ORG	95-50-1	1,2-Dichlorobenzene	4900		ug/L	200	26.38	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9406	5000	98%	8%	0
NAL13026-469MSD	316-013	ORG	104-51-8	n-Butylbenzene	4500		ug/L	500	27.81	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9406	5000	90%	6%	0
NAL13026-469MSD	316-013	ORG	96-12-8	1,2-Dibromo-3-chloropropane	4500		ug/L	500	159.11	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9406	5000	90%	9%	0
NAL13026-469MSD	316-013	ORG	87-68-3	Hexachlorobutadiene	4700		ug/L	500	65.42	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9406	5000	94%	12%	0
NAL13026-469MSD	316-013	ORG	120-82-1	1,2,4-Trichlorobenzene	4700		ug/L	500	27.63	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9406	5000	94%	8%	0
NAL13026-469MSD	316-013	ORG	91-20-3	Naphthalene	4400		ug/L	500	56.04	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9406	5000	84%	11%	200
NAL13026-469MSD	316-013	ORG	87-61-6	1,2,3-Trichlorobenzene	4400		ug/L	500	23.28	7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9406	5000	88%	11%	0
NAL13026-469MSD	316-013	STD	1868-53-7	Dibromofluoromethane	51		ng			7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9406	50	102%	0%	0
NAL13026-469MSD	316-013	STD	17060-07-0	1,2-Dichloroethane d4	47		ng			7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9406	50	94%	2%	0
NAL13026-469MSD	316-013	STD	2037-26-5	Toluene d8	47		ng			7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9406	50	94%	2%	0
NAL13026-469MSD	316-013	STD	460-00-4	Bromofluorobenzene	48		ng			7/11/2013	7/11/2013	7/11/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9406	50	96%	2%	0

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-472	316-014	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9412				
NAL13026-472	316-014	ORG	74-87-3	Chloromethane		U	ug/L	500	43.07	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9412				
NAL13026-472	316-014	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9412				
NAL13026-472	316-014	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9412				
NAL13026-472	316-014	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9412				
NAL13026-472	316-014	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9412				
NAL13026-472	316-014	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9412				
NAL13026-472	316-014	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9412				
NAL13026-472	316-014	ORG	67-64-1	Acetone	68000	DX+	ug/L	10000	1556.07	7/12/2013	7/12/2013	7/12/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9413				
NAL13026-472	316-014	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9412				
NAL13026-472	316-014	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9412				
NAL13026-472	316-014	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9412				
NAL13026-472	316-014	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9412				
NAL13026-472	316-014	ORG	74-97-5	Bromochloromethane		U	ug/L	200	41.37	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9412				
NAL13026-472	316-014	ORG	67-66-3	Chloroform		U	ug/L	100	15.73	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9412				
NAL13026-472	316-014	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	16.65	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9412				
NAL13026-472	316-014	ORG	78-93-3	2-Butanone	37000	D	ug/L	10000	811.80	7/12/2013	7/12/2013	7/12/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9413				
NAL13026-472	316-014	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9412				
NAL13026-472	316-014	ORG	71-43-2	Benzene	34	JX+	ug/L	100	13.53	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9412				
NAL13026-472	316-014	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9412				
NAL13026-472	316-014	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9412				
NAL13026-472	316-014	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9412				
NAL13026-472	316-014	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9412				
NAL13026-472	316-014	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9412				
NAL13026-472	316-014	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9412				
NAL13026-472	316-014	ORG	108-88-3	Toluene		U	ug/L	100	20.96	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9412				
NAL13026-472	316-014	ORG	108-10-1	4-Methyl-2-pentanone	750		ug/L	500	74.00	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9412				
NAL13026-472	316-014	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9412				
NAL13026-472	316-014	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9412				
NAL13026-472	316-014	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9412				
NAL13026-472	316-014	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	29.90	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9412				
NAL13026-472	316-014	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	26.49	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9412				
NAL13026-472	316-014	ORG	591-78-6	2-Hexanone	710		ug/L	500	68.90	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9412				
NAL13026-472	316-014	ORG	100-41-4	Ethylbenzene		U	ug/L	100	25.38	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9412				
NAL13026-472	316-014	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9412				
NAL13026-472	316-014	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9412				
NAL13026-472	316-014	ORG	XYLMP	p&m-Xylene		U	ug/L	200	26.14	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9412				
NAL13026-472	316-014	ORG	95-47-6	o-Xylene		U	ug/L	100	12.90	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9412				
NAL13026-472	316-014	ORG	100-42-5	Styrene	28	J	ug/L	100	20.23	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9412				
NAL13026-472	316-014	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9412				
NAL13026-472	316-014	ORG	98-82-8	Isopropylbenzene		U	ug/L	200	20.48	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9412				
NAL13026-472	316-014	ORG	103-65-1	n-Propylbenzene		U	ug/L	200	27.00	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9412				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-472	316-014	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9412				
NAL13026-472	316-014	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9412				
NAL13026-472	316-014	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	200	20.03	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9412				
NAL13026-472	316-014	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9412				
NAL13026-472	316-014	ORG	95-63-6	1,2,4-Trimethylbenzene	35	J	ug/L	200	20.03	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9412				
NAL13026-472	316-014	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9412				
NAL13026-472	316-014	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9412				
NAL13026-472	316-014	ORG	99-87-6	p-Isopropltoluene	110	J	ug/L	200	25.48	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9412				
NAL13026-472	316-014	ORG	106-46-7	1,4-Dichlorobenzene	92	J	ug/L	200	33.03	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9412				
NAL13026-472	316-014	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9412				
NAL13026-472	316-014	ORG	104-51-8	n-Butylbenzene		U	ug/L	500	27.81	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9412				
NAL13026-472	316-014	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9412				
NAL13026-472	316-014	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9412				
NAL13026-472	316-014	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9412				
NAL13026-472	316-014	ORG	91-20-3	Naphthalene	300	JX+	ug/L	500	56.04	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9412				
NAL13026-472	316-014	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9412				
NAL13026-472	316-014	STD	1868-53-7	Dibromofluoromethane	51		ng			7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9412	50	102%		
NAL13026-472	316-014	STD	17060-07-0	1,2-Dichloroethane d4	52		ng			7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9412	50	104%		
NAL13026-472	316-014	STD	2037-26-5	Toluene d8	47		ng			7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9412	50	94%		
NAL13026-472	316-014	STD	460-00-4	Bromofluorobenzene	45		ng			7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9412	50	90%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-473	96-001I	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9414				
NAL13026-473	96-001I	ORG	74-87-3	Chloromethane		U	ug/L	500	43.07	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9414				
NAL13026-473	96-001I	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9414				
NAL13026-473	96-001I	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9414				
NAL13026-473	96-001I	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9414				
NAL13026-473	96-001I	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9414				
NAL13026-473	96-001I	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9414				
NAL13026-473	96-001I	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9414				
NAL13026-473	96-001I	ORG	67-64-1	Acetone	31000	DX+	ug/L	10000	1556.07	7/12/2013	7/12/2013	7/12/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9416				
NAL13026-473	96-001I	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9414				
NAL13026-473	96-001I	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9414				
NAL13026-473	96-001I	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9414				
NAL13026-473	96-001I	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9414				
NAL13026-473	96-001I	ORG	74-97-5	Bromochloromethane		U	ug/L	200	81.18	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9414				
NAL13026-473	96-001I	ORG	67-66-3	Chloroform		U	ug/L	100	41.37	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9414				
NAL13026-473	96-001I	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	15.73	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9414				
NAL13026-473	96-001I	ORG	78-93-3	2-Butanone	15000	D	ug/L	10000	166.52	7/12/2013	7/12/2013	7/12/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9416				
NAL13026-473	96-001I	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9414				
NAL13026-473	96-001I	ORG	71-43-2	Benzene	370		ug/L	100	13.53	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9414				
NAL13026-473	96-001I	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9414				
NAL13026-473	96-001I	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9414				
NAL13026-473	96-001I	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9414				
NAL13026-473	96-001I	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9414				
NAL13026-473	96-001I	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9414				
NAL13026-473	96-001I	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9414				
NAL13026-473	96-001I	ORG	108-88-3	Toluene	60	J	ug/L	100	20.96	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9414				
NAL13026-473	96-001I	ORG	108-10-1	4-Methyl-2-pentanone	200	J	ug/L	500	74.00	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9414				
NAL13026-473	96-001I	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9414				
NAL13026-473	96-001I	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9414				
NAL13026-473	96-001I	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9414				
NAL13026-473	96-001I	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	68.90	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9414				
NAL13026-473	96-001I	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	29.90	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9414				
NAL13026-473	96-001I	ORG	591-78-6	2-Hexanone		U	ug/L	500	26.49	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9414				
NAL13026-473	96-001I	ORG	100-41-4	Ethylbenzene		U	ug/L	100	25.38	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9414				
NAL13026-473	96-001I	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9414				
NAL13026-473	96-001I	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9414				
NAL13026-473	96-001I	ORG	XYLMP	p&m-Xylene	56	JX+	ug/L	200	26.14	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9414				
NAL13026-473	96-001I	ORG	95-47-6	o-Xylene	27	J	ug/L	100	12.90	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9414				
NAL13026-473	96-001I	ORG	100-42-5	Styrene		U	ug/L	100	20.23	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9414				
NAL13026-473	96-001I	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9414				
NAL13026-473	96-001I	ORG	98-82-8	Isopropylbenzene		U	ug/L	200	20.48	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9414				
NAL13026-473	96-001I	ORG	103-65-1	n-Propylbenzene		U	ug/L	200	27.00	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9414				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-473	96-001I	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9414				
NAL13026-473	96-001I	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9414				
NAL13026-473	96-001I	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	200	20.03	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9414				
NAL13026-473	96-001I	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9414				
NAL13026-473	96-001I	ORG	95-63-6	1,2,4-Trimethylbenzene	56	J	ug/L	200	20.03	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9414				
NAL13026-473	96-001I	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9414				
NAL13026-473	96-001I	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9414				
NAL13026-473	96-001I	ORG	99-87-6	p-Isopropltoluene	200	J	ug/L	200	25.48	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9414				
NAL13026-473	96-001I	ORG	106-46-7	1,4-Dichlorobenzene	81	J	ug/L	200	33.03	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9414				
NAL13026-473	96-001I	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9414				
NAL13026-473	96-001I	ORG	104-51-8	n-Butylbenzene		U	ug/L	500	27.81	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9414				
NAL13026-473	96-001I	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9414				
NAL13026-473	96-001I	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9414				
NAL13026-473	96-001I	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9414				
NAL13026-473	96-001I	ORG	91-20-3	Naphthalene	160	JX+	ug/L	500	56.04	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9414				
NAL13026-473	96-001I	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9414				
NAL13026-473	96-001I	STD	1868-53-7	Dibromofluoromethane	50		ng			7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9414	50	100%		
NAL13026-473	96-001I	STD	17060-07-0	1,2-Dichloroethane d4	50		ng			7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9414	50	100%		
NAL13026-473	96-001I	STD	2037-26-5	Toluene d8	47		ng			7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9414	50	94%		
NAL13026-473	96-001I	STD	460-00-4	Bromofluorobenzene	46		ng			7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9414	50	92%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-474	OB-278	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9415				
NAL13026-474	OB-278	ORG	74-87-3	Chloromethane		U	ug/L	500	43.07	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9415				
NAL13026-474	OB-278	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9415				
NAL13026-474	OB-278	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9415				
NAL13026-474	OB-278	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9415				
NAL13026-474	OB-278	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9415				
NAL13026-474	OB-278	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9415				
NAL13026-474	OB-278	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9415				
NAL13026-474	OB-278	ORG	67-64-1	Acetone	47000	DX+	ug/L	10000	1556.07	7/12/2013	7/12/2013	7/12/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9417				
NAL13026-474	OB-278	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9415				
NAL13026-474	OB-278	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9415				
NAL13026-474	OB-278	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9415				
NAL13026-474	OB-278	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9415				
NAL13026-474	OB-278	ORG	74-97-5	Bromochloromethane		U	ug/L	200	81.18	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9415				
NAL13026-474	OB-278	ORG	67-66-3	Chloroform		U	ug/L	100	41.37	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9415				
NAL13026-474	OB-278	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	15.73	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9415				
NAL13026-474	OB-278	ORG	78-93-3	2-Butanone	16000	D	ug/L	10000	166.52	7/12/2013	7/12/2013	7/12/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9417				
NAL13026-474	OB-278	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9415				
NAL13026-474	OB-278	ORG	71-43-2	Benzene		U	ug/L	100	13.53	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9415				
NAL13026-474	OB-278	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9415				
NAL13026-474	OB-278	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9415				
NAL13026-474	OB-278	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9415				
NAL13026-474	OB-278	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9415				
NAL13026-474	OB-278	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9415				
NAL13026-474	OB-278	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9415				
NAL13026-474	OB-278	ORG	108-88-3	Toluene		U	ug/L	100	20.96	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9415				
NAL13026-474	OB-278	ORG	108-10-1	4-Methyl-2-pentanone	390	J	ug/L	500	74.00	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9415				
NAL13026-474	OB-278	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9415				
NAL13026-474	OB-278	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9415				
NAL13026-474	OB-278	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9415				
NAL13026-474	OB-278	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	68.90	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9415				
NAL13026-474	OB-278	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	29.90	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9415				
NAL13026-474	OB-278	ORG	591-78-6	2-Hexanone		U	ug/L	500	26.49	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9415				
NAL13026-474	OB-278	ORG	100-41-4	Ethylbenzene		U	ug/L	100	25.38	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9415				
NAL13026-474	OB-278	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9415				
NAL13026-474	OB-278	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9415				
NAL13026-474	OB-278	ORG	XYLMP	p&m-Xylene		U	ug/L	200	26.14	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9415				
NAL13026-474	OB-278	ORG	95-47-6	o-Xylene		U	ug/L	100	12.90	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9415				
NAL13026-474	OB-278	ORG	100-42-5	Styrene		U	ug/L	100	20.23	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9415				
NAL13026-474	OB-278	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9415				
NAL13026-474	OB-278	ORG	98-82-8	Isopropylbenzene		U	ug/L	200	20.48	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9415				
NAL13026-474	OB-278	ORG	103-65-1	n-Propylbenzene		U	ug/L	200	27.00	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9415				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-474	OB-278	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9415				
NAL13026-474	OB-278	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9415				
NAL13026-474	OB-278	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	200	20.03	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9415				
NAL13026-474	OB-278	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9415				
NAL13026-474	OB-278	ORG	95-63-6	1,2,4-Trimethylbenzene	14	U	ug/L	200	20.03	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9415				
NAL13026-474	OB-278	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9415				
NAL13026-474	OB-278	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9415				
NAL13026-474	OB-278	ORG	99-87-6	p-Isopropltoluene	37	J	ug/L	200	25.48	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9415				
NAL13026-474	OB-278	ORG	106-46-7	1,4-Dichlorobenzene	27	U	ug/L	200	33.03	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9415				
NAL13026-474	OB-278	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9415				
NAL13026-474	OB-278	ORG	104-51-8	n-Butylbenzene		U	ug/L	500	27.81	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9415				
NAL13026-474	OB-278	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9415				
NAL13026-474	OB-278	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9415				
NAL13026-474	OB-278	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9415				
NAL13026-474	OB-278	ORG	91-20-3	Naphthalene	120	JX+	ug/L	500	56.04	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9415				
NAL13026-474	OB-278	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9415				
NAL13026-474	OB-278	STD	1868-53-7	Dibromofluoromethane	50		ng			7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9415	50	100%		
NAL13026-474	OB-278	STD	17060-07-0	1,2-Dichloroethane d4	51		ng			7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9415	50	102%		
NAL13026-474	OB-278	STD	2037-26-5	Toluene d8	47		ng			7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9415	50	94%		
NAL13026-474	OB-278	STD	460-00-4	Bromofluorobenzene	47		ng			7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9415	50	94%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-475	279-ST T1	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9418				
NAL13026-475	279-ST T1	ORG	74-87-3	Chloromethane		U	ug/L	500	43.07	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9418				
NAL13026-475	279-ST T1	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9418				
NAL13026-475	279-ST T1	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9418				
NAL13026-475	279-ST T1	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9418				
NAL13026-475	279-ST T1	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9418				
NAL13026-475	279-ST T1	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9418				
NAL13026-475	279-ST T1	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9418				
NAL13026-475	279-ST T1	ORG	67-64-1	Acetone	32000	DX+	ug/L	10000	1556.07	7/12/2013	7/12/2013	7/12/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9425				
NAL13026-475	279-ST T1	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9418				
NAL13026-475	279-ST T1	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9418				
NAL13026-475	279-ST T1	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9418				
NAL13026-475	279-ST T1	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9418				
NAL13026-475	279-ST T1	ORG	74-97-5	Bromochloromethane		U	ug/L	200	81.18	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9418				
NAL13026-475	279-ST T1	ORG	67-66-3	Chloroform		U	ug/L	100	41.37	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9418				
NAL13026-475	279-ST T1	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	15.73	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9418				
NAL13026-475	279-ST T1	ORG	78-93-3	2-Butanone	7000		ug/L	1000	16.65	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9418				
NAL13026-475	279-ST T1	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9418				
NAL13026-475	279-ST T1	ORG	71-43-2	Benzene	18	J	ug/L	100	13.53	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9418				
NAL13026-475	279-ST T1	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9418				
NAL13026-475	279-ST T1	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9418				
NAL13026-475	279-ST T1	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9418				
NAL13026-475	279-ST T1	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9418				
NAL13026-475	279-ST T1	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9418				
NAL13026-475	279-ST T1	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9418				
NAL13026-475	279-ST T1	ORG	108-88-3	Toluene		U	ug/L	100	20.96	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9418				
NAL13026-475	279-ST T1	ORG	108-10-1	4-Methyl-2-pentanone	580		ug/L	500	74.00	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9418				
NAL13026-475	279-ST T1	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9418				
NAL13026-475	279-ST T1	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9418				
NAL13026-475	279-ST T1	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9418				
NAL13026-475	279-ST T1	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	68.90	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9418				
NAL13026-475	279-ST T1	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	29.90	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9418				
NAL13026-475	279-ST T1	ORG	591-78-6	2-Hexanone		U	ug/L	500	26.49	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9418				
NAL13026-475	279-ST T1	ORG	100-41-4	Ethylbenzene		U	ug/L	100	25.38	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9418				
NAL13026-475	279-ST T1	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9418				
NAL13026-475	279-ST T1	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9418				
NAL13026-475	279-ST T1	ORG	XYLMP	p&m-Xylene		U	ug/L	200	26.14	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9418				
NAL13026-475	279-ST T1	ORG	95-47-6	o-Xylene	13	J	ug/L	100	12.90	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9418				
NAL13026-475	279-ST T1	ORG	100-42-5	Styrene		U	ug/L	100	20.23	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9418				
NAL13026-475	279-ST T1	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9418				
NAL13026-475	279-ST T1	ORG	98-82-8	Isopropylbenzene		U	ug/L	200	20.48	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9418				
NAL13026-475	279-ST T1	ORG	103-65-1	n-Propylbenzene		U	ug/L	200	27.00	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9418				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-475	279-ST T1	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9418				
NAL13026-475	279-ST T1	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9418				
NAL13026-475	279-ST T1	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	200	20.03	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9418				
NAL13026-475	279-ST T1	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9418				
NAL13026-475	279-ST T1	ORG	95-63-6	1,2,4-Trimethylbenzene	53	J	ug/L	200	20.03	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9418				
NAL13026-475	279-ST T1	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9418				
NAL13026-475	279-ST T1	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9418				
NAL13026-475	279-ST T1	ORG	99-87-6	p-Isopropltoluene	260		ug/L	200	25.48	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9418				
NAL13026-475	279-ST T1	ORG	106-46-7	1,4-Dichlorobenzene	89	J	ug/L	200	33.03	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9418				
NAL13026-475	279-ST T1	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9418				
NAL13026-475	279-ST T1	ORG	104-51-8	n-Butylbenzene		U	ug/L	500	27.81	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9418				
NAL13026-475	279-ST T1	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9418				
NAL13026-475	279-ST T1	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9418				
NAL13026-475	279-ST T1	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9418				
NAL13026-475	279-ST T1	ORG	91-20-3	Naphthalene	250	JX+	ug/L	500	56.04	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9418				
NAL13026-475	279-ST T1	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9418				
NAL13026-475	279-ST T1	STD	1868-53-7	Dibromofluoromethane	51		ng			7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9418	50	102%		
NAL13026-475	279-ST T1	STD	17060-07-0	1,2-Dichloroethane d4	50		ng			7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9418	50	100%		
NAL13026-475	279-ST T1	STD	2037-26-5	Toluene d8	45		ng			7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9418	50	90%		
NAL13026-475	279-ST T1	STD	460-00-4	Bromofluorobenzene	45		ng			7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9418	50	90%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-476	279-ST T2	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9419				
NAL13026-476	279-ST T2	ORG	74-87-3	Chloromethane		U	ug/L	500	43.07	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9419				
NAL13026-476	279-ST T2	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9419				
NAL13026-476	279-ST T2	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9419				
NAL13026-476	279-ST T2	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9419				
NAL13026-476	279-ST T2	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9419				
NAL13026-476	279-ST T2	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9419				
NAL13026-476	279-ST T2	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9419				
NAL13026-476	279-ST T2	ORG	67-64-1	Acetone	57000	DX+	ug/L	10000	1556.07	7/12/2013	7/12/2013	7/12/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9426				
NAL13026-476	279-ST T2	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9419				
NAL13026-476	279-ST T2	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9419				
NAL13026-476	279-ST T2	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9419				
NAL13026-476	279-ST T2	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9419				
NAL13026-476	279-ST T2	ORG	74-97-5	Bromochloromethane		U	ug/L	200	81.18	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9419				
NAL13026-476	279-ST T2	ORG	67-66-3	Chloroform		U	ug/L	100	41.37	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9419				
NAL13026-476	279-ST T2	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	15.73	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9419				
NAL13026-476	279-ST T2	ORG	78-93-3	2-Butanone	9500		ug/L	1000	16.65	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9419				
NAL13026-476	279-ST T2	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9419				
NAL13026-476	279-ST T2	ORG	71-43-2	Benzene	27	J	ug/L	100	13.53	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9419				
NAL13026-476	279-ST T2	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9419				
NAL13026-476	279-ST T2	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9419				
NAL13026-476	279-ST T2	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9419				
NAL13026-476	279-ST T2	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9419				
NAL13026-476	279-ST T2	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9419				
NAL13026-476	279-ST T2	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9419				
NAL13026-476	279-ST T2	ORG	108-88-3	Toluene	48	J	ug/L	100	20.96	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9419				
NAL13026-476	279-ST T2	ORG	108-10-1	4-Methyl-2-pentanone	950		ug/L	500	74.00	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9419				
NAL13026-476	279-ST T2	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9419				
NAL13026-476	279-ST T2	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9419				
NAL13026-476	279-ST T2	ORG	79-00-5	1,1,2-Trichloroethane	130		ug/L	100	34.28	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9419				
NAL13026-476	279-ST T2	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	68.90	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9419				
NAL13026-476	279-ST T2	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	29.90	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9419				
NAL13026-476	279-ST T2	ORG	591-78-6	2-Hexanone		U	ug/L	500	26.49	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9419				
NAL13026-476	279-ST T2	ORG	100-41-4	Ethylbenzene	190	X+	ug/L	100	25.38	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9419				
NAL13026-476	279-ST T2	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9419				
NAL13026-476	279-ST T2	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9419				
NAL13026-476	279-ST T2	ORG	XYLMP	p&m-Xylene	520	X+	ug/L	200	26.14	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9419				
NAL13026-476	279-ST T2	ORG	95-47-6	o-Xylene	270		ug/L	100	12.90	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9419				
NAL13026-476	279-ST T2	ORG	100-42-5	Styrene	37	J	ug/L	100	20.23	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9419				
NAL13026-476	279-ST T2	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9419				
NAL13026-476	279-ST T2	ORG	98-82-8	Isopropylbenzene	230		ug/L	200	20.48	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9419				
NAL13026-476	279-ST T2	ORG	103-65-1	n-Propylbenzene	170	J	ug/L	200	27.00	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9419				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-476	279-ST T2	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9419				
NAL13026-476	279-ST T2	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9419				
NAL13026-476	279-ST T2	ORG	108-67-8	1,3,5-Trimethylbenzene	420		ug/L	200	20.03	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9419				
NAL13026-476	279-ST T2	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9419				
NAL13026-476	279-ST T2	ORG	95-63-6	1,2,4-Trimethylbenzene	1700		ug/L	200	20.03	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9419				
NAL13026-476	279-ST T2	ORG	135-98-8	sec-Butylbenzene	83	J	ug/L	200	32.34	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9419				
NAL13026-476	279-ST T2	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9419				
NAL13026-476	279-ST T2	ORG	99-87-6	p-Isopropltoluene	9800		ug/L	200	25.48	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9419				
NAL13026-476	279-ST T2	ORG	106-46-7	1,4-Dichlorobenzene	1700		ug/L	200	33.03	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9419				
NAL13026-476	279-ST T2	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9419				
NAL13026-476	279-ST T2	ORG	104-51-8	n-Butylbenzene	340	J	ug/L	500	27.81	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9419				
NAL13026-476	279-ST T2	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9419				
NAL13026-476	279-ST T2	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9419				
NAL13026-476	279-ST T2	ORG	120-82-1	1,2,4-Trichlorobenzene	65	JX+	ug/L	500	27.63	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9419				
NAL13026-476	279-ST T2	ORG	91-20-3	Naphthalene	2400	X+	ug/L	500	56.04	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9419				
NAL13026-476	279-ST T2	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9419				
NAL13026-476	279-ST T2	STD	1868-53-7	Dibromofluoromethane	52		ng			7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9419	50	104%		
NAL13026-476	279-ST T2	STD	17060-07-0	1,2-Dichloroethane d4	53		ng			7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9419	50	106%		
NAL13026-476	279-ST T2	STD	2037-26-5	Toluene d8	47		ng			7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9419	50	94%		
NAL13026-476	279-ST T2	STD	460-00-4	Bromofluorobenzene	49		ng			7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9419	50	98%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-477	279-ST T3	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9420				
NAL13026-477	279-ST T3	ORG	74-87-3	Chloromethane		U	ug/L	500	43.07	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9420				
NAL13026-477	279-ST T3	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9420				
NAL13026-477	279-ST T3	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9420				
NAL13026-477	279-ST T3	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9420				
NAL13026-477	279-ST T3	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9420				
NAL13026-477	279-ST T3	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9420				
NAL13026-477	279-ST T3	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9420				
NAL13026-477	279-ST T3	ORG	67-64-1	Acetone	10000	X+	ug/L	1000	155.61	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9420				
NAL13026-477	279-ST T3	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9420				
NAL13026-477	279-ST T3	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9420				
NAL13026-477	279-ST T3	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9420				
NAL13026-477	279-ST T3	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9420				
NAL13026-477	279-ST T3	ORG	74-97-5	Bromochloromethane		U	ug/L	200	81.18	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9420				
NAL13026-477	279-ST T3	ORG	67-66-3	Chloroform		U	ug/L	100	41.37	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9420				
NAL13026-477	279-ST T3	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	15.73	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9420				
NAL13026-477	279-ST T3	ORG	78-93-3	2-Butanone	6000		ug/L	1000	16.65	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9420				
NAL13026-477	279-ST T3	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9420				
NAL13026-477	279-ST T3	ORG	71-43-2	Benzene	45	J	ug/L	100	13.53	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9420				
NAL13026-477	279-ST T3	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9420				
NAL13026-477	279-ST T3	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9420				
NAL13026-477	279-ST T3	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9420				
NAL13026-477	279-ST T3	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9420				
NAL13026-477	279-ST T3	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9420				
NAL13026-477	279-ST T3	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9420				
NAL13026-477	279-ST T3	ORG	108-88-3	Toluene	70	J	ug/L	100	20.96	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9420				
NAL13026-477	279-ST T3	ORG	108-10-1	4-Methyl-2-pentanone	410	J	ug/L	500	74.00	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9420				
NAL13026-477	279-ST T3	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9420				
NAL13026-477	279-ST T3	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9420				
NAL13026-477	279-ST T3	ORG	79-00-5	1,1,2-Trichloroethane	140		ug/L	100	34.28	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9420				
NAL13026-477	279-ST T3	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	68.90	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9420				
NAL13026-477	279-ST T3	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	29.90	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9420				
NAL13026-477	279-ST T3	ORG	591-78-6	2-Hexanone		U	ug/L	500	26.49	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9420				
NAL13026-477	279-ST T3	ORG	100-41-4	Ethylbenzene	210	X+	ug/L	100	25.38	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9420				
NAL13026-477	279-ST T3	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9420				
NAL13026-477	279-ST T3	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9420				
NAL13026-477	279-ST T3	ORG	XYLMP	p&m-Xylene	570	X+	ug/L	200	26.14	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9420				
NAL13026-477	279-ST T3	ORG	95-47-6	o-Xylene	330		ug/L	100	12.90	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9420				
NAL13026-477	279-ST T3	ORG	100-42-5	Styrene	56	J	ug/L	100	20.23	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9420				
NAL13026-477	279-ST T3	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9420				
NAL13026-477	279-ST T3	ORG	98-82-8	Isopropylbenzene	240		ug/L	200	20.48	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9420				
NAL13026-477	279-ST T3	ORG	103-65-1	n-Propylbenzene	180	J	ug/L	200	27.00	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9420				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-477	279-ST T3	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9420				
NAL13026-477	279-ST T3	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9420				
NAL13026-477	279-ST T3	ORG	108-67-8	1,3,5-Trimethylbenzene	490		ug/L	200	20.03	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9420				
NAL13026-477	279-ST T3	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9420				
NAL13026-477	279-ST T3	ORG	95-63-6	1,2,4-Trimethylbenzene	2000		ug/L	200	20.03	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9420				
NAL13026-477	279-ST T3	ORG	135-98-8	sec-Butylbenzene	95	J	ug/L	200	32.34	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9420				
NAL13026-477	279-ST T3	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9420				
NAL13026-477	279-ST T3	ORG	99-87-6	p-Isopropltoluene	11000		ug/L	200	25.48	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9420				
NAL13026-477	279-ST T3	ORG	106-46-7	1,4-Dichlorobenzene	2100		ug/L	200	33.03	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9420				
NAL13026-477	279-ST T3	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9420				
NAL13026-477	279-ST T3	ORG	104-51-8	n-Butylbenzene	410	J	ug/L	500	27.81	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9420				
NAL13026-477	279-ST T3	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9420				
NAL13026-477	279-ST T3	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9420				
NAL13026-477	279-ST T3	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9420				
NAL13026-477	279-ST T3	ORG	91-20-3	Naphthalene	2900	X+	ug/L	500	56.04	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9420				
NAL13026-477	279-ST T3	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9420				
NAL13026-477	279-ST T3	STD	1868-53-7	Dibromofluoromethane	51		ng			7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9420	50	102%		
NAL13026-477	279-ST T3	STD	17060-07-0	1,2-Dichloroethane d4	52		ng			7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9420	50	104%		
NAL13026-477	279-ST T3	STD	2037-26-5	Toluene d8	46		ng			7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9420	50	92%		
NAL13026-477	279-ST T3	STD	460-00-4	Bromofluorobenzene	45		ng			7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9420	50	90%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-478	279-ST T4	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9421				
NAL13026-478	279-ST T4	ORG	74-87-3	Chloromethane		U	ug/L	500	43.07	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9421				
NAL13026-478	279-ST T4	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9421				
NAL13026-478	279-ST T4	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9421				
NAL13026-478	279-ST T4	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9421				
NAL13026-478	279-ST T4	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9421				
NAL13026-478	279-ST T4	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9421				
NAL13026-478	279-ST T4	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9421				
NAL13026-478	279-ST T4	ORG	67-64-1	Acetone	14000	X+	ug/L	1000	155.61	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9421				
NAL13026-478	279-ST T4	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9421				
NAL13026-478	279-ST T4	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9421				
NAL13026-478	279-ST T4	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9421				
NAL13026-478	279-ST T4	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9421				
NAL13026-478	279-ST T4	ORG	74-97-5	Bromochloromethane		U	ug/L	200	81.18	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9421				
NAL13026-478	279-ST T4	ORG	67-66-3	Chloroform		U	ug/L	100	41.37	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9421				
NAL13026-478	279-ST T4	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	15.73	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9421				
NAL13026-478	279-ST T4	ORG	78-93-3	2-Butanone	7200		ug/L	1000	16.65	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9421				
NAL13026-478	279-ST T4	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9421				
NAL13026-478	279-ST T4	ORG	71-43-2	Benzene		U	ug/L	100	13.53	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9421				
NAL13026-478	279-ST T4	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9421				
NAL13026-478	279-ST T4	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9421				
NAL13026-478	279-ST T4	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9421				
NAL13026-478	279-ST T4	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9421				
NAL13026-478	279-ST T4	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9421				
NAL13026-478	279-ST T4	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9421				
NAL13026-478	279-ST T4	ORG	108-88-3	Toluene		U	ug/L	100	20.96	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9421				
NAL13026-478	279-ST T4	ORG	108-10-1	4-Methyl-2-pentanone	380	J	ug/L	500	74.00	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9421				
NAL13026-478	279-ST T4	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9421				
NAL13026-478	279-ST T4	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9421				
NAL13026-478	279-ST T4	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9421				
NAL13026-478	279-ST T4	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	68.90	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9421				
NAL13026-478	279-ST T4	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	29.90	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9421				
NAL13026-478	279-ST T4	ORG	591-78-6	2-Hexanone		U	ug/L	500	26.49	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9421				
NAL13026-478	279-ST T4	ORG	100-41-4	Ethylbenzene	23	U	ug/L	100	25.38	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9421				
NAL13026-478	279-ST T4	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9421				
NAL13026-478	279-ST T4	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9421				
NAL13026-478	279-ST T4	ORG	XYLMP	p&m-Xylene	51	JX+	ug/L	200	26.14	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9421				
NAL13026-478	279-ST T4	ORG	95-47-6	o-Xylene	35	J	ug/L	100	12.90	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9421				
NAL13026-478	279-ST T4	ORG	100-42-5	Styrene	25	J	ug/L	100	20.23	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9421				
NAL13026-478	279-ST T4	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9421				
NAL13026-478	279-ST T4	ORG	98-82-8	Isopropylbenzene	38	J	ug/L	200	20.48	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9421				
NAL13026-478	279-ST T4	ORG	103-65-1	n-Propylbenzene		U	ug/L	200	27.00	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9421				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-478	279-ST T4	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9421				
NAL13026-478	279-ST T4	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9421				
NAL13026-478	279-ST T4	ORG	108-67-8	1,3,5-Trimethylbenzene	56	J	ug/L	200	20.03	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9421				
NAL13026-478	279-ST T4	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9421				
NAL13026-478	279-ST T4	ORG	95-63-6	1,2,4-Trimethylbenzene	220		ug/L	200	20.03	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9421				
NAL13026-478	279-ST T4	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9421				
NAL13026-478	279-ST T4	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9421				
NAL13026-478	279-ST T4	ORG	99-87-6	p-Isopropltoluene	1400		ug/L	200	25.48	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9421				
NAL13026-478	279-ST T4	ORG	106-46-7	1,4-Dichlorobenzene	240		ug/L	200	33.03	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9421				
NAL13026-478	279-ST T4	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9421				
NAL13026-478	279-ST T4	ORG	104-51-8	n-Butylbenzene	110	J	ug/L	500	27.81	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9421				
NAL13026-478	279-ST T4	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9421				
NAL13026-478	279-ST T4	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9421				
NAL13026-478	279-ST T4	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9421				
NAL13026-478	279-ST T4	ORG	91-20-3	Naphthalene	820	X+	ug/L	500	56.04	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9421				
NAL13026-478	279-ST T4	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9421				
NAL13026-478	279-ST T4	STD	1868-53-7	Dibromofluoromethane	50		ng			7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9421	50	100%		
NAL13026-478	279-ST T4	STD	17060-07-0	1,2-Dichloroethane d4	52		ng			7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9421	50	104%		
NAL13026-478	279-ST T4	STD	2037-26-5	Toluene d8	48		ng			7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9421	50	96%		
NAL13026-478	279-ST T4	STD	460-00-4	Bromofluorobenzene	46		ng			7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9421	50	92%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J071213CCVA	J071213CCVA	ORG	75-71-8	Dichlorodifluoromethane	44		ug/L	5	0.29	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9410	50	88%		
J071213CCVA	J071213CCVA	ORG	74-87-3	Chloromethane	44		ug/L	5	0.43	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9410	50	88%		
J071213CCVA	J071213CCVA	ORG	75-01-4	Vinyl chloride	50		ug/L	2	0.32	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9410	50	100%		
J071213CCVA	J071213CCVA	ORG	74-83-9	Bromomethane	48		ug/L	5	0.50	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9410	50	96%		
J071213CCVA	J071213CCVA	ORG	75-00-3	Chloroethane	51		ug/L	5	0.56	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9410	50	102%		
J071213CCVA	J071213CCVA	ORG	75-69-4	Trichlorofluoromethane	48		ug/L	5	0.20	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9410	50	96%		
J071213CCVA	J071213CCVA	ORG	75-35-4	1,1-Dichloroethene	50		ug/L	1	0.47	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9410	50	100%		
J071213CCVA	J071213CCVA	ORG	75-09-2	Methylene chloride	52		ug/L	5	0.26	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9410	50	104%		
J071213CCVA	J071213CCVA	ORG	67-64-1	Acetone	63		ug/L	10	1.56	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9410	50	126%		
J071213CCVA	J071213CCVA	ORG	156-60-5	trans-1,2-Dichloroethene	53		ug/L	1	0.56	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9410	50	106%		
J071213CCVA	J071213CCVA	ORG	1634-04-4	MTBE	52		ug/L	5	0.61	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9410	50	104%		
J071213CCVA	J071213CCVA	ORG	75-34-3	1,1-Dichloroethane	41		ug/L	1	0.53	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9410	50	82%		
J071213CCVA	J071213CCVA	ORG	156-59-2	cis-1,2-Dichloroethene	46		ug/L	1	0.32	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9410	50	92%		
J071213CCVA	J071213CCVA	ORG	74-97-5	Bromochloromethane	55		ug/L	10	0.81	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9410	50	110%		
J071213CCVA	J071213CCVA	ORG	67-66-3	Chloroform	52		ug/L	2	0.41	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9410	50	104%		
J071213CCVA	J071213CCVA	ORG	71-55-6	1,1,1-Trichloroethane	53		ug/L	1	0.16	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9410	50	106%		
J071213CCVA	J071213CCVA	ORG	78-93-3	2-Butanone	52		ug/L	1	0.17	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9410	50	104%		
J071213CCVA	J071213CCVA	ORG	56-23-5	Carbon tetrachloride	54		ug/L	1	0.28	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9410	50	108%		
J071213CCVA	J071213CCVA	ORG	71-43-2	Benzene	50		ug/L	1	0.14	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9410	50	100%		
J071213CCVA	J071213CCVA	ORG	107-06-2	1,2-Dichloroethane	51		ug/L	1	0.20	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9410	50	102%		
J071213CCVA	J071213CCVA	ORG	79-01-6	Trichloroethene	54		ug/L	1	0.36	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9410	50	108%		
J071213CCVA	J071213CCVA	ORG	74-95-3	Dibromomethane	54		ug/L	2	0.32	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9410	50	108%		
J071213CCVA	J071213CCVA	ORG	78-87-5	1,2-Dichloropropane	47		ug/L	1	0.18	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9410	50	94%		
J071213CCVA	J071213CCVA	ORG	75-27-4	Bromodichloromethane	55		ug/L	2	0.12	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9410	50	110%		
J071213CCVA	J071213CCVA	ORG	10061-01-5	cis-1,3-Dichloropropene	53		ug/L	1	0.25	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9410	50	106%		
J071213CCVA	J071213CCVA	ORG	108-88-3	Toluene	51		ug/L	5	0.74	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9410	50	102%		
J071213CCVA	J071213CCVA	ORG	108-10-1	4-Methyl-2-pentanone	55		ug/L	1	0.21	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9410	50	110%		
J071213CCVA	J071213CCVA	ORG	10061-02-6	trans-1,3-Dichloropropene	54		ug/L	1	0.31	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9410	50	108%		
J071213CCVA	J071213CCVA	ORG	127-18-4	Tetrachloroethene	46		ug/L	1	0.49	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9410	50	92%		
J071213CCVA	J071213CCVA	ORG	79-00-5	1,1,2-Trichloroethane	52		ug/L	1	0.34	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9410	50	104%		
J071213CCVA	J071213CCVA	ORG	124-48-1	Dibromochloromethane	55		ug/L	5	0.69	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9410	50	110%		
J071213CCVA	J071213CCVA	ORG	106-93-4	1,2-Dibromoethane	57		ug/L	2	0.30	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9410	50	114%		
J071213CCVA	J071213CCVA	ORG	591-78-6	2-Hexanone	55		ug/L	2	0.26	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9410	50	110%		
J071213CCVA	J071213CCVA	ORG	100-41-4	Ethylbenzene	62		ug/L	1	0.25	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9410	50	124%		
J071213CCVA	J071213CCVA	ORG	108-90-7	Chlorobenzene	63		ug/L	1	0.28	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9410	50	126%		
J071213CCVA	J071213CCVA	ORG	630-20-6	1,1,1,2-Tetrachloroethane	61		ug/L	2	0.19	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9410	50	122%		
J071213CCVA	J071213CCVA	ORG	XYLMP	p&m-Xylene	120		ug/L	2	0.26	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9410	100	120%		
J071213CCVA	J071213CCVA	ORG	95-47-6	o-Xylene	60		ug/L	1	0.13	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9410	50	120%		
J071213CCVA	J071213CCVA	ORG	100-42-5	Styrene	55		ug/L	1	0.20	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9410	50	110%		
J071213CCVA	J071213CCVA	ORG	75-25-2	Bromoform	62		ug/L	2	0.47	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9410	50	124%		
J071213CCVA	J071213CCVA	ORG	98-82-8	Isopropylbenzene	59		ug/L	2	0.20	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9410	50	118%		
J071213CCVA	J071213CCVA	ORG	103-65-1	n-Propylbenzene	58		ug/L	2	0.27	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9410	50	116%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J071213CCVA	J071213CCVA	ORG	79-34-5	1,1,2,2-Tetrachloroethane	61		ug/L	2	0.29	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9410	50	122%		
J071213CCVA	J071213CCVA	ORG	96-18-4	1,2,3-Trichloropropane	60		ug/L	2	0.29	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9410	50	120%		
J071213CCVA	J071213CCVA	ORG	108-67-8	1,3,5-Trimethylbenzene	56		ug/L	2	0.20	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9410	50	112%		
J071213CCVA	J071213CCVA	ORG	98-06-6	tert-Butylbenzene	56		ug/L	2	0.33	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9410	50	112%		
J071213CCVA	J071213CCVA	ORG	95-63-6	1,2,4-Trimethylbenzene	54		ug/L	2	0.20	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9410	50	108%		
J071213CCVA	J071213CCVA	ORG	135-98-8	sec-Butylbenzene	55		ug/L	2	0.32	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9410	50	110%		
J071213CCVA	J071213CCVA	ORG	541-73-1	1,3-Dichlorobenzene	56		ug/L	2	0.22	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9410	50	112%		
J071213CCVA	J071213CCVA	ORG	99-87-6	p-Isopropltoluene	56		ug/L	2	0.25	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9410	50	112%		
J071213CCVA	J071213CCVA	ORG	106-46-7	1,4-Dichlorobenzene	55		ug/L	2	0.33	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9410	50	110%		
J071213CCVA	J071213CCVA	ORG	95-50-1	1,2-Dichlorobenzene	56		ug/L	2	0.26	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9410	50	112%		
J071213CCVA	J071213CCVA	ORG	104-51-8	n-Butylbenzene	53		ug/L	5	0.28	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9410	50	106%		
J071213CCVA	J071213CCVA	ORG	96-12-8	1,2-Dibromo-3-chloropropane	68		ug/L	5	1.59	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9410	50	136%		
J071213CCVA	J071213CCVA	ORG	87-68-3	Hexachlorobutadiene	58		ug/L	5	0.65	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9410	50	116%		
J071213CCVA	J071213CCVA	ORG	120-82-1	1,2,4-Trichlorobenzene	63		ug/L	5	0.28	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9410	50	126%		
J071213CCVA	J071213CCVA	ORG	91-20-3	Naphthalene	66		ug/L	5	0.56	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9410	50	132%		
J071213CCVA	J071213CCVA	ORG	87-61-6	1,2,3-Trichlorobenzene	65		ug/L	5	0.23	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9410	50	130%		
J071213CCVA	J071213CCVA	STD	1868-53-7	Dibromofluoromethane	49		ng			NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9410	50	98%		
J071213CCVA	J071213CCVA	STD	17060-07-0	1,2-Dichloroethane d4	47		ng			NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9410	50	94%		
J071213CCVA	J071213CCVA	STD	2037-26-5	Toluene d8	50		ng			NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9410	50	100%		
J071213CCVA	J071213CCVA	STD	460-00-4	Bromofluorobenzene	51		ng			NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9410	50	102%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J071213MBKA	J071213MBKA	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	5	0.29	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9411				
J071213MBKA	J071213MBKA	ORG	74-87-3	Chloromethane		U	ug/L	5	0.43	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9411				
J071213MBKA	J071213MBKA	ORG	75-01-4	Vinyl chloride		U	ug/L	2	0.32	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9411				
J071213MBKA	J071213MBKA	ORG	74-83-9	Bromomethane		U	ug/L	5	0.50	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9411				
J071213MBKA	J071213MBKA	ORG	75-00-3	Chloroethane		U	ug/L	5	0.56	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9411				
J071213MBKA	J071213MBKA	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	5	0.20	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9411				
J071213MBKA	J071213MBKA	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	1	0.47	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9411				
J071213MBKA	J071213MBKA	ORG	75-09-2	Methylene chloride		U	ug/L	5	0.26	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9411				
J071213MBKA	J071213MBKA	ORG	67-64-1	Acetone		U	ug/L	10	1.56	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9411				
J071213MBKA	J071213MBKA	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	1	0.56	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9411				
J071213MBKA	J071213MBKA	ORG	1634-04-4	MTBE		U	ug/L	5	0.61	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9411				
J071213MBKA	J071213MBKA	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	1	0.53	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9411				
J071213MBKA	J071213MBKA	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	1	0.32	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9411				
J071213MBKA	J071213MBKA	ORG	74-97-5	Bromochloromethane		U	ug/L	10	0.81	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9411				
J071213MBKA	J071213MBKA	ORG	67-66-3	Chloroform		U	ug/L	2	0.41	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9411				
J071213MBKA	J071213MBKA	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	1	0.16	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9411				
J071213MBKA	J071213MBKA	ORG	78-93-3	2-Butanone		U	ug/L	1	0.17	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9411				
J071213MBKA	J071213MBKA	ORG	56-23-5	Carbon tetrachloride		U	ug/L	1	0.28	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9411				
J071213MBKA	J071213MBKA	ORG	71-43-2	Benzene		U	ug/L	1	0.14	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9411				
J071213MBKA	J071213MBKA	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	1	0.20	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9411				
J071213MBKA	J071213MBKA	ORG	79-01-6	Trichloroethene		U	ug/L	1	0.36	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9411				
J071213MBKA	J071213MBKA	ORG	74-95-3	Dibromomethane		U	ug/L	2	0.32	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9411				
J071213MBKA	J071213MBKA	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	1	0.18	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9411				
J071213MBKA	J071213MBKA	ORG	75-27-4	Bromodichloromethane		U	ug/L	2	0.12	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9411				
J071213MBKA	J071213MBKA	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	1	0.25	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9411				
J071213MBKA	J071213MBKA	ORG	108-88-3	Toluene		U	ug/L	5	0.74	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9411				
J071213MBKA	J071213MBKA	ORG	108-10-1	4-Methyl-2-pentanone		U	ug/L	1	0.21	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9411				
J071213MBKA	J071213MBKA	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	1	0.31	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9411				
J071213MBKA	J071213MBKA	ORG	127-18-4	Tetrachloroethene		U	ug/L	1	0.49	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9411				
J071213MBKA	J071213MBKA	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	1	0.34	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9411				
J071213MBKA	J071213MBKA	ORG	124-48-1	Dibromochloromethane		U	ug/L	5	0.69	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9411				
J071213MBKA	J071213MBKA	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	2	0.30	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9411				
J071213MBKA	J071213MBKA	ORG	591-78-6	2-Hexanone		U	ug/L	2	0.26	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9411				
J071213MBKA	J071213MBKA	ORG	100-41-4	Ethylbenzene		U	ug/L	1	0.25	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9411				
J071213MBKA	J071213MBKA	ORG	108-90-7	Chlorobenzene		U	ug/L	1	0.28	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9411				
J071213MBKA	J071213MBKA	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	2	0.19	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9411				
J071213MBKA	J071213MBKA	ORG	XYLMP	p&m-Xylene		U	ug/L	2	0.26	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9411				
J071213MBKA	J071213MBKA	ORG	95-47-6	o-Xylene		U	ug/L	1	0.13	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9411				
J071213MBKA	J071213MBKA	ORG	100-42-5	Styrene		U	ug/L	1	0.20	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9411				
J071213MBKA	J071213MBKA	ORG	75-25-2	Bromoform		U	ug/L	2	0.47	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9411				
J071213MBKA	J071213MBKA	ORG	98-82-8	Isopropylbenzene		U	ug/L	2	0.20	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9411				
J071213MBKA	J071213MBKA	ORG	103-65-1	n-Propylbenzene		U	ug/L	2	0.27	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9411				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J071213MBKA	J071213MBKA	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	2	0.29	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9411				
J071213MBKA	J071213MBKA	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	2	0.29	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9411				
J071213MBKA	J071213MBKA	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	2	0.20	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9411				
J071213MBKA	J071213MBKA	ORG	98-06-6	tert-Butylbenzene		U	ug/L	2	0.33	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9411				
J071213MBKA	J071213MBKA	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	2	0.20	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9411				
J071213MBKA	J071213MBKA	ORG	135-98-8	sec-Butylbenzene		U	ug/L	2	0.32	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9411				
J071213MBKA	J071213MBKA	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	2	0.22	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9411				
J071213MBKA	J071213MBKA	ORG	99-87-6	p-Isopropltoluene		U	ug/L	2	0.25	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9411				
J071213MBKA	J071213MBKA	ORG	106-46-7	1,4-Dichlorobenzene		U	ug/L	2	0.33	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9411				
J071213MBKA	J071213MBKA	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	2	0.26	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9411				
J071213MBKA	J071213MBKA	ORG	104-51-8	n-Butylbenzene		U	ug/L	5	0.28	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9411				
J071213MBKA	J071213MBKA	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	5	1.59	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9411				
J071213MBKA	J071213MBKA	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	5	0.65	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9411				
J071213MBKA	J071213MBKA	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	5	0.28	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9411				
J071213MBKA	J071213MBKA	ORG	91-20-3	Naphthalene		U	ug/L	5	0.56	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9411				
J071213MBKA	J071213MBKA	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	5	0.23	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9411				
J071213MBKA	J071213MBKA	STD	1868-53-7	Dibromofluoromethane	51		ng			NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9411	50	102%		
J071213MBKA	J071213MBKA	STD	17060-07-0	1,2-Dichloroethane d4	51		ng			NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9411	50	102%		
J071213MBKA	J071213MBKA	STD	2037-26-5	Toluene d8	47		ng			NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9411	50	94%		
J071213MBKA	J071213MBKA	STD	460-00-4	Bromofluorobenzene	47		ng			NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9411	50	94%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J071213CCVB	J071213CCVB	ORG	75-71-8	Dichlorodifluoromethane	52		ug/L	5	0.29	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9423	50	104%		
J071213CCVB	J071213CCVB	ORG	74-87-3	Chloromethane	39		ug/L	5	0.43	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9423	50	78%		
J071213CCVB	J071213CCVB	ORG	75-01-4	Vinyl chloride	48		ug/L	2	0.32	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9423	50	96%		
J071213CCVB	J071213CCVB	ORG	74-83-9	Bromomethane	71		ug/L	5	0.50	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9423	50	142%		
J071213CCVB	J071213CCVB	ORG	75-00-3	Chloroethane	66		ug/L	5	0.56	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9423	50	132%		
J071213CCVB	J071213CCVB	ORG	75-69-4	Trichlorofluoromethane	59		ug/L	5	0.20	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9423	50	118%		
J071213CCVB	J071213CCVB	ORG	75-35-4	1,1-Dichloroethene	51		ug/L	1	0.47	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9423	50	102%		
J071213CCVB	J071213CCVB	ORG	75-09-2	Methylene chloride	56		ug/L	5	0.26	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9423	50	112%		
J071213CCVB	J071213CCVB	ORG	67-64-1	Acetone	79		ug/L	10	1.56	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9423	50	158%		
J071213CCVB	J071213CCVB	ORG	156-60-5	trans-1,2-Dichloroethene	54		ug/L	1	0.56	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9423	50	108%		
J071213CCVB	J071213CCVB	ORG	1634-04-4	MTBE	56		ug/L	5	0.61	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9423	50	112%		
J071213CCVB	J071213CCVB	ORG	75-34-3	1,1-Dichloroethane	40		ug/L	1	0.53	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9423	50	80%		
J071213CCVB	J071213CCVB	ORG	156-59-2	cis-1,2-Dichloroethene	51		ug/L	1	0.32	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9423	50	102%		
J071213CCVB	J071213CCVB	ORG	74-97-5	Bromochloromethane	58		ug/L	10	0.81	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9423	50	116%		
J071213CCVB	J071213CCVB	ORG	67-66-3	Chloroform	53		ug/L	2	0.41	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9423	50	106%		
J071213CCVB	J071213CCVB	ORG	71-55-6	1,1,1-Trichloroethane	52		ug/L	1	0.16	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9423	50	104%		
J071213CCVB	J071213CCVB	ORG	78-93-3	2-Butanone	68		ug/L	1	0.17	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9423	50	136%		
J071213CCVB	J071213CCVB	ORG	56-23-5	Carbon tetrachloride	53		ug/L	1	0.28	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9423	50	106%		
J071213CCVB	J071213CCVB	ORG	71-43-2	Benzene	50		ug/L	1	0.14	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9423	50	100%		
J071213CCVB	J071213CCVB	ORG	107-06-2	1,2-Dichloroethane	54		ug/L	1	0.20	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9423	50	108%		
J071213CCVB	J071213CCVB	ORG	79-01-6	Trichloroethene	54		ug/L	1	0.36	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9423	50	108%		
J071213CCVB	J071213CCVB	ORG	74-95-3	Dibromomethane	58		ug/L	2	0.32	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9423	50	116%		
J071213CCVB	J071213CCVB	ORG	78-87-5	1,2-Dichloropropane	48		ug/L	1	0.18	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9423	50	96%		
J071213CCVB	J071213CCVB	ORG	75-27-4	Bromodichloromethane	49		ug/L	2	0.12	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9423	50	98%		
J071213CCVB	J071213CCVB	ORG	10061-01-5	cis-1,3-Dichloropropene	48		ug/L	1	0.25	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9423	50	96%		
J071213CCVB	J071213CCVB	ORG	108-88-3	Toluene	46		ug/L	5	0.74	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9423	50	92%		
J071213CCVB	J071213CCVB	ORG	108-10-1	4-Methyl-2-pentanone	58		ug/L	1	0.21	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9423	50	116%		
J071213CCVB	J071213CCVB	ORG	10061-02-6	trans-1,3-Dichloropropene	51		ug/L	1	0.31	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9423	50	102%		
J071213CCVB	J071213CCVB	ORG	127-18-4	Tetrachloroethene	42		ug/L	1	0.49	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9423	50	84%		
J071213CCVB	J071213CCVB	ORG	79-00-5	1,1,2-Trichloroethane	50		ug/L	1	0.34	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9423	50	100%		
J071213CCVB	J071213CCVB	ORG	124-48-1	Dibromochloromethane	55		ug/L	5	0.69	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9423	50	110%		
J071213CCVB	J071213CCVB	ORG	106-93-4	1,2-Dibromoethane	53		ug/L	2	0.30	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9423	50	106%		
J071213CCVB	J071213CCVB	ORG	591-78-6	2-Hexanone	63		ug/L	2	0.26	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9423	50	126%		
J071213CCVB	J071213CCVB	ORG	100-41-4	Ethylbenzene	48		ug/L	1	0.25	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9423	50	96%		
J071213CCVB	J071213CCVB	ORG	108-90-7	Chlorobenzene	50		ug/L	1	0.28	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9423	50	100%		
J071213CCVB	J071213CCVB	ORG	630-20-6	1,1,1,2-Tetrachloroethane	50		ug/L	2	0.19	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9423	50	100%		
J071213CCVB	J071213CCVB	ORG	XYLMP	p&m-Xylene	97		ug/L	2	0.26	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9423	100	97%		
J071213CCVB	J071213CCVB	ORG	95-47-6	o-Xylene	47		ug/L	1	0.13	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9423	50	94%		
J071213CCVB	J071213CCVB	ORG	100-42-5	Styrene	48		ug/L	1	0.20	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9423	50	96%		
J071213CCVB	J071213CCVB	ORG	75-25-2	Bromoform	61		ug/L	2	0.47	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9423	50	122%		
J071213CCVB	J071213CCVB	ORG	98-82-8	Isopropylbenzene	50		ug/L	2	0.20	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9423	50	100%		
J071213CCVB	J071213CCVB	ORG	103-65-1	n-Propylbenzene	50		ug/L	2	0.27	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9423	50	100%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J071213CCVB	J071213CCVB	ORG	79-34-5	1,1,2,2-Tetrachloroethane	58		ug/L	2	0.29	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9423	50	116%		
J071213CCVB	J071213CCVB	ORG	96-18-4	1,2,3-Trichloropropane	58		ug/L	2	0.29	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9423	50	116%		
J071213CCVB	J071213CCVB	ORG	108-67-8	1,3,5-Trimethylbenzene	49		ug/L	2	0.20	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9423	50	98%		
J071213CCVB	J071213CCVB	ORG	98-06-6	tert-Butylbenzene	51		ug/L	2	0.33	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9423	50	102%		
J071213CCVB	J071213CCVB	ORG	95-63-6	1,2,4-Trimethylbenzene	49		ug/L	2	0.20	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9423	50	98%		
J071213CCVB	J071213CCVB	ORG	135-98-8	sec-Butylbenzene	50		ug/L	2	0.32	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9423	50	100%		
J071213CCVB	J071213CCVB	ORG	541-73-1	1,3-Dichlorobenzene	50		ug/L	2	0.22	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9423	50	100%		
J071213CCVB	J071213CCVB	ORG	99-87-6	p-Isopropltoluene	51		ug/L	2	0.25	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9423	50	102%		
J071213CCVB	J071213CCVB	ORG	106-46-7	1,4-Dichlorobenzene	51		ug/L	2	0.33	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9423	50	102%		
J071213CCVB	J071213CCVB	ORG	95-50-1	1,2-Dichlorobenzene	51		ug/L	2	0.26	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9423	50	102%		
J071213CCVB	J071213CCVB	ORG	104-51-8	n-Butylbenzene	49		ug/L	5	0.28	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9423	50	98%		
J071213CCVB	J071213CCVB	ORG	96-12-8	1,2-Dibromo-3-chloropropane	63		ug/L	5	1.59	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9423	50	126%		
J071213CCVB	J071213CCVB	ORG	87-68-3	Hexachlorobutadiene	50		ug/L	5	0.65	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9423	50	100%		
J071213CCVB	J071213CCVB	ORG	120-82-1	1,2,4-Trichlorobenzene	52		ug/L	5	0.28	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9423	50	104%		
J071213CCVB	J071213CCVB	ORG	91-20-3	Naphthalene	57		ug/L	5	0.56	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9423	50	114%		
J071213CCVB	J071213CCVB	ORG	87-61-6	1,2,3-Trichlorobenzene	53		ug/L	5	0.23	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9423	50	106%		
J071213CCVB	J071213CCVB	STD	1868-53-7	Dibromofluoromethane	52		ng			NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9423	50	104%		
J071213CCVB	J071213CCVB	STD	17060-07-0	1,2-Dichloroethane d4	52		ng			NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9423	50	104%		
J071213CCVB	J071213CCVB	STD	2037-26-5	Toluene d8	47		ng			NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9423	50	94%		
J071213CCVB	J071213CCVB	STD	460-00-4	Bromofluorobenzene	51		ng			NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9423	50	102%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J071213MBKB	J071213MBKB	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	5	0.29	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9424				
J071213MBKB	J071213MBKB	ORG	74-87-3	Chloromethane		U	ug/L	5	0.43	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9424				
J071213MBKB	J071213MBKB	ORG	75-01-4	Vinyl chloride		U	ug/L	2	0.32	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9424				
J071213MBKB	J071213MBKB	ORG	74-83-9	Bromomethane		U	ug/L	5	0.50	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9424				
J071213MBKB	J071213MBKB	ORG	75-00-3	Chloroethane		U	ug/L	5	0.56	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9424				
J071213MBKB	J071213MBKB	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	5	0.20	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9424				
J071213MBKB	J071213MBKB	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	1	0.47	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9424				
J071213MBKB	J071213MBKB	ORG	75-09-2	Methylene chloride		U	ug/L	5	0.26	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9424				
J071213MBKB	J071213MBKB	ORG	67-64-1	Acetone		U	ug/L	10	1.56	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9424				
J071213MBKB	J071213MBKB	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	1	0.56	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9424				
J071213MBKB	J071213MBKB	ORG	1634-04-4	MTBE		U	ug/L	5	0.61	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9424				
J071213MBKB	J071213MBKB	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	1	0.53	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9424				
J071213MBKB	J071213MBKB	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	1	0.32	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9424				
J071213MBKB	J071213MBKB	ORG	74-97-5	Bromochloromethane		U	ug/L	10	0.81	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9424				
J071213MBKB	J071213MBKB	ORG	67-66-3	Chloroform		U	ug/L	2	0.41	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9424				
J071213MBKB	J071213MBKB	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	1	0.16	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9424				
J071213MBKB	J071213MBKB	ORG	78-93-3	2-Butanone		U	ug/L	1	0.17	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9424				
J071213MBKB	J071213MBKB	ORG	56-23-5	Carbon tetrachloride		U	ug/L	1	0.28	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9424				
J071213MBKB	J071213MBKB	ORG	71-43-2	Benzene		U	ug/L	1	0.14	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9424				
J071213MBKB	J071213MBKB	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	1	0.20	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9424				
J071213MBKB	J071213MBKB	ORG	79-01-6	Trichloroethene		U	ug/L	1	0.36	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9424				
J071213MBKB	J071213MBKB	ORG	74-95-3	Dibromomethane		U	ug/L	2	0.32	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9424				
J071213MBKB	J071213MBKB	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	1	0.18	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9424				
J071213MBKB	J071213MBKB	ORG	75-27-4	Bromodichloromethane		U	ug/L	2	0.12	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9424				
J071213MBKB	J071213MBKB	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	1	0.25	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9424				
J071213MBKB	J071213MBKB	ORG	108-88-3	Toluene		U	ug/L	5	0.74	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9424				
J071213MBKB	J071213MBKB	ORG	108-10-1	4-Methyl-2-pentanone		U	ug/L	1	0.21	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9424				
J071213MBKB	J071213MBKB	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	1	0.31	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9424				
J071213MBKB	J071213MBKB	ORG	127-18-4	Tetrachloroethene		U	ug/L	1	0.49	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9424				
J071213MBKB	J071213MBKB	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	1	0.34	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9424				
J071213MBKB	J071213MBKB	ORG	124-48-1	Dibromochloromethane		U	ug/L	5	0.69	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9424				
J071213MBKB	J071213MBKB	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	2	0.30	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9424				
J071213MBKB	J071213MBKB	ORG	591-78-6	2-Hexanone		U	ug/L	2	0.26	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9424				
J071213MBKB	J071213MBKB	ORG	100-41-4	Ethylbenzene		U	ug/L	1	0.25	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9424				
J071213MBKB	J071213MBKB	ORG	108-90-7	Chlorobenzene		U	ug/L	1	0.28	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9424				
J071213MBKB	J071213MBKB	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	2	0.19	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9424				
J071213MBKB	J071213MBKB	ORG	XYLMP	p&m-Xylene		U	ug/L	2	0.26	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9424				
J071213MBKB	J071213MBKB	ORG	95-47-6	o-Xylene		U	ug/L	1	0.13	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9424				
J071213MBKB	J071213MBKB	ORG	100-42-5	Styrene		U	ug/L	1	0.20	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9424				
J071213MBKB	J071213MBKB	ORG	75-25-2	Bromoform		U	ug/L	2	0.47	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9424				
J071213MBKB	J071213MBKB	ORG	98-82-8	Isopropylbenzene		U	ug/L	2	0.20	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9424				
J071213MBKB	J071213MBKB	ORG	103-65-1	n-Propylbenzene		U	ug/L	2	0.27	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9424				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J071213MBKB	J071213MBKB	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	2	0.29	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9424				
J071213MBKB	J071213MBKB	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	2	0.29	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9424				
J071213MBKB	J071213MBKB	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	2	0.20	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9424				
J071213MBKB	J071213MBKB	ORG	98-06-6	tert-Butylbenzene		U	ug/L	2	0.33	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9424				
J071213MBKB	J071213MBKB	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	2	0.20	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9424				
J071213MBKB	J071213MBKB	ORG	135-98-8	sec-Butylbenzene		U	ug/L	2	0.32	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9424				
J071213MBKB	J071213MBKB	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	2	0.22	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9424				
J071213MBKB	J071213MBKB	ORG	99-87-6	p-Isopropltoluene		U	ug/L	2	0.25	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9424				
J071213MBKB	J071213MBKB	ORG	106-46-7	1,4-Dichlorobenzene		U	ug/L	2	0.33	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9424				
J071213MBKB	J071213MBKB	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	2	0.26	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9424				
J071213MBKB	J071213MBKB	ORG	104-51-8	n-Butylbenzene		U	ug/L	5	0.28	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9424				
J071213MBKB	J071213MBKB	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	5	1.59	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9424				
J071213MBKB	J071213MBKB	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	5	0.65	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9424				
J071213MBKB	J071213MBKB	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	5	0.28	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9424				
J071213MBKB	J071213MBKB	ORG	91-20-3	Naphthalene		U	ug/L	5	0.56	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9424				
J071213MBKB	J071213MBKB	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	5	0.23	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9424				
J071213MBKB	J071213MBKB	STD	1868-53-7	Dibromofluoromethane	52		ng			NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9424	50	104%		
J071213MBKB	J071213MBKB	STD	17060-07-0	1,2-Dichloroethane d4	54		ng			NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9424	50	108%		
J071213MBKB	J071213MBKB	STD	2037-26-5	Toluene d8	48		ng			NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9424	50	96%		
J071213MBKB	J071213MBKB	STD	460-00-4	Bromofluorobenzene	48		ng			NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9424	50	96%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J071213ALCS	J071213ALCS	ORG	75-71-8	Dichlorodifluoromethane	54		ug/L	5	0.29	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9429	50	108%		
J071213ALCS	J071213ALCS	ORG	74-87-3	Chloromethane	41		ug/L	5	0.43	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9429	50	82%		
J071213ALCS	J071213ALCS	ORG	75-01-4	Vinyl chloride	46		ug/L	2	0.32	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9429	50	92%		
J071213ALCS	J071213ALCS	ORG	74-83-9	Bromomethane	73		ug/L	5	0.50	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9429	50	146%		
J071213ALCS	J071213ALCS	ORG	75-00-3	Chloroethane	63		ug/L	5	0.56	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9429	50	126%		
J071213ALCS	J071213ALCS	ORG	75-69-4	Trichlorofluoromethane	56		ug/L	5	0.20	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9429	50	112%		
J071213ALCS	J071213ALCS	ORG	75-35-4	1,1-Dichloroethene	49		ug/L	1	0.47	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9429	50	98%		
J071213ALCS	J071213ALCS	ORG	75-09-2	Methylene chloride	53		ug/L	5	0.26	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9429	50	106%		
J071213ALCS	J071213ALCS	ORG	67-64-1	Acetone	48		ug/L	10	1.56	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9429	50	96%		
J071213ALCS	J071213ALCS	ORG	156-60-5	trans-1,2-Dichloroethene	52		ug/L	1	0.56	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9429	50	104%		
J071213ALCS	J071213ALCS	ORG	1634-04-4	MTBE	47		ug/L	5	0.61	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9429	50	94%		
J071213ALCS	J071213ALCS	ORG	75-34-3	1,1-Dichloroethane	45		ug/L	1	0.53	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9429	50	90%		
J071213ALCS	J071213ALCS	ORG	156-59-2	cis-1,2-Dichloroethene	53		ug/L	1	0.32	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9429	50	106%		
J071213ALCS	J071213ALCS	ORG	74-97-5	Bromochloromethane	55		ug/L	10	0.81	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9429	50	110%		
J071213ALCS	J071213ALCS	ORG	67-66-3	Chloroform	53		ug/L	2	0.41	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9429	50	106%		
J071213ALCS	J071213ALCS	ORG	71-55-6	1,1,1-Trichloroethane	53		ug/L	1	0.16	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9429	50	106%		
J071213ALCS	J071213ALCS	ORG	78-93-3	2-Butanone	44		ug/L	1	0.17	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9429	50	88%		
J071213ALCS	J071213ALCS	ORG	56-23-5	Carbon tetrachloride	54		ug/L	1	0.28	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9429	50	108%		
J071213ALCS	J071213ALCS	ORG	71-43-2	Benzene	49		ug/L	1	0.14	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9429	50	98%		
J071213ALCS	J071213ALCS	ORG	107-06-2	1,2-Dichloroethane	51		ug/L	1	0.20	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9429	50	102%		
J071213ALCS	J071213ALCS	ORG	79-01-6	Trichloroethene	53		ug/L	1	0.36	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9429	50	106%		
J071213ALCS	J071213ALCS	ORG	74-95-3	Dibromomethane	52		ug/L	2	0.32	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9429	50	104%		
J071213ALCS	J071213ALCS	ORG	78-87-5	1,2-Dichloropropane	47		ug/L	1	0.18	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9429	50	94%		
J071213ALCS	J071213ALCS	ORG	75-27-4	Bromodichloromethane	48		ug/L	2	0.12	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9429	50	96%		
J071213ALCS	J071213ALCS	ORG	10061-01-5	cis-1,3-Dichloropropene	45		ug/L	1	0.25	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9429	50	90%		
J071213ALCS	J071213ALCS	ORG	108-88-3	Toluene	46		ug/L	5	0.74	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9429	50	92%		
J071213ALCS	J071213ALCS	ORG	108-10-1	4-Methyl-2-pentanone	43		ug/L	1	0.21	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9429	50	86%		
J071213ALCS	J071213ALCS	ORG	10061-02-6	trans-1,3-Dichloropropene	47		ug/L	1	0.31	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9429	50	94%		
J071213ALCS	J071213ALCS	ORG	127-18-4	Tetrachloroethene	54		ug/L	1	0.49	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9429	50	108%		
J071213ALCS	J071213ALCS	ORG	79-00-5	1,1,2-Trichloroethane	46		ug/L	1	0.34	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9429	50	92%		
J071213ALCS	J071213ALCS	ORG	124-48-1	Dibromochloromethane	52		ug/L	5	0.69	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9429	50	104%		
J071213ALCS	J071213ALCS	ORG	106-93-4	1,2-Dibromoethane	50		ug/L	2	0.30	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9429	50	100%		
J071213ALCS	J071213ALCS	ORG	591-78-6	2-Hexanone	42		ug/L	2	0.26	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9429	50	84%		
J071213ALCS	J071213ALCS	ORG	100-41-4	Ethylbenzene	45		ug/L	1	0.25	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9429	50	90%		
J071213ALCS	J071213ALCS	ORG	108-90-7	Chlorobenzene	45		ug/L	1	0.28	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9429	50	90%		
J071213ALCS	J071213ALCS	ORG	630-20-6	1,1,1,2-Tetrachloroethane	48		ug/L	2	0.19	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9429	50	96%		
J071213ALCS	J071213ALCS	ORG	XYLMP	p&m-Xylene	88		ug/L	2	0.26	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9429	100	88%		
J071213ALCS	J071213ALCS	ORG	95-47-6	o-Xylene	45		ug/L	1	0.13	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9429	50	90%		
J071213ALCS	J071213ALCS	ORG	100-42-5	Styrene	43		ug/L	1	0.20	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9429	50	86%		
J071213ALCS	J071213ALCS	ORG	75-25-2	Bromoform	52		ug/L	2	0.47	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9429	50	104%		
J071213ALCS	J071213ALCS	ORG	98-82-8	Isopropylbenzene	46		ug/L	2	0.20	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9429	50	92%		
J071213ALCS	J071213ALCS	ORG	103-65-1	n-Propylbenzene	45		ug/L	2	0.27	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9429	50	90%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J071213ALCS	J071213ALCS	ORG	79-34-5	1,1,2,2-Tetrachloroethane	49		ug/L	2	0.29	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9429	50	98%		
J071213ALCS	J071213ALCS	ORG	96-18-4	1,2,3-Trichloropropane	49		ug/L	2	0.29	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9429	50	98%		
J071213ALCS	J071213ALCS	ORG	108-67-8	1,3,5-Trimethylbenzene	46		ug/L	2	0.20	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9429	50	92%		
J071213ALCS	J071213ALCS	ORG	98-06-6	tert-Butylbenzene	47		ug/L	2	0.33	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9429	50	94%		
J071213ALCS	J071213ALCS	ORG	95-63-6	1,2,4-Trimethylbenzene	46		ug/L	2	0.20	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9429	50	92%		
J071213ALCS	J071213ALCS	ORG	135-98-8	sec-Butylbenzene	47		ug/L	2	0.32	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9429	50	94%		
J071213ALCS	J071213ALCS	ORG	541-73-1	1,3-Dichlorobenzene	49		ug/L	2	0.22	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9429	50	98%		
J071213ALCS	J071213ALCS	ORG	99-87-6	p-Isopropltoluene	48		ug/L	2	0.25	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9429	50	96%		
J071213ALCS	J071213ALCS	ORG	106-46-7	1,4-Dichlorobenzene	50		ug/L	2	0.33	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9429	50	100%		
J071213ALCS	J071213ALCS	ORG	95-50-1	1,2-Dichlorobenzene	50		ug/L	2	0.26	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9429	50	100%		
J071213ALCS	J071213ALCS	ORG	104-51-8	n-Butylbenzene	47		ug/L	5	0.28	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9429	50	94%		
J071213ALCS	J071213ALCS	ORG	96-12-8	1,2-Dibromo-3-chloropropane	49		ug/L	5	1.59	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9429	50	98%		
J071213ALCS	J071213ALCS	ORG	87-68-3	Hexachlorobutadiene	51		ug/L	5	0.65	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9429	50	102%		
J071213ALCS	J071213ALCS	ORG	120-82-1	1,2,4-Trichlorobenzene	47		ug/L	5	0.28	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9429	50	94%		
J071213ALCS	J071213ALCS	ORG	91-20-3	Naphthalene	48		ug/L	5	0.56	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9429	50	96%		
J071213ALCS	J071213ALCS	ORG	87-61-6	1,2,3-Trichlorobenzene	46		ug/L	5	0.23	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9429	50	92%		
J071213ALCS	J071213ALCS	STD	1868-53-7	Dibromofluoromethane	52		ng			NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9429	50	104%		
J071213ALCS	J071213ALCS	STD	17060-07-0	1,2-Dichloroethane d4	47		ng			NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9429	50	94%		
J071213ALCS	J071213ALCS	STD	2037-26-5	Toluene d8	47		ng			NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9429	50	94%		
J071213ALCS	J071213ALCS	STD	460-00-4	Bromofluorobenzene	46		ng			NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9429	50	92%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J071213ALCD	J071213ALCD	ORG	75-71-8	Dichlorodifluoromethane	53		ug/L	5	0.29	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9430	50	106%	2%	
J071213ALCD	J071213ALCD	ORG	74-87-3	Chloromethane	41		ug/L	5	0.43	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9430	50	82%	0%	
J071213ALCD	J071213ALCD	ORG	75-01-4	Vinyl chloride	45		ug/L	2	0.32	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9430	50	90%	2%	
J071213ALCD	J071213ALCD	ORG	74-83-9	Bromomethane	75		ug/L	5	0.50	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9430	50	150%	3%	
J071213ALCD	J071213ALCD	ORG	75-00-3	Chloroethane	70		ug/L	5	0.56	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9430	50	140%	11%	
J071213ALCD	J071213ALCD	ORG	75-69-4	Trichlorofluoromethane	56		ug/L	5	0.20	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9430	50	112%	0%	
J071213ALCD	J071213ALCD	ORG	75-35-4	1,1-Dichloroethene	47		ug/L	1	0.47	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9430	50	94%	4%	
J071213ALCD	J071213ALCD	ORG	75-09-2	Methylene chloride	54		ug/L	5	0.26	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9430	50	108%	2%	
J071213ALCD	J071213ALCD	ORG	67-64-1	Acetone	46		ug/L	10	1.56	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9430	50	92%	4%	
J071213ALCD	J071213ALCD	ORG	156-60-5	trans-1,2-Dichloroethene	52		ug/L	1	0.56	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9430	50	104%	0%	
J071213ALCD	J071213ALCD	ORG	1634-04-4	MTBE	51		ug/L	5	0.61	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9430	50	102%	8%	
J071213ALCD	J071213ALCD	ORG	75-34-3	1,1-Dichloroethane	43		ug/L	1	0.53	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9430	50	86%	5%	
J071213ALCD	J071213ALCD	ORG	156-59-2	cis-1,2-Dichloroethene	52		ug/L	1	0.32	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9430	50	104%	2%	
J071213ALCD	J071213ALCD	ORG	74-97-5	Bromochloromethane	56		ug/L	10	0.81	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9430	50	112%	2%	
J071213ALCD	J071213ALCD	ORG	67-66-3	Chloroform	52		ug/L	2	0.41	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9430	50	104%	2%	
J071213ALCD	J071213ALCD	ORG	71-55-6	1,1,1-Trichloroethane	52		ug/L	1	0.16	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9430	50	104%	2%	
J071213ALCD	J071213ALCD	ORG	78-93-3	2-Butanone	39		ug/L	1	0.17	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9430	50	78%	12%	
J071213ALCD	J071213ALCD	ORG	56-23-5	Carbon tetrachloride	51		ug/L	1	0.28	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9430	50	102%	6%	
J071213ALCD	J071213ALCD	ORG	71-43-2	Benzene	48		ug/L	1	0.14	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9430	50	96%	2%	
J071213ALCD	J071213ALCD	ORG	107-06-2	1,2-Dichloroethane	53		ug/L	1	0.20	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9430	50	106%	4%	
J071213ALCD	J071213ALCD	ORG	79-01-6	Trichloroethene	54		ug/L	1	0.36	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9430	50	108%	2%	
J071213ALCD	J071213ALCD	ORG	74-95-3	Dibromomethane	53		ug/L	2	0.32	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9430	50	106%	2%	
J071213ALCD	J071213ALCD	ORG	78-87-5	1,2-Dichloropropane	48		ug/L	1	0.18	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9430	50	96%	2%	
J071213ALCD	J071213ALCD	ORG	75-27-4	Bromodichloromethane	47		ug/L	2	0.12	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9430	50	94%	2%	
J071213ALCD	J071213ALCD	ORG	10061-01-5	cis-1,3-Dichloropropene	45		ug/L	1	0.25	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9430	50	90%	0%	
J071213ALCD	J071213ALCD	ORG	108-88-3	Toluene	45		ug/L	5	0.74	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9430	50	90%	2%	
J071213ALCD	J071213ALCD	ORG	108-10-1	4-Methyl-2-pentanone	43		ug/L	1	0.21	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9430	50	86%	0%	
J071213ALCD	J071213ALCD	ORG	10061-02-6	trans-1,3-Dichloropropene	47		ug/L	1	0.31	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9430	50	94%	0%	
J071213ALCD	J071213ALCD	ORG	127-18-4	Tetrachloroethene	54		ug/L	1	0.49	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9430	50	108%	0%	
J071213ALCD	J071213ALCD	ORG	79-00-5	1,1,2-Trichloroethane	48		ug/L	1	0.34	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9430	50	96%	4%	
J071213ALCD	J071213ALCD	ORG	124-48-1	Dibromochloromethane	52		ug/L	5	0.69	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9430	50	104%	0%	
J071213ALCD	J071213ALCD	ORG	106-93-4	1,2-Dibromoethane	50		ug/L	2	0.30	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9430	50	100%	0%	
J071213ALCD	J071213ALCD	ORG	591-78-6	2-Hexanone	42		ug/L	2	0.26	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9430	50	84%	0%	
J071213ALCD	J071213ALCD	ORG	100-41-4	Ethylbenzene	42		ug/L	1	0.25	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9430	50	84%	7%	
J071213ALCD	J071213ALCD	ORG	108-90-7	Chlorobenzene	43		ug/L	1	0.28	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9430	50	86%	5%	
J071213ALCD	J071213ALCD	ORG	630-20-6	1,1,1,2-Tetrachloroethane	46		ug/L	2	0.19	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9430	50	92%	4%	
J071213ALCD	J071213ALCD	ORG	XYLMP	p&m-Xylene	85		ug/L	2	0.26	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9430	100	85%	3%	
J071213ALCD	J071213ALCD	ORG	95-47-6	o-Xylene	42		ug/L	1	0.13	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9430	50	84%	7%	
J071213ALCD	J071213ALCD	ORG	100-42-5	Styrene	42		ug/L	1	0.20	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9430	50	84%	2%	
J071213ALCD	J071213ALCD	ORG	75-25-2	Bromoform	54		ug/L	2	0.47	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9430	50	108%	4%	
J071213ALCD	J071213ALCD	ORG	98-82-8	Isopropylbenzene	44		ug/L	2	0.20	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9430	50	88%	4%	
J071213ALCD	J071213ALCD	ORG	103-65-1	n-Propylbenzene	43		ug/L	2	0.27	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9430	50	86%	5%	

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J071213ALCD	J071213ALCD	ORG	79-34-5	1,1,2,2-Tetrachloroethane	48		ug/L	2	0.29	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9430	50	96%	2%	
J071213ALCD	J071213ALCD	ORG	96-18-4	1,2,3-Trichloropropane	48		ug/L	2	0.29	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9430	50	96%	2%	
J071213ALCD	J071213ALCD	ORG	108-67-8	1,3,5-Trimethylbenzene	43		ug/L	2	0.20	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9430	50	86%	7%	
J071213ALCD	J071213ALCD	ORG	98-06-6	tert-Butylbenzene	55		ug/L	2	0.33	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9430	50	110%	16%	
J071213ALCD	J071213ALCD	ORG	95-63-6	1,2,4-Trimethylbenzene	44		ug/L	2	0.20	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9430	50	88%	4%	
J071213ALCD	J071213ALCD	ORG	135-98-8	sec-Butylbenzene	45		ug/L	2	0.32	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9430	50	90%	4%	
J071213ALCD	J071213ALCD	ORG	541-73-1	1,3-Dichlorobenzene	48		ug/L	2	0.22	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9430	50	96%	2%	
J071213ALCD	J071213ALCD	ORG	99-87-6	p-Isopropltoluene	46		ug/L	2	0.25	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9430	50	92%	4%	
J071213ALCD	J071213ALCD	ORG	106-46-7	1,4-Dichlorobenzene	48		ug/L	2	0.33	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9430	50	96%	4%	
J071213ALCD	J071213ALCD	ORG	95-50-1	1,2-Dichlorobenzene	48		ug/L	2	0.26	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9430	50	96%	4%	
J071213ALCD	J071213ALCD	ORG	104-51-8	n-Butylbenzene	44		ug/L	5	0.28	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9430	50	88%	7%	
J071213ALCD	J071213ALCD	ORG	96-12-8	1,2-Dibromo-3-chloropropane	48		ug/L	5	1.59	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9430	50	96%	2%	
J071213ALCD	J071213ALCD	ORG	87-68-3	Hexachlorobutadiene	49		ug/L	5	0.65	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9430	50	98%	4%	
J071213ALCD	J071213ALCD	ORG	120-82-1	1,2,4-Trichlorobenzene	47		ug/L	5	0.28	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9430	50	94%	0%	
J071213ALCD	J071213ALCD	ORG	91-20-3	Naphthalene	47		ug/L	5	0.56	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9430	50	94%	2%	
J071213ALCD	J071213ALCD	ORG	87-61-6	1,2,3-Trichlorobenzene	47		ug/L	5	0.23	NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9430	50	94%	2%	
J071213ALCD	J071213ALCD	STD	1868-53-7	Dibromofluoromethane	53		ng			NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9430	50	106%	2%	
J071213ALCD	J071213ALCD	STD	17060-07-0	1,2-Dichloroethane d4	49		ng			NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9430	50	98%	4%	
J071213ALCD	J071213ALCD	STD	2037-26-5	Toluene d8	46		ng			NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9430	50	92%	2%	
J071213ALCD	J071213ALCD	STD	460-00-4	Bromofluorobenzene	47		ng			NA	7/12/2013	7/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9430	50	94%	2%	

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-472MS	316-014	ORG	75-71-8	Dichlorodifluoromethane	5400		ug/L	500	29.28	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9431	5000	108%		
NAL13026-472MS	316-014	ORG	74-87-3	Chloromethane	4000		ug/L	500	43.07	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9431	5000	80%		
NAL13026-472MS	316-014	ORG	75-01-4	Vinyl chloride	4600		ug/L	200	31.86	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9431	5000	92%		
NAL13026-472MS	316-014	ORG	74-83-9	Bromomethane	7200		ug/L	500	50.04	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9431	5000	144%		
NAL13026-472MS	316-014	ORG	75-00-3	Chloroethane	6700		ug/L	500	55.61	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9431	5000	134%		
NAL13026-472MS	316-014	ORG	75-69-4	Trichlorofluoromethane	5700		ug/L	500	19.65	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9431	5000	114%		
NAL13026-472MS	316-014	ORG	75-35-4	1,1-Dichloroethene	5100		ug/L	100	47.11	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9431	5000	102%		
NAL13026-472MS	316-014	ORG	75-09-2	Methylene chloride	5500		ug/L	500	26.46	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9431	5000	110%		
NAL13026-472MS	316-014	ORG	67-64-1	Acetone	44000		ug/L	1000	155.61	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9431	5000	-480%		68000
NAL13026-472MS	316-014	ORG	156-60-5	trans-1,2-Dichloroethene	5400		ug/L	100	55.61	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9431	5000	108%		
NAL13026-472MS	316-014	ORG	1634-04-4	MTBE	5100		ug/L	500	61.18	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9431	5000	102%		
NAL13026-472MS	316-014	ORG	75-34-3	1,1-Dichloroethane	5600		ug/L	100	52.66	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9431	5000	112%		
NAL13026-472MS	316-014	ORG	156-59-2	cis-1,2-Dichloroethene	5500		ug/L	100	32.11	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9431	5000	110%		
NAL13026-472MS	316-014	ORG	74-97-5	Bromochloromethane	5700		ug/L	1000	81.18	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9431	5000	114%		
NAL13026-472MS	316-014	ORG	67-66-3	Chloroform	5400		ug/L	200	41.37	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9431	5000	108%		
NAL13026-472MS	316-014	ORG	71-55-6	1,1,1-Trichloroethane	5700		ug/L	100	15.73	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9431	5000	114%		
NAL13026-472MS	316-014	ORG	78-93-3	2-Butanone	21000		ug/L	100	16.65	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9431	5000	-320%		37000
NAL13026-472MS	316-014	ORG	56-23-5	Carbon tetrachloride	5700		ug/L	100	27.64	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9431	5000	114%		
NAL13026-472MS	316-014	ORG	71-43-2	Benzene	5200		ug/L	100	13.53	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9431	5000	103%		34
NAL13026-472MS	316-014	ORG	107-06-2	1,2-Dichloroethane	5400		ug/L	100	20.01	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9431	5000	108%		
NAL13026-472MS	316-014	ORG	79-01-6	Trichloroethene	5600		ug/L	100	36.33	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9431	5000	112%		
NAL13026-472MS	316-014	ORG	74-95-3	Dibromomethane	5400		ug/L	200	32.20	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9431	5000	108%		
NAL13026-472MS	316-014	ORG	78-87-5	1,2-Dichloropropane	5100		ug/L	100	18.17	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9431	5000	102%		
NAL13026-472MS	316-014	ORG	75-27-4	Bromodichloromethane	5000		ug/L	200	11.58	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9431	5000	100%		
NAL13026-472MS	316-014	ORG	10061-01-5	cis-1,3-Dichloropropene	4800		ug/L	100	25.01	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9431	5000	96%		
NAL13026-472MS	316-014	ORG	108-88-3	Toluene	4800		ug/L	500	20.96	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9431	5000	96%		
NAL13026-472MS	316-014	ORG	108-10-1	4-Methyl-2-pentanone	4400		ug/L	100	74.00	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9431	5000	73%		750
NAL13026-472MS	316-014	ORG	10061-02-6	trans-1,3-Dichloropropene	4900		ug/L	100	31.15	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9431	5000	98%		
NAL13026-472MS	316-014	ORG	127-18-4	Tetrachloroethene	4700		ug/L	100	48.56	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9431	5000	94%		
NAL13026-472MS	316-014	ORG	79-00-5	1,1,2-Trichloroethane	4800		ug/L	100	34.28	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9431	5000	96%		
NAL13026-472MS	316-014	ORG	124-48-1	Dibromochloromethane	5300		ug/L	500	68.90	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9431	5000	106%		
NAL13026-472MS	316-014	ORG	106-93-4	1,2-Dibromoethane	5100		ug/L	200	29.90	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9431	5000	102%		
NAL13026-472MS	316-014	ORG	591-78-6	2-Hexanone	3300		ug/L	200	26.49	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9431	5000	52%		710
NAL13026-472MS	316-014	ORG	100-41-4	Ethylbenzene	4700		ug/L	100	25.38	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9431	5000	94%		
NAL13026-472MS	316-014	ORG	108-90-7	Chlorobenzene	4800		ug/L	100	27.52	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9431	5000	96%		
NAL13026-472MS	316-014	ORG	630-20-6	1,1,1,2-Tetrachloroethane	5000		ug/L	200	19.28	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9431	5000	100%		
NAL13026-472MS	316-014	ORG	XYLMP	p&m-Xylene	9400		ug/L	200	26.14	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9431	10000	94%		
NAL13026-472MS	316-014	ORG	95-47-6	o-Xylene	4800		ug/L	100	12.90	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9431	5000	96%		
NAL13026-472MS	316-014	ORG	100-42-5	Styrene	4600		ug/L	100	20.23	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9431	5000	91%		28
NAL13026-472MS	316-014	ORG	75-25-2	Bromoform	5500		ug/L	200	46.83	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9431	5000	110%		
NAL13026-472MS	316-014	ORG	98-82-8	Isopropylbenzene	4900		ug/L	200	20.48	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9431	5000	98%		
NAL13026-472MS	316-014	ORG	103-65-1	n-Propylbenzene	4700		ug/L	200	27.00	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9431	5000	94%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-472MS	316-014	ORG	79-34-5	1,1,2,2-Tetrachloroethane	5000		ug/L	200	29.16	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9431	5000	100%		
NAL13026-472MS	316-014	ORG	96-18-4	1,2,3-Trichloropropane	4900		ug/L	200	29.47	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9431	5000	98%		
NAL13026-472MS	316-014	ORG	108-67-8	1,3,5-Trimethylbenzene	4700		ug/L	200	20.03	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9431	5000	94%		
NAL13026-472MS	316-014	ORG	98-06-6	tert-Butylbenzene	4800		ug/L	200	32.61	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9431	5000	96%		
NAL13026-472MS	316-014	ORG	95-63-6	1,2,4-Trimethylbenzene	4700		ug/L	200	20.03	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9431	5000	93%		35
NAL13026-472MS	316-014	ORG	135-98-8	sec-Butylbenzene	4800		ug/L	200	32.34	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9431	5000	96%		
NAL13026-472MS	316-014	ORG	541-73-1	1,3-Dichlorobenzene	5000		ug/L	200	22.21	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9431	5000	100%		
NAL13026-472MS	316-014	ORG	99-87-6	p-Isopropltoluene	5000		ug/L	200	25.48	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9431	5000	98%		110
NAL13026-472MS	316-014	ORG	106-46-7	1,4-Dichlorobenzene	5200		ug/L	200	33.03	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9431	5000	102%		92
NAL13026-472MS	316-014	ORG	95-50-1	1,2-Dichlorobenzene	5000		ug/L	200	26.38	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9431	5000	100%		
NAL13026-472MS	316-014	ORG	104-51-8	n-Butylbenzene	4600		ug/L	500	27.81	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9431	5000	92%		
NAL13026-472MS	316-014	ORG	96-12-8	1,2-Dibromo-3-chloropropane	4900		ug/L	500	159.11	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9431	5000	98%		
NAL13026-472MS	316-014	ORG	87-68-3	Hexachlorobutadiene	4800		ug/L	500	65.42	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9431	5000	96%		
NAL13026-472MS	316-014	ORG	120-82-1	1,2,4-Trichlorobenzene	4500		ug/L	500	27.63	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9431	5000	90%		
NAL13026-472MS	316-014	ORG	91-20-3	Naphthalene	4700		ug/L	500	56.04	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9431	5000	88%		300
NAL13026-472MS	316-014	ORG	87-61-6	1,2,3-Trichlorobenzene	4000		ug/L	500	23.28	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9431	5000	80%		
NAL13026-472MS	316-014	STD	1868-53-7	Dibromofluoromethane	52		ng			7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9431	50	104%		
NAL13026-472MS	316-014	STD	17060-07-0	1,2-Dichloroethane d4	48		ng			7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9431	50	96%		
NAL13026-472MS	316-014	STD	2037-26-5	Toluene d8	46		ng			7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9431	50	92%		
NAL13026-472MS	316-014	STD	460-00-4	Bromofluorobenzene	47		ng			7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9431	50	94%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-472MSD	316-014	ORG	75-71-8	Dichlorodifluoromethane	5400		ug/L	500	29.28	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9432	5000	108%	0%	0
NAL13026-472MSD	316-014	ORG	74-87-3	Chloromethane	3900		ug/L	500	43.07	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9432	5000	78%	3%	0
NAL13026-472MSD	316-014	ORG	75-01-4	Vinyl chloride	4500		ug/L	200	31.86	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9432	5000	90%	2%	0
NAL13026-472MSD	316-014	ORG	74-83-9	Bromomethane	7400		ug/L	500	50.04	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9432	5000	148%	3%	0
NAL13026-472MSD	316-014	ORG	75-00-3	Chloroethane	6400		ug/L	500	55.61	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9432	5000	128%	5%	0
NAL13026-472MSD	316-014	ORG	75-69-4	Trichlorofluoromethane	5700		ug/L	500	19.65	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9432	5000	114%	0%	0
NAL13026-472MSD	316-014	ORG	75-35-4	1,1-Dichloroethene	5200		ug/L	100	47.11	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9432	5000	104%	2%	0
NAL13026-472MSD	316-014	ORG	75-09-2	Methylene chloride	5600		ug/L	500	26.46	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9432	5000	112%	2%	0
NAL13026-472MSD	316-014	ORG	67-64-1	Acetone	42000		ug/L	1000	155.61	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9432	5000	-520%	5%	68000
NAL13026-472MSD	316-014	ORG	156-60-5	trans-1,2-Dichloroethene	5500		ug/L	100	55.61	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9432	5000	110%	2%	0
NAL13026-472MSD	316-014	ORG	1634-04-4	MTBE	4900		ug/L	500	61.18	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9432	5000	98%	4%	0
NAL13026-472MSD	316-014	ORG	75-34-3	1,1-Dichloroethane	4900		ug/L	100	52.66	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9432	5000	98%	13%	0
NAL13026-472MSD	316-014	ORG	156-59-2	cis-1,2-Dichloroethene	5600		ug/L	100	32.11	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9432	5000	112%	2%	0
NAL13026-472MSD	316-014	ORG	74-97-5	Bromochloromethane	5700		ug/L	1000	81.18	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9432	5000	114%	0%	0
NAL13026-472MSD	316-014	ORG	67-66-3	Chloroform	5500		ug/L	200	41.37	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9432	5000	110%	2%	0
NAL13026-472MSD	316-014	ORG	71-55-6	1,1,1-Trichloroethane	5800		ug/L	100	15.73	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9432	5000	116%	2%	0
NAL13026-472MSD	316-014	ORG	78-93-3	2-Butanone	21000		ug/L	100	16.65	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9432	5000	-320%	0%	37000
NAL13026-472MSD	316-014	ORG	56-23-5	Carbon tetrachloride	5900		ug/L	100	27.64	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9432	5000	118%	3%	0
NAL13026-472MSD	316-014	ORG	71-43-2	Benzene	5400		ug/L	100	13.53	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9432	5000	107%	4%	34
NAL13026-472MSD	316-014	ORG	107-06-2	1,2-Dichloroethane	5500		ug/L	100	20.01	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9432	5000	110%	2%	0
NAL13026-472MSD	316-014	ORG	79-01-6	Trichloroethene	5800		ug/L	100	36.33	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9432	5000	116%	4%	0
NAL13026-472MSD	316-014	ORG	74-95-3	Dibromomethane	5500		ug/L	200	32.20	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9432	5000	110%	2%	0
NAL13026-472MSD	316-014	ORG	78-87-5	1,2-Dichloropropane	5200		ug/L	100	18.17	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9432	5000	104%	2%	0
NAL13026-472MSD	316-014	ORG	75-27-4	Bromodichloromethane	5100		ug/L	200	11.58	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9432	5000	102%	2%	0
NAL13026-472MSD	316-014	ORG	10061-01-5	cis-1,3-Dichloropropene	4900		ug/L	100	25.01	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9432	5000	98%	2%	0
NAL13026-472MSD	316-014	ORG	108-88-3	Toluene	4900		ug/L	500	20.96	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9432	5000	98%	2%	0
NAL13026-472MSD	316-014	ORG	108-10-1	4-Methyl-2-pentanone	4400		ug/L	100	74.00	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9432	5000	73%	0%	750
NAL13026-472MSD	316-014	ORG	10061-02-6	trans-1,3-Dichloropropene	5100		ug/L	100	31.15	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9432	5000	102%	4%	0
NAL13026-472MSD	316-014	ORG	127-18-4	Tetrachloroethene	4900		ug/L	100	48.56	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9432	5000	98%	4%	0
NAL13026-472MSD	316-014	ORG	79-00-5	1,1,2-Trichloroethane	4900		ug/L	100	34.28	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9432	5000	98%	2%	0
NAL13026-472MSD	316-014	ORG	124-48-1	Dibromochloromethane	5500		ug/L	500	68.90	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9432	5000	110%	4%	0
NAL13026-472MSD	316-014	ORG	106-93-4	1,2-Dibromoethane	5100		ug/L	200	29.90	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9432	5000	102%	0%	0
NAL13026-472MSD	316-014	ORG	591-78-6	2-Hexanone	2700		ug/L	200	26.49	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9432	5000	40%	20%	710
NAL13026-472MSD	316-014	ORG	100-41-4	Ethylbenzene	4800		ug/L	100	25.38	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9432	5000	96%	2%	0
NAL13026-472MSD	316-014	ORG	108-90-7	Chlorobenzene	4900		ug/L	100	27.52	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9432	5000	98%	2%	0
NAL13026-472MSD	316-014	ORG	630-20-6	1,1,1,2-Tetrachloroethane	5200		ug/L	200	19.28	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9432	5000	104%	4%	0
NAL13026-472MSD	316-014	ORG	XYLMP	p&m-Xylene	9500		ug/L	200	26.14	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9432	10000	95%	1%	0
NAL13026-472MSD	316-014	ORG	95-47-6	o-Xylene	4900		ug/L	100	12.90	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9432	5000	98%	2%	0
NAL13026-472MSD	316-014	ORG	100-42-5	Styrene	4800		ug/L	100	20.23	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9432	5000	95%	4%	28
NAL13026-472MSD	316-014	ORG	75-25-2	Bromoform	5700		ug/L	200	46.83	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9432	5000	114%	4%	0
NAL13026-472MSD	316-014	ORG	98-82-8	Isopropylbenzene	5000		ug/L	200	20.48	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9432	5000	100%	2%	0
NAL13026-472MSD	316-014	ORG	103-65-1	n-Propylbenzene	4900		ug/L	200	27.00	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9432	5000	98%	4%	0

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-472MSD	316-014	ORG	79-34-5	1,1,2,2-Tetrachloroethane	5100		ug/L	200	29.16	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9432	5000	102%	2%	0
NAL13026-472MSD	316-014	ORG	96-18-4	1,2,3-Trichloropropane	4900		ug/L	200	29.47	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9432	5000	98%	0%	0
NAL13026-472MSD	316-014	ORG	108-67-8	1,3,5-Trimethylbenzene	4900		ug/L	200	20.03	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9432	5000	98%	4%	0
NAL13026-472MSD	316-014	ORG	98-06-6	tert-Butylbenzene	5000		ug/L	200	32.61	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9432	5000	100%	4%	0
NAL13026-472MSD	316-014	ORG	95-63-6	1,2,4-Trimethylbenzene	4900		ug/L	200	20.03	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9432	5000	97%	4%	35
NAL13026-472MSD	316-014	ORG	135-98-8	sec-Butylbenzene	5000		ug/L	200	32.34	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9432	5000	100%	4%	0
NAL13026-472MSD	316-014	ORG	541-73-1	1,3-Dichlorobenzene	5300		ug/L	200	22.21	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9432	5000	106%	6%	0
NAL13026-472MSD	316-014	ORG	99-87-6	p-Isopropltoluene	5300		ug/L	200	25.48	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9432	5000	104%	6%	110
NAL13026-472MSD	316-014	ORG	106-46-7	1,4-Dichlorobenzene	5200		ug/L	200	33.03	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9432	5000	102%	0%	92
NAL13026-472MSD	316-014	ORG	95-50-1	1,2-Dichlorobenzene	5300		ug/L	200	26.38	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9432	5000	106%	6%	0
NAL13026-472MSD	316-014	ORG	104-51-8	n-Butylbenzene	4900		ug/L	500	27.81	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9432	5000	98%	6%	0
NAL13026-472MSD	316-014	ORG	96-12-8	1,2-Dibromo-3-chloropropane	5000		ug/L	500	159.11	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9432	5000	100%	2%	0
NAL13026-472MSD	316-014	ORG	87-68-3	Hexachlorobutadiene	5200		ug/L	500	65.42	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9432	5000	104%	8%	0
NAL13026-472MSD	316-014	ORG	120-82-1	1,2,4-Trichlorobenzene	5100		ug/L	500	27.63	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9432	5000	102%	13%	0
NAL13026-472MSD	316-014	ORG	91-20-3	Naphthalene	5100		ug/L	500	56.04	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9432	5000	96%	8%	300
NAL13026-472MSD	316-014	ORG	87-61-6	1,2,3-Trichlorobenzene	5000		ug/L	500	23.28	7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9432	5000	100%	22%	0
NAL13026-472MSD	316-014	STD	1868-53-7	Dibromofluoromethane	52		ng			7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9432	50	104%	0%	0
NAL13026-472MSD	316-014	STD	17060-07-0	1,2-Dichloroethane d4	48		ng			7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9432	50	96%	0%	0
NAL13026-472MSD	316-014	STD	2037-26-5	Toluene d8	46		ng			7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9432	50	92%	0%	0
NAL13026-472MSD	316-014	STD	460-00-4	Bromofluorobenzene	48		ng			7/12/2013	7/12/2013	7/12/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9432	50	96%	2%	0

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-479	316-015	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9436				
NAL13026-479	316-015	ORG	74-87-3	Chloromethane		U	ug/L	500	43.07	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9436				
NAL13026-479	316-015	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9436				
NAL13026-479	316-015	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9436				
NAL13026-479	316-015	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9436				
NAL13026-479	316-015	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9436				
NAL13026-479	316-015	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9436				
NAL13026-479	316-015	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9436				
NAL13026-479	316-015	ORG	67-64-1	Acetone	40000	DX-	ug/L	10000	1556.07	7/13/2013	7/13/2013	7/13/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9437				
NAL13026-479	316-015	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9436				
NAL13026-479	316-015	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9436				
NAL13026-479	316-015	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9436				
NAL13026-479	316-015	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9436				
NAL13026-479	316-015	ORG	74-97-5	Bromochloromethane		U	ug/L	200	41.37	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9436				
NAL13026-479	316-015	ORG	67-66-3	Chloroform	23	J	ug/L	100	15.73	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9436				
NAL13026-479	316-015	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	16.65	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9436				
NAL13026-479	316-015	ORG	78-93-3	2-Butanone	26000	D	ug/L	10000	811.80	7/13/2013	7/13/2013	7/13/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9437				
NAL13026-479	316-015	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9436				
NAL13026-479	316-015	ORG	71-43-2	Benzene	54	J	ug/L	100	13.53	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9436				
NAL13026-479	316-015	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9436				
NAL13026-479	316-015	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9436				
NAL13026-479	316-015	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9436				
NAL13026-479	316-015	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9436				
NAL13026-479	316-015	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9436				
NAL13026-479	316-015	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9436				
NAL13026-479	316-015	ORG	108-88-3	Toluene		U	ug/L	100	20.96	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9436				
NAL13026-479	316-015	ORG	108-10-1	4-Methyl-2-pentanone	700		ug/L	500	74.00	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9436				
NAL13026-479	316-015	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9436				
NAL13026-479	316-015	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9436				
NAL13026-479	316-015	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9436				
NAL13026-479	316-015	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	29.90	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9436				
NAL13026-479	316-015	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	26.49	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9436				
NAL13026-479	316-015	ORG	591-78-6	2-Hexanone		U	ug/L	500	68.90	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9436				
NAL13026-479	316-015	ORG	100-41-4	Ethylbenzene	48	J	ug/L	100	25.38	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9436				
NAL13026-479	316-015	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9436				
NAL13026-479	316-015	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9436				
NAL13026-479	316-015	ORG	XYLMP	p&m-Xylene	110	J	ug/L	200	26.14	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9436				
NAL13026-479	316-015	ORG	95-47-6	o-Xylene	57	J	ug/L	100	12.90	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9436				
NAL13026-479	316-015	ORG	100-42-5	Styrene	55	J	ug/L	100	20.23	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9436				
NAL13026-479	316-015	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9436				
NAL13026-479	316-015	ORG	98-82-8	Isopropylbenzene	49	J	ug/L	200	20.48	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9436				
NAL13026-479	316-015	ORG	103-65-1	n-Propylbenzene	52	J	ug/L	200	27.00	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9436				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-479	316-015	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9436				
NAL13026-479	316-015	ORG	96-18-4	1,2,3-Trichloropropane	70	J	ug/L	200	29.47	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9436				
NAL13026-479	316-015	ORG	108-67-8	1,3,5-Trimethylbenzene	66	J	ug/L	200	20.03	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9436				
NAL13026-479	316-015	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9436				
NAL13026-479	316-015	ORG	95-63-6	1,2,4-Trimethylbenzene	130	J	ug/L	200	20.03	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9436				
NAL13026-479	316-015	ORG	135-98-8	sec-Butylbenzene	59	J	ug/L	200	32.34	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9436				
NAL13026-479	316-015	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9436				
NAL13026-479	316-015	ORG	99-87-6	p-Isopropltoluene	400		ug/L	200	25.48	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9436				
NAL13026-479	316-015	ORG	106-46-7	1,4-Dichlorobenzene	260		ug/L	200	33.03	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9436				
NAL13026-479	316-015	ORG	95-50-1	1,2-Dichlorobenzene	74	J	ug/L	200	26.38	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9436				
NAL13026-479	316-015	ORG	104-51-8	n-Butylbenzene	89	J	ug/L	500	27.81	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9436				
NAL13026-479	316-015	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9436				
NAL13026-479	316-015	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9436				
NAL13026-479	316-015	ORG	120-82-1	1,2,4-Trichlorobenzene	150	J	ug/L	500	27.63	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9436				
NAL13026-479	316-015	ORG	91-20-3	Naphthalene	630		ug/L	500	56.04	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9436				
NAL13026-479	316-015	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9436				
NAL13026-479	316-015	STD	1868-53-7	Dibromofluoromethane	50		ng			7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9436	50	100%		
NAL13026-479	316-015	STD	17060-07-0	1,2-Dichloroethane d4	49		ng			7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9436	50	98%		
NAL13026-479	316-015	STD	2037-26-5	Toluene d8	48		ng			7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9436	50	96%		
NAL13026-479	316-015	STD	460-00-4	Bromofluorobenzene	45		ng			7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9436	50	90%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-480	280-ST T1	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9445				
NAL13026-480	280-ST T1	ORG	74-87-3	Chloromethane		U	ug/L	500	43.07	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9445				
NAL13026-480	280-ST T1	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9445				
NAL13026-480	280-ST T1	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9445				
NAL13026-480	280-ST T1	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9445				
NAL13026-480	280-ST T1	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9445				
NAL13026-480	280-ST T1	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9445				
NAL13026-480	280-ST T1	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9445				
NAL13026-480	280-ST T1	ORG	67-64-1	Acetone	78000	D	ug/L	10000	1556.07	7/13/2013	7/13/2013	7/13/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9449				
NAL13026-480	280-ST T1	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9445				
NAL13026-480	280-ST T1	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9445				
NAL13026-480	280-ST T1	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9445				
NAL13026-480	280-ST T1	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9445				
NAL13026-480	280-ST T1	ORG	74-97-5	Bromochloromethane		U	ug/L	200	81.18	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9445				
NAL13026-480	280-ST T1	ORG	67-66-3	Chloroform		U	ug/L	100	41.37	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9445				
NAL13026-480	280-ST T1	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	15.73	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9445				
NAL13026-480	280-ST T1	ORG	78-93-3	2-Butanone	37000	D	ug/L	10000	166.52	7/13/2013	7/13/2013	7/13/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9449				
NAL13026-480	280-ST T1	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9445				
NAL13026-480	280-ST T1	ORG	71-43-2	Benzene	26	J	ug/L	100	13.53	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9445				
NAL13026-480	280-ST T1	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9445				
NAL13026-480	280-ST T1	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9445				
NAL13026-480	280-ST T1	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9445				
NAL13026-480	280-ST T1	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9445				
NAL13026-480	280-ST T1	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9445				
NAL13026-480	280-ST T1	ORG	10061-01-5	cis-1,3-Dichloropropene	27	J	ug/L	100	25.01	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9445				
NAL13026-480	280-ST T1	ORG	108-88-3	Toluene	32	J	ug/L	100	20.96	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9445				
NAL13026-480	280-ST T1	ORG	108-10-1	4-Methyl-2-pentanone	1100		ug/L	500	74.00	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9445				
NAL13026-480	280-ST T1	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9445				
NAL13026-480	280-ST T1	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9445				
NAL13026-480	280-ST T1	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9445				
NAL13026-480	280-ST T1	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	68.90	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9445				
NAL13026-480	280-ST T1	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	29.90	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9445				
NAL13026-480	280-ST T1	ORG	591-78-6	2-Hexanone	180	J	ug/L	500	26.49	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9445				
NAL13026-480	280-ST T1	ORG	100-41-4	Ethylbenzene	38	J	ug/L	100	25.38	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9445				
NAL13026-480	280-ST T1	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9445				
NAL13026-480	280-ST T1	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9445				
NAL13026-480	280-ST T1	ORG	XYLMP	p&m-Xylene	78	J	ug/L	200	26.14	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9445				
NAL13026-480	280-ST T1	ORG	95-47-6	o-Xylene	38	J	ug/L	100	12.90	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9445				
NAL13026-480	280-ST T1	ORG	100-42-5	Styrene	59	J	ug/L	100	20.23	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9445				
NAL13026-480	280-ST T1	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9445				
NAL13026-480	280-ST T1	ORG	98-82-8	Isopropylbenzene	41	J	ug/L	200	20.48	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9445				
NAL13026-480	280-ST T1	ORG	103-65-1	n-Propylbenzene	46	J	ug/L	200	27.00	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9445				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-480	280-ST T1	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9445				
NAL13026-480	280-ST T1	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9445				
NAL13026-480	280-ST T1	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	200	20.03	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9445				
NAL13026-480	280-ST T1	ORG	98-06-6	tert-Butylbenzene	51	J	ug/L	200	32.61	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9445				
NAL13026-480	280-ST T1	ORG	95-63-6	1,2,4-Trimethylbenzene	60	J	ug/L	200	20.03	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9445				
NAL13026-480	280-ST T1	ORG	135-98-8	sec-Butylbenzene	48	J	ug/L	200	32.34	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9445				
NAL13026-480	280-ST T1	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9445				
NAL13026-480	280-ST T1	ORG	99-87-6	p-Isopropltoluene	84	J	ug/L	200	25.48	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9445				
NAL13026-480	280-ST T1	ORG	106-46-7	1,4-Dichlorobenzene	88	J	ug/L	200	33.03	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9445				
NAL13026-480	280-ST T1	ORG	95-50-1	1,2-Dichlorobenzene	68	J	ug/L	200	26.38	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9445				
NAL13026-480	280-ST T1	ORG	104-51-8	n-Butylbenzene	65	J	ug/L	500	27.81	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9445				
NAL13026-480	280-ST T1	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9445				
NAL13026-480	280-ST T1	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9445				
NAL13026-480	280-ST T1	ORG	120-82-1	1,2,4-Trichlorobenzene	110	J	ug/L	500	27.63	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9445				
NAL13026-480	280-ST T1	ORG	91-20-3	Naphthalene	260	J	ug/L	500	56.04	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9445				
NAL13026-480	280-ST T1	ORG	87-61-6	1,2,3-Trichlorobenzene	110	J	ug/L	500	23.28	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9445				
NAL13026-480	280-ST T1	STD	1868-53-7	Dibromofluoromethane	51		ng			7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9445	50	102%		
NAL13026-480	280-ST T1	STD	17060-07-0	1,2-Dichloroethane d4	51		ng			7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9445	50	102%		
NAL13026-480	280-ST T1	STD	2037-26-5	Toluene d8	48		ng			7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9445	50	96%		
NAL13026-480	280-ST T1	STD	460-00-4	Bromofluorobenzene	46		ng			7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9445	50	92%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-481	280-ST T2	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9446				
NAL13026-481	280-ST T2	ORG	74-87-3	Chloromethane		U	ug/L	500	43.07	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9446				
NAL13026-481	280-ST T2	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9446				
NAL13026-481	280-ST T2	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9446				
NAL13026-481	280-ST T2	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9446				
NAL13026-481	280-ST T2	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9446				
NAL13026-481	280-ST T2	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9446				
NAL13026-481	280-ST T2	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9446				
NAL13026-481	280-ST T2	ORG	67-64-1	Acetone	73000	D	ug/L	10000	1556.07	7/13/2013	7/13/2013	7/13/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9450				
NAL13026-481	280-ST T2	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9446				
NAL13026-481	280-ST T2	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9446				
NAL13026-481	280-ST T2	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9446				
NAL13026-481	280-ST T2	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9446				
NAL13026-481	280-ST T2	ORG	74-97-5	Bromochloromethane		U	ug/L	200	81.18	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9446				
NAL13026-481	280-ST T2	ORG	67-66-3	Chloroform		U	ug/L	100	41.37	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9446				
NAL13026-481	280-ST T2	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	15.73	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9446				
NAL13026-481	280-ST T2	ORG	78-93-3	2-Butanone	33000	D	ug/L	10000	166.52	7/13/2013	7/13/2013	7/13/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9450				
NAL13026-481	280-ST T2	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9446				
NAL13026-481	280-ST T2	ORG	71-43-2	Benzene	25	J	ug/L	100	13.53	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9446				
NAL13026-481	280-ST T2	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9446				
NAL13026-481	280-ST T2	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9446				
NAL13026-481	280-ST T2	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9446				
NAL13026-481	280-ST T2	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9446				
NAL13026-481	280-ST T2	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9446				
NAL13026-481	280-ST T2	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9446				
NAL13026-481	280-ST T2	ORG	108-88-3	Toluene	26	J	ug/L	100	20.96	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9446				
NAL13026-481	280-ST T2	ORG	108-10-1	4-Methyl-2-pentanone	1400		ug/L	500	74.00	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9446				
NAL13026-481	280-ST T2	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9446				
NAL13026-481	280-ST T2	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9446				
NAL13026-481	280-ST T2	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9446				
NAL13026-481	280-ST T2	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	68.90	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9446				
NAL13026-481	280-ST T2	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	29.90	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9446				
NAL13026-481	280-ST T2	ORG	591-78-6	2-Hexanone	220	J	ug/L	500	26.49	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9446				
NAL13026-481	280-ST T2	ORG	100-41-4	Ethylbenzene	48	J	ug/L	100	25.38	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9446				
NAL13026-481	280-ST T2	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9446				
NAL13026-481	280-ST T2	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9446				
NAL13026-481	280-ST T2	ORG	XYLMP	p&m-Xylene	130	J	ug/L	200	26.14	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9446				
NAL13026-481	280-ST T2	ORG	95-47-6	o-Xylene	73	J	ug/L	100	12.90	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9446				
NAL13026-481	280-ST T2	ORG	100-42-5	Styrene	44	J	ug/L	100	20.23	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9446				
NAL13026-481	280-ST T2	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9446				
NAL13026-481	280-ST T2	ORG	98-82-8	Isopropylbenzene	64	J	ug/L	200	20.48	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9446				
NAL13026-481	280-ST T2	ORG	103-65-1	n-Propylbenzene	56	J	ug/L	200	27.00	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9446				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-481	280-ST T2	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9446				
NAL13026-481	280-ST T2	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9446				
NAL13026-481	280-ST T2	ORG	108-67-8	1,3,5-Trimethylbenzene	120	J	ug/L	200	20.03	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9446				
NAL13026-481	280-ST T2	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9446				
NAL13026-481	280-ST T2	ORG	95-63-6	1,2,4-Trimethylbenzene	480		ug/L	200	20.03	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9446				
NAL13026-481	280-ST T2	ORG	135-98-8	sec-Butylbenzene	42	J	ug/L	200	32.34	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9446				
NAL13026-481	280-ST T2	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9446				
NAL13026-481	280-ST T2	ORG	99-87-6	p-Isopropltoluene	2300		ug/L	200	25.48	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9446				
NAL13026-481	280-ST T2	ORG	106-46-7	1,4-Dichlorobenzene	620		ug/L	200	33.03	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9446				
NAL13026-481	280-ST T2	ORG	95-50-1	1,2-Dichlorobenzene	35	J	ug/L	200	26.38	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9446				
NAL13026-481	280-ST T2	ORG	104-51-8	n-Butylbenzene	110	J	ug/L	500	27.81	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9446				
NAL13026-481	280-ST T2	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9446				
NAL13026-481	280-ST T2	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9446				
NAL13026-481	280-ST T2	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9446				
NAL13026-481	280-ST T2	ORG	91-20-3	Naphthalene	930		ug/L	500	56.04	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9446				
NAL13026-481	280-ST T2	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9446				
NAL13026-481	280-ST T2	STD	1868-53-7	Dibromofluoromethane	51		ng			7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9446	50	102%		
NAL13026-481	280-ST T2	STD	17060-07-0	1,2-Dichloroethane d4	53		ng			7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9446	50	106%		
NAL13026-481	280-ST T2	STD	2037-26-5	Toluene d8	48		ng			7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9446	50	96%		
NAL13026-481	280-ST T2	STD	460-00-4	Bromofluorobenzene	46		ng			7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9446	50	92%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-482	280-ST T3	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9447				
NAL13026-482	280-ST T3	ORG	74-87-3	Chloromethane		U	ug/L	500	43.07	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9447				
NAL13026-482	280-ST T3	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9447				
NAL13026-482	280-ST T3	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9447				
NAL13026-482	280-ST T3	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9447				
NAL13026-482	280-ST T3	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9447				
NAL13026-482	280-ST T3	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9447				
NAL13026-482	280-ST T3	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9447				
NAL13026-482	280-ST T3	ORG	67-64-1	Acetone	14000	D	ug/L	10000	1556.07	7/13/2013	7/13/2013	7/13/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9451				
NAL13026-482	280-ST T3	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9447				
NAL13026-482	280-ST T3	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9447				
NAL13026-482	280-ST T3	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9447				
NAL13026-482	280-ST T3	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9447				
NAL13026-482	280-ST T3	ORG	74-97-5	Bromochloromethane		U	ug/L	200	81.18	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9447				
NAL13026-482	280-ST T3	ORG	67-66-3	Chloroform		U	ug/L	100	41.37	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9447				
NAL13026-482	280-ST T3	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	15.73	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9447				
NAL13026-482	280-ST T3	ORG	78-93-3	2-Butanone	7000		ug/L	1000	16.65	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9447				
NAL13026-482	280-ST T3	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9447				
NAL13026-482	280-ST T3	ORG	71-43-2	Benzene	19	J	ug/L	100	13.53	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9447				
NAL13026-482	280-ST T3	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9447				
NAL13026-482	280-ST T3	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9447				
NAL13026-482	280-ST T3	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9447				
NAL13026-482	280-ST T3	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9447				
NAL13026-482	280-ST T3	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9447				
NAL13026-482	280-ST T3	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9447				
NAL13026-482	280-ST T3	ORG	108-88-3	Toluene	24	J	ug/L	100	20.96	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9447				
NAL13026-482	280-ST T3	ORG	108-10-1	4-Methyl-2-pentanone	450	J	ug/L	500	74.00	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9447				
NAL13026-482	280-ST T3	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9447				
NAL13026-482	280-ST T3	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9447				
NAL13026-482	280-ST T3	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9447				
NAL13026-482	280-ST T3	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	68.90	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9447				
NAL13026-482	280-ST T3	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	29.90	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9447				
NAL13026-482	280-ST T3	ORG	591-78-6	2-Hexanone		U	ug/L	500	26.49	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9447				
NAL13026-482	280-ST T3	ORG	100-41-4	Ethylbenzene	45	J	ug/L	100	25.38	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9447				
NAL13026-482	280-ST T3	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9447				
NAL13026-482	280-ST T3	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9447				
NAL13026-482	280-ST T3	ORG	XYLMP	p&m-Xylene	110	J	ug/L	200	26.14	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9447				
NAL13026-482	280-ST T3	ORG	95-47-6	o-Xylene	60	J	ug/L	100	12.90	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9447				
NAL13026-482	280-ST T3	ORG	100-42-5	Styrene		U	ug/L	100	20.23	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9447				
NAL13026-482	280-ST T3	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9447				
NAL13026-482	280-ST T3	ORG	98-82-8	Isopropylbenzene	76	J	ug/L	200	20.48	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9447				
NAL13026-482	280-ST T3	ORG	103-65-1	n-Propylbenzene	64	J	ug/L	200	27.00	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9447				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-482	280-ST T3	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9447				
NAL13026-482	280-ST T3	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9447				
NAL13026-482	280-ST T3	ORG	108-67-8	1,3,5-Trimethylbenzene	130	J	ug/L	200	20.03	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9447				
NAL13026-482	280-ST T3	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9447				
NAL13026-482	280-ST T3	ORG	95-63-6	1,2,4-Trimethylbenzene	450		ug/L	200	20.03	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9447				
NAL13026-482	280-ST T3	ORG	135-98-8	sec-Butylbenzene	54	J	ug/L	200	32.34	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9447				
NAL13026-482	280-ST T3	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9447				
NAL13026-482	280-ST T3	ORG	99-87-6	p-Isopropltoluene	2400		ug/L	200	25.48	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9447				
NAL13026-482	280-ST T3	ORG	106-46-7	1,4-Dichlorobenzene	540		ug/L	200	33.03	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9447				
NAL13026-482	280-ST T3	ORG	95-50-1	1,2-Dichlorobenzene	60	J	ug/L	200	26.38	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9447				
NAL13026-482	280-ST T3	ORG	104-51-8	n-Butylbenzene	130	J	ug/L	500	27.81	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9447				
NAL13026-482	280-ST T3	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9447				
NAL13026-482	280-ST T3	ORG	87-68-3	Hexachlorobutadiene	51	J	ug/L	500	65.42	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9447				
NAL13026-482	280-ST T3	ORG	120-82-1	1,2,4-Trichlorobenzene	160	J	ug/L	500	27.63	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9447				
NAL13026-482	280-ST T3	ORG	91-20-3	Naphthalene	1100		ug/L	500	56.04	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9447				
NAL13026-482	280-ST T3	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9447				
NAL13026-482	280-ST T3	STD	1868-53-7	Dibromofluoromethane	50		ng			7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9447	50	100%		
NAL13026-482	280-ST T3	STD	17060-07-0	1,2-Dichloroethane d4	51		ng			7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9447	50	102%		
NAL13026-482	280-ST T3	STD	2037-26-5	Toluene d8	48		ng			7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9447	50	96%		
NAL13026-482	280-ST T3	STD	460-00-4	Bromofluorobenzene	47		ng			7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9447	50	94%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-483	280-ST T4	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9448				
NAL13026-483	280-ST T4	ORG	74-87-3	Chloromethane		U	ug/L	500	43.07	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9448				
NAL13026-483	280-ST T4	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9448				
NAL13026-483	280-ST T4	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9448				
NAL13026-483	280-ST T4	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9448				
NAL13026-483	280-ST T4	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9448				
NAL13026-483	280-ST T4	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9448				
NAL13026-483	280-ST T4	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9448				
NAL13026-483	280-ST T4	ORG	67-64-1	Acetone	76000	D	ug/L	10000	1556.07	7/13/2013	7/13/2013	7/13/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9452				
NAL13026-483	280-ST T4	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9448				
NAL13026-483	280-ST T4	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9448				
NAL13026-483	280-ST T4	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9448				
NAL13026-483	280-ST T4	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9448				
NAL13026-483	280-ST T4	ORG	74-97-5	Bromochloromethane		U	ug/L	200	81.18	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9448				
NAL13026-483	280-ST T4	ORG	67-66-3	Chloroform		U	ug/L	100	41.37	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9448				
NAL13026-483	280-ST T4	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	15.73	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9448				
NAL13026-483	280-ST T4	ORG	78-93-3	2-Butanone	38000	D	ug/L	10000	166.52	7/13/2013	7/13/2013	7/13/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9452				
NAL13026-483	280-ST T4	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9448				
NAL13026-483	280-ST T4	ORG	71-43-2	Benzene		U	ug/L	100	13.53	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9448				
NAL13026-483	280-ST T4	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9448				
NAL13026-483	280-ST T4	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9448				
NAL13026-483	280-ST T4	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9448				
NAL13026-483	280-ST T4	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9448				
NAL13026-483	280-ST T4	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9448				
NAL13026-483	280-ST T4	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9448				
NAL13026-483	280-ST T4	ORG	108-88-3	Toluene		U	ug/L	100	20.96	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9448				
NAL13026-483	280-ST T4	ORG	108-10-1	4-Methyl-2-pentanone	1000		ug/L	500	74.00	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9448				
NAL13026-483	280-ST T4	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9448				
NAL13026-483	280-ST T4	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9448				
NAL13026-483	280-ST T4	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9448				
NAL13026-483	280-ST T4	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	68.90	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9448				
NAL13026-483	280-ST T4	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	29.90	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9448				
NAL13026-483	280-ST T4	ORG	591-78-6	2-Hexanone	230	J	ug/L	500	26.49	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9448				
NAL13026-483	280-ST T4	ORG	100-41-4	Ethylbenzene		U	ug/L	100	25.38	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9448				
NAL13026-483	280-ST T4	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9448				
NAL13026-483	280-ST T4	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9448				
NAL13026-483	280-ST T4	ORG	XYLMP	p&m-Xylene	47	J	ug/L	200	26.14	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9448				
NAL13026-483	280-ST T4	ORG	95-47-6	o-Xylene		U	ug/L	100	12.90	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9448				
NAL13026-483	280-ST T4	ORG	100-42-5	Styrene	43	J	ug/L	100	20.23	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9448				
NAL13026-483	280-ST T4	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9448				
NAL13026-483	280-ST T4	ORG	98-82-8	Isopropylbenzene	21	J	ug/L	200	20.48	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9448				
NAL13026-483	280-ST T4	ORG	103-65-1	n-Propylbenzene		U	ug/L	200	27.00	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9448				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-483	280-ST T4	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9448				
NAL13026-483	280-ST T4	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9448				
NAL13026-483	280-ST T4	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	200	20.03	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9448				
NAL13026-483	280-ST T4	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9448				
NAL13026-483	280-ST T4	ORG	95-63-6	1,2,4-Trimethylbenzene	52	J	ug/L	200	20.03	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9448				
NAL13026-483	280-ST T4	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9448				
NAL13026-483	280-ST T4	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9448				
NAL13026-483	280-ST T4	ORG	99-87-6	p-Isopropltoluene	140	J	ug/L	200	25.48	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9448				
NAL13026-483	280-ST T4	ORG	106-46-7	1,4-Dichlorobenzene		U	ug/L	200	33.03	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9448				
NAL13026-483	280-ST T4	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9448				
NAL13026-483	280-ST T4	ORG	104-51-8	n-Butylbenzene	38	J	ug/L	500	27.81	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9448				
NAL13026-483	280-ST T4	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9448				
NAL13026-483	280-ST T4	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9448				
NAL13026-483	280-ST T4	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9448				
NAL13026-483	280-ST T4	ORG	91-20-3	Naphthalene	270	J	ug/L	500	56.04	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9448				
NAL13026-483	280-ST T4	ORG	87-61-6	1,2,3-Trichlorobenzene	66	J	ug/L	500	23.28	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9448				
NAL13026-483	280-ST T4	STD	1868-53-7	Dibromofluoromethane	49		ng			7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9448	50	98%		
NAL13026-483	280-ST T4	STD	17060-07-0	1,2-Dichloroethane d4	51		ng			7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9448	50	102%		
NAL13026-483	280-ST T4	STD	2037-26-5	Toluene d8	48		ng			7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9448	50	96%		
NAL13026-483	280-ST T4	STD	460-00-4	Bromofluorobenzene	46		ng			7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9448	50	92%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J071313CCVA	J071313CCVA	ORG	75-71-8	Dichlorodifluoromethane	45		ug/L	5	0.29	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9434	50	90%		
J071313CCVA	J071313CCVA	ORG	74-87-3	Chloromethane	44		ug/L	5	0.43	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9434	50	88%		
J071313CCVA	J071313CCVA	ORG	75-01-4	Vinyl chloride	47		ug/L	2	0.32	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9434	50	94%		
J071313CCVA	J071313CCVA	ORG	74-83-9	Bromomethane	50		ug/L	5	0.50	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9434	50	100%		
J071313CCVA	J071313CCVA	ORG	75-00-3	Chloroethane	49		ug/L	5	0.56	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9434	50	98%		
J071313CCVA	J071313CCVA	ORG	75-69-4	Trichlorofluoromethane	44		ug/L	5	0.20	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9434	50	88%		
J071313CCVA	J071313CCVA	ORG	75-35-4	1,1-Dichloroethene	42		ug/L	1	0.47	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9434	50	84%		
J071313CCVA	J071313CCVA	ORG	75-09-2	Methylene chloride	44		ug/L	5	0.26	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9434	50	88%		
J071313CCVA	J071313CCVA	ORG	67-64-1	Acetone	38		ug/L	10	1.56	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9434	50	76%		
J071313CCVA	J071313CCVA	ORG	156-60-5	trans-1,2-Dichloroethene	60		ug/L	1	0.56	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9434	50	120%		
J071313CCVA	J071313CCVA	ORG	1634-04-4	MTBE	56		ug/L	5	0.61	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9434	50	112%		
J071313CCVA	J071313CCVA	ORG	75-34-3	1,1-Dichloroethane	52		ug/L	1	0.53	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9434	50	104%		
J071313CCVA	J071313CCVA	ORG	156-59-2	cis-1,2-Dichloroethene	50		ug/L	1	0.32	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9434	50	100%		
J071313CCVA	J071313CCVA	ORG	74-97-5	Bromochloromethane	51		ug/L	10	0.81	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9434	50	102%		
J071313CCVA	J071313CCVA	ORG	67-66-3	Chloroform	47		ug/L	2	0.41	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9434	50	94%		
J071313CCVA	J071313CCVA	ORG	71-55-6	1,1,1-Trichloroethane	48		ug/L	1	0.16	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9434	50	96%		
J071313CCVA	J071313CCVA	ORG	78-93-3	2-Butanone	40		ug/L	1	0.17	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9434	50	80%		
J071313CCVA	J071313CCVA	ORG	56-23-5	Carbon tetrachloride	49		ug/L	1	0.28	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9434	50	98%		
J071313CCVA	J071313CCVA	ORG	71-43-2	Benzene	45		ug/L	1	0.14	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9434	50	90%		
J071313CCVA	J071313CCVA	ORG	107-06-2	1,2-Dichloroethane	47		ug/L	1	0.20	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9434	50	94%		
J071313CCVA	J071313CCVA	ORG	79-01-6	Trichloroethene	48		ug/L	1	0.36	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9434	50	96%		
J071313CCVA	J071313CCVA	ORG	74-95-3	Dibromomethane	47		ug/L	2	0.32	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9434	50	94%		
J071313CCVA	J071313CCVA	ORG	78-87-5	1,2-Dichloropropane	43		ug/L	1	0.18	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9434	50	86%		
J071313CCVA	J071313CCVA	ORG	75-27-4	Bromodichloromethane	47		ug/L	2	0.12	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9434	50	94%		
J071313CCVA	J071313CCVA	ORG	10061-01-5	cis-1,3-Dichloropropene	47		ug/L	1	0.25	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9434	50	94%		
J071313CCVA	J071313CCVA	ORG	108-88-3	Toluene	45		ug/L	5	0.74	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9434	50	90%		
J071313CCVA	J071313CCVA	ORG	108-10-1	4-Methyl-2-pentanone	42		ug/L	1	0.21	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9434	50	84%		
J071313CCVA	J071313CCVA	ORG	10061-02-6	trans-1,3-Dichloropropene	48		ug/L	1	0.31	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9434	50	96%		
J071313CCVA	J071313CCVA	ORG	127-18-4	Tetrachloroethene	40		ug/L	1	0.49	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9434	50	80%		
J071313CCVA	J071313CCVA	ORG	79-00-5	1,1,2-Trichloroethane	44		ug/L	1	0.34	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9434	50	88%		
J071313CCVA	J071313CCVA	ORG	124-48-1	Dibromochloromethane	49		ug/L	5	0.69	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9434	50	98%		
J071313CCVA	J071313CCVA	ORG	106-93-4	1,2-Dibromoethane	47		ug/L	2	0.30	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9434	50	94%		
J071313CCVA	J071313CCVA	ORG	591-78-6	2-Hexanone	40		ug/L	2	0.26	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9434	50	80%		
J071313CCVA	J071313CCVA	ORG	100-41-4	Ethylbenzene	45		ug/L	1	0.25	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9434	50	90%		
J071313CCVA	J071313CCVA	ORG	108-90-7	Chlorobenzene	46		ug/L	1	0.28	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9434	50	92%		
J071313CCVA	J071313CCVA	ORG	630-20-6	1,1,1,2-Tetrachloroethane	47		ug/L	2	0.19	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9434	50	94%		
J071313CCVA	J071313CCVA	ORG	XYLMP	p&m-Xylene	90		ug/L	2	0.26	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9434	100	90%		
J071313CCVA	J071313CCVA	ORG	95-47-6	o-Xylene	45		ug/L	1	0.13	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9434	50	90%		
J071313CCVA	J071313CCVA	ORG	100-42-5	Styrene	44		ug/L	1	0.20	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9434	50	88%		
J071313CCVA	J071313CCVA	ORG	75-25-2	Bromoform	48		ug/L	2	0.47	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9434	50	96%		
J071313CCVA	J071313CCVA	ORG	98-82-8	Isopropylbenzene	46		ug/L	2	0.20	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9434	50	92%		
J071313CCVA	J071313CCVA	ORG	103-65-1	n-Propylbenzene	45		ug/L	2	0.27	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9434	50	90%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J071313CCVA	J071313CCVA	ORG	79-34-5	1,1,2,2-Tetrachloroethane	44		ug/L	2	0.29	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9434	50	88%		
J071313CCVA	J071313CCVA	ORG	96-18-4	1,2,3-Trichloropropane	43		ug/L	2	0.29	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9434	50	86%		
J071313CCVA	J071313CCVA	ORG	108-67-8	1,3,5-Trimethylbenzene	45		ug/L	2	0.20	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9434	50	90%		
J071313CCVA	J071313CCVA	ORG	98-06-6	tert-Butylbenzene	47		ug/L	2	0.33	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9434	50	94%		
J071313CCVA	J071313CCVA	ORG	95-63-6	1,2,4-Trimethylbenzene	45		ug/L	2	0.20	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9434	50	90%		
J071313CCVA	J071313CCVA	ORG	135-98-8	sec-Butylbenzene	46		ug/L	2	0.32	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9434	50	92%		
J071313CCVA	J071313CCVA	ORG	541-73-1	1,3-Dichlorobenzene	48		ug/L	2	0.22	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9434	50	96%		
J071313CCVA	J071313CCVA	ORG	99-87-6	p-Isopropltoluene	48		ug/L	2	0.25	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9434	50	96%		
J071313CCVA	J071313CCVA	ORG	106-46-7	1,4-Dichlorobenzene	49		ug/L	2	0.33	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9434	50	98%		
J071313CCVA	J071313CCVA	ORG	95-50-1	1,2-Dichlorobenzene	47		ug/L	2	0.26	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9434	50	94%		
J071313CCVA	J071313CCVA	ORG	104-51-8	n-Butylbenzene	46		ug/L	5	0.28	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9434	50	92%		
J071313CCVA	J071313CCVA	ORG	96-12-8	1,2-Dibromo-3-chloropropane	41		ug/L	5	1.59	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9434	50	82%		
J071313CCVA	J071313CCVA	ORG	87-68-3	Hexachlorobutadiene	52		ug/L	5	0.65	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9434	50	104%		
J071313CCVA	J071313CCVA	ORG	120-82-1	1,2,4-Trichlorobenzene	49		ug/L	5	0.28	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9434	50	98%		
J071313CCVA	J071313CCVA	ORG	91-20-3	Naphthalene	43		ug/L	5	0.56	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9434	50	86%		
J071313CCVA	J071313CCVA	ORG	87-61-6	1,2,3-Trichlorobenzene	48		ug/L	5	0.23	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9434	50	96%		
J071313CCVA	J071313CCVA	STD	1868-53-7	Dibromofluoromethane	50		ng			NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9434	50	100%		
J071313CCVA	J071313CCVA	STD	17060-07-0	1,2-Dichloroethane d4	46		ng			NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9434	50	92%		
J071313CCVA	J071313CCVA	STD	2037-26-5	Toluene d8	49		ng			NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9434	50	98%		
J071313CCVA	J071313CCVA	STD	460-00-4	Bromofluorobenzene	46		ng			NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9434	50	92%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J071313MBKA	J071313MBKA	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	5	0.29	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9435				
J071313MBKA	J071313MBKA	ORG	74-87-3	Chloromethane		U	ug/L	5	0.43	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9435				
J071313MBKA	J071313MBKA	ORG	75-01-4	Vinyl chloride		U	ug/L	2	0.32	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9435				
J071313MBKA	J071313MBKA	ORG	74-83-9	Bromomethane		U	ug/L	5	0.50	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9435				
J071313MBKA	J071313MBKA	ORG	75-00-3	Chloroethane		U	ug/L	5	0.56	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9435				
J071313MBKA	J071313MBKA	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	5	0.20	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9435				
J071313MBKA	J071313MBKA	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	1	0.47	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9435				
J071313MBKA	J071313MBKA	ORG	75-09-2	Methylene chloride		U	ug/L	5	0.26	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9435				
J071313MBKA	J071313MBKA	ORG	67-64-1	Acetone		U	ug/L	10	1.56	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9435				
J071313MBKA	J071313MBKA	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	1	0.56	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9435				
J071313MBKA	J071313MBKA	ORG	1634-04-4	MTBE		U	ug/L	5	0.61	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9435				
J071313MBKA	J071313MBKA	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	1	0.53	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9435				
J071313MBKA	J071313MBKA	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	1	0.32	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9435				
J071313MBKA	J071313MBKA	ORG	74-97-5	Bromochloromethane		U	ug/L	10	0.81	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9435				
J071313MBKA	J071313MBKA	ORG	67-66-3	Chloroform		U	ug/L	2	0.41	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9435				
J071313MBKA	J071313MBKA	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	1	0.16	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9435				
J071313MBKA	J071313MBKA	ORG	78-93-3	2-Butanone		U	ug/L	1	0.17	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9435				
J071313MBKA	J071313MBKA	ORG	56-23-5	Carbon tetrachloride		U	ug/L	1	0.28	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9435				
J071313MBKA	J071313MBKA	ORG	71-43-2	Benzene		U	ug/L	1	0.14	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9435				
J071313MBKA	J071313MBKA	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	1	0.20	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9435				
J071313MBKA	J071313MBKA	ORG	79-01-6	Trichloroethene		U	ug/L	1	0.36	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9435				
J071313MBKA	J071313MBKA	ORG	74-95-3	Dibromomethane		U	ug/L	2	0.32	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9435				
J071313MBKA	J071313MBKA	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	1	0.18	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9435				
J071313MBKA	J071313MBKA	ORG	75-27-4	Bromodichloromethane		U	ug/L	2	0.12	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9435				
J071313MBKA	J071313MBKA	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	1	0.25	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9435				
J071313MBKA	J071313MBKA	ORG	108-88-3	Toluene		U	ug/L	5	0.74	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9435				
J071313MBKA	J071313MBKA	ORG	108-10-1	4-Methyl-2-pentanone		U	ug/L	1	0.21	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9435				
J071313MBKA	J071313MBKA	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	1	0.31	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9435				
J071313MBKA	J071313MBKA	ORG	127-18-4	Tetrachloroethene		U	ug/L	1	0.49	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9435				
J071313MBKA	J071313MBKA	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	1	0.34	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9435				
J071313MBKA	J071313MBKA	ORG	124-48-1	Dibromochloromethane		U	ug/L	5	0.69	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9435				
J071313MBKA	J071313MBKA	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	2	0.30	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9435				
J071313MBKA	J071313MBKA	ORG	591-78-6	2-Hexanone		U	ug/L	2	0.26	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9435				
J071313MBKA	J071313MBKA	ORG	100-41-4	Ethylbenzene		U	ug/L	1	0.25	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9435				
J071313MBKA	J071313MBKA	ORG	108-90-7	Chlorobenzene		U	ug/L	1	0.28	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9435				
J071313MBKA	J071313MBKA	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	2	0.19	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9435				
J071313MBKA	J071313MBKA	ORG	XYLMP	p&m-Xylene		U	ug/L	2	0.26	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9435				
J071313MBKA	J071313MBKA	ORG	95-47-6	o-Xylene		U	ug/L	1	0.13	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9435				
J071313MBKA	J071313MBKA	ORG	100-42-5	Styrene		U	ug/L	1	0.20	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9435				
J071313MBKA	J071313MBKA	ORG	75-25-2	Bromoform		U	ug/L	2	0.47	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9435				
J071313MBKA	J071313MBKA	ORG	98-82-8	Isopropylbenzene		U	ug/L	2	0.20	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9435				
J071313MBKA	J071313MBKA	ORG	103-65-1	n-Propylbenzene		U	ug/L	2	0.27	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9435				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J071313MBKA	J071313MBKA	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	2	0.29	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9435				
J071313MBKA	J071313MBKA	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	2	0.29	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9435				
J071313MBKA	J071313MBKA	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	2	0.20	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9435				
J071313MBKA	J071313MBKA	ORG	98-06-6	tert-Butylbenzene		U	ug/L	2	0.33	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9435				
J071313MBKA	J071313MBKA	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	2	0.20	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9435				
J071313MBKA	J071313MBKA	ORG	135-98-8	sec-Butylbenzene		U	ug/L	2	0.32	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9435				
J071313MBKA	J071313MBKA	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	2	0.22	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9435				
J071313MBKA	J071313MBKA	ORG	99-87-6	p-Isopropltoluene		U	ug/L	2	0.25	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9435				
J071313MBKA	J071313MBKA	ORG	106-46-7	1,4-Dichlorobenzene		U	ug/L	2	0.33	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9435				
J071313MBKA	J071313MBKA	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	2	0.26	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9435				
J071313MBKA	J071313MBKA	ORG	104-51-8	n-Butylbenzene		U	ug/L	5	0.28	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9435				
J071313MBKA	J071313MBKA	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	5	1.59	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9435				
J071313MBKA	J071313MBKA	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	5	0.65	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9435				
J071313MBKA	J071313MBKA	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	5	0.28	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9435				
J071313MBKA	J071313MBKA	ORG	91-20-3	Naphthalene		U	ug/L	5	0.56	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9435				
J071313MBKA	J071313MBKA	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	5	0.23	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9435				
J071313MBKA	J071313MBKA	STD	1868-53-7	Dibromofluoromethane	51		ng			NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9435	50	102%		
J071313MBKA	J071313MBKA	STD	17060-07-0	1,2-Dichloroethane d4	51		ng			NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9435	50	102%		
J071313MBKA	J071313MBKA	STD	2037-26-5	Toluene d8	47		ng			NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9435	50	94%		
J071313MBKA	J071313MBKA	STD	460-00-4	Bromofluorobenzene	46		ng			NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9435	50	92%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J071313CCVB	J071313CCVB	ORG	75-71-8	Dichlorodifluoromethane	45		ug/L	5	0.29	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9443	50	90%		
J071313CCVB	J071313CCVB	ORG	74-87-3	Chloromethane	40		ug/L	5	0.43	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9443	50	80%		
J071313CCVB	J071313CCVB	ORG	75-01-4	Vinyl chloride	42		ug/L	2	0.32	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9443	50	84%		
J071313CCVB	J071313CCVB	ORG	74-83-9	Bromomethane	65		ug/L	5	0.50	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9443	50	130%		
J071313CCVB	J071313CCVB	ORG	75-00-3	Chloroethane	68		ug/L	5	0.56	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9443	50	136%		
J071313CCVB	J071313CCVB	ORG	75-69-4	Trichlorofluoromethane	60		ug/L	5	0.20	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9443	50	120%		
J071313CCVB	J071313CCVB	ORG	75-35-4	1,1-Dichloroethene	63		ug/L	1	0.47	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9443	50	126%		
J071313CCVB	J071313CCVB	ORG	75-09-2	Methylene chloride	55		ug/L	5	0.26	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9443	50	110%		
J071313CCVB	J071313CCVB	ORG	67-64-1	Acetone	57		ug/L	10	1.56	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9443	50	114%		
J071313CCVB	J071313CCVB	ORG	156-60-5	trans-1,2-Dichloroethene	52		ug/L	1	0.56	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9443	50	104%		
J071313CCVB	J071313CCVB	ORG	1634-04-4	MTBE	48		ug/L	5	0.61	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9443	50	96%		
J071313CCVB	J071313CCVB	ORG	75-34-3	1,1-Dichloroethane	43		ug/L	1	0.53	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9443	50	86%		
J071313CCVB	J071313CCVB	ORG	156-59-2	cis-1,2-Dichloroethene	54		ug/L	1	0.32	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9443	50	108%		
J071313CCVB	J071313CCVB	ORG	74-97-5	Bromochloromethane	57		ug/L	10	0.81	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9443	50	114%		
J071313CCVB	J071313CCVB	ORG	67-66-3	Chloroform	53		ug/L	2	0.41	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9443	50	106%		
J071313CCVB	J071313CCVB	ORG	71-55-6	1,1,1-Trichloroethane	55		ug/L	1	0.16	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9443	50	110%		
J071313CCVB	J071313CCVB	ORG	78-93-3	2-Butanone	45		ug/L	1	0.17	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9443	50	90%		
J071313CCVB	J071313CCVB	ORG	56-23-5	Carbon tetrachloride	54		ug/L	1	0.28	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9443	50	108%		
J071313CCVB	J071313CCVB	ORG	71-43-2	Benzene	49		ug/L	1	0.14	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9443	50	98%		
J071313CCVB	J071313CCVB	ORG	107-06-2	1,2-Dichloroethane	53		ug/L	1	0.20	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9443	50	106%		
J071313CCVB	J071313CCVB	ORG	79-01-6	Trichloroethene	54		ug/L	1	0.36	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9443	50	108%		
J071313CCVB	J071313CCVB	ORG	74-95-3	Dibromomethane	55		ug/L	2	0.32	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9443	50	110%		
J071313CCVB	J071313CCVB	ORG	78-87-5	1,2-Dichloropropane	48		ug/L	1	0.18	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9443	50	96%		
J071313CCVB	J071313CCVB	ORG	75-27-4	Bromodichloromethane	51		ug/L	2	0.12	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9443	50	102%		
J071313CCVB	J071313CCVB	ORG	10061-01-5	cis-1,3-Dichloropropene	50		ug/L	1	0.25	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9443	50	100%		
J071313CCVB	J071313CCVB	ORG	108-88-3	Toluene	49		ug/L	5	0.74	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9443	50	98%		
J071313CCVB	J071313CCVB	ORG	108-10-1	4-Methyl-2-pentanone	52		ug/L	1	0.21	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9443	50	104%		
J071313CCVB	J071313CCVB	ORG	10061-02-6	trans-1,3-Dichloropropene	53		ug/L	1	0.31	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9443	50	106%		
J071313CCVB	J071313CCVB	ORG	127-18-4	Tetrachloroethene	44		ug/L	1	0.49	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9443	50	88%		
J071313CCVB	J071313CCVB	ORG	79-00-5	1,1,2-Trichloroethane	50		ug/L	1	0.34	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9443	50	100%		
J071313CCVB	J071313CCVB	ORG	124-48-1	Dibromochloromethane	56		ug/L	5	0.69	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9443	50	112%		
J071313CCVB	J071313CCVB	ORG	106-93-4	1,2-Dibromoethane	54		ug/L	2	0.30	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9443	50	108%		
J071313CCVB	J071313CCVB	ORG	591-78-6	2-Hexanone	58		ug/L	2	0.26	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9443	50	116%		
J071313CCVB	J071313CCVB	ORG	100-41-4	Ethylbenzene	47		ug/L	1	0.25	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9443	50	94%		
J071313CCVB	J071313CCVB	ORG	108-90-7	Chlorobenzene	49		ug/L	1	0.28	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9443	50	98%		
J071313CCVB	J071313CCVB	ORG	630-20-6	1,1,1,2-Tetrachloroethane	49		ug/L	2	0.19	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9443	50	98%		
J071313CCVB	J071313CCVB	ORG	XYLMP	p&m-Xylene	95		ug/L	2	0.26	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9443	100	95%		
J071313CCVB	J071313CCVB	ORG	95-47-6	o-Xylene	48		ug/L	1	0.13	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9443	50	96%		
J071313CCVB	J071313CCVB	ORG	100-42-5	Styrene	46		ug/L	1	0.20	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9443	50	92%		
J071313CCVB	J071313CCVB	ORG	75-25-2	Bromoform	55		ug/L	2	0.47	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9443	50	110%		
J071313CCVB	J071313CCVB	ORG	98-82-8	Isopropylbenzene	48		ug/L	2	0.20	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9443	50	96%		
J071313CCVB	J071313CCVB	ORG	103-65-1	n-Propylbenzene	48		ug/L	2	0.27	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9443	50	96%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J071313CCVB	J071313CCVB	ORG	79-34-5	1,1,2,2-Tetrachloroethane	51		ug/L	2	0.29	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9443	50	102%		
J071313CCVB	J071313CCVB	ORG	96-18-4	1,2,3-Trichloropropane	52		ug/L	2	0.29	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9443	50	104%		
J071313CCVB	J071313CCVB	ORG	108-67-8	1,3,5-Trimethylbenzene	50		ug/L	2	0.20	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9443	50	100%		
J071313CCVB	J071313CCVB	ORG	98-06-6	tert-Butylbenzene	51		ug/L	2	0.33	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9443	50	102%		
J071313CCVB	J071313CCVB	ORG	95-63-6	1,2,4-Trimethylbenzene	50		ug/L	2	0.20	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9443	50	100%		
J071313CCVB	J071313CCVB	ORG	135-98-8	sec-Butylbenzene	50		ug/L	2	0.32	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9443	50	100%		
J071313CCVB	J071313CCVB	ORG	541-73-1	1,3-Dichlorobenzene	55		ug/L	2	0.22	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9443	50	110%		
J071313CCVB	J071313CCVB	ORG	99-87-6	p-Isopropltoluene	52		ug/L	2	0.25	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9443	50	104%		
J071313CCVB	J071313CCVB	ORG	106-46-7	1,4-Dichlorobenzene	55		ug/L	2	0.33	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9443	50	110%		
J071313CCVB	J071313CCVB	ORG	95-50-1	1,2-Dichlorobenzene	54		ug/L	2	0.26	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9443	50	108%		
J071313CCVB	J071313CCVB	ORG	104-51-8	n-Butylbenzene	51		ug/L	5	0.28	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9443	50	102%		
J071313CCVB	J071313CCVB	ORG	96-12-8	1,2-Dibromo-3-chloropropane	53		ug/L	5	1.59	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9443	50	106%		
J071313CCVB	J071313CCVB	ORG	87-68-3	Hexachlorobutadiene	57		ug/L	5	0.65	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9443	50	114%		
J071313CCVB	J071313CCVB	ORG	120-82-1	1,2,4-Trichlorobenzene	56		ug/L	5	0.28	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9443	50	112%		
J071313CCVB	J071313CCVB	ORG	91-20-3	Naphthalene	54		ug/L	5	0.56	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9443	50	108%		
J071313CCVB	J071313CCVB	ORG	87-61-6	1,2,3-Trichlorobenzene	54		ug/L	5	0.23	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9443	50	108%		
J071313CCVB	J071313CCVB	STD	1868-53-7	Dibromofluoromethane	53		ng			NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9443	50	106%		
J071313CCVB	J071313CCVB	STD	17060-07-0	1,2-Dichloroethane d4	49		ng			NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9443	50	98%		
J071313CCVB	J071313CCVB	STD	2037-26-5	Toluene d8	48		ng			NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9443	50	96%		
J071313CCVB	J071313CCVB	STD	460-00-4	Bromofluorobenzene	46		ng			NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9443	50	92%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J071313MBKB	J071313MBKB	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	5	0.29	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9444				
J071313MBKB	J071313MBKB	ORG	74-87-3	Chloromethane		U	ug/L	5	0.43	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9444				
J071313MBKB	J071313MBKB	ORG	75-01-4	Vinyl chloride		U	ug/L	2	0.32	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9444				
J071313MBKB	J071313MBKB	ORG	74-83-9	Bromomethane		U	ug/L	5	0.50	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9444				
J071313MBKB	J071313MBKB	ORG	75-00-3	Chloroethane		U	ug/L	5	0.56	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9444				
J071313MBKB	J071313MBKB	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	5	0.20	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9444				
J071313MBKB	J071313MBKB	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	1	0.47	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9444				
J071313MBKB	J071313MBKB	ORG	75-09-2	Methylene chloride		U	ug/L	5	0.26	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9444				
J071313MBKB	J071313MBKB	ORG	67-64-1	Acetone		U	ug/L	10	1.56	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9444				
J071313MBKB	J071313MBKB	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	1	0.56	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9444				
J071313MBKB	J071313MBKB	ORG	1634-04-4	MTBE		U	ug/L	5	0.61	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9444				
J071313MBKB	J071313MBKB	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	1	0.53	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9444				
J071313MBKB	J071313MBKB	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	1	0.32	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9444				
J071313MBKB	J071313MBKB	ORG	74-97-5	Bromochloromethane		U	ug/L	10	0.81	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9444				
J071313MBKB	J071313MBKB	ORG	67-66-3	Chloroform		U	ug/L	2	0.41	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9444				
J071313MBKB	J071313MBKB	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	1	0.16	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9444				
J071313MBKB	J071313MBKB	ORG	78-93-3	2-Butanone		U	ug/L	1	0.17	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9444				
J071313MBKB	J071313MBKB	ORG	56-23-5	Carbon tetrachloride		U	ug/L	1	0.28	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9444				
J071313MBKB	J071313MBKB	ORG	71-43-2	Benzene		U	ug/L	1	0.14	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9444				
J071313MBKB	J071313MBKB	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	1	0.20	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9444				
J071313MBKB	J071313MBKB	ORG	79-01-6	Trichloroethene		U	ug/L	1	0.36	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9444				
J071313MBKB	J071313MBKB	ORG	74-95-3	Dibromomethane		U	ug/L	2	0.32	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9444				
J071313MBKB	J071313MBKB	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	1	0.18	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9444				
J071313MBKB	J071313MBKB	ORG	75-27-4	Bromodichloromethane		U	ug/L	2	0.12	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9444				
J071313MBKB	J071313MBKB	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	1	0.25	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9444				
J071313MBKB	J071313MBKB	ORG	108-88-3	Toluene		U	ug/L	5	0.74	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9444				
J071313MBKB	J071313MBKB	ORG	108-10-1	4-Methyl-2-pentanone		U	ug/L	1	0.21	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9444				
J071313MBKB	J071313MBKB	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	1	0.31	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9444				
J071313MBKB	J071313MBKB	ORG	127-18-4	Tetrachloroethene		U	ug/L	1	0.49	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9444				
J071313MBKB	J071313MBKB	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	1	0.34	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9444				
J071313MBKB	J071313MBKB	ORG	124-48-1	Dibromochloromethane		U	ug/L	5	0.69	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9444				
J071313MBKB	J071313MBKB	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	2	0.30	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9444				
J071313MBKB	J071313MBKB	ORG	591-78-6	2-Hexanone		U	ug/L	2	0.26	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9444				
J071313MBKB	J071313MBKB	ORG	100-41-4	Ethylbenzene		U	ug/L	1	0.25	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9444				
J071313MBKB	J071313MBKB	ORG	108-90-7	Chlorobenzene		U	ug/L	1	0.28	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9444				
J071313MBKB	J071313MBKB	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	2	0.19	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9444				
J071313MBKB	J071313MBKB	ORG	XYLMP	p&m-Xylene		U	ug/L	2	0.26	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9444				
J071313MBKB	J071313MBKB	ORG	95-47-6	o-Xylene		U	ug/L	1	0.13	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9444				
J071313MBKB	J071313MBKB	ORG	100-42-5	Styrene		U	ug/L	1	0.20	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9444				
J071313MBKB	J071313MBKB	ORG	75-25-2	Bromoform		U	ug/L	2	0.47	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9444				
J071313MBKB	J071313MBKB	ORG	98-82-8	Isopropylbenzene		U	ug/L	2	0.20	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9444				
J071313MBKB	J071313MBKB	ORG	103-65-1	n-Propylbenzene		U	ug/L	2	0.27	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9444				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J071313MBKB	J071313MBKB	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	2	0.29	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9444				
J071313MBKB	J071313MBKB	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	2	0.29	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9444				
J071313MBKB	J071313MBKB	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	2	0.20	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9444				
J071313MBKB	J071313MBKB	ORG	98-06-6	tert-Butylbenzene		U	ug/L	2	0.33	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9444				
J071313MBKB	J071313MBKB	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	2	0.20	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9444				
J071313MBKB	J071313MBKB	ORG	135-98-8	sec-Butylbenzene		U	ug/L	2	0.32	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9444				
J071313MBKB	J071313MBKB	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	2	0.22	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9444				
J071313MBKB	J071313MBKB	ORG	99-87-6	p-Isopropltoluene		U	ug/L	2	0.25	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9444				
J071313MBKB	J071313MBKB	ORG	106-46-7	1,4-Dichlorobenzene		U	ug/L	2	0.33	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9444				
J071313MBKB	J071313MBKB	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	2	0.26	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9444				
J071313MBKB	J071313MBKB	ORG	104-51-8	n-Butylbenzene		U	ug/L	5	0.28	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9444				
J071313MBKB	J071313MBKB	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	5	1.59	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9444				
J071313MBKB	J071313MBKB	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	5	0.65	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9444				
J071313MBKB	J071313MBKB	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	5	0.28	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9444				
J071313MBKB	J071313MBKB	ORG	91-20-3	Naphthalene		U	ug/L	5	0.56	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9444				
J071313MBKB	J071313MBKB	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	5	0.23	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9444				
J071313MBKB	J071313MBKB	STD	1868-53-7	Dibromofluoromethane	51		ng			NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9444	50	102%		
J071313MBKB	J071313MBKB	STD	17060-07-0	1,2-Dichloroethane d4	53		ng			NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9444	50	106%		
J071313MBKB	J071313MBKB	STD	2037-26-5	Toluene d8	47		ng			NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9444	50	94%		
J071313MBKB	J071313MBKB	STD	460-00-4	Bromofluorobenzene	47		ng			NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9444	50	94%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J071313ALCS	J071313ALCS	ORG	75-71-8	Dichlorodifluoromethane	45		ug/L	5	0.29	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9438	50	90%		
J071313ALCS	J071313ALCS	ORG	74-87-3	Chloromethane	49		ug/L	5	0.43	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9438	50	98%		
J071313ALCS	J071313ALCS	ORG	75-01-4	Vinyl chloride	53		ug/L	2	0.32	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9438	50	106%		
J071313ALCS	J071313ALCS	ORG	74-83-9	Bromomethane	52		ug/L	5	0.50	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9438	50	104%		
J071313ALCS	J071313ALCS	ORG	75-00-3	Chloroethane	57		ug/L	5	0.56	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9438	50	114%		
J071313ALCS	J071313ALCS	ORG	75-69-4	Trichlorofluoromethane	47		ug/L	5	0.20	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9438	50	94%		
J071313ALCS	J071313ALCS	ORG	75-35-4	1,1-Dichloroethene	44		ug/L	1	0.47	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9438	50	88%		
J071313ALCS	J071313ALCS	ORG	75-09-2	Methylene chloride	47		ug/L	5	0.26	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9438	50	94%		
J071313ALCS	J071313ALCS	ORG	67-64-1	Acetone	55		ug/L	10	1.56	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9438	50	110%		
J071313ALCS	J071313ALCS	ORG	156-60-5	trans-1,2-Dichloroethene	47		ug/L	1	0.56	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9438	50	94%		
J071313ALCS	J071313ALCS	ORG	1634-04-4	MTBE	44		ug/L	5	0.61	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9438	50	88%		
J071313ALCS	J071313ALCS	ORG	75-34-3	1,1-Dichloroethane	56		ug/L	1	0.53	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9438	50	112%		
J071313ALCS	J071313ALCS	ORG	156-59-2	cis-1,2-Dichloroethene	54		ug/L	1	0.32	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9438	50	108%		
J071313ALCS	J071313ALCS	ORG	74-97-5	Bromochloromethane	57		ug/L	10	0.81	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9438	50	114%		
J071313ALCS	J071313ALCS	ORG	67-66-3	Chloroform	52		ug/L	2	0.41	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9438	50	104%		
J071313ALCS	J071313ALCS	ORG	71-55-6	1,1,1-Trichloroethane	53		ug/L	1	0.16	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9438	50	106%		
J071313ALCS	J071313ALCS	ORG	78-93-3	2-Butanone	54		ug/L	1	0.17	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9438	50	108%		
J071313ALCS	J071313ALCS	ORG	56-23-5	Carbon tetrachloride	53		ug/L	1	0.28	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9438	50	106%		
J071313ALCS	J071313ALCS	ORG	71-43-2	Benzene	49		ug/L	1	0.14	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9438	50	98%		
J071313ALCS	J071313ALCS	ORG	107-06-2	1,2-Dichloroethane	52		ug/L	1	0.20	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9438	50	104%		
J071313ALCS	J071313ALCS	ORG	79-01-6	Trichloroethene	52		ug/L	1	0.36	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9438	50	104%		
J071313ALCS	J071313ALCS	ORG	74-95-3	Dibromomethane	53		ug/L	2	0.32	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9438	50	106%		
J071313ALCS	J071313ALCS	ORG	78-87-5	1,2-Dichloropropane	46		ug/L	1	0.18	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9438	50	92%		
J071313ALCS	J071313ALCS	ORG	75-27-4	Bromodichloromethane	51		ug/L	2	0.12	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9438	50	102%		
J071313ALCS	J071313ALCS	ORG	10061-01-5	cis-1,3-Dichloropropene	50		ug/L	1	0.25	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9438	50	100%		
J071313ALCS	J071313ALCS	ORG	108-88-3	Toluene	48		ug/L	5	0.74	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9438	50	96%		
J071313ALCS	J071313ALCS	ORG	108-10-1	4-Methyl-2-pentanone	49		ug/L	1	0.21	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9438	50	98%		
J071313ALCS	J071313ALCS	ORG	10061-02-6	trans-1,3-Dichloropropene	53		ug/L	1	0.31	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9438	50	106%		
J071313ALCS	J071313ALCS	ORG	127-18-4	Tetrachloroethene	44		ug/L	1	0.49	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9438	50	88%		
J071313ALCS	J071313ALCS	ORG	79-00-5	1,1,2-Trichloroethane	50		ug/L	1	0.34	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9438	50	100%		
J071313ALCS	J071313ALCS	ORG	124-48-1	Dibromochloromethane	55		ug/L	5	0.69	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9438	50	110%		
J071313ALCS	J071313ALCS	ORG	106-93-4	1,2-Dibromoethane	55		ug/L	2	0.30	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9438	50	110%		
J071313ALCS	J071313ALCS	ORG	591-78-6	2-Hexanone	52		ug/L	2	0.26	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9438	50	104%		
J071313ALCS	J071313ALCS	ORG	100-41-4	Ethylbenzene	48		ug/L	1	0.25	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9438	50	96%		
J071313ALCS	J071313ALCS	ORG	108-90-7	Chlorobenzene	49		ug/L	1	0.28	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9438	50	98%		
J071313ALCS	J071313ALCS	ORG	630-20-6	1,1,1,2-Tetrachloroethane	50		ug/L	2	0.19	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9438	50	100%		
J071313ALCS	J071313ALCS	ORG	XYLMP	p&m-Xylene	96		ug/L	2	0.26	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9438	100	96%		
J071313ALCS	J071313ALCS	ORG	95-47-6	o-Xylene	48		ug/L	1	0.13	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9438	50	96%		
J071313ALCS	J071313ALCS	ORG	100-42-5	Styrene	46		ug/L	1	0.20	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9438	50	92%		
J071313ALCS	J071313ALCS	ORG	75-25-2	Bromoform	54		ug/L	2	0.47	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9438	50	108%		
J071313ALCS	J071313ALCS	ORG	98-82-8	Isopropylbenzene	47		ug/L	2	0.20	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9438	50	94%		
J071313ALCS	J071313ALCS	ORG	103-65-1	n-Propylbenzene	47		ug/L	2	0.27	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9438	50	94%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J071313ALCS	J071313ALCS	ORG	79-34-5	1,1,2,2-Tetrachloroethane	52		ug/L	2	0.29	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9438	50	104%		
J071313ALCS	J071313ALCS	ORG	96-18-4	1,2,3-Trichloropropane	51		ug/L	2	0.29	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9438	50	102%		
J071313ALCS	J071313ALCS	ORG	108-67-8	1,3,5-Trimethylbenzene	48		ug/L	2	0.20	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9438	50	96%		
J071313ALCS	J071313ALCS	ORG	98-06-6	tert-Butylbenzene	48		ug/L	2	0.33	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9438	50	96%		
J071313ALCS	J071313ALCS	ORG	95-63-6	1,2,4-Trimethylbenzene	47		ug/L	2	0.20	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9438	50	94%		
J071313ALCS	J071313ALCS	ORG	135-98-8	sec-Butylbenzene	48		ug/L	2	0.32	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9438	50	96%		
J071313ALCS	J071313ALCS	ORG	541-73-1	1,3-Dichlorobenzene	51		ug/L	2	0.22	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9438	50	102%		
J071313ALCS	J071313ALCS	ORG	99-87-6	p-Isopropltoluene	49		ug/L	2	0.25	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9438	50	98%		
J071313ALCS	J071313ALCS	ORG	106-46-7	1,4-Dichlorobenzene	50		ug/L	2	0.33	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9438	50	100%		
J071313ALCS	J071313ALCS	ORG	95-50-1	1,2-Dichlorobenzene	51		ug/L	2	0.26	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9438	50	102%		
J071313ALCS	J071313ALCS	ORG	104-51-8	n-Butylbenzene	48		ug/L	5	0.28	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9438	50	96%		
J071313ALCS	J071313ALCS	ORG	96-12-8	1,2-Dibromo-3-chloropropane	53		ug/L	5	1.59	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9438	50	106%		
J071313ALCS	J071313ALCS	ORG	87-68-3	Hexachlorobutadiene	52		ug/L	5	0.65	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9438	50	104%		
J071313ALCS	J071313ALCS	ORG	120-82-1	1,2,4-Trichlorobenzene	53		ug/L	5	0.28	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9438	50	106%		
J071313ALCS	J071313ALCS	ORG	91-20-3	Naphthalene	52		ug/L	5	0.56	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9438	50	104%		
J071313ALCS	J071313ALCS	ORG	87-61-6	1,2,3-Trichlorobenzene	53		ug/L	5	0.23	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9438	50	106%		
J071313ALCS	J071313ALCS	STD	1868-53-7	Dibromofluoromethane	51		ng			NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9438	50	102%		
J071313ALCS	J071313ALCS	STD	17060-07-0	1,2-Dichloroethane d4	53		ng			NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9438	50	106%		
J071313ALCS	J071313ALCS	STD	2037-26-5	Toluene d8	47		ng			NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9438	50	94%		
J071313ALCS	J071313ALCS	STD	460-00-4	Bromofluorobenzene	46		ng			NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9438	50	92%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J071313ALCD	J071313ALCD	ORG	75-71-8	Dichlorodifluoromethane	42		ug/L	5	0.29	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9439	50	84%	7%	
J071313ALCD	J071313ALCD	ORG	74-87-3	Chloromethane	41		ug/L	5	0.43	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9439	50	82%	18%	
J071313ALCD	J071313ALCD	ORG	75-01-4	Vinyl chloride	49		ug/L	2	0.32	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9439	50	98%	8%	
J071313ALCD	J071313ALCD	ORG	74-83-9	Bromomethane	49		ug/L	5	0.50	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9439	50	98%	6%	
J071313ALCD	J071313ALCD	ORG	75-00-3	Chloroethane	53		ug/L	5	0.56	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9439	50	106%	7%	
J071313ALCD	J071313ALCD	ORG	75-69-4	Trichlorofluoromethane	27		ug/L	5	0.20	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9439	50	54%	54%	
J071313ALCD	J071313ALCD	ORG	75-35-4	1,1-Dichloroethene	41		ug/L	1	0.47	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9439	50	82%	7%	
J071313ALCD	J071313ALCD	ORG	75-09-2	Methylene chloride	45		ug/L	5	0.26	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9439	50	90%	4%	
J071313ALCD	J071313ALCD	ORG	67-64-1	Acetone	45		ug/L	10	1.56	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9439	50	90%	20%	
J071313ALCD	J071313ALCD	ORG	156-60-5	trans-1,2-Dichloroethene	43		ug/L	1	0.56	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9439	50	86%	9%	
J071313ALCD	J071313ALCD	ORG	1634-04-4	MTBE	40		ug/L	5	0.61	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9439	50	80%	10%	
J071313ALCD	J071313ALCD	ORG	75-34-3	1,1-Dichloroethane	51		ug/L	1	0.53	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9439	50	102%	9%	
J071313ALCD	J071313ALCD	ORG	156-59-2	cis-1,2-Dichloroethene	50		ug/L	1	0.32	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9439	50	100%	8%	
J071313ALCD	J071313ALCD	ORG	74-97-5	Bromochloromethane	52		ug/L	10	0.81	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9439	50	104%	9%	
J071313ALCD	J071313ALCD	ORG	67-66-3	Chloroform	50		ug/L	2	0.41	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9439	50	100%	4%	
J071313ALCD	J071313ALCD	ORG	71-55-6	1,1,1-Trichloroethane	48		ug/L	1	0.16	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9439	50	96%	10%	
J071313ALCD	J071313ALCD	ORG	78-93-3	2-Butanone	50		ug/L	1	0.17	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9439	50	100%	8%	
J071313ALCD	J071313ALCD	ORG	56-23-5	Carbon tetrachloride	50		ug/L	1	0.28	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9439	50	100%	6%	
J071313ALCD	J071313ALCD	ORG	71-43-2	Benzene	46		ug/L	1	0.14	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9439	50	92%	6%	
J071313ALCD	J071313ALCD	ORG	107-06-2	1,2-Dichloroethane	48		ug/L	1	0.20	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9439	50	96%	8%	
J071313ALCD	J071313ALCD	ORG	79-01-6	Trichloroethene	50		ug/L	1	0.36	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9439	50	100%	4%	
J071313ALCD	J071313ALCD	ORG	74-95-3	Dibromomethane	50		ug/L	2	0.32	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9439	50	100%	6%	
J071313ALCD	J071313ALCD	ORG	78-87-5	1,2-Dichloropropane	44		ug/L	1	0.18	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9439	50	88%	4%	
J071313ALCD	J071313ALCD	ORG	75-27-4	Bromodichloromethane	50		ug/L	2	0.12	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9439	50	100%	2%	
J071313ALCD	J071313ALCD	ORG	10061-01-5	cis-1,3-Dichloropropene	47		ug/L	1	0.25	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9439	50	94%	6%	
J071313ALCD	J071313ALCD	ORG	108-88-3	Toluene	47		ug/L	5	0.74	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9439	50	94%	2%	
J071313ALCD	J071313ALCD	ORG	108-10-1	4-Methyl-2-pentanone	45		ug/L	1	0.21	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9439	50	90%	9%	
J071313ALCD	J071313ALCD	ORG	10061-02-6	trans-1,3-Dichloropropene	49		ug/L	1	0.31	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9439	50	98%	8%	
J071313ALCD	J071313ALCD	ORG	127-18-4	Tetrachloroethene	44		ug/L	1	0.49	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9439	50	88%	0%	
J071313ALCD	J071313ALCD	ORG	79-00-5	1,1,2-Trichloroethane	49		ug/L	1	0.34	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9439	50	98%	2%	
J071313ALCD	J071313ALCD	ORG	124-48-1	Dibromochloromethane	53		ug/L	5	0.69	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9439	50	106%	4%	
J071313ALCD	J071313ALCD	ORG	106-93-4	1,2-Dibromoethane	52		ug/L	2	0.30	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9439	50	104%	6%	
J071313ALCD	J071313ALCD	ORG	591-78-6	2-Hexanone	48		ug/L	2	0.26	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9439	50	96%	8%	
J071313ALCD	J071313ALCD	ORG	100-41-4	Ethylbenzene	49		ug/L	1	0.25	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9439	50	98%	2%	
J071313ALCD	J071313ALCD	ORG	108-90-7	Chlorobenzene	50		ug/L	1	0.28	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9439	50	100%	2%	
J071313ALCD	J071313ALCD	ORG	630-20-6	1,1,1,2-Tetrachloroethane	49		ug/L	2	0.19	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9439	50	98%	2%	
J071313ALCD	J071313ALCD	ORG	XYLMP	p&m-Xylene	98		ug/L	2	0.26	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9439	100	98%	2%	
J071313ALCD	J071313ALCD	ORG	95-47-6	o-Xylene	49		ug/L	1	0.13	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9439	50	98%	2%	
J071313ALCD	J071313ALCD	ORG	100-42-5	Styrene	46		ug/L	1	0.20	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9439	50	92%	0%	
J071313ALCD	J071313ALCD	ORG	75-25-2	Bromoform	55		ug/L	2	0.47	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9439	50	110%	2%	
J071313ALCD	J071313ALCD	ORG	98-82-8	Isopropylbenzene	49		ug/L	2	0.20	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9439	50	98%	4%	
J071313ALCD	J071313ALCD	ORG	103-65-1	n-Propylbenzene	49		ug/L	2	0.27	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9439	50	98%	4%	

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J071313ALCD	J071313ALCD	ORG	79-34-5	1,1,2,2-Tetrachloroethane	53		ug/L	2	0.29	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9439	50	106%	2%	
J071313ALCD	J071313ALCD	ORG	96-18-4	1,2,3-Trichloropropane	52		ug/L	2	0.29	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9439	50	104%	2%	
J071313ALCD	J071313ALCD	ORG	108-67-8	1,3,5-Trimethylbenzene	49		ug/L	2	0.20	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9439	50	98%	2%	
J071313ALCD	J071313ALCD	ORG	98-06-6	tert-Butylbenzene	51		ug/L	2	0.33	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9439	50	102%	6%	
J071313ALCD	J071313ALCD	ORG	95-63-6	1,2,4-Trimethylbenzene	49		ug/L	2	0.20	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9439	50	98%	4%	
J071313ALCD	J071313ALCD	ORG	135-98-8	sec-Butylbenzene	49		ug/L	2	0.32	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9439	50	98%	2%	
J071313ALCD	J071313ALCD	ORG	541-73-1	1,3-Dichlorobenzene	52		ug/L	2	0.22	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9439	50	104%	2%	
J071313ALCD	J071313ALCD	ORG	99-87-6	p-Isopropltoluene	52		ug/L	2	0.25	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9439	50	104%	6%	
J071313ALCD	J071313ALCD	ORG	106-46-7	1,4-Dichlorobenzene	50		ug/L	2	0.33	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9439	50	100%	0%	
J071313ALCD	J071313ALCD	ORG	95-50-1	1,2-Dichlorobenzene	49		ug/L	2	0.26	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9439	50	98%	4%	
J071313ALCD	J071313ALCD	ORG	104-51-8	n-Butylbenzene	49		ug/L	5	0.28	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9439	50	98%	2%	
J071313ALCD	J071313ALCD	ORG	96-12-8	1,2-Dibromo-3-chloropropane	61		ug/L	5	1.59	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9439	50	122%	14%	
J071313ALCD	J071313ALCD	ORG	87-68-3	Hexachlorobutadiene	51		ug/L	5	0.65	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9439	50	102%	2%	
J071313ALCD	J071313ALCD	ORG	120-82-1	1,2,4-Trichlorobenzene	53		ug/L	5	0.28	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9439	50	106%	0%	
J071313ALCD	J071313ALCD	ORG	91-20-3	Naphthalene	56		ug/L	5	0.56	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9439	50	112%	7%	
J071313ALCD	J071313ALCD	ORG	87-61-6	1,2,3-Trichlorobenzene	53		ug/L	5	0.23	NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9439	50	106%	0%	
J071313ALCD	J071313ALCD	STD	1868-53-7	Dibromofluoromethane	51		ng			NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9439	50	102%	0%	
J071313ALCD	J071313ALCD	STD	17060-07-0	1,2-Dichloroethane d4	46		ng			NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9439	50	92%	14%	
J071313ALCD	J071313ALCD	STD	2037-26-5	Toluene d8	49		ng			NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9439	50	98%	4%	
J071313ALCD	J071313ALCD	STD	460-00-4	Bromofluorobenzene	49		ng			NA	7/13/2013	7/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9439	50	98%	6%	

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-479MS	316-015	ORG	75-71-8	Dichlorodifluoromethane	3900		ug/L	500	29.28	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9440	5000	78%		
NAL13026-479MS	316-015	ORG	74-87-3	Chloromethane	3800		ug/L	500	43.07	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9440	5000	76%		
NAL13026-479MS	316-015	ORG	75-01-4	Vinyl chloride	4600		ug/L	200	31.86	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9440	5000	92%		
NAL13026-479MS	316-015	ORG	74-83-9	Bromomethane	4900		ug/L	500	50.04	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9440	5000	98%		
NAL13026-479MS	316-015	ORG	75-00-3	Chloroethane	5100		ug/L	500	55.61	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9440	5000	102%		
NAL13026-479MS	316-015	ORG	75-69-4	Trichlorofluoromethane	3900		ug/L	500	19.65	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9440	5000	78%		
NAL13026-479MS	316-015	ORG	75-35-4	1,1-Dichloroethene	4300		ug/L	100	47.11	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9440	5000	86%		
NAL13026-479MS	316-015	ORG	75-09-2	Methylene chloride	4700		ug/L	500	26.46	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9440	5000	94%		
NAL13026-479MS	316-015	ORG	67-64-1	Acetone	50000		ug/L	1000	155.61	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9440	5000	200%		40000
NAL13026-479MS	316-015	ORG	156-60-5	trans-1,2-Dichloroethene	4600		ug/L	100	55.61	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9440	5000	92%		
NAL13026-479MS	316-015	ORG	1634-04-4	MTBE	4800		ug/L	500	61.18	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9440	5000	96%		
NAL13026-479MS	316-015	ORG	75-34-3	1,1-Dichloroethane	5400		ug/L	100	52.66	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9440	5000	108%		
NAL13026-479MS	316-015	ORG	156-59-2	cis-1,2-Dichloroethene	5200		ug/L	100	32.11	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9440	5000	104%		
NAL13026-479MS	316-015	ORG	74-97-5	Bromochloromethane	5600		ug/L	1000	81.18	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9440	5000	112%		
NAL13026-479MS	316-015	ORG	67-66-3	Chloroform	5100		ug/L	200	41.37	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9440	5000	102%		23
NAL13026-479MS	316-015	ORG	71-55-6	1,1,1-Trichloroethane	5100		ug/L	100	15.73	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9440	5000	102%		
NAL13026-479MS	316-015	ORG	78-93-3	2-Butanone	27000		ug/L	100	16.65	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9440	5000	20%		26000
NAL13026-479MS	316-015	ORG	56-23-5	Carbon tetrachloride	5100		ug/L	100	27.64	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9440	5000	102%		
NAL13026-479MS	316-015	ORG	71-43-2	Benzene	4900		ug/L	100	13.53	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9440	5000	97%		54
NAL13026-479MS	316-015	ORG	107-06-2	1,2-Dichloroethane	5400		ug/L	100	20.01	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9440	5000	108%		
NAL13026-479MS	316-015	ORG	79-01-6	Trichloroethene	5200		ug/L	100	36.33	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9440	5000	104%		
NAL13026-479MS	316-015	ORG	74-95-3	Dibromomethane	5500		ug/L	200	32.20	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9440	5000	110%		
NAL13026-479MS	316-015	ORG	78-87-5	1,2-Dichloropropane	4800		ug/L	100	18.17	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9440	5000	96%		
NAL13026-479MS	316-015	ORG	75-27-4	Bromodichloromethane	5200		ug/L	200	11.58	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9440	5000	104%		
NAL13026-479MS	316-015	ORG	10061-01-5	cis-1,3-Dichloropropene	5000		ug/L	100	25.01	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9440	5000	100%		
NAL13026-479MS	316-015	ORG	108-88-3	Toluene	4900		ug/L	500	20.96	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9440	5000	98%		
NAL13026-479MS	316-015	ORG	108-10-1	4-Methyl-2-pentanone	5600		ug/L	100	74.00	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9440	5000	98%		700
NAL13026-479MS	316-015	ORG	10061-02-6	trans-1,3-Dichloropropene	5300		ug/L	100	31.15	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9440	5000	106%		
NAL13026-479MS	316-015	ORG	127-18-4	Tetrachloroethene	4200		ug/L	100	48.56	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9440	5000	84%		
NAL13026-479MS	316-015	ORG	79-00-5	1,1,2-Trichloroethane	5400		ug/L	100	34.28	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9440	5000	108%		
NAL13026-479MS	316-015	ORG	124-48-1	Dibromochloromethane	5700		ug/L	500	68.90	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9440	5000	114%		
NAL13026-479MS	316-015	ORG	106-93-4	1,2-Dibromoethane	5600		ug/L	200	29.90	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9440	5000	112%		
NAL13026-479MS	316-015	ORG	591-78-6	2-Hexanone	5000		ug/L	200	26.49	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9440	5000	100%		
NAL13026-479MS	316-015	ORG	100-41-4	Ethylbenzene	5000		ug/L	100	25.38	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9440	5000	99%		48
NAL13026-479MS	316-015	ORG	108-90-7	Chlorobenzene	5200		ug/L	100	27.52	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9440	5000	104%		
NAL13026-479MS	316-015	ORG	630-20-6	1,1,1,2-Tetrachloroethane	5200		ug/L	200	19.28	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9440	5000	104%		
NAL13026-479MS	316-015	ORG	XYLMP	p&m-Xylene	10000		ug/L	200	26.14	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9440	10000	99%		110
NAL13026-479MS	316-015	ORG	95-47-6	o-Xylene	5200		ug/L	100	12.90	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9440	5000	103%		57
NAL13026-479MS	316-015	ORG	100-42-5	Styrene	4900		ug/L	100	20.23	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9440	5000	97%		55
NAL13026-479MS	316-015	ORG	75-25-2	Bromoform	6000		ug/L	200	46.83	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9440	5000	120%		
NAL13026-479MS	316-015	ORG	98-82-8	Isopropylbenzene	5100		ug/L	200	20.48	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9440	5000	101%		49
NAL13026-479MS	316-015	ORG	103-65-1	n-Propylbenzene	5200		ug/L	200	27.00	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9440	5000	103%		52

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-479MS	316-015	ORG	79-34-5	1,1,2,2-Tetrachloroethane	5900		ug/L	200	29.16	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9440	5000	118%		
NAL13026-479MS	316-015	ORG	96-18-4	1,2,3-Trichloropropane	5800		ug/L	200	29.47	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9440	5000	115%		70
NAL13026-479MS	316-015	ORG	108-67-8	1,3,5-Trimethylbenzene	5100		ug/L	200	20.03	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9440	5000	101%		66
NAL13026-479MS	316-015	ORG	98-06-6	tert-Butylbenzene	5300		ug/L	200	32.61	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9440	5000	106%		
NAL13026-479MS	316-015	ORG	95-63-6	1,2,4-Trimethylbenzene	5200		ug/L	200	20.03	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9440	5000	101%		130
NAL13026-479MS	316-015	ORG	135-98-8	sec-Butylbenzene	5100		ug/L	200	32.34	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9440	5000	101%		59
NAL13026-479MS	316-015	ORG	541-73-1	1,3-Dichlorobenzene	5300		ug/L	200	22.21	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9440	5000	106%		
NAL13026-479MS	316-015	ORG	99-87-6	p-Isopropltoluene	5600		ug/L	200	25.48	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9440	5000	104%		400
NAL13026-479MS	316-015	ORG	106-46-7	1,4-Dichlorobenzene	5500		ug/L	200	33.03	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9440	5000	105%		260
NAL13026-479MS	316-015	ORG	95-50-1	1,2-Dichlorobenzene	5400		ug/L	200	26.38	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9440	5000	107%		74
NAL13026-479MS	316-015	ORG	104-51-8	n-Butylbenzene	5100		ug/L	500	27.81	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9440	5000	100%		89
NAL13026-479MS	316-015	ORG	96-12-8	1,2-Dibromo-3-chloropropane	6400		ug/L	500	159.11	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9440	5000	128%		
NAL13026-479MS	316-015	ORG	87-68-3	Hexachlorobutadiene	5100		ug/L	500	65.42	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9440	5000	102%		
NAL13026-479MS	316-015	ORG	120-82-1	1,2,4-Trichlorobenzene	5400		ug/L	500	27.63	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9440	5000	105%		150
NAL13026-479MS	316-015	ORG	91-20-3	Naphthalene	6300		ug/L	500	56.04	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9440	5000	113%		630
NAL13026-479MS	316-015	ORG	87-61-6	1,2,3-Trichlorobenzene	5500		ug/L	500	23.28	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9440	5000	110%		
NAL13026-479MS	316-015	STD	1868-53-7	Dibromofluoromethane	52		ng			7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9440	50	104%		
NAL13026-479MS	316-015	STD	17060-07-0	1,2-Dichloroethane d4	49		ng			7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9440	50	98%		
NAL13026-479MS	316-015	STD	2037-26-5	Toluene d8	48		ng			7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9440	50	96%		
NAL13026-479MS	316-015	STD	460-00-4	Bromofluorobenzene	50		ng			7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9440	50	100%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-479MSD	316-015	ORG	75-71-8	Dichlorodifluoromethane	3900		ug/L	500	29.28	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9441	5000	78%	0%	0
NAL13026-479MSD	316-015	ORG	74-87-3	Chloromethane	3600		ug/L	500	43.07	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9441	5000	72%	5%	0
NAL13026-479MSD	316-015	ORG	75-01-4	Vinyl chloride	4500		ug/L	200	31.86	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9441	5000	90%	2%	0
NAL13026-479MSD	316-015	ORG	74-83-9	Bromomethane	4700		ug/L	500	50.04	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9441	5000	94%	4%	0
NAL13026-479MSD	316-015	ORG	75-00-3	Chloroethane	4900		ug/L	500	55.61	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9441	5000	98%	4%	0
NAL13026-479MSD	316-015	ORG	75-69-4	Trichlorofluoromethane	3100		ug/L	500	19.65	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9441	5000	62%	23%	0
NAL13026-479MSD	316-015	ORG	75-35-4	1,1-Dichloroethene	4100		ug/L	100	47.11	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9441	5000	82%	5%	0
NAL13026-479MSD	316-015	ORG	75-09-2	Methylene chloride	4400		ug/L	500	26.46	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9441	5000	88%	7%	0
NAL13026-479MSD	316-015	ORG	67-64-1	Acetone	51000		ug/L	1000	155.61	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9441	5000	220%	2%	40000
NAL13026-479MSD	316-015	ORG	156-60-5	trans-1,2-Dichloroethene	4500		ug/L	100	55.61	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9441	5000	90%	2%	0
NAL13026-479MSD	316-015	ORG	1634-04-4	MTBE	4600		ug/L	500	61.18	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9441	5000	92%	4%	0
NAL13026-479MSD	316-015	ORG	75-34-3	1,1-Dichloroethane	5100		ug/L	100	52.66	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9441	5000	102%	6%	0
NAL13026-479MSD	316-015	ORG	156-59-2	cis-1,2-Dichloroethene	5200		ug/L	100	32.11	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9441	5000	104%	0%	0
NAL13026-479MSD	316-015	ORG	74-97-5	Bromochloromethane	5300		ug/L	1000	81.18	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9441	5000	106%	6%	0
NAL13026-479MSD	316-015	ORG	67-66-3	Chloroform	4900		ug/L	200	41.37	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9441	5000	98%	4%	23
NAL13026-479MSD	316-015	ORG	71-55-6	1,1,1-Trichloroethane	5000		ug/L	100	15.73	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9441	5000	100%	2%	0
NAL13026-479MSD	316-015	ORG	78-93-3	2-Butanone	28000		ug/L	100	16.65	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9441	5000	40%	4%	26000
NAL13026-479MSD	316-015	ORG	56-23-5	Carbon tetrachloride	5100		ug/L	100	27.64	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9441	5000	102%	0%	0
NAL13026-479MSD	316-015	ORG	71-43-2	Benzene	4700		ug/L	100	13.53	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9441	5000	93%	4%	54
NAL13026-479MSD	316-015	ORG	107-06-2	1,2-Dichloroethane	5100		ug/L	100	20.01	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9441	5000	102%	6%	0
NAL13026-479MSD	316-015	ORG	79-01-6	Trichloroethene	5100		ug/L	100	36.33	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9441	5000	102%	2%	0
NAL13026-479MSD	316-015	ORG	74-95-3	Dibromomethane	5300		ug/L	200	32.20	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9441	5000	106%	4%	0
NAL13026-479MSD	316-015	ORG	78-87-5	1,2-Dichloropropane	4500		ug/L	100	18.17	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9441	5000	90%	6%	0
NAL13026-479MSD	316-015	ORG	75-27-4	Bromodichloromethane	5100		ug/L	200	11.58	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9441	5000	102%	2%	0
NAL13026-479MSD	316-015	ORG	10061-01-5	cis-1,3-Dichloropropene	4900		ug/L	100	25.01	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9441	5000	98%	2%	0
NAL13026-479MSD	316-015	ORG	108-88-3	Toluene	4800		ug/L	500	20.96	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9441	5000	96%	2%	0
NAL13026-479MSD	316-015	ORG	108-10-1	4-Methyl-2-pentanone	5600		ug/L	100	74.00	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9441	5000	98%	0%	700
NAL13026-479MSD	316-015	ORG	10061-02-6	trans-1,3-Dichloropropene	5300		ug/L	100	31.15	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9441	5000	106%	0%	0
NAL13026-479MSD	316-015	ORG	127-18-4	Tetrachloroethene	4200		ug/L	100	48.56	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9441	5000	84%	0%	0
NAL13026-479MSD	316-015	ORG	79-00-5	1,1,2-Trichloroethane	5300		ug/L	100	34.28	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9441	5000	106%	2%	0
NAL13026-479MSD	316-015	ORG	124-48-1	Dibromochloromethane	5600		ug/L	500	68.90	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9441	5000	112%	2%	0
NAL13026-479MSD	316-015	ORG	106-93-4	1,2-Dibromoethane	5600		ug/L	200	29.90	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9441	5000	112%	0%	0
NAL13026-479MSD	316-015	ORG	591-78-6	2-Hexanone	5000		ug/L	200	26.49	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9441	5000	100%	0%	0
NAL13026-479MSD	316-015	ORG	100-41-4	Ethylbenzene	5000		ug/L	100	25.38	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9441	5000	99%	0%	48
NAL13026-479MSD	316-015	ORG	108-90-7	Chlorobenzene	5200		ug/L	100	27.52	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9441	5000	104%	0%	0
NAL13026-479MSD	316-015	ORG	630-20-6	1,1,1,2-Tetrachloroethane	5000		ug/L	200	19.28	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9441	5000	100%	4%	0
NAL13026-479MSD	316-015	ORG	XYLMP	p&m-Xylene	9900		ug/L	200	26.14	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9441	10000	98%	1%	110
NAL13026-479MSD	316-015	ORG	95-47-6	o-Xylene	4800		ug/L	100	12.90	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9441	5000	95%	8%	57
NAL13026-479MSD	316-015	ORG	100-42-5	Styrene	4900		ug/L	100	20.23	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9441	5000	97%	0%	55
NAL13026-479MSD	316-015	ORG	75-25-2	Bromoform	5800		ug/L	200	46.83	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9441	5000	116%	3%	0
NAL13026-479MSD	316-015	ORG	98-82-8	Isopropylbenzene	5100		ug/L	200	20.48	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9441	5000	101%	0%	49
NAL13026-479MSD	316-015	ORG	103-65-1	n-Propylbenzene	5100		ug/L	200	27.00	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9441	5000	101%	2%	52

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-479MSD	316-015	ORG	79-34-5	1,1,2,2-Tetrachloroethane	6000		ug/L	200	29.16	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9441	5000	120%	2%	0
NAL13026-479MSD	316-015	ORG	96-18-4	1,2,3-Trichloropropane	5800		ug/L	200	29.47	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9441	5000	115%	0%	70
NAL13026-479MSD	316-015	ORG	108-67-8	1,3,5-Trimethylbenzene	5100		ug/L	200	20.03	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9441	5000	101%	0%	66
NAL13026-479MSD	316-015	ORG	98-06-6	tert-Butylbenzene	5200		ug/L	200	32.61	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9441	5000	104%	2%	0
NAL13026-479MSD	316-015	ORG	95-63-6	1,2,4-Trimethylbenzene	5100		ug/L	200	20.03	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9441	5000	99%	2%	130
NAL13026-479MSD	316-015	ORG	135-98-8	sec-Butylbenzene	5000		ug/L	200	32.34	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9441	5000	99%	2%	59
NAL13026-479MSD	316-015	ORG	541-73-1	1,3-Dichlorobenzene	5200		ug/L	200	22.21	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9441	5000	104%	2%	0
NAL13026-479MSD	316-015	ORG	99-87-6	p-Isopropltoluene	5500		ug/L	200	25.48	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9441	5000	102%	2%	400
NAL13026-479MSD	316-015	ORG	106-46-7	1,4-Dichlorobenzene	5200		ug/L	200	33.03	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9441	5000	99%	6%	260
NAL13026-479MSD	316-015	ORG	95-50-1	1,2-Dichlorobenzene	5200		ug/L	200	26.38	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9441	5000	103%	4%	74
NAL13026-479MSD	316-015	ORG	104-51-8	n-Butylbenzene	4900		ug/L	500	27.81	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9441	5000	96%	4%	89
NAL13026-479MSD	316-015	ORG	96-12-8	1,2-Dibromo-3-chloropropane	6700		ug/L	500	159.11	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9441	5000	134%	5%	0
NAL13026-479MSD	316-015	ORG	87-68-3	Hexachlorobutadiene	4800		ug/L	500	65.42	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9441	5000	96%	6%	0
NAL13026-479MSD	316-015	ORG	120-82-1	1,2,4-Trichlorobenzene	5200		ug/L	500	27.63	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9441	5000	101%	4%	150
NAL13026-479MSD	316-015	ORG	91-20-3	Naphthalene	6500		ug/L	500	56.04	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9441	5000	117%	3%	630
NAL13026-479MSD	316-015	ORG	87-61-6	1,2,3-Trichlorobenzene	5500		ug/L	500	23.28	7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9441	5000	110%	0%	0
NAL13026-479MSD	316-015	STD	1868-53-7	Dibromofluoromethane	51		ng			7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9441	50	102%	2%	0
NAL13026-479MSD	316-015	STD	17060-07-0	1,2-Dichloroethane d4	56		ng			7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9441	50	112%	13%	0
NAL13026-479MSD	316-015	STD	2037-26-5	Toluene d8	50		ng			7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9441	50	100%	4%	0
NAL13026-479MSD	316-015	STD	460-00-4	Bromofluorobenzene	51		ng			7/13/2013	7/13/2013	7/13/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9441	50	102%	2%	0

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-484	316-015R	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9456				
NAL13026-484	316-015R	ORG	74-87-3	Chloromethane		UX-	ug/L	500	43.07	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9456				
NAL13026-484	316-015R	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9456				
NAL13026-484	316-015R	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9456				
NAL13026-484	316-015R	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9456				
NAL13026-484	316-015R	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9456				
NAL13026-484	316-015R	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9456				
NAL13026-484	316-015R	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9456				
NAL13026-484	316-015R	ORG	67-64-1	Acetone	54000	D	ug/L	10000	1556.07	7/14/2013	7/14/2013	7/14/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9457				
NAL13026-484	316-015R	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9456				
NAL13026-484	316-015R	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9456				
NAL13026-484	316-015R	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9456				
NAL13026-484	316-015R	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9456				
NAL13026-484	316-015R	ORG	74-97-5	Bromochloromethane		U	ug/L	200	41.37	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9456				
NAL13026-484	316-015R	ORG	67-66-3	Chloroform		U	ug/L	100	15.73	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9456				
NAL13026-484	316-015R	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	16.65	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9456				
NAL13026-484	316-015R	ORG	78-93-3	2-Butanone	26000	D	ug/L	10000	811.80	7/14/2013	7/14/2013	7/14/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9457				
NAL13026-484	316-015R	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9456				
NAL13026-484	316-015R	ORG	71-43-2	Benzene		U	ug/L	100	13.53	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9456				
NAL13026-484	316-015R	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9456				
NAL13026-484	316-015R	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9456				
NAL13026-484	316-015R	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9456				
NAL13026-484	316-015R	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9456				
NAL13026-484	316-015R	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9456				
NAL13026-484	316-015R	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9456				
NAL13026-484	316-015R	ORG	108-88-3	Toluene		U	ug/L	100	20.96	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9456				
NAL13026-484	316-015R	ORG	108-10-1	4-Methyl-2-pentanone	380	J	ug/L	500	74.00	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9456				
NAL13026-484	316-015R	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9456				
NAL13026-484	316-015R	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9456				
NAL13026-484	316-015R	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9456				
NAL13026-484	316-015R	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	29.90	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9456				
NAL13026-484	316-015R	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	26.49	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9456				
NAL13026-484	316-015R	ORG	591-78-6	2-Hexanone		U	ug/L	500	68.90	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9456				
NAL13026-484	316-015R	ORG	100-41-4	Ethylbenzene		U	ug/L	100	25.38	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9456				
NAL13026-484	316-015R	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9456				
NAL13026-484	316-015R	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9456				
NAL13026-484	316-015R	ORG	XYLMP	p&m-Xylene		U	ug/L	200	26.14	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9456				
NAL13026-484	316-015R	ORG	95-47-6	o-Xylene		U	ug/L	100	12.90	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9456				
NAL13026-484	316-015R	ORG	100-42-5	Styrene	50	J	ug/L	100	20.23	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9456				
NAL13026-484	316-015R	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9456				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-484	316-015R	ORG	98-82-8	Isopropylbenzene		U	ug/L	200	20.48	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9456				
NAL13026-484	316-015R	ORG	103-65-1	n-Propylbenzene		U	ug/L	200	27.00	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9456				
NAL13026-484	316-015R	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9456				
NAL13026-484	316-015R	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9456				
NAL13026-484	316-015R	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	200	20.03	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9456				
NAL13026-484	316-015R	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9456				
NAL13026-484	316-015R	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	200	20.03	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9456				
NAL13026-484	316-015R	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9456				
NAL13026-484	316-015R	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9456				
NAL13026-484	316-015R	ORG	99-87-6	p-Isopropltoluene		U	ug/L	200	25.48	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9456				
NAL13026-484	316-015R	ORG	106-46-7	1,4-Dichlorobenzene		U	ug/L	200	33.03	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9456				
NAL13026-484	316-015R	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9456				
NAL13026-484	316-015R	ORG	104-51-8	n-Butylbenzene		U	ug/L	500	27.81	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9456				
NAL13026-484	316-015R	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9456				
NAL13026-484	316-015R	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9456				
NAL13026-484	316-015R	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9456				
NAL13026-484	316-015R	ORG	91-20-3	Naphthalene	300	J	ug/L	500	56.04	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9456				
NAL13026-484	316-015R	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9456				
NAL13026-484	316-015R	STD	1868-53-7	Dibromofluoromethane	50		ng			7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9456	50	100%		
NAL13026-484	316-015R	STD	17060-07-0	1,2-Dichloroethane d4	49		ng			7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9456	50	98%		
NAL13026-484	316-015R	STD	2037-26-5	Toluene d8	47		ng			7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9456	50	94%		
NAL13026-484	316-015R	STD	460-00-4	Bromofluorobenzene	46		ng			7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9456	50	92%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-485	OB-281	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9464				
NAL13026-485	OB-281	ORG	74-87-3	Chloromethane		UX-	ug/L	500	43.07	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9464				
NAL13026-485	OB-281	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9464				
NAL13026-485	OB-281	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9464				
NAL13026-485	OB-281	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9464				
NAL13026-485	OB-281	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9464				
NAL13026-485	OB-281	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9464				
NAL13026-485	OB-281	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9464				
NAL13026-485	OB-281	ORG	67-64-1	Acetone	22000	D	ug/L	10000	1556.07	7/14/2013	7/14/2013	7/14/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9465				
NAL13026-485	OB-281	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9464				
NAL13026-485	OB-281	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9464				
NAL13026-485	OB-281	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9464				
NAL13026-485	OB-281	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9464				
NAL13026-485	OB-281	ORG	74-97-5	Bromochloromethane		U	ug/L	200	81.18	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9464				
NAL13026-485	OB-281	ORG	67-66-3	Chloroform		U	ug/L	100	41.37	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9464				
NAL13026-485	OB-281	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	15.73	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9464				
NAL13026-485	OB-281	ORG	78-93-3	2-Butanone	8900		ug/L	1000	16.65	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9464				
NAL13026-485	OB-281	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9464				
NAL13026-485	OB-281	ORG	71-43-2	Benzene		U	ug/L	100	13.53	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9464				
NAL13026-485	OB-281	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9464				
NAL13026-485	OB-281	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9464				
NAL13026-485	OB-281	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9464				
NAL13026-485	OB-281	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9464				
NAL13026-485	OB-281	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9464				
NAL13026-485	OB-281	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9464				
NAL13026-485	OB-281	ORG	108-88-3	Toluene		U	ug/L	100	74.00	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9464				
NAL13026-485	OB-281	ORG	108-10-1	4-Methyl-2-pentanone	130	J	ug/L	500	20.96	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9464				
NAL13026-485	OB-281	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9464				
NAL13026-485	OB-281	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9464				
NAL13026-485	OB-281	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9464				
NAL13026-485	OB-281	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	68.90	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9464				
NAL13026-485	OB-281	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	29.90	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9464				
NAL13026-485	OB-281	ORG	591-78-6	2-Hexanone		U	ug/L	500	26.49	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9464				
NAL13026-485	OB-281	ORG	100-41-4	Ethylbenzene		U	ug/L	100	25.38	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9464				
NAL13026-485	OB-281	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9464				
NAL13026-485	OB-281	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9464				
NAL13026-485	OB-281	ORG	XYLMP	p&m-Xylene		U	ug/L	200	26.14	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9464				
NAL13026-485	OB-281	ORG	95-47-6	o-Xylene		U	ug/L	100	12.90	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9464				
NAL13026-485	OB-281	ORG	100-42-5	Styrene		U	ug/L	100	20.23	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9464				
NAL13026-485	OB-281	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9464				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-485	OB-281	ORG	98-82-8	Isopropylbenzene		U	ug/L	200	20.48	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9464				
NAL13026-485	OB-281	ORG	103-65-1	n-Propylbenzene		U	ug/L	200	27.00	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9464				
NAL13026-485	OB-281	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9464				
NAL13026-485	OB-281	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9464				
NAL13026-485	OB-281	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	200	20.03	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9464				
NAL13026-485	OB-281	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9464				
NAL13026-485	OB-281	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	200	20.03	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9464				
NAL13026-485	OB-281	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9464				
NAL13026-485	OB-281	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9464				
NAL13026-485	OB-281	ORG	99-87-6	p-Isopropltoluene	310		ug/L	200	25.48	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9464				
NAL13026-485	OB-281	ORG	106-46-7	1,4-Dichlorobenzene	61	J	ug/L	200	33.03	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9464				
NAL13026-485	OB-281	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9464				
NAL13026-485	OB-281	ORG	104-51-8	n-Butylbenzene	31	J	ug/L	500	27.81	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9464				
NAL13026-485	OB-281	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9464				
NAL13026-485	OB-281	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9464				
NAL13026-485	OB-281	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9464				
NAL13026-485	OB-281	ORG	91-20-3	Naphthalene	560		ug/L	500	56.04	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9464				
NAL13026-485	OB-281	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9464				
NAL13026-485	OB-281	STD	1868-53-7	Dibromofluoromethane	50		ng			7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9464	50	100%		
NAL13026-485	OB-281	STD	17060-07-0	1,2-Dichloroethane d4	49		ng			7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9464	50	98%		
NAL13026-485	OB-281	STD	2037-26-5	Toluene d8	48		ng			7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9464	50	96%		
NAL13026-485	OB-281	STD	460-00-4	Bromofluorobenzene	45		ng			7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9464	50	90%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J071413CCVA	J071413CCVA	ORG	75-71-8	Dichlorodifluoromethane	43		ug/L	5	0.29	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9454	50	86%		
J071413CCVA	J071413CCVA	ORG	74-87-3	Chloromethane	35		ug/L	5	0.43	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9454	50	70%		
J071413CCVA	J071413CCVA	ORG	75-01-4	Vinyl chloride	41		ug/L	2	0.32	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9454	50	82%		
J071413CCVA	J071413CCVA	ORG	74-83-9	Bromomethane	64		ug/L	5	0.50	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9454	50	128%		
J071413CCVA	J071413CCVA	ORG	75-00-3	Chloroethane	58		ug/L	5	0.56	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9454	50	116%		
J071413CCVA	J071413CCVA	ORG	75-69-4	Trichlorofluoromethane	48		ug/L	5	0.20	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9454	50	96%		
J071413CCVA	J071413CCVA	ORG	75-35-4	1,1-Dichloroethene	43		ug/L	1	0.47	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9454	50	86%		
J071413CCVA	J071413CCVA	ORG	75-09-2	Methylene chloride	45		ug/L	5	0.26	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9454	50	90%		
J071413CCVA	J071413CCVA	ORG	67-64-1	Acetone	46		ug/L	10	1.56	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9454	50	92%		
J071413CCVA	J071413CCVA	ORG	156-60-5	trans-1,2-Dichloroethene	65		ug/L	1	0.56	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9454	50	130%		
J071413CCVA	J071413CCVA	ORG	1634-04-4	MTBE	59		ug/L	5	0.61	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9454	50	118%		
J071413CCVA	J071413CCVA	ORG	75-34-3	1,1-Dichloroethane	54		ug/L	1	0.53	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9454	50	108%		
J071413CCVA	J071413CCVA	ORG	156-59-2	cis-1,2-Dichloroethene	51		ug/L	1	0.32	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9454	50	102%		
J071413CCVA	J071413CCVA	ORG	74-97-5	Bromochloromethane	54		ug/L	10	0.81	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9454	50	108%		
J071413CCVA	J071413CCVA	ORG	67-66-3	Chloroform	50		ug/L	2	0.41	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9454	50	100%		
J071413CCVA	J071413CCVA	ORG	71-55-6	1,1,1-Trichloroethane	51		ug/L	1	0.16	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9454	50	102%		
J071413CCVA	J071413CCVA	ORG	78-93-3	2-Butanone	44		ug/L	1	0.17	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9454	50	88%		
J071413CCVA	J071413CCVA	ORG	56-23-5	Carbon tetrachloride	52		ug/L	1	0.28	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9454	50	104%		
J071413CCVA	J071413CCVA	ORG	71-43-2	Benzene	47		ug/L	1	0.14	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9454	50	94%		
J071413CCVA	J071413CCVA	ORG	107-06-2	1,2-Dichloroethane	49		ug/L	1	0.20	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9454	50	98%		
J071413CCVA	J071413CCVA	ORG	79-01-6	Trichloroethene	51		ug/L	1	0.36	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9454	50	102%		
J071413CCVA	J071413CCVA	ORG	74-95-3	Dibromomethane	50		ug/L	2	0.32	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9454	50	100%		
J071413CCVA	J071413CCVA	ORG	78-87-5	1,2-Dichloropropane	45		ug/L	1	0.18	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9454	50	90%		
J071413CCVA	J071413CCVA	ORG	75-27-4	Bromodichloromethane	49		ug/L	2	0.12	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9454	50	98%		
J071413CCVA	J071413CCVA	ORG	10061-01-5	cis-1,3-Dichloropropene	48		ug/L	1	0.25	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9454	50	96%		
J071413CCVA	J071413CCVA	ORG	108-88-3	Toluene	45		ug/L	5	0.74	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9454	50	90%		
J071413CCVA	J071413CCVA	ORG	108-10-1	4-Methyl-2-pentanone	47		ug/L	1	0.21	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9454	50	94%		
J071413CCVA	J071413CCVA	ORG	10061-02-6	trans-1,3-Dichloropropene	49		ug/L	1	0.31	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9454	50	98%		
J071413CCVA	J071413CCVA	ORG	127-18-4	Tetrachloroethene	40		ug/L	1	0.49	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9454	50	80%		
J071413CCVA	J071413CCVA	ORG	79-00-5	1,1,2-Trichloroethane	47		ug/L	1	0.34	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9454	50	94%		
J071413CCVA	J071413CCVA	ORG	124-48-1	Dibromochloromethane	53		ug/L	5	0.69	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9454	50	106%		
J071413CCVA	J071413CCVA	ORG	106-93-4	1,2-Dibromoethane	49		ug/L	2	0.30	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9454	50	98%		
J071413CCVA	J071413CCVA	ORG	591-78-6	2-Hexanone	49		ug/L	2	0.26	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9454	50	98%		
J071413CCVA	J071413CCVA	ORG	100-41-4	Ethylbenzene	42		ug/L	1	0.25	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9454	50	84%		
J071413CCVA	J071413CCVA	ORG	108-90-7	Chlorobenzene	43		ug/L	1	0.28	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9454	50	86%		
J071413CCVA	J071413CCVA	ORG	630-20-6	1,1,1,2-Tetrachloroethane	44		ug/L	2	0.19	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9454	50	88%		
J071413CCVA	J071413CCVA	ORG	XYLMP	p&m-Xylene	85		ug/L	2	0.26	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9454	100	85%		
J071413CCVA	J071413CCVA	ORG	95-47-6	o-Xylene	43		ug/L	1	0.13	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9454	50	86%		
J071413CCVA	J071413CCVA	ORG	100-42-5	Styrene	42		ug/L	1	0.20	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9454	50	84%		
J071413CCVA	J071413CCVA	ORG	75-25-2	Bromoform	51		ug/L	2	0.47	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9454	50	102%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J071413CCVA	J071413CCVA	ORG	98-82-8	Isopropylbenzene	44		ug/L	2	0.20	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9454	50	88%		
J071413CCVA	J071413CCVA	ORG	103-65-1	n-Propylbenzene	44		ug/L	2	0.27	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9454	50	88%		
J071413CCVA	J071413CCVA	ORG	79-34-5	1,1,2,2-Tetrachloroethane	48		ug/L	2	0.29	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9454	50	96%		
J071413CCVA	J071413CCVA	ORG	96-18-4	1,2,3-Trichloropropane	46		ug/L	2	0.29	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9454	50	92%		
J071413CCVA	J071413CCVA	ORG	108-67-8	1,3,5-Trimethylbenzene	44		ug/L	2	0.20	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9454	50	88%		
J071413CCVA	J071413CCVA	ORG	98-06-6	tert-Butylbenzene	45		ug/L	2	0.33	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9454	50	90%		
J071413CCVA	J071413CCVA	ORG	95-63-6	1,2,4-Trimethylbenzene	44		ug/L	2	0.20	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9454	50	88%		
J071413CCVA	J071413CCVA	ORG	135-98-8	sec-Butylbenzene	47		ug/L	2	0.32	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9454	50	94%		
J071413CCVA	J071413CCVA	ORG	541-73-1	1,3-Dichlorobenzene	50		ug/L	2	0.22	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9454	50	100%		
J071413CCVA	J071413CCVA	ORG	99-87-6	p-Isopropltoluene	47		ug/L	2	0.25	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9454	50	94%		
J071413CCVA	J071413CCVA	ORG	106-46-7	1,4-Dichlorobenzene	51		ug/L	2	0.33	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9454	50	102%		
J071413CCVA	J071413CCVA	ORG	95-50-1	1,2-Dichlorobenzene	51		ug/L	2	0.26	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9454	50	102%		
J071413CCVA	J071413CCVA	ORG	104-51-8	n-Butylbenzene	47		ug/L	5	0.28	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9454	50	94%		
J071413CCVA	J071413CCVA	ORG	96-12-8	1,2-Dibromo-3-chloropropane	47		ug/L	5	1.59	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9454	50	94%		
J071413CCVA	J071413CCVA	ORG	87-68-3	Hexachlorobutadiene	55		ug/L	5	0.65	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9454	50	110%		
J071413CCVA	J071413CCVA	ORG	120-82-1	1,2,4-Trichlorobenzene	51		ug/L	5	0.28	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9454	50	102%		
J071413CCVA	J071413CCVA	ORG	91-20-3	Naphthalene	44		ug/L	5	0.56	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9454	50	88%		
J071413CCVA	J071413CCVA	ORG	87-61-6	1,2,3-Trichlorobenzene	49		ug/L	5	0.23	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9454	50	98%		
J071413CCVA	J071413CCVA	STD	1868-53-7	Dibromofluoromethane	51		ng			NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9454	50	102%		
J071413CCVA	J071413CCVA	STD	17060-07-0	1,2-Dichloroethane d4	48		ng			NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9454	50	96%		
J071413CCVA	J071413CCVA	STD	2037-26-5	Toluene d8	46		ng			NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9454	50	92%		
J071413CCVA	J071413CCVA	STD	460-00-4	Bromofluorobenzene	44		ng			NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9454	50	88%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J071413MBKA	J071413MBKA	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	5	0.29	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9455				
J071413MBKA	J071413MBKA	ORG	74-87-3	Chloromethane		U	ug/L	5	0.43	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9455				
J071413MBKA	J071413MBKA	ORG	75-01-4	Vinyl chloride		U	ug/L	2	0.32	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9455				
J071413MBKA	J071413MBKA	ORG	74-83-9	Bromomethane		U	ug/L	5	0.50	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9455				
J071413MBKA	J071413MBKA	ORG	75-00-3	Chloroethane		U	ug/L	5	0.56	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9455				
J071413MBKA	J071413MBKA	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	5	0.20	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9455				
J071413MBKA	J071413MBKA	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	1	0.47	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9455				
J071413MBKA	J071413MBKA	ORG	75-09-2	Methylene chloride		U	ug/L	5	0.26	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9455				
J071413MBKA	J071413MBKA	ORG	67-64-1	Acetone		U	ug/L	10	1.56	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9455				
J071413MBKA	J071413MBKA	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	1	0.56	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9455				
J071413MBKA	J071413MBKA	ORG	1634-04-4	MTBE		U	ug/L	5	0.61	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9455				
J071413MBKA	J071413MBKA	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	1	0.53	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9455				
J071413MBKA	J071413MBKA	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	1	0.32	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9455				
J071413MBKA	J071413MBKA	ORG	74-97-5	Bromochloromethane		U	ug/L	10	0.81	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9455				
J071413MBKA	J071413MBKA	ORG	67-66-3	Chloroform		U	ug/L	2	0.41	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9455				
J071413MBKA	J071413MBKA	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	1	0.16	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9455				
J071413MBKA	J071413MBKA	ORG	78-93-3	2-Butanone		U	ug/L	1	0.17	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9455				
J071413MBKA	J071413MBKA	ORG	56-23-5	Carbon tetrachloride		U	ug/L	1	0.28	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9455				
J071413MBKA	J071413MBKA	ORG	71-43-2	Benzene		U	ug/L	1	0.14	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9455				
J071413MBKA	J071413MBKA	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	1	0.20	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9455				
J071413MBKA	J071413MBKA	ORG	79-01-6	Trichloroethene		U	ug/L	1	0.36	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9455				
J071413MBKA	J071413MBKA	ORG	74-95-3	Dibromomethane		U	ug/L	2	0.32	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9455				
J071413MBKA	J071413MBKA	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	1	0.18	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9455				
J071413MBKA	J071413MBKA	ORG	75-27-4	Bromodichloromethane		U	ug/L	2	0.12	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9455				
J071413MBKA	J071413MBKA	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	1	0.25	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9455				
J071413MBKA	J071413MBKA	ORG	108-88-3	Toluene		U	ug/L	5	0.74	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9455				
J071413MBKA	J071413MBKA	ORG	108-10-1	4-Methyl-2-pentanone		U	ug/L	1	0.21	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9455				
J071413MBKA	J071413MBKA	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	1	0.31	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9455				
J071413MBKA	J071413MBKA	ORG	127-18-4	Tetrachloroethene		U	ug/L	1	0.49	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9455				
J071413MBKA	J071413MBKA	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	1	0.34	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9455				
J071413MBKA	J071413MBKA	ORG	124-48-1	Dibromochloromethane		U	ug/L	5	0.69	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9455				
J071413MBKA	J071413MBKA	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	2	0.30	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9455				
J071413MBKA	J071413MBKA	ORG	591-78-6	2-Hexanone		U	ug/L	2	0.26	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9455				
J071413MBKA	J071413MBKA	ORG	100-41-4	Ethylbenzene		U	ug/L	1	0.25	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9455				
J071413MBKA	J071413MBKA	ORG	108-90-7	Chlorobenzene		U	ug/L	1	0.28	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9455				
J071413MBKA	J071413MBKA	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	2	0.19	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9455				
J071413MBKA	J071413MBKA	ORG	XYLMP	p&m-Xylene		U	ug/L	2	0.26	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9455				
J071413MBKA	J071413MBKA	ORG	95-47-6	o-Xylene		U	ug/L	1	0.13	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9455				
J071413MBKA	J071413MBKA	ORG	100-42-5	Styrene		U	ug/L	1	0.20	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9455				
J071413MBKA	J071413MBKA	ORG	75-25-2	Bromoform		U	ug/L	2	0.47	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9455				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J071413MBKA	J071413MBKA	ORG	98-82-8	Isopropylbenzene		U	ug/L	2	0.20	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9455				
J071413MBKA	J071413MBKA	ORG	103-65-1	n-Propylbenzene		U	ug/L	2	0.27	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9455				
J071413MBKA	J071413MBKA	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	2	0.29	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9455				
J071413MBKA	J071413MBKA	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	2	0.29	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9455				
J071413MBKA	J071413MBKA	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	2	0.20	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9455				
J071413MBKA	J071413MBKA	ORG	98-06-6	tert-Butylbenzene		U	ug/L	2	0.33	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9455				
J071413MBKA	J071413MBKA	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	2	0.20	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9455				
J071413MBKA	J071413MBKA	ORG	135-98-8	sec-Butylbenzene		U	ug/L	2	0.32	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9455				
J071413MBKA	J071413MBKA	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	2	0.22	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9455				
J071413MBKA	J071413MBKA	ORG	99-87-6	p-Isopropltoluene		U	ug/L	2	0.25	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9455				
J071413MBKA	J071413MBKA	ORG	106-46-7	1,4-Dichlorobenzene		U	ug/L	2	0.33	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9455				
J071413MBKA	J071413MBKA	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	2	0.26	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9455				
J071413MBKA	J071413MBKA	ORG	104-51-8	n-Butylbenzene		U	ug/L	5	0.28	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9455				
J071413MBKA	J071413MBKA	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	5	1.59	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9455				
J071413MBKA	J071413MBKA	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	5	0.65	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9455				
J071413MBKA	J071413MBKA	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	5	0.28	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9455				
J071413MBKA	J071413MBKA	ORG	91-20-3	Naphthalene		U	ug/L	5	0.56	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9455				
J071413MBKA	J071413MBKA	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	5	0.23	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9455				
J071413MBKA	J071413MBKA	STD	1868-53-7	Dibromofluoromethane	51		ng			NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9455	50	102%		
J071413MBKA	J071413MBKA	STD	17060-07-0	1,2-Dichloroethane d4	52		ng			NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9455	50	104%		
J071413MBKA	J071413MBKA	STD	2037-26-5	Toluene d8	47		ng			NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9455	50	94%		
J071413MBKA	J071413MBKA	STD	460-00-4	Bromofluorobenzene	45		ng			NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9455	50	90%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J071413ALCS	J071413ALCS	ORG	75-71-8	Dichlorodifluoromethane	46		ug/L	5	0.29	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9458	50	92%		
J071413ALCS	J071413ALCS	ORG	74-87-3	Chloromethane	37		ug/L	5	0.43	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9458	50	74%		
J071413ALCS	J071413ALCS	ORG	75-01-4	Vinyl chloride	48		ug/L	2	0.32	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9458	50	96%		
J071413ALCS	J071413ALCS	ORG	74-83-9	Bromomethane	63		ug/L	5	0.50	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9458	50	126%		
J071413ALCS	J071413ALCS	ORG	75-00-3	Chloroethane	65		ug/L	5	0.56	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9458	50	130%		
J071413ALCS	J071413ALCS	ORG	75-69-4	Trichlorofluoromethane	54		ug/L	5	0.20	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9458	50	108%		
J071413ALCS	J071413ALCS	ORG	75-35-4	1,1-Dichloroethene	44		ug/L	1	0.47	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9458	50	88%		
J071413ALCS	J071413ALCS	ORG	75-09-2	Methylene chloride	49		ug/L	5	0.26	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9458	50	98%		
J071413ALCS	J071413ALCS	ORG	67-64-1	Acetone	59		ug/L	10	1.56	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9458	50	118%		
J071413ALCS	J071413ALCS	ORG	156-60-5	trans-1,2-Dichloroethene	49		ug/L	1	0.56	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9458	50	98%		
J071413ALCS	J071413ALCS	ORG	1634-04-4	MTBE	47		ug/L	5	0.61	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9458	50	94%		
J071413ALCS	J071413ALCS	ORG	75-34-3	1,1-Dichloroethane	55		ug/L	1	0.53	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9458	50	110%		
J071413ALCS	J071413ALCS	ORG	156-59-2	cis-1,2-Dichloroethene	54		ug/L	1	0.32	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9458	50	108%		
J071413ALCS	J071413ALCS	ORG	74-97-5	Bromochloromethane	58		ug/L	10	0.81	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9458	50	116%		
J071413ALCS	J071413ALCS	ORG	67-66-3	Chloroform	55		ug/L	2	0.41	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9458	50	110%		
J071413ALCS	J071413ALCS	ORG	71-55-6	1,1,1-Trichloroethane	53		ug/L	1	0.16	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9458	50	106%		
J071413ALCS	J071413ALCS	ORG	78-93-3	2-Butanone	57		ug/L	1	0.17	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9458	50	114%		
J071413ALCS	J071413ALCS	ORG	56-23-5	Carbon tetrachloride	54		ug/L	1	0.28	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9458	50	108%		
J071413ALCS	J071413ALCS	ORG	71-43-2	Benzene	50		ug/L	1	0.14	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9458	50	100%		
J071413ALCS	J071413ALCS	ORG	107-06-2	1,2-Dichloroethane	54		ug/L	1	0.20	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9458	50	108%		
J071413ALCS	J071413ALCS	ORG	79-01-6	Trichloroethene	56		ug/L	1	0.36	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9458	50	112%		
J071413ALCS	J071413ALCS	ORG	74-95-3	Dibromomethane	57		ug/L	2	0.32	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9458	50	114%		
J071413ALCS	J071413ALCS	ORG	78-87-5	1,2-Dichloropropane	47		ug/L	1	0.18	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9458	50	94%		
J071413ALCS	J071413ALCS	ORG	75-27-4	Bromodichloromethane	50		ug/L	2	0.12	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9458	50	100%		
J071413ALCS	J071413ALCS	ORG	10061-01-5	cis-1,3-Dichloropropene	47		ug/L	1	0.25	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9458	50	94%		
J071413ALCS	J071413ALCS	ORG	108-88-3	Toluene	48		ug/L	5	0.74	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9458	50	96%		
J071413ALCS	J071413ALCS	ORG	108-10-1	4-Methyl-2-pentanone	53		ug/L	1	0.21	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9458	50	106%		
J071413ALCS	J071413ALCS	ORG	10061-02-6	trans-1,3-Dichloropropene	51		ug/L	1	0.31	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9458	50	102%		
J071413ALCS	J071413ALCS	ORG	127-18-4	Tetrachloroethene	52		ug/L	1	0.49	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9458	50	104%		
J071413ALCS	J071413ALCS	ORG	79-00-5	1,1,2-Trichloroethane	51		ug/L	1	0.34	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9458	50	102%		
J071413ALCS	J071413ALCS	ORG	124-48-1	Dibromochloromethane	56		ug/L	5	0.69	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9458	50	112%		
J071413ALCS	J071413ALCS	ORG	106-93-4	1,2-Dibromoethane	55		ug/L	2	0.30	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9458	50	110%		
J071413ALCS	J071413ALCS	ORG	591-78-6	2-Hexanone	57		ug/L	2	0.26	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9458	50	114%		
J071413ALCS	J071413ALCS	ORG	100-41-4	Ethylbenzene	43		ug/L	1	0.25	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9458	50	86%		
J071413ALCS	J071413ALCS	ORG	108-90-7	Chlorobenzene	43		ug/L	1	0.28	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9458	50	86%		
J071413ALCS	J071413ALCS	ORG	630-20-6	1,1,1,2-Tetrachloroethane	43		ug/L	2	0.19	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9458	50	86%		
J071413ALCS	J071413ALCS	ORG	XYLMP	p&m-Xylene	86		ug/L	2	0.26	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9458	100	86%		
J071413ALCS	J071413ALCS	ORG	95-47-6	o-Xylene	42		ug/L	1	0.13	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9458	50	84%		
J071413ALCS	J071413ALCS	ORG	100-42-5	Styrene	41		ug/L	1	0.20	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9458	50	82%		
J071413ALCS	J071413ALCS	ORG	75-25-2	Bromoform	51		ug/L	2	0.47	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9458	50	102%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J071413ALCS	J071413ALCS	ORG	98-82-8	Isopropylbenzene	45		ug/L	2	0.20	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9458	50	90%		
J071413ALCS	J071413ALCS	ORG	103-65-1	n-Propylbenzene	45		ug/L	2	0.27	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9458	50	90%		
J071413ALCS	J071413ALCS	ORG	79-34-5	1,1,2,2-Tetrachloroethane	56		ug/L	2	0.29	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9458	50	112%		
J071413ALCS	J071413ALCS	ORG	96-18-4	1,2,3-Trichloropropane	54		ug/L	2	0.29	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9458	50	108%		
J071413ALCS	J071413ALCS	ORG	108-67-8	1,3,5-Trimethylbenzene	46		ug/L	2	0.20	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9458	50	92%		
J071413ALCS	J071413ALCS	ORG	98-06-6	tert-Butylbenzene	47		ug/L	2	0.33	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9458	50	94%		
J071413ALCS	J071413ALCS	ORG	95-63-6	1,2,4-Trimethylbenzene	46		ug/L	2	0.20	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9458	50	92%		
J071413ALCS	J071413ALCS	ORG	135-98-8	sec-Butylbenzene	47		ug/L	2	0.32	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9458	50	94%		
J071413ALCS	J071413ALCS	ORG	541-73-1	1,3-Dichlorobenzene	51		ug/L	2	0.22	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9458	50	102%		
J071413ALCS	J071413ALCS	ORG	99-87-6	p-Isopropltoluene	49		ug/L	2	0.25	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9458	50	98%		
J071413ALCS	J071413ALCS	ORG	106-46-7	1,4-Dichlorobenzene	52		ug/L	2	0.33	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9458	50	104%		
J071413ALCS	J071413ALCS	ORG	95-50-1	1,2-Dichlorobenzene	52		ug/L	2	0.26	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9458	50	104%		
J071413ALCS	J071413ALCS	ORG	104-51-8	n-Butylbenzene	48		ug/L	5	0.28	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9458	50	96%		
J071413ALCS	J071413ALCS	ORG	96-12-8	1,2-Dibromo-3-chloropropane	60		ug/L	5	1.59	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9458	50	120%		
J071413ALCS	J071413ALCS	ORG	87-68-3	Hexachlorobutadiene	52		ug/L	5	0.65	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9458	50	104%		
J071413ALCS	J071413ALCS	ORG	120-82-1	1,2,4-Trichlorobenzene	51		ug/L	5	0.28	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9458	50	102%		
J071413ALCS	J071413ALCS	ORG	91-20-3	Naphthalene	52		ug/L	5	0.56	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9458	50	104%		
J071413ALCS	J071413ALCS	ORG	87-61-6	1,2,3-Trichlorobenzene	49		ug/L	5	0.23	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9458	50	98%		
J071413ALCS	J071413ALCS	STD	1868-53-7	Dibromofluoromethane	52		ng			NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9458	50	104%		
J071413ALCS	J071413ALCS	STD	17060-07-0	1,2-Dichloroethane d4	52		ng			NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9458	50	104%		
J071413ALCS	J071413ALCS	STD	2037-26-5	Toluene d8	46		ng			NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9458	50	92%		
J071413ALCS	J071413ALCS	STD	460-00-4	Bromofluorobenzene	45		ng			NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9458	50	90%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J071413ALCD	J071413ALCD	ORG	75-71-8	Dichlorodifluoromethane	40		ug/L	5	0.29	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9459	50	80%	14%	
J071413ALCD	J071413ALCD	ORG	74-87-3	Chloromethane	33		ug/L	5	0.43	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9459	50	66%	11%	
J071413ALCD	J071413ALCD	ORG	75-01-4	Vinyl chloride	39		ug/L	2	0.32	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9459	50	78%	21%	
J071413ALCD	J071413ALCD	ORG	74-83-9	Bromomethane	68		ug/L	5	0.50	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9459	50	136%	8%	
J071413ALCD	J071413ALCD	ORG	75-00-3	Chloroethane	61		ug/L	5	0.56	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9459	50	122%	6%	
J071413ALCD	J071413ALCD	ORG	75-69-4	Trichlorofluoromethane	52		ug/L	5	0.20	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9459	50	104%	4%	
J071413ALCD	J071413ALCD	ORG	75-35-4	1,1-Dichloroethene	44		ug/L	1	0.47	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9459	50	88%	0%	
J071413ALCD	J071413ALCD	ORG	75-09-2	Methylene chloride	49		ug/L	5	0.26	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9459	50	98%	0%	
J071413ALCD	J071413ALCD	ORG	67-64-1	Acetone	60		ug/L	10	1.56	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9459	50	120%	2%	
J071413ALCD	J071413ALCD	ORG	156-60-5	trans-1,2-Dichloroethene	47		ug/L	1	0.56	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9459	50	94%	4%	
J071413ALCD	J071413ALCD	ORG	1634-04-4	MTBE	47		ug/L	5	0.61	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9459	50	94%	0%	
J071413ALCD	J071413ALCD	ORG	75-34-3	1,1-Dichloroethane	39		ug/L	1	0.53	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9459	50	78%	34%	
J071413ALCD	J071413ALCD	ORG	156-59-2	cis-1,2-Dichloroethene	50		ug/L	1	0.32	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9459	50	100%	8%	
J071413ALCD	J071413ALCD	ORG	74-97-5	Bromochloromethane	53		ug/L	10	0.81	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9459	50	106%	9%	
J071413ALCD	J071413ALCD	ORG	67-66-3	Chloroform	50		ug/L	2	0.41	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9459	50	100%	10%	
J071413ALCD	J071413ALCD	ORG	71-55-6	1,1,1-Trichloroethane	49		ug/L	1	0.16	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9459	50	98%	8%	
J071413ALCD	J071413ALCD	ORG	78-93-3	2-Butanone	44		ug/L	1	0.17	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9459	50	88%	26%	
J071413ALCD	J071413ALCD	ORG	56-23-5	Carbon tetrachloride	49		ug/L	1	0.28	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9459	50	98%	10%	
J071413ALCD	J071413ALCD	ORG	71-43-2	Benzene	45		ug/L	1	0.14	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9459	50	90%	11%	
J071413ALCD	J071413ALCD	ORG	107-06-2	1,2-Dichloroethane	49		ug/L	1	0.20	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9459	50	98%	10%	
J071413ALCD	J071413ALCD	ORG	79-01-6	Trichloroethene	52		ug/L	1	0.36	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9459	50	104%	7%	
J071413ALCD	J071413ALCD	ORG	74-95-3	Dibromomethane	52		ug/L	2	0.32	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9459	50	104%	9%	
J071413ALCD	J071413ALCD	ORG	78-87-5	1,2-Dichloropropane	44		ug/L	1	0.18	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9459	50	88%	7%	
J071413ALCD	J071413ALCD	ORG	75-27-4	Bromodichloromethane	47		ug/L	2	0.12	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9459	50	94%	6%	
J071413ALCD	J071413ALCD	ORG	10061-01-5	cis-1,3-Dichloropropene	44		ug/L	1	0.25	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9459	50	88%	7%	
J071413ALCD	J071413ALCD	ORG	108-88-3	Toluene	44		ug/L	5	0.74	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9459	50	88%	9%	
J071413ALCD	J071413ALCD	ORG	108-10-1	4-Methyl-2-pentanone	50		ug/L	1	0.21	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9459	50	100%	6%	
J071413ALCD	J071413ALCD	ORG	10061-02-6	trans-1,3-Dichloropropene	46		ug/L	1	0.31	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9459	50	92%	10%	
J071413ALCD	J071413ALCD	ORG	127-18-4	Tetrachloroethene	49		ug/L	1	0.49	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9459	50	98%	6%	
J071413ALCD	J071413ALCD	ORG	79-00-5	1,1,2-Trichloroethane	46		ug/L	1	0.34	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9459	50	92%	10%	
J071413ALCD	J071413ALCD	ORG	124-48-1	Dibromochloromethane	51		ug/L	5	0.69	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9459	50	102%	9%	
J071413ALCD	J071413ALCD	ORG	106-93-4	1,2-Dibromoethane	49		ug/L	2	0.30	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9459	50	98%	12%	
J071413ALCD	J071413ALCD	ORG	591-78-6	2-Hexanone	52		ug/L	2	0.26	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9459	50	104%	9%	
J071413ALCD	J071413ALCD	ORG	100-41-4	Ethylbenzene	42		ug/L	1	0.25	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9459	50	84%	2%	
J071413ALCD	J071413ALCD	ORG	108-90-7	Chlorobenzene	43		ug/L	1	0.28	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9459	50	86%	0%	
J071413ALCD	J071413ALCD	ORG	630-20-6	1,1,1,2-Tetrachloroethane	45		ug/L	2	0.19	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9459	50	90%	5%	
J071413ALCD	J071413ALCD	ORG	XYLMP	p&m-Xylene	85		ug/L	2	0.26	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9459	100	85%	1%	
J071413ALCD	J071413ALCD	ORG	95-47-6	o-Xylene	41		ug/L	1	0.13	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9459	50	82%	2%	
J071413ALCD	J071413ALCD	ORG	100-42-5	Styrene	40		ug/L	1	0.20	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9459	50	80%	2%	
J071413ALCD	J071413ALCD	ORG	75-25-2	Bromoform	54		ug/L	2	0.47	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9459	50	108%	6%	

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J071413ALCD	J071413ALCD	ORG	98-82-8	Isopropylbenzene	44		ug/L	2	0.20	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9459	50	88%	2%	
J071413ALCD	J071413ALCD	ORG	103-65-1	n-Propylbenzene	43		ug/L	2	0.27	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9459	50	86%	5%	
J071413ALCD	J071413ALCD	ORG	79-34-5	1,1,2,2-Tetrachloroethane	49		ug/L	2	0.29	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9459	50	98%	13%	
J071413ALCD	J071413ALCD	ORG	96-18-4	1,2,3-Trichloropropane	50		ug/L	2	0.29	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9459	50	100%	8%	
J071413ALCD	J071413ALCD	ORG	108-67-8	1,3,5-Trimethylbenzene	44		ug/L	2	0.20	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9459	50	88%	4%	
J071413ALCD	J071413ALCD	ORG	98-06-6	tert-Butylbenzene	46		ug/L	2	0.33	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9459	50	92%	2%	
J071413ALCD	J071413ALCD	ORG	95-63-6	1,2,4-Trimethylbenzene	45		ug/L	2	0.20	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9459	50	90%	2%	
J071413ALCD	J071413ALCD	ORG	135-98-8	sec-Butylbenzene	45		ug/L	2	0.32	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9459	50	90%	4%	
J071413ALCD	J071413ALCD	ORG	541-73-1	1,3-Dichlorobenzene	47		ug/L	2	0.22	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9459	50	94%	8%	
J071413ALCD	J071413ALCD	ORG	99-87-6	p-Isopropltoluene	46		ug/L	2	0.25	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9459	50	92%	6%	
J071413ALCD	J071413ALCD	ORG	106-46-7	1,4-Dichlorobenzene	49		ug/L	2	0.33	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9459	50	98%	6%	
J071413ALCD	J071413ALCD	ORG	95-50-1	1,2-Dichlorobenzene	49		ug/L	2	0.26	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9459	50	98%	6%	
J071413ALCD	J071413ALCD	ORG	104-51-8	n-Butylbenzene	44		ug/L	5	0.28	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9459	50	88%	9%	
J071413ALCD	J071413ALCD	ORG	96-12-8	1,2-Dibromo-3-chloropropane	51		ug/L	5	1.59	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9459	50	102%	16%	
J071413ALCD	J071413ALCD	ORG	87-68-3	Hexachlorobutadiene	49		ug/L	5	0.65	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9459	50	98%	6%	
J071413ALCD	J071413ALCD	ORG	120-82-1	1,2,4-Trichlorobenzene	47		ug/L	5	0.28	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9459	50	94%	8%	
J071413ALCD	J071413ALCD	ORG	91-20-3	Naphthalene	48		ug/L	5	0.56	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9459	50	96%	8%	
J071413ALCD	J071413ALCD	ORG	87-61-6	1,2,3-Trichlorobenzene	47		ug/L	5	0.23	NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9459	50	94%	4%	
J071413ALCD	J071413ALCD	STD	1868-53-7	Dibromofluoromethane	52		ng			NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9459	50	104%	0%	
J071413ALCD	J071413ALCD	STD	17060-07-0	1,2-Dichloroethane d4	49		ng			NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9459	50	98%	6%	
J071413ALCD	J071413ALCD	STD	2037-26-5	Toluene d8	47		ng			NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9459	50	94%	2%	
J071413ALCD	J071413ALCD	STD	460-00-4	Bromofluorobenzene	47		ng			NA	7/14/2013	7/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9459	50	94%	4%	

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-484MS	316-015R	ORG	75-71-8	Dichlorodifluoromethane	4200		ug/L	500	29.28	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9460	5000	84%		
NAL13026-484MS	316-015R	ORG	74-87-3	Chloromethane	3400		ug/L	500	43.07	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9460	5000	68%		
NAL13026-484MS	316-015R	ORG	75-01-4	Vinyl chloride	4100		ug/L	200	31.86	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9460	5000	82%		
NAL13026-484MS	316-015R	ORG	74-83-9	Bromomethane	6600		ug/L	500	50.04	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9460	5000	132%		
NAL13026-484MS	316-015R	ORG	75-00-3	Chloroethane	6000		ug/L	500	55.61	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9460	5000	120%		
NAL13026-484MS	316-015R	ORG	75-69-4	Trichlorofluoromethane	5500		ug/L	500	19.65	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9460	5000	110%		
NAL13026-484MS	316-015R	ORG	75-35-4	1,1-Dichloroethene	4500		ug/L	100	47.11	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9460	5000	90%		
NAL13026-484MS	316-015R	ORG	75-09-2	Methylene chloride	5200		ug/L	500	26.46	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9460	5000	104%		
NAL13026-484MS	316-015R	ORG	67-64-1	Acetone	43000		ug/L	1000	155.61	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9460	5000	-220%		54000
NAL13026-484MS	316-015R	ORG	156-60-5	trans-1,2-Dichloroethene	5000		ug/L	100	55.61	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9460	5000	100%		
NAL13026-484MS	316-015R	ORG	1634-04-4	MTBE	4800		ug/L	500	61.18	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9460	5000	96%		
NAL13026-484MS	316-015R	ORG	75-34-3	1,1-Dichloroethane	4500		ug/L	100	52.66	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9460	5000	90%		
NAL13026-484MS	316-015R	ORG	156-59-2	cis-1,2-Dichloroethene	5100		ug/L	100	32.11	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9460	5000	102%		
NAL13026-484MS	316-015R	ORG	74-97-5	Bromochloromethane	5500		ug/L	1000	81.18	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9460	5000	110%		
NAL13026-484MS	316-015R	ORG	67-66-3	Chloroform	5000		ug/L	200	41.37	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9460	5000	100%		
NAL13026-484MS	316-015R	ORG	71-55-6	1,1,1-Trichloroethane	5100		ug/L	100	15.73	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9460	5000	102%		
NAL13026-484MS	316-015R	ORG	78-93-3	2-Butanone	20000		ug/L	100	16.65	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9460	5000	-120%		26000
NAL13026-484MS	316-015R	ORG	56-23-5	Carbon tetrachloride	5200		ug/L	100	27.64	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9460	5000	104%		
NAL13026-484MS	316-015R	ORG	71-43-2	Benzene	4800		ug/L	100	13.53	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9460	5000	96%		
NAL13026-484MS	316-015R	ORG	107-06-2	1,2-Dichloroethane	5200		ug/L	100	20.01	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9460	5000	104%		
NAL13026-484MS	316-015R	ORG	79-01-6	Trichloroethene	5200		ug/L	100	36.33	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9460	5000	104%		
NAL13026-484MS	316-015R	ORG	74-95-3	Dibromomethane	5300		ug/L	200	32.20	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9460	5000	106%		
NAL13026-484MS	316-015R	ORG	78-87-5	1,2-Dichloropropane	4700		ug/L	100	18.17	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9460	5000	94%		
NAL13026-484MS	316-015R	ORG	75-27-4	Bromodichloromethane	5100		ug/L	200	11.58	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9460	5000	102%		
NAL13026-484MS	316-015R	ORG	10061-01-5	cis-1,3-Dichloropropene	4800		ug/L	100	25.01	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9460	5000	96%		
NAL13026-484MS	316-015R	ORG	108-88-3	Toluene	4700		ug/L	500	74.00	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9460	5000	94%		
NAL13026-484MS	316-015R	ORG	108-10-1	4-Methyl-2-pentanone	4500		ug/L	100	20.96	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9460	5000	82%		380
NAL13026-484MS	316-015R	ORG	10061-02-6	trans-1,3-Dichloropropene	5000		ug/L	100	31.15	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9460	5000	100%		
NAL13026-484MS	316-015R	ORG	127-18-4	Tetrachloroethene	4400		ug/L	100	48.56	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9460	5000	88%		
NAL13026-484MS	316-015R	ORG	79-00-5	1,1,2-Trichloroethane	4900		ug/L	100	34.28	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9460	5000	98%		
NAL13026-484MS	316-015R	ORG	124-48-1	Dibromochloromethane	5500		ug/L	500	68.90	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9460	5000	110%		
NAL13026-484MS	316-015R	ORG	106-93-4	1,2-Dibromoethane	5200		ug/L	200	29.90	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9460	5000	104%		
NAL13026-484MS	316-015R	ORG	591-78-6	2-Hexanone	4100		ug/L	200	26.49	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9460	5000	82%		
NAL13026-484MS	316-015R	ORG	100-41-4	Ethylbenzene	4400		ug/L	100	25.38	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9460	5000	88%		
NAL13026-484MS	316-015R	ORG	108-90-7	Chlorobenzene	4700		ug/L	100	27.52	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9460	5000	94%		
NAL13026-484MS	316-015R	ORG	630-20-6	1,1,1,2-Tetrachloroethane	4700		ug/L	200	19.28	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9460	5000	94%		
NAL13026-484MS	316-015R	ORG	XYLMP	p&m-Xylene	8900		ug/L	200	26.14	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9460	10000	89%		
NAL13026-484MS	316-015R	ORG	95-47-6	o-Xylene	4600		ug/L	100	12.90	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9460	5000	92%		
NAL13026-484MS	316-015R	ORG	100-42-5	Styrene	4500		ug/L	100	20.23	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9460	5000	89%		50
NAL13026-484MS	316-015R	ORG	75-25-2	Bromoform	5700		ug/L	200	46.83	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9460	5000	114%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-484MS	316-015R	ORG	98-82-8	Isopropylbenzene	4700		ug/L	200	20.48	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9460	5000	94%		
NAL13026-484MS	316-015R	ORG	103-65-1	n-Propylbenzene	4600		ug/L	200	27.00	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9460	5000	92%		
NAL13026-484MS	316-015R	ORG	79-34-5	1,1,2,2-Tetrachloroethane	5000		ug/L	200	29.16	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9460	5000	100%		
NAL13026-484MS	316-015R	ORG	96-18-4	1,2,3-Trichloropropane	5000		ug/L	200	29.47	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9460	5000	100%		
NAL13026-484MS	316-015R	ORG	108-67-8	1,3,5-Trimethylbenzene	4600		ug/L	200	20.03	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9460	5000	92%		
NAL13026-484MS	316-015R	ORG	98-06-6	tert-Butylbenzene	4900		ug/L	200	32.61	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9460	5000	98%		
NAL13026-484MS	316-015R	ORG	95-63-6	1,2,4-Trimethylbenzene	4800		ug/L	200	20.03	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9460	5000	96%		
NAL13026-484MS	316-015R	ORG	135-98-8	sec-Butylbenzene	4800		ug/L	200	32.34	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9460	5000	96%		
NAL13026-484MS	316-015R	ORG	541-73-1	1,3-Dichlorobenzene	5100		ug/L	200	22.21	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9460	5000	102%		
NAL13026-484MS	316-015R	ORG	99-87-6	p-Isopropltoluene	5000		ug/L	200	25.48	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9460	5000	100%		
NAL13026-484MS	316-015R	ORG	106-46-7	1,4-Dichlorobenzene	5200		ug/L	200	33.03	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9460	5000	104%		
NAL13026-484MS	316-015R	ORG	95-50-1	1,2-Dichlorobenzene	5200		ug/L	200	26.38	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9460	5000	104%		
NAL13026-484MS	316-015R	ORG	104-51-8	n-Butylbenzene	4600		ug/L	500	27.81	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9460	5000	92%		
NAL13026-484MS	316-015R	ORG	96-12-8	1,2-Dibromo-3-chloropropane	4800		ug/L	500	159.11	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9460	5000	96%		
NAL13026-484MS	316-015R	ORG	87-68-3	Hexachlorobutadiene	5100		ug/L	500	65.42	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9460	5000	102%		
NAL13026-484MS	316-015R	ORG	120-82-1	1,2,4-Trichlorobenzene	5000		ug/L	500	27.63	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9460	5000	100%		
NAL13026-484MS	316-015R	ORG	91-20-3	Naphthalene	5100		ug/L	500	56.04	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9460	5000	96%		300
NAL13026-484MS	316-015R	ORG	87-61-6	1,2,3-Trichlorobenzene	5000		ug/L	500	23.28	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9460	5000	100%		
NAL13026-484MS	316-015R	STD	1868-53-7	Dibromofluoromethane	51		ng			7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9460	50	102%		
NAL13026-484MS	316-015R	STD	17060-07-0	1,2-Dichloroethane d4	49		ng			7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9460	50	98%		
NAL13026-484MS	316-015R	STD	2037-26-5	Toluene d8	48		ng			7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9460	50	96%		
NAL13026-484MS	316-015R	STD	460-00-4	Bromofluorobenzene	47		ng			7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9460	50	94%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-484MSD	316-015R	ORG	75-71-8	Dichlorodifluoromethane	4000		ug/L	500	29.28	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9461	5000	80%	5%	0
NAL13026-484MSD	316-015R	ORG	74-87-3	Chloromethane	3100		ug/L	500	43.07	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9461	5000	62%	9%	0
NAL13026-484MSD	316-015R	ORG	75-01-4	Vinyl chloride	3700		ug/L	200	31.86	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9461	5000	74%	10%	0
NAL13026-484MSD	316-015R	ORG	74-83-9	Bromomethane	6500		ug/L	500	50.04	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9461	5000	130%	2%	0
NAL13026-484MSD	316-015R	ORG	75-00-3	Chloroethane	5500		ug/L	500	55.61	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9461	5000	110%	9%	0
NAL13026-484MSD	316-015R	ORG	75-69-4	Trichlorofluoromethane	4900		ug/L	500	19.65	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9461	5000	98%	12%	0
NAL13026-484MSD	316-015R	ORG	75-35-4	1,1-Dichloroethene	4300		ug/L	100	47.11	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9461	5000	86%	5%	0
NAL13026-484MSD	316-015R	ORG	75-09-2	Methylene chloride	4700		ug/L	500	26.46	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9461	5000	94%	10%	0
NAL13026-484MSD	316-015R	ORG	67-64-1	Acetone	38000		ug/L	1000	155.61	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9461	5000	-320%	12%	54000
NAL13026-484MSD	316-015R	ORG	156-60-5	trans-1,2-Dichloroethene	4700		ug/L	100	55.61	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9461	5000	94%	6%	0
NAL13026-484MSD	316-015R	ORG	1634-04-4	MTBE	4600		ug/L	500	61.18	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9461	5000	92%	4%	0
NAL13026-484MSD	316-015R	ORG	75-34-3	1,1-Dichloroethane	4900		ug/L	100	52.66	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9461	5000	98%	9%	0
NAL13026-484MSD	316-015R	ORG	156-59-2	cis-1,2-Dichloroethene	4800		ug/L	100	32.11	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9461	5000	96%	6%	0
NAL13026-484MSD	316-015R	ORG	74-97-5	Bromochloromethane	4800		ug/L	1000	81.18	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9461	5000	96%	14%	0
NAL13026-484MSD	316-015R	ORG	67-66-3	Chloroform	4600		ug/L	200	41.37	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9461	5000	92%	8%	0
NAL13026-484MSD	316-015R	ORG	71-55-6	1,1,1-Trichloroethane	4900		ug/L	100	15.73	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9461	5000	98%	4%	0
NAL13026-484MSD	316-015R	ORG	78-93-3	2-Butanone	18000		ug/L	100	16.65	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9461	5000	-160%	11%	26000
NAL13026-484MSD	316-015R	ORG	56-23-5	Carbon tetrachloride	5000		ug/L	100	27.64	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9461	5000	100%	4%	0
NAL13026-484MSD	316-015R	ORG	71-43-2	Benzene	4500		ug/L	100	13.53	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9461	5000	90%	6%	0
NAL13026-484MSD	316-015R	ORG	107-06-2	1,2-Dichloroethane	4700		ug/L	100	20.01	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9461	5000	94%	10%	0
NAL13026-484MSD	316-015R	ORG	79-01-6	Trichloroethene	4900		ug/L	100	36.33	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9461	5000	98%	6%	0
NAL13026-484MSD	316-015R	ORG	74-95-3	Dibromomethane	4700		ug/L	200	32.20	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9461	5000	94%	12%	0
NAL13026-484MSD	316-015R	ORG	78-87-5	1,2-Dichloropropane	4200		ug/L	100	18.17	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9461	5000	84%	11%	0
NAL13026-484MSD	316-015R	ORG	75-27-4	Bromodichloromethane	4700		ug/L	200	11.58	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9461	5000	94%	8%	0
NAL13026-484MSD	316-015R	ORG	10061-01-5	cis-1,3-Dichloropropene	4500		ug/L	100	25.01	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9461	5000	90%	6%	0
NAL13026-484MSD	316-015R	ORG	108-88-3	Toluene	4500		ug/L	500	74.00	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9461	5000	90%	4%	0
NAL13026-484MSD	316-015R	ORG	108-10-1	4-Methyl-2-pentanone	4300		ug/L	100	20.96	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9461	5000	78%	5%	380
NAL13026-484MSD	316-015R	ORG	10061-02-6	trans-1,3-Dichloropropene	4700		ug/L	100	31.15	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9461	5000	94%	6%	0
NAL13026-484MSD	316-015R	ORG	127-18-4	Tetrachloroethene	4200		ug/L	100	48.56	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9461	5000	84%	5%	0
NAL13026-484MSD	316-015R	ORG	79-00-5	1,1,2-Trichloroethane	4500		ug/L	100	34.28	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9461	5000	90%	9%	0
NAL13026-484MSD	316-015R	ORG	124-48-1	Dibromochloromethane	5000		ug/L	500	68.90	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9461	5000	100%	10%	0
NAL13026-484MSD	316-015R	ORG	106-93-4	1,2-Dibromoethane	4800		ug/L	200	29.90	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9461	5000	96%	8%	0
NAL13026-484MSD	316-015R	ORG	591-78-6	2-Hexanone	3700		ug/L	200	26.49	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9461	5000	74%	10%	0
NAL13026-484MSD	316-015R	ORG	100-41-4	Ethylbenzene	4400		ug/L	100	25.38	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9461	5000	88%	0%	0
NAL13026-484MSD	316-015R	ORG	108-90-7	Chlorobenzene	4600		ug/L	100	27.52	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9461	5000	92%	2%	0
NAL13026-484MSD	316-015R	ORG	630-20-6	1,1,1,2-Tetrachloroethane	4600		ug/L	200	19.28	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9461	5000	92%	2%	0
NAL13026-484MSD	316-015R	ORG	XYLMP	p&m-Xylene	8700		ug/L	200	26.14	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9461	10000	87%	2%	0
NAL13026-484MSD	316-015R	ORG	95-47-6	o-Xylene	4500		ug/L	100	12.90	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9461	5000	90%	2%	0
NAL13026-484MSD	316-015R	ORG	100-42-5	Styrene	4400		ug/L	100	20.23	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9461	5000	87%	2%	50
NAL13026-484MSD	316-015R	ORG	75-25-2	Bromoform	5300		ug/L	200	46.83	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9461	5000	106%	7%	0

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-484MSD	316-015R	ORG	98-82-8	Isopropylbenzene	4600		ug/L	200	20.48	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9461	5000	92%	2%	0
NAL13026-484MSD	316-015R	ORG	103-65-1	n-Propylbenzene	4500		ug/L	200	27.00	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9461	5000	90%	2%	0
NAL13026-484MSD	316-015R	ORG	79-34-5	1,1,2,2-Tetrachloroethane	4700		ug/L	200	29.16	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9461	5000	94%	6%	0
NAL13026-484MSD	316-015R	ORG	96-18-4	1,2,3-Trichloropropane	4700		ug/L	200	29.47	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9461	5000	94%	6%	0
NAL13026-484MSD	316-015R	ORG	108-67-8	1,3,5-Trimethylbenzene	4500		ug/L	200	20.03	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9461	5000	90%	2%	0
NAL13026-484MSD	316-015R	ORG	98-06-6	tert-Butylbenzene	4700		ug/L	200	32.61	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9461	5000	94%	4%	0
NAL13026-484MSD	316-015R	ORG	95-63-6	1,2,4-Trimethylbenzene	4500		ug/L	200	20.03	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9461	5000	90%	6%	0
NAL13026-484MSD	316-015R	ORG	135-98-8	sec-Butylbenzene	4700		ug/L	200	32.34	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9461	5000	94%	2%	0
NAL13026-484MSD	316-015R	ORG	541-73-1	1,3-Dichlorobenzene	4900		ug/L	200	22.21	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9461	5000	98%	4%	0
NAL13026-484MSD	316-015R	ORG	99-87-6	p-Isopropltoluene	4800		ug/L	200	25.48	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9461	5000	96%	4%	0
NAL13026-484MSD	316-015R	ORG	106-46-7	1,4-Dichlorobenzene	5000		ug/L	200	33.03	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9461	5000	100%	4%	0
NAL13026-484MSD	316-015R	ORG	95-50-1	1,2-Dichlorobenzene	4900		ug/L	200	26.38	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9461	5000	98%	6%	0
NAL13026-484MSD	316-015R	ORG	104-51-8	n-Butylbenzene	4500		ug/L	500	27.81	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9461	5000	90%	2%	0
NAL13026-484MSD	316-015R	ORG	96-12-8	1,2-Dibromo-3-chloropropane	4400		ug/L	500	159.11	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9461	5000	88%	9%	0
NAL13026-484MSD	316-015R	ORG	87-68-3	Hexachlorobutadiene	4800		ug/L	500	65.42	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9461	5000	96%	6%	0
NAL13026-484MSD	316-015R	ORG	120-82-1	1,2,4-Trichlorobenzene	4800		ug/L	500	27.63	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9461	5000	96%	4%	0
NAL13026-484MSD	316-015R	ORG	91-20-3	Naphthalene	4800		ug/L	500	56.04	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9461	5000	90%	6%	300
NAL13026-484MSD	316-015R	ORG	87-61-6	1,2,3-Trichlorobenzene	4600		ug/L	500	23.28	7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9461	5000	92%	8%	0
NAL13026-484MSD	316-015R	STD	1868-53-7	Dibromofluoromethane	50		ng			7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9461	50	100%	2%	0
NAL13026-484MSD	316-015R	STD	17060-07-0	1,2-Dichloroethane d4	47		ng			7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9461	50	94%	4%	0
NAL13026-484MSD	316-015R	STD	2037-26-5	Toluene d8	48		ng			7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9461	50	96%	0%	0
NAL13026-484MSD	316-015R	STD	460-00-4	Bromofluorobenzene	48		ng			7/14/2013	7/14/2013	7/14/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9461	50	96%	2%	0

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-486	96-001m	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9469				
NAL13026-486	96-001m	ORG	74-87-3	Chloromethane		UX-	ug/L	500	43.07	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9469				
NAL13026-486	96-001m	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9469				
NAL13026-486	96-001m	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9469				
NAL13026-486	96-001m	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9469				
NAL13026-486	96-001m	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9469				
NAL13026-486	96-001m	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9469				
NAL13026-486	96-001m	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9469				
NAL13026-486	96-001m	ORG	67-64-1	Acetone	28000	D	ug/L	10000	1556.07	7/15/2013	7/15/2013	7/15/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9470				
NAL13026-486	96-001m	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9469				
NAL13026-486	96-001m	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9469				
NAL13026-486	96-001m	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9469				
NAL13026-486	96-001m	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9469				
NAL13026-486	96-001m	ORG	74-97-5	Bromochloromethane		U	ug/L	200	41.37	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9469				
NAL13026-486	96-001m	ORG	67-66-3	Chloroform	30	J	ug/L	100	15.73	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9469				
NAL13026-486	96-001m	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	16.65	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9469				
NAL13026-486	96-001m	ORG	78-93-3	2-Butanone	14000	D	ug/L	10000	811.80	7/15/2013	7/15/2013	7/15/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9470				
NAL13026-486	96-001m	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9469				
NAL13026-486	96-001m	ORG	71-43-2	Benzene	540		ug/L	100	13.53	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9469				
NAL13026-486	96-001m	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9469				
NAL13026-486	96-001m	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9469				
NAL13026-486	96-001m	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9469				
NAL13026-486	96-001m	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9469				
NAL13026-486	96-001m	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9469				
NAL13026-486	96-001m	ORG	10061-01-5	cis-1,3-Dichloropropene	33	J	ug/L	100	25.01	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9469				
NAL13026-486	96-001m	ORG	108-88-3	Toluene	110		ug/L	100	20.96	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9469				
NAL13026-486	96-001m	ORG	108-10-1	4-Methyl-2-pentanone	310	J	ug/L	500	74.00	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9469				
NAL13026-486	96-001m	ORG	10061-02-6	trans-1,3-Dichloropropene	36	J	ug/L	100	31.15	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9469				
NAL13026-486	96-001m	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9469				
NAL13026-486	96-001m	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9469				
NAL13026-486	96-001m	ORG	124-48-1	Dibromochloromethane	35	J	ug/L	200	29.90	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9469				
NAL13026-486	96-001m	ORG	106-93-4	1,2-Dibromoethane	48	J	ug/L	200	26.49	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9469				
NAL13026-486	96-001m	ORG	591-78-6	2-Hexanone		U	ug/L	500	68.90	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9469				
NAL13026-486	96-001m	ORG	100-41-4	Ethylbenzene	58	J	ug/L	100	25.38	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9469				
NAL13026-486	96-001m	ORG	108-90-7	Chlorobenzene	37	J	ug/L	100	27.52	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9469				
NAL13026-486	96-001m	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9469				
NAL13026-486	96-001m	ORG	XYLMP	p&m-Xylene	130	J	ug/L	200	26.14	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9469				
NAL13026-486	96-001m	ORG	95-47-6	o-Xylene	65	J	ug/L	100	12.90	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9469				
NAL13026-486	96-001m	ORG	100-42-5	Styrene	52	J	ug/L	100	20.23	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9469				
NAL13026-486	96-001m	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9469				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-486	96-001m	ORG	98-82-8	Isopropylbenzene	43	J	ug/L	200	20.48	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9469				
NAL13026-486	96-001m	ORG	103-65-1	n-Propylbenzene	44	J	ug/L	200	27.00	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9469				
NAL13026-486	96-001m	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9469				
NAL13026-486	96-001m	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9469				
NAL13026-486	96-001m	ORG	108-67-8	1,3,5-Trimethylbenzene	59	J	ug/L	200	20.03	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9469				
NAL13026-486	96-001m	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9469				
NAL13026-486	96-001m	ORG	95-63-6	1,2,4-Trimethylbenzene	100	J	ug/L	200	20.03	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9469				
NAL13026-486	96-001m	ORG	135-98-8	sec-Butylbenzene	48	J	ug/L	200	32.34	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9469				
NAL13026-486	96-001m	ORG	541-73-1	1,3-Dichlorobenzene	50	J	ug/L	200	22.21	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9469				
NAL13026-486	96-001m	ORG	99-87-6	p-Isopropltoluene	290		ug/L	200	25.48	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9469				
NAL13026-486	96-001m	ORG	106-46-7	1,4-Dichlorobenzene	130	J	ug/L	200	33.03	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9469				
NAL13026-486	96-001m	ORG	95-50-1	1,2-Dichlorobenzene	60	J	ug/L	200	26.38	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9469				
NAL13026-486	96-001m	ORG	104-51-8	n-Butylbenzene	59	J	ug/L	500	27.81	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9469				
NAL13026-486	96-001m	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9469				
NAL13026-486	96-001m	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9469				
NAL13026-486	96-001m	ORG	120-82-1	1,2,4-Trichlorobenzene	95	J	ug/L	500	27.63	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9469				
NAL13026-486	96-001m	ORG	91-20-3	Naphthalene	260	J	ug/L	500	56.04	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9469				
NAL13026-486	96-001m	ORG	87-61-6	1,2,3-Trichlorobenzene	94	J	ug/L	500	23.28	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9469				
NAL13026-486	96-001m	STD	1868-53-7	Dibromofluoromethane	51		ng			7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9469	50	102%		
NAL13026-486	96-001m	STD	17060-07-0	1,2-Dichloroethane d4	52		ng			7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9469	50	104%		
NAL13026-486	96-001m	STD	2037-26-5	Toluene d8	47		ng			7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9469	50	94%		
NAL13026-486	96-001m	STD	460-00-4	Bromofluorobenzene	45		ng			7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9469	50	90%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-487	OB-282	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9476				
NAL13026-487	OB-282	ORG	74-87-3	Chloromethane		UX-	ug/L	500	43.07	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9476				
NAL13026-487	OB-282	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9476				
NAL13026-487	OB-282	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9476				
NAL13026-487	OB-282	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9476				
NAL13026-487	OB-282	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9476				
NAL13026-487	OB-282	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9476				
NAL13026-487	OB-282	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9476				
NAL13026-487	OB-282	ORG	67-64-1	Acetone	49000	D	ug/L	10000	1556.07	7/15/2013	7/15/2013	7/15/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9478				
NAL13026-487	OB-282	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9476				
NAL13026-487	OB-282	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9476				
NAL13026-487	OB-282	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9476				
NAL13026-487	OB-282	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9476				
NAL13026-487	OB-282	ORG	74-97-5	Bromochloromethane		U	ug/L	200	81.18	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9476				
NAL13026-487	OB-282	ORG	67-66-3	Chloroform		U	ug/L	100	41.37	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9476				
NAL13026-487	OB-282	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	15.73	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9476				
NAL13026-487	OB-282	ORG	78-93-3	2-Butanone	22000	D	ug/L	10000	166.52	7/15/2013	7/15/2013	7/15/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9478				
NAL13026-487	OB-282	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9476				
NAL13026-487	OB-282	ORG	71-43-2	Benzene		U	ug/L	100	13.53	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9476				
NAL13026-487	OB-282	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9476				
NAL13026-487	OB-282	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9476				
NAL13026-487	OB-282	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9476				
NAL13026-487	OB-282	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9476				
NAL13026-487	OB-282	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9476				
NAL13026-487	OB-282	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9476				
NAL13026-487	OB-282	ORG	108-88-3	Toluene		U	ug/L	100	74.00	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9476				
NAL13026-487	OB-282	ORG	108-10-1	4-Methyl-2-pentanone	380	J	ug/L	500	20.96	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9476				
NAL13026-487	OB-282	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9476				
NAL13026-487	OB-282	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9476				
NAL13026-487	OB-282	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9476				
NAL13026-487	OB-282	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	68.90	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9476				
NAL13026-487	OB-282	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	29.90	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9476				
NAL13026-487	OB-282	ORG	591-78-6	2-Hexanone		U	ug/L	500	26.49	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9476				
NAL13026-487	OB-282	ORG	100-41-4	Ethylbenzene		U	ug/L	100	25.38	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9476				
NAL13026-487	OB-282	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9476				
NAL13026-487	OB-282	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9476				
NAL13026-487	OB-282	ORG	XYLMP	p&m-Xylene	28	J	ug/L	200	26.14	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9476				
NAL13026-487	OB-282	ORG	95-47-6	o-Xylene		U	ug/L	100	12.90	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9476				
NAL13026-487	OB-282	ORG	100-42-5	Styrene	31	J	ug/L	100	20.23	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9476				
NAL13026-487	OB-282	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9476				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-487	OB-282	ORG	98-82-8	Isopropylbenzene		U	ug/L	200	20.48	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9476				
NAL13026-487	OB-282	ORG	103-65-1	n-Propylbenzene		U	ug/L	200	27.00	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9476				
NAL13026-487	OB-282	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9476				
NAL13026-487	OB-282	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9476				
NAL13026-487	OB-282	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	200	20.03	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9476				
NAL13026-487	OB-282	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9476				
NAL13026-487	OB-282	ORG	95-63-6	1,2,4-Trimethylbenzene	32	J	ug/L	200	20.03	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9476				
NAL13026-487	OB-282	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9476				
NAL13026-487	OB-282	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9476				
NAL13026-487	OB-282	ORG	99-87-6	p-Isopropltoluene	84	J	ug/L	200	25.48	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9476				
NAL13026-487	OB-282	ORG	106-46-7	1,4-Dichlorobenzene	58	J	ug/L	200	33.03	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9476				
NAL13026-487	OB-282	ORG	95-50-1	1,2-Dichlorobenzene	37	J	ug/L	200	26.38	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9476				
NAL13026-487	OB-282	ORG	104-51-8	n-Butylbenzene	42	J	ug/L	500	27.81	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9476				
NAL13026-487	OB-282	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9476				
NAL13026-487	OB-282	ORG	87-68-3	Hexachlorobutadiene	82	J	ug/L	500	65.42	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9476				
NAL13026-487	OB-282	ORG	120-82-1	1,2,4-Trichlorobenzene	86	J	ug/L	500	27.63	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9476				
NAL13026-487	OB-282	ORG	91-20-3	Naphthalene	320	J	ug/L	500	56.04	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9476				
NAL13026-487	OB-282	ORG	87-61-6	1,2,3-Trichlorobenzene	110	J	ug/L	500	23.28	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9476				
NAL13026-487	OB-282	STD	1868-53-7	Dibromofluoromethane	51		ng			7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9476	50	102%		
NAL13026-487	OB-282	STD	17060-07-0	1,2-Dichloroethane d4	53		ng			7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9476	50	106%		
NAL13026-487	OB-282	STD	2037-26-5	Toluene d8	46		ng			7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9476	50	92%		
NAL13026-487	OB-282	STD	460-00-4	Bromofluorobenzene	45		ng			7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9476	50	90%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-488	OB-283	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9477				
NAL13026-488	OB-283	ORG	74-87-3	Chloromethane		UX-	ug/L	500	43.07	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9477				
NAL13026-488	OB-283	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9477				
NAL13026-488	OB-283	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9477				
NAL13026-488	OB-283	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9477				
NAL13026-488	OB-283	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9477				
NAL13026-488	OB-283	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9477				
NAL13026-488	OB-283	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9477				
NAL13026-488	OB-283	ORG	67-64-1	Acetone	43000	D	ug/L	10000	1556.07	7/15/2013	7/15/2013	7/15/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9479				
NAL13026-488	OB-283	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9477				
NAL13026-488	OB-283	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9477				
NAL13026-488	OB-283	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9477				
NAL13026-488	OB-283	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9477				
NAL13026-488	OB-283	ORG	74-97-5	Bromochloromethane		U	ug/L	200	81.18	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9477				
NAL13026-488	OB-283	ORG	67-66-3	Chloroform		U	ug/L	100	41.37	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9477				
NAL13026-488	OB-283	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	15.73	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9477				
NAL13026-488	OB-283	ORG	78-93-3	2-Butanone	19000	D	ug/L	10000	166.52	7/15/2013	7/15/2013	7/15/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9479				
NAL13026-488	OB-283	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9477				
NAL13026-488	OB-283	ORG	71-43-2	Benzene		U	ug/L	100	13.53	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9477				
NAL13026-488	OB-283	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9477				
NAL13026-488	OB-283	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9477				
NAL13026-488	OB-283	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9477				
NAL13026-488	OB-283	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9477				
NAL13026-488	OB-283	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9477				
NAL13026-488	OB-283	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9477				
NAL13026-488	OB-283	ORG	108-88-3	Toluene		U	ug/L	100	74.00	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9477				
NAL13026-488	OB-283	ORG	108-10-1	4-Methyl-2-pentanone	340	J	ug/L	500	20.96	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9477				
NAL13026-488	OB-283	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9477				
NAL13026-488	OB-283	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9477				
NAL13026-488	OB-283	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9477				
NAL13026-488	OB-283	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	68.90	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9477				
NAL13026-488	OB-283	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	29.90	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9477				
NAL13026-488	OB-283	ORG	591-78-6	2-Hexanone		U	ug/L	500	26.49	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9477				
NAL13026-488	OB-283	ORG	100-41-4	Ethylbenzene		U	ug/L	100	25.38	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9477				
NAL13026-488	OB-283	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9477				
NAL13026-488	OB-283	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9477				
NAL13026-488	OB-283	ORG	XYLMP	p&m-Xylene	39	J	ug/L	200	26.14	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9477				
NAL13026-488	OB-283	ORG	95-47-6	o-Xylene	17	J	ug/L	100	12.90	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9477				
NAL13026-488	OB-283	ORG	100-42-5	Styrene	35	J	ug/L	100	20.23	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9477				
NAL13026-488	OB-283	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9477				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-488	OB-283	ORG	98-82-8	Isopropylbenzene		U	ug/L	200	20.48	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9477				
NAL13026-488	OB-283	ORG	103-65-1	n-Propylbenzene		U	ug/L	200	27.00	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9477				
NAL13026-488	OB-283	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9477				
NAL13026-488	OB-283	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9477				
NAL13026-488	OB-283	ORG	108-67-8	1,3,5-Trimethylbenzene	26	J	ug/L	200	20.03	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9477				
NAL13026-488	OB-283	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9477				
NAL13026-488	OB-283	ORG	95-63-6	1,2,4-Trimethylbenzene	34	J	ug/L	200	20.03	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9477				
NAL13026-488	OB-283	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9477				
NAL13026-488	OB-283	ORG	541-73-1	1,3-Dichlorobenzene	40	J	ug/L	200	22.21	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9477				
NAL13026-488	OB-283	ORG	99-87-6	p-Isopropltoluene	63	J	ug/L	200	25.48	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9477				
NAL13026-488	OB-283	ORG	106-46-7	1,4-Dichlorobenzene	61	J	ug/L	200	33.03	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9477				
NAL13026-488	OB-283	ORG	95-50-1	1,2-Dichlorobenzene	39	J	ug/L	200	26.38	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9477				
NAL13026-488	OB-283	ORG	104-51-8	n-Butylbenzene	53	J	ug/L	500	27.81	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9477				
NAL13026-488	OB-283	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9477				
NAL13026-488	OB-283	ORG	87-68-3	Hexachlorobutadiene	86	J	ug/L	500	65.42	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9477				
NAL13026-488	OB-283	ORG	120-82-1	1,2,4-Trichlorobenzene	89	J	ug/L	500	27.63	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9477				
NAL13026-488	OB-283	ORG	91-20-3	Naphthalene	270	J	ug/L	500	56.04	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9477				
NAL13026-488	OB-283	ORG	87-61-6	1,2,3-Trichlorobenzene	88	J	ug/L	500	23.28	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9477				
NAL13026-488	OB-283	STD	1868-53-7	Dibromofluoromethane	51		ng			7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9477	50	102%		
NAL13026-488	OB-283	STD	17060-07-0	1,2-Dichloroethane d4	53		ng			7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9477	50	106%		
NAL13026-488	OB-283	STD	2037-26-5	Toluene d8	47		ng			7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9477	50	94%		
NAL13026-488	OB-283	STD	460-00-4	Bromofluorobenzene	46		ng			7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9477	50	92%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J071513CCVA	J071513CCVA	ORG	75-71-8	Dichlorodifluoromethane	40		ug/L	5	0.29	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9467	50	80%		
J071513CCVA	J071513CCVA	ORG	74-87-3	Chloromethane	37		ug/L	5	0.43	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9467	50	74%		
J071513CCVA	J071513CCVA	ORG	75-01-4	Vinyl chloride	41		ug/L	2	0.32	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9467	50	82%		
J071513CCVA	J071513CCVA	ORG	74-83-9	Bromomethane	62		ug/L	5	0.50	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9467	50	124%		
J071513CCVA	J071513CCVA	ORG	75-00-3	Chloroethane	66		ug/L	5	0.56	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9467	50	132%		
J071513CCVA	J071513CCVA	ORG	75-69-4	Trichlorofluoromethane	53		ug/L	5	0.20	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9467	50	106%		
J071513CCVA	J071513CCVA	ORG	75-35-4	1,1-Dichloroethene	48		ug/L	1	0.47	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9467	50	96%		
J071513CCVA	J071513CCVA	ORG	75-09-2	Methylene chloride	51		ug/L	5	0.26	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9467	50	102%		
J071513CCVA	J071513CCVA	ORG	67-64-1	Acetone	57		ug/L	10	1.56	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9467	50	114%		
J071513CCVA	J071513CCVA	ORG	156-60-5	trans-1,2-Dichloroethene	51		ug/L	1	0.56	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9467	50	102%		
J071513CCVA	J071513CCVA	ORG	1634-04-4	MTBE	49		ug/L	5	0.61	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9467	50	98%		
J071513CCVA	J071513CCVA	ORG	75-34-3	1,1-Dichloroethane	54		ug/L	1	0.53	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9467	50	108%		
J071513CCVA	J071513CCVA	ORG	156-59-2	cis-1,2-Dichloroethene	53		ug/L	1	0.32	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9467	50	106%		
J071513CCVA	J071513CCVA	ORG	74-97-5	Bromochloromethane	56		ug/L	10	0.81	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9467	50	112%		
J071513CCVA	J071513CCVA	ORG	67-66-3	Chloroform	50		ug/L	2	0.41	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9467	50	100%		
J071513CCVA	J071513CCVA	ORG	71-55-6	1,1,1-Trichloroethane	52		ug/L	1	0.16	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9467	50	104%		
J071513CCVA	J071513CCVA	ORG	78-93-3	2-Butanone	50		ug/L	1	0.17	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9467	50	100%		
J071513CCVA	J071513CCVA	ORG	56-23-5	Carbon tetrachloride	53		ug/L	1	0.28	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9467	50	106%		
J071513CCVA	J071513CCVA	ORG	71-43-2	Benzene	48		ug/L	1	0.14	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9467	50	96%		
J071513CCVA	J071513CCVA	ORG	107-06-2	1,2-Dichloroethane	50		ug/L	1	0.20	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9467	50	100%		
J071513CCVA	J071513CCVA	ORG	79-01-6	Trichloroethene	51		ug/L	1	0.36	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9467	50	102%		
J071513CCVA	J071513CCVA	ORG	74-95-3	Dibromomethane	52		ug/L	2	0.32	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9467	50	104%		
J071513CCVA	J071513CCVA	ORG	78-87-5	1,2-Dichloropropane	46		ug/L	1	0.18	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9467	50	92%		
J071513CCVA	J071513CCVA	ORG	75-27-4	Bromodichloromethane	49		ug/L	2	0.12	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9467	50	98%		
J071513CCVA	J071513CCVA	ORG	10061-01-5	cis-1,3-Dichloropropene	47		ug/L	1	0.25	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9467	50	94%		
J071513CCVA	J071513CCVA	ORG	108-88-3	Toluene	46		ug/L	5	0.74	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9467	50	92%		
J071513CCVA	J071513CCVA	ORG	108-10-1	4-Methyl-2-pentanone	53		ug/L	1	0.21	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9467	50	106%		
J071513CCVA	J071513CCVA	ORG	10061-02-6	trans-1,3-Dichloropropene	51		ug/L	1	0.31	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9467	50	102%		
J071513CCVA	J071513CCVA	ORG	127-18-4	Tetrachloroethene	41		ug/L	1	0.49	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9467	50	82%		
J071513CCVA	J071513CCVA	ORG	79-00-5	1,1,2-Trichloroethane	48		ug/L	1	0.34	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9467	50	96%		
J071513CCVA	J071513CCVA	ORG	124-48-1	Dibromochloromethane	53		ug/L	5	0.69	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9467	50	106%		
J071513CCVA	J071513CCVA	ORG	106-93-4	1,2-Dibromoethane	51		ug/L	2	0.30	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9467	50	102%		
J071513CCVA	J071513CCVA	ORG	591-78-6	2-Hexanone	57		ug/L	2	0.26	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9467	50	114%		
J071513CCVA	J071513CCVA	ORG	100-41-4	Ethylbenzene	43		ug/L	1	0.25	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9467	50	86%		
J071513CCVA	J071513CCVA	ORG	108-90-7	Chlorobenzene	44		ug/L	1	0.28	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9467	50	88%		
J071513CCVA	J071513CCVA	ORG	630-20-6	1,1,1,2-Tetrachloroethane	46		ug/L	2	0.19	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9467	50	92%		
J071513CCVA	J071513CCVA	ORG	XYLMP	p&m-Xylene	87		ug/L	2	0.26	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9467	100	87%		
J071513CCVA	J071513CCVA	ORG	95-47-6	o-Xylene	44		ug/L	1	0.13	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9467	50	88%		
J071513CCVA	J071513CCVA	ORG	100-42-5	Styrene	43		ug/L	1	0.20	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9467	50	86%		
J071513CCVA	J071513CCVA	ORG	75-25-2	Bromoform	52		ug/L	2	0.47	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9467	50	104%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J071513CCVA	J071513CCVA	ORG	98-82-8	Isopropylbenzene	44		ug/L	2	0.20	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9467	50	88%		
J071513CCVA	J071513CCVA	ORG	103-65-1	n-Propylbenzene	45		ug/L	2	0.27	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9467	50	90%		
J071513CCVA	J071513CCVA	ORG	79-34-5	1,1,2,2-Tetrachloroethane	49		ug/L	2	0.29	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9467	50	98%		
J071513CCVA	J071513CCVA	ORG	96-18-4	1,2,3-Trichloropropane	49		ug/L	2	0.29	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9467	50	98%		
J071513CCVA	J071513CCVA	ORG	108-67-8	1,3,5-Trimethylbenzene	45		ug/L	2	0.20	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9467	50	90%		
J071513CCVA	J071513CCVA	ORG	98-06-6	tert-Butylbenzene	46		ug/L	2	0.33	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9467	50	92%		
J071513CCVA	J071513CCVA	ORG	95-63-6	1,2,4-Trimethylbenzene	45		ug/L	2	0.20	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9467	50	90%		
J071513CCVA	J071513CCVA	ORG	135-98-8	sec-Butylbenzene	46		ug/L	2	0.32	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9467	50	92%		
J071513CCVA	J071513CCVA	ORG	541-73-1	1,3-Dichlorobenzene	50		ug/L	2	0.22	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9467	50	100%		
J071513CCVA	J071513CCVA	ORG	99-87-6	p-Isopropltoluene	47		ug/L	2	0.25	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9467	50	94%		
J071513CCVA	J071513CCVA	ORG	106-46-7	1,4-Dichlorobenzene	52		ug/L	2	0.33	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9467	50	104%		
J071513CCVA	J071513CCVA	ORG	95-50-1	1,2-Dichlorobenzene	51		ug/L	2	0.26	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9467	50	102%		
J071513CCVA	J071513CCVA	ORG	104-51-8	n-Butylbenzene	47		ug/L	5	0.28	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9467	50	94%		
J071513CCVA	J071513CCVA	ORG	96-12-8	1,2-Dibromo-3-chloropropane	50		ug/L	5	1.59	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9467	50	100%		
J071513CCVA	J071513CCVA	ORG	87-68-3	Hexachlorobutadiene	52		ug/L	5	0.65	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9467	50	104%		
J071513CCVA	J071513CCVA	ORG	120-82-1	1,2,4-Trichlorobenzene	51		ug/L	5	0.28	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9467	50	102%		
J071513CCVA	J071513CCVA	ORG	91-20-3	Naphthalene	48		ug/L	5	0.56	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9467	50	96%		
J071513CCVA	J071513CCVA	ORG	87-61-6	1,2,3-Trichlorobenzene	50		ug/L	5	0.23	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9467	50	100%		
J071513CCVA	J071513CCVA	STD	1868-53-7	Dibromofluoromethane	52		ng			NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9467	50	104%		
J071513CCVA	J071513CCVA	STD	17060-07-0	1,2-Dichloroethane d4	48		ng			NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9467	50	96%		
J071513CCVA	J071513CCVA	STD	2037-26-5	Toluene d8	47		ng			NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9467	50	94%		
J071513CCVA	J071513CCVA	STD	460-00-4	Bromofluorobenzene	44		ng			NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9467	50	88%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J071513MBKA	J071513MBKA	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	5	0.29	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9468				
J071513MBKA	J071513MBKA	ORG	74-87-3	Chloromethane		U	ug/L	5	0.43	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9468				
J071513MBKA	J071513MBKA	ORG	75-01-4	Vinyl chloride		U	ug/L	2	0.32	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9468				
J071513MBKA	J071513MBKA	ORG	74-83-9	Bromomethane		U	ug/L	5	0.50	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9468				
J071513MBKA	J071513MBKA	ORG	75-00-3	Chloroethane		U	ug/L	5	0.56	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9468				
J071513MBKA	J071513MBKA	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	5	0.20	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9468				
J071513MBKA	J071513MBKA	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	1	0.47	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9468				
J071513MBKA	J071513MBKA	ORG	75-09-2	Methylene chloride		U	ug/L	5	0.26	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9468				
J071513MBKA	J071513MBKA	ORG	67-64-1	Acetone		U	ug/L	10	1.56	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9468				
J071513MBKA	J071513MBKA	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	1	0.56	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9468				
J071513MBKA	J071513MBKA	ORG	1634-04-4	MTBE		U	ug/L	5	0.61	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9468				
J071513MBKA	J071513MBKA	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	1	0.53	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9468				
J071513MBKA	J071513MBKA	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	1	0.32	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9468				
J071513MBKA	J071513MBKA	ORG	74-97-5	Bromochloromethane		U	ug/L	10	0.81	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9468				
J071513MBKA	J071513MBKA	ORG	67-66-3	Chloroform		U	ug/L	2	0.41	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9468				
J071513MBKA	J071513MBKA	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	1	0.16	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9468				
J071513MBKA	J071513MBKA	ORG	78-93-3	2-Butanone		U	ug/L	1	0.17	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9468				
J071513MBKA	J071513MBKA	ORG	56-23-5	Carbon tetrachloride		U	ug/L	1	0.28	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9468				
J071513MBKA	J071513MBKA	ORG	71-43-2	Benzene		U	ug/L	1	0.14	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9468				
J071513MBKA	J071513MBKA	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	1	0.20	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9468				
J071513MBKA	J071513MBKA	ORG	79-01-6	Trichloroethene		U	ug/L	1	0.36	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9468				
J071513MBKA	J071513MBKA	ORG	74-95-3	Dibromomethane		U	ug/L	2	0.32	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9468				
J071513MBKA	J071513MBKA	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	1	0.18	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9468				
J071513MBKA	J071513MBKA	ORG	75-27-4	Bromodichloromethane		U	ug/L	2	0.12	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9468				
J071513MBKA	J071513MBKA	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	1	0.25	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9468				
J071513MBKA	J071513MBKA	ORG	108-88-3	Toluene		U	ug/L	5	0.74	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9468				
J071513MBKA	J071513MBKA	ORG	108-10-1	4-Methyl-2-pentanone		U	ug/L	1	0.21	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9468				
J071513MBKA	J071513MBKA	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	1	0.31	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9468				
J071513MBKA	J071513MBKA	ORG	127-18-4	Tetrachloroethene		U	ug/L	1	0.49	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9468				
J071513MBKA	J071513MBKA	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	1	0.34	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9468				
J071513MBKA	J071513MBKA	ORG	124-48-1	Dibromochloromethane		U	ug/L	5	0.69	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9468				
J071513MBKA	J071513MBKA	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	2	0.30	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9468				
J071513MBKA	J071513MBKA	ORG	591-78-6	2-Hexanone		U	ug/L	2	0.26	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9468				
J071513MBKA	J071513MBKA	ORG	100-41-4	Ethylbenzene		U	ug/L	1	0.25	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9468				
J071513MBKA	J071513MBKA	ORG	108-90-7	Chlorobenzene		U	ug/L	1	0.28	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9468				
J071513MBKA	J071513MBKA	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	2	0.19	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9468				
J071513MBKA	J071513MBKA	ORG	XYLMP	p&m-Xylene		U	ug/L	2	0.26	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9468				
J071513MBKA	J071513MBKA	ORG	95-47-6	o-Xylene		U	ug/L	1	0.13	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9468				
J071513MBKA	J071513MBKA	ORG	100-42-5	Styrene		U	ug/L	1	0.20	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9468				
J071513MBKA	J071513MBKA	ORG	75-25-2	Bromoform		U	ug/L	2	0.47	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9468				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J071513MBKA	J071513MBKA	ORG	98-82-8	Isopropylbenzene		U	ug/L	2	0.20	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9468				
J071513MBKA	J071513MBKA	ORG	103-65-1	n-Propylbenzene		U	ug/L	2	0.27	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9468				
J071513MBKA	J071513MBKA	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	2	0.29	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9468				
J071513MBKA	J071513MBKA	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	2	0.29	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9468				
J071513MBKA	J071513MBKA	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	2	0.20	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9468				
J071513MBKA	J071513MBKA	ORG	98-06-6	tert-Butylbenzene		U	ug/L	2	0.33	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9468				
J071513MBKA	J071513MBKA	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	2	0.20	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9468				
J071513MBKA	J071513MBKA	ORG	135-98-8	sec-Butylbenzene		U	ug/L	2	0.32	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9468				
J071513MBKA	J071513MBKA	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	2	0.22	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9468				
J071513MBKA	J071513MBKA	ORG	99-87-6	p-Isopropltoluene		U	ug/L	2	0.25	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9468				
J071513MBKA	J071513MBKA	ORG	106-46-7	1,4-Dichlorobenzene		U	ug/L	2	0.33	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9468				
J071513MBKA	J071513MBKA	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	2	0.26	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9468				
J071513MBKA	J071513MBKA	ORG	104-51-8	n-Butylbenzene		U	ug/L	5	0.28	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9468				
J071513MBKA	J071513MBKA	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	5	1.59	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9468				
J071513MBKA	J071513MBKA	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	5	0.65	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9468				
J071513MBKA	J071513MBKA	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	5	0.28	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9468				
J071513MBKA	J071513MBKA	ORG	91-20-3	Naphthalene		U	ug/L	5	0.56	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9468				
J071513MBKA	J071513MBKA	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	5	0.23	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9468				
J071513MBKA	J071513MBKA	STD	1868-53-7	Dibromofluoromethane	50		ng			NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9468	50	100%		
J071513MBKA	J071513MBKA	STD	17060-07-0	1,2-Dichloroethane d4	52		ng			NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9468	50	104%		
J071513MBKA	J071513MBKA	STD	2037-26-5	Toluene d8	45		ng			NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9468	50	90%		
J071513MBKA	J071513MBKA	STD	460-00-4	Bromofluorobenzene	45		ng			NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9468	50	90%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J071513ALCS	J071513ALCS	ORG	75-71-8	Dichlorodifluoromethane	42		ug/L	5	0.29	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9471	50	84%		
J071513ALCS	J071513ALCS	ORG	74-87-3	Chloromethane	34		ug/L	5	0.43	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9471	50	68%		
J071513ALCS	J071513ALCS	ORG	75-01-4	Vinyl chloride	41		ug/L	2	0.32	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9471	50	82%		
J071513ALCS	J071513ALCS	ORG	74-83-9	Bromomethane	67		ug/L	5	0.50	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9471	50	134%		
J071513ALCS	J071513ALCS	ORG	75-00-3	Chloroethane	63		ug/L	5	0.56	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9471	50	126%		
J071513ALCS	J071513ALCS	ORG	75-69-4	Trichlorofluoromethane	55		ug/L	5	0.20	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9471	50	110%		
J071513ALCS	J071513ALCS	ORG	75-35-4	1,1-Dichloroethene	45		ug/L	1	0.47	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9471	50	90%		
J071513ALCS	J071513ALCS	ORG	75-09-2	Methylene chloride	47		ug/L	5	0.26	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9471	50	94%		
J071513ALCS	J071513ALCS	ORG	67-64-1	Acetone	49		ug/L	10	1.56	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9471	50	98%		
J071513ALCS	J071513ALCS	ORG	156-60-5	trans-1,2-Dichloroethene	46		ug/L	1	0.56	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9471	50	92%		
J071513ALCS	J071513ALCS	ORG	1634-04-4	MTBE	45		ug/L	5	0.61	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9471	50	90%		
J071513ALCS	J071513ALCS	ORG	75-34-3	1,1-Dichloroethane	47		ug/L	1	0.53	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9471	50	94%		
J071513ALCS	J071513ALCS	ORG	156-59-2	cis-1,2-Dichloroethene	50		ug/L	1	0.32	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9471	50	100%		
J071513ALCS	J071513ALCS	ORG	74-97-5	Bromochloromethane	53		ug/L	10	0.81	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9471	50	106%		
J071513ALCS	J071513ALCS	ORG	67-66-3	Chloroform	51		ug/L	2	0.41	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9471	50	102%		
J071513ALCS	J071513ALCS	ORG	71-55-6	1,1,1-Trichloroethane	51		ug/L	1	0.16	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9471	50	102%		
J071513ALCS	J071513ALCS	ORG	78-93-3	2-Butanone	46		ug/L	1	0.17	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9471	50	92%		
J071513ALCS	J071513ALCS	ORG	56-23-5	Carbon tetrachloride	52		ug/L	1	0.28	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9471	50	104%		
J071513ALCS	J071513ALCS	ORG	71-43-2	Benzene	46		ug/L	1	0.14	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9471	50	92%		
J071513ALCS	J071513ALCS	ORG	107-06-2	1,2-Dichloroethane	50		ug/L	1	0.20	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9471	50	100%		
J071513ALCS	J071513ALCS	ORG	79-01-6	Trichloroethene	52		ug/L	1	0.36	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9471	50	104%		
J071513ALCS	J071513ALCS	ORG	74-95-3	Dibromomethane	51		ug/L	2	0.32	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9471	50	102%		
J071513ALCS	J071513ALCS	ORG	78-87-5	1,2-Dichloropropane	45		ug/L	1	0.18	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9471	50	90%		
J071513ALCS	J071513ALCS	ORG	75-27-4	Bromodichloromethane	47		ug/L	2	0.12	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9471	50	94%		
J071513ALCS	J071513ALCS	ORG	10061-01-5	cis-1,3-Dichloropropene	45		ug/L	1	0.25	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9471	50	90%		
J071513ALCS	J071513ALCS	ORG	108-88-3	Toluene	45		ug/L	5	0.74	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9471	50	90%		
J071513ALCS	J071513ALCS	ORG	108-10-1	4-Methyl-2-pentanone	46		ug/L	1	0.21	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9471	50	92%		
J071513ALCS	J071513ALCS	ORG	10061-02-6	trans-1,3-Dichloropropene	47		ug/L	1	0.31	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9471	50	94%		
J071513ALCS	J071513ALCS	ORG	127-18-4	Tetrachloroethene	46		ug/L	1	0.49	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9471	50	92%		
J071513ALCS	J071513ALCS	ORG	79-00-5	1,1,2-Trichloroethane	46		ug/L	1	0.34	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9471	50	92%		
J071513ALCS	J071513ALCS	ORG	124-48-1	Dibromochloromethane	52		ug/L	5	0.69	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9471	50	104%		
J071513ALCS	J071513ALCS	ORG	106-93-4	1,2-Dibromoethane	50		ug/L	2	0.30	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9471	50	100%		
J071513ALCS	J071513ALCS	ORG	591-78-6	2-Hexanone	48		ug/L	2	0.26	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9471	50	96%		
J071513ALCS	J071513ALCS	ORG	100-41-4	Ethylbenzene	42		ug/L	1	0.25	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9471	50	84%		
J071513ALCS	J071513ALCS	ORG	108-90-7	Chlorobenzene	42		ug/L	1	0.28	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9471	50	84%		
J071513ALCS	J071513ALCS	ORG	630-20-6	1,1,1,2-Tetrachloroethane	43		ug/L	2	0.19	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9471	50	86%		
J071513ALCS	J071513ALCS	ORG	XYLMP	p&m-Xylene	84		ug/L	2	0.26	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9471	100	84%		
J071513ALCS	J071513ALCS	ORG	95-47-6	o-Xylene	41		ug/L	1	0.13	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9471	50	82%		
J071513ALCS	J071513ALCS	ORG	100-42-5	Styrene	42		ug/L	1	0.20	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9471	50	84%		
J071513ALCS	J071513ALCS	ORG	75-25-2	Bromoform	52		ug/L	2	0.47	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9471	50	104%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J071513ALCS	J071513ALCS	ORG	98-82-8	Isopropylbenzene	45		ug/L	2	0.20	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9471	50	90%		
J071513ALCS	J071513ALCS	ORG	103-65-1	n-Propylbenzene	44		ug/L	2	0.27	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9471	50	88%		
J071513ALCS	J071513ALCS	ORG	79-34-5	1,1,2,2-Tetrachloroethane	48		ug/L	2	0.29	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9471	50	96%		
J071513ALCS	J071513ALCS	ORG	96-18-4	1,2,3-Trichloropropane	48		ug/L	2	0.29	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9471	50	96%		
J071513ALCS	J071513ALCS	ORG	108-67-8	1,3,5-Trimethylbenzene	44		ug/L	2	0.20	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9471	50	88%		
J071513ALCS	J071513ALCS	ORG	98-06-6	tert-Butylbenzene	46		ug/L	2	0.33	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9471	50	92%		
J071513ALCS	J071513ALCS	ORG	95-63-6	1,2,4-Trimethylbenzene	45		ug/L	2	0.20	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9471	50	90%		
J071513ALCS	J071513ALCS	ORG	135-98-8	sec-Butylbenzene	47		ug/L	2	0.32	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9471	50	94%		
J071513ALCS	J071513ALCS	ORG	541-73-1	1,3-Dichlorobenzene	48		ug/L	2	0.22	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9471	50	96%		
J071513ALCS	J071513ALCS	ORG	99-87-6	p-Isopropltoluene	48		ug/L	2	0.25	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9471	50	96%		
J071513ALCS	J071513ALCS	ORG	106-46-7	1,4-Dichlorobenzene	49		ug/L	2	0.33	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9471	50	98%		
J071513ALCS	J071513ALCS	ORG	95-50-1	1,2-Dichlorobenzene	49		ug/L	2	0.26	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9471	50	98%		
J071513ALCS	J071513ALCS	ORG	104-51-8	n-Butylbenzene	45		ug/L	5	0.28	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9471	50	90%		
J071513ALCS	J071513ALCS	ORG	96-12-8	1,2-Dibromo-3-chloropropane	47		ug/L	5	1.59	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9471	50	94%		
J071513ALCS	J071513ALCS	ORG	87-68-3	Hexachlorobutadiene	49		ug/L	5	0.65	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9471	50	98%		
J071513ALCS	J071513ALCS	ORG	120-82-1	1,2,4-Trichlorobenzene	47		ug/L	5	0.28	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9471	50	94%		
J071513ALCS	J071513ALCS	ORG	91-20-3	Naphthalene	47		ug/L	5	0.56	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9471	50	94%		
J071513ALCS	J071513ALCS	ORG	87-61-6	1,2,3-Trichlorobenzene	47		ug/L	5	0.23	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9471	50	94%		
J071513ALCS	J071513ALCS	STD	1868-53-7	Dibromofluoromethane	52		ng			NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9471	50	104%		
J071513ALCS	J071513ALCS	STD	17060-07-0	1,2-Dichloroethane d4	49		ng			NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9471	50	98%		
J071513ALCS	J071513ALCS	STD	2037-26-5	Toluene d8	47		ng			NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9471	50	94%		
J071513ALCS	J071513ALCS	STD	460-00-4	Bromofluorobenzene	45		ng			NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9471	50	90%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J071513ALCD	J071513ALCD	ORG	75-71-8	Dichlorodifluoromethane	42		ug/L	5	0.29	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9472	50	84%	0%	
J071513ALCD	J071513ALCD	ORG	74-87-3	Chloromethane	33		ug/L	5	0.43	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9472	50	66%	3%	
J071513ALCD	J071513ALCD	ORG	75-01-4	Vinyl chloride	40		ug/L	2	0.32	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9472	50	80%	2%	
J071513ALCD	J071513ALCD	ORG	74-83-9	Bromomethane	69		ug/L	5	0.50	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9472	50	138%	3%	
J071513ALCD	J071513ALCD	ORG	75-00-3	Chloroethane	63		ug/L	5	0.56	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9472	50	126%	0%	
J071513ALCD	J071513ALCD	ORG	75-69-4	Trichlorofluoromethane	56		ug/L	5	0.20	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9472	50	112%	2%	
J071513ALCD	J071513ALCD	ORG	75-35-4	1,1-Dichloroethene	44		ug/L	1	0.47	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9472	50	88%	2%	
J071513ALCD	J071513ALCD	ORG	75-09-2	Methylene chloride	45		ug/L	5	0.26	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9472	50	90%	4%	
J071513ALCD	J071513ALCD	ORG	67-64-1	Acetone	50		ug/L	10	1.56	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9472	50	100%	2%	
J071513ALCD	J071513ALCD	ORG	156-60-5	trans-1,2-Dichloroethene	43		ug/L	1	0.56	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9472	50	86%	7%	
J071513ALCD	J071513ALCD	ORG	1634-04-4	MTBE	42		ug/L	5	0.61	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9472	50	84%	7%	
J071513ALCD	J071513ALCD	ORG	75-34-3	1,1-Dichloroethane	50		ug/L	1	0.53	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9472	50	100%	6%	
J071513ALCD	J071513ALCD	ORG	156-59-2	cis-1,2-Dichloroethene	49		ug/L	1	0.32	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9472	50	98%	2%	
J071513ALCD	J071513ALCD	ORG	74-97-5	Bromochloromethane	51		ug/L	10	0.81	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9472	50	102%	4%	
J071513ALCD	J071513ALCD	ORG	67-66-3	Chloroform	48		ug/L	2	0.41	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9472	50	96%	6%	
J071513ALCD	J071513ALCD	ORG	71-55-6	1,1,1-Trichloroethane	50		ug/L	1	0.16	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9472	50	100%	2%	
J071513ALCD	J071513ALCD	ORG	78-93-3	2-Butanone	43		ug/L	1	0.17	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9472	50	86%	7%	
J071513ALCD	J071513ALCD	ORG	56-23-5	Carbon tetrachloride	50		ug/L	1	0.28	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9472	50	100%	4%	
J071513ALCD	J071513ALCD	ORG	71-43-2	Benzene	45		ug/L	1	0.14	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9472	50	90%	2%	
J071513ALCD	J071513ALCD	ORG	107-06-2	1,2-Dichloroethane	49		ug/L	1	0.20	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9472	50	98%	2%	
J071513ALCD	J071513ALCD	ORG	79-01-6	Trichloroethene	49		ug/L	1	0.36	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9472	50	98%	6%	
J071513ALCD	J071513ALCD	ORG	74-95-3	Dibromomethane	49		ug/L	2	0.32	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9472	50	98%	4%	
J071513ALCD	J071513ALCD	ORG	78-87-5	1,2-Dichloropropane	43		ug/L	1	0.18	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9472	50	86%	5%	
J071513ALCD	J071513ALCD	ORG	75-27-4	Bromodichloromethane	46		ug/L	2	0.12	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9472	50	92%	2%	
J071513ALCD	J071513ALCD	ORG	10061-01-5	cis-1,3-Dichloropropene	44		ug/L	1	0.25	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9472	50	88%	2%	
J071513ALCD	J071513ALCD	ORG	108-88-3	Toluene	44		ug/L	5	0.74	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9472	50	88%	2%	
J071513ALCD	J071513ALCD	ORG	108-10-1	4-Methyl-2-pentanone	43		ug/L	1	0.21	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9472	50	86%	7%	
J071513ALCD	J071513ALCD	ORG	10061-02-6	trans-1,3-Dichloropropene	47		ug/L	1	0.31	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9472	50	94%	0%	
J071513ALCD	J071513ALCD	ORG	127-18-4	Tetrachloroethene	45		ug/L	1	0.49	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9472	50	90%	2%	
J071513ALCD	J071513ALCD	ORG	79-00-5	1,1,2-Trichloroethane	45		ug/L	1	0.34	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9472	50	90%	2%	
J071513ALCD	J071513ALCD	ORG	124-48-1	Dibromochloromethane	51		ug/L	5	0.69	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9472	50	102%	2%	
J071513ALCD	J071513ALCD	ORG	106-93-4	1,2-Dibromoethane	48		ug/L	2	0.30	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9472	50	96%	4%	
J071513ALCD	J071513ALCD	ORG	591-78-6	2-Hexanone	45		ug/L	2	0.26	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9472	50	90%	6%	
J071513ALCD	J071513ALCD	ORG	100-41-4	Ethylbenzene	42		ug/L	1	0.25	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9472	50	84%	0%	
J071513ALCD	J071513ALCD	ORG	108-90-7	Chlorobenzene	43		ug/L	1	0.28	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9472	50	86%	2%	
J071513ALCD	J071513ALCD	ORG	630-20-6	1,1,1,2-Tetrachloroethane	44		ug/L	2	0.19	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9472	50	88%	2%	
J071513ALCD	J071513ALCD	ORG	XYLMP	p&m-Xylene	82		ug/L	2	0.26	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9472	100	82%	2%	
J071513ALCD	J071513ALCD	ORG	95-47-6	o-Xylene	43		ug/L	1	0.13	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9472	50	86%	5%	
J071513ALCD	J071513ALCD	ORG	100-42-5	Styrene	42		ug/L	1	0.20	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9472	50	84%	0%	
J071513ALCD	J071513ALCD	ORG	75-25-2	Bromoform	53		ug/L	2	0.47	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9472	50	106%	2%	

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J071513ALCD	J071513ALCD	ORG	98-82-8	Isopropylbenzene	45		ug/L	2	0.20	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9472	50	90%	0%	
J071513ALCD	J071513ALCD	ORG	103-65-1	n-Propylbenzene	43		ug/L	2	0.27	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9472	50	86%	2%	
J071513ALCD	J071513ALCD	ORG	79-34-5	1,1,2,2-Tetrachloroethane	48		ug/L	2	0.29	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9472	50	96%	0%	
J071513ALCD	J071513ALCD	ORG	96-18-4	1,2,3-Trichloropropane	47		ug/L	2	0.29	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9472	50	94%	2%	
J071513ALCD	J071513ALCD	ORG	108-67-8	1,3,5-Trimethylbenzene	44		ug/L	2	0.20	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9472	50	88%	0%	
J071513ALCD	J071513ALCD	ORG	98-06-6	tert-Butylbenzene	46		ug/L	2	0.33	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9472	50	92%	0%	
J071513ALCD	J071513ALCD	ORG	95-63-6	1,2,4-Trimethylbenzene	44		ug/L	2	0.20	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9472	50	88%	2%	
J071513ALCD	J071513ALCD	ORG	135-98-8	sec-Butylbenzene	46		ug/L	2	0.32	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9472	50	92%	2%	
J071513ALCD	J071513ALCD	ORG	541-73-1	1,3-Dichlorobenzene	50		ug/L	2	0.22	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9472	50	100%	4%	
J071513ALCD	J071513ALCD	ORG	99-87-6	p-Isopropltoluene	47		ug/L	2	0.25	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9472	50	94%	2%	
J071513ALCD	J071513ALCD	ORG	106-46-7	1,4-Dichlorobenzene	49		ug/L	2	0.33	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9472	50	98%	0%	
J071513ALCD	J071513ALCD	ORG	95-50-1	1,2-Dichlorobenzene	49		ug/L	2	0.26	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9472	50	98%	0%	
J071513ALCD	J071513ALCD	ORG	104-51-8	n-Butylbenzene	44		ug/L	5	0.28	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9472	50	88%	2%	
J071513ALCD	J071513ALCD	ORG	96-12-8	1,2-Dibromo-3-chloropropane	47		ug/L	5	1.59	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9472	50	94%	0%	
J071513ALCD	J071513ALCD	ORG	87-68-3	Hexachlorobutadiene	50		ug/L	5	0.65	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9472	50	100%	2%	
J071513ALCD	J071513ALCD	ORG	120-82-1	1,2,4-Trichlorobenzene	49		ug/L	5	0.28	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9472	50	98%	4%	
J071513ALCD	J071513ALCD	ORG	91-20-3	Naphthalene	47		ug/L	5	0.56	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9472	50	94%	0%	
J071513ALCD	J071513ALCD	ORG	87-61-6	1,2,3-Trichlorobenzene	48		ug/L	5	0.23	NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9472	50	96%	2%	
J071513ALCD	J071513ALCD	STD	1868-53-7	Dibromofluoromethane	50		ng			NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9472	50	100%	4%	
J071513ALCD	J071513ALCD	STD	17060-07-0	1,2-Dichloroethane d4	49		ng			NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9472	50	98%	0%	
J071513ALCD	J071513ALCD	STD	2037-26-5	Toluene d8	47		ng			NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9472	50	94%	0%	
J071513ALCD	J071513ALCD	STD	460-00-4	Bromofluorobenzene	48		ng			NA	7/15/2013	7/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9472	50	96%	6%	

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-486MS	96-001m	ORG	75-71-8	Dichlorodifluoromethane	4400		ug/L	500	29.28	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9473	5000	88%		
NAL13026-486MS	96-001m	ORG	74-87-3	Chloromethane	3300		ug/L	500	43.07	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9473	5000	66%		
NAL13026-486MS	96-001m	ORG	75-01-4	Vinyl chloride	4000		ug/L	200	31.86	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9473	5000	80%		
NAL13026-486MS	96-001m	ORG	74-83-9	Bromomethane	6900		ug/L	500	50.04	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9473	5000	138%		
NAL13026-486MS	96-001m	ORG	75-00-3	Chloroethane	6400		ug/L	500	55.61	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9473	5000	128%		
NAL13026-486MS	96-001m	ORG	75-69-4	Trichlorofluoromethane	5800		ug/L	500	19.65	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9473	5000	116%		
NAL13026-486MS	96-001m	ORG	75-35-4	1,1-Dichloroethene	4600		ug/L	100	47.11	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9473	5000	92%		
NAL13026-486MS	96-001m	ORG	75-09-2	Methylene chloride	5000		ug/L	500	26.46	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9473	5000	100%		
NAL13026-486MS	96-001m	ORG	67-64-1	Acetone	31000		ug/L	1000	155.61	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9473	5000	60%		28000
NAL13026-486MS	96-001m	ORG	156-60-5	trans-1,2-Dichloroethene	4800		ug/L	100	55.61	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9473	5000	96%		
NAL13026-486MS	96-001m	ORG	1634-04-4	MTBE	4500		ug/L	500	61.18	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9473	5000	90%		
NAL13026-486MS	96-001m	ORG	75-34-3	1,1-Dichloroethane	3900		ug/L	100	52.66	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9473	5000	78%		
NAL13026-486MS	96-001m	ORG	156-59-2	cis-1,2-Dichloroethene	4900		ug/L	100	32.11	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9473	5000	98%		
NAL13026-486MS	96-001m	ORG	74-97-5	Bromochloromethane	5200		ug/L	1000	81.18	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9473	5000	104%		
NAL13026-486MS	96-001m	ORG	67-66-3	Chloroform	4900		ug/L	200	41.37	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9473	5000	97%		30
NAL13026-486MS	96-001m	ORG	71-55-6	1,1,1-Trichloroethane	5100		ug/L	100	15.73	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9473	5000	102%		
NAL13026-486MS	96-001m	ORG	78-93-3	2-Butanone	14000		ug/L	100	16.65	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9473	5000	0%		14000
NAL13026-486MS	96-001m	ORG	56-23-5	Carbon tetrachloride	5200		ug/L	100	27.64	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9473	5000	104%		
NAL13026-486MS	96-001m	ORG	71-43-2	Benzene	5100		ug/L	100	13.53	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9473	5000	91%		540
NAL13026-486MS	96-001m	ORG	107-06-2	1,2-Dichloroethane	5000		ug/L	100	20.01	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9473	5000	100%		
NAL13026-486MS	96-001m	ORG	79-01-6	Trichloroethene	5100		ug/L	100	36.33	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9473	5000	102%		
NAL13026-486MS	96-001m	ORG	74-95-3	Dibromomethane	5000		ug/L	200	32.20	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9473	5000	100%		
NAL13026-486MS	96-001m	ORG	78-87-5	1,2-Dichloropropane	4400		ug/L	100	18.17	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9473	5000	88%		
NAL13026-486MS	96-001m	ORG	75-27-4	Bromodichloromethane	4700		ug/L	200	11.58	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9473	5000	94%		
NAL13026-486MS	96-001m	ORG	10061-01-5	cis-1,3-Dichloropropene	4600		ug/L	100	25.01	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9473	5000	91%		33
NAL13026-486MS	96-001m	ORG	108-88-3	Toluene	4600		ug/L	500	74.00	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9473	5000	90%		110
NAL13026-486MS	96-001m	ORG	108-10-1	4-Methyl-2-pentanone	4300		ug/L	100	20.96	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9473	5000	80%		310
NAL13026-486MS	96-001m	ORG	10061-02-6	trans-1,3-Dichloropropene	4800		ug/L	100	31.15	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9473	5000	95%		36
NAL13026-486MS	96-001m	ORG	127-18-4	Tetrachloroethene	4500		ug/L	100	48.56	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9473	5000	90%		
NAL13026-486MS	96-001m	ORG	79-00-5	1,1,2-Trichloroethane	4700		ug/L	100	34.28	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9473	5000	94%		
NAL13026-486MS	96-001m	ORG	124-48-1	Dibromochloromethane	5200		ug/L	500	68.90	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9473	5000	103%		35
NAL13026-486MS	96-001m	ORG	106-93-4	1,2-Dibromoethane	5000		ug/L	200	29.90	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9473	5000	99%		48
NAL13026-486MS	96-001m	ORG	591-78-6	2-Hexanone	4200		ug/L	200	26.49	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9473	5000	84%		
NAL13026-486MS	96-001m	ORG	100-41-4	Ethylbenzene	4300		ug/L	100	25.38	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9473	5000	85%		58
NAL13026-486MS	96-001m	ORG	108-90-7	Chlorobenzene	4400		ug/L	100	27.52	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9473	5000	87%		37
NAL13026-486MS	96-001m	ORG	630-20-6	1,1,1,2-Tetrachloroethane	4500		ug/L	200	19.28	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9473	5000	90%		
NAL13026-486MS	96-001m	ORG	XYLMP	p&m-Xylene	8500		ug/L	200	26.14	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9473	10000	84%		130
NAL13026-486MS	96-001m	ORG	95-47-6	o-Xylene	4400		ug/L	100	12.90	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9473	5000	87%		65
NAL13026-486MS	96-001m	ORG	100-42-5	Styrene	4300		ug/L	100	20.23	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9473	5000	85%		52
NAL13026-486MS	96-001m	ORG	75-25-2	Bromoform	5300		ug/L	200	46.83	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9473	5000	106%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-486MS	96-001m	ORG	98-82-8	Isopropylbenzene	4500		ug/L	200	20.48	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9473	5000	89%		43
NAL13026-486MS	96-001m	ORG	103-65-1	n-Propylbenzene	4300		ug/L	200	27.00	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9473	5000	85%		44
NAL13026-486MS	96-001m	ORG	79-34-5	1,1,2,2-Tetrachloroethane	4700		ug/L	200	29.16	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9473	5000	94%		
NAL13026-486MS	96-001m	ORG	96-18-4	1,2,3-Trichloropropane	4700		ug/L	200	29.47	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9473	5000	94%		
NAL13026-486MS	96-001m	ORG	108-67-8	1,3,5-Trimethylbenzene	4500		ug/L	200	20.03	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9473	5000	89%		59
NAL13026-486MS	96-001m	ORG	98-06-6	tert-Butylbenzene	4700		ug/L	200	32.61	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9473	5000	94%		
NAL13026-486MS	96-001m	ORG	95-63-6	1,2,4-Trimethylbenzene	4500		ug/L	200	20.03	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9473	5000	88%		100
NAL13026-486MS	96-001m	ORG	135-98-8	sec-Butylbenzene	4500		ug/L	200	32.34	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9473	5000	89%		48
NAL13026-486MS	96-001m	ORG	541-73-1	1,3-Dichlorobenzene	4800		ug/L	200	22.21	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9473	5000	95%		50
NAL13026-486MS	96-001m	ORG	99-87-6	p-Isopropltoluene	4900		ug/L	200	25.48	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9473	5000	92%		290
NAL13026-486MS	96-001m	ORG	106-46-7	1,4-Dichlorobenzene	4800		ug/L	200	33.03	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9473	5000	93%		130
NAL13026-486MS	96-001m	ORG	95-50-1	1,2-Dichlorobenzene	4900		ug/L	200	26.38	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9473	5000	97%		60
NAL13026-486MS	96-001m	ORG	104-51-8	n-Butylbenzene	4300		ug/L	500	27.81	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9473	5000	85%		59
NAL13026-486MS	96-001m	ORG	96-12-8	1,2-Dibromo-3-chloropropane	4700		ug/L	500	159.11	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9473	5000	94%		
NAL13026-486MS	96-001m	ORG	87-68-3	Hexachlorobutadiene	4700		ug/L	500	65.42	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9473	5000	94%		
NAL13026-486MS	96-001m	ORG	120-82-1	1,2,4-Trichlorobenzene	4700		ug/L	500	27.63	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9473	5000	92%		95
NAL13026-486MS	96-001m	ORG	91-20-3	Naphthalene	4800		ug/L	500	56.04	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9473	5000	91%		260
NAL13026-486MS	96-001m	ORG	87-61-6	1,2,3-Trichlorobenzene	4700		ug/L	500	23.28	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9473	5000	92%		94
NAL13026-486MS	96-001m	STD	1868-53-7	Dibromofluoromethane	52		ng			7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9473	50	104%		
NAL13026-486MS	96-001m	STD	17060-07-0	1,2-Dichloroethane d4	49		ng			7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9473	50	98%		
NAL13026-486MS	96-001m	STD	2037-26-5	Toluene d8	48		ng			7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9473	50	96%		
NAL13026-486MS	96-001m	STD	460-00-4	Bromofluorobenzene	47		ng			7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9473	50	94%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-486MSD	96-001m	ORG	75-71-8	Dichlorodifluoromethane	4000		ug/L	500	29.28	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9474	5000	80%	10%	0
NAL13026-486MSD	96-001m	ORG	74-87-3	Chloromethane	3300		ug/L	500	43.07	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9474	5000	66%	0%	0
NAL13026-486MSD	96-001m	ORG	75-01-4	Vinyl chloride	4000		ug/L	200	31.86	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9474	5000	80%	0%	0
NAL13026-486MSD	96-001m	ORG	74-83-9	Bromomethane	6900		ug/L	500	50.04	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9474	5000	138%	0%	0
NAL13026-486MSD	96-001m	ORG	75-00-3	Chloroethane	6500		ug/L	500	55.61	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9474	5000	130%	2%	0
NAL13026-486MSD	96-001m	ORG	75-69-4	Trichlorofluoromethane	5600		ug/L	500	19.65	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9474	5000	112%	4%	0
NAL13026-486MSD	96-001m	ORG	75-35-4	1,1-Dichloroethene	4700		ug/L	100	47.11	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9474	5000	94%	2%	0
NAL13026-486MSD	96-001m	ORG	75-09-2	Methylene chloride	5200		ug/L	500	26.46	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9474	5000	104%	4%	0
NAL13026-486MSD	96-001m	ORG	67-64-1	Acetone	31000		ug/L	1000	155.61	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9474	5000	60%	0%	28000
NAL13026-486MSD	96-001m	ORG	156-60-5	trans-1,2-Dichloroethene	5200		ug/L	100	55.61	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9474	5000	104%	8%	0
NAL13026-486MSD	96-001m	ORG	1634-04-4	MTBE	4800		ug/L	500	61.18	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9474	5000	96%	6%	0
NAL13026-486MSD	96-001m	ORG	75-34-3	1,1-Dichloroethane	4300		ug/L	100	52.66	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9474	5000	86%	10%	0
NAL13026-486MSD	96-001m	ORG	156-59-2	cis-1,2-Dichloroethene	5100		ug/L	100	32.11	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9474	5000	102%	4%	0
NAL13026-486MSD	96-001m	ORG	74-97-5	Bromochloromethane	5400		ug/L	1000	81.18	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9474	5000	108%	4%	0
NAL13026-486MSD	96-001m	ORG	67-66-3	Chloroform	5100		ug/L	200	41.37	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9474	5000	101%	4%	30
NAL13026-486MSD	96-001m	ORG	71-55-6	1,1,1-Trichloroethane	5300		ug/L	100	15.73	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9474	5000	106%	4%	0
NAL13026-486MSD	96-001m	ORG	78-93-3	2-Butanone	14000		ug/L	100	16.65	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9474	5000	0%	0%	14000
NAL13026-486MSD	96-001m	ORG	56-23-5	Carbon tetrachloride	5400		ug/L	100	27.64	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9474	5000	108%	4%	0
NAL13026-486MSD	96-001m	ORG	71-43-2	Benzene	5300		ug/L	100	13.53	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9474	5000	95%	4%	540
NAL13026-486MSD	96-001m	ORG	107-06-2	1,2-Dichloroethane	5300		ug/L	100	20.01	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9474	5000	106%	6%	0
NAL13026-486MSD	96-001m	ORG	79-01-6	Trichloroethene	5300		ug/L	100	36.33	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9474	5000	106%	4%	0
NAL13026-486MSD	96-001m	ORG	74-95-3	Dibromomethane	5300		ug/L	200	32.20	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9474	5000	106%	6%	0
NAL13026-486MSD	96-001m	ORG	78-87-5	1,2-Dichloropropane	4700		ug/L	100	18.17	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9474	5000	94%	7%	0
NAL13026-486MSD	96-001m	ORG	75-27-4	Bromodichloromethane	5100		ug/L	200	11.58	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9474	5000	102%	8%	0
NAL13026-486MSD	96-001m	ORG	10061-01-5	cis-1,3-Dichloropropene	4800		ug/L	100	25.01	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9474	5000	95%	4%	33
NAL13026-486MSD	96-001m	ORG	108-88-3	Toluene	4800		ug/L	500	74.00	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9474	5000	94%	4%	110
NAL13026-486MSD	96-001m	ORG	108-10-1	4-Methyl-2-pentanone	4300		ug/L	100	20.96	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9474	5000	80%	0%	310
NAL13026-486MSD	96-001m	ORG	10061-02-6	trans-1,3-Dichloropropene	5100		ug/L	100	31.15	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9474	5000	101%	6%	36
NAL13026-486MSD	96-001m	ORG	127-18-4	Tetrachloroethene	4800		ug/L	100	48.56	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9474	5000	96%	6%	0
NAL13026-486MSD	96-001m	ORG	79-00-5	1,1,2-Trichloroethane	4900		ug/L	100	34.28	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9474	5000	98%	4%	0
NAL13026-486MSD	96-001m	ORG	124-48-1	Dibromochloromethane	5600		ug/L	500	68.90	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9474	5000	111%	7%	35
NAL13026-486MSD	96-001m	ORG	106-93-4	1,2-Dibromoethane	5200		ug/L	200	29.90	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9474	5000	103%	4%	48
NAL13026-486MSD	96-001m	ORG	591-78-6	2-Hexanone	4000		ug/L	200	26.49	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9474	5000	80%	5%	0
NAL13026-486MSD	96-001m	ORG	100-41-4	Ethylbenzene	4500		ug/L	100	25.38	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9474	5000	89%	5%	58
NAL13026-486MSD	96-001m	ORG	108-90-7	Chlorobenzene	4700		ug/L	100	27.52	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9474	5000	93%	7%	37
NAL13026-486MSD	96-001m	ORG	630-20-6	1,1,1,2-Tetrachloroethane	4900		ug/L	200	19.28	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9474	5000	98%	9%	0
NAL13026-486MSD	96-001m	ORG	XYLMP	p&m-Xylene	9300		ug/L	200	26.14	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9474	10000	92%	9%	130
NAL13026-486MSD	96-001m	ORG	95-47-6	o-Xylene	4600		ug/L	100	12.90	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9474	5000	91%	4%	65
NAL13026-486MSD	96-001m	ORG	100-42-5	Styrene	4500		ug/L	100	20.23	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9474	5000	89%	5%	52
NAL13026-486MSD	96-001m	ORG	75-25-2	Bromoform	5800		ug/L	200	46.83	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9474	5000	116%	9%	0

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-486MSD	96-001m	ORG	98-82-8	Isopropylbenzene	4800		ug/L	200	20.48	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9474	5000	95%	6%	43
NAL13026-486MSD	96-001m	ORG	103-65-1	n-Propylbenzene	4500		ug/L	200	27.00	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9474	5000	89%	5%	44
NAL13026-486MSD	96-001m	ORG	79-34-5	1,1,2,2-Tetrachloroethane	5000		ug/L	200	29.16	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9474	5000	100%	6%	0
NAL13026-486MSD	96-001m	ORG	96-18-4	1,2,3-Trichloropropane	4800		ug/L	200	29.47	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9474	5000	96%	2%	0
NAL13026-486MSD	96-001m	ORG	108-67-8	1,3,5-Trimethylbenzene	4700		ug/L	200	20.03	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9474	5000	93%	4%	59
NAL13026-486MSD	96-001m	ORG	98-06-6	tert-Butylbenzene	5000		ug/L	200	32.61	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9474	5000	100%	6%	0
NAL13026-486MSD	96-001m	ORG	95-63-6	1,2,4-Trimethylbenzene	4700		ug/L	200	20.03	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9474	5000	92%	4%	100
NAL13026-486MSD	96-001m	ORG	135-98-8	sec-Butylbenzene	4800		ug/L	200	32.34	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9474	5000	95%	6%	48
NAL13026-486MSD	96-001m	ORG	541-73-1	1,3-Dichlorobenzene	5200		ug/L	200	22.21	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9474	5000	103%	8%	50
NAL13026-486MSD	96-001m	ORG	99-87-6	p-Isopropltoluene	5200		ug/L	200	25.48	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9474	5000	98%	6%	290
NAL13026-486MSD	96-001m	ORG	106-46-7	1,4-Dichlorobenzene	5400		ug/L	200	33.03	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9474	5000	105%	12%	130
NAL13026-486MSD	96-001m	ORG	95-50-1	1,2-Dichlorobenzene	5200		ug/L	200	26.38	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9474	5000	103%	6%	60
NAL13026-486MSD	96-001m	ORG	104-51-8	n-Butylbenzene	4600		ug/L	500	27.81	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9474	5000	91%	7%	59
NAL13026-486MSD	96-001m	ORG	96-12-8	1,2-Dibromo-3-chloropropane	4800		ug/L	500	159.11	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9474	5000	96%	2%	0
NAL13026-486MSD	96-001m	ORG	87-68-3	Hexachlorobutadiene	5200		ug/L	500	65.42	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9474	5000	104%	10%	0
NAL13026-486MSD	96-001m	ORG	120-82-1	1,2,4-Trichlorobenzene	5200		ug/L	500	27.63	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9474	5000	102%	10%	95
NAL13026-486MSD	96-001m	ORG	91-20-3	Naphthalene	5200		ug/L	500	56.04	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9474	5000	99%	8%	260
NAL13026-486MSD	96-001m	ORG	87-61-6	1,2,3-Trichlorobenzene	5200		ug/L	500	23.28	7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9474	5000	102%	10%	94
NAL13026-486MSD	96-001m	STD	1868-53-7	Dibromofluoromethane	51		ng			7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9474	50	102%	2%	0
NAL13026-486MSD	96-001m	STD	17060-07-0	1,2-Dichloroethane d4	56		ng			7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9474	50	112%	13%	0
NAL13026-486MSD	96-001m	STD	2037-26-5	Toluene d8	48		ng			7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9474	50	96%	0%	0
NAL13026-486MSD	96-001m	STD	460-00-4	Bromofluorobenzene	48		ng			7/15/2013	7/15/2013	7/15/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9474	50	96%	2%	0

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-489	282/283-MSD	ORG	75-71-8	Dichlorodifluoromethane		UX-	ug/L	500	29.28	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9483				
NAL13026-489	282/283-MSD	ORG	74-87-3	Chloromethane		UX-	ug/L	500	43.07	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9483				
NAL13026-489	282/283-MSD	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9483				
NAL13026-489	282/283-MSD	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9483				
NAL13026-489	282/283-MSD	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9483				
NAL13026-489	282/283-MSD	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9483				
NAL13026-489	282/283-MSD	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9483				
NAL13026-489	282/283-MSD	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9483				
NAL13026-489	282/283-MSD	ORG	67-64-1	Acetone	45000	D	ug/L	10000	1556.07	7/16/2013	7/16/2013	7/16/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9484				
NAL13026-489	282/283-MSD	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9483				
NAL13026-489	282/283-MSD	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9483				
NAL13026-489	282/283-MSD	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9483				
NAL13026-489	282/283-MSD	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9483				
NAL13026-489	282/283-MSD	ORG	74-97-5	Bromochloromethane		U	ug/L	200	41.37	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9483				
NAL13026-489	282/283-MSD	ORG	67-66-3	Chloroform		U	ug/L	100	15.73	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9483				
NAL13026-489	282/283-MSD	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	16.65	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9483				
NAL13026-489	282/283-MSD	ORG	78-93-3	2-Butanone	21000	D	ug/L	10000	811.80	7/16/2013	7/16/2013	7/16/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9484				
NAL13026-489	282/283-MSD	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9483				
NAL13026-489	282/283-MSD	ORG	71-43-2	Benzene		U	ug/L	100	13.53	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9483				
NAL13026-489	282/283-MSD	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9483				
NAL13026-489	282/283-MSD	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9483				
NAL13026-489	282/283-MSD	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9483				
NAL13026-489	282/283-MSD	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9483				
NAL13026-489	282/283-MSD	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9483				
NAL13026-489	282/283-MSD	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9483				
NAL13026-489	282/283-MSD	ORG	108-88-3	Toluene		U	ug/L	100	20.96	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9483				
NAL13026-489	282/283-MSD	ORG	108-10-1	4-Methyl-2-pentanone	360	J	ug/L	500	74.00	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9483				
NAL13026-489	282/283-MSD	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9483				
NAL13026-489	282/283-MSD	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9483				
NAL13026-489	282/283-MSD	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9483				
NAL13026-489	282/283-MSD	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	29.90	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9483				
NAL13026-489	282/283-MSD	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	26.49	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9483				
NAL13026-489	282/283-MSD	ORG	591-78-6	2-Hexanone		U	ug/L	500	68.90	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9483				
NAL13026-489	282/283-MSD	ORG	100-41-4	Ethylbenzene		U	ug/L	100	25.38	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9483				
NAL13026-489	282/283-MSD	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9483				
NAL13026-489	282/283-MSD	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9483				
NAL13026-489	282/283-MSD	ORG	XYLMP	p&m-Xylene		U	ug/L	200	26.14	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9483				
NAL13026-489	282/283-MSD	ORG	95-47-6	o-Xylene		U	ug/L	100	12.90	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9483				
NAL13026-489	282/283-MSD	ORG	100-42-5	Styrene	38	J	ug/L	100	20.23	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9483				
NAL13026-489	282/283-MSD	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9483				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-489	282/283-MSD	ORG	98-82-8	Isopropylbenzene		U	ug/L	200	20.48	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9483				
NAL13026-489	282/283-MSD	ORG	103-65-1	n-Propylbenzene		U	ug/L	200	27.00	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9483				
NAL13026-489	282/283-MSD	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9483				
NAL13026-489	282/283-MSD	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9483				
NAL13026-489	282/283-MSD	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	200	20.03	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9483				
NAL13026-489	282/283-MSD	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9483				
NAL13026-489	282/283-MSD	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	200	20.03	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9483				
NAL13026-489	282/283-MSD	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9483				
NAL13026-489	282/283-MSD	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9483				
NAL13026-489	282/283-MSD	ORG	99-87-6	p-Isopropltoluene	35	J	ug/L	200	25.48	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9483				
NAL13026-489	282/283-MSD	ORG	106-46-7	1,4-Dichlorobenzene		U	ug/L	200	33.03	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9483				
NAL13026-489	282/283-MSD	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9483				
NAL13026-489	282/283-MSD	ORG	104-51-8	n-Butylbenzene		U	ug/L	500	27.81	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9483				
NAL13026-489	282/283-MSD	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9483				
NAL13026-489	282/283-MSD	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9483				
NAL13026-489	282/283-MSD	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9483				
NAL13026-489	282/283-MSD	ORG	91-20-3	Naphthalene	170	J	ug/L	500	56.04	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9483				
NAL13026-489	282/283-MSD	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9483				
NAL13026-489	282/283-MSD	STD	1868-53-7	Dibromofluoromethane	53		ng			7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9483	50	106%		
NAL13026-489	282/283-MSD	STD	17060-07-0	1,2-Dichloroethane d4	51		ng			7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9483	50	102%		
NAL13026-489	282/283-MSD	STD	2037-26-5	Toluene d8	46		ng			7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9483	50	92%		
NAL13026-489	282/283-MSD	STD	460-00-4	Bromofluorobenzene	45		ng			7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9483	50	90%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-490	OB-285	ORG	75-71-8	Dichlorodifluoromethane		UX-	ug/L	500	29.28	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9485				
NAL13026-490	OB-285	ORG	74-87-3	Chloromethane		UX-	ug/L	500	43.07	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9485				
NAL13026-490	OB-285	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9485				
NAL13026-490	OB-285	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9485				
NAL13026-490	OB-285	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9485				
NAL13026-490	OB-285	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9485				
NAL13026-490	OB-285	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9485				
NAL13026-490	OB-285	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9485				
NAL13026-490	OB-285	ORG	67-64-1	Acetone	50000	D	ug/L	10000	1556.07	7/16/2013	7/16/2013	7/16/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9488				
NAL13026-490	OB-285	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9485				
NAL13026-490	OB-285	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9485				
NAL13026-490	OB-285	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9485				
NAL13026-490	OB-285	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9485				
NAL13026-490	OB-285	ORG	74-97-5	Bromochloromethane		U	ug/L	200	81.18	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9485				
NAL13026-490	OB-285	ORG	67-66-3	Chloroform		U	ug/L	100	41.37	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9485				
NAL13026-490	OB-285	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	15.73	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9485				
NAL13026-490	OB-285	ORG	78-93-3	2-Butanone	22000	D	ug/L	10000	166.52	7/16/2013	7/16/2013	7/16/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9488				
NAL13026-490	OB-285	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9485				
NAL13026-490	OB-285	ORG	71-43-2	Benzene	110		ug/L	100	13.53	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9485				
NAL13026-490	OB-285	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9485				
NAL13026-490	OB-285	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9485				
NAL13026-490	OB-285	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9485				
NAL13026-490	OB-285	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9485				
NAL13026-490	OB-285	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9485				
NAL13026-490	OB-285	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9485				
NAL13026-490	OB-285	ORG	108-88-3	Toluene		U	ug/L	100	74.00	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9485				
NAL13026-490	OB-285	ORG	108-10-1	4-Methyl-2-pentanone	760		ug/L	500	20.96	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9485				
NAL13026-490	OB-285	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9485				
NAL13026-490	OB-285	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9485				
NAL13026-490	OB-285	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9485				
NAL13026-490	OB-285	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	68.90	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9485				
NAL13026-490	OB-285	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	29.90	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9485				
NAL13026-490	OB-285	ORG	591-78-6	2-Hexanone		U	ug/L	500	26.49	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9485				
NAL13026-490	OB-285	ORG	100-41-4	Ethylbenzene		U	ug/L	100	25.38	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9485				
NAL13026-490	OB-285	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9485				
NAL13026-490	OB-285	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9485				
NAL13026-490	OB-285	ORG	XYLMP	p&m-Xylene	39	J	ug/L	200	26.14	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9485				
NAL13026-490	OB-285	ORG	95-47-6	o-Xylene	22	J	ug/L	100	12.90	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9485				
NAL13026-490	OB-285	ORG	100-42-5	Styrene	37	J	ug/L	100	20.23	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9485				
NAL13026-490	OB-285	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9485				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-490	OB-285	ORG	98-82-8	Isopropylbenzene		U	ug/L	200	20.48	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9485				
NAL13026-490	OB-285	ORG	103-65-1	n-Propylbenzene		U	ug/L	200	27.00	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9485				
NAL13026-490	OB-285	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9485				
NAL13026-490	OB-285	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9485				
NAL13026-490	OB-285	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	200	20.03	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9485				
NAL13026-490	OB-285	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9485				
NAL13026-490	OB-285	ORG	95-63-6	1,2,4-Trimethylbenzene	67	J	ug/L	200	20.03	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9485				
NAL13026-490	OB-285	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9485				
NAL13026-490	OB-285	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9485				
NAL13026-490	OB-285	ORG	99-87-6	p-Isopropltoluene	300		ug/L	200	25.48	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9485				
NAL13026-490	OB-285	ORG	106-46-7	1,4-Dichlorobenzene	110	J	ug/L	200	33.03	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9485				
NAL13026-490	OB-285	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9485				
NAL13026-490	OB-285	ORG	104-51-8	n-Butylbenzene		U	ug/L	500	27.81	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9485				
NAL13026-490	OB-285	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9485				
NAL13026-490	OB-285	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9485				
NAL13026-490	OB-285	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9485				
NAL13026-490	OB-285	ORG	91-20-3	Naphthalene	300	J	ug/L	500	56.04	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9485				
NAL13026-490	OB-285	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9485				
NAL13026-490	OB-285	STD	1868-53-7	Dibromofluoromethane	52		ng			7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9485	50	104%		
NAL13026-490	OB-285	STD	17060-07-0	1,2-Dichloroethane d4	52		ng			7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9485	50	104%		
NAL13026-490	OB-285	STD	2037-26-5	Toluene d8	46		ng			7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9485	50	92%		
NAL13026-490	OB-285	STD	460-00-4	Bromofluorobenzene	45		ng			7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9485	50	90%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-491	284-ST T1	ORG	75-71-8	Dichlorodifluoromethane		UX-	ug/L	500	29.28	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9486				
NAL13026-491	284-ST T1	ORG	74-87-3	Chloromethane		UX-	ug/L	500	43.07	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9486				
NAL13026-491	284-ST T1	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9486				
NAL13026-491	284-ST T1	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9486				
NAL13026-491	284-ST T1	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9486				
NAL13026-491	284-ST T1	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9486				
NAL13026-491	284-ST T1	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9486				
NAL13026-491	284-ST T1	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9486				
NAL13026-491	284-ST T1	ORG	67-64-1	Acetone	84000	D	ug/L	10000	1556.07	7/16/2013	7/16/2013	7/16/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9489				
NAL13026-491	284-ST T1	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9486				
NAL13026-491	284-ST T1	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9486				
NAL13026-491	284-ST T1	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9486				
NAL13026-491	284-ST T1	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9486				
NAL13026-491	284-ST T1	ORG	74-97-5	Bromochloromethane		U	ug/L	200	81.18	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9486				
NAL13026-491	284-ST T1	ORG	67-66-3	Chloroform		U	ug/L	100	41.37	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9486				
NAL13026-491	284-ST T1	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	15.73	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9486				
NAL13026-491	284-ST T1	ORG	78-93-3	2-Butanone	37000	D	ug/L	10000	166.52	7/16/2013	7/16/2013	7/16/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9489				
NAL13026-491	284-ST T1	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9486				
NAL13026-491	284-ST T1	ORG	71-43-2	Benzene		U	ug/L	100	13.53	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9486				
NAL13026-491	284-ST T1	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9486				
NAL13026-491	284-ST T1	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9486				
NAL13026-491	284-ST T1	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9486				
NAL13026-491	284-ST T1	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9486				
NAL13026-491	284-ST T1	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9486				
NAL13026-491	284-ST T1	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9486				
NAL13026-491	284-ST T1	ORG	108-88-3	Toluene		U	ug/L	100	74.00	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9486				
NAL13026-491	284-ST T1	ORG	108-10-1	4-Methyl-2-pentanone	1200		ug/L	500	20.96	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9486				
NAL13026-491	284-ST T1	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9486				
NAL13026-491	284-ST T1	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9486				
NAL13026-491	284-ST T1	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9486				
NAL13026-491	284-ST T1	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	68.90	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9486				
NAL13026-491	284-ST T1	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	29.90	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9486				
NAL13026-491	284-ST T1	ORG	591-78-6	2-Hexanone	620		ug/L	500	26.49	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9486				
NAL13026-491	284-ST T1	ORG	100-41-4	Ethylbenzene		U	ug/L	100	25.38	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9486				
NAL13026-491	284-ST T1	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9486				
NAL13026-491	284-ST T1	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9486				
NAL13026-491	284-ST T1	ORG	XYLMP	p&m-Xylene		U	ug/L	200	26.14	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9486				
NAL13026-491	284-ST T1	ORG	95-47-6	o-Xylene		U	ug/L	100	12.90	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9486				
NAL13026-491	284-ST T1	ORG	100-42-5	Styrene	31	J	ug/L	100	20.23	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9486				
NAL13026-491	284-ST T1	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9486				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-491	284-ST T1	ORG	98-82-8	Isopropylbenzene		U	ug/L	200	20.48	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9486				
NAL13026-491	284-ST T1	ORG	103-65-1	n-Propylbenzene		U	ug/L	200	27.00	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9486				
NAL13026-491	284-ST T1	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9486				
NAL13026-491	284-ST T1	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9486				
NAL13026-491	284-ST T1	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	200	20.03	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9486				
NAL13026-491	284-ST T1	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9486				
NAL13026-491	284-ST T1	ORG	95-63-6	1,2,4-Trimethylbenzene	22	J	ug/L	200	20.03	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9486				
NAL13026-491	284-ST T1	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9486				
NAL13026-491	284-ST T1	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9486				
NAL13026-491	284-ST T1	ORG	99-87-6	p-Isopropltoluene	69	J	ug/L	200	25.48	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9486				
NAL13026-491	284-ST T1	ORG	106-46-7	1,4-Dichlorobenzene		U	ug/L	200	33.03	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9486				
NAL13026-491	284-ST T1	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9486				
NAL13026-491	284-ST T1	ORG	104-51-8	n-Butylbenzene		U	ug/L	500	27.81	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9486				
NAL13026-491	284-ST T1	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9486				
NAL13026-491	284-ST T1	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9486				
NAL13026-491	284-ST T1	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9486				
NAL13026-491	284-ST T1	ORG	91-20-3	Naphthalene	250	J	ug/L	500	56.04	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9486				
NAL13026-491	284-ST T1	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9486				
NAL13026-491	284-ST T1	STD	1868-53-7	Dibromofluoromethane	51		ng			7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9486	50	102%		
NAL13026-491	284-ST T1	STD	17060-07-0	1,2-Dichloroethane d4	54		ng			7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9486	50	108%		
NAL13026-491	284-ST T1	STD	2037-26-5	Toluene d8	47		ng			7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9486	50	94%		
NAL13026-491	284-ST T1	STD	460-00-4	Bromofluorobenzene	45		ng			7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9486	50	90%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-492	284-ST T2	ORG	75-71-8	Dichlorodifluoromethane		UX-	ug/L	500	29.28	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9487				
NAL13026-492	284-ST T2	ORG	74-87-3	Chloromethane		UX-	ug/L	500	43.07	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9487				
NAL13026-492	284-ST T2	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9487				
NAL13026-492	284-ST T2	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9487				
NAL13026-492	284-ST T2	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9487				
NAL13026-492	284-ST T2	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9487				
NAL13026-492	284-ST T2	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9487				
NAL13026-492	284-ST T2	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9487				
NAL13026-492	284-ST T2	ORG	67-64-1	Acetone	42000	D	ug/L	10000	1556.07	7/16/2013	7/16/2013	7/16/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9490				
NAL13026-492	284-ST T2	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9487				
NAL13026-492	284-ST T2	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9487				
NAL13026-492	284-ST T2	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9487				
NAL13026-492	284-ST T2	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9487				
NAL13026-492	284-ST T2	ORG	74-97-5	Bromochloromethane		U	ug/L	200	81.18	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9487				
NAL13026-492	284-ST T2	ORG	67-66-3	Chloroform		U	ug/L	100	41.37	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9487				
NAL13026-492	284-ST T2	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	15.73	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9487				
NAL13026-492	284-ST T2	ORG	78-93-3	2-Butanone	17000	D	ug/L	10000	166.52	7/16/2013	7/16/2013	7/16/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9490				
NAL13026-492	284-ST T2	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9487				
NAL13026-492	284-ST T2	ORG	71-43-2	Benzene		U	ug/L	100	13.53	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9487				
NAL13026-492	284-ST T2	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9487				
NAL13026-492	284-ST T2	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9487				
NAL13026-492	284-ST T2	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9487				
NAL13026-492	284-ST T2	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9487				
NAL13026-492	284-ST T2	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9487				
NAL13026-492	284-ST T2	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9487				
NAL13026-492	284-ST T2	ORG	108-88-3	Toluene		U	ug/L	100	74.00	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9487				
NAL13026-492	284-ST T2	ORG	108-10-1	4-Methyl-2-pentanone	500		ug/L	500	20.96	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9487				
NAL13026-492	284-ST T2	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9487				
NAL13026-492	284-ST T2	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9487				
NAL13026-492	284-ST T2	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9487				
NAL13026-492	284-ST T2	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	68.90	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9487				
NAL13026-492	284-ST T2	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	29.90	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9487				
NAL13026-492	284-ST T2	ORG	591-78-6	2-Hexanone		U	ug/L	500	26.49	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9487				
NAL13026-492	284-ST T2	ORG	100-41-4	Ethylbenzene		U	ug/L	100	25.38	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9487				
NAL13026-492	284-ST T2	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9487				
NAL13026-492	284-ST T2	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9487				
NAL13026-492	284-ST T2	ORG	XYLMP	p&m-Xylene	45	J	ug/L	200	26.14	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9487				
NAL13026-492	284-ST T2	ORG	95-47-6	o-Xylene		U	ug/L	100	12.90	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9487				
NAL13026-492	284-ST T2	ORG	100-42-5	Styrene	45	J	ug/L	100	20.23	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9487				
NAL13026-492	284-ST T2	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9487				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-492	284-ST T2	ORG	98-82-8	Isopropylbenzene	67	J	ug/L	200	20.48	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9487				
NAL13026-492	284-ST T2	ORG	103-65-1	n-Propylbenzene	45	J	ug/L	200	27.00	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9487				
NAL13026-492	284-ST T2	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9487				
NAL13026-492	284-ST T2	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9487				
NAL13026-492	284-ST T2	ORG	108-67-8	1,3,5-Trimethylbenzene	150	J	ug/L	200	20.03	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9487				
NAL13026-492	284-ST T2	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9487				
NAL13026-492	284-ST T2	ORG	95-63-6	1,2,4-Trimethylbenzene	580		ug/L	200	20.03	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9487				
NAL13026-492	284-ST T2	ORG	135-98-8	sec-Butylbenzene	98	J	ug/L	200	32.34	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9487				
NAL13026-492	284-ST T2	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9487				
NAL13026-492	284-ST T2	ORG	99-87-6	p-Isopropltoluene	5100		ug/L	200	25.48	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9487				
NAL13026-492	284-ST T2	ORG	106-46-7	1,4-Dichlorobenzene	570		ug/L	200	33.03	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9487				
NAL13026-492	284-ST T2	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9487				
NAL13026-492	284-ST T2	ORG	104-51-8	n-Butylbenzene	210	J	ug/L	500	27.81	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9487				
NAL13026-492	284-ST T2	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9487				
NAL13026-492	284-ST T2	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9487				
NAL13026-492	284-ST T2	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9487				
NAL13026-492	284-ST T2	ORG	91-20-3	Naphthalene	1800		ug/L	500	56.04	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9487				
NAL13026-492	284-ST T2	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9487				
NAL13026-492	284-ST T2	STD	1868-53-7	Dibromofluoromethane	52		ng			7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9487	50	104%		
NAL13026-492	284-ST T2	STD	17060-07-0	1,2-Dichloroethane d4	53		ng			7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9487	50	106%		
NAL13026-492	284-ST T2	STD	2037-26-5	Toluene d8	46		ng			7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9487	50	92%		
NAL13026-492	284-ST T2	STD	460-00-4	Bromofluorobenzene	46		ng			7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9487	50	92%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J071613CCVA	J071613CCVA	ORG	75-71-8	Dichlorodifluoromethane	38		ug/L	5	0.29	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9481	50	76%		
J071613CCVA	J071613CCVA	ORG	74-87-3	Chloromethane	39		ug/L	5	0.43	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9481	50	78%		
J071613CCVA	J071613CCVA	ORG	75-01-4	Vinyl chloride	47		ug/L	2	0.32	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9481	50	94%		
J071613CCVA	J071613CCVA	ORG	74-83-9	Bromomethane	55		ug/L	5	0.50	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9481	50	110%		
J071613CCVA	J071613CCVA	ORG	75-00-3	Chloroethane	53		ug/L	5	0.56	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9481	50	106%		
J071613CCVA	J071613CCVA	ORG	75-69-4	Trichlorofluoromethane	46		ug/L	5	0.20	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9481	50	92%		
J071613CCVA	J071613CCVA	ORG	75-35-4	1,1-Dichloroethene	41		ug/L	1	0.47	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9481	50	82%		
J071613CCVA	J071613CCVA	ORG	75-09-2	Methylene chloride	43		ug/L	5	0.26	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9481	50	86%		
J071613CCVA	J071613CCVA	ORG	67-64-1	Acetone	45		ug/L	10	1.56	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9481	50	90%		
J071613CCVA	J071613CCVA	ORG	156-60-5	trans-1,2-Dichloroethene	63		ug/L	1	0.56	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9481	50	126%		
J071613CCVA	J071613CCVA	ORG	1634-04-4	MTBE	60		ug/L	5	0.61	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9481	50	120%		
J071613CCVA	J071613CCVA	ORG	75-34-3	1,1-Dichloroethane	51		ug/L	1	0.53	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9481	50	102%		
J071613CCVA	J071613CCVA	ORG	156-59-2	cis-1,2-Dichloroethene	49		ug/L	1	0.32	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9481	50	98%		
J071613CCVA	J071613CCVA	ORG	74-97-5	Bromochloromethane	53		ug/L	10	0.81	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9481	50	106%		
J071613CCVA	J071613CCVA	ORG	67-66-3	Chloroform	48		ug/L	2	0.41	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9481	50	96%		
J071613CCVA	J071613CCVA	ORG	71-55-6	1,1,1-Trichloroethane	49		ug/L	1	0.16	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9481	50	98%		
J071613CCVA	J071613CCVA	ORG	78-93-3	2-Butanone	44		ug/L	1	0.17	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9481	50	88%		
J071613CCVA	J071613CCVA	ORG	56-23-5	Carbon tetrachloride	51		ug/L	1	0.28	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9481	50	102%		
J071613CCVA	J071613CCVA	ORG	71-43-2	Benzene	45		ug/L	1	0.14	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9481	50	90%		
J071613CCVA	J071613CCVA	ORG	107-06-2	1,2-Dichloroethane	48		ug/L	1	0.20	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9481	50	96%		
J071613CCVA	J071613CCVA	ORG	79-01-6	Trichloroethene	49		ug/L	1	0.36	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9481	50	98%		
J071613CCVA	J071613CCVA	ORG	74-95-3	Dibromomethane	49		ug/L	2	0.32	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9481	50	98%		
J071613CCVA	J071613CCVA	ORG	78-87-5	1,2-Dichloropropane	42		ug/L	1	0.18	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9481	50	84%		
J071613CCVA	J071613CCVA	ORG	75-27-4	Bromodichloromethane	46		ug/L	2	0.12	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9481	50	92%		
J071613CCVA	J071613CCVA	ORG	10061-01-5	cis-1,3-Dichloropropene	44		ug/L	1	0.25	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9481	50	88%		
J071613CCVA	J071613CCVA	ORG	108-88-3	Toluene	43		ug/L	5	0.74	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9481	50	86%		
J071613CCVA	J071613CCVA	ORG	108-10-1	4-Methyl-2-pentanone	43		ug/L	1	0.21	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9481	50	86%		
J071613CCVA	J071613CCVA	ORG	10061-02-6	trans-1,3-Dichloropropene	46		ug/L	1	0.31	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9481	50	92%		
J071613CCVA	J071613CCVA	ORG	127-18-4	Tetrachloroethene	40		ug/L	1	0.49	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9481	50	80%		
J071613CCVA	J071613CCVA	ORG	79-00-5	1,1,2-Trichloroethane	44		ug/L	1	0.34	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9481	50	88%		
J071613CCVA	J071613CCVA	ORG	124-48-1	Dibromochloromethane	49		ug/L	5	0.69	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9481	50	98%		
J071613CCVA	J071613CCVA	ORG	106-93-4	1,2-Dibromoethane	48		ug/L	2	0.30	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9481	50	96%		
J071613CCVA	J071613CCVA	ORG	591-78-6	2-Hexanone	43		ug/L	2	0.26	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9481	50	86%		
J071613CCVA	J071613CCVA	ORG	100-41-4	Ethylbenzene	42		ug/L	1	0.25	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9481	50	84%		
J071613CCVA	J071613CCVA	ORG	108-90-7	Chlorobenzene	43		ug/L	1	0.28	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9481	50	86%		
J071613CCVA	J071613CCVA	ORG	630-20-6	1,1,1,2-Tetrachloroethane	44		ug/L	2	0.19	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9481	50	88%		
J071613CCVA	J071613CCVA	ORG	XYLMP	p&m-Xylene	83		ug/L	2	0.26	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9481	100	83%		
J071613CCVA	J071613CCVA	ORG	95-47-6	o-Xylene	42		ug/L	1	0.13	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9481	50	84%		
J071613CCVA	J071613CCVA	ORG	100-42-5	Styrene	41		ug/L	1	0.20	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9481	50	82%		
J071613CCVA	J071613CCVA	ORG	75-25-2	Bromoform	48		ug/L	2	0.47	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9481	50	96%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J071613CCVA	J071613CCVA	ORG	98-82-8	Isopropylbenzene	42		ug/L	2	0.20	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9481	50	84%		
J071613CCVA	J071613CCVA	ORG	103-65-1	n-Propylbenzene	42		ug/L	2	0.27	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9481	50	84%		
J071613CCVA	J071613CCVA	ORG	79-34-5	1,1,2,2-Tetrachloroethane	44		ug/L	2	0.29	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9481	50	88%		
J071613CCVA	J071613CCVA	ORG	96-18-4	1,2,3-Trichloropropane	43		ug/L	2	0.29	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9481	50	86%		
J071613CCVA	J071613CCVA	ORG	108-67-8	1,3,5-Trimethylbenzene	43		ug/L	2	0.20	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9481	50	86%		
J071613CCVA	J071613CCVA	ORG	98-06-6	tert-Butylbenzene	44		ug/L	2	0.33	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9481	50	88%		
J071613CCVA	J071613CCVA	ORG	95-63-6	1,2,4-Trimethylbenzene	43		ug/L	2	0.20	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9481	50	86%		
J071613CCVA	J071613CCVA	ORG	135-98-8	sec-Butylbenzene	43		ug/L	2	0.32	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9481	50	86%		
J071613CCVA	J071613CCVA	ORG	541-73-1	1,3-Dichlorobenzene	47		ug/L	2	0.22	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9481	50	94%		
J071613CCVA	J071613CCVA	ORG	99-87-6	p-Isopropltoluene	44		ug/L	2	0.25	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9481	50	88%		
J071613CCVA	J071613CCVA	ORG	106-46-7	1,4-Dichlorobenzene	46		ug/L	2	0.33	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9481	50	92%		
J071613CCVA	J071613CCVA	ORG	95-50-1	1,2-Dichlorobenzene	47		ug/L	2	0.26	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9481	50	94%		
J071613CCVA	J071613CCVA	ORG	104-51-8	n-Butylbenzene	43		ug/L	5	0.28	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9481	50	86%		
J071613CCVA	J071613CCVA	ORG	96-12-8	1,2-Dibromo-3-chloropropane	44		ug/L	5	1.59	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9481	50	88%		
J071613CCVA	J071613CCVA	ORG	87-68-3	Hexachlorobutadiene	48		ug/L	5	0.65	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9481	50	96%		
J071613CCVA	J071613CCVA	ORG	120-82-1	1,2,4-Trichlorobenzene	48		ug/L	5	0.28	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9481	50	96%		
J071613CCVA	J071613CCVA	ORG	91-20-3	Naphthalene	44		ug/L	5	0.56	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9481	50	88%		
J071613CCVA	J071613CCVA	ORG	87-61-6	1,2,3-Trichlorobenzene	48		ug/L	5	0.23	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9481	50	96%		
J071613CCVA	J071613CCVA	STD	1868-53-7	Dibromofluoromethane	52		ng			NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9481	50	104%		
J071613CCVA	J071613CCVA	STD	17060-07-0	1,2-Dichloroethane d4	54		ng			NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9481	50	108%		
J071613CCVA	J071613CCVA	STD	2037-26-5	Toluene d8	46		ng			NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9481	50	92%		
J071613CCVA	J071613CCVA	STD	460-00-4	Bromofluorobenzene	45		ng			NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9481	50	90%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J071613MBKA	J071613MBKA	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	5	0.29	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9482				
J071613MBKA	J071613MBKA	ORG	74-87-3	Chloromethane		U	ug/L	5	0.43	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9482				
J071613MBKA	J071613MBKA	ORG	75-01-4	Vinyl chloride		U	ug/L	2	0.32	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9482				
J071613MBKA	J071613MBKA	ORG	74-83-9	Bromomethane		U	ug/L	5	0.50	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9482				
J071613MBKA	J071613MBKA	ORG	75-00-3	Chloroethane		U	ug/L	5	0.56	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9482				
J071613MBKA	J071613MBKA	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	5	0.20	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9482				
J071613MBKA	J071613MBKA	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	1	0.47	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9482				
J071613MBKA	J071613MBKA	ORG	75-09-2	Methylene chloride		U	ug/L	5	0.26	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9482				
J071613MBKA	J071613MBKA	ORG	67-64-1	Acetone		U	ug/L	10	1.56	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9482				
J071613MBKA	J071613MBKA	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	1	0.56	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9482				
J071613MBKA	J071613MBKA	ORG	1634-04-4	MTBE		U	ug/L	5	0.61	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9482				
J071613MBKA	J071613MBKA	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	1	0.53	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9482				
J071613MBKA	J071613MBKA	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	1	0.32	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9482				
J071613MBKA	J071613MBKA	ORG	74-97-5	Bromochloromethane		U	ug/L	10	0.81	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9482				
J071613MBKA	J071613MBKA	ORG	67-66-3	Chloroform		U	ug/L	2	0.41	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9482				
J071613MBKA	J071613MBKA	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	1	0.16	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9482				
J071613MBKA	J071613MBKA	ORG	78-93-3	2-Butanone		U	ug/L	1	0.17	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9482				
J071613MBKA	J071613MBKA	ORG	56-23-5	Carbon tetrachloride		U	ug/L	1	0.28	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9482				
J071613MBKA	J071613MBKA	ORG	71-43-2	Benzene		U	ug/L	1	0.14	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9482				
J071613MBKA	J071613MBKA	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	1	0.20	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9482				
J071613MBKA	J071613MBKA	ORG	79-01-6	Trichloroethene		U	ug/L	1	0.36	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9482				
J071613MBKA	J071613MBKA	ORG	74-95-3	Dibromomethane		U	ug/L	2	0.32	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9482				
J071613MBKA	J071613MBKA	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	1	0.18	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9482				
J071613MBKA	J071613MBKA	ORG	75-27-4	Bromodichloromethane		U	ug/L	2	0.12	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9482				
J071613MBKA	J071613MBKA	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	1	0.25	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9482				
J071613MBKA	J071613MBKA	ORG	108-88-3	Toluene		U	ug/L	5	0.74	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9482				
J071613MBKA	J071613MBKA	ORG	108-10-1	4-Methyl-2-pentanone		U	ug/L	1	0.21	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9482				
J071613MBKA	J071613MBKA	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	1	0.31	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9482				
J071613MBKA	J071613MBKA	ORG	127-18-4	Tetrachloroethene		U	ug/L	1	0.49	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9482				
J071613MBKA	J071613MBKA	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	1	0.34	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9482				
J071613MBKA	J071613MBKA	ORG	124-48-1	Dibromochloromethane		U	ug/L	5	0.69	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9482				
J071613MBKA	J071613MBKA	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	2	0.30	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9482				
J071613MBKA	J071613MBKA	ORG	591-78-6	2-Hexanone		U	ug/L	2	0.26	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9482				
J071613MBKA	J071613MBKA	ORG	100-41-4	Ethylbenzene		U	ug/L	1	0.25	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9482				
J071613MBKA	J071613MBKA	ORG	108-90-7	Chlorobenzene		U	ug/L	1	0.28	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9482				
J071613MBKA	J071613MBKA	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	2	0.19	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9482				
J071613MBKA	J071613MBKA	ORG	XYLMP	p&m-Xylene		U	ug/L	2	0.26	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9482				
J071613MBKA	J071613MBKA	ORG	95-47-6	o-Xylene		U	ug/L	1	0.13	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9482				
J071613MBKA	J071613MBKA	ORG	100-42-5	Styrene		U	ug/L	1	0.20	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9482				
J071613MBKA	J071613MBKA	ORG	75-25-2	Bromoform		U	ug/L	2	0.47	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9482				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J071613MBKA	J071613MBKA	ORG	98-82-8	Isopropylbenzene		U	ug/L	2	0.20	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9482				
J071613MBKA	J071613MBKA	ORG	103-65-1	n-Propylbenzene		U	ug/L	2	0.27	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9482				
J071613MBKA	J071613MBKA	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	2	0.29	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9482				
J071613MBKA	J071613MBKA	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	2	0.29	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9482				
J071613MBKA	J071613MBKA	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	2	0.20	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9482				
J071613MBKA	J071613MBKA	ORG	98-06-6	tert-Butylbenzene		U	ug/L	2	0.33	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9482				
J071613MBKA	J071613MBKA	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	2	0.20	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9482				
J071613MBKA	J071613MBKA	ORG	135-98-8	sec-Butylbenzene		U	ug/L	2	0.32	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9482				
J071613MBKA	J071613MBKA	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	2	0.22	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9482				
J071613MBKA	J071613MBKA	ORG	99-87-6	p-Isopropltoluene		U	ug/L	2	0.25	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9482				
J071613MBKA	J071613MBKA	ORG	106-46-7	1,4-Dichlorobenzene		U	ug/L	2	0.33	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9482				
J071613MBKA	J071613MBKA	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	2	0.26	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9482				
J071613MBKA	J071613MBKA	ORG	104-51-8	n-Butylbenzene		U	ug/L	5	0.28	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9482				
J071613MBKA	J071613MBKA	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	5	1.59	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9482				
J071613MBKA	J071613MBKA	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	5	0.65	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9482				
J071613MBKA	J071613MBKA	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	5	0.28	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9482				
J071613MBKA	J071613MBKA	ORG	91-20-3	Naphthalene		U	ug/L	5	0.56	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9482				
J071613MBKA	J071613MBKA	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	5	0.23	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9482				
J071613MBKA	J071613MBKA	STD	1868-53-7	Dibromofluoromethane	53		ng			NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9482	50	106%		
J071613MBKA	J071613MBKA	STD	17060-07-0	1,2-Dichloroethane d4	53		ng			NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9482	50	106%		
J071613MBKA	J071613MBKA	STD	2037-26-5	Toluene d8	46		ng			NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9482	50	92%		
J071613MBKA	J071613MBKA	STD	460-00-4	Bromofluorobenzene	45		ng			NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9482	50	90%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J071613CCVB	J071613CCVB	ORG	75-71-8	Dichlorodifluoromethane	33		ug/L	5	0.29	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9492	50	66%		
J071613CCVB	J071613CCVB	ORG	74-87-3	Chloromethane	31		ug/L	5	0.43	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9492	50	62%		
J071613CCVB	J071613CCVB	ORG	75-01-4	Vinyl chloride	39		ug/L	2	0.32	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9492	50	78%		
J071613CCVB	J071613CCVB	ORG	74-83-9	Bromomethane	67		ug/L	5	0.50	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9492	50	134%		
J071613CCVB	J071613CCVB	ORG	75-00-3	Chloroethane	62		ug/L	5	0.56	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9492	50	124%		
J071613CCVB	J071613CCVB	ORG	75-69-4	Trichlorofluoromethane	56		ug/L	5	0.20	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9492	50	112%		
J071613CCVB	J071613CCVB	ORG	75-35-4	1,1-Dichloroethene	47		ug/L	1	0.47	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9492	50	94%		
J071613CCVB	J071613CCVB	ORG	75-09-2	Methylene chloride	51		ug/L	5	0.26	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9492	50	102%		
J071613CCVB	J071613CCVB	ORG	67-64-1	Acetone	57		ug/L	10	1.56	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9492	50	114%		
J071613CCVB	J071613CCVB	ORG	156-60-5	trans-1,2-Dichloroethene	49		ug/L	1	0.56	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9492	50	98%		
J071613CCVB	J071613CCVB	ORG	1634-04-4	MTBE	45		ug/L	5	0.61	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9492	50	90%		
J071613CCVB	J071613CCVB	ORG	75-34-3	1,1-Dichloroethane	37		ug/L	1	0.53	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9492	50	74%		
J071613CCVB	J071613CCVB	ORG	156-59-2	cis-1,2-Dichloroethene	51		ug/L	1	0.32	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9492	50	102%		
J071613CCVB	J071613CCVB	ORG	74-97-5	Bromochloromethane	55		ug/L	10	0.81	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9492	50	110%		
J071613CCVB	J071613CCVB	ORG	67-66-3	Chloroform	49		ug/L	2	0.41	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9492	50	98%		
J071613CCVB	J071613CCVB	ORG	71-55-6	1,1,1-Trichloroethane	50		ug/L	1	0.16	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9492	50	100%		
J071613CCVB	J071613CCVB	ORG	78-93-3	2-Butanone	45		ug/L	1	0.17	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9492	50	90%		
J071613CCVB	J071613CCVB	ORG	56-23-5	Carbon tetrachloride	51		ug/L	1	0.28	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9492	50	102%		
J071613CCVB	J071613CCVB	ORG	71-43-2	Benzene	46		ug/L	1	0.14	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9492	50	92%		
J071613CCVB	J071613CCVB	ORG	107-06-2	1,2-Dichloroethane	49		ug/L	1	0.20	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9492	50	98%		
J071613CCVB	J071613CCVB	ORG	79-01-6	Trichloroethene	50		ug/L	1	0.36	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9492	50	100%		
J071613CCVB	J071613CCVB	ORG	74-95-3	Dibromomethane	51		ug/L	2	0.32	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9492	50	102%		
J071613CCVB	J071613CCVB	ORG	78-87-5	1,2-Dichloropropane	44		ug/L	1	0.18	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9492	50	88%		
J071613CCVB	J071613CCVB	ORG	75-27-4	Bromodichloromethane	47		ug/L	2	0.12	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9492	50	94%		
J071613CCVB	J071613CCVB	ORG	10061-01-5	cis-1,3-Dichloropropene	45		ug/L	1	0.25	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9492	50	90%		
J071613CCVB	J071613CCVB	ORG	108-88-3	Toluene	44		ug/L	5	0.74	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9492	50	88%		
J071613CCVB	J071613CCVB	ORG	108-10-1	4-Methyl-2-pentanone	46		ug/L	1	0.21	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9492	50	92%		
J071613CCVB	J071613CCVB	ORG	10061-02-6	trans-1,3-Dichloropropene	48		ug/L	1	0.31	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9492	50	96%		
J071613CCVB	J071613CCVB	ORG	127-18-4	Tetrachloroethene	42		ug/L	1	0.49	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9492	50	84%		
J071613CCVB	J071613CCVB	ORG	79-00-5	1,1,2-Trichloroethane	45		ug/L	1	0.34	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9492	50	90%		
J071613CCVB	J071613CCVB	ORG	124-48-1	Dibromochloromethane	51		ug/L	5	0.69	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9492	50	102%		
J071613CCVB	J071613CCVB	ORG	106-93-4	1,2-Dibromoethane	49		ug/L	2	0.30	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9492	50	98%		
J071613CCVB	J071613CCVB	ORG	591-78-6	2-Hexanone	47		ug/L	2	0.26	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9492	50	94%		
J071613CCVB	J071613CCVB	ORG	100-41-4	Ethylbenzene	43		ug/L	1	0.25	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9492	50	86%		
J071613CCVB	J071613CCVB	ORG	108-90-7	Chlorobenzene	45		ug/L	1	0.28	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9492	50	90%		
J071613CCVB	J071613CCVB	ORG	630-20-6	1,1,1,2-Tetrachloroethane	46		ug/L	2	0.19	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9492	50	92%		
J071613CCVB	J071613CCVB	ORG	XYLMP	p&m-Xylene	86		ug/L	2	0.26	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9492	100	86%		
J071613CCVB	J071613CCVB	ORG	95-47-6	o-Xylene	43		ug/L	1	0.13	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9492	50	86%		
J071613CCVB	J071613CCVB	ORG	100-42-5	Styrene	42		ug/L	1	0.20	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9492	50	84%		
J071613CCVB	J071613CCVB	ORG	75-25-2	Bromoform	51		ug/L	2	0.47	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9492	50	102%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J071613CCVB	J071613CCVB	ORG	98-82-8	Isopropylbenzene	45		ug/L	2	0.20	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9492	50	90%		
J071613CCVB	J071613CCVB	ORG	103-65-1	n-Propylbenzene	43		ug/L	2	0.27	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9492	50	86%		
J071613CCVB	J071613CCVB	ORG	79-34-5	1,1,2,2-Tetrachloroethane	44		ug/L	2	0.29	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9492	50	88%		
J071613CCVB	J071613CCVB	ORG	96-18-4	1,2,3-Trichloropropane	45		ug/L	2	0.29	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9492	50	90%		
J071613CCVB	J071613CCVB	ORG	108-67-8	1,3,5-Trimethylbenzene	45		ug/L	2	0.20	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9492	50	90%		
J071613CCVB	J071613CCVB	ORG	98-06-6	tert-Butylbenzene	46		ug/L	2	0.33	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9492	50	92%		
J071613CCVB	J071613CCVB	ORG	95-63-6	1,2,4-Trimethylbenzene	45		ug/L	2	0.20	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9492	50	90%		
J071613CCVB	J071613CCVB	ORG	135-98-8	sec-Butylbenzene	46		ug/L	2	0.32	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9492	50	92%		
J071613CCVB	J071613CCVB	ORG	541-73-1	1,3-Dichlorobenzene	50		ug/L	2	0.22	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9492	50	100%		
J071613CCVB	J071613CCVB	ORG	99-87-6	p-Isopropltoluene	47		ug/L	2	0.25	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9492	50	94%		
J071613CCVB	J071613CCVB	ORG	106-46-7	1,4-Dichlorobenzene	50		ug/L	2	0.33	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9492	50	100%		
J071613CCVB	J071613CCVB	ORG	95-50-1	1,2-Dichlorobenzene	48		ug/L	2	0.26	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9492	50	96%		
J071613CCVB	J071613CCVB	ORG	104-51-8	n-Butylbenzene	44		ug/L	5	0.28	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9492	50	88%		
J071613CCVB	J071613CCVB	ORG	96-12-8	1,2-Dibromo-3-chloropropane	43		ug/L	5	1.59	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9492	50	86%		
J071613CCVB	J071613CCVB	ORG	87-68-3	Hexachlorobutadiene	49		ug/L	5	0.65	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9492	50	98%		
J071613CCVB	J071613CCVB	ORG	120-82-1	1,2,4-Trichlorobenzene	49		ug/L	5	0.28	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9492	50	98%		
J071613CCVB	J071613CCVB	ORG	91-20-3	Naphthalene	44		ug/L	5	0.56	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9492	50	88%		
J071613CCVB	J071613CCVB	ORG	87-61-6	1,2,3-Trichlorobenzene	47		ug/L	5	0.23	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9492	50	94%		
J071613CCVB	J071613CCVB	STD	1868-53-7	Dibromofluoromethane	52		ng			NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9492	50	104%		
J071613CCVB	J071613CCVB	STD	17060-07-0	1,2-Dichloroethane d4	50		ng			NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9492	50	100%		
J071613CCVB	J071613CCVB	STD	2037-26-5	Toluene d8	47		ng			NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9492	50	94%		
J071613CCVB	J071613CCVB	STD	460-00-4	Bromofluorobenzene	46		ng			NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9492	50	92%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J071613MBKB	J071613MBKB	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	5	0.29	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9493				
J071613MBKB	J071613MBKB	ORG	74-87-3	Chloromethane		U	ug/L	5	0.43	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9493				
J071613MBKB	J071613MBKB	ORG	75-01-4	Vinyl chloride		U	ug/L	2	0.32	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9493				
J071613MBKB	J071613MBKB	ORG	74-83-9	Bromomethane		U	ug/L	5	0.50	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9493				
J071613MBKB	J071613MBKB	ORG	75-00-3	Chloroethane		U	ug/L	5	0.56	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9493				
J071613MBKB	J071613MBKB	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	5	0.20	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9493				
J071613MBKB	J071613MBKB	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	1	0.47	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9493				
J071613MBKB	J071613MBKB	ORG	75-09-2	Methylene chloride		U	ug/L	5	0.26	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9493				
J071613MBKB	J071613MBKB	ORG	67-64-1	Acetone		U	ug/L	10	1.56	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9493				
J071613MBKB	J071613MBKB	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	1	0.56	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9493				
J071613MBKB	J071613MBKB	ORG	1634-04-4	MTBE		U	ug/L	5	0.61	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9493				
J071613MBKB	J071613MBKB	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	1	0.53	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9493				
J071613MBKB	J071613MBKB	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	1	0.32	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9493				
J071613MBKB	J071613MBKB	ORG	74-97-5	Bromochloromethane		U	ug/L	10	0.81	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9493				
J071613MBKB	J071613MBKB	ORG	67-66-3	Chloroform		U	ug/L	2	0.41	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9493				
J071613MBKB	J071613MBKB	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	1	0.16	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9493				
J071613MBKB	J071613MBKB	ORG	78-93-3	2-Butanone		U	ug/L	1	0.17	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9493				
J071613MBKB	J071613MBKB	ORG	56-23-5	Carbon tetrachloride		U	ug/L	1	0.28	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9493				
J071613MBKB	J071613MBKB	ORG	71-43-2	Benzene		U	ug/L	1	0.14	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9493				
J071613MBKB	J071613MBKB	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	1	0.20	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9493				
J071613MBKB	J071613MBKB	ORG	79-01-6	Trichloroethene		U	ug/L	1	0.36	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9493				
J071613MBKB	J071613MBKB	ORG	74-95-3	Dibromomethane		U	ug/L	2	0.32	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9493				
J071613MBKB	J071613MBKB	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	1	0.18	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9493				
J071613MBKB	J071613MBKB	ORG	75-27-4	Bromodichloromethane		U	ug/L	2	0.12	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9493				
J071613MBKB	J071613MBKB	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	1	0.25	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9493				
J071613MBKB	J071613MBKB	ORG	108-88-3	Toluene		U	ug/L	5	0.74	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9493				
J071613MBKB	J071613MBKB	ORG	108-10-1	4-Methyl-2-pentanone		U	ug/L	1	0.21	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9493				
J071613MBKB	J071613MBKB	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	1	0.31	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9493				
J071613MBKB	J071613MBKB	ORG	127-18-4	Tetrachloroethene		U	ug/L	1	0.49	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9493				
J071613MBKB	J071613MBKB	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	1	0.34	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9493				
J071613MBKB	J071613MBKB	ORG	124-48-1	Dibromochloromethane		U	ug/L	5	0.69	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9493				
J071613MBKB	J071613MBKB	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	2	0.30	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9493				
J071613MBKB	J071613MBKB	ORG	591-78-6	2-Hexanone		U	ug/L	2	0.26	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9493				
J071613MBKB	J071613MBKB	ORG	100-41-4	Ethylbenzene		U	ug/L	1	0.25	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9493				
J071613MBKB	J071613MBKB	ORG	108-90-7	Chlorobenzene		U	ug/L	1	0.28	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9493				
J071613MBKB	J071613MBKB	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	2	0.19	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9493				
J071613MBKB	J071613MBKB	ORG	XYLMP	p&m-Xylene		U	ug/L	2	0.26	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9493				
J071613MBKB	J071613MBKB	ORG	95-47-6	o-Xylene		U	ug/L	1	0.13	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9493				
J071613MBKB	J071613MBKB	ORG	100-42-5	Styrene		U	ug/L	1	0.20	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9493				
J071613MBKB	J071613MBKB	ORG	75-25-2	Bromoform		U	ug/L	2	0.47	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9493				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J071613MBKB	J071613MBKB	ORG	98-82-8	Isopropylbenzene		U	ug/L	2	0.20	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9493				
J071613MBKB	J071613MBKB	ORG	103-65-1	n-Propylbenzene		U	ug/L	2	0.27	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9493				
J071613MBKB	J071613MBKB	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	2	0.29	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9493				
J071613MBKB	J071613MBKB	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	2	0.29	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9493				
J071613MBKB	J071613MBKB	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	2	0.20	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9493				
J071613MBKB	J071613MBKB	ORG	98-06-6	tert-Butylbenzene		U	ug/L	2	0.33	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9493				
J071613MBKB	J071613MBKB	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	2	0.20	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9493				
J071613MBKB	J071613MBKB	ORG	135-98-8	sec-Butylbenzene		U	ug/L	2	0.32	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9493				
J071613MBKB	J071613MBKB	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	2	0.22	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9493				
J071613MBKB	J071613MBKB	ORG	99-87-6	p-Isopropltoluene		U	ug/L	2	0.25	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9493				
J071613MBKB	J071613MBKB	ORG	106-46-7	1,4-Dichlorobenzene		U	ug/L	2	0.33	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9493				
J071613MBKB	J071613MBKB	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	2	0.26	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9493				
J071613MBKB	J071613MBKB	ORG	104-51-8	n-Butylbenzene		U	ug/L	5	0.28	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9493				
J071613MBKB	J071613MBKB	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	5	1.59	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9493				
J071613MBKB	J071613MBKB	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	5	0.65	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9493				
J071613MBKB	J071613MBKB	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	5	0.28	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9493				
J071613MBKB	J071613MBKB	ORG	91-20-3	Naphthalene		U	ug/L	5	0.56	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9493				
J071613MBKB	J071613MBKB	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	5	0.23	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9493				
J071613MBKB	J071613MBKB	STD	1868-53-7	Dibromofluoromethane	52		ng			NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9493	50	104%		
J071613MBKB	J071613MBKB	STD	17060-07-0	1,2-Dichloroethane d4	52		ng			NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9493	50	104%		
J071613MBKB	J071613MBKB	STD	2037-26-5	Toluene d8	46		ng			NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9493	50	92%		
J071613MBKB	J071613MBKB	STD	460-00-4	Bromofluorobenzene	45		ng			NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9493	50	90%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J071613ALCS	J071613ALCS	ORG	75-71-8	Dichlorodifluoromethane	31		ug/L	5	0.29	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9494	50	62%		
J071613ALCS	J071613ALCS	ORG	74-87-3	Chloromethane	31		ug/L	5	0.43	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9494	50	62%		
J071613ALCS	J071613ALCS	ORG	75-01-4	Vinyl chloride	41		ug/L	2	0.32	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9494	50	82%		
J071613ALCS	J071613ALCS	ORG	74-83-9	Bromomethane	51		ug/L	5	0.50	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9494	50	102%		
J071613ALCS	J071613ALCS	ORG	75-00-3	Chloroethane	50		ug/L	5	0.56	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9494	50	100%		
J071613ALCS	J071613ALCS	ORG	75-69-4	Trichlorofluoromethane	50		ug/L	5	0.20	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9494	50	100%		
J071613ALCS	J071613ALCS	ORG	75-35-4	1,1-Dichloroethene	44		ug/L	1	0.47	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9494	50	88%		
J071613ALCS	J071613ALCS	ORG	75-09-2	Methylene chloride	52		ug/L	5	0.26	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9494	50	104%		
J071613ALCS	J071613ALCS	ORG	67-64-1	Acetone	48		ug/L	10	1.56	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9494	50	96%		
J071613ALCS	J071613ALCS	ORG	156-60-5	trans-1,2-Dichloroethene	49		ug/L	1	0.56	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9494	50	98%		
J071613ALCS	J071613ALCS	ORG	1634-04-4	MTBE	48		ug/L	5	0.61	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9494	50	96%		
J071613ALCS	J071613ALCS	ORG	75-34-3	1,1-Dichloroethane	40		ug/L	1	0.53	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9494	50	80%		
J071613ALCS	J071613ALCS	ORG	156-59-2	cis-1,2-Dichloroethene	51		ug/L	1	0.32	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9494	50	102%		
J071613ALCS	J071613ALCS	ORG	74-97-5	Bromochloromethane	56		ug/L	10	0.81	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9494	50	112%		
J071613ALCS	J071613ALCS	ORG	67-66-3	Chloroform	51		ug/L	2	0.41	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9494	50	102%		
J071613ALCS	J071613ALCS	ORG	71-55-6	1,1,1-Trichloroethane	50		ug/L	1	0.16	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9494	50	100%		
J071613ALCS	J071613ALCS	ORG	78-93-3	2-Butanone	43		ug/L	1	0.17	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9494	50	86%		
J071613ALCS	J071613ALCS	ORG	56-23-5	Carbon tetrachloride	50		ug/L	1	0.28	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9494	50	100%		
J071613ALCS	J071613ALCS	ORG	71-43-2	Benzene	46		ug/L	1	0.14	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9494	50	92%		
J071613ALCS	J071613ALCS	ORG	107-06-2	1,2-Dichloroethane	52		ug/L	1	0.20	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9494	50	104%		
J071613ALCS	J071613ALCS	ORG	79-01-6	Trichloroethene	52		ug/L	1	0.36	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9494	50	104%		
J071613ALCS	J071613ALCS	ORG	74-95-3	Dibromomethane	53		ug/L	2	0.32	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9494	50	106%		
J071613ALCS	J071613ALCS	ORG	78-87-5	1,2-Dichloropropane	45		ug/L	1	0.18	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9494	50	90%		
J071613ALCS	J071613ALCS	ORG	75-27-4	Bromodichloromethane	49		ug/L	2	0.12	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9494	50	98%		
J071613ALCS	J071613ALCS	ORG	10061-01-5	cis-1,3-Dichloropropene	44		ug/L	1	0.25	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9494	50	88%		
J071613ALCS	J071613ALCS	ORG	108-88-3	Toluene	45		ug/L	5	0.74	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9494	50	90%		
J071613ALCS	J071613ALCS	ORG	108-10-1	4-Methyl-2-pentanone	38		ug/L	1	0.21	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9494	50	76%		
J071613ALCS	J071613ALCS	ORG	10061-02-6	trans-1,3-Dichloropropene	47		ug/L	1	0.31	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9494	50	94%		
J071613ALCS	J071613ALCS	ORG	127-18-4	Tetrachloroethene	60		ug/L	1	0.49	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9494	50	120%		
J071613ALCS	J071613ALCS	ORG	79-00-5	1,1,2-Trichloroethane	47		ug/L	1	0.34	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9494	50	94%		
J071613ALCS	J071613ALCS	ORG	124-48-1	Dibromochloromethane	52		ug/L	5	0.69	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9494	50	104%		
J071613ALCS	J071613ALCS	ORG	106-93-4	1,2-Dibromoethane	52		ug/L	2	0.30	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9494	50	104%		
J071613ALCS	J071613ALCS	ORG	591-78-6	2-Hexanone	35		ug/L	2	0.26	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9494	50	70%		
J071613ALCS	J071613ALCS	ORG	100-41-4	Ethylbenzene	50		ug/L	1	0.25	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9494	50	100%		
J071613ALCS	J071613ALCS	ORG	108-90-7	Chlorobenzene	52		ug/L	1	0.28	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9494	50	104%		
J071613ALCS	J071613ALCS	ORG	630-20-6	1,1,1,2-Tetrachloroethane	53		ug/L	2	0.19	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9494	50	106%		
J071613ALCS	J071613ALCS	ORG	XYLMP	p&m-Xylene	98		ug/L	2	0.26	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9494	100	98%		
J071613ALCS	J071613ALCS	ORG	95-47-6	o-Xylene	47		ug/L	1	0.13	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9494	50	94%		
J071613ALCS	J071613ALCS	ORG	100-42-5	Styrene	48		ug/L	1	0.20	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9494	50	96%		
J071613ALCS	J071613ALCS	ORG	75-25-2	Bromoform	56		ug/L	2	0.47	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9494	50	112%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J071613ALCS	J071613ALCS	ORG	98-82-8	Isopropylbenzene	51		ug/L	2	0.20	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9494	50	102%		
J071613ALCS	J071613ALCS	ORG	103-65-1	n-Propylbenzene	47		ug/L	2	0.27	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9494	50	94%		
J071613ALCS	J071613ALCS	ORG	79-34-5	1,1,2,2-Tetrachloroethane	47		ug/L	2	0.29	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9494	50	94%		
J071613ALCS	J071613ALCS	ORG	96-18-4	1,2,3-Trichloropropane	48		ug/L	2	0.29	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9494	50	96%		
J071613ALCS	J071613ALCS	ORG	108-67-8	1,3,5-Trimethylbenzene	49		ug/L	2	0.20	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9494	50	98%		
J071613ALCS	J071613ALCS	ORG	98-06-6	tert-Butylbenzene	59		ug/L	2	0.33	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9494	50	118%		
J071613ALCS	J071613ALCS	ORG	95-63-6	1,2,4-Trimethylbenzene	48		ug/L	2	0.20	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9494	50	96%		
J071613ALCS	J071613ALCS	ORG	135-98-8	sec-Butylbenzene	49		ug/L	2	0.32	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9494	50	98%		
J071613ALCS	J071613ALCS	ORG	541-73-1	1,3-Dichlorobenzene	50		ug/L	2	0.22	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9494	50	100%		
J071613ALCS	J071613ALCS	ORG	99-87-6	p-Isopropltoluene	49		ug/L	2	0.25	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9494	50	98%		
J071613ALCS	J071613ALCS	ORG	106-46-7	1,4-Dichlorobenzene	49		ug/L	2	0.33	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9494	50	98%		
J071613ALCS	J071613ALCS	ORG	95-50-1	1,2-Dichlorobenzene	50		ug/L	2	0.26	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9494	50	100%		
J071613ALCS	J071613ALCS	ORG	104-51-8	n-Butylbenzene	44		ug/L	5	0.28	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9494	50	88%		
J071613ALCS	J071613ALCS	ORG	96-12-8	1,2-Dibromo-3-chloropropane	50		ug/L	5	1.59	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9494	50	100%		
J071613ALCS	J071613ALCS	ORG	87-68-3	Hexachlorobutadiene	49		ug/L	5	0.65	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9494	50	98%		
J071613ALCS	J071613ALCS	ORG	120-82-1	1,2,4-Trichlorobenzene	53		ug/L	5	0.28	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9494	50	106%		
J071613ALCS	J071613ALCS	ORG	91-20-3	Naphthalene	54		ug/L	5	0.56	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9494	50	108%		
J071613ALCS	J071613ALCS	ORG	87-61-6	1,2,3-Trichlorobenzene	55		ug/L	5	0.23	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9494	50	110%		
J071613ALCS	J071613ALCS	STD	1868-53-7	Dibromofluoromethane	52		ng			NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9494	50	104%		
J071613ALCS	J071613ALCS	STD	17060-07-0	1,2-Dichloroethane d4	50		ng			NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9494	50	100%		
J071613ALCS	J071613ALCS	STD	2037-26-5	Toluene d8	48		ng			NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9494	50	96%		
J071613ALCS	J071613ALCS	STD	460-00-4	Bromofluorobenzene	50		ng			NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9494	50	100%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J071613ALCD	J071613ALCD	ORG	75-71-8	Dichlorodifluoromethane	35		ug/L	5	0.29	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9495	50	70%	12%	
J071613ALCD	J071613ALCD	ORG	74-87-3	Chloromethane	35		ug/L	5	0.43	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9495	50	70%	12%	
J071613ALCD	J071613ALCD	ORG	75-01-4	Vinyl chloride	46		ug/L	2	0.32	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9495	50	92%	11%	
J071613ALCD	J071613ALCD	ORG	74-83-9	Bromomethane	55		ug/L	5	0.50	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9495	50	110%	8%	
J071613ALCD	J071613ALCD	ORG	75-00-3	Chloroethane	57		ug/L	5	0.56	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9495	50	114%	13%	
J071613ALCD	J071613ALCD	ORG	75-69-4	Trichlorofluoromethane	51		ug/L	5	0.20	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9495	50	102%	2%	
J071613ALCD	J071613ALCD	ORG	75-35-4	1,1-Dichloroethene	45		ug/L	1	0.47	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9495	50	90%	2%	
J071613ALCD	J071613ALCD	ORG	75-09-2	Methylene chloride	52		ug/L	5	0.26	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9495	50	104%	0%	
J071613ALCD	J071613ALCD	ORG	67-64-1	Acetone	47		ug/L	10	1.56	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9495	50	94%	2%	
J071613ALCD	J071613ALCD	ORG	156-60-5	trans-1,2-Dichloroethene	50		ug/L	1	0.56	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9495	50	100%	2%	
J071613ALCD	J071613ALCD	ORG	1634-04-4	MTBE	45		ug/L	5	0.61	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9495	50	90%	6%	
J071613ALCD	J071613ALCD	ORG	75-34-3	1,1-Dichloroethane	42		ug/L	1	0.53	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9495	50	84%	5%	
J071613ALCD	J071613ALCD	ORG	156-59-2	cis-1,2-Dichloroethene	52		ug/L	1	0.32	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9495	50	104%	2%	
J071613ALCD	J071613ALCD	ORG	74-97-5	Bromochloromethane	56		ug/L	10	0.81	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9495	50	112%	0%	
J071613ALCD	J071613ALCD	ORG	67-66-3	Chloroform	52		ug/L	2	0.41	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9495	50	104%	2%	
J071613ALCD	J071613ALCD	ORG	71-55-6	1,1,1-Trichloroethane	52		ug/L	1	0.16	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9495	50	104%	4%	
J071613ALCD	J071613ALCD	ORG	78-93-3	2-Butanone	41		ug/L	1	0.17	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9495	50	82%	5%	
J071613ALCD	J071613ALCD	ORG	56-23-5	Carbon tetrachloride	52		ug/L	1	0.28	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9495	50	104%	4%	
J071613ALCD	J071613ALCD	ORG	71-43-2	Benzene	47		ug/L	1	0.14	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9495	50	94%	2%	
J071613ALCD	J071613ALCD	ORG	107-06-2	1,2-Dichloroethane	52		ug/L	1	0.20	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9495	50	104%	0%	
J071613ALCD	J071613ALCD	ORG	79-01-6	Trichloroethene	53		ug/L	1	0.36	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9495	50	106%	2%	
J071613ALCD	J071613ALCD	ORG	74-95-3	Dibromomethane	52		ug/L	2	0.32	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9495	50	104%	2%	
J071613ALCD	J071613ALCD	ORG	78-87-5	1,2-Dichloropropane	45		ug/L	1	0.18	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9495	50	90%	0%	
J071613ALCD	J071613ALCD	ORG	75-27-4	Bromodichloromethane	49		ug/L	2	0.12	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9495	50	98%	0%	
J071613ALCD	J071613ALCD	ORG	10061-01-5	cis-1,3-Dichloropropene	46		ug/L	1	0.25	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9495	50	92%	4%	
J071613ALCD	J071613ALCD	ORG	108-88-3	Toluene	47		ug/L	5	0.74	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9495	50	94%	4%	
J071613ALCD	J071613ALCD	ORG	108-10-1	4-Methyl-2-pentanone	37		ug/L	1	0.21	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9495	50	74%	3%	
J071613ALCD	J071613ALCD	ORG	10061-02-6	trans-1,3-Dichloropropene	47		ug/L	1	0.31	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9495	50	94%	0%	
J071613ALCD	J071613ALCD	ORG	127-18-4	Tetrachloroethene	61		ug/L	1	0.49	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9495	50	122%	2%	
J071613ALCD	J071613ALCD	ORG	79-00-5	1,1,2-Trichloroethane	46		ug/L	1	0.34	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9495	50	92%	2%	
J071613ALCD	J071613ALCD	ORG	124-48-1	Dibromochloromethane	51		ug/L	5	0.69	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9495	50	102%	2%	
J071613ALCD	J071613ALCD	ORG	106-93-4	1,2-Dibromoethane	51		ug/L	2	0.30	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9495	50	102%	2%	
J071613ALCD	J071613ALCD	ORG	591-78-6	2-Hexanone	33		ug/L	2	0.26	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9495	50	66%	6%	
J071613ALCD	J071613ALCD	ORG	100-41-4	Ethylbenzene	49		ug/L	1	0.25	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9495	50	98%	2%	
J071613ALCD	J071613ALCD	ORG	108-90-7	Chlorobenzene	50		ug/L	1	0.28	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9495	50	100%	4%	
J071613ALCD	J071613ALCD	ORG	630-20-6	1,1,1,2-Tetrachloroethane	52		ug/L	2	0.19	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9495	50	104%	2%	
J071613ALCD	J071613ALCD	ORG	XYLMP	p&m-Xylene	97		ug/L	2	0.26	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9495	100	97%	1%	
J071613ALCD	J071613ALCD	ORG	95-47-6	o-Xylene	47		ug/L	1	0.13	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9495	50	94%	0%	
J071613ALCD	J071613ALCD	ORG	100-42-5	Styrene	48		ug/L	1	0.20	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9495	50	96%	0%	
J071613ALCD	J071613ALCD	ORG	75-25-2	Bromoform	55		ug/L	2	0.47	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9495	50	110%	2%	

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J071613ALCD	J071613ALCD	ORG	98-82-8	Isopropylbenzene	50		ug/L	2	0.20	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9495	50	100%	2%	
J071613ALCD	J071613ALCD	ORG	103-65-1	n-Propylbenzene	48		ug/L	2	0.27	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9495	50	96%	2%	
J071613ALCD	J071613ALCD	ORG	79-34-5	1,1,2,2-Tetrachloroethane	46		ug/L	2	0.29	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9495	50	92%	2%	
J071613ALCD	J071613ALCD	ORG	96-18-4	1,2,3-Trichloropropane	47		ug/L	2	0.29	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9495	50	94%	2%	
J071613ALCD	J071613ALCD	ORG	108-67-8	1,3,5-Trimethylbenzene	49		ug/L	2	0.20	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9495	50	98%	0%	
J071613ALCD	J071613ALCD	ORG	98-06-6	tert-Butylbenzene	49		ug/L	2	0.33	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9495	50	98%	19%	
J071613ALCD	J071613ALCD	ORG	95-63-6	1,2,4-Trimethylbenzene	48		ug/L	2	0.20	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9495	50	96%	0%	
J071613ALCD	J071613ALCD	ORG	135-98-8	sec-Butylbenzene	48		ug/L	2	0.32	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9495	50	96%	2%	
J071613ALCD	J071613ALCD	ORG	541-73-1	1,3-Dichlorobenzene	49		ug/L	2	0.22	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9495	50	98%	2%	
J071613ALCD	J071613ALCD	ORG	99-87-6	p-Isopropltoluene	49		ug/L	2	0.25	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9495	50	98%	0%	
J071613ALCD	J071613ALCD	ORG	106-46-7	1,4-Dichlorobenzene	48		ug/L	2	0.33	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9495	50	96%	2%	
J071613ALCD	J071613ALCD	ORG	95-50-1	1,2-Dichlorobenzene	49		ug/L	2	0.26	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9495	50	98%	2%	
J071613ALCD	J071613ALCD	ORG	104-51-8	n-Butylbenzene	46		ug/L	5	0.28	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9495	50	92%	4%	
J071613ALCD	J071613ALCD	ORG	96-12-8	1,2-Dibromo-3-chloropropane	53		ug/L	5	1.59	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9495	50	106%	6%	
J071613ALCD	J071613ALCD	ORG	87-68-3	Hexachlorobutadiene	50		ug/L	5	0.65	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9495	50	100%	2%	
J071613ALCD	J071613ALCD	ORG	120-82-1	1,2,4-Trichlorobenzene	50		ug/L	5	0.28	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9495	50	100%	6%	
J071613ALCD	J071613ALCD	ORG	91-20-3	Naphthalene	54		ug/L	5	0.56	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9495	50	108%	0%	
J071613ALCD	J071613ALCD	ORG	87-61-6	1,2,3-Trichlorobenzene	52		ug/L	5	0.23	NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9495	50	104%	6%	
J071613ALCD	J071613ALCD	STD	1868-53-7	Dibromofluoromethane	53		ng			NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9495	50	106%	2%	
J071613ALCD	J071613ALCD	STD	17060-07-0	1,2-Dichloroethane d4	57		ng			NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9495	50	114%	13%	
J071613ALCD	J071613ALCD	STD	2037-26-5	Toluene d8	48		ng			NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9495	50	96%	0%	
J071613ALCD	J071613ALCD	STD	460-00-4	Bromofluorobenzene	49		ng			NA	7/16/2013	7/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9495	50	98%	2%	

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-489MS	282/283-MSD	ORG	75-71-8	Dichlorodifluoromethane	3600		ug/L	500	29.28	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9496	5000	72%		
NAL13026-489MS	282/283-MSD	ORG	74-87-3	Chloromethane	3500		ug/L	500	43.07	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9496	5000	70%		
NAL13026-489MS	282/283-MSD	ORG	75-01-4	Vinyl chloride	4400		ug/L	200	31.86	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9496	5000	88%		
NAL13026-489MS	282/283-MSD	ORG	74-83-9	Bromomethane	5300		ug/L	500	50.04	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9496	5000	106%		
NAL13026-489MS	282/283-MSD	ORG	75-00-3	Chloroethane	6200		ug/L	500	55.61	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9496	5000	124%		
NAL13026-489MS	282/283-MSD	ORG	75-69-4	Trichlorofluoromethane	5100		ug/L	500	19.65	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9496	5000	102%		
NAL13026-489MS	282/283-MSD	ORG	75-35-4	1,1-Dichloroethene	4800		ug/L	100	47.11	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9496	5000	96%		
NAL13026-489MS	282/283-MSD	ORG	75-09-2	Methylene chloride	5200		ug/L	500	26.46	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9496	5000	104%		
NAL13026-489MS	282/283-MSD	ORG	67-64-1	Acetone	42000		ug/L	1000	155.61	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9496	5000	-60%		45000
NAL13026-489MS	282/283-MSD	ORG	156-60-5	trans-1,2-Dichloroethene	5100		ug/L	100	55.61	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9496	5000	102%		
NAL13026-489MS	282/283-MSD	ORG	1634-04-4	MTBE	4700		ug/L	500	61.18	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9496	5000	94%		
NAL13026-489MS	282/283-MSD	ORG	75-34-3	1,1-Dichloroethane	3900		ug/L	100	52.66	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9496	5000	78%		
NAL13026-489MS	282/283-MSD	ORG	156-59-2	cis-1,2-Dichloroethene	5300		ug/L	100	32.11	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9496	5000	106%		
NAL13026-489MS	282/283-MSD	ORG	74-97-5	Bromochloromethane	5800		ug/L	1000	81.18	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9496	5000	116%		
NAL13026-489MS	282/283-MSD	ORG	67-66-3	Chloroform	5300		ug/L	200	41.37	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9496	5000	106%		
NAL13026-489MS	282/283-MSD	ORG	71-55-6	1,1,1-Trichloroethane	5200		ug/L	100	15.73	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9496	5000	104%		
NAL13026-489MS	282/283-MSD	ORG	78-93-3	2-Butanone	19000		ug/L	100	16.65	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9496	5000	-40%		21000
NAL13026-489MS	282/283-MSD	ORG	56-23-5	Carbon tetrachloride	5400		ug/L	100	27.64	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9496	5000	108%		
NAL13026-489MS	282/283-MSD	ORG	71-43-2	Benzene	4800		ug/L	100	13.53	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9496	5000	96%		
NAL13026-489MS	282/283-MSD	ORG	107-06-2	1,2-Dichloroethane	5500		ug/L	100	20.01	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9496	5000	110%		
NAL13026-489MS	282/283-MSD	ORG	79-01-6	Trichloroethene	5400		ug/L	100	36.33	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9496	5000	108%		
NAL13026-489MS	282/283-MSD	ORG	74-95-3	Dibromomethane	5600		ug/L	200	32.20	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9496	5000	112%		
NAL13026-489MS	282/283-MSD	ORG	78-87-5	1,2-Dichloropropane	4600		ug/L	100	18.17	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9496	5000	92%		
NAL13026-489MS	282/283-MSD	ORG	75-27-4	Bromodichloromethane	5000		ug/L	200	11.58	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9496	5000	100%		
NAL13026-489MS	282/283-MSD	ORG	10061-01-5	cis-1,3-Dichloropropene	4500		ug/L	100	25.01	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9496	5000	90%		
NAL13026-489MS	282/283-MSD	ORG	108-88-3	Toluene	4700		ug/L	500	74.00	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9496	5000	94%		
NAL13026-489MS	282/283-MSD	ORG	108-10-1	4-Methyl-2-pentanone	4400		ug/L	100	20.96	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9496	5000	81%		360
NAL13026-489MS	282/283-MSD	ORG	10061-02-6	trans-1,3-Dichloropropene	4900		ug/L	100	31.15	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9496	5000	98%		
NAL13026-489MS	282/283-MSD	ORG	127-18-4	Tetrachloroethene	4900		ug/L	100	48.56	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9496	5000	98%		
NAL13026-489MS	282/283-MSD	ORG	79-00-5	1,1,2-Trichloroethane	4900		ug/L	100	34.28	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9496	5000	98%		
NAL13026-489MS	282/283-MSD	ORG	124-48-1	Dibromochloromethane	5700		ug/L	500	68.90	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9496	5000	114%		
NAL13026-489MS	282/283-MSD	ORG	106-93-4	1,2-Dibromoethane	5400		ug/L	200	29.90	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9496	5000	108%		
NAL13026-489MS	282/283-MSD	ORG	591-78-6	2-Hexanone	3100		ug/L	200	26.49	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9496	5000	62%		
NAL13026-489MS	282/283-MSD	ORG	100-41-4	Ethylbenzene	4400		ug/L	100	25.38	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9496	5000	88%		
NAL13026-489MS	282/283-MSD	ORG	108-90-7	Chlorobenzene	4600		ug/L	100	27.52	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9496	5000	92%		
NAL13026-489MS	282/283-MSD	ORG	630-20-6	1,1,1,2-Tetrachloroethane	4700		ug/L	200	19.28	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9496	5000	94%		
NAL13026-489MS	282/283-MSD	ORG	XYLMP	p&m-Xylene	8800		ug/L	200	26.14	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9496	10000	88%		
NAL13026-489MS	282/283-MSD	ORG	95-47-6	o-Xylene	4300		ug/L	100	12.90	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9496	5000	86%		
NAL13026-489MS	282/283-MSD	ORG	100-42-5	Styrene	4200		ug/L	100	20.23	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9496	5000	83%		38
NAL13026-489MS	282/283-MSD	ORG	75-25-2	Bromoform	5700		ug/L	200	46.83	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9496	5000	114%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-489MS	282/283-MSD	ORG	98-82-8	Isopropylbenzene	4700		ug/L	200	20.48	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9496	5000	94%		
NAL13026-489MS	282/283-MSD	ORG	103-65-1	n-Propylbenzene	4500		ug/L	200	27.00	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9496	5000	90%		
NAL13026-489MS	282/283-MSD	ORG	79-34-5	1,1,2,2-Tetrachloroethane	5000		ug/L	200	29.16	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9496	5000	100%		
NAL13026-489MS	282/283-MSD	ORG	96-18-4	1,2,3-Trichloropropane	4800		ug/L	200	29.47	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9496	5000	96%		
NAL13026-489MS	282/283-MSD	ORG	108-67-8	1,3,5-Trimethylbenzene	4600		ug/L	200	20.03	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9496	5000	92%		
NAL13026-489MS	282/283-MSD	ORG	98-06-6	tert-Butylbenzene	4800		ug/L	200	32.61	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9496	5000	96%		
NAL13026-489MS	282/283-MSD	ORG	95-63-6	1,2,4-Trimethylbenzene	4600		ug/L	200	20.03	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9496	5000	92%		
NAL13026-489MS	282/283-MSD	ORG	135-98-8	sec-Butylbenzene	4700		ug/L	200	32.34	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9496	5000	94%		
NAL13026-489MS	282/283-MSD	ORG	541-73-1	1,3-Dichlorobenzene	5100		ug/L	200	22.21	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9496	5000	102%		
NAL13026-489MS	282/283-MSD	ORG	99-87-6	p-Isopropltoluene	4900		ug/L	200	25.48	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9496	5000	97%		35
NAL13026-489MS	282/283-MSD	ORG	106-46-7	1,4-Dichlorobenzene	5200		ug/L	200	33.03	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9496	5000	104%		
NAL13026-489MS	282/283-MSD	ORG	95-50-1	1,2-Dichlorobenzene	5100		ug/L	200	26.38	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9496	5000	102%		
NAL13026-489MS	282/283-MSD	ORG	104-51-8	n-Butylbenzene	4500		ug/L	500	27.81	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9496	5000	90%		
NAL13026-489MS	282/283-MSD	ORG	96-12-8	1,2-Dibromo-3-chloropropane	5100		ug/L	500	159.11	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9496	5000	102%		
NAL13026-489MS	282/283-MSD	ORG	87-68-3	Hexachlorobutadiene	5100		ug/L	500	65.42	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9496	5000	102%		
NAL13026-489MS	282/283-MSD	ORG	120-82-1	1,2,4-Trichlorobenzene	4900		ug/L	500	27.63	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9496	5000	98%		
NAL13026-489MS	282/283-MSD	ORG	91-20-3	Naphthalene	5100		ug/L	500	56.04	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9496	5000	99%		170
NAL13026-489MS	282/283-MSD	ORG	87-61-6	1,2,3-Trichlorobenzene	4900		ug/L	500	23.28	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9496	5000	98%		
NAL13026-489MS	282/283-MSD	STD	1868-53-7	Dibromofluoromethane	53		ng			7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9496	50	106%		
NAL13026-489MS	282/283-MSD	STD	17060-07-0	1,2-Dichloroethane d4	50		ng			7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9496	50	100%		
NAL13026-489MS	282/283-MSD	STD	2037-26-5	Toluene d8	47		ng			7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9496	50	94%		
NAL13026-489MS	282/283-MSD	STD	460-00-4	Bromofluorobenzene	46		ng			7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9496	50	92%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-489MSD	282/283-MSD	ORG	75-71-8	Dichlorodifluoromethane	3400		ug/L	500	29.28	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9497	5000	68%	6%	0
NAL13026-489MSD	282/283-MSD	ORG	74-87-3	Chloromethane	3000		ug/L	500	43.07	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9497	5000	60%	15%	0
NAL13026-489MSD	282/283-MSD	ORG	75-01-4	Vinyl chloride	4500		ug/L	200	31.86	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9497	5000	90%	2%	0
NAL13026-489MSD	282/283-MSD	ORG	74-83-9	Bromomethane	5600		ug/L	500	50.04	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9497	5000	112%	6%	0
NAL13026-489MSD	282/283-MSD	ORG	75-00-3	Chloroethane	5800		ug/L	500	55.61	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9497	5000	116%	7%	0
NAL13026-489MSD	282/283-MSD	ORG	75-69-4	Trichlorofluoromethane	5600		ug/L	500	19.65	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9497	5000	112%	9%	0
NAL13026-489MSD	282/283-MSD	ORG	75-35-4	1,1-Dichloroethene	4800		ug/L	100	47.11	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9497	5000	96%	0%	0
NAL13026-489MSD	282/283-MSD	ORG	75-09-2	Methylene chloride	5700		ug/L	500	26.46	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9497	5000	114%	9%	0
NAL13026-489MSD	282/283-MSD	ORG	67-64-1	Acetone	46000		ug/L	1000	155.61	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9497	5000	20%	9%	45000
NAL13026-489MSD	282/283-MSD	ORG	156-60-5	trans-1,2-Dichloroethene	5200		ug/L	100	55.61	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9497	5000	104%	2%	0
NAL13026-489MSD	282/283-MSD	ORG	1634-04-4	MTBE	5000		ug/L	500	61.18	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9497	5000	100%	6%	0
NAL13026-489MSD	282/283-MSD	ORG	75-34-3	1,1-Dichloroethane	4200		ug/L	100	52.66	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9497	5000	84%	7%	0
NAL13026-489MSD	282/283-MSD	ORG	156-59-2	cis-1,2-Dichloroethene	5300		ug/L	100	32.11	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9497	5000	106%	0%	0
NAL13026-489MSD	282/283-MSD	ORG	74-97-5	Bromochloromethane	5800		ug/L	1000	81.18	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9497	5000	116%	0%	0
NAL13026-489MSD	282/283-MSD	ORG	67-66-3	Chloroform	5300		ug/L	200	41.37	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9497	5000	106%	0%	0
NAL13026-489MSD	282/283-MSD	ORG	71-55-6	1,1,1-Trichloroethane	5400		ug/L	100	15.73	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9497	5000	108%	4%	0
NAL13026-489MSD	282/283-MSD	ORG	78-93-3	2-Butanone	19000		ug/L	100	16.65	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9497	5000	-40%	0%	21000
NAL13026-489MSD	282/283-MSD	ORG	56-23-5	Carbon tetrachloride	5400		ug/L	100	27.64	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9497	5000	108%	0%	0
NAL13026-489MSD	282/283-MSD	ORG	71-43-2	Benzene	4900		ug/L	100	13.53	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9497	5000	98%	2%	0
NAL13026-489MSD	282/283-MSD	ORG	107-06-2	1,2-Dichloroethane	5400		ug/L	100	20.01	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9497	5000	108%	2%	0
NAL13026-489MSD	282/283-MSD	ORG	79-01-6	Trichloroethene	5400		ug/L	100	36.33	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9497	5000	108%	0%	0
NAL13026-489MSD	282/283-MSD	ORG	74-95-3	Dibromomethane	5500		ug/L	200	32.20	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9497	5000	110%	2%	0
NAL13026-489MSD	282/283-MSD	ORG	78-87-5	1,2-Dichloropropane	4700		ug/L	100	18.17	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9497	5000	94%	2%	0
NAL13026-489MSD	282/283-MSD	ORG	75-27-4	Bromodichloromethane	5200		ug/L	200	11.58	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9497	5000	104%	4%	0
NAL13026-489MSD	282/283-MSD	ORG	10061-01-5	cis-1,3-Dichloropropene	4700		ug/L	100	25.01	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9497	5000	94%	4%	0
NAL13026-489MSD	282/283-MSD	ORG	108-88-3	Toluene	4900		ug/L	500	74.00	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9497	5000	98%	4%	0
NAL13026-489MSD	282/283-MSD	ORG	108-10-1	4-Methyl-2-pentanone	4100		ug/L	100	20.96	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9497	5000	75%	7%	360
NAL13026-489MSD	282/283-MSD	ORG	10061-02-6	trans-1,3-Dichloropropene	5000		ug/L	100	31.15	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9497	5000	100%	2%	0
NAL13026-489MSD	282/283-MSD	ORG	127-18-4	Tetrachloroethene	5300		ug/L	100	48.56	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9497	5000	106%	8%	0
NAL13026-489MSD	282/283-MSD	ORG	79-00-5	1,1,2-Trichloroethane	5000		ug/L	100	34.28	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9497	5000	100%	2%	0
NAL13026-489MSD	282/283-MSD	ORG	124-48-1	Dibromochloromethane	5500		ug/L	500	68.90	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9497	5000	110%	4%	0
NAL13026-489MSD	282/283-MSD	ORG	106-93-4	1,2-Dibromoethane	5400		ug/L	200	29.90	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9497	5000	108%	0%	0
NAL13026-489MSD	282/283-MSD	ORG	591-78-6	2-Hexanone	2700		ug/L	200	26.49	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9497	5000	54%	14%	0
NAL13026-489MSD	282/283-MSD	ORG	100-41-4	Ethylbenzene	5400		ug/L	100	25.38	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9497	5000	108%	20%	0
NAL13026-489MSD	282/283-MSD	ORG	108-90-7	Chlorobenzene	5600		ug/L	100	27.52	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9497	5000	112%	20%	0
NAL13026-489MSD	282/283-MSD	ORG	630-20-6	1,1,1,2-Tetrachloroethane	5800		ug/L	200	19.28	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9497	5000	116%	21%	0
NAL13026-489MSD	282/283-MSD	ORG	XYLMP	p&m-Xylene	11000		ug/L	200	26.14	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9497	10000	110%	22%	0
NAL13026-489MSD	282/283-MSD	ORG	95-47-6	o-Xylene	5500		ug/L	100	12.90	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9497	5000	110%	24%	0
NAL13026-489MSD	282/283-MSD	ORG	100-42-5	Styrene	5200		ug/L	100	20.23	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9497	5000	103%	21%	38
NAL13026-489MSD	282/283-MSD	ORG	75-25-2	Bromoform	5900		ug/L	200	46.83	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9497	5000	118%	3%	0

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-489MSD	282/283-MSD	ORG	98-82-8	Isopropylbenzene	5500		ug/L	200	20.48	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9497	5000	110%	16%	0
NAL13026-489MSD	282/283-MSD	ORG	103-65-1	n-Propylbenzene	5200		ug/L	200	27.00	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9497	5000	104%	14%	0
NAL13026-489MSD	282/283-MSD	ORG	79-34-5	1,1,2,2-Tetrachloroethane	5100		ug/L	200	29.16	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9497	5000	102%	2%	0
NAL13026-489MSD	282/283-MSD	ORG	96-18-4	1,2,3-Trichloropropane	5000		ug/L	200	29.47	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9497	5000	100%	4%	0
NAL13026-489MSD	282/283-MSD	ORG	108-67-8	1,3,5-Trimethylbenzene	5300		ug/L	200	20.03	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9497	5000	106%	14%	0
NAL13026-489MSD	282/283-MSD	ORG	98-06-6	tert-Butylbenzene	5300		ug/L	200	32.61	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9497	5000	106%	10%	0
NAL13026-489MSD	282/283-MSD	ORG	95-63-6	1,2,4-Trimethylbenzene	5200		ug/L	200	20.03	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9497	5000	104%	12%	0
NAL13026-489MSD	282/283-MSD	ORG	135-98-8	sec-Butylbenzene	5100		ug/L	200	32.34	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9497	5000	102%	8%	0
NAL13026-489MSD	282/283-MSD	ORG	541-73-1	1,3-Dichlorobenzene	5300		ug/L	200	22.21	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9497	5000	106%	4%	0
NAL13026-489MSD	282/283-MSD	ORG	99-87-6	p-Isopropltoluene	5200		ug/L	200	25.48	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9497	5000	103%	6%	35
NAL13026-489MSD	282/283-MSD	ORG	106-46-7	1,4-Dichlorobenzene	5400		ug/L	200	33.03	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9497	5000	108%	4%	0
NAL13026-489MSD	282/283-MSD	ORG	95-50-1	1,2-Dichlorobenzene	5400		ug/L	200	26.38	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9497	5000	108%	6%	0
NAL13026-489MSD	282/283-MSD	ORG	104-51-8	n-Butylbenzene	4700		ug/L	500	27.81	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9497	5000	94%	4%	0
NAL13026-489MSD	282/283-MSD	ORG	96-12-8	1,2-Dibromo-3-chloropropane	5500		ug/L	500	159.11	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9497	5000	110%	8%	0
NAL13026-489MSD	282/283-MSD	ORG	87-68-3	Hexachlorobutadiene	5200		ug/L	500	65.42	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9497	5000	104%	2%	0
NAL13026-489MSD	282/283-MSD	ORG	120-82-1	1,2,4-Trichlorobenzene	5600		ug/L	500	27.63	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9497	5000	112%	13%	0
NAL13026-489MSD	282/283-MSD	ORG	91-20-3	Naphthalene	6000		ug/L	500	56.04	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9497	5000	117%	16%	170
NAL13026-489MSD	282/283-MSD	ORG	87-61-6	1,2,3-Trichlorobenzene	5700		ug/L	500	23.28	7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9497	5000	114%	15%	0
NAL13026-489MSD	282/283-MSD	STD	1868-53-7	Dibromofluoromethane	52		ng			7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9497	50	104%	2%	0
NAL13026-489MSD	282/283-MSD	STD	17060-07-0	1,2-Dichloroethane d4	50		ng			7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9497	50	100%	0%	0
NAL13026-489MSD	282/283-MSD	STD	2037-26-5	Toluene d8	49		ng			7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9497	50	98%	4%	0
NAL13026-489MSD	282/283-MSD	STD	460-00-4	Bromofluorobenzene	51		ng			7/16/2013	7/16/2013	7/16/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9497	50	102%	10%	0

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-493	316-016	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9501				
NAL13026-493	316-016	ORG	74-87-3	Chloromethane		U	ug/L	500	43.07	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9501				
NAL13026-493	316-016	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9501				
NAL13026-493	316-016	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9501				
NAL13026-493	316-016	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9501				
NAL13026-493	316-016	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9501				
NAL13026-493	316-016	ORG	75-35-4	1,1-Dichloroethene		UX-	ug/L	100	47.11	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9501				
NAL13026-493	316-016	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9501				
NAL13026-493	316-016	ORG	67-64-1	Acetone	45000	D	ug/L	10000	1556.07	7/17/2013	7/17/2013	7/17/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9502				
NAL13026-493	316-016	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9501				
NAL13026-493	316-016	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9501				
NAL13026-493	316-016	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9501				
NAL13026-493	316-016	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9501				
NAL13026-493	316-016	ORG	74-97-5	Bromochloromethane		U	ug/L	200	41.37	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9501				
NAL13026-493	316-016	ORG	67-66-3	Chloroform		U	ug/L	100	15.73	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9501				
NAL13026-493	316-016	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	16.65	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9501				
NAL13026-493	316-016	ORG	78-93-3	2-Butanone	21000	D	ug/L	10000	811.80	7/17/2013	7/17/2013	7/17/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9502				
NAL13026-493	316-016	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9501				
NAL13026-493	316-016	ORG	71-43-2	Benzene		U	ug/L	100	13.53	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9501				
NAL13026-493	316-016	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9501				
NAL13026-493	316-016	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9501				
NAL13026-493	316-016	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9501				
NAL13026-493	316-016	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9501				
NAL13026-493	316-016	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9501				
NAL13026-493	316-016	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9501				
NAL13026-493	316-016	ORG	108-88-3	Toluene		U	ug/L	100	20.96	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9501				
NAL13026-493	316-016	ORG	108-10-1	4-Methyl-2-pentanone	540		ug/L	500	74.00	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9501				
NAL13026-493	316-016	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9501				
NAL13026-493	316-016	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9501				
NAL13026-493	316-016	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9501				
NAL13026-493	316-016	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	29.90	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9501				
NAL13026-493	316-016	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	26.49	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9501				
NAL13026-493	316-016	ORG	591-78-6	2-Hexanone	380		ug/L	500	68.90	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9501				
NAL13026-493	316-016	ORG	100-41-4	Ethylbenzene		U	ug/L	100	25.38	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9501				
NAL13026-493	316-016	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9501				
NAL13026-493	316-016	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9501				
NAL13026-493	316-016	ORG	XYLMP	p&m-Xylene		U	ug/L	200	26.14	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9501				
NAL13026-493	316-016	ORG	95-47-6	o-Xylene		U	ug/L	100	12.90	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9501				
NAL13026-493	316-016	ORG	100-42-5	Styrene	52	J	ug/L	100	20.23	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9501				
NAL13026-493	316-016	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9501				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-493	316-016	ORG	98-82-8	Isopropylbenzene		U	ug/L	200	20.48	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9501				
NAL13026-493	316-016	ORG	103-65-1	n-Propylbenzene		U	ug/L	200	27.00	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9501				
NAL13026-493	316-016	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9501				
NAL13026-493	316-016	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9501				
NAL13026-493	316-016	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	200	20.03	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9501				
NAL13026-493	316-016	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9501				
NAL13026-493	316-016	ORG	95-63-6	1,2,4-Trimethylbenzene	26	J	ug/L	200	20.03	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9501				
NAL13026-493	316-016	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9501				
NAL13026-493	316-016	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9501				
NAL13026-493	316-016	ORG	99-87-6	p-Isopropltoluene	31	J	ug/L	200	25.48	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9501				
NAL13026-493	316-016	ORG	106-46-7	1,4-Dichlorobenzene	50	J	ug/L	200	33.03	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9501				
NAL13026-493	316-016	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9501				
NAL13026-493	316-016	ORG	104-51-8	n-Butylbenzene		U	ug/L	500	27.81	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9501				
NAL13026-493	316-016	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9501				
NAL13026-493	316-016	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9501				
NAL13026-493	316-016	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9501				
NAL13026-493	316-016	ORG	91-20-3	Naphthalene	280	J	ug/L	500	56.04	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9501				
NAL13026-493	316-016	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9501				
NAL13026-493	316-016	STD	1868-53-7	Dibromofluoromethane	52		ng			7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9501	50	104%		
NAL13026-493	316-016	STD	17060-07-0	1,2-Dichloroethane d4	51		ng			7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9501	50	102%		
NAL13026-493	316-016	STD	2037-26-5	Toluene d8	46		ng			7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9501	50	92%		
NAL13026-493	316-016	STD	460-00-4	Bromofluorobenzene	47		ng			7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9501	50	94%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-494	286/287	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9503				
NAL13026-494	286/287	ORG	74-87-3	Chloromethane		U	ug/L	500	43.07	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9503				
NAL13026-494	286/287	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9503				
NAL13026-494	286/287	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9503				
NAL13026-494	286/287	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9503				
NAL13026-494	286/287	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9503				
NAL13026-494	286/287	ORG	75-35-4	1,1-Dichloroethene		UX-	ug/L	100	47.11	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9503				
NAL13026-494	286/287	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9503				
NAL13026-494	286/287	ORG	67-64-1	Acetone	51000	D	ug/L	10000	1556.07	7/17/2013	7/17/2013	7/17/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9505				
NAL13026-494	286/287	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9503				
NAL13026-494	286/287	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9503				
NAL13026-494	286/287	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9503				
NAL13026-494	286/287	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9503				
NAL13026-494	286/287	ORG	74-97-5	Bromochloromethane		U	ug/L	200	81.18	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9503				
NAL13026-494	286/287	ORG	67-66-3	Chloroform		U	ug/L	100	41.37	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9503				
NAL13026-494	286/287	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	15.73	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9503				
NAL13026-494	286/287	ORG	78-93-3	2-Butanone	25000	D	ug/L	10000	166.52	7/17/2013	7/17/2013	7/17/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9505				
NAL13026-494	286/287	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9503				
NAL13026-494	286/287	ORG	71-43-2	Benzene		U	ug/L	100	13.53	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9503				
NAL13026-494	286/287	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9503				
NAL13026-494	286/287	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9503				
NAL13026-494	286/287	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9503				
NAL13026-494	286/287	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9503				
NAL13026-494	286/287	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9503				
NAL13026-494	286/287	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9503				
NAL13026-494	286/287	ORG	108-88-3	Toluene		U	ug/L	100	74.00	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9503				
NAL13026-494	286/287	ORG	108-10-1	4-Methyl-2-pentanone	550		ug/L	500	20.96	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9503				
NAL13026-494	286/287	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9503				
NAL13026-494	286/287	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9503				
NAL13026-494	286/287	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9503				
NAL13026-494	286/287	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	68.90	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9503				
NAL13026-494	286/287	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	29.90	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9503				
NAL13026-494	286/287	ORG	591-78-6	2-Hexanone		U	ug/L	500	26.49	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9503				
NAL13026-494	286/287	ORG	100-41-4	Ethylbenzene		U	ug/L	100	25.38	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9503				
NAL13026-494	286/287	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9503				
NAL13026-494	286/287	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9503				
NAL13026-494	286/287	ORG	XYLMP	p&m-Xylene		U	ug/L	200	26.14	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9503				
NAL13026-494	286/287	ORG	95-47-6	o-Xylene		U	ug/L	100	12.90	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9503				
NAL13026-494	286/287	ORG	100-42-5	Styrene	32	J	ug/L	100	20.23	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9503				
NAL13026-494	286/287	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9503				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-494	286/287	ORG	98-82-8	Isopropylbenzene		U	ug/L	200	20.48	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9503				
NAL13026-494	286/287	ORG	103-65-1	n-Propylbenzene		U	ug/L	200	27.00	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9503				
NAL13026-494	286/287	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9503				
NAL13026-494	286/287	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9503				
NAL13026-494	286/287	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	200	20.03	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9503				
NAL13026-494	286/287	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9503				
NAL13026-494	286/287	ORG	95-63-6	1,2,4-Trimethylbenzene	26	J	ug/L	200	20.03	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9503				
NAL13026-494	286/287	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9503				
NAL13026-494	286/287	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9503				
NAL13026-494	286/287	ORG	99-87-6	p-Isopropltoluene	27	J	ug/L	200	25.48	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9503				
NAL13026-494	286/287	ORG	106-46-7	1,4-Dichlorobenzene		U	ug/L	200	33.03	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9503				
NAL13026-494	286/287	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9503				
NAL13026-494	286/287	ORG	104-51-8	n-Butylbenzene		U	ug/L	500	27.81	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9503				
NAL13026-494	286/287	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9503				
NAL13026-494	286/287	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9503				
NAL13026-494	286/287	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9503				
NAL13026-494	286/287	ORG	91-20-3	Naphthalene	230	J	ug/L	500	56.04	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9503				
NAL13026-494	286/287	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9503				
NAL13026-494	286/287	STD	1868-53-7	Dibromofluoromethane	52		ng			7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9503	50	104%		
NAL13026-494	286/287	STD	17060-07-0	1,2-Dichloroethane d4	54		ng			7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9503	50	108%		
NAL13026-494	286/287	STD	2037-26-5	Toluene d8	46		ng			7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9503	50	92%		
NAL13026-494	286/287	STD	460-00-4	Bromofluorobenzene	43		ng			7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9503	50	86%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-495	OB-288	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9504				
NAL13026-495	OB-288	ORG	74-87-3	Chloromethane		U	ug/L	500	43.07	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9504				
NAL13026-495	OB-288	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9504				
NAL13026-495	OB-288	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9504				
NAL13026-495	OB-288	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9504				
NAL13026-495	OB-288	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9504				
NAL13026-495	OB-288	ORG	75-35-4	1,1-Dichloroethene		UX-	ug/L	100	47.11	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9504				
NAL13026-495	OB-288	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9504				
NAL13026-495	OB-288	ORG	67-64-1	Acetone	54000	D	ug/L	10000	1556.07	7/17/2013	7/17/2013	7/17/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9506				
NAL13026-495	OB-288	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9504				
NAL13026-495	OB-288	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9504				
NAL13026-495	OB-288	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9504				
NAL13026-495	OB-288	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9504				
NAL13026-495	OB-288	ORG	74-97-5	Bromochloromethane		U	ug/L	200	81.18	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9504				
NAL13026-495	OB-288	ORG	67-66-3	Chloroform		U	ug/L	100	41.37	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9504				
NAL13026-495	OB-288	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	15.73	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9504				
NAL13026-495	OB-288	ORG	78-93-3	2-Butanone	24000	D	ug/L	10000	166.52	7/17/2013	7/17/2013	7/17/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9506				
NAL13026-495	OB-288	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9504				
NAL13026-495	OB-288	ORG	71-43-2	Benzene	130		ug/L	100	13.53	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9504				
NAL13026-495	OB-288	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9504				
NAL13026-495	OB-288	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9504				
NAL13026-495	OB-288	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9504				
NAL13026-495	OB-288	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9504				
NAL13026-495	OB-288	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9504				
NAL13026-495	OB-288	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9504				
NAL13026-495	OB-288	ORG	108-88-3	Toluene		U	ug/L	100	74.00	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9504				
NAL13026-495	OB-288	ORG	108-10-1	4-Methyl-2-pentanone	870		ug/L	500	20.96	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9504				
NAL13026-495	OB-288	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9504				
NAL13026-495	OB-288	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9504				
NAL13026-495	OB-288	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9504				
NAL13026-495	OB-288	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	68.90	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9504				
NAL13026-495	OB-288	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	29.90	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9504				
NAL13026-495	OB-288	ORG	591-78-6	2-Hexanone		U	ug/L	500	26.49	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9504				
NAL13026-495	OB-288	ORG	100-41-4	Ethylbenzene		U	ug/L	100	25.38	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9504				
NAL13026-495	OB-288	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9504				
NAL13026-495	OB-288	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9504				
NAL13026-495	OB-288	ORG	XYLMP	p&m-Xylene		U	ug/L	200	26.14	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9504				
NAL13026-495	OB-288	ORG	95-47-6	o-Xylene		U	ug/L	100	12.90	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9504				
NAL13026-495	OB-288	ORG	100-42-5	Styrene	28	J	ug/L	100	20.23	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9504				
NAL13026-495	OB-288	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9504				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-495	OB-288	ORG	98-82-8	Isopropylbenzene		U	ug/L	200	20.48	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9504				
NAL13026-495	OB-288	ORG	103-65-1	n-Propylbenzene		U	ug/L	200	27.00	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9504				
NAL13026-495	OB-288	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9504				
NAL13026-495	OB-288	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9504				
NAL13026-495	OB-288	ORG	108-67-8	1,3,5-Trimethylbenzene	24	J	ug/L	200	20.03	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9504				
NAL13026-495	OB-288	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9504				
NAL13026-495	OB-288	ORG	95-63-6	1,2,4-Trimethylbenzene	49	J	ug/L	200	20.03	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9504				
NAL13026-495	OB-288	ORG	135-98-8	sec-Butylbenzene	35	J	ug/L	200	32.34	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9504				
NAL13026-495	OB-288	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9504				
NAL13026-495	OB-288	ORG	99-87-6	p-Isopropltoluene	210		ug/L	200	25.48	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9504				
NAL13026-495	OB-288	ORG	106-46-7	1,4-Dichlorobenzene	96	J	ug/L	200	33.03	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9504				
NAL13026-495	OB-288	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9504				
NAL13026-495	OB-288	ORG	104-51-8	n-Butylbenzene		U	ug/L	500	27.81	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9504				
NAL13026-495	OB-288	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9504				
NAL13026-495	OB-288	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9504				
NAL13026-495	OB-288	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9504				
NAL13026-495	OB-288	ORG	91-20-3	Naphthalene	290	J	ug/L	500	56.04	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9504				
NAL13026-495	OB-288	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9504				
NAL13026-495	OB-288	STD	1868-53-7	Dibromofluoromethane	53		ng			7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9504	50	106%		
NAL13026-495	OB-288	STD	17060-07-0	1,2-Dichloroethane d4	53		ng			7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9504	50	106%		
NAL13026-495	OB-288	STD	2037-26-5	Toluene d8	45		ng			7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9504	50	90%		
NAL13026-495	OB-288	STD	460-00-4	Bromofluorobenzene	42		ng			7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9504	50	84%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J071713CCVA	J071713CCVA	ORG	75-71-8	Dichlorodifluoromethane	58		ug/L	5	0.29	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9499	50	116%		
J071713CCVA	J071713CCVA	ORG	74-87-3	Chloromethane	44		ug/L	5	0.43	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9499	50	88%		
J071713CCVA	J071713CCVA	ORG	75-01-4	Vinyl chloride	53		ug/L	2	0.32	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9499	50	106%		
J071713CCVA	J071713CCVA	ORG	74-83-9	Bromomethane	60		ug/L	5	0.50	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9499	50	120%		
J071713CCVA	J071713CCVA	ORG	75-00-3	Chloroethane	60		ug/L	5	0.56	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9499	50	120%		
J071713CCVA	J071713CCVA	ORG	75-69-4	Trichlorofluoromethane	52		ug/L	5	0.20	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9499	50	104%		
J071713CCVA	J071713CCVA	ORG	75-35-4	1,1-Dichloroethene	36		ug/L	1	0.47	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9499	50	72%		
J071713CCVA	J071713CCVA	ORG	75-09-2	Methylene chloride	42		ug/L	5	0.26	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9499	50	84%		
J071713CCVA	J071713CCVA	ORG	67-64-1	Acetone	51		ug/L	10	1.56	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9499	50	102%		
J071713CCVA	J071713CCVA	ORG	156-60-5	trans-1,2-Dichloroethene	54		ug/L	1	0.56	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9499	50	108%		
J071713CCVA	J071713CCVA	ORG	1634-04-4	MTBE	69		ug/L	5	0.61	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9499	50	138%		
J071713CCVA	J071713CCVA	ORG	75-34-3	1,1-Dichloroethane	49		ug/L	1	0.53	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9499	50	98%		
J071713CCVA	J071713CCVA	ORG	156-59-2	cis-1,2-Dichloroethene	49		ug/L	1	0.32	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9499	50	98%		
J071713CCVA	J071713CCVA	ORG	74-97-5	Bromochloromethane	51		ug/L	10	0.81	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9499	50	102%		
J071713CCVA	J071713CCVA	ORG	67-66-3	Chloroform	49		ug/L	2	0.41	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9499	50	98%		
J071713CCVA	J071713CCVA	ORG	71-55-6	1,1,1-Trichloroethane	49		ug/L	1	0.16	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9499	50	98%		
J071713CCVA	J071713CCVA	ORG	78-93-3	2-Butanone	46		ug/L	1	0.17	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9499	50	92%		
J071713CCVA	J071713CCVA	ORG	56-23-5	Carbon tetrachloride	50		ug/L	1	0.28	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9499	50	100%		
J071713CCVA	J071713CCVA	ORG	71-43-2	Benzene	44		ug/L	1	0.14	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9499	50	88%		
J071713CCVA	J071713CCVA	ORG	107-06-2	1,2-Dichloroethane	49		ug/L	1	0.20	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9499	50	98%		
J071713CCVA	J071713CCVA	ORG	79-01-6	Trichloroethene	50		ug/L	1	0.36	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9499	50	100%		
J071713CCVA	J071713CCVA	ORG	74-95-3	Dibromomethane	50		ug/L	2	0.32	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9499	50	100%		
J071713CCVA	J071713CCVA	ORG	78-87-5	1,2-Dichloropropane	42		ug/L	1	0.18	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9499	50	84%		
J071713CCVA	J071713CCVA	ORG	75-27-4	Bromodichloromethane	47		ug/L	2	0.12	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9499	50	94%		
J071713CCVA	J071713CCVA	ORG	10061-01-5	cis-1,3-Dichloropropene	45		ug/L	1	0.25	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9499	50	90%		
J071713CCVA	J071713CCVA	ORG	108-88-3	Toluene	45		ug/L	5	0.74	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9499	50	90%		
J071713CCVA	J071713CCVA	ORG	108-10-1	4-Methyl-2-pentanone	42		ug/L	1	0.21	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9499	50	84%		
J071713CCVA	J071713CCVA	ORG	10061-02-6	trans-1,3-Dichloropropene	47		ug/L	1	0.31	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9499	50	94%		
J071713CCVA	J071713CCVA	ORG	127-18-4	Tetrachloroethene	40		ug/L	1	0.49	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9499	50	80%		
J071713CCVA	J071713CCVA	ORG	79-00-5	1,1,2-Trichloroethane	45		ug/L	1	0.34	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9499	50	90%		
J071713CCVA	J071713CCVA	ORG	124-48-1	Dibromochloromethane	52		ug/L	5	0.69	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9499	50	104%		
J071713CCVA	J071713CCVA	ORG	106-93-4	1,2-Dibromoethane	49		ug/L	2	0.30	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9499	50	98%		
J071713CCVA	J071713CCVA	ORG	591-78-6	2-Hexanone	45		ug/L	2	0.26	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9499	50	90%		
J071713CCVA	J071713CCVA	ORG	100-41-4	Ethylbenzene	44		ug/L	1	0.25	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9499	50	88%		
J071713CCVA	J071713CCVA	ORG	108-90-7	Chlorobenzene	45		ug/L	1	0.28	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9499	50	90%		
J071713CCVA	J071713CCVA	ORG	630-20-6	1,1,1,2-Tetrachloroethane	46		ug/L	2	0.19	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9499	50	92%		
J071713CCVA	J071713CCVA	ORG	XYLMP	p&m-Xylene	89		ug/L	2	0.26	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9499	100	89%		
J071713CCVA	J071713CCVA	ORG	95-47-6	o-Xylene	43		ug/L	1	0.13	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9499	50	86%		
J071713CCVA	J071713CCVA	ORG	100-42-5	Styrene	45		ug/L	1	0.20	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9499	50	90%		
J071713CCVA	J071713CCVA	ORG	75-25-2	Bromoform	51		ug/L	2	0.47	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9499	50	102%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J071713CCVA	J071713CCVA	ORG	98-82-8	Isopropylbenzene	47		ug/L	2	0.20	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9499	50	94%		
J071713CCVA	J071713CCVA	ORG	103-65-1	n-Propylbenzene	46		ug/L	2	0.27	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9499	50	92%		
J071713CCVA	J071713CCVA	ORG	79-34-5	1,1,2,2-Tetrachloroethane	45		ug/L	2	0.29	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9499	50	90%		
J071713CCVA	J071713CCVA	ORG	96-18-4	1,2,3-Trichloropropane	45		ug/L	2	0.29	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9499	50	90%		
J071713CCVA	J071713CCVA	ORG	108-67-8	1,3,5-Trimethylbenzene	47		ug/L	2	0.20	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9499	50	94%		
J071713CCVA	J071713CCVA	ORG	98-06-6	tert-Butylbenzene	48		ug/L	2	0.33	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9499	50	96%		
J071713CCVA	J071713CCVA	ORG	95-63-6	1,2,4-Trimethylbenzene	46		ug/L	2	0.20	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9499	50	92%		
J071713CCVA	J071713CCVA	ORG	135-98-8	sec-Butylbenzene	48		ug/L	2	0.32	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9499	50	96%		
J071713CCVA	J071713CCVA	ORG	541-73-1	1,3-Dichlorobenzene	50		ug/L	2	0.22	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9499	50	100%		
J071713CCVA	J071713CCVA	ORG	99-87-6	p-Isopropltoluene	50		ug/L	2	0.25	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9499	50	100%		
J071713CCVA	J071713CCVA	ORG	106-46-7	1,4-Dichlorobenzene	49		ug/L	2	0.33	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9499	50	98%		
J071713CCVA	J071713CCVA	ORG	95-50-1	1,2-Dichlorobenzene	49		ug/L	2	0.26	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9499	50	98%		
J071713CCVA	J071713CCVA	ORG	104-51-8	n-Butylbenzene	48		ug/L	5	0.28	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9499	50	96%		
J071713CCVA	J071713CCVA	ORG	96-12-8	1,2-Dibromo-3-chloropropane	44		ug/L	5	1.59	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9499	50	88%		
J071713CCVA	J071713CCVA	ORG	87-68-3	Hexachlorobutadiene	51		ug/L	5	0.65	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9499	50	102%		
J071713CCVA	J071713CCVA	ORG	120-82-1	1,2,4-Trichlorobenzene	51		ug/L	5	0.28	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9499	50	102%		
J071713CCVA	J071713CCVA	ORG	91-20-3	Naphthalene	47		ug/L	5	0.56	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9499	50	94%		
J071713CCVA	J071713CCVA	ORG	87-61-6	1,2,3-Trichlorobenzene	50		ug/L	5	0.23	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9499	50	100%		
J071713CCVA	J071713CCVA	STD	1868-53-7	Dibromofluoromethane	53		ng			NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9499	50	106%		
J071713CCVA	J071713CCVA	STD	17060-07-0	1,2-Dichloroethane d4	48		ng			NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9499	50	96%		
J071713CCVA	J071713CCVA	STD	2037-26-5	Toluene d8	46		ng			NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9499	50	92%		
J071713CCVA	J071713CCVA	STD	460-00-4	Bromofluorobenzene	47		ng			NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9499	50	94%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J071713MBKA	J071713MBKA	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	5	0.29	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9500				
J071713MBKA	J071713MBKA	ORG	74-87-3	Chloromethane		U	ug/L	5	0.43	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9500				
J071713MBKA	J071713MBKA	ORG	75-01-4	Vinyl chloride		U	ug/L	2	0.32	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9500				
J071713MBKA	J071713MBKA	ORG	74-83-9	Bromomethane		U	ug/L	5	0.50	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9500				
J071713MBKA	J071713MBKA	ORG	75-00-3	Chloroethane		U	ug/L	5	0.56	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9500				
J071713MBKA	J071713MBKA	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	5	0.20	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9500				
J071713MBKA	J071713MBKA	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	1	0.47	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9500				
J071713MBKA	J071713MBKA	ORG	75-09-2	Methylene chloride		U	ug/L	5	0.26	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9500				
J071713MBKA	J071713MBKA	ORG	67-64-1	Acetone		U	ug/L	10	1.56	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9500				
J071713MBKA	J071713MBKA	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	1	0.56	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9500				
J071713MBKA	J071713MBKA	ORG	1634-04-4	MTBE		U	ug/L	5	0.61	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9500				
J071713MBKA	J071713MBKA	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	1	0.53	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9500				
J071713MBKA	J071713MBKA	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	1	0.32	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9500				
J071713MBKA	J071713MBKA	ORG	74-97-5	Bromochloromethane		U	ug/L	10	0.81	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9500				
J071713MBKA	J071713MBKA	ORG	67-66-3	Chloroform		U	ug/L	2	0.41	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9500				
J071713MBKA	J071713MBKA	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	1	0.16	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9500				
J071713MBKA	J071713MBKA	ORG	78-93-3	2-Butanone		U	ug/L	1	0.17	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9500				
J071713MBKA	J071713MBKA	ORG	56-23-5	Carbon tetrachloride		U	ug/L	1	0.28	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9500				
J071713MBKA	J071713MBKA	ORG	71-43-2	Benzene		U	ug/L	1	0.14	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9500				
J071713MBKA	J071713MBKA	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	1	0.20	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9500				
J071713MBKA	J071713MBKA	ORG	79-01-6	Trichloroethene		U	ug/L	1	0.36	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9500				
J071713MBKA	J071713MBKA	ORG	74-95-3	Dibromomethane		U	ug/L	2	0.32	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9500				
J071713MBKA	J071713MBKA	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	1	0.18	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9500				
J071713MBKA	J071713MBKA	ORG	75-27-4	Bromodichloromethane		U	ug/L	2	0.12	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9500				
J071713MBKA	J071713MBKA	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	1	0.25	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9500				
J071713MBKA	J071713MBKA	ORG	108-88-3	Toluene		U	ug/L	5	0.74	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9500				
J071713MBKA	J071713MBKA	ORG	108-10-1	4-Methyl-2-pentanone		U	ug/L	1	0.21	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9500				
J071713MBKA	J071713MBKA	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	1	0.31	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9500				
J071713MBKA	J071713MBKA	ORG	127-18-4	Tetrachloroethene		U	ug/L	1	0.49	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9500				
J071713MBKA	J071713MBKA	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	1	0.34	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9500				
J071713MBKA	J071713MBKA	ORG	124-48-1	Dibromochloromethane		U	ug/L	5	0.69	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9500				
J071713MBKA	J071713MBKA	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	2	0.30	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9500				
J071713MBKA	J071713MBKA	ORG	591-78-6	2-Hexanone		U	ug/L	2	0.26	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9500				
J071713MBKA	J071713MBKA	ORG	100-41-4	Ethylbenzene		U	ug/L	1	0.25	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9500				
J071713MBKA	J071713MBKA	ORG	108-90-7	Chlorobenzene		U	ug/L	1	0.28	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9500				
J071713MBKA	J071713MBKA	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	2	0.19	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9500				
J071713MBKA	J071713MBKA	ORG	XYLMP	p&m-Xylene		U	ug/L	2	0.26	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9500				
J071713MBKA	J071713MBKA	ORG	95-47-6	o-Xylene		U	ug/L	1	0.13	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9500				
J071713MBKA	J071713MBKA	ORG	100-42-5	Styrene		U	ug/L	1	0.20	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9500				
J071713MBKA	J071713MBKA	ORG	75-25-2	Bromoform		U	ug/L	2	0.47	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9500				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J071713MBKA	J071713MBKA	ORG	98-82-8	Isopropylbenzene		U	ug/L	2	0.20	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9500				
J071713MBKA	J071713MBKA	ORG	103-65-1	n-Propylbenzene		U	ug/L	2	0.27	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9500				
J071713MBKA	J071713MBKA	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	2	0.29	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9500				
J071713MBKA	J071713MBKA	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	2	0.29	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9500				
J071713MBKA	J071713MBKA	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	2	0.20	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9500				
J071713MBKA	J071713MBKA	ORG	98-06-6	tert-Butylbenzene		U	ug/L	2	0.33	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9500				
J071713MBKA	J071713MBKA	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	2	0.20	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9500				
J071713MBKA	J071713MBKA	ORG	135-98-8	sec-Butylbenzene		U	ug/L	2	0.32	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9500				
J071713MBKA	J071713MBKA	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	2	0.22	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9500				
J071713MBKA	J071713MBKA	ORG	99-87-6	p-Isopropltoluene		U	ug/L	2	0.25	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9500				
J071713MBKA	J071713MBKA	ORG	106-46-7	1,4-Dichlorobenzene		U	ug/L	2	0.33	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9500				
J071713MBKA	J071713MBKA	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	2	0.26	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9500				
J071713MBKA	J071713MBKA	ORG	104-51-8	n-Butylbenzene		U	ug/L	5	0.28	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9500				
J071713MBKA	J071713MBKA	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	5	1.59	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9500				
J071713MBKA	J071713MBKA	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	5	0.65	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9500				
J071713MBKA	J071713MBKA	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	5	0.28	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9500				
J071713MBKA	J071713MBKA	ORG	91-20-3	Naphthalene		U	ug/L	5	0.56	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9500				
J071713MBKA	J071713MBKA	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	5	0.23	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9500				
J071713MBKA	J071713MBKA	STD	1868-53-7	Dibromofluoromethane	53		ng			NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9500	50	106%		
J071713MBKA	J071713MBKA	STD	17060-07-0	1,2-Dichloroethane d4	53		ng			NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9500	50	106%		
J071713MBKA	J071713MBKA	STD	2037-26-5	Toluene d8	45		ng			NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9500	50	90%		
J071713MBKA	J071713MBKA	STD	460-00-4	Bromofluorobenzene	46		ng			NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9500	50	92%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J071713ALCS	J071713ALCS	ORG	75-71-8	Dichlorodifluoromethane	56		ug/L	5	0.29	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9508	50	112%		
J071713ALCS	J071713ALCS	ORG	74-87-3	Chloromethane	58		ug/L	5	0.43	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9508	50	116%		
J071713ALCS	J071713ALCS	ORG	75-01-4	Vinyl chloride	51		ug/L	2	0.32	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9508	50	102%		
J071713ALCS	J071713ALCS	ORG	74-83-9	Bromomethane	70		ug/L	5	0.50	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9508	50	140%		
J071713ALCS	J071713ALCS	ORG	75-00-3	Chloroethane	62		ug/L	5	0.56	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9508	50	124%		
J071713ALCS	J071713ALCS	ORG	75-69-4	Trichlorofluoromethane	59		ug/L	5	0.20	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9508	50	118%		
J071713ALCS	J071713ALCS	ORG	75-35-4	1,1-Dichloroethene	39		ug/L	1	0.47	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9508	50	78%		
J071713ALCS	J071713ALCS	ORG	75-09-2	Methylene chloride	48		ug/L	5	0.26	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9508	50	96%		
J071713ALCS	J071713ALCS	ORG	67-64-1	Acetone	61		ug/L	10	1.56	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9508	50	122%		
J071713ALCS	J071713ALCS	ORG	156-60-5	trans-1,2-Dichloroethene	44		ug/L	1	0.56	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9508	50	88%		
J071713ALCS	J071713ALCS	ORG	1634-04-4	MTBE	55		ug/L	5	0.61	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9508	50	110%		
J071713ALCS	J071713ALCS	ORG	75-34-3	1,1-Dichloroethane	41		ug/L	1	0.53	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9508	50	82%		
J071713ALCS	J071713ALCS	ORG	156-59-2	cis-1,2-Dichloroethene	50		ug/L	1	0.32	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9508	50	100%		
J071713ALCS	J071713ALCS	ORG	74-97-5	Bromochloromethane	54		ug/L	10	0.81	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9508	50	108%		
J071713ALCS	J071713ALCS	ORG	67-66-3	Chloroform	51		ug/L	2	0.41	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9508	50	102%		
J071713ALCS	J071713ALCS	ORG	71-55-6	1,1,1-Trichloroethane	50		ug/L	1	0.16	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9508	50	100%		
J071713ALCS	J071713ALCS	ORG	78-93-3	2-Butanone	48		ug/L	1	0.17	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9508	50	96%		
J071713ALCS	J071713ALCS	ORG	56-23-5	Carbon tetrachloride	50		ug/L	1	0.28	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9508	50	100%		
J071713ALCS	J071713ALCS	ORG	71-43-2	Benzene	44		ug/L	1	0.14	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9508	50	88%		
J071713ALCS	J071713ALCS	ORG	107-06-2	1,2-Dichloroethane	52		ug/L	1	0.20	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9508	50	104%		
J071713ALCS	J071713ALCS	ORG	79-01-6	Trichloroethene	52		ug/L	1	0.36	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9508	50	104%		
J071713ALCS	J071713ALCS	ORG	74-95-3	Dibromomethane	53		ug/L	2	0.32	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9508	50	106%		
J071713ALCS	J071713ALCS	ORG	78-87-5	1,2-Dichloropropane	45		ug/L	1	0.18	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9508	50	90%		
J071713ALCS	J071713ALCS	ORG	75-27-4	Bromodichloromethane	48		ug/L	2	0.12	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9508	50	96%		
J071713ALCS	J071713ALCS	ORG	10061-01-5	cis-1,3-Dichloropropene	45		ug/L	1	0.25	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9508	50	90%		
J071713ALCS	J071713ALCS	ORG	108-88-3	Toluene	45		ug/L	5	0.74	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9508	50	90%		
J071713ALCS	J071713ALCS	ORG	108-10-1	4-Methyl-2-pentanone	42		ug/L	1	0.21	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9508	50	84%		
J071713ALCS	J071713ALCS	ORG	10061-02-6	trans-1,3-Dichloropropene	48		ug/L	1	0.31	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9508	50	96%		
J071713ALCS	J071713ALCS	ORG	127-18-4	Tetrachloroethene	55		ug/L	1	0.49	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9508	50	110%		
J071713ALCS	J071713ALCS	ORG	79-00-5	1,1,2-Trichloroethane	46		ug/L	1	0.34	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9508	50	92%		
J071713ALCS	J071713ALCS	ORG	124-48-1	Dibromochloromethane	54		ug/L	5	0.69	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9508	50	108%		
J071713ALCS	J071713ALCS	ORG	106-93-4	1,2-Dibromoethane	52		ug/L	2	0.30	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9508	50	104%		
J071713ALCS	J071713ALCS	ORG	591-78-6	2-Hexanone	41		ug/L	2	0.26	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9508	50	82%		
J071713ALCS	J071713ALCS	ORG	100-41-4	Ethylbenzene	48		ug/L	1	0.25	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9508	50	96%		
J071713ALCS	J071713ALCS	ORG	108-90-7	Chlorobenzene	50		ug/L	1	0.28	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9508	50	100%		
J071713ALCS	J071713ALCS	ORG	630-20-6	1,1,1,2-Tetrachloroethane	52		ug/L	2	0.19	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9508	50	104%		
J071713ALCS	J071713ALCS	ORG	XYLMP	p&m-Xylene	96		ug/L	2	0.26	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9508	100	96%		
J071713ALCS	J071713ALCS	ORG	95-47-6	o-Xylene	49		ug/L	1	0.13	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9508	50	98%		
J071713ALCS	J071713ALCS	ORG	100-42-5	Styrene	48		ug/L	1	0.20	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9508	50	96%		
J071713ALCS	J071713ALCS	ORG	75-25-2	Bromoform	56		ug/L	2	0.47	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9508	50	112%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J071713ALCS	J071713ALCS	ORG	98-82-8	Isopropylbenzene	51		ug/L	2	0.20	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9508	50	102%		
J071713ALCS	J071713ALCS	ORG	103-65-1	n-Propylbenzene	47		ug/L	2	0.27	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9508	50	94%		
J071713ALCS	J071713ALCS	ORG	79-34-5	1,1,2,2-Tetrachloroethane	45		ug/L	2	0.29	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9508	50	90%		
J071713ALCS	J071713ALCS	ORG	96-18-4	1,2,3-Trichloropropane	47		ug/L	2	0.29	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9508	50	94%		
J071713ALCS	J071713ALCS	ORG	108-67-8	1,3,5-Trimethylbenzene	49		ug/L	2	0.20	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9508	50	98%		
J071713ALCS	J071713ALCS	ORG	98-06-6	tert-Butylbenzene	50		ug/L	2	0.33	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9508	50	100%		
J071713ALCS	J071713ALCS	ORG	95-63-6	1,2,4-Trimethylbenzene	49		ug/L	2	0.20	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9508	50	98%		
J071713ALCS	J071713ALCS	ORG	135-98-8	sec-Butylbenzene	49		ug/L	2	0.32	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9508	50	98%		
J071713ALCS	J071713ALCS	ORG	541-73-1	1,3-Dichlorobenzene	51		ug/L	2	0.22	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9508	50	102%		
J071713ALCS	J071713ALCS	ORG	99-87-6	p-Isopropltoluene	49		ug/L	2	0.25	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9508	50	98%		
J071713ALCS	J071713ALCS	ORG	106-46-7	1,4-Dichlorobenzene	51		ug/L	2	0.33	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9508	50	102%		
J071713ALCS	J071713ALCS	ORG	95-50-1	1,2-Dichlorobenzene	50		ug/L	2	0.26	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9508	50	100%		
J071713ALCS	J071713ALCS	ORG	104-51-8	n-Butylbenzene	45		ug/L	5	0.28	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9508	50	90%		
J071713ALCS	J071713ALCS	ORG	96-12-8	1,2-Dibromo-3-chloropropane	49		ug/L	5	1.59	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9508	50	98%		
J071713ALCS	J071713ALCS	ORG	87-68-3	Hexachlorobutadiene	48		ug/L	5	0.65	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9508	50	96%		
J071713ALCS	J071713ALCS	ORG	120-82-1	1,2,4-Trichlorobenzene	53		ug/L	5	0.28	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9508	50	106%		
J071713ALCS	J071713ALCS	ORG	91-20-3	Naphthalene	51		ug/L	5	0.56	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9508	50	102%		
J071713ALCS	J071713ALCS	ORG	87-61-6	1,2,3-Trichlorobenzene	54		ug/L	5	0.23	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9508	50	108%		
J071713ALCS	J071713ALCS	STD	1868-53-7	Dibromofluoromethane	53		ng			NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9508	50	106%		
J071713ALCS	J071713ALCS	STD	17060-07-0	1,2-Dichloroethane d4	52		ng			NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9508	50	104%		
J071713ALCS	J071713ALCS	STD	2037-26-5	Toluene d8	46		ng			NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9508	50	92%		
J071713ALCS	J071713ALCS	STD	460-00-4	Bromofluorobenzene	49		ng			NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9508	50	98%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J071713ALCD	J071713ALCD	ORG	75-71-8	Dichlorodifluoromethane	58		ug/L	5	0.29	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9509	50	116%	4%	
J071713ALCD	J071713ALCD	ORG	74-87-3	Chloromethane	39		ug/L	5	0.43	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9509	50	78%	39%	
J071713ALCD	J071713ALCD	ORG	75-01-4	Vinyl chloride	55		ug/L	2	0.32	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9509	50	110%	8%	
J071713ALCD	J071713ALCD	ORG	74-83-9	Bromomethane	66		ug/L	5	0.50	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9509	50	132%	6%	
J071713ALCD	J071713ALCD	ORG	75-00-3	Chloroethane	66		ug/L	5	0.56	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9509	50	132%	6%	
J071713ALCD	J071713ALCD	ORG	75-69-4	Trichlorofluoromethane	62		ug/L	5	0.20	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9509	50	124%	5%	
J071713ALCD	J071713ALCD	ORG	75-35-4	1,1-Dichloroethene	39		ug/L	1	0.47	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9509	50	78%	0%	
J071713ALCD	J071713ALCD	ORG	75-09-2	Methylene chloride	48		ug/L	5	0.26	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9509	50	96%	0%	
J071713ALCD	J071713ALCD	ORG	67-64-1	Acetone	58		ug/L	10	1.56	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9509	50	116%	5%	
J071713ALCD	J071713ALCD	ORG	156-60-5	trans-1,2-Dichloroethene	47		ug/L	1	0.56	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9509	50	94%	7%	
J071713ALCD	J071713ALCD	ORG	1634-04-4	MTBE	55		ug/L	5	0.61	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9509	50	110%	0%	
J071713ALCD	J071713ALCD	ORG	75-34-3	1,1-Dichloroethane	40		ug/L	1	0.53	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9509	50	80%	2%	
J071713ALCD	J071713ALCD	ORG	156-59-2	cis-1,2-Dichloroethene	50		ug/L	1	0.32	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9509	50	100%	0%	
J071713ALCD	J071713ALCD	ORG	74-97-5	Bromochloromethane	53		ug/L	10	0.81	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9509	50	106%	2%	
J071713ALCD	J071713ALCD	ORG	67-66-3	Chloroform	51		ug/L	2	0.41	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9509	50	102%	0%	
J071713ALCD	J071713ALCD	ORG	71-55-6	1,1,1-Trichloroethane	51		ug/L	1	0.16	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9509	50	102%	2%	
J071713ALCD	J071713ALCD	ORG	78-93-3	2-Butanone	44		ug/L	1	0.17	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9509	50	88%	9%	
J071713ALCD	J071713ALCD	ORG	56-23-5	Carbon tetrachloride	51		ug/L	1	0.28	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9509	50	102%	2%	
J071713ALCD	J071713ALCD	ORG	71-43-2	Benzene	45		ug/L	1	0.14	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9509	50	90%	2%	
J071713ALCD	J071713ALCD	ORG	107-06-2	1,2-Dichloroethane	52		ug/L	1	0.20	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9509	50	104%	0%	
J071713ALCD	J071713ALCD	ORG	79-01-6	Trichloroethene	51		ug/L	1	0.36	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9509	50	102%	2%	
J071713ALCD	J071713ALCD	ORG	74-95-3	Dibromomethane	51		ug/L	2	0.32	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9509	50	102%	4%	
J071713ALCD	J071713ALCD	ORG	78-87-5	1,2-Dichloropropane	44		ug/L	1	0.18	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9509	50	88%	2%	
J071713ALCD	J071713ALCD	ORG	75-27-4	Bromodichloromethane	51		ug/L	2	0.12	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9509	50	102%	6%	
J071713ALCD	J071713ALCD	ORG	10061-01-5	cis-1,3-Dichloropropene	48		ug/L	1	0.25	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9509	50	96%	6%	
J071713ALCD	J071713ALCD	ORG	108-88-3	Toluene	47		ug/L	5	0.74	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9509	50	94%	4%	
J071713ALCD	J071713ALCD	ORG	108-10-1	4-Methyl-2-pentanone	39		ug/L	1	0.21	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9509	50	78%	7%	
J071713ALCD	J071713ALCD	ORG	10061-02-6	trans-1,3-Dichloropropene	49		ug/L	1	0.31	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9509	50	98%	2%	
J071713ALCD	J071713ALCD	ORG	127-18-4	Tetrachloroethene	59		ug/L	1	0.49	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9509	50	118%	7%	
J071713ALCD	J071713ALCD	ORG	79-00-5	1,1,2-Trichloroethane	47		ug/L	1	0.34	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9509	50	94%	2%	
J071713ALCD	J071713ALCD	ORG	124-48-1	Dibromochloromethane	52		ug/L	5	0.69	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9509	50	104%	4%	
J071713ALCD	J071713ALCD	ORG	106-93-4	1,2-Dibromoethane	50		ug/L	2	0.30	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9509	50	100%	4%	
J071713ALCD	J071713ALCD	ORG	591-78-6	2-Hexanone	37		ug/L	2	0.26	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9509	50	74%	10%	
J071713ALCD	J071713ALCD	ORG	100-41-4	Ethylbenzene	51		ug/L	1	0.25	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9509	50	102%	6%	
J071713ALCD	J071713ALCD	ORG	108-90-7	Chlorobenzene	53		ug/L	1	0.28	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9509	50	106%	6%	
J071713ALCD	J071713ALCD	ORG	630-20-6	1,1,1,2-Tetrachloroethane	54		ug/L	2	0.19	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9509	50	108%	4%	
J071713ALCD	J071713ALCD	ORG	XYLMP	p&m-Xylene	100		ug/L	2	0.26	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9509	100	100%	4%	
J071713ALCD	J071713ALCD	ORG	95-47-6	o-Xylene	51		ug/L	1	0.13	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9509	50	102%	4%	
J071713ALCD	J071713ALCD	ORG	100-42-5	Styrene	49		ug/L	1	0.20	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9509	50	98%	2%	
J071713ALCD	J071713ALCD	ORG	75-25-2	Bromoform	53		ug/L	2	0.47	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9509	50	106%	6%	

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J071713ALCD	J071713ALCD	ORG	98-82-8	Isopropylbenzene	52		ug/L	2	0.20	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9509	50	104%	2%	
J071713ALCD	J071713ALCD	ORG	103-65-1	n-Propylbenzene	49		ug/L	2	0.27	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9509	50	98%	4%	
J071713ALCD	J071713ALCD	ORG	79-34-5	1,1,2,2-Tetrachloroethane	45		ug/L	2	0.29	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9509	50	90%	0%	
J071713ALCD	J071713ALCD	ORG	96-18-4	1,2,3-Trichloropropane	46		ug/L	2	0.29	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9509	50	92%	2%	
J071713ALCD	J071713ALCD	ORG	108-67-8	1,3,5-Trimethylbenzene	50		ug/L	2	0.20	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9509	50	100%	2%	
J071713ALCD	J071713ALCD	ORG	98-06-6	tert-Butylbenzene	51		ug/L	2	0.33	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9509	50	102%	2%	
J071713ALCD	J071713ALCD	ORG	95-63-6	1,2,4-Trimethylbenzene	50		ug/L	2	0.20	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9509	50	100%	2%	
J071713ALCD	J071713ALCD	ORG	135-98-8	sec-Butylbenzene	49		ug/L	2	0.32	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9509	50	98%	0%	
J071713ALCD	J071713ALCD	ORG	541-73-1	1,3-Dichlorobenzene	51		ug/L	2	0.22	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9509	50	102%	0%	
J071713ALCD	J071713ALCD	ORG	99-87-6	p-Isopropltoluene	50		ug/L	2	0.25	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9509	50	100%	2%	
J071713ALCD	J071713ALCD	ORG	106-46-7	1,4-Dichlorobenzene	50		ug/L	2	0.33	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9509	50	100%	2%	
J071713ALCD	J071713ALCD	ORG	95-50-1	1,2-Dichlorobenzene	52		ug/L	2	0.26	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9509	50	104%	4%	
J071713ALCD	J071713ALCD	ORG	104-51-8	n-Butylbenzene	45		ug/L	5	0.28	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9509	50	90%	0%	
J071713ALCD	J071713ALCD	ORG	96-12-8	1,2-Dibromo-3-chloropropane	48		ug/L	5	1.59	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9509	50	96%	2%	
J071713ALCD	J071713ALCD	ORG	87-68-3	Hexachlorobutadiene	51		ug/L	5	0.65	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9509	50	102%	6%	
J071713ALCD	J071713ALCD	ORG	120-82-1	1,2,4-Trichlorobenzene	54		ug/L	5	0.28	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9509	50	108%	2%	
J071713ALCD	J071713ALCD	ORG	91-20-3	Naphthalene	53		ug/L	5	0.56	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9509	50	106%	4%	
J071713ALCD	J071713ALCD	ORG	87-61-6	1,2,3-Trichlorobenzene	54		ug/L	5	0.23	NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9509	50	108%	0%	
J071713ALCD	J071713ALCD	STD	1868-53-7	Dibromofluoromethane	52		ng			NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9509	50	104%	2%	
J071713ALCD	J071713ALCD	STD	17060-07-0	1,2-Dichloroethane d4	49		ng			NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9509	50	98%	6%	
J071713ALCD	J071713ALCD	STD	2037-26-5	Toluene d8	49		ng			NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9509	50	98%	6%	
J071713ALCD	J071713ALCD	STD	460-00-4	Bromofluorobenzene	49		ng			NA	7/17/2013	7/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9509	50	98%	0%	

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-495MS	OB-288	ORG	75-71-8	Dichlorodifluoromethane	5100		ug/L	500	29.28	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9510	5000	102%		
NAL13026-495MS	OB-288	ORG	74-87-3	Chloromethane	3600		ug/L	500	43.07	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9510	5000	72%		
NAL13026-495MS	OB-288	ORG	75-01-4	Vinyl chloride	5100		ug/L	200	31.86	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9510	5000	102%		
NAL13026-495MS	OB-288	ORG	74-83-9	Bromomethane	6300		ug/L	500	50.04	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9510	5000	126%		
NAL13026-495MS	OB-288	ORG	75-00-3	Chloroethane	5600		ug/L	500	55.61	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9510	5000	112%		
NAL13026-495MS	OB-288	ORG	75-69-4	Trichlorofluoromethane	5600		ug/L	500	19.65	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9510	5000	112%		
NAL13026-495MS	OB-288	ORG	75-35-4	1,1-Dichloroethene	3900		ug/L	100	47.11	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9510	5000	78%		
NAL13026-495MS	OB-288	ORG	75-09-2	Methylene chloride	5000		ug/L	500	26.46	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9510	5000	100%		
NAL13026-495MS	OB-288	ORG	67-64-1	Acetone	48000		ug/L	1000	155.61	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9510	5000	-120%		54000
NAL13026-495MS	OB-288	ORG	156-60-5	trans-1,2-Dichloroethene	5000		ug/L	100	55.61	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9510	5000	100%		
NAL13026-495MS	OB-288	ORG	1634-04-4	MTBE	5700		ug/L	500	61.18	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9510	5000	114%		
NAL13026-495MS	OB-288	ORG	75-34-3	1,1-Dichloroethane	5000		ug/L	100	52.66	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9510	5000	100%		
NAL13026-495MS	OB-288	ORG	156-59-2	cis-1,2-Dichloroethene	5200		ug/L	100	32.11	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9510	5000	104%		
NAL13026-495MS	OB-288	ORG	74-97-5	Bromochloromethane	5600		ug/L	1000	81.18	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9510	5000	112%		
NAL13026-495MS	OB-288	ORG	67-66-3	Chloroform	5200		ug/L	200	41.37	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9510	5000	104%		
NAL13026-495MS	OB-288	ORG	71-55-6	1,1,1-Trichloroethane	5300		ug/L	100	15.73	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9510	5000	106%		
NAL13026-495MS	OB-288	ORG	78-93-3	2-Butanone	22000		ug/L	100	16.65	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9510	5000	-40%		24000
NAL13026-495MS	OB-288	ORG	56-23-5	Carbon tetrachloride	5300		ug/L	100	27.64	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9510	5000	106%		
NAL13026-495MS	OB-288	ORG	71-43-2	Benzene	4800		ug/L	100	13.53	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9510	5000	93%		130
NAL13026-495MS	OB-288	ORG	107-06-2	1,2-Dichloroethane	5500		ug/L	100	20.01	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9510	5000	110%		
NAL13026-495MS	OB-288	ORG	79-01-6	Trichloroethene	5400		ug/L	100	36.33	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9510	5000	108%		
NAL13026-495MS	OB-288	ORG	74-95-3	Dibromomethane	5400		ug/L	200	32.20	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9510	5000	108%		
NAL13026-495MS	OB-288	ORG	78-87-5	1,2-Dichloropropane	4600		ug/L	100	18.17	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9510	5000	92%		
NAL13026-495MS	OB-288	ORG	75-27-4	Bromodichloromethane	5300		ug/L	200	11.58	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9510	5000	106%		
NAL13026-495MS	OB-288	ORG	10061-01-5	cis-1,3-Dichloropropene	5000		ug/L	100	25.01	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9510	5000	100%		
NAL13026-495MS	OB-288	ORG	108-88-3	Toluene	5000		ug/L	500	74.00	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9510	5000	100%		
NAL13026-495MS	OB-288	ORG	108-10-1	4-Methyl-2-pentanone	3900		ug/L	100	20.96	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9510	5000	61%		870
NAL13026-495MS	OB-288	ORG	10061-02-6	trans-1,3-Dichloropropene	5200		ug/L	100	31.15	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9510	5000	104%		
NAL13026-495MS	OB-288	ORG	127-18-4	Tetrachloroethene	4600		ug/L	100	48.56	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9510	5000	92%		
NAL13026-495MS	OB-288	ORG	79-00-5	1,1,2-Trichloroethane	5000		ug/L	100	34.28	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9510	5000	100%		
NAL13026-495MS	OB-288	ORG	124-48-1	Dibromochloromethane	5600		ug/L	500	68.90	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9510	5000	112%		
NAL13026-495MS	OB-288	ORG	106-93-4	1,2-Dibromoethane	5300		ug/L	200	29.90	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9510	5000	106%		
NAL13026-495MS	OB-288	ORG	591-78-6	2-Hexanone	3300		ug/L	200	26.49	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9510	5000	66%		
NAL13026-495MS	OB-288	ORG	100-41-4	Ethylbenzene	5100		ug/L	100	25.38	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9510	5000	102%		
NAL13026-495MS	OB-288	ORG	108-90-7	Chlorobenzene	5400		ug/L	100	27.52	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9510	5000	108%		
NAL13026-495MS	OB-288	ORG	630-20-6	1,1,1,2-Tetrachloroethane	5500		ug/L	200	19.28	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9510	5000	110%		
NAL13026-495MS	OB-288	ORG	XYLMP	p&m-Xylene	9900		ug/L	200	26.14	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9510	10000	99%		
NAL13026-495MS	OB-288	ORG	95-47-6	o-Xylene	5200		ug/L	100	12.90	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9510	5000	104%		
NAL13026-495MS	OB-288	ORG	100-42-5	Styrene	5000		ug/L	100	20.23	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9510	5000	99%		28
NAL13026-495MS	OB-288	ORG	75-25-2	Bromoform	5500		ug/L	200	46.83	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9510	5000	110%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-495MS	OB-288	ORG	98-82-8	Isopropylbenzene	5300		ug/L	200	20.48	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9510	5000	106%		
NAL13026-495MS	OB-288	ORG	103-65-1	n-Propylbenzene	5000		ug/L	200	27.00	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9510	5000	100%		
NAL13026-495MS	OB-288	ORG	79-34-5	1,1,2,2-Tetrachloroethane	4700		ug/L	200	29.16	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9510	5000	94%		
NAL13026-495MS	OB-288	ORG	96-18-4	1,2,3-Trichloropropane	4600		ug/L	200	29.47	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9510	5000	92%		
NAL13026-495MS	OB-288	ORG	108-67-8	1,3,5-Trimethylbenzene	5200		ug/L	200	20.03	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9510	5000	104%		24
NAL13026-495MS	OB-288	ORG	98-06-6	tert-Butylbenzene	5200		ug/L	200	32.61	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9510	5000	104%		
NAL13026-495MS	OB-288	ORG	95-63-6	1,2,4-Trimethylbenzene	5100		ug/L	200	20.03	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9510	5000	101%		49
NAL13026-495MS	OB-288	ORG	135-98-8	sec-Butylbenzene	5000		ug/L	200	32.34	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9510	5000	99%		35
NAL13026-495MS	OB-288	ORG	541-73-1	1,3-Dichlorobenzene	5400		ug/L	200	22.21	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9510	5000	108%		
NAL13026-495MS	OB-288	ORG	99-87-6	p-Isopropltoluene	5400		ug/L	200	25.48	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9510	5000	104%		210
NAL13026-495MS	OB-288	ORG	106-46-7	1,4-Dichlorobenzene	5300		ug/L	200	33.03	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9510	5000	104%		96
NAL13026-495MS	OB-288	ORG	95-50-1	1,2-Dichlorobenzene	5400		ug/L	200	26.38	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9510	5000	108%		
NAL13026-495MS	OB-288	ORG	104-51-8	n-Butylbenzene	4600		ug/L	500	27.81	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9510	5000	92%		
NAL13026-495MS	OB-288	ORG	96-12-8	1,2-Dibromo-3-chloropropane	5100		ug/L	500	159.11	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9510	5000	102%		
NAL13026-495MS	OB-288	ORG	87-68-3	Hexachlorobutadiene	5100		ug/L	500	65.42	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9510	5000	102%		
NAL13026-495MS	OB-288	ORG	120-82-1	1,2,4-Trichlorobenzene	5900		ug/L	500	27.63	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9510	5000	118%		
NAL13026-495MS	OB-288	ORG	91-20-3	Naphthalene	5800		ug/L	500	56.04	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9510	5000	110%		290
NAL13026-495MS	OB-288	ORG	87-61-6	1,2,3-Trichlorobenzene	6000		ug/L	500	23.28	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9510	5000	120%		
NAL13026-495MS	OB-288	STD	1868-53-7	Dibromofluoromethane	53		ng			7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9510	50	106%		
NAL13026-495MS	OB-288	STD	17060-07-0	1,2-Dichloroethane d4	49		ng			7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9510	50	98%		
NAL13026-495MS	OB-288	STD	2037-26-5	Toluene d8	49		ng			7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9510	50	98%		
NAL13026-495MS	OB-288	STD	460-00-4	Bromofluorobenzene	48		ng			7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9510	50	96%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-495MSD	OB-288	ORG	75-71-8	Dichlorodifluoromethane	5600		ug/L	500	29.28	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9511	5000	112%	9%	0
NAL13026-495MSD	OB-288	ORG	74-87-3	Chloromethane	3600		ug/L	500	43.07	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9511	5000	72%	0%	0
NAL13026-495MSD	OB-288	ORG	75-01-4	Vinyl chloride	5200		ug/L	200	31.86	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9511	5000	104%	2%	0
NAL13026-495MSD	OB-288	ORG	74-83-9	Bromomethane	6400		ug/L	500	50.04	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9511	5000	128%	2%	0
NAL13026-495MSD	OB-288	ORG	75-00-3	Chloroethane	6100		ug/L	500	55.61	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9511	5000	122%	9%	0
NAL13026-495MSD	OB-288	ORG	75-69-4	Trichlorofluoromethane	6300		ug/L	500	19.65	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9511	5000	126%	12%	0
NAL13026-495MSD	OB-288	ORG	75-35-4	1,1-Dichloroethene	4100		ug/L	100	47.11	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9511	5000	82%	5%	0
NAL13026-495MSD	OB-288	ORG	75-09-2	Methylene chloride	5100		ug/L	500	26.46	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9511	5000	102%	2%	0
NAL13026-495MSD	OB-288	ORG	67-64-1	Acetone	49000		ug/L	1000	155.61	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9511	5000	-100%	2%	54000
NAL13026-495MSD	OB-288	ORG	156-60-5	trans-1,2-Dichloroethene	4900		ug/L	100	55.61	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9511	5000	98%	2%	0
NAL13026-495MSD	OB-288	ORG	1634-04-4	MTBE	5700		ug/L	500	61.18	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9511	5000	114%	0%	0
NAL13026-495MSD	OB-288	ORG	75-34-3	1,1-Dichloroethane	5200		ug/L	100	52.66	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9511	5000	104%	4%	0
NAL13026-495MSD	OB-288	ORG	156-59-2	cis-1,2-Dichloroethene	5200		ug/L	100	32.11	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9511	5000	104%	0%	0
NAL13026-495MSD	OB-288	ORG	74-97-5	Bromochloromethane	5600		ug/L	1000	81.18	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9511	5000	112%	0%	0
NAL13026-495MSD	OB-288	ORG	67-66-3	Chloroform	5200		ug/L	200	41.37	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9511	5000	104%	0%	0
NAL13026-495MSD	OB-288	ORG	71-55-6	1,1,1-Trichloroethane	5300		ug/L	100	15.73	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9511	5000	106%	0%	0
NAL13026-495MSD	OB-288	ORG	78-93-3	2-Butanone	23000		ug/L	100	16.65	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9511	5000	-20%	4%	24000
NAL13026-495MSD	OB-288	ORG	56-23-5	Carbon tetrachloride	5400		ug/L	100	27.64	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9511	5000	108%	2%	0
NAL13026-495MSD	OB-288	ORG	71-43-2	Benzene	4800		ug/L	100	13.53	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9511	5000	93%	0%	130
NAL13026-495MSD	OB-288	ORG	107-06-2	1,2-Dichloroethane	5500		ug/L	100	20.01	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9511	5000	110%	0%	0
NAL13026-495MSD	OB-288	ORG	79-01-6	Trichloroethene	5300		ug/L	100	36.33	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9511	5000	106%	2%	0
NAL13026-495MSD	OB-288	ORG	74-95-3	Dibromomethane	5500		ug/L	200	32.20	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9511	5000	110%	2%	0
NAL13026-495MSD	OB-288	ORG	78-87-5	1,2-Dichloropropane	4700		ug/L	100	18.17	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9511	5000	94%	2%	0
NAL13026-495MSD	OB-288	ORG	75-27-4	Bromodichloromethane	5100		ug/L	200	11.58	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9511	5000	102%	4%	0
NAL13026-495MSD	OB-288	ORG	10061-01-5	cis-1,3-Dichloropropene	4800		ug/L	100	25.01	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9511	5000	96%	4%	0
NAL13026-495MSD	OB-288	ORG	108-88-3	Toluene	4800		ug/L	500	74.00	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9511	5000	96%	4%	0
NAL13026-495MSD	OB-288	ORG	108-10-1	4-Methyl-2-pentanone	3900		ug/L	100	20.96	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9511	5000	61%	0%	870
NAL13026-495MSD	OB-288	ORG	10061-02-6	trans-1,3-Dichloropropene	5200		ug/L	100	31.15	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9511	5000	104%	0%	0
NAL13026-495MSD	OB-288	ORG	127-18-4	Tetrachloroethene	4600		ug/L	100	48.56	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9511	5000	92%	0%	0
NAL13026-495MSD	OB-288	ORG	79-00-5	1,1,2-Trichloroethane	4800		ug/L	100	34.28	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9511	5000	96%	4%	0
NAL13026-495MSD	OB-288	ORG	124-48-1	Dibromochloromethane	5600		ug/L	500	68.90	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9511	5000	112%	0%	0
NAL13026-495MSD	OB-288	ORG	106-93-4	1,2-Dibromoethane	5400		ug/L	200	29.90	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9511	5000	108%	2%	0
NAL13026-495MSD	OB-288	ORG	591-78-6	2-Hexanone	2900		ug/L	200	26.49	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9511	5000	58%	13%	0
NAL13026-495MSD	OB-288	ORG	100-41-4	Ethylbenzene	5400		ug/L	100	25.38	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9511	5000	108%	6%	0
NAL13026-495MSD	OB-288	ORG	108-90-7	Chlorobenzene	5600		ug/L	100	27.52	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9511	5000	112%	4%	0
NAL13026-495MSD	OB-288	ORG	630-20-6	1,1,1,2-Tetrachloroethane	5800		ug/L	200	19.28	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9511	5000	116%	5%	0
NAL13026-495MSD	OB-288	ORG	XYLMP	p&m-Xylene	10000		ug/L	200	26.14	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9511	10000	100%	1%	0
NAL13026-495MSD	OB-288	ORG	95-47-6	o-Xylene	5400		ug/L	100	12.90	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9511	5000	108%	4%	0
NAL13026-495MSD	OB-288	ORG	100-42-5	Styrene	5100		ug/L	100	20.23	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9511	5000	101%	2%	28
NAL13026-495MSD	OB-288	ORG	75-25-2	Bromoform	5700		ug/L	200	46.83	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9511	5000	114%	4%	0

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-495MSD	OB-288	ORG	98-82-8	Isopropylbenzene	5600		ug/L	200	20.48	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9511	5000	112%	6%	0
NAL13026-495MSD	OB-288	ORG	103-65-1	n-Propylbenzene	5200		ug/L	200	27.00	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9511	5000	104%	4%	0
NAL13026-495MSD	OB-288	ORG	79-34-5	1,1,2,2-Tetrachloroethane	4800		ug/L	200	29.16	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9511	5000	96%	2%	0
NAL13026-495MSD	OB-288	ORG	96-18-4	1,2,3-Trichloropropane	4700		ug/L	200	29.47	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9511	5000	94%	2%	0
NAL13026-495MSD	OB-288	ORG	108-67-8	1,3,5-Trimethylbenzene	5400		ug/L	200	20.03	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9511	5000	108%	4%	24
NAL13026-495MSD	OB-288	ORG	98-06-6	tert-Butylbenzene	5400		ug/L	200	32.61	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9511	5000	108%	4%	0
NAL13026-495MSD	OB-288	ORG	95-63-6	1,2,4-Trimethylbenzene	5300		ug/L	200	20.03	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9511	5000	105%	4%	49
NAL13026-495MSD	OB-288	ORG	135-98-8	sec-Butylbenzene	5200		ug/L	200	32.34	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9511	5000	103%	4%	35
NAL13026-495MSD	OB-288	ORG	541-73-1	1,3-Dichlorobenzene	5400		ug/L	200	22.21	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9511	5000	108%	0%	0
NAL13026-495MSD	OB-288	ORG	99-87-6	p-Isopropltoluene	5600		ug/L	200	25.48	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9511	5000	108%	4%	210
NAL13026-495MSD	OB-288	ORG	106-46-7	1,4-Dichlorobenzene	5500		ug/L	200	33.03	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9511	5000	108%	4%	96
NAL13026-495MSD	OB-288	ORG	95-50-1	1,2-Dichlorobenzene	5500		ug/L	200	26.38	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9511	5000	110%	2%	0
NAL13026-495MSD	OB-288	ORG	104-51-8	n-Butylbenzene	4800		ug/L	500	27.81	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9511	5000	96%	4%	0
NAL13026-495MSD	OB-288	ORG	96-12-8	1,2-Dibromo-3-chloropropane	5400		ug/L	500	159.11	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9511	5000	108%	6%	0
NAL13026-495MSD	OB-288	ORG	87-68-3	Hexachlorobutadiene	5100		ug/L	500	65.42	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9511	5000	102%	0%	0
NAL13026-495MSD	OB-288	ORG	120-82-1	1,2,4-Trichlorobenzene	5800		ug/L	500	27.63	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9511	5000	116%	2%	0
NAL13026-495MSD	OB-288	ORG	91-20-3	Naphthalene	6000		ug/L	500	56.04	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9511	5000	114%	3%	290
NAL13026-495MSD	OB-288	ORG	87-61-6	1,2,3-Trichlorobenzene	5900		ug/L	500	23.28	7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9511	5000	118%	2%	0
NAL13026-495MSD	OB-288	STD	1868-53-7	Dibromofluoromethane	52		ng			7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9511	50	104%	2%	0
NAL13026-495MSD	OB-288	STD	17060-07-0	1,2-Dichloroethane d4	50		ng			7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9511	50	100%	2%	0
NAL13026-495MSD	OB-288	STD	2037-26-5	Toluene d8	48		ng			7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9511	50	96%	2%	0
NAL13026-495MSD	OB-288	STD	460-00-4	Bromofluorobenzene	49		ng			7/17/2013	7/17/2013	7/17/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9511	50	98%	2%	0

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-496	316-017	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9514				
NAL13026-496	316-017	ORG	74-87-3	Chloromethane		UX-	ug/L	500	43.07	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9514				
NAL13026-496	316-017	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9514				
NAL13026-496	316-017	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9514				
NAL13026-496	316-017	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9514				
NAL13026-496	316-017	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9514				
NAL13026-496	316-017	ORG	75-35-4	1,1-Dichloroethene		UX-	ug/L	100	47.11	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9514				
NAL13026-496	316-017	ORG	75-09-2	Methylene chloride	51	J	ug/L	500	26.46	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9514				
NAL13026-496	316-017	ORG	67-64-1	Acetone	61000	D	ug/L	10000	1556.07	7/18/2013	7/18/2013	7/18/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9515				
NAL13026-496	316-017	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9514				
NAL13026-496	316-017	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9514				
NAL13026-496	316-017	ORG	75-34-3	1,1-Dichloroethane		UX-	ug/L	100	52.66	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9514				
NAL13026-496	316-017	ORG	156-59-2	cis-1,2-Dichloroethene	45	J	ug/L	100	32.11	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9514				
NAL13026-496	316-017	ORG	74-97-5	Bromochloromethane	46	J	ug/L	200	41.37	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9514				
NAL13026-496	316-017	ORG	67-66-3	Chloroform	58	J	ug/L	100	15.73	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9514				
NAL13026-496	316-017	ORG	71-55-6	1,1,1-Trichloroethane	53	J	ug/L	100	16.65	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9514				
NAL13026-496	316-017	ORG	78-93-3	2-Butanone	26000	D	ug/L	10000	811.80	7/18/2013	7/18/2013	7/18/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9515				
NAL13026-496	316-017	ORG	56-23-5	Carbon tetrachloride	45	J	ug/L	100	27.64	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9514				
NAL13026-496	316-017	ORG	71-43-2	Benzene	72	J	ug/L	100	13.53	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9514				
NAL13026-496	316-017	ORG	107-06-2	1,2-Dichloroethane	68	J	ug/L	100	20.01	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9514				
NAL13026-496	316-017	ORG	79-01-6	Trichloroethene	48	J	ug/L	100	36.33	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9514				
NAL13026-496	316-017	ORG	74-95-3	Dibromomethane	65	J	ug/L	200	32.20	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9514				
NAL13026-496	316-017	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9514				
NAL13026-496	316-017	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9514				
NAL13026-496	316-017	ORG	10061-01-5	cis-1,3-Dichloropropene	52	J	ug/L	100	25.01	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9514				
NAL13026-496	316-017	ORG	108-88-3	Toluene	58	J	ug/L	100	20.96	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9514				
NAL13026-496	316-017	ORG	108-10-1	4-Methyl-2-pentanone	540		ug/L	500	74.00	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9514				
NAL13026-496	316-017	ORG	10061-02-6	trans-1,3-Dichloropropene	55	J	ug/L	100	31.15	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9514				
NAL13026-496	316-017	ORG	127-18-4	Tetrachloroethene	49	JX-	ug/L	100	48.56	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9514				
NAL13026-496	316-017	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9514				
NAL13026-496	316-017	ORG	124-48-1	Dibromochloromethane	56	J	ug/L	200	29.90	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9514				
NAL13026-496	316-017	ORG	106-93-4	1,2-Dibromoethane	63	J	ug/L	200	26.49	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9514				
NAL13026-496	316-017	ORG	591-78-6	2-Hexanone		U	ug/L	500	68.90	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9514				
NAL13026-496	316-017	ORG	100-41-4	Ethylbenzene	52	J	ug/L	100	25.38	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9514				
NAL13026-496	316-017	ORG	108-90-7	Chlorobenzene	62	J	ug/L	100	27.52	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9514				
NAL13026-496	316-017	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9514				
NAL13026-496	316-017	ORG	XYLMP	p&m-Xylene	120	J	ug/L	200	26.14	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9514				
NAL13026-496	316-017	ORG	95-47-6	o-Xylene	62	J	ug/L	100	12.90	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9514				
NAL13026-496	316-017	ORG	100-42-5	Styrene	67	J	ug/L	100	20.23	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9514				
NAL13026-496	316-017	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9514				
NAL13026-496	316-017	ORG	98-82-8	Isopropylbenzene	57	J	ug/L	200	20.48	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9514				
NAL13026-496	316-017	ORG	103-65-1	n-Propylbenzene	63	J	ug/L	200	27.00	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9514				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-496	316-017	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9514				
NAL13026-496	316-017	ORG	96-18-4	1,2,3-Trichloropropane	63	J	ug/L	200	29.47	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9514				
NAL13026-496	316-017	ORG	108-67-8	1,3,5-Trimethylbenzene	69	J	ug/L	200	20.03	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9514				
NAL13026-496	316-017	ORG	98-06-6	tert-Butylbenzene	60	J	ug/L	200	32.61	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9514				
NAL13026-496	316-017	ORG	95-63-6	1,2,4-Trimethylbenzene	95	J	ug/L	200	20.03	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9514				
NAL13026-496	316-017	ORG	135-98-8	sec-Butylbenzene	78	J	ug/L	200	32.34	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9514				
NAL13026-496	316-017	ORG	541-73-1	1,3-Dichlorobenzene	78	J	ug/L	200	22.21	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9514				
NAL13026-496	316-017	ORG	99-87-6	p-Isopropltoluene	200	J	ug/L	200	25.48	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9514				
NAL13026-496	316-017	ORG	106-46-7	1,4-Dichlorobenzene	160	J	ug/L	200	33.03	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9514				
NAL13026-496	316-017	ORG	95-50-1	1,2-Dichlorobenzene	88	J	ug/L	200	26.38	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9514				
NAL13026-496	316-017	ORG	104-51-8	n-Butylbenzene	78	J	ug/L	500	27.81	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9514				
NAL13026-496	316-017	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9514				
NAL13026-496	316-017	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9514				
NAL13026-496	316-017	ORG	120-82-1	1,2,4-Trichlorobenzene	140	J	ug/L	500	27.63	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9514				
NAL13026-496	316-017	ORG	91-20-3	Naphthalene	400	J	ug/L	500	56.04	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9514				
NAL13026-496	316-017	ORG	87-61-6	1,2,3-Trichlorobenzene	130	J	ug/L	500	23.28	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9514				
NAL13026-496	316-017	STD	1868-53-7	Dibromofluoromethane	53		ng			7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9514	50	106%		
NAL13026-496	316-017	STD	17060-07-0	1,2-Dichloroethane d4	52		ng			7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9514	50	104%		
NAL13026-496	316-017	STD	2037-26-5	Toluene d8	46		ng			7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9514	50	92%		
NAL13026-496	316-017	STD	460-00-4	Bromofluorobenzene	45		ng			7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9514	50	90%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-497	96-001j	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9523				
NAL13026-497	96-001j	ORG	74-87-3	Chloromethane		UX-	ug/L	500	43.07	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9523				
NAL13026-497	96-001j	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9523				
NAL13026-497	96-001j	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9523				
NAL13026-497	96-001j	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9523				
NAL13026-497	96-001j	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9523				
NAL13026-497	96-001j	ORG	75-35-4	1,1-Dichloroethene		UX-	ug/L	100	47.11	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9523				
NAL13026-497	96-001j	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9523				
NAL13026-497	96-001j	ORG	67-64-1	Acetone	26000	D	ug/L	10000	1556.07	7/18/2013	7/18/2013	7/18/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9524				
NAL13026-497	96-001j	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9523				
NAL13026-497	96-001j	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9523				
NAL13026-497	96-001j	ORG	75-34-3	1,1-Dichloroethane		UX-	ug/L	100	52.66	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9523				
NAL13026-497	96-001j	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9523				
NAL13026-497	96-001j	ORG	74-97-5	Bromochloromethane		U	ug/L	200	81.18	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9523				
NAL13026-497	96-001j	ORG	67-66-3	Chloroform		U	ug/L	100	41.37	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9523				
NAL13026-497	96-001j	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	15.73	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9523				
NAL13026-497	96-001j	ORG	78-93-3	2-Butanone	12000	D	ug/L	10000	166.52	7/18/2013	7/18/2013	7/18/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9524				
NAL13026-497	96-001j	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9523				
NAL13026-497	96-001j	ORG	71-43-2	Benzene	370		ug/L	100	13.53	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9523				
NAL13026-497	96-001j	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9523				
NAL13026-497	96-001j	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9523				
NAL13026-497	96-001j	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9523				
NAL13026-497	96-001j	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9523				
NAL13026-497	96-001j	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9523				
NAL13026-497	96-001j	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9523				
NAL13026-497	96-001j	ORG	108-88-3	Toluene	57	J	ug/L	100	20.96	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9523				
NAL13026-497	96-001j	ORG	108-10-1	4-Methyl-2-pentanone	320		ug/L	500	74.00	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9523				
NAL13026-497	96-001j	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9523				
NAL13026-497	96-001j	ORG	127-18-4	Tetrachloroethene		UX-	ug/L	100	48.56	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9523				
NAL13026-497	96-001j	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9523				
NAL13026-497	96-001j	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	68.90	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9523				
NAL13026-497	96-001j	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	29.90	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9523				
NAL13026-497	96-001j	ORG	591-78-6	2-Hexanone		U	ug/L	500	26.49	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9523				
NAL13026-497	96-001j	ORG	100-41-4	Ethylbenzene	31	J	ug/L	100	25.38	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9523				
NAL13026-497	96-001j	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9523				
NAL13026-497	96-001j	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9523				
NAL13026-497	96-001j	ORG	XYLMP	p&m-Xylene	65	J	ug/L	200	26.14	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9523				
NAL13026-497	96-001j	ORG	95-47-6	o-Xylene	36	J	ug/L	100	12.90	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9523				
NAL13026-497	96-001j	ORG	100-42-5	Styrene	44	J	ug/L	100	20.23	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9523				
NAL13026-497	96-001j	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9523				
NAL13026-497	96-001j	ORG	98-82-8	Isopropylbenzene		U	ug/L	200	20.48	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9523				
NAL13026-497	96-001j	ORG	103-65-1	n-Propylbenzene		U	ug/L	200	27.00	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9523				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-497	96-001j	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9523				
NAL13026-497	96-001j	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9523				
NAL13026-497	96-001j	ORG	108-67-8	1,3,5-Trimethylbenzene	23	J	ug/L	200	20.03	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9523				
NAL13026-497	96-001j	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9523				
NAL13026-497	96-001j	ORG	95-63-6	1,2,4-Trimethylbenzene	55	J	ug/L	200	20.03	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9523				
NAL13026-497	96-001j	ORG	135-98-8	sec-Butylbenzene	40	J	ug/L	200	32.34	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9523				
NAL13026-497	96-001j	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9523				
NAL13026-497	96-001j	ORG	99-87-6	p-Isopropltoluene	120	J	ug/L	200	25.48	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9523				
NAL13026-497	96-001j	ORG	106-46-7	1,4-Dichlorobenzene	65	J	ug/L	200	33.03	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9523				
NAL13026-497	96-001j	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9523				
NAL13026-497	96-001j	ORG	104-51-8	n-Butylbenzene		U	ug/L	500	27.81	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9523				
NAL13026-497	96-001j	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9523				
NAL13026-497	96-001j	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9523				
NAL13026-497	96-001j	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9523				
NAL13026-497	96-001j	ORG	91-20-3	Naphthalene	170	J	ug/L	500	56.04	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9523				
NAL13026-497	96-001j	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9523				
NAL13026-497	96-001j	STD	1868-53-7	Dibromofluoromethane	52		ng			7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9523	50	104%		
NAL13026-497	96-001j	STD	17060-07-0	1,2-Dichloroethane d4	54		ng			7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9523	50	108%		
NAL13026-497	96-001j	STD	2037-26-5	Toluene d8	45		ng			7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9523	50	90%		
NAL13026-497	96-001j	STD	460-00-4	Bromofluorobenzene	45		ng			7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9523	50	90%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J071813CCVA	J071813CCVA	ORG	75-71-8	Dichlorodifluoromethane	51		ug/L	5	0.29	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9512	50	102%		
J071813CCVA	J071813CCVA	ORG	74-87-3	Chloromethane	38		ug/L	5	0.43	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9512	50	76%		
J071813CCVA	J071813CCVA	ORG	75-01-4	Vinyl chloride	44		ug/L	2	0.32	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9512	50	88%		
J071813CCVA	J071813CCVA	ORG	74-83-9	Bromomethane	69		ug/L	5	0.50	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9512	50	138%		
J071813CCVA	J071813CCVA	ORG	75-00-3	Chloroethane	68		ug/L	5	0.56	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9512	50	136%		
J071813CCVA	J071813CCVA	ORG	75-69-4	Trichlorofluoromethane	59		ug/L	5	0.20	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9512	50	118%		
J071813CCVA	J071813CCVA	ORG	75-35-4	1,1-Dichloroethene	39		ug/L	1	0.47	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9512	50	78%		
J071813CCVA	J071813CCVA	ORG	75-09-2	Methylene chloride	46		ug/L	5	0.26	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9512	50	92%		
J071813CCVA	J071813CCVA	ORG	67-64-1	Acetone	60		ug/L	10	1.56	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9512	50	120%		
J071813CCVA	J071813CCVA	ORG	156-60-5	trans-1,2-Dichloroethene	41		ug/L	1	0.56	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9512	50	82%		
J071813CCVA	J071813CCVA	ORG	1634-04-4	MTBE	52		ug/L	5	0.61	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9512	50	104%		
J071813CCVA	J071813CCVA	ORG	75-34-3	1,1-Dichloroethane	35		ug/L	1	0.53	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9512	50	70%		
J071813CCVA	J071813CCVA	ORG	156-59-2	cis-1,2-Dichloroethene	48		ug/L	1	0.32	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9512	50	96%		
J071813CCVA	J071813CCVA	ORG	74-97-5	Bromochloromethane	50		ug/L	10	0.81	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9512	50	100%		
J071813CCVA	J071813CCVA	ORG	67-66-3	Chloroform	48		ug/L	2	0.41	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9512	50	96%		
J071813CCVA	J071813CCVA	ORG	71-55-6	1,1,1-Trichloroethane	48		ug/L	1	0.16	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9512	50	96%		
J071813CCVA	J071813CCVA	ORG	78-93-3	2-Butanone	47		ug/L	1	0.17	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9512	50	94%		
J071813CCVA	J071813CCVA	ORG	56-23-5	Carbon tetrachloride	49		ug/L	1	0.28	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9512	50	98%		
J071813CCVA	J071813CCVA	ORG	71-43-2	Benzene	43		ug/L	1	0.14	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9512	50	86%		
J071813CCVA	J071813CCVA	ORG	107-06-2	1,2-Dichloroethane	49		ug/L	1	0.20	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9512	50	98%		
J071813CCVA	J071813CCVA	ORG	79-01-6	Trichloroethene	50		ug/L	1	0.36	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9512	50	100%		
J071813CCVA	J071813CCVA	ORG	74-95-3	Dibromomethane	50		ug/L	2	0.32	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9512	50	100%		
J071813CCVA	J071813CCVA	ORG	78-87-5	1,2-Dichloropropane	43		ug/L	1	0.18	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9512	50	86%		
J071813CCVA	J071813CCVA	ORG	75-27-4	Bromodichloromethane	48		ug/L	2	0.12	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9512	50	96%		
J071813CCVA	J071813CCVA	ORG	10061-01-5	cis-1,3-Dichloropropene	46		ug/L	1	0.25	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9512	50	92%		
J071813CCVA	J071813CCVA	ORG	108-88-3	Toluene	44		ug/L	5	0.74	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9512	50	88%		
J071813CCVA	J071813CCVA	ORG	108-10-1	4-Methyl-2-pentanone	48		ug/L	1	0.21	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9512	50	96%		
J071813CCVA	J071813CCVA	ORG	10061-02-6	trans-1,3-Dichloropropene	49		ug/L	1	0.31	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9512	50	98%		
J071813CCVA	J071813CCVA	ORG	127-18-4	Tetrachloroethene	39		ug/L	1	0.49	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9512	50	78%		
J071813CCVA	J071813CCVA	ORG	79-00-5	1,1,2-Trichloroethane	46		ug/L	1	0.34	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9512	50	92%		
J071813CCVA	J071813CCVA	ORG	124-48-1	Dibromochloromethane	54		ug/L	5	0.69	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9512	50	108%		
J071813CCVA	J071813CCVA	ORG	106-93-4	1,2-Dibromoethane	49		ug/L	2	0.30	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9512	50	98%		
J071813CCVA	J071813CCVA	ORG	591-78-6	2-Hexanone	54		ug/L	2	0.26	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9512	50	108%		
J071813CCVA	J071813CCVA	ORG	100-41-4	Ethylbenzene	42		ug/L	1	0.25	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9512	50	84%		
J071813CCVA	J071813CCVA	ORG	108-90-7	Chlorobenzene	44		ug/L	1	0.28	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9512	50	88%		
J071813CCVA	J071813CCVA	ORG	630-20-6	1,1,1,2-Tetrachloroethane	45		ug/L	2	0.19	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9512	50	90%		
J071813CCVA	J071813CCVA	ORG	XYLMP	p&m-Xylene	84		ug/L	2	0.26	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9512	100	84%		
J071813CCVA	J071813CCVA	ORG	95-47-6	o-Xylene	44		ug/L	1	0.13	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9512	50	88%		
J071813CCVA	J071813CCVA	ORG	100-42-5	Styrene	43		ug/L	1	0.20	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9512	50	86%		
J071813CCVA	J071813CCVA	ORG	75-25-2	Bromoform	53		ug/L	2	0.47	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9512	50	106%		
J071813CCVA	J071813CCVA	ORG	98-82-8	Isopropylbenzene	46		ug/L	2	0.20	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9512	50	92%		
J071813CCVA	J071813CCVA	ORG	103-65-1	n-Propylbenzene	44		ug/L	2	0.27	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9512	50	88%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J071813CCVA	J071813CCVA	ORG	79-34-5	1,1,2,2-Tetrachloroethane	46		ug/L	2	0.29	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9512	50	92%		
J071813CCVA	J071813CCVA	ORG	96-18-4	1,2,3-Trichloropropane	46		ug/L	2	0.29	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9512	50	92%		
J071813CCVA	J071813CCVA	ORG	108-67-8	1,3,5-Trimethylbenzene	45		ug/L	2	0.20	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9512	50	90%		
J071813CCVA	J071813CCVA	ORG	98-06-6	tert-Butylbenzene	48		ug/L	2	0.33	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9512	50	96%		
J071813CCVA	J071813CCVA	ORG	95-63-6	1,2,4-Trimethylbenzene	46		ug/L	2	0.20	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9512	50	92%		
J071813CCVA	J071813CCVA	ORG	135-98-8	sec-Butylbenzene	48		ug/L	2	0.32	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9512	50	96%		
J071813CCVA	J071813CCVA	ORG	541-73-1	1,3-Dichlorobenzene	49		ug/L	2	0.22	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9512	50	98%		
J071813CCVA	J071813CCVA	ORG	99-87-6	p-Isopropltoluene	49		ug/L	2	0.25	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9512	50	98%		
J071813CCVA	J071813CCVA	ORG	106-46-7	1,4-Dichlorobenzene	48		ug/L	2	0.33	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9512	50	96%		
J071813CCVA	J071813CCVA	ORG	95-50-1	1,2-Dichlorobenzene	49		ug/L	2	0.26	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9512	50	98%		
J071813CCVA	J071813CCVA	ORG	104-51-8	n-Butylbenzene	46		ug/L	5	0.28	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9512	50	92%		
J071813CCVA	J071813CCVA	ORG	96-12-8	1,2-Dibromo-3-chloropropane	43		ug/L	5	1.59	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9512	50	86%		
J071813CCVA	J071813CCVA	ORG	87-68-3	Hexachlorobutadiene	52		ug/L	5	0.65	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9512	50	104%		
J071813CCVA	J071813CCVA	ORG	120-82-1	1,2,4-Trichlorobenzene	50		ug/L	5	0.28	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9512	50	100%		
J071813CCVA	J071813CCVA	ORG	91-20-3	Naphthalene	45		ug/L	5	0.56	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9512	50	90%		
J071813CCVA	J071813CCVA	ORG	87-61-6	1,2,3-Trichlorobenzene	48		ug/L	5	0.23	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9512	50	96%		
J071813CCVA	J071813CCVA	STD	1868-53-7	Dibromofluoromethane	52		ng			NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9512	50	104%		
J071813CCVA	J071813CCVA	STD	17060-07-0	1,2-Dichloroethane d4	50		ng			NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9512	50	100%		
J071813CCVA	J071813CCVA	STD	2037-26-5	Toluene d8	47		ng			NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9512	50	94%		
J071813CCVA	J071813CCVA	STD	460-00-4	Bromofluorobenzene	46		ng			NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9512	50	92%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J071813MBKA	J071813MBKA	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	5	0.29	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9513				
J071813MBKA	J071813MBKA	ORG	74-87-3	Chloromethane		U	ug/L	5	0.43	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9513				
J071813MBKA	J071813MBKA	ORG	75-01-4	Vinyl chloride		U	ug/L	2	0.32	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9513				
J071813MBKA	J071813MBKA	ORG	74-83-9	Bromomethane		U	ug/L	5	0.50	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9513				
J071813MBKA	J071813MBKA	ORG	75-00-3	Chloroethane		U	ug/L	5	0.56	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9513				
J071813MBKA	J071813MBKA	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	5	0.20	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9513				
J071813MBKA	J071813MBKA	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	1	0.47	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9513				
J071813MBKA	J071813MBKA	ORG	75-09-2	Methylene chloride		U	ug/L	5	0.26	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9513				
J071813MBKA	J071813MBKA	ORG	67-64-1	Acetone		U	ug/L	10	1.56	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9513				
J071813MBKA	J071813MBKA	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	1	0.56	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9513				
J071813MBKA	J071813MBKA	ORG	1634-04-4	MTBE		U	ug/L	5	0.61	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9513				
J071813MBKA	J071813MBKA	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	1	0.53	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9513				
J071813MBKA	J071813MBKA	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	1	0.32	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9513				
J071813MBKA	J071813MBKA	ORG	74-97-5	Bromochloromethane		U	ug/L	10	0.81	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9513				
J071813MBKA	J071813MBKA	ORG	67-66-3	Chloroform		U	ug/L	2	0.41	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9513				
J071813MBKA	J071813MBKA	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	1	0.16	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9513				
J071813MBKA	J071813MBKA	ORG	78-93-3	2-Butanone		U	ug/L	1	0.17	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9513				
J071813MBKA	J071813MBKA	ORG	56-23-5	Carbon tetrachloride		U	ug/L	1	0.28	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9513				
J071813MBKA	J071813MBKA	ORG	71-43-2	Benzene		U	ug/L	1	0.14	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9513				
J071813MBKA	J071813MBKA	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	1	0.20	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9513				
J071813MBKA	J071813MBKA	ORG	79-01-6	Trichloroethene		U	ug/L	1	0.36	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9513				
J071813MBKA	J071813MBKA	ORG	74-95-3	Dibromomethane		U	ug/L	2	0.32	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9513				
J071813MBKA	J071813MBKA	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	1	0.18	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9513				
J071813MBKA	J071813MBKA	ORG	75-27-4	Bromodichloromethane		U	ug/L	2	0.12	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9513				
J071813MBKA	J071813MBKA	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	1	0.25	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9513				
J071813MBKA	J071813MBKA	ORG	108-88-3	Toluene		U	ug/L	5	0.74	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9513				
J071813MBKA	J071813MBKA	ORG	108-10-1	4-Methyl-2-pentanone		U	ug/L	1	0.21	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9513				
J071813MBKA	J071813MBKA	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	1	0.31	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9513				
J071813MBKA	J071813MBKA	ORG	127-18-4	Tetrachloroethene		U	ug/L	1	0.49	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9513				
J071813MBKA	J071813MBKA	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	1	0.34	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9513				
J071813MBKA	J071813MBKA	ORG	124-48-1	Dibromochloromethane		U	ug/L	5	0.69	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9513				
J071813MBKA	J071813MBKA	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	2	0.30	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9513				
J071813MBKA	J071813MBKA	ORG	591-78-6	2-Hexanone		U	ug/L	2	0.26	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9513				
J071813MBKA	J071813MBKA	ORG	100-41-4	Ethylbenzene		U	ug/L	1	0.25	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9513				
J071813MBKA	J071813MBKA	ORG	108-90-7	Chlorobenzene		U	ug/L	1	0.28	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9513				
J071813MBKA	J071813MBKA	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	2	0.19	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9513				
J071813MBKA	J071813MBKA	ORG	XYLMP	p&m-Xylene		U	ug/L	2	0.26	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9513				
J071813MBKA	J071813MBKA	ORG	95-47-6	o-Xylene		U	ug/L	1	0.13	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9513				
J071813MBKA	J071813MBKA	ORG	100-42-5	Styrene		U	ug/L	1	0.20	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9513				
J071813MBKA	J071813MBKA	ORG	75-25-2	Bromoform		U	ug/L	2	0.47	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9513				
J071813MBKA	J071813MBKA	ORG	98-82-8	Isopropylbenzene		U	ug/L	2	0.20	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9513				
J071813MBKA	J071813MBKA	ORG	103-65-1	n-Propylbenzene		U	ug/L	2	0.27	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9513				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J071813MBKA	J071813MBKA	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	2	0.29	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9513				
J071813MBKA	J071813MBKA	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	2	0.29	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9513				
J071813MBKA	J071813MBKA	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	2	0.20	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9513				
J071813MBKA	J071813MBKA	ORG	98-06-6	tert-Butylbenzene		U	ug/L	2	0.33	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9513				
J071813MBKA	J071813MBKA	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	2	0.20	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9513				
J071813MBKA	J071813MBKA	ORG	135-98-8	sec-Butylbenzene		U	ug/L	2	0.32	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9513				
J071813MBKA	J071813MBKA	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	2	0.22	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9513				
J071813MBKA	J071813MBKA	ORG	99-87-6	p-Isopropltoluene		U	ug/L	2	0.25	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9513				
J071813MBKA	J071813MBKA	ORG	106-46-7	1,4-Dichlorobenzene		U	ug/L	2	0.33	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9513				
J071813MBKA	J071813MBKA	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	2	0.26	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9513				
J071813MBKA	J071813MBKA	ORG	104-51-8	n-Butylbenzene		U	ug/L	5	0.28	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9513				
J071813MBKA	J071813MBKA	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	5	1.59	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9513				
J071813MBKA	J071813MBKA	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	5	0.65	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9513				
J071813MBKA	J071813MBKA	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	5	0.28	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9513				
J071813MBKA	J071813MBKA	ORG	91-20-3	Naphthalene		U	ug/L	5	0.56	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9513				
J071813MBKA	J071813MBKA	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	5	0.23	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9513				
J071813MBKA	J071813MBKA	STD	1868-53-7	Dibromofluoromethane	52		ng			NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9513	50	104%		
J071813MBKA	J071813MBKA	STD	17060-07-0	1,2-Dichloroethane d4	53		ng			NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9513	50	106%		
J071813MBKA	J071813MBKA	STD	2037-26-5	Toluene d8	46		ng			NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9513	50	92%		
J071813MBKA	J071813MBKA	STD	460-00-4	Bromofluorobenzene	45		ng			NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9513	50	90%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J071813CCVB	J071813CCVB	ORG	75-71-8	Dichlorodifluoromethane	45		ug/L	5	0.29	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9521	50	90%		
J071813CCVB	J071813CCVB	ORG	74-87-3	Chloromethane	41		ug/L	5	0.43	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9521	50	82%		
J071813CCVB	J071813CCVB	ORG	75-01-4	Vinyl chloride	48		ug/L	2	0.32	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9521	50	96%		
J071813CCVB	J071813CCVB	ORG	74-83-9	Bromomethane	56		ug/L	5	0.50	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9521	50	112%		
J071813CCVB	J071813CCVB	ORG	75-00-3	Chloroethane	61		ug/L	5	0.56	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9521	50	122%		
J071813CCVB	J071813CCVB	ORG	75-69-4	Trichlorofluoromethane	28		ug/L	5	0.20	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9521	50	56%		
J071813CCVB	J071813CCVB	ORG	75-35-4	1,1-Dichloroethene	35		ug/L	1	0.47	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9521	50	70%		
J071813CCVB	J071813CCVB	ORG	75-09-2	Methylene chloride	43		ug/L	5	0.26	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9521	50	86%		
J071813CCVB	J071813CCVB	ORG	67-64-1	Acetone	70		ug/L	10	1.56	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9521	50	140%		
J071813CCVB	J071813CCVB	ORG	156-60-5	trans-1,2-Dichloroethene	42		ug/L	1	0.56	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9521	50	84%		
J071813CCVB	J071813CCVB	ORG	1634-04-4	MTBE	54		ug/L	5	0.61	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9521	50	108%		
J071813CCVB	J071813CCVB	ORG	75-34-3	1,1-Dichloroethane	34		ug/L	1	0.53	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9521	50	68%		
J071813CCVB	J071813CCVB	ORG	156-59-2	cis-1,2-Dichloroethene	51		ug/L	1	0.32	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9521	50	102%		
J071813CCVB	J071813CCVB	ORG	74-97-5	Bromochloromethane	55		ug/L	10	0.81	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9521	50	110%		
J071813CCVB	J071813CCVB	ORG	67-66-3	Chloroform	52		ug/L	2	0.41	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9521	50	104%		
J071813CCVB	J071813CCVB	ORG	71-55-6	1,1,1-Trichloroethane	51		ug/L	1	0.16	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9521	50	102%		
J071813CCVB	J071813CCVB	ORG	78-93-3	2-Butanone	64		ug/L	1	0.17	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9521	50	128%		
J071813CCVB	J071813CCVB	ORG	56-23-5	Carbon tetrachloride	51		ug/L	1	0.28	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9521	50	102%		
J071813CCVB	J071813CCVB	ORG	71-43-2	Benzene	44		ug/L	1	0.14	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9521	50	88%		
J071813CCVB	J071813CCVB	ORG	107-06-2	1,2-Dichloroethane	54		ug/L	1	0.20	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9521	50	108%		
J071813CCVB	J071813CCVB	ORG	79-01-6	Trichloroethene	53		ug/L	1	0.36	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9521	50	106%		
J071813CCVB	J071813CCVB	ORG	74-95-3	Dibromomethane	56		ug/L	2	0.32	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9521	50	112%		
J071813CCVB	J071813CCVB	ORG	78-87-5	1,2-Dichloropropane	43		ug/L	1	0.18	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9521	50	86%		
J071813CCVB	J071813CCVB	ORG	75-27-4	Bromodichloromethane	50		ug/L	2	0.12	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9521	50	100%		
J071813CCVB	J071813CCVB	ORG	10061-01-5	cis-1,3-Dichloropropene	46		ug/L	1	0.25	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9521	50	92%		
J071813CCVB	J071813CCVB	ORG	108-88-3	Toluene	44		ug/L	5	0.74	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9521	50	88%		
J071813CCVB	J071813CCVB	ORG	108-10-1	4-Methyl-2-pentanone	53		ug/L	1	0.21	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9521	50	106%		
J071813CCVB	J071813CCVB	ORG	10061-02-6	trans-1,3-Dichloropropene	49		ug/L	1	0.31	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9521	50	98%		
J071813CCVB	J071813CCVB	ORG	127-18-4	Tetrachloroethene	39		ug/L	1	0.49	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9521	50	78%		
J071813CCVB	J071813CCVB	ORG	79-00-5	1,1,2-Trichloroethane	50		ug/L	1	0.34	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9521	50	100%		
J071813CCVB	J071813CCVB	ORG	124-48-1	Dibromochloromethane	55		ug/L	5	0.69	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9521	50	110%		
J071813CCVB	J071813CCVB	ORG	106-93-4	1,2-Dibromoethane	55		ug/L	2	0.30	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9521	50	110%		
J071813CCVB	J071813CCVB	ORG	591-78-6	2-Hexanone	58		ug/L	2	0.26	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9521	50	116%		
J071813CCVB	J071813CCVB	ORG	100-41-4	Ethylbenzene	45		ug/L	1	0.25	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9521	50	90%		
J071813CCVB	J071813CCVB	ORG	108-90-7	Chlorobenzene	47		ug/L	1	0.28	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9521	50	94%		
J071813CCVB	J071813CCVB	ORG	630-20-6	1,1,1,2-Tetrachloroethane	48		ug/L	2	0.19	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9521	50	96%		
J071813CCVB	J071813CCVB	ORG	XYLMP	p&m-Xylene	92		ug/L	2	0.26	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9521	100	92%		
J071813CCVB	J071813CCVB	ORG	95-47-6	o-Xylene	45		ug/L	1	0.13	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9521	50	90%		
J071813CCVB	J071813CCVB	ORG	100-42-5	Styrene	45		ug/L	1	0.20	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9521	50	90%		
J071813CCVB	J071813CCVB	ORG	75-25-2	Bromoform	56		ug/L	2	0.47	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9521	50	112%		
J071813CCVB	J071813CCVB	ORG	98-82-8	Isopropylbenzene	47		ug/L	2	0.20	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9521	50	94%		
J071813CCVB	J071813CCVB	ORG	103-65-1	n-Propylbenzene	48		ug/L	2	0.27	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9521	50	96%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J071813CCVB	J071813CCVB	ORG	79-34-5	1,1,2,2-Tetrachloroethane	54		ug/L	2	0.29	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9521	50	108%		
J071813CCVB	J071813CCVB	ORG	96-18-4	1,2,3-Trichloropropane	53		ug/L	2	0.29	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9521	50	106%		
J071813CCVB	J071813CCVB	ORG	108-67-8	1,3,5-Trimethylbenzene	48		ug/L	2	0.20	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9521	50	96%		
J071813CCVB	J071813CCVB	ORG	98-06-6	tert-Butylbenzene	50		ug/L	2	0.33	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9521	50	100%		
J071813CCVB	J071813CCVB	ORG	95-63-6	1,2,4-Trimethylbenzene	48		ug/L	2	0.20	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9521	50	96%		
J071813CCVB	J071813CCVB	ORG	135-98-8	sec-Butylbenzene	48		ug/L	2	0.32	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9521	50	96%		
J071813CCVB	J071813CCVB	ORG	541-73-1	1,3-Dichlorobenzene	50		ug/L	2	0.22	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9521	50	100%		
J071813CCVB	J071813CCVB	ORG	99-87-6	p-Isopropltoluene	51		ug/L	2	0.25	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9521	50	102%		
J071813CCVB	J071813CCVB	ORG	106-46-7	1,4-Dichlorobenzene	50		ug/L	2	0.33	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9521	50	100%		
J071813CCVB	J071813CCVB	ORG	95-50-1	1,2-Dichlorobenzene	50		ug/L	2	0.26	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9521	50	100%		
J071813CCVB	J071813CCVB	ORG	104-51-8	n-Butylbenzene	48		ug/L	5	0.28	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9521	50	96%		
J071813CCVB	J071813CCVB	ORG	96-12-8	1,2-Dibromo-3-chloropropane	60		ug/L	5	1.59	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9521	50	120%		
J071813CCVB	J071813CCVB	ORG	87-68-3	Hexachlorobutadiene	49		ug/L	5	0.65	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9521	50	98%		
J071813CCVB	J071813CCVB	ORG	120-82-1	1,2,4-Trichlorobenzene	51		ug/L	5	0.28	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9521	50	102%		
J071813CCVB	J071813CCVB	ORG	91-20-3	Naphthalene	55		ug/L	5	0.56	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9521	50	110%		
J071813CCVB	J071813CCVB	ORG	87-61-6	1,2,3-Trichlorobenzene	52		ug/L	5	0.23	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9521	50	104%		
J071813CCVB	J071813CCVB	STD	1868-53-7	Dibromofluoromethane	54		ng			NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9521	50	108%		
J071813CCVB	J071813CCVB	STD	17060-07-0	1,2-Dichloroethane d4	50		ng			NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9521	50	100%		
J071813CCVB	J071813CCVB	STD	2037-26-5	Toluene d8	46		ng			NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9521	50	92%		
J071813CCVB	J071813CCVB	STD	460-00-4	Bromofluorobenzene	48		ng			NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9521	50	96%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J071813MBKB	J071813MBKB	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	5	0.29	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9522				
J071813MBKB	J071813MBKB	ORG	74-87-3	Chloromethane		U	ug/L	5	0.43	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9522				
J071813MBKB	J071813MBKB	ORG	75-01-4	Vinyl chloride		U	ug/L	2	0.32	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9522				
J071813MBKB	J071813MBKB	ORG	74-83-9	Bromomethane		U	ug/L	5	0.50	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9522				
J071813MBKB	J071813MBKB	ORG	75-00-3	Chloroethane		U	ug/L	5	0.56	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9522				
J071813MBKB	J071813MBKB	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	5	0.20	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9522				
J071813MBKB	J071813MBKB	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	1	0.47	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9522				
J071813MBKB	J071813MBKB	ORG	75-09-2	Methylene chloride		U	ug/L	5	0.26	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9522				
J071813MBKB	J071813MBKB	ORG	67-64-1	Acetone		U	ug/L	10	1.56	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9522				
J071813MBKB	J071813MBKB	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	1	0.56	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9522				
J071813MBKB	J071813MBKB	ORG	1634-04-4	MTBE		U	ug/L	5	0.61	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9522				
J071813MBKB	J071813MBKB	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	1	0.53	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9522				
J071813MBKB	J071813MBKB	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	1	0.32	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9522				
J071813MBKB	J071813MBKB	ORG	74-97-5	Bromochloromethane		U	ug/L	10	0.81	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9522				
J071813MBKB	J071813MBKB	ORG	67-66-3	Chloroform		U	ug/L	2	0.41	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9522				
J071813MBKB	J071813MBKB	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	1	0.16	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9522				
J071813MBKB	J071813MBKB	ORG	78-93-3	2-Butanone		U	ug/L	1	0.17	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9522				
J071813MBKB	J071813MBKB	ORG	56-23-5	Carbon tetrachloride		U	ug/L	1	0.28	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9522				
J071813MBKB	J071813MBKB	ORG	71-43-2	Benzene		U	ug/L	1	0.14	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9522				
J071813MBKB	J071813MBKB	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	1	0.20	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9522				
J071813MBKB	J071813MBKB	ORG	79-01-6	Trichloroethene		U	ug/L	1	0.36	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9522				
J071813MBKB	J071813MBKB	ORG	74-95-3	Dibromomethane		U	ug/L	2	0.32	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9522				
J071813MBKB	J071813MBKB	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	1	0.18	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9522				
J071813MBKB	J071813MBKB	ORG	75-27-4	Bromodichloromethane		U	ug/L	2	0.12	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9522				
J071813MBKB	J071813MBKB	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	1	0.25	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9522				
J071813MBKB	J071813MBKB	ORG	108-88-3	Toluene		U	ug/L	5	0.74	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9522				
J071813MBKB	J071813MBKB	ORG	108-10-1	4-Methyl-2-pentanone		U	ug/L	1	0.21	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9522				
J071813MBKB	J071813MBKB	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	1	0.31	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9522				
J071813MBKB	J071813MBKB	ORG	127-18-4	Tetrachloroethene		U	ug/L	1	0.49	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9522				
J071813MBKB	J071813MBKB	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	1	0.34	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9522				
J071813MBKB	J071813MBKB	ORG	124-48-1	Dibromochloromethane		U	ug/L	5	0.69	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9522				
J071813MBKB	J071813MBKB	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	2	0.30	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9522				
J071813MBKB	J071813MBKB	ORG	591-78-6	2-Hexanone		U	ug/L	2	0.26	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9522				
J071813MBKB	J071813MBKB	ORG	100-41-4	Ethylbenzene		U	ug/L	1	0.25	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9522				
J071813MBKB	J071813MBKB	ORG	108-90-7	Chlorobenzene		U	ug/L	1	0.28	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9522				
J071813MBKB	J071813MBKB	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	2	0.19	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9522				
J071813MBKB	J071813MBKB	ORG	XYLMP	p&m-Xylene		U	ug/L	2	0.26	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9522				
J071813MBKB	J071813MBKB	ORG	95-47-6	o-Xylene		U	ug/L	1	0.13	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9522				
J071813MBKB	J071813MBKB	ORG	100-42-5	Styrene		U	ug/L	1	0.20	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9522				
J071813MBKB	J071813MBKB	ORG	75-25-2	Bromoform		U	ug/L	2	0.47	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9522				
J071813MBKB	J071813MBKB	ORG	98-82-8	Isopropylbenzene		U	ug/L	2	0.20	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9522				
J071813MBKB	J071813MBKB	ORG	103-65-1	n-Propylbenzene		U	ug/L	2	0.27	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9522				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J071813MBKB	J071813MBKB	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	2	0.29	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9522				
J071813MBKB	J071813MBKB	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	2	0.29	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9522				
J071813MBKB	J071813MBKB	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	2	0.20	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9522				
J071813MBKB	J071813MBKB	ORG	98-06-6	tert-Butylbenzene		U	ug/L	2	0.33	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9522				
J071813MBKB	J071813MBKB	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	2	0.20	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9522				
J071813MBKB	J071813MBKB	ORG	135-98-8	sec-Butylbenzene		U	ug/L	2	0.32	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9522				
J071813MBKB	J071813MBKB	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	2	0.22	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9522				
J071813MBKB	J071813MBKB	ORG	99-87-6	p-Isopropltoluene		U	ug/L	2	0.25	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9522				
J071813MBKB	J071813MBKB	ORG	106-46-7	1,4-Dichlorobenzene		U	ug/L	2	0.33	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9522				
J071813MBKB	J071813MBKB	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	2	0.26	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9522				
J071813MBKB	J071813MBKB	ORG	104-51-8	n-Butylbenzene		U	ug/L	5	0.28	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9522				
J071813MBKB	J071813MBKB	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	5	1.59	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9522				
J071813MBKB	J071813MBKB	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	5	0.65	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9522				
J071813MBKB	J071813MBKB	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	5	0.28	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9522				
J071813MBKB	J071813MBKB	ORG	91-20-3	Naphthalene		U	ug/L	5	0.56	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9522				
J071813MBKB	J071813MBKB	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	5	0.23	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9522				
J071813MBKB	J071813MBKB	STD	1868-53-7	Dibromofluoromethane	53		ng			NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9522	50	106%		
J071813MBKB	J071813MBKB	STD	17060-07-0	1,2-Dichloroethane d4	56		ng			NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9522	50	112%		
J071813MBKB	J071813MBKB	STD	2037-26-5	Toluene d8	45		ng			NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9522	50	90%		
J071813MBKB	J071813MBKB	STD	460-00-4	Bromofluorobenzene	45		ng			NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9522	50	90%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J071813ALCS	J071813ALCS	ORG	75-71-8	Dichlorodifluoromethane	57		ug/L	5	0.29	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9516	50	114%		
J071813ALCS	J071813ALCS	ORG	74-87-3	Chloromethane	39		ug/L	5	0.43	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9516	50	78%		
J071813ALCS	J071813ALCS	ORG	75-01-4	Vinyl chloride	45		ug/L	2	0.32	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9516	50	90%		
J071813ALCS	J071813ALCS	ORG	74-83-9	Bromomethane	74		ug/L	5	0.50	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9516	50	148%		
J071813ALCS	J071813ALCS	ORG	75-00-3	Chloroethane	77		ug/L	5	0.56	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9516	50	154%		
J071813ALCS	J071813ALCS	ORG	75-69-4	Trichlorofluoromethane	58		ug/L	5	0.20	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9516	50	116%		
J071813ALCS	J071813ALCS	ORG	75-35-4	1,1-Dichloroethene	36		ug/L	1	0.47	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9516	50	72%		
J071813ALCS	J071813ALCS	ORG	75-09-2	Methylene chloride	45		ug/L	5	0.26	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9516	50	90%		
J071813ALCS	J071813ALCS	ORG	67-64-1	Acetone	57		ug/L	10	1.56	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9516	50	114%		
J071813ALCS	J071813ALCS	ORG	156-60-5	trans-1,2-Dichloroethene	46		ug/L	1	0.56	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9516	50	92%		
J071813ALCS	J071813ALCS	ORG	1634-04-4	MTBE	58		ug/L	5	0.61	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9516	50	116%		
J071813ALCS	J071813ALCS	ORG	75-34-3	1,1-Dichloroethane	50		ug/L	1	0.53	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9516	50	100%		
J071813ALCS	J071813ALCS	ORG	156-59-2	cis-1,2-Dichloroethene	50		ug/L	1	0.32	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9516	50	100%		
J071813ALCS	J071813ALCS	ORG	74-97-5	Bromochloromethane	53		ug/L	10	0.81	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9516	50	106%		
J071813ALCS	J071813ALCS	ORG	67-66-3	Chloroform	52		ug/L	2	0.41	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9516	50	104%		
J071813ALCS	J071813ALCS	ORG	71-55-6	1,1,1-Trichloroethane	52		ug/L	1	0.16	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9516	50	104%		
J071813ALCS	J071813ALCS	ORG	78-93-3	2-Butanone	49		ug/L	1	0.17	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9516	50	98%		
J071813ALCS	J071813ALCS	ORG	56-23-5	Carbon tetrachloride	51		ug/L	1	0.28	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9516	50	102%		
J071813ALCS	J071813ALCS	ORG	71-43-2	Benzene	45		ug/L	1	0.14	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9516	50	90%		
J071813ALCS	J071813ALCS	ORG	107-06-2	1,2-Dichloroethane	52		ug/L	1	0.20	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9516	50	104%		
J071813ALCS	J071813ALCS	ORG	79-01-6	Trichloroethene	52		ug/L	1	0.36	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9516	50	104%		
J071813ALCS	J071813ALCS	ORG	74-95-3	Dibromomethane	53		ug/L	2	0.32	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9516	50	106%		
J071813ALCS	J071813ALCS	ORG	78-87-5	1,2-Dichloropropane	44		ug/L	1	0.18	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9516	50	88%		
J071813ALCS	J071813ALCS	ORG	75-27-4	Bromodichloromethane	49		ug/L	2	0.12	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9516	50	98%		
J071813ALCS	J071813ALCS	ORG	10061-01-5	cis-1,3-Dichloropropene	45		ug/L	1	0.25	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9516	50	90%		
J071813ALCS	J071813ALCS	ORG	108-88-3	Toluene	45		ug/L	5	0.74	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9516	50	90%		
J071813ALCS	J071813ALCS	ORG	108-10-1	4-Methyl-2-pentanone	47		ug/L	1	0.21	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9516	50	94%		
J071813ALCS	J071813ALCS	ORG	10061-02-6	trans-1,3-Dichloropropene	49		ug/L	1	0.31	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9516	50	98%		
J071813ALCS	J071813ALCS	ORG	127-18-4	Tetrachloroethene	43		ug/L	1	0.49	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9516	50	86%		
J071813ALCS	J071813ALCS	ORG	79-00-5	1,1,2-Trichloroethane	47		ug/L	1	0.34	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9516	50	94%		
J071813ALCS	J071813ALCS	ORG	124-48-1	Dibromochloromethane	54		ug/L	5	0.69	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9516	50	108%		
J071813ALCS	J071813ALCS	ORG	106-93-4	1,2-Dibromoethane	51		ug/L	2	0.30	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9516	50	102%		
J071813ALCS	J071813ALCS	ORG	591-78-6	2-Hexanone	54		ug/L	2	0.26	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9516	50	108%		
J071813ALCS	J071813ALCS	ORG	100-41-4	Ethylbenzene	42		ug/L	1	0.25	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9516	50	84%		
J071813ALCS	J071813ALCS	ORG	108-90-7	Chlorobenzene	44		ug/L	1	0.28	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9516	50	88%		
J071813ALCS	J071813ALCS	ORG	630-20-6	1,1,1,2-Tetrachloroethane	44		ug/L	2	0.19	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9516	50	88%		
J071813ALCS	J071813ALCS	ORG	XYLMP	p&m-Xylene	86		ug/L	2	0.26	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9516	100	86%		
J071813ALCS	J071813ALCS	ORG	95-47-6	o-Xylene	45		ug/L	1	0.13	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9516	50	90%		
J071813ALCS	J071813ALCS	ORG	100-42-5	Styrene	44		ug/L	1	0.20	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9516	50	88%		
J071813ALCS	J071813ALCS	ORG	75-25-2	Bromoform	54		ug/L	2	0.47	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9516	50	108%		
J071813ALCS	J071813ALCS	ORG	98-82-8	Isopropylbenzene	45		ug/L	2	0.20	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9516	50	90%		
J071813ALCS	J071813ALCS	ORG	103-65-1	n-Propylbenzene	45		ug/L	2	0.27	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9516	50	90%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J071813ALCS	J071813ALCS	ORG	79-34-5	1,1,2,2-Tetrachloroethane	51		ug/L	2	0.29	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9516	50	102%		
J071813ALCS	J071813ALCS	ORG	96-18-4	1,2,3-Trichloropropane	49		ug/L	2	0.29	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9516	50	98%		
J071813ALCS	J071813ALCS	ORG	108-67-8	1,3,5-Trimethylbenzene	45		ug/L	2	0.20	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9516	50	90%		
J071813ALCS	J071813ALCS	ORG	98-06-6	tert-Butylbenzene	47		ug/L	2	0.33	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9516	50	94%		
J071813ALCS	J071813ALCS	ORG	95-63-6	1,2,4-Trimethylbenzene	46		ug/L	2	0.20	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9516	50	92%		
J071813ALCS	J071813ALCS	ORG	135-98-8	sec-Butylbenzene	46		ug/L	2	0.32	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9516	50	92%		
J071813ALCS	J071813ALCS	ORG	541-73-1	1,3-Dichlorobenzene	50		ug/L	2	0.22	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9516	50	100%		
J071813ALCS	J071813ALCS	ORG	99-87-6	p-Isopropltoluene	47		ug/L	2	0.25	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9516	50	94%		
J071813ALCS	J071813ALCS	ORG	106-46-7	1,4-Dichlorobenzene	52		ug/L	2	0.33	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9516	50	104%		
J071813ALCS	J071813ALCS	ORG	95-50-1	1,2-Dichlorobenzene	52		ug/L	2	0.26	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9516	50	104%		
J071813ALCS	J071813ALCS	ORG	104-51-8	n-Butylbenzene	45		ug/L	5	0.28	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9516	50	90%		
J071813ALCS	J071813ALCS	ORG	96-12-8	1,2-Dibromo-3-chloropropane	51		ug/L	5	1.59	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9516	50	102%		
J071813ALCS	J071813ALCS	ORG	87-68-3	Hexachlorobutadiene	45		ug/L	5	0.65	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9516	50	90%		
J071813ALCS	J071813ALCS	ORG	120-82-1	1,2,4-Trichlorobenzene	46		ug/L	5	0.28	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9516	50	92%		
J071813ALCS	J071813ALCS	ORG	91-20-3	Naphthalene	47		ug/L	5	0.56	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9516	50	94%		
J071813ALCS	J071813ALCS	ORG	87-61-6	1,2,3-Trichlorobenzene	47		ug/L	5	0.23	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9516	50	94%		
J071813ALCS	J071813ALCS	STD	1868-53-7	Dibromofluoromethane	52		ng			NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9516	50	104%		
J071813ALCS	J071813ALCS	STD	17060-07-0	1,2-Dichloroethane d4	50		ng			NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9516	50	100%		
J071813ALCS	J071813ALCS	STD	2037-26-5	Toluene d8	45		ng			NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9516	50	90%		
J071813ALCS	J071813ALCS	STD	460-00-4	Bromofluorobenzene	46		ng			NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9516	50	92%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J071813ALCD	J071813ALCD	ORG	75-71-8	Dichlorodifluoromethane	52		ug/L	5	0.29	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9517	50	104%	9%	
J071813ALCD	J071813ALCD	ORG	74-87-3	Chloromethane	38		ug/L	5	0.43	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9517	50	76%	3%	
J071813ALCD	J071813ALCD	ORG	75-01-4	Vinyl chloride	46		ug/L	2	0.32	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9517	50	92%	2%	
J071813ALCD	J071813ALCD	ORG	74-83-9	Bromomethane	67		ug/L	5	0.50	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9517	50	134%	10%	
J071813ALCD	J071813ALCD	ORG	75-00-3	Chloroethane	70		ug/L	5	0.56	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9517	50	140%	10%	
J071813ALCD	J071813ALCD	ORG	75-69-4	Trichlorofluoromethane	55		ug/L	5	0.20	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9517	50	110%	5%	
J071813ALCD	J071813ALCD	ORG	75-35-4	1,1-Dichloroethene	36		ug/L	1	0.47	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9517	50	72%	0%	
J071813ALCD	J071813ALCD	ORG	75-09-2	Methylene chloride	44		ug/L	5	0.26	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9517	50	88%	2%	
J071813ALCD	J071813ALCD	ORG	67-64-1	Acetone	71		ug/L	10	1.56	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9517	50	142%	22%	
J071813ALCD	J071813ALCD	ORG	156-60-5	trans-1,2-Dichloroethene	42		ug/L	1	0.56	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9517	50	84%	9%	
J071813ALCD	J071813ALCD	ORG	1634-04-4	MTBE	55		ug/L	5	0.61	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9517	50	110%	5%	
J071813ALCD	J071813ALCD	ORG	75-34-3	1,1-Dichloroethane	49		ug/L	1	0.53	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9517	50	98%	2%	
J071813ALCD	J071813ALCD	ORG	156-59-2	cis-1,2-Dichloroethene	51		ug/L	1	0.32	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9517	50	102%	2%	
J071813ALCD	J071813ALCD	ORG	74-97-5	Bromochloromethane	54		ug/L	10	0.81	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9517	50	108%	2%	
J071813ALCD	J071813ALCD	ORG	67-66-3	Chloroform	52		ug/L	2	0.41	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9517	50	104%	0%	
J071813ALCD	J071813ALCD	ORG	71-55-6	1,1,1-Trichloroethane	50		ug/L	1	0.16	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9517	50	100%	4%	
J071813ALCD	J071813ALCD	ORG	78-93-3	2-Butanone	62		ug/L	1	0.17	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9517	50	124%	23%	
J071813ALCD	J071813ALCD	ORG	56-23-5	Carbon tetrachloride	49		ug/L	1	0.28	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9517	50	98%	4%	
J071813ALCD	J071813ALCD	ORG	71-43-2	Benzene	44		ug/L	1	0.14	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9517	50	88%	2%	
J071813ALCD	J071813ALCD	ORG	107-06-2	1,2-Dichloroethane	52		ug/L	1	0.20	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9517	50	104%	0%	
J071813ALCD	J071813ALCD	ORG	79-01-6	Trichloroethene	52		ug/L	1	0.36	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9517	50	104%	0%	
J071813ALCD	J071813ALCD	ORG	74-95-3	Dibromomethane	55		ug/L	2	0.32	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9517	50	110%	4%	
J071813ALCD	J071813ALCD	ORG	78-87-5	1,2-Dichloropropane	43		ug/L	1	0.18	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9517	50	86%	2%	
J071813ALCD	J071813ALCD	ORG	75-27-4	Bromodichloromethane	48		ug/L	2	0.12	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9517	50	96%	2%	
J071813ALCD	J071813ALCD	ORG	10061-01-5	cis-1,3-Dichloropropene	44		ug/L	1	0.25	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9517	50	88%	2%	
J071813ALCD	J071813ALCD	ORG	108-88-3	Toluene	44		ug/L	5	0.74	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9517	50	88%	2%	
J071813ALCD	J071813ALCD	ORG	108-10-1	4-Methyl-2-pentanone	54		ug/L	1	0.21	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9517	50	108%	14%	
J071813ALCD	J071813ALCD	ORG	10061-02-6	trans-1,3-Dichloropropene	48		ug/L	1	0.31	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9517	50	96%	2%	
J071813ALCD	J071813ALCD	ORG	127-18-4	Tetrachloroethene	39		ug/L	1	0.49	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9517	50	78%	10%	
J071813ALCD	J071813ALCD	ORG	79-00-5	1,1,2-Trichloroethane	47		ug/L	1	0.34	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9517	50	94%	0%	
J071813ALCD	J071813ALCD	ORG	124-48-1	Dibromochloromethane	55		ug/L	5	0.69	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9517	50	110%	2%	
J071813ALCD	J071813ALCD	ORG	106-93-4	1,2-Dibromoethane	52		ug/L	2	0.30	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9517	50	104%	2%	
J071813ALCD	J071813ALCD	ORG	591-78-6	2-Hexanone	63		ug/L	2	0.26	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9517	50	126%	15%	
J071813ALCD	J071813ALCD	ORG	100-41-4	Ethylbenzene	41		ug/L	1	0.25	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9517	50	82%	2%	
J071813ALCD	J071813ALCD	ORG	108-90-7	Chlorobenzene	42		ug/L	1	0.28	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9517	50	84%	5%	
J071813ALCD	J071813ALCD	ORG	630-20-6	1,1,1,2-Tetrachloroethane	43		ug/L	2	0.19	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9517	50	86%	2%	
J071813ALCD	J071813ALCD	ORG	XYLMP	p&m-Xylene	83		ug/L	2	0.26	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9517	100	83%	4%	
J071813ALCD	J071813ALCD	ORG	95-47-6	o-Xylene	41		ug/L	1	0.13	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9517	50	82%	9%	
J071813ALCD	J071813ALCD	ORG	100-42-5	Styrene	39		ug/L	1	0.20	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9517	50	78%	12%	
J071813ALCD	J071813ALCD	ORG	75-25-2	Bromoform	54		ug/L	2	0.47	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9517	50	108%	0%	
J071813ALCD	J071813ALCD	ORG	98-82-8	Isopropylbenzene	43		ug/L	2	0.20	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9517	50	86%	5%	
J071813ALCD	J071813ALCD	ORG	103-65-1	n-Propylbenzene	44		ug/L	2	0.27	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9517	50	88%	2%	

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J071813ALCD	J071813ALCD	ORG	79-34-5	1,1,2,2-Tetrachloroethane	55		ug/L	2	0.29	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9517	50	110%	8%	
J071813ALCD	J071813ALCD	ORG	96-18-4	1,2,3-Trichloropropane	53		ug/L	2	0.29	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9517	50	106%	8%	
J071813ALCD	J071813ALCD	ORG	108-67-8	1,3,5-Trimethylbenzene	45		ug/L	2	0.20	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9517	50	90%	0%	
J071813ALCD	J071813ALCD	ORG	98-06-6	tert-Butylbenzene	46		ug/L	2	0.33	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9517	50	92%	2%	
J071813ALCD	J071813ALCD	ORG	95-63-6	1,2,4-Trimethylbenzene	46		ug/L	2	0.20	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9517	50	92%	0%	
J071813ALCD	J071813ALCD	ORG	135-98-8	sec-Butylbenzene	46		ug/L	2	0.32	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9517	50	92%	0%	
J071813ALCD	J071813ALCD	ORG	541-73-1	1,3-Dichlorobenzene	50		ug/L	2	0.22	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9517	50	100%	0%	
J071813ALCD	J071813ALCD	ORG	99-87-6	p-Isopropltoluene	48		ug/L	2	0.25	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9517	50	96%	2%	
J071813ALCD	J071813ALCD	ORG	106-46-7	1,4-Dichlorobenzene	52		ug/L	2	0.33	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9517	50	104%	0%	
J071813ALCD	J071813ALCD	ORG	95-50-1	1,2-Dichlorobenzene	52		ug/L	2	0.26	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9517	50	104%	0%	
J071813ALCD	J071813ALCD	ORG	104-51-8	n-Butylbenzene	47		ug/L	5	0.28	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9517	50	94%	4%	
J071813ALCD	J071813ALCD	ORG	96-12-8	1,2-Dibromo-3-chloropropane	59		ug/L	5	1.59	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9517	50	118%	15%	
J071813ALCD	J071813ALCD	ORG	87-68-3	Hexachlorobutadiene	51		ug/L	5	0.65	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9517	50	102%	13%	
J071813ALCD	J071813ALCD	ORG	120-82-1	1,2,4-Trichlorobenzene	53		ug/L	5	0.28	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9517	50	106%	14%	
J071813ALCD	J071813ALCD	ORG	91-20-3	Naphthalene	54		ug/L	5	0.56	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9517	50	108%	14%	
J071813ALCD	J071813ALCD	ORG	87-61-6	1,2,3-Trichlorobenzene	52		ug/L	5	0.23	NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9517	50	104%	10%	
J071813ALCD	J071813ALCD	STD	1868-53-7	Dibromofluoromethane	54		ng			NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9517	50	108%	4%	
J071813ALCD	J071813ALCD	STD	17060-07-0	1,2-Dichloroethane d4	51		ng			NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9517	50	102%	2%	
J071813ALCD	J071813ALCD	STD	2037-26-5	Toluene d8	46		ng			NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9517	50	92%	2%	
J071813ALCD	J071813ALCD	STD	460-00-4	Bromofluorobenzene	46		ng			NA	7/18/2013	7/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9517	50	92%	0%	

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-496MS	316-017	ORG	75-71-8	Dichlorodifluoromethane	5900		ug/L	500	29.28	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9518	5000	118%		
NAL13026-496MS	316-017	ORG	74-87-3	Chloromethane	4100		ug/L	500	43.07	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9518	5000	82%		
NAL13026-496MS	316-017	ORG	75-01-4	Vinyl chloride	4800		ug/L	200	31.86	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9518	5000	96%		
NAL13026-496MS	316-017	ORG	74-83-9	Bromomethane	6900		ug/L	500	50.04	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9518	5000	138%		
NAL13026-496MS	316-017	ORG	75-00-3	Chloroethane	7700		ug/L	500	55.61	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9518	5000	154%		
NAL13026-496MS	316-017	ORG	75-69-4	Trichlorofluoromethane	5800		ug/L	500	19.65	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9518	5000	116%		
NAL13026-496MS	316-017	ORG	75-35-4	1,1-Dichloroethene	3700		ug/L	100	47.11	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9518	5000	74%		
NAL13026-496MS	316-017	ORG	75-09-2	Methylene chloride	4700		ug/L	500	26.46	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9518	5000	93%		51
NAL13026-496MS	316-017	ORG	67-64-1	Acetone	60000		ug/L	1000	155.61	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9518	5000	-20%		61000
NAL13026-496MS	316-017	ORG	156-60-5	trans-1,2-Dichloroethene	4500		ug/L	100	55.61	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9518	5000	90%		
NAL13026-496MS	316-017	ORG	1634-04-4	MTBE	5700		ug/L	500	61.18	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9518	5000	114%		
NAL13026-496MS	316-017	ORG	75-34-3	1,1-Dichloroethane	5200		ug/L	100	52.66	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9518	5000	104%		
NAL13026-496MS	316-017	ORG	156-59-2	cis-1,2-Dichloroethene	5400		ug/L	100	32.11	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9518	5000	107%		45
NAL13026-496MS	316-017	ORG	74-97-5	Bromochloromethane	5800		ug/L	1000	81.18	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9518	5000	115%		46
NAL13026-496MS	316-017	ORG	67-66-3	Chloroform	5400		ug/L	200	41.37	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9518	5000	107%		58
NAL13026-496MS	316-017	ORG	71-55-6	1,1,1-Trichloroethane	5400		ug/L	100	15.73	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9518	5000	107%		53
NAL13026-496MS	316-017	ORG	78-93-3	2-Butanone	29000		ug/L	100	16.65	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9518	5000	60%		26000
NAL13026-496MS	316-017	ORG	56-23-5	Carbon tetrachloride	5400		ug/L	100	27.64	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9518	5000	107%		45
NAL13026-496MS	316-017	ORG	71-43-2	Benzene	4700		ug/L	100	13.53	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9518	5000	93%		72
NAL13026-496MS	316-017	ORG	107-06-2	1,2-Dichloroethane	5600		ug/L	100	20.01	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9518	5000	111%		68
NAL13026-496MS	316-017	ORG	79-01-6	Trichloroethene	5400		ug/L	100	36.33	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9518	5000	107%		48
NAL13026-496MS	316-017	ORG	74-95-3	Dibromomethane	5900		ug/L	200	32.20	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9518	5000	117%		65
NAL13026-496MS	316-017	ORG	78-87-5	1,2-Dichloropropane	4600		ug/L	100	18.17	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9518	5000	92%		
NAL13026-496MS	316-017	ORG	75-27-4	Bromodichloromethane	5200		ug/L	200	11.58	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9518	5000	104%		
NAL13026-496MS	316-017	ORG	10061-01-5	cis-1,3-Dichloropropene	4800		ug/L	100	25.01	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9518	5000	95%		52
NAL13026-496MS	316-017	ORG	108-88-3	Toluene	4800		ug/L	500	74.00	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9518	5000	95%		58
NAL13026-496MS	316-017	ORG	108-10-1	4-Methyl-2-pentanone	5500		ug/L	100	20.96	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9518	5000	99%		540
NAL13026-496MS	316-017	ORG	10061-02-6	trans-1,3-Dichloropropene	5400		ug/L	100	31.15	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9518	5000	107%		55
NAL13026-496MS	316-017	ORG	127-18-4	Tetrachloroethene	4200		ug/L	100	48.56	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9518	5000	83%		49
NAL13026-496MS	316-017	ORG	79-00-5	1,1,2-Trichloroethane	5400		ug/L	100	34.28	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9518	5000	108%		
NAL13026-496MS	316-017	ORG	124-48-1	Dibromochloromethane	6000		ug/L	500	68.90	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9518	5000	119%		56
NAL13026-496MS	316-017	ORG	106-93-4	1,2-Dibromoethane	5700		ug/L	200	29.90	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9518	5000	113%		63
NAL13026-496MS	316-017	ORG	591-78-6	2-Hexanone	5000		ug/L	200	26.49	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9518	5000	100%		
NAL13026-496MS	316-017	ORG	100-41-4	Ethylbenzene	4400		ug/L	100	25.38	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9518	5000	87%		52
NAL13026-496MS	316-017	ORG	108-90-7	Chlorobenzene	4600		ug/L	100	27.52	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9518	5000	91%		62
NAL13026-496MS	316-017	ORG	630-20-6	1,1,1,2-Tetrachloroethane	4600		ug/L	200	19.28	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9518	5000	92%		
NAL13026-496MS	316-017	ORG	XYLMP	p&m-Xylene	9000		ug/L	200	26.14	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9518	10000	89%		120
NAL13026-496MS	316-017	ORG	95-47-6	o-Xylene	4800		ug/L	100	12.90	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9518	5000	95%		62
NAL13026-496MS	316-017	ORG	100-42-5	Styrene	4600		ug/L	100	20.23	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9518	5000	91%		67
NAL13026-496MS	316-017	ORG	75-25-2	Bromoform	5900		ug/L	200	46.83	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9518	5000	118%		
NAL13026-496MS	316-017	ORG	98-82-8	Isopropylbenzene	4900		ug/L	200	20.48	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9518	5000	97%		57
NAL13026-496MS	316-017	ORG	103-65-1	n-Propylbenzene	4900		ug/L	200	27.00	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9518	5000	97%		63

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-496MS	316-017	ORG	79-34-5	1,1,2,2-Tetrachloroethane	6100		ug/L	200	29.16	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9518	5000	122%		
NAL13026-496MS	316-017	ORG	96-18-4	1,2,3-Trichloropropane	5700		ug/L	200	29.47	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9518	5000	113%		63
NAL13026-496MS	316-017	ORG	108-67-8	1,3,5-Trimethylbenzene	5000		ug/L	200	20.03	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9518	5000	99%		69
NAL13026-496MS	316-017	ORG	98-06-6	tert-Butylbenzene	5200		ug/L	200	32.61	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9518	5000	103%		60
NAL13026-496MS	316-017	ORG	95-63-6	1,2,4-Trimethylbenzene	5000		ug/L	200	20.03	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9518	5000	98%		95
NAL13026-496MS	316-017	ORG	135-98-8	sec-Butylbenzene	5100		ug/L	200	32.34	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9518	5000	100%		78
NAL13026-496MS	316-017	ORG	541-73-1	1,3-Dichlorobenzene	5400		ug/L	200	22.21	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9518	5000	106%		78
NAL13026-496MS	316-017	ORG	99-87-6	p-Isopropltoluene	5400		ug/L	200	25.48	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9518	5000	104%		200
NAL13026-496MS	316-017	ORG	106-46-7	1,4-Dichlorobenzene	5700		ug/L	200	33.03	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9518	5000	111%		160
NAL13026-496MS	316-017	ORG	95-50-1	1,2-Dichlorobenzene	5700		ug/L	200	26.38	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9518	5000	112%		88
NAL13026-496MS	316-017	ORG	104-51-8	n-Butylbenzene	5100		ug/L	500	27.81	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9518	5000	100%		78
NAL13026-496MS	316-017	ORG	96-12-8	1,2-Dibromo-3-chloropropane	6600		ug/L	500	159.11	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9518	5000	132%		
NAL13026-496MS	316-017	ORG	87-68-3	Hexachlorobutadiene	4900		ug/L	500	65.42	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9518	5000	98%		
NAL13026-496MS	316-017	ORG	120-82-1	1,2,4-Trichlorobenzene	5500		ug/L	500	27.63	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9518	5000	107%		140
NAL13026-496MS	316-017	ORG	91-20-3	Naphthalene	6300		ug/L	500	56.04	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9518	5000	118%		400
NAL13026-496MS	316-017	ORG	87-61-6	1,2,3-Trichlorobenzene	5500		ug/L	500	23.28	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9518	5000	107%		130
NAL13026-496MS	316-017	STD	1868-53-7	Dibromofluoromethane	55		ng			7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9518	50	110%		
NAL13026-496MS	316-017	STD	17060-07-0	1,2-Dichloroethane d4	52		ng			7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9518	50	104%		
NAL13026-496MS	316-017	STD	2037-26-5	Toluene d8	47		ng			7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9518	50	94%		
NAL13026-496MS	316-017	STD	460-00-4	Bromofluorobenzene	47		ng			7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9518	50	94%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-496MSD	316-017	ORG	75-71-8	Dichlorodifluoromethane	5400		ug/L	500	29.28	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9519	5000	108%	9%	0
NAL13026-496MSD	316-017	ORG	74-87-3	Chloromethane	3800		ug/L	500	43.07	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9519	5000	76%	8%	0
NAL13026-496MSD	316-017	ORG	75-01-4	Vinyl chloride	4500		ug/L	200	31.86	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9519	5000	90%	6%	0
NAL13026-496MSD	316-017	ORG	74-83-9	Bromomethane	7300		ug/L	500	50.04	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9519	5000	146%	6%	0
NAL13026-496MSD	316-017	ORG	75-00-3	Chloroethane	7400		ug/L	500	55.61	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9519	5000	148%	4%	0
NAL13026-496MSD	316-017	ORG	75-69-4	Trichlorofluoromethane	6100		ug/L	500	19.65	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9519	5000	122%	5%	0
NAL13026-496MSD	316-017	ORG	75-35-4	1,1-Dichloroethene	3700		ug/L	100	47.11	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9519	5000	74%	0%	0
NAL13026-496MSD	316-017	ORG	75-09-2	Methylene chloride	4800		ug/L	500	26.46	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9519	5000	95%	2%	51
NAL13026-496MSD	316-017	ORG	67-64-1	Acetone	58000		ug/L	1000	155.61	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9519	5000	-60%	3%	61000
NAL13026-496MSD	316-017	ORG	156-60-5	trans-1,2-Dichloroethene	4800		ug/L	100	55.61	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9519	5000	96%	6%	0
NAL13026-496MSD	316-017	ORG	1634-04-4	MTBE	5900		ug/L	500	61.18	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9519	5000	118%	3%	0
NAL13026-496MSD	316-017	ORG	75-34-3	1,1-Dichloroethane	5100		ug/L	100	52.66	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9519	5000	102%	2%	0
NAL13026-496MSD	316-017	ORG	156-59-2	cis-1,2-Dichloroethene	5300		ug/L	100	32.11	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9519	5000	105%	2%	45
NAL13026-496MSD	316-017	ORG	74-97-5	Bromochloromethane	5600		ug/L	1000	81.18	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9519	5000	111%	4%	46
NAL13026-496MSD	316-017	ORG	67-66-3	Chloroform	5300		ug/L	200	41.37	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9519	5000	105%	2%	58
NAL13026-496MSD	316-017	ORG	71-55-6	1,1,1-Trichloroethane	5400		ug/L	100	15.73	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9519	5000	107%	0%	53
NAL13026-496MSD	316-017	ORG	78-93-3	2-Butanone	27000		ug/L	100	16.65	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9519	5000	20%	7%	26000
NAL13026-496MSD	316-017	ORG	56-23-5	Carbon tetrachloride	5400		ug/L	100	27.64	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9519	5000	107%	0%	45
NAL13026-496MSD	316-017	ORG	71-43-2	Benzene	4700		ug/L	100	13.53	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9519	5000	93%	0%	72
NAL13026-496MSD	316-017	ORG	107-06-2	1,2-Dichloroethane	5700		ug/L	100	20.01	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9519	5000	113%	2%	68
NAL13026-496MSD	316-017	ORG	79-01-6	Trichloroethene	5300		ug/L	100	36.33	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9519	5000	105%	2%	48
NAL13026-496MSD	316-017	ORG	74-95-3	Dibromomethane	5600		ug/L	200	32.20	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9519	5000	111%	5%	65
NAL13026-496MSD	316-017	ORG	78-87-5	1,2-Dichloropropane	4700		ug/L	100	18.17	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9519	5000	94%	2%	0
NAL13026-496MSD	316-017	ORG	75-27-4	Bromodichloromethane	5000		ug/L	200	11.58	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9519	5000	100%	4%	0
NAL13026-496MSD	316-017	ORG	10061-01-5	cis-1,3-Dichloropropene	4700		ug/L	100	25.01	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9519	5000	93%	2%	52
NAL13026-496MSD	316-017	ORG	108-88-3	Toluene	4700		ug/L	500	74.00	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9519	5000	93%	2%	58
NAL13026-496MSD	316-017	ORG	108-10-1	4-Methyl-2-pentanone	5000		ug/L	100	20.96	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9519	5000	89%	10%	540
NAL13026-496MSD	316-017	ORG	10061-02-6	trans-1,3-Dichloropropene	5200		ug/L	100	31.15	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9519	5000	103%	4%	55
NAL13026-496MSD	316-017	ORG	127-18-4	Tetrachloroethene	4300		ug/L	100	48.56	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9519	5000	85%	2%	49
NAL13026-496MSD	316-017	ORG	79-00-5	1,1,2-Trichloroethane	5100		ug/L	100	34.28	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9519	5000	102%	6%	0
NAL13026-496MSD	316-017	ORG	124-48-1	Dibromochloromethane	5800		ug/L	500	68.90	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9519	5000	115%	3%	56
NAL13026-496MSD	316-017	ORG	106-93-4	1,2-Dibromoethane	5600		ug/L	200	29.90	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9519	5000	111%	2%	63
NAL13026-496MSD	316-017	ORG	591-78-6	2-Hexanone	4300		ug/L	200	26.49	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9519	5000	86%	15%	0
NAL13026-496MSD	316-017	ORG	100-41-4	Ethylbenzene	4500		ug/L	100	25.38	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9519	5000	89%	2%	52
NAL13026-496MSD	316-017	ORG	108-90-7	Chlorobenzene	4700		ug/L	100	27.52	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9519	5000	93%	2%	62
NAL13026-496MSD	316-017	ORG	630-20-6	1,1,1,2-Tetrachloroethane	4800		ug/L	200	19.28	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9519	5000	96%	4%	0
NAL13026-496MSD	316-017	ORG	XYLMP	p&m-Xylene	8900		ug/L	200	26.14	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9519	10000	88%	1%	120
NAL13026-496MSD	316-017	ORG	95-47-6	o-Xylene	4800		ug/L	100	12.90	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9519	5000	95%	0%	62
NAL13026-496MSD	316-017	ORG	100-42-5	Styrene	4600		ug/L	100	20.23	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9519	5000	91%	0%	67
NAL13026-496MSD	316-017	ORG	75-25-2	Bromoform	6100		ug/L	200	46.83	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9519	5000	122%	3%	0
NAL13026-496MSD	316-017	ORG	98-82-8	Isopropylbenzene	4900		ug/L	200	20.48	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9519	5000	97%	0%	57
NAL13026-496MSD	316-017	ORG	103-65-1	n-Propylbenzene	4700		ug/L	200	27.00	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9519	5000	93%	4%	63

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-496MSD	316-017	ORG	79-34-5	1,1,2,2-Tetrachloroethane	5500		ug/L	200	29.16	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9519	5000	110%	10%	0
NAL13026-496MSD	316-017	ORG	96-18-4	1,2,3-Trichloropropane	5300		ug/L	200	29.47	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9519	5000	105%	7%	63
NAL13026-496MSD	316-017	ORG	108-67-8	1,3,5-Trimethylbenzene	4800		ug/L	200	20.03	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9519	5000	95%	4%	69
NAL13026-496MSD	316-017	ORG	98-06-6	tert-Butylbenzene	4800		ug/L	200	32.61	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9519	5000	95%	8%	60
NAL13026-496MSD	316-017	ORG	95-63-6	1,2,4-Trimethylbenzene	4900		ug/L	200	20.03	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9519	5000	96%	2%	95
NAL13026-496MSD	316-017	ORG	135-98-8	sec-Butylbenzene	4800		ug/L	200	32.34	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9519	5000	94%	6%	78
NAL13026-496MSD	316-017	ORG	541-73-1	1,3-Dichlorobenzene	5300		ug/L	200	22.21	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9519	5000	104%	2%	78
NAL13026-496MSD	316-017	ORG	99-87-6	p-Isopropltoluene	5100		ug/L	200	25.48	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9519	5000	98%	6%	200
NAL13026-496MSD	316-017	ORG	106-46-7	1,4-Dichlorobenzene	5500		ug/L	200	33.03	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9519	5000	107%	4%	160
NAL13026-496MSD	316-017	ORG	95-50-1	1,2-Dichlorobenzene	5300		ug/L	200	26.38	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9519	5000	104%	7%	88
NAL13026-496MSD	316-017	ORG	104-51-8	n-Butylbenzene	4700		ug/L	500	27.81	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9519	5000	92%	8%	78
NAL13026-496MSD	316-017	ORG	96-12-8	1,2-Dibromo-3-chloropropane	5900		ug/L	500	159.11	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9519	5000	118%	11%	0
NAL13026-496MSD	316-017	ORG	87-68-3	Hexachlorobutadiene	4500		ug/L	500	65.42	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9519	5000	90%	9%	0
NAL13026-496MSD	316-017	ORG	120-82-1	1,2,4-Trichlorobenzene	5000		ug/L	500	27.63	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9519	5000	97%	10%	140
NAL13026-496MSD	316-017	ORG	91-20-3	Naphthalene	5900		ug/L	500	56.04	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9519	5000	110%	7%	400
NAL13026-496MSD	316-017	ORG	87-61-6	1,2,3-Trichlorobenzene	5100		ug/L	500	23.28	7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9519	5000	99%	8%	130
NAL13026-496MSD	316-017	STD	1868-53-7	Dibromofluoromethane	53		ng			7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9519	50	106%	4%	0
NAL13026-496MSD	316-017	STD	17060-07-0	1,2-Dichloroethane d4	52		ng			7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9519	50	104%	0%	0
NAL13026-496MSD	316-017	STD	2037-26-5	Toluene d8	46		ng			7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9519	50	92%	2%	0
NAL13026-496MSD	316-017	STD	460-00-4	Bromofluorobenzene	47		ng			7/18/2013	7/18/2013	7/18/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9519	50	94%	0%	0

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-498	316-018	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9536				
NAL13026-498	316-018	ORG	74-87-3	Chloromethane		U	ug/L	500	43.07	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9536				
NAL13026-498	316-018	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9536				
NAL13026-498	316-018	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9536				
NAL13026-498	316-018	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9536				
NAL13026-498	316-018	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9536				
NAL13026-498	316-018	ORG	75-35-4	1,1-Dichloroethene		UX-	ug/L	100	47.11	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9536				
NAL13026-498	316-018	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9536				
NAL13026-498	316-018	ORG	67-64-1	Acetone	47000	D	ug/L	10000	1556.07	7/19/2013	7/19/2013	7/19/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9537				
NAL13026-498	316-018	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9536				
NAL13026-498	316-018	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9536				
NAL13026-498	316-018	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9536				
NAL13026-498	316-018	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9536				
NAL13026-498	316-018	ORG	74-97-5	Bromochloromethane		U	ug/L	200	41.37	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9536				
NAL13026-498	316-018	ORG	67-66-3	Chloroform		U	ug/L	100	15.73	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9536				
NAL13026-498	316-018	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	16.65	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9536				
NAL13026-498	316-018	ORG	78-93-3	2-Butanone	22000	D	ug/L	10000	811.80	7/19/2013	7/19/2013	7/19/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9537				
NAL13026-498	316-018	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9536				
NAL13026-498	316-018	ORG	71-43-2	Benzene	40	J	ug/L	100	13.53	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9536				
NAL13026-498	316-018	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9536				
NAL13026-498	316-018	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9536				
NAL13026-498	316-018	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9536				
NAL13026-498	316-018	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9536				
NAL13026-498	316-018	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9536				
NAL13026-498	316-018	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9536				
NAL13026-498	316-018	ORG	108-88-3	Toluene	21	J	ug/L	100	20.96	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9536				
NAL13026-498	316-018	ORG	108-10-1	4-Methyl-2-pentanone	490	J	ug/L	500	74.00	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9536				
NAL13026-498	316-018	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9536				
NAL13026-498	316-018	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9536				
NAL13026-498	316-018	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9536				
NAL13026-498	316-018	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	29.90	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9536				
NAL13026-498	316-018	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	26.49	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9536				
NAL13026-498	316-018	ORG	591-78-6	2-Hexanone	360	J	ug/L	500	68.90	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9536				
NAL13026-498	316-018	ORG	100-41-4	Ethylbenzene		U	ug/L	100	25.38	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9536				
NAL13026-498	316-018	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9536				
NAL13026-498	316-018	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9536				
NAL13026-498	316-018	ORG	XYLMP	p&m-Xylene	45	J	ug/L	200	26.14	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9536				
NAL13026-498	316-018	ORG	95-47-6	o-Xylene		U	ug/L	100	12.90	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9536				
NAL13026-498	316-018	ORG	100-42-5	Styrene	34	J	ug/L	100	20.23	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9536				
NAL13026-498	316-018	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9536				
NAL13026-498	316-018	ORG	98-82-8	Isopropylbenzene		U	ug/L	200	20.48	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9536				
NAL13026-498	316-018	ORG	103-65-1	n-Propylbenzene		U	ug/L	200	27.00	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9536				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-498	316-018	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9536				
NAL13026-498	316-018	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9536				
NAL13026-498	316-018	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	200	20.03	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9536				
NAL13026-498	316-018	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9536				
NAL13026-498	316-018	ORG	95-63-6	1,2,4-Trimethylbenzene	73	J	ug/L	200	20.03	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9536				
NAL13026-498	316-018	ORG	135-98-8	sec-Butylbenzene	53	J	ug/L	200	32.34	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9536				
NAL13026-498	316-018	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9536				
NAL13026-498	316-018	ORG	99-87-6	p-Isopropltoluene	280		ug/L	200	25.48	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9536				
NAL13026-498	316-018	ORG	106-46-7	1,4-Dichlorobenzene	160	J	ug/L	200	33.03	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9536				
NAL13026-498	316-018	ORG	95-50-1	1,2-Dichlorobenzene	38	J	ug/L	200	26.38	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9536				
NAL13026-498	316-018	ORG	104-51-8	n-Butylbenzene		U	ug/L	500	27.81	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9536				
NAL13026-498	316-018	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9536				
NAL13026-498	316-018	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9536				
NAL13026-498	316-018	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9536				
NAL13026-498	316-018	ORG	91-20-3	Naphthalene	230	J	ug/L	500	56.04	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9536				
NAL13026-498	316-018	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9536				
NAL13026-498	316-018	STD	1868-53-7	Dibromofluoromethane	54		ng			7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9536	50	108%		
NAL13026-498	316-018	STD	17060-07-0	1,2-Dichloroethane d4	58		ng			7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9536	50	116%		
NAL13026-498	316-018	STD	2037-26-5	Toluene d8	45		ng			7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9536	50	90%		
NAL13026-498	316-018	STD	460-00-4	Bromofluorobenzene	46		ng			7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9536	50	92%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-499	290-ST T1	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9541				
NAL13026-499	290-ST T1	ORG	74-87-3	Chloromethane		U	ug/L	500	43.07	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9541				
NAL13026-499	290-ST T1	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9541				
NAL13026-499	290-ST T1	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9541				
NAL13026-499	290-ST T1	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9541				
NAL13026-499	290-ST T1	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9541				
NAL13026-499	290-ST T1	ORG	75-35-4	1,1-Dichloroethene		UX-	ug/L	100	47.11	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9541				
NAL13026-499	290-ST T1	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9541				
NAL13026-499	290-ST T1	ORG	67-64-1	Acetone	74000	D	ug/L	10000	1556.07	7/19/2013	7/19/2013	7/19/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9547				
NAL13026-499	290-ST T1	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9541				
NAL13026-499	290-ST T1	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9541				
NAL13026-499	290-ST T1	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9541				
NAL13026-499	290-ST T1	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9541				
NAL13026-499	290-ST T1	ORG	74-97-5	Bromochloromethane		U	ug/L	200	81.18	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9541				
NAL13026-499	290-ST T1	ORG	67-66-3	Chloroform		U	ug/L	100	41.37	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9541				
NAL13026-499	290-ST T1	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	15.73	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9541				
NAL13026-499	290-ST T1	ORG	78-93-3	2-Butanone	37000	D	ug/L	10000	166.52	7/19/2013	7/19/2013	7/19/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9547				
NAL13026-499	290-ST T1	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9541				
NAL13026-499	290-ST T1	ORG	71-43-2	Benzene	33	J	ug/L	100	13.53	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9541				
NAL13026-499	290-ST T1	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9541				
NAL13026-499	290-ST T1	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9541				
NAL13026-499	290-ST T1	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9541				
NAL13026-499	290-ST T1	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9541				
NAL13026-499	290-ST T1	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9541				
NAL13026-499	290-ST T1	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9541				
NAL13026-499	290-ST T1	ORG	108-88-3	Toluene		U	ug/L	100	20.96	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9541				
NAL13026-499	290-ST T1	ORG	108-10-1	4-Methyl-2-pentanone	1500		ug/L	500	74.00	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9541				
NAL13026-499	290-ST T1	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9541				
NAL13026-499	290-ST T1	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9541				
NAL13026-499	290-ST T1	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9541				
NAL13026-499	290-ST T1	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	68.90	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9541				
NAL13026-499	290-ST T1	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	29.90	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9541				
NAL13026-499	290-ST T1	ORG	591-78-6	2-Hexanone	230	J	ug/L	500	26.49	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9541				
NAL13026-499	290-ST T1	ORG	100-41-4	Ethylbenzene	34	J	ug/L	100	25.38	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9541				
NAL13026-499	290-ST T1	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9541				
NAL13026-499	290-ST T1	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9541				
NAL13026-499	290-ST T1	ORG	XYLMP	p&m-Xylene	91	J	ug/L	200	26.14	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9541				
NAL13026-499	290-ST T1	ORG	95-47-6	o-Xylene	57	J	ug/L	100	12.90	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9541				
NAL13026-499	290-ST T1	ORG	100-42-5	Styrene	51	J	ug/L	100	20.23	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9541				
NAL13026-499	290-ST T1	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9541				
NAL13026-499	290-ST T1	ORG	98-82-8	Isopropylbenzene	45	J	ug/L	200	20.48	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9541				
NAL13026-499	290-ST T1	ORG	103-65-1	n-Propylbenzene	46	J	ug/L	200	27.00	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9541				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-499	290-ST T1	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9541				
NAL13026-499	290-ST T1	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9541				
NAL13026-499	290-ST T1	ORG	108-67-8	1,3,5-Trimethylbenzene	87	J	ug/L	200	20.03	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9541				
NAL13026-499	290-ST T1	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9541				
NAL13026-499	290-ST T1	ORG	95-63-6	1,2,4-Trimethylbenzene	270		ug/L	200	20.03	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9541				
NAL13026-499	290-ST T1	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9541				
NAL13026-499	290-ST T1	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9541				
NAL13026-499	290-ST T1	ORG	99-87-6	p-Isopropltoluene	1600		ug/L	200	25.48	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9541				
NAL13026-499	290-ST T1	ORG	106-46-7	1,4-Dichlorobenzene	330		ug/L	200	33.03	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9541				
NAL13026-499	290-ST T1	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9541				
NAL13026-499	290-ST T1	ORG	104-51-8	n-Butylbenzene		U	ug/L	500	27.81	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9541				
NAL13026-499	290-ST T1	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9541				
NAL13026-499	290-ST T1	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9541				
NAL13026-499	290-ST T1	ORG	120-82-1	1,2,4-Trichlorobenzene	280	J	ug/L	500	27.63	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9541				
NAL13026-499	290-ST T1	ORG	91-20-3	Naphthalene	980		ug/L	500	56.04	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9541				
NAL13026-499	290-ST T1	ORG	87-61-6	1,2,3-Trichlorobenzene	340	J	ug/L	500	23.28	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9541				
NAL13026-499	290-ST T1	STD	1868-53-7	Dibromofluoromethane	52		ng			7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9541	50	104%		
NAL13026-499	290-ST T1	STD	17060-07-0	1,2-Dichloroethane d4	56		ng			7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9541	50	112%		
NAL13026-499	290-ST T1	STD	2037-26-5	Toluene d8	46		ng			7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9541	50	92%		
NAL13026-499	290-ST T1	STD	460-00-4	Bromofluorobenzene	44		ng			7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9541	50	88%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-500	290-ST T2	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9542				
NAL13026-500	290-ST T2	ORG	74-87-3	Chloromethane		U	ug/L	500	43.07	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9542				
NAL13026-500	290-ST T2	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9542				
NAL13026-500	290-ST T2	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9542				
NAL13026-500	290-ST T2	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9542				
NAL13026-500	290-ST T2	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9542				
NAL13026-500	290-ST T2	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9542				
NAL13026-500	290-ST T2	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9542				
NAL13026-500	290-ST T2	ORG	67-64-1	Acetone	85000	D	ug/L	10000	1556.07	7/19/2013	7/19/2013	7/19/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9555				
NAL13026-500	290-ST T2	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9542				
NAL13026-500	290-ST T2	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9542				
NAL13026-500	290-ST T2	ORG	75-34-3	1,1-Dichloroethane		UX-	ug/L	100	52.66	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9542				
NAL13026-500	290-ST T2	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9542				
NAL13026-500	290-ST T2	ORG	74-97-5	Bromochloromethane		U	ug/L	200	81.18	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9542				
NAL13026-500	290-ST T2	ORG	67-66-3	Chloroform	89	J	ug/L	100	41.37	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9542				
NAL13026-500	290-ST T2	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	15.73	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9542				
NAL13026-500	290-ST T2	ORG	78-93-3	2-Butanone	43000	D	ug/L	10000	166.52	7/19/2013	7/19/2013	7/19/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9555				
NAL13026-500	290-ST T2	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9542				
NAL13026-500	290-ST T2	ORG	71-43-2	Benzene	150		ug/L	100	13.53	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9542				
NAL13026-500	290-ST T2	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9542				
NAL13026-500	290-ST T2	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9542				
NAL13026-500	290-ST T2	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9542				
NAL13026-500	290-ST T2	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9542				
NAL13026-500	290-ST T2	ORG	75-27-4	Bromodichloromethane	88	J	ug/L	200	11.58	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9542				
NAL13026-500	290-ST T2	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9542				
NAL13026-500	290-ST T2	ORG	108-88-3	Toluene	93	J	ug/L	100	20.96	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9542				
NAL13026-500	290-ST T2	ORG	108-10-1	4-Methyl-2-pentanone	2200		ug/L	500	74.00	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9542				
NAL13026-500	290-ST T2	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9542				
NAL13026-500	290-ST T2	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9542				
NAL13026-500	290-ST T2	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9542				
NAL13026-500	290-ST T2	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	68.90	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9542				
NAL13026-500	290-ST T2	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	29.90	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9542				
NAL13026-500	290-ST T2	ORG	591-78-6	2-Hexanone	790		ug/L	500	26.49	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9542				
NAL13026-500	290-ST T2	ORG	100-41-4	Ethylbenzene	80	J	ug/L	100	25.38	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9542				
NAL13026-500	290-ST T2	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9542				
NAL13026-500	290-ST T2	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9542				
NAL13026-500	290-ST T2	ORG	XYLMP	p&m-Xylene	160	J	ug/L	200	26.14	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9542				
NAL13026-500	290-ST T2	ORG	95-47-6	o-Xylene	110		ug/L	100	12.90	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9542				
NAL13026-500	290-ST T2	ORG	100-42-5	Styrene	94	J	ug/L	100	20.23	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9542				
NAL13026-500	290-ST T2	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9542				
NAL13026-500	290-ST T2	ORG	98-82-8	Isopropylbenzene	76	J	ug/L	200	20.48	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9542				
NAL13026-500	290-ST T2	ORG	103-65-1	n-Propylbenzene	63	J	ug/L	200	27.00	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9542				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-500	290-ST T2	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9542				
NAL13026-500	290-ST T2	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9542				
NAL13026-500	290-ST T2	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	200	20.03	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9542				
NAL13026-500	290-ST T2	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9542				
NAL13026-500	290-ST T2	ORG	95-63-6	1,2,4-Trimethylbenzene	220		ug/L	200	20.03	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9542				
NAL13026-500	290-ST T2	ORG	135-98-8	sec-Butylbenzene	80	J	ug/L	200	32.34	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9542				
NAL13026-500	290-ST T2	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9542				
NAL13026-500	290-ST T2	ORG	99-87-6	p-Isopropltoluene	830		ug/L	200	25.48	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9542				
NAL13026-500	290-ST T2	ORG	106-46-7	1,4-Dichlorobenzene	290		ug/L	200	33.03	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9542				
NAL13026-500	290-ST T2	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9542				
NAL13026-500	290-ST T2	ORG	104-51-8	n-Butylbenzene		U	ug/L	500	27.81	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9542				
NAL13026-500	290-ST T2	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9542				
NAL13026-500	290-ST T2	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9542				
NAL13026-500	290-ST T2	ORG	120-82-1	1,2,4-Trichlorobenzene	140	J	ug/L	500	27.63	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9542				
NAL13026-500	290-ST T2	ORG	91-20-3	Naphthalene	700		ug/L	500	56.04	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9542				
NAL13026-500	290-ST T2	ORG	87-61-6	1,2,3-Trichlorobenzene	170	J	ug/L	500	23.28	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9542				
NAL13026-500	290-ST T2	STD	1868-53-7	Dibromofluoromethane	51		ng			7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9542	50	102%		
NAL13026-500	290-ST T2	STD	17060-07-0	1,2-Dichloroethane d4	55		ng			7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9542	50	110%		
NAL13026-500	290-ST T2	STD	2037-26-5	Toluene d8	47		ng			7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9542	50	94%		
NAL13026-500	290-ST T2	STD	460-00-4	Bromofluorobenzene	46		ng			7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9542	50	92%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-501	290-ST T3	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9543				
NAL13026-501	290-ST T3	ORG	74-87-3	Chloromethane		U	ug/L	500	43.07	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9543				
NAL13026-501	290-ST T3	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9543				
NAL13026-501	290-ST T3	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9543				
NAL13026-501	290-ST T3	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9543				
NAL13026-501	290-ST T3	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9543				
NAL13026-501	290-ST T3	ORG	75-35-4	1,1-Dichloroethene		UX-	ug/L	100	47.11	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9543				
NAL13026-501	290-ST T3	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9543				
NAL13026-501	290-ST T3	ORG	67-64-1	Acetone	63000	D	ug/L	10000	1556.07	7/19/2013	7/19/2013	7/19/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9556				
NAL13026-501	290-ST T3	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9543				
NAL13026-501	290-ST T3	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9543				
NAL13026-501	290-ST T3	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9543				
NAL13026-501	290-ST T3	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9543				
NAL13026-501	290-ST T3	ORG	74-97-5	Bromochloromethane		U	ug/L	200	81.18	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9543				
NAL13026-501	290-ST T3	ORG	67-66-3	Chloroform		U	ug/L	100	41.37	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9543				
NAL13026-501	290-ST T3	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	15.73	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9543				
NAL13026-501	290-ST T3	ORG	78-93-3	2-Butanone	29000	D	ug/L	10000	166.52	7/19/2013	7/19/2013	7/19/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9556				
NAL13026-501	290-ST T3	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9543				
NAL13026-501	290-ST T3	ORG	71-43-2	Benzene	120		ug/L	100	13.53	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9543				
NAL13026-501	290-ST T3	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9543				
NAL13026-501	290-ST T3	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9543				
NAL13026-501	290-ST T3	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9543				
NAL13026-501	290-ST T3	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9543				
NAL13026-501	290-ST T3	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9543				
NAL13026-501	290-ST T3	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9543				
NAL13026-501	290-ST T3	ORG	108-88-3	Toluene	240		ug/L	100	20.96	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9543				
NAL13026-501	290-ST T3	ORG	108-10-1	4-Methyl-2-pentanone	1500		ug/L	500	74.00	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9543				
NAL13026-501	290-ST T3	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9543				
NAL13026-501	290-ST T3	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9543				
NAL13026-501	290-ST T3	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9543				
NAL13026-501	290-ST T3	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	68.90	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9543				
NAL13026-501	290-ST T3	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	29.90	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9543				
NAL13026-501	290-ST T3	ORG	591-78-6	2-Hexanone	50	J	ug/L	500	26.49	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9543				
NAL13026-501	290-ST T3	ORG	100-41-4	Ethylbenzene	780		ug/L	100	25.38	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9543				
NAL13026-501	290-ST T3	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9543				
NAL13026-501	290-ST T3	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9543				
NAL13026-501	290-ST T3	ORG	XYLMP	p&m-Xylene	2000		ug/L	200	26.14	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9543				
NAL13026-501	290-ST T3	ORG	95-47-6	o-Xylene	950		ug/L	100	12.90	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9543				
NAL13026-501	290-ST T3	ORG	100-42-5	Styrene		U	ug/L	100	20.23	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9543				
NAL13026-501	290-ST T3	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9543				
NAL13026-501	290-ST T3	ORG	98-82-8	Isopropylbenzene	720		ug/L	200	20.48	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9543				
NAL13026-501	290-ST T3	ORG	103-65-1	n-Propylbenzene	550		ug/L	200	27.00	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9543				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-501	290-ST T3	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9543				
NAL13026-501	290-ST T3	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9543				
NAL13026-501	290-ST T3	ORG	108-67-8	1,3,5-Trimethylbenzene	1300		ug/L	200	20.03	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9543				
NAL13026-501	290-ST T3	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9543				
NAL13026-501	290-ST T3	ORG	95-63-6	1,2,4-Trimethylbenzene	5200		ug/L	200	20.03	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9543				
NAL13026-501	290-ST T3	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9543				
NAL13026-501	290-ST T3	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9543				
NAL13026-501	290-ST T3	ORG	99-87-6	p-Isopropltoluene	23000		ug/L	2000	254.81	7/19/2013	7/19/2013	7/19/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9543				
NAL13026-501	290-ST T3	ORG	106-46-7	1,4-Dichlorobenzene	5500		ug/L	200	33.03	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9543				
NAL13026-501	290-ST T3	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9543				
NAL13026-501	290-ST T3	ORG	104-51-8	n-Butylbenzene		U	ug/L	500	27.81	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9543				
NAL13026-501	290-ST T3	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9543				
NAL13026-501	290-ST T3	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9543				
NAL13026-501	290-ST T3	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9543				
NAL13026-501	290-ST T3	ORG	91-20-3	Naphthalene	6300		ug/L	500	56.04	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9543				
NAL13026-501	290-ST T3	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9543				
NAL13026-501	290-ST T3	STD	1868-53-7	Dibromofluoromethane	52		ng			7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9543	50	104%		
NAL13026-501	290-ST T3	STD	17060-07-0	1,2-Dichloroethane d4	54		ng			7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9543	50	108%		
NAL13026-501	290-ST T3	STD	2037-26-5	Toluene d8	47		ng			7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9543	50	94%		
NAL13026-501	290-ST T3	STD	460-00-4	Bromofluorobenzene	41		ng			7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9543	50	82%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-502	290-ST T4	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9544				
NAL13026-502	290-ST T4	ORG	74-87-3	Chloromethane		U	ug/L	500	43.07	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9544				
NAL13026-502	290-ST T4	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9544				
NAL13026-502	290-ST T4	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9544				
NAL13026-502	290-ST T4	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9544				
NAL13026-502	290-ST T4	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9544				
NAL13026-502	290-ST T4	ORG	75-35-4	1,1-Dichloroethene		UX-	ug/L	100	47.11	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9544				
NAL13026-502	290-ST T4	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9544				
NAL13026-502	290-ST T4	ORG	67-64-1	Acetone	68000	D	ug/L	10000	1556.07	7/19/2013	7/19/2013	7/19/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9557				
NAL13026-502	290-ST T4	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9544				
NAL13026-502	290-ST T4	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9544				
NAL13026-502	290-ST T4	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9544				
NAL13026-502	290-ST T4	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9544				
NAL13026-502	290-ST T4	ORG	74-97-5	Bromochloromethane		U	ug/L	200	81.18	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9544				
NAL13026-502	290-ST T4	ORG	67-66-3	Chloroform		U	ug/L	100	41.37	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9544				
NAL13026-502	290-ST T4	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	15.73	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9544				
NAL13026-502	290-ST T4	ORG	78-93-3	2-Butanone	30000	D	ug/L	10000	166.52	7/19/2013	7/19/2013	7/19/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9557				
NAL13026-502	290-ST T4	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9544				
NAL13026-502	290-ST T4	ORG	71-43-2	Benzene	86	J	ug/L	100	13.53	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9544				
NAL13026-502	290-ST T4	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9544				
NAL13026-502	290-ST T4	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9544				
NAL13026-502	290-ST T4	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9544				
NAL13026-502	290-ST T4	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9544				
NAL13026-502	290-ST T4	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9544				
NAL13026-502	290-ST T4	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9544				
NAL13026-502	290-ST T4	ORG	108-88-3	Toluene	52	J	ug/L	100	74.00	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9544				
NAL13026-502	290-ST T4	ORG	108-10-1	4-Methyl-2-pentanone	1500		ug/L	500	20.96	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9544				
NAL13026-502	290-ST T4	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9544				
NAL13026-502	290-ST T4	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9544				
NAL13026-502	290-ST T4	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9544				
NAL13026-502	290-ST T4	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	68.90	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9544				
NAL13026-502	290-ST T4	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	29.90	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9544				
NAL13026-502	290-ST T4	ORG	591-78-6	2-Hexanone	250	J	ug/L	500	26.49	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9544				
NAL13026-502	290-ST T4	ORG	100-41-4	Ethylbenzene	46	J	ug/L	100	25.38	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9544				
NAL13026-502	290-ST T4	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9544				
NAL13026-502	290-ST T4	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9544				
NAL13026-502	290-ST T4	ORG	XYLMP	p&m-Xylene	120	J	ug/L	200	26.14	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9544				
NAL13026-502	290-ST T4	ORG	95-47-6	o-Xylene	77	J	ug/L	100	12.90	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9544				
NAL13026-502	290-ST T4	ORG	100-42-5	Styrene		U	ug/L	100	20.23	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9544				
NAL13026-502	290-ST T4	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9544				
NAL13026-502	290-ST T4	ORG	98-82-8	Isopropylbenzene	43	J	ug/L	200	20.48	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9544				
NAL13026-502	290-ST T4	ORG	103-65-1	n-Propylbenzene	29	J	ug/L	200	27.00	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9544				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-502	290-ST T4	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9544				
NAL13026-502	290-ST T4	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9544				
NAL13026-502	290-ST T4	ORG	108-67-8	1,3,5-Trimethylbenzene	59	J	ug/L	200	20.03	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9544				
NAL13026-502	290-ST T4	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9544				
NAL13026-502	290-ST T4	ORG	95-63-6	1,2,4-Trimethylbenzene	210	J	ug/L	200	20.03	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9544				
NAL13026-502	290-ST T4	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9544				
NAL13026-502	290-ST T4	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9544				
NAL13026-502	290-ST T4	ORG	99-87-6	p-Isopropltoluene	780		ug/L	200	25.48	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9544				
NAL13026-502	290-ST T4	ORG	106-46-7	1,4-Dichlorobenzene	280		ug/L	200	33.03	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9544				
NAL13026-502	290-ST T4	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9544				
NAL13026-502	290-ST T4	ORG	104-51-8	n-Butylbenzene	80	J	ug/L	500	27.81	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9544				
NAL13026-502	290-ST T4	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9544				
NAL13026-502	290-ST T4	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9544				
NAL13026-502	290-ST T4	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9544				
NAL13026-502	290-ST T4	ORG	91-20-3	Naphthalene	640		ug/L	500	56.04	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9544				
NAL13026-502	290-ST T4	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9544				
NAL13026-502	290-ST T4	STD	1868-53-7	Dibromofluoromethane	51		ng			7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9544	50	102%		
NAL13026-502	290-ST T4	STD	17060-07-0	1,2-Dichloroethane d4	55		ng			7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9544	50	110%		
NAL13026-502	290-ST T4	STD	2037-26-5	Toluene d8	49		ng			7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9544	50	98%		
NAL13026-502	290-ST T4	STD	460-00-4	Bromofluorobenzene	44		ng			7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9544	50	88%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-503	289-ST T1	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9548				
NAL13026-503	289-ST T1	ORG	74-87-3	Chloromethane		U	ug/L	500	43.07	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9548				
NAL13026-503	289-ST T1	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9548				
NAL13026-503	289-ST T1	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9548				
NAL13026-503	289-ST T1	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9548				
NAL13026-503	289-ST T1	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9548				
NAL13026-503	289-ST T1	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9548				
NAL13026-503	289-ST T1	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9548				
NAL13026-503	289-ST T1	ORG	67-64-1	Acetone	56000	D	ug/L	10000	1556.07	7/19/2013	7/19/2013	7/19/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9558				
NAL13026-503	289-ST T1	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9548				
NAL13026-503	289-ST T1	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9548				
NAL13026-503	289-ST T1	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9548				
NAL13026-503	289-ST T1	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9548				
NAL13026-503	289-ST T1	ORG	74-97-5	Bromochloromethane		U	ug/L	200	81.18	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9548				
NAL13026-503	289-ST T1	ORG	67-66-3	Chloroform		U	ug/L	100	41.37	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9548				
NAL13026-503	289-ST T1	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	15.73	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9548				
NAL13026-503	289-ST T1	ORG	78-93-3	2-Butanone	26000	D	ug/L	10000	166.52	7/19/2013	7/19/2013	7/19/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9558				
NAL13026-503	289-ST T1	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9548				
NAL13026-503	289-ST T1	ORG	71-43-2	Benzene		U	ug/L	100	13.53	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9548				
NAL13026-503	289-ST T1	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9548				
NAL13026-503	289-ST T1	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9548				
NAL13026-503	289-ST T1	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9548				
NAL13026-503	289-ST T1	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9548				
NAL13026-503	289-ST T1	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9548				
NAL13026-503	289-ST T1	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9548				
NAL13026-503	289-ST T1	ORG	108-88-3	Toluene		U	ug/L	100	74.00	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9548				
NAL13026-503	289-ST T1	ORG	108-10-1	4-Methyl-2-pentanone	980		ug/L	500	20.96	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9548				
NAL13026-503	289-ST T1	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9548				
NAL13026-503	289-ST T1	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9548				
NAL13026-503	289-ST T1	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9548				
NAL13026-503	289-ST T1	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	68.90	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9548				
NAL13026-503	289-ST T1	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	29.90	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9548				
NAL13026-503	289-ST T1	ORG	591-78-6	2-Hexanone	220	J	ug/L	500	26.49	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9548				
NAL13026-503	289-ST T1	ORG	100-41-4	Ethylbenzene		U	ug/L	100	25.38	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9548				
NAL13026-503	289-ST T1	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9548				
NAL13026-503	289-ST T1	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9548				
NAL13026-503	289-ST T1	ORG	XYLMP	p&m-Xylene		U	ug/L	200	26.14	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9548				
NAL13026-503	289-ST T1	ORG	95-47-6	o-Xylene		U	ug/L	100	12.90	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9548				
NAL13026-503	289-ST T1	ORG	100-42-5	Styrene		U	ug/L	100	20.23	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9548				
NAL13026-503	289-ST T1	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9548				
NAL13026-503	289-ST T1	ORG	98-82-8	Isopropylbenzene		U	ug/L	200	20.48	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9548				
NAL13026-503	289-ST T1	ORG	103-65-1	n-Propylbenzene		U	ug/L	200	27.00	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9548				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-503	289-ST T1	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9548				
NAL13026-503	289-ST T1	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9548				
NAL13026-503	289-ST T1	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	200	20.03	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9548				
NAL13026-503	289-ST T1	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9548				
NAL13026-503	289-ST T1	ORG	95-63-6	1,2,4-Trimethylbenzene	130	J	ug/L	200	20.03	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9548				
NAL13026-503	289-ST T1	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9548				
NAL13026-503	289-ST T1	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9548				
NAL13026-503	289-ST T1	ORG	99-87-6	p-Isopropltoluene	1000		ug/L	200	25.48	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9548				
NAL13026-503	289-ST T1	ORG	106-46-7	1,4-Dichlorobenzene	200		ug/L	200	33.03	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9548				
NAL13026-503	289-ST T1	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9548				
NAL13026-503	289-ST T1	ORG	104-51-8	n-Butylbenzene		U	ug/L	500	27.81	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9548				
NAL13026-503	289-ST T1	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9548				
NAL13026-503	289-ST T1	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9548				
NAL13026-503	289-ST T1	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9548				
NAL13026-503	289-ST T1	ORG	91-20-3	Naphthalene	720		ug/L	500	56.04	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9548				
NAL13026-503	289-ST T1	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9548				
NAL13026-503	289-ST T1	STD	1868-53-7	Dibromofluoromethane	50		ng			7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9548	50	100%		
NAL13026-503	289-ST T1	STD	17060-07-0	1,2-Dichloroethane d4	51		ng			7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9548	50	102%		
NAL13026-503	289-ST T1	STD	2037-26-5	Toluene d8	47		ng			7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9548	50	94%		
NAL13026-503	289-ST T1	STD	460-00-4	Bromofluorobenzene	46		ng			7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9548	50	92%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-504	289-ST T2	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9549				
NAL13026-504	289-ST T2	ORG	74-87-3	Chloromethane		U	ug/L	500	43.07	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9549				
NAL13026-504	289-ST T2	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9549				
NAL13026-504	289-ST T2	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9549				
NAL13026-504	289-ST T2	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9549				
NAL13026-504	289-ST T2	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9549				
NAL13026-504	289-ST T2	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9549				
NAL13026-504	289-ST T2	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9549				
NAL13026-504	289-ST T2	ORG	67-64-1	Acetone	61000	D	ug/L	10000	1556.07	7/19/2013	7/19/2013	7/19/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9559				
NAL13026-504	289-ST T2	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9549				
NAL13026-504	289-ST T2	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9549				
NAL13026-504	289-ST T2	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9549				
NAL13026-504	289-ST T2	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9549				
NAL13026-504	289-ST T2	ORG	74-97-5	Bromochloromethane		U	ug/L	200	81.18	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9549				
NAL13026-504	289-ST T2	ORG	67-66-3	Chloroform		U	ug/L	100	41.37	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9549				
NAL13026-504	289-ST T2	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	15.73	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9549				
NAL13026-504	289-ST T2	ORG	78-93-3	2-Butanone	28000	D	ug/L	10000	166.52	7/19/2013	7/19/2013	7/19/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9559				
NAL13026-504	289-ST T2	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9549				
NAL13026-504	289-ST T2	ORG	71-43-2	Benzene		U	ug/L	100	13.53	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9549				
NAL13026-504	289-ST T2	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9549				
NAL13026-504	289-ST T2	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9549				
NAL13026-504	289-ST T2	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9549				
NAL13026-504	289-ST T2	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9549				
NAL13026-504	289-ST T2	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9549				
NAL13026-504	289-ST T2	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9549				
NAL13026-504	289-ST T2	ORG	108-88-3	Toluene		U	ug/L	100	74.00	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9549				
NAL13026-504	289-ST T2	ORG	108-10-1	4-Methyl-2-pentanone	1100		ug/L	500	20.96	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9549				
NAL13026-504	289-ST T2	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9549				
NAL13026-504	289-ST T2	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9549				
NAL13026-504	289-ST T2	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9549				
NAL13026-504	289-ST T2	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	68.90	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9549				
NAL13026-504	289-ST T2	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	29.90	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9549				
NAL13026-504	289-ST T2	ORG	591-78-6	2-Hexanone	290	J	ug/L	500	26.49	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9549				
NAL13026-504	289-ST T2	ORG	100-41-4	Ethylbenzene		U	ug/L	100	25.38	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9549				
NAL13026-504	289-ST T2	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9549				
NAL13026-504	289-ST T2	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9549				
NAL13026-504	289-ST T2	ORG	XYLMP	p&m-Xylene	68	J	ug/L	200	26.14	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9549				
NAL13026-504	289-ST T2	ORG	95-47-6	o-Xylene	40	J	ug/L	100	12.90	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9549				
NAL13026-504	289-ST T2	ORG	100-42-5	Styrene	46	J	ug/L	100	20.23	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9549				
NAL13026-504	289-ST T2	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9549				
NAL13026-504	289-ST T2	ORG	98-82-8	Isopropylbenzene	33	J	ug/L	200	20.48	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9549				
NAL13026-504	289-ST T2	ORG	103-65-1	n-Propylbenzene	49	J	ug/L	200	27.00	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9549				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-504	289-ST T2	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9549				
NAL13026-504	289-ST T2	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9549				
NAL13026-504	289-ST T2	ORG	108-67-8	1,3,5-Trimethylbenzene	93	J	ug/L	200	20.03	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9549				
NAL13026-504	289-ST T2	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9549				
NAL13026-504	289-ST T2	ORG	95-63-6	1,2,4-Trimethylbenzene	320		ug/L	200	20.03	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9549				
NAL13026-504	289-ST T2	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9549				
NAL13026-504	289-ST T2	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9549				
NAL13026-504	289-ST T2	ORG	99-87-6	p-Isopropltoluene	2200		ug/L	200	25.48	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9549				
NAL13026-504	289-ST T2	ORG	106-46-7	1,4-Dichlorobenzene	420		ug/L	200	33.03	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9549				
NAL13026-504	289-ST T2	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9549				
NAL13026-504	289-ST T2	ORG	104-51-8	n-Butylbenzene	120	J	ug/L	500	27.81	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9549				
NAL13026-504	289-ST T2	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9549				
NAL13026-504	289-ST T2	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9549				
NAL13026-504	289-ST T2	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9549				
NAL13026-504	289-ST T2	ORG	91-20-3	Naphthalene	1100		ug/L	500	56.04	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9549				
NAL13026-504	289-ST T2	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9549				
NAL13026-504	289-ST T2	STD	1868-53-7	Dibromofluoromethane	51		ng			7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9549	50	102%		
NAL13026-504	289-ST T2	STD	17060-07-0	1,2-Dichloroethane d4	53		ng			7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9549	50	106%		
NAL13026-504	289-ST T2	STD	2037-26-5	Toluene d8	46		ng			7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9549	50	92%		
NAL13026-504	289-ST T2	STD	460-00-4	Bromofluorobenzene	46		ng			7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9549	50	92%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-505	289-ST T3	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9550				
NAL13026-505	289-ST T3	ORG	74-87-3	Chloromethane		U	ug/L	500	43.07	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9550				
NAL13026-505	289-ST T3	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9550				
NAL13026-505	289-ST T3	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9550				
NAL13026-505	289-ST T3	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9550				
NAL13026-505	289-ST T3	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9550				
NAL13026-505	289-ST T3	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9550				
NAL13026-505	289-ST T3	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9550				
NAL13026-505	289-ST T3	ORG	67-64-1	Acetone	61000	D	ug/L	10000	1556.07	7/19/2013	7/19/2013	7/19/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9560				
NAL13026-505	289-ST T3	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9550				
NAL13026-505	289-ST T3	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9550				
NAL13026-505	289-ST T3	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9550				
NAL13026-505	289-ST T3	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9550				
NAL13026-505	289-ST T3	ORG	74-97-5	Bromochloromethane		U	ug/L	200	81.18	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9550				
NAL13026-505	289-ST T3	ORG	67-66-3	Chloroform		U	ug/L	100	41.37	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9550				
NAL13026-505	289-ST T3	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	15.73	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9550				
NAL13026-505	289-ST T3	ORG	78-93-3	2-Butanone	29000	D	ug/L	10000	166.52	7/19/2013	7/19/2013	7/19/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9560				
NAL13026-505	289-ST T3	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9550				
NAL13026-505	289-ST T3	ORG	71-43-2	Benzene		U	ug/L	100	13.53	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9550				
NAL13026-505	289-ST T3	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9550				
NAL13026-505	289-ST T3	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9550				
NAL13026-505	289-ST T3	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9550				
NAL13026-505	289-ST T3	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9550				
NAL13026-505	289-ST T3	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9550				
NAL13026-505	289-ST T3	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9550				
NAL13026-505	289-ST T3	ORG	108-88-3	Toluene	31	J	ug/L	100	20.96	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9550				
NAL13026-505	289-ST T3	ORG	108-10-1	4-Methyl-2-pentanone	1000		ug/L	500	74.00	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9550				
NAL13026-505	289-ST T3	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9550				
NAL13026-505	289-ST T3	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9550				
NAL13026-505	289-ST T3	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9550				
NAL13026-505	289-ST T3	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	68.90	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9550				
NAL13026-505	289-ST T3	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	29.90	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9550				
NAL13026-505	289-ST T3	ORG	591-78-6	2-Hexanone	220	J	ug/L	500	26.49	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9550				
NAL13026-505	289-ST T3	ORG	100-41-4	Ethylbenzene	95	J	ug/L	100	25.38	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9550				
NAL13026-505	289-ST T3	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9550				
NAL13026-505	289-ST T3	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9550				
NAL13026-505	289-ST T3	ORG	XYLMP	p&m-Xylene	270		ug/L	200	26.14	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9550				
NAL13026-505	289-ST T3	ORG	95-47-6	o-Xylene	150		ug/L	100	12.90	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9550				
NAL13026-505	289-ST T3	ORG	100-42-5	Styrene	50	J	ug/L	100	20.23	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9550				
NAL13026-505	289-ST T3	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9550				
NAL13026-505	289-ST T3	ORG	98-82-8	Isopropylbenzene	150	J	ug/L	200	20.48	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9550				
NAL13026-505	289-ST T3	ORG	103-65-1	n-Propylbenzene	110	J	ug/L	200	27.00	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9550				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-505	289-ST T3	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9550				
NAL13026-505	289-ST T3	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9550				
NAL13026-505	289-ST T3	ORG	108-67-8	1,3,5-Trimethylbenzene	290		ug/L	200	20.03	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9550				
NAL13026-505	289-ST T3	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9550				
NAL13026-505	289-ST T3	ORG	95-63-6	1,2,4-Trimethylbenzene	1200		ug/L	200	20.03	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9550				
NAL13026-505	289-ST T3	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9550				
NAL13026-505	289-ST T3	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9550				
NAL13026-505	289-ST T3	ORG	99-87-6	p-Isopropltoluene	7000		ug/L	200	25.48	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9550				
NAL13026-505	289-ST T3	ORG	106-46-7	1,4-Dichlorobenzene	1300		ug/L	200	33.03	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9550				
NAL13026-505	289-ST T3	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9550				
NAL13026-505	289-ST T3	ORG	104-51-8	n-Butylbenzene	280	J	ug/L	500	27.81	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9550				
NAL13026-505	289-ST T3	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9550				
NAL13026-505	289-ST T3	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9550				
NAL13026-505	289-ST T3	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9550				
NAL13026-505	289-ST T3	ORG	91-20-3	Naphthalene	2100		ug/L	500	56.04	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9550				
NAL13026-505	289-ST T3	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9550				
NAL13026-505	289-ST T3	STD	1868-53-7	Dibromofluoromethane	51		ng			7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9550	50	102%		
NAL13026-505	289-ST T3	STD	17060-07-0	1,2-Dichloroethane d4	53		ng			7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9550	50	106%		
NAL13026-505	289-ST T3	STD	2037-26-5	Toluene d8	47		ng			7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9550	50	94%		
NAL13026-505	289-ST T3	STD	460-00-4	Bromofluorobenzene	47		ng			7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9550	50	94%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-506	289-ST T4	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9551				
NAL13026-506	289-ST T4	ORG	74-87-3	Chloromethane		U	ug/L	500	43.07	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9551				
NAL13026-506	289-ST T4	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9551				
NAL13026-506	289-ST T4	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9551				
NAL13026-506	289-ST T4	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9551				
NAL13026-506	289-ST T4	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9551				
NAL13026-506	289-ST T4	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9551				
NAL13026-506	289-ST T4	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9551				
NAL13026-506	289-ST T4	ORG	67-64-1	Acetone	61000	D	ug/L	10000	1556.07	7/19/2013	7/19/2013	7/19/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9561				
NAL13026-506	289-ST T4	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9551				
NAL13026-506	289-ST T4	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9551				
NAL13026-506	289-ST T4	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9551				
NAL13026-506	289-ST T4	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9551				
NAL13026-506	289-ST T4	ORG	74-97-5	Bromochloromethane		U	ug/L	200	81.18	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9551				
NAL13026-506	289-ST T4	ORG	67-66-3	Chloroform		U	ug/L	100	41.37	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9551				
NAL13026-506	289-ST T4	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	15.73	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9551				
NAL13026-506	289-ST T4	ORG	78-93-3	2-Butanone	26000	D	ug/L	10000	166.52	7/19/2013	7/19/2013	7/19/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9561				
NAL13026-506	289-ST T4	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9551				
NAL13026-506	289-ST T4	ORG	71-43-2	Benzene		U	ug/L	100	13.53	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9551				
NAL13026-506	289-ST T4	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9551				
NAL13026-506	289-ST T4	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9551				
NAL13026-506	289-ST T4	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9551				
NAL13026-506	289-ST T4	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9551				
NAL13026-506	289-ST T4	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9551				
NAL13026-506	289-ST T4	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9551				
NAL13026-506	289-ST T4	ORG	108-88-3	Toluene		U	ug/L	100	20.96	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9551				
NAL13026-506	289-ST T4	ORG	108-10-1	4-Methyl-2-pentanone	940		ug/L	500	74.00	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9551				
NAL13026-506	289-ST T4	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9551				
NAL13026-506	289-ST T4	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9551				
NAL13026-506	289-ST T4	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9551				
NAL13026-506	289-ST T4	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	68.90	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9551				
NAL13026-506	289-ST T4	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	29.90	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9551				
NAL13026-506	289-ST T4	ORG	591-78-6	2-Hexanone	200	J	ug/L	500	26.49	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9551				
NAL13026-506	289-ST T4	ORG	100-41-4	Ethylbenzene		U	ug/L	100	25.38	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9551				
NAL13026-506	289-ST T4	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9551				
NAL13026-506	289-ST T4	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9551				
NAL13026-506	289-ST T4	ORG	XYLMP	p&m-Xylene	57	J	ug/L	200	26.14	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9551				
NAL13026-506	289-ST T4	ORG	95-47-6	o-Xylene	29	J	ug/L	100	12.90	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9551				
NAL13026-506	289-ST T4	ORG	100-42-5	Styrene		U	ug/L	100	20.23	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9551				
NAL13026-506	289-ST T4	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9551				
NAL13026-506	289-ST T4	ORG	98-82-8	Isopropylbenzene	41	J	ug/L	200	20.48	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9551				
NAL13026-506	289-ST T4	ORG	103-65-1	n-Propylbenzene	27	J	ug/L	200	27.00	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9551				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-506	289-ST T4	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9551				
NAL13026-506	289-ST T4	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9551				
NAL13026-506	289-ST T4	ORG	108-67-8	1,3,5-Trimethylbenzene	62	J	ug/L	200	20.03	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9551				
NAL13026-506	289-ST T4	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9551				
NAL13026-506	289-ST T4	ORG	95-63-6	1,2,4-Trimethylbenzene	250		ug/L	200	20.03	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9551				
NAL13026-506	289-ST T4	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9551				
NAL13026-506	289-ST T4	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9551				
NAL13026-506	289-ST T4	ORG	99-87-6	p-Isopropltoluene	1700		ug/L	200	25.48	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9551				
NAL13026-506	289-ST T4	ORG	106-46-7	1,4-Dichlorobenzene	310		ug/L	200	33.03	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9551				
NAL13026-506	289-ST T4	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9551				
NAL13026-506	289-ST T4	ORG	104-51-8	n-Butylbenzene		U	ug/L	500	27.81	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9551				
NAL13026-506	289-ST T4	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9551				
NAL13026-506	289-ST T4	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9551				
NAL13026-506	289-ST T4	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9551				
NAL13026-506	289-ST T4	ORG	91-20-3	Naphthalene	1100		ug/L	500	56.04	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9551				
NAL13026-506	289-ST T4	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9551				
NAL13026-506	289-ST T4	STD	1868-53-7	Dibromofluoromethane	50		ng			7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9551	50	100%		
NAL13026-506	289-ST T4	STD	17060-07-0	1,2-Dichloroethane d4	54		ng			7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9551	50	108%		
NAL13026-506	289-ST T4	STD	2037-26-5	Toluene d8	47		ng			7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9551	50	94%		
NAL13026-506	289-ST T4	STD	460-00-4	Bromofluorobenzene	46		ng			7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9551	50	92%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J071913CCVA	J071913CCVA	ORG	75-71-8	Dichlorodifluoromethane	48		ug/L	5	0.29	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9534	50	96%		
J071913CCVA	J071913CCVA	ORG	74-87-3	Chloromethane	42		ug/L	5	0.43	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9534	50	84%		
J071913CCVA	J071913CCVA	ORG	75-01-4	Vinyl chloride	49		ug/L	2	0.32	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9534	50	98%		
J071913CCVA	J071913CCVA	ORG	74-83-9	Bromomethane	63		ug/L	5	0.50	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9534	50	126%		
J071913CCVA	J071913CCVA	ORG	75-00-3	Chloroethane	72		ug/L	5	0.56	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9534	50	144%		
J071913CCVA	J071913CCVA	ORG	75-69-4	Trichlorofluoromethane	54		ug/L	5	0.20	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9534	50	108%		
J071913CCVA	J071913CCVA	ORG	75-35-4	1,1-Dichloroethene	36		ug/L	1	0.47	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9534	50	72%		
J071913CCVA	J071913CCVA	ORG	75-09-2	Methylene chloride	45		ug/L	5	0.26	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9534	50	90%		
J071913CCVA	J071913CCVA	ORG	67-64-1	Acetone	50		ug/L	10	1.56	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9534	50	100%		
J071913CCVA	J071913CCVA	ORG	156-60-5	trans-1,2-Dichloroethene	43		ug/L	1	0.56	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9534	50	86%		
J071913CCVA	J071913CCVA	ORG	1634-04-4	MTBE	55		ug/L	5	0.61	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9534	50	110%		
J071913CCVA	J071913CCVA	ORG	75-34-3	1,1-Dichloroethane	51		ug/L	1	0.53	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9534	50	102%		
J071913CCVA	J071913CCVA	ORG	156-59-2	cis-1,2-Dichloroethene	52		ug/L	1	0.32	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9534	50	104%		
J071913CCVA	J071913CCVA	ORG	74-97-5	Bromochloromethane	57		ug/L	10	0.81	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9534	50	114%		
J071913CCVA	J071913CCVA	ORG	67-66-3	Chloroform	54		ug/L	2	0.41	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9534	50	108%		
J071913CCVA	J071913CCVA	ORG	71-55-6	1,1,1-Trichloroethane	55		ug/L	1	0.16	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9534	50	110%		
J071913CCVA	J071913CCVA	ORG	78-93-3	2-Butanone	45		ug/L	1	0.17	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9534	50	90%		
J071913CCVA	J071913CCVA	ORG	56-23-5	Carbon tetrachloride	56		ug/L	1	0.28	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9534	50	112%		
J071913CCVA	J071913CCVA	ORG	71-43-2	Benzene	45		ug/L	1	0.14	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9534	50	90%		
J071913CCVA	J071913CCVA	ORG	107-06-2	1,2-Dichloroethane	57		ug/L	1	0.20	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9534	50	114%		
J071913CCVA	J071913CCVA	ORG	79-01-6	Trichloroethene	54		ug/L	1	0.36	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9534	50	108%		
J071913CCVA	J071913CCVA	ORG	74-95-3	Dibromomethane	53		ug/L	2	0.32	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9534	50	106%		
J071913CCVA	J071913CCVA	ORG	78-87-5	1,2-Dichloropropane	43		ug/L	1	0.18	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9534	50	86%		
J071913CCVA	J071913CCVA	ORG	75-27-4	Bromodichloromethane	50		ug/L	2	0.12	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9534	50	100%		
J071913CCVA	J071913CCVA	ORG	10061-01-5	cis-1,3-Dichloropropene	44		ug/L	1	0.25	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9534	50	88%		
J071913CCVA	J071913CCVA	ORG	108-88-3	Toluene	45		ug/L	5	0.74	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9534	50	90%		
J071913CCVA	J071913CCVA	ORG	108-10-1	4-Methyl-2-pentanone	40		ug/L	1	0.21	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9534	50	80%		
J071913CCVA	J071913CCVA	ORG	10061-02-6	trans-1,3-Dichloropropene	49		ug/L	1	0.31	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9534	50	98%		
J071913CCVA	J071913CCVA	ORG	127-18-4	Tetrachloroethene	41		ug/L	1	0.49	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9534	50	82%		
J071913CCVA	J071913CCVA	ORG	79-00-5	1,1,2-Trichloroethane	47		ug/L	1	0.34	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9534	50	94%		
J071913CCVA	J071913CCVA	ORG	124-48-1	Dibromochloromethane	55		ug/L	5	0.69	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9534	50	110%		
J071913CCVA	J071913CCVA	ORG	106-93-4	1,2-Dibromoethane	51		ug/L	2	0.30	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9534	50	102%		
J071913CCVA	J071913CCVA	ORG	591-78-6	2-Hexanone	45		ug/L	2	0.26	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9534	50	90%		
J071913CCVA	J071913CCVA	ORG	100-41-4	Ethylbenzene	44		ug/L	1	0.25	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9534	50	88%		
J071913CCVA	J071913CCVA	ORG	108-90-7	Chlorobenzene	46		ug/L	1	0.28	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9534	50	92%		
J071913CCVA	J071913CCVA	ORG	630-20-6	1,1,1,2-Tetrachloroethane	47		ug/L	2	0.19	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9534	50	94%		
J071913CCVA	J071913CCVA	ORG	XYLMP	p&m-Xylene	90		ug/L	2	0.26	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9534	100	90%		
J071913CCVA	J071913CCVA	ORG	95-47-6	o-Xylene	45		ug/L	1	0.13	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9534	50	90%		
J071913CCVA	J071913CCVA	ORG	100-42-5	Styrene	43		ug/L	1	0.20	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9534	50	86%		
J071913CCVA	J071913CCVA	ORG	75-25-2	Bromoform	51		ug/L	2	0.47	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9534	50	102%		
J071913CCVA	J071913CCVA	ORG	98-82-8	Isopropylbenzene	45		ug/L	2	0.20	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9534	50	90%		
J071913CCVA	J071913CCVA	ORG	103-65-1	n-Propylbenzene	46		ug/L	2	0.27	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9534	50	92%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J071913CCVA	J071913CCVA	ORG	79-34-5	1,1,2,2-Tetrachloroethane	46		ug/L	2	0.29	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9534	50	92%		
J071913CCVA	J071913CCVA	ORG	96-18-4	1,2,3-Trichloropropane	45		ug/L	2	0.29	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9534	50	90%		
J071913CCVA	J071913CCVA	ORG	108-67-8	1,3,5-Trimethylbenzene	47		ug/L	2	0.20	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9534	50	94%		
J071913CCVA	J071913CCVA	ORG	98-06-6	tert-Butylbenzene	48		ug/L	2	0.33	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9534	50	96%		
J071913CCVA	J071913CCVA	ORG	95-63-6	1,2,4-Trimethylbenzene	48		ug/L	2	0.20	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9534	50	96%		
J071913CCVA	J071913CCVA	ORG	135-98-8	sec-Butylbenzene	47		ug/L	2	0.32	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9534	50	94%		
J071913CCVA	J071913CCVA	ORG	541-73-1	1,3-Dichlorobenzene	52		ug/L	2	0.22	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9534	50	104%		
J071913CCVA	J071913CCVA	ORG	99-87-6	p-Isopropltoluene	50		ug/L	2	0.25	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9534	50	100%		
J071913CCVA	J071913CCVA	ORG	106-46-7	1,4-Dichlorobenzene	53		ug/L	2	0.33	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9534	50	106%		
J071913CCVA	J071913CCVA	ORG	95-50-1	1,2-Dichlorobenzene	52		ug/L	2	0.26	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9534	50	104%		
J071913CCVA	J071913CCVA	ORG	104-51-8	n-Butylbenzene	48		ug/L	5	0.28	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9534	50	96%		
J071913CCVA	J071913CCVA	ORG	96-12-8	1,2-Dibromo-3-chloropropane	50		ug/L	5	1.59	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9534	50	100%		
J071913CCVA	J071913CCVA	ORG	87-68-3	Hexachlorobutadiene	50		ug/L	5	0.65	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9534	50	100%		
J071913CCVA	J071913CCVA	ORG	120-82-1	1,2,4-Trichlorobenzene	54		ug/L	5	0.28	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9534	50	108%		
J071913CCVA	J071913CCVA	ORG	91-20-3	Naphthalene	51		ug/L	5	0.56	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9534	50	102%		
J071913CCVA	J071913CCVA	ORG	87-61-6	1,2,3-Trichlorobenzene	54		ug/L	5	0.23	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9534	50	108%		
J071913CCVA	J071913CCVA	STD	1868-53-7	Dibromofluoromethane	56		ng			NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9534	50	112%		
J071913CCVA	J071913CCVA	STD	17060-07-0	1,2-Dichloroethane d4	51		ng			NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9534	50	102%		
J071913CCVA	J071913CCVA	STD	2037-26-5	Toluene d8	45		ng			NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9534	50	90%		
J071913CCVA	J071913CCVA	STD	460-00-4	Bromofluorobenzene	45		ng			NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9534	50	90%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J071913MBKA	J071913MBKA	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	5	0.29	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9535				
J071913MBKA	J071913MBKA	ORG	74-87-3	Chloromethane		U	ug/L	5	0.43	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9535				
J071913MBKA	J071913MBKA	ORG	75-01-4	Vinyl chloride		U	ug/L	2	0.32	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9535				
J071913MBKA	J071913MBKA	ORG	74-83-9	Bromomethane		U	ug/L	5	0.50	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9535				
J071913MBKA	J071913MBKA	ORG	75-00-3	Chloroethane		U	ug/L	5	0.56	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9535				
J071913MBKA	J071913MBKA	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	5	0.20	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9535				
J071913MBKA	J071913MBKA	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	1	0.47	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9535				
J071913MBKA	J071913MBKA	ORG	75-09-2	Methylene chloride		U	ug/L	5	0.26	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9535				
J071913MBKA	J071913MBKA	ORG	67-64-1	Acetone		U	ug/L	10	1.56	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9535				
J071913MBKA	J071913MBKA	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	1	0.56	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9535				
J071913MBKA	J071913MBKA	ORG	1634-04-4	MTBE		U	ug/L	5	0.61	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9535				
J071913MBKA	J071913MBKA	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	1	0.53	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9535				
J071913MBKA	J071913MBKA	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	1	0.32	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9535				
J071913MBKA	J071913MBKA	ORG	74-97-5	Bromochloromethane		U	ug/L	10	0.81	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9535				
J071913MBKA	J071913MBKA	ORG	67-66-3	Chloroform		U	ug/L	2	0.41	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9535				
J071913MBKA	J071913MBKA	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	1	0.16	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9535				
J071913MBKA	J071913MBKA	ORG	78-93-3	2-Butanone		U	ug/L	1	0.17	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9535				
J071913MBKA	J071913MBKA	ORG	56-23-5	Carbon tetrachloride		U	ug/L	1	0.28	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9535				
J071913MBKA	J071913MBKA	ORG	71-43-2	Benzene		U	ug/L	1	0.14	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9535				
J071913MBKA	J071913MBKA	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	1	0.20	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9535				
J071913MBKA	J071913MBKA	ORG	79-01-6	Trichloroethene		U	ug/L	1	0.36	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9535				
J071913MBKA	J071913MBKA	ORG	74-95-3	Dibromomethane		U	ug/L	2	0.32	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9535				
J071913MBKA	J071913MBKA	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	1	0.18	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9535				
J071913MBKA	J071913MBKA	ORG	75-27-4	Bromodichloromethane		U	ug/L	2	0.12	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9535				
J071913MBKA	J071913MBKA	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	1	0.25	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9535				
J071913MBKA	J071913MBKA	ORG	108-88-3	Toluene		U	ug/L	5	0.74	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9535				
J071913MBKA	J071913MBKA	ORG	108-10-1	4-Methyl-2-pentanone		U	ug/L	1	0.21	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9535				
J071913MBKA	J071913MBKA	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	1	0.31	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9535				
J071913MBKA	J071913MBKA	ORG	127-18-4	Tetrachloroethene		U	ug/L	1	0.49	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9535				
J071913MBKA	J071913MBKA	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	1	0.34	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9535				
J071913MBKA	J071913MBKA	ORG	124-48-1	Dibromochloromethane		U	ug/L	5	0.69	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9535				
J071913MBKA	J071913MBKA	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	2	0.30	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9535				
J071913MBKA	J071913MBKA	ORG	591-78-6	2-Hexanone		U	ug/L	2	0.26	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9535				
J071913MBKA	J071913MBKA	ORG	100-41-4	Ethylbenzene		U	ug/L	1	0.25	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9535				
J071913MBKA	J071913MBKA	ORG	108-90-7	Chlorobenzene		U	ug/L	1	0.28	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9535				
J071913MBKA	J071913MBKA	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	2	0.19	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9535				
J071913MBKA	J071913MBKA	ORG	XYLMP	p&m-Xylene		U	ug/L	2	0.26	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9535				
J071913MBKA	J071913MBKA	ORG	95-47-6	o-Xylene		U	ug/L	1	0.13	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9535				
J071913MBKA	J071913MBKA	ORG	100-42-5	Styrene		U	ug/L	1	0.20	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9535				
J071913MBKA	J071913MBKA	ORG	75-25-2	Bromoform		U	ug/L	2	0.47	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9535				
J071913MBKA	J071913MBKA	ORG	98-82-8	Isopropylbenzene		U	ug/L	2	0.20	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9535				
J071913MBKA	J071913MBKA	ORG	103-65-1	n-Propylbenzene		U	ug/L	2	0.27	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9535				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J071913MBKA	J071913MBKA	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	2	0.29	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9535				
J071913MBKA	J071913MBKA	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	2	0.29	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9535				
J071913MBKA	J071913MBKA	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	2	0.20	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9535				
J071913MBKA	J071913MBKA	ORG	98-06-6	tert-Butylbenzene		U	ug/L	2	0.33	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9535				
J071913MBKA	J071913MBKA	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	2	0.20	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9535				
J071913MBKA	J071913MBKA	ORG	135-98-8	sec-Butylbenzene		U	ug/L	2	0.32	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9535				
J071913MBKA	J071913MBKA	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	2	0.22	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9535				
J071913MBKA	J071913MBKA	ORG	99-87-6	p-Isopropltoluene		U	ug/L	2	0.25	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9535				
J071913MBKA	J071913MBKA	ORG	106-46-7	1,4-Dichlorobenzene		U	ug/L	2	0.33	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9535				
J071913MBKA	J071913MBKA	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	2	0.26	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9535				
J071913MBKA	J071913MBKA	ORG	104-51-8	n-Butylbenzene		U	ug/L	5	0.28	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9535				
J071913MBKA	J071913MBKA	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	5	1.59	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9535				
J071913MBKA	J071913MBKA	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	5	0.65	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9535				
J071913MBKA	J071913MBKA	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	5	0.28	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9535				
J071913MBKA	J071913MBKA	ORG	91-20-3	Naphthalene		U	ug/L	5	0.56	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9535				
J071913MBKA	J071913MBKA	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	5	0.23	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9535				
J071913MBKA	J071913MBKA	STD	1868-53-7	Dibromofluoromethane	55		ng			NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9535	50	110%		
J071913MBKA	J071913MBKA	STD	17060-07-0	1,2-Dichloroethane d4	58		ng			NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9535	50	116%		
J071913MBKA	J071913MBKA	STD	2037-26-5	Toluene d8	45		ng			NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9535	50	90%		
J071913MBKA	J071913MBKA	STD	460-00-4	Bromofluorobenzene	45		ng			NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9535	50	90%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J071913CCVB	J071913CCVB	ORG	75-71-8	Dichlorodifluoromethane	41		ug/L	5	0.29	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9545	50	82%		
J071913CCVB	J071913CCVB	ORG	74-87-3	Chloromethane	45		ug/L	5	0.43	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9545	50	90%		
J071913CCVB	J071913CCVB	ORG	75-01-4	Vinyl chloride	43		ug/L	2	0.32	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9545	50	86%		
J071913CCVB	J071913CCVB	ORG	74-83-9	Bromomethane	67		ug/L	5	0.50	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9545	50	134%		
J071913CCVB	J071913CCVB	ORG	75-00-3	Chloroethane	65		ug/L	5	0.56	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9545	50	130%		
J071913CCVB	J071913CCVB	ORG	75-69-4	Trichlorofluoromethane	57		ug/L	5	0.20	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9545	50	114%		
J071913CCVB	J071913CCVB	ORG	75-35-4	1,1-Dichloroethene	58		ug/L	1	0.47	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9545	50	116%		
J071913CCVB	J071913CCVB	ORG	75-09-2	Methylene chloride	55		ug/L	5	0.26	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9545	50	110%		
J071913CCVB	J071913CCVB	ORG	67-64-1	Acetone	56		ug/L	10	1.56	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9545	50	112%		
J071913CCVB	J071913CCVB	ORG	156-60-5	trans-1,2-Dichloroethene	58		ug/L	1	0.56	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9545	50	116%		
J071913CCVB	J071913CCVB	ORG	1634-04-4	MTBE	52		ug/L	5	0.61	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9545	50	104%		
J071913CCVB	J071913CCVB	ORG	75-34-3	1,1-Dichloroethane	46		ug/L	1	0.53	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9545	50	92%		
J071913CCVB	J071913CCVB	ORG	156-59-2	cis-1,2-Dichloroethene	55		ug/L	1	0.32	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9545	50	110%		
J071913CCVB	J071913CCVB	ORG	74-97-5	Bromochloromethane	59		ug/L	10	0.81	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9545	50	118%		
J071913CCVB	J071913CCVB	ORG	67-66-3	Chloroform	53		ug/L	2	0.41	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9545	50	106%		
J071913CCVB	J071913CCVB	ORG	71-55-6	1,1,1-Trichloroethane	55		ug/L	1	0.16	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9545	50	110%		
J071913CCVB	J071913CCVB	ORG	78-93-3	2-Butanone	55		ug/L	1	0.17	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9545	50	110%		
J071913CCVB	J071913CCVB	ORG	56-23-5	Carbon tetrachloride	57		ug/L	1	0.28	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9545	50	114%		
J071913CCVB	J071913CCVB	ORG	71-43-2	Benzene	50		ug/L	1	0.14	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9545	50	100%		
J071913CCVB	J071913CCVB	ORG	107-06-2	1,2-Dichloroethane	54		ug/L	1	0.20	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9545	50	108%		
J071913CCVB	J071913CCVB	ORG	79-01-6	Trichloroethene	56		ug/L	1	0.36	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9545	50	112%		
J071913CCVB	J071913CCVB	ORG	74-95-3	Dibromomethane	57		ug/L	2	0.32	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9545	50	114%		
J071913CCVB	J071913CCVB	ORG	78-87-5	1,2-Dichloropropane	46		ug/L	1	0.18	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9545	50	92%		
J071913CCVB	J071913CCVB	ORG	75-27-4	Bromodichloromethane	52		ug/L	2	0.12	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9545	50	104%		
J071913CCVB	J071913CCVB	ORG	10061-01-5	cis-1,3-Dichloropropene	48		ug/L	1	0.25	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9545	50	96%		
J071913CCVB	J071913CCVB	ORG	108-88-3	Toluene	49		ug/L	5	0.74	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9545	50	98%		
J071913CCVB	J071913CCVB	ORG	108-10-1	4-Methyl-2-pentanone	51		ug/L	1	0.21	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9545	50	102%		
J071913CCVB	J071913CCVB	ORG	10061-02-6	trans-1,3-Dichloropropene	53		ug/L	1	0.31	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9545	50	106%		
J071913CCVB	J071913CCVB	ORG	127-18-4	Tetrachloroethene	42		ug/L	1	0.49	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9545	50	84%		
J071913CCVB	J071913CCVB	ORG	79-00-5	1,1,2-Trichloroethane	52		ug/L	1	0.34	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9545	50	104%		
J071913CCVB	J071913CCVB	ORG	124-48-1	Dibromochloromethane	57		ug/L	5	0.69	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9545	50	114%		
J071913CCVB	J071913CCVB	ORG	106-93-4	1,2-Dibromoethane	56		ug/L	2	0.30	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9545	50	112%		
J071913CCVB	J071913CCVB	ORG	591-78-6	2-Hexanone	58		ug/L	2	0.26	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9545	50	116%		
J071913CCVB	J071913CCVB	ORG	100-41-4	Ethylbenzene	47		ug/L	1	0.25	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9545	50	94%		
J071913CCVB	J071913CCVB	ORG	108-90-7	Chlorobenzene	48		ug/L	1	0.28	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9545	50	96%		
J071913CCVB	J071913CCVB	ORG	630-20-6	1,1,1,2-Tetrachloroethane	48		ug/L	2	0.19	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9545	50	96%		
J071913CCVB	J071913CCVB	ORG	XYLMP	p&m-Xylene	95		ug/L	2	0.26	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9545	100	95%		
J071913CCVB	J071913CCVB	ORG	95-47-6	o-Xylene	45		ug/L	1	0.13	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9545	50	90%		
J071913CCVB	J071913CCVB	ORG	100-42-5	Styrene	46		ug/L	1	0.20	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9545	50	92%		
J071913CCVB	J071913CCVB	ORG	75-25-2	Bromoform	59		ug/L	2	0.47	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9545	50	118%		
J071913CCVB	J071913CCVB	ORG	98-82-8	Isopropylbenzene	49		ug/L	2	0.20	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9545	50	98%		
J071913CCVB	J071913CCVB	ORG	103-65-1	n-Propylbenzene	49		ug/L	2	0.27	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9545	50	98%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J071913CCVB	J071913CCVB	ORG	79-34-5	1,1,2,2-Tetrachloroethane	60		ug/L	2	0.29	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9545	50	120%		
J071913CCVB	J071913CCVB	ORG	96-18-4	1,2,3-Trichloropropane	54		ug/L	2	0.29	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9545	50	108%		
J071913CCVB	J071913CCVB	ORG	108-67-8	1,3,5-Trimethylbenzene	49		ug/L	2	0.20	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9545	50	98%		
J071913CCVB	J071913CCVB	ORG	98-06-6	tert-Butylbenzene	51		ug/L	2	0.33	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9545	50	102%		
J071913CCVB	J071913CCVB	ORG	95-63-6	1,2,4-Trimethylbenzene	49		ug/L	2	0.20	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9545	50	98%		
J071913CCVB	J071913CCVB	ORG	135-98-8	sec-Butylbenzene	50		ug/L	2	0.32	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9545	50	100%		
J071913CCVB	J071913CCVB	ORG	541-73-1	1,3-Dichlorobenzene	54		ug/L	2	0.22	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9545	50	108%		
J071913CCVB	J071913CCVB	ORG	99-87-6	p-Isopropltoluene	52		ug/L	2	0.25	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9545	50	104%		
J071913CCVB	J071913CCVB	ORG	106-46-7	1,4-Dichlorobenzene	54		ug/L	2	0.33	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9545	50	108%		
J071913CCVB	J071913CCVB	ORG	95-50-1	1,2-Dichlorobenzene	57		ug/L	2	0.26	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9545	50	114%		
J071913CCVB	J071913CCVB	ORG	104-51-8	n-Butylbenzene	50		ug/L	5	0.28	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9545	50	100%		
J071913CCVB	J071913CCVB	ORG	96-12-8	1,2-Dibromo-3-chloropropane	60		ug/L	5	1.59	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9545	50	120%		
J071913CCVB	J071913CCVB	ORG	87-68-3	Hexachlorobutadiene	51		ug/L	5	0.65	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9545	50	102%		
J071913CCVB	J071913CCVB	ORG	120-82-1	1,2,4-Trichlorobenzene	53		ug/L	5	0.28	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9545	50	106%		
J071913CCVB	J071913CCVB	ORG	91-20-3	Naphthalene	53		ug/L	5	0.56	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9545	50	106%		
J071913CCVB	J071913CCVB	ORG	87-61-6	1,2,3-Trichlorobenzene	51		ug/L	5	0.23	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9545	50	102%		
J071913CCVB	J071913CCVB	STD	1868-53-7	Dibromofluoromethane	52		ng			NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9545	50	104%		
J071913CCVB	J071913CCVB	STD	17060-07-0	1,2-Dichloroethane d4	50		ng			NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9545	50	100%		
J071913CCVB	J071913CCVB	STD	2037-26-5	Toluene d8	46		ng			NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9545	50	92%		
J071913CCVB	J071913CCVB	STD	460-00-4	Bromofluorobenzene	47		ng			NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9545	50	94%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J071913MBKB	J071913MBKB	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	5	0.29	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9546				
J071913MBKB	J071913MBKB	ORG	74-87-3	Chloromethane		U	ug/L	5	0.43	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9546				
J071913MBKB	J071913MBKB	ORG	75-01-4	Vinyl chloride		U	ug/L	2	0.32	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9546				
J071913MBKB	J071913MBKB	ORG	74-83-9	Bromomethane		U	ug/L	5	0.50	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9546				
J071913MBKB	J071913MBKB	ORG	75-00-3	Chloroethane		U	ug/L	5	0.56	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9546				
J071913MBKB	J071913MBKB	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	5	0.20	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9546				
J071913MBKB	J071913MBKB	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	1	0.47	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9546				
J071913MBKB	J071913MBKB	ORG	75-09-2	Methylene chloride		U	ug/L	5	0.26	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9546				
J071913MBKB	J071913MBKB	ORG	67-64-1	Acetone		U	ug/L	10	1.56	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9546				
J071913MBKB	J071913MBKB	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	1	0.56	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9546				
J071913MBKB	J071913MBKB	ORG	1634-04-4	MTBE		U	ug/L	5	0.61	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9546				
J071913MBKB	J071913MBKB	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	1	0.53	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9546				
J071913MBKB	J071913MBKB	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	1	0.32	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9546				
J071913MBKB	J071913MBKB	ORG	74-97-5	Bromochloromethane		U	ug/L	10	0.81	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9546				
J071913MBKB	J071913MBKB	ORG	67-66-3	Chloroform		U	ug/L	2	0.41	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9546				
J071913MBKB	J071913MBKB	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	1	0.16	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9546				
J071913MBKB	J071913MBKB	ORG	78-93-3	2-Butanone		U	ug/L	1	0.17	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9546				
J071913MBKB	J071913MBKB	ORG	56-23-5	Carbon tetrachloride		U	ug/L	1	0.28	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9546				
J071913MBKB	J071913MBKB	ORG	71-43-2	Benzene		U	ug/L	1	0.14	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9546				
J071913MBKB	J071913MBKB	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	1	0.20	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9546				
J071913MBKB	J071913MBKB	ORG	79-01-6	Trichloroethene		U	ug/L	1	0.36	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9546				
J071913MBKB	J071913MBKB	ORG	74-95-3	Dibromomethane		U	ug/L	2	0.32	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9546				
J071913MBKB	J071913MBKB	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	1	0.18	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9546				
J071913MBKB	J071913MBKB	ORG	75-27-4	Bromodichloromethane		U	ug/L	2	0.12	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9546				
J071913MBKB	J071913MBKB	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	1	0.25	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9546				
J071913MBKB	J071913MBKB	ORG	108-88-3	Toluene		U	ug/L	5	0.74	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9546				
J071913MBKB	J071913MBKB	ORG	108-10-1	4-Methyl-2-pentanone		U	ug/L	1	0.21	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9546				
J071913MBKB	J071913MBKB	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	1	0.31	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9546				
J071913MBKB	J071913MBKB	ORG	127-18-4	Tetrachloroethene		U	ug/L	1	0.49	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9546				
J071913MBKB	J071913MBKB	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	1	0.34	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9546				
J071913MBKB	J071913MBKB	ORG	124-48-1	Dibromochloromethane		U	ug/L	5	0.69	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9546				
J071913MBKB	J071913MBKB	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	2	0.30	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9546				
J071913MBKB	J071913MBKB	ORG	591-78-6	2-Hexanone		U	ug/L	2	0.26	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9546				
J071913MBKB	J071913MBKB	ORG	100-41-4	Ethylbenzene		U	ug/L	1	0.25	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9546				
J071913MBKB	J071913MBKB	ORG	108-90-7	Chlorobenzene		U	ug/L	1	0.28	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9546				
J071913MBKB	J071913MBKB	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	2	0.19	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9546				
J071913MBKB	J071913MBKB	ORG	XYLMP	p&m-Xylene		U	ug/L	2	0.26	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9546				
J071913MBKB	J071913MBKB	ORG	95-47-6	o-Xylene		U	ug/L	1	0.13	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9546				
J071913MBKB	J071913MBKB	ORG	100-42-5	Styrene		U	ug/L	1	0.20	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9546				
J071913MBKB	J071913MBKB	ORG	75-25-2	Bromoform		U	ug/L	2	0.47	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9546				
J071913MBKB	J071913MBKB	ORG	98-82-8	Isopropylbenzene		U	ug/L	2	0.20	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9546				
J071913MBKB	J071913MBKB	ORG	103-65-1	n-Propylbenzene		U	ug/L	2	0.27	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9546				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J071913MBKB	J071913MBKB	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	2	0.29	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9546				
J071913MBKB	J071913MBKB	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	2	0.29	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9546				
J071913MBKB	J071913MBKB	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	2	0.20	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9546				
J071913MBKB	J071913MBKB	ORG	98-06-6	tert-Butylbenzene		U	ug/L	2	0.33	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9546				
J071913MBKB	J071913MBKB	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	2	0.20	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9546				
J071913MBKB	J071913MBKB	ORG	135-98-8	sec-Butylbenzene		U	ug/L	2	0.32	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9546				
J071913MBKB	J071913MBKB	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	2	0.22	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9546				
J071913MBKB	J071913MBKB	ORG	99-87-6	p-Isopropltoluene		U	ug/L	2	0.25	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9546				
J071913MBKB	J071913MBKB	ORG	106-46-7	1,4-Dichlorobenzene		U	ug/L	2	0.33	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9546				
J071913MBKB	J071913MBKB	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	2	0.26	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9546				
J071913MBKB	J071913MBKB	ORG	104-51-8	n-Butylbenzene		U	ug/L	5	0.28	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9546				
J071913MBKB	J071913MBKB	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	5	1.59	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9546				
J071913MBKB	J071913MBKB	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	5	0.65	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9546				
J071913MBKB	J071913MBKB	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	5	0.28	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9546				
J071913MBKB	J071913MBKB	ORG	91-20-3	Naphthalene		U	ug/L	5	0.56	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9546				
J071913MBKB	J071913MBKB	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	5	0.23	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9546				
J071913MBKB	J071913MBKB	STD	1868-53-7	Dibromofluoromethane	50		ng			NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9546	50	100%		
J071913MBKB	J071913MBKB	STD	17060-07-0	1,2-Dichloroethane d4	51		ng			NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9546	50	102%		
J071913MBKB	J071913MBKB	STD	2037-26-5	Toluene d8	48		ng			NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9546	50	96%		
J071913MBKB	J071913MBKB	STD	460-00-4	Bromofluorobenzene	45		ng			NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9546	50	90%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J071913ALCS	J071913ALCS	ORG	75-71-8	Dichlorodifluoromethane	43		ug/L	5	0.29	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9538	50	86%		
J071913ALCS	J071913ALCS	ORG	74-87-3	Chloromethane	39		ug/L	5	0.43	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9538	50	78%		
J071913ALCS	J071913ALCS	ORG	75-01-4	Vinyl chloride	39		ug/L	2	0.32	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9538	50	78%		
J071913ALCS	J071913ALCS	ORG	74-83-9	Bromomethane	61		ug/L	5	0.50	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9538	50	122%		
J071913ALCS	J071913ALCS	ORG	75-00-3	Chloroethane	71		ug/L	5	0.56	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9538	50	142%		
J071913ALCS	J071913ALCS	ORG	75-69-4	Trichlorofluoromethane	46		ug/L	5	0.20	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9538	50	92%		
J071913ALCS	J071913ALCS	ORG	75-35-4	1,1-Dichloroethene	36		ug/L	1	0.47	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9538	50	72%		
J071913ALCS	J071913ALCS	ORG	75-09-2	Methylene chloride	46		ug/L	5	0.26	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9538	50	92%		
J071913ALCS	J071913ALCS	ORG	67-64-1	Acetone	61		ug/L	10	1.56	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9538	50	122%		
J071913ALCS	J071913ALCS	ORG	156-60-5	trans-1,2-Dichloroethene	44		ug/L	1	0.56	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9538	50	88%		
J071913ALCS	J071913ALCS	ORG	1634-04-4	MTBE	58		ug/L	5	0.61	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9538	50	116%		
J071913ALCS	J071913ALCS	ORG	75-34-3	1,1-Dichloroethane	49		ug/L	1	0.53	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9538	50	98%		
J071913ALCS	J071913ALCS	ORG	156-59-2	cis-1,2-Dichloroethene	52		ug/L	1	0.32	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9538	50	104%		
J071913ALCS	J071913ALCS	ORG	74-97-5	Bromochloromethane	56		ug/L	10	0.81	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9538	50	112%		
J071913ALCS	J071913ALCS	ORG	67-66-3	Chloroform	55		ug/L	2	0.41	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9538	50	110%		
J071913ALCS	J071913ALCS	ORG	71-55-6	1,1,1-Trichloroethane	54		ug/L	1	0.16	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9538	50	108%		
J071913ALCS	J071913ALCS	ORG	78-93-3	2-Butanone	51		ug/L	1	0.17	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9538	50	102%		
J071913ALCS	J071913ALCS	ORG	56-23-5	Carbon tetrachloride	55		ug/L	1	0.28	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9538	50	110%		
J071913ALCS	J071913ALCS	ORG	71-43-2	Benzene	44		ug/L	1	0.14	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9538	50	88%		
J071913ALCS	J071913ALCS	ORG	107-06-2	1,2-Dichloroethane	55		ug/L	1	0.20	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9538	50	110%		
J071913ALCS	J071913ALCS	ORG	79-01-6	Trichloroethene	53		ug/L	1	0.36	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9538	50	106%		
J071913ALCS	J071913ALCS	ORG	74-95-3	Dibromomethane	55		ug/L	2	0.32	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9538	50	110%		
J071913ALCS	J071913ALCS	ORG	78-87-5	1,2-Dichloropropane	41		ug/L	1	0.18	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9538	50	82%		
J071913ALCS	J071913ALCS	ORG	75-27-4	Bromodichloromethane	48		ug/L	2	0.12	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9538	50	96%		
J071913ALCS	J071913ALCS	ORG	10061-01-5	cis-1,3-Dichloropropene	43		ug/L	1	0.25	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9538	50	86%		
J071913ALCS	J071913ALCS	ORG	108-88-3	Toluene	44		ug/L	5	0.74	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9538	50	88%		
J071913ALCS	J071913ALCS	ORG	108-10-1	4-Methyl-2-pentanone	41		ug/L	1	0.21	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9538	50	82%		
J071913ALCS	J071913ALCS	ORG	10061-02-6	trans-1,3-Dichloropropene	49		ug/L	1	0.31	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9538	50	98%		
J071913ALCS	J071913ALCS	ORG	127-18-4	Tetrachloroethene	45		ug/L	1	0.49	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9538	50	90%		
J071913ALCS	J071913ALCS	ORG	79-00-5	1,1,2-Trichloroethane	48		ug/L	1	0.34	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9538	50	96%		
J071913ALCS	J071913ALCS	ORG	124-48-1	Dibromochloromethane	55		ug/L	5	0.69	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9538	50	110%		
J071913ALCS	J071913ALCS	ORG	106-93-4	1,2-Dibromoethane	52		ug/L	2	0.30	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9538	50	104%		
J071913ALCS	J071913ALCS	ORG	591-78-6	2-Hexanone	48		ug/L	2	0.26	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9538	50	96%		
J071913ALCS	J071913ALCS	ORG	100-41-4	Ethylbenzene	39		ug/L	1	0.25	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9538	50	78%		
J071913ALCS	J071913ALCS	ORG	108-90-7	Chlorobenzene	42		ug/L	1	0.28	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9538	50	84%		
J071913ALCS	J071913ALCS	ORG	630-20-6	1,1,1,2-Tetrachloroethane	42		ug/L	2	0.19	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9538	50	84%		
J071913ALCS	J071913ALCS	ORG	XYLMP	p&m-Xylene	80		ug/L	2	0.26	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9538	100	80%		
J071913ALCS	J071913ALCS	ORG	95-47-6	o-Xylene	41		ug/L	1	0.13	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9538	50	82%		
J071913ALCS	J071913ALCS	ORG	100-42-5	Styrene	39		ug/L	1	0.20	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9538	50	78%		
J071913ALCS	J071913ALCS	ORG	75-25-2	Bromoform	50		ug/L	2	0.47	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9538	50	100%		
J071913ALCS	J071913ALCS	ORG	98-82-8	Isopropylbenzene	42		ug/L	2	0.20	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9538	50	84%		
J071913ALCS	J071913ALCS	ORG	103-65-1	n-Propylbenzene	42		ug/L	2	0.27	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9538	50	84%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J071913ALCS	J071913ALCS	ORG	79-34-5	1,1,2,2-Tetrachloroethane	48		ug/L	2	0.29	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9538	50	96%		
J071913ALCS	J071913ALCS	ORG	96-18-4	1,2,3-Trichloropropane	47		ug/L	2	0.29	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9538	50	94%		
J071913ALCS	J071913ALCS	ORG	108-67-8	1,3,5-Trimethylbenzene	44		ug/L	2	0.20	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9538	50	88%		
J071913ALCS	J071913ALCS	ORG	98-06-6	tert-Butylbenzene	46		ug/L	2	0.33	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9538	50	92%		
J071913ALCS	J071913ALCS	ORG	95-63-6	1,2,4-Trimethylbenzene	44		ug/L	2	0.20	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9538	50	88%		
J071913ALCS	J071913ALCS	ORG	135-98-8	sec-Butylbenzene	44		ug/L	2	0.32	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9538	50	88%		
J071913ALCS	J071913ALCS	ORG	541-73-1	1,3-Dichlorobenzene	50		ug/L	2	0.22	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9538	50	100%		
J071913ALCS	J071913ALCS	ORG	99-87-6	p-Isopropltoluene	47		ug/L	2	0.25	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9538	50	94%		
J071913ALCS	J071913ALCS	ORG	106-46-7	1,4-Dichlorobenzene	51		ug/L	2	0.33	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9538	50	102%		
J071913ALCS	J071913ALCS	ORG	95-50-1	1,2-Dichlorobenzene	50		ug/L	2	0.26	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9538	50	100%		
J071913ALCS	J071913ALCS	ORG	104-51-8	n-Butylbenzene	44		ug/L	5	0.28	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9538	50	88%		
J071913ALCS	J071913ALCS	ORG	96-12-8	1,2-Dibromo-3-chloropropane	52		ug/L	5	1.59	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9538	50	104%		
J071913ALCS	J071913ALCS	ORG	87-68-3	Hexachlorobutadiene	46		ug/L	5	0.65	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9538	50	92%		
J071913ALCS	J071913ALCS	ORG	120-82-1	1,2,4-Trichlorobenzene	50		ug/L	5	0.28	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9538	50	100%		
J071913ALCS	J071913ALCS	ORG	91-20-3	Naphthalene	49		ug/L	5	0.56	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9538	50	98%		
J071913ALCS	J071913ALCS	ORG	87-61-6	1,2,3-Trichlorobenzene	48		ug/L	5	0.23	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9538	50	96%		
J071913ALCS	J071913ALCS	STD	1868-53-7	Dibromofluoromethane	57		ng			NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9538	50	114%		
J071913ALCS	J071913ALCS	STD	17060-07-0	1,2-Dichloroethane d4	57		ng			NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9538	50	114%		
J071913ALCS	J071913ALCS	STD	2037-26-5	Toluene d8	45		ng			NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9538	50	90%		
J071913ALCS	J071913ALCS	STD	460-00-4	Bromofluorobenzene	44		ng			NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9538	50	88%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J071913ALCD	J071913ALCD	ORG	75-71-8	Dichlorodifluoromethane	40		ug/L	5	0.29	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9539	50	80%	7%	
J071913ALCD	J071913ALCD	ORG	74-87-3	Chloromethane	38		ug/L	5	0.43	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9539	50	76%	3%	
J071913ALCD	J071913ALCD	ORG	75-01-4	Vinyl chloride	43		ug/L	2	0.32	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9539	50	86%	10%	
J071913ALCD	J071913ALCD	ORG	74-83-9	Bromomethane	60		ug/L	5	0.50	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9539	50	120%	2%	
J071913ALCD	J071913ALCD	ORG	75-00-3	Chloroethane	65		ug/L	5	0.56	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9539	50	130%	9%	
J071913ALCD	J071913ALCD	ORG	75-69-4	Trichlorofluoromethane	44		ug/L	5	0.20	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9539	50	88%	4%	
J071913ALCD	J071913ALCD	ORG	75-35-4	1,1-Dichloroethene	35		ug/L	1	0.47	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9539	50	70%	3%	
J071913ALCD	J071913ALCD	ORG	75-09-2	Methylene chloride	43		ug/L	5	0.26	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9539	50	86%	7%	
J071913ALCD	J071913ALCD	ORG	67-64-1	Acetone	62		ug/L	10	1.56	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9539	50	124%	2%	
J071913ALCD	J071913ALCD	ORG	156-60-5	trans-1,2-Dichloroethene	41		ug/L	1	0.56	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9539	50	82%	7%	
J071913ALCD	J071913ALCD	ORG	1634-04-4	MTBE	62		ug/L	5	0.61	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9539	50	124%	7%	
J071913ALCD	J071913ALCD	ORG	75-34-3	1,1-Dichloroethane	47		ug/L	1	0.53	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9539	50	94%	4%	
J071913ALCD	J071913ALCD	ORG	156-59-2	cis-1,2-Dichloroethene	50		ug/L	1	0.32	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9539	50	100%	4%	
J071913ALCD	J071913ALCD	ORG	74-97-5	Bromochloromethane	55		ug/L	10	0.81	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9539	50	110%	2%	
J071913ALCD	J071913ALCD	ORG	67-66-3	Chloroform	53		ug/L	2	0.41	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9539	50	106%	4%	
J071913ALCD	J071913ALCD	ORG	71-55-6	1,1,1-Trichloroethane	52		ug/L	1	0.16	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9539	50	104%	4%	
J071913ALCD	J071913ALCD	ORG	78-93-3	2-Butanone	62		ug/L	1	0.17	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9539	50	124%	19%	
J071913ALCD	J071913ALCD	ORG	56-23-5	Carbon tetrachloride	52		ug/L	1	0.28	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9539	50	104%	6%	
J071913ALCD	J071913ALCD	ORG	71-43-2	Benzene	42		ug/L	1	0.14	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9539	50	84%	5%	
J071913ALCD	J071913ALCD	ORG	107-06-2	1,2-Dichloroethane	56		ug/L	1	0.20	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9539	50	112%	2%	
J071913ALCD	J071913ALCD	ORG	79-01-6	Trichloroethene	52		ug/L	1	0.36	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9539	50	104%	2%	
J071913ALCD	J071913ALCD	ORG	74-95-3	Dibromomethane	56		ug/L	2	0.32	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9539	50	112%	2%	
J071913ALCD	J071913ALCD	ORG	78-87-5	1,2-Dichloropropane	41		ug/L	1	0.18	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9539	50	82%	0%	
J071913ALCD	J071913ALCD	ORG	75-27-4	Bromodichloromethane	48		ug/L	2	0.12	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9539	50	96%	0%	
J071913ALCD	J071913ALCD	ORG	10061-01-5	cis-1,3-Dichloropropene	44		ug/L	1	0.25	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9539	50	88%	2%	
J071913ALCD	J071913ALCD	ORG	108-88-3	Toluene	42		ug/L	5	0.74	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9539	50	84%	5%	
J071913ALCD	J071913ALCD	ORG	108-10-1	4-Methyl-2-pentanone	50		ug/L	1	0.21	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9539	50	100%	20%	
J071913ALCD	J071913ALCD	ORG	10061-02-6	trans-1,3-Dichloropropene	49		ug/L	1	0.31	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9539	50	98%	0%	
J071913ALCD	J071913ALCD	ORG	127-18-4	Tetrachloroethene	46		ug/L	1	0.49	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9539	50	92%	2%	
J071913ALCD	J071913ALCD	ORG	79-00-5	1,1,2-Trichloroethane	48		ug/L	1	0.34	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9539	50	96%	0%	
J071913ALCD	J071913ALCD	ORG	124-48-1	Dibromochloromethane	55		ug/L	5	0.69	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9539	50	110%	0%	
J071913ALCD	J071913ALCD	ORG	106-93-4	1,2-Dibromoethane	53		ug/L	2	0.30	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9539	50	106%	2%	
J071913ALCD	J071913ALCD	ORG	591-78-6	2-Hexanone	56		ug/L	2	0.26	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9539	50	112%	15%	
J071913ALCD	J071913ALCD	ORG	100-41-4	Ethylbenzene	41		ug/L	1	0.25	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9539	50	82%	5%	
J071913ALCD	J071913ALCD	ORG	108-90-7	Chlorobenzene	43		ug/L	1	0.28	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9539	50	86%	2%	
J071913ALCD	J071913ALCD	ORG	630-20-6	1,1,1,2-Tetrachloroethane	44		ug/L	2	0.19	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9539	50	88%	5%	
J071913ALCD	J071913ALCD	ORG	XYLMP	p&m-Xylene	84		ug/L	2	0.26	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9539	100	84%	5%	
J071913ALCD	J071913ALCD	ORG	95-47-6	o-Xylene	41		ug/L	1	0.13	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9539	50	82%	0%	
J071913ALCD	J071913ALCD	ORG	100-42-5	Styrene	42		ug/L	1	0.20	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9539	50	84%	7%	
J071913ALCD	J071913ALCD	ORG	75-25-2	Bromoform	54		ug/L	2	0.47	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9539	50	108%	8%	
J071913ALCD	J071913ALCD	ORG	98-82-8	Isopropylbenzene	45		ug/L	2	0.20	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9539	50	90%	7%	
J071913ALCD	J071913ALCD	ORG	103-65-1	n-Propylbenzene	44		ug/L	2	0.27	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9539	50	88%	5%	

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J071913ALCD	J071913ALCD	ORG	79-34-5	1,1,2,2-Tetrachloroethane	51		ug/L	2	0.29	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9539	50	102%	6%	
J071913ALCD	J071913ALCD	ORG	96-18-4	1,2,3-Trichloropropane	51		ug/L	2	0.29	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9539	50	102%	8%	
J071913ALCD	J071913ALCD	ORG	108-67-8	1,3,5-Trimethylbenzene	46		ug/L	2	0.20	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9539	50	92%	4%	
J071913ALCD	J071913ALCD	ORG	98-06-6	tert-Butylbenzene	48		ug/L	2	0.33	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9539	50	96%	4%	
J071913ALCD	J071913ALCD	ORG	95-63-6	1,2,4-Trimethylbenzene	46		ug/L	2	0.20	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9539	50	92%	4%	
J071913ALCD	J071913ALCD	ORG	135-98-8	sec-Butylbenzene	46		ug/L	2	0.32	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9539	50	92%	4%	
J071913ALCD	J071913ALCD	ORG	541-73-1	1,3-Dichlorobenzene	48		ug/L	2	0.22	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9539	50	96%	4%	
J071913ALCD	J071913ALCD	ORG	99-87-6	p-Isopropltoluene	48		ug/L	2	0.25	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9539	50	96%	2%	
J071913ALCD	J071913ALCD	ORG	106-46-7	1,4-Dichlorobenzene	48		ug/L	2	0.33	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9539	50	96%	6%	
J071913ALCD	J071913ALCD	ORG	95-50-1	1,2-Dichlorobenzene	49		ug/L	2	0.26	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9539	50	98%	2%	
J071913ALCD	J071913ALCD	ORG	104-51-8	n-Butylbenzene	45		ug/L	5	0.28	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9539	50	90%	2%	
J071913ALCD	J071913ALCD	ORG	96-12-8	1,2-Dibromo-3-chloropropane	62		ug/L	5	1.59	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9539	50	124%	18%	
J071913ALCD	J071913ALCD	ORG	87-68-3	Hexachlorobutadiene	46		ug/L	5	0.65	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9539	50	92%	0%	
J071913ALCD	J071913ALCD	ORG	120-82-1	1,2,4-Trichlorobenzene	47		ug/L	5	0.28	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9539	50	94%	6%	
J071913ALCD	J071913ALCD	ORG	91-20-3	Naphthalene	55		ug/L	5	0.56	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9539	50	110%	12%	
J071913ALCD	J071913ALCD	ORG	87-61-6	1,2,3-Trichlorobenzene	50		ug/L	5	0.23	NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9539	50	100%	4%	
J071913ALCD	J071913ALCD	STD	1868-53-7	Dibromofluoromethane	56		ng			NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9539	50	112%	2%	
J071913ALCD	J071913ALCD	STD	17060-07-0	1,2-Dichloroethane d4	57		ng			NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9539	50	114%	0%	
J071913ALCD	J071913ALCD	STD	2037-26-5	Toluene d8	46		ng			NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9539	50	92%	2%	
J071913ALCD	J071913ALCD	STD	460-00-4	Bromofluorobenzene	47		ng			NA	7/19/2013	7/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9539	50	94%	7%	

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-498MS	316-018	ORG	75-71-8	Dichlorodifluoromethane	3200		ug/L	500	29.28	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9552	5000	64%		
NAL13026-498MS	316-018	ORG	74-87-3	Chloromethane	2600		ug/L	500	43.07	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9552	5000	52%		
NAL13026-498MS	316-018	ORG	75-01-4	Vinyl chloride	4000		ug/L	200	31.86	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9552	5000	80%		
NAL13026-498MS	316-018	ORG	74-83-9	Bromomethane	5200		ug/L	500	50.04	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9552	5000	104%		
NAL13026-498MS	316-018	ORG	75-00-3	Chloroethane	5600		ug/L	500	55.61	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9552	5000	112%		
NAL13026-498MS	316-018	ORG	75-69-4	Trichlorofluoromethane	5100		ug/L	500	19.65	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9552	5000	102%		
NAL13026-498MS	316-018	ORG	75-35-4	1,1-Dichloroethene	5500		ug/L	100	47.11	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9552	5000	110%		
NAL13026-498MS	316-018	ORG	75-09-2	Methylene chloride	5300		ug/L	500	26.46	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9552	5000	106%		
NAL13026-498MS	316-018	ORG	67-64-1	Acetone	39000		ug/L	1000	155.61	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9552	5000	-160%		47000
NAL13026-498MS	316-018	ORG	156-60-5	trans-1,2-Dichloroethene	5200		ug/L	100	55.61	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9552	5000	104%		
NAL13026-498MS	316-018	ORG	1634-04-4	MTBE	5100		ug/L	500	61.18	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9552	5000	102%		
NAL13026-498MS	316-018	ORG	75-34-3	1,1-Dichloroethane	4000		ug/L	100	52.66	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9552	5000	80%		
NAL13026-498MS	316-018	ORG	156-59-2	cis-1,2-Dichloroethene	5000		ug/L	100	32.11	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9552	5000	100%		
NAL13026-498MS	316-018	ORG	74-97-5	Bromochloromethane	5100		ug/L	1000	81.18	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9552	5000	102%		
NAL13026-498MS	316-018	ORG	67-66-3	Chloroform	4800		ug/L	200	41.37	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9552	5000	96%		
NAL13026-498MS	316-018	ORG	71-55-6	1,1,1-Trichloroethane	5100		ug/L	100	15.73	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9552	5000	102%		
NAL13026-498MS	316-018	ORG	78-93-3	2-Butanone	22000		ug/L	100	16.65	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9552	5000	0%		22000
NAL13026-498MS	316-018	ORG	56-23-5	Carbon tetrachloride	5200		ug/L	100	27.64	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9552	5000	104%		
NAL13026-498MS	316-018	ORG	71-43-2	Benzene	4500		ug/L	100	13.53	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9552	5000	89%		40
NAL13026-498MS	316-018	ORG	107-06-2	1,2-Dichloroethane	5200		ug/L	100	20.01	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9552	5000	104%		
NAL13026-498MS	316-018	ORG	79-01-6	Trichloroethene	5200		ug/L	100	36.33	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9552	5000	104%		
NAL13026-498MS	316-018	ORG	74-95-3	Dibromomethane	5000		ug/L	200	32.20	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9552	5000	100%		
NAL13026-498MS	316-018	ORG	78-87-5	1,2-Dichloropropane	4200		ug/L	100	18.17	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9552	5000	84%		
NAL13026-498MS	316-018	ORG	75-27-4	Bromodichloromethane	4800		ug/L	200	11.58	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9552	5000	96%		
NAL13026-498MS	316-018	ORG	10061-01-5	cis-1,3-Dichloropropene	4700		ug/L	100	25.01	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9552	5000	94%		
NAL13026-498MS	316-018	ORG	108-88-3	Toluene	4700		ug/L	500	74.00	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9552	5000	94%		21
NAL13026-498MS	316-018	ORG	108-10-1	4-Methyl-2-pentanone	4500		ug/L	100	20.96	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9552	5000	80%		490
NAL13026-498MS	316-018	ORG	10061-02-6	trans-1,3-Dichloropropene	4900		ug/L	100	31.15	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9552	5000	98%		
NAL13026-498MS	316-018	ORG	127-18-4	Tetrachloroethene	4500		ug/L	100	48.56	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9552	5000	90%		
NAL13026-498MS	316-018	ORG	79-00-5	1,1,2-Trichloroethane	4700		ug/L	100	34.28	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9552	5000	94%		
NAL13026-498MS	316-018	ORG	124-48-1	Dibromochloromethane	5000		ug/L	500	68.90	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9552	5000	100%		
NAL13026-498MS	316-018	ORG	106-93-4	1,2-Dibromoethane	5200		ug/L	200	29.90	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9552	5000	104%		
NAL13026-498MS	316-018	ORG	591-78-6	2-Hexanone	4600		ug/L	200	26.49	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9552	5000	85%		360
NAL13026-498MS	316-018	ORG	100-41-4	Ethylbenzene	5400		ug/L	100	25.38	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9552	5000	108%		
NAL13026-498MS	316-018	ORG	108-90-7	Chlorobenzene	5400		ug/L	100	27.52	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9552	5000	108%		
NAL13026-498MS	316-018	ORG	630-20-6	1,1,1,2-Tetrachloroethane	5400		ug/L	200	19.28	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9552	5000	108%		
NAL13026-498MS	316-018	ORG	XYLMP	p&m-Xylene	11000		ug/L	200	26.14	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9552	10000	110%		45
NAL13026-498MS	316-018	ORG	95-47-6	o-Xylene	5100		ug/L	100	12.90	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9552	5000	102%		
NAL13026-498MS	316-018	ORG	100-42-5	Styrene	5100		ug/L	100	20.23	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9552	5000	101%		34
NAL13026-498MS	316-018	ORG	75-25-2	Bromoform	5200		ug/L	200	46.83	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9552	5000	104%		
NAL13026-498MS	316-018	ORG	98-82-8	Isopropylbenzene	5500		ug/L	200	20.48	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9552	5000	110%		
NAL13026-498MS	316-018	ORG	103-65-1	n-Propylbenzene	5200		ug/L	200	27.00	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9552	5000	104%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-498MS	316-018	ORG	79-34-5	1,1,2,2-Tetrachloroethane	4800		ug/L	200	29.16	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9552	5000	96%		
NAL13026-498MS	316-018	ORG	96-18-4	1,2,3-Trichloropropane	4600		ug/L	200	29.47	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9552	5000	92%		
NAL13026-498MS	316-018	ORG	108-67-8	1,3,5-Trimethylbenzene	5200		ug/L	200	20.03	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9552	5000	104%		
NAL13026-498MS	316-018	ORG	98-06-6	tert-Butylbenzene	5200		ug/L	200	32.61	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9552	5000	104%		
NAL13026-498MS	316-018	ORG	95-63-6	1,2,4-Trimethylbenzene	5100		ug/L	200	20.03	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9552	5000	101%		73
NAL13026-498MS	316-018	ORG	135-98-8	sec-Butylbenzene	5100		ug/L	200	32.34	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9552	5000	101%		53
NAL13026-498MS	316-018	ORG	541-73-1	1,3-Dichlorobenzene	4900		ug/L	200	22.21	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9552	5000	98%		
NAL13026-498MS	316-018	ORG	99-87-6	p-Isopropltoluene	5300		ug/L	200	25.48	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9552	5000	100%		280
NAL13026-498MS	316-018	ORG	106-46-7	1,4-Dichlorobenzene	5000		ug/L	200	33.03	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9552	5000	97%		160
NAL13026-498MS	316-018	ORG	95-50-1	1,2-Dichlorobenzene	5000		ug/L	200	26.38	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9552	5000	99%		38
NAL13026-498MS	316-018	ORG	104-51-8	n-Butylbenzene	4800		ug/L	500	27.81	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9552	5000	96%		
NAL13026-498MS	316-018	ORG	96-12-8	1,2-Dibromo-3-chloropropane	5600		ug/L	500	159.11	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9552	5000	112%		
NAL13026-498MS	316-018	ORG	87-68-3	Hexachlorobutadiene	5000		ug/L	500	65.42	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9552	5000	100%		
NAL13026-498MS	316-018	ORG	120-82-1	1,2,4-Trichlorobenzene	5600		ug/L	500	27.63	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9552	5000	112%		
NAL13026-498MS	316-018	ORG	91-20-3	Naphthalene	6100		ug/L	500	56.04	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9552	5000	117%		230
NAL13026-498MS	316-018	ORG	87-61-6	1,2,3-Trichlorobenzene	5700		ug/L	500	23.28	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9552	5000	114%		
NAL13026-498MS	316-018	STD	1868-53-7	Dibromofluoromethane	51		ng			7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9552	50	102%		
NAL13026-498MS	316-018	STD	17060-07-0	1,2-Dichloroethane d4	49		ng			7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9552	50	98%		
NAL13026-498MS	316-018	STD	2037-26-5	Toluene d8	49		ng			7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9552	50	98%		
NAL13026-498MS	316-018	STD	460-00-4	Bromofluorobenzene	51		ng			7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9552	50	102%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-498MSD	316-018	ORG	75-71-8	Dichlorodifluoromethane	3500		ug/L	500	29.28	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9553	5000	70%	9%	0
NAL13026-498MSD	316-018	ORG	74-87-3	Chloromethane	3000		ug/L	500	43.07	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9553	5000	60%	14%	0
NAL13026-498MSD	316-018	ORG	75-01-4	Vinyl chloride	4300		ug/L	200	31.86	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9553	5000	86%	7%	0
NAL13026-498MSD	316-018	ORG	74-83-9	Bromomethane	5600		ug/L	500	50.04	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9553	5000	112%	7%	0
NAL13026-498MSD	316-018	ORG	75-00-3	Chloroethane	5900		ug/L	500	55.61	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9553	5000	118%	5%	0
NAL13026-498MSD	316-018	ORG	75-69-4	Trichlorofluoromethane	4800		ug/L	500	19.65	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9553	5000	96%	6%	0
NAL13026-498MSD	316-018	ORG	75-35-4	1,1-Dichloroethene	5700		ug/L	100	47.11	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9553	5000	114%	4%	0
NAL13026-498MSD	316-018	ORG	75-09-2	Methylene chloride	5700		ug/L	500	26.46	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9553	5000	114%	7%	0
NAL13026-498MSD	316-018	ORG	67-64-1	Acetone	35000		ug/L	1000	155.61	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9553	5000	-240%	11%	47000
NAL13026-498MSD	316-018	ORG	156-60-5	trans-1,2-Dichloroethene	5700		ug/L	100	55.61	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9553	5000	114%	9%	0
NAL13026-498MSD	316-018	ORG	1634-04-4	MTBE	5600		ug/L	500	61.18	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9553	5000	112%	9%	0
NAL13026-498MSD	316-018	ORG	75-34-3	1,1-Dichloroethane	4100		ug/L	100	52.66	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9553	5000	82%	2%	0
NAL13026-498MSD	316-018	ORG	156-59-2	cis-1,2-Dichloroethene	5100		ug/L	100	32.11	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9553	5000	102%	2%	0
NAL13026-498MSD	316-018	ORG	74-97-5	Bromochloromethane	5400		ug/L	1000	81.18	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9553	5000	108%	6%	0
NAL13026-498MSD	316-018	ORG	67-66-3	Chloroform	4800		ug/L	200	41.37	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9553	5000	96%	0%	0
NAL13026-498MSD	316-018	ORG	71-55-6	1,1,1-Trichloroethane	5300		ug/L	100	15.73	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9553	5000	106%	4%	0
NAL13026-498MSD	316-018	ORG	78-93-3	2-Butanone	18000		ug/L	100	16.65	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9553	5000	-80%	20%	22000
NAL13026-498MSD	316-018	ORG	56-23-5	Carbon tetrachloride	5400		ug/L	100	27.64	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9553	5000	108%	4%	0
NAL13026-498MSD	316-018	ORG	71-43-2	Benzene	4600		ug/L	100	13.53	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9553	5000	91%	2%	40
NAL13026-498MSD	316-018	ORG	107-06-2	1,2-Dichloroethane	5000		ug/L	100	20.01	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9553	5000	100%	4%	0
NAL13026-498MSD	316-018	ORG	79-01-6	Trichloroethene	5100		ug/L	100	36.33	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9553	5000	102%	2%	0
NAL13026-498MSD	316-018	ORG	74-95-3	Dibromomethane	4900		ug/L	200	32.20	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9553	5000	98%	2%	0
NAL13026-498MSD	316-018	ORG	78-87-5	1,2-Dichloropropane	4200		ug/L	100	18.17	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9553	5000	84%	0%	0
NAL13026-498MSD	316-018	ORG	75-27-4	Bromodichloromethane	4700		ug/L	200	11.58	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9553	5000	94%	2%	0
NAL13026-498MSD	316-018	ORG	10061-01-5	cis-1,3-Dichloropropene	4500		ug/L	100	25.01	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9553	5000	90%	4%	0
NAL13026-498MSD	316-018	ORG	108-88-3	Toluene	4700		ug/L	500	74.00	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9553	5000	94%	0%	21
NAL13026-498MSD	316-018	ORG	108-10-1	4-Methyl-2-pentanone	3900		ug/L	100	20.96	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9553	5000	68%	14%	490
NAL13026-498MSD	316-018	ORG	10061-02-6	trans-1,3-Dichloropropene	4800		ug/L	100	31.15	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9553	5000	96%	2%	0
NAL13026-498MSD	316-018	ORG	127-18-4	Tetrachloroethene	4500		ug/L	100	48.56	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9553	5000	90%	0%	0
NAL13026-498MSD	316-018	ORG	79-00-5	1,1,2-Trichloroethane	4400		ug/L	100	34.28	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9553	5000	88%	7%	0
NAL13026-498MSD	316-018	ORG	124-48-1	Dibromochloromethane	5100		ug/L	500	68.90	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9553	5000	102%	2%	0
NAL13026-498MSD	316-018	ORG	106-93-4	1,2-Dibromoethane	5000		ug/L	200	29.90	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9553	5000	100%	4%	0
NAL13026-498MSD	316-018	ORG	591-78-6	2-Hexanone	3300		ug/L	200	26.49	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9553	5000	59%	33%	360
NAL13026-498MSD	316-018	ORG	100-41-4	Ethylbenzene	4400		ug/L	100	25.38	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9553	5000	88%	20%	0
NAL13026-498MSD	316-018	ORG	108-90-7	Chlorobenzene	4500		ug/L	100	27.52	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9553	5000	90%	18%	0
NAL13026-498MSD	316-018	ORG	630-20-6	1,1,1,2-Tetrachloroethane	4500		ug/L	200	19.28	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9553	5000	90%	18%	0
NAL13026-498MSD	316-018	ORG	XYLMP	p&m-Xylene	8900		ug/L	200	26.14	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9553	10000	89%	21%	45
NAL13026-498MSD	316-018	ORG	95-47-6	o-Xylene	4200		ug/L	100	12.90	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9553	5000	84%	19%	0
NAL13026-498MSD	316-018	ORG	100-42-5	Styrene	4500		ug/L	100	20.23	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9553	5000	89%	13%	34
NAL13026-498MSD	316-018	ORG	75-25-2	Bromoform	5100		ug/L	200	46.83	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9553	5000	102%	2%	0
NAL13026-498MSD	316-018	ORG	98-82-8	Isopropylbenzene	4800		ug/L	200	20.48	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9553	5000	96%	14%	0
NAL13026-498MSD	316-018	ORG	103-65-1	n-Propylbenzene	4500		ug/L	200	27.00	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9553	5000	90%	14%	0

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-498MSD	316-018	ORG	79-34-5	1,1,2,2-Tetrachloroethane	4400		ug/L	200	29.16	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9553	5000	88%	9%	0
NAL13026-498MSD	316-018	ORG	96-18-4	1,2,3-Trichloropropane	4400		ug/L	200	29.47	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9553	5000	88%	4%	0
NAL13026-498MSD	316-018	ORG	108-67-8	1,3,5-Trimethylbenzene	4700		ug/L	200	20.03	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9553	5000	94%	10%	0
NAL13026-498MSD	316-018	ORG	98-06-6	tert-Butylbenzene	4800		ug/L	200	32.61	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9553	5000	96%	8%	0
NAL13026-498MSD	316-018	ORG	95-63-6	1,2,4-Trimethylbenzene	4800		ug/L	200	20.03	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9553	5000	95%	6%	73
NAL13026-498MSD	316-018	ORG	135-98-8	sec-Butylbenzene	4700		ug/L	200	32.34	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9553	5000	93%	8%	53
NAL13026-498MSD	316-018	ORG	541-73-1	1,3-Dichlorobenzene	4800		ug/L	200	22.21	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9553	5000	96%	2%	0
NAL13026-498MSD	316-018	ORG	99-87-6	p-Isopropltoluene	5100		ug/L	200	25.48	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9553	5000	96%	4%	280
NAL13026-498MSD	316-018	ORG	106-46-7	1,4-Dichlorobenzene	5000		ug/L	200	33.03	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9553	5000	97%	0%	160
NAL13026-498MSD	316-018	ORG	95-50-1	1,2-Dichlorobenzene	5000		ug/L	200	26.38	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9553	5000	99%	0%	38
NAL13026-498MSD	316-018	ORG	104-51-8	n-Butylbenzene	4600		ug/L	500	27.81	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9553	5000	92%	4%	0
NAL13026-498MSD	316-018	ORG	96-12-8	1,2-Dibromo-3-chloropropane	4700		ug/L	500	159.11	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9553	5000	94%	17%	0
NAL13026-498MSD	316-018	ORG	87-68-3	Hexachlorobutadiene	4600		ug/L	500	65.42	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9553	5000	92%	8%	0
NAL13026-498MSD	316-018	ORG	120-82-1	1,2,4-Trichlorobenzene	4900		ug/L	500	27.63	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9553	5000	98%	13%	0
NAL13026-498MSD	316-018	ORG	91-20-3	Naphthalene	5000		ug/L	500	56.04	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9553	5000	95%	20%	230
NAL13026-498MSD	316-018	ORG	87-61-6	1,2,3-Trichlorobenzene	4700		ug/L	500	23.28	7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9553	5000	94%	19%	0
NAL13026-498MSD	316-018	STD	1868-53-7	Dibromofluoromethane	51		ng			7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9553	50	102%	0%	0
NAL13026-498MSD	316-018	STD	17060-07-0	1,2-Dichloroethane d4	50		ng			7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9553	50	100%	2%	0
NAL13026-498MSD	316-018	STD	2037-26-5	Toluene d8	49		ng			7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9553	50	98%	0%	0
NAL13026-498MSD	316-018	STD	460-00-4	Bromofluorobenzene	46		ng			7/19/2013	7/19/2013	7/19/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9553	50	92%	10%	0

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-507	316-019	ORG	75-71-8	Dichlorodifluoromethane		UX-	ug/L	500	29.28	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9564				
NAL13026-507	316-019	ORG	74-87-3	Chloromethane		UX-	ug/L	500	43.07	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9564				
NAL13026-507	316-019	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9564				
NAL13026-507	316-019	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9564				
NAL13026-507	316-019	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9564				
NAL13026-507	316-019	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9564				
NAL13026-507	316-019	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9564				
NAL13026-507	316-019	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9564				
NAL13026-507	316-019	ORG	67-64-1	Acetone	43000	D	ug/L	10000	1556.07	7/20/2013	7/20/2013	7/20/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9565				
NAL13026-507	316-019	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9564				
NAL13026-507	316-019	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9564				
NAL13026-507	316-019	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9564				
NAL13026-507	316-019	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9564				
NAL13026-507	316-019	ORG	74-97-5	Bromochloromethane		U	ug/L	200	41.37	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9564				
NAL13026-507	316-019	ORG	67-66-3	Chloroform		U	ug/L	100	15.73	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9564				
NAL13026-507	316-019	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	16.65	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9564				
NAL13026-507	316-019	ORG	78-93-3	2-Butanone	18000	D	ug/L	10000	811.80	7/20/2013	7/20/2013	7/20/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9565				
NAL13026-507	316-019	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9564				
NAL13026-507	316-019	ORG	71-43-2	Benzene	21	J	ug/L	100	13.53	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9564				
NAL13026-507	316-019	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9564				
NAL13026-507	316-019	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9564				
NAL13026-507	316-019	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9564				
NAL13026-507	316-019	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9564				
NAL13026-507	316-019	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9564				
NAL13026-507	316-019	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9564				
NAL13026-507	316-019	ORG	108-88-3	Toluene		U	ug/L	100	20.96	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9564				
NAL13026-507	316-019	ORG	108-10-1	4-Methyl-2-pentanone	480	J	ug/L	500	74.00	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9564				
NAL13026-507	316-019	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9564				
NAL13026-507	316-019	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9564				
NAL13026-507	316-019	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9564				
NAL13026-507	316-019	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	29.90	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9564				
NAL13026-507	316-019	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	26.49	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9564				
NAL13026-507	316-019	ORG	591-78-6	2-Hexanone	550		ug/L	500	68.90	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9564				
NAL13026-507	316-019	ORG	100-41-4	Ethylbenzene		U	ug/L	100	25.38	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9564				
NAL13026-507	316-019	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9564				
NAL13026-507	316-019	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9564				
NAL13026-507	316-019	ORG	XYLMP	p&m-Xylene		U	ug/L	200	26.14	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9564				
NAL13026-507	316-019	ORG	95-47-6	o-Xylene		U	ug/L	100	12.90	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9564				
NAL13026-507	316-019	ORG	100-42-5	Styrene		U	ug/L	100	20.23	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9564				
NAL13026-507	316-019	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9564				
NAL13026-507	316-019	ORG	98-82-8	Isopropylbenzene		U	ug/L	200	20.48	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9564				
NAL13026-507	316-019	ORG	103-65-1	n-Propylbenzene		U	ug/L	200	27.00	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9564				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-507	316-019	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9564				
NAL13026-507	316-019	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9564				
NAL13026-507	316-019	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	200	20.03	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9564				
NAL13026-507	316-019	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9564				
NAL13026-507	316-019	ORG	95-63-6	1,2,4-Trimethylbenzene	31	J	ug/L	200	20.03	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9564				
NAL13026-507	316-019	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9564				
NAL13026-507	316-019	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9564				
NAL13026-507	316-019	ORG	99-87-6	p-Isopropltoluene	110	J	ug/L	200	25.48	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9564				
NAL13026-507	316-019	ORG	106-46-7	1,4-Dichlorobenzene		U	ug/L	200	33.03	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9564				
NAL13026-507	316-019	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9564				
NAL13026-507	316-019	ORG	104-51-8	n-Butylbenzene		U	ug/L	500	27.81	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9564				
NAL13026-507	316-019	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9564				
NAL13026-507	316-019	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9564				
NAL13026-507	316-019	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9564				
NAL13026-507	316-019	ORG	91-20-3	Naphthalene	260	J	ug/L	500	56.04	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9564				
NAL13026-507	316-019	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9564				
NAL13026-507	316-019	STD	1868-53-7	Dibromofluoromethane	51		ng			7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9564	50	102%		
NAL13026-507	316-019	STD	17060-07-0	1,2-Dichloroethane d4	50		ng			7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9564	50	100%		
NAL13026-507	316-019	STD	2037-26-5	Toluene d8	46		ng			7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9564	50	92%		
NAL13026-507	316-019	STD	460-00-4	Bromofluorobenzene	45		ng			7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9564	50	90%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-508	292-ST T1	ORG	75-71-8	Dichlorodifluoromethane		UX-	ug/L	500	29.28	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9570				
NAL13026-508	292-ST T1	ORG	74-87-3	Chloromethane		UX-	ug/L	500	43.07	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9570				
NAL13026-508	292-ST T1	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9570				
NAL13026-508	292-ST T1	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9570				
NAL13026-508	292-ST T1	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9570				
NAL13026-508	292-ST T1	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9570				
NAL13026-508	292-ST T1	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9570				
NAL13026-508	292-ST T1	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9570				
NAL13026-508	292-ST T1	ORG	67-64-1	Acetone	49000	D	ug/L	10000	1556.07	7/20/2013	7/20/2013	7/20/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9579				
NAL13026-508	292-ST T1	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9570				
NAL13026-508	292-ST T1	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9570				
NAL13026-508	292-ST T1	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9570				
NAL13026-508	292-ST T1	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9570				
NAL13026-508	292-ST T1	ORG	74-97-5	Bromochloromethane		U	ug/L	200	81.18	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9570				
NAL13026-508	292-ST T1	ORG	67-66-3	Chloroform		U	ug/L	100	41.37	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9570				
NAL13026-508	292-ST T1	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	15.73	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9570				
NAL13026-508	292-ST T1	ORG	78-93-3	2-Butanone	21000	D	ug/L	10000	166.52	7/20/2013	7/20/2013	7/20/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9579				
NAL13026-508	292-ST T1	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9570				
NAL13026-508	292-ST T1	ORG	71-43-2	Benzene		U	ug/L	100	13.53	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9570				
NAL13026-508	292-ST T1	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9570				
NAL13026-508	292-ST T1	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9570				
NAL13026-508	292-ST T1	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9570				
NAL13026-508	292-ST T1	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9570				
NAL13026-508	292-ST T1	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9570				
NAL13026-508	292-ST T1	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9570				
NAL13026-508	292-ST T1	ORG	108-88-3	Toluene		U	ug/L	100	20.96	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9570				
NAL13026-508	292-ST T1	ORG	108-10-1	4-Methyl-2-pentanone	970		ug/L	500	74.00	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9570				
NAL13026-508	292-ST T1	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9570				
NAL13026-508	292-ST T1	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9570				
NAL13026-508	292-ST T1	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9570				
NAL13026-508	292-ST T1	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	68.90	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9570				
NAL13026-508	292-ST T1	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	29.90	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9570				
NAL13026-508	292-ST T1	ORG	591-78-6	2-Hexanone		U	ug/L	500	26.49	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9570				
NAL13026-508	292-ST T1	ORG	100-41-4	Ethylbenzene		U	ug/L	100	25.38	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9570				
NAL13026-508	292-ST T1	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9570				
NAL13026-508	292-ST T1	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9570				
NAL13026-508	292-ST T1	ORG	XYLMP	p&m-Xylene		U	ug/L	200	26.14	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9570				
NAL13026-508	292-ST T1	ORG	95-47-6	o-Xylene		U	ug/L	100	12.90	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9570				
NAL13026-508	292-ST T1	ORG	100-42-5	Styrene		U	ug/L	100	20.23	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9570				
NAL13026-508	292-ST T1	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9570				
NAL13026-508	292-ST T1	ORG	98-82-8	Isopropylbenzene		U	ug/L	200	20.48	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9570				
NAL13026-508	292-ST T1	ORG	103-65-1	n-Propylbenzene		U	ug/L	200	27.00	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9570				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-508	292-ST T1	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9570				
NAL13026-508	292-ST T1	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9570				
NAL13026-508	292-ST T1	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	200	20.03	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9570				
NAL13026-508	292-ST T1	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9570				
NAL13026-508	292-ST T1	ORG	95-63-6	1,2,4-Trimethylbenzene	45	J	ug/L	200	20.03	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9570				
NAL13026-508	292-ST T1	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9570				
NAL13026-508	292-ST T1	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9570				
NAL13026-508	292-ST T1	ORG	99-87-6	p-Isopropltoluene	240		ug/L	200	25.48	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9570				
NAL13026-508	292-ST T1	ORG	106-46-7	1,4-Dichlorobenzene		U	ug/L	200	33.03	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9570				
NAL13026-508	292-ST T1	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9570				
NAL13026-508	292-ST T1	ORG	104-51-8	n-Butylbenzene		U	ug/L	500	27.81	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9570				
NAL13026-508	292-ST T1	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9570				
NAL13026-508	292-ST T1	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9570				
NAL13026-508	292-ST T1	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9570				
NAL13026-508	292-ST T1	ORG	91-20-3	Naphthalene	400	J	ug/L	500	56.04	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9570				
NAL13026-508	292-ST T1	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9570				
NAL13026-508	292-ST T1	STD	1868-53-7	Dibromofluoromethane	52		ng			7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9570	50	104%		
NAL13026-508	292-ST T1	STD	17060-07-0	1,2-Dichloroethane d4	55		ng			7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9570	50	110%		
NAL13026-508	292-ST T1	STD	2037-26-5	Toluene d8	47		ng			7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9570	50	94%		
NAL13026-508	292-ST T1	STD	460-00-4	Bromofluorobenzene	48		ng			7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9570	50	96%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-509	292-ST T2	ORG	75-71-8	Dichlorodifluoromethane		UX-	ug/L	500	29.28	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9571				
NAL13026-509	292-ST T2	ORG	74-87-3	Chloromethane		UX-	ug/L	500	43.07	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9571				
NAL13026-509	292-ST T2	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9571				
NAL13026-509	292-ST T2	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9571				
NAL13026-509	292-ST T2	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9571				
NAL13026-509	292-ST T2	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9571				
NAL13026-509	292-ST T2	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9571				
NAL13026-509	292-ST T2	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9571				
NAL13026-509	292-ST T2	ORG	67-64-1	Acetone	41000	D	ug/L	10000	1556.07	7/20/2013	7/20/2013	7/20/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9580				
NAL13026-509	292-ST T2	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9571				
NAL13026-509	292-ST T2	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9571				
NAL13026-509	292-ST T2	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9571				
NAL13026-509	292-ST T2	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9571				
NAL13026-509	292-ST T2	ORG	74-97-5	Bromochloromethane		U	ug/L	200	81.18	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9571				
NAL13026-509	292-ST T2	ORG	67-66-3	Chloroform		U	ug/L	100	41.37	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9571				
NAL13026-509	292-ST T2	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	15.73	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9571				
NAL13026-509	292-ST T2	ORG	78-93-3	2-Butanone	17000		ug/L	1000	16.65	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9571				
NAL13026-509	292-ST T2	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9571				
NAL13026-509	292-ST T2	ORG	71-43-2	Benzene		U	ug/L	100	13.53	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9571				
NAL13026-509	292-ST T2	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9571				
NAL13026-509	292-ST T2	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9571				
NAL13026-509	292-ST T2	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9571				
NAL13026-509	292-ST T2	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9571				
NAL13026-509	292-ST T2	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9571				
NAL13026-509	292-ST T2	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9571				
NAL13026-509	292-ST T2	ORG	108-88-3	Toluene		U	ug/L	100	20.96	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9571				
NAL13026-509	292-ST T2	ORG	108-10-1	4-Methyl-2-pentanone	760		ug/L	500	74.00	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9571				
NAL13026-509	292-ST T2	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9571				
NAL13026-509	292-ST T2	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9571				
NAL13026-509	292-ST T2	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9571				
NAL13026-509	292-ST T2	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	68.90	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9571				
NAL13026-509	292-ST T2	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	29.90	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9571				
NAL13026-509	292-ST T2	ORG	591-78-6	2-Hexanone		U	ug/L	500	26.49	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9571				
NAL13026-509	292-ST T2	ORG	100-41-4	Ethylbenzene		U	ug/L	100	25.38	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9571				
NAL13026-509	292-ST T2	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9571				
NAL13026-509	292-ST T2	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9571				
NAL13026-509	292-ST T2	ORG	XYLMP	p&m-Xylene		U	ug/L	200	26.14	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9571				
NAL13026-509	292-ST T2	ORG	95-47-6	o-Xylene		U	ug/L	100	12.90	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9571				
NAL13026-509	292-ST T2	ORG	100-42-5	Styrene		U	ug/L	100	20.23	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9571				
NAL13026-509	292-ST T2	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9571				
NAL13026-509	292-ST T2	ORG	98-82-8	Isopropylbenzene		U	ug/L	200	20.48	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9571				
NAL13026-509	292-ST T2	ORG	103-65-1	n-Propylbenzene		U	ug/L	200	27.00	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9571				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-509	292-ST T2	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9571				
NAL13026-509	292-ST T2	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9571				
NAL13026-509	292-ST T2	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	200	20.03	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9571				
NAL13026-509	292-ST T2	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9571				
NAL13026-509	292-ST T2	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	200	20.03	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9571				
NAL13026-509	292-ST T2	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9571				
NAL13026-509	292-ST T2	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9571				
NAL13026-509	292-ST T2	ORG	99-87-6	p-Isopropltoluene		U	ug/L	200	25.48	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9571				
NAL13026-509	292-ST T2	ORG	106-46-7	1,4-Dichlorobenzene		U	ug/L	200	33.03	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9571				
NAL13026-509	292-ST T2	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9571				
NAL13026-509	292-ST T2	ORG	104-51-8	n-Butylbenzene		U	ug/L	500	27.81	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9571				
NAL13026-509	292-ST T2	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9571				
NAL13026-509	292-ST T2	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9571				
NAL13026-509	292-ST T2	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9571				
NAL13026-509	292-ST T2	ORG	91-20-3	Naphthalene	150	J	ug/L	500	56.04	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9571				
NAL13026-509	292-ST T2	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9571				
NAL13026-509	292-ST T2	STD	1868-53-7	Dibromofluoromethane	53		ng			7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9571	50	106%		
NAL13026-509	292-ST T2	STD	17060-07-0	1,2-Dichloroethane d4	56		ng			7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9571	50	112%		
NAL13026-509	292-ST T2	STD	2037-26-5	Toluene d8	47		ng			7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9571	50	94%		
NAL13026-509	292-ST T2	STD	460-00-4	Bromofluorobenzene	45		ng			7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9571	50	90%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-510	292-ST T3	ORG	75-71-8	Dichlorodifluoromethane		UX-	ug/L	500	29.28	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9572				
NAL13026-510	292-ST T3	ORG	74-87-3	Chloromethane		UX-	ug/L	500	43.07	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9572				
NAL13026-510	292-ST T3	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9572				
NAL13026-510	292-ST T3	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9572				
NAL13026-510	292-ST T3	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9572				
NAL13026-510	292-ST T3	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9572				
NAL13026-510	292-ST T3	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9572				
NAL13026-510	292-ST T3	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9572				
NAL13026-510	292-ST T3	ORG	67-64-1	Acetone	29000	D	ug/L	10000	1556.07	7/20/2013	7/20/2013	7/20/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9581				
NAL13026-510	292-ST T3	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9572				
NAL13026-510	292-ST T3	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9572				
NAL13026-510	292-ST T3	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9572				
NAL13026-510	292-ST T3	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9572				
NAL13026-510	292-ST T3	ORG	74-97-5	Bromochloromethane		U	ug/L	200	81.18	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9572				
NAL13026-510	292-ST T3	ORG	67-66-3	Chloroform		U	ug/L	100	41.37	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9572				
NAL13026-510	292-ST T3	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	15.73	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9572				
NAL13026-510	292-ST T3	ORG	78-93-3	2-Butanone	16000		ug/L	1000	16.65	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9572				
NAL13026-510	292-ST T3	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9572				
NAL13026-510	292-ST T3	ORG	71-43-2	Benzene	22	J	ug/L	100	13.53	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9572				
NAL13026-510	292-ST T3	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9572				
NAL13026-510	292-ST T3	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9572				
NAL13026-510	292-ST T3	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9572				
NAL13026-510	292-ST T3	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9572				
NAL13026-510	292-ST T3	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9572				
NAL13026-510	292-ST T3	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9572				
NAL13026-510	292-ST T3	ORG	108-88-3	Toluene		U	ug/L	100	20.96	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9572				
NAL13026-510	292-ST T3	ORG	108-10-1	4-Methyl-2-pentanone	690		ug/L	500	74.00	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9572				
NAL13026-510	292-ST T3	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9572				
NAL13026-510	292-ST T3	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9572				
NAL13026-510	292-ST T3	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9572				
NAL13026-510	292-ST T3	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	68.90	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9572				
NAL13026-510	292-ST T3	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	29.90	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9572				
NAL13026-510	292-ST T3	ORG	591-78-6	2-Hexanone		U	ug/L	500	26.49	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9572				
NAL13026-510	292-ST T3	ORG	100-41-4	Ethylbenzene		U	ug/L	100	25.38	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9572				
NAL13026-510	292-ST T3	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9572				
NAL13026-510	292-ST T3	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9572				
NAL13026-510	292-ST T3	ORG	XYLMP	p&m-Xylene		U	ug/L	200	26.14	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9572				
NAL13026-510	292-ST T3	ORG	95-47-6	o-Xylene		U	ug/L	100	12.90	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9572				
NAL13026-510	292-ST T3	ORG	100-42-5	Styrene		U	ug/L	100	20.23	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9572				
NAL13026-510	292-ST T3	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9572				
NAL13026-510	292-ST T3	ORG	98-82-8	Isopropylbenzene		U	ug/L	200	20.48	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9572				
NAL13026-510	292-ST T3	ORG	103-65-1	n-Propylbenzene		U	ug/L	200	27.00	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9572				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-510	292-ST T3	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9572				
NAL13026-510	292-ST T3	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9572				
NAL13026-510	292-ST T3	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	200	20.03	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9572				
NAL13026-510	292-ST T3	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9572				
NAL13026-510	292-ST T3	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	200	20.03	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9572				
NAL13026-510	292-ST T3	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9572				
NAL13026-510	292-ST T3	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9572				
NAL13026-510	292-ST T3	ORG	99-87-6	p-Isopropltoluene	39	J	ug/L	200	25.48	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9572				
NAL13026-510	292-ST T3	ORG	106-46-7	1,4-Dichlorobenzene		U	ug/L	200	33.03	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9572				
NAL13026-510	292-ST T3	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9572				
NAL13026-510	292-ST T3	ORG	104-51-8	n-Butylbenzene		U	ug/L	500	27.81	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9572				
NAL13026-510	292-ST T3	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9572				
NAL13026-510	292-ST T3	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9572				
NAL13026-510	292-ST T3	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9572				
NAL13026-510	292-ST T3	ORG	91-20-3	Naphthalene	110	J	ug/L	500	56.04	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9572				
NAL13026-510	292-ST T3	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9572				
NAL13026-510	292-ST T3	STD	1868-53-7	Dibromofluoromethane	52		ng			7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9572	50	104%		
NAL13026-510	292-ST T3	STD	17060-07-0	1,2-Dichloroethane d4	55		ng			7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9572	50	110%		
NAL13026-510	292-ST T3	STD	2037-26-5	Toluene d8	46		ng			7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9572	50	92%		
NAL13026-510	292-ST T3	STD	460-00-4	Bromofluorobenzene	43		ng			7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9572	50	86%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-511	292-ST T4	ORG	75-71-8	Dichlorodifluoromethane		UX-	ug/L	500	29.28	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9573				
NAL13026-511	292-ST T4	ORG	74-87-3	Chloromethane		UX-	ug/L	500	43.07	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9573				
NAL13026-511	292-ST T4	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9573				
NAL13026-511	292-ST T4	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9573				
NAL13026-511	292-ST T4	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9573				
NAL13026-511	292-ST T4	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9573				
NAL13026-511	292-ST T4	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9573				
NAL13026-511	292-ST T4	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9573				
NAL13026-511	292-ST T4	ORG	67-64-1	Acetone	39000	D	ug/L	10000	1556.07	7/20/2013	7/20/2013	7/20/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9582				
NAL13026-511	292-ST T4	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9573				
NAL13026-511	292-ST T4	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9573				
NAL13026-511	292-ST T4	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9573				
NAL13026-511	292-ST T4	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9573				
NAL13026-511	292-ST T4	ORG	74-97-5	Bromochloromethane		U	ug/L	200	81.18	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9573				
NAL13026-511	292-ST T4	ORG	67-66-3	Chloroform		U	ug/L	100	41.37	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9573				
NAL13026-511	292-ST T4	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	15.73	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9573				
NAL13026-511	292-ST T4	ORG	78-93-3	2-Butanone	20000		ug/L	1000	16.65	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9573				
NAL13026-511	292-ST T4	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9573				
NAL13026-511	292-ST T4	ORG	71-43-2	Benzene	55	J	ug/L	100	13.53	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9573				
NAL13026-511	292-ST T4	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9573				
NAL13026-511	292-ST T4	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9573				
NAL13026-511	292-ST T4	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9573				
NAL13026-511	292-ST T4	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9573				
NAL13026-511	292-ST T4	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9573				
NAL13026-511	292-ST T4	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9573				
NAL13026-511	292-ST T4	ORG	108-88-3	Toluene		U	ug/L	100	20.96	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9573				
NAL13026-511	292-ST T4	ORG	108-10-1	4-Methyl-2-pentanone	870		ug/L	500	74.00	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9573				
NAL13026-511	292-ST T4	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9573				
NAL13026-511	292-ST T4	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9573				
NAL13026-511	292-ST T4	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9573				
NAL13026-511	292-ST T4	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	68.90	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9573				
NAL13026-511	292-ST T4	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	29.90	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9573				
NAL13026-511	292-ST T4	ORG	591-78-6	2-Hexanone		U	ug/L	500	26.49	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9573				
NAL13026-511	292-ST T4	ORG	100-41-4	Ethylbenzene		U	ug/L	100	25.38	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9573				
NAL13026-511	292-ST T4	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9573				
NAL13026-511	292-ST T4	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9573				
NAL13026-511	292-ST T4	ORG	XYLMP	p&m-Xylene	32	J	ug/L	200	26.14	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9573				
NAL13026-511	292-ST T4	ORG	95-47-6	o-Xylene	18	J	ug/L	100	12.90	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9573				
NAL13026-511	292-ST T4	ORG	100-42-5	Styrene		U	ug/L	100	20.23	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9573				
NAL13026-511	292-ST T4	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9573				
NAL13026-511	292-ST T4	ORG	98-82-8	Isopropylbenzene		U	ug/L	200	20.48	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9573				
NAL13026-511	292-ST T4	ORG	103-65-1	n-Propylbenzene		U	ug/L	200	27.00	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9573				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-511	292-ST T4	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9573				
NAL13026-511	292-ST T4	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9573				
NAL13026-511	292-ST T4	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	200	20.03	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9573				
NAL13026-511	292-ST T4	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9573				
NAL13026-511	292-ST T4	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	200	20.03	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9573				
NAL13026-511	292-ST T4	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9573				
NAL13026-511	292-ST T4	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9573				
NAL13026-511	292-ST T4	ORG	99-87-6	p-Isopropltoluene	36	J	ug/L	200	25.48	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9573				
NAL13026-511	292-ST T4	ORG	106-46-7	1,4-Dichlorobenzene	48	J	ug/L	200	33.03	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9573				
NAL13026-511	292-ST T4	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9573				
NAL13026-511	292-ST T4	ORG	104-51-8	n-Butylbenzene		U	ug/L	500	27.81	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9573				
NAL13026-511	292-ST T4	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9573				
NAL13026-511	292-ST T4	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9573				
NAL13026-511	292-ST T4	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9573				
NAL13026-511	292-ST T4	ORG	91-20-3	Naphthalene	160	J	ug/L	500	56.04	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9573				
NAL13026-511	292-ST T4	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9573				
NAL13026-511	292-ST T4	STD	1868-53-7	Dibromofluoromethane	50		ng			7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9573	50	100%		
NAL13026-511	292-ST T4	STD	17060-07-0	1,2-Dichloroethane d4	54		ng			7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9573	50	108%		
NAL13026-511	292-ST T4	STD	2037-26-5	Toluene d8	47		ng			7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9573	50	94%		
NAL13026-511	292-ST T4	STD	460-00-4	Bromofluorobenzene	46		ng			7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9573	50	92%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-512	96-001K	ORG	75-71-8	Dichlorodifluoromethane		UX-	ug/L	500	29.28	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9574				
NAL13026-512	96-001K	ORG	74-87-3	Chloromethane		UX-	ug/L	500	43.07	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9574				
NAL13026-512	96-001K	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9574				
NAL13026-512	96-001K	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9574				
NAL13026-512	96-001K	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9574				
NAL13026-512	96-001K	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9574				
NAL13026-512	96-001K	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9574				
NAL13026-512	96-001K	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9574				
NAL13026-512	96-001K	ORG	67-64-1	Acetone	25000	D	ug/L	10000	1556.07	7/20/2013	7/20/2013	7/20/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9583				
NAL13026-512	96-001K	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9574				
NAL13026-512	96-001K	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9574				
NAL13026-512	96-001K	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9574				
NAL13026-512	96-001K	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9574				
NAL13026-512	96-001K	ORG	74-97-5	Bromochloromethane		U	ug/L	200	81.18	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9574				
NAL13026-512	96-001K	ORG	67-66-3	Chloroform		U	ug/L	100	41.37	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9574				
NAL13026-512	96-001K	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	15.73	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9574				
NAL13026-512	96-001K	ORG	78-93-3	2-Butanone	12000		ug/L	1000	16.65	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9574				
NAL13026-512	96-001K	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9574				
NAL13026-512	96-001K	ORG	71-43-2	Benzene	180		ug/L	100	13.53	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9574				
NAL13026-512	96-001K	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9574				
NAL13026-512	96-001K	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9574				
NAL13026-512	96-001K	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9574				
NAL13026-512	96-001K	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9574				
NAL13026-512	96-001K	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9574				
NAL13026-512	96-001K	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9574				
NAL13026-512	96-001K	ORG	108-88-3	Toluene	38	J	ug/L	100	20.96	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9574				
NAL13026-512	96-001K	ORG	108-10-1	4-Methyl-2-pentanone	290	J	ug/L	500	74.00	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9574				
NAL13026-512	96-001K	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9574				
NAL13026-512	96-001K	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9574				
NAL13026-512	96-001K	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9574				
NAL13026-512	96-001K	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	68.90	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9574				
NAL13026-512	96-001K	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	29.90	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9574				
NAL13026-512	96-001K	ORG	591-78-6	2-Hexanone		U	ug/L	500	26.49	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9574				
NAL13026-512	96-001K	ORG	100-41-4	Ethylbenzene		U	ug/L	100	25.38	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9574				
NAL13026-512	96-001K	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9574				
NAL13026-512	96-001K	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9574				
NAL13026-512	96-001K	ORG	XYLMP	p&m-Xylene	31	J	ug/L	200	26.14	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9574				
NAL13026-512	96-001K	ORG	95-47-6	o-Xylene	17	J	ug/L	100	12.90	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9574				
NAL13026-512	96-001K	ORG	100-42-5	Styrene		U	ug/L	100	20.23	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9574				
NAL13026-512	96-001K	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9574				
NAL13026-512	96-001K	ORG	98-82-8	Isopropylbenzene		U	ug/L	200	20.48	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9574				
NAL13026-512	96-001K	ORG	103-65-1	n-Propylbenzene		U	ug/L	200	27.00	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9574				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-512	96-001K	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9574				
NAL13026-512	96-001K	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9574				
NAL13026-512	96-001K	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	200	20.03	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9574				
NAL13026-512	96-001K	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9574				
NAL13026-512	96-001K	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	200	20.03	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9574				
NAL13026-512	96-001K	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9574				
NAL13026-512	96-001K	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9574				
NAL13026-512	96-001K	ORG	99-87-6	p-Isopropltoluene	76	J	ug/L	200	25.48	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9574				
NAL13026-512	96-001K	ORG	106-46-7	1,4-Dichlorobenzene	49	J	ug/L	200	33.03	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9574				
NAL13026-512	96-001K	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9574				
NAL13026-512	96-001K	ORG	104-51-8	n-Butylbenzene		U	ug/L	500	27.81	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9574				
NAL13026-512	96-001K	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9574				
NAL13026-512	96-001K	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9574				
NAL13026-512	96-001K	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9574				
NAL13026-512	96-001K	ORG	91-20-3	Naphthalene	120	J	ug/L	500	56.04	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9574				
NAL13026-512	96-001K	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9574				
NAL13026-512	96-001K	STD	1868-53-7	Dibromofluoromethane	51		ng			7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9574	50	102%		
NAL13026-512	96-001K	STD	17060-07-0	1,2-Dichloroethane d4	55		ng			7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9574	50	110%		
NAL13026-512	96-001K	STD	2037-26-5	Toluene d8	47		ng			7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9574	50	94%		
NAL13026-512	96-001K	STD	460-00-4	Bromofluorobenzene	45		ng			7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9574	50	90%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-513	SEHIE II	ORG	75-71-8	Dichlorodifluoromethane		UX-	ug/L	500	29.28	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9575				
NAL13026-513	SEHIE II	ORG	74-87-3	Chloromethane		UX-	ug/L	500	43.07	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9575				
NAL13026-513	SEHIE II	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9575				
NAL13026-513	SEHIE II	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9575				
NAL13026-513	SEHIE II	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9575				
NAL13026-513	SEHIE II	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9575				
NAL13026-513	SEHIE II	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9575				
NAL13026-513	SEHIE II	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9575				
NAL13026-513	SEHIE II	ORG	67-64-1	Acetone	21000	D	ug/L	10000	1556.07	7/20/2013	7/20/2013	7/20/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9584				
NAL13026-513	SEHIE II	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9575				
NAL13026-513	SEHIE II	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9575				
NAL13026-513	SEHIE II	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9575				
NAL13026-513	SEHIE II	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9575				
NAL13026-513	SEHIE II	ORG	74-97-5	Bromochloromethane		U	ug/L	200	81.18	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9575				
NAL13026-513	SEHIE II	ORG	67-66-3	Chloroform		U	ug/L	100	41.37	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9575				
NAL13026-513	SEHIE II	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	15.73	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9575				
NAL13026-513	SEHIE II	ORG	78-93-3	2-Butanone	8100		ug/L	1000	16.65	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9575				
NAL13026-513	SEHIE II	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9575				
NAL13026-513	SEHIE II	ORG	71-43-2	Benzene		U	ug/L	100	13.53	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9575				
NAL13026-513	SEHIE II	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9575				
NAL13026-513	SEHIE II	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9575				
NAL13026-513	SEHIE II	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9575				
NAL13026-513	SEHIE II	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9575				
NAL13026-513	SEHIE II	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9575				
NAL13026-513	SEHIE II	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9575				
NAL13026-513	SEHIE II	ORG	108-88-3	Toluene		U	ug/L	100	20.96	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9575				
NAL13026-513	SEHIE II	ORG	108-10-1	4-Methyl-2-pentanone		U	ug/L	500	74.00	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9575				
NAL13026-513	SEHIE II	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9575				
NAL13026-513	SEHIE II	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9575				
NAL13026-513	SEHIE II	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9575				
NAL13026-513	SEHIE II	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	68.90	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9575				
NAL13026-513	SEHIE II	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	29.90	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9575				
NAL13026-513	SEHIE II	ORG	591-78-6	2-Hexanone		U	ug/L	500	26.49	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9575				
NAL13026-513	SEHIE II	ORG	100-41-4	Ethylbenzene		U	ug/L	100	25.38	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9575				
NAL13026-513	SEHIE II	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9575				
NAL13026-513	SEHIE II	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9575				
NAL13026-513	SEHIE II	ORG	XYLMP	p&m-Xylene		U	ug/L	200	26.14	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9575				
NAL13026-513	SEHIE II	ORG	95-47-6	o-Xylene		U	ug/L	100	12.90	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9575				
NAL13026-513	SEHIE II	ORG	100-42-5	Styrene		U	ug/L	100	20.23	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9575				
NAL13026-513	SEHIE II	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9575				
NAL13026-513	SEHIE II	ORG	98-82-8	Isopropylbenzene		U	ug/L	200	20.48	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9575				
NAL13026-513	SEHIE II	ORG	103-65-1	n-Propylbenzene		U	ug/L	200	27.00	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9575				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-513	SEHIE II	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9575				
NAL13026-513	SEHIE II	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9575				
NAL13026-513	SEHIE II	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	200	20.03	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9575				
NAL13026-513	SEHIE II	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9575				
NAL13026-513	SEHIE II	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	200	20.03	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9575				
NAL13026-513	SEHIE II	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9575				
NAL13026-513	SEHIE II	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9575				
NAL13026-513	SEHIE II	ORG	99-87-6	p-Isopropltoluene	770		ug/L	200	25.48	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9575				
NAL13026-513	SEHIE II	ORG	106-46-7	1,4-Dichlorobenzene	71	J	ug/L	200	33.03	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9575				
NAL13026-513	SEHIE II	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9575				
NAL13026-513	SEHIE II	ORG	104-51-8	n-Butylbenzene		U	ug/L	500	27.81	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9575				
NAL13026-513	SEHIE II	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9575				
NAL13026-513	SEHIE II	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9575				
NAL13026-513	SEHIE II	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9575				
NAL13026-513	SEHIE II	ORG	91-20-3	Naphthalene	760		ug/L	500	56.04	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9575				
NAL13026-513	SEHIE II	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9575				
NAL13026-513	SEHIE II	STD	1868-53-7	Dibromofluoromethane	52		ng			7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9575	50	104%		
NAL13026-513	SEHIE II	STD	17060-07-0	1,2-Dichloroethane d4	54		ng			7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9575	50	108%		
NAL13026-513	SEHIE II	STD	2037-26-5	Toluene d8	47		ng			7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9575	50	94%		
NAL13026-513	SEHIE II	STD	460-00-4	Bromofluorobenzene	45		ng			7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9575	50	90%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J072013CCVA	J072013CCVA	ORG	75-71-8	Dichlorodifluoromethane	39		ug/L	5	0.29	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9562	50	78%		
J072013CCVA	J072013CCVA	ORG	74-87-3	Chloromethane	38		ug/L	5	0.43	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9562	50	76%		
J072013CCVA	J072013CCVA	ORG	75-01-4	Vinyl chloride	46		ug/L	2	0.32	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9562	50	92%		
J072013CCVA	J072013CCVA	ORG	74-83-9	Bromomethane	58		ug/L	5	0.50	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9562	50	116%		
J072013CCVA	J072013CCVA	ORG	75-00-3	Chloroethane	61		ug/L	5	0.56	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9562	50	122%		
J072013CCVA	J072013CCVA	ORG	75-69-4	Trichlorofluoromethane	55		ug/L	5	0.20	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9562	50	110%		
J072013CCVA	J072013CCVA	ORG	75-35-4	1,1-Dichloroethene	57		ug/L	1	0.47	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9562	50	114%		
J072013CCVA	J072013CCVA	ORG	75-09-2	Methylene chloride	59		ug/L	5	0.26	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9562	50	118%		
J072013CCVA	J072013CCVA	ORG	67-64-1	Acetone	44		ug/L	10	1.56	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9562	50	88%		
J072013CCVA	J072013CCVA	ORG	156-60-5	trans-1,2-Dichloroethene	68		ug/L	1	0.56	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9562	50	136%		
J072013CCVA	J072013CCVA	ORG	1634-04-4	MTBE	67		ug/L	5	0.61	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9562	50	134%		
J072013CCVA	J072013CCVA	ORG	75-34-3	1,1-Dichloroethane	58		ug/L	1	0.53	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9562	50	116%		
J072013CCVA	J072013CCVA	ORG	156-59-2	cis-1,2-Dichloroethene	57		ug/L	1	0.32	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9562	50	114%		
J072013CCVA	J072013CCVA	ORG	74-97-5	Bromochloromethane	60		ug/L	10	0.81	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9562	50	120%		
J072013CCVA	J072013CCVA	ORG	67-66-3	Chloroform	53		ug/L	2	0.41	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9562	50	106%		
J072013CCVA	J072013CCVA	ORG	71-55-6	1,1,1-Trichloroethane	57		ug/L	1	0.16	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9562	50	114%		
J072013CCVA	J072013CCVA	ORG	78-93-3	2-Butanone	40		ug/L	1	0.17	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9562	50	80%		
J072013CCVA	J072013CCVA	ORG	56-23-5	Carbon tetrachloride	58		ug/L	1	0.28	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9562	50	116%		
J072013CCVA	J072013CCVA	ORG	71-43-2	Benzene	50		ug/L	1	0.14	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9562	50	100%		
J072013CCVA	J072013CCVA	ORG	107-06-2	1,2-Dichloroethane	53		ug/L	1	0.20	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9562	50	106%		
J072013CCVA	J072013CCVA	ORG	79-01-6	Trichloroethene	54		ug/L	1	0.36	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9562	50	108%		
J072013CCVA	J072013CCVA	ORG	74-95-3	Dibromomethane	51		ug/L	2	0.32	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9562	50	102%		
J072013CCVA	J072013CCVA	ORG	78-87-5	1,2-Dichloropropane	45		ug/L	1	0.18	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9562	50	90%		
J072013CCVA	J072013CCVA	ORG	75-27-4	Bromodichloromethane	50		ug/L	2	0.12	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9562	50	100%		
J072013CCVA	J072013CCVA	ORG	10061-01-5	cis-1,3-Dichloropropene	48		ug/L	1	0.25	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9562	50	96%		
J072013CCVA	J072013CCVA	ORG	108-88-3	Toluene	49		ug/L	5	0.74	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9562	50	98%		
J072013CCVA	J072013CCVA	ORG	108-10-1	4-Methyl-2-pentanone	40		ug/L	1	0.21	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9562	50	80%		
J072013CCVA	J072013CCVA	ORG	10061-02-6	trans-1,3-Dichloropropene	50		ug/L	1	0.31	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9562	50	100%		
J072013CCVA	J072013CCVA	ORG	127-18-4	Tetrachloroethene	44		ug/L	1	0.49	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9562	50	88%		
J072013CCVA	J072013CCVA	ORG	79-00-5	1,1,2-Trichloroethane	46		ug/L	1	0.34	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9562	50	92%		
J072013CCVA	J072013CCVA	ORG	124-48-1	Dibromochloromethane	53		ug/L	5	0.69	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9562	50	106%		
J072013CCVA	J072013CCVA	ORG	106-93-4	1,2-Dibromoethane	51		ug/L	2	0.30	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9562	50	102%		
J072013CCVA	J072013CCVA	ORG	591-78-6	2-Hexanone	40		ug/L	2	0.26	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9562	50	80%		
J072013CCVA	J072013CCVA	ORG	100-41-4	Ethylbenzene	49		ug/L	1	0.25	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9562	50	98%		
J072013CCVA	J072013CCVA	ORG	108-90-7	Chlorobenzene	50		ug/L	1	0.28	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9562	50	100%		
J072013CCVA	J072013CCVA	ORG	630-20-6	1,1,1,2-Tetrachloroethane	51		ug/L	2	0.19	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9562	50	102%		
J072013CCVA	J072013CCVA	ORG	XYLMP	p&m-Xylene	98		ug/L	2	0.26	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9562	100	98%		
J072013CCVA	J072013CCVA	ORG	95-47-6	o-Xylene	49		ug/L	1	0.13	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9562	50	98%		
J072013CCVA	J072013CCVA	ORG	100-42-5	Styrene	48		ug/L	1	0.20	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9562	50	96%		
J072013CCVA	J072013CCVA	ORG	75-25-2	Bromoform	52		ug/L	2	0.47	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9562	50	104%		
J072013CCVA	J072013CCVA	ORG	98-82-8	Isopropylbenzene	50		ug/L	2	0.20	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9562	50	100%		
J072013CCVA	J072013CCVA	ORG	103-65-1	n-Propylbenzene	49		ug/L	2	0.27	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9562	50	98%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J072013CCVA	J072013CCVA	ORG	79-34-5	1,1,2,2-Tetrachloroethane	45		ug/L	2	0.29	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9562	50	90%		
J072013CCVA	J072013CCVA	ORG	96-18-4	1,2,3-Trichloropropane	45		ug/L	2	0.29	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9562	50	90%		
J072013CCVA	J072013CCVA	ORG	108-67-8	1,3,5-Trimethylbenzene	51		ug/L	2	0.20	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9562	50	102%		
J072013CCVA	J072013CCVA	ORG	98-06-6	tert-Butylbenzene	51		ug/L	2	0.33	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9562	50	102%		
J072013CCVA	J072013CCVA	ORG	95-63-6	1,2,4-Trimethylbenzene	51		ug/L	2	0.20	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9562	50	102%		
J072013CCVA	J072013CCVA	ORG	135-98-8	sec-Butylbenzene	51		ug/L	2	0.32	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9562	50	102%		
J072013CCVA	J072013CCVA	ORG	541-73-1	1,3-Dichlorobenzene	54		ug/L	2	0.22	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9562	50	108%		
J072013CCVA	J072013CCVA	ORG	99-87-6	p-Isopropltoluene	53		ug/L	2	0.25	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9562	50	106%		
J072013CCVA	J072013CCVA	ORG	106-46-7	1,4-Dichlorobenzene	54		ug/L	2	0.33	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9562	50	108%		
J072013CCVA	J072013CCVA	ORG	95-50-1	1,2-Dichlorobenzene	53		ug/L	2	0.26	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9562	50	106%		
J072013CCVA	J072013CCVA	ORG	104-51-8	n-Butylbenzene	50		ug/L	5	0.28	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9562	50	100%		
J072013CCVA	J072013CCVA	ORG	96-12-8	1,2-Dibromo-3-chloropropane	45		ug/L	5	1.59	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9562	50	90%		
J072013CCVA	J072013CCVA	ORG	87-68-3	Hexachlorobutadiene	53		ug/L	5	0.65	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9562	50	106%		
J072013CCVA	J072013CCVA	ORG	120-82-1	1,2,4-Trichlorobenzene	54		ug/L	5	0.28	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9562	50	108%		
J072013CCVA	J072013CCVA	ORG	91-20-3	Naphthalene	47		ug/L	5	0.56	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9562	50	94%		
J072013CCVA	J072013CCVA	ORG	87-61-6	1,2,3-Trichlorobenzene	52		ug/L	5	0.23	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9562	50	104%		
J072013CCVA	J072013CCVA	STD	1868-53-7	Dibromofluoromethane	52		ng			NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9562	50	104%		
J072013CCVA	J072013CCVA	STD	17060-07-0	1,2-Dichloroethane d4	48		ng			NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9562	50	96%		
J072013CCVA	J072013CCVA	STD	2037-26-5	Toluene d8	48		ng			NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9562	50	96%		
J072013CCVA	J072013CCVA	STD	460-00-4	Bromofluorobenzene	46		ng			NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9562	50	92%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J072013MBKA	J072013MBKA	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	5	0.29	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9563				
J072013MBKA	J072013MBKA	ORG	74-87-3	Chloromethane		U	ug/L	5	0.43	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9563				
J072013MBKA	J072013MBKA	ORG	75-01-4	Vinyl chloride		U	ug/L	2	0.32	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9563				
J072013MBKA	J072013MBKA	ORG	74-83-9	Bromomethane		U	ug/L	5	0.50	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9563				
J072013MBKA	J072013MBKA	ORG	75-00-3	Chloroethane		U	ug/L	5	0.56	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9563				
J072013MBKA	J072013MBKA	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	5	0.20	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9563				
J072013MBKA	J072013MBKA	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	1	0.47	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9563				
J072013MBKA	J072013MBKA	ORG	75-09-2	Methylene chloride		U	ug/L	5	0.26	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9563				
J072013MBKA	J072013MBKA	ORG	67-64-1	Acetone		U	ug/L	10	1.56	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9563				
J072013MBKA	J072013MBKA	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	1	0.56	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9563				
J072013MBKA	J072013MBKA	ORG	1634-04-4	MTBE		U	ug/L	5	0.61	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9563				
J072013MBKA	J072013MBKA	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	1	0.53	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9563				
J072013MBKA	J072013MBKA	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	1	0.32	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9563				
J072013MBKA	J072013MBKA	ORG	74-97-5	Bromochloromethane		U	ug/L	10	0.81	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9563				
J072013MBKA	J072013MBKA	ORG	67-66-3	Chloroform		U	ug/L	2	0.41	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9563				
J072013MBKA	J072013MBKA	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	1	0.16	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9563				
J072013MBKA	J072013MBKA	ORG	78-93-3	2-Butanone		U	ug/L	1	0.17	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9563				
J072013MBKA	J072013MBKA	ORG	56-23-5	Carbon tetrachloride		U	ug/L	1	0.28	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9563				
J072013MBKA	J072013MBKA	ORG	71-43-2	Benzene		U	ug/L	1	0.14	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9563				
J072013MBKA	J072013MBKA	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	1	0.20	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9563				
J072013MBKA	J072013MBKA	ORG	79-01-6	Trichloroethene		U	ug/L	1	0.36	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9563				
J072013MBKA	J072013MBKA	ORG	74-95-3	Dibromomethane		U	ug/L	2	0.32	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9563				
J072013MBKA	J072013MBKA	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	1	0.18	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9563				
J072013MBKA	J072013MBKA	ORG	75-27-4	Bromodichloromethane		U	ug/L	2	0.12	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9563				
J072013MBKA	J072013MBKA	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	1	0.25	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9563				
J072013MBKA	J072013MBKA	ORG	108-88-3	Toluene		U	ug/L	5	0.74	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9563				
J072013MBKA	J072013MBKA	ORG	108-10-1	4-Methyl-2-pentanone		U	ug/L	1	0.21	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9563				
J072013MBKA	J072013MBKA	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	1	0.31	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9563				
J072013MBKA	J072013MBKA	ORG	127-18-4	Tetrachloroethene		U	ug/L	1	0.49	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9563				
J072013MBKA	J072013MBKA	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	1	0.34	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9563				
J072013MBKA	J072013MBKA	ORG	124-48-1	Dibromochloromethane		U	ug/L	5	0.69	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9563				
J072013MBKA	J072013MBKA	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	2	0.30	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9563				
J072013MBKA	J072013MBKA	ORG	591-78-6	2-Hexanone		U	ug/L	2	0.26	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9563				
J072013MBKA	J072013MBKA	ORG	100-41-4	Ethylbenzene		U	ug/L	1	0.25	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9563				
J072013MBKA	J072013MBKA	ORG	108-90-7	Chlorobenzene		U	ug/L	1	0.28	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9563				
J072013MBKA	J072013MBKA	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	2	0.19	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9563				
J072013MBKA	J072013MBKA	ORG	XYLMP	p&m-Xylene		U	ug/L	2	0.26	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9563				
J072013MBKA	J072013MBKA	ORG	95-47-6	o-Xylene		U	ug/L	1	0.13	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9563				
J072013MBKA	J072013MBKA	ORG	100-42-5	Styrene		U	ug/L	1	0.20	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9563				
J072013MBKA	J072013MBKA	ORG	75-25-2	Bromoform		U	ug/L	2	0.47	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9563				
J072013MBKA	J072013MBKA	ORG	98-82-8	Isopropylbenzene		U	ug/L	2	0.20	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9563				
J072013MBKA	J072013MBKA	ORG	103-65-1	n-Propylbenzene		U	ug/L	2	0.27	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9563				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J072013MBKA	J072013MBKA	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	2	0.29	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9563				
J072013MBKA	J072013MBKA	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	2	0.29	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9563				
J072013MBKA	J072013MBKA	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	2	0.20	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9563				
J072013MBKA	J072013MBKA	ORG	98-06-6	tert-Butylbenzene		U	ug/L	2	0.33	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9563				
J072013MBKA	J072013MBKA	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	2	0.20	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9563				
J072013MBKA	J072013MBKA	ORG	135-98-8	sec-Butylbenzene		U	ug/L	2	0.32	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9563				
J072013MBKA	J072013MBKA	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	2	0.22	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9563				
J072013MBKA	J072013MBKA	ORG	99-87-6	p-Isopropltoluene		U	ug/L	2	0.25	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9563				
J072013MBKA	J072013MBKA	ORG	106-46-7	1,4-Dichlorobenzene		U	ug/L	2	0.33	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9563				
J072013MBKA	J072013MBKA	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	2	0.26	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9563				
J072013MBKA	J072013MBKA	ORG	104-51-8	n-Butylbenzene		U	ug/L	5	0.28	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9563				
J072013MBKA	J072013MBKA	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	5	1.59	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9563				
J072013MBKA	J072013MBKA	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	5	0.65	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9563				
J072013MBKA	J072013MBKA	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	5	0.28	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9563				
J072013MBKA	J072013MBKA	ORG	91-20-3	Naphthalene		U	ug/L	5	0.56	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9563				
J072013MBKA	J072013MBKA	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	5	0.23	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9563				
J072013MBKA	J072013MBKA	STD	1868-53-7	Dibromofluoromethane	53		ng			NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9563	50	106%		
J072013MBKA	J072013MBKA	STD	17060-07-0	1,2-Dichloroethane d4	53		ng			NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9563	50	106%		
J072013MBKA	J072013MBKA	STD	2037-26-5	Toluene d8	46		ng			NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9563	50	92%		
J072013MBKA	J072013MBKA	STD	460-00-4	Bromofluorobenzene	46		ng			NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9563	50	92%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J072013CCVB	J072013CCVB	ORG	75-71-8	Dichlorodifluoromethane	30		ug/L	5	0.29	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9576	50	60%		
J072013CCVB	J072013CCVB	ORG	74-87-3	Chloromethane	36		ug/L	5	0.43	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9576	50	72%		
J072013CCVB	J072013CCVB	ORG	75-01-4	Vinyl chloride	41		ug/L	2	0.32	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9576	50	82%		
J072013CCVB	J072013CCVB	ORG	74-83-9	Bromomethane	52		ug/L	5	0.50	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9576	50	104%		
J072013CCVB	J072013CCVB	ORG	75-00-3	Chloroethane	57		ug/L	5	0.56	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9576	50	114%		
J072013CCVB	J072013CCVB	ORG	75-69-4	Trichlorofluoromethane	55		ug/L	5	0.20	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9576	50	110%		
J072013CCVB	J072013CCVB	ORG	75-35-4	1,1-Dichloroethene	58		ug/L	1	0.47	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9576	50	116%		
J072013CCVB	J072013CCVB	ORG	75-09-2	Methylene chloride	55		ug/L	5	0.26	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9576	50	110%		
J072013CCVB	J072013CCVB	ORG	67-64-1	Acetone	49		ug/L	10	1.56	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9576	50	98%		
J072013CCVB	J072013CCVB	ORG	156-60-5	trans-1,2-Dichloroethene	53		ug/L	1	0.56	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9576	50	106%		
J072013CCVB	J072013CCVB	ORG	1634-04-4	MTBE	47		ug/L	5	0.61	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9576	50	94%		
J072013CCVB	J072013CCVB	ORG	75-34-3	1,1-Dichloroethane	41		ug/L	1	0.53	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9576	50	82%		
J072013CCVB	J072013CCVB	ORG	156-59-2	cis-1,2-Dichloroethene	53		ug/L	1	0.32	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9576	50	106%		
J072013CCVB	J072013CCVB	ORG	74-97-5	Bromochloromethane	58		ug/L	10	0.81	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9576	50	116%		
J072013CCVB	J072013CCVB	ORG	67-66-3	Chloroform	51		ug/L	2	0.41	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9576	50	102%		
J072013CCVB	J072013CCVB	ORG	71-55-6	1,1,1-Trichloroethane	55		ug/L	1	0.16	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9576	50	110%		
J072013CCVB	J072013CCVB	ORG	78-93-3	2-Butanone	42		ug/L	1	0.17	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9576	50	84%		
J072013CCVB	J072013CCVB	ORG	56-23-5	Carbon tetrachloride	56		ug/L	1	0.28	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9576	50	112%		
J072013CCVB	J072013CCVB	ORG	71-43-2	Benzene	48		ug/L	1	0.14	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9576	50	96%		
J072013CCVB	J072013CCVB	ORG	107-06-2	1,2-Dichloroethane	55		ug/L	1	0.20	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9576	50	110%		
J072013CCVB	J072013CCVB	ORG	79-01-6	Trichloroethene	53		ug/L	1	0.36	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9576	50	106%		
J072013CCVB	J072013CCVB	ORG	74-95-3	Dibromomethane	53		ug/L	2	0.32	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9576	50	106%		
J072013CCVB	J072013CCVB	ORG	78-87-5	1,2-Dichloropropane	43		ug/L	1	0.18	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9576	50	86%		
J072013CCVB	J072013CCVB	ORG	75-27-4	Bromodichloromethane	51		ug/L	2	0.12	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9576	50	102%		
J072013CCVB	J072013CCVB	ORG	10061-01-5	cis-1,3-Dichloropropene	49		ug/L	1	0.25	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9576	50	98%		
J072013CCVB	J072013CCVB	ORG	108-88-3	Toluene	50		ug/L	5	0.74	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9576	50	100%		
J072013CCVB	J072013CCVB	ORG	108-10-1	4-Methyl-2-pentanone	42		ug/L	1	0.21	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9576	50	84%		
J072013CCVB	J072013CCVB	ORG	10061-02-6	trans-1,3-Dichloropropene	51		ug/L	1	0.31	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9576	50	102%		
J072013CCVB	J072013CCVB	ORG	127-18-4	Tetrachloroethene	49		ug/L	1	0.49	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9576	50	98%		
J072013CCVB	J072013CCVB	ORG	79-00-5	1,1,2-Trichloroethane	49		ug/L	1	0.34	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9576	50	98%		
J072013CCVB	J072013CCVB	ORG	124-48-1	Dibromochloromethane	56		ug/L	5	0.69	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9576	50	112%		
J072013CCVB	J072013CCVB	ORG	106-93-4	1,2-Dibromoethane	55		ug/L	2	0.30	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9576	50	110%		
J072013CCVB	J072013CCVB	ORG	591-78-6	2-Hexanone	40		ug/L	2	0.26	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9576	50	80%		
J072013CCVB	J072013CCVB	ORG	100-41-4	Ethylbenzene	56		ug/L	1	0.25	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9576	50	112%		
J072013CCVB	J072013CCVB	ORG	108-90-7	Chlorobenzene	57		ug/L	1	0.28	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9576	50	114%		
J072013CCVB	J072013CCVB	ORG	630-20-6	1,1,1,2-Tetrachloroethane	58		ug/L	2	0.19	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9576	50	116%		
J072013CCVB	J072013CCVB	ORG	XYLMP	p&m-Xylene	110		ug/L	2	0.26	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9576	100	110%		
J072013CCVB	J072013CCVB	ORG	95-47-6	o-Xylene	55		ug/L	1	0.13	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9576	50	110%		
J072013CCVB	J072013CCVB	ORG	100-42-5	Styrene	52		ug/L	1	0.20	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9576	50	104%		
J072013CCVB	J072013CCVB	ORG	75-25-2	Bromoform	58		ug/L	2	0.47	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9576	50	116%		
J072013CCVB	J072013CCVB	ORG	98-82-8	Isopropylbenzene	56		ug/L	2	0.20	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9576	50	112%		
J072013CCVB	J072013CCVB	ORG	103-65-1	n-Propylbenzene	53		ug/L	2	0.27	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9576	50	106%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J072013CCVB	J072013CCVB	ORG	79-34-5	1,1,2,2-Tetrachloroethane	51		ug/L	2	0.29	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9576	50	102%		
J072013CCVB	J072013CCVB	ORG	96-18-4	1,2,3-Trichloropropane	50		ug/L	2	0.29	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9576	50	100%		
J072013CCVB	J072013CCVB	ORG	108-67-8	1,3,5-Trimethylbenzene	55		ug/L	2	0.20	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9576	50	110%		
J072013CCVB	J072013CCVB	ORG	98-06-6	tert-Butylbenzene	55		ug/L	2	0.33	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9576	50	110%		
J072013CCVB	J072013CCVB	ORG	95-63-6	1,2,4-Trimethylbenzene	54		ug/L	2	0.20	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9576	50	108%		
J072013CCVB	J072013CCVB	ORG	135-98-8	sec-Butylbenzene	54		ug/L	2	0.32	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9576	50	108%		
J072013CCVB	J072013CCVB	ORG	541-73-1	1,3-Dichlorobenzene	55		ug/L	2	0.22	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9576	50	110%		
J072013CCVB	J072013CCVB	ORG	99-87-6	p-Isopropltoluene	56		ug/L	2	0.25	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9576	50	112%		
J072013CCVB	J072013CCVB	ORG	106-46-7	1,4-Dichlorobenzene	51		ug/L	2	0.33	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9576	50	102%		
J072013CCVB	J072013CCVB	ORG	95-50-1	1,2-Dichlorobenzene	53		ug/L	2	0.26	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9576	50	106%		
J072013CCVB	J072013CCVB	ORG	104-51-8	n-Butylbenzene	52		ug/L	5	0.28	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9576	50	104%		
J072013CCVB	J072013CCVB	ORG	96-12-8	1,2-Dibromo-3-chloropropane	60		ug/L	5	1.59	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9576	50	120%		
J072013CCVB	J072013CCVB	ORG	87-68-3	Hexachlorobutadiene	56		ug/L	5	0.65	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9576	50	112%		
J072013CCVB	J072013CCVB	ORG	120-82-1	1,2,4-Trichlorobenzene	59		ug/L	5	0.28	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9576	50	118%		
J072013CCVB	J072013CCVB	ORG	91-20-3	Naphthalene	59		ug/L	5	0.56	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9576	50	118%		
J072013CCVB	J072013CCVB	ORG	87-61-6	1,2,3-Trichlorobenzene	60		ug/L	5	0.23	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9576	50	120%		
J072013CCVB	J072013CCVB	STD	1868-53-7	Dibromofluoromethane	50		ng			NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9576	50	100%		
J072013CCVB	J072013CCVB	STD	17060-07-0	1,2-Dichloroethane d4	48		ng			NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9576	50	96%		
J072013CCVB	J072013CCVB	STD	2037-26-5	Toluene d8	49		ng			NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9576	50	98%		
J072013CCVB	J072013CCVB	STD	460-00-4	Bromofluorobenzene	48		ng			NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9576	50	96%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J072013MBKB	J072013MBKB	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	5	0.29	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9578				
J072013MBKB	J072013MBKB	ORG	74-87-3	Chloromethane		U	ug/L	5	0.43	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9578				
J072013MBKB	J072013MBKB	ORG	75-01-4	Vinyl chloride		U	ug/L	2	0.32	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9578				
J072013MBKB	J072013MBKB	ORG	74-83-9	Bromomethane		U	ug/L	5	0.50	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9578				
J072013MBKB	J072013MBKB	ORG	75-00-3	Chloroethane		U	ug/L	5	0.56	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9578				
J072013MBKB	J072013MBKB	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	5	0.20	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9578				
J072013MBKB	J072013MBKB	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	1	0.47	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9578				
J072013MBKB	J072013MBKB	ORG	75-09-2	Methylene chloride		U	ug/L	5	0.26	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9578				
J072013MBKB	J072013MBKB	ORG	67-64-1	Acetone		U	ug/L	10	1.56	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9578				
J072013MBKB	J072013MBKB	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	1	0.56	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9578				
J072013MBKB	J072013MBKB	ORG	1634-04-4	MTBE		U	ug/L	5	0.61	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9578				
J072013MBKB	J072013MBKB	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	1	0.53	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9578				
J072013MBKB	J072013MBKB	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	1	0.32	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9578				
J072013MBKB	J072013MBKB	ORG	74-97-5	Bromochloromethane		U	ug/L	10	0.81	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9578				
J072013MBKB	J072013MBKB	ORG	67-66-3	Chloroform		U	ug/L	2	0.41	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9578				
J072013MBKB	J072013MBKB	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	1	0.16	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9578				
J072013MBKB	J072013MBKB	ORG	78-93-3	2-Butanone		U	ug/L	1	0.17	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9578				
J072013MBKB	J072013MBKB	ORG	56-23-5	Carbon tetrachloride		U	ug/L	1	0.28	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9578				
J072013MBKB	J072013MBKB	ORG	71-43-2	Benzene		U	ug/L	1	0.14	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9578				
J072013MBKB	J072013MBKB	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	1	0.20	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9578				
J072013MBKB	J072013MBKB	ORG	79-01-6	Trichloroethene		U	ug/L	1	0.36	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9578				
J072013MBKB	J072013MBKB	ORG	74-95-3	Dibromomethane		U	ug/L	2	0.32	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9578				
J072013MBKB	J072013MBKB	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	1	0.18	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9578				
J072013MBKB	J072013MBKB	ORG	75-27-4	Bromodichloromethane		U	ug/L	2	0.12	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9578				
J072013MBKB	J072013MBKB	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	1	0.25	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9578				
J072013MBKB	J072013MBKB	ORG	108-88-3	Toluene		U	ug/L	5	0.74	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9578				
J072013MBKB	J072013MBKB	ORG	108-10-1	4-Methyl-2-pentanone		U	ug/L	1	0.21	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9578				
J072013MBKB	J072013MBKB	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	1	0.31	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9578				
J072013MBKB	J072013MBKB	ORG	127-18-4	Tetrachloroethene		U	ug/L	1	0.49	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9578				
J072013MBKB	J072013MBKB	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	1	0.34	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9578				
J072013MBKB	J072013MBKB	ORG	124-48-1	Dibromochloromethane		U	ug/L	5	0.69	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9578				
J072013MBKB	J072013MBKB	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	2	0.30	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9578				
J072013MBKB	J072013MBKB	ORG	591-78-6	2-Hexanone		U	ug/L	2	0.26	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9578				
J072013MBKB	J072013MBKB	ORG	100-41-4	Ethylbenzene		U	ug/L	1	0.25	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9578				
J072013MBKB	J072013MBKB	ORG	108-90-7	Chlorobenzene		U	ug/L	1	0.28	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9578				
J072013MBKB	J072013MBKB	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	2	0.19	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9578				
J072013MBKB	J072013MBKB	ORG	XYLMP	p&m-Xylene		U	ug/L	2	0.26	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9578				
J072013MBKB	J072013MBKB	ORG	95-47-6	o-Xylene		U	ug/L	1	0.13	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9578				
J072013MBKB	J072013MBKB	ORG	100-42-5	Styrene		U	ug/L	1	0.20	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9578				
J072013MBKB	J072013MBKB	ORG	75-25-2	Bromoform		U	ug/L	2	0.47	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9578				
J072013MBKB	J072013MBKB	ORG	98-82-8	Isopropylbenzene		U	ug/L	2	0.20	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9578				
J072013MBKB	J072013MBKB	ORG	103-65-1	n-Propylbenzene		U	ug/L	2	0.27	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9578				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J072013MBKB	J072013MBKB	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	2	0.29	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9578				
J072013MBKB	J072013MBKB	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	2	0.29	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9578				
J072013MBKB	J072013MBKB	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	2	0.20	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9578				
J072013MBKB	J072013MBKB	ORG	98-06-6	tert-Butylbenzene		U	ug/L	2	0.33	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9578				
J072013MBKB	J072013MBKB	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	2	0.20	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9578				
J072013MBKB	J072013MBKB	ORG	135-98-8	sec-Butylbenzene		U	ug/L	2	0.32	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9578				
J072013MBKB	J072013MBKB	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	2	0.22	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9578				
J072013MBKB	J072013MBKB	ORG	99-87-6	p-Isopropltoluene		U	ug/L	2	0.25	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9578				
J072013MBKB	J072013MBKB	ORG	106-46-7	1,4-Dichlorobenzene		U	ug/L	2	0.33	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9578				
J072013MBKB	J072013MBKB	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	2	0.26	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9578				
J072013MBKB	J072013MBKB	ORG	104-51-8	n-Butylbenzene		U	ug/L	5	0.28	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9578				
J072013MBKB	J072013MBKB	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	5	1.59	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9578				
J072013MBKB	J072013MBKB	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	5	0.65	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9578				
J072013MBKB	J072013MBKB	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	5	0.28	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9578				
J072013MBKB	J072013MBKB	ORG	91-20-3	Naphthalene		U	ug/L	5	0.56	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9578				
J072013MBKB	J072013MBKB	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	5	0.23	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9578				
J072013MBKB	J072013MBKB	STD	1868-53-7	Dibromofluoromethane	53		ng			NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9578	50	106%		
J072013MBKB	J072013MBKB	STD	17060-07-0	1,2-Dichloroethane d4	56		ng			NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9578	50	112%		
J072013MBKB	J072013MBKB	STD	2037-26-5	Toluene d8	47		ng			NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9578	50	94%		
J072013MBKB	J072013MBKB	STD	460-00-4	Bromofluorobenzene	44		ng			NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9578	50	88%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J072013ALCS	J072013ALCS	ORG	75-71-8	Dichlorodifluoromethane	35		ug/L	5	0.29	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9566	50	70%		
J072013ALCS	J072013ALCS	ORG	74-87-3	Chloromethane	34		ug/L	5	0.43	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9566	50	68%		
J072013ALCS	J072013ALCS	ORG	75-01-4	Vinyl chloride	42		ug/L	2	0.32	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9566	50	84%		
J072013ALCS	J072013ALCS	ORG	74-83-9	Bromomethane	51		ug/L	5	0.50	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9566	50	102%		
J072013ALCS	J072013ALCS	ORG	75-00-3	Chloroethane	59		ug/L	5	0.56	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9566	50	118%		
J072013ALCS	J072013ALCS	ORG	75-69-4	Trichlorofluoromethane	48		ug/L	5	0.20	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9566	50	96%		
J072013ALCS	J072013ALCS	ORG	75-35-4	1,1-Dichloroethene	52		ug/L	1	0.47	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9566	50	104%		
J072013ALCS	J072013ALCS	ORG	75-09-2	Methylene chloride	51		ug/L	5	0.26	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9566	50	102%		
J072013ALCS	J072013ALCS	ORG	67-64-1	Acetone	46		ug/L	10	1.56	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9566	50	92%		
J072013ALCS	J072013ALCS	ORG	156-60-5	trans-1,2-Dichloroethene	72		ug/L	1	0.56	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9566	50	144%		
J072013ALCS	J072013ALCS	ORG	1634-04-4	MTBE	69		ug/L	5	0.61	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9566	50	138%		
J072013ALCS	J072013ALCS	ORG	75-34-3	1,1-Dichloroethane	55		ug/L	1	0.53	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9566	50	110%		
J072013ALCS	J072013ALCS	ORG	156-59-2	cis-1,2-Dichloroethene	54		ug/L	1	0.32	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9566	50	108%		
J072013ALCS	J072013ALCS	ORG	74-97-5	Bromochloromethane	58		ug/L	10	0.81	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9566	50	116%		
J072013ALCS	J072013ALCS	ORG	67-66-3	Chloroform	52		ug/L	2	0.41	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9566	50	104%		
J072013ALCS	J072013ALCS	ORG	71-55-6	1,1,1-Trichloroethane	55		ug/L	1	0.16	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9566	50	110%		
J072013ALCS	J072013ALCS	ORG	78-93-3	2-Butanone	46		ug/L	1	0.17	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9566	50	92%		
J072013ALCS	J072013ALCS	ORG	56-23-5	Carbon tetrachloride	56		ug/L	1	0.28	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9566	50	112%		
J072013ALCS	J072013ALCS	ORG	71-43-2	Benzene	48		ug/L	1	0.14	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9566	50	96%		
J072013ALCS	J072013ALCS	ORG	107-06-2	1,2-Dichloroethane	53		ug/L	1	0.20	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9566	50	106%		
J072013ALCS	J072013ALCS	ORG	79-01-6	Trichloroethene	54		ug/L	1	0.36	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9566	50	108%		
J072013ALCS	J072013ALCS	ORG	74-95-3	Dibromomethane	53		ug/L	2	0.32	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9566	50	106%		
J072013ALCS	J072013ALCS	ORG	78-87-5	1,2-Dichloropropane	42		ug/L	1	0.18	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9566	50	84%		
J072013ALCS	J072013ALCS	ORG	75-27-4	Bromodichloromethane	51		ug/L	2	0.12	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9566	50	102%		
J072013ALCS	J072013ALCS	ORG	10061-01-5	cis-1,3-Dichloropropene	46		ug/L	1	0.25	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9566	50	92%		
J072013ALCS	J072013ALCS	ORG	108-88-3	Toluene	48		ug/L	5	0.74	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9566	50	96%		
J072013ALCS	J072013ALCS	ORG	108-10-1	4-Methyl-2-pentanone	41		ug/L	1	0.21	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9566	50	82%		
J072013ALCS	J072013ALCS	ORG	10061-02-6	trans-1,3-Dichloropropene	49		ug/L	1	0.31	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9566	50	98%		
J072013ALCS	J072013ALCS	ORG	127-18-4	Tetrachloroethene	45		ug/L	1	0.49	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9566	50	90%		
J072013ALCS	J072013ALCS	ORG	79-00-5	1,1,2-Trichloroethane	47		ug/L	1	0.34	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9566	50	94%		
J072013ALCS	J072013ALCS	ORG	124-48-1	Dibromochloromethane	54		ug/L	5	0.69	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9566	50	108%		
J072013ALCS	J072013ALCS	ORG	106-93-4	1,2-Dibromoethane	53		ug/L	2	0.30	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9566	50	106%		
J072013ALCS	J072013ALCS	ORG	591-78-6	2-Hexanone	45		ug/L	2	0.26	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9566	50	90%		
J072013ALCS	J072013ALCS	ORG	100-41-4	Ethylbenzene	46		ug/L	1	0.25	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9566	50	92%		
J072013ALCS	J072013ALCS	ORG	108-90-7	Chlorobenzene	48		ug/L	1	0.28	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9566	50	96%		
J072013ALCS	J072013ALCS	ORG	630-20-6	1,1,1,2-Tetrachloroethane	49		ug/L	2	0.19	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9566	50	98%		
J072013ALCS	J072013ALCS	ORG	XYLMP	p&m-Xylene	93		ug/L	2	0.26	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9566	100	93%		
J072013ALCS	J072013ALCS	ORG	95-47-6	o-Xylene	47		ug/L	1	0.13	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9566	50	94%		
J072013ALCS	J072013ALCS	ORG	100-42-5	Styrene	45		ug/L	1	0.20	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9566	50	90%		
J072013ALCS	J072013ALCS	ORG	75-25-2	Bromoform	53		ug/L	2	0.47	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9566	50	106%		
J072013ALCS	J072013ALCS	ORG	98-82-8	Isopropylbenzene	47		ug/L	2	0.20	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9566	50	94%		
J072013ALCS	J072013ALCS	ORG	103-65-1	n-Propylbenzene	48		ug/L	2	0.27	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9566	50	96%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J072013ALCS	J072013ALCS	ORG	79-34-5	1,1,2,2-Tetrachloroethane	50		ug/L	2	0.29	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9566	50	100%		
J072013ALCS	J072013ALCS	ORG	96-18-4	1,2,3-Trichloropropane	49		ug/L	2	0.29	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9566	50	98%		
J072013ALCS	J072013ALCS	ORG	108-67-8	1,3,5-Trimethylbenzene	49		ug/L	2	0.20	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9566	50	98%		
J072013ALCS	J072013ALCS	ORG	98-06-6	tert-Butylbenzene	51		ug/L	2	0.33	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9566	50	102%		
J072013ALCS	J072013ALCS	ORG	95-63-6	1,2,4-Trimethylbenzene	49		ug/L	2	0.20	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9566	50	98%		
J072013ALCS	J072013ALCS	ORG	135-98-8	sec-Butylbenzene	50		ug/L	2	0.32	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9566	50	100%		
J072013ALCS	J072013ALCS	ORG	541-73-1	1,3-Dichlorobenzene	53		ug/L	2	0.22	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9566	50	106%		
J072013ALCS	J072013ALCS	ORG	99-87-6	p-Isopropltoluene	52		ug/L	2	0.25	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9566	50	104%		
J072013ALCS	J072013ALCS	ORG	106-46-7	1,4-Dichlorobenzene	55		ug/L	2	0.33	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9566	50	110%		
J072013ALCS	J072013ALCS	ORG	95-50-1	1,2-Dichlorobenzene	54		ug/L	2	0.26	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9566	50	108%		
J072013ALCS	J072013ALCS	ORG	104-51-8	n-Butylbenzene	50		ug/L	5	0.28	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9566	50	100%		
J072013ALCS	J072013ALCS	ORG	96-12-8	1,2-Dibromo-3-chloropropane	50		ug/L	5	1.59	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9566	50	100%		
J072013ALCS	J072013ALCS	ORG	87-68-3	Hexachlorobutadiene	52		ug/L	5	0.65	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9566	50	104%		
J072013ALCS	J072013ALCS	ORG	120-82-1	1,2,4-Trichlorobenzene	54		ug/L	5	0.28	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9566	50	108%		
J072013ALCS	J072013ALCS	ORG	91-20-3	Naphthalene	53		ug/L	5	0.56	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9566	50	106%		
J072013ALCS	J072013ALCS	ORG	87-61-6	1,2,3-Trichlorobenzene	54		ug/L	5	0.23	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9566	50	108%		
J072013ALCS	J072013ALCS	STD	1868-53-7	Dibromofluoromethane	53		ng			NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9566	50	106%		
J072013ALCS	J072013ALCS	STD	17060-07-0	1,2-Dichloroethane d4	48		ng			NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9566	50	96%		
J072013ALCS	J072013ALCS	STD	2037-26-5	Toluene d8	46		ng			NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9566	50	92%		
J072013ALCS	J072013ALCS	STD	460-00-4	Bromofluorobenzene	46		ng			NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9566	50	92%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J072013ALCD	J072013ALCD	ORG	75-71-8	Dichlorodifluoromethane	35		ug/L	5	0.29	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9567	50	70%	0%	
J072013ALCD	J072013ALCD	ORG	74-87-3	Chloromethane	35		ug/L	5	0.43	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9567	50	70%	3%	
J072013ALCD	J072013ALCD	ORG	75-01-4	Vinyl chloride	43		ug/L	2	0.32	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9567	50	86%	2%	
J072013ALCD	J072013ALCD	ORG	74-83-9	Bromomethane	52		ug/L	5	0.50	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9567	50	104%	2%	
J072013ALCD	J072013ALCD	ORG	75-00-3	Chloroethane	60		ug/L	5	0.56	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9567	50	120%	2%	
J072013ALCD	J072013ALCD	ORG	75-69-4	Trichlorofluoromethane	48		ug/L	5	0.20	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9567	50	96%	0%	
J072013ALCD	J072013ALCD	ORG	75-35-4	1,1-Dichloroethene	52		ug/L	1	0.47	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9567	50	104%	0%	
J072013ALCD	J072013ALCD	ORG	75-09-2	Methylene chloride	49		ug/L	5	0.26	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9567	50	98%	4%	
J072013ALCD	J072013ALCD	ORG	67-64-1	Acetone	44		ug/L	10	1.56	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9567	50	88%	4%	
J072013ALCD	J072013ALCD	ORG	156-60-5	trans-1,2-Dichloroethene	50		ug/L	1	0.56	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9567	50	100%	36%	
J072013ALCD	J072013ALCD	ORG	1634-04-4	MTBE	55		ug/L	5	0.61	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9567	50	110%	23%	
J072013ALCD	J072013ALCD	ORG	75-34-3	1,1-Dichloroethane	52		ug/L	1	0.53	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9567	50	104%	6%	
J072013ALCD	J072013ALCD	ORG	156-59-2	cis-1,2-Dichloroethene	52		ug/L	1	0.32	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9567	50	104%	4%	
J072013ALCD	J072013ALCD	ORG	74-97-5	Bromochloromethane	56		ug/L	10	0.81	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9567	50	112%	4%	
J072013ALCD	J072013ALCD	ORG	67-66-3	Chloroform	51		ug/L	2	0.41	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9567	50	102%	2%	
J072013ALCD	J072013ALCD	ORG	71-55-6	1,1,1-Trichloroethane	53		ug/L	1	0.16	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9567	50	106%	4%	
J072013ALCD	J072013ALCD	ORG	78-93-3	2-Butanone	45		ug/L	1	0.17	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9567	50	90%	2%	
J072013ALCD	J072013ALCD	ORG	56-23-5	Carbon tetrachloride	54		ug/L	1	0.28	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9567	50	108%	4%	
J072013ALCD	J072013ALCD	ORG	71-43-2	Benzene	46		ug/L	1	0.14	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9567	50	92%	4%	
J072013ALCD	J072013ALCD	ORG	107-06-2	1,2-Dichloroethane	52		ug/L	1	0.20	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9567	50	104%	2%	
J072013ALCD	J072013ALCD	ORG	79-01-6	Trichloroethene	52		ug/L	1	0.36	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9567	50	104%	4%	
J072013ALCD	J072013ALCD	ORG	74-95-3	Dibromomethane	52		ug/L	2	0.32	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9567	50	104%	2%	
J072013ALCD	J072013ALCD	ORG	78-87-5	1,2-Dichloropropane	42		ug/L	1	0.18	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9567	50	84%	0%	
J072013ALCD	J072013ALCD	ORG	75-27-4	Bromodichloromethane	50		ug/L	2	0.12	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9567	50	100%	2%	
J072013ALCD	J072013ALCD	ORG	10061-01-5	cis-1,3-Dichloropropene	46		ug/L	1	0.25	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9567	50	92%	0%	
J072013ALCD	J072013ALCD	ORG	108-88-3	Toluene	47		ug/L	5	0.74	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9567	50	94%	2%	
J072013ALCD	J072013ALCD	ORG	108-10-1	4-Methyl-2-pentanone	40		ug/L	1	0.21	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9567	50	80%	2%	
J072013ALCD	J072013ALCD	ORG	10061-02-6	trans-1,3-Dichloropropene	48		ug/L	1	0.31	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9567	50	96%	2%	
J072013ALCD	J072013ALCD	ORG	127-18-4	Tetrachloroethene	45		ug/L	1	0.49	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9567	50	90%	0%	
J072013ALCD	J072013ALCD	ORG	79-00-5	1,1,2-Trichloroethane	47		ug/L	1	0.34	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9567	50	94%	0%	
J072013ALCD	J072013ALCD	ORG	124-48-1	Dibromochloromethane	53		ug/L	5	0.69	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9567	50	106%	2%	
J072013ALCD	J072013ALCD	ORG	106-93-4	1,2-Dibromoethane	53		ug/L	2	0.30	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9567	50	106%	0%	
J072013ALCD	J072013ALCD	ORG	591-78-6	2-Hexanone	44		ug/L	2	0.26	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9567	50	88%	2%	
J072013ALCD	J072013ALCD	ORG	100-41-4	Ethylbenzene	47		ug/L	1	0.25	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9567	50	94%	2%	
J072013ALCD	J072013ALCD	ORG	108-90-7	Chlorobenzene	48		ug/L	1	0.28	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9567	50	96%	0%	
J072013ALCD	J072013ALCD	ORG	630-20-6	1,1,1,2-Tetrachloroethane	48		ug/L	2	0.19	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9567	50	96%	2%	
J072013ALCD	J072013ALCD	ORG	XYLMP	p&m-Xylene	95		ug/L	2	0.26	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9567	100	95%	2%	
J072013ALCD	J072013ALCD	ORG	95-47-6	o-Xylene	46		ug/L	1	0.13	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9567	50	92%	2%	
J072013ALCD	J072013ALCD	ORG	100-42-5	Styrene	46		ug/L	1	0.20	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9567	50	92%	2%	
J072013ALCD	J072013ALCD	ORG	75-25-2	Bromoform	53		ug/L	2	0.47	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9567	50	106%	0%	
J072013ALCD	J072013ALCD	ORG	98-82-8	Isopropylbenzene	48		ug/L	2	0.20	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9567	50	96%	2%	
J072013ALCD	J072013ALCD	ORG	103-65-1	n-Propylbenzene	47		ug/L	2	0.27	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9567	50	94%	2%	

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J072013ALCD	J072013ALCD	ORG	79-34-5	1,1,2,2-Tetrachloroethane	48		ug/L	2	0.29	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9567	50	96%	4%	
J072013ALCD	J072013ALCD	ORG	96-18-4	1,2,3-Trichloropropane	47		ug/L	2	0.29	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9567	50	94%	4%	
J072013ALCD	J072013ALCD	ORG	108-67-8	1,3,5-Trimethylbenzene	48		ug/L	2	0.20	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9567	50	96%	2%	
J072013ALCD	J072013ALCD	ORG	98-06-6	tert-Butylbenzene	50		ug/L	2	0.33	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9567	50	100%	2%	
J072013ALCD	J072013ALCD	ORG	95-63-6	1,2,4-Trimethylbenzene	48		ug/L	2	0.20	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9567	50	96%	2%	
J072013ALCD	J072013ALCD	ORG	135-98-8	sec-Butylbenzene	47		ug/L	2	0.32	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9567	50	94%	6%	
J072013ALCD	J072013ALCD	ORG	541-73-1	1,3-Dichlorobenzene	50		ug/L	2	0.22	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9567	50	100%	6%	
J072013ALCD	J072013ALCD	ORG	99-87-6	p-Isopropltoluene	50		ug/L	2	0.25	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9567	50	100%	4%	
J072013ALCD	J072013ALCD	ORG	106-46-7	1,4-Dichlorobenzene	51		ug/L	2	0.33	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9567	50	102%	8%	
J072013ALCD	J072013ALCD	ORG	95-50-1	1,2-Dichlorobenzene	51		ug/L	2	0.26	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9567	50	102%	6%	
J072013ALCD	J072013ALCD	ORG	104-51-8	n-Butylbenzene	46		ug/L	5	0.28	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9567	50	92%	8%	
J072013ALCD	J072013ALCD	ORG	96-12-8	1,2-Dibromo-3-chloropropane	51		ug/L	5	1.59	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9567	50	102%	2%	
J072013ALCD	J072013ALCD	ORG	87-68-3	Hexachlorobutadiene	46		ug/L	5	0.65	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9567	50	92%	12%	
J072013ALCD	J072013ALCD	ORG	120-82-1	1,2,4-Trichlorobenzene	52		ug/L	5	0.28	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9567	50	104%	4%	
J072013ALCD	J072013ALCD	ORG	91-20-3	Naphthalene	53		ug/L	5	0.56	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9567	50	106%	0%	
J072013ALCD	J072013ALCD	ORG	87-61-6	1,2,3-Trichlorobenzene	52		ug/L	5	0.23	NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9567	50	104%	4%	
J072013ALCD	J072013ALCD	STD	1868-53-7	Dibromofluoromethane	53		ng			NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9567	50	106%	0%	
J072013ALCD	J072013ALCD	STD	17060-07-0	1,2-Dichloroethane d4	50		ng			NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9567	50	100%	4%	
J072013ALCD	J072013ALCD	STD	2037-26-5	Toluene d8	48		ng			NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9567	50	96%	4%	
J072013ALCD	J072013ALCD	STD	460-00-4	Bromofluorobenzene	48		ng			NA	7/20/2013	7/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9567	50	96%	4%	

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-507MS	316-019	ORG	75-71-8	Dichlorodifluoromethane	3100		ug/L	500	29.28	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9568	5000	62%		
NAL13026-507MS	316-019	ORG	74-87-3	Chloromethane	3300		ug/L	500	43.07	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9568	5000	66%		
NAL13026-507MS	316-019	ORG	75-01-4	Vinyl chloride	4100		ug/L	200	31.86	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9568	5000	82%		
NAL13026-507MS	316-019	ORG	74-83-9	Bromomethane	5100		ug/L	500	50.04	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9568	5000	102%		
NAL13026-507MS	316-019	ORG	75-00-3	Chloroethane	5600		ug/L	500	55.61	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9568	5000	112%		
NAL13026-507MS	316-019	ORG	75-69-4	Trichlorofluoromethane	4600		ug/L	500	19.65	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9568	5000	92%		
NAL13026-507MS	316-019	ORG	75-35-4	1,1-Dichloroethene	5200		ug/L	100	47.11	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9568	5000	104%		
NAL13026-507MS	316-019	ORG	75-09-2	Methylene chloride	5200		ug/L	500	26.46	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9568	5000	104%		
NAL13026-507MS	316-019	ORG	67-64-1	Acetone	41000		ug/L	1000	155.61	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9568	5000	-40%		43000
NAL13026-507MS	316-019	ORG	156-60-5	trans-1,2-Dichloroethene	5100		ug/L	100	55.61	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9568	5000	102%		
NAL13026-507MS	316-019	ORG	1634-04-4	MTBE	5200		ug/L	500	61.18	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9568	5000	104%		
NAL13026-507MS	316-019	ORG	75-34-3	1,1-Dichloroethane	5300		ug/L	100	52.66	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9568	5000	106%		
NAL13026-507MS	316-019	ORG	156-59-2	cis-1,2-Dichloroethene	5400		ug/L	100	32.11	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9568	5000	108%		
NAL13026-507MS	316-019	ORG	74-97-5	Bromochloromethane	5700		ug/L	1000	81.18	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9568	5000	114%		
NAL13026-507MS	316-019	ORG	67-66-3	Chloroform	5200		ug/L	200	41.37	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9568	5000	104%		
NAL13026-507MS	316-019	ORG	71-55-6	1,1,1-Trichloroethane	5400		ug/L	100	15.73	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9568	5000	108%		
NAL13026-507MS	316-019	ORG	78-93-3	2-Butanone	23000		ug/L	100	16.65	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9568	5000	100%		18000
NAL13026-507MS	316-019	ORG	56-23-5	Carbon tetrachloride	5500		ug/L	100	27.64	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9568	5000	110%		
NAL13026-507MS	316-019	ORG	71-43-2	Benzene	4800		ug/L	100	13.53	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9568	5000	96%		21
NAL13026-507MS	316-019	ORG	107-06-2	1,2-Dichloroethane	5500		ug/L	100	20.01	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9568	5000	110%		
NAL13026-507MS	316-019	ORG	79-01-6	Trichloroethene	5300		ug/L	100	36.33	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9568	5000	106%		
NAL13026-507MS	316-019	ORG	74-95-3	Dibromomethane	5500		ug/L	200	32.20	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9568	5000	110%		
NAL13026-507MS	316-019	ORG	78-87-5	1,2-Dichloropropane	4200		ug/L	100	18.17	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9568	5000	84%		
NAL13026-507MS	316-019	ORG	75-27-4	Bromodichloromethane	5200		ug/L	200	11.58	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9568	5000	104%		
NAL13026-507MS	316-019	ORG	10061-01-5	cis-1,3-Dichloropropene	4700		ug/L	100	25.01	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9568	5000	94%		
NAL13026-507MS	316-019	ORG	108-88-3	Toluene	4800		ug/L	500	74.00	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9568	5000	96%		
NAL13026-507MS	316-019	ORG	108-10-1	4-Methyl-2-pentanone	4500		ug/L	100	20.96	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9568	5000	80%		480
NAL13026-507MS	316-019	ORG	10061-02-6	trans-1,3-Dichloropropene	5100		ug/L	100	31.15	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9568	5000	102%		
NAL13026-507MS	316-019	ORG	127-18-4	Tetrachloroethene	4300		ug/L	100	48.56	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9568	5000	86%		
NAL13026-507MS	316-019	ORG	79-00-5	1,1,2-Trichloroethane	5100		ug/L	100	34.28	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9568	5000	102%		
NAL13026-507MS	316-019	ORG	124-48-1	Dibromochloromethane	5600		ug/L	500	68.90	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9568	5000	112%		
NAL13026-507MS	316-019	ORG	106-93-4	1,2-Dibromoethane	5500		ug/L	200	29.90	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9568	5000	110%		
NAL13026-507MS	316-019	ORG	591-78-6	2-Hexanone	3700		ug/L	200	26.49	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9568	5000	63%		550
NAL13026-507MS	316-019	ORG	100-41-4	Ethylbenzene	5100		ug/L	100	25.38	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9568	5000	102%		
NAL13026-507MS	316-019	ORG	108-90-7	Chlorobenzene	5300		ug/L	100	27.52	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9568	5000	106%		
NAL13026-507MS	316-019	ORG	630-20-6	1,1,1,2-Tetrachloroethane	5200		ug/L	200	19.28	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9568	5000	104%		
NAL13026-507MS	316-019	ORG	XYLMP	p&m-Xylene	10000		ug/L	200	26.14	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9568	10000	100%		
NAL13026-507MS	316-019	ORG	95-47-6	o-Xylene	4900		ug/L	100	12.90	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9568	5000	98%		
NAL13026-507MS	316-019	ORG	100-42-5	Styrene	4800		ug/L	100	20.23	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9568	5000	96%		
NAL13026-507MS	316-019	ORG	75-25-2	Bromoform	5700		ug/L	200	46.83	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9568	5000	114%		
NAL13026-507MS	316-019	ORG	98-82-8	Isopropylbenzene	5200		ug/L	200	20.48	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9568	5000	104%		
NAL13026-507MS	316-019	ORG	103-65-1	n-Propylbenzene	5100		ug/L	200	27.00	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9568	5000	102%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-507MS	316-019	ORG	79-34-5	1,1,2,2-Tetrachloroethane	5300		ug/L	200	29.16	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9568	5000	106%		
NAL13026-507MS	316-019	ORG	96-18-4	1,2,3-Trichloropropane	5100		ug/L	200	29.47	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9568	5000	102%		
NAL13026-507MS	316-019	ORG	108-67-8	1,3,5-Trimethylbenzene	5200		ug/L	200	20.03	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9568	5000	104%		
NAL13026-507MS	316-019	ORG	98-06-6	tert-Butylbenzene	5300		ug/L	200	32.61	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9568	5000	106%		
NAL13026-507MS	316-019	ORG	95-63-6	1,2,4-Trimethylbenzene	5200		ug/L	200	20.03	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9568	5000	103%		31
NAL13026-507MS	316-019	ORG	135-98-8	sec-Butylbenzene	5100		ug/L	200	32.34	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9568	5000	102%		
NAL13026-507MS	316-019	ORG	541-73-1	1,3-Dichlorobenzene	5400		ug/L	200	22.21	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9568	5000	108%		
NAL13026-507MS	316-019	ORG	99-87-6	p-Isopropltoluene	5500		ug/L	200	25.48	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9568	5000	108%		110
NAL13026-507MS	316-019	ORG	106-46-7	1,4-Dichlorobenzene	5500		ug/L	200	33.03	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9568	5000	110%		
NAL13026-507MS	316-019	ORG	95-50-1	1,2-Dichlorobenzene	5400		ug/L	200	26.38	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9568	5000	108%		
NAL13026-507MS	316-019	ORG	104-51-8	n-Butylbenzene	5000		ug/L	500	27.81	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9568	5000	100%		
NAL13026-507MS	316-019	ORG	96-12-8	1,2-Dibromo-3-chloropropane	5800		ug/L	500	159.11	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9568	5000	116%		
NAL13026-507MS	316-019	ORG	87-68-3	Hexachlorobutadiene	4900		ug/L	500	65.42	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9568	5000	98%		
NAL13026-507MS	316-019	ORG	120-82-1	1,2,4-Trichlorobenzene	5600		ug/L	500	27.63	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9568	5000	112%		
NAL13026-507MS	316-019	ORG	91-20-3	Naphthalene	6300		ug/L	500	56.04	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9568	5000	121%		260
NAL13026-507MS	316-019	ORG	87-61-6	1,2,3-Trichlorobenzene	5800		ug/L	500	23.28	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9568	5000	116%		
NAL13026-507MS	316-019	STD	1868-53-7	Dibromofluoromethane	52		ng			7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9568	50	104%		
NAL13026-507MS	316-019	STD	17060-07-0	1,2-Dichloroethane d4	51		ng			7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9568	50	102%		
NAL13026-507MS	316-019	STD	2037-26-5	Toluene d8	48		ng			7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9568	50	96%		
NAL13026-507MS	316-019	STD	460-00-4	Bromofluorobenzene	50		ng			7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9568	50	100%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-507MSD	316-019	ORG	75-71-8	Dichlorodifluoromethane	2800		ug/L	500	29.28	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9577	5000	56%	10%	0
NAL13026-507MSD	316-019	ORG	74-87-3	Chloromethane	3200		ug/L	500	43.07	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9577	5000	64%	3%	0
NAL13026-507MSD	316-019	ORG	75-01-4	Vinyl chloride	3700		ug/L	200	31.86	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9577	5000	74%	10%	0
NAL13026-507MSD	316-019	ORG	74-83-9	Bromomethane	5200		ug/L	500	50.04	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9577	5000	104%	2%	0
NAL13026-507MSD	316-019	ORG	75-00-3	Chloroethane	5600		ug/L	500	55.61	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9577	5000	112%	0%	0
NAL13026-507MSD	316-019	ORG	75-69-4	Trichlorofluoromethane	5300		ug/L	500	19.65	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9577	5000	106%	14%	0
NAL13026-507MSD	316-019	ORG	75-35-4	1,1-Dichloroethene	5600		ug/L	100	47.11	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9577	5000	112%	7%	0
NAL13026-507MSD	316-019	ORG	75-09-2	Methylene chloride	5700		ug/L	500	26.46	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9577	5000	114%	9%	0
NAL13026-507MSD	316-019	ORG	67-64-1	Acetone	48000		ug/L	1000	155.61	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9577	5000	100%	16%	43000
NAL13026-507MSD	316-019	ORG	156-60-5	trans-1,2-Dichloroethene	5400		ug/L	100	55.61	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9577	5000	108%	6%	0
NAL13026-507MSD	316-019	ORG	1634-04-4	MTBE	5800		ug/L	500	61.18	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9577	5000	116%	11%	0
NAL13026-507MSD	316-019	ORG	75-34-3	1,1-Dichloroethane	4000		ug/L	100	52.66	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9577	5000	80%	28%	0
NAL13026-507MSD	316-019	ORG	156-59-2	cis-1,2-Dichloroethene	5300		ug/L	100	32.11	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9577	5000	106%	2%	0
NAL13026-507MSD	316-019	ORG	74-97-5	Bromochloromethane	5700		ug/L	1000	81.18	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9577	5000	114%	0%	0
NAL13026-507MSD	316-019	ORG	67-66-3	Chloroform	5000		ug/L	200	41.37	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9577	5000	100%	4%	0
NAL13026-507MSD	316-019	ORG	71-55-6	1,1,1-Trichloroethane	5400		ug/L	100	15.73	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9577	5000	108%	0%	0
NAL13026-507MSD	316-019	ORG	78-93-3	2-Butanone	25000		ug/L	100	16.65	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9577	5000	140%	8%	18000
NAL13026-507MSD	316-019	ORG	56-23-5	Carbon tetrachloride	5300		ug/L	100	27.64	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9577	5000	106%	4%	0
NAL13026-507MSD	316-019	ORG	71-43-2	Benzene	4600		ug/L	100	13.53	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9577	5000	92%	4%	21
NAL13026-507MSD	316-019	ORG	107-06-2	1,2-Dichloroethane	5500		ug/L	100	20.01	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9577	5000	110%	0%	0
NAL13026-507MSD	316-019	ORG	79-01-6	Trichloroethene	5200		ug/L	100	36.33	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9577	5000	104%	2%	0
NAL13026-507MSD	316-019	ORG	74-95-3	Dibromomethane	5500		ug/L	200	32.20	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9577	5000	110%	0%	0
NAL13026-507MSD	316-019	ORG	78-87-5	1,2-Dichloropropane	4300		ug/L	100	18.17	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9577	5000	86%	2%	0
NAL13026-507MSD	316-019	ORG	75-27-4	Bromodichloromethane	4900		ug/L	200	11.58	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9577	5000	98%	6%	0
NAL13026-507MSD	316-019	ORG	10061-01-5	cis-1,3-Dichloropropene	4600		ug/L	100	25.01	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9577	5000	92%	2%	0
NAL13026-507MSD	316-019	ORG	108-88-3	Toluene	4800		ug/L	500	74.00	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9577	5000	96%	0%	0
NAL13026-507MSD	316-019	ORG	108-10-1	4-Methyl-2-pentanone	4400		ug/L	100	20.96	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9577	5000	78%	2%	480
NAL13026-507MSD	316-019	ORG	10061-02-6	trans-1,3-Dichloropropene	5000		ug/L	100	31.15	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9577	5000	100%	2%	0
NAL13026-507MSD	316-019	ORG	127-18-4	Tetrachloroethene	4900		ug/L	100	48.56	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9577	5000	98%	13%	0
NAL13026-507MSD	316-019	ORG	79-00-5	1,1,2-Trichloroethane	4700		ug/L	100	34.28	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9577	5000	94%	8%	0
NAL13026-507MSD	316-019	ORG	124-48-1	Dibromochloromethane	5300		ug/L	500	68.90	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9577	5000	106%	6%	0
NAL13026-507MSD	316-019	ORG	106-93-4	1,2-Dibromoethane	5500		ug/L	200	29.90	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9577	5000	110%	0%	0
NAL13026-507MSD	316-019	ORG	591-78-6	2-Hexanone	4400		ug/L	200	26.49	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9577	5000	77%	17%	550
NAL13026-507MSD	316-019	ORG	100-41-4	Ethylbenzene	5400		ug/L	100	25.38	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9577	5000	108%	6%	0
NAL13026-507MSD	316-019	ORG	108-90-7	Chlorobenzene	5600		ug/L	100	27.52	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9577	5000	112%	6%	0
NAL13026-507MSD	316-019	ORG	630-20-6	1,1,1,2-Tetrachloroethane	5600		ug/L	200	19.28	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9577	5000	112%	7%	0
NAL13026-507MSD	316-019	ORG	XYLMP	p&m-Xylene	10700		ug/L	200	26.14	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9577	10000	107%	7%	0
NAL13026-507MSD	316-019	ORG	95-47-6	o-Xylene	5200		ug/L	100	12.90	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9577	5000	104%	6%	0
NAL13026-507MSD	316-019	ORG	100-42-5	Styrene	5000		ug/L	100	20.23	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9577	5000	100%	4%	0
NAL13026-507MSD	316-019	ORG	75-25-2	Bromoform	5700		ug/L	200	46.83	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9577	5000	114%	0%	0
NAL13026-507MSD	316-019	ORG	98-82-8	Isopropylbenzene	5400		ug/L	200	20.48	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9577	5000	108%	4%	0
NAL13026-507MSD	316-019	ORG	103-65-1	n-Propylbenzene	5000		ug/L	200	27.00	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9577	5000	100%	2%	0

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-507MSD	316-019	ORG	79-34-5	1,1,2,2-Tetrachloroethane	5400		ug/L	200	29.16	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9577	5000	108%	2%	0
NAL13026-507MSD	316-019	ORG	96-18-4	1,2,3-Trichloropropane	5100		ug/L	200	29.47	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9577	5000	102%	0%	0
NAL13026-507MSD	316-019	ORG	108-67-8	1,3,5-Trimethylbenzene	5100		ug/L	200	20.03	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9577	5000	102%	2%	0
NAL13026-507MSD	316-019	ORG	98-06-6	tert-Butylbenzene	4900		ug/L	200	32.61	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9577	5000	98%	8%	0
NAL13026-507MSD	316-019	ORG	95-63-6	1,2,4-Trimethylbenzene	5100		ug/L	200	20.03	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9577	5000	101%	2%	31
NAL13026-507MSD	316-019	ORG	135-98-8	sec-Butylbenzene	4900		ug/L	200	32.34	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9577	5000	98%	4%	0
NAL13026-507MSD	316-019	ORG	541-73-1	1,3-Dichlorobenzene	5000		ug/L	200	22.21	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9577	5000	100%	8%	0
NAL13026-507MSD	316-019	ORG	99-87-6	p-Isopropltoluene	5100		ug/L	200	25.48	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9577	5000	100%	8%	110
NAL13026-507MSD	316-019	ORG	106-46-7	1,4-Dichlorobenzene	5200		ug/L	200	33.03	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9577	5000	104%	6%	0
NAL13026-507MSD	316-019	ORG	95-50-1	1,2-Dichlorobenzene	5400		ug/L	200	26.38	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9577	5000	108%	0%	0
NAL13026-507MSD	316-019	ORG	104-51-8	n-Butylbenzene	4500		ug/L	500	27.81	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9577	5000	90%	11%	0
NAL13026-507MSD	316-019	ORG	96-12-8	1,2-Dibromo-3-chloropropane	6700		ug/L	500	159.11	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9577	5000	134%	14%	0
NAL13026-507MSD	316-019	ORG	87-68-3	Hexachlorobutadiene	5300		ug/L	500	65.42	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9577	5000	106%	8%	0
NAL13026-507MSD	316-019	ORG	120-82-1	1,2,4-Trichlorobenzene	5900		ug/L	500	27.63	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9577	5000	118%	5%	0
NAL13026-507MSD	316-019	ORG	91-20-3	Naphthalene	7000		ug/L	500	56.04	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9577	5000	135%	11%	260
NAL13026-507MSD	316-019	ORG	87-61-6	1,2,3-Trichlorobenzene	6100		ug/L	500	23.28	7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9577	5000	122%	5%	0
NAL13026-507MSD	316-019	STD	1868-53-7	Dibromofluoromethane	53		ng			7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9577	50	106%	2%	0
NAL13026-507MSD	316-019	STD	17060-07-0	1,2-Dichloroethane d4	52		ng			7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9577	50	104%	2%	0
NAL13026-507MSD	316-019	STD	2037-26-5	Toluene d8	49		ng			7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9577	50	98%	2%	0
NAL13026-507MSD	316-019	STD	460-00-4	Bromofluorobenzene	48		ng			7/20/2013	7/20/2013	7/20/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9577	50	96%	4%	0

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-514	291-ST T1	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9587				
NAL13026-514	291-ST T1	ORG	74-87-3	Chloromethane		UX-	ug/L	500	43.07	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9587				
NAL13026-514	291-ST T1	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9587				
NAL13026-514	291-ST T1	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9587				
NAL13026-514	291-ST T1	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9587				
NAL13026-514	291-ST T1	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9587				
NAL13026-514	291-ST T1	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9587				
NAL13026-514	291-ST T1	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9587				
NAL13026-514	291-ST T1	ORG	67-64-1	Acetone	84000	D	ug/L	10000	1556.07	7/21/2013	7/21/2013	7/21/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9601				
NAL13026-514	291-ST T1	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9587				
NAL13026-514	291-ST T1	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9587				
NAL13026-514	291-ST T1	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9587				
NAL13026-514	291-ST T1	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9587				
NAL13026-514	291-ST T1	ORG	74-97-5	Bromochloromethane		U	ug/L	200	41.37	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9587				
NAL13026-514	291-ST T1	ORG	67-66-3	Chloroform		U	ug/L	100	15.73	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9587				
NAL13026-514	291-ST T1	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	16.65	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9587				
NAL13026-514	291-ST T1	ORG	78-93-3	2-Butanone	41000	D	ug/L	10000	811.80	7/21/2013	7/21/2013	7/21/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9601				
NAL13026-514	291-ST T1	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9587				
NAL13026-514	291-ST T1	ORG	71-43-2	Benzene		U	ug/L	100	13.53	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9587				
NAL13026-514	291-ST T1	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9587				
NAL13026-514	291-ST T1	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9587				
NAL13026-514	291-ST T1	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9587				
NAL13026-514	291-ST T1	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9587				
NAL13026-514	291-ST T1	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9587				
NAL13026-514	291-ST T1	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9587				
NAL13026-514	291-ST T1	ORG	108-88-3	Toluene		U	ug/L	100	20.96	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9587				
NAL13026-514	291-ST T1	ORG	108-10-1	4-Methyl-2-pentanone	450	J	ug/L	500	74.00	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9587				
NAL13026-514	291-ST T1	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9587				
NAL13026-514	291-ST T1	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9587				
NAL13026-514	291-ST T1	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9587				
NAL13026-514	291-ST T1	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	29.90	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9587				
NAL13026-514	291-ST T1	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	26.49	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9587				
NAL13026-514	291-ST T1	ORG	591-78-6	2-Hexanone		U	ug/L	500	68.90	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9587				
NAL13026-514	291-ST T1	ORG	100-41-4	Ethylbenzene		U	ug/L	100	25.38	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9587				
NAL13026-514	291-ST T1	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9587				
NAL13026-514	291-ST T1	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9587				
NAL13026-514	291-ST T1	ORG	XYLMP	p&m-Xylene		U	ug/L	200	26.14	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9587				
NAL13026-514	291-ST T1	ORG	95-47-6	o-Xylene		U	ug/L	100	12.90	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9587				
NAL13026-514	291-ST T1	ORG	100-42-5	Styrene		U	ug/L	100	20.23	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9587				
NAL13026-514	291-ST T1	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9587				
NAL13026-514	291-ST T1	ORG	98-82-8	Isopropylbenzene	22	J	ug/L	200	20.48	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9587				
NAL13026-514	291-ST T1	ORG	103-65-1	n-Propylbenzene		U	ug/L	200	27.00	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9587				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-514	291-ST T1	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9587				
NAL13026-514	291-ST T1	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9587				
NAL13026-514	291-ST T1	ORG	108-67-8	1,3,5-Trimethylbenzene	45	J	ug/L	200	20.03	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9587				
NAL13026-514	291-ST T1	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9587				
NAL13026-514	291-ST T1	ORG	95-63-6	1,2,4-Trimethylbenzene	180	J	ug/L	200	20.03	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9587				
NAL13026-514	291-ST T1	ORG	135-98-8	sec-Butylbenzene	47	J	ug/L	200	32.34	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9587				
NAL13026-514	291-ST T1	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9587				
NAL13026-514	291-ST T1	ORG	99-87-6	p-Isopropltoluene	1900		ug/L	200	25.48	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9587				
NAL13026-514	291-ST T1	ORG	106-46-7	1,4-Dichlorobenzene	250		ug/L	200	33.03	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9587				
NAL13026-514	291-ST T1	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9587				
NAL13026-514	291-ST T1	ORG	104-51-8	n-Butylbenzene	89	J	ug/L	500	27.81	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9587				
NAL13026-514	291-ST T1	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9587				
NAL13026-514	291-ST T1	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9587				
NAL13026-514	291-ST T1	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9587				
NAL13026-514	291-ST T1	ORG	91-20-3	Naphthalene	1000		ug/L	500	56.04	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9587				
NAL13026-514	291-ST T1	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9587				
NAL13026-514	291-ST T1	STD	1868-53-7	Dibromofluoromethane	52		ng			7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9587	50	104%		
NAL13026-514	291-ST T1	STD	17060-07-0	1,2-Dichloroethane d4	52		ng			7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9587	50	104%		
NAL13026-514	291-ST T1	STD	2037-26-5	Toluene d8	46		ng			7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9587	50	92%		
NAL13026-514	291-ST T1	STD	460-00-4	Bromofluorobenzene	45		ng			7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9587	50	90%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-515	291-ST T2	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9588				
NAL13026-515	291-ST T2	ORG	74-87-3	Chloromethane		UX-	ug/L	500	43.07	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9588				
NAL13026-515	291-ST T2	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9588				
NAL13026-515	291-ST T2	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9588				
NAL13026-515	291-ST T2	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9588				
NAL13026-515	291-ST T2	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9588				
NAL13026-515	291-ST T2	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9588				
NAL13026-515	291-ST T2	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9588				
NAL13026-515	291-ST T2	ORG	67-64-1	Acetone	84000	D	ug/L	10000	1556.07	7/21/2013	7/21/2013	7/21/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9602				
NAL13026-515	291-ST T2	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9588				
NAL13026-515	291-ST T2	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9588				
NAL13026-515	291-ST T2	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9588				
NAL13026-515	291-ST T2	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9588				
NAL13026-515	291-ST T2	ORG	74-97-5	Bromochloromethane		U	ug/L	200	81.18	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9588				
NAL13026-515	291-ST T2	ORG	67-66-3	Chloroform		U	ug/L	100	41.37	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9588				
NAL13026-515	291-ST T2	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	15.73	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9588				
NAL13026-515	291-ST T2	ORG	78-93-3	2-Butanone	28000	D	ug/L	10000	166.52	7/21/2013	7/21/2013	7/21/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9602				
NAL13026-515	291-ST T2	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9588				
NAL13026-515	291-ST T2	ORG	71-43-2	Benzene		U	ug/L	100	13.53	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9588				
NAL13026-515	291-ST T2	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9588				
NAL13026-515	291-ST T2	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9588				
NAL13026-515	291-ST T2	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9588				
NAL13026-515	291-ST T2	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9588				
NAL13026-515	291-ST T2	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9588				
NAL13026-515	291-ST T2	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9588				
NAL13026-515	291-ST T2	ORG	108-88-3	Toluene		U	ug/L	100	20.96	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9588				
NAL13026-515	291-ST T2	ORG	108-10-1	4-Methyl-2-pentanone	640		ug/L	500	74.00	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9588				
NAL13026-515	291-ST T2	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9588				
NAL13026-515	291-ST T2	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9588				
NAL13026-515	291-ST T2	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9588				
NAL13026-515	291-ST T2	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	68.90	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9588				
NAL13026-515	291-ST T2	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	29.90	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9588				
NAL13026-515	291-ST T2	ORG	591-78-6	2-Hexanone		U	ug/L	500	26.49	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9588				
NAL13026-515	291-ST T2	ORG	100-41-4	Ethylbenzene		U	ug/L	100	25.38	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9588				
NAL13026-515	291-ST T2	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9588				
NAL13026-515	291-ST T2	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9588				
NAL13026-515	291-ST T2	ORG	XYLMP	p&m-Xylene		U	ug/L	200	26.14	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9588				
NAL13026-515	291-ST T2	ORG	95-47-6	o-Xylene		U	ug/L	100	12.90	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9588				
NAL13026-515	291-ST T2	ORG	100-42-5	Styrene		U	ug/L	100	20.23	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9588				
NAL13026-515	291-ST T2	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9588				
NAL13026-515	291-ST T2	ORG	98-82-8	Isopropylbenzene		U	ug/L	200	20.48	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9588				
NAL13026-515	291-ST T2	ORG	103-65-1	n-Propylbenzene		U	ug/L	200	27.00	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9588				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-515	291-ST T2	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9588				
NAL13026-515	291-ST T2	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9588				
NAL13026-515	291-ST T2	ORG	108-67-8	1,3,5-Trimethylbenzene	29	J	ug/L	200	20.03	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9588				
NAL13026-515	291-ST T2	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9588				
NAL13026-515	291-ST T2	ORG	95-63-6	1,2,4-Trimethylbenzene	85	J	ug/L	200	20.03	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9588				
NAL13026-515	291-ST T2	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9588				
NAL13026-515	291-ST T2	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9588				
NAL13026-515	291-ST T2	ORG	99-87-6	p-Isopropltoluene	730		ug/L	200	25.48	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9588				
NAL13026-515	291-ST T2	ORG	106-46-7	1,4-Dichlorobenzene	160	J	ug/L	200	33.03	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9588				
NAL13026-515	291-ST T2	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9588				
NAL13026-515	291-ST T2	ORG	104-51-8	n-Butylbenzene	50	J	ug/L	500	27.81	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9588				
NAL13026-515	291-ST T2	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9588				
NAL13026-515	291-ST T2	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9588				
NAL13026-515	291-ST T2	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9588				
NAL13026-515	291-ST T2	ORG	91-20-3	Naphthalene	830		ug/L	500	56.04	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9588				
NAL13026-515	291-ST T2	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9588				
NAL13026-515	291-ST T2	STD	1868-53-7	Dibromofluoromethane	51		ng			7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9588	50	102%		
NAL13026-515	291-ST T2	STD	17060-07-0	1,2-Dichloroethane d4	53		ng			7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9588	50	106%		
NAL13026-515	291-ST T2	STD	2037-26-5	Toluene d8	46		ng			7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9588	50	92%		
NAL13026-515	291-ST T2	STD	460-00-4	Bromofluorobenzene	45		ng			7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9588	50	90%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-516	291-ST T3	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9589				
NAL13026-516	291-ST T3	ORG	74-87-3	Chloromethane		UX-	ug/L	500	43.07	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9589				
NAL13026-516	291-ST T3	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9589				
NAL13026-516	291-ST T3	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9589				
NAL13026-516	291-ST T3	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9589				
NAL13026-516	291-ST T3	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9589				
NAL13026-516	291-ST T3	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9589				
NAL13026-516	291-ST T3	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9589				
NAL13026-516	291-ST T3	ORG	67-64-1	Acetone	68000	D	ug/L	10000	1556.07	7/21/2013	7/21/2013	7/21/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9603				
NAL13026-516	291-ST T3	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9589				
NAL13026-516	291-ST T3	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9589				
NAL13026-516	291-ST T3	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9589				
NAL13026-516	291-ST T3	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9589				
NAL13026-516	291-ST T3	ORG	74-97-5	Bromochloromethane		U	ug/L	200	81.18	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9589				
NAL13026-516	291-ST T3	ORG	67-66-3	Chloroform		U	ug/L	100	41.37	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9589				
NAL13026-516	291-ST T3	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	15.73	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9589				
NAL13026-516	291-ST T3	ORG	78-93-3	2-Butanone	32000	D	ug/L	10000	166.52	7/21/2013	7/21/2013	7/21/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9603				
NAL13026-516	291-ST T3	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9589				
NAL13026-516	291-ST T3	ORG	71-43-2	Benzene		U	ug/L	100	13.53	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9589				
NAL13026-516	291-ST T3	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9589				
NAL13026-516	291-ST T3	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9589				
NAL13026-516	291-ST T3	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9589				
NAL13026-516	291-ST T3	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9589				
NAL13026-516	291-ST T3	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9589				
NAL13026-516	291-ST T3	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9589				
NAL13026-516	291-ST T3	ORG	108-88-3	Toluene		U	ug/L	100	20.96	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9589				
NAL13026-516	291-ST T3	ORG	108-10-1	4-Methyl-2-pentanone	450	J	ug/L	500	74.00	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9589				
NAL13026-516	291-ST T3	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9589				
NAL13026-516	291-ST T3	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9589				
NAL13026-516	291-ST T3	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9589				
NAL13026-516	291-ST T3	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	68.90	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9589				
NAL13026-516	291-ST T3	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	29.90	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9589				
NAL13026-516	291-ST T3	ORG	591-78-6	2-Hexanone		U	ug/L	500	26.49	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9589				
NAL13026-516	291-ST T3	ORG	100-41-4	Ethylbenzene		U	ug/L	100	25.38	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9589				
NAL13026-516	291-ST T3	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9589				
NAL13026-516	291-ST T3	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9589				
NAL13026-516	291-ST T3	ORG	XYLMP	p&m-Xylene		U	ug/L	200	26.14	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9589				
NAL13026-516	291-ST T3	ORG	95-47-6	o-Xylene		U	ug/L	100	12.90	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9589				
NAL13026-516	291-ST T3	ORG	100-42-5	Styrene		U	ug/L	100	20.23	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9589				
NAL13026-516	291-ST T3	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9589				
NAL13026-516	291-ST T3	ORG	98-82-8	Isopropylbenzene		U	ug/L	200	20.48	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9589				
NAL13026-516	291-ST T3	ORG	103-65-1	n-Propylbenzene		U	ug/L	200	27.00	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9589				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-516	291-ST T3	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9589				
NAL13026-516	291-ST T3	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9589				
NAL13026-516	291-ST T3	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	200	20.03	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9589				
NAL13026-516	291-ST T3	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9589				
NAL13026-516	291-ST T3	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	200	20.03	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9589				
NAL13026-516	291-ST T3	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9589				
NAL13026-516	291-ST T3	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9589				
NAL13026-516	291-ST T3	ORG	99-87-6	p-Isopropltoluene	83	J	ug/L	200	25.48	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9589				
NAL13026-516	291-ST T3	ORG	106-46-7	1,4-Dichlorobenzene	46	J	ug/L	200	33.03	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9589				
NAL13026-516	291-ST T3	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9589				
NAL13026-516	291-ST T3	ORG	104-51-8	n-Butylbenzene		U	ug/L	500	27.81	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9589				
NAL13026-516	291-ST T3	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9589				
NAL13026-516	291-ST T3	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9589				
NAL13026-516	291-ST T3	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9589				
NAL13026-516	291-ST T3	ORG	91-20-3	Naphthalene	310	J	ug/L	500	56.04	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9589				
NAL13026-516	291-ST T3	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9589				
NAL13026-516	291-ST T3	STD	1868-53-7	Dibromofluoromethane	52		ng			7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9589	50	104%		
NAL13026-516	291-ST T3	STD	17060-07-0	1,2-Dichloroethane d4	53		ng			7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9589	50	106%		
NAL13026-516	291-ST T3	STD	2037-26-5	Toluene d8	45		ng			7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9589	50	90%		
NAL13026-516	291-ST T3	STD	460-00-4	Bromofluorobenzene	46		ng			7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9589	50	92%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-517	291-ST T4	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9590				
NAL13026-517	291-ST T4	ORG	74-87-3	Chloromethane		UX-	ug/L	500	43.07	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9590				
NAL13026-517	291-ST T4	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9590				
NAL13026-517	291-ST T4	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9590				
NAL13026-517	291-ST T4	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9590				
NAL13026-517	291-ST T4	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9590				
NAL13026-517	291-ST T4	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9590				
NAL13026-517	291-ST T4	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9590				
NAL13026-517	291-ST T4	ORG	67-64-1	Acetone	70000	D	ug/L	10000	1556.07	7/21/2013	7/21/2013	7/21/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9604				
NAL13026-517	291-ST T4	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9590				
NAL13026-517	291-ST T4	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9590				
NAL13026-517	291-ST T4	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9590				
NAL13026-517	291-ST T4	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9590				
NAL13026-517	291-ST T4	ORG	74-97-5	Bromochloromethane		U	ug/L	200	81.18	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9590				
NAL13026-517	291-ST T4	ORG	67-66-3	Chloroform		U	ug/L	100	41.37	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9590				
NAL13026-517	291-ST T4	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	15.73	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9590				
NAL13026-517	291-ST T4	ORG	78-93-3	2-Butanone	17000		ug/L	1000	16.65	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9590				
NAL13026-517	291-ST T4	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9590				
NAL13026-517	291-ST T4	ORG	71-43-2	Benzene		U	ug/L	100	13.53	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9590				
NAL13026-517	291-ST T4	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9590				
NAL13026-517	291-ST T4	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9590				
NAL13026-517	291-ST T4	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9590				
NAL13026-517	291-ST T4	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9590				
NAL13026-517	291-ST T4	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9590				
NAL13026-517	291-ST T4	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9590				
NAL13026-517	291-ST T4	ORG	108-88-3	Toluene	30	J	ug/L	100	20.96	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9590				
NAL13026-517	291-ST T4	ORG	108-10-1	4-Methyl-2-pentanone	450	J	ug/L	500	74.00	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9590				
NAL13026-517	291-ST T4	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9590				
NAL13026-517	291-ST T4	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9590				
NAL13026-517	291-ST T4	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9590				
NAL13026-517	291-ST T4	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	68.90	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9590				
NAL13026-517	291-ST T4	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	29.90	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9590				
NAL13026-517	291-ST T4	ORG	591-78-6	2-Hexanone		U	ug/L	500	26.49	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9590				
NAL13026-517	291-ST T4	ORG	100-41-4	Ethylbenzene	620		ug/L	100	25.38	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9590				
NAL13026-517	291-ST T4	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9590				
NAL13026-517	291-ST T4	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9590				
NAL13026-517	291-ST T4	ORG	XYLMP	p&m-Xylene	1900		ug/L	200	26.14	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9590				
NAL13026-517	291-ST T4	ORG	95-47-6	o-Xylene	980		ug/L	100	12.90	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9590				
NAL13026-517	291-ST T4	ORG	100-42-5	Styrene	130		ug/L	100	20.23	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9590				
NAL13026-517	291-ST T4	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9590				
NAL13026-517	291-ST T4	ORG	98-82-8	Isopropylbenzene	1200		ug/L	200	20.48	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9590				
NAL13026-517	291-ST T4	ORG	103-65-1	n-Propylbenzene	910		ug/L	200	27.00	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9590				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-517	291-ST T4	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9590				
NAL13026-517	291-ST T4	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9590				
NAL13026-517	291-ST T4	ORG	108-67-8	1,3,5-Trimethylbenzene	2300		ug/L	200	20.03	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9590				
NAL13026-517	291-ST T4	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9590				
NAL13026-517	291-ST T4	ORG	95-63-6	1,2,4-Trimethylbenzene	8800		ug/L	200	20.03	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9590				
NAL13026-517	291-ST T4	ORG	135-98-8	sec-Butylbenzene	550		ug/L	200	32.34	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9590				
NAL13026-517	291-ST T4	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9590				
NAL13026-517	291-ST T4	ORG	99-87-6	p-Isopropltoluene	53000	D	ug/L	2000	254.81	7/21/2013	7/21/2013	7/21/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9604				
NAL13026-517	291-ST T4	ORG	106-46-7	1,4-Dichlorobenzene	9200		ug/L	200	33.03	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9590				
NAL13026-517	291-ST T4	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9590				
NAL13026-517	291-ST T4	ORG	104-51-8	n-Butylbenzene	1500		ug/L	500	27.81	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9590				
NAL13026-517	291-ST T4	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9590				
NAL13026-517	291-ST T4	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9590				
NAL13026-517	291-ST T4	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9590				
NAL13026-517	291-ST T4	ORG	91-20-3	Naphthalene	9400		ug/L	500	56.04	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9590				
NAL13026-517	291-ST T4	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9590				
NAL13026-517	291-ST T4	STD	1868-53-7	Dibromofluoromethane	51		ng			7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9590	50	102%		
NAL13026-517	291-ST T4	STD	17060-07-0	1,2-Dichloroethane d4	50		ng			7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9590	50	100%		
NAL13026-517	291-ST T4	STD	2037-26-5	Toluene d8	46		ng			7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9590	50	92%		
NAL13026-517	291-ST T4	STD	460-00-4	Bromofluorobenzene	54		ng			7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9590	50	108%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-518	293-ST T1	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9597				
NAL13026-518	293-ST T1	ORG	74-87-3	Chloromethane		U	ug/L	500	43.07	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9597				
NAL13026-518	293-ST T1	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9597				
NAL13026-518	293-ST T1	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9597				
NAL13026-518	293-ST T1	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9597				
NAL13026-518	293-ST T1	ORG	75-69-4	Trichlorofluoromethane		UX-	ug/L	500	19.65	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9597				
NAL13026-518	293-ST T1	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9597				
NAL13026-518	293-ST T1	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9597				
NAL13026-518	293-ST T1	ORG	67-64-1	Acetone	89000	D	ug/L	10000	1556.07	7/21/2013	7/21/2013	7/21/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9605				
NAL13026-518	293-ST T1	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9597				
NAL13026-518	293-ST T1	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9597				
NAL13026-518	293-ST T1	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9597				
NAL13026-518	293-ST T1	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9597				
NAL13026-518	293-ST T1	ORG	74-97-5	Bromochloromethane		U	ug/L	200	81.18	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9597				
NAL13026-518	293-ST T1	ORG	67-66-3	Chloroform		U	ug/L	100	41.37	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9597				
NAL13026-518	293-ST T1	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	15.73	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9597				
NAL13026-518	293-ST T1	ORG	78-93-3	2-Butanone	50000	D	ug/L	10000	166.52	7/21/2013	7/21/2013	7/21/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9605				
NAL13026-518	293-ST T1	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9597				
NAL13026-518	293-ST T1	ORG	71-43-2	Benzene		U	ug/L	100	13.53	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9597				
NAL13026-518	293-ST T1	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9597				
NAL13026-518	293-ST T1	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9597				
NAL13026-518	293-ST T1	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9597				
NAL13026-518	293-ST T1	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9597				
NAL13026-518	293-ST T1	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9597				
NAL13026-518	293-ST T1	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9597				
NAL13026-518	293-ST T1	ORG	108-88-3	Toluene		U	ug/L	100	20.96	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9597				
NAL13026-518	293-ST T1	ORG	108-10-1	4-Methyl-2-pentanone	2200		ug/L	500	74.00	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9597				
NAL13026-518	293-ST T1	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9597				
NAL13026-518	293-ST T1	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9597				
NAL13026-518	293-ST T1	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9597				
NAL13026-518	293-ST T1	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	68.90	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9597				
NAL13026-518	293-ST T1	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	29.90	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9597				
NAL13026-518	293-ST T1	ORG	591-78-6	2-Hexanone	1000		ug/L	500	26.49	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9597				
NAL13026-518	293-ST T1	ORG	100-41-4	Ethylbenzene		U	ug/L	100	25.38	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9597				
NAL13026-518	293-ST T1	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9597				
NAL13026-518	293-ST T1	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9597				
NAL13026-518	293-ST T1	ORG	XYLMP	p&m-Xylene		U	ug/L	200	26.14	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9597				
NAL13026-518	293-ST T1	ORG	95-47-6	o-Xylene		U	ug/L	100	12.90	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9597				
NAL13026-518	293-ST T1	ORG	100-42-5	Styrene		U	ug/L	100	20.23	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9597				
NAL13026-518	293-ST T1	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9597				
NAL13026-518	293-ST T1	ORG	98-82-8	Isopropylbenzene		U	ug/L	200	20.48	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9597				
NAL13026-518	293-ST T1	ORG	103-65-1	n-Propylbenzene		U	ug/L	200	27.00	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9597				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-518	293-ST T1	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9597				
NAL13026-518	293-ST T1	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9597				
NAL13026-518	293-ST T1	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	200	20.03	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9597				
NAL13026-518	293-ST T1	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9597				
NAL13026-518	293-ST T1	ORG	95-63-6	1,2,4-Trimethylbenzene	52	J	ug/L	200	20.03	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9597				
NAL13026-518	293-ST T1	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9597				
NAL13026-518	293-ST T1	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9597				
NAL13026-518	293-ST T1	ORG	99-87-6	p-Isopropltoluene	160	J	ug/L	200	25.48	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9597				
NAL13026-518	293-ST T1	ORG	106-46-7	1,4-Dichlorobenzene	110	J	ug/L	200	33.03	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9597				
NAL13026-518	293-ST T1	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9597				
NAL13026-518	293-ST T1	ORG	104-51-8	n-Butylbenzene		U	ug/L	500	27.81	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9597				
NAL13026-518	293-ST T1	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9597				
NAL13026-518	293-ST T1	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9597				
NAL13026-518	293-ST T1	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9597				
NAL13026-518	293-ST T1	ORG	91-20-3	Naphthalene	300	J	ug/L	500	56.04	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9597				
NAL13026-518	293-ST T1	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9597				
NAL13026-518	293-ST T1	STD	1868-53-7	Dibromofluoromethane	51		ng			7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9597	50	102%		
NAL13026-518	293-ST T1	STD	17060-07-0	1,2-Dichloroethane d4	56		ng			7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9597	50	112%		
NAL13026-518	293-ST T1	STD	2037-26-5	Toluene d8	48		ng			7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9597	50	96%		
NAL13026-518	293-ST T1	STD	460-00-4	Bromofluorobenzene	47		ng			7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9597	50	94%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-519	293-ST T2	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9598				
NAL13026-519	293-ST T2	ORG	74-87-3	Chloromethane		U	ug/L	500	43.07	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9598				
NAL13026-519	293-ST T2	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9598				
NAL13026-519	293-ST T2	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9598				
NAL13026-519	293-ST T2	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9598				
NAL13026-519	293-ST T2	ORG	75-69-4	Trichlorofluoromethane		UX-	ug/L	500	19.65	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9598				
NAL13026-519	293-ST T2	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9598				
NAL13026-519	293-ST T2	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9598				
NAL13026-519	293-ST T2	ORG	67-64-1	Acetone	39000	D	ug/L	10000	1556.07	7/21/2013	7/21/2013	7/21/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9606				
NAL13026-519	293-ST T2	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9598				
NAL13026-519	293-ST T2	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9598				
NAL13026-519	293-ST T2	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9598				
NAL13026-519	293-ST T2	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9598				
NAL13026-519	293-ST T2	ORG	74-97-5	Bromochloromethane		U	ug/L	200	81.18	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9598				
NAL13026-519	293-ST T2	ORG	67-66-3	Chloroform		U	ug/L	100	41.37	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9598				
NAL13026-519	293-ST T2	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	15.73	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9598				
NAL13026-519	293-ST T2	ORG	78-93-3	2-Butanone	25000	D	ug/L	10000	166.52	7/21/2013	7/21/2013	7/21/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9606				
NAL13026-519	293-ST T2	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9598				
NAL13026-519	293-ST T2	ORG	71-43-2	Benzene	150		ug/L	100	13.53	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9598				
NAL13026-519	293-ST T2	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9598				
NAL13026-519	293-ST T2	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9598				
NAL13026-519	293-ST T2	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9598				
NAL13026-519	293-ST T2	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9598				
NAL13026-519	293-ST T2	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9598				
NAL13026-519	293-ST T2	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9598				
NAL13026-519	293-ST T2	ORG	108-88-3	Toluene	180		ug/L	100	20.96	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9598				
NAL13026-519	293-ST T2	ORG	108-10-1	4-Methyl-2-pentanone	1300		ug/L	500	74.00	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9598				
NAL13026-519	293-ST T2	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9598				
NAL13026-519	293-ST T2	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9598				
NAL13026-519	293-ST T2	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9598				
NAL13026-519	293-ST T2	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	68.90	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9598				
NAL13026-519	293-ST T2	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	29.90	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9598				
NAL13026-519	293-ST T2	ORG	591-78-6	2-Hexanone	280	J	ug/L	500	26.49	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9598				
NAL13026-519	293-ST T2	ORG	100-41-4	Ethylbenzene	440		ug/L	100	25.38	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9598				
NAL13026-519	293-ST T2	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9598				
NAL13026-519	293-ST T2	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9598				
NAL13026-519	293-ST T2	ORG	XYLMP	p&m-Xylene	1100		ug/L	200	26.14	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9598				
NAL13026-519	293-ST T2	ORG	95-47-6	o-Xylene	600		ug/L	100	12.90	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9598				
NAL13026-519	293-ST T2	ORG	100-42-5	Styrene	80	J	ug/L	100	20.23	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9598				
NAL13026-519	293-ST T2	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9598				
NAL13026-519	293-ST T2	ORG	98-82-8	Isopropylbenzene	300		ug/L	200	20.48	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9598				
NAL13026-519	293-ST T2	ORG	103-65-1	n-Propylbenzene	210		ug/L	200	27.00	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9598				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-519	293-ST T2	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9598				
NAL13026-519	293-ST T2	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9598				
NAL13026-519	293-ST T2	ORG	108-67-8	1,3,5-Trimethylbenzene	510		ug/L	200	20.03	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9598				
NAL13026-519	293-ST T2	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9598				
NAL13026-519	293-ST T2	ORG	95-63-6	1,2,4-Trimethylbenzene	2000		ug/L	200	20.03	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9598				
NAL13026-519	293-ST T2	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9598				
NAL13026-519	293-ST T2	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9598				
NAL13026-519	293-ST T2	ORG	99-87-6	p-Isopropltoluene	9800		ug/L	200	25.48	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9598				
NAL13026-519	293-ST T2	ORG	106-46-7	1,4-Dichlorobenzene	1900		ug/L	200	33.03	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9598				
NAL13026-519	293-ST T2	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9598				
NAL13026-519	293-ST T2	ORG	104-51-8	n-Butylbenzene	270	J	ug/L	500	27.81	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9598				
NAL13026-519	293-ST T2	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9598				
NAL13026-519	293-ST T2	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9598				
NAL13026-519	293-ST T2	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9598				
NAL13026-519	293-ST T2	ORG	91-20-3	Naphthalene	1400		ug/L	500	56.04	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9598				
NAL13026-519	293-ST T2	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9598				
NAL13026-519	293-ST T2	STD	1868-53-7	Dibromofluoromethane	51		ng			7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9598	50	102%		
NAL13026-519	293-ST T2	STD	17060-07-0	1,2-Dichloroethane d4	56		ng			7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9598	50	112%		
NAL13026-519	293-ST T2	STD	2037-26-5	Toluene d8	48		ng			7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9598	50	96%		
NAL13026-519	293-ST T2	STD	460-00-4	Bromofluorobenzene	49		ng			7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9598	50	98%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-520	293-ST T3	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9599				
NAL13026-520	293-ST T3	ORG	74-87-3	Chloromethane		U	ug/L	500	43.07	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9599				
NAL13026-520	293-ST T3	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9599				
NAL13026-520	293-ST T3	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9599				
NAL13026-520	293-ST T3	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9599				
NAL13026-520	293-ST T3	ORG	75-69-4	Trichlorofluoromethane		UX-	ug/L	500	19.65	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9599				
NAL13026-520	293-ST T3	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9599				
NAL13026-520	293-ST T3	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9599				
NAL13026-520	293-ST T3	ORG	67-64-1	Acetone	41000	D	ug/L	10000	1556.07	7/21/2013	7/21/2013	7/21/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9607				
NAL13026-520	293-ST T3	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9599				
NAL13026-520	293-ST T3	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9599				
NAL13026-520	293-ST T3	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9599				
NAL13026-520	293-ST T3	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9599				
NAL13026-520	293-ST T3	ORG	74-97-5	Bromochloromethane		U	ug/L	200	81.18	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9599				
NAL13026-520	293-ST T3	ORG	67-66-3	Chloroform		U	ug/L	100	41.37	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9599				
NAL13026-520	293-ST T3	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	15.73	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9599				
NAL13026-520	293-ST T3	ORG	78-93-3	2-Butanone	23000	D	ug/L	10000	166.52	7/21/2013	7/21/2013	7/21/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9607				
NAL13026-520	293-ST T3	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9599				
NAL13026-520	293-ST T3	ORG	71-43-2	Benzene		U	ug/L	100	13.53	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9599				
NAL13026-520	293-ST T3	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9599				
NAL13026-520	293-ST T3	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9599				
NAL13026-520	293-ST T3	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9599				
NAL13026-520	293-ST T3	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9599				
NAL13026-520	293-ST T3	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9599				
NAL13026-520	293-ST T3	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9599				
NAL13026-520	293-ST T3	ORG	108-88-3	Toluene		U	ug/L	100	20.96	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9599				
NAL13026-520	293-ST T3	ORG	108-10-1	4-Methyl-2-pentanone	700		ug/L	500	74.00	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9599				
NAL13026-520	293-ST T3	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9599				
NAL13026-520	293-ST T3	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9599				
NAL13026-520	293-ST T3	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9599				
NAL13026-520	293-ST T3	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	68.90	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9599				
NAL13026-520	293-ST T3	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	29.90	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9599				
NAL13026-520	293-ST T3	ORG	591-78-6	2-Hexanone	99	J	ug/L	500	26.49	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9599				
NAL13026-520	293-ST T3	ORG	100-41-4	Ethylbenzene	65	J	ug/L	100	25.38	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9599				
NAL13026-520	293-ST T3	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9599				
NAL13026-520	293-ST T3	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9599				
NAL13026-520	293-ST T3	ORG	XYLMP	p&m-Xylene	150	J	ug/L	200	26.14	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9599				
NAL13026-520	293-ST T3	ORG	95-47-6	o-Xylene	73	J	ug/L	100	12.90	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9599				
NAL13026-520	293-ST T3	ORG	100-42-5	Styrene	33	J	ug/L	100	20.23	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9599				
NAL13026-520	293-ST T3	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9599				
NAL13026-520	293-ST T3	ORG	98-82-8	Isopropylbenzene	61	J	ug/L	200	20.48	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9599				
NAL13026-520	293-ST T3	ORG	103-65-1	n-Propylbenzene	50	J	ug/L	200	27.00	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9599				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-520	293-ST T3	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9599				
NAL13026-520	293-ST T3	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9599				
NAL13026-520	293-ST T3	ORG	108-67-8	1,3,5-Trimethylbenzene	120	J	ug/L	200	20.03	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9599				
NAL13026-520	293-ST T3	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9599				
NAL13026-520	293-ST T3	ORG	95-63-6	1,2,4-Trimethylbenzene	450		ug/L	200	20.03	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9599				
NAL13026-520	293-ST T3	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9599				
NAL13026-520	293-ST T3	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9599				
NAL13026-520	293-ST T3	ORG	99-87-6	p-Isopropltoluene	2800		ug/L	200	25.48	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9599				
NAL13026-520	293-ST T3	ORG	106-46-7	1,4-Dichlorobenzene	500		ug/L	200	33.03	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9599				
NAL13026-520	293-ST T3	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9599				
NAL13026-520	293-ST T3	ORG	104-51-8	n-Butylbenzene		U	ug/L	500	27.81	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9599				
NAL13026-520	293-ST T3	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9599				
NAL13026-520	293-ST T3	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9599				
NAL13026-520	293-ST T3	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9599				
NAL13026-520	293-ST T3	ORG	91-20-3	Naphthalene	1300		ug/L	500	56.04	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9599				
NAL13026-520	293-ST T3	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9599				
NAL13026-520	293-ST T3	STD	1868-53-7	Dibromofluoromethane	51		ng			7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9599	50	102%		
NAL13026-520	293-ST T3	STD	17060-07-0	1,2-Dichloroethane d4	56		ng			7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9599	50	112%		
NAL13026-520	293-ST T3	STD	2037-26-5	Toluene d8	48		ng			7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9599	50	96%		
NAL13026-520	293-ST T3	STD	460-00-4	Bromofluorobenzene	49		ng			7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9599	50	98%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-521	293-ST T4	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9600				
NAL13026-521	293-ST T4	ORG	74-87-3	Chloromethane		U	ug/L	500	43.07	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9600				
NAL13026-521	293-ST T4	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9600				
NAL13026-521	293-ST T4	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9600				
NAL13026-521	293-ST T4	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9600				
NAL13026-521	293-ST T4	ORG	75-69-4	Trichlorofluoromethane		UX-	ug/L	500	19.65	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9600				
NAL13026-521	293-ST T4	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9600				
NAL13026-521	293-ST T4	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9600				
NAL13026-521	293-ST T4	ORG	67-64-1	Acetone	76000	D	ug/L	10000	1556.07	7/21/2013	7/21/2013	7/21/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9608				
NAL13026-521	293-ST T4	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9600				
NAL13026-521	293-ST T4	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9600				
NAL13026-521	293-ST T4	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9600				
NAL13026-521	293-ST T4	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9600				
NAL13026-521	293-ST T4	ORG	74-97-5	Bromochloromethane		U	ug/L	200	81.18	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9600				
NAL13026-521	293-ST T4	ORG	67-66-3	Chloroform		U	ug/L	100	41.37	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9600				
NAL13026-521	293-ST T4	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	15.73	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9600				
NAL13026-521	293-ST T4	ORG	78-93-3	2-Butanone	41000	D	ug/L	10000	166.52	7/21/2013	7/21/2013	7/21/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9608				
NAL13026-521	293-ST T4	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9600				
NAL13026-521	293-ST T4	ORG	71-43-2	Benzene		U	ug/L	100	13.53	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9600				
NAL13026-521	293-ST T4	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9600				
NAL13026-521	293-ST T4	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9600				
NAL13026-521	293-ST T4	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9600				
NAL13026-521	293-ST T4	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9600				
NAL13026-521	293-ST T4	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9600				
NAL13026-521	293-ST T4	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9600				
NAL13026-521	293-ST T4	ORG	108-88-3	Toluene		U	ug/L	100	20.96	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9600				
NAL13026-521	293-ST T4	ORG	108-10-1	4-Methyl-2-pentanone	1300		ug/L	500	74.00	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9600				
NAL13026-521	293-ST T4	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9600				
NAL13026-521	293-ST T4	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9600				
NAL13026-521	293-ST T4	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9600				
NAL13026-521	293-ST T4	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	68.90	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9600				
NAL13026-521	293-ST T4	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	29.90	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9600				
NAL13026-521	293-ST T4	ORG	591-78-6	2-Hexanone		U	ug/L	500	26.49	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9600				
NAL13026-521	293-ST T4	ORG	100-41-4	Ethylbenzene		U	ug/L	100	25.38	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9600				
NAL13026-521	293-ST T4	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9600				
NAL13026-521	293-ST T4	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9600				
NAL13026-521	293-ST T4	ORG	XYLMP	p&m-Xylene	53	J	ug/L	200	26.14	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9600				
NAL13026-521	293-ST T4	ORG	95-47-6	o-Xylene	24	J	ug/L	100	12.90	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9600				
NAL13026-521	293-ST T4	ORG	100-42-5	Styrene	42	J	ug/L	100	20.23	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9600				
NAL13026-521	293-ST T4	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9600				
NAL13026-521	293-ST T4	ORG	98-82-8	Isopropylbenzene	23	J	ug/L	200	20.48	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9600				
NAL13026-521	293-ST T4	ORG	103-65-1	n-Propylbenzene	33	J	ug/L	200	27.00	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9600				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-521	293-ST T4	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9600				
NAL13026-521	293-ST T4	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9600				
NAL13026-521	293-ST T4	ORG	108-67-8	1,3,5-Trimethylbenzene	32	J	ug/L	200	20.03	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9600				
NAL13026-521	293-ST T4	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9600				
NAL13026-521	293-ST T4	ORG	95-63-6	1,2,4-Trimethylbenzene	62	J	ug/L	200	20.03	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9600				
NAL13026-521	293-ST T4	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9600				
NAL13026-521	293-ST T4	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9600				
NAL13026-521	293-ST T4	ORG	99-87-6	p-Isopropltoluene	150	J	ug/L	200	25.48	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9600				
NAL13026-521	293-ST T4	ORG	106-46-7	1,4-Dichlorobenzene	89	J	ug/L	200	33.03	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9600				
NAL13026-521	293-ST T4	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9600				
NAL13026-521	293-ST T4	ORG	104-51-8	n-Butylbenzene	58	J	ug/L	500	27.81	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9600				
NAL13026-521	293-ST T4	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9600				
NAL13026-521	293-ST T4	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9600				
NAL13026-521	293-ST T4	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9600				
NAL13026-521	293-ST T4	ORG	91-20-3	Naphthalene	360	J	ug/L	500	56.04	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9600				
NAL13026-521	293-ST T4	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9600				
NAL13026-521	293-ST T4	STD	1868-53-7	Dibromofluoromethane	51		ng			7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9600	50	102%		
NAL13026-521	293-ST T4	STD	17060-07-0	1,2-Dichloroethane d4	56		ng			7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9600	50	112%		
NAL13026-521	293-ST T4	STD	2037-26-5	Toluene d8	47		ng			7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9600	50	94%		
NAL13026-521	293-ST T4	STD	460-00-4	Bromofluorobenzene	48		ng			7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9600	50	96%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J072113CCVA	J072113CCVA	ORG	75-71-8	Dichlorodifluoromethane	54		ug/L	5	0.29	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9585	50	108%		
J072113CCVA	J072113CCVA	ORG	74-87-3	Chloromethane	39		ug/L	5	0.43	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9585	50	78%		
J072113CCVA	J072113CCVA	ORG	75-01-4	Vinyl chloride	47		ug/L	2	0.32	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9585	50	94%		
J072113CCVA	J072113CCVA	ORG	74-83-9	Bromomethane	59		ug/L	5	0.50	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9585	50	118%		
J072113CCVA	J072113CCVA	ORG	75-00-3	Chloroethane	65		ug/L	5	0.56	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9585	50	130%		
J072113CCVA	J072113CCVA	ORG	75-69-4	Trichlorofluoromethane	59		ug/L	5	0.20	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9585	50	118%		
J072113CCVA	J072113CCVA	ORG	75-35-4	1,1-Dichloroethene	57		ug/L	1	0.47	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9585	50	114%		
J072113CCVA	J072113CCVA	ORG	75-09-2	Methylene chloride	53		ug/L	5	0.26	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9585	50	106%		
J072113CCVA	J072113CCVA	ORG	67-64-1	Acetone	46		ug/L	10	1.56	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9585	50	92%		
J072113CCVA	J072113CCVA	ORG	156-60-5	trans-1,2-Dichloroethene	55		ug/L	1	0.56	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9585	50	110%		
J072113CCVA	J072113CCVA	ORG	1634-04-4	MTBE	47		ug/L	5	0.61	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9585	50	94%		
J072113CCVA	J072113CCVA	ORG	75-34-3	1,1-Dichloroethane	47		ug/L	1	0.53	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9585	50	94%		
J072113CCVA	J072113CCVA	ORG	156-59-2	cis-1,2-Dichloroethene	50		ug/L	1	0.32	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9585	50	100%		
J072113CCVA	J072113CCVA	ORG	74-97-5	Bromochloromethane	54		ug/L	10	0.81	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9585	50	108%		
J072113CCVA	J072113CCVA	ORG	67-66-3	Chloroform	49		ug/L	2	0.41	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9585	50	98%		
J072113CCVA	J072113CCVA	ORG	71-55-6	1,1,1-Trichloroethane	52		ug/L	1	0.16	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9585	50	104%		
J072113CCVA	J072113CCVA	ORG	78-93-3	2-Butanone	42		ug/L	1	0.17	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9585	50	84%		
J072113CCVA	J072113CCVA	ORG	56-23-5	Carbon tetrachloride	53		ug/L	1	0.28	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9585	50	106%		
J072113CCVA	J072113CCVA	ORG	71-43-2	Benzene	45		ug/L	1	0.14	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9585	50	90%		
J072113CCVA	J072113CCVA	ORG	107-06-2	1,2-Dichloroethane	48		ug/L	1	0.20	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9585	50	96%		
J072113CCVA	J072113CCVA	ORG	79-01-6	Trichloroethene	50		ug/L	1	0.36	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9585	50	100%		
J072113CCVA	J072113CCVA	ORG	74-95-3	Dibromomethane	48		ug/L	2	0.32	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9585	50	96%		
J072113CCVA	J072113CCVA	ORG	78-87-5	1,2-Dichloropropane	40		ug/L	1	0.18	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9585	50	80%		
J072113CCVA	J072113CCVA	ORG	75-27-4	Bromodichloromethane	49		ug/L	2	0.12	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9585	50	98%		
J072113CCVA	J072113CCVA	ORG	10061-01-5	cis-1,3-Dichloropropene	46		ug/L	1	0.25	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9585	50	92%		
J072113CCVA	J072113CCVA	ORG	108-88-3	Toluene	47		ug/L	5	0.74	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9585	50	94%		
J072113CCVA	J072113CCVA	ORG	108-10-1	4-Methyl-2-pentanone	48		ug/L	1	0.21	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9585	50	96%		
J072113CCVA	J072113CCVA	ORG	10061-02-6	trans-1,3-Dichloropropene	48		ug/L	1	0.31	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9585	50	96%		
J072113CCVA	J072113CCVA	ORG	127-18-4	Tetrachloroethene	43		ug/L	1	0.49	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9585	50	86%		
J072113CCVA	J072113CCVA	ORG	79-00-5	1,1,2-Trichloroethane	44		ug/L	1	0.34	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9585	50	88%		
J072113CCVA	J072113CCVA	ORG	124-48-1	Dibromochloromethane	52		ug/L	5	0.69	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9585	50	104%		
J072113CCVA	J072113CCVA	ORG	106-93-4	1,2-Dibromoethane	49		ug/L	2	0.30	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9585	50	98%		
J072113CCVA	J072113CCVA	ORG	591-78-6	2-Hexanone	41		ug/L	2	0.26	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9585	50	82%		
J072113CCVA	J072113CCVA	ORG	100-41-4	Ethylbenzene	48		ug/L	1	0.25	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9585	50	96%		
J072113CCVA	J072113CCVA	ORG	108-90-7	Chlorobenzene	50		ug/L	1	0.28	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9585	50	100%		
J072113CCVA	J072113CCVA	ORG	630-20-6	1,1,1,2-Tetrachloroethane	52		ug/L	2	0.19	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9585	50	104%		
J072113CCVA	J072113CCVA	ORG	XYLMP	p&m-Xylene	97		ug/L	2	0.26	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9585	100	97%		
J072113CCVA	J072113CCVA	ORG	95-47-6	o-Xylene	48		ug/L	1	0.13	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9585	50	96%		
J072113CCVA	J072113CCVA	ORG	100-42-5	Styrene	47		ug/L	1	0.20	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9585	50	94%		
J072113CCVA	J072113CCVA	ORG	75-25-2	Bromoform	51		ug/L	2	0.47	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9585	50	102%		
J072113CCVA	J072113CCVA	ORG	98-82-8	Isopropylbenzene	50		ug/L	2	0.20	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9585	50	100%		
J072113CCVA	J072113CCVA	ORG	103-65-1	n-Propylbenzene	48		ug/L	2	0.27	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9585	50	96%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J072113CCVA	J072113CCVA	ORG	79-34-5	1,1,2,2-Tetrachloroethane	42		ug/L	2	0.29	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9585	50	84%		
J072113CCVA	J072113CCVA	ORG	96-18-4	1,2,3-Trichloropropane	43		ug/L	2	0.29	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9585	50	86%		
J072113CCVA	J072113CCVA	ORG	108-67-8	1,3,5-Trimethylbenzene	50		ug/L	2	0.20	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9585	50	100%		
J072113CCVA	J072113CCVA	ORG	98-06-6	tert-Butylbenzene	50		ug/L	2	0.33	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9585	50	100%		
J072113CCVA	J072113CCVA	ORG	95-63-6	1,2,4-Trimethylbenzene	50		ug/L	2	0.20	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9585	50	100%		
J072113CCVA	J072113CCVA	ORG	135-98-8	sec-Butylbenzene	49		ug/L	2	0.32	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9585	50	98%		
J072113CCVA	J072113CCVA	ORG	541-73-1	1,3-Dichlorobenzene	54		ug/L	2	0.22	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9585	50	108%		
J072113CCVA	J072113CCVA	ORG	99-87-6	p-Isopropltoluene	51		ug/L	2	0.25	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9585	50	102%		
J072113CCVA	J072113CCVA	ORG	106-46-7	1,4-Dichlorobenzene	54		ug/L	2	0.33	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9585	50	108%		
J072113CCVA	J072113CCVA	ORG	95-50-1	1,2-Dichlorobenzene	51		ug/L	2	0.26	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9585	50	102%		
J072113CCVA	J072113CCVA	ORG	104-51-8	n-Butylbenzene	46		ug/L	5	0.28	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9585	50	92%		
J072113CCVA	J072113CCVA	ORG	96-12-8	1,2-Dibromo-3-chloropropane	43		ug/L	5	1.59	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9585	50	86%		
J072113CCVA	J072113CCVA	ORG	87-68-3	Hexachlorobutadiene	50		ug/L	5	0.65	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9585	50	100%		
J072113CCVA	J072113CCVA	ORG	120-82-1	1,2,4-Trichlorobenzene	51		ug/L	5	0.28	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9585	50	102%		
J072113CCVA	J072113CCVA	ORG	91-20-3	Naphthalene	47		ug/L	5	0.56	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9585	50	94%		
J072113CCVA	J072113CCVA	ORG	87-61-6	1,2,3-Trichlorobenzene	51		ug/L	5	0.23	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9585	50	102%		
J072113CCVA	J072113CCVA	STD	1868-53-7	Dibromofluoromethane	49		ng			NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9585	50	98%		
J072113CCVA	J072113CCVA	STD	17060-07-0	1,2-Dichloroethane d4	46		ng			NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9585	50	92%		
J072113CCVA	J072113CCVA	STD	2037-26-5	Toluene d8	48		ng			NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9585	50	96%		
J072113CCVA	J072113CCVA	STD	460-00-4	Bromofluorobenzene	46		ng			NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9585	50	92%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J072113MBKA	J072113MBKA	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	5	0.29	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9586				
J072113MBKA	J072113MBKA	ORG	74-87-3	Chloromethane		U	ug/L	5	0.43	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9586				
J072113MBKA	J072113MBKA	ORG	75-01-4	Vinyl chloride		U	ug/L	2	0.32	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9586				
J072113MBKA	J072113MBKA	ORG	74-83-9	Bromomethane		U	ug/L	5	0.50	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9586				
J072113MBKA	J072113MBKA	ORG	75-00-3	Chloroethane		U	ug/L	5	0.56	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9586				
J072113MBKA	J072113MBKA	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	5	0.20	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9586				
J072113MBKA	J072113MBKA	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	1	0.47	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9586				
J072113MBKA	J072113MBKA	ORG	75-09-2	Methylene chloride		U	ug/L	5	0.26	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9586				
J072113MBKA	J072113MBKA	ORG	67-64-1	Acetone		U	ug/L	10	1.56	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9586				
J072113MBKA	J072113MBKA	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	1	0.56	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9586				
J072113MBKA	J072113MBKA	ORG	1634-04-4	MTBE		U	ug/L	5	0.61	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9586				
J072113MBKA	J072113MBKA	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	1	0.53	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9586				
J072113MBKA	J072113MBKA	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	1	0.32	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9586				
J072113MBKA	J072113MBKA	ORG	74-97-5	Bromochloromethane		U	ug/L	10	0.81	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9586				
J072113MBKA	J072113MBKA	ORG	67-66-3	Chloroform		U	ug/L	2	0.41	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9586				
J072113MBKA	J072113MBKA	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	1	0.16	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9586				
J072113MBKA	J072113MBKA	ORG	78-93-3	2-Butanone		U	ug/L	1	0.17	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9586				
J072113MBKA	J072113MBKA	ORG	56-23-5	Carbon tetrachloride		U	ug/L	1	0.28	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9586				
J072113MBKA	J072113MBKA	ORG	71-43-2	Benzene		U	ug/L	1	0.14	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9586				
J072113MBKA	J072113MBKA	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	1	0.20	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9586				
J072113MBKA	J072113MBKA	ORG	79-01-6	Trichloroethene		U	ug/L	1	0.36	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9586				
J072113MBKA	J072113MBKA	ORG	74-95-3	Dibromomethane		U	ug/L	2	0.32	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9586				
J072113MBKA	J072113MBKA	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	1	0.18	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9586				
J072113MBKA	J072113MBKA	ORG	75-27-4	Bromodichloromethane		U	ug/L	2	0.12	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9586				
J072113MBKA	J072113MBKA	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	1	0.25	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9586				
J072113MBKA	J072113MBKA	ORG	108-88-3	Toluene		U	ug/L	5	0.74	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9586				
J072113MBKA	J072113MBKA	ORG	108-10-1	4-Methyl-2-pentanone		U	ug/L	1	0.21	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9586				
J072113MBKA	J072113MBKA	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	1	0.31	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9586				
J072113MBKA	J072113MBKA	ORG	127-18-4	Tetrachloroethene		U	ug/L	1	0.49	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9586				
J072113MBKA	J072113MBKA	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	1	0.34	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9586				
J072113MBKA	J072113MBKA	ORG	124-48-1	Dibromochloromethane		U	ug/L	5	0.69	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9586				
J072113MBKA	J072113MBKA	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	2	0.30	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9586				
J072113MBKA	J072113MBKA	ORG	591-78-6	2-Hexanone		U	ug/L	2	0.26	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9586				
J072113MBKA	J072113MBKA	ORG	100-41-4	Ethylbenzene		U	ug/L	1	0.25	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9586				
J072113MBKA	J072113MBKA	ORG	108-90-7	Chlorobenzene		U	ug/L	1	0.28	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9586				
J072113MBKA	J072113MBKA	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	2	0.19	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9586				
J072113MBKA	J072113MBKA	ORG	XYLMP	p&m-Xylene		U	ug/L	2	0.26	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9586				
J072113MBKA	J072113MBKA	ORG	95-47-6	o-Xylene		U	ug/L	1	0.13	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9586				
J072113MBKA	J072113MBKA	ORG	100-42-5	Styrene		U	ug/L	1	0.20	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9586				
J072113MBKA	J072113MBKA	ORG	75-25-2	Bromoform		U	ug/L	2	0.47	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9586				
J072113MBKA	J072113MBKA	ORG	98-82-8	Isopropylbenzene		U	ug/L	2	0.20	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9586				
J072113MBKA	J072113MBKA	ORG	103-65-1	n-Propylbenzene		U	ug/L	2	0.27	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9586				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J072113MBKA	J072113MBKA	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	2	0.29	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9586				
J072113MBKA	J072113MBKA	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	2	0.29	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9586				
J072113MBKA	J072113MBKA	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	2	0.20	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9586				
J072113MBKA	J072113MBKA	ORG	98-06-6	tert-Butylbenzene		U	ug/L	2	0.33	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9586				
J072113MBKA	J072113MBKA	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	2	0.20	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9586				
J072113MBKA	J072113MBKA	ORG	135-98-8	sec-Butylbenzene		U	ug/L	2	0.32	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9586				
J072113MBKA	J072113MBKA	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	2	0.22	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9586				
J072113MBKA	J072113MBKA	ORG	99-87-6	p-Isopropltoluene		U	ug/L	2	0.25	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9586				
J072113MBKA	J072113MBKA	ORG	106-46-7	1,4-Dichlorobenzene		U	ug/L	2	0.33	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9586				
J072113MBKA	J072113MBKA	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	2	0.26	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9586				
J072113MBKA	J072113MBKA	ORG	104-51-8	n-Butylbenzene		U	ug/L	5	0.28	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9586				
J072113MBKA	J072113MBKA	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	5	1.59	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9586				
J072113MBKA	J072113MBKA	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	5	0.65	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9586				
J072113MBKA	J072113MBKA	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	5	0.28	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9586				
J072113MBKA	J072113MBKA	ORG	91-20-3	Naphthalene		U	ug/L	5	0.56	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9586				
J072113MBKA	J072113MBKA	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	5	0.23	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9586				
J072113MBKA	J072113MBKA	STD	1868-53-7	Dibromofluoromethane	54		ng			NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9586	50	108%		
J072113MBKA	J072113MBKA	STD	17060-07-0	1,2-Dichloroethane d4	55		ng			NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9586	50	110%		
J072113MBKA	J072113MBKA	STD	2037-26-5	Toluene d8	46		ng			NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9586	50	92%		
J072113MBKA	J072113MBKA	STD	460-00-4	Bromofluorobenzene	44		ng			NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9586	50	88%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J072113CCVB	J072113CCVB	ORG	75-71-8	Dichlorodifluoromethane	50		ug/L	5	0.29	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9595	50	100%		
J072113CCVB	J072113CCVB	ORG	74-87-3	Chloromethane	40		ug/L	5	0.43	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9595	50	80%		
J072113CCVB	J072113CCVB	ORG	75-01-4	Vinyl chloride	43		ug/L	2	0.32	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9595	50	86%		
J072113CCVB	J072113CCVB	ORG	74-83-9	Bromomethane	54		ug/L	5	0.50	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9595	50	108%		
J072113CCVB	J072113CCVB	ORG	75-00-3	Chloroethane	59		ug/L	5	0.56	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9595	50	118%		
J072113CCVB	J072113CCVB	ORG	75-69-4	Trichlorofluoromethane	26		ug/L	5	0.20	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9595	50	52%		
J072113CCVB	J072113CCVB	ORG	75-35-4	1,1-Dichloroethene	53		ug/L	1	0.47	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9595	50	106%		
J072113CCVB	J072113CCVB	ORG	75-09-2	Methylene chloride	51		ug/L	5	0.26	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9595	50	102%		
J072113CCVB	J072113CCVB	ORG	67-64-1	Acetone	59		ug/L	10	1.56	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9595	50	118%		
J072113CCVB	J072113CCVB	ORG	156-60-5	trans-1,2-Dichloroethene	52		ug/L	1	0.56	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9595	50	104%		
J072113CCVB	J072113CCVB	ORG	1634-04-4	MTBE	56		ug/L	5	0.61	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9595	50	112%		
J072113CCVB	J072113CCVB	ORG	75-34-3	1,1-Dichloroethane	48		ug/L	1	0.53	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9595	50	96%		
J072113CCVB	J072113CCVB	ORG	156-59-2	cis-1,2-Dichloroethene	52		ug/L	1	0.32	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9595	50	104%		
J072113CCVB	J072113CCVB	ORG	74-97-5	Bromochloromethane	55		ug/L	10	0.81	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9595	50	110%		
J072113CCVB	J072113CCVB	ORG	67-66-3	Chloroform	51		ug/L	2	0.41	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9595	50	102%		
J072113CCVB	J072113CCVB	ORG	71-55-6	1,1,1-Trichloroethane	56		ug/L	1	0.16	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9595	50	112%		
J072113CCVB	J072113CCVB	ORG	78-93-3	2-Butanone	59		ug/L	1	0.17	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9595	50	118%		
J072113CCVB	J072113CCVB	ORG	56-23-5	Carbon tetrachloride	56		ug/L	1	0.28	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9595	50	112%		
J072113CCVB	J072113CCVB	ORG	71-43-2	Benzene	47		ug/L	1	0.14	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9595	50	94%		
J072113CCVB	J072113CCVB	ORG	107-06-2	1,2-Dichloroethane	55		ug/L	1	0.20	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9595	50	110%		
J072113CCVB	J072113CCVB	ORG	79-01-6	Trichloroethene	54		ug/L	1	0.36	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9595	50	108%		
J072113CCVB	J072113CCVB	ORG	74-95-3	Dibromomethane	54		ug/L	2	0.32	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9595	50	108%		
J072113CCVB	J072113CCVB	ORG	78-87-5	1,2-Dichloropropane	41		ug/L	1	0.18	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9595	50	82%		
J072113CCVB	J072113CCVB	ORG	75-27-4	Bromodichloromethane	51		ug/L	2	0.12	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9595	50	102%		
J072113CCVB	J072113CCVB	ORG	10061-01-5	cis-1,3-Dichloropropene	47		ug/L	1	0.25	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9595	50	94%		
J072113CCVB	J072113CCVB	ORG	108-88-3	Toluene	48		ug/L	5	0.74	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9595	50	96%		
J072113CCVB	J072113CCVB	ORG	108-10-1	4-Methyl-2-pentanone	50		ug/L	1	0.21	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9595	50	100%		
J072113CCVB	J072113CCVB	ORG	10061-02-6	trans-1,3-Dichloropropene	51		ug/L	1	0.31	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9595	50	102%		
J072113CCVB	J072113CCVB	ORG	127-18-4	Tetrachloroethene	48		ug/L	1	0.49	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9595	50	96%		
J072113CCVB	J072113CCVB	ORG	79-00-5	1,1,2-Trichloroethane	49		ug/L	1	0.34	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9595	50	98%		
J072113CCVB	J072113CCVB	ORG	124-48-1	Dibromochloromethane	55		ug/L	5	0.69	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9595	50	110%		
J072113CCVB	J072113CCVB	ORG	106-93-4	1,2-Dibromoethane	56		ug/L	2	0.30	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9595	50	112%		
J072113CCVB	J072113CCVB	ORG	591-78-6	2-Hexanone	54		ug/L	2	0.26	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9595	50	108%		
J072113CCVB	J072113CCVB	ORG	100-41-4	Ethylbenzene	53		ug/L	1	0.25	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9595	50	106%		
J072113CCVB	J072113CCVB	ORG	108-90-7	Chlorobenzene	54		ug/L	1	0.28	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9595	50	108%		
J072113CCVB	J072113CCVB	ORG	630-20-6	1,1,1,2-Tetrachloroethane	53		ug/L	2	0.19	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9595	50	106%		
J072113CCVB	J072113CCVB	ORG	XYLMP	p&m-Xylene	106		ug/L	2	0.26	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9595	100	106%		
J072113CCVB	J072113CCVB	ORG	95-47-6	o-Xylene	52		ug/L	1	0.13	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9595	50	104%		
J072113CCVB	J072113CCVB	ORG	100-42-5	Styrene	49		ug/L	1	0.20	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9595	50	98%		
J072113CCVB	J072113CCVB	ORG	75-25-2	Bromoform	58		ug/L	2	0.47	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9595	50	116%		
J072113CCVB	J072113CCVB	ORG	98-82-8	Isopropylbenzene	52		ug/L	2	0.20	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9595	50	104%		
J072113CCVB	J072113CCVB	ORG	103-65-1	n-Propylbenzene	52		ug/L	2	0.27	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9595	50	104%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J072113CCVB	J072113CCVB	ORG	79-34-5	1,1,2,2-Tetrachloroethane	54		ug/L	2	0.29	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9595	50	108%		
J072113CCVB	J072113CCVB	ORG	96-18-4	1,2,3-Trichloropropane	55		ug/L	2	0.29	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9595	50	110%		
J072113CCVB	J072113CCVB	ORG	108-67-8	1,3,5-Trimethylbenzene	52		ug/L	2	0.20	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9595	50	104%		
J072113CCVB	J072113CCVB	ORG	98-06-6	tert-Butylbenzene	54		ug/L	2	0.33	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9595	50	108%		
J072113CCVB	J072113CCVB	ORG	95-63-6	1,2,4-Trimethylbenzene	52		ug/L	2	0.20	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9595	50	104%		
J072113CCVB	J072113CCVB	ORG	135-98-8	sec-Butylbenzene	52		ug/L	2	0.32	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9595	50	104%		
J072113CCVB	J072113CCVB	ORG	541-73-1	1,3-Dichlorobenzene	53		ug/L	2	0.22	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9595	50	106%		
J072113CCVB	J072113CCVB	ORG	99-87-6	p-Isopropltoluene	55		ug/L	2	0.25	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9595	50	110%		
J072113CCVB	J072113CCVB	ORG	106-46-7	1,4-Dichlorobenzene	53		ug/L	2	0.33	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9595	50	106%		
J072113CCVB	J072113CCVB	ORG	95-50-1	1,2-Dichlorobenzene	52		ug/L	2	0.26	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9595	50	104%		
J072113CCVB	J072113CCVB	ORG	104-51-8	n-Butylbenzene	52		ug/L	5	0.28	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9595	50	104%		
J072113CCVB	J072113CCVB	ORG	96-12-8	1,2-Dibromo-3-chloropropane	68		ug/L	5	1.59	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9595	50	136%		
J072113CCVB	J072113CCVB	ORG	87-68-3	Hexachlorobutadiene	49		ug/L	5	0.65	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9595	50	98%		
J072113CCVB	J072113CCVB	ORG	120-82-1	1,2,4-Trichlorobenzene	55		ug/L	5	0.28	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9595	50	110%		
J072113CCVB	J072113CCVB	ORG	91-20-3	Naphthalene	59		ug/L	5	0.56	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9595	50	118%		
J072113CCVB	J072113CCVB	ORG	87-61-6	1,2,3-Trichlorobenzene	58		ug/L	5	0.23	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9595	50	116%		
J072113CCVB	J072113CCVB	STD	1868-53-7	Dibromofluoromethane	52		ng			NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9595	50	104%		
J072113CCVB	J072113CCVB	STD	17060-07-0	1,2-Dichloroethane d4	50		ng			NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9595	50	100%		
J072113CCVB	J072113CCVB	STD	2037-26-5	Toluene d8	48		ng			NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9595	50	96%		
J072113CCVB	J072113CCVB	STD	460-00-4	Bromofluorobenzene	50		ng			NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9595	50	100%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J072113MBKB	J072113MBKB	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	5	0.29	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9596				
J072113MBKB	J072113MBKB	ORG	74-87-3	Chloromethane		U	ug/L	5	0.43	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9596				
J072113MBKB	J072113MBKB	ORG	75-01-4	Vinyl chloride		U	ug/L	2	0.32	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9596				
J072113MBKB	J072113MBKB	ORG	74-83-9	Bromomethane		U	ug/L	5	0.50	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9596				
J072113MBKB	J072113MBKB	ORG	75-00-3	Chloroethane		U	ug/L	5	0.56	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9596				
J072113MBKB	J072113MBKB	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	5	0.20	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9596				
J072113MBKB	J072113MBKB	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	1	0.47	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9596				
J072113MBKB	J072113MBKB	ORG	75-09-2	Methylene chloride		U	ug/L	5	0.26	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9596				
J072113MBKB	J072113MBKB	ORG	67-64-1	Acetone		U	ug/L	10	1.56	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9596				
J072113MBKB	J072113MBKB	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	1	0.56	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9596				
J072113MBKB	J072113MBKB	ORG	1634-04-4	MTBE		U	ug/L	5	0.61	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9596				
J072113MBKB	J072113MBKB	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	1	0.53	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9596				
J072113MBKB	J072113MBKB	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	1	0.32	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9596				
J072113MBKB	J072113MBKB	ORG	74-97-5	Bromochloromethane		U	ug/L	10	0.81	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9596				
J072113MBKB	J072113MBKB	ORG	67-66-3	Chloroform		U	ug/L	2	0.41	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9596				
J072113MBKB	J072113MBKB	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	1	0.16	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9596				
J072113MBKB	J072113MBKB	ORG	78-93-3	2-Butanone		U	ug/L	1	0.17	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9596				
J072113MBKB	J072113MBKB	ORG	56-23-5	Carbon tetrachloride		U	ug/L	1	0.28	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9596				
J072113MBKB	J072113MBKB	ORG	71-43-2	Benzene		U	ug/L	1	0.14	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9596				
J072113MBKB	J072113MBKB	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	1	0.20	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9596				
J072113MBKB	J072113MBKB	ORG	79-01-6	Trichloroethene		U	ug/L	1	0.36	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9596				
J072113MBKB	J072113MBKB	ORG	74-95-3	Dibromomethane		U	ug/L	2	0.32	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9596				
J072113MBKB	J072113MBKB	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	1	0.18	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9596				
J072113MBKB	J072113MBKB	ORG	75-27-4	Bromodichloromethane		U	ug/L	2	0.12	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9596				
J072113MBKB	J072113MBKB	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	1	0.25	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9596				
J072113MBKB	J072113MBKB	ORG	108-88-3	Toluene		U	ug/L	5	0.74	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9596				
J072113MBKB	J072113MBKB	ORG	108-10-1	4-Methyl-2-pentanone		U	ug/L	1	0.21	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9596				
J072113MBKB	J072113MBKB	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	1	0.31	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9596				
J072113MBKB	J072113MBKB	ORG	127-18-4	Tetrachloroethene		U	ug/L	1	0.49	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9596				
J072113MBKB	J072113MBKB	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	1	0.34	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9596				
J072113MBKB	J072113MBKB	ORG	124-48-1	Dibromochloromethane		U	ug/L	5	0.69	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9596				
J072113MBKB	J072113MBKB	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	2	0.30	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9596				
J072113MBKB	J072113MBKB	ORG	591-78-6	2-Hexanone		U	ug/L	2	0.26	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9596				
J072113MBKB	J072113MBKB	ORG	100-41-4	Ethylbenzene		U	ug/L	1	0.25	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9596				
J072113MBKB	J072113MBKB	ORG	108-90-7	Chlorobenzene		U	ug/L	1	0.28	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9596				
J072113MBKB	J072113MBKB	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	2	0.19	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9596				
J072113MBKB	J072113MBKB	ORG	XYLMP	p&m-Xylene		U	ug/L	2	0.26	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9596				
J072113MBKB	J072113MBKB	ORG	95-47-6	o-Xylene		U	ug/L	1	0.13	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9596				
J072113MBKB	J072113MBKB	ORG	100-42-5	Styrene		U	ug/L	1	0.20	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9596				
J072113MBKB	J072113MBKB	ORG	75-25-2	Bromoform		U	ug/L	2	0.47	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9596				
J072113MBKB	J072113MBKB	ORG	98-82-8	Isopropylbenzene		U	ug/L	2	0.20	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9596				
J072113MBKB	J072113MBKB	ORG	103-65-1	n-Propylbenzene		U	ug/L	2	0.27	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9596				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J072113MBKB	J072113MBKB	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	2	0.29	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9596				
J072113MBKB	J072113MBKB	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	2	0.29	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9596				
J072113MBKB	J072113MBKB	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	2	0.20	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9596				
J072113MBKB	J072113MBKB	ORG	98-06-6	tert-Butylbenzene		U	ug/L	2	0.33	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9596				
J072113MBKB	J072113MBKB	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	2	0.20	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9596				
J072113MBKB	J072113MBKB	ORG	135-98-8	sec-Butylbenzene		U	ug/L	2	0.32	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9596				
J072113MBKB	J072113MBKB	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	2	0.22	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9596				
J072113MBKB	J072113MBKB	ORG	99-87-6	p-Isopropltoluene		U	ug/L	2	0.25	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9596				
J072113MBKB	J072113MBKB	ORG	106-46-7	1,4-Dichlorobenzene		U	ug/L	2	0.33	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9596				
J072113MBKB	J072113MBKB	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	2	0.26	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9596				
J072113MBKB	J072113MBKB	ORG	104-51-8	n-Butylbenzene		U	ug/L	5	0.28	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9596				
J072113MBKB	J072113MBKB	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	5	1.59	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9596				
J072113MBKB	J072113MBKB	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	5	0.65	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9596				
J072113MBKB	J072113MBKB	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	5	0.28	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9596				
J072113MBKB	J072113MBKB	ORG	91-20-3	Naphthalene		U	ug/L	5	0.56	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9596				
J072113MBKB	J072113MBKB	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	5	0.23	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9596				
J072113MBKB	J072113MBKB	STD	1868-53-7	Dibromofluoromethane	52		ng			NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9596	50	104%		
J072113MBKB	J072113MBKB	STD	17060-07-0	1,2-Dichloroethane d4	56		ng			NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9596	50	112%		
J072113MBKB	J072113MBKB	STD	2037-26-5	Toluene d8	47		ng			NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9596	50	94%		
J072113MBKB	J072113MBKB	STD	460-00-4	Bromofluorobenzene	48		ng			NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9596	50	96%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J072113ALCS	J072113ALCS	ORG	75-71-8	Dichlorodifluoromethane	52		ug/L	5	0.29	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9591	50	104%		
J072113ALCS	J072113ALCS	ORG	74-87-3	Chloromethane	40		ug/L	5	0.43	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9591	50	80%		
J072113ALCS	J072113ALCS	ORG	75-01-4	Vinyl chloride	39		ug/L	2	0.32	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9591	50	78%		
J072113ALCS	J072113ALCS	ORG	74-83-9	Bromomethane	59		ug/L	5	0.50	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9591	50	118%		
J072113ALCS	J072113ALCS	ORG	75-00-3	Chloroethane	65		ug/L	5	0.56	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9591	50	130%		
J072113ALCS	J072113ALCS	ORG	75-69-4	Trichlorofluoromethane	51		ug/L	5	0.20	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9591	50	102%		
J072113ALCS	J072113ALCS	ORG	75-35-4	1,1-Dichloroethene	60		ug/L	1	0.47	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9591	50	120%		
J072113ALCS	J072113ALCS	ORG	75-09-2	Methylene chloride	56		ug/L	5	0.26	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9591	50	112%		
J072113ALCS	J072113ALCS	ORG	67-64-1	Acetone	58		ug/L	10	1.56	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9591	50	116%		
J072113ALCS	J072113ALCS	ORG	156-60-5	trans-1,2-Dichloroethene	57		ug/L	1	0.56	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9591	50	114%		
J072113ALCS	J072113ALCS	ORG	1634-04-4	MTBE	53		ug/L	5	0.61	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9591	50	106%		
J072113ALCS	J072113ALCS	ORG	75-34-3	1,1-Dichloroethane	58		ug/L	1	0.53	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9591	50	116%		
J072113ALCS	J072113ALCS	ORG	156-59-2	cis-1,2-Dichloroethene	59		ug/L	1	0.32	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9591	50	118%		
J072113ALCS	J072113ALCS	ORG	74-97-5	Bromochloromethane	63		ug/L	10	0.81	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9591	50	126%		
J072113ALCS	J072113ALCS	ORG	67-66-3	Chloroform	57		ug/L	2	0.41	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9591	50	114%		
J072113ALCS	J072113ALCS	ORG	71-55-6	1,1,1-Trichloroethane	60		ug/L	1	0.16	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9591	50	120%		
J072113ALCS	J072113ALCS	ORG	78-93-3	2-Butanone	52		ug/L	1	0.17	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9591	50	104%		
J072113ALCS	J072113ALCS	ORG	56-23-5	Carbon tetrachloride	60		ug/L	1	0.28	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9591	50	120%		
J072113ALCS	J072113ALCS	ORG	71-43-2	Benzene	52		ug/L	1	0.14	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9591	50	104%		
J072113ALCS	J072113ALCS	ORG	107-06-2	1,2-Dichloroethane	62		ug/L	1	0.20	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9591	50	124%		
J072113ALCS	J072113ALCS	ORG	79-01-6	Trichloroethene	57		ug/L	1	0.36	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9591	50	114%		
J072113ALCS	J072113ALCS	ORG	74-95-3	Dibromomethane	58		ug/L	2	0.32	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9591	50	116%		
J072113ALCS	J072113ALCS	ORG	78-87-5	1,2-Dichloropropane	45		ug/L	1	0.18	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9591	50	90%		
J072113ALCS	J072113ALCS	ORG	75-27-4	Bromodichloromethane	56		ug/L	2	0.12	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9591	50	112%		
J072113ALCS	J072113ALCS	ORG	10061-01-5	cis-1,3-Dichloropropene	51		ug/L	1	0.25	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9591	50	102%		
J072113ALCS	J072113ALCS	ORG	108-88-3	Toluene	53		ug/L	5	0.74	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9591	50	106%		
J072113ALCS	J072113ALCS	ORG	108-10-1	4-Methyl-2-pentanone	46		ug/L	1	0.21	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9591	50	92%		
J072113ALCS	J072113ALCS	ORG	10061-02-6	trans-1,3-Dichloropropene	54		ug/L	1	0.31	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9591	50	108%		
J072113ALCS	J072113ALCS	ORG	127-18-4	Tetrachloroethene	51		ug/L	1	0.49	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9591	50	102%		
J072113ALCS	J072113ALCS	ORG	79-00-5	1,1,2-Trichloroethane	52		ug/L	1	0.34	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9591	50	104%		
J072113ALCS	J072113ALCS	ORG	124-48-1	Dibromochloromethane	60		ug/L	5	0.69	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9591	50	120%		
J072113ALCS	J072113ALCS	ORG	106-93-4	1,2-Dibromoethane	60		ug/L	2	0.30	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9591	50	120%		
J072113ALCS	J072113ALCS	ORG	591-78-6	2-Hexanone	51		ug/L	2	0.26	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9591	50	102%		
J072113ALCS	J072113ALCS	ORG	100-41-4	Ethylbenzene	54		ug/L	1	0.25	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9591	50	108%		
J072113ALCS	J072113ALCS	ORG	108-90-7	Chlorobenzene	57		ug/L	1	0.28	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9591	50	114%		
J072113ALCS	J072113ALCS	ORG	630-20-6	1,1,1,2-Tetrachloroethane	56		ug/L	2	0.19	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9591	50	112%		
J072113ALCS	J072113ALCS	ORG	XYLMP	p&m-Xylene	109		ug/L	2	0.26	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9591	100	109%		
J072113ALCS	J072113ALCS	ORG	95-47-6	o-Xylene	55		ug/L	1	0.13	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9591	50	110%		
J072113ALCS	J072113ALCS	ORG	100-42-5	Styrene	52		ug/L	1	0.20	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9591	50	104%		
J072113ALCS	J072113ALCS	ORG	75-25-2	Bromoform	59		ug/L	2	0.47	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9591	50	118%		
J072113ALCS	J072113ALCS	ORG	98-82-8	Isopropylbenzene	54		ug/L	2	0.20	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9591	50	108%		
J072113ALCS	J072113ALCS	ORG	103-65-1	n-Propylbenzene	53		ug/L	2	0.27	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9591	50	106%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J072113ALCS	J072113ALCS	ORG	79-34-5	1,1,2,2-Tetrachloroethane	52		ug/L	2	0.29	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9591	50	104%		
J072113ALCS	J072113ALCS	ORG	96-18-4	1,2,3-Trichloropropane	53		ug/L	2	0.29	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9591	50	106%		
J072113ALCS	J072113ALCS	ORG	108-67-8	1,3,5-Trimethylbenzene	55		ug/L	2	0.20	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9591	50	110%		
J072113ALCS	J072113ALCS	ORG	98-06-6	tert-Butylbenzene	56		ug/L	2	0.33	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9591	50	112%		
J072113ALCS	J072113ALCS	ORG	95-63-6	1,2,4-Trimethylbenzene	54		ug/L	2	0.20	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9591	50	108%		
J072113ALCS	J072113ALCS	ORG	135-98-8	sec-Butylbenzene	52		ug/L	2	0.32	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9591	50	104%		
J072113ALCS	J072113ALCS	ORG	541-73-1	1,3-Dichlorobenzene	55		ug/L	2	0.22	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9591	50	110%		
J072113ALCS	J072113ALCS	ORG	99-87-6	p-Isopropltoluene	56		ug/L	2	0.25	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9591	50	112%		
J072113ALCS	J072113ALCS	ORG	106-46-7	1,4-Dichlorobenzene	54		ug/L	2	0.33	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9591	50	108%		
J072113ALCS	J072113ALCS	ORG	95-50-1	1,2-Dichlorobenzene	54		ug/L	2	0.26	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9591	50	108%		
J072113ALCS	J072113ALCS	ORG	104-51-8	n-Butylbenzene	51		ug/L	5	0.28	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9591	50	102%		
J072113ALCS	J072113ALCS	ORG	96-12-8	1,2-Dibromo-3-chloropropane	64		ug/L	5	1.59	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9591	50	128%		
J072113ALCS	J072113ALCS	ORG	87-68-3	Hexachlorobutadiene	47		ug/L	5	0.65	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9591	50	94%		
J072113ALCS	J072113ALCS	ORG	120-82-1	1,2,4-Trichlorobenzene	56		ug/L	5	0.28	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9591	50	112%		
J072113ALCS	J072113ALCS	ORG	91-20-3	Naphthalene	64		ug/L	5	0.56	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9591	50	128%		
J072113ALCS	J072113ALCS	ORG	87-61-6	1,2,3-Trichlorobenzene	57		ug/L	5	0.23	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9591	50	114%		
J072113ALCS	J072113ALCS	STD	1868-53-7	Dibromofluoromethane	52		ng			NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9591	50	104%		
J072113ALCS	J072113ALCS	STD	17060-07-0	1,2-Dichloroethane d4	49		ng			NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9591	50	98%		
J072113ALCS	J072113ALCS	STD	2037-26-5	Toluene d8	49		ng			NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9591	50	98%		
J072113ALCS	J072113ALCS	STD	460-00-4	Bromofluorobenzene	48		ng			NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9591	50	96%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J072113ALCD	J072113ALCD	ORG	75-71-8	Dichlorodifluoromethane	49		ug/L	5	0.29	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9592	50	98%	6%	
J072113ALCD	J072113ALCD	ORG	74-87-3	Chloromethane	35		ug/L	5	0.43	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9592	50	70%	13%	
J072113ALCD	J072113ALCD	ORG	75-01-4	Vinyl chloride	40		ug/L	2	0.32	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9592	50	80%	3%	
J072113ALCD	J072113ALCD	ORG	74-83-9	Bromomethane	55		ug/L	5	0.50	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9592	50	110%	7%	
J072113ALCD	J072113ALCD	ORG	75-00-3	Chloroethane	61		ug/L	5	0.56	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9592	50	122%	6%	
J072113ALCD	J072113ALCD	ORG	75-69-4	Trichlorofluoromethane	42		ug/L	5	0.20	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9592	50	84%	19%	
J072113ALCD	J072113ALCD	ORG	75-35-4	1,1-Dichloroethene	54		ug/L	1	0.47	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9592	50	108%	11%	
J072113ALCD	J072113ALCD	ORG	75-09-2	Methylene chloride	51		ug/L	5	0.26	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9592	50	102%	9%	
J072113ALCD	J072113ALCD	ORG	67-64-1	Acetone	51		ug/L	10	1.56	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9592	50	102%	13%	
J072113ALCD	J072113ALCD	ORG	156-60-5	trans-1,2-Dichloroethene	53		ug/L	1	0.56	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9592	50	106%	7%	
J072113ALCD	J072113ALCD	ORG	1634-04-4	MTBE	52		ug/L	5	0.61	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9592	50	104%	2%	
J072113ALCD	J072113ALCD	ORG	75-34-3	1,1-Dichloroethane	53		ug/L	1	0.53	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9592	50	106%	9%	
J072113ALCD	J072113ALCD	ORG	156-59-2	cis-1,2-Dichloroethene	53		ug/L	1	0.32	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9592	50	106%	11%	
J072113ALCD	J072113ALCD	ORG	74-97-5	Bromochloromethane	57		ug/L	10	0.81	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9592	50	114%	10%	
J072113ALCD	J072113ALCD	ORG	67-66-3	Chloroform	53		ug/L	2	0.41	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9592	50	106%	7%	
J072113ALCD	J072113ALCD	ORG	71-55-6	1,1,1-Trichloroethane	55		ug/L	1	0.16	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9592	50	110%	9%	
J072113ALCD	J072113ALCD	ORG	78-93-3	2-Butanone	46		ug/L	1	0.17	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9592	50	92%	12%	
J072113ALCD	J072113ALCD	ORG	56-23-5	Carbon tetrachloride	56		ug/L	1	0.28	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9592	50	112%	7%	
J072113ALCD	J072113ALCD	ORG	71-43-2	Benzene	46		ug/L	1	0.14	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9592	50	92%	12%	
J072113ALCD	J072113ALCD	ORG	107-06-2	1,2-Dichloroethane	52		ug/L	1	0.20	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9592	50	104%	18%	
J072113ALCD	J072113ALCD	ORG	79-01-6	Trichloroethene	53		ug/L	1	0.36	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9592	50	106%	7%	
J072113ALCD	J072113ALCD	ORG	74-95-3	Dibromomethane	53		ug/L	2	0.32	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9592	50	106%	9%	
J072113ALCD	J072113ALCD	ORG	78-87-5	1,2-Dichloropropane	42		ug/L	1	0.18	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9592	50	84%	7%	
J072113ALCD	J072113ALCD	ORG	75-27-4	Bromodichloromethane	54		ug/L	2	0.12	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9592	50	108%	4%	
J072113ALCD	J072113ALCD	ORG	10061-01-5	cis-1,3-Dichloropropene	50		ug/L	1	0.25	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9592	50	100%	2%	
J072113ALCD	J072113ALCD	ORG	108-88-3	Toluene	51		ug/L	5	0.74	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9592	50	102%	4%	
J072113ALCD	J072113ALCD	ORG	108-10-1	4-Methyl-2-pentanone	45		ug/L	1	0.21	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9592	50	90%	2%	
J072113ALCD	J072113ALCD	ORG	10061-02-6	trans-1,3-Dichloropropene	54		ug/L	1	0.31	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9592	50	108%	0%	
J072113ALCD	J072113ALCD	ORG	127-18-4	Tetrachloroethene	54		ug/L	1	0.49	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9592	50	108%	6%	
J072113ALCD	J072113ALCD	ORG	79-00-5	1,1,2-Trichloroethane	51		ug/L	1	0.34	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9592	50	102%	2%	
J072113ALCD	J072113ALCD	ORG	124-48-1	Dibromochloromethane	59		ug/L	5	0.69	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9592	50	118%	2%	
J072113ALCD	J072113ALCD	ORG	106-93-4	1,2-Dibromoethane	58		ug/L	2	0.30	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9592	50	116%	3%	
J072113ALCD	J072113ALCD	ORG	591-78-6	2-Hexanone	50		ug/L	2	0.26	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9592	50	100%	2%	
J072113ALCD	J072113ALCD	ORG	100-41-4	Ethylbenzene	48		ug/L	1	0.25	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9592	50	96%	12%	
J072113ALCD	J072113ALCD	ORG	108-90-7	Chlorobenzene	50		ug/L	1	0.28	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9592	50	100%	13%	
J072113ALCD	J072113ALCD	ORG	630-20-6	1,1,1,2-Tetrachloroethane	50		ug/L	2	0.19	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9592	50	100%	11%	
J072113ALCD	J072113ALCD	ORG	XYLMP	p&m-Xylene	97		ug/L	2	0.26	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9592	100	97%	12%	
J072113ALCD	J072113ALCD	ORG	95-47-6	o-Xylene	50		ug/L	1	0.13	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9592	50	100%	10%	
J072113ALCD	J072113ALCD	ORG	100-42-5	Styrene	48		ug/L	1	0.20	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9592	50	96%	8%	
J072113ALCD	J072113ALCD	ORG	75-25-2	Bromoform	59		ug/L	2	0.47	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9592	50	118%	0%	
J072113ALCD	J072113ALCD	ORG	98-82-8	Isopropylbenzene	51		ug/L	2	0.20	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9592	50	102%	6%	
J072113ALCD	J072113ALCD	ORG	103-65-1	n-Propylbenzene	51		ug/L	2	0.27	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9592	50	102%	4%	

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J072113ALCD	J072113ALCD	ORG	79-34-5	1,1,2,2-Tetrachloroethane	56		ug/L	2	0.29	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9592	50	112%	7%	
J072113ALCD	J072113ALCD	ORG	96-18-4	1,2,3-Trichloropropane	53		ug/L	2	0.29	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9592	50	106%	0%	
J072113ALCD	J072113ALCD	ORG	108-67-8	1,3,5-Trimethylbenzene	52		ug/L	2	0.20	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9592	50	104%	6%	
J072113ALCD	J072113ALCD	ORG	98-06-6	tert-Butylbenzene	54		ug/L	2	0.33	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9592	50	108%	4%	
J072113ALCD	J072113ALCD	ORG	95-63-6	1,2,4-Trimethylbenzene	52		ug/L	2	0.20	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9592	50	104%	4%	
J072113ALCD	J072113ALCD	ORG	135-98-8	sec-Butylbenzene	53		ug/L	2	0.32	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9592	50	106%	2%	
J072113ALCD	J072113ALCD	ORG	541-73-1	1,3-Dichlorobenzene	56		ug/L	2	0.22	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9592	50	112%	2%	
J072113ALCD	J072113ALCD	ORG	99-87-6	p-Isopropltoluene	57		ug/L	2	0.25	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9592	50	114%	2%	
J072113ALCD	J072113ALCD	ORG	106-46-7	1,4-Dichlorobenzene	56		ug/L	2	0.33	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9592	50	112%	4%	
J072113ALCD	J072113ALCD	ORG	95-50-1	1,2-Dichlorobenzene	57		ug/L	2	0.26	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9592	50	114%	5%	
J072113ALCD	J072113ALCD	ORG	104-51-8	n-Butylbenzene	54		ug/L	5	0.28	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9592	50	108%	6%	
J072113ALCD	J072113ALCD	ORG	96-12-8	1,2-Dibromo-3-chloropropane	59		ug/L	5	1.59	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9592	50	118%	8%	
J072113ALCD	J072113ALCD	ORG	87-68-3	Hexachlorobutadiene	55		ug/L	5	0.65	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9592	50	110%	16%	
J072113ALCD	J072113ALCD	ORG	120-82-1	1,2,4-Trichlorobenzene	56		ug/L	5	0.28	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9592	50	112%	0%	
J072113ALCD	J072113ALCD	ORG	91-20-3	Naphthalene	56		ug/L	5	0.56	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9592	50	112%	13%	
J072113ALCD	J072113ALCD	ORG	87-61-6	1,2,3-Trichlorobenzene	54		ug/L	5	0.23	NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9592	50	108%	5%	
J072113ALCD	J072113ALCD	STD	1868-53-7	Dibromofluoromethane	48		ng			NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9592	50	96%	8%	
J072113ALCD	J072113ALCD	STD	17060-07-0	1,2-Dichloroethane d4	47		ng			NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9592	50	94%	4%	
J072113ALCD	J072113ALCD	STD	2037-26-5	Toluene d8	48		ng			NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9592	50	96%	2%	
J072113ALCD	J072113ALCD	STD	460-00-4	Bromofluorobenzene	47		ng			NA	7/21/2013	7/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9592	50	94%	2%	

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-514MS	291-ST T1	ORG	75-71-8	Dichlorodifluoromethane	5100		ug/L	500	29.28	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9593	5000	102%		
NAL13026-514MS	291-ST T1	ORG	74-87-3	Chloromethane	4100		ug/L	500	43.07	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9593	5000	82%		
NAL13026-514MS	291-ST T1	ORG	75-01-4	Vinyl chloride	4600		ug/L	200	31.86	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9593	5000	92%		
NAL13026-514MS	291-ST T1	ORG	74-83-9	Bromomethane	5400		ug/L	500	50.04	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9593	5000	108%		
NAL13026-514MS	291-ST T1	ORG	75-00-3	Chloroethane	5900		ug/L	500	55.61	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9593	5000	118%		
NAL13026-514MS	291-ST T1	ORG	75-69-4	Trichlorofluoromethane	4400		ug/L	500	19.65	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9593	5000	88%		
NAL13026-514MS	291-ST T1	ORG	75-35-4	1,1-Dichloroethene	5200		ug/L	100	47.11	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9593	5000	104%		
NAL13026-514MS	291-ST T1	ORG	75-09-2	Methylene chloride	5000		ug/L	500	26.46	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9593	5000	100%		
NAL13026-514MS	291-ST T1	ORG	67-64-1	Acetone	71000		ug/L	1000	155.61	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9593	5000	-260%		84000
NAL13026-514MS	291-ST T1	ORG	156-60-5	trans-1,2-Dichloroethene	5000		ug/L	100	55.61	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9593	5000	100%		
NAL13026-514MS	291-ST T1	ORG	1634-04-4	MTBE	5400		ug/L	500	61.18	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9593	5000	108%		
NAL13026-514MS	291-ST T1	ORG	75-34-3	1,1-Dichloroethane	5100		ug/L	100	52.66	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9593	5000	102%		
NAL13026-514MS	291-ST T1	ORG	156-59-2	cis-1,2-Dichloroethene	5200		ug/L	100	32.11	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9593	5000	104%		
NAL13026-514MS	291-ST T1	ORG	74-97-5	Bromochloromethane	5400		ug/L	1000	81.18	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9593	5000	108%		
NAL13026-514MS	291-ST T1	ORG	67-66-3	Chloroform	5000		ug/L	200	41.37	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9593	5000	100%		
NAL13026-514MS	291-ST T1	ORG	71-55-6	1,1,1-Trichloroethane	5400		ug/L	100	15.73	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9593	5000	108%		
NAL13026-514MS	291-ST T1	ORG	78-93-3	2-Butanone	35000		ug/L	100	16.65	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9593	5000	-120%		41000
NAL13026-514MS	291-ST T1	ORG	56-23-5	Carbon tetrachloride	5400		ug/L	100	27.64	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9593	5000	108%		
NAL13026-514MS	291-ST T1	ORG	71-43-2	Benzene	4800		ug/L	100	13.53	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9593	5000	96%		
NAL13026-514MS	291-ST T1	ORG	107-06-2	1,2-Dichloroethane	5400		ug/L	100	20.01	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9593	5000	108%		
NAL13026-514MS	291-ST T1	ORG	79-01-6	Trichloroethene	5300		ug/L	100	36.33	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9593	5000	106%		
NAL13026-514MS	291-ST T1	ORG	74-95-3	Dibromomethane	5200		ug/L	200	32.20	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9593	5000	104%		
NAL13026-514MS	291-ST T1	ORG	78-87-5	1,2-Dichloropropane	4100		ug/L	100	18.17	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9593	5000	82%		
NAL13026-514MS	291-ST T1	ORG	75-27-4	Bromodichloromethane	5100		ug/L	200	11.58	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9593	5000	102%		
NAL13026-514MS	291-ST T1	ORG	10061-01-5	cis-1,3-Dichloropropene	4600		ug/L	100	25.01	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9593	5000	92%		
NAL13026-514MS	291-ST T1	ORG	108-88-3	Toluene	4800		ug/L	500	74.00	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9593	5000	96%		
NAL13026-514MS	291-ST T1	ORG	108-10-1	4-Methyl-2-pentanone	4700		ug/L	100	20.96	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9593	5000	85%		450
NAL13026-514MS	291-ST T1	ORG	10061-02-6	trans-1,3-Dichloropropene	5000		ug/L	100	31.15	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9593	5000	100%		
NAL13026-514MS	291-ST T1	ORG	127-18-4	Tetrachloroethene	4300		ug/L	100	48.56	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9593	5000	86%		
NAL13026-514MS	291-ST T1	ORG	79-00-5	1,1,2-Trichloroethane	4900		ug/L	100	34.28	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9593	5000	98%		
NAL13026-514MS	291-ST T1	ORG	124-48-1	Dibromochloromethane	5500		ug/L	500	68.90	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9593	5000	110%		
NAL13026-514MS	291-ST T1	ORG	106-93-4	1,2-Dibromoethane	5400		ug/L	200	29.90	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9593	5000	108%		
NAL13026-514MS	291-ST T1	ORG	591-78-6	2-Hexanone	4500		ug/L	200	26.49	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9593	5000	90%		
NAL13026-514MS	291-ST T1	ORG	100-41-4	Ethylbenzene	5400		ug/L	100	25.38	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9593	5000	108%		
NAL13026-514MS	291-ST T1	ORG	108-90-7	Chlorobenzene	5600		ug/L	100	27.52	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9593	5000	112%		
NAL13026-514MS	291-ST T1	ORG	630-20-6	1,1,1,2-Tetrachloroethane	5500		ug/L	200	19.28	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9593	5000	110%		
NAL13026-514MS	291-ST T1	ORG	XYLMP	p&m-Xylene	10800		ug/L	200	26.14	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9593	10000	108%		
NAL13026-514MS	291-ST T1	ORG	95-47-6	o-Xylene	5500		ug/L	100	12.90	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9593	5000	110%		
NAL13026-514MS	291-ST T1	ORG	100-42-5	Styrene	5100		ug/L	100	20.23	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9593	5000	102%		
NAL13026-514MS	291-ST T1	ORG	75-25-2	Bromoform	5900		ug/L	200	46.83	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9593	5000	118%		
NAL13026-514MS	291-ST T1	ORG	98-82-8	Isopropylbenzene	5500		ug/L	200	20.48	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9593	5000	110%		22
NAL13026-514MS	291-ST T1	ORG	103-65-1	n-Propylbenzene	5300		ug/L	200	27.00	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9593	5000	106%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-514MS	291-ST T1	ORG	79-34-5	1,1,2,2-Tetrachloroethane	5600		ug/L	200	29.16	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9593	5000	112%		
NAL13026-514MS	291-ST T1	ORG	96-18-4	1,2,3-Trichloropropane	5400		ug/L	200	29.47	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9593	5000	108%		
NAL13026-514MS	291-ST T1	ORG	108-67-8	1,3,5-Trimethylbenzene	5600		ug/L	200	20.03	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9593	5000	111%		45
NAL13026-514MS	291-ST T1	ORG	98-06-6	tert-Butylbenzene	5500		ug/L	200	32.61	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9593	5000	110%		
NAL13026-514MS	291-ST T1	ORG	95-63-6	1,2,4-Trimethylbenzene	5500		ug/L	200	20.03	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9593	5000	106%		180
NAL13026-514MS	291-ST T1	ORG	135-98-8	sec-Butylbenzene	5300		ug/L	200	32.34	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9593	5000	105%		47
NAL13026-514MS	291-ST T1	ORG	541-73-1	1,3-Dichlorobenzene	5300		ug/L	200	22.21	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9593	5000	106%		
NAL13026-514MS	291-ST T1	ORG	99-87-6	p-Isopropltoluene	7200		ug/L	200	25.48	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9593	5000	106%		1900
NAL13026-514MS	291-ST T1	ORG	106-46-7	1,4-Dichlorobenzene	5300		ug/L	200	33.03	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9593	5000	101%		250
NAL13026-514MS	291-ST T1	ORG	95-50-1	1,2-Dichlorobenzene	5400		ug/L	200	26.38	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9593	5000	108%		
NAL13026-514MS	291-ST T1	ORG	104-51-8	n-Butylbenzene	5000		ug/L	500	27.81	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9593	5000	98%		89
NAL13026-514MS	291-ST T1	ORG	96-12-8	1,2-Dibromo-3-chloropropane	7600		ug/L	500	159.11	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9593	5000	152%		
NAL13026-514MS	291-ST T1	ORG	87-68-3	Hexachlorobutadiene	4400		ug/L	500	65.42	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9593	5000	88%		
NAL13026-514MS	291-ST T1	ORG	120-82-1	1,2,4-Trichlorobenzene	5400		ug/L	500	27.63	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9593	5000	108%		
NAL13026-514MS	291-ST T1	ORG	91-20-3	Naphthalene	7400		ug/L	500	56.04	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9593	5000	128%		1000
NAL13026-514MS	291-ST T1	ORG	87-61-6	1,2,3-Trichlorobenzene	5600		ug/L	500	23.28	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9593	5000	112%		
NAL13026-514MS	291-ST T1	STD	1868-53-7	Dibromofluoromethane	51		ng			7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9593	50	102%		
NAL13026-514MS	291-ST T1	STD	17060-07-0	1,2-Dichloroethane d4	50		ng			7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9593	50	100%		
NAL13026-514MS	291-ST T1	STD	2037-26-5	Toluene d8	48		ng			7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9593	50	96%		
NAL13026-514MS	291-ST T1	STD	460-00-4	Bromofluorobenzene	53		ng			7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9593	50	106%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-514MSD	291-ST T1	ORG	75-71-8	Dichlorodifluoromethane	5000		ug/L	500	29.28	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9594	5000	100%	2%	0
NAL13026-514MSD	291-ST T1	ORG	74-87-3	Chloromethane	3700		ug/L	500	43.07	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9594	5000	74%	10%	0
NAL13026-514MSD	291-ST T1	ORG	75-01-4	Vinyl chloride	4500		ug/L	200	31.86	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9594	5000	90%	2%	0
NAL13026-514MSD	291-ST T1	ORG	74-83-9	Bromomethane	5500		ug/L	500	50.04	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9594	5000	110%	2%	0
NAL13026-514MSD	291-ST T1	ORG	75-00-3	Chloroethane	6000		ug/L	500	55.61	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9594	5000	120%	2%	0
NAL13026-514MSD	291-ST T1	ORG	75-69-4	Trichlorofluoromethane	4600		ug/L	500	19.65	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9594	5000	92%	4%	0
NAL13026-514MSD	291-ST T1	ORG	75-35-4	1,1-Dichloroethene	5200		ug/L	100	47.11	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9594	5000	104%	0%	0
NAL13026-514MSD	291-ST T1	ORG	75-09-2	Methylene chloride	5000		ug/L	500	26.46	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9594	5000	100%	0%	0
NAL13026-514MSD	291-ST T1	ORG	67-64-1	Acetone	72000		ug/L	1000	155.61	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9594	5000	-240%	1%	84000
NAL13026-514MSD	291-ST T1	ORG	156-60-5	trans-1,2-Dichloroethene	5100		ug/L	100	55.61	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9594	5000	102%	2%	0
NAL13026-514MSD	291-ST T1	ORG	1634-04-4	MTBE	5400		ug/L	500	61.18	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9594	5000	108%	0%	0
NAL13026-514MSD	291-ST T1	ORG	75-34-3	1,1-Dichloroethane	5100		ug/L	100	52.66	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9594	5000	102%	0%	0
NAL13026-514MSD	291-ST T1	ORG	156-59-2	cis-1,2-Dichloroethene	5200		ug/L	100	32.11	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9594	5000	104%	0%	0
NAL13026-514MSD	291-ST T1	ORG	74-97-5	Bromochloromethane	5500		ug/L	1000	81.18	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9594	5000	110%	2%	0
NAL13026-514MSD	291-ST T1	ORG	67-66-3	Chloroform	5000		ug/L	200	41.37	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9594	5000	100%	0%	0
NAL13026-514MSD	291-ST T1	ORG	71-55-6	1,1,1-Trichloroethane	5500		ug/L	100	15.73	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9594	5000	110%	2%	0
NAL13026-514MSD	291-ST T1	ORG	78-93-3	2-Butanone	37000		ug/L	100	16.65	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9594	5000	-80%	6%	41000
NAL13026-514MSD	291-ST T1	ORG	56-23-5	Carbon tetrachloride	5700		ug/L	100	27.64	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9594	5000	114%	5%	0
NAL13026-514MSD	291-ST T1	ORG	71-43-2	Benzene	4700		ug/L	100	13.53	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9594	5000	94%	2%	0
NAL13026-514MSD	291-ST T1	ORG	107-06-2	1,2-Dichloroethane	5500		ug/L	100	20.01	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9594	5000	110%	2%	0
NAL13026-514MSD	291-ST T1	ORG	79-01-6	Trichloroethene	5300		ug/L	100	36.33	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9594	5000	106%	0%	0
NAL13026-514MSD	291-ST T1	ORG	74-95-3	Dibromomethane	5400		ug/L	200	32.20	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9594	5000	108%	4%	0
NAL13026-514MSD	291-ST T1	ORG	78-87-5	1,2-Dichloropropane	4100		ug/L	100	18.17	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9594	5000	82%	0%	0
NAL13026-514MSD	291-ST T1	ORG	75-27-4	Bromodichloromethane	5100		ug/L	200	11.58	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9594	5000	102%	0%	0
NAL13026-514MSD	291-ST T1	ORG	10061-01-5	cis-1,3-Dichloropropene	4600		ug/L	100	25.01	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9594	5000	92%	0%	0
NAL13026-514MSD	291-ST T1	ORG	108-88-3	Toluene	4800		ug/L	500	74.00	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9594	5000	96%	0%	0
NAL13026-514MSD	291-ST T1	ORG	108-10-1	4-Methyl-2-pentanone	4800		ug/L	100	20.96	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9594	5000	87%	2%	450
NAL13026-514MSD	291-ST T1	ORG	10061-02-6	trans-1,3-Dichloropropene	5000		ug/L	100	31.15	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9594	5000	100%	0%	0
NAL13026-514MSD	291-ST T1	ORG	127-18-4	Tetrachloroethene	4400		ug/L	100	48.56	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9594	5000	88%	2%	0
NAL13026-514MSD	291-ST T1	ORG	79-00-5	1,1,2-Trichloroethane	4900		ug/L	100	34.28	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9594	5000	98%	0%	0
NAL13026-514MSD	291-ST T1	ORG	124-48-1	Dibromochloromethane	5500		ug/L	500	68.90	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9594	5000	110%	0%	0
NAL13026-514MSD	291-ST T1	ORG	106-93-4	1,2-Dibromoethane	5500		ug/L	200	29.90	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9594	5000	110%	2%	0
NAL13026-514MSD	291-ST T1	ORG	591-78-6	2-Hexanone	4500		ug/L	200	26.49	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9594	5000	90%	0%	0
NAL13026-514MSD	291-ST T1	ORG	100-41-4	Ethylbenzene	5200		ug/L	100	25.38	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9594	5000	104%	4%	0
NAL13026-514MSD	291-ST T1	ORG	108-90-7	Chlorobenzene	5400		ug/L	100	27.52	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9594	5000	108%	4%	0
NAL13026-514MSD	291-ST T1	ORG	630-20-6	1,1,1,2-Tetrachloroethane	5200		ug/L	200	19.28	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9594	5000	104%	6%	0
NAL13026-514MSD	291-ST T1	ORG	XYLMP	p&m-Xylene	10400		ug/L	200	26.14	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9594	10000	104%	4%	0
NAL13026-514MSD	291-ST T1	ORG	95-47-6	o-Xylene	5400		ug/L	100	12.90	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9594	5000	108%	2%	0
NAL13026-514MSD	291-ST T1	ORG	100-42-5	Styrene	4900		ug/L	100	20.23	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9594	5000	98%	4%	0
NAL13026-514MSD	291-ST T1	ORG	75-25-2	Bromoform	5900		ug/L	200	46.83	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9594	5000	118%	0%	0
NAL13026-514MSD	291-ST T1	ORG	98-82-8	Isopropylbenzene	5400		ug/L	200	20.48	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9594	5000	108%	2%	22
NAL13026-514MSD	291-ST T1	ORG	103-65-1	n-Propylbenzene	5200		ug/L	200	27.00	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9594	5000	104%	2%	0

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-514MSD	291-ST T1	ORG	79-34-5	1,1,2,2-Tetrachloroethane	5500		ug/L	200	29.16	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9594	5000	110%	2%	0
NAL13026-514MSD	291-ST T1	ORG	96-18-4	1,2,3-Trichloropropane	5200		ug/L	200	29.47	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9594	5000	104%	4%	0
NAL13026-514MSD	291-ST T1	ORG	108-67-8	1,3,5-Trimethylbenzene	5600		ug/L	200	20.03	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9594	5000	111%	0%	45
NAL13026-514MSD	291-ST T1	ORG	98-06-6	tert-Butylbenzene	5400		ug/L	200	32.61	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9594	5000	108%	2%	0
NAL13026-514MSD	291-ST T1	ORG	95-63-6	1,2,4-Trimethylbenzene	5600		ug/L	200	20.03	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9594	5000	108%	2%	180
NAL13026-514MSD	291-ST T1	ORG	135-98-8	sec-Butylbenzene	5200		ug/L	200	32.34	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9594	5000	103%	2%	47
NAL13026-514MSD	291-ST T1	ORG	541-73-1	1,3-Dichlorobenzene	5200		ug/L	200	22.21	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9594	5000	104%	2%	0
NAL13026-514MSD	291-ST T1	ORG	99-87-6	p-Isopropltoluene	7900		ug/L	200	25.48	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9594	5000	120%	9%	1900
NAL13026-514MSD	291-ST T1	ORG	106-46-7	1,4-Dichlorobenzene	5500		ug/L	200	33.03	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9594	5000	105%	4%	250
NAL13026-514MSD	291-ST T1	ORG	95-50-1	1,2-Dichlorobenzene	5300		ug/L	200	26.38	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9594	5000	106%	2%	0
NAL13026-514MSD	291-ST T1	ORG	104-51-8	n-Butylbenzene	5200		ug/L	500	27.81	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9594	5000	102%	4%	89
NAL13026-514MSD	291-ST T1	ORG	96-12-8	1,2-Dibromo-3-chloropropane	7900		ug/L	500	159.11	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9594	5000	158%	4%	0
NAL13026-514MSD	291-ST T1	ORG	87-68-3	Hexachlorobutadiene	4600		ug/L	500	65.42	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9594	5000	92%	4%	0
NAL13026-514MSD	291-ST T1	ORG	120-82-1	1,2,4-Trichlorobenzene	5400		ug/L	500	27.63	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9594	5000	108%	0%	0
NAL13026-514MSD	291-ST T1	ORG	91-20-3	Naphthalene	7500		ug/L	500	56.04	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9594	5000	130%	1%	1000
NAL13026-514MSD	291-ST T1	ORG	87-61-6	1,2,3-Trichlorobenzene	5600		ug/L	500	23.28	7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9594	5000	112%	0%	0
NAL13026-514MSD	291-ST T1	STD	1868-53-7	Dibromofluoromethane	50		ng			7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9594	50	100%	2%	0
NAL13026-514MSD	291-ST T1	STD	17060-07-0	1,2-Dichloroethane d4	50		ng			7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9594	50	100%	0%	0
NAL13026-514MSD	291-ST T1	STD	2037-26-5	Toluene d8	48		ng			7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9594	50	96%	0%	0
NAL13026-514MSD	291-ST T1	STD	460-00-4	Bromofluorobenzene	51		ng			7/21/2013	7/21/2013	7/21/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9594	50	102%	4%	0

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-522	316-020	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9611				
NAL13026-522	316-020	ORG	74-87-3	Chloromethane		U	ug/L	500	43.07	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9611				
NAL13026-522	316-020	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9611				
NAL13026-522	316-020	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9611				
NAL13026-522	316-020	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9611				
NAL13026-522	316-020	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9611				
NAL13026-522	316-020	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9611				
NAL13026-522	316-020	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9611				
NAL13026-522	316-020	ORG	67-64-1	Acetone	42000	D	ug/L	10000	1556.07	7/22/2013	7/22/2013	7/22/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9612				
NAL13026-522	316-020	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9611				
NAL13026-522	316-020	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9611				
NAL13026-522	316-020	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9611				
NAL13026-522	316-020	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9611				
NAL13026-522	316-020	ORG	74-97-5	Bromochloromethane		U	ug/L	200	41.37	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9611				
NAL13026-522	316-020	ORG	67-66-3	Chloroform		U	ug/L	100	15.73	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9611				
NAL13026-522	316-020	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	16.65	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9611				
NAL13026-522	316-020	ORG	78-93-3	2-Butanone	17000		ug/L	1000	81.18	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9611				
NAL13026-522	316-020	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9611				
NAL13026-522	316-020	ORG	71-43-2	Benzene		U	ug/L	100	13.53	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9611				
NAL13026-522	316-020	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9611				
NAL13026-522	316-020	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9611				
NAL13026-522	316-020	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9611				
NAL13026-522	316-020	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9611				
NAL13026-522	316-020	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9611				
NAL13026-522	316-020	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9611				
NAL13026-522	316-020	ORG	108-88-3	Toluene		U	ug/L	100	20.96	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9611				
NAL13026-522	316-020	ORG	108-10-1	4-Methyl-2-pentanone	400	J	ug/L	500	74.00	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9611				
NAL13026-522	316-020	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9611				
NAL13026-522	316-020	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9611				
NAL13026-522	316-020	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9611				
NAL13026-522	316-020	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	29.90	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9611				
NAL13026-522	316-020	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	26.49	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9611				
NAL13026-522	316-020	ORG	591-78-6	2-Hexanone	200	J	ug/L	500	68.90	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9611				
NAL13026-522	316-020	ORG	100-41-4	Ethylbenzene		U	ug/L	100	25.38	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9611				
NAL13026-522	316-020	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9611				
NAL13026-522	316-020	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9611				
NAL13026-522	316-020	ORG	XYLMP	p&m-Xylene		U	ug/L	200	26.14	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9611				
NAL13026-522	316-020	ORG	95-47-6	o-Xylene		U	ug/L	100	12.90	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9611				
NAL13026-522	316-020	ORG	100-42-5	Styrene		U	ug/L	100	20.23	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9611				
NAL13026-522	316-020	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9611				
NAL13026-522	316-020	ORG	98-82-8	Isopropylbenzene		U	ug/L	200	20.48	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9611				
NAL13026-522	316-020	ORG	103-65-1	n-Propylbenzene		U	ug/L	200	27.00	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9611				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-522	316-020	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9611				
NAL13026-522	316-020	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9611				
NAL13026-522	316-020	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	200	20.03	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9611				
NAL13026-522	316-020	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9611				
NAL13026-522	316-020	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	200	20.03	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9611				
NAL13026-522	316-020	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9611				
NAL13026-522	316-020	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9611				
NAL13026-522	316-020	ORG	99-87-6	p-Isopropltoluene	44	J	ug/L	200	25.48	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9611				
NAL13026-522	316-020	ORG	106-46-7	1,4-Dichlorobenzene		U	ug/L	200	33.03	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9611				
NAL13026-522	316-020	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9611				
NAL13026-522	316-020	ORG	104-51-8	n-Butylbenzene		U	ug/L	500	27.81	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9611				
NAL13026-522	316-020	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9611				
NAL13026-522	316-020	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9611				
NAL13026-522	316-020	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9611				
NAL13026-522	316-020	ORG	91-20-3	Naphthalene	200	J	ug/L	500	56.04	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9611				
NAL13026-522	316-020	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9611				
NAL13026-522	316-020	STD	1868-53-7	Dibromofluoromethane	52		ng			7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9611	50	104%		
NAL13026-522	316-020	STD	17060-07-0	1,2-Dichloroethane d4	52		ng			7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9611	50	104%		
NAL13026-522	316-020	STD	2037-26-5	Toluene d8	45		ng			7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9611	50	90%		
NAL13026-522	316-020	STD	460-00-4	Bromofluorobenzene	45		ng			7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9611	50	90%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-523	294-ST T1	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9616				
NAL13026-523	294-ST T1	ORG	74-87-3	Chloromethane		U	ug/L	500	43.07	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9616				
NAL13026-523	294-ST T1	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9616				
NAL13026-523	294-ST T1	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9616				
NAL13026-523	294-ST T1	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9616				
NAL13026-523	294-ST T1	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9616				
NAL13026-523	294-ST T1	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9616				
NAL13026-523	294-ST T1	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9616				
NAL13026-523	294-ST T1	ORG	67-64-1	Acetone	58000	D	ug/L	10000	1556.07	7/22/2013	7/22/2013	7/22/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9627				
NAL13026-523	294-ST T1	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9616				
NAL13026-523	294-ST T1	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9616				
NAL13026-523	294-ST T1	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9616				
NAL13026-523	294-ST T1	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9616				
NAL13026-523	294-ST T1	ORG	74-97-5	Bromochloromethane		U	ug/L	200	81.18	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9616				
NAL13026-523	294-ST T1	ORG	67-66-3	Chloroform		U	ug/L	100	41.37	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9616				
NAL13026-523	294-ST T1	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	15.73	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9616				
NAL13026-523	294-ST T1	ORG	78-93-3	2-Butanone	34000	D	ug/L	10000	166.52	7/22/2013	7/22/2013	7/22/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9627				
NAL13026-523	294-ST T1	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9616				
NAL13026-523	294-ST T1	ORG	71-43-2	Benzene	340		ug/L	100	13.53	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9616				
NAL13026-523	294-ST T1	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9616				
NAL13026-523	294-ST T1	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9616				
NAL13026-523	294-ST T1	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9616				
NAL13026-523	294-ST T1	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9616				
NAL13026-523	294-ST T1	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9616				
NAL13026-523	294-ST T1	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9616				
NAL13026-523	294-ST T1	ORG	108-88-3	Toluene	65	J	ug/L	100	20.96	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9616				
NAL13026-523	294-ST T1	ORG	108-10-1	4-Methyl-2-pentanone	1400		ug/L	500	74.00	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9616				
NAL13026-523	294-ST T1	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9616				
NAL13026-523	294-ST T1	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9616				
NAL13026-523	294-ST T1	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9616				
NAL13026-523	294-ST T1	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	68.90	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9616				
NAL13026-523	294-ST T1	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	29.90	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9616				
NAL13026-523	294-ST T1	ORG	591-78-6	2-Hexanone	54	J	ug/L	500	26.49	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9616				
NAL13026-523	294-ST T1	ORG	100-41-4	Ethylbenzene	34	J	ug/L	100	25.38	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9616				
NAL13026-523	294-ST T1	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9616				
NAL13026-523	294-ST T1	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9616				
NAL13026-523	294-ST T1	ORG	XYLMP	p&m-Xylene	77	J	ug/L	200	26.14	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9616				
NAL13026-523	294-ST T1	ORG	95-47-6	o-Xylene	48	J	ug/L	100	12.90	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9616				
NAL13026-523	294-ST T1	ORG	100-42-5	Styrene	29	J	ug/L	100	20.23	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9616				
NAL13026-523	294-ST T1	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9616				
NAL13026-523	294-ST T1	ORG	98-82-8	Isopropylbenzene		U	ug/L	200	20.48	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9616				
NAL13026-523	294-ST T1	ORG	103-65-1	n-Propylbenzene		U	ug/L	200	27.00	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9616				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-523	294-ST T1	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9616				
NAL13026-523	294-ST T1	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9616				
NAL13026-523	294-ST T1	ORG	108-67-8	1,3,5-Trimethylbenzene	31	J	ug/L	200	20.03	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9616				
NAL13026-523	294-ST T1	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9616				
NAL13026-523	294-ST T1	ORG	95-63-6	1,2,4-Trimethylbenzene	110	J	ug/L	200	20.03	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9616				
NAL13026-523	294-ST T1	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9616				
NAL13026-523	294-ST T1	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9616				
NAL13026-523	294-ST T1	ORG	99-87-6	p-Isopropltoluene	530		ug/L	200	25.48	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9616				
NAL13026-523	294-ST T1	ORG	106-46-7	1,4-Dichlorobenzene	130	J	ug/L	200	33.03	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9616				
NAL13026-523	294-ST T1	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9616				
NAL13026-523	294-ST T1	ORG	104-51-8	n-Butylbenzene		U	ug/L	500	27.81	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9616				
NAL13026-523	294-ST T1	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9616				
NAL13026-523	294-ST T1	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9616				
NAL13026-523	294-ST T1	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9616				
NAL13026-523	294-ST T1	ORG	91-20-3	Naphthalene	270	J	ug/L	500	56.04	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9616				
NAL13026-523	294-ST T1	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9616				
NAL13026-523	294-ST T1	STD	1868-53-7	Dibromofluoromethane	52		ng			7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9616	50	104%		
NAL13026-523	294-ST T1	STD	17060-07-0	1,2-Dichloroethane d4	54		ng			7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9616	50	108%		
NAL13026-523	294-ST T1	STD	2037-26-5	Toluene d8	46		ng			7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9616	50	92%		
NAL13026-523	294-ST T1	STD	460-00-4	Bromofluorobenzene	46		ng			7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9616	50	92%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-524	294-ST T2	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9617				
NAL13026-524	294-ST T2	ORG	74-87-3	Chloromethane		U	ug/L	500	43.07	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9617				
NAL13026-524	294-ST T2	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9617				
NAL13026-524	294-ST T2	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9617				
NAL13026-524	294-ST T2	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9617				
NAL13026-524	294-ST T2	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9617				
NAL13026-524	294-ST T2	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9617				
NAL13026-524	294-ST T2	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9617				
NAL13026-524	294-ST T2	ORG	67-64-1	Acetone	5900		ug/L	1000	155.61	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9617				
NAL13026-524	294-ST T2	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9617				
NAL13026-524	294-ST T2	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9617				
NAL13026-524	294-ST T2	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9617				
NAL13026-524	294-ST T2	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9617				
NAL13026-524	294-ST T2	ORG	74-97-5	Bromochloromethane		U	ug/L	200	81.18	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9617				
NAL13026-524	294-ST T2	ORG	67-66-3	Chloroform		U	ug/L	100	41.37	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9617				
NAL13026-524	294-ST T2	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	15.73	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9617				
NAL13026-524	294-ST T2	ORG	78-93-3	2-Butanone	4000		ug/L	1000	16.65	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9617				
NAL13026-524	294-ST T2	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9617				
NAL13026-524	294-ST T2	ORG	71-43-2	Benzene	99	J	ug/L	100	13.53	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9617				
NAL13026-524	294-ST T2	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9617				
NAL13026-524	294-ST T2	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9617				
NAL13026-524	294-ST T2	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9617				
NAL13026-524	294-ST T2	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9617				
NAL13026-524	294-ST T2	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9617				
NAL13026-524	294-ST T2	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9617				
NAL13026-524	294-ST T2	ORG	108-88-3	Toluene	43	J	ug/L	100	20.96	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9617				
NAL13026-524	294-ST T2	ORG	108-10-1	4-Methyl-2-pentanone	250	J	ug/L	500	74.00	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9617				
NAL13026-524	294-ST T2	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9617				
NAL13026-524	294-ST T2	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9617				
NAL13026-524	294-ST T2	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9617				
NAL13026-524	294-ST T2	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	68.90	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9617				
NAL13026-524	294-ST T2	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	29.90	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9617				
NAL13026-524	294-ST T2	ORG	591-78-6	2-Hexanone		U	ug/L	500	26.49	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9617				
NAL13026-524	294-ST T2	ORG	100-41-4	Ethylbenzene		U	ug/L	100	25.38	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9617				
NAL13026-524	294-ST T2	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9617				
NAL13026-524	294-ST T2	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9617				
NAL13026-524	294-ST T2	ORG	XYLMP	p&m-Xylene	56	J	ug/L	200	26.14	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9617				
NAL13026-524	294-ST T2	ORG	95-47-6	o-Xylene	35	J	ug/L	100	12.90	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9617				
NAL13026-524	294-ST T2	ORG	100-42-5	Styrene		U	ug/L	100	20.23	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9617				
NAL13026-524	294-ST T2	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9617				
NAL13026-524	294-ST T2	ORG	98-82-8	Isopropylbenzene		U	ug/L	200	20.48	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9617				
NAL13026-524	294-ST T2	ORG	103-65-1	n-Propylbenzene		U	ug/L	200	27.00	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9617				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-524	294-ST T2	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9617				
NAL13026-524	294-ST T2	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9617				
NAL13026-524	294-ST T2	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	200	20.03	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9617				
NAL13026-524	294-ST T2	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9617				
NAL13026-524	294-ST T2	ORG	95-63-6	1,2,4-Trimethylbenzene	47	J	ug/L	200	20.03	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9617				
NAL13026-524	294-ST T2	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9617				
NAL13026-524	294-ST T2	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9617				
NAL13026-524	294-ST T2	ORG	99-87-6	p-Isopropltoluene	80	J	ug/L	200	25.48	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9617				
NAL13026-524	294-ST T2	ORG	106-46-7	1,4-Dichlorobenzene	79	J	ug/L	200	33.03	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9617				
NAL13026-524	294-ST T2	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9617				
NAL13026-524	294-ST T2	ORG	104-51-8	n-Butylbenzene		U	ug/L	500	27.81	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9617				
NAL13026-524	294-ST T2	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9617				
NAL13026-524	294-ST T2	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9617				
NAL13026-524	294-ST T2	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9617				
NAL13026-524	294-ST T2	ORG	91-20-3	Naphthalene	150	J	ug/L	500	56.04	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9617				
NAL13026-524	294-ST T2	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9617				
NAL13026-524	294-ST T2	STD	1868-53-7	Dibromofluoromethane	53		ng			7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9617	50	106%		
NAL13026-524	294-ST T2	STD	17060-07-0	1,2-Dichloroethane d4	55		ng			7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9617	50	110%		
NAL13026-524	294-ST T2	STD	2037-26-5	Toluene d8	46		ng			7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9617	50	92%		
NAL13026-524	294-ST T2	STD	460-00-4	Bromofluorobenzene	46		ng			7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9617	50	92%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-525	294-ST T3	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9619				
NAL13026-525	294-ST T3	ORG	74-87-3	Chloromethane		U	ug/L	500	43.07	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9619				
NAL13026-525	294-ST T3	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9619				
NAL13026-525	294-ST T3	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9619				
NAL13026-525	294-ST T3	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9619				
NAL13026-525	294-ST T3	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9619				
NAL13026-525	294-ST T3	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9619				
NAL13026-525	294-ST T3	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9619				
NAL13026-525	294-ST T3	ORG	67-64-1	Acetone	26000	D	ug/L	10000	1556.07	7/22/2013	7/22/2013	7/22/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9629				
NAL13026-525	294-ST T3	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9619				
NAL13026-525	294-ST T3	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9619				
NAL13026-525	294-ST T3	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9619				
NAL13026-525	294-ST T3	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9619				
NAL13026-525	294-ST T3	ORG	74-97-5	Bromochloromethane		U	ug/L	200	81.18	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9619				
NAL13026-525	294-ST T3	ORG	67-66-3	Chloroform		U	ug/L	100	41.37	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9619				
NAL13026-525	294-ST T3	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	15.73	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9619				
NAL13026-525	294-ST T3	ORG	78-93-3	2-Butanone	8200		ug/L	1000	16.65	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9619				
NAL13026-525	294-ST T3	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9619				
NAL13026-525	294-ST T3	ORG	71-43-2	Benzene		U	ug/L	100	13.53	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9619				
NAL13026-525	294-ST T3	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9619				
NAL13026-525	294-ST T3	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9619				
NAL13026-525	294-ST T3	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9619				
NAL13026-525	294-ST T3	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9619				
NAL13026-525	294-ST T3	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9619				
NAL13026-525	294-ST T3	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9619				
NAL13026-525	294-ST T3	ORG	108-88-3	Toluene		U	ug/L	100	20.96	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9619				
NAL13026-525	294-ST T3	ORG	108-10-1	4-Methyl-2-pentanone	430	J	ug/L	500	74.00	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9619				
NAL13026-525	294-ST T3	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9619				
NAL13026-525	294-ST T3	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9619				
NAL13026-525	294-ST T3	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9619				
NAL13026-525	294-ST T3	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	68.90	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9619				
NAL13026-525	294-ST T3	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	29.90	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9619				
NAL13026-525	294-ST T3	ORG	591-78-6	2-Hexanone	300	J	ug/L	500	26.49	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9619				
NAL13026-525	294-ST T3	ORG	100-41-4	Ethylbenzene		U	ug/L	100	25.38	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9619				
NAL13026-525	294-ST T3	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9619				
NAL13026-525	294-ST T3	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9619				
NAL13026-525	294-ST T3	ORG	XYLMP	p&m-Xylene	31	J	ug/L	200	26.14	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9619				
NAL13026-525	294-ST T3	ORG	95-47-6	o-Xylene	15	J	ug/L	100	12.90	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9619				
NAL13026-525	294-ST T3	ORG	100-42-5	Styrene		U	ug/L	100	20.23	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9619				
NAL13026-525	294-ST T3	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9619				
NAL13026-525	294-ST T3	ORG	98-82-8	Isopropylbenzene		U	ug/L	200	20.48	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9619				
NAL13026-525	294-ST T3	ORG	103-65-1	n-Propylbenzene		U	ug/L	200	27.00	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9619				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-525	294-ST T3	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9619				
NAL13026-525	294-ST T3	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9619				
NAL13026-525	294-ST T3	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	200	20.03	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9619				
NAL13026-525	294-ST T3	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9619				
NAL13026-525	294-ST T3	ORG	95-63-6	1,2,4-Trimethylbenzene	42	J	ug/L	200	20.03	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9619				
NAL13026-525	294-ST T3	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9619				
NAL13026-525	294-ST T3	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9619				
NAL13026-525	294-ST T3	ORG	99-87-6	p-Isopropltoluene	110	J	ug/L	200	25.48	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9619				
NAL13026-525	294-ST T3	ORG	106-46-7	1,4-Dichlorobenzene	64	J	ug/L	200	33.03	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9619				
NAL13026-525	294-ST T3	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9619				
NAL13026-525	294-ST T3	ORG	104-51-8	n-Butylbenzene		U	ug/L	500	27.81	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9619				
NAL13026-525	294-ST T3	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9619				
NAL13026-525	294-ST T3	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9619				
NAL13026-525	294-ST T3	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9619				
NAL13026-525	294-ST T3	ORG	91-20-3	Naphthalene	210	J	ug/L	500	56.04	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9619				
NAL13026-525	294-ST T3	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9619				
NAL13026-525	294-ST T3	STD	1868-53-7	Dibromofluoromethane	52		ng			7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9619	50	104%		
NAL13026-525	294-ST T3	STD	17060-07-0	1,2-Dichloroethane d4	58		ng			7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9619	50	116%		
NAL13026-525	294-ST T3	STD	2037-26-5	Toluene d8	47		ng			7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9619	50	94%		
NAL13026-525	294-ST T3	STD	460-00-4	Bromofluorobenzene	47		ng			7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9619	50	94%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-526	294-ST T4	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9620				
NAL13026-526	294-ST T4	ORG	74-87-3	Chloromethane		U	ug/L	500	43.07	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9620				
NAL13026-526	294-ST T4	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9620				
NAL13026-526	294-ST T4	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9620				
NAL13026-526	294-ST T4	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9620				
NAL13026-526	294-ST T4	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9620				
NAL13026-526	294-ST T4	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9620				
NAL13026-526	294-ST T4	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9620				
NAL13026-526	294-ST T4	ORG	67-64-1	Acetone	53000	D	ug/L	10000	1556.07	7/22/2013	7/22/2013	7/22/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9630				
NAL13026-526	294-ST T4	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9620				
NAL13026-526	294-ST T4	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9620				
NAL13026-526	294-ST T4	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9620				
NAL13026-526	294-ST T4	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9620				
NAL13026-526	294-ST T4	ORG	74-97-5	Bromochloromethane		U	ug/L	200	81.18	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9620				
NAL13026-526	294-ST T4	ORG	67-66-3	Chloroform		U	ug/L	100	41.37	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9620				
NAL13026-526	294-ST T4	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	15.73	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9620				
NAL13026-526	294-ST T4	ORG	78-93-3	2-Butanone	40000	D	ug/L	10000	166.52	7/22/2013	7/22/2013	7/22/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9630				
NAL13026-526	294-ST T4	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9620				
NAL13026-526	294-ST T4	ORG	71-43-2	Benzene		U	ug/L	100	13.53	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9620				
NAL13026-526	294-ST T4	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9620				
NAL13026-526	294-ST T4	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9620				
NAL13026-526	294-ST T4	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9620				
NAL13026-526	294-ST T4	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9620				
NAL13026-526	294-ST T4	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9620				
NAL13026-526	294-ST T4	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9620				
NAL13026-526	294-ST T4	ORG	108-88-3	Toluene		U	ug/L	100	20.96	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9620				
NAL13026-526	294-ST T4	ORG	108-10-1	4-Methyl-2-pentanone	1300		ug/L	500	74.00	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9620				
NAL13026-526	294-ST T4	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9620				
NAL13026-526	294-ST T4	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9620				
NAL13026-526	294-ST T4	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9620				
NAL13026-526	294-ST T4	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	68.90	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9620				
NAL13026-526	294-ST T4	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	29.90	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9620				
NAL13026-526	294-ST T4	ORG	591-78-6	2-Hexanone	240	J	ug/L	500	26.49	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9620				
NAL13026-526	294-ST T4	ORG	100-41-4	Ethylbenzene		U	ug/L	100	25.38	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9620				
NAL13026-526	294-ST T4	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9620				
NAL13026-526	294-ST T4	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9620				
NAL13026-526	294-ST T4	ORG	XYLMP	p&m-Xylene	52	J	ug/L	200	26.14	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9620				
NAL13026-526	294-ST T4	ORG	95-47-6	o-Xylene	23	J	ug/L	100	12.90	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9620				
NAL13026-526	294-ST T4	ORG	100-42-5	Styrene		U	ug/L	100	20.23	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9620				
NAL13026-526	294-ST T4	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9620				
NAL13026-526	294-ST T4	ORG	98-82-8	Isopropylbenzene	33	J	ug/L	200	20.48	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9620				
NAL13026-526	294-ST T4	ORG	103-65-1	n-Propylbenzene	31	J	ug/L	200	27.00	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9620				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-526	294-ST T4	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9620				
NAL13026-526	294-ST T4	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9620				
NAL13026-526	294-ST T4	ORG	108-67-8	1,3,5-Trimethylbenzene	72	J	ug/L	200	20.03	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9620				
NAL13026-526	294-ST T4	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9620				
NAL13026-526	294-ST T4	ORG	95-63-6	1,2,4-Trimethylbenzene	280		ug/L	200	20.03	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9620				
NAL13026-526	294-ST T4	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9620				
NAL13026-526	294-ST T4	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9620				
NAL13026-526	294-ST T4	ORG	99-87-6	p-Isopropltoluene	1700		ug/L	200	25.48	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9620				
NAL13026-526	294-ST T4	ORG	106-46-7	1,4-Dichlorobenzene	300		ug/L	200	33.03	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9620				
NAL13026-526	294-ST T4	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9620				
NAL13026-526	294-ST T4	ORG	104-51-8	n-Butylbenzene		U	ug/L	500	27.81	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9620				
NAL13026-526	294-ST T4	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9620				
NAL13026-526	294-ST T4	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9620				
NAL13026-526	294-ST T4	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9620				
NAL13026-526	294-ST T4	ORG	91-20-3	Naphthalene	760		ug/L	500	56.04	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9620				
NAL13026-526	294-ST T4	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9620				
NAL13026-526	294-ST T4	STD	1868-53-7	Dibromofluoromethane	53		ng			7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9620	50	106%		
NAL13026-526	294-ST T4	STD	17060-07-0	1,2-Dichloroethane d4	58		ng			7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9620	50	116%		
NAL13026-526	294-ST T4	STD	2037-26-5	Toluene d8	47		ng			7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9620	50	94%		
NAL13026-526	294-ST T4	STD	460-00-4	Bromofluorobenzene	47		ng			7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9620	50	94%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-527	96-001L	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9618				
NAL13026-527	96-001L	ORG	74-87-3	Chloromethane		U	ug/L	500	43.07	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9618				
NAL13026-527	96-001L	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9618				
NAL13026-527	96-001L	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9618				
NAL13026-527	96-001L	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9618				
NAL13026-527	96-001L	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9618				
NAL13026-527	96-001L	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9618				
NAL13026-527	96-001L	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9618				
NAL13026-527	96-001L	ORG	67-64-1	Acetone	28000	D	ug/L	10000	1556.07	7/22/2013	7/22/2013	7/22/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9631				
NAL13026-527	96-001L	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9618				
NAL13026-527	96-001L	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9618				
NAL13026-527	96-001L	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9618				
NAL13026-527	96-001L	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9618				
NAL13026-527	96-001L	ORG	74-97-5	Bromochloromethane		U	ug/L	200	81.18	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9618				
NAL13026-527	96-001L	ORG	67-66-3	Chloroform		U	ug/L	100	41.37	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9618				
NAL13026-527	96-001L	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	15.73	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9618				
NAL13026-527	96-001L	ORG	78-93-3	2-Butanone	12000		ug/L	1000	16.65	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9618				
NAL13026-527	96-001L	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9618				
NAL13026-527	96-001L	ORG	71-43-2	Benzene	86	J	ug/L	100	13.53	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9618				
NAL13026-527	96-001L	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9618				
NAL13026-527	96-001L	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9618				
NAL13026-527	96-001L	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9618				
NAL13026-527	96-001L	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9618				
NAL13026-527	96-001L	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9618				
NAL13026-527	96-001L	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9618				
NAL13026-527	96-001L	ORG	108-88-3	Toluene		U	ug/L	100	20.96	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9618				
NAL13026-527	96-001L	ORG	108-10-1	4-Methyl-2-pentanone	180	J	ug/L	500	74.00	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9618				
NAL13026-527	96-001L	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9618				
NAL13026-527	96-001L	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9618				
NAL13026-527	96-001L	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9618				
NAL13026-527	96-001L	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	68.90	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9618				
NAL13026-527	96-001L	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	29.90	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9618				
NAL13026-527	96-001L	ORG	591-78-6	2-Hexanone		U	ug/L	500	26.49	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9618				
NAL13026-527	96-001L	ORG	100-41-4	Ethylbenzene		U	ug/L	100	25.38	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9618				
NAL13026-527	96-001L	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9618				
NAL13026-527	96-001L	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9618				
NAL13026-527	96-001L	ORG	XYLMP	p&m-Xylene		U	ug/L	200	26.14	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9618				
NAL13026-527	96-001L	ORG	95-47-6	o-Xylene		U	ug/L	100	12.90	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9618				
NAL13026-527	96-001L	ORG	100-42-5	Styrene		U	ug/L	100	20.23	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9618				
NAL13026-527	96-001L	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9618				
NAL13026-527	96-001L	ORG	98-82-8	Isopropylbenzene		U	ug/L	200	20.48	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9618				
NAL13026-527	96-001L	ORG	103-65-1	n-Propylbenzene		U	ug/L	200	27.00	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9618				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-527	96-001L	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9618				
NAL13026-527	96-001L	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9618				
NAL13026-527	96-001L	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	200	20.03	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9618				
NAL13026-527	96-001L	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9618				
NAL13026-527	96-001L	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	200	20.03	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9618				
NAL13026-527	96-001L	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9618				
NAL13026-527	96-001L	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9618				
NAL13026-527	96-001L	ORG	99-87-6	p-Isopropltoluene	50	J	ug/L	200	25.48	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9618				
NAL13026-527	96-001L	ORG	106-46-7	1,4-Dichlorobenzene		U	ug/L	200	33.03	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9618				
NAL13026-527	96-001L	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9618				
NAL13026-527	96-001L	ORG	104-51-8	n-Butylbenzene		U	ug/L	500	27.81	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9618				
NAL13026-527	96-001L	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9618				
NAL13026-527	96-001L	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9618				
NAL13026-527	96-001L	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9618				
NAL13026-527	96-001L	ORG	91-20-3	Naphthalene	100	J	ug/L	500	56.04	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9618				
NAL13026-527	96-001L	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9618				
NAL13026-527	96-001L	STD	1868-53-7	Dibromofluoromethane	53		ng			7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9618	50	106%		
NAL13026-527	96-001L	STD	17060-07-0	1,2-Dichloroethane d4	56		ng			7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9618	50	112%		
NAL13026-527	96-001L	STD	2037-26-5	Toluene d8	46		ng			7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9618	50	92%		
NAL13026-527	96-001L	STD	460-00-4	Bromofluorobenzene	46		ng			7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9618	50	92%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-528	294-ST T1R	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9625				
NAL13026-528	294-ST T1R	ORG	74-87-3	Chloromethane		UX-	ug/L	500	43.07	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9625				
NAL13026-528	294-ST T1R	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9625				
NAL13026-528	294-ST T1R	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9625				
NAL13026-528	294-ST T1R	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9625				
NAL13026-528	294-ST T1R	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9625				
NAL13026-528	294-ST T1R	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9625				
NAL13026-528	294-ST T1R	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9625				
NAL13026-528	294-ST T1R	ORG	67-64-1	Acetone	110000	D	ug/L	10000	1556.07	7/22/2013	7/22/2013	7/22/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9626				
NAL13026-528	294-ST T1R	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9625				
NAL13026-528	294-ST T1R	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9625				
NAL13026-528	294-ST T1R	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9625				
NAL13026-528	294-ST T1R	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9625				
NAL13026-528	294-ST T1R	ORG	74-97-5	Bromochloromethane		U	ug/L	200	81.18	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9625				
NAL13026-528	294-ST T1R	ORG	67-66-3	Chloroform		U	ug/L	100	41.37	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9625				
NAL13026-528	294-ST T1R	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	15.73	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9625				
NAL13026-528	294-ST T1R	ORG	78-93-3	2-Butanone	66000	D	ug/L	10000	166.52	7/22/2013	7/22/2013	7/22/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9626				
NAL13026-528	294-ST T1R	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9625				
NAL13026-528	294-ST T1R	ORG	71-43-2	Benzene	210		ug/L	100	13.53	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9625				
NAL13026-528	294-ST T1R	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9625				
NAL13026-528	294-ST T1R	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9625				
NAL13026-528	294-ST T1R	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9625				
NAL13026-528	294-ST T1R	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9625				
NAL13026-528	294-ST T1R	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9625				
NAL13026-528	294-ST T1R	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9625				
NAL13026-528	294-ST T1R	ORG	108-88-3	Toluene		U	ug/L	100	20.96	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9625				
NAL13026-528	294-ST T1R	ORG	108-10-1	4-Methyl-2-pentanone	2000		ug/L	500	74.00	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9625				
NAL13026-528	294-ST T1R	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9625				
NAL13026-528	294-ST T1R	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9625				
NAL13026-528	294-ST T1R	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9625				
NAL13026-528	294-ST T1R	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	68.90	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9625				
NAL13026-528	294-ST T1R	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	29.90	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9625				
NAL13026-528	294-ST T1R	ORG	591-78-6	2-Hexanone	230	J	ug/L	500	26.49	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9625				
NAL13026-528	294-ST T1R	ORG	100-41-4	Ethylbenzene	27	J	ug/L	100	25.38	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9625				
NAL13026-528	294-ST T1R	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9625				
NAL13026-528	294-ST T1R	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9625				
NAL13026-528	294-ST T1R	ORG	XYLMP	p&m-Xylene	65	J	ug/L	200	26.14	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9625				
NAL13026-528	294-ST T1R	ORG	95-47-6	o-Xylene	40	J	ug/L	100	12.90	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9625				
NAL13026-528	294-ST T1R	ORG	100-42-5	Styrene	27	J	ug/L	100	20.23	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9625				
NAL13026-528	294-ST T1R	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9625				
NAL13026-528	294-ST T1R	ORG	98-82-8	Isopropylbenzene		U	ug/L	200	20.48	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9625				
NAL13026-528	294-ST T1R	ORG	103-65-1	n-Propylbenzene		U	ug/L	200	27.00	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9625				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-528	294-ST T1R	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9625				
NAL13026-528	294-ST T1R	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9625				
NAL13026-528	294-ST T1R	ORG	108-67-8	1,3,5-Trimethylbenzene	63	J	ug/L	200	20.03	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9625				
NAL13026-528	294-ST T1R	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9625				
NAL13026-528	294-ST T1R	ORG	95-63-6	1,2,4-Trimethylbenzene	130	J	ug/L	200	20.03	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9625				
NAL13026-528	294-ST T1R	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9625				
NAL13026-528	294-ST T1R	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9625				
NAL13026-528	294-ST T1R	ORG	99-87-6	p-Isopropltoluene	740		ug/L	200	25.48	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9625				
NAL13026-528	294-ST T1R	ORG	106-46-7	1,4-Dichlorobenzene	150	J	ug/L	200	33.03	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9625				
NAL13026-528	294-ST T1R	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9625				
NAL13026-528	294-ST T1R	ORG	104-51-8	n-Butylbenzene		U	ug/L	500	27.81	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9625				
NAL13026-528	294-ST T1R	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9625				
NAL13026-528	294-ST T1R	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9625				
NAL13026-528	294-ST T1R	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9625				
NAL13026-528	294-ST T1R	ORG	91-20-3	Naphthalene	430	J	ug/L	500	56.04	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9625				
NAL13026-528	294-ST T1R	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9625				
NAL13026-528	294-ST T1R	STD	1868-53-7	Dibromofluoromethane	54		ng			7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9625	50	108%		
NAL13026-528	294-ST T1R	STD	17060-07-0	1,2-Dichloroethane d4	62		ng			7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9625	50	124%		
NAL13026-528	294-ST T1R	STD	2037-26-5	Toluene d8	46		ng			7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9625	50	92%		
NAL13026-528	294-ST T1R	STD	460-00-4	Bromofluorobenzene	44		ng			7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9625	50	88%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J072213CCVA	J072213CCVA	ORG	75-71-8	Dichlorodifluoromethane	53		ug/L	5	0.29	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9609	50	106%		
J072213CCVA	J072213CCVA	ORG	74-87-3	Chloromethane	40		ug/L	5	0.43	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9609	50	80%		
J072213CCVA	J072213CCVA	ORG	75-01-4	Vinyl chloride	48		ug/L	2	0.32	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9609	50	96%		
J072213CCVA	J072213CCVA	ORG	74-83-9	Bromomethane	59		ug/L	5	0.50	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9609	50	118%		
J072213CCVA	J072213CCVA	ORG	75-00-3	Chloroethane	66		ug/L	5	0.56	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9609	50	132%		
J072213CCVA	J072213CCVA	ORG	75-69-4	Trichlorofluoromethane	50		ug/L	5	0.20	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9609	50	100%		
J072213CCVA	J072213CCVA	ORG	75-35-4	1,1-Dichloroethene	52		ug/L	1	0.47	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9609	50	104%		
J072213CCVA	J072213CCVA	ORG	75-09-2	Methylene chloride	50		ug/L	5	0.26	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9609	50	100%		
J072213CCVA	J072213CCVA	ORG	67-64-1	Acetone	58		ug/L	10	1.56	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9609	50	116%		
J072213CCVA	J072213CCVA	ORG	156-60-5	trans-1,2-Dichloroethene	54		ug/L	1	0.56	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9609	50	108%		
J072213CCVA	J072213CCVA	ORG	1634-04-4	MTBE	66		ug/L	5	0.61	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9609	50	132%		
J072213CCVA	J072213CCVA	ORG	75-34-3	1,1-Dichloroethane	52		ug/L	1	0.53	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9609	50	104%		
J072213CCVA	J072213CCVA	ORG	156-59-2	cis-1,2-Dichloroethene	54		ug/L	1	0.32	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9609	50	108%		
J072213CCVA	J072213CCVA	ORG	74-97-5	Bromochloromethane	57		ug/L	10	0.81	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9609	50	114%		
J072213CCVA	J072213CCVA	ORG	67-66-3	Chloroform	50		ug/L	2	0.41	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9609	50	100%		
J072213CCVA	J072213CCVA	ORG	71-55-6	1,1,1-Trichloroethane	54		ug/L	1	0.16	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9609	50	108%		
J072213CCVA	J072213CCVA	ORG	78-93-3	2-Butanone	53		ug/L	1	0.17	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9609	50	106%		
J072213CCVA	J072213CCVA	ORG	56-23-5	Carbon tetrachloride	55		ug/L	1	0.28	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9609	50	110%		
J072213CCVA	J072213CCVA	ORG	71-43-2	Benzene	46		ug/L	1	0.14	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9609	50	92%		
J072213CCVA	J072213CCVA	ORG	107-06-2	1,2-Dichloroethane	52		ug/L	1	0.20	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9609	50	104%		
J072213CCVA	J072213CCVA	ORG	79-01-6	Trichloroethene	53		ug/L	1	0.36	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9609	50	106%		
J072213CCVA	J072213CCVA	ORG	74-95-3	Dibromomethane	52		ug/L	2	0.32	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9609	50	104%		
J072213CCVA	J072213CCVA	ORG	78-87-5	1,2-Dichloropropane	41		ug/L	1	0.18	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9609	50	82%		
J072213CCVA	J072213CCVA	ORG	75-27-4	Bromodichloromethane	48		ug/L	2	0.12	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9609	50	96%		
J072213CCVA	J072213CCVA	ORG	10061-01-5	cis-1,3-Dichloropropene	44		ug/L	1	0.25	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9609	50	88%		
J072213CCVA	J072213CCVA	ORG	108-88-3	Toluene	45		ug/L	5	0.74	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9609	50	90%		
J072213CCVA	J072213CCVA	ORG	108-10-1	4-Methyl-2-pentanone	48		ug/L	1	0.21	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9609	50	96%		
J072213CCVA	J072213CCVA	ORG	10061-02-6	trans-1,3-Dichloropropene	48		ug/L	1	0.31	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9609	50	96%		
J072213CCVA	J072213CCVA	ORG	127-18-4	Tetrachloroethene	42		ug/L	1	0.49	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9609	50	84%		
J072213CCVA	J072213CCVA	ORG	79-00-5	1,1,2-Trichloroethane	45		ug/L	1	0.34	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9609	50	90%		
J072213CCVA	J072213CCVA	ORG	124-48-1	Dibromochloromethane	53		ug/L	5	0.69	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9609	50	106%		
J072213CCVA	J072213CCVA	ORG	106-93-4	1,2-Dibromoethane	52		ug/L	2	0.30	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9609	50	104%		
J072213CCVA	J072213CCVA	ORG	591-78-6	2-Hexanone	51		ug/L	2	0.26	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9609	50	102%		
J072213CCVA	J072213CCVA	ORG	100-41-4	Ethylbenzene	41		ug/L	1	0.25	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9609	50	82%		
J072213CCVA	J072213CCVA	ORG	108-90-7	Chlorobenzene	44		ug/L	1	0.28	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9609	50	88%		
J072213CCVA	J072213CCVA	ORG	630-20-6	1,1,1,2-Tetrachloroethane	44		ug/L	2	0.19	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9609	50	88%		
J072213CCVA	J072213CCVA	ORG	XYLMP	p&m-Xylene	85		ug/L	2	0.26	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9609	100	85%		
J072213CCVA	J072213CCVA	ORG	95-47-6	o-Xylene	43		ug/L	1	0.13	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9609	50	86%		
J072213CCVA	J072213CCVA	ORG	100-42-5	Styrene	42		ug/L	1	0.20	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9609	50	84%		
J072213CCVA	J072213CCVA	ORG	75-25-2	Bromoform	51		ug/L	2	0.47	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9609	50	102%		
J072213CCVA	J072213CCVA	ORG	98-82-8	Isopropylbenzene	43		ug/L	2	0.20	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9609	50	86%		
J072213CCVA	J072213CCVA	ORG	103-65-1	n-Propylbenzene	44		ug/L	2	0.27	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9609	50	88%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J072213CCVA	J072213CCVA	ORG	79-34-5	1,1,2,2-Tetrachloroethane	46		ug/L	2	0.29	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9609	50	92%		
J072213CCVA	J072213CCVA	ORG	96-18-4	1,2,3-Trichloropropane	47		ug/L	2	0.29	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9609	50	94%		
J072213CCVA	J072213CCVA	ORG	108-67-8	1,3,5-Trimethylbenzene	46		ug/L	2	0.20	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9609	50	92%		
J072213CCVA	J072213CCVA	ORG	98-06-6	tert-Butylbenzene	47		ug/L	2	0.33	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9609	50	94%		
J072213CCVA	J072213CCVA	ORG	95-63-6	1,2,4-Trimethylbenzene	46		ug/L	2	0.20	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9609	50	92%		
J072213CCVA	J072213CCVA	ORG	135-98-8	sec-Butylbenzene	46		ug/L	2	0.32	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9609	50	92%		
J072213CCVA	J072213CCVA	ORG	541-73-1	1,3-Dichlorobenzene	49		ug/L	2	0.22	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9609	50	98%		
J072213CCVA	J072213CCVA	ORG	99-87-6	p-Isopropltoluene	49		ug/L	2	0.25	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9609	50	98%		
J072213CCVA	J072213CCVA	ORG	106-46-7	1,4-Dichlorobenzene	49		ug/L	2	0.33	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9609	50	98%		
J072213CCVA	J072213CCVA	ORG	95-50-1	1,2-Dichlorobenzene	50		ug/L	2	0.26	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9609	50	100%		
J072213CCVA	J072213CCVA	ORG	104-51-8	n-Butylbenzene	46		ug/L	5	0.28	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9609	50	92%		
J072213CCVA	J072213CCVA	ORG	96-12-8	1,2-Dibromo-3-chloropropane	52		ug/L	5	1.59	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9609	50	104%		
J072213CCVA	J072213CCVA	ORG	87-68-3	Hexachlorobutadiene	50		ug/L	5	0.65	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9609	50	100%		
J072213CCVA	J072213CCVA	ORG	120-82-1	1,2,4-Trichlorobenzene	53		ug/L	5	0.28	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9609	50	106%		
J072213CCVA	J072213CCVA	ORG	91-20-3	Naphthalene	54		ug/L	5	0.56	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9609	50	108%		
J072213CCVA	J072213CCVA	ORG	87-61-6	1,2,3-Trichlorobenzene	53		ug/L	5	0.23	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9609	50	106%		
J072213CCVA	J072213CCVA	STD	1868-53-7	Dibromofluoromethane	54		ng			NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9609	50	108%		
J072213CCVA	J072213CCVA	STD	17060-07-0	1,2-Dichloroethane d4	57		ng			NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9609	50	114%		
J072213CCVA	J072213CCVA	STD	2037-26-5	Toluene d8	46		ng			NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9609	50	92%		
J072213CCVA	J072213CCVA	STD	460-00-4	Bromofluorobenzene	44		ng			NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9609	50	88%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J072213MBKA	J072213MBKA	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	5	0.29	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9610				
J072213MBKA	J072213MBKA	ORG	74-87-3	Chloromethane		U	ug/L	5	0.43	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9610				
J072213MBKA	J072213MBKA	ORG	75-01-4	Vinyl chloride		U	ug/L	2	0.32	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9610				
J072213MBKA	J072213MBKA	ORG	74-83-9	Bromomethane		U	ug/L	5	0.50	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9610				
J072213MBKA	J072213MBKA	ORG	75-00-3	Chloroethane		U	ug/L	5	0.56	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9610				
J072213MBKA	J072213MBKA	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	5	0.20	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9610				
J072213MBKA	J072213MBKA	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	1	0.47	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9610				
J072213MBKA	J072213MBKA	ORG	75-09-2	Methylene chloride		U	ug/L	5	0.26	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9610				
J072213MBKA	J072213MBKA	ORG	67-64-1	Acetone		U	ug/L	10	1.56	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9610				
J072213MBKA	J072213MBKA	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	1	0.56	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9610				
J072213MBKA	J072213MBKA	ORG	1634-04-4	MTBE		U	ug/L	5	0.61	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9610				
J072213MBKA	J072213MBKA	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	1	0.53	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9610				
J072213MBKA	J072213MBKA	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	1	0.32	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9610				
J072213MBKA	J072213MBKA	ORG	74-97-5	Bromochloromethane		U	ug/L	10	0.81	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9610				
J072213MBKA	J072213MBKA	ORG	67-66-3	Chloroform		U	ug/L	2	0.41	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9610				
J072213MBKA	J072213MBKA	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	1	0.16	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9610				
J072213MBKA	J072213MBKA	ORG	78-93-3	2-Butanone		U	ug/L	1	0.17	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9610				
J072213MBKA	J072213MBKA	ORG	56-23-5	Carbon tetrachloride		U	ug/L	1	0.28	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9610				
J072213MBKA	J072213MBKA	ORG	71-43-2	Benzene		U	ug/L	1	0.14	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9610				
J072213MBKA	J072213MBKA	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	1	0.20	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9610				
J072213MBKA	J072213MBKA	ORG	79-01-6	Trichloroethene		U	ug/L	1	0.36	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9610				
J072213MBKA	J072213MBKA	ORG	74-95-3	Dibromomethane		U	ug/L	2	0.32	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9610				
J072213MBKA	J072213MBKA	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	1	0.18	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9610				
J072213MBKA	J072213MBKA	ORG	75-27-4	Bromodichloromethane		U	ug/L	2	0.12	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9610				
J072213MBKA	J072213MBKA	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	1	0.25	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9610				
J072213MBKA	J072213MBKA	ORG	108-88-3	Toluene		U	ug/L	5	0.74	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9610				
J072213MBKA	J072213MBKA	ORG	108-10-1	4-Methyl-2-pentanone		U	ug/L	1	0.21	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9610				
J072213MBKA	J072213MBKA	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	1	0.31	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9610				
J072213MBKA	J072213MBKA	ORG	127-18-4	Tetrachloroethene		U	ug/L	1	0.49	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9610				
J072213MBKA	J072213MBKA	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	1	0.34	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9610				
J072213MBKA	J072213MBKA	ORG	124-48-1	Dibromochloromethane		U	ug/L	5	0.69	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9610				
J072213MBKA	J072213MBKA	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	2	0.30	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9610				
J072213MBKA	J072213MBKA	ORG	591-78-6	2-Hexanone		U	ug/L	2	0.26	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9610				
J072213MBKA	J072213MBKA	ORG	100-41-4	Ethylbenzene		U	ug/L	1	0.25	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9610				
J072213MBKA	J072213MBKA	ORG	108-90-7	Chlorobenzene		U	ug/L	1	0.28	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9610				
J072213MBKA	J072213MBKA	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	2	0.19	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9610				
J072213MBKA	J072213MBKA	ORG	XYLMP	p&m-Xylene		U	ug/L	2	0.26	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9610				
J072213MBKA	J072213MBKA	ORG	95-47-6	o-Xylene		U	ug/L	1	0.13	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9610				
J072213MBKA	J072213MBKA	ORG	100-42-5	Styrene		U	ug/L	1	0.20	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9610				
J072213MBKA	J072213MBKA	ORG	75-25-2	Bromoform		U	ug/L	2	0.47	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9610				
J072213MBKA	J072213MBKA	ORG	98-82-8	Isopropylbenzene		U	ug/L	2	0.20	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9610				
J072213MBKA	J072213MBKA	ORG	103-65-1	n-Propylbenzene		U	ug/L	2	0.27	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9610				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J072213MBKA	J072213MBKA	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	2	0.29	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9610				
J072213MBKA	J072213MBKA	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	2	0.29	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9610				
J072213MBKA	J072213MBKA	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	2	0.20	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9610				
J072213MBKA	J072213MBKA	ORG	98-06-6	tert-Butylbenzene		U	ug/L	2	0.33	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9610				
J072213MBKA	J072213MBKA	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	2	0.20	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9610				
J072213MBKA	J072213MBKA	ORG	135-98-8	sec-Butylbenzene		U	ug/L	2	0.32	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9610				
J072213MBKA	J072213MBKA	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	2	0.22	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9610				
J072213MBKA	J072213MBKA	ORG	99-87-6	p-Isopropltoluene		U	ug/L	2	0.25	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9610				
J072213MBKA	J072213MBKA	ORG	106-46-7	1,4-Dichlorobenzene		U	ug/L	2	0.33	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9610				
J072213MBKA	J072213MBKA	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	2	0.26	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9610				
J072213MBKA	J072213MBKA	ORG	104-51-8	n-Butylbenzene		U	ug/L	5	0.28	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9610				
J072213MBKA	J072213MBKA	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	5	1.59	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9610				
J072213MBKA	J072213MBKA	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	5	0.65	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9610				
J072213MBKA	J072213MBKA	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	5	0.28	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9610				
J072213MBKA	J072213MBKA	ORG	91-20-3	Naphthalene		U	ug/L	5	0.56	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9610				
J072213MBKA	J072213MBKA	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	5	0.23	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9610				
J072213MBKA	J072213MBKA	STD	1868-53-7	Dibromofluoromethane	52		ng			NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9610	50	104%		
J072213MBKA	J072213MBKA	STD	17060-07-0	1,2-Dichloroethane d4	54		ng			NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9610	50	108%		
J072213MBKA	J072213MBKA	STD	2037-26-5	Toluene d8	46		ng			NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9610	50	92%		
J072213MBKA	J072213MBKA	STD	460-00-4	Bromofluorobenzene	45		ng			NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9610	50	90%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J072213CCVB	J072213CCVB	ORG	75-71-8	Dichlorodifluoromethane	47		ug/L	5	0.29	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9621	50	94%		
J072213CCVB	J072213CCVB	ORG	74-87-3	Chloromethane	38		ug/L	5	0.43	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9621	50	76%		
J072213CCVB	J072213CCVB	ORG	75-01-4	Vinyl chloride	41		ug/L	2	0.32	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9621	50	82%		
J072213CCVB	J072213CCVB	ORG	74-83-9	Bromomethane	60		ug/L	5	0.50	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9621	50	120%		
J072213CCVB	J072213CCVB	ORG	75-00-3	Chloroethane	68		ug/L	5	0.56	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9621	50	136%		
J072213CCVB	J072213CCVB	ORG	75-69-4	Trichlorofluoromethane	47		ug/L	5	0.20	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9621	50	94%		
J072213CCVB	J072213CCVB	ORG	75-35-4	1,1-Dichloroethene	54		ug/L	1	0.47	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9621	50	108%		
J072213CCVB	J072213CCVB	ORG	75-09-2	Methylene chloride	55		ug/L	5	0.26	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9621	50	110%		
J072213CCVB	J072213CCVB	ORG	67-64-1	Acetone	59		ug/L	10	1.56	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9621	50	118%		
J072213CCVB	J072213CCVB	ORG	156-60-5	trans-1,2-Dichloroethene	56		ug/L	1	0.56	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9621	50	112%		
J072213CCVB	J072213CCVB	ORG	1634-04-4	MTBE	54		ug/L	5	0.61	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9621	50	108%		
J072213CCVB	J072213CCVB	ORG	75-34-3	1,1-Dichloroethane	42		ug/L	1	0.53	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9621	50	84%		
J072213CCVB	J072213CCVB	ORG	156-59-2	cis-1,2-Dichloroethene	55		ug/L	1	0.32	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9621	50	110%		
J072213CCVB	J072213CCVB	ORG	74-97-5	Bromochloromethane	59		ug/L	10	0.81	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9621	50	118%		
J072213CCVB	J072213CCVB	ORG	67-66-3	Chloroform	55		ug/L	2	0.41	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9621	50	110%		
J072213CCVB	J072213CCVB	ORG	71-55-6	1,1,1-Trichloroethane	56		ug/L	1	0.16	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9621	50	112%		
J072213CCVB	J072213CCVB	ORG	78-93-3	2-Butanone	54		ug/L	1	0.17	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9621	50	108%		
J072213CCVB	J072213CCVB	ORG	56-23-5	Carbon tetrachloride	58		ug/L	1	0.28	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9621	50	116%		
J072213CCVB	J072213CCVB	ORG	71-43-2	Benzene	48		ug/L	1	0.14	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9621	50	96%		
J072213CCVB	J072213CCVB	ORG	107-06-2	1,2-Dichloroethane	57		ug/L	1	0.20	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9621	50	114%		
J072213CCVB	J072213CCVB	ORG	79-01-6	Trichloroethene	57		ug/L	1	0.36	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9621	50	114%		
J072213CCVB	J072213CCVB	ORG	74-95-3	Dibromomethane	58		ug/L	2	0.32	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9621	50	116%		
J072213CCVB	J072213CCVB	ORG	78-87-5	1,2-Dichloropropane	43		ug/L	1	0.18	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9621	50	86%		
J072213CCVB	J072213CCVB	ORG	75-27-4	Bromodichloromethane	54		ug/L	2	0.12	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9621	50	108%		
J072213CCVB	J072213CCVB	ORG	10061-01-5	cis-1,3-Dichloropropene	49		ug/L	1	0.25	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9621	50	98%		
J072213CCVB	J072213CCVB	ORG	108-88-3	Toluene	48		ug/L	5	0.74	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9621	50	96%		
J072213CCVB	J072213CCVB	ORG	108-10-1	4-Methyl-2-pentanone	46		ug/L	1	0.21	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9621	50	92%		
J072213CCVB	J072213CCVB	ORG	10061-02-6	trans-1,3-Dichloropropene	54		ug/L	1	0.31	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9621	50	108%		
J072213CCVB	J072213CCVB	ORG	127-18-4	Tetrachloroethene	46		ug/L	1	0.49	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9621	50	92%		
J072213CCVB	J072213CCVB	ORG	79-00-5	1,1,2-Trichloroethane	50		ug/L	1	0.34	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9621	50	100%		
J072213CCVB	J072213CCVB	ORG	124-48-1	Dibromochloromethane	57		ug/L	5	0.69	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9621	50	114%		
J072213CCVB	J072213CCVB	ORG	106-93-4	1,2-Dibromoethane	56		ug/L	2	0.30	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9621	50	112%		
J072213CCVB	J072213CCVB	ORG	591-78-6	2-Hexanone	53		ug/L	2	0.26	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9621	50	106%		
J072213CCVB	J072213CCVB	ORG	100-41-4	Ethylbenzene	46		ug/L	1	0.25	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9621	50	92%		
J072213CCVB	J072213CCVB	ORG	108-90-7	Chlorobenzene	48		ug/L	1	0.28	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9621	50	96%		
J072213CCVB	J072213CCVB	ORG	630-20-6	1,1,1,2-Tetrachloroethane	48		ug/L	2	0.19	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9621	50	96%		
J072213CCVB	J072213CCVB	ORG	XYLMP	p&m-Xylene	94		ug/L	2	0.26	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9621	100	94%		
J072213CCVB	J072213CCVB	ORG	95-47-6	o-Xylene	49		ug/L	1	0.13	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9621	50	98%		
J072213CCVB	J072213CCVB	ORG	100-42-5	Styrene	46		ug/L	1	0.20	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9621	50	92%		
J072213CCVB	J072213CCVB	ORG	75-25-2	Bromoform	56		ug/L	2	0.47	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9621	50	112%		
J072213CCVB	J072213CCVB	ORG	98-82-8	Isopropylbenzene	51		ug/L	2	0.20	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9621	50	102%		
J072213CCVB	J072213CCVB	ORG	103-65-1	n-Propylbenzene	48		ug/L	2	0.27	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9621	50	96%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J072213CCVB	J072213CCVB	ORG	79-34-5	1,1,2,2-Tetrachloroethane	58		ug/L	2	0.29	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9621	50	116%		
J072213CCVB	J072213CCVB	ORG	96-18-4	1,2,3-Trichloropropane	55		ug/L	2	0.29	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9621	50	110%		
J072213CCVB	J072213CCVB	ORG	108-67-8	1,3,5-Trimethylbenzene	53		ug/L	2	0.20	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9621	50	106%		
J072213CCVB	J072213CCVB	ORG	98-06-6	tert-Butylbenzene	55		ug/L	2	0.33	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9621	50	110%		
J072213CCVB	J072213CCVB	ORG	95-63-6	1,2,4-Trimethylbenzene	53		ug/L	2	0.20	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9621	50	106%		
J072213CCVB	J072213CCVB	ORG	135-98-8	sec-Butylbenzene	54		ug/L	2	0.32	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9621	50	108%		
J072213CCVB	J072213CCVB	ORG	541-73-1	1,3-Dichlorobenzene	54		ug/L	2	0.22	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9621	50	108%		
J072213CCVB	J072213CCVB	ORG	99-87-6	p-Isopropltoluene	56		ug/L	2	0.25	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9621	50	112%		
J072213CCVB	J072213CCVB	ORG	106-46-7	1,4-Dichlorobenzene	55		ug/L	2	0.33	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9621	50	110%		
J072213CCVB	J072213CCVB	ORG	95-50-1	1,2-Dichlorobenzene	56		ug/L	2	0.26	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9621	50	112%		
J072213CCVB	J072213CCVB	ORG	104-51-8	n-Butylbenzene	53		ug/L	5	0.28	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9621	50	106%		
J072213CCVB	J072213CCVB	ORG	96-12-8	1,2-Dibromo-3-chloropropane	65		ug/L	5	1.59	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9621	50	130%		
J072213CCVB	J072213CCVB	ORG	87-68-3	Hexachlorobutadiene	55		ug/L	5	0.65	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9621	50	110%		
J072213CCVB	J072213CCVB	ORG	120-82-1	1,2,4-Trichlorobenzene	55		ug/L	5	0.28	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9621	50	110%		
J072213CCVB	J072213CCVB	ORG	91-20-3	Naphthalene	58		ug/L	5	0.56	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9621	50	116%		
J072213CCVB	J072213CCVB	ORG	87-61-6	1,2,3-Trichlorobenzene	53		ug/L	5	0.23	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9621	50	106%		
J072213CCVB	J072213CCVB	STD	1868-53-7	Dibromofluoromethane	53		ng			NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9621	50	106%		
J072213CCVB	J072213CCVB	STD	17060-07-0	1,2-Dichloroethane d4	54		ng			NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9621	50	108%		
J072213CCVB	J072213CCVB	STD	2037-26-5	Toluene d8	49		ng			NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9621	50	98%		
J072213CCVB	J072213CCVB	STD	460-00-4	Bromofluorobenzene	48		ng			NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9621	50	96%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J072213MBKB	J072213MBKB	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	5	0.29	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9622				
J072213MBKB	J072213MBKB	ORG	74-87-3	Chloromethane		U	ug/L	5	0.43	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9622				
J072213MBKB	J072213MBKB	ORG	75-01-4	Vinyl chloride		U	ug/L	2	0.32	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9622				
J072213MBKB	J072213MBKB	ORG	74-83-9	Bromomethane		U	ug/L	5	0.50	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9622				
J072213MBKB	J072213MBKB	ORG	75-00-3	Chloroethane		U	ug/L	5	0.56	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9622				
J072213MBKB	J072213MBKB	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	5	0.20	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9622				
J072213MBKB	J072213MBKB	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	1	0.47	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9622				
J072213MBKB	J072213MBKB	ORG	75-09-2	Methylene chloride		U	ug/L	5	0.26	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9622				
J072213MBKB	J072213MBKB	ORG	67-64-1	Acetone		U	ug/L	10	1.56	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9622				
J072213MBKB	J072213MBKB	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	1	0.56	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9622				
J072213MBKB	J072213MBKB	ORG	1634-04-4	MTBE		U	ug/L	5	0.61	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9622				
J072213MBKB	J072213MBKB	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	1	0.53	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9622				
J072213MBKB	J072213MBKB	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	1	0.32	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9622				
J072213MBKB	J072213MBKB	ORG	74-97-5	Bromochloromethane		U	ug/L	10	0.81	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9622				
J072213MBKB	J072213MBKB	ORG	67-66-3	Chloroform		U	ug/L	2	0.41	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9622				
J072213MBKB	J072213MBKB	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	1	0.16	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9622				
J072213MBKB	J072213MBKB	ORG	78-93-3	2-Butanone		U	ug/L	1	0.17	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9622				
J072213MBKB	J072213MBKB	ORG	56-23-5	Carbon tetrachloride		U	ug/L	1	0.28	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9622				
J072213MBKB	J072213MBKB	ORG	71-43-2	Benzene		U	ug/L	1	0.14	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9622				
J072213MBKB	J072213MBKB	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	1	0.20	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9622				
J072213MBKB	J072213MBKB	ORG	79-01-6	Trichloroethene		U	ug/L	1	0.36	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9622				
J072213MBKB	J072213MBKB	ORG	74-95-3	Dibromomethane		U	ug/L	2	0.32	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9622				
J072213MBKB	J072213MBKB	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	1	0.18	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9622				
J072213MBKB	J072213MBKB	ORG	75-27-4	Bromodichloromethane		U	ug/L	2	0.12	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9622				
J072213MBKB	J072213MBKB	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	1	0.25	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9622				
J072213MBKB	J072213MBKB	ORG	108-88-3	Toluene		U	ug/L	5	0.74	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9622				
J072213MBKB	J072213MBKB	ORG	108-10-1	4-Methyl-2-pentanone		U	ug/L	1	0.21	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9622				
J072213MBKB	J072213MBKB	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	1	0.31	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9622				
J072213MBKB	J072213MBKB	ORG	127-18-4	Tetrachloroethene		U	ug/L	1	0.49	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9622				
J072213MBKB	J072213MBKB	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	1	0.34	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9622				
J072213MBKB	J072213MBKB	ORG	124-48-1	Dibromochloromethane		U	ug/L	5	0.69	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9622				
J072213MBKB	J072213MBKB	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	2	0.30	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9622				
J072213MBKB	J072213MBKB	ORG	591-78-6	2-Hexanone		U	ug/L	2	0.26	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9622				
J072213MBKB	J072213MBKB	ORG	100-41-4	Ethylbenzene		U	ug/L	1	0.25	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9622				
J072213MBKB	J072213MBKB	ORG	108-90-7	Chlorobenzene		U	ug/L	1	0.28	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9622				
J072213MBKB	J072213MBKB	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	2	0.19	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9622				
J072213MBKB	J072213MBKB	ORG	XYLMP	p&m-Xylene		U	ug/L	2	0.26	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9622				
J072213MBKB	J072213MBKB	ORG	95-47-6	o-Xylene		U	ug/L	1	0.13	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9622				
J072213MBKB	J072213MBKB	ORG	100-42-5	Styrene		U	ug/L	1	0.20	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9622				
J072213MBKB	J072213MBKB	ORG	75-25-2	Bromoform		U	ug/L	2	0.47	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9622				
J072213MBKB	J072213MBKB	ORG	98-82-8	Isopropylbenzene		U	ug/L	2	0.20	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9622				
J072213MBKB	J072213MBKB	ORG	103-65-1	n-Propylbenzene		U	ug/L	2	0.27	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9622				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J072213MBKB	J072213MBKB	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	2	0.29	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9622				
J072213MBKB	J072213MBKB	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	2	0.29	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9622				
J072213MBKB	J072213MBKB	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	2	0.20	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9622				
J072213MBKB	J072213MBKB	ORG	98-06-6	tert-Butylbenzene		U	ug/L	2	0.33	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9622				
J072213MBKB	J072213MBKB	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	2	0.20	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9622				
J072213MBKB	J072213MBKB	ORG	135-98-8	sec-Butylbenzene		U	ug/L	2	0.32	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9622				
J072213MBKB	J072213MBKB	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	2	0.22	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9622				
J072213MBKB	J072213MBKB	ORG	99-87-6	p-Isopropltoluene		U	ug/L	2	0.25	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9622				
J072213MBKB	J072213MBKB	ORG	106-46-7	1,4-Dichlorobenzene		U	ug/L	2	0.33	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9622				
J072213MBKB	J072213MBKB	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	2	0.26	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9622				
J072213MBKB	J072213MBKB	ORG	104-51-8	n-Butylbenzene		U	ug/L	5	0.28	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9622				
J072213MBKB	J072213MBKB	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	5	1.59	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9622				
J072213MBKB	J072213MBKB	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	5	0.65	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9622				
J072213MBKB	J072213MBKB	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	5	0.28	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9622				
J072213MBKB	J072213MBKB	ORG	91-20-3	Naphthalene		U	ug/L	5	0.56	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9622				
J072213MBKB	J072213MBKB	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	5	0.23	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9622				
J072213MBKB	J072213MBKB	STD	1868-53-7	Dibromofluoromethane	53		ng			NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9622	50	106%		
J072213MBKB	J072213MBKB	STD	17060-07-0	1,2-Dichloroethane d4	57		ng			NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9622	50	114%		
J072213MBKB	J072213MBKB	STD	2037-26-5	Toluene d8	47		ng			NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9622	50	94%		
J072213MBKB	J072213MBKB	STD	460-00-4	Bromofluorobenzene	45		ng			NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9622	50	90%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J072213ALCS	J072213ALCS	ORG	75-71-8	Dichlorodifluoromethane	56		ug/L	5	0.29	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9613	50	112%		
J072213ALCS	J072213ALCS	ORG	74-87-3	Chloromethane	37		ug/L	5	0.43	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9613	50	74%		
J072213ALCS	J072213ALCS	ORG	75-01-4	Vinyl chloride	47		ug/L	2	0.32	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9613	50	94%		
J072213ALCS	J072213ALCS	ORG	74-83-9	Bromomethane	63		ug/L	5	0.50	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9613	50	126%		
J072213ALCS	J072213ALCS	ORG	75-00-3	Chloroethane	73		ug/L	5	0.56	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9613	50	146%		
J072213ALCS	J072213ALCS	ORG	75-69-4	Trichlorofluoromethane	55		ug/L	5	0.20	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9613	50	110%		
J072213ALCS	J072213ALCS	ORG	75-35-4	1,1-Dichloroethene	56		ug/L	1	0.47	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9613	50	112%		
J072213ALCS	J072213ALCS	ORG	75-09-2	Methylene chloride	54		ug/L	5	0.26	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9613	50	108%		
J072213ALCS	J072213ALCS	ORG	67-64-1	Acetone	55		ug/L	10	1.56	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9613	50	110%		
J072213ALCS	J072213ALCS	ORG	156-60-5	trans-1,2-Dichloroethene	58		ug/L	1	0.56	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9613	50	116%		
J072213ALCS	J072213ALCS	ORG	1634-04-4	MTBE	55		ug/L	5	0.61	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9613	50	110%		
J072213ALCS	J072213ALCS	ORG	75-34-3	1,1-Dichloroethane	54		ug/L	1	0.53	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9613	50	108%		
J072213ALCS	J072213ALCS	ORG	156-59-2	cis-1,2-Dichloroethene	54		ug/L	1	0.32	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9613	50	108%		
J072213ALCS	J072213ALCS	ORG	74-97-5	Bromochloromethane	56		ug/L	10	0.81	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9613	50	112%		
J072213ALCS	J072213ALCS	ORG	67-66-3	Chloroform	53		ug/L	2	0.41	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9613	50	106%		
J072213ALCS	J072213ALCS	ORG	71-55-6	1,1,1-Trichloroethane	56		ug/L	1	0.16	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9613	50	112%		
J072213ALCS	J072213ALCS	ORG	78-93-3	2-Butanone	45		ug/L	1	0.17	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9613	50	90%		
J072213ALCS	J072213ALCS	ORG	56-23-5	Carbon tetrachloride	56		ug/L	1	0.28	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9613	50	112%		
J072213ALCS	J072213ALCS	ORG	71-43-2	Benzene	47		ug/L	1	0.14	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9613	50	94%		
J072213ALCS	J072213ALCS	ORG	107-06-2	1,2-Dichloroethane	54		ug/L	1	0.20	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9613	50	108%		
J072213ALCS	J072213ALCS	ORG	79-01-6	Trichloroethene	53		ug/L	1	0.36	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9613	50	106%		
J072213ALCS	J072213ALCS	ORG	74-95-3	Dibromomethane	52		ug/L	2	0.32	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9613	50	104%		
J072213ALCS	J072213ALCS	ORG	78-87-5	1,2-Dichloropropane	41		ug/L	1	0.18	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9613	50	82%		
J072213ALCS	J072213ALCS	ORG	75-27-4	Bromodichloromethane	48		ug/L	2	0.12	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9613	50	96%		
J072213ALCS	J072213ALCS	ORG	10061-01-5	cis-1,3-Dichloropropene	45		ug/L	1	0.25	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9613	50	90%		
J072213ALCS	J072213ALCS	ORG	108-88-3	Toluene	46		ug/L	5	0.74	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9613	50	92%		
J072213ALCS	J072213ALCS	ORG	108-10-1	4-Methyl-2-pentanone	42		ug/L	1	0.21	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9613	50	84%		
J072213ALCS	J072213ALCS	ORG	10061-02-6	trans-1,3-Dichloropropene	47		ug/L	1	0.31	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9613	50	94%		
J072213ALCS	J072213ALCS	ORG	127-18-4	Tetrachloroethene	41		ug/L	1	0.49	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9613	50	82%		
J072213ALCS	J072213ALCS	ORG	79-00-5	1,1,2-Trichloroethane	45		ug/L	1	0.34	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9613	50	90%		
J072213ALCS	J072213ALCS	ORG	124-48-1	Dibromochloromethane	53		ug/L	5	0.69	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9613	50	106%		
J072213ALCS	J072213ALCS	ORG	106-93-4	1,2-Dibromoethane	51		ug/L	2	0.30	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9613	50	102%		
J072213ALCS	J072213ALCS	ORG	591-78-6	2-Hexanone	46		ug/L	2	0.26	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9613	50	92%		
J072213ALCS	J072213ALCS	ORG	100-41-4	Ethylbenzene	46		ug/L	1	0.25	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9613	50	92%		
J072213ALCS	J072213ALCS	ORG	108-90-7	Chlorobenzene	48		ug/L	1	0.28	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9613	50	96%		
J072213ALCS	J072213ALCS	ORG	630-20-6	1,1,1,2-Tetrachloroethane	48		ug/L	2	0.19	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9613	50	96%		
J072213ALCS	J072213ALCS	ORG	XYLMP	p&m-Xylene	94		ug/L	2	0.26	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9613	100	94%		
J072213ALCS	J072213ALCS	ORG	95-47-6	o-Xylene	47		ug/L	1	0.13	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9613	50	94%		
J072213ALCS	J072213ALCS	ORG	100-42-5	Styrene	45		ug/L	1	0.20	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9613	50	90%		
J072213ALCS	J072213ALCS	ORG	75-25-2	Bromoform	50		ug/L	2	0.47	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9613	50	100%		
J072213ALCS	J072213ALCS	ORG	98-82-8	Isopropylbenzene	47		ug/L	2	0.20	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9613	50	94%		
J072213ALCS	J072213ALCS	ORG	103-65-1	n-Propylbenzene	47		ug/L	2	0.27	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9613	50	94%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J072213ALCS	J072213ALCS	ORG	79-34-5	1,1,2,2-Tetrachloroethane	45		ug/L	2	0.29	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9613	50	90%		
J072213ALCS	J072213ALCS	ORG	96-18-4	1,2,3-Trichloropropane	46		ug/L	2	0.29	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9613	50	92%		
J072213ALCS	J072213ALCS	ORG	108-67-8	1,3,5-Trimethylbenzene	49		ug/L	2	0.20	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9613	50	98%		
J072213ALCS	J072213ALCS	ORG	98-06-6	tert-Butylbenzene	50		ug/L	2	0.33	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9613	50	100%		
J072213ALCS	J072213ALCS	ORG	95-63-6	1,2,4-Trimethylbenzene	49		ug/L	2	0.20	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9613	50	98%		
J072213ALCS	J072213ALCS	ORG	135-98-8	sec-Butylbenzene	49		ug/L	2	0.32	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9613	50	98%		
J072213ALCS	J072213ALCS	ORG	541-73-1	1,3-Dichlorobenzene	52		ug/L	2	0.22	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9613	50	104%		
J072213ALCS	J072213ALCS	ORG	99-87-6	p-Isopropltoluene	52		ug/L	2	0.25	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9613	50	104%		
J072213ALCS	J072213ALCS	ORG	106-46-7	1,4-Dichlorobenzene	53		ug/L	2	0.33	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9613	50	106%		
J072213ALCS	J072213ALCS	ORG	95-50-1	1,2-Dichlorobenzene	52		ug/L	2	0.26	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9613	50	104%		
J072213ALCS	J072213ALCS	ORG	104-51-8	n-Butylbenzene	49		ug/L	5	0.28	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9613	50	98%		
J072213ALCS	J072213ALCS	ORG	96-12-8	1,2-Dibromo-3-chloropropane	47		ug/L	5	1.59	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9613	50	94%		
J072213ALCS	J072213ALCS	ORG	87-68-3	Hexachlorobutadiene	49		ug/L	5	0.65	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9613	50	98%		
J072213ALCS	J072213ALCS	ORG	120-82-1	1,2,4-Trichlorobenzene	52		ug/L	5	0.28	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9613	50	104%		
J072213ALCS	J072213ALCS	ORG	91-20-3	Naphthalene	50		ug/L	5	0.56	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9613	50	100%		
J072213ALCS	J072213ALCS	ORG	87-61-6	1,2,3-Trichlorobenzene	52		ug/L	5	0.23	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9613	50	104%		
J072213ALCS	J072213ALCS	STD	1868-53-7	Dibromofluoromethane	53		ng			NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9613	50	106%		
J072213ALCS	J072213ALCS	STD	17060-07-0	1,2-Dichloroethane d4	50		ng			NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9613	50	100%		
J072213ALCS	J072213ALCS	STD	2037-26-5	Toluene d8	46		ng			NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9613	50	92%		
J072213ALCS	J072213ALCS	STD	460-00-4	Bromofluorobenzene	47		ng			NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9613	50	94%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J072213ALCD	J072213ALCD	ORG	75-71-8	Dichlorodifluoromethane	55		ug/L	5	0.29	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9614	50	110%	2%	
J072213ALCD	J072213ALCD	ORG	74-87-3	Chloromethane	40		ug/L	5	0.43	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9614	50	80%	8%	
J072213ALCD	J072213ALCD	ORG	75-01-4	Vinyl chloride	50		ug/L	2	0.32	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9614	50	100%	6%	
J072213ALCD	J072213ALCD	ORG	74-83-9	Bromomethane	62		ug/L	5	0.50	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9614	50	124%	2%	
J072213ALCD	J072213ALCD	ORG	75-00-3	Chloroethane	68		ug/L	5	0.56	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9614	50	136%	7%	
J072213ALCD	J072213ALCD	ORG	75-69-4	Trichlorofluoromethane	53		ug/L	5	0.20	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9614	50	106%	4%	
J072213ALCD	J072213ALCD	ORG	75-35-4	1,1-Dichloroethene	57		ug/L	1	0.47	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9614	50	114%	2%	
J072213ALCD	J072213ALCD	ORG	75-09-2	Methylene chloride	55		ug/L	5	0.26	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9614	50	110%	2%	
J072213ALCD	J072213ALCD	ORG	67-64-1	Acetone	55		ug/L	10	1.56	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9614	50	110%	0%	
J072213ALCD	J072213ALCD	ORG	156-60-5	trans-1,2-Dichloroethene	57		ug/L	1	0.56	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9614	50	114%	2%	
J072213ALCD	J072213ALCD	ORG	1634-04-4	MTBE	55		ug/L	5	0.61	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9614	50	110%	0%	
J072213ALCD	J072213ALCD	ORG	75-34-3	1,1-Dichloroethane	54		ug/L	1	0.53	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9614	50	108%	0%	
J072213ALCD	J072213ALCD	ORG	156-59-2	cis-1,2-Dichloroethene	56		ug/L	1	0.32	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9614	50	112%	4%	
J072213ALCD	J072213ALCD	ORG	74-97-5	Bromochloromethane	60		ug/L	10	0.81	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9614	50	120%	7%	
J072213ALCD	J072213ALCD	ORG	67-66-3	Chloroform	56		ug/L	2	0.41	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9614	50	112%	6%	
J072213ALCD	J072213ALCD	ORG	71-55-6	1,1,1-Trichloroethane	59		ug/L	1	0.16	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9614	50	118%	5%	
J072213ALCD	J072213ALCD	ORG	78-93-3	2-Butanone	46		ug/L	1	0.17	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9614	50	92%	2%	
J072213ALCD	J072213ALCD	ORG	56-23-5	Carbon tetrachloride	59		ug/L	1	0.28	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9614	50	118%	5%	
J072213ALCD	J072213ALCD	ORG	71-43-2	Benzene	49		ug/L	1	0.14	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9614	50	98%	4%	
J072213ALCD	J072213ALCD	ORG	107-06-2	1,2-Dichloroethane	58		ug/L	1	0.20	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9614	50	116%	7%	
J072213ALCD	J072213ALCD	ORG	79-01-6	Trichloroethene	58		ug/L	1	0.36	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9614	50	116%	9%	
J072213ALCD	J072213ALCD	ORG	74-95-3	Dibromomethane	56		ug/L	2	0.32	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9614	50	112%	7%	
J072213ALCD	J072213ALCD	ORG	78-87-5	1,2-Dichloropropane	44		ug/L	1	0.18	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9614	50	88%	7%	
J072213ALCD	J072213ALCD	ORG	75-27-4	Bromodichloromethane	53		ug/L	2	0.12	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9614	50	106%	10%	
J072213ALCD	J072213ALCD	ORG	10061-01-5	cis-1,3-Dichloropropene	48		ug/L	1	0.25	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9614	50	96%	6%	
J072213ALCD	J072213ALCD	ORG	108-88-3	Toluene	50		ug/L	5	0.74	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9614	50	100%	8%	
J072213ALCD	J072213ALCD	ORG	108-10-1	4-Methyl-2-pentanone	41		ug/L	1	0.21	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9614	50	82%	2%	
J072213ALCD	J072213ALCD	ORG	10061-02-6	trans-1,3-Dichloropropene	52		ug/L	1	0.31	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9614	50	104%	10%	
J072213ALCD	J072213ALCD	ORG	127-18-4	Tetrachloroethene	50		ug/L	1	0.49	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9614	50	100%	20%	
J072213ALCD	J072213ALCD	ORG	79-00-5	1,1,2-Trichloroethane	49		ug/L	1	0.34	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9614	50	98%	9%	
J072213ALCD	J072213ALCD	ORG	124-48-1	Dibromochloromethane	57		ug/L	5	0.69	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9614	50	114%	7%	
J072213ALCD	J072213ALCD	ORG	106-93-4	1,2-Dibromoethane	54		ug/L	2	0.30	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9614	50	108%	6%	
J072213ALCD	J072213ALCD	ORG	591-78-6	2-Hexanone	42		ug/L	2	0.26	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9614	50	84%	9%	
J072213ALCD	J072213ALCD	ORG	100-41-4	Ethylbenzene	52		ug/L	1	0.25	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9614	50	104%	12%	
J072213ALCD	J072213ALCD	ORG	108-90-7	Chlorobenzene	53		ug/L	1	0.28	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9614	50	106%	10%	
J072213ALCD	J072213ALCD	ORG	630-20-6	1,1,1,2-Tetrachloroethane	53		ug/L	2	0.19	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9614	50	106%	10%	
J072213ALCD	J072213ALCD	ORG	XYLMP	p&m-Xylene	104		ug/L	2	0.26	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9614	100	104%	10%	
J072213ALCD	J072213ALCD	ORG	95-47-6	o-Xylene	50		ug/L	1	0.13	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9614	50	100%	6%	
J072213ALCD	J072213ALCD	ORG	100-42-5	Styrene	50		ug/L	1	0.20	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9614	50	100%	11%	
J072213ALCD	J072213ALCD	ORG	75-25-2	Bromoform	58		ug/L	2	0.47	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9614	50	116%	15%	
J072213ALCD	J072213ALCD	ORG	98-82-8	Isopropylbenzene	54		ug/L	2	0.20	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9614	50	108%	14%	
J072213ALCD	J072213ALCD	ORG	103-65-1	n-Propylbenzene	53		ug/L	2	0.27	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9614	50	106%	12%	

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J072213ALCD	J072213ALCD	ORG	79-34-5	1,1,2,2-Tetrachloroethane	50		ug/L	2	0.29	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9614	50	100%	11%	
J072213ALCD	J072213ALCD	ORG	96-18-4	1,2,3-Trichloropropane	50		ug/L	2	0.29	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9614	50	100%	8%	
J072213ALCD	J072213ALCD	ORG	108-67-8	1,3,5-Trimethylbenzene	54		ug/L	2	0.20	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9614	50	108%	10%	
J072213ALCD	J072213ALCD	ORG	98-06-6	tert-Butylbenzene	55		ug/L	2	0.33	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9614	50	110%	10%	
J072213ALCD	J072213ALCD	ORG	95-63-6	1,2,4-Trimethylbenzene	54		ug/L	2	0.20	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9614	50	108%	10%	
J072213ALCD	J072213ALCD	ORG	135-98-8	sec-Butylbenzene	55		ug/L	2	0.32	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9614	50	110%	12%	
J072213ALCD	J072213ALCD	ORG	541-73-1	1,3-Dichlorobenzene	54		ug/L	2	0.22	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9614	50	108%	4%	
J072213ALCD	J072213ALCD	ORG	99-87-6	p-Isopropltoluene	56		ug/L	2	0.25	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9614	50	112%	7%	
J072213ALCD	J072213ALCD	ORG	106-46-7	1,4-Dichlorobenzene	55		ug/L	2	0.33	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9614	50	110%	4%	
J072213ALCD	J072213ALCD	ORG	95-50-1	1,2-Dichlorobenzene	55		ug/L	2	0.26	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9614	50	110%	6%	
J072213ALCD	J072213ALCD	ORG	104-51-8	n-Butylbenzene	54		ug/L	5	0.28	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9614	50	108%	10%	
J072213ALCD	J072213ALCD	ORG	96-12-8	1,2-Dibromo-3-chloropropane	56		ug/L	5	1.59	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9614	50	112%	17%	
J072213ALCD	J072213ALCD	ORG	87-68-3	Hexachlorobutadiene	57		ug/L	5	0.65	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9614	50	114%	15%	
J072213ALCD	J072213ALCD	ORG	120-82-1	1,2,4-Trichlorobenzene	61		ug/L	5	0.28	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9614	50	122%	16%	
J072213ALCD	J072213ALCD	ORG	91-20-3	Naphthalene	60		ug/L	5	0.56	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9614	50	120%	18%	
J072213ALCD	J072213ALCD	ORG	87-61-6	1,2,3-Trichlorobenzene	61		ug/L	5	0.23	NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9614	50	122%	16%	
J072213ALCD	J072213ALCD	STD	1868-53-7	Dibromofluoromethane	53		ng			NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9614	50	106%	0%	
J072213ALCD	J072213ALCD	STD	17060-07-0	1,2-Dichloroethane d4	53		ng			NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9614	50	106%	6%	
J072213ALCD	J072213ALCD	STD	2037-26-5	Toluene d8	46		ng			NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9614	50	92%	0%	
J072213ALCD	J072213ALCD	STD	460-00-4	Bromofluorobenzene	47		ng			NA	7/22/2013	7/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9614	50	94%	0%	

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-522MS	316-020	ORG	75-71-8	Dichlorodifluoromethane	4400		ug/L	500	29.28	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9622	5000	88%		
NAL13026-522MS	316-020	ORG	74-87-3	Chloromethane	4100		ug/L	500	43.07	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9622	5000	82%		
NAL13026-522MS	316-020	ORG	75-01-4	Vinyl chloride	4300		ug/L	200	31.86	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9622	5000	86%		
NAL13026-522MS	316-020	ORG	74-83-9	Bromomethane	5600		ug/L	500	50.04	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9622	5000	112%		
NAL13026-522MS	316-020	ORG	75-00-3	Chloroethane	6300		ug/L	500	55.61	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9622	5000	126%		
NAL13026-522MS	316-020	ORG	75-69-4	Trichlorofluoromethane	1700		ug/L	500	19.65	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9622	5000	34%		
NAL13026-522MS	316-020	ORG	75-35-4	1,1-Dichloroethene	5000		ug/L	100	47.11	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9622	5000	100%		
NAL13026-522MS	316-020	ORG	75-09-2	Methylene chloride	5400		ug/L	500	26.46	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9622	5000	108%		
NAL13026-522MS	316-020	ORG	67-64-1	Acetone	56000		ug/L	1000	155.61	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9622	5000	280%		42000
NAL13026-522MS	316-020	ORG	156-60-5	trans-1,2-Dichloroethene	5200		ug/L	100	55.61	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9622	5000	104%		
NAL13026-522MS	316-020	ORG	1634-04-4	MTBE	6000		ug/L	500	61.18	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9622	5000	120%		
NAL13026-522MS	316-020	ORG	75-34-3	1,1-Dichloroethane	4100		ug/L	100	52.66	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9622	5000	82%		
NAL13026-522MS	316-020	ORG	156-59-2	cis-1,2-Dichloroethene	5400		ug/L	100	32.11	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9622	5000	108%		
NAL13026-522MS	316-020	ORG	74-97-5	Bromochloromethane	6100		ug/L	1000	81.18	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9622	5000	122%		
NAL13026-522MS	316-020	ORG	67-66-3	Chloroform	5500		ug/L	200	41.37	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9622	5000	110%		
NAL13026-522MS	316-020	ORG	71-55-6	1,1,1-Trichloroethane	5500		ug/L	100	15.73	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9622	5000	110%		
NAL13026-522MS	316-020	ORG	78-93-3	2-Butanone	31000		ug/L	100	16.65	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9622	5000	280%		17000
NAL13026-522MS	316-020	ORG	56-23-5	Carbon tetrachloride	5400		ug/L	100	27.64	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9622	5000	108%		
NAL13026-522MS	316-020	ORG	71-43-2	Benzene	4700		ug/L	100	13.53	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9622	5000	94%		
NAL13026-522MS	316-020	ORG	107-06-2	1,2-Dichloroethane	6200		ug/L	100	20.01	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9622	5000	124%		
NAL13026-522MS	316-020	ORG	79-01-6	Trichloroethene	5300		ug/L	100	36.33	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9622	5000	106%		
NAL13026-522MS	316-020	ORG	74-95-3	Dibromomethane	6200		ug/L	200	32.20	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9622	5000	124%		
NAL13026-522MS	316-020	ORG	78-87-5	1,2-Dichloropropane	4400		ug/L	100	18.17	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9622	5000	88%		
NAL13026-522MS	316-020	ORG	75-27-4	Bromodichloromethane	5500		ug/L	200	11.58	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9622	5000	110%		
NAL13026-522MS	316-020	ORG	10061-01-5	cis-1,3-Dichloropropene	4900		ug/L	100	25.01	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9622	5000	98%		
NAL13026-522MS	316-020	ORG	108-88-3	Toluene	4800		ug/L	500	74.00	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9622	5000	96%		
NAL13026-522MS	316-020	ORG	108-10-1	4-Methyl-2-pentanone	5800		ug/L	100	20.96	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9622	5000	108%		400
NAL13026-522MS	316-020	ORG	10061-02-6	trans-1,3-Dichloropropene	5800		ug/L	100	31.15	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9622	5000	116%		
NAL13026-522MS	316-020	ORG	127-18-4	Tetrachloroethene	5100		ug/L	100	48.56	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9622	5000	102%		
NAL13026-522MS	316-020	ORG	79-00-5	1,1,2-Trichloroethane	5600		ug/L	100	34.28	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9622	5000	112%		
NAL13026-522MS	316-020	ORG	124-48-1	Dibromochloromethane	6300		ug/L	500	68.90	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9622	5000	126%		
NAL13026-522MS	316-020	ORG	106-93-4	1,2-Dibromoethane	6600		ug/L	200	29.90	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9622	5000	132%		
NAL13026-522MS	316-020	ORG	591-78-6	2-Hexanone	5600		ug/L	200	26.49	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9622	5000	108%		200
NAL13026-522MS	316-020	ORG	100-41-4	Ethylbenzene	4900		ug/L	100	25.38	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9622	5000	98%		
NAL13026-522MS	316-020	ORG	108-90-7	Chlorobenzene	5300		ug/L	100	27.52	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9622	5000	106%		
NAL13026-522MS	316-020	ORG	630-20-6	1,1,1,2-Tetrachloroethane	5400		ug/L	200	19.28	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9622	5000	108%		
NAL13026-522MS	316-020	ORG	XYLMP	p&m-Xylene	10000		ug/L	200	26.14	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9622	10000	100%		
NAL13026-522MS	316-020	ORG	95-47-6	o-Xylene	5200		ug/L	100	12.90	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9622	5000	104%		
NAL13026-522MS	316-020	ORG	100-42-5	Styrene	5100		ug/L	100	20.23	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9622	5000	102%		
NAL13026-522MS	316-020	ORG	75-25-2	Bromoform	6900		ug/L	200	46.83	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9622	5000	138%		
NAL13026-522MS	316-020	ORG	98-82-8	Isopropylbenzene	5300		ug/L	200	20.48	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9622	5000	106%		
NAL13026-522MS	316-020	ORG	103-65-1	n-Propylbenzene	5100		ug/L	200	27.00	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9622	5000	102%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-522MS	316-020	ORG	79-34-5	1,1,2,2-Tetrachloroethane	6700		ug/L	200	29.16	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9622	5000	134%		
NAL13026-522MS	316-020	ORG	96-18-4	1,2,3-Trichloropropane	6800		ug/L	200	29.47	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9622	5000	136%		
NAL13026-522MS	316-020	ORG	108-67-8	1,3,5-Trimethylbenzene	5600		ug/L	200	20.03	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9622	5000	112%		
NAL13026-522MS	316-020	ORG	98-06-6	tert-Butylbenzene	5500		ug/L	200	32.61	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9622	5000	110%		
NAL13026-522MS	316-020	ORG	95-63-6	1,2,4-Trimethylbenzene	5600		ug/L	200	20.03	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9622	5000	112%		
NAL13026-522MS	316-020	ORG	135-98-8	sec-Butylbenzene	5500		ug/L	200	32.34	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9622	5000	110%		
NAL13026-522MS	316-020	ORG	541-73-1	1,3-Dichlorobenzene	5600		ug/L	200	22.21	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9622	5000	112%		
NAL13026-522MS	316-020	ORG	99-87-6	p-Isopropltoluene	5700		ug/L	200	25.48	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9622	5000	113%		44
NAL13026-522MS	316-020	ORG	106-46-7	1,4-Dichlorobenzene	5700		ug/L	200	33.03	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9622	5000	114%		
NAL13026-522MS	316-020	ORG	95-50-1	1,2-Dichlorobenzene	5800		ug/L	200	26.38	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9622	5000	116%		
NAL13026-522MS	316-020	ORG	104-51-8	n-Butylbenzene	5300		ug/L	500	27.81	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9622	5000	106%		
NAL13026-522MS	316-020	ORG	96-12-8	1,2-Dibromo-3-chloropropane	8900		ug/L	500	159.11	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9622	5000	178%		
NAL13026-522MS	316-020	ORG	87-68-3	Hexachlorobutadiene	4900		ug/L	500	65.42	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9622	5000	98%		
NAL13026-522MS	316-020	ORG	120-82-1	1,2,4-Trichlorobenzene	5700		ug/L	500	27.63	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9622	5000	114%		
NAL13026-522MS	316-020	ORG	91-20-3	Naphthalene	6300		ug/L	500	56.04	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9622	5000	122%		200
NAL13026-522MS	316-020	ORG	87-61-6	1,2,3-Trichlorobenzene	5900		ug/L	500	23.28	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9622	5000	118%		
NAL13026-522MS	316-020	STD	1868-53-7	Dibromofluoromethane	51		ng			7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9622	50	102%		
NAL13026-522MS	316-020	STD	17060-07-0	1,2-Dichloroethane d4	54		ng			7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9622	50	108%		
NAL13026-522MS	316-020	STD	2037-26-5	Toluene d8	46		ng			7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9622	50	92%		
NAL13026-522MS	316-020	STD	460-00-4	Bromofluorobenzene	49		ng			7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9622	50	98%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-522MSD	316-020	ORG	75-71-8	Dichlorodifluoromethane	4200		ug/L	500	29.28	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9623	5000	84%	5%	0
NAL13026-522MSD	316-020	ORG	74-87-3	Chloromethane	3700		ug/L	500	43.07	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9623	5000	74%	10%	0
NAL13026-522MSD	316-020	ORG	75-01-4	Vinyl chloride	4400		ug/L	200	31.86	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9623	5000	88%	2%	0
NAL13026-522MSD	316-020	ORG	74-83-9	Bromomethane	5400		ug/L	500	50.04	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9623	5000	108%	4%	0
NAL13026-522MSD	316-020	ORG	75-00-3	Chloroethane	6100		ug/L	500	55.61	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9623	5000	122%	3%	0
NAL13026-522MSD	316-020	ORG	75-69-4	Trichlorofluoromethane	3700		ug/L	500	19.65	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9623	5000	74%	74%	0
NAL13026-522MSD	316-020	ORG	75-35-4	1,1-Dichloroethene	4700		ug/L	100	47.11	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9623	5000	94%	6%	0
NAL13026-522MSD	316-020	ORG	75-09-2	Methylene chloride	5000		ug/L	500	26.46	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9623	5000	100%	8%	0
NAL13026-522MSD	316-020	ORG	67-64-1	Acetone	50000		ug/L	1000	155.61	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9623	5000	160%	11%	42000
NAL13026-522MSD	316-020	ORG	156-60-5	trans-1,2-Dichloroethene	4900		ug/L	100	55.61	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9623	5000	98%	6%	0
NAL13026-522MSD	316-020	ORG	1634-04-4	MTBE	6300		ug/L	500	61.18	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9623	5000	126%	5%	0
NAL13026-522MSD	316-020	ORG	75-34-3	1,1-Dichloroethane	3900		ug/L	100	52.66	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9623	5000	78%	5%	0
NAL13026-522MSD	316-020	ORG	156-59-2	cis-1,2-Dichloroethene	4900		ug/L	100	32.11	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9623	5000	98%	10%	0
NAL13026-522MSD	316-020	ORG	74-97-5	Bromochloromethane	5600		ug/L	1000	81.18	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9623	5000	112%	9%	0
NAL13026-522MSD	316-020	ORG	67-66-3	Chloroform	5100		ug/L	200	41.37	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9623	5000	102%	8%	0
NAL13026-522MSD	316-020	ORG	71-55-6	1,1,1-Trichloroethane	5400		ug/L	100	15.73	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9623	5000	108%	2%	0
NAL13026-522MSD	316-020	ORG	78-93-3	2-Butanone	30000		ug/L	100	16.65	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9623	5000	260%	3%	17000
NAL13026-522MSD	316-020	ORG	56-23-5	Carbon tetrachloride	5200		ug/L	100	27.64	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9623	5000	104%	4%	0
NAL13026-522MSD	316-020	ORG	71-43-2	Benzene	4300		ug/L	100	13.53	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9623	5000	86%	9%	0
NAL13026-522MSD	316-020	ORG	107-06-2	1,2-Dichloroethane	5900		ug/L	100	20.01	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9623	5000	118%	5%	0
NAL13026-522MSD	316-020	ORG	79-01-6	Trichloroethene	5000		ug/L	100	36.33	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9623	5000	100%	6%	0
NAL13026-522MSD	316-020	ORG	74-95-3	Dibromomethane	5600		ug/L	200	32.20	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9623	5000	112%	10%	0
NAL13026-522MSD	316-020	ORG	78-87-5	1,2-Dichloropropane	4000		ug/L	100	18.17	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9623	5000	80%	10%	0
NAL13026-522MSD	316-020	ORG	75-27-4	Bromodichloromethane	5300		ug/L	200	11.58	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9623	5000	106%	4%	0
NAL13026-522MSD	316-020	ORG	10061-01-5	cis-1,3-Dichloropropene	4800		ug/L	100	25.01	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9623	5000	96%	2%	0
NAL13026-522MSD	316-020	ORG	108-88-3	Toluene	4800		ug/L	500	74.00	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9623	5000	96%	0%	0
NAL13026-522MSD	316-020	ORG	108-10-1	4-Methyl-2-pentanone	6400		ug/L	100	20.96	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9623	5000	120%	10%	400
NAL13026-522MSD	316-020	ORG	10061-02-6	trans-1,3-Dichloropropene	5500		ug/L	100	31.15	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9623	5000	110%	5%	0
NAL13026-522MSD	316-020	ORG	127-18-4	Tetrachloroethene	5400		ug/L	100	48.56	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9623	5000	108%	6%	0
NAL13026-522MSD	316-020	ORG	79-00-5	1,1,2-Trichloroethane	5700		ug/L	100	34.28	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9623	5000	114%	2%	0
NAL13026-522MSD	316-020	ORG	124-48-1	Dibromochloromethane	6000		ug/L	500	68.90	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9623	5000	120%	5%	0
NAL13026-522MSD	316-020	ORG	106-93-4	1,2-Dibromoethane	6300		ug/L	200	29.90	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9623	5000	126%	5%	0
NAL13026-522MSD	316-020	ORG	591-78-6	2-Hexanone	6100		ug/L	200	26.49	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9623	5000	118%	9%	200
NAL13026-522MSD	316-020	ORG	100-41-4	Ethylbenzene	4400		ug/L	100	25.38	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9623	5000	88%	11%	0
NAL13026-522MSD	316-020	ORG	108-90-7	Chlorobenzene	4600		ug/L	100	27.52	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9623	5000	92%	14%	0
NAL13026-522MSD	316-020	ORG	630-20-6	1,1,1,2-Tetrachloroethane	4700		ug/L	200	19.28	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9623	5000	94%	14%	0
NAL13026-522MSD	316-020	ORG	XYLMP	p&m-Xylene	9100		ug/L	200	26.14	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9623	10000	91%	9%	0
NAL13026-522MSD	316-020	ORG	95-47-6	o-Xylene	4400		ug/L	100	12.90	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9623	5000	88%	17%	0
NAL13026-522MSD	316-020	ORG	100-42-5	Styrene	4700		ug/L	100	20.23	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9623	5000	94%	8%	0
NAL13026-522MSD	316-020	ORG	75-25-2	Bromoform	6300		ug/L	200	46.83	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9623	5000	126%	9%	0
NAL13026-522MSD	316-020	ORG	98-82-8	Isopropylbenzene	5000		ug/L	200	20.48	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9623	5000	100%	6%	0
NAL13026-522MSD	316-020	ORG	103-65-1	n-Propylbenzene	4700		ug/L	200	27.00	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9623	5000	94%	8%	0

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-522MSD	316-020	ORG	79-34-5	1,1,2,2-Tetrachloroethane	6600		ug/L	200	29.16	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9623	5000	132%	2%	0
NAL13026-522MSD	316-020	ORG	96-18-4	1,2,3-Trichloropropane	6500		ug/L	200	29.47	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9623	5000	130%	5%	0
NAL13026-522MSD	316-020	ORG	108-67-8	1,3,5-Trimethylbenzene	5100		ug/L	200	20.03	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9623	5000	102%	9%	0
NAL13026-522MSD	316-020	ORG	98-06-6	tert-Butylbenzene	5100		ug/L	200	32.61	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9623	5000	102%	8%	0
NAL13026-522MSD	316-020	ORG	95-63-6	1,2,4-Trimethylbenzene	5200		ug/L	200	20.03	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9623	5000	104%	7%	0
NAL13026-522MSD	316-020	ORG	135-98-8	sec-Butylbenzene	5200		ug/L	200	32.34	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9623	5000	104%	6%	0
NAL13026-522MSD	316-020	ORG	541-73-1	1,3-Dichlorobenzene	5000		ug/L	200	22.21	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9623	5000	100%	11%	0
NAL13026-522MSD	316-020	ORG	99-87-6	p-Isopropltoluene	5400		ug/L	200	25.48	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9623	5000	107%	5%	44
NAL13026-522MSD	316-020	ORG	106-46-7	1,4-Dichlorobenzene	5300		ug/L	200	33.03	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9623	5000	106%	7%	0
NAL13026-522MSD	316-020	ORG	95-50-1	1,2-Dichlorobenzene	5600		ug/L	200	26.38	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9623	5000	112%	4%	0
NAL13026-522MSD	316-020	ORG	104-51-8	n-Butylbenzene	5100		ug/L	500	27.81	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9623	5000	102%	4%	0
NAL13026-522MSD	316-020	ORG	96-12-8	1,2-Dibromo-3-chloropropane	8700		ug/L	500	159.11	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9623	5000	174%	2%	0
NAL13026-522MSD	316-020	ORG	87-68-3	Hexachlorobutadiene	5100		ug/L	500	65.42	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9623	5000	102%	4%	0
NAL13026-522MSD	316-020	ORG	120-82-1	1,2,4-Trichlorobenzene	5500		ug/L	500	27.63	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9623	5000	110%	4%	0
NAL13026-522MSD	316-020	ORG	91-20-3	Naphthalene	6200		ug/L	500	56.04	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9623	5000	120%	2%	200
NAL13026-522MSD	316-020	ORG	87-61-6	1,2,3-Trichlorobenzene	5800		ug/L	500	23.28	7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9623	5000	116%	2%	0
NAL13026-522MSD	316-020	STD	1868-53-7	Dibromofluoromethane	49		ng			7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9623	50	98%	4%	0
NAL13026-522MSD	316-020	STD	17060-07-0	1,2-Dichloroethane d4	54		ng			7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9623	50	108%	0%	0
NAL13026-522MSD	316-020	STD	2037-26-5	Toluene d8	48		ng			7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9623	50	96%	4%	0
NAL13026-522MSD	316-020	STD	460-00-4	Bromofluorobenzene	48		ng			7/22/2013	7/22/2013	7/22/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9623	50	96%	2%	0

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-529	295-ST T1	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9636				
NAL13026-529	295-ST T1	ORG	74-87-3	Chloromethane		UX-	ug/L	500	43.07	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9636				
NAL13026-529	295-ST T1	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9636				
NAL13026-529	295-ST T1	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9636				
NAL13026-529	295-ST T1	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9636				
NAL13026-529	295-ST T1	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9636				
NAL13026-529	295-ST T1	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9636				
NAL13026-529	295-ST T1	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9636				
NAL13026-529	295-ST T1	ORG	67-64-1	Acetone	42000	D	ug/L	10000	1556.07	7/23/2013	7/23/2013	7/23/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9639				
NAL13026-529	295-ST T1	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9636				
NAL13026-529	295-ST T1	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9636				
NAL13026-529	295-ST T1	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9636				
NAL13026-529	295-ST T1	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9636				
NAL13026-529	295-ST T1	ORG	74-97-5	Bromochloromethane		U	ug/L	200	41.37	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9636				
NAL13026-529	295-ST T1	ORG	67-66-3	Chloroform		U	ug/L	100	15.73	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9636				
NAL13026-529	295-ST T1	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	16.65	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9636				
NAL13026-529	295-ST T1	ORG	78-93-3	2-Butanone	10000		ug/L	1000	81.18	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9636				
NAL13026-529	295-ST T1	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9636				
NAL13026-529	295-ST T1	ORG	71-43-2	Benzene		U	ug/L	100	13.53	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9636				
NAL13026-529	295-ST T1	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9636				
NAL13026-529	295-ST T1	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9636				
NAL13026-529	295-ST T1	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9636				
NAL13026-529	295-ST T1	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9636				
NAL13026-529	295-ST T1	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9636				
NAL13026-529	295-ST T1	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9636				
NAL13026-529	295-ST T1	ORG	108-88-3	Toluene		U	ug/L	100	20.96	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9636				
NAL13026-529	295-ST T1	ORG	108-10-1	4-Methyl-2-pentanone	420	J	ug/L	500	74.00	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9636				
NAL13026-529	295-ST T1	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9636				
NAL13026-529	295-ST T1	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9636				
NAL13026-529	295-ST T1	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9636				
NAL13026-529	295-ST T1	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	29.90	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9636				
NAL13026-529	295-ST T1	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	26.49	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9636				
NAL13026-529	295-ST T1	ORG	591-78-6	2-Hexanone		U	ug/L	500	68.90	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9636				
NAL13026-529	295-ST T1	ORG	100-41-4	Ethylbenzene		U	ug/L	100	25.38	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9636				
NAL13026-529	295-ST T1	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9636				
NAL13026-529	295-ST T1	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9636				
NAL13026-529	295-ST T1	ORG	XYLMP	p&m-Xylene		U	ug/L	200	26.14	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9636				
NAL13026-529	295-ST T1	ORG	95-47-6	o-Xylene		U	ug/L	100	12.90	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9636				
NAL13026-529	295-ST T1	ORG	100-42-5	Styrene		U	ug/L	100	20.23	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9636				
NAL13026-529	295-ST T1	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9636				
NAL13026-529	295-ST T1	ORG	98-82-8	Isopropylbenzene		U	ug/L	200	20.48	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9636				
NAL13026-529	295-ST T1	ORG	103-65-1	n-Propylbenzene		U	ug/L	200	27.00	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9636				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-529	295-ST T1	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9636				
NAL13026-529	295-ST T1	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9636				
NAL13026-529	295-ST T1	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	200	20.03	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9636				
NAL13026-529	295-ST T1	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9636				
NAL13026-529	295-ST T1	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	200	20.03	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9636				
NAL13026-529	295-ST T1	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9636				
NAL13026-529	295-ST T1	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9636				
NAL13026-529	295-ST T1	ORG	99-87-6	p-Isopropltoluene		U	ug/L	200	25.48	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9636				
NAL13026-529	295-ST T1	ORG	106-46-7	1,4-Dichlorobenzene		U	ug/L	200	33.03	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9636				
NAL13026-529	295-ST T1	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9636				
NAL13026-529	295-ST T1	ORG	104-51-8	n-Butylbenzene		U	ug/L	500	27.81	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9636				
NAL13026-529	295-ST T1	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9636				
NAL13026-529	295-ST T1	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9636				
NAL13026-529	295-ST T1	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9636				
NAL13026-529	295-ST T1	ORG	91-20-3	Naphthalene	120	J	ug/L	500	56.04	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9636				
NAL13026-529	295-ST T1	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9636				
NAL13026-529	295-ST T1	STD	1868-53-7	Dibromofluoromethane	53		ng			7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9636	50	106%		
NAL13026-529	295-ST T1	STD	17060-07-0	1,2-Dichloroethane d4	53		ng			7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9636	50	106%		
NAL13026-529	295-ST T1	STD	2037-26-5	Toluene d8	46		ng			7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9636	50	92%		
NAL13026-529	295-ST T1	STD	460-00-4	Bromofluorobenzene	43		ng			7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9636	50	86%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-530	295-ST T2	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9637				
NAL13026-530	295-ST T2	ORG	74-87-3	Chloromethane		UX-	ug/L	500	43.07	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9637				
NAL13026-530	295-ST T2	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9637				
NAL13026-530	295-ST T2	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9637				
NAL13026-530	295-ST T2	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9637				
NAL13026-530	295-ST T2	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9637				
NAL13026-530	295-ST T2	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9637				
NAL13026-530	295-ST T2	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9637				
NAL13026-530	295-ST T2	ORG	67-64-1	Acetone	42000	D	ug/L	10000	1556.07	7/23/2013	7/23/2013	7/23/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9648				
NAL13026-530	295-ST T2	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9637				
NAL13026-530	295-ST T2	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9637				
NAL13026-530	295-ST T2	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9637				
NAL13026-530	295-ST T2	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9637				
NAL13026-530	295-ST T2	ORG	74-97-5	Bromochloromethane		U	ug/L	200	81.18	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9637				
NAL13026-530	295-ST T2	ORG	67-66-3	Chloroform		U	ug/L	100	41.37	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9637				
NAL13026-530	295-ST T2	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	15.73	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9637				
NAL13026-530	295-ST T2	ORG	78-93-3	2-Butanone	19000		ug/L	1000	16.65	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9637				
NAL13026-530	295-ST T2	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9637				
NAL13026-530	295-ST T2	ORG	71-43-2	Benzene		U	ug/L	100	13.53	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9637				
NAL13026-530	295-ST T2	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9637				
NAL13026-530	295-ST T2	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9637				
NAL13026-530	295-ST T2	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9637				
NAL13026-530	295-ST T2	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9637				
NAL13026-530	295-ST T2	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9637				
NAL13026-530	295-ST T2	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9637				
NAL13026-530	295-ST T2	ORG	108-88-3	Toluene		U	ug/L	100	20.96	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9637				
NAL13026-530	295-ST T2	ORG	108-10-1	4-Methyl-2-pentanone	490	J	ug/L	500	74.00	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9637				
NAL13026-530	295-ST T2	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9637				
NAL13026-530	295-ST T2	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9637				
NAL13026-530	295-ST T2	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9637				
NAL13026-530	295-ST T2	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	68.90	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9637				
NAL13026-530	295-ST T2	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	29.90	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9637				
NAL13026-530	295-ST T2	ORG	591-78-6	2-Hexanone		U	ug/L	500	26.49	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9637				
NAL13026-530	295-ST T2	ORG	100-41-4	Ethylbenzene		U	ug/L	100	25.38	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9637				
NAL13026-530	295-ST T2	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9637				
NAL13026-530	295-ST T2	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9637				
NAL13026-530	295-ST T2	ORG	XYLMP	p&m-Xylene		U	ug/L	200	26.14	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9637				
NAL13026-530	295-ST T2	ORG	95-47-6	o-Xylene		U	ug/L	100	12.90	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9637				
NAL13026-530	295-ST T2	ORG	100-42-5	Styrene		U	ug/L	100	20.23	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9637				
NAL13026-530	295-ST T2	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9637				
NAL13026-530	295-ST T2	ORG	98-82-8	Isopropylbenzene		U	ug/L	200	20.48	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9637				
NAL13026-530	295-ST T2	ORG	103-65-1	n-Propylbenzene		U	ug/L	200	27.00	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9637				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-530	295-ST T2	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9637				
NAL13026-530	295-ST T2	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9637				
NAL13026-530	295-ST T2	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	200	20.03	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9637				
NAL13026-530	295-ST T2	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9637				
NAL13026-530	295-ST T2	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	200	20.03	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9637				
NAL13026-530	295-ST T2	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9637				
NAL13026-530	295-ST T2	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9637				
NAL13026-530	295-ST T2	ORG	99-87-6	p-Isopropltoluene	50	J	ug/L	200	25.48	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9637				
NAL13026-530	295-ST T2	ORG	106-46-7	1,4-Dichlorobenzene		U	ug/L	200	33.03	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9637				
NAL13026-530	295-ST T2	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9637				
NAL13026-530	295-ST T2	ORG	104-51-8	n-Butylbenzene		U	ug/L	500	27.81	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9637				
NAL13026-530	295-ST T2	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9637				
NAL13026-530	295-ST T2	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9637				
NAL13026-530	295-ST T2	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9637				
NAL13026-530	295-ST T2	ORG	91-20-3	Naphthalene	170	J	ug/L	500	56.04	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9637				
NAL13026-530	295-ST T2	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9637				
NAL13026-530	295-ST T2	STD	1868-53-7	Dibromofluoromethane	52		ng			7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9637	50	104%		
NAL13026-530	295-ST T2	STD	17060-07-0	1,2-Dichloroethane d4	55		ng			7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9637	50	110%		
NAL13026-530	295-ST T2	STD	2037-26-5	Toluene d8	45		ng			7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9637	50	90%		
NAL13026-530	295-ST T2	STD	460-00-4	Bromofluorobenzene	45		ng			7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9637	50	90%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-531	295-ST T3	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9634				
NAL13026-531	295-ST T3	ORG	74-87-3	Chloromethane		UX-	ug/L	500	43.07	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9634				
NAL13026-531	295-ST T3	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9634				
NAL13026-531	295-ST T3	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9634				
NAL13026-531	295-ST T3	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9634				
NAL13026-531	295-ST T3	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9634				
NAL13026-531	295-ST T3	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9634				
NAL13026-531	295-ST T3	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9634				
NAL13026-531	295-ST T3	ORG	67-64-1	Acetone	53000	D	ug/L	10000	1556.07	7/23/2013	7/23/2013	7/23/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9654				
NAL13026-531	295-ST T3	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9634				
NAL13026-531	295-ST T3	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9634				
NAL13026-531	295-ST T3	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9634				
NAL13026-531	295-ST T3	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9634				
NAL13026-531	295-ST T3	ORG	74-97-5	Bromochloromethane		U	ug/L	200	81.18	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9634				
NAL13026-531	295-ST T3	ORG	67-66-3	Chloroform		U	ug/L	100	41.37	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9634				
NAL13026-531	295-ST T3	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	15.73	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9634				
NAL13026-531	295-ST T3	ORG	78-93-3	2-Butanone	24000	D	ug/L	10000	166.52	7/23/2013	7/23/2013	7/23/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9654				
NAL13026-531	295-ST T3	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9634				
NAL13026-531	295-ST T3	ORG	71-43-2	Benzene		U	ug/L	100	13.53	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9634				
NAL13026-531	295-ST T3	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9634				
NAL13026-531	295-ST T3	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9634				
NAL13026-531	295-ST T3	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9634				
NAL13026-531	295-ST T3	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9634				
NAL13026-531	295-ST T3	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9634				
NAL13026-531	295-ST T3	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9634				
NAL13026-531	295-ST T3	ORG	108-88-3	Toluene		U	ug/L	100	20.96	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9634				
NAL13026-531	295-ST T3	ORG	108-10-1	4-Methyl-2-pentanone	950		ug/L	500	74.00	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9634				
NAL13026-531	295-ST T3	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9634				
NAL13026-531	295-ST T3	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9634				
NAL13026-531	295-ST T3	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9634				
NAL13026-531	295-ST T3	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	68.90	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9634				
NAL13026-531	295-ST T3	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	29.90	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9634				
NAL13026-531	295-ST T3	ORG	591-78-6	2-Hexanone		U	ug/L	500	26.49	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9634				
NAL13026-531	295-ST T3	ORG	100-41-4	Ethylbenzene		U	ug/L	100	25.38	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9634				
NAL13026-531	295-ST T3	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9634				
NAL13026-531	295-ST T3	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9634				
NAL13026-531	295-ST T3	ORG	XYLMP	p&m-Xylene	31	J	ug/L	200	26.14	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9634				
NAL13026-531	295-ST T3	ORG	95-47-6	o-Xylene		U	ug/L	100	12.90	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9634				
NAL13026-531	295-ST T3	ORG	100-42-5	Styrene		U	ug/L	100	20.23	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9634				
NAL13026-531	295-ST T3	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9634				
NAL13026-531	295-ST T3	ORG	98-82-8	Isopropylbenzene		U	ug/L	200	20.48	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9634				
NAL13026-531	295-ST T3	ORG	103-65-1	n-Propylbenzene		U	ug/L	200	27.00	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9634				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-531	295-ST T3	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9634				
NAL13026-531	295-ST T3	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9634				
NAL13026-531	295-ST T3	ORG	108-67-8	1,3,5-Trimethylbenzene	42	J	ug/L	200	20.03	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9634				
NAL13026-531	295-ST T3	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9634				
NAL13026-531	295-ST T3	ORG	95-63-6	1,2,4-Trimethylbenzene	170	J	ug/L	200	20.03	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9634				
NAL13026-531	295-ST T3	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9634				
NAL13026-531	295-ST T3	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9634				
NAL13026-531	295-ST T3	ORG	99-87-6	p-Isopropltoluene	1500		ug/L	200	25.48	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9634				
NAL13026-531	295-ST T3	ORG	106-46-7	1,4-Dichlorobenzene	230		ug/L	200	33.03	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9634				
NAL13026-531	295-ST T3	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9634				
NAL13026-531	295-ST T3	ORG	104-51-8	n-Butylbenzene	59	J	ug/L	500	27.81	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9634				
NAL13026-531	295-ST T3	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9634				
NAL13026-531	295-ST T3	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9634				
NAL13026-531	295-ST T3	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9634				
NAL13026-531	295-ST T3	ORG	91-20-3	Naphthalene	520		ug/L	500	56.04	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9634				
NAL13026-531	295-ST T3	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9634				
NAL13026-531	295-ST T3	STD	1868-53-7	Dibromofluoromethane	52		ng			7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9634	50	104%		
NAL13026-531	295-ST T3	STD	17060-07-0	1,2-Dichloroethane d4	54		ng			7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9634	50	108%		
NAL13026-531	295-ST T3	STD	2037-26-5	Toluene d8	46		ng			7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9634	50	92%		
NAL13026-531	295-ST T3	STD	460-00-4	Bromofluorobenzene	45		ng			7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9634	50	90%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-532	295-ST T4	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9638				
NAL13026-532	295-ST T4	ORG	74-87-3	Chloromethane		UX-	ug/L	500	43.07	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9638				
NAL13026-532	295-ST T4	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9638				
NAL13026-532	295-ST T4	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9638				
NAL13026-532	295-ST T4	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9638				
NAL13026-532	295-ST T4	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9638				
NAL13026-532	295-ST T4	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9638				
NAL13026-532	295-ST T4	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9638				
NAL13026-532	295-ST T4	ORG	67-64-1	Acetone	48000	D	ug/L	10000	1556.07	7/23/2013	7/23/2013	7/23/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9655				
NAL13026-532	295-ST T4	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9638				
NAL13026-532	295-ST T4	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9638				
NAL13026-532	295-ST T4	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9638				
NAL13026-532	295-ST T4	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9638				
NAL13026-532	295-ST T4	ORG	74-97-5	Bromochloromethane		U	ug/L	200	81.18	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9638				
NAL13026-532	295-ST T4	ORG	67-66-3	Chloroform		U	ug/L	100	41.37	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9638				
NAL13026-532	295-ST T4	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	15.73	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9638				
NAL13026-532	295-ST T4	ORG	78-93-3	2-Butanone	22000	D	ug/L	10000	166.52	7/23/2013	7/23/2013	7/23/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9655				
NAL13026-532	295-ST T4	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9638				
NAL13026-532	295-ST T4	ORG	71-43-2	Benzene		U	ug/L	100	13.53	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9638				
NAL13026-532	295-ST T4	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9638				
NAL13026-532	295-ST T4	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9638				
NAL13026-532	295-ST T4	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9638				
NAL13026-532	295-ST T4	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9638				
NAL13026-532	295-ST T4	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9638				
NAL13026-532	295-ST T4	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9638				
NAL13026-532	295-ST T4	ORG	108-88-3	Toluene		U	ug/L	100	20.96	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9638				
NAL13026-532	295-ST T4	ORG	108-10-1	4-Methyl-2-pentanone	870		ug/L	500	74.00	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9638				
NAL13026-532	295-ST T4	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9638				
NAL13026-532	295-ST T4	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9638				
NAL13026-532	295-ST T4	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9638				
NAL13026-532	295-ST T4	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	68.90	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9638				
NAL13026-532	295-ST T4	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	29.90	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9638				
NAL13026-532	295-ST T4	ORG	591-78-6	2-Hexanone		U	ug/L	500	26.49	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9638				
NAL13026-532	295-ST T4	ORG	100-41-4	Ethylbenzene	46	J	ug/L	100	25.38	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9638				
NAL13026-532	295-ST T4	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9638				
NAL13026-532	295-ST T4	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9638				
NAL13026-532	295-ST T4	ORG	XYLMP	p&m-Xylene	110	J	ug/L	200	26.14	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9638				
NAL13026-532	295-ST T4	ORG	95-47-6	o-Xylene	73	J	ug/L	100	12.90	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9638				
NAL13026-532	295-ST T4	ORG	100-42-5	Styrene		U	ug/L	100	20.23	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9638				
NAL13026-532	295-ST T4	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9638				
NAL13026-532	295-ST T4	ORG	98-82-8	Isopropylbenzene	56	J	ug/L	200	20.48	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9638				
NAL13026-532	295-ST T4	ORG	103-65-1	n-Propylbenzene	52	J	ug/L	200	27.00	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9638				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-532	295-ST T4	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9638				
NAL13026-532	295-ST T4	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9638				
NAL13026-532	295-ST T4	ORG	108-67-8	1,3,5-Trimethylbenzene	120	J	ug/L	200	20.03	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9638				
NAL13026-532	295-ST T4	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9638				
NAL13026-532	295-ST T4	ORG	95-63-6	1,2,4-Trimethylbenzene	530		ug/L	200	20.03	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9638				
NAL13026-532	295-ST T4	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9638				
NAL13026-532	295-ST T4	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9638				
NAL13026-532	295-ST T4	ORG	99-87-6	p-Isopropltoluene	3800		ug/L	200	25.48	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9638				
NAL13026-532	295-ST T4	ORG	106-46-7	1,4-Dichlorobenzene	670		ug/L	200	33.03	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9638				
NAL13026-532	295-ST T4	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9638				
NAL13026-532	295-ST T4	ORG	104-51-8	n-Butylbenzene	120	J	ug/L	500	27.81	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9638				
NAL13026-532	295-ST T4	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9638				
NAL13026-532	295-ST T4	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9638				
NAL13026-532	295-ST T4	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9638				
NAL13026-532	295-ST T4	ORG	91-20-3	Naphthalene	890		ug/L	500	56.04	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9638				
NAL13026-532	295-ST T4	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9638				
NAL13026-532	295-ST T4	STD	1868-53-7	Dibromofluoromethane	52		ng			7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9638	50	104%		
NAL13026-532	295-ST T4	STD	17060-07-0	1,2-Dichloroethane d4	53		ng			7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9638	50	106%		
NAL13026-532	295-ST T4	STD	2037-26-5	Toluene d8	46		ng			7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9638	50	92%		
NAL13026-532	295-ST T4	STD	460-00-4	Bromofluorobenzene	47		ng			7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9638	50	94%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-533	96-001N	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9635				
NAL13026-533	96-001N	ORG	74-87-3	Chloromethane		UX-	ug/L	500	43.07	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9635				
NAL13026-533	96-001N	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9635				
NAL13026-533	96-001N	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9635				
NAL13026-533	96-001N	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9635				
NAL13026-533	96-001N	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9635				
NAL13026-533	96-001N	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9635				
NAL13026-533	96-001N	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9635				
NAL13026-533	96-001N	ORG	67-64-1	Acetone	31000	D	ug/L	10000	1556.07	7/23/2013	7/23/2013	7/23/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9656				
NAL13026-533	96-001N	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9635				
NAL13026-533	96-001N	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9635				
NAL13026-533	96-001N	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9635				
NAL13026-533	96-001N	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9635				
NAL13026-533	96-001N	ORG	74-97-5	Bromochloromethane		U	ug/L	200	81.18	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9635				
NAL13026-533	96-001N	ORG	67-66-3	Chloroform		U	ug/L	100	41.37	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9635				
NAL13026-533	96-001N	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	15.73	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9635				
NAL13026-533	96-001N	ORG	78-93-3	2-Butanone	11000		ug/L	1000	16.65	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9635				
NAL13026-533	96-001N	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9635				
NAL13026-533	96-001N	ORG	71-43-2	Benzene	45	J	ug/L	100	13.53	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9635				
NAL13026-533	96-001N	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9635				
NAL13026-533	96-001N	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9635				
NAL13026-533	96-001N	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9635				
NAL13026-533	96-001N	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9635				
NAL13026-533	96-001N	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9635				
NAL13026-533	96-001N	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9635				
NAL13026-533	96-001N	ORG	108-88-3	Toluene		U	ug/L	100	20.96	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9635				
NAL13026-533	96-001N	ORG	108-10-1	4-Methyl-2-pentanone	230	U	ug/L	500	74.00	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9635				
NAL13026-533	96-001N	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9635				
NAL13026-533	96-001N	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9635				
NAL13026-533	96-001N	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9635				
NAL13026-533	96-001N	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	68.90	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9635				
NAL13026-533	96-001N	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	29.90	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9635				
NAL13026-533	96-001N	ORG	591-78-6	2-Hexanone		U	ug/L	500	26.49	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9635				
NAL13026-533	96-001N	ORG	100-41-4	Ethylbenzene		U	ug/L	100	25.38	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9635				
NAL13026-533	96-001N	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9635				
NAL13026-533	96-001N	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9635				
NAL13026-533	96-001N	ORG	XYLMP	p&m-Xylene		U	ug/L	200	26.14	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9635				
NAL13026-533	96-001N	ORG	95-47-6	o-Xylene		U	ug/L	100	12.90	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9635				
NAL13026-533	96-001N	ORG	100-42-5	Styrene		U	ug/L	100	20.23	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9635				
NAL13026-533	96-001N	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9635				
NAL13026-533	96-001N	ORG	98-82-8	Isopropylbenzene		U	ug/L	200	20.48	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9635				
NAL13026-533	96-001N	ORG	103-65-1	n-Propylbenzene		U	ug/L	200	27.00	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9635				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-533	96-001N	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9635				
NAL13026-533	96-001N	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9635				
NAL13026-533	96-001N	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	200	20.03	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9635				
NAL13026-533	96-001N	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9635				
NAL13026-533	96-001N	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	200	20.03	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9635				
NAL13026-533	96-001N	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9635				
NAL13026-533	96-001N	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9635				
NAL13026-533	96-001N	ORG	99-87-6	p-Isopropltoluene	78	J	ug/L	200	25.48	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9635				
NAL13026-533	96-001N	ORG	106-46-7	1,4-Dichlorobenzene		U	ug/L	200	33.03	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9635				
NAL13026-533	96-001N	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9635				
NAL13026-533	96-001N	ORG	104-51-8	n-Butylbenzene		U	ug/L	500	27.81	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9635				
NAL13026-533	96-001N	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9635				
NAL13026-533	96-001N	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9635				
NAL13026-533	96-001N	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9635				
NAL13026-533	96-001N	ORG	91-20-3	Naphthalene	120	J	ug/L	500	56.04	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9635				
NAL13026-533	96-001N	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9635				
NAL13026-533	96-001N	STD	1868-53-7	Dibromofluoromethane	52		ng			7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9635	50	104%		
NAL13026-533	96-001N	STD	17060-07-0	1,2-Dichloroethane d4	52		ng			7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9635	50	104%		
NAL13026-533	96-001N	STD	2037-26-5	Toluene d8	46		ng			7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9635	50	92%		
NAL13026-533	96-001N	STD	460-00-4	Bromofluorobenzene	44		ng			7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9635	50	88%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-534	296-ST T1	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9640				
NAL13026-534	296-ST T1	ORG	74-87-3	Chloromethane		UX-	ug/L	500	43.07	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9640				
NAL13026-534	296-ST T1	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9640				
NAL13026-534	296-ST T1	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9640				
NAL13026-534	296-ST T1	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9640				
NAL13026-534	296-ST T1	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9640				
NAL13026-534	296-ST T1	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9640				
NAL13026-534	296-ST T1	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9640				
NAL13026-534	296-ST T1	ORG	67-64-1	Acetone	31000	D	ug/L	10000	1556.07	7/23/2013	7/23/2013	7/23/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9657				
NAL13026-534	296-ST T1	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9640				
NAL13026-534	296-ST T1	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9640				
NAL13026-534	296-ST T1	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9640				
NAL13026-534	296-ST T1	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9640				
NAL13026-534	296-ST T1	ORG	74-97-5	Bromochloromethane		U	ug/L	200	81.18	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9640				
NAL13026-534	296-ST T1	ORG	67-66-3	Chloroform		U	ug/L	100	41.37	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9640				
NAL13026-534	296-ST T1	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	15.73	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9640				
NAL13026-534	296-ST T1	ORG	78-93-3	2-Butanone	17000		ug/L	1000	16.65	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9640				
NAL13026-534	296-ST T1	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9640				
NAL13026-534	296-ST T1	ORG	71-43-2	Benzene		U	ug/L	100	13.53	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9640				
NAL13026-534	296-ST T1	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9640				
NAL13026-534	296-ST T1	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9640				
NAL13026-534	296-ST T1	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9640				
NAL13026-534	296-ST T1	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9640				
NAL13026-534	296-ST T1	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9640				
NAL13026-534	296-ST T1	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9640				
NAL13026-534	296-ST T1	ORG	108-88-3	Toluene		U	ug/L	100	20.96	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9640				
NAL13026-534	296-ST T1	ORG	108-10-1	4-Methyl-2-pentanone	590		ug/L	500	74.00	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9640				
NAL13026-534	296-ST T1	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9640				
NAL13026-534	296-ST T1	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9640				
NAL13026-534	296-ST T1	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9640				
NAL13026-534	296-ST T1	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	68.90	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9640				
NAL13026-534	296-ST T1	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	29.90	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9640				
NAL13026-534	296-ST T1	ORG	591-78-6	2-Hexanone		U	ug/L	500	26.49	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9640				
NAL13026-534	296-ST T1	ORG	100-41-4	Ethylbenzene		U	ug/L	100	25.38	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9640				
NAL13026-534	296-ST T1	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9640				
NAL13026-534	296-ST T1	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9640				
NAL13026-534	296-ST T1	ORG	XYLMP	p&m-Xylene		U	ug/L	200	26.14	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9640				
NAL13026-534	296-ST T1	ORG	95-47-6	o-Xylene		U	ug/L	100	12.90	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9640				
NAL13026-534	296-ST T1	ORG	100-42-5	Styrene		U	ug/L	100	20.23	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9640				
NAL13026-534	296-ST T1	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9640				
NAL13026-534	296-ST T1	ORG	98-82-8	Isopropylbenzene		U	ug/L	200	20.48	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9640				
NAL13026-534	296-ST T1	ORG	103-65-1	n-Propylbenzene		U	ug/L	200	27.00	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9640				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-534	296-ST T1	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9640				
NAL13026-534	296-ST T1	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9640				
NAL13026-534	296-ST T1	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	200	20.03	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9640				
NAL13026-534	296-ST T1	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9640				
NAL13026-534	296-ST T1	ORG	95-63-6	1,2,4-Trimethylbenzene	23	J	ug/L	200	20.03	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9640				
NAL13026-534	296-ST T1	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9640				
NAL13026-534	296-ST T1	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9640				
NAL13026-534	296-ST T1	ORG	99-87-6	p-Isopropltoluene	100	J	ug/L	200	25.48	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9640				
NAL13026-534	296-ST T1	ORG	106-46-7	1,4-Dichlorobenzene	54	J	ug/L	200	33.03	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9640				
NAL13026-534	296-ST T1	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9640				
NAL13026-534	296-ST T1	ORG	104-51-8	n-Butylbenzene		U	ug/L	500	27.81	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9640				
NAL13026-534	296-ST T1	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9640				
NAL13026-534	296-ST T1	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9640				
NAL13026-534	296-ST T1	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9640				
NAL13026-534	296-ST T1	ORG	91-20-3	Naphthalene	250	J	ug/L	500	56.04	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9640				
NAL13026-534	296-ST T1	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9640				
NAL13026-534	296-ST T1	STD	1868-53-7	Dibromofluoromethane	52		ng			7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9640	50	104%		
NAL13026-534	296-ST T1	STD	17060-07-0	1,2-Dichloroethane d4	54		ng			7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9640	50	108%		
NAL13026-534	296-ST T1	STD	2037-26-5	Toluene d8	47		ng			7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9640	50	94%		
NAL13026-534	296-ST T1	STD	460-00-4	Bromofluorobenzene	45		ng			7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9640	50	90%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-535	296-ST T2	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9641				
NAL13026-535	296-ST T2	ORG	74-87-3	Chloromethane		UX-	ug/L	500	43.07	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9641				
NAL13026-535	296-ST T2	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9641				
NAL13026-535	296-ST T2	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9641				
NAL13026-535	296-ST T2	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9641				
NAL13026-535	296-ST T2	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9641				
NAL13026-535	296-ST T2	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9641				
NAL13026-535	296-ST T2	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9641				
NAL13026-535	296-ST T2	ORG	67-64-1	Acetone	18000		ug/L	1000	155.61	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9641				
NAL13026-535	296-ST T2	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9641				
NAL13026-535	296-ST T2	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9641				
NAL13026-535	296-ST T2	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9641				
NAL13026-535	296-ST T2	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9641				
NAL13026-535	296-ST T2	ORG	74-97-5	Bromochloromethane		U	ug/L	200	81.18	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9641				
NAL13026-535	296-ST T2	ORG	67-66-3	Chloroform		U	ug/L	100	41.37	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9641				
NAL13026-535	296-ST T2	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	15.73	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9641				
NAL13026-535	296-ST T2	ORG	78-93-3	2-Butanone	13000		ug/L	1000	16.65	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9641				
NAL13026-535	296-ST T2	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9641				
NAL13026-535	296-ST T2	ORG	71-43-2	Benzene		U	ug/L	100	13.53	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9641				
NAL13026-535	296-ST T2	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9641				
NAL13026-535	296-ST T2	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9641				
NAL13026-535	296-ST T2	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9641				
NAL13026-535	296-ST T2	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9641				
NAL13026-535	296-ST T2	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9641				
NAL13026-535	296-ST T2	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9641				
NAL13026-535	296-ST T2	ORG	108-88-3	Toluene		U	ug/L	100	20.96	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9641				
NAL13026-535	296-ST T2	ORG	108-10-1	4-Methyl-2-pentanone	470	J	ug/L	500	74.00	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9641				
NAL13026-535	296-ST T2	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9641				
NAL13026-535	296-ST T2	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9641				
NAL13026-535	296-ST T2	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9641				
NAL13026-535	296-ST T2	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	68.90	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9641				
NAL13026-535	296-ST T2	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	29.90	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9641				
NAL13026-535	296-ST T2	ORG	591-78-6	2-Hexanone		U	ug/L	500	26.49	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9641				
NAL13026-535	296-ST T2	ORG	100-41-4	Ethylbenzene		U	ug/L	100	25.38	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9641				
NAL13026-535	296-ST T2	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9641				
NAL13026-535	296-ST T2	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9641				
NAL13026-535	296-ST T2	ORG	XYLMP	p&m-Xylene		U	ug/L	200	26.14	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9641				
NAL13026-535	296-ST T2	ORG	95-47-6	o-Xylene		U	ug/L	100	12.90	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9641				
NAL13026-535	296-ST T2	ORG	100-42-5	Styrene		U	ug/L	100	20.23	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9641				
NAL13026-535	296-ST T2	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9641				
NAL13026-535	296-ST T2	ORG	98-82-8	Isopropylbenzene		U	ug/L	200	20.48	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9641				
NAL13026-535	296-ST T2	ORG	103-65-1	n-Propylbenzene		U	ug/L	200	27.00	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9641				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-535	296-ST T2	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9641				
NAL13026-535	296-ST T2	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9641				
NAL13026-535	296-ST T2	ORG	108-67-8	1,3,5-Trimethylbenzene	25	J	ug/L	200	20.03	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9641				
NAL13026-535	296-ST T2	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9641				
NAL13026-535	296-ST T2	ORG	95-63-6	1,2,4-Trimethylbenzene	110	J	ug/L	200	20.03	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9641				
NAL13026-535	296-ST T2	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9641				
NAL13026-535	296-ST T2	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9641				
NAL13026-535	296-ST T2	ORG	99-87-6	p-Isopropltoluene	650		ug/L	200	25.48	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9641				
NAL13026-535	296-ST T2	ORG	106-46-7	1,4-Dichlorobenzene	140	J	ug/L	200	33.03	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9641				
NAL13026-535	296-ST T2	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9641				
NAL13026-535	296-ST T2	ORG	104-51-8	n-Butylbenzene		U	ug/L	500	27.81	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9641				
NAL13026-535	296-ST T2	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9641				
NAL13026-535	296-ST T2	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9641				
NAL13026-535	296-ST T2	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9641				
NAL13026-535	296-ST T2	ORG	91-20-3	Naphthalene	300	J	ug/L	500	56.04	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9641				
NAL13026-535	296-ST T2	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9641				
NAL13026-535	296-ST T2	STD	1868-53-7	Dibromofluoromethane	52		ng			7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9641	50	104%		
NAL13026-535	296-ST T2	STD	17060-07-0	1,2-Dichloroethane d4	55		ng			7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9641	50	110%		
NAL13026-535	296-ST T2	STD	2037-26-5	Toluene d8	46		ng			7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9641	50	92%		
NAL13026-535	296-ST T2	STD	460-00-4	Bromofluorobenzene	44		ng			7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9641	50	88%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-536	296-ST T3	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9642				
NAL13026-536	296-ST T3	ORG	74-87-3	Chloromethane		UX-	ug/L	500	43.07	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9642				
NAL13026-536	296-ST T3	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9642				
NAL13026-536	296-ST T3	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9642				
NAL13026-536	296-ST T3	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9642				
NAL13026-536	296-ST T3	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9642				
NAL13026-536	296-ST T3	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9642				
NAL13026-536	296-ST T3	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9642				
NAL13026-536	296-ST T3	ORG	67-64-1	Acetone	29000	D	ug/L	10000	1556.07	7/23/2013	7/23/2013	7/23/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9658				
NAL13026-536	296-ST T3	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9642				
NAL13026-536	296-ST T3	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9642				
NAL13026-536	296-ST T3	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9642				
NAL13026-536	296-ST T3	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9642				
NAL13026-536	296-ST T3	ORG	74-97-5	Bromochloromethane		U	ug/L	200	81.18	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9642				
NAL13026-536	296-ST T3	ORG	67-66-3	Chloroform		U	ug/L	100	41.37	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9642				
NAL13026-536	296-ST T3	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	15.73	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9642				
NAL13026-536	296-ST T3	ORG	78-93-3	2-Butanone	18000	D	ug/L	10000	166.52	7/23/2013	7/23/2013	7/23/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9658				
NAL13026-536	296-ST T3	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9642				
NAL13026-536	296-ST T3	ORG	71-43-2	Benzene		U	ug/L	100	13.53	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9642				
NAL13026-536	296-ST T3	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9642				
NAL13026-536	296-ST T3	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9642				
NAL13026-536	296-ST T3	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9642				
NAL13026-536	296-ST T3	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9642				
NAL13026-536	296-ST T3	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9642				
NAL13026-536	296-ST T3	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9642				
NAL13026-536	296-ST T3	ORG	108-88-3	Toluene		U	ug/L	100	20.96	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9642				
NAL13026-536	296-ST T3	ORG	108-10-1	4-Methyl-2-pentanone	650		ug/L	500	74.00	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9642				
NAL13026-536	296-ST T3	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9642				
NAL13026-536	296-ST T3	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9642				
NAL13026-536	296-ST T3	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9642				
NAL13026-536	296-ST T3	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	68.90	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9642				
NAL13026-536	296-ST T3	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	29.90	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9642				
NAL13026-536	296-ST T3	ORG	591-78-6	2-Hexanone		U	ug/L	500	26.49	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9642				
NAL13026-536	296-ST T3	ORG	100-41-4	Ethylbenzene		U	ug/L	100	25.38	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9642				
NAL13026-536	296-ST T3	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9642				
NAL13026-536	296-ST T3	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9642				
NAL13026-536	296-ST T3	ORG	XYLMP	p&m-Xylene		U	ug/L	200	26.14	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9642				
NAL13026-536	296-ST T3	ORG	95-47-6	o-Xylene		U	ug/L	100	12.90	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9642				
NAL13026-536	296-ST T3	ORG	100-42-5	Styrene		U	ug/L	100	20.23	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9642				
NAL13026-536	296-ST T3	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9642				
NAL13026-536	296-ST T3	ORG	98-82-8	Isopropylbenzene		U	ug/L	200	20.48	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9642				
NAL13026-536	296-ST T3	ORG	103-65-1	n-Propylbenzene		U	ug/L	200	27.00	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9642				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-536	296-ST T3	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9642				
NAL13026-536	296-ST T3	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9642				
NAL13026-536	296-ST T3	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	200	20.03	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9642				
NAL13026-536	296-ST T3	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9642				
NAL13026-536	296-ST T3	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	200	20.03	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9642				
NAL13026-536	296-ST T3	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9642				
NAL13026-536	296-ST T3	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9642				
NAL13026-536	296-ST T3	ORG	99-87-6	p-Isopropltoluene	82	J	ug/L	200	25.48	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9642				
NAL13026-536	296-ST T3	ORG	106-46-7	1,4-Dichlorobenzene		U	ug/L	200	33.03	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9642				
NAL13026-536	296-ST T3	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9642				
NAL13026-536	296-ST T3	ORG	104-51-8	n-Butylbenzene		U	ug/L	500	27.81	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9642				
NAL13026-536	296-ST T3	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9642				
NAL13026-536	296-ST T3	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9642				
NAL13026-536	296-ST T3	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9642				
NAL13026-536	296-ST T3	ORG	91-20-3	Naphthalene	230	J	ug/L	500	56.04	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9642				
NAL13026-536	296-ST T3	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9642				
NAL13026-536	296-ST T3	STD	1868-53-7	Dibromofluoromethane	51		ng			7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9642	50	102%		
NAL13026-536	296-ST T3	STD	17060-07-0	1,2-Dichloroethane d4	54		ng			7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9642	50	108%		
NAL13026-536	296-ST T3	STD	2037-26-5	Toluene d8	47		ng			7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9642	50	94%		
NAL13026-536	296-ST T3	STD	460-00-4	Bromofluorobenzene	45		ng			7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9642	50	90%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-537	296-ST T4	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9643				
NAL13026-537	296-ST T4	ORG	74-87-3	Chloromethane		UX-	ug/L	500	43.07	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9643				
NAL13026-537	296-ST T4	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9643				
NAL13026-537	296-ST T4	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9643				
NAL13026-537	296-ST T4	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9643				
NAL13026-537	296-ST T4	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9643				
NAL13026-537	296-ST T4	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9643				
NAL13026-537	296-ST T4	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9643				
NAL13026-537	296-ST T4	ORG	67-64-1	Acetone	45000	D	ug/L	10000	1556.07	7/23/2013	7/23/2013	7/23/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9704				
NAL13026-537	296-ST T4	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9643				
NAL13026-537	296-ST T4	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9643				
NAL13026-537	296-ST T4	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9643				
NAL13026-537	296-ST T4	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9643				
NAL13026-537	296-ST T4	ORG	74-97-5	Bromochloromethane		U	ug/L	200	81.18	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9643				
NAL13026-537	296-ST T4	ORG	67-66-3	Chloroform		U	ug/L	100	41.37	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9643				
NAL13026-537	296-ST T4	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	15.73	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9643				
NAL13026-537	296-ST T4	ORG	78-93-3	2-Butanone	24000	D	ug/L	10000	166.52	7/23/2013	7/23/2013	7/23/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9704				
NAL13026-537	296-ST T4	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9643				
NAL13026-537	296-ST T4	ORG	71-43-2	Benzene	22	J	ug/L	100	13.53	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9643				
NAL13026-537	296-ST T4	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9643				
NAL13026-537	296-ST T4	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9643				
NAL13026-537	296-ST T4	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9643				
NAL13026-537	296-ST T4	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9643				
NAL13026-537	296-ST T4	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9643				
NAL13026-537	296-ST T4	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9643				
NAL13026-537	296-ST T4	ORG	108-88-3	Toluene		U	ug/L	100	20.96	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9643				
NAL13026-537	296-ST T4	ORG	108-10-1	4-Methyl-2-pentanone	1100		ug/L	500	74.00	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9643				
NAL13026-537	296-ST T4	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9643				
NAL13026-537	296-ST T4	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9643				
NAL13026-537	296-ST T4	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9643				
NAL13026-537	296-ST T4	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	68.90	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9643				
NAL13026-537	296-ST T4	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	29.90	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9643				
NAL13026-537	296-ST T4	ORG	591-78-6	2-Hexanone	330	J	ug/L	500	26.49	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9643				
NAL13026-537	296-ST T4	ORG	100-41-4	Ethylbenzene		U	ug/L	100	25.38	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9643				
NAL13026-537	296-ST T4	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9643				
NAL13026-537	296-ST T4	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9643				
NAL13026-537	296-ST T4	ORG	XYLMP	p&m-Xylene		U	ug/L	200	26.14	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9643				
NAL13026-537	296-ST T4	ORG	95-47-6	o-Xylene		U	ug/L	100	12.90	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9643				
NAL13026-537	296-ST T4	ORG	100-42-5	Styrene		U	ug/L	100	20.23	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9643				
NAL13026-537	296-ST T4	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9643				
NAL13026-537	296-ST T4	ORG	98-82-8	Isopropylbenzene		U	ug/L	200	20.48	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9643				
NAL13026-537	296-ST T4	ORG	103-65-1	n-Propylbenzene		U	ug/L	200	27.00	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9643				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-537	296-ST T4	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9643				
NAL13026-537	296-ST T4	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9643				
NAL13026-537	296-ST T4	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	200	20.03	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9643				
NAL13026-537	296-ST T4	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9643				
NAL13026-537	296-ST T4	ORG	95-63-6	1,2,4-Trimethylbenzene	24	J	ug/L	200	20.03	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9643				
NAL13026-537	296-ST T4	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9643				
NAL13026-537	296-ST T4	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9643				
NAL13026-537	296-ST T4	ORG	99-87-6	p-Isopropltoluene	90	J	ug/L	200	25.48	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9643				
NAL13026-537	296-ST T4	ORG	106-46-7	1,4-Dichlorobenzene		U	ug/L	200	33.03	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9643				
NAL13026-537	296-ST T4	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9643				
NAL13026-537	296-ST T4	ORG	104-51-8	n-Butylbenzene		U	ug/L	500	27.81	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9643				
NAL13026-537	296-ST T4	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9643				
NAL13026-537	296-ST T4	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9643				
NAL13026-537	296-ST T4	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9643				
NAL13026-537	296-ST T4	ORG	91-20-3	Naphthalene	180	J	ug/L	500	56.04	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9643				
NAL13026-537	296-ST T4	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9643				
NAL13026-537	296-ST T4	STD	1868-53-7	Dibromofluoromethane	52		ng			7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9643	50	104%		
NAL13026-537	296-ST T4	STD	17060-07-0	1,2-Dichloroethane d4	55		ng			7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9643	50	110%		
NAL13026-537	296-ST T4	STD	2037-26-5	Toluene d8	47		ng			7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9643	50	94%		
NAL13026-537	296-ST T4	STD	460-00-4	Bromofluorobenzene	44		ng			7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9643	50	88%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-538	OB-298	ORG	75-71-8	Dichlorodifluoromethane		UX-	ug/L	500	29.28	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9649				
NAL13026-538	OB-298	ORG	74-87-3	Chloromethane		UX-	ug/L	500	43.07	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9649				
NAL13026-538	OB-298	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9649				
NAL13026-538	OB-298	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9649				
NAL13026-538	OB-298	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9649				
NAL13026-538	OB-298	ORG	75-69-4	Trichlorofluoromethane		UX-	ug/L	500	19.65	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9649				
NAL13026-538	OB-298	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9649				
NAL13026-538	OB-298	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9649				
NAL13026-538	OB-298	ORG	67-64-1	Acetone	37000	D	ug/L	10000	1556.07	7/23/2013	7/23/2013	7/23/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9653				
NAL13026-538	OB-298	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9649				
NAL13026-538	OB-298	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9649				
NAL13026-538	OB-298	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9649				
NAL13026-538	OB-298	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9649				
NAL13026-538	OB-298	ORG	74-97-5	Bromochloromethane		U	ug/L	200	81.18	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9649				
NAL13026-538	OB-298	ORG	67-66-3	Chloroform		U	ug/L	100	41.37	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9649				
NAL13026-538	OB-298	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	15.73	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9649				
NAL13026-538	OB-298	ORG	78-93-3	2-Butanone	19000		ug/L	1000	16.65	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9649				
NAL13026-538	OB-298	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9649				
NAL13026-538	OB-298	ORG	71-43-2	Benzene		U	ug/L	100	13.53	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9649				
NAL13026-538	OB-298	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9649				
NAL13026-538	OB-298	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9649				
NAL13026-538	OB-298	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9649				
NAL13026-538	OB-298	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9649				
NAL13026-538	OB-298	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9649				
NAL13026-538	OB-298	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9649				
NAL13026-538	OB-298	ORG	108-88-3	Toluene		U	ug/L	100	20.96	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9649				
NAL13026-538	OB-298	ORG	108-10-1	4-Methyl-2-pentanone	590		ug/L	500	74.00	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9649				
NAL13026-538	OB-298	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9649				
NAL13026-538	OB-298	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9649				
NAL13026-538	OB-298	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9649				
NAL13026-538	OB-298	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	68.90	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9649				
NAL13026-538	OB-298	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	29.90	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9649				
NAL13026-538	OB-298	ORG	591-78-6	2-Hexanone		U	ug/L	500	26.49	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9649				
NAL13026-538	OB-298	ORG	100-41-4	Ethylbenzene		U	ug/L	100	25.38	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9649				
NAL13026-538	OB-298	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9649				
NAL13026-538	OB-298	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9649				
NAL13026-538	OB-298	ORG	XYLMP	p&m-Xylene		U	ug/L	200	26.14	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9649				
NAL13026-538	OB-298	ORG	95-47-6	o-Xylene		U	ug/L	100	12.90	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9649				
NAL13026-538	OB-298	ORG	100-42-5	Styrene		U	ug/L	100	20.23	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9649				
NAL13026-538	OB-298	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9649				
NAL13026-538	OB-298	ORG	98-82-8	Isopropylbenzene		U	ug/L	200	20.48	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9649				
NAL13026-538	OB-298	ORG	103-65-1	n-Propylbenzene		U	ug/L	200	27.00	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9649				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-538	OB-298	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9649				
NAL13026-538	OB-298	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9649				
NAL13026-538	OB-298	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	200	20.03	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9649				
NAL13026-538	OB-298	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9649				
NAL13026-538	OB-298	ORG	95-63-6	1,2,4-Trimethylbenzene	47	J	ug/L	200	20.03	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9649				
NAL13026-538	OB-298	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9649				
NAL13026-538	OB-298	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9649				
NAL13026-538	OB-298	ORG	99-87-6	p-Isopropltoluene	290		ug/L	200	25.48	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9649				
NAL13026-538	OB-298	ORG	106-46-7	1,4-Dichlorobenzene	110	J	ug/L	200	33.03	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9649				
NAL13026-538	OB-298	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9649				
NAL13026-538	OB-298	ORG	104-51-8	n-Butylbenzene		U	ug/L	500	27.81	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9649				
NAL13026-538	OB-298	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9649				
NAL13026-538	OB-298	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9649				
NAL13026-538	OB-298	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9649				
NAL13026-538	OB-298	ORG	91-20-3	Naphthalene	340	J	ug/L	500	56.04	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9649				
NAL13026-538	OB-298	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9649				
NAL13026-538	OB-298	STD	1868-53-7	Dibromofluoromethane	52		ng			7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9649	50	104%		
NAL13026-538	OB-298	STD	17060-07-0	1,2-Dichloroethane d4	54		ng			7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9649	50	108%		
NAL13026-538	OB-298	STD	2037-26-5	Toluene d8	46		ng			7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9649	50	92%		
NAL13026-538	OB-298	STD	460-00-4	Bromofluorobenzene	44		ng			7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9649	50	88%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J072313CCVA	J072313CCVA	ORG	75-71-8	Dichlorodifluoromethane	45		ug/L	5	0.29	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9632	50	90%		
J072313CCVA	J072313CCVA	ORG	74-87-3	Chloromethane	34		ug/L	5	0.43	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9632	50	68%		
J072313CCVA	J072313CCVA	ORG	75-01-4	Vinyl chloride	41		ug/L	2	0.32	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9632	50	82%		
J072313CCVA	J072313CCVA	ORG	74-83-9	Bromomethane	59		ug/L	5	0.50	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9632	50	118%		
J072313CCVA	J072313CCVA	ORG	75-00-3	Chloroethane	66		ug/L	5	0.56	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9632	50	132%		
J072313CCVA	J072313CCVA	ORG	75-69-4	Trichlorofluoromethane	51		ug/L	5	0.20	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9632	50	102%		
J072313CCVA	J072313CCVA	ORG	75-35-4	1,1-Dichloroethene	54		ug/L	1	0.47	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9632	50	108%		
J072313CCVA	J072313CCVA	ORG	75-09-2	Methylene chloride	53		ug/L	5	0.26	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9632	50	106%		
J072313CCVA	J072313CCVA	ORG	67-64-1	Acetone	41		ug/L	10	1.56	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9632	50	82%		
J072313CCVA	J072313CCVA	ORG	156-60-5	trans-1,2-Dichloroethene	56		ug/L	1	0.56	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9632	50	112%		
J072313CCVA	J072313CCVA	ORG	1634-04-4	MTBE	52		ug/L	5	0.61	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9632	50	104%		
J072313CCVA	J072313CCVA	ORG	75-34-3	1,1-Dichloroethane	50		ug/L	1	0.53	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9632	50	100%		
J072313CCVA	J072313CCVA	ORG	156-59-2	cis-1,2-Dichloroethene	49		ug/L	1	0.32	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9632	50	98%		
J072313CCVA	J072313CCVA	ORG	74-97-5	Bromochloromethane	54		ug/L	10	0.81	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9632	50	108%		
J072313CCVA	J072313CCVA	ORG	67-66-3	Chloroform	48		ug/L	2	0.41	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9632	50	96%		
J072313CCVA	J072313CCVA	ORG	71-55-6	1,1,1-Trichloroethane	52		ug/L	1	0.16	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9632	50	104%		
J072313CCVA	J072313CCVA	ORG	78-93-3	2-Butanone	43		ug/L	1	0.17	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9632	50	86%		
J072313CCVA	J072313CCVA	ORG	56-23-5	Carbon tetrachloride	55		ug/L	1	0.28	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9632	50	110%		
J072313CCVA	J072313CCVA	ORG	71-43-2	Benzene	44		ug/L	1	0.14	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9632	50	88%		
J072313CCVA	J072313CCVA	ORG	107-06-2	1,2-Dichloroethane	48		ug/L	1	0.20	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9632	50	96%		
J072313CCVA	J072313CCVA	ORG	79-01-6	Trichloroethene	50		ug/L	1	0.36	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9632	50	100%		
J072313CCVA	J072313CCVA	ORG	74-95-3	Dibromomethane	47		ug/L	2	0.32	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9632	50	94%		
J072313CCVA	J072313CCVA	ORG	78-87-5	1,2-Dichloropropane	44		ug/L	1	0.18	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9632	50	88%		
J072313CCVA	J072313CCVA	ORG	75-27-4	Bromodichloromethane	48		ug/L	2	0.12	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9632	50	96%		
J072313CCVA	J072313CCVA	ORG	10061-01-5	cis-1,3-Dichloropropene	44		ug/L	1	0.25	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9632	50	88%		
J072313CCVA	J072313CCVA	ORG	108-88-3	Toluene	45		ug/L	5	0.74	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9632	50	90%		
J072313CCVA	J072313CCVA	ORG	108-10-1	4-Methyl-2-pentanone	50		ug/L	1	0.21	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9632	50	100%		
J072313CCVA	J072313CCVA	ORG	10061-02-6	trans-1,3-Dichloropropene	46		ug/L	1	0.31	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9632	50	92%		
J072313CCVA	J072313CCVA	ORG	127-18-4	Tetrachloroethene	43		ug/L	1	0.49	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9632	50	86%		
J072313CCVA	J072313CCVA	ORG	79-00-5	1,1,2-Trichloroethane	41		ug/L	1	0.34	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9632	50	82%		
J072313CCVA	J072313CCVA	ORG	124-48-1	Dibromochloromethane	51		ug/L	5	0.69	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9632	50	102%		
J072313CCVA	J072313CCVA	ORG	106-93-4	1,2-Dibromoethane	46		ug/L	2	0.30	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9632	50	92%		
J072313CCVA	J072313CCVA	ORG	591-78-6	2-Hexanone	44		ug/L	2	0.26	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9632	50	88%		
J072313CCVA	J072313CCVA	ORG	100-41-4	Ethylbenzene	43		ug/L	1	0.25	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9632	50	86%		
J072313CCVA	J072313CCVA	ORG	108-90-7	Chlorobenzene	45		ug/L	1	0.28	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9632	50	90%		
J072313CCVA	J072313CCVA	ORG	630-20-6	1,1,1,2-Tetrachloroethane	46		ug/L	2	0.19	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9632	50	92%		
J072313CCVA	J072313CCVA	ORG	XYLMP	p&m-Xylene	82		ug/L	2	0.26	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9632	100	82%		
J072313CCVA	J072313CCVA	ORG	95-47-6	o-Xylene	43		ug/L	1	0.13	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9632	50	86%		
J072313CCVA	J072313CCVA	ORG	100-42-5	Styrene	43		ug/L	1	0.20	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9632	50	86%		
J072313CCVA	J072313CCVA	ORG	75-25-2	Bromoform	49		ug/L	2	0.47	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9632	50	98%		
J072313CCVA	J072313CCVA	ORG	98-82-8	Isopropylbenzene	45		ug/L	2	0.20	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9632	50	90%		
J072313CCVA	J072313CCVA	ORG	103-65-1	n-Propylbenzene	43		ug/L	2	0.27	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9632	50	86%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J072313CCVA	J072313CCVA	ORG	79-34-5	1,1,2,2-Tetrachloroethane	41		ug/L	2	0.29	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9632	50	82%		
J072313CCVA	J072313CCVA	ORG	96-18-4	1,2,3-Trichloropropane	40		ug/L	2	0.29	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9632	50	80%		
J072313CCVA	J072313CCVA	ORG	108-67-8	1,3,5-Trimethylbenzene	45		ug/L	2	0.20	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9632	50	90%		
J072313CCVA	J072313CCVA	ORG	98-06-6	tert-Butylbenzene	48		ug/L	2	0.33	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9632	50	96%		
J072313CCVA	J072313CCVA	ORG	95-63-6	1,2,4-Trimethylbenzene	46		ug/L	2	0.20	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9632	50	92%		
J072313CCVA	J072313CCVA	ORG	135-98-8	sec-Butylbenzene	46		ug/L	2	0.32	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9632	50	92%		
J072313CCVA	J072313CCVA	ORG	541-73-1	1,3-Dichlorobenzene	51		ug/L	2	0.22	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9632	50	102%		
J072313CCVA	J072313CCVA	ORG	99-87-6	p-Isopropltoluene	49		ug/L	2	0.25	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9632	50	98%		
J072313CCVA	J072313CCVA	ORG	106-46-7	1,4-Dichlorobenzene	51		ug/L	2	0.33	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9632	50	102%		
J072313CCVA	J072313CCVA	ORG	95-50-1	1,2-Dichlorobenzene	51		ug/L	2	0.26	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9632	50	102%		
J072313CCVA	J072313CCVA	ORG	104-51-8	n-Butylbenzene	45		ug/L	5	0.28	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9632	50	90%		
J072313CCVA	J072313CCVA	ORG	96-12-8	1,2-Dibromo-3-chloropropane	40		ug/L	5	1.59	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9632	50	80%		
J072313CCVA	J072313CCVA	ORG	87-68-3	Hexachlorobutadiene	54		ug/L	5	0.65	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9632	50	108%		
J072313CCVA	J072313CCVA	ORG	120-82-1	1,2,4-Trichlorobenzene	51		ug/L	5	0.28	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9632	50	102%		
J072313CCVA	J072313CCVA	ORG	91-20-3	Naphthalene	40		ug/L	5	0.56	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9632	50	80%		
J072313CCVA	J072313CCVA	ORG	87-61-6	1,2,3-Trichlorobenzene	48		ug/L	5	0.23	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9632	50	96%		
J072313CCVA	J072313CCVA	STD	1868-53-7	Dibromofluoromethane	52		ng			NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9632	50	104%		
J072313CCVA	J072313CCVA	STD	17060-07-0	1,2-Dichloroethane d4	49		ng			NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9632	50	98%		
J072313CCVA	J072313CCVA	STD	2037-26-5	Toluene d8	48		ng			NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9632	50	96%		
J072313CCVA	J072313CCVA	STD	460-00-4	Bromofluorobenzene	45		ng			NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9632	50	90%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J072313MBKA	J072313MBKA	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	5	0.29	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9633				
J072313MBKA	J072313MBKA	ORG	74-87-3	Chloromethane		U	ug/L	5	0.43	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9633				
J072313MBKA	J072313MBKA	ORG	75-01-4	Vinyl chloride		U	ug/L	2	0.32	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9633				
J072313MBKA	J072313MBKA	ORG	74-83-9	Bromomethane		U	ug/L	5	0.50	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9633				
J072313MBKA	J072313MBKA	ORG	75-00-3	Chloroethane		U	ug/L	5	0.56	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9633				
J072313MBKA	J072313MBKA	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	5	0.20	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9633				
J072313MBKA	J072313MBKA	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	1	0.47	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9633				
J072313MBKA	J072313MBKA	ORG	75-09-2	Methylene chloride		U	ug/L	5	0.26	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9633				
J072313MBKA	J072313MBKA	ORG	67-64-1	Acetone		U	ug/L	10	1.56	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9633				
J072313MBKA	J072313MBKA	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	1	0.56	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9633				
J072313MBKA	J072313MBKA	ORG	1634-04-4	MTBE		U	ug/L	5	0.61	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9633				
J072313MBKA	J072313MBKA	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	1	0.53	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9633				
J072313MBKA	J072313MBKA	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	1	0.32	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9633				
J072313MBKA	J072313MBKA	ORG	74-97-5	Bromochloromethane		U	ug/L	10	0.81	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9633				
J072313MBKA	J072313MBKA	ORG	67-66-3	Chloroform		U	ug/L	2	0.41	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9633				
J072313MBKA	J072313MBKA	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	1	0.16	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9633				
J072313MBKA	J072313MBKA	ORG	78-93-3	2-Butanone		U	ug/L	1	0.17	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9633				
J072313MBKA	J072313MBKA	ORG	56-23-5	Carbon tetrachloride		U	ug/L	1	0.28	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9633				
J072313MBKA	J072313MBKA	ORG	71-43-2	Benzene		U	ug/L	1	0.14	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9633				
J072313MBKA	J072313MBKA	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	1	0.20	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9633				
J072313MBKA	J072313MBKA	ORG	79-01-6	Trichloroethene		U	ug/L	1	0.36	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9633				
J072313MBKA	J072313MBKA	ORG	74-95-3	Dibromomethane		U	ug/L	2	0.32	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9633				
J072313MBKA	J072313MBKA	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	1	0.18	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9633				
J072313MBKA	J072313MBKA	ORG	75-27-4	Bromodichloromethane		U	ug/L	2	0.12	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9633				
J072313MBKA	J072313MBKA	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	1	0.25	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9633				
J072313MBKA	J072313MBKA	ORG	108-88-3	Toluene		U	ug/L	5	0.74	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9633				
J072313MBKA	J072313MBKA	ORG	108-10-1	4-Methyl-2-pentanone		U	ug/L	1	0.21	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9633				
J072313MBKA	J072313MBKA	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	1	0.31	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9633				
J072313MBKA	J072313MBKA	ORG	127-18-4	Tetrachloroethene		U	ug/L	1	0.49	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9633				
J072313MBKA	J072313MBKA	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	1	0.34	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9633				
J072313MBKA	J072313MBKA	ORG	124-48-1	Dibromochloromethane		U	ug/L	5	0.69	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9633				
J072313MBKA	J072313MBKA	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	2	0.30	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9633				
J072313MBKA	J072313MBKA	ORG	591-78-6	2-Hexanone		U	ug/L	2	0.26	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9633				
J072313MBKA	J072313MBKA	ORG	100-41-4	Ethylbenzene		U	ug/L	1	0.25	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9633				
J072313MBKA	J072313MBKA	ORG	108-90-7	Chlorobenzene		U	ug/L	1	0.28	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9633				
J072313MBKA	J072313MBKA	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	2	0.19	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9633				
J072313MBKA	J072313MBKA	ORG	XYLMP	p&m-Xylene		U	ug/L	2	0.26	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9633				
J072313MBKA	J072313MBKA	ORG	95-47-6	o-Xylene		U	ug/L	1	0.13	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9633				
J072313MBKA	J072313MBKA	ORG	100-42-5	Styrene		U	ug/L	1	0.20	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9633				
J072313MBKA	J072313MBKA	ORG	75-25-2	Bromoform		U	ug/L	2	0.47	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9633				
J072313MBKA	J072313MBKA	ORG	98-82-8	Isopropylbenzene		U	ug/L	2	0.20	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9633				
J072313MBKA	J072313MBKA	ORG	103-65-1	n-Propylbenzene		U	ug/L	2	0.27	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9633				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J072313MBKA	J072313MBKA	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	2	0.29	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9633				
J072313MBKA	J072313MBKA	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	2	0.29	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9633				
J072313MBKA	J072313MBKA	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	2	0.20	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9633				
J072313MBKA	J072313MBKA	ORG	98-06-6	tert-Butylbenzene		U	ug/L	2	0.33	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9633				
J072313MBKA	J072313MBKA	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	2	0.20	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9633				
J072313MBKA	J072313MBKA	ORG	135-98-8	sec-Butylbenzene		U	ug/L	2	0.32	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9633				
J072313MBKA	J072313MBKA	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	2	0.22	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9633				
J072313MBKA	J072313MBKA	ORG	99-87-6	p-Isopropltoluene		U	ug/L	2	0.25	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9633				
J072313MBKA	J072313MBKA	ORG	106-46-7	1,4-Dichlorobenzene		U	ug/L	2	0.33	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9633				
J072313MBKA	J072313MBKA	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	2	0.26	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9633				
J072313MBKA	J072313MBKA	ORG	104-51-8	n-Butylbenzene		U	ug/L	5	0.28	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9633				
J072313MBKA	J072313MBKA	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	5	1.59	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9633				
J072313MBKA	J072313MBKA	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	5	0.65	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9633				
J072313MBKA	J072313MBKA	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	5	0.28	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9633				
J072313MBKA	J072313MBKA	ORG	91-20-3	Naphthalene		U	ug/L	5	0.56	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9633				
J072313MBKA	J072313MBKA	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	5	0.23	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9633				
J072313MBKA	J072313MBKA	STD	1868-53-7	Dibromofluoromethane	53		ng			NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9633	50	106%		
J072313MBKA	J072313MBKA	STD	17060-07-0	1,2-Dichloroethane d4	54		ng			NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9633	50	108%		
J072313MBKA	J072313MBKA	STD	2037-26-5	Toluene d8	46		ng			NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9633	50	92%		
J072313MBKA	J072313MBKA	STD	460-00-4	Bromofluorobenzene	44		ng			NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9633	50	88%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J072313CCVB	J072313CCVB	ORG	75-71-8	Dichlorodifluoromethane	39		ug/L	5	0.29	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9646	50	78%		
J072313CCVB	J072313CCVB	ORG	74-87-3	Chloromethane	38		ug/L	5	0.43	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9646	50	76%		
J072313CCVB	J072313CCVB	ORG	75-01-4	Vinyl chloride	41		ug/L	2	0.32	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9646	50	82%		
J072313CCVB	J072313CCVB	ORG	74-83-9	Bromomethane	50		ug/L	5	0.50	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9646	50	100%		
J072313CCVB	J072313CCVB	ORG	75-00-3	Chloroethane	53		ug/L	5	0.56	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9646	50	106%		
J072313CCVB	J072313CCVB	ORG	75-69-4	Trichlorofluoromethane	31		ug/L	5	0.20	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9646	50	62%		
J072313CCVB	J072313CCVB	ORG	75-35-4	1,1-Dichloroethene	47		ug/L	1	0.47	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9646	50	94%		
J072313CCVB	J072313CCVB	ORG	75-09-2	Methylene chloride	48		ug/L	5	0.26	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9646	50	96%		
J072313CCVB	J072313CCVB	ORG	67-64-1	Acetone	59		ug/L	10	1.56	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9646	50	118%		
J072313CCVB	J072313CCVB	ORG	156-60-5	trans-1,2-Dichloroethene	48		ug/L	1	0.56	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9646	50	96%		
J072313CCVB	J072313CCVB	ORG	1634-04-4	MTBE	53		ug/L	5	0.61	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9646	50	106%		
J072313CCVB	J072313CCVB	ORG	75-34-3	1,1-Dichloroethane	41		ug/L	1	0.53	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9646	50	82%		
J072313CCVB	J072313CCVB	ORG	156-59-2	cis-1,2-Dichloroethene	49		ug/L	1	0.32	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9646	50	98%		
J072313CCVB	J072313CCVB	ORG	74-97-5	Bromochloromethane	53		ug/L	10	0.81	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9646	50	106%		
J072313CCVB	J072313CCVB	ORG	67-66-3	Chloroform	49		ug/L	2	0.41	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9646	50	98%		
J072313CCVB	J072313CCVB	ORG	71-55-6	1,1,1-Trichloroethane	50		ug/L	1	0.16	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9646	50	100%		
J072313CCVB	J072313CCVB	ORG	78-93-3	2-Butanone	57		ug/L	1	0.17	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9646	50	114%		
J072313CCVB	J072313CCVB	ORG	56-23-5	Carbon tetrachloride	51		ug/L	1	0.28	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9646	50	102%		
J072313CCVB	J072313CCVB	ORG	71-43-2	Benzene	42		ug/L	1	0.14	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9646	50	84%		
J072313CCVB	J072313CCVB	ORG	107-06-2	1,2-Dichloroethane	51		ug/L	1	0.20	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9646	50	102%		
J072313CCVB	J072313CCVB	ORG	79-01-6	Trichloroethene	49		ug/L	1	0.36	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9646	50	98%		
J072313CCVB	J072313CCVB	ORG	74-95-3	Dibromomethane	52		ug/L	2	0.32	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9646	50	104%		
J072313CCVB	J072313CCVB	ORG	78-87-5	1,2-Dichloropropane	42		ug/L	1	0.18	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9646	50	84%		
J072313CCVB	J072313CCVB	ORG	75-27-4	Bromodichloromethane	51		ug/L	2	0.12	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9646	50	102%		
J072313CCVB	J072313CCVB	ORG	10061-01-5	cis-1,3-Dichloropropene	47		ug/L	1	0.25	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9646	50	94%		
J072313CCVB	J072313CCVB	ORG	108-88-3	Toluene	46		ug/L	5	0.74	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9646	50	92%		
J072313CCVB	J072313CCVB	ORG	108-10-1	4-Methyl-2-pentanone	52		ug/L	1	0.21	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9646	50	104%		
J072313CCVB	J072313CCVB	ORG	10061-02-6	trans-1,3-Dichloropropene	52		ug/L	1	0.31	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9646	50	104%		
J072313CCVB	J072313CCVB	ORG	127-18-4	Tetrachloroethene	45		ug/L	1	0.49	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9646	50	90%		
J072313CCVB	J072313CCVB	ORG	79-00-5	1,1,2-Trichloroethane	49		ug/L	1	0.34	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9646	50	98%		
J072313CCVB	J072313CCVB	ORG	124-48-1	Dibromochloromethane	56		ug/L	5	0.69	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9646	50	112%		
J072313CCVB	J072313CCVB	ORG	106-93-4	1,2-Dibromoethane	56		ug/L	2	0.30	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9646	50	112%		
J072313CCVB	J072313CCVB	ORG	591-78-6	2-Hexanone	56		ug/L	2	0.26	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9646	50	112%		
J072313CCVB	J072313CCVB	ORG	100-41-4	Ethylbenzene	48		ug/L	1	0.25	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9646	50	96%		
J072313CCVB	J072313CCVB	ORG	108-90-7	Chlorobenzene	50		ug/L	1	0.28	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9646	50	100%		
J072313CCVB	J072313CCVB	ORG	630-20-6	1,1,1,2-Tetrachloroethane	51		ug/L	2	0.19	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9646	50	102%		
J072313CCVB	J072313CCVB	ORG	XYLMP	p&m-Xylene	97		ug/L	2	0.26	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9646	100	97%		
J072313CCVB	J072313CCVB	ORG	95-47-6	o-Xylene	49		ug/L	1	0.13	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9646	50	98%		
J072313CCVB	J072313CCVB	ORG	100-42-5	Styrene	47		ug/L	1	0.20	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9646	50	94%		
J072313CCVB	J072313CCVB	ORG	75-25-2	Bromoform	57		ug/L	2	0.47	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9646	50	114%		
J072313CCVB	J072313CCVB	ORG	98-82-8	Isopropylbenzene	50		ug/L	2	0.20	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9646	50	100%		
J072313CCVB	J072313CCVB	ORG	103-65-1	n-Propylbenzene	50		ug/L	2	0.27	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9646	50	100%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J072313CCVB	J072313CCVB	ORG	79-34-5	1,1,2,2-Tetrachloroethane	56		ug/L	2	0.29	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9646	50	112%		
J072313CCVB	J072313CCVB	ORG	96-18-4	1,2,3-Trichloropropane	57		ug/L	2	0.29	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9646	50	114%		
J072313CCVB	J072313CCVB	ORG	108-67-8	1,3,5-Trimethylbenzene	52		ug/L	2	0.20	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9646	50	104%		
J072313CCVB	J072313CCVB	ORG	98-06-6	tert-Butylbenzene	54		ug/L	2	0.33	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9646	50	108%		
J072313CCVB	J072313CCVB	ORG	95-63-6	1,2,4-Trimethylbenzene	52		ug/L	2	0.20	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9646	50	104%		
J072313CCVB	J072313CCVB	ORG	135-98-8	sec-Butylbenzene	52		ug/L	2	0.32	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9646	50	104%		
J072313CCVB	J072313CCVB	ORG	541-73-1	1,3-Dichlorobenzene	54		ug/L	2	0.22	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9646	50	108%		
J072313CCVB	J072313CCVB	ORG	99-87-6	p-Isopropltoluene	55		ug/L	2	0.25	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9646	50	110%		
J072313CCVB	J072313CCVB	ORG	106-46-7	1,4-Dichlorobenzene	54		ug/L	2	0.33	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9646	50	108%		
J072313CCVB	J072313CCVB	ORG	95-50-1	1,2-Dichlorobenzene	53		ug/L	2	0.26	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9646	50	106%		
J072313CCVB	J072313CCVB	ORG	104-51-8	n-Butylbenzene	51		ug/L	5	0.28	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9646	50	102%		
J072313CCVB	J072313CCVB	ORG	96-12-8	1,2-Dibromo-3-chloropropane	69		ug/L	5	1.59	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9646	50	138%		
J072313CCVB	J072313CCVB	ORG	87-68-3	Hexachlorobutadiene	48		ug/L	5	0.65	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9646	50	96%		
J072313CCVB	J072313CCVB	ORG	120-82-1	1,2,4-Trichlorobenzene	55		ug/L	5	0.28	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9646	50	110%		
J072313CCVB	J072313CCVB	ORG	91-20-3	Naphthalene	59		ug/L	5	0.56	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9646	50	118%		
J072313CCVB	J072313CCVB	ORG	87-61-6	1,2,3-Trichlorobenzene	57		ug/L	5	0.23	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9646	50	114%		
J072313CCVB	J072313CCVB	STD	1868-53-7	Dibromofluoromethane	51		ng			NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9646	50	102%		
J072313CCVB	J072313CCVB	STD	17060-07-0	1,2-Dichloroethane d4	57		ng			NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9646	50	114%		
J072313CCVB	J072313CCVB	STD	2037-26-5	Toluene d8	49		ng			NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9646	50	98%		
J072313CCVB	J072313CCVB	STD	460-00-4	Bromofluorobenzene	48		ng			NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9646	50	96%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J072313MBKB	J072313MBKB	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	5	0.29	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9647				
J072313MBKB	J072313MBKB	ORG	74-87-3	Chloromethane		U	ug/L	5	0.43	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9647				
J072313MBKB	J072313MBKB	ORG	75-01-4	Vinyl chloride		U	ug/L	2	0.32	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9647				
J072313MBKB	J072313MBKB	ORG	74-83-9	Bromomethane		U	ug/L	5	0.50	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9647				
J072313MBKB	J072313MBKB	ORG	75-00-3	Chloroethane		U	ug/L	5	0.56	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9647				
J072313MBKB	J072313MBKB	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	5	0.20	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9647				
J072313MBKB	J072313MBKB	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	1	0.47	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9647				
J072313MBKB	J072313MBKB	ORG	75-09-2	Methylene chloride		U	ug/L	5	0.26	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9647				
J072313MBKB	J072313MBKB	ORG	67-64-1	Acetone		U	ug/L	10	1.56	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9647				
J072313MBKB	J072313MBKB	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	1	0.56	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9647				
J072313MBKB	J072313MBKB	ORG	1634-04-4	MTBE		U	ug/L	5	0.61	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9647				
J072313MBKB	J072313MBKB	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	1	0.53	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9647				
J072313MBKB	J072313MBKB	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	1	0.32	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9647				
J072313MBKB	J072313MBKB	ORG	74-97-5	Bromochloromethane		U	ug/L	10	0.81	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9647				
J072313MBKB	J072313MBKB	ORG	67-66-3	Chloroform		U	ug/L	2	0.41	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9647				
J072313MBKB	J072313MBKB	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	1	0.16	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9647				
J072313MBKB	J072313MBKB	ORG	78-93-3	2-Butanone		U	ug/L	1	0.17	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9647				
J072313MBKB	J072313MBKB	ORG	56-23-5	Carbon tetrachloride		U	ug/L	1	0.28	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9647				
J072313MBKB	J072313MBKB	ORG	71-43-2	Benzene		U	ug/L	1	0.14	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9647				
J072313MBKB	J072313MBKB	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	1	0.20	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9647				
J072313MBKB	J072313MBKB	ORG	79-01-6	Trichloroethene		U	ug/L	1	0.36	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9647				
J072313MBKB	J072313MBKB	ORG	74-95-3	Dibromomethane		U	ug/L	2	0.32	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9647				
J072313MBKB	J072313MBKB	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	1	0.18	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9647				
J072313MBKB	J072313MBKB	ORG	75-27-4	Bromodichloromethane		U	ug/L	2	0.12	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9647				
J072313MBKB	J072313MBKB	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	1	0.25	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9647				
J072313MBKB	J072313MBKB	ORG	108-88-3	Toluene		U	ug/L	5	0.74	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9647				
J072313MBKB	J072313MBKB	ORG	108-10-1	4-Methyl-2-pentanone		U	ug/L	1	0.21	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9647				
J072313MBKB	J072313MBKB	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	1	0.31	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9647				
J072313MBKB	J072313MBKB	ORG	127-18-4	Tetrachloroethene		U	ug/L	1	0.49	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9647				
J072313MBKB	J072313MBKB	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	1	0.34	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9647				
J072313MBKB	J072313MBKB	ORG	124-48-1	Dibromochloromethane		U	ug/L	5	0.69	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9647				
J072313MBKB	J072313MBKB	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	2	0.30	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9647				
J072313MBKB	J072313MBKB	ORG	591-78-6	2-Hexanone		U	ug/L	2	0.26	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9647				
J072313MBKB	J072313MBKB	ORG	100-41-4	Ethylbenzene		U	ug/L	1	0.25	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9647				
J072313MBKB	J072313MBKB	ORG	108-90-7	Chlorobenzene		U	ug/L	1	0.28	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9647				
J072313MBKB	J072313MBKB	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	2	0.19	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9647				
J072313MBKB	J072313MBKB	ORG	XYLMP	p&m-Xylene		U	ug/L	2	0.26	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9647				
J072313MBKB	J072313MBKB	ORG	95-47-6	o-Xylene		U	ug/L	1	0.13	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9647				
J072313MBKB	J072313MBKB	ORG	100-42-5	Styrene		U	ug/L	1	0.20	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9647				
J072313MBKB	J072313MBKB	ORG	75-25-2	Bromoform		U	ug/L	2	0.47	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9647				
J072313MBKB	J072313MBKB	ORG	98-82-8	Isopropylbenzene		U	ug/L	2	0.20	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9647				
J072313MBKB	J072313MBKB	ORG	103-65-1	n-Propylbenzene		U	ug/L	2	0.27	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9647				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J072313MBKB	J072313MBKB	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	2	0.29	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9647				
J072313MBKB	J072313MBKB	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	2	0.29	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9647				
J072313MBKB	J072313MBKB	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	2	0.20	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9647				
J072313MBKB	J072313MBKB	ORG	98-06-6	tert-Butylbenzene		U	ug/L	2	0.33	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9647				
J072313MBKB	J072313MBKB	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	2	0.20	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9647				
J072313MBKB	J072313MBKB	ORG	135-98-8	sec-Butylbenzene		U	ug/L	2	0.32	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9647				
J072313MBKB	J072313MBKB	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	2	0.22	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9647				
J072313MBKB	J072313MBKB	ORG	99-87-6	p-Isopropltoluene		U	ug/L	2	0.25	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9647				
J072313MBKB	J072313MBKB	ORG	106-46-7	1,4-Dichlorobenzene		U	ug/L	2	0.33	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9647				
J072313MBKB	J072313MBKB	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	2	0.26	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9647				
J072313MBKB	J072313MBKB	ORG	104-51-8	n-Butylbenzene		U	ug/L	5	0.28	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9647				
J072313MBKB	J072313MBKB	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	5	1.59	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9647				
J072313MBKB	J072313MBKB	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	5	0.65	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9647				
J072313MBKB	J072313MBKB	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	5	0.28	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9647				
J072313MBKB	J072313MBKB	ORG	91-20-3	Naphthalene		U	ug/L	5	0.56	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9647				
J072313MBKB	J072313MBKB	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	5	0.23	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9647				
J072313MBKB	J072313MBKB	STD	1868-53-7	Dibromofluoromethane	48		ng			NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9647	50	96%		
J072313MBKB	J072313MBKB	STD	17060-07-0	1,2-Dichloroethane d4	52		ng			NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9647	50	104%		
J072313MBKB	J072313MBKB	STD	2037-26-5	Toluene d8	50		ng			NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9647	50	100%		
J072313MBKB	J072313MBKB	STD	460-00-4	Bromofluorobenzene	45		ng			NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9647	50	90%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J072313ALCS	J072313ALCS	ORG	75-71-8	Dichlorodifluoromethane	45		ug/L	5	0.29	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9644	50	90%		
J072313ALCS	J072313ALCS	ORG	74-87-3	Chloromethane	39		ug/L	5	0.43	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9644	50	78%		
J072313ALCS	J072313ALCS	ORG	75-01-4	Vinyl chloride	43		ug/L	2	0.32	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9644	50	86%		
J072313ALCS	J072313ALCS	ORG	74-83-9	Bromomethane	56		ug/L	5	0.50	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9644	50	112%		
J072313ALCS	J072313ALCS	ORG	75-00-3	Chloroethane	61		ug/L	5	0.56	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9644	50	122%		
J072313ALCS	J072313ALCS	ORG	75-69-4	Trichlorofluoromethane	50		ug/L	5	0.20	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9644	50	100%		
J072313ALCS	J072313ALCS	ORG	75-35-4	1,1-Dichloroethene	48		ug/L	1	0.47	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9644	50	96%		
J072313ALCS	J072313ALCS	ORG	75-09-2	Methylene chloride	50		ug/L	5	0.26	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9644	50	100%		
J072313ALCS	J072313ALCS	ORG	67-64-1	Acetone	52		ug/L	10	1.56	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9644	50	104%		
J072313ALCS	J072313ALCS	ORG	156-60-5	trans-1,2-Dichloroethene	53		ug/L	1	0.56	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9644	50	106%		
J072313ALCS	J072313ALCS	ORG	1634-04-4	MTBE	56		ug/L	5	0.61	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9644	50	112%		
J072313ALCS	J072313ALCS	ORG	75-34-3	1,1-Dichloroethane	49		ug/L	1	0.53	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9644	50	98%		
J072313ALCS	J072313ALCS	ORG	156-59-2	cis-1,2-Dichloroethene	49		ug/L	1	0.32	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9644	50	98%		
J072313ALCS	J072313ALCS	ORG	74-97-5	Bromochloromethane	52		ug/L	10	0.81	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9644	50	104%		
J072313ALCS	J072313ALCS	ORG	67-66-3	Chloroform	48		ug/L	2	0.41	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9644	50	96%		
J072313ALCS	J072313ALCS	ORG	71-55-6	1,1,1-Trichloroethane	50		ug/L	1	0.16	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9644	50	100%		
J072313ALCS	J072313ALCS	ORG	78-93-3	2-Butanone	46		ug/L	1	0.17	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9644	50	92%		
J072313ALCS	J072313ALCS	ORG	56-23-5	Carbon tetrachloride	50		ug/L	1	0.28	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9644	50	100%		
J072313ALCS	J072313ALCS	ORG	71-43-2	Benzene	42		ug/L	1	0.14	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9644	50	84%		
J072313ALCS	J072313ALCS	ORG	107-06-2	1,2-Dichloroethane	49		ug/L	1	0.20	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9644	50	98%		
J072313ALCS	J072313ALCS	ORG	79-01-6	Trichloroethene	48		ug/L	1	0.36	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9644	50	96%		
J072313ALCS	J072313ALCS	ORG	74-95-3	Dibromomethane	48		ug/L	2	0.32	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9644	50	96%		
J072313ALCS	J072313ALCS	ORG	78-87-5	1,2-Dichloropropane	43		ug/L	1	0.18	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9644	50	86%		
J072313ALCS	J072313ALCS	ORG	75-27-4	Bromodichloromethane	46		ug/L	2	0.12	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9644	50	92%		
J072313ALCS	J072313ALCS	ORG	10061-01-5	cis-1,3-Dichloropropene	42		ug/L	1	0.25	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9644	50	84%		
J072313ALCS	J072313ALCS	ORG	108-88-3	Toluene	43		ug/L	5	0.74	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9644	50	86%		
J072313ALCS	J072313ALCS	ORG	108-10-1	4-Methyl-2-pentanone	50		ug/L	1	0.21	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9644	50	100%		
J072313ALCS	J072313ALCS	ORG	10061-02-6	trans-1,3-Dichloropropene	45		ug/L	1	0.31	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9644	50	90%		
J072313ALCS	J072313ALCS	ORG	127-18-4	Tetrachloroethene	41		ug/L	1	0.49	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9644	50	82%		
J072313ALCS	J072313ALCS	ORG	79-00-5	1,1,2-Trichloroethane	44		ug/L	1	0.34	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9644	50	88%		
J072313ALCS	J072313ALCS	ORG	124-48-1	Dibromochloromethane	50		ug/L	5	0.69	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9644	50	100%		
J072313ALCS	J072313ALCS	ORG	106-93-4	1,2-Dibromoethane	49		ug/L	2	0.30	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9644	50	98%		
J072313ALCS	J072313ALCS	ORG	591-78-6	2-Hexanone	41		ug/L	2	0.26	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9644	50	82%		
J072313ALCS	J072313ALCS	ORG	100-41-4	Ethylbenzene	43		ug/L	1	0.25	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9644	50	86%		
J072313ALCS	J072313ALCS	ORG	108-90-7	Chlorobenzene	45		ug/L	1	0.28	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9644	50	90%		
J072313ALCS	J072313ALCS	ORG	630-20-6	1,1,1,2-Tetrachloroethane	47		ug/L	2	0.19	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9644	50	94%		
J072313ALCS	J072313ALCS	ORG	XYLMP	p&m-Xylene	87		ug/L	2	0.26	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9644	100	87%		
J072313ALCS	J072313ALCS	ORG	95-47-6	o-Xylene	44		ug/L	1	0.13	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9644	50	88%		
J072313ALCS	J072313ALCS	ORG	100-42-5	Styrene	43		ug/L	1	0.20	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9644	50	86%		
J072313ALCS	J072313ALCS	ORG	75-25-2	Bromoform	48		ug/L	2	0.47	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9644	50	96%		
J072313ALCS	J072313ALCS	ORG	98-82-8	Isopropylbenzene	44		ug/L	2	0.20	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9644	50	88%		
J072313ALCS	J072313ALCS	ORG	103-65-1	n-Propylbenzene	43		ug/L	2	0.27	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9644	50	86%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J072313ALCS	J072313ALCS	ORG	79-34-5	1,1,2,2-Tetrachloroethane	43		ug/L	2	0.29	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9644	50	86%		
J072313ALCS	J072313ALCS	ORG	96-18-4	1,2,3-Trichloropropane	44		ug/L	2	0.29	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9644	50	88%		
J072313ALCS	J072313ALCS	ORG	108-67-8	1,3,5-Trimethylbenzene	44		ug/L	2	0.20	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9644	50	88%		
J072313ALCS	J072313ALCS	ORG	98-06-6	tert-Butylbenzene	45		ug/L	2	0.33	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9644	50	90%		
J072313ALCS	J072313ALCS	ORG	95-63-6	1,2,4-Trimethylbenzene	44		ug/L	2	0.20	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9644	50	88%		
J072313ALCS	J072313ALCS	ORG	135-98-8	sec-Butylbenzene	44		ug/L	2	0.32	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9644	50	88%		
J072313ALCS	J072313ALCS	ORG	541-73-1	1,3-Dichlorobenzene	48		ug/L	2	0.22	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9644	50	96%		
J072313ALCS	J072313ALCS	ORG	99-87-6	p-Isopropltoluene	46		ug/L	2	0.25	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9644	50	92%		
J072313ALCS	J072313ALCS	ORG	106-46-7	1,4-Dichlorobenzene	48		ug/L	2	0.33	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9644	50	96%		
J072313ALCS	J072313ALCS	ORG	95-50-1	1,2-Dichlorobenzene	48		ug/L	2	0.26	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9644	50	96%		
J072313ALCS	J072313ALCS	ORG	104-51-8	n-Butylbenzene	42		ug/L	5	0.28	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9644	50	84%		
J072313ALCS	J072313ALCS	ORG	96-12-8	1,2-Dibromo-3-chloropropane	46		ug/L	5	1.59	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9644	50	92%		
J072313ALCS	J072313ALCS	ORG	87-68-3	Hexachlorobutadiene	40		ug/L	5	0.65	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9644	50	80%		
J072313ALCS	J072313ALCS	ORG	120-82-1	1,2,4-Trichlorobenzene	45		ug/L	5	0.28	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9644	50	90%		
J072313ALCS	J072313ALCS	ORG	91-20-3	Naphthalene	46		ug/L	5	0.56	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9644	50	92%		
J072313ALCS	J072313ALCS	ORG	87-61-6	1,2,3-Trichlorobenzene	45		ug/L	5	0.23	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9644	50	90%		
J072313ALCS	J072313ALCS	STD	1868-53-7	Dibromofluoromethane	53		ng			NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9644	50	106%		
J072313ALCS	J072313ALCS	STD	17060-07-0	1,2-Dichloroethane d4	50		ng			NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9644	50	100%		
J072313ALCS	J072313ALCS	STD	2037-26-5	Toluene d8	48		ng			NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9644	50	96%		
J072313ALCS	J072313ALCS	STD	460-00-4	Bromofluorobenzene	47		ng			NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9644	50	94%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J072313ALCD	J072313ALCD	ORG	75-71-8	Dichlorodifluoromethane	43		ug/L	5	0.29	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9645	50	86%	5%	
J072313ALCD	J072313ALCD	ORG	74-87-3	Chloromethane	41		ug/L	5	0.43	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9645	50	82%	5%	
J072313ALCD	J072313ALCD	ORG	75-01-4	Vinyl chloride	44		ug/L	2	0.32	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9645	50	88%	2%	
J072313ALCD	J072313ALCD	ORG	74-83-9	Bromomethane	56		ug/L	5	0.50	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9645	50	112%	0%	
J072313ALCD	J072313ALCD	ORG	75-00-3	Chloroethane	65		ug/L	5	0.56	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9645	50	130%	6%	
J072313ALCD	J072313ALCD	ORG	75-69-4	Trichlorofluoromethane	38		ug/L	5	0.20	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9645	50	76%	27%	
J072313ALCD	J072313ALCD	ORG	75-35-4	1,1-Dichloroethene	49		ug/L	1	0.47	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9645	50	98%	2%	
J072313ALCD	J072313ALCD	ORG	75-09-2	Methylene chloride	53		ug/L	5	0.26	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9645	50	106%	6%	
J072313ALCD	J072313ALCD	ORG	67-64-1	Acetone	61		ug/L	10	1.56	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9645	50	122%	16%	
J072313ALCD	J072313ALCD	ORG	156-60-5	trans-1,2-Dichloroethene	51		ug/L	1	0.56	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9645	50	102%	4%	
J072313ALCD	J072313ALCD	ORG	1634-04-4	MTBE	58		ug/L	5	0.61	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9645	50	116%	4%	
J072313ALCD	J072313ALCD	ORG	75-34-3	1,1-Dichloroethane	52		ug/L	1	0.53	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9645	50	104%	6%	
J072313ALCD	J072313ALCD	ORG	156-59-2	cis-1,2-Dichloroethene	54		ug/L	1	0.32	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9645	50	108%	10%	
J072313ALCD	J072313ALCD	ORG	74-97-5	Bromochloromethane	59		ug/L	10	0.81	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9645	50	118%	13%	
J072313ALCD	J072313ALCD	ORG	67-66-3	Chloroform	55		ug/L	2	0.41	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9645	50	110%	14%	
J072313ALCD	J072313ALCD	ORG	71-55-6	1,1,1-Trichloroethane	55		ug/L	1	0.16	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9645	50	110%	10%	
J072313ALCD	J072313ALCD	ORG	78-93-3	2-Butanone	53		ug/L	1	0.17	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9645	50	106%	14%	
J072313ALCD	J072313ALCD	ORG	56-23-5	Carbon tetrachloride	55		ug/L	1	0.28	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9645	50	110%	10%	
J072313ALCD	J072313ALCD	ORG	71-43-2	Benzene	47		ug/L	1	0.14	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9645	50	94%	11%	
J072313ALCD	J072313ALCD	ORG	107-06-2	1,2-Dichloroethane	58		ug/L	1	0.20	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9645	50	116%	17%	
J072313ALCD	J072313ALCD	ORG	79-01-6	Trichloroethene	53		ug/L	1	0.36	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9645	50	106%	10%	
J072313ALCD	J072313ALCD	ORG	74-95-3	Dibromomethane	56		ug/L	2	0.32	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9645	50	112%	15%	
J072313ALCD	J072313ALCD	ORG	78-87-5	1,2-Dichloropropane	42		ug/L	1	0.18	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9645	50	84%	2%	
J072313ALCD	J072313ALCD	ORG	75-27-4	Bromodichloromethane	53		ug/L	2	0.12	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9645	50	106%	14%	
J072313ALCD	J072313ALCD	ORG	10061-01-5	cis-1,3-Dichloropropene	47		ug/L	1	0.25	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9645	50	94%	11%	
J072313ALCD	J072313ALCD	ORG	108-88-3	Toluene	47		ug/L	5	0.74	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9645	50	94%	9%	
J072313ALCD	J072313ALCD	ORG	108-10-1	4-Methyl-2-pentanone	48		ug/L	1	0.21	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9645	50	96%	4%	
J072313ALCD	J072313ALCD	ORG	10061-02-6	trans-1,3-Dichloropropene	52		ug/L	1	0.31	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9645	50	104%	14%	
J072313ALCD	J072313ALCD	ORG	127-18-4	Tetrachloroethene	48		ug/L	1	0.49	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9645	50	96%	16%	
J072313ALCD	J072313ALCD	ORG	79-00-5	1,1,2-Trichloroethane	52		ug/L	1	0.34	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9645	50	104%	17%	
J072313ALCD	J072313ALCD	ORG	124-48-1	Dibromochloromethane	59		ug/L	5	0.69	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9645	50	118%	17%	
J072313ALCD	J072313ALCD	ORG	106-93-4	1,2-Dibromoethane	58		ug/L	2	0.30	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9645	50	116%	17%	
J072313ALCD	J072313ALCD	ORG	591-78-6	2-Hexanone	51		ug/L	2	0.26	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9645	50	102%	22%	
J072313ALCD	J072313ALCD	ORG	100-41-4	Ethylbenzene	50		ug/L	1	0.25	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9645	50	100%	15%	
J072313ALCD	J072313ALCD	ORG	108-90-7	Chlorobenzene	54		ug/L	1	0.28	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9645	50	108%	18%	
J072313ALCD	J072313ALCD	ORG	630-20-6	1,1,1,2-Tetrachloroethane	54		ug/L	2	0.19	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9645	50	108%	14%	
J072313ALCD	J072313ALCD	ORG	XYLMP	p&m-Xylene	102		ug/L	2	0.26	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9645	100	102%	16%	
J072313ALCD	J072313ALCD	ORG	95-47-6	o-Xylene	51		ug/L	1	0.13	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9645	50	102%	15%	
J072313ALCD	J072313ALCD	ORG	100-42-5	Styrene	48		ug/L	1	0.20	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9645	50	96%	11%	
J072313ALCD	J072313ALCD	ORG	75-25-2	Bromoform	61		ug/L	2	0.47	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9645	50	122%	24%	
J072313ALCD	J072313ALCD	ORG	98-82-8	Isopropylbenzene	51		ug/L	2	0.20	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9645	50	102%	15%	
J072313ALCD	J072313ALCD	ORG	103-65-1	n-Propylbenzene	60		ug/L	2	0.27	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9645	50	120%	33%	

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J072313ALCD	J072313ALCD	ORG	79-34-5	1,1,2,2-Tetrachloroethane	60		ug/L	2	0.29	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9645	50	120%	33%	
J072313ALCD	J072313ALCD	ORG	96-18-4	1,2,3-Trichloropropane	56		ug/L	2	0.29	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9645	50	112%	24%	
J072313ALCD	J072313ALCD	ORG	108-67-8	1,3,5-Trimethylbenzene	52		ug/L	2	0.20	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9645	50	104%	17%	
J072313ALCD	J072313ALCD	ORG	98-06-6	tert-Butylbenzene	56		ug/L	2	0.33	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9645	50	112%	22%	
J072313ALCD	J072313ALCD	ORG	95-63-6	1,2,4-Trimethylbenzene	52		ug/L	2	0.20	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9645	50	104%	17%	
J072313ALCD	J072313ALCD	ORG	135-98-8	sec-Butylbenzene	51		ug/L	2	0.32	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9645	50	102%	15%	
J072313ALCD	J072313ALCD	ORG	541-73-1	1,3-Dichlorobenzene	55		ug/L	2	0.22	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9645	50	110%	14%	
J072313ALCD	J072313ALCD	ORG	99-87-6	p-Isopropltoluene	55		ug/L	2	0.25	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9645	50	110%	18%	
J072313ALCD	J072313ALCD	ORG	106-46-7	1,4-Dichlorobenzene	55		ug/L	2	0.33	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9645	50	110%	14%	
J072313ALCD	J072313ALCD	ORG	95-50-1	1,2-Dichlorobenzene	56		ug/L	2	0.26	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9645	50	112%	15%	
J072313ALCD	J072313ALCD	ORG	104-51-8	n-Butylbenzene	51		ug/L	5	0.28	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9645	50	102%	19%	
J072313ALCD	J072313ALCD	ORG	96-12-8	1,2-Dibromo-3-chloropropane	60		ug/L	5	1.59	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9645	50	120%	26%	
J072313ALCD	J072313ALCD	ORG	87-68-3	Hexachlorobutadiene	57		ug/L	5	0.65	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9645	50	114%	35%	
J072313ALCD	J072313ALCD	ORG	120-82-1	1,2,4-Trichlorobenzene	57		ug/L	5	0.28	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9645	50	114%	24%	
J072313ALCD	J072313ALCD	ORG	91-20-3	Naphthalene	64		ug/L	5	0.56	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9645	50	128%	33%	
J072313ALCD	J072313ALCD	ORG	87-61-6	1,2,3-Trichlorobenzene	59		ug/L	5	0.23	NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9645	50	118%	27%	
J072313ALCD	J072313ALCD	STD	1868-53-7	Dibromofluoromethane	52		ng			NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9645	50	104%	2%	
J072313ALCD	J072313ALCD	STD	17060-07-0	1,2-Dichloroethane d4	52		ng			NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9645	50	104%	4%	
J072313ALCD	J072313ALCD	STD	2037-26-5	Toluene d8	47		ng			NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9645	50	94%	2%	
J072313ALCD	J072313ALCD	STD	460-00-4	Bromofluorobenzene	49		ng			NA	7/23/2013	7/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9645	50	98%	4%	

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-535MS	296-ST T2	ORG	75-71-8	Dichlorodifluoromethane	4600		ug/L	500	29.28	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9650	5000	92%		
NAL13026-535MS	296-ST T2	ORG	74-87-3	Chloromethane	3900		ug/L	500	43.07	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9650	5000	78%		
NAL13026-535MS	296-ST T2	ORG	75-01-4	Vinyl chloride	4600		ug/L	200	31.86	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9650	5000	92%		
NAL13026-535MS	296-ST T2	ORG	74-83-9	Bromomethane	6600		ug/L	500	50.04	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9650	5000	132%		
NAL13026-535MS	296-ST T2	ORG	75-00-3	Chloroethane	7000		ug/L	500	55.61	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9650	5000	140%		
NAL13026-535MS	296-ST T2	ORG	75-69-4	Trichlorofluoromethane	5600		ug/L	500	19.65	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9650	5000	112%		
NAL13026-535MS	296-ST T2	ORG	75-35-4	1,1-Dichloroethene	4900		ug/L	100	47.11	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9650	5000	98%		
NAL13026-535MS	296-ST T2	ORG	75-09-2	Methylene chloride	5200		ug/L	500	26.46	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9650	5000	104%		
NAL13026-535MS	296-ST T2	ORG	67-64-1	Acetone	23000		ug/L	1000	155.61	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9650	5000	100%		18000
NAL13026-535MS	296-ST T2	ORG	156-60-5	trans-1,2-Dichloroethene	5600		ug/L	100	55.61	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9650	5000	112%		
NAL13026-535MS	296-ST T2	ORG	1634-04-4	MTBE	5900		ug/L	500	61.18	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9650	5000	118%		
NAL13026-535MS	296-ST T2	ORG	75-34-3	1,1-Dichloroethane	5100		ug/L	100	52.66	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9650	5000	102%		
NAL13026-535MS	296-ST T2	ORG	156-59-2	cis-1,2-Dichloroethene	5300		ug/L	100	32.11	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9650	5000	106%		
NAL13026-535MS	296-ST T2	ORG	74-97-5	Bromochloromethane	5900		ug/L	1000	81.18	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9650	5000	118%		
NAL13026-535MS	296-ST T2	ORG	67-66-3	Chloroform	5200		ug/L	200	41.37	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9650	5000	104%		
NAL13026-535MS	296-ST T2	ORG	71-55-6	1,1,1-Trichloroethane	5500		ug/L	100	15.73	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9650	5000	110%		
NAL13026-535MS	296-ST T2	ORG	78-93-3	2-Butanone	17000		ug/L	100	16.65	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9650	5000	80%		13000
NAL13026-535MS	296-ST T2	ORG	56-23-5	Carbon tetrachloride	5600		ug/L	100	27.64	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9650	5000	112%		
NAL13026-535MS	296-ST T2	ORG	71-43-2	Benzene	4600		ug/L	100	13.53	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9650	5000	92%		
NAL13026-535MS	296-ST T2	ORG	107-06-2	1,2-Dichloroethane	5600		ug/L	100	20.01	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9650	5000	112%		
NAL13026-535MS	296-ST T2	ORG	79-01-6	Trichloroethene	5400		ug/L	100	36.33	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9650	5000	108%		
NAL13026-535MS	296-ST T2	ORG	74-95-3	Dibromomethane	5400		ug/L	200	32.20	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9650	5000	108%		
NAL13026-535MS	296-ST T2	ORG	78-87-5	1,2-Dichloropropane	4000		ug/L	100	18.17	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9650	5000	80%		
NAL13026-535MS	296-ST T2	ORG	75-27-4	Bromodichloromethane	4900		ug/L	200	11.58	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9650	5000	98%		
NAL13026-535MS	296-ST T2	ORG	10061-01-5	cis-1,3-Dichloropropene	4500		ug/L	100	25.01	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9650	5000	90%		
NAL13026-535MS	296-ST T2	ORG	108-88-3	Toluene	4600		ug/L	500	74.00	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9650	5000	92%		
NAL13026-535MS	296-ST T2	ORG	108-10-1	4-Methyl-2-pentanone	4500		ug/L	100	20.96	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9650	5000	81%		470
NAL13026-535MS	296-ST T2	ORG	10061-02-6	trans-1,3-Dichloropropene	5000		ug/L	100	31.15	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9650	5000	100%		
NAL13026-535MS	296-ST T2	ORG	127-18-4	Tetrachloroethene	4200		ug/L	100	48.56	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9650	5000	84%		
NAL13026-535MS	296-ST T2	ORG	79-00-5	1,1,2-Trichloroethane	4700		ug/L	100	34.28	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9650	5000	94%		
NAL13026-535MS	296-ST T2	ORG	124-48-1	Dibromochloromethane	5500		ug/L	500	68.90	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9650	5000	110%		
NAL13026-535MS	296-ST T2	ORG	106-93-4	1,2-Dibromoethane	5300		ug/L	200	29.90	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9650	5000	106%		
NAL13026-535MS	296-ST T2	ORG	591-78-6	2-Hexanone	4200		ug/L	200	26.49	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9650	5000	84%		
NAL13026-535MS	296-ST T2	ORG	100-41-4	Ethylbenzene	4700		ug/L	100	25.38	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9650	5000	94%		
NAL13026-535MS	296-ST T2	ORG	108-90-7	Chlorobenzene	4900		ug/L	100	27.52	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9650	5000	98%		
NAL13026-535MS	296-ST T2	ORG	630-20-6	1,1,1,2-Tetrachloroethane	4900		ug/L	200	19.28	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9650	5000	98%		
NAL13026-535MS	296-ST T2	ORG	XYLMP	p&m-Xylene	9500		ug/L	200	26.14	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9650	10000	95%		
NAL13026-535MS	296-ST T2	ORG	95-47-6	o-Xylene	4600		ug/L	100	12.90	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9650	5000	92%		
NAL13026-535MS	296-ST T2	ORG	100-42-5	Styrene	4800		ug/L	100	20.23	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9650	5000	96%		
NAL13026-535MS	296-ST T2	ORG	75-25-2	Bromoform	5400		ug/L	200	46.83	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9650	5000	108%		
NAL13026-535MS	296-ST T2	ORG	98-82-8	Isopropylbenzene	5000		ug/L	200	20.48	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9650	5000	100%		
NAL13026-535MS	296-ST T2	ORG	103-65-1	n-Propylbenzene	4900		ug/L	200	27.00	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9650	5000	98%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-535MS	296-ST T2	ORG	79-34-5	1,1,2,2-Tetrachloroethane	4800		ug/L	200	29.16	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9650	5000	96%		
NAL13026-535MS	296-ST T2	ORG	96-18-4	1,2,3-Trichloropropane	4800		ug/L	200	29.47	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9650	5000	96%		
NAL13026-535MS	296-ST T2	ORG	108-67-8	1,3,5-Trimethylbenzene	5100		ug/L	200	20.03	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9650	5000	102%		25
NAL13026-535MS	296-ST T2	ORG	98-06-6	tert-Butylbenzene	5400		ug/L	200	32.61	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9650	5000	108%		
NAL13026-535MS	296-ST T2	ORG	95-63-6	1,2,4-Trimethylbenzene	5100		ug/L	200	20.03	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9650	5000	100%		110
NAL13026-535MS	296-ST T2	ORG	135-98-8	sec-Butylbenzene	5000		ug/L	200	32.34	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9650	5000	100%		
NAL13026-535MS	296-ST T2	ORG	541-73-1	1,3-Dichlorobenzene	5300		ug/L	200	22.21	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9650	5000	106%		
NAL13026-535MS	296-ST T2	ORG	99-87-6	p-Isopropltoluene	5700		ug/L	200	25.48	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9650	5000	101%		650
NAL13026-535MS	296-ST T2	ORG	106-46-7	1,4-Dichlorobenzene	5300		ug/L	200	33.03	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9650	5000	103%		140
NAL13026-535MS	296-ST T2	ORG	95-50-1	1,2-Dichlorobenzene	5200		ug/L	200	26.38	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9650	5000	104%		
NAL13026-535MS	296-ST T2	ORG	104-51-8	n-Butylbenzene	4900		ug/L	500	27.81	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9650	5000	98%		
NAL13026-535MS	296-ST T2	ORG	96-12-8	1,2-Dibromo-3-chloropropane	5500		ug/L	500	159.11	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9650	5000	110%		
NAL13026-535MS	296-ST T2	ORG	87-68-3	Hexachlorobutadiene	4700		ug/L	500	65.42	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9650	5000	94%		
NAL13026-535MS	296-ST T2	ORG	120-82-1	1,2,4-Trichlorobenzene	5400		ug/L	500	27.63	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9650	5000	108%		
NAL13026-535MS	296-ST T2	ORG	91-20-3	Naphthalene	5600		ug/L	500	56.04	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9650	5000	106%		300
NAL13026-535MS	296-ST T2	ORG	87-61-6	1,2,3-Trichlorobenzene	5400		ug/L	500	23.28	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9650	5000	108%		
NAL13026-535MS	296-ST T2	STD	1868-53-7	Dibromofluoromethane	53		ng			7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9650	50	106%		
NAL13026-535MS	296-ST T2	STD	17060-07-0	1,2-Dichloroethane d4	57		ng			7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9650	50	114%		
NAL13026-535MS	296-ST T2	STD	2037-26-5	Toluene d8	45		ng			7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9650	50	90%		
NAL13026-535MS	296-ST T2	STD	460-00-4	Bromofluorobenzene	58		ng			7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9650	50	116%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-535MSD	296-ST T2	ORG	75-71-8	Dichlorodifluoromethane	5100		ug/L	500	29.28	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9651	5000	102%	10%	0
NAL13026-535MSD	296-ST T2	ORG	74-87-3	Chloromethane	3600		ug/L	500	43.07	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9651	5000	72%	8%	0
NAL13026-535MSD	296-ST T2	ORG	75-01-4	Vinyl chloride	4900		ug/L	200	31.86	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9651	5000	98%	6%	0
NAL13026-535MSD	296-ST T2	ORG	74-83-9	Bromomethane	6400		ug/L	500	50.04	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9651	5000	128%	3%	0
NAL13026-535MSD	296-ST T2	ORG	75-00-3	Chloroethane	7500		ug/L	500	55.61	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9651	5000	150%	7%	0
NAL13026-535MSD	296-ST T2	ORG	75-69-4	Trichlorofluoromethane	5800		ug/L	500	19.65	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9651	5000	116%	4%	0
NAL13026-535MSD	296-ST T2	ORG	75-35-4	1,1-Dichloroethene	5400		ug/L	100	47.11	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9651	5000	108%	10%	0
NAL13026-535MSD	296-ST T2	ORG	75-09-2	Methylene chloride	5800		ug/L	500	26.46	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9651	5000	116%	11%	0
NAL13026-535MSD	296-ST T2	ORG	67-64-1	Acetone	22000		ug/L	1000	155.61	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9651	5000	80%	4%	18000
NAL13026-535MSD	296-ST T2	ORG	156-60-5	trans-1,2-Dichloroethene	5900		ug/L	100	55.61	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9651	5000	118%	5%	0
NAL13026-535MSD	296-ST T2	ORG	1634-04-4	MTBE	6200		ug/L	500	61.18	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9651	5000	124%	5%	0
NAL13026-535MSD	296-ST T2	ORG	75-34-3	1,1-Dichloroethane	5300		ug/L	100	52.66	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9651	5000	106%	4%	0
NAL13026-535MSD	296-ST T2	ORG	156-59-2	cis-1,2-Dichloroethene	5600		ug/L	100	32.11	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9651	5000	112%	6%	0
NAL13026-535MSD	296-ST T2	ORG	74-97-5	Bromochloromethane	5900		ug/L	1000	81.18	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9651	5000	118%	0%	0
NAL13026-535MSD	296-ST T2	ORG	67-66-3	Chloroform	5400		ug/L	200	41.37	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9651	5000	108%	4%	0
NAL13026-535MSD	296-ST T2	ORG	71-55-6	1,1,1-Trichloroethane	5700		ug/L	100	15.73	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9651	5000	114%	4%	0
NAL13026-535MSD	296-ST T2	ORG	78-93-3	2-Butanone	16000		ug/L	100	16.65	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9651	5000	60%	6%	13000
NAL13026-535MSD	296-ST T2	ORG	56-23-5	Carbon tetrachloride	5900		ug/L	100	27.64	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9651	5000	118%	5%	0
NAL13026-535MSD	296-ST T2	ORG	71-43-2	Benzene	4800		ug/L	100	13.53	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9651	5000	96%	4%	0
NAL13026-535MSD	296-ST T2	ORG	107-06-2	1,2-Dichloroethane	5900		ug/L	100	20.01	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9651	5000	118%	5%	0
NAL13026-535MSD	296-ST T2	ORG	79-01-6	Trichloroethene	5700		ug/L	100	36.33	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9651	5000	114%	5%	0
NAL13026-535MSD	296-ST T2	ORG	74-95-3	Dibromomethane	5500		ug/L	200	32.20	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9651	5000	110%	2%	0
NAL13026-535MSD	296-ST T2	ORG	78-87-5	1,2-Dichloropropane	4300		ug/L	100	18.17	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9651	5000	86%	7%	0
NAL13026-535MSD	296-ST T2	ORG	75-27-4	Bromodichloromethane	5400		ug/L	200	11.58	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9651	5000	108%	10%	0
NAL13026-535MSD	296-ST T2	ORG	10061-01-5	cis-1,3-Dichloropropene	4900		ug/L	100	25.01	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9651	5000	98%	9%	0
NAL13026-535MSD	296-ST T2	ORG	108-88-3	Toluene	5000		ug/L	500	74.00	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9651	5000	100%	8%	0
NAL13026-535MSD	296-ST T2	ORG	108-10-1	4-Methyl-2-pentanone	4600		ug/L	100	20.96	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9651	5000	83%	2%	470
NAL13026-535MSD	296-ST T2	ORG	10061-02-6	trans-1,3-Dichloropropene	5400		ug/L	100	31.15	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9651	5000	108%	8%	0
NAL13026-535MSD	296-ST T2	ORG	127-18-4	Tetrachloroethene	4600		ug/L	100	48.56	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9651	5000	92%	9%	0
NAL13026-535MSD	296-ST T2	ORG	79-00-5	1,1,2-Trichloroethane	5000		ug/L	100	34.28	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9651	5000	100%	6%	0
NAL13026-535MSD	296-ST T2	ORG	124-48-1	Dibromochloromethane	5900		ug/L	500	68.90	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9651	5000	118%	7%	0
NAL13026-535MSD	296-ST T2	ORG	106-93-4	1,2-Dibromoethane	5700		ug/L	200	29.90	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9651	5000	114%	7%	0
NAL13026-535MSD	296-ST T2	ORG	591-78-6	2-Hexanone	4300		ug/L	200	26.49	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9651	5000	86%	2%	0
NAL13026-535MSD	296-ST T2	ORG	100-41-4	Ethylbenzene	5100		ug/L	100	25.38	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9651	5000	102%	8%	0
NAL13026-535MSD	296-ST T2	ORG	108-90-7	Chlorobenzene	5300		ug/L	100	27.52	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9651	5000	106%	8%	0
NAL13026-535MSD	296-ST T2	ORG	630-20-6	1,1,1,2-Tetrachloroethane	5400		ug/L	200	19.28	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9651	5000	108%	10%	0
NAL13026-535MSD	296-ST T2	ORG	XYLMP	p&m-Xylene	10400		ug/L	200	26.14	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9651	10000	104%	9%	0
NAL13026-535MSD	296-ST T2	ORG	95-47-6	o-Xylene	5300		ug/L	100	12.90	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9651	5000	106%	14%	0
NAL13026-535MSD	296-ST T2	ORG	100-42-5	Styrene	4800		ug/L	100	20.23	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9651	5000	96%	0%	0
NAL13026-535MSD	296-ST T2	ORG	75-25-2	Bromoform	5800		ug/L	200	46.83	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9651	5000	116%	7%	0
NAL13026-535MSD	296-ST T2	ORG	98-82-8	Isopropylbenzene	5400		ug/L	200	20.48	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9651	5000	108%	8%	0
NAL13026-535MSD	296-ST T2	ORG	103-65-1	n-Propylbenzene	5200		ug/L	200	27.00	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9651	5000	104%	6%	0

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-535MSD	296-ST T2	ORG	79-34-5	1,1,2,2-Tetrachloroethane	5200		ug/L	200	29.16	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9651	5000	104%	8%	0
NAL13026-535MSD	296-ST T2	ORG	96-18-4	1,2,3-Trichloropropane	5100		ug/L	200	29.47	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9651	5000	102%	6%	0
NAL13026-535MSD	296-ST T2	ORG	108-67-8	1,3,5-Trimethylbenzene	5500		ug/L	200	20.03	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9651	5000	110%	8%	25
NAL13026-535MSD	296-ST T2	ORG	98-06-6	tert-Butylbenzene	5200		ug/L	200	32.61	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9651	5000	104%	4%	0
NAL13026-535MSD	296-ST T2	ORG	95-63-6	1,2,4-Trimethylbenzene	5400		ug/L	200	20.03	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9651	5000	106%	6%	110
NAL13026-535MSD	296-ST T2	ORG	135-98-8	sec-Butylbenzene	5400		ug/L	200	32.34	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9651	5000	108%	8%	0
NAL13026-535MSD	296-ST T2	ORG	541-73-1	1,3-Dichlorobenzene	5600		ug/L	200	22.21	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9651	5000	112%	6%	0
NAL13026-535MSD	296-ST T2	ORG	99-87-6	p-Isopropltoluene	5900		ug/L	200	25.48	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9651	5000	105%	3%	650
NAL13026-535MSD	296-ST T2	ORG	106-46-7	1,4-Dichlorobenzene	5700		ug/L	200	33.03	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9651	5000	111%	7%	140
NAL13026-535MSD	296-ST T2	ORG	95-50-1	1,2-Dichlorobenzene	5600		ug/L	200	26.38	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9651	5000	112%	7%	0
NAL13026-535MSD	296-ST T2	ORG	104-51-8	n-Butylbenzene	5200		ug/L	500	27.81	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9651	5000	104%	6%	0
NAL13026-535MSD	296-ST T2	ORG	96-12-8	1,2-Dibromo-3-chloropropane	5900		ug/L	500	159.11	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9651	5000	118%	7%	0
NAL13026-535MSD	296-ST T2	ORG	87-68-3	Hexachlorobutadiene	4900		ug/L	500	65.42	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9651	5000	98%	4%	0
NAL13026-535MSD	296-ST T2	ORG	120-82-1	1,2,4-Trichlorobenzene	5800		ug/L	500	27.63	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9651	5000	116%	7%	0
NAL13026-535MSD	296-ST T2	ORG	91-20-3	Naphthalene	6200		ug/L	500	56.04	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9651	5000	118%	10%	300
NAL13026-535MSD	296-ST T2	ORG	87-61-6	1,2,3-Trichlorobenzene	5900		ug/L	500	23.28	7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9651	5000	118%	9%	0
NAL13026-535MSD	296-ST T2	STD	1868-53-7	Dibromofluoromethane	52		ng			7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9651	50	104%	2%	0
NAL13026-535MSD	296-ST T2	STD	17060-07-0	1,2-Dichloroethane d4	51		ng			7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9651	50	102%	11%	0
NAL13026-535MSD	296-ST T2	STD	2037-26-5	Toluene d8	47		ng			7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9651	50	94%	4%	0
NAL13026-535MSD	296-ST T2	STD	460-00-4	Bromofluorobenzene	48		ng			7/23/2013	7/23/2013	7/23/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9651	50	96%	19%	0

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-539	316-021	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9662				
NAL13026-539	316-021	ORG	74-87-3	Chloromethane		UX-	ug/L	500	43.07	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9662				
NAL13026-539	316-021	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9662				
NAL13026-539	316-021	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9662				
NAL13026-539	316-021	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9662				
NAL13026-539	316-021	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9662				
NAL13026-539	316-021	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9662				
NAL13026-539	316-021	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9662				
NAL13026-539	316-021	ORG	67-64-1	Acetone	35000	D	ug/L	10000	1556.07	7/24/2013	7/24/2013	7/24/2013	WG	1000	NA	5.0	NA	SW8260B					
NAL13026-539	316-021	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9662				
NAL13026-539	316-021	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9662				
NAL13026-539	316-021	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9662				
NAL13026-539	316-021	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9662				
NAL13026-539	316-021	ORG	74-97-5	Bromochloromethane		U	ug/L	200	41.37	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9662				
NAL13026-539	316-021	ORG	67-66-3	Chloroform		U	ug/L	100	15.73	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9662				
NAL13026-539	316-021	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	16.65	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9662				
NAL13026-539	316-021	ORG	78-93-3	2-Butanone	15000		ug/L	1000	81.18	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9662				
NAL13026-539	316-021	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9662				
NAL13026-539	316-021	ORG	71-43-2	Benzene		U	ug/L	100	13.53	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9662				
NAL13026-539	316-021	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9662				
NAL13026-539	316-021	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9662				
NAL13026-539	316-021	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9662				
NAL13026-539	316-021	ORG	78-87-5	1,2-Dichloropropane		UX-	ug/L	100	18.17	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9662				
NAL13026-539	316-021	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9662				
NAL13026-539	316-021	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9662				
NAL13026-539	316-021	ORG	108-88-3	Toluene		U	ug/L	100	20.96	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9662				
NAL13026-539	316-021	ORG	108-10-1	4-Methyl-2-pentanone	340	J	ug/L	500	74.00	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9662				
NAL13026-539	316-021	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9662				
NAL13026-539	316-021	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9662				
NAL13026-539	316-021	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9662				
NAL13026-539	316-021	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	29.90	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9662				
NAL13026-539	316-021	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	26.49	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9662				
NAL13026-539	316-021	ORG	591-78-6	2-Hexanone	100	JX-	ug/L	500	68.90	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9662				
NAL13026-539	316-021	ORG	100-41-4	Ethylbenzene		U	ug/L	100	25.38	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9662				
NAL13026-539	316-021	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9662				
NAL13026-539	316-021	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9662				
NAL13026-539	316-021	ORG	XYLMP	p&m-Xylene		U	ug/L	200	26.14	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9662				
NAL13026-539	316-021	ORG	95-47-6	o-Xylene		U	ug/L	100	12.90	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9662				
NAL13026-539	316-021	ORG	100-42-5	Styrene		U	ug/L	100	20.23	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9662				
NAL13026-539	316-021	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9662				
NAL13026-539	316-021	ORG	98-82-8	Isopropylbenzene		U	ug/L	200	20.48	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9662				
NAL13026-539	316-021	ORG	103-65-1	n-Propylbenzene		U	ug/L	200	27.00	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9662				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-539	316-021	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9662				
NAL13026-539	316-021	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9662				
NAL13026-539	316-021	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	200	20.03	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9662				
NAL13026-539	316-021	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9662				
NAL13026-539	316-021	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	200	20.03	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9662				
NAL13026-539	316-021	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9662				
NAL13026-539	316-021	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9662				
NAL13026-539	316-021	ORG	99-87-6	p-Isopropltoluene		U	ug/L	200	25.48	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9662				
NAL13026-539	316-021	ORG	106-46-7	1,4-Dichlorobenzene		U	ug/L	200	33.03	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9662				
NAL13026-539	316-021	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9662				
NAL13026-539	316-021	ORG	104-51-8	n-Butylbenzene		U	ug/L	500	27.81	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9662				
NAL13026-539	316-021	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9662				
NAL13026-539	316-021	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9662				
NAL13026-539	316-021	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9662				
NAL13026-539	316-021	ORG	91-20-3	Naphthalene	240	J	ug/L	500	56.04	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9662				
NAL13026-539	316-021	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9662				
NAL13026-539	316-021	STD	1868-53-7	Dibromofluoromethane	52		ng			7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9662	50	104%		
NAL13026-539	316-021	STD	17060-07-0	1,2-Dichloroethane d4	54		ng			7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9662	50	108%		
NAL13026-539	316-021	STD	2037-26-5	Toluene d8	46		ng			7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9662	50	92%		
NAL13026-539	316-021	STD	460-00-4	Bromofluorobenzene	45		ng			7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9662	50	90%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-540	96-001A	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9663				
NAL13026-540	96-001A	ORG	74-87-3	Chloromethane		UX-	ug/L	500	43.07	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9663				
NAL13026-540	96-001A	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9663				
NAL13026-540	96-001A	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9663				
NAL13026-540	96-001A	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9663				
NAL13026-540	96-001A	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9663				
NAL13026-540	96-001A	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9663				
NAL13026-540	96-001A	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9663				
NAL13026-540	96-001A	ORG	67-64-1	Acetone	30000	D	ug/L	10000	1556.07	7/24/2013	7/24/2013	7/24/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9665				
NAL13026-540	96-001A	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9663				
NAL13026-540	96-001A	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9663				
NAL13026-540	96-001A	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9663				
NAL13026-540	96-001A	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9663				
NAL13026-540	96-001A	ORG	74-97-5	Bromochloromethane		U	ug/L	200	81.18	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9663				
NAL13026-540	96-001A	ORG	67-66-3	Chloroform		U	ug/L	100	41.37	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9663				
NAL13026-540	96-001A	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	15.73	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9663				
NAL13026-540	96-001A	ORG	78-93-3	2-Butanone	13000		ug/L	1000	16.65	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9663				
NAL13026-540	96-001A	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9663				
NAL13026-540	96-001A	ORG	71-43-2	Benzene	21	J	ug/L	100	13.53	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9663				
NAL13026-540	96-001A	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9663				
NAL13026-540	96-001A	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9663				
NAL13026-540	96-001A	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9663				
NAL13026-540	96-001A	ORG	78-87-5	1,2-Dichloropropane		UX-	ug/L	100	18.17	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9663				
NAL13026-540	96-001A	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9663				
NAL13026-540	96-001A	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9663				
NAL13026-540	96-001A	ORG	108-88-3	Toluene		U	ug/L	100	20.96	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9663				
NAL13026-540	96-001A	ORG	108-10-1	4-Methyl-2-pentanone	250	J	ug/L	500	74.00	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9663				
NAL13026-540	96-001A	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9663				
NAL13026-540	96-001A	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9663				
NAL13026-540	96-001A	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9663				
NAL13026-540	96-001A	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	68.90	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9663				
NAL13026-540	96-001A	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	29.90	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9663				
NAL13026-540	96-001A	ORG	591-78-6	2-Hexanone		UX-	ug/L	500	26.49	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9663				
NAL13026-540	96-001A	ORG	100-41-4	Ethylbenzene		U	ug/L	100	25.38	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9663				
NAL13026-540	96-001A	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9663				
NAL13026-540	96-001A	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9663				
NAL13026-540	96-001A	ORG	XYLMP	p&m-Xylene		U	ug/L	200	26.14	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9663				
NAL13026-540	96-001A	ORG	95-47-6	o-Xylene		U	ug/L	100	12.90	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9663				
NAL13026-540	96-001A	ORG	100-42-5	Styrene		U	ug/L	100	20.23	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9663				
NAL13026-540	96-001A	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9663				
NAL13026-540	96-001A	ORG	98-82-8	Isopropylbenzene		U	ug/L	200	20.48	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9663				
NAL13026-540	96-001A	ORG	103-65-1	n-Propylbenzene		U	ug/L	200	27.00	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9663				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-540	96-001A	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9663				
NAL13026-540	96-001A	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9663				
NAL13026-540	96-001A	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	200	20.03	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9663				
NAL13026-540	96-001A	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9663				
NAL13026-540	96-001A	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	200	20.03	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9663				
NAL13026-540	96-001A	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9663				
NAL13026-540	96-001A	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9663				
NAL13026-540	96-001A	ORG	99-87-6	p-Isopropltoluene	45	J	ug/L	200	25.48	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9663				
NAL13026-540	96-001A	ORG	106-46-7	1,4-Dichlorobenzene		U	ug/L	200	33.03	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9663				
NAL13026-540	96-001A	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9663				
NAL13026-540	96-001A	ORG	104-51-8	n-Butylbenzene		U	ug/L	500	27.81	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9663				
NAL13026-540	96-001A	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9663				
NAL13026-540	96-001A	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9663				
NAL13026-540	96-001A	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9663				
NAL13026-540	96-001A	ORG	91-20-3	Naphthalene		U	ug/L	500	56.04	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9663				
NAL13026-540	96-001A	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9663				
NAL13026-540	96-001A	STD	1868-53-7	Dibromofluoromethane	53		ng			7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9663	50	106%		
NAL13026-540	96-001A	STD	17060-07-0	1,2-Dichloroethane d4	57		ng			7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9663	50	114%		
NAL13026-540	96-001A	STD	2037-26-5	Toluene d8	47		ng			7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9663	50	94%		
NAL13026-540	96-001A	STD	460-00-4	Bromofluorobenzene	46		ng			7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9663	50	92%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-541	297-ST T1	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9668				
NAL13026-541	297-ST T1	ORG	74-87-3	Chloromethane		UX-	ug/L	500	43.07	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9668				
NAL13026-541	297-ST T1	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9668				
NAL13026-541	297-ST T1	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9668				
NAL13026-541	297-ST T1	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9668				
NAL13026-541	297-ST T1	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9668				
NAL13026-541	297-ST T1	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9668				
NAL13026-541	297-ST T1	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9668				
NAL13026-541	297-ST T1	ORG	67-64-1	Acetone	77000	D	ug/L	10000	1556.07	7/24/2013	7/24/2013	7/24/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9677				
NAL13026-541	297-ST T1	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9668				
NAL13026-541	297-ST T1	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9668				
NAL13026-541	297-ST T1	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9668				
NAL13026-541	297-ST T1	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9668				
NAL13026-541	297-ST T1	ORG	74-97-5	Bromochloromethane		U	ug/L	200	81.18	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9668				
NAL13026-541	297-ST T1	ORG	67-66-3	Chloroform		U	ug/L	100	41.37	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9668				
NAL13026-541	297-ST T1	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	15.73	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9668				
NAL13026-541	297-ST T1	ORG	78-93-3	2-Butanone	36000	D	ug/L	10000	166.52	7/24/2013	7/24/2013	7/24/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9677				
NAL13026-541	297-ST T1	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9668				
NAL13026-541	297-ST T1	ORG	71-43-2	Benzene		U	ug/L	100	13.53	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9668				
NAL13026-541	297-ST T1	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9668				
NAL13026-541	297-ST T1	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9668				
NAL13026-541	297-ST T1	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9668				
NAL13026-541	297-ST T1	ORG	78-87-5	1,2-Dichloropropane		UX-	ug/L	100	18.17	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9668				
NAL13026-541	297-ST T1	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9668				
NAL13026-541	297-ST T1	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9668				
NAL13026-541	297-ST T1	ORG	108-88-3	Toluene		U	ug/L	100	20.96	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9668				
NAL13026-541	297-ST T1	ORG	108-10-1	4-Methyl-2-pentanone	610		ug/L	500	74.00	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9668				
NAL13026-541	297-ST T1	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9668				
NAL13026-541	297-ST T1	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9668				
NAL13026-541	297-ST T1	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9668				
NAL13026-541	297-ST T1	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	68.90	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9668				
NAL13026-541	297-ST T1	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	29.90	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9668				
NAL13026-541	297-ST T1	ORG	591-78-6	2-Hexanone		UX-	ug/L	500	26.49	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9668				
NAL13026-541	297-ST T1	ORG	100-41-4	Ethylbenzene		U	ug/L	100	25.38	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9668				
NAL13026-541	297-ST T1	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9668				
NAL13026-541	297-ST T1	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9668				
NAL13026-541	297-ST T1	ORG	XYLMP	p&m-Xylene		U	ug/L	200	26.14	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9668				
NAL13026-541	297-ST T1	ORG	95-47-6	o-Xylene		U	ug/L	100	12.90	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9668				
NAL13026-541	297-ST T1	ORG	100-42-5	Styrene	21	J	ug/L	100	20.23	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9668				
NAL13026-541	297-ST T1	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9668				
NAL13026-541	297-ST T1	ORG	98-82-8	Isopropylbenzene		U	ug/L	200	20.48	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9668				
NAL13026-541	297-ST T1	ORG	103-65-1	n-Propylbenzene		U	ug/L	200	27.00	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9668				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-541	297-ST T1	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9668				
NAL13026-541	297-ST T1	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9668				
NAL13026-541	297-ST T1	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	200	20.03	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9668				
NAL13026-541	297-ST T1	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9668				
NAL13026-541	297-ST T1	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	200	20.03	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9668				
NAL13026-541	297-ST T1	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9668				
NAL13026-541	297-ST T1	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9668				
NAL13026-541	297-ST T1	ORG	99-87-6	p-Isopropltoluene		U	ug/L	200	25.48	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9668				
NAL13026-541	297-ST T1	ORG	106-46-7	1,4-Dichlorobenzene		U	ug/L	200	33.03	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9668				
NAL13026-541	297-ST T1	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9668				
NAL13026-541	297-ST T1	ORG	104-51-8	n-Butylbenzene		U	ug/L	500	27.81	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9668				
NAL13026-541	297-ST T1	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9668				
NAL13026-541	297-ST T1	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9668				
NAL13026-541	297-ST T1	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9668				
NAL13026-541	297-ST T1	ORG	91-20-3	Naphthalene	150	J	ug/L	500	56.04	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9668				
NAL13026-541	297-ST T1	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9668				
NAL13026-541	297-ST T1	STD	1868-53-7	Dibromofluoromethane	53		ng			7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9668	50	106%		
NAL13026-541	297-ST T1	STD	17060-07-0	1,2-Dichloroethane d4	56		ng			7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9668	50	112%		
NAL13026-541	297-ST T1	STD	2037-26-5	Toluene d8	46		ng			7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9668	50	92%		
NAL13026-541	297-ST T1	STD	460-00-4	Bromofluorobenzene	44		ng			7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9668	50	88%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-542	297-ST T2	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9669				
NAL13026-542	297-ST T2	ORG	74-87-3	Chloromethane		UX-	ug/L	500	43.07	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9669				
NAL13026-542	297-ST T2	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9669				
NAL13026-542	297-ST T2	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9669				
NAL13026-542	297-ST T2	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9669				
NAL13026-542	297-ST T2	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9669				
NAL13026-542	297-ST T2	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9669				
NAL13026-542	297-ST T2	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9669				
NAL13026-542	297-ST T2	ORG	67-64-1	Acetone	61000	D	ug/L	10000	1556.07	7/24/2013	7/24/2013	7/24/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9678				
NAL13026-542	297-ST T2	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9669				
NAL13026-542	297-ST T2	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9669				
NAL13026-542	297-ST T2	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9669				
NAL13026-542	297-ST T2	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9669				
NAL13026-542	297-ST T2	ORG	74-97-5	Bromochloromethane		U	ug/L	200	81.18	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9669				
NAL13026-542	297-ST T2	ORG	67-66-3	Chloroform		U	ug/L	100	41.37	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9669				
NAL13026-542	297-ST T2	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	15.73	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9669				
NAL13026-542	297-ST T2	ORG	78-93-3	2-Butanone	27000	D	ug/L	10000	166.52	7/24/2013	7/24/2013	7/24/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9678				
NAL13026-542	297-ST T2	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9669				
NAL13026-542	297-ST T2	ORG	71-43-2	Benzene		U	ug/L	100	13.53	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9669				
NAL13026-542	297-ST T2	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9669				
NAL13026-542	297-ST T2	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9669				
NAL13026-542	297-ST T2	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9669				
NAL13026-542	297-ST T2	ORG	78-87-5	1,2-Dichloropropane		UX-	ug/L	100	18.17	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9669				
NAL13026-542	297-ST T2	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9669				
NAL13026-542	297-ST T2	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9669				
NAL13026-542	297-ST T2	ORG	108-88-3	Toluene		U	ug/L	100	20.96	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9669				
NAL13026-542	297-ST T2	ORG	108-10-1	4-Methyl-2-pentanone	500	J	ug/L	500	74.00	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9669				
NAL13026-542	297-ST T2	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9669				
NAL13026-542	297-ST T2	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9669				
NAL13026-542	297-ST T2	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9669				
NAL13026-542	297-ST T2	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	68.90	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9669				
NAL13026-542	297-ST T2	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	29.90	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9669				
NAL13026-542	297-ST T2	ORG	591-78-6	2-Hexanone		UX-	ug/L	500	26.49	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9669				
NAL13026-542	297-ST T2	ORG	100-41-4	Ethylbenzene		U	ug/L	100	25.38	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9669				
NAL13026-542	297-ST T2	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9669				
NAL13026-542	297-ST T2	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9669				
NAL13026-542	297-ST T2	ORG	XYLMP	p&m-Xylene		U	ug/L	200	26.14	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9669				
NAL13026-542	297-ST T2	ORG	95-47-6	o-Xylene		U	ug/L	100	12.90	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9669				
NAL13026-542	297-ST T2	ORG	100-42-5	Styrene		U	ug/L	100	20.23	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9669				
NAL13026-542	297-ST T2	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9669				
NAL13026-542	297-ST T2	ORG	98-82-8	Isopropylbenzene		U	ug/L	200	20.48	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9669				
NAL13026-542	297-ST T2	ORG	103-65-1	n-Propylbenzene		U	ug/L	200	27.00	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9669				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-542	297-ST T2	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9669				
NAL13026-542	297-ST T2	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9669				
NAL13026-542	297-ST T2	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	200	20.03	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9669				
NAL13026-542	297-ST T2	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9669				
NAL13026-542	297-ST T2	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	200	20.03	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9669				
NAL13026-542	297-ST T2	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9669				
NAL13026-542	297-ST T2	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9669				
NAL13026-542	297-ST T2	ORG	99-87-6	p-Isopropltoluene	41	J	ug/L	200	25.48	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9669				
NAL13026-542	297-ST T2	ORG	106-46-7	1,4-Dichlorobenzene		U	ug/L	200	33.03	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9669				
NAL13026-542	297-ST T2	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9669				
NAL13026-542	297-ST T2	ORG	104-51-8	n-Butylbenzene		U	ug/L	500	27.81	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9669				
NAL13026-542	297-ST T2	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9669				
NAL13026-542	297-ST T2	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9669				
NAL13026-542	297-ST T2	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9669				
NAL13026-542	297-ST T2	ORG	91-20-3	Naphthalene	170	J	ug/L	500	56.04	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9669				
NAL13026-542	297-ST T2	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9669				
NAL13026-542	297-ST T2	STD	1868-53-7	Dibromofluoromethane	53		ng			7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9669	50	106%		
NAL13026-542	297-ST T2	STD	17060-07-0	1,2-Dichloroethane d4	56		ng			7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9669	50	112%		
NAL13026-542	297-ST T2	STD	2037-26-5	Toluene d8	46		ng			7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9669	50	92%		
NAL13026-542	297-ST T2	STD	460-00-4	Bromofluorobenzene	45		ng			7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9669	50	90%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-543	297-ST T3	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9670				
NAL13026-543	297-ST T3	ORG	74-87-3	Chloromethane		UX-	ug/L	500	43.07	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9670				
NAL13026-543	297-ST T3	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9670				
NAL13026-543	297-ST T3	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9670				
NAL13026-543	297-ST T3	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9670				
NAL13026-543	297-ST T3	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9670				
NAL13026-543	297-ST T3	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9670				
NAL13026-543	297-ST T3	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9670				
NAL13026-543	297-ST T3	ORG	67-64-1	Acetone	57000	D	ug/L	10000	1556.07	7/24/2013	7/24/2013	7/24/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9679				
NAL13026-543	297-ST T3	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9670				
NAL13026-543	297-ST T3	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9670				
NAL13026-543	297-ST T3	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9670				
NAL13026-543	297-ST T3	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9670				
NAL13026-543	297-ST T3	ORG	74-97-5	Bromochloromethane		U	ug/L	200	81.18	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9670				
NAL13026-543	297-ST T3	ORG	67-66-3	Chloroform		U	ug/L	100	41.37	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9670				
NAL13026-543	297-ST T3	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	15.73	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9670				
NAL13026-543	297-ST T3	ORG	78-93-3	2-Butanone	24000	D	ug/L	10000	166.52	7/24/2013	7/24/2013	7/24/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9679				
NAL13026-543	297-ST T3	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9670				
NAL13026-543	297-ST T3	ORG	71-43-2	Benzene		U	ug/L	100	13.53	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9670				
NAL13026-543	297-ST T3	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9670				
NAL13026-543	297-ST T3	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9670				
NAL13026-543	297-ST T3	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9670				
NAL13026-543	297-ST T3	ORG	78-87-5	1,2-Dichloropropane		UX-	ug/L	100	18.17	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9670				
NAL13026-543	297-ST T3	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9670				
NAL13026-543	297-ST T3	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9670				
NAL13026-543	297-ST T3	ORG	108-88-3	Toluene		U	ug/L	100	20.96	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9670				
NAL13026-543	297-ST T3	ORG	108-10-1	4-Methyl-2-pentanone	440	J	ug/L	500	74.00	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9670				
NAL13026-543	297-ST T3	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9670				
NAL13026-543	297-ST T3	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9670				
NAL13026-543	297-ST T3	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9670				
NAL13026-543	297-ST T3	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	68.90	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9670				
NAL13026-543	297-ST T3	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	29.90	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9670				
NAL13026-543	297-ST T3	ORG	591-78-6	2-Hexanone		UX-	ug/L	500	26.49	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9670				
NAL13026-543	297-ST T3	ORG	100-41-4	Ethylbenzene		U	ug/L	100	25.38	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9670				
NAL13026-543	297-ST T3	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9670				
NAL13026-543	297-ST T3	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9670				
NAL13026-543	297-ST T3	ORG	XYLMP	p&m-Xylene		U	ug/L	200	26.14	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9670				
NAL13026-543	297-ST T3	ORG	95-47-6	o-Xylene		U	ug/L	100	12.90	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9670				
NAL13026-543	297-ST T3	ORG	100-42-5	Styrene		U	ug/L	100	20.23	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9670				
NAL13026-543	297-ST T3	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9670				
NAL13026-543	297-ST T3	ORG	98-82-8	Isopropylbenzene		U	ug/L	200	20.48	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9670				
NAL13026-543	297-ST T3	ORG	103-65-1	n-Propylbenzene		U	ug/L	200	27.00	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9670				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-543	297-ST T3	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9670				
NAL13026-543	297-ST T3	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9670				
NAL13026-543	297-ST T3	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	200	20.03	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9670				
NAL13026-543	297-ST T3	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9670				
NAL13026-543	297-ST T3	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	200	20.03	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9670				
NAL13026-543	297-ST T3	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9670				
NAL13026-543	297-ST T3	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9670				
NAL13026-543	297-ST T3	ORG	99-87-6	p-Isopropltoluene		U	ug/L	200	25.48	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9670				
NAL13026-543	297-ST T3	ORG	106-46-7	1,4-Dichlorobenzene		U	ug/L	200	33.03	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9670				
NAL13026-543	297-ST T3	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9670				
NAL13026-543	297-ST T3	ORG	104-51-8	n-Butylbenzene		U	ug/L	500	27.81	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9670				
NAL13026-543	297-ST T3	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9670				
NAL13026-543	297-ST T3	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9670				
NAL13026-543	297-ST T3	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9670				
NAL13026-543	297-ST T3	ORG	91-20-3	Naphthalene	86	J	ug/L	500	56.04	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9670				
NAL13026-543	297-ST T3	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9670				
NAL13026-543	297-ST T3	STD	1868-53-7	Dibromofluoromethane	52		ng			7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9670	50	104%		
NAL13026-543	297-ST T3	STD	17060-07-0	1,2-Dichloroethane d4	56		ng			7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9670	50	112%		
NAL13026-543	297-ST T3	STD	2037-26-5	Toluene d8	46		ng			7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9670	50	92%		
NAL13026-543	297-ST T3	STD	460-00-4	Bromofluorobenzene	44		ng			7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9670	50	88%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-544	297-ST T4	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9671				
NAL13026-544	297-ST T4	ORG	74-87-3	Chloromethane		UX-	ug/L	500	43.07	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9671				
NAL13026-544	297-ST T4	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9671				
NAL13026-544	297-ST T4	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9671				
NAL13026-544	297-ST T4	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9671				
NAL13026-544	297-ST T4	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9671				
NAL13026-544	297-ST T4	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9671				
NAL13026-544	297-ST T4	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9671				
NAL13026-544	297-ST T4	ORG	67-64-1	Acetone	50000	D	ug/L	10000	1556.07	7/24/2013	7/24/2013	7/24/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9680				
NAL13026-544	297-ST T4	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9671				
NAL13026-544	297-ST T4	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9671				
NAL13026-544	297-ST T4	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9671				
NAL13026-544	297-ST T4	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9671				
NAL13026-544	297-ST T4	ORG	74-97-5	Bromochloromethane		U	ug/L	200	81.18	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9671				
NAL13026-544	297-ST T4	ORG	67-66-3	Chloroform		U	ug/L	100	41.37	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9671				
NAL13026-544	297-ST T4	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	15.73	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9671				
NAL13026-544	297-ST T4	ORG	78-93-3	2-Butanone	18000		ug/L	1000	16.65	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9671				
NAL13026-544	297-ST T4	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9671				
NAL13026-544	297-ST T4	ORG	71-43-2	Benzene		U	ug/L	100	13.53	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9671				
NAL13026-544	297-ST T4	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9671				
NAL13026-544	297-ST T4	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9671				
NAL13026-544	297-ST T4	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9671				
NAL13026-544	297-ST T4	ORG	78-87-5	1,2-Dichloropropane		UX-	ug/L	100	18.17	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9671				
NAL13026-544	297-ST T4	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9671				
NAL13026-544	297-ST T4	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9671				
NAL13026-544	297-ST T4	ORG	108-88-3	Toluene		U	ug/L	100	20.96	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9671				
NAL13026-544	297-ST T4	ORG	108-10-1	4-Methyl-2-pentanone	280	J	ug/L	500	74.00	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9671				
NAL13026-544	297-ST T4	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9671				
NAL13026-544	297-ST T4	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9671				
NAL13026-544	297-ST T4	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9671				
NAL13026-544	297-ST T4	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	68.90	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9671				
NAL13026-544	297-ST T4	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	29.90	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9671				
NAL13026-544	297-ST T4	ORG	591-78-6	2-Hexanone		UX-	ug/L	500	26.49	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9671				
NAL13026-544	297-ST T4	ORG	100-41-4	Ethylbenzene		U	ug/L	100	25.38	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9671				
NAL13026-544	297-ST T4	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9671				
NAL13026-544	297-ST T4	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9671				
NAL13026-544	297-ST T4	ORG	XYLMP	p&m-Xylene		U	ug/L	200	26.14	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9671				
NAL13026-544	297-ST T4	ORG	95-47-6	o-Xylene		U	ug/L	100	12.90	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9671				
NAL13026-544	297-ST T4	ORG	100-42-5	Styrene		U	ug/L	100	20.23	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9671				
NAL13026-544	297-ST T4	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9671				
NAL13026-544	297-ST T4	ORG	98-82-8	Isopropylbenzene		U	ug/L	200	20.48	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9671				
NAL13026-544	297-ST T4	ORG	103-65-1	n-Propylbenzene		U	ug/L	200	27.00	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9671				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-544	297-ST T4	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9671				
NAL13026-544	297-ST T4	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9671				
NAL13026-544	297-ST T4	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	200	20.03	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9671				
NAL13026-544	297-ST T4	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9671				
NAL13026-544	297-ST T4	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	200	20.03	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9671				
NAL13026-544	297-ST T4	ORG	135-98-8	sec-Butylbenzene	35	J	ug/L	200	32.34	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9671				
NAL13026-544	297-ST T4	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9671				
NAL13026-544	297-ST T4	ORG	99-87-6	p-Isopropltoluene		U	ug/L	200	25.48	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9671				
NAL13026-544	297-ST T4	ORG	106-46-7	1,4-Dichlorobenzene		U	ug/L	200	33.03	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9671				
NAL13026-544	297-ST T4	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9671				
NAL13026-544	297-ST T4	ORG	104-51-8	n-Butylbenzene		U	ug/L	500	27.81	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9671				
NAL13026-544	297-ST T4	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9671				
NAL13026-544	297-ST T4	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9671				
NAL13026-544	297-ST T4	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9671				
NAL13026-544	297-ST T4	ORG	91-20-3	Naphthalene	410	J	ug/L	500	56.04	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9671				
NAL13026-544	297-ST T4	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9671				
NAL13026-544	297-ST T4	STD	1868-53-7	Dibromofluoromethane	52		ng			7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9671	50	104%		
NAL13026-544	297-ST T4	STD	17060-07-0	1,2-Dichloroethane d4	57		ng			7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9671	50	114%		
NAL13026-544	297-ST T4	STD	2037-26-5	Toluene d8	46		ng			7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9671	50	92%		
NAL13026-544	297-ST T4	STD	460-00-4	Bromofluorobenzene	45		ng			7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9671	50	90%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J072413CCVA	J072413CCVA	ORG	75-71-8	Dichlorodifluoromethane	40		ug/L	5	0.29	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9660	50	80%		
J072413CCVA	J072413CCVA	ORG	74-87-3	Chloromethane	32		ug/L	5	0.43	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9660	50	64%		
J072413CCVA	J072413CCVA	ORG	75-01-4	Vinyl chloride	41		ug/L	2	0.32	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9660	50	82%		
J072413CCVA	J072413CCVA	ORG	74-83-9	Bromomethane	60		ug/L	5	0.50	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9660	50	120%		
J072413CCVA	J072413CCVA	ORG	75-00-3	Chloroethane	70		ug/L	5	0.56	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9660	50	140%		
J072413CCVA	J072413CCVA	ORG	75-69-4	Trichlorofluoromethane	59		ug/L	5	0.20	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9660	50	118%		
J072413CCVA	J072413CCVA	ORG	75-35-4	1,1-Dichloroethene	53		ug/L	1	0.47	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9660	50	106%		
J072413CCVA	J072413CCVA	ORG	75-09-2	Methylene chloride	53		ug/L	5	0.26	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9660	50	106%		
J072413CCVA	J072413CCVA	ORG	67-64-1	Acetone	49		ug/L	10	1.56	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9660	50	98%		
J072413CCVA	J072413CCVA	ORG	156-60-5	trans-1,2-Dichloroethene	53		ug/L	1	0.56	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9660	50	106%		
J072413CCVA	J072413CCVA	ORG	1634-04-4	MTBE	53		ug/L	5	0.61	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9660	50	106%		
J072413CCVA	J072413CCVA	ORG	75-34-3	1,1-Dichloroethane	51		ug/L	1	0.53	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9660	50	102%		
J072413CCVA	J072413CCVA	ORG	156-59-2	cis-1,2-Dichloroethene	52		ug/L	1	0.32	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9660	50	104%		
J072413CCVA	J072413CCVA	ORG	74-97-5	Bromochloromethane	56		ug/L	10	0.81	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9660	50	112%		
J072413CCVA	J072413CCVA	ORG	67-66-3	Chloroform	51		ug/L	2	0.41	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9660	50	102%		
J072413CCVA	J072413CCVA	ORG	71-55-6	1,1,1-Trichloroethane	55		ug/L	1	0.16	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9660	50	110%		
J072413CCVA	J072413CCVA	ORG	78-93-3	2-Butanone	41		ug/L	1	0.17	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9660	50	82%		
J072413CCVA	J072413CCVA	ORG	56-23-5	Carbon tetrachloride	56		ug/L	1	0.28	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9660	50	112%		
J072413CCVA	J072413CCVA	ORG	71-43-2	Benzene	44		ug/L	1	0.14	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9660	50	88%		
J072413CCVA	J072413CCVA	ORG	107-06-2	1,2-Dichloroethane	54		ug/L	1	0.20	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9660	50	108%		
J072413CCVA	J072413CCVA	ORG	79-01-6	Trichloroethene	52		ug/L	1	0.36	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9660	50	104%		
J072413CCVA	J072413CCVA	ORG	74-95-3	Dibromomethane	50		ug/L	2	0.32	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9660	50	100%		
J072413CCVA	J072413CCVA	ORG	78-87-5	1,2-Dichloropropane	39		ug/L	1	0.18	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9660	50	78%		
J072413CCVA	J072413CCVA	ORG	75-27-4	Bromodichloromethane	50		ug/L	2	0.12	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9660	50	100%		
J072413CCVA	J072413CCVA	ORG	10061-01-5	cis-1,3-Dichloropropene	45		ug/L	1	0.25	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9660	50	90%		
J072413CCVA	J072413CCVA	ORG	108-88-3	Toluene	46		ug/L	5	0.74	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9660	50	92%		
J072413CCVA	J072413CCVA	ORG	108-10-1	4-Methyl-2-pentanone	48		ug/L	1	0.21	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9660	50	96%		
J072413CCVA	J072413CCVA	ORG	10061-02-6	trans-1,3-Dichloropropene	48		ug/L	1	0.31	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9660	50	96%		
J072413CCVA	J072413CCVA	ORG	127-18-4	Tetrachloroethene	42		ug/L	1	0.49	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9660	50	84%		
J072413CCVA	J072413CCVA	ORG	79-00-5	1,1,2-Trichloroethane	43		ug/L	1	0.34	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9660	50	86%		
J072413CCVA	J072413CCVA	ORG	124-48-1	Dibromochloromethane	54		ug/L	5	0.69	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9660	50	108%		
J072413CCVA	J072413CCVA	ORG	106-93-4	1,2-Dibromoethane	51		ug/L	2	0.30	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9660	50	102%		
J072413CCVA	J072413CCVA	ORG	591-78-6	2-Hexanone	36		ug/L	2	0.26	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9660	50	72%		
J072413CCVA	J072413CCVA	ORG	100-41-4	Ethylbenzene	51		ug/L	1	0.25	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9660	50	102%		
J072413CCVA	J072413CCVA	ORG	108-90-7	Chlorobenzene	53		ug/L	1	0.28	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9660	50	106%		
J072413CCVA	J072413CCVA	ORG	630-20-6	1,1,1,2-Tetrachloroethane	53		ug/L	2	0.19	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9660	50	106%		
J072413CCVA	J072413CCVA	ORG	XYLMP	p&m-Xylene	103		ug/L	2	0.26	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9660	100	103%		
J072413CCVA	J072413CCVA	ORG	95-47-6	o-Xylene	49		ug/L	1	0.13	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9660	50	98%		
J072413CCVA	J072413CCVA	ORG	100-42-5	Styrene	49		ug/L	1	0.20	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9660	50	98%		
J072413CCVA	J072413CCVA	ORG	75-25-2	Bromoform	52		ug/L	2	0.47	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9660	50	104%		
J072413CCVA	J072413CCVA	ORG	98-82-8	Isopropylbenzene	53		ug/L	2	0.20	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9660	50	106%		
J072413CCVA	J072413CCVA	ORG	103-65-1	n-Propylbenzene	50		ug/L	2	0.27	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9660	50	100%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J072413CCVA	J072413CCVA	ORG	79-34-5	1,1,2,2-Tetrachloroethane	45		ug/L	2	0.29	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9660	50	90%		
J072413CCVA	J072413CCVA	ORG	96-18-4	1,2,3-Trichloropropane	45		ug/L	2	0.29	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9660	50	90%		
J072413CCVA	J072413CCVA	ORG	108-67-8	1,3,5-Trimethylbenzene	52		ug/L	2	0.20	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9660	50	104%		
J072413CCVA	J072413CCVA	ORG	98-06-6	tert-Butylbenzene	51		ug/L	2	0.33	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9660	50	102%		
J072413CCVA	J072413CCVA	ORG	95-63-6	1,2,4-Trimethylbenzene	50		ug/L	2	0.20	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9660	50	100%		
J072413CCVA	J072413CCVA	ORG	135-98-8	sec-Butylbenzene	51		ug/L	2	0.32	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9660	50	102%		
J072413CCVA	J072413CCVA	ORG	541-73-1	1,3-Dichlorobenzene	52		ug/L	2	0.22	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9660	50	104%		
J072413CCVA	J072413CCVA	ORG	99-87-6	p-Isopropltoluene	53		ug/L	2	0.25	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9660	50	106%		
J072413CCVA	J072413CCVA	ORG	106-46-7	1,4-Dichlorobenzene	52		ug/L	2	0.33	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9660	50	104%		
J072413CCVA	J072413CCVA	ORG	95-50-1	1,2-Dichlorobenzene	51		ug/L	2	0.26	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9660	50	102%		
J072413CCVA	J072413CCVA	ORG	104-51-8	n-Butylbenzene	49		ug/L	5	0.28	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9660	50	98%		
J072413CCVA	J072413CCVA	ORG	96-12-8	1,2-Dibromo-3-chloropropane	50		ug/L	5	1.59	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9660	50	100%		
J072413CCVA	J072413CCVA	ORG	87-68-3	Hexachlorobutadiene	53		ug/L	5	0.65	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9660	50	106%		
J072413CCVA	J072413CCVA	ORG	120-82-1	1,2,4-Trichlorobenzene	56		ug/L	5	0.28	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9660	50	112%		
J072413CCVA	J072413CCVA	ORG	91-20-3	Naphthalene	55		ug/L	5	0.56	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9660	50	110%		
J072413CCVA	J072413CCVA	ORG	87-61-6	1,2,3-Trichlorobenzene	57		ug/L	5	0.23	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9660	50	114%		
J072413CCVA	J072413CCVA	STD	1868-53-7	Dibromofluoromethane	52		ng			NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9660	50	104%		
J072413CCVA	J072413CCVA	STD	17060-07-0	1,2-Dichloroethane d4	57		ng			NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9660	50	114%		
J072413CCVA	J072413CCVA	STD	2037-26-5	Toluene d8	48		ng			NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9660	50	96%		
J072413CCVA	J072413CCVA	STD	460-00-4	Bromofluorobenzene	47		ng			NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9660	50	94%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J072413MBKA	J072413MBKA	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	5	0.29	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9661				
J072413MBKA	J072413MBKA	ORG	74-87-3	Chloromethane		U	ug/L	5	0.43	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9661				
J072413MBKA	J072413MBKA	ORG	75-01-4	Vinyl chloride		U	ug/L	2	0.32	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9661				
J072413MBKA	J072413MBKA	ORG	74-83-9	Bromomethane		U	ug/L	5	0.50	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9661				
J072413MBKA	J072413MBKA	ORG	75-00-3	Chloroethane		U	ug/L	5	0.56	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9661				
J072413MBKA	J072413MBKA	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	5	0.20	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9661				
J072413MBKA	J072413MBKA	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	1	0.47	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9661				
J072413MBKA	J072413MBKA	ORG	75-09-2	Methylene chloride		U	ug/L	5	0.26	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9661				
J072413MBKA	J072413MBKA	ORG	67-64-1	Acetone		U	ug/L	10	1.56	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9661				
J072413MBKA	J072413MBKA	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	1	0.56	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9661				
J072413MBKA	J072413MBKA	ORG	1634-04-4	MTBE		U	ug/L	5	0.61	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9661				
J072413MBKA	J072413MBKA	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	1	0.53	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9661				
J072413MBKA	J072413MBKA	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	1	0.32	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9661				
J072413MBKA	J072413MBKA	ORG	74-97-5	Bromochloromethane		U	ug/L	10	0.81	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9661				
J072413MBKA	J072413MBKA	ORG	67-66-3	Chloroform		U	ug/L	2	0.41	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9661				
J072413MBKA	J072413MBKA	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	1	0.16	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9661				
J072413MBKA	J072413MBKA	ORG	78-93-3	2-Butanone		U	ug/L	1	0.17	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9661				
J072413MBKA	J072413MBKA	ORG	56-23-5	Carbon tetrachloride		U	ug/L	1	0.28	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9661				
J072413MBKA	J072413MBKA	ORG	71-43-2	Benzene		U	ug/L	1	0.14	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9661				
J072413MBKA	J072413MBKA	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	1	0.20	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9661				
J072413MBKA	J072413MBKA	ORG	79-01-6	Trichloroethene		U	ug/L	1	0.36	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9661				
J072413MBKA	J072413MBKA	ORG	74-95-3	Dibromomethane		U	ug/L	2	0.32	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9661				
J072413MBKA	J072413MBKA	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	1	0.18	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9661				
J072413MBKA	J072413MBKA	ORG	75-27-4	Bromodichloromethane		U	ug/L	2	0.12	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9661				
J072413MBKA	J072413MBKA	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	1	0.25	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9661				
J072413MBKA	J072413MBKA	ORG	108-88-3	Toluene		U	ug/L	5	0.74	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9661				
J072413MBKA	J072413MBKA	ORG	108-10-1	4-Methyl-2-pentanone		U	ug/L	1	0.21	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9661				
J072413MBKA	J072413MBKA	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	1	0.31	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9661				
J072413MBKA	J072413MBKA	ORG	127-18-4	Tetrachloroethene		U	ug/L	1	0.49	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9661				
J072413MBKA	J072413MBKA	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	1	0.34	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9661				
J072413MBKA	J072413MBKA	ORG	124-48-1	Dibromochloromethane		U	ug/L	5	0.69	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9661				
J072413MBKA	J072413MBKA	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	2	0.30	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9661				
J072413MBKA	J072413MBKA	ORG	591-78-6	2-Hexanone		U	ug/L	2	0.26	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9661				
J072413MBKA	J072413MBKA	ORG	100-41-4	Ethylbenzene		U	ug/L	1	0.25	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9661				
J072413MBKA	J072413MBKA	ORG	108-90-7	Chlorobenzene		U	ug/L	1	0.28	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9661				
J072413MBKA	J072413MBKA	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	2	0.19	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9661				
J072413MBKA	J072413MBKA	ORG	XYLMP	p&m-Xylene		U	ug/L	2	0.26	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9661				
J072413MBKA	J072413MBKA	ORG	95-47-6	o-Xylene		U	ug/L	1	0.13	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9661				
J072413MBKA	J072413MBKA	ORG	100-42-5	Styrene		U	ug/L	1	0.20	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9661				
J072413MBKA	J072413MBKA	ORG	75-25-2	Bromoform		U	ug/L	2	0.47	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9661				
J072413MBKA	J072413MBKA	ORG	98-82-8	Isopropylbenzene		U	ug/L	2	0.20	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9661				
J072413MBKA	J072413MBKA	ORG	103-65-1	n-Propylbenzene		U	ug/L	2	0.27	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9661				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J072413MBKA	J072413MBKA	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	2	0.29	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9661				
J072413MBKA	J072413MBKA	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	2	0.29	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9661				
J072413MBKA	J072413MBKA	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	2	0.20	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9661				
J072413MBKA	J072413MBKA	ORG	98-06-6	tert-Butylbenzene		U	ug/L	2	0.33	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9661				
J072413MBKA	J072413MBKA	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	2	0.20	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9661				
J072413MBKA	J072413MBKA	ORG	135-98-8	sec-Butylbenzene		U	ug/L	2	0.32	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9661				
J072413MBKA	J072413MBKA	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	2	0.22	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9661				
J072413MBKA	J072413MBKA	ORG	99-87-6	p-Isopropltoluene		U	ug/L	2	0.25	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9661				
J072413MBKA	J072413MBKA	ORG	106-46-7	1,4-Dichlorobenzene		U	ug/L	2	0.33	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9661				
J072413MBKA	J072413MBKA	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	2	0.26	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9661				
J072413MBKA	J072413MBKA	ORG	104-51-8	n-Butylbenzene		U	ug/L	5	0.28	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9661				
J072413MBKA	J072413MBKA	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	5	1.59	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9661				
J072413MBKA	J072413MBKA	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	5	0.65	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9661				
J072413MBKA	J072413MBKA	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	5	0.28	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9661				
J072413MBKA	J072413MBKA	ORG	91-20-3	Naphthalene		U	ug/L	5	0.56	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9661				
J072413MBKA	J072413MBKA	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	5	0.23	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9661				
J072413MBKA	J072413MBKA	STD	1868-53-7	Dibromofluoromethane	53		ng			NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9661	50	106%		
J072413MBKA	J072413MBKA	STD	17060-07-0	1,2-Dichloroethane d4	57		ng			NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9661	50	114%		
J072413MBKA	J072413MBKA	STD	2037-26-5	Toluene d8	46		ng			NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9661	50	92%		
J072413MBKA	J072413MBKA	STD	460-00-4	Bromofluorobenzene	44		ng			NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9661	50	88%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J072413CCVB	J072413CCVB	ORG	75-71-8	Dichlorodifluoromethane	26		ug/L	5	0.29	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9673	50	52%		
J072413CCVB	J072413CCVB	ORG	74-87-3	Chloromethane	25		ug/L	5	0.43	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9673	50	50%		
J072413CCVB	J072413CCVB	ORG	75-01-4	Vinyl chloride	31		ug/L	2	0.32	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9673	50	62%		
J072413CCVB	J072413CCVB	ORG	74-83-9	Bromomethane	54		ug/L	5	0.50	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9673	50	108%		
J072413CCVB	J072413CCVB	ORG	75-00-3	Chloroethane	56		ug/L	5	0.56	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9673	50	112%		
J072413CCVB	J072413CCVB	ORG	75-69-4	Trichlorofluoromethane	31		ug/L	5	0.20	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9673	50	62%		
J072413CCVB	J072413CCVB	ORG	75-35-4	1,1-Dichloroethene	47		ug/L	1	0.47	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9673	50	94%		
J072413CCVB	J072413CCVB	ORG	75-09-2	Methylene chloride	45		ug/L	5	0.26	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9673	50	90%		
J072413CCVB	J072413CCVB	ORG	67-64-1	Acetone	62		ug/L	10	1.56	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9673	50	124%		
J072413CCVB	J072413CCVB	ORG	156-60-5	trans-1,2-Dichloroethene	48		ug/L	1	0.56	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9673	50	96%		
J072413CCVB	J072413CCVB	ORG	1634-04-4	MTBE	58		ug/L	5	0.61	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9673	50	116%		
J072413CCVB	J072413CCVB	ORG	75-34-3	1,1-Dichloroethane	40		ug/L	1	0.53	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9673	50	80%		
J072413CCVB	J072413CCVB	ORG	156-59-2	cis-1,2-Dichloroethene	48		ug/L	1	0.32	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9673	50	96%		
J072413CCVB	J072413CCVB	ORG	74-97-5	Bromochloromethane	52		ug/L	10	0.81	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9673	50	104%		
J072413CCVB	J072413CCVB	ORG	67-66-3	Chloroform	49		ug/L	2	0.41	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9673	50	98%		
J072413CCVB	J072413CCVB	ORG	71-55-6	1,1,1-Trichloroethane	51		ug/L	1	0.16	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9673	50	102%		
J072413CCVB	J072413CCVB	ORG	78-93-3	2-Butanone	55		ug/L	1	0.17	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9673	50	110%		
J072413CCVB	J072413CCVB	ORG	56-23-5	Carbon tetrachloride	52		ug/L	1	0.28	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9673	50	104%		
J072413CCVB	J072413CCVB	ORG	71-43-2	Benzene	41		ug/L	1	0.14	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9673	50	82%		
J072413CCVB	J072413CCVB	ORG	107-06-2	1,2-Dichloroethane	52		ug/L	1	0.20	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9673	50	104%		
J072413CCVB	J072413CCVB	ORG	79-01-6	Trichloroethene	50		ug/L	1	0.36	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9673	50	100%		
J072413CCVB	J072413CCVB	ORG	74-95-3	Dibromomethane	50		ug/L	2	0.32	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9673	50	100%		
J072413CCVB	J072413CCVB	ORG	78-87-5	1,2-Dichloropropane	37		ug/L	1	0.18	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9673	50	74%		
J072413CCVB	J072413CCVB	ORG	75-27-4	Bromodichloromethane	49		ug/L	2	0.12	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9673	50	98%		
J072413CCVB	J072413CCVB	ORG	10061-01-5	cis-1,3-Dichloropropene	44		ug/L	1	0.25	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9673	50	88%		
J072413CCVB	J072413CCVB	ORG	108-88-3	Toluene	45		ug/L	5	0.74	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9673	50	90%		
J072413CCVB	J072413CCVB	ORG	108-10-1	4-Methyl-2-pentanone	44		ug/L	1	0.21	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9673	50	88%		
J072413CCVB	J072413CCVB	ORG	10061-02-6	trans-1,3-Dichloropropene	48		ug/L	1	0.31	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9673	50	96%		
J072413CCVB	J072413CCVB	ORG	127-18-4	Tetrachloroethene	51		ug/L	1	0.49	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9673	50	102%		
J072413CCVB	J072413CCVB	ORG	79-00-5	1,1,2-Trichloroethane	47		ug/L	1	0.34	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9673	50	94%		
J072413CCVB	J072413CCVB	ORG	124-48-1	Dibromochloromethane	54		ug/L	5	0.69	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9673	50	108%		
J072413CCVB	J072413CCVB	ORG	106-93-4	1,2-Dibromoethane	55		ug/L	2	0.30	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9673	50	110%		
J072413CCVB	J072413CCVB	ORG	591-78-6	2-Hexanone	48		ug/L	2	0.26	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9673	50	96%		
J072413CCVB	J072413CCVB	ORG	100-41-4	Ethylbenzene	51		ug/L	1	0.25	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9673	50	102%		
J072413CCVB	J072413CCVB	ORG	108-90-7	Chlorobenzene	54		ug/L	1	0.28	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9673	50	108%		
J072413CCVB	J072413CCVB	ORG	630-20-6	1,1,1,2-Tetrachloroethane	54		ug/L	2	0.19	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9673	50	108%		
J072413CCVB	J072413CCVB	ORG	XYLMP	p&m-Xylene	100		ug/L	2	0.26	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9673	100	100%		
J072413CCVB	J072413CCVB	ORG	95-47-6	o-Xylene	51		ug/L	1	0.13	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9673	50	102%		
J072413CCVB	J072413CCVB	ORG	100-42-5	Styrene	48		ug/L	1	0.20	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9673	50	96%		
J072413CCVB	J072413CCVB	ORG	75-25-2	Bromoform	57		ug/L	2	0.47	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9673	50	114%		
J072413CCVB	J072413CCVB	ORG	98-82-8	Isopropylbenzene	50		ug/L	2	0.20	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9673	50	100%		
J072413CCVB	J072413CCVB	ORG	103-65-1	n-Propylbenzene	48		ug/L	2	0.27	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9673	50	96%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J072413CCVB	J072413CCVB	ORG	79-34-5	1,1,2,2-Tetrachloroethane	52		ug/L	2	0.29	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9673	50	104%		
J072413CCVB	J072413CCVB	ORG	96-18-4	1,2,3-Trichloropropane	53		ug/L	2	0.29	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9673	50	106%		
J072413CCVB	J072413CCVB	ORG	108-67-8	1,3,5-Trimethylbenzene	50		ug/L	2	0.20	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9673	50	100%		
J072413CCVB	J072413CCVB	ORG	98-06-6	tert-Butylbenzene	52		ug/L	2	0.33	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9673	50	104%		
J072413CCVB	J072413CCVB	ORG	95-63-6	1,2,4-Trimethylbenzene	49		ug/L	2	0.20	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9673	50	98%		
J072413CCVB	J072413CCVB	ORG	135-98-8	sec-Butylbenzene	47		ug/L	2	0.32	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9673	50	94%		
J072413CCVB	J072413CCVB	ORG	541-73-1	1,3-Dichlorobenzene	51		ug/L	2	0.22	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9673	50	102%		
J072413CCVB	J072413CCVB	ORG	99-87-6	p-Isopropltoluene	50		ug/L	2	0.25	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9673	50	100%		
J072413CCVB	J072413CCVB	ORG	106-46-7	1,4-Dichlorobenzene	51		ug/L	2	0.33	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9673	50	102%		
J072413CCVB	J072413CCVB	ORG	95-50-1	1,2-Dichlorobenzene	50		ug/L	2	0.26	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9673	50	100%		
J072413CCVB	J072413CCVB	ORG	104-51-8	n-Butylbenzene	45		ug/L	5	0.28	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9673	50	90%		
J072413CCVB	J072413CCVB	ORG	96-12-8	1,2-Dibromo-3-chloropropane	68		ug/L	5	1.59	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9673	50	136%		
J072413CCVB	J072413CCVB	ORG	87-68-3	Hexachlorobutadiene	45		ug/L	5	0.65	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9673	50	90%		
J072413CCVB	J072413CCVB	ORG	120-82-1	1,2,4-Trichlorobenzene	54		ug/L	5	0.28	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9673	50	108%		
J072413CCVB	J072413CCVB	ORG	91-20-3	Naphthalene	64		ug/L	5	0.56	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9673	50	128%		
J072413CCVB	J072413CCVB	ORG	87-61-6	1,2,3-Trichlorobenzene	56		ug/L	5	0.23	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9673	50	112%		
J072413CCVB	J072413CCVB	STD	1868-53-7	Dibromofluoromethane	51		ng			NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9673	50	102%		
J072413CCVB	J072413CCVB	STD	17060-07-0	1,2-Dichloroethane d4	51		ng			NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9673	50	102%		
J072413CCVB	J072413CCVB	STD	2037-26-5	Toluene d8	48		ng			NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9673	50	96%		
J072413CCVB	J072413CCVB	STD	460-00-4	Bromofluorobenzene	50		ng			NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9673	50	100%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J072413MBKB	J072413MBKB	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	5	0.29	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9674				
J072413MBKB	J072413MBKB	ORG	74-87-3	Chloromethane		U	ug/L	5	0.43	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9674				
J072413MBKB	J072413MBKB	ORG	75-01-4	Vinyl chloride		U	ug/L	2	0.32	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9674				
J072413MBKB	J072413MBKB	ORG	74-83-9	Bromomethane		U	ug/L	5	0.50	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9674				
J072413MBKB	J072413MBKB	ORG	75-00-3	Chloroethane		U	ug/L	5	0.56	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9674				
J072413MBKB	J072413MBKB	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	5	0.20	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9674				
J072413MBKB	J072413MBKB	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	1	0.47	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9674				
J072413MBKB	J072413MBKB	ORG	75-09-2	Methylene chloride		U	ug/L	5	0.26	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9674				
J072413MBKB	J072413MBKB	ORG	67-64-1	Acetone		U	ug/L	10	1.56	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9674				
J072413MBKB	J072413MBKB	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	1	0.56	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9674				
J072413MBKB	J072413MBKB	ORG	1634-04-4	MTBE		U	ug/L	5	0.61	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9674				
J072413MBKB	J072413MBKB	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	1	0.53	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9674				
J072413MBKB	J072413MBKB	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	1	0.32	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9674				
J072413MBKB	J072413MBKB	ORG	74-97-5	Bromochloromethane		U	ug/L	10	0.81	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9674				
J072413MBKB	J072413MBKB	ORG	67-66-3	Chloroform		U	ug/L	2	0.41	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9674				
J072413MBKB	J072413MBKB	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	1	0.16	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9674				
J072413MBKB	J072413MBKB	ORG	78-93-3	2-Butanone		U	ug/L	1	0.17	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9674				
J072413MBKB	J072413MBKB	ORG	56-23-5	Carbon tetrachloride		U	ug/L	1	0.28	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9674				
J072413MBKB	J072413MBKB	ORG	71-43-2	Benzene		U	ug/L	1	0.14	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9674				
J072413MBKB	J072413MBKB	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	1	0.20	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9674				
J072413MBKB	J072413MBKB	ORG	79-01-6	Trichloroethene		U	ug/L	1	0.36	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9674				
J072413MBKB	J072413MBKB	ORG	74-95-3	Dibromomethane		U	ug/L	2	0.32	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9674				
J072413MBKB	J072413MBKB	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	1	0.18	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9674				
J072413MBKB	J072413MBKB	ORG	75-27-4	Bromodichloromethane		U	ug/L	2	0.12	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9674				
J072413MBKB	J072413MBKB	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	1	0.25	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9674				
J072413MBKB	J072413MBKB	ORG	108-88-3	Toluene		U	ug/L	5	0.74	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9674				
J072413MBKB	J072413MBKB	ORG	108-10-1	4-Methyl-2-pentanone		U	ug/L	1	0.21	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9674				
J072413MBKB	J072413MBKB	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	1	0.31	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9674				
J072413MBKB	J072413MBKB	ORG	127-18-4	Tetrachloroethene		U	ug/L	1	0.49	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9674				
J072413MBKB	J072413MBKB	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	1	0.34	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9674				
J072413MBKB	J072413MBKB	ORG	124-48-1	Dibromochloromethane		U	ug/L	5	0.69	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9674				
J072413MBKB	J072413MBKB	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	2	0.30	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9674				
J072413MBKB	J072413MBKB	ORG	591-78-6	2-Hexanone		U	ug/L	2	0.26	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9674				
J072413MBKB	J072413MBKB	ORG	100-41-4	Ethylbenzene		U	ug/L	1	0.25	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9674				
J072413MBKB	J072413MBKB	ORG	108-90-7	Chlorobenzene		U	ug/L	1	0.28	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9674				
J072413MBKB	J072413MBKB	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	2	0.19	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9674				
J072413MBKB	J072413MBKB	ORG	XYLMP	p&m-Xylene		U	ug/L	2	0.26	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9674				
J072413MBKB	J072413MBKB	ORG	95-47-6	o-Xylene		U	ug/L	1	0.13	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9674				
J072413MBKB	J072413MBKB	ORG	100-42-5	Styrene		U	ug/L	1	0.20	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9674				
J072413MBKB	J072413MBKB	ORG	75-25-2	Bromoform		U	ug/L	2	0.47	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9674				
J072413MBKB	J072413MBKB	ORG	98-82-8	Isopropylbenzene		U	ug/L	2	0.20	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9674				
J072413MBKB	J072413MBKB	ORG	103-65-1	n-Propylbenzene		U	ug/L	2	0.27	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9674				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J072413MBKB	J072413MBKB	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	2	0.29	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9674				
J072413MBKB	J072413MBKB	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	2	0.29	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9674				
J072413MBKB	J072413MBKB	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	2	0.20	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9674				
J072413MBKB	J072413MBKB	ORG	98-06-6	tert-Butylbenzene		U	ug/L	2	0.33	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9674				
J072413MBKB	J072413MBKB	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	2	0.20	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9674				
J072413MBKB	J072413MBKB	ORG	135-98-8	sec-Butylbenzene		U	ug/L	2	0.32	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9674				
J072413MBKB	J072413MBKB	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	2	0.22	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9674				
J072413MBKB	J072413MBKB	ORG	99-87-6	p-Isopropltoluene		U	ug/L	2	0.25	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9674				
J072413MBKB	J072413MBKB	ORG	106-46-7	1,4-Dichlorobenzene		U	ug/L	2	0.33	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9674				
J072413MBKB	J072413MBKB	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	2	0.26	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9674				
J072413MBKB	J072413MBKB	ORG	104-51-8	n-Butylbenzene		U	ug/L	5	0.28	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9674				
J072413MBKB	J072413MBKB	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	5	1.59	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9674				
J072413MBKB	J072413MBKB	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	5	0.65	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9674				
J072413MBKB	J072413MBKB	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	5	0.28	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9674				
J072413MBKB	J072413MBKB	ORG	91-20-3	Naphthalene		U	ug/L	5	0.56	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9674				
J072413MBKB	J072413MBKB	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	5	0.23	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9674				
J072413MBKB	J072413MBKB	STD	1868-53-7	Dibromofluoromethane	54		ng			NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9674	50	108%		
J072413MBKB	J072413MBKB	STD	17060-07-0	1,2-Dichloroethane d4	58		ng			NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9674	50	116%		
J072413MBKB	J072413MBKB	STD	2037-26-5	Toluene d8	44		ng			NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9674	50	88%		
J072413MBKB	J072413MBKB	STD	460-00-4	Bromofluorobenzene	45		ng			NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9674	50	90%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J072413ALCS	J072413ALCS	ORG	75-71-8	Dichlorodifluoromethane	34		ug/L	5	0.29	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9666	50	68%		
J072413ALCS	J072413ALCS	ORG	74-87-3	Chloromethane	30		ug/L	5	0.43	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9666	50	60%		
J072413ALCS	J072413ALCS	ORG	75-01-4	Vinyl chloride	34		ug/L	2	0.32	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9666	50	68%		
J072413ALCS	J072413ALCS	ORG	74-83-9	Bromomethane	53		ug/L	5	0.50	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9666	50	106%		
J072413ALCS	J072413ALCS	ORG	75-00-3	Chloroethane	61		ug/L	5	0.56	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9666	50	122%		
J072413ALCS	J072413ALCS	ORG	75-69-4	Trichlorofluoromethane	54		ug/L	5	0.20	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9666	50	108%		
J072413ALCS	J072413ALCS	ORG	75-35-4	1,1-Dichloroethene	51		ug/L	1	0.47	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9666	50	102%		
J072413ALCS	J072413ALCS	ORG	75-09-2	Methylene chloride	48		ug/L	5	0.26	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9666	50	96%		
J072413ALCS	J072413ALCS	ORG	67-64-1	Acetone	51		ug/L	10	1.56	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9666	50	102%		
J072413ALCS	J072413ALCS	ORG	156-60-5	trans-1,2-Dichloroethene	49		ug/L	1	0.56	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9666	50	98%		
J072413ALCS	J072413ALCS	ORG	1634-04-4	MTBE	53		ug/L	5	0.61	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9666	50	106%		
J072413ALCS	J072413ALCS	ORG	75-34-3	1,1-Dichloroethane	48		ug/L	1	0.53	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9666	50	96%		
J072413ALCS	J072413ALCS	ORG	156-59-2	cis-1,2-Dichloroethene	50		ug/L	1	0.32	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9666	50	100%		
J072413ALCS	J072413ALCS	ORG	74-97-5	Bromochloromethane	54		ug/L	10	0.81	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9666	50	108%		
J072413ALCS	J072413ALCS	ORG	67-66-3	Chloroform	50		ug/L	2	0.41	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9666	50	100%		
J072413ALCS	J072413ALCS	ORG	71-55-6	1,1,1-Trichloroethane	53		ug/L	1	0.16	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9666	50	106%		
J072413ALCS	J072413ALCS	ORG	78-93-3	2-Butanone	44		ug/L	1	0.17	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9666	50	88%		
J072413ALCS	J072413ALCS	ORG	56-23-5	Carbon tetrachloride	54		ug/L	1	0.28	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9666	50	108%		
J072413ALCS	J072413ALCS	ORG	71-43-2	Benzene	42		ug/L	1	0.14	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9666	50	84%		
J072413ALCS	J072413ALCS	ORG	107-06-2	1,2-Dichloroethane	51		ug/L	1	0.20	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9666	50	102%		
J072413ALCS	J072413ALCS	ORG	79-01-6	Trichloroethene	50		ug/L	1	0.36	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9666	50	100%		
J072413ALCS	J072413ALCS	ORG	74-95-3	Dibromomethane	50		ug/L	2	0.32	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9666	50	100%		
J072413ALCS	J072413ALCS	ORG	78-87-5	1,2-Dichloropropane	37		ug/L	1	0.18	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9666	50	74%		
J072413ALCS	J072413ALCS	ORG	75-27-4	Bromodichloromethane	45		ug/L	2	0.12	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9666	50	90%		
J072413ALCS	J072413ALCS	ORG	10061-01-5	cis-1,3-Dichloropropene	42		ug/L	1	0.25	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9666	50	84%		
J072413ALCS	J072413ALCS	ORG	108-88-3	Toluene	43		ug/L	5	0.74	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9666	50	86%		
J072413ALCS	J072413ALCS	ORG	108-10-1	4-Methyl-2-pentanone	37		ug/L	1	0.21	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9666	50	74%		
J072413ALCS	J072413ALCS	ORG	10061-02-6	trans-1,3-Dichloropropene	46		ug/L	1	0.31	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9666	50	92%		
J072413ALCS	J072413ALCS	ORG	127-18-4	Tetrachloroethene	53		ug/L	1	0.49	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9666	50	106%		
J072413ALCS	J072413ALCS	ORG	79-00-5	1,1,2-Trichloroethane	45		ug/L	1	0.34	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9666	50	90%		
J072413ALCS	J072413ALCS	ORG	124-48-1	Dibromochloromethane	52		ug/L	5	0.69	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9666	50	104%		
J072413ALCS	J072413ALCS	ORG	106-93-4	1,2-Dibromoethane	51		ug/L	2	0.30	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9666	50	102%		
J072413ALCS	J072413ALCS	ORG	591-78-6	2-Hexanone	42		ug/L	2	0.26	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9666	50	84%		
J072413ALCS	J072413ALCS	ORG	100-41-4	Ethylbenzene	41		ug/L	1	0.25	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9666	50	82%		
J072413ALCS	J072413ALCS	ORG	108-90-7	Chlorobenzene	43		ug/L	1	0.28	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9666	50	86%		
J072413ALCS	J072413ALCS	ORG	630-20-6	1,1,1,2-Tetrachloroethane	45		ug/L	2	0.19	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9666	50	90%		
J072413ALCS	J072413ALCS	ORG	XYLMP	p&m-Xylene	83		ug/L	2	0.26	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9666	100	83%		
J072413ALCS	J072413ALCS	ORG	95-47-6	o-Xylene	43		ug/L	1	0.13	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9666	50	86%		
J072413ALCS	J072413ALCS	ORG	100-42-5	Styrene	41		ug/L	1	0.20	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9666	50	82%		
J072413ALCS	J072413ALCS	ORG	75-25-2	Bromoform	52		ug/L	2	0.47	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9666	50	104%		
J072413ALCS	J072413ALCS	ORG	98-82-8	Isopropylbenzene	43		ug/L	2	0.20	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9666	50	86%		
J072413ALCS	J072413ALCS	ORG	103-65-1	n-Propylbenzene	42		ug/L	2	0.27	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9666	50	84%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J072413ALCS	J072413ALCS	ORG	79-34-5	1,1,2,2-Tetrachloroethane	47		ug/L	2	0.29	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9666	50	94%		
J072413ALCS	J072413ALCS	ORG	96-18-4	1,2,3-Trichloropropane	46		ug/L	2	0.29	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9666	50	92%		
J072413ALCS	J072413ALCS	ORG	108-67-8	1,3,5-Trimethylbenzene	44		ug/L	2	0.20	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9666	50	88%		
J072413ALCS	J072413ALCS	ORG	98-06-6	tert-Butylbenzene	46		ug/L	2	0.33	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9666	50	92%		
J072413ALCS	J072413ALCS	ORG	95-63-6	1,2,4-Trimethylbenzene	44		ug/L	2	0.20	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9666	50	88%		
J072413ALCS	J072413ALCS	ORG	135-98-8	sec-Butylbenzene	45		ug/L	2	0.32	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9666	50	90%		
J072413ALCS	J072413ALCS	ORG	541-73-1	1,3-Dichlorobenzene	48		ug/L	2	0.22	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9666	50	96%		
J072413ALCS	J072413ALCS	ORG	99-87-6	p-Isopropltoluene	46		ug/L	2	0.25	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9666	50	92%		
J072413ALCS	J072413ALCS	ORG	106-46-7	1,4-Dichlorobenzene	49		ug/L	2	0.33	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9666	50	98%		
J072413ALCS	J072413ALCS	ORG	95-50-1	1,2-Dichlorobenzene	49		ug/L	2	0.26	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9666	50	98%		
J072413ALCS	J072413ALCS	ORG	104-51-8	n-Butylbenzene	44		ug/L	5	0.28	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9666	50	88%		
J072413ALCS	J072413ALCS	ORG	96-12-8	1,2-Dibromo-3-chloropropane	48		ug/L	5	1.59	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9666	50	96%		
J072413ALCS	J072413ALCS	ORG	87-68-3	Hexachlorobutadiene	49		ug/L	5	0.65	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9666	50	98%		
J072413ALCS	J072413ALCS	ORG	120-82-1	1,2,4-Trichlorobenzene	48		ug/L	5	0.28	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9666	50	96%		
J072413ALCS	J072413ALCS	ORG	91-20-3	Naphthalene	47		ug/L	5	0.56	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9666	50	94%		
J072413ALCS	J072413ALCS	ORG	87-61-6	1,2,3-Trichlorobenzene	46		ug/L	5	0.23	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9666	50	92%		
J072413ALCS	J072413ALCS	STD	1868-53-7	Dibromofluoromethane	53		ng			NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9666	50	106%		
J072413ALCS	J072413ALCS	STD	17060-07-0	1,2-Dichloroethane d4	53		ng			NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9666	50	106%		
J072413ALCS	J072413ALCS	STD	2037-26-5	Toluene d8	48		ng			NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9666	50	96%		
J072413ALCS	J072413ALCS	STD	460-00-4	Bromofluorobenzene	43		ng			NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9666	50	86%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J072413ALCD	J072413ALCD	ORG	75-71-8	Dichlorodifluoromethane	33		ug/L	5	0.29	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9672	50	66%	3%	
J072413ALCD	J072413ALCD	ORG	74-87-3	Chloromethane	29		ug/L	5	0.43	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9672	50	58%	3%	
J072413ALCD	J072413ALCD	ORG	75-01-4	Vinyl chloride	35		ug/L	2	0.32	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9672	50	70%	3%	
J072413ALCD	J072413ALCD	ORG	74-83-9	Bromomethane	53		ug/L	5	0.50	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9672	50	106%	0%	
J072413ALCD	J072413ALCD	ORG	75-00-3	Chloroethane	58		ug/L	5	0.56	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9672	50	116%	5%	
J072413ALCD	J072413ALCD	ORG	75-69-4	Trichlorofluoromethane	38		ug/L	5	0.20	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9672	50	76%	35%	
J072413ALCD	J072413ALCD	ORG	75-35-4	1,1-Dichloroethene	47		ug/L	1	0.47	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9672	50	94%	8%	
J072413ALCD	J072413ALCD	ORG	75-09-2	Methylene chloride	51		ug/L	5	0.26	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9672	50	102%	6%	
J072413ALCD	J072413ALCD	ORG	67-64-1	Acetone	66		ug/L	10	1.56	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9672	50	132%	26%	
J072413ALCD	J072413ALCD	ORG	156-60-5	trans-1,2-Dichloroethene	48		ug/L	1	0.56	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9672	50	96%	2%	
J072413ALCD	J072413ALCD	ORG	1634-04-4	MTBE	59		ug/L	5	0.61	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9672	50	118%	11%	
J072413ALCD	J072413ALCD	ORG	75-34-3	1,1-Dichloroethane	40		ug/L	1	0.53	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9672	50	80%	18%	
J072413ALCD	J072413ALCD	ORG	156-59-2	cis-1,2-Dichloroethene	51		ug/L	1	0.32	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9672	50	102%	2%	
J072413ALCD	J072413ALCD	ORG	74-97-5	Bromochloromethane	58		ug/L	10	0.81	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9672	50	116%	7%	
J072413ALCD	J072413ALCD	ORG	67-66-3	Chloroform	52		ug/L	2	0.41	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9672	50	104%	4%	
J072413ALCD	J072413ALCD	ORG	71-55-6	1,1,1-Trichloroethane	53		ug/L	1	0.16	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9672	50	106%	0%	
J072413ALCD	J072413ALCD	ORG	78-93-3	2-Butanone	56		ug/L	1	0.17	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9672	50	112%	24%	
J072413ALCD	J072413ALCD	ORG	56-23-5	Carbon tetrachloride	52		ug/L	1	0.28	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9672	50	104%	4%	
J072413ALCD	J072413ALCD	ORG	71-43-2	Benzene	43		ug/L	1	0.14	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9672	50	86%	2%	
J072413ALCD	J072413ALCD	ORG	107-06-2	1,2-Dichloroethane	57		ug/L	1	0.20	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9672	50	114%	11%	
J072413ALCD	J072413ALCD	ORG	79-01-6	Trichloroethene	52		ug/L	1	0.36	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9672	50	104%	4%	
J072413ALCD	J072413ALCD	ORG	74-95-3	Dibromomethane	57		ug/L	2	0.32	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9672	50	114%	13%	
J072413ALCD	J072413ALCD	ORG	78-87-5	1,2-Dichloropropane	40		ug/L	1	0.18	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9672	50	80%	8%	
J072413ALCD	J072413ALCD	ORG	75-27-4	Bromodichloromethane	51		ug/L	2	0.12	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9672	50	102%	13%	
J072413ALCD	J072413ALCD	ORG	10061-01-5	cis-1,3-Dichloropropene	44		ug/L	1	0.25	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9672	50	88%	5%	
J072413ALCD	J072413ALCD	ORG	108-88-3	Toluene	45		ug/L	5	0.74	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9672	50	90%	5%	
J072413ALCD	J072413ALCD	ORG	108-10-1	4-Methyl-2-pentanone	45		ug/L	1	0.21	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9672	50	90%	20%	
J072413ALCD	J072413ALCD	ORG	10061-02-6	trans-1,3-Dichloropropene	50		ug/L	1	0.31	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9672	50	100%	8%	
J072413ALCD	J072413ALCD	ORG	127-18-4	Tetrachloroethene	61		ug/L	1	0.49	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9672	50	122%	14%	
J072413ALCD	J072413ALCD	ORG	79-00-5	1,1,2-Trichloroethane	50		ug/L	1	0.34	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9672	50	100%	11%	
J072413ALCD	J072413ALCD	ORG	124-48-1	Dibromochloromethane	58		ug/L	5	0.69	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9672	50	116%	11%	
J072413ALCD	J072413ALCD	ORG	106-93-4	1,2-Dibromoethane	59		ug/L	2	0.30	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9672	50	118%	15%	
J072413ALCD	J072413ALCD	ORG	591-78-6	2-Hexanone	45		ug/L	2	0.26	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9672	50	90%	7%	
J072413ALCD	J072413ALCD	ORG	100-41-4	Ethylbenzene	51		ug/L	1	0.25	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9672	50	102%	22%	
J072413ALCD	J072413ALCD	ORG	108-90-7	Chlorobenzene	54		ug/L	1	0.28	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9672	50	108%	23%	
J072413ALCD	J072413ALCD	ORG	630-20-6	1,1,1,2-Tetrachloroethane	56		ug/L	2	0.19	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9672	50	112%	22%	
J072413ALCD	J072413ALCD	ORG	XYLMP	p&m-Xylene	99		ug/L	2	0.26	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9672	100	99%	18%	
J072413ALCD	J072413ALCD	ORG	95-47-6	o-Xylene	52		ug/L	1	0.13	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9672	50	104%	19%	
J072413ALCD	J072413ALCD	ORG	100-42-5	Styrene	48		ug/L	1	0.20	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9672	50	96%	16%	
J072413ALCD	J072413ALCD	ORG	75-25-2	Bromoform	62		ug/L	2	0.47	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9672	50	124%	18%	
J072413ALCD	J072413ALCD	ORG	98-82-8	Isopropylbenzene	50		ug/L	2	0.20	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9672	50	100%	15%	
J072413ALCD	J072413ALCD	ORG	103-65-1	n-Propylbenzene	48		ug/L	2	0.27	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9672	50	96%	13%	

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J072413ALCD	J072413ALCD	ORG	79-34-5	1,1,2,2-Tetrachloroethane	55		ug/L	2	0.29	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9672	50	110%	16%	
J072413ALCD	J072413ALCD	ORG	96-18-4	1,2,3-Trichloropropane	56		ug/L	2	0.29	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9672	50	112%	20%	
J072413ALCD	J072413ALCD	ORG	108-67-8	1,3,5-Trimethylbenzene	49		ug/L	2	0.20	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9672	50	98%	11%	
J072413ALCD	J072413ALCD	ORG	98-06-6	tert-Butylbenzene	51		ug/L	2	0.33	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9672	50	102%	10%	
J072413ALCD	J072413ALCD	ORG	95-63-6	1,2,4-Trimethylbenzene	48		ug/L	2	0.20	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9672	50	96%	9%	
J072413ALCD	J072413ALCD	ORG	135-98-8	sec-Butylbenzene	46		ug/L	2	0.32	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9672	50	92%	2%	
J072413ALCD	J072413ALCD	ORG	541-73-1	1,3-Dichlorobenzene	50		ug/L	2	0.22	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9672	50	100%	4%	
J072413ALCD	J072413ALCD	ORG	99-87-6	p-Isopropltoluene	49		ug/L	2	0.25	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9672	50	98%	6%	
J072413ALCD	J072413ALCD	ORG	106-46-7	1,4-Dichlorobenzene	50		ug/L	2	0.33	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9672	50	100%	2%	
J072413ALCD	J072413ALCD	ORG	95-50-1	1,2-Dichlorobenzene	51		ug/L	2	0.26	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9672	50	102%	4%	
J072413ALCD	J072413ALCD	ORG	104-51-8	n-Butylbenzene	43		ug/L	5	0.28	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9672	50	86%	2%	
J072413ALCD	J072413ALCD	ORG	96-12-8	1,2-Dibromo-3-chloropropane	73		ug/L	5	1.59	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9672	50	146%	41%	
J072413ALCD	J072413ALCD	ORG	87-68-3	Hexachlorobutadiene	42		ug/L	5	0.65	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9672	50	84%	15%	
J072413ALCD	J072413ALCD	ORG	120-82-1	1,2,4-Trichlorobenzene	52		ug/L	5	0.28	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9672	50	104%	8%	
J072413ALCD	J072413ALCD	ORG	91-20-3	Naphthalene	66		ug/L	5	0.56	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9672	50	132%	34%	
J072413ALCD	J072413ALCD	ORG	87-61-6	1,2,3-Trichlorobenzene	55		ug/L	5	0.23	NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9672	50	110%	18%	
J072413ALCD	J072413ALCD	STD	1868-53-7	Dibromofluoromethane	54		ng			NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9672	50	108%	2%	
J072413ALCD	J072413ALCD	STD	17060-07-0	1,2-Dichloroethane d4	56		ng			NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9672	50	112%	6%	
J072413ALCD	J072413ALCD	STD	2037-26-5	Toluene d8	48		ng			NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9672	50	96%	0%	
J072413ALCD	J072413ALCD	STD	460-00-4	Bromofluorobenzene	51		ng			NA	7/24/2013	7/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9672	50	102%	17%	

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-539MS	316-021	ORG	75-71-8	Dichlorodifluoromethane	3500		ug/L	500	29.28	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9675	5000	70%		
NAL13026-539MS	316-021	ORG	74-87-3	Chloromethane	3100		ug/L	500	43.07	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9675	5000	62%		
NAL13026-539MS	316-021	ORG	75-01-4	Vinyl chloride	3700		ug/L	200	31.86	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9675	5000	74%		
NAL13026-539MS	316-021	ORG	74-83-9	Bromomethane	5300		ug/L	500	50.04	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9675	5000	106%		
NAL13026-539MS	316-021	ORG	75-00-3	Chloroethane	6200		ug/L	500	55.61	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9675	5000	124%		
NAL13026-539MS	316-021	ORG	75-69-4	Trichlorofluoromethane	5200		ug/L	500	19.65	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9675	5000	104%		
NAL13026-539MS	316-021	ORG	75-35-4	1,1-Dichloroethene	4900		ug/L	100	47.11	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9675	5000	98%		
NAL13026-539MS	316-021	ORG	75-09-2	Methylene chloride	5200		ug/L	500	26.46	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9675	5000	104%		
NAL13026-539MS	316-021	ORG	67-64-1	Acetone	44000		ug/L	1000	155.61	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9675	5000	180%		35000
NAL13026-539MS	316-021	ORG	156-60-5	trans-1,2-Dichloroethene	5100		ug/L	100	55.61	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9675	5000	102%		
NAL13026-539MS	316-021	ORG	1634-04-4	MTBE	5800		ug/L	500	61.18	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9675	5000	116%		
NAL13026-539MS	316-021	ORG	75-34-3	1,1-Dichloroethane	4300		ug/L	100	52.66	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9675	5000	86%		
NAL13026-539MS	316-021	ORG	156-59-2	cis-1,2-Dichloroethene	5100		ug/L	100	32.11	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9675	5000	102%		
NAL13026-539MS	316-021	ORG	74-97-5	Bromochloromethane	5700		ug/L	1000	81.18	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9675	5000	114%		
NAL13026-539MS	316-021	ORG	67-66-3	Chloroform	5100		ug/L	200	41.37	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9675	5000	102%		
NAL13026-539MS	316-021	ORG	71-55-6	1,1,1-Trichloroethane	5500		ug/L	100	15.73	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9675	5000	110%		
NAL13026-539MS	316-021	ORG	78-93-3	2-Butanone	22000		ug/L	100	16.65	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9675	5000	140%		15000
NAL13026-539MS	316-021	ORG	56-23-5	Carbon tetrachloride	5500		ug/L	100	27.64	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9675	5000	110%		
NAL13026-539MS	316-021	ORG	71-43-2	Benzene	4400		ug/L	100	13.53	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9675	5000	88%		
NAL13026-539MS	316-021	ORG	107-06-2	1,2-Dichloroethane	5700		ug/L	100	20.01	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9675	5000	114%		
NAL13026-539MS	316-021	ORG	79-01-6	Trichloroethene	5300		ug/L	100	36.33	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9675	5000	106%		
NAL13026-539MS	316-021	ORG	74-95-3	Dibromomethane	5400		ug/L	200	32.20	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9675	5000	108%		
NAL13026-539MS	316-021	ORG	78-87-5	1,2-Dichloropropane	3800		ug/L	100	18.17	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9675	5000	76%		
NAL13026-539MS	316-021	ORG	75-27-4	Bromodichloromethane	4900		ug/L	200	11.58	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9675	5000	98%		
NAL13026-539MS	316-021	ORG	10061-01-5	cis-1,3-Dichloropropene	4100		ug/L	100	25.01	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9675	5000	82%		
NAL13026-539MS	316-021	ORG	108-88-3	Toluene	4500		ug/L	500	74.00	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9675	5000	90%		
NAL13026-539MS	316-021	ORG	108-10-1	4-Methyl-2-pentanone	4600		ug/L	100	20.96	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9675	5000	85%		340
NAL13026-539MS	316-021	ORG	10061-02-6	trans-1,3-Dichloropropene	4700		ug/L	100	31.15	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9675	5000	94%		
NAL13026-539MS	316-021	ORG	127-18-4	Tetrachloroethene	5200		ug/L	100	48.56	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9675	5000	104%		
NAL13026-539MS	316-021	ORG	79-00-5	1,1,2-Trichloroethane	4800		ug/L	100	34.28	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9675	5000	96%		
NAL13026-539MS	316-021	ORG	124-48-1	Dibromochloromethane	5700		ug/L	500	68.90	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9675	5000	114%		
NAL13026-539MS	316-021	ORG	106-93-4	1,2-Dibromoethane	5500		ug/L	200	29.90	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9675	5000	110%		
NAL13026-539MS	316-021	ORG	591-78-6	2-Hexanone	2400		ug/L	200	26.49	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9675	5000	46%		100
NAL13026-539MS	316-021	ORG	100-41-4	Ethylbenzene	4100		ug/L	100	25.38	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9675	5000	82%		
NAL13026-539MS	316-021	ORG	108-90-7	Chlorobenzene	4400		ug/L	100	27.52	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9675	5000	88%		
NAL13026-539MS	316-021	ORG	630-20-6	1,1,1,2-Tetrachloroethane	4900		ug/L	200	19.28	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9675	5000	98%		
NAL13026-539MS	316-021	ORG	XYLMP	p&m-Xylene	8400		ug/L	200	26.14	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9675	10000	84%		
NAL13026-539MS	316-021	ORG	95-47-6	o-Xylene	4400		ug/L	100	12.90	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9675	5000	88%		
NAL13026-539MS	316-021	ORG	100-42-5	Styrene	4300		ug/L	100	20.23	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9675	5000	86%		
NAL13026-539MS	316-021	ORG	75-25-2	Bromoform	5600		ug/L	200	46.83	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9675	5000	112%		
NAL13026-539MS	316-021	ORG	98-82-8	Isopropylbenzene	4500		ug/L	200	20.48	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9675	5000	90%		
NAL13026-539MS	316-021	ORG	103-65-1	n-Propylbenzene	4400		ug/L	200	27.00	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9675	5000	88%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-539MS	316-021	ORG	79-34-5	1,1,2,2-Tetrachloroethane	5100		ug/L	200	29.16	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9675	5000	102%		
NAL13026-539MS	316-021	ORG	96-18-4	1,2,3-Trichloropropane	4900		ug/L	200	29.47	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9675	5000	98%		
NAL13026-539MS	316-021	ORG	108-67-8	1,3,5-Trimethylbenzene	4600		ug/L	200	20.03	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9675	5000	92%		
NAL13026-539MS	316-021	ORG	98-06-6	tert-Butylbenzene	4900		ug/L	200	32.61	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9675	5000	98%		
NAL13026-539MS	316-021	ORG	95-63-6	1,2,4-Trimethylbenzene	4600		ug/L	200	20.03	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9675	5000	92%		
NAL13026-539MS	316-021	ORG	135-98-8	sec-Butylbenzene	4700		ug/L	200	32.34	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9675	5000	94%		
NAL13026-539MS	316-021	ORG	541-73-1	1,3-Dichlorobenzene	5100		ug/L	200	22.21	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9675	5000	102%		
NAL13026-539MS	316-021	ORG	99-87-6	p-Isopropltoluene	5000		ug/L	200	25.48	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9675	5000	100%		
NAL13026-539MS	316-021	ORG	106-46-7	1,4-Dichlorobenzene	4900		ug/L	200	33.03	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9675	5000	98%		
NAL13026-539MS	316-021	ORG	95-50-1	1,2-Dichlorobenzene	5200		ug/L	200	26.38	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9675	5000	104%		
NAL13026-539MS	316-021	ORG	104-51-8	n-Butylbenzene	4600		ug/L	500	27.81	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9675	5000	92%		
NAL13026-539MS	316-021	ORG	96-12-8	1,2-Dibromo-3-chloropropane	5900		ug/L	500	159.11	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9675	5000	118%		
NAL13026-539MS	316-021	ORG	87-68-3	Hexachlorobutadiene	4800		ug/L	500	65.42	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9675	5000	96%		
NAL13026-539MS	316-021	ORG	120-82-1	1,2,4-Trichlorobenzene	4900		ug/L	500	27.63	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9675	5000	98%		
NAL13026-539MS	316-021	ORG	91-20-3	Naphthalene	5600		ug/L	500	56.04	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9675	5000	107%		240
NAL13026-539MS	316-021	ORG	87-61-6	1,2,3-Trichlorobenzene	5000		ug/L	500	23.28	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9675	5000	100%		
NAL13026-539MS	316-021	STD	1868-53-7	Dibromofluoromethane	53		ng			7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9675	50	106%		
NAL13026-539MS	316-021	STD	17060-07-0	1,2-Dichloroethane d4	55		ng			7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9675	50	110%		
NAL13026-539MS	316-021	STD	2037-26-5	Toluene d8	47		ng			7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9675	50	94%		
NAL13026-539MS	316-021	STD	460-00-4	Bromofluorobenzene	46		ng			7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9675	50	92%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-539MSD	316-021	ORG	75-71-8	Dichlorodifluoromethane	3500		ug/L	500	29.28	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9676	5000	70%	0%	0
NAL13026-539MSD	316-021	ORG	74-87-3	Chloromethane	2900		ug/L	500	43.07	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9676	5000	58%	7%	0
NAL13026-539MSD	316-021	ORG	75-01-4	Vinyl chloride	3700		ug/L	200	31.86	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9676	5000	74%	0%	0
NAL13026-539MSD	316-021	ORG	74-83-9	Bromomethane	5300		ug/L	500	50.04	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9676	5000	106%	0%	0
NAL13026-539MSD	316-021	ORG	75-00-3	Chloroethane	6300		ug/L	500	55.61	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9676	5000	126%	2%	0
NAL13026-539MSD	316-021	ORG	75-69-4	Trichlorofluoromethane	4900		ug/L	500	19.65	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9676	5000	98%	6%	0
NAL13026-539MSD	316-021	ORG	75-35-4	1,1-Dichloroethene	5200		ug/L	100	47.11	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9676	5000	104%	6%	0
NAL13026-539MSD	316-021	ORG	75-09-2	Methylene chloride	5300		ug/L	500	26.46	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9676	5000	106%	2%	0
NAL13026-539MSD	316-021	ORG	67-64-1	Acetone	50000		ug/L	1000	155.61	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9676	5000	300%	13%	35000
NAL13026-539MSD	316-021	ORG	156-60-5	trans-1,2-Dichloroethene	5200		ug/L	100	55.61	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9676	5000	104%	2%	0
NAL13026-539MSD	316-021	ORG	1634-04-4	MTBE	6100		ug/L	500	61.18	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9676	5000	122%	5%	0
NAL13026-539MSD	316-021	ORG	75-34-3	1,1-Dichloroethane	3900		ug/L	100	52.66	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9676	5000	78%	10%	0
NAL13026-539MSD	316-021	ORG	156-59-2	cis-1,2-Dichloroethene	5300		ug/L	100	32.11	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9676	5000	106%	4%	0
NAL13026-539MSD	316-021	ORG	74-97-5	Bromochloromethane	5900		ug/L	1000	81.18	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9676	5000	118%	3%	0
NAL13026-539MSD	316-021	ORG	67-66-3	Chloroform	5300		ug/L	200	41.37	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9676	5000	106%	4%	0
NAL13026-539MSD	316-021	ORG	71-55-6	1,1,1-Trichloroethane	5700		ug/L	100	15.73	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9676	5000	114%	4%	0
NAL13026-539MSD	316-021	ORG	78-93-3	2-Butanone	24000		ug/L	100	16.65	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9676	5000	180%	9%	15000
NAL13026-539MSD	316-021	ORG	56-23-5	Carbon tetrachloride	5700		ug/L	100	27.64	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9676	5000	114%	4%	0
NAL13026-539MSD	316-021	ORG	71-43-2	Benzene	4500		ug/L	100	13.53	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9676	5000	90%	2%	0
NAL13026-539MSD	316-021	ORG	107-06-2	1,2-Dichloroethane	6000		ug/L	100	20.01	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9676	5000	120%	5%	0
NAL13026-539MSD	316-021	ORG	79-01-6	Trichloroethene	5300		ug/L	100	36.33	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9676	5000	106%	0%	0
NAL13026-539MSD	316-021	ORG	74-95-3	Dibromomethane	5700		ug/L	200	32.20	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9676	5000	114%	5%	0
NAL13026-539MSD	316-021	ORG	78-87-5	1,2-Dichloropropane	4100		ug/L	100	18.17	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9676	5000	82%	8%	0
NAL13026-539MSD	316-021	ORG	75-27-4	Bromodichloromethane	5200		ug/L	200	11.58	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9676	5000	104%	6%	0
NAL13026-539MSD	316-021	ORG	10061-01-5	cis-1,3-Dichloropropene	4400		ug/L	100	25.01	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9676	5000	88%	7%	0
NAL13026-539MSD	316-021	ORG	108-88-3	Toluene	4600		ug/L	500	74.00	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9676	5000	92%	2%	0
NAL13026-539MSD	316-021	ORG	108-10-1	4-Methyl-2-pentanone	4400		ug/L	100	20.96	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9676	5000	81%	4%	340
NAL13026-539MSD	316-021	ORG	10061-02-6	trans-1,3-Dichloropropene	5100		ug/L	100	31.15	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9676	5000	102%	8%	0
NAL13026-539MSD	316-021	ORG	127-18-4	Tetrachloroethene	5400		ug/L	100	48.56	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9676	5000	108%	4%	0
NAL13026-539MSD	316-021	ORG	79-00-5	1,1,2-Trichloroethane	5200		ug/L	100	34.28	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9676	5000	104%	8%	0
NAL13026-539MSD	316-021	ORG	124-48-1	Dibromochloromethane	5900		ug/L	500	68.90	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9676	5000	118%	3%	0
NAL13026-539MSD	316-021	ORG	106-93-4	1,2-Dibromoethane	5900		ug/L	200	29.90	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9676	5000	118%	7%	0
NAL13026-539MSD	316-021	ORG	591-78-6	2-Hexanone	3200		ug/L	200	26.49	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9676	5000	62%	29%	100
NAL13026-539MSD	316-021	ORG	100-41-4	Ethylbenzene	5600		ug/L	100	25.38	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9676	5000	112%	31%	0
NAL13026-539MSD	316-021	ORG	108-90-7	Chlorobenzene	6000		ug/L	100	27.52	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9676	5000	120%	31%	0
NAL13026-539MSD	316-021	ORG	630-20-6	1,1,1,2-Tetrachloroethane	6100		ug/L	200	19.28	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9676	5000	122%	22%	0
NAL13026-539MSD	316-021	ORG	XYLMP	p&m-Xylene	11000		ug/L	200	26.14	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9676	10000	110%	27%	0
NAL13026-539MSD	316-021	ORG	95-47-6	o-Xylene	5700		ug/L	100	12.90	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9676	5000	114%	26%	0
NAL13026-539MSD	316-021	ORG	100-42-5	Styrene	5400		ug/L	100	20.23	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9676	5000	108%	23%	0
NAL13026-539MSD	316-021	ORG	75-25-2	Bromoform	6500		ug/L	200	46.83	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9676	5000	130%	15%	0
NAL13026-539MSD	316-021	ORG	98-82-8	Isopropylbenzene	5700		ug/L	200	20.48	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9676	5000	114%	24%	0
NAL13026-539MSD	316-021	ORG	103-65-1	n-Propylbenzene	5400		ug/L	200	27.00	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9676	5000	108%	20%	0

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-539MSD	316-021	ORG	79-34-5	1,1,2,2-Tetrachloroethane	5900		ug/L	200	29.16	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9676	5000	118%	15%	0
NAL13026-539MSD	316-021	ORG	96-18-4	1,2,3-Trichloropropane	5600		ug/L	200	29.47	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9676	5000	112%	13%	0
NAL13026-539MSD	316-021	ORG	108-67-8	1,3,5-Trimethylbenzene	5500		ug/L	200	20.03	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9676	5000	110%	18%	0
NAL13026-539MSD	316-021	ORG	98-06-6	tert-Butylbenzene	5600		ug/L	200	32.61	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9676	5000	112%	13%	0
NAL13026-539MSD	316-021	ORG	95-63-6	1,2,4-Trimethylbenzene	5500		ug/L	200	20.03	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9676	5000	110%	18%	0
NAL13026-539MSD	316-021	ORG	135-98-8	sec-Butylbenzene	5300		ug/L	200	32.34	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9676	5000	106%	12%	0
NAL13026-539MSD	316-021	ORG	541-73-1	1,3-Dichlorobenzene	5600		ug/L	200	22.21	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9676	5000	112%	9%	0
NAL13026-539MSD	316-021	ORG	99-87-6	p-Isopropltoluene	5500		ug/L	200	25.48	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9676	5000	110%	10%	0
NAL13026-539MSD	316-021	ORG	106-46-7	1,4-Dichlorobenzene	5300		ug/L	200	33.03	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9676	5000	106%	8%	0
NAL13026-539MSD	316-021	ORG	95-50-1	1,2-Dichlorobenzene	5600		ug/L	200	26.38	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9676	5000	112%	7%	0
NAL13026-539MSD	316-021	ORG	104-51-8	n-Butylbenzene	4900		ug/L	500	27.81	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9676	5000	98%	6%	0
NAL13026-539MSD	316-021	ORG	96-12-8	1,2-Dibromo-3-chloropropane	7700		ug/L	500	159.11	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9676	5000	154%	26%	0
NAL13026-539MSD	316-021	ORG	87-68-3	Hexachlorobutadiene	4900		ug/L	500	65.42	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9676	5000	98%	2%	0
NAL13026-539MSD	316-021	ORG	120-82-1	1,2,4-Trichlorobenzene	5900		ug/L	500	27.63	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9676	5000	118%	19%	0
NAL13026-539MSD	316-021	ORG	91-20-3	Naphthalene	7500		ug/L	500	56.04	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9676	5000	145%	29%	240
NAL13026-539MSD	316-021	ORG	87-61-6	1,2,3-Trichlorobenzene	6300		ug/L	500	23.28	7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9676	5000	126%	23%	0
NAL13026-539MSD	316-021	STD	1868-53-7	Dibromofluoromethane	53		ng			7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9676	50	106%	0%	0
NAL13026-539MSD	316-021	STD	17060-07-0	1,2-Dichloroethane d4	56		ng			7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9676	50	112%	2%	0
NAL13026-539MSD	316-021	STD	2037-26-5	Toluene d8	47		ng			7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9676	50	94%	0%	0
NAL13026-539MSD	316-021	STD	460-00-4	Bromofluorobenzene	52		ng			7/24/2013	7/24/2013	7/24/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9676	50	104%	12%	0

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-545	316-022	ORG	75-71-8	Dichlorodifluoromethane		UX-	ug/L	500	29.28	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9684				
NAL13026-545	316-022	ORG	74-87-3	Chloromethane		UX-	ug/L	500	43.07	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9684				
NAL13026-545	316-022	ORG	75-01-4	Vinyl chloride		UX-	ug/L	200	31.86	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9684				
NAL13026-545	316-022	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9684				
NAL13026-545	316-022	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9684				
NAL13026-545	316-022	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9684				
NAL13026-545	316-022	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9684				
NAL13026-545	316-022	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9684				
NAL13026-545	316-022	ORG	67-64-1	Acetone	47000	D	ug/L	10000	1556.07	7/25/2013	7/25/2013	7/25/2013	WG	1000	NA	5.0	NA	SW8260B	NAL9686				
NAL13026-545	316-022	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9684				
NAL13026-545	316-022	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9684				
NAL13026-545	316-022	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9684				
NAL13026-545	316-022	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9684				
NAL13026-545	316-022	ORG	74-97-5	Bromochloromethane		U	ug/L	200	41.37	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9684				
NAL13026-545	316-022	ORG	67-66-3	Chloroform		U	ug/L	100	15.73	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9684				
NAL13026-545	316-022	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	16.65	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9684				
NAL13026-545	316-022	ORG	78-93-3	2-Butanone	13000		ug/L	1000	81.18	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9684				
NAL13026-545	316-022	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9684				
NAL13026-545	316-022	ORG	71-43-2	Benzene		U	ug/L	100	13.53	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9684				
NAL13026-545	316-022	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9684				
NAL13026-545	316-022	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9684				
NAL13026-545	316-022	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9684				
NAL13026-545	316-022	ORG	78-87-5	1,2-Dichloropropane		UX-	ug/L	100	18.17	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9684				
NAL13026-545	316-022	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9684				
NAL13026-545	316-022	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9684				
NAL13026-545	316-022	ORG	108-88-3	Toluene		U	ug/L	100	20.96	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9684				
NAL13026-545	316-022	ORG	108-10-1	4-Methyl-2-pentanone	290	J	ug/L	500	74.00	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9684				
NAL13026-545	316-022	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9684				
NAL13026-545	316-022	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9684				
NAL13026-545	316-022	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9684				
NAL13026-545	316-022	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	29.90	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9684				
NAL13026-545	316-022	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	26.49	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9684				
NAL13026-545	316-022	ORG	591-78-6	2-Hexanone		UX-	ug/L	500	68.90	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9684				
NAL13026-545	316-022	ORG	100-41-4	Ethylbenzene		U	ug/L	100	25.38	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9684				
NAL13026-545	316-022	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9684				
NAL13026-545	316-022	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9684				
NAL13026-545	316-022	ORG	XYLMP	p&m-Xylene		U	ug/L	200	26.14	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9684				
NAL13026-545	316-022	ORG	95-47-6	o-Xylene		U	ug/L	100	12.90	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9684				
NAL13026-545	316-022	ORG	100-42-5	Styrene		U	ug/L	100	20.23	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9684				
NAL13026-545	316-022	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9684				
NAL13026-545	316-022	ORG	98-82-8	Isopropylbenzene		U	ug/L	200	20.48	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9684				
NAL13026-545	316-022	ORG	103-65-1	n-Propylbenzene		U	ug/L	200	27.00	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9684				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-545	316-022	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9684				
NAL13026-545	316-022	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9684				
NAL13026-545	316-022	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	200	20.03	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9684				
NAL13026-545	316-022	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9684				
NAL13026-545	316-022	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	200	20.03	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9684				
NAL13026-545	316-022	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9684				
NAL13026-545	316-022	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9684				
NAL13026-545	316-022	ORG	99-87-6	p-Isopropltoluene		U	ug/L	200	25.48	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9684				
NAL13026-545	316-022	ORG	106-46-7	1,4-Dichlorobenzene		U	ug/L	200	33.03	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9684				
NAL13026-545	316-022	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9684				
NAL13026-545	316-022	ORG	104-51-8	n-Butylbenzene		U	ug/L	500	27.81	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9684				
NAL13026-545	316-022	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9684				
NAL13026-545	316-022	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9684				
NAL13026-545	316-022	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9684				
NAL13026-545	316-022	ORG	91-20-3	Naphthalene	140	J	ug/L	500	56.04	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9684				
NAL13026-545	316-022	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9684				
NAL13026-545	316-022	STD	1868-53-7	Dibromofluoromethane	54		ng			7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9684	50	108%		
NAL13026-545	316-022	STD	17060-07-0	1,2-Dichloroethane d4	56		ng			7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9684	50	112%		
NAL13026-545	316-022	STD	2037-26-5	Toluene d8	47		ng			7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9684	50	94%		
NAL13026-545	316-022	STD	460-00-4	Bromofluorobenzene	43		ng			7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9684	50	86%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-546	96-001-B	ORG	75-71-8	Dichlorodifluoromethane		UX-	ug/L	500	29.28	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9685				
NAL13026-546	96-001-B	ORG	74-87-3	Chloromethane		UX-	ug/L	500	43.07	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9685				
NAL13026-546	96-001-B	ORG	75-01-4	Vinyl chloride		UX-	ug/L	200	31.86	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9685				
NAL13026-546	96-001-B	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9685				
NAL13026-546	96-001-B	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9685				
NAL13026-546	96-001-B	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9685				
NAL13026-546	96-001-B	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9685				
NAL13026-546	96-001-B	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9685				
NAL13026-546	96-001-B	ORG	67-64-1	Acetone	29000	D	ug/L	10000	1556.07	7/25/2013	7/25/2013	7/25/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9687				
NAL13026-546	96-001-B	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9685				
NAL13026-546	96-001-B	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9685				
NAL13026-546	96-001-B	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9685				
NAL13026-546	96-001-B	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9685				
NAL13026-546	96-001-B	ORG	74-97-5	Bromochloromethane		U	ug/L	200	81.18	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9685				
NAL13026-546	96-001-B	ORG	67-66-3	Chloroform		U	ug/L	100	41.37	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9685				
NAL13026-546	96-001-B	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	15.73	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9685				
NAL13026-546	96-001-B	ORG	78-93-3	2-Butanone	10000		ug/L	1000	16.65	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9685				
NAL13026-546	96-001-B	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9685				
NAL13026-546	96-001-B	ORG	71-43-2	Benzene		U	ug/L	100	13.53	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9685				
NAL13026-546	96-001-B	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9685				
NAL13026-546	96-001-B	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9685				
NAL13026-546	96-001-B	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9685				
NAL13026-546	96-001-B	ORG	78-87-5	1,2-Dichloropropane		UX-	ug/L	100	18.17	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9685				
NAL13026-546	96-001-B	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9685				
NAL13026-546	96-001-B	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9685				
NAL13026-546	96-001-B	ORG	108-88-3	Toluene		U	ug/L	100	20.96	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9685				
NAL13026-546	96-001-B	ORG	108-10-1	4-Methyl-2-pentanone		U	ug/L	500	74.00	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9685				
NAL13026-546	96-001-B	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9685				
NAL13026-546	96-001-B	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9685				
NAL13026-546	96-001-B	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9685				
NAL13026-546	96-001-B	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	68.90	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9685				
NAL13026-546	96-001-B	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	29.90	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9685				
NAL13026-546	96-001-B	ORG	591-78-6	2-Hexanone		UX-	ug/L	500	26.49	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9685				
NAL13026-546	96-001-B	ORG	100-41-4	Ethylbenzene		U	ug/L	100	25.38	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9685				
NAL13026-546	96-001-B	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9685				
NAL13026-546	96-001-B	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9685				
NAL13026-546	96-001-B	ORG	XYLMP	p&m-Xylene		U	ug/L	200	26.14	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9685				
NAL13026-546	96-001-B	ORG	95-47-6	o-Xylene		U	ug/L	100	12.90	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9685				
NAL13026-546	96-001-B	ORG	100-42-5	Styrene		U	ug/L	100	20.23	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9685				
NAL13026-546	96-001-B	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9685				
NAL13026-546	96-001-B	ORG	98-82-8	Isopropylbenzene		U	ug/L	200	20.48	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9685				
NAL13026-546	96-001-B	ORG	103-65-1	n-Propylbenzene		U	ug/L	200	27.00	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9685				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-546	96-001-B	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9685				
NAL13026-546	96-001-B	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9685				
NAL13026-546	96-001-B	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	200	20.03	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9685				
NAL13026-546	96-001-B	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9685				
NAL13026-546	96-001-B	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	200	20.03	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9685				
NAL13026-546	96-001-B	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9685				
NAL13026-546	96-001-B	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9685				
NAL13026-546	96-001-B	ORG	99-87-6	p-Isopropltoluene	31	J	ug/L	200	25.48	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9685				
NAL13026-546	96-001-B	ORG	106-46-7	1,4-Dichlorobenzene		U	ug/L	200	33.03	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9685				
NAL13026-546	96-001-B	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9685				
NAL13026-546	96-001-B	ORG	104-51-8	n-Butylbenzene		U	ug/L	500	27.81	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9685				
NAL13026-546	96-001-B	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9685				
NAL13026-546	96-001-B	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9685				
NAL13026-546	96-001-B	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9685				
NAL13026-546	96-001-B	ORG	91-20-3	Naphthalene	92	J	ug/L	500	56.04	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9685				
NAL13026-546	96-001-B	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9685				
NAL13026-546	96-001-B	STD	1868-53-7	Dibromofluoromethane	54		ng			7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9685	50	108%		
NAL13026-546	96-001-B	STD	17060-07-0	1,2-Dichloroethane d4	56		ng			7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9685	50	112%		
NAL13026-546	96-001-B	STD	2037-26-5	Toluene d8	46		ng			7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9685	50	92%		
NAL13026-546	96-001-B	STD	460-00-4	Bromofluorobenzene	45		ng			7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9685	50	90%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-547	299-ST T1	ORG	75-71-8	Dichlorodifluoromethane		UX-	ug/L	500	29.28	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9688				
NAL13026-547	299-ST T1	ORG	74-87-3	Chloromethane		UX-	ug/L	500	43.07	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9688				
NAL13026-547	299-ST T1	ORG	75-01-4	Vinyl chloride		UX-	ug/L	200	31.86	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9688				
NAL13026-547	299-ST T1	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9688				
NAL13026-547	299-ST T1	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9688				
NAL13026-547	299-ST T1	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9688				
NAL13026-547	299-ST T1	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9688				
NAL13026-547	299-ST T1	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9688				
NAL13026-547	299-ST T1	ORG	67-64-1	Acetone	76000	D	ug/L	10000	1556.07	7/25/2013	7/25/2013	7/25/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9699				
NAL13026-547	299-ST T1	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9688				
NAL13026-547	299-ST T1	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9688				
NAL13026-547	299-ST T1	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9688				
NAL13026-547	299-ST T1	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9688				
NAL13026-547	299-ST T1	ORG	74-97-5	Bromochloromethane		U	ug/L	200	81.18	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9688				
NAL13026-547	299-ST T1	ORG	67-66-3	Chloroform		U	ug/L	100	41.37	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9688				
NAL13026-547	299-ST T1	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	15.73	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9688				
NAL13026-547	299-ST T1	ORG	78-93-3	2-Butanone	32000	D	ug/L	10000	166.52	7/25/2013	7/25/2013	7/25/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9699				
NAL13026-547	299-ST T1	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9688				
NAL13026-547	299-ST T1	ORG	71-43-2	Benzene		U	ug/L	100	13.53	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9688				
NAL13026-547	299-ST T1	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9688				
NAL13026-547	299-ST T1	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9688				
NAL13026-547	299-ST T1	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9688				
NAL13026-547	299-ST T1	ORG	78-87-5	1,2-Dichloropropane		UX-	ug/L	100	18.17	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9688				
NAL13026-547	299-ST T1	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9688				
NAL13026-547	299-ST T1	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9688				
NAL13026-547	299-ST T1	ORG	108-88-3	Toluene		U	ug/L	100	20.96	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9688				
NAL13026-547	299-ST T1	ORG	108-10-1	4-Methyl-2-pentanone	860		ug/L	500	74.00	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9688				
NAL13026-547	299-ST T1	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9688				
NAL13026-547	299-ST T1	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9688				
NAL13026-547	299-ST T1	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9688				
NAL13026-547	299-ST T1	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	68.90	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9688				
NAL13026-547	299-ST T1	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	29.90	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9688				
NAL13026-547	299-ST T1	ORG	591-78-6	2-Hexanone	150	JX-	ug/L	500	26.49	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9688				
NAL13026-547	299-ST T1	ORG	100-41-4	Ethylbenzene		U	ug/L	100	25.38	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9688				
NAL13026-547	299-ST T1	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9688				
NAL13026-547	299-ST T1	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9688				
NAL13026-547	299-ST T1	ORG	XYLMP	p&m-Xylene		U	ug/L	200	26.14	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9688				
NAL13026-547	299-ST T1	ORG	95-47-6	o-Xylene		U	ug/L	100	12.90	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9688				
NAL13026-547	299-ST T1	ORG	100-42-5	Styrene		U	ug/L	100	20.23	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9688				
NAL13026-547	299-ST T1	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9688				
NAL13026-547	299-ST T1	ORG	98-82-8	Isopropylbenzene		U	ug/L	200	20.48	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9688				
NAL13026-547	299-ST T1	ORG	103-65-1	n-Propylbenzene		U	ug/L	200	27.00	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9688				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-547	299-ST T1	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9688				
NAL13026-547	299-ST T1	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9688				
NAL13026-547	299-ST T1	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	200	20.03	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9688				
NAL13026-547	299-ST T1	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9688				
NAL13026-547	299-ST T1	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	200	20.03	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9688				
NAL13026-547	299-ST T1	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9688				
NAL13026-547	299-ST T1	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9688				
NAL13026-547	299-ST T1	ORG	99-87-6	p-Isopropltoluene		U	ug/L	200	25.48	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9688				
NAL13026-547	299-ST T1	ORG	106-46-7	1,4-Dichlorobenzene		U	ug/L	200	33.03	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9688				
NAL13026-547	299-ST T1	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9688				
NAL13026-547	299-ST T1	ORG	104-51-8	n-Butylbenzene		U	ug/L	500	27.81	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9688				
NAL13026-547	299-ST T1	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9688				
NAL13026-547	299-ST T1	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9688				
NAL13026-547	299-ST T1	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9688				
NAL13026-547	299-ST T1	ORG	91-20-3	Naphthalene	180	J	ug/L	500	56.04	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9688				
NAL13026-547	299-ST T1	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9688				
NAL13026-547	299-ST T1	STD	1868-53-7	Dibromofluoromethane	54		ng			7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9688	50	108%		
NAL13026-547	299-ST T1	STD	17060-07-0	1,2-Dichloroethane d4	57		ng			7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9688	50	114%		
NAL13026-547	299-ST T1	STD	2037-26-5	Toluene d8	46		ng			7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9688	50	92%		
NAL13026-547	299-ST T1	STD	460-00-4	Bromofluorobenzene	44		ng			7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9688	50	88%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-548	299-ST T2	ORG	75-71-8	Dichlorodifluoromethane		UX-	ug/L	500	29.28	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9689				
NAL13026-548	299-ST T2	ORG	74-87-3	Chloromethane		UX-	ug/L	500	43.07	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9689				
NAL13026-548	299-ST T2	ORG	75-01-4	Vinyl chloride		UX-	ug/L	200	31.86	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9689				
NAL13026-548	299-ST T2	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9689				
NAL13026-548	299-ST T2	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9689				
NAL13026-548	299-ST T2	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9689				
NAL13026-548	299-ST T2	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9689				
NAL13026-548	299-ST T2	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9689				
NAL13026-548	299-ST T2	ORG	67-64-1	Acetone	63000	D	ug/L	10000	1556.07	7/25/2013	7/25/2013	7/25/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9700				
NAL13026-548	299-ST T2	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9689				
NAL13026-548	299-ST T2	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9689				
NAL13026-548	299-ST T2	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9689				
NAL13026-548	299-ST T2	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9689				
NAL13026-548	299-ST T2	ORG	74-97-5	Bromochloromethane		U	ug/L	200	81.18	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9689				
NAL13026-548	299-ST T2	ORG	67-66-3	Chloroform		U	ug/L	100	41.37	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9689				
NAL13026-548	299-ST T2	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	15.73	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9689				
NAL13026-548	299-ST T2	ORG	78-93-3	2-Butanone	27000	D	ug/L	10000	166.52	7/25/2013	7/25/2013	7/25/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9700				
NAL13026-548	299-ST T2	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9689				
NAL13026-548	299-ST T2	ORG	71-43-2	Benzene		U	ug/L	100	13.53	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9689				
NAL13026-548	299-ST T2	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9689				
NAL13026-548	299-ST T2	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9689				
NAL13026-548	299-ST T2	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9689				
NAL13026-548	299-ST T2	ORG	78-87-5	1,2-Dichloropropane		UX-	ug/L	100	18.17	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9689				
NAL13026-548	299-ST T2	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9689				
NAL13026-548	299-ST T2	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9689				
NAL13026-548	299-ST T2	ORG	108-88-3	Toluene		U	ug/L	100	74.00	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9689				
NAL13026-548	299-ST T2	ORG	108-10-1	4-Methyl-2-pentanone	780		ug/L	500	20.96	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9689				
NAL13026-548	299-ST T2	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9689				
NAL13026-548	299-ST T2	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9689				
NAL13026-548	299-ST T2	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9689				
NAL13026-548	299-ST T2	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	68.90	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9689				
NAL13026-548	299-ST T2	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	29.90	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9689				
NAL13026-548	299-ST T2	ORG	591-78-6	2-Hexanone	150	JX-	ug/L	500	26.49	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9689				
NAL13026-548	299-ST T2	ORG	100-41-4	Ethylbenzene	34	J	ug/L	100	25.38	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9689				
NAL13026-548	299-ST T2	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9689				
NAL13026-548	299-ST T2	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9689				
NAL13026-548	299-ST T2	ORG	XYLMP	p&m-Xylene	140	J	ug/L	200	26.14	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9689				
NAL13026-548	299-ST T2	ORG	95-47-6	o-Xylene	78	J	ug/L	100	12.90	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9689				
NAL13026-548	299-ST T2	ORG	100-42-5	Styrene		U	ug/L	100	20.23	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9689				
NAL13026-548	299-ST T2	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9689				
NAL13026-548	299-ST T2	ORG	98-82-8	Isopropylbenzene	150	J	ug/L	200	20.48	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9689				
NAL13026-548	299-ST T2	ORG	103-65-1	n-Propylbenzene	96	J	ug/L	200	27.00	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9689				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-548	299-ST T2	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9689				
NAL13026-548	299-ST T2	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9689				
NAL13026-548	299-ST T2	ORG	108-67-8	1,3,5-Trimethylbenzene	290		ug/L	200	20.03	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9689				
NAL13026-548	299-ST T2	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9689				
NAL13026-548	299-ST T2	ORG	95-63-6	1,2,4-Trimethylbenzene	1200		ug/L	200	20.03	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9689				
NAL13026-548	299-ST T2	ORG	135-98-8	sec-Butylbenzene	71	J	ug/L	200	32.34	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9689				
NAL13026-548	299-ST T2	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9689				
NAL13026-548	299-ST T2	ORG	99-87-6	p-Isopropltoluene	8100		ug/L	200	25.48	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9689				
NAL13026-548	299-ST T2	ORG	106-46-7	1,4-Dichlorobenzene	1400		ug/L	200	33.03	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9689				
NAL13026-548	299-ST T2	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9689				
NAL13026-548	299-ST T2	ORG	104-51-8	n-Butylbenzene	320	J	ug/L	500	27.81	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9689				
NAL13026-548	299-ST T2	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9689				
NAL13026-548	299-ST T2	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9689				
NAL13026-548	299-ST T2	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9689				
NAL13026-548	299-ST T2	ORG	91-20-3	Naphthalene	2800		ug/L	500	56.04	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9689				
NAL13026-548	299-ST T2	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9689				
NAL13026-548	299-ST T2	STD	1868-53-7	Dibromofluoromethane	53		ng			7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9689	50	106%		
NAL13026-548	299-ST T2	STD	17060-07-0	1,2-Dichloroethane d4	56		ng			7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9689	50	112%		
NAL13026-548	299-ST T2	STD	2037-26-5	Toluene d8	46		ng			7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9689	50	92%		
NAL13026-548	299-ST T2	STD	460-00-4	Bromofluorobenzene	43		ng			7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9689	50	86%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-549	299-ST T3	ORG	75-71-8	Dichlorodifluoromethane		UX-	ug/L	500	29.28	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9690				
NAL13026-549	299-ST T3	ORG	74-87-3	Chloromethane		UX-	ug/L	500	43.07	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9690				
NAL13026-549	299-ST T3	ORG	75-01-4	Vinyl chloride		UX-	ug/L	200	31.86	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9690				
NAL13026-549	299-ST T3	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9690				
NAL13026-549	299-ST T3	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9690				
NAL13026-549	299-ST T3	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9690				
NAL13026-549	299-ST T3	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9690				
NAL13026-549	299-ST T3	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9690				
NAL13026-549	299-ST T3	ORG	67-64-1	Acetone	57000	D	ug/L	10000	1556.07	7/25/2013	7/25/2013	7/25/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9701				
NAL13026-549	299-ST T3	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9690				
NAL13026-549	299-ST T3	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9690				
NAL13026-549	299-ST T3	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9690				
NAL13026-549	299-ST T3	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9690				
NAL13026-549	299-ST T3	ORG	74-97-5	Bromochloromethane		U	ug/L	200	81.18	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9690				
NAL13026-549	299-ST T3	ORG	67-66-3	Chloroform		U	ug/L	100	41.37	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9690				
NAL13026-549	299-ST T3	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	15.73	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9690				
NAL13026-549	299-ST T3	ORG	78-93-3	2-Butanone	21000	D	ug/L	1000	16.65	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9701				
NAL13026-549	299-ST T3	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9690				
NAL13026-549	299-ST T3	ORG	71-43-2	Benzene		U	ug/L	100	13.53	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9690				
NAL13026-549	299-ST T3	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9690				
NAL13026-549	299-ST T3	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9690				
NAL13026-549	299-ST T3	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9690				
NAL13026-549	299-ST T3	ORG	78-87-5	1,2-Dichloropropane		UX-	ug/L	100	18.17	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9690				
NAL13026-549	299-ST T3	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9690				
NAL13026-549	299-ST T3	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9690				
NAL13026-549	299-ST T3	ORG	108-88-3	Toluene		U	ug/L	100	74.00	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9690				
NAL13026-549	299-ST T3	ORG	108-10-1	4-Methyl-2-pentanone	790		ug/L	500	20.96	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9690				
NAL13026-549	299-ST T3	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9690				
NAL13026-549	299-ST T3	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9690				
NAL13026-549	299-ST T3	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9690				
NAL13026-549	299-ST T3	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	68.90	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9690				
NAL13026-549	299-ST T3	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	29.90	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9690				
NAL13026-549	299-ST T3	ORG	591-78-6	2-Hexanone	170	JX-	ug/L	500	26.49	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9690				
NAL13026-549	299-ST T3	ORG	100-41-4	Ethylbenzene		U	ug/L	100	25.38	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9690				
NAL13026-549	299-ST T3	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9690				
NAL13026-549	299-ST T3	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9690				
NAL13026-549	299-ST T3	ORG	XYLMP	p&m-Xylene	61	J	ug/L	200	26.14	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9690				
NAL13026-549	299-ST T3	ORG	95-47-6	o-Xylene	41	J	ug/L	100	12.90	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9690				
NAL13026-549	299-ST T3	ORG	100-42-5	Styrene	33	J	ug/L	100	20.23	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9690				
NAL13026-549	299-ST T3	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9690				
NAL13026-549	299-ST T3	ORG	98-82-8	Isopropylbenzene	56	J	ug/L	200	20.48	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9690				
NAL13026-549	299-ST T3	ORG	103-65-1	n-Propylbenzene	45	J	ug/L	200	27.00	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9690				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-549	299-ST T3	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9690				
NAL13026-549	299-ST T3	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9690				
NAL13026-549	299-ST T3	ORG	108-67-8	1,3,5-Trimethylbenzene	110	J	ug/L	200	20.03	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9690				
NAL13026-549	299-ST T3	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9690				
NAL13026-549	299-ST T3	ORG	95-63-6	1,2,4-Trimethylbenzene	490		ug/L	200	20.03	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9690				
NAL13026-549	299-ST T3	ORG	135-98-8	sec-Butylbenzene	37	J	ug/L	200	32.34	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9690				
NAL13026-549	299-ST T3	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9690				
NAL13026-549	299-ST T3	ORG	99-87-6	p-Isopropltoluene	3700		ug/L	200	25.48	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9690				
NAL13026-549	299-ST T3	ORG	106-46-7	1,4-Dichlorobenzene	530		ug/L	200	33.03	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9690				
NAL13026-549	299-ST T3	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9690				
NAL13026-549	299-ST T3	ORG	104-51-8	n-Butylbenzene	180	J	ug/L	500	27.81	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9690				
NAL13026-549	299-ST T3	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9690				
NAL13026-549	299-ST T3	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9690				
NAL13026-549	299-ST T3	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9690				
NAL13026-549	299-ST T3	ORG	91-20-3	Naphthalene	1400		ug/L	500	56.04	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9690				
NAL13026-549	299-ST T3	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9690				
NAL13026-549	299-ST T3	STD	1868-53-7	Dibromofluoromethane	51		ng			7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9690	50	102%		
NAL13026-549	299-ST T3	STD	17060-07-0	1,2-Dichloroethane d4	56		ng			7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9690	50	112%		
NAL13026-549	299-ST T3	STD	2037-26-5	Toluene d8	46		ng			7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9690	50	92%		
NAL13026-549	299-ST T3	STD	460-00-4	Bromofluorobenzene	46		ng			7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9690	50	92%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-550	299-ST T4	ORG	75-71-8	Dichlorodifluoromethane		UX-	ug/L	500	29.28	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9691				
NAL13026-550	299-ST T4	ORG	74-87-3	Chloromethane		UX-	ug/L	500	43.07	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9691				
NAL13026-550	299-ST T4	ORG	75-01-4	Vinyl chloride		UX-	ug/L	200	31.86	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9691				
NAL13026-550	299-ST T4	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9691				
NAL13026-550	299-ST T4	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9691				
NAL13026-550	299-ST T4	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9691				
NAL13026-550	299-ST T4	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9691				
NAL13026-550	299-ST T4	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9691				
NAL13026-550	299-ST T4	ORG	67-64-1	Acetone	39000	D	ug/L	10000	1556.07	7/25/2013	7/25/2013	7/25/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9702				
NAL13026-550	299-ST T4	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9691				
NAL13026-550	299-ST T4	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9691				
NAL13026-550	299-ST T4	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9691				
NAL13026-550	299-ST T4	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9691				
NAL13026-550	299-ST T4	ORG	74-97-5	Bromochloromethane		U	ug/L	200	81.18	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9691				
NAL13026-550	299-ST T4	ORG	67-66-3	Chloroform		U	ug/L	100	41.37	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9691				
NAL13026-550	299-ST T4	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	15.73	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9691				
NAL13026-550	299-ST T4	ORG	78-93-3	2-Butanone	10000	D	ug/L	10000	166.52	7/25/2013	7/25/2013	7/25/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9702				
NAL13026-550	299-ST T4	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9691				
NAL13026-550	299-ST T4	ORG	71-43-2	Benzene		U	ug/L	100	13.53	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9691				
NAL13026-550	299-ST T4	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9691				
NAL13026-550	299-ST T4	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9691				
NAL13026-550	299-ST T4	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9691				
NAL13026-550	299-ST T4	ORG	78-87-5	1,2-Dichloropropane		UX-	ug/L	100	18.17	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9691				
NAL13026-550	299-ST T4	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9691				
NAL13026-550	299-ST T4	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9691				
NAL13026-550	299-ST T4	ORG	108-88-3	Toluene		U	ug/L	100	74.00	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9691				
NAL13026-550	299-ST T4	ORG	108-10-1	4-Methyl-2-pentanone	460	J	ug/L	500	20.96	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9691				
NAL13026-550	299-ST T4	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9691				
NAL13026-550	299-ST T4	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9691				
NAL13026-550	299-ST T4	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9691				
NAL13026-550	299-ST T4	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	68.90	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9691				
NAL13026-550	299-ST T4	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	29.90	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9691				
NAL13026-550	299-ST T4	ORG	591-78-6	2-Hexanone		JX-	ug/L	500	26.49	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9691				
NAL13026-550	299-ST T4	ORG	100-41-4	Ethylbenzene		U	ug/L	100	25.38	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9691				
NAL13026-550	299-ST T4	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9691				
NAL13026-550	299-ST T4	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9691				
NAL13026-550	299-ST T4	ORG	XYLMP	p&m-Xylene		U	ug/L	200	26.14	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9691				
NAL13026-550	299-ST T4	ORG	95-47-6	o-Xylene		U	ug/L	100	12.90	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9691				
NAL13026-550	299-ST T4	ORG	100-42-5	Styrene	37	J	ug/L	100	20.23	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9691				
NAL13026-550	299-ST T4	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9691				
NAL13026-550	299-ST T4	ORG	98-82-8	Isopropylbenzene		U	ug/L	200	20.48	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9691				
NAL13026-550	299-ST T4	ORG	103-65-1	n-Propylbenzene		U	ug/L	200	27.00	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9691				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-550	299-ST T4	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9691				
NAL13026-550	299-ST T4	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9691				
NAL13026-550	299-ST T4	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	200	20.03	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9691				
NAL13026-550	299-ST T4	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9691				
NAL13026-550	299-ST T4	ORG	95-63-6	1,2,4-Trimethylbenzene	53	J	ug/L	200	20.03	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9691				
NAL13026-550	299-ST T4	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9691				
NAL13026-550	299-ST T4	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9691				
NAL13026-550	299-ST T4	ORG	99-87-6	p-Isopropltoluene	410		ug/L	200	25.48	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9691				
NAL13026-550	299-ST T4	ORG	106-46-7	1,4-Dichlorobenzene	82	J	ug/L	200	33.03	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9691				
NAL13026-550	299-ST T4	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9691				
NAL13026-550	299-ST T4	ORG	104-51-8	n-Butylbenzene	53	J	ug/L	500	27.81	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9691				
NAL13026-550	299-ST T4	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9691				
NAL13026-550	299-ST T4	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9691				
NAL13026-550	299-ST T4	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9691				
NAL13026-550	299-ST T4	ORG	91-20-3	Naphthalene	730		ug/L	500	56.04	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9691				
NAL13026-550	299-ST T4	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9691				
NAL13026-550	299-ST T4	STD	1868-53-7	Dibromofluoromethane	52		ng			7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9691	50	104%		
NAL13026-550	299-ST T4	STD	17060-07-0	1,2-Dichloroethane d4	55		ng			7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9691	50	110%		
NAL13026-550	299-ST T4	STD	2037-26-5	Toluene d8	46		ng			7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9691	50	92%		
NAL13026-550	299-ST T4	STD	460-00-4	Bromofluorobenzene	45		ng			7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9691	50	90%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J072513CCVA	J072513CCVA	ORG	75-71-8	Dichlorodifluoromethane	36		ug/L	5	0.29	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9682	50	72%		
J072513CCVA	J072513CCVA	ORG	74-87-3	Chloromethane	28		ug/L	5	0.43	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9682	50	56%		
J072513CCVA	J072513CCVA	ORG	75-01-4	Vinyl chloride	37		ug/L	2	0.32	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9682	50	74%		
J072513CCVA	J072513CCVA	ORG	74-83-9	Bromomethane	52		ug/L	5	0.50	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9682	50	104%		
J072513CCVA	J072513CCVA	ORG	75-00-3	Chloroethane	59		ug/L	5	0.56	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9682	50	118%		
J072513CCVA	J072513CCVA	ORG	75-69-4	Trichlorofluoromethane	58		ug/L	5	0.20	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9682	50	116%		
J072513CCVA	J072513CCVA	ORG	75-35-4	1,1-Dichloroethene	49		ug/L	1	0.47	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9682	50	98%		
J072513CCVA	J072513CCVA	ORG	75-09-2	Methylene chloride	52		ug/L	5	0.26	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9682	50	104%		
J072513CCVA	J072513CCVA	ORG	67-64-1	Acetone	44		ug/L	10	1.56	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9682	50	88%		
J072513CCVA	J072513CCVA	ORG	156-60-5	trans-1,2-Dichloroethene	54		ug/L	1	0.56	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9682	50	108%		
J072513CCVA	J072513CCVA	ORG	1634-04-4	MTBE	57		ug/L	5	0.61	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9682	50	114%		
J072513CCVA	J072513CCVA	ORG	75-34-3	1,1-Dichloroethane	42		ug/L	1	0.53	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9682	50	84%		
J072513CCVA	J072513CCVA	ORG	156-59-2	cis-1,2-Dichloroethene	50		ug/L	1	0.32	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9682	50	100%		
J072513CCVA	J072513CCVA	ORG	74-97-5	Bromochloromethane	53		ug/L	10	0.81	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9682	50	106%		
J072513CCVA	J072513CCVA	ORG	67-66-3	Chloroform	50		ug/L	2	0.41	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9682	50	100%		
J072513CCVA	J072513CCVA	ORG	71-55-6	1,1,1-Trichloroethane	54		ug/L	1	0.16	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9682	50	108%		
J072513CCVA	J072513CCVA	ORG	78-93-3	2-Butanone	42		ug/L	1	0.17	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9682	50	84%		
J072513CCVA	J072513CCVA	ORG	56-23-5	Carbon tetrachloride	54		ug/L	1	0.28	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9682	50	108%		
J072513CCVA	J072513CCVA	ORG	71-43-2	Benzene	42		ug/L	1	0.14	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9682	50	84%		
J072513CCVA	J072513CCVA	ORG	107-06-2	1,2-Dichloroethane	53		ug/L	1	0.20	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9682	50	106%		
J072513CCVA	J072513CCVA	ORG	79-01-6	Trichloroethene	50		ug/L	1	0.36	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9682	50	100%		
J072513CCVA	J072513CCVA	ORG	74-95-3	Dibromomethane	50		ug/L	2	0.32	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9682	50	100%		
J072513CCVA	J072513CCVA	ORG	78-87-5	1,2-Dichloropropane	38		ug/L	1	0.18	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9682	50	76%		
J072513CCVA	J072513CCVA	ORG	75-27-4	Bromodichloromethane	47		ug/L	2	0.12	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9682	50	94%		
J072513CCVA	J072513CCVA	ORG	10061-01-5	cis-1,3-Dichloropropene	43		ug/L	1	0.25	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9682	50	86%		
J072513CCVA	J072513CCVA	ORG	108-88-3	Toluene	44		ug/L	5	0.74	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9682	50	88%		
J072513CCVA	J072513CCVA	ORG	108-10-1	4-Methyl-2-pentanone	50		ug/L	1	0.21	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9682	50	100%		
J072513CCVA	J072513CCVA	ORG	10061-02-6	trans-1,3-Dichloropropene	47		ug/L	1	0.31	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9682	50	94%		
J072513CCVA	J072513CCVA	ORG	127-18-4	Tetrachloroethene	41		ug/L	1	0.49	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9682	50	82%		
J072513CCVA	J072513CCVA	ORG	79-00-5	1,1,2-Trichloroethane	42		ug/L	1	0.34	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9682	50	84%		
J072513CCVA	J072513CCVA	ORG	124-48-1	Dibromochloromethane	51		ug/L	5	0.69	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9682	50	102%		
J072513CCVA	J072513CCVA	ORG	106-93-4	1,2-Dibromoethane	50		ug/L	2	0.30	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9682	50	100%		
J072513CCVA	J072513CCVA	ORG	591-78-6	2-Hexanone	36		ug/L	2	0.26	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9682	50	72%		
J072513CCVA	J072513CCVA	ORG	100-41-4	Ethylbenzene	49		ug/L	1	0.25	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9682	50	98%		
J072513CCVA	J072513CCVA	ORG	108-90-7	Chlorobenzene	51		ug/L	1	0.28	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9682	50	102%		
J072513CCVA	J072513CCVA	ORG	630-20-6	1,1,1,2-Tetrachloroethane	53		ug/L	2	0.19	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9682	50	106%		
J072513CCVA	J072513CCVA	ORG	XYLMP	p&m-Xylene	99		ug/L	2	0.26	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9682	100	99%		
J072513CCVA	J072513CCVA	ORG	95-47-6	o-Xylene	47		ug/L	1	0.13	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9682	50	94%		
J072513CCVA	J072513CCVA	ORG	100-42-5	Styrene	47		ug/L	1	0.20	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9682	50	94%		
J072513CCVA	J072513CCVA	ORG	75-25-2	Bromoform	53		ug/L	2	0.47	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9682	50	106%		
J072513CCVA	J072513CCVA	ORG	98-82-8	Isopropylbenzene	51		ug/L	2	0.20	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9682	50	102%		
J072513CCVA	J072513CCVA	ORG	103-65-1	n-Propylbenzene	47		ug/L	2	0.27	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9682	50	94%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J072513CCVA	J072513CCVA	ORG	79-34-5	1,1,2,2-Tetrachloroethane	45		ug/L	2	0.29	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9682	50	90%		
J072513CCVA	J072513CCVA	ORG	96-18-4	1,2,3-Trichloropropane	45		ug/L	2	0.29	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9682	50	90%		
J072513CCVA	J072513CCVA	ORG	108-67-8	1,3,5-Trimethylbenzene	49		ug/L	2	0.20	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9682	50	98%		
J072513CCVA	J072513CCVA	ORG	98-06-6	tert-Butylbenzene	50		ug/L	2	0.33	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9682	50	100%		
J072513CCVA	J072513CCVA	ORG	95-63-6	1,2,4-Trimethylbenzene	48		ug/L	2	0.20	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9682	50	96%		
J072513CCVA	J072513CCVA	ORG	135-98-8	sec-Butylbenzene	49		ug/L	2	0.32	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9682	50	98%		
J072513CCVA	J072513CCVA	ORG	541-73-1	1,3-Dichlorobenzene	50		ug/L	2	0.22	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9682	50	100%		
J072513CCVA	J072513CCVA	ORG	99-87-6	p-Isopropltoluene	50		ug/L	2	0.25	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9682	50	100%		
J072513CCVA	J072513CCVA	ORG	106-46-7	1,4-Dichlorobenzene	50		ug/L	2	0.33	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9682	50	100%		
J072513CCVA	J072513CCVA	ORG	95-50-1	1,2-Dichlorobenzene	49		ug/L	2	0.26	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9682	50	98%		
J072513CCVA	J072513CCVA	ORG	104-51-8	n-Butylbenzene	45		ug/L	5	0.28	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9682	50	90%		
J072513CCVA	J072513CCVA	ORG	96-12-8	1,2-Dibromo-3-chloropropane	51		ug/L	5	1.59	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9682	50	102%		
J072513CCVA	J072513CCVA	ORG	87-68-3	Hexachlorobutadiene	49		ug/L	5	0.65	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9682	50	98%		
J072513CCVA	J072513CCVA	ORG	120-82-1	1,2,4-Trichlorobenzene	54		ug/L	5	0.28	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9682	50	108%		
J072513CCVA	J072513CCVA	ORG	91-20-3	Naphthalene	57		ug/L	5	0.56	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9682	50	114%		
J072513CCVA	J072513CCVA	ORG	87-61-6	1,2,3-Trichlorobenzene	55		ug/L	5	0.23	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9682	50	110%		
J072513CCVA	J072513CCVA	STD	1868-53-7	Dibromofluoromethane	54		ng			NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9682	50	108%		
J072513CCVA	J072513CCVA	STD	17060-07-0	1,2-Dichloroethane d4	59		ng			NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9682	50	118%		
J072513CCVA	J072513CCVA	STD	2037-26-5	Toluene d8	47		ng			NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9682	50	94%		
J072513CCVA	J072513CCVA	STD	460-00-4	Bromofluorobenzene	47		ng			NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9682	50	94%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J072513MBKA	J072513MBKA	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	5	0.29	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9683				
J072513MBKA	J072513MBKA	ORG	74-87-3	Chloromethane		U	ug/L	5	0.43	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9683				
J072513MBKA	J072513MBKA	ORG	75-01-4	Vinyl chloride		U	ug/L	2	0.32	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9683				
J072513MBKA	J072513MBKA	ORG	74-83-9	Bromomethane		U	ug/L	5	0.50	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9683				
J072513MBKA	J072513MBKA	ORG	75-00-3	Chloroethane		U	ug/L	5	0.56	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9683				
J072513MBKA	J072513MBKA	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	5	0.20	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9683				
J072513MBKA	J072513MBKA	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	1	0.47	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9683				
J072513MBKA	J072513MBKA	ORG	75-09-2	Methylene chloride		U	ug/L	5	0.26	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9683				
J072513MBKA	J072513MBKA	ORG	67-64-1	Acetone		U	ug/L	10	1.56	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9683				
J072513MBKA	J072513MBKA	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	1	0.56	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9683				
J072513MBKA	J072513MBKA	ORG	1634-04-4	MTBE		U	ug/L	5	0.61	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9683				
J072513MBKA	J072513MBKA	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	1	0.53	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9683				
J072513MBKA	J072513MBKA	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	1	0.32	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9683				
J072513MBKA	J072513MBKA	ORG	74-97-5	Bromochloromethane		U	ug/L	10	0.81	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9683				
J072513MBKA	J072513MBKA	ORG	67-66-3	Chloroform		U	ug/L	2	0.41	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9683				
J072513MBKA	J072513MBKA	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	1	0.16	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9683				
J072513MBKA	J072513MBKA	ORG	78-93-3	2-Butanone		U	ug/L	1	0.17	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9683				
J072513MBKA	J072513MBKA	ORG	56-23-5	Carbon tetrachloride		U	ug/L	1	0.28	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9683				
J072513MBKA	J072513MBKA	ORG	71-43-2	Benzene		U	ug/L	1	0.14	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9683				
J072513MBKA	J072513MBKA	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	1	0.20	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9683				
J072513MBKA	J072513MBKA	ORG	79-01-6	Trichloroethene		U	ug/L	1	0.36	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9683				
J072513MBKA	J072513MBKA	ORG	74-95-3	Dibromomethane		U	ug/L	2	0.32	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9683				
J072513MBKA	J072513MBKA	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	1	0.18	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9683				
J072513MBKA	J072513MBKA	ORG	75-27-4	Bromodichloromethane		U	ug/L	2	0.12	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9683				
J072513MBKA	J072513MBKA	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	1	0.25	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9683				
J072513MBKA	J072513MBKA	ORG	108-88-3	Toluene		U	ug/L	5	0.74	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9683				
J072513MBKA	J072513MBKA	ORG	108-10-1	4-Methyl-2-pentanone		U	ug/L	1	0.21	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9683				
J072513MBKA	J072513MBKA	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	1	0.31	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9683				
J072513MBKA	J072513MBKA	ORG	127-18-4	Tetrachloroethene		U	ug/L	1	0.49	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9683				
J072513MBKA	J072513MBKA	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	1	0.34	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9683				
J072513MBKA	J072513MBKA	ORG	124-48-1	Dibromochloromethane		U	ug/L	5	0.69	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9683				
J072513MBKA	J072513MBKA	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	2	0.30	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9683				
J072513MBKA	J072513MBKA	ORG	591-78-6	2-Hexanone		U	ug/L	2	0.26	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9683				
J072513MBKA	J072513MBKA	ORG	100-41-4	Ethylbenzene		U	ug/L	1	0.25	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9683				
J072513MBKA	J072513MBKA	ORG	108-90-7	Chlorobenzene		U	ug/L	1	0.28	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9683				
J072513MBKA	J072513MBKA	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	2	0.19	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9683				
J072513MBKA	J072513MBKA	ORG	XYLMP	p&m-Xylene		U	ug/L	2	0.26	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9683				
J072513MBKA	J072513MBKA	ORG	95-47-6	o-Xylene		U	ug/L	1	0.13	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9683				
J072513MBKA	J072513MBKA	ORG	100-42-5	Styrene		U	ug/L	1	0.20	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9683				
J072513MBKA	J072513MBKA	ORG	75-25-2	Bromoform		U	ug/L	2	0.47	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9683				
J072513MBKA	J072513MBKA	ORG	98-82-8	Isopropylbenzene		U	ug/L	2	0.20	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9683				
J072513MBKA	J072513MBKA	ORG	103-65-1	n-Propylbenzene		U	ug/L	2	0.27	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9683				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J072513MBKA	J072513MBKA	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	2	0.29	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9683				
J072513MBKA	J072513MBKA	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	2	0.29	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9683				
J072513MBKA	J072513MBKA	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	2	0.20	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9683				
J072513MBKA	J072513MBKA	ORG	98-06-6	tert-Butylbenzene		U	ug/L	2	0.33	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9683				
J072513MBKA	J072513MBKA	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	2	0.20	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9683				
J072513MBKA	J072513MBKA	ORG	135-98-8	sec-Butylbenzene		U	ug/L	2	0.32	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9683				
J072513MBKA	J072513MBKA	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	2	0.22	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9683				
J072513MBKA	J072513MBKA	ORG	99-87-6	p-Isopropltoluene		U	ug/L	2	0.25	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9683				
J072513MBKA	J072513MBKA	ORG	106-46-7	1,4-Dichlorobenzene		U	ug/L	2	0.33	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9683				
J072513MBKA	J072513MBKA	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	2	0.26	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9683				
J072513MBKA	J072513MBKA	ORG	104-51-8	n-Butylbenzene		U	ug/L	5	0.28	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9683				
J072513MBKA	J072513MBKA	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	5	1.59	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9683				
J072513MBKA	J072513MBKA	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	5	0.65	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9683				
J072513MBKA	J072513MBKA	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	5	0.28	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9683				
J072513MBKA	J072513MBKA	ORG	91-20-3	Naphthalene		U	ug/L	5	0.56	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9683				
J072513MBKA	J072513MBKA	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	5	0.23	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9683				
J072513MBKA	J072513MBKA	STD	1868-53-7	Dibromofluoromethane	54		ng			NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9683	50	108%		
J072513MBKA	J072513MBKA	STD	17060-07-0	1,2-Dichloroethane d4	57		ng			NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9683	50	114%		
J072513MBKA	J072513MBKA	STD	2037-26-5	Toluene d8	46		ng			NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9683	50	92%		
J072513MBKA	J072513MBKA	STD	460-00-4	Bromofluorobenzene	43		ng			NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9683	50	86%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J070113CCVB	J070113CCVB	ORG	75-71-8	Dichlorodifluoromethane	46		ug/L	5	0.29	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9697	50	92%		
J070113CCVB	J070113CCVB	ORG	74-87-3	Chloromethane	32		ug/L	5	0.43	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9697	50	64%		
J070113CCVB	J070113CCVB	ORG	75-01-4	Vinyl chloride	40		ug/L	2	0.32	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9697	50	80%		
J070113CCVB	J070113CCVB	ORG	74-83-9	Bromomethane	74		ug/L	5	0.50	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9697	50	148%		
J070113CCVB	J070113CCVB	ORG	75-00-3	Chloroethane	84		ug/L	5	0.56	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9697	50	168%		
J070113CCVB	J070113CCVB	ORG	75-69-4	Trichlorofluoromethane	63		ug/L	5	0.20	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9697	50	126%		
J070113CCVB	J070113CCVB	ORG	75-35-4	1,1-Dichloroethene	61		ug/L	1	0.47	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9697	50	122%		
J070113CCVB	J070113CCVB	ORG	75-09-2	Methylene chloride	60		ug/L	5	0.26	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9697	50	120%		
J070113CCVB	J070113CCVB	ORG	67-64-1	Acetone	50		ug/L	10	1.56	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9697	50	100%		
J070113CCVB	J070113CCVB	ORG	156-60-5	trans-1,2-Dichloroethene	59		ug/L	1	0.56	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9697	50	118%		
J070113CCVB	J070113CCVB	ORG	1634-04-4	MTBE	59		ug/L	5	0.61	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9697	50	118%		
J070113CCVB	J070113CCVB	ORG	75-34-3	1,1-Dichloroethane	44		ug/L	1	0.53	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9697	50	88%		
J070113CCVB	J070113CCVB	ORG	156-59-2	cis-1,2-Dichloroethene	53		ug/L	1	0.32	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9697	50	106%		
J070113CCVB	J070113CCVB	ORG	74-97-5	Bromochloromethane	56		ug/L	10	0.81	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9697	50	112%		
J070113CCVB	J070113CCVB	ORG	67-66-3	Chloroform	52		ug/L	2	0.41	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9697	50	104%		
J070113CCVB	J070113CCVB	ORG	71-55-6	1,1,1-Trichloroethane	57		ug/L	1	0.16	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9697	50	114%		
J070113CCVB	J070113CCVB	ORG	78-93-3	2-Butanone	40		ug/L	1	0.17	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9697	50	80%		
J070113CCVB	J070113CCVB	ORG	56-23-5	Carbon tetrachloride	58		ug/L	1	0.28	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9697	50	116%		
J070113CCVB	J070113CCVB	ORG	71-43-2	Benzene	44		ug/L	1	0.14	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9697	50	88%		
J070113CCVB	J070113CCVB	ORG	107-06-2	1,2-Dichloroethane	55		ug/L	1	0.20	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9697	50	110%		
J070113CCVB	J070113CCVB	ORG	79-01-6	Trichloroethene	53		ug/L	1	0.36	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9697	50	106%		
J070113CCVB	J070113CCVB	ORG	74-95-3	Dibromomethane	51		ug/L	2	0.32	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9697	50	102%		
J070113CCVB	J070113CCVB	ORG	78-87-5	1,2-Dichloropropane	40		ug/L	1	0.18	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9697	50	80%		
J070113CCVB	J070113CCVB	ORG	75-27-4	Bromodichloromethane	47		ug/L	2	0.12	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9697	50	94%		
J070113CCVB	J070113CCVB	ORG	10061-01-5	cis-1,3-Dichloropropene	43		ug/L	1	0.25	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9697	50	86%		
J070113CCVB	J070113CCVB	ORG	108-88-3	Toluene	44		ug/L	5	0.74	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9697	50	88%		
J070113CCVB	J070113CCVB	ORG	108-10-1	4-Methyl-2-pentanone	38		ug/L	1	0.21	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9697	50	76%		
J070113CCVB	J070113CCVB	ORG	10061-02-6	trans-1,3-Dichloropropene	47		ug/L	1	0.31	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9697	50	94%		
J070113CCVB	J070113CCVB	ORG	127-18-4	Tetrachloroethene	41		ug/L	1	0.49	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9697	50	82%		
J070113CCVB	J070113CCVB	ORG	79-00-5	1,1,2-Trichloroethane	42		ug/L	1	0.34	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9697	50	84%		
J070113CCVB	J070113CCVB	ORG	124-48-1	Dibromochloromethane	51		ug/L	5	0.69	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9697	50	102%		
J070113CCVB	J070113CCVB	ORG	106-93-4	1,2-Dibromoethane	48		ug/L	2	0.30	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9697	50	96%		
J070113CCVB	J070113CCVB	ORG	591-78-6	2-Hexanone	43		ug/L	2	0.26	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9697	50	86%		
J070113CCVB	J070113CCVB	ORG	100-41-4	Ethylbenzene	43		ug/L	1	0.25	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9697	50	86%		
J070113CCVB	J070113CCVB	ORG	108-90-7	Chlorobenzene	45		ug/L	1	0.28	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9697	50	90%		
J070113CCVB	J070113CCVB	ORG	630-20-6	1,1,1,2-Tetrachloroethane	47		ug/L	2	0.19	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9697	50	94%		
J070113CCVB	J070113CCVB	ORG	XYLMP	p&m-Xylene	88		ug/L	2	0.26	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9697	100	88%		
J070113CCVB	J070113CCVB	ORG	95-47-6	o-Xylene	44		ug/L	1	0.13	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9697	50	88%		
J070113CCVB	J070113CCVB	ORG	100-42-5	Styrene	43		ug/L	1	0.20	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9697	50	86%		
J070113CCVB	J070113CCVB	ORG	75-25-2	Bromoform	49		ug/L	2	0.47	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9697	50	98%		
J070113CCVB	J070113CCVB	ORG	98-82-8	Isopropylbenzene	46		ug/L	2	0.20	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9697	50	92%		
J070113CCVB	J070113CCVB	ORG	103-65-1	n-Propylbenzene	44		ug/L	2	0.27	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9697	50	88%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J070113CCVB	J070113CCVB	ORG	79-34-5	1,1,2,2-Tetrachloroethane	41		ug/L	2	0.29	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9697	50	82%		
J070113CCVB	J070113CCVB	ORG	96-18-4	1,2,3-Trichloropropane	44		ug/L	2	0.29	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9697	50	88%		
J070113CCVB	J070113CCVB	ORG	108-67-8	1,3,5-Trimethylbenzene	47		ug/L	2	0.20	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9697	50	94%		
J070113CCVB	J070113CCVB	ORG	98-06-6	tert-Butylbenzene	48		ug/L	2	0.33	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9697	50	96%		
J070113CCVB	J070113CCVB	ORG	95-63-6	1,2,4-Trimethylbenzene	47		ug/L	2	0.20	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9697	50	94%		
J070113CCVB	J070113CCVB	ORG	135-98-8	sec-Butylbenzene	48		ug/L	2	0.32	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9697	50	96%		
J070113CCVB	J070113CCVB	ORG	541-73-1	1,3-Dichlorobenzene	50		ug/L	2	0.22	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9697	50	100%		
J070113CCVB	J070113CCVB	ORG	99-87-6	p-Isopropltoluene	49		ug/L	2	0.25	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9697	50	98%		
J070113CCVB	J070113CCVB	ORG	106-46-7	1,4-Dichlorobenzene	50		ug/L	2	0.33	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9697	50	100%		
J070113CCVB	J070113CCVB	ORG	95-50-1	1,2-Dichlorobenzene	50		ug/L	2	0.26	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9697	50	100%		
J070113CCVB	J070113CCVB	ORG	104-51-8	n-Butylbenzene	46		ug/L	5	0.28	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9697	50	92%		
J070113CCVB	J070113CCVB	ORG	96-12-8	1,2-Dibromo-3-chloropropane	44		ug/L	5	1.59	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9697	50	88%		
J070113CCVB	J070113CCVB	ORG	87-68-3	Hexachlorobutadiene	48		ug/L	5	0.65	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9697	50	96%		
J070113CCVB	J070113CCVB	ORG	120-82-1	1,2,4-Trichlorobenzene	49		ug/L	5	0.28	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9697	50	98%		
J070113CCVB	J070113CCVB	ORG	91-20-3	Naphthalene	48		ug/L	5	0.56	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9697	50	96%		
J070113CCVB	J070113CCVB	ORG	87-61-6	1,2,3-Trichlorobenzene	48		ug/L	5	0.23	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9697	50	96%		
J070113CCVB	J070113CCVB	STD	1868-53-7	Dibromofluoromethane	53		ng			NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9697	50	106%		
J070113CCVB	J070113CCVB	STD	17060-07-0	1,2-Dichloroethane d4	52		ng			NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9697	50	104%		
J070113CCVB	J070113CCVB	STD	2037-26-5	Toluene d8	46		ng			NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9697	50	92%		
J070113CCVB	J070113CCVB	STD	460-00-4	Bromofluorobenzene	45		ng			NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9697	50	90%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J070113MBKB	J070113MBKB	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	5	0.29	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9698				
J070113MBKB	J070113MBKB	ORG	74-87-3	Chloromethane		U	ug/L	5	0.43	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9698				
J070113MBKB	J070113MBKB	ORG	75-01-4	Vinyl chloride		U	ug/L	2	0.32	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9698				
J070113MBKB	J070113MBKB	ORG	74-83-9	Bromomethane		U	ug/L	5	0.50	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9698				
J070113MBKB	J070113MBKB	ORG	75-00-3	Chloroethane		U	ug/L	5	0.56	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9698				
J070113MBKB	J070113MBKB	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	5	0.20	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9698				
J070113MBKB	J070113MBKB	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	1	0.47	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9698				
J070113MBKB	J070113MBKB	ORG	75-09-2	Methylene chloride		U	ug/L	5	0.26	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9698				
J070113MBKB	J070113MBKB	ORG	67-64-1	Acetone		U	ug/L	10	1.56	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9698				
J070113MBKB	J070113MBKB	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	1	0.56	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9698				
J070113MBKB	J070113MBKB	ORG	1634-04-4	MTBE		U	ug/L	5	0.61	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9698				
J070113MBKB	J070113MBKB	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	1	0.53	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9698				
J070113MBKB	J070113MBKB	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	1	0.32	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9698				
J070113MBKB	J070113MBKB	ORG	74-97-5	Bromochloromethane		U	ug/L	10	0.81	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9698				
J070113MBKB	J070113MBKB	ORG	67-66-3	Chloroform		U	ug/L	2	0.41	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9698				
J070113MBKB	J070113MBKB	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	1	0.16	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9698				
J070113MBKB	J070113MBKB	ORG	78-93-3	2-Butanone		U	ug/L	1	0.17	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9698				
J070113MBKB	J070113MBKB	ORG	56-23-5	Carbon tetrachloride		U	ug/L	1	0.28	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9698				
J070113MBKB	J070113MBKB	ORG	71-43-2	Benzene		U	ug/L	1	0.14	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9698				
J070113MBKB	J070113MBKB	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	1	0.20	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9698				
J070113MBKB	J070113MBKB	ORG	79-01-6	Trichloroethene		U	ug/L	1	0.36	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9698				
J070113MBKB	J070113MBKB	ORG	74-95-3	Dibromomethane		U	ug/L	2	0.32	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9698				
J070113MBKB	J070113MBKB	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	1	0.18	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9698				
J070113MBKB	J070113MBKB	ORG	75-27-4	Bromodichloromethane		U	ug/L	2	0.12	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9698				
J070113MBKB	J070113MBKB	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	1	0.25	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9698				
J070113MBKB	J070113MBKB	ORG	108-88-3	Toluene		U	ug/L	5	0.74	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9698				
J070113MBKB	J070113MBKB	ORG	108-10-1	4-Methyl-2-pentanone		U	ug/L	1	0.21	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9698				
J070113MBKB	J070113MBKB	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	1	0.31	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9698				
J070113MBKB	J070113MBKB	ORG	127-18-4	Tetrachloroethene		U	ug/L	1	0.49	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9698				
J070113MBKB	J070113MBKB	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	1	0.34	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9698				
J070113MBKB	J070113MBKB	ORG	124-48-1	Dibromochloromethane		U	ug/L	5	0.69	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9698				
J070113MBKB	J070113MBKB	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	2	0.30	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9698				
J070113MBKB	J070113MBKB	ORG	591-78-6	2-Hexanone		U	ug/L	2	0.26	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9698				
J070113MBKB	J070113MBKB	ORG	100-41-4	Ethylbenzene		U	ug/L	1	0.25	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9698				
J070113MBKB	J070113MBKB	ORG	108-90-7	Chlorobenzene		U	ug/L	1	0.28	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9698				
J070113MBKB	J070113MBKB	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	2	0.19	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9698				
J070113MBKB	J070113MBKB	ORG	XYLMP	p&m-Xylene		U	ug/L	2	0.26	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9698				
J070113MBKB	J070113MBKB	ORG	95-47-6	o-Xylene		U	ug/L	1	0.13	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9698				
J070113MBKB	J070113MBKB	ORG	100-42-5	Styrene		U	ug/L	1	0.20	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9698				
J070113MBKB	J070113MBKB	ORG	75-25-2	Bromoform		U	ug/L	2	0.47	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9698				
J070113MBKB	J070113MBKB	ORG	98-82-8	Isopropylbenzene		U	ug/L	2	0.20	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9698				
J070113MBKB	J070113MBKB	ORG	103-65-1	n-Propylbenzene		U	ug/L	2	0.27	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9698				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J070113MBKB	J070113MBKB	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	2	0.29	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9698				
J070113MBKB	J070113MBKB	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	2	0.29	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9698				
J070113MBKB	J070113MBKB	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	2	0.20	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9698				
J070113MBKB	J070113MBKB	ORG	98-06-6	tert-Butylbenzene		U	ug/L	2	0.33	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9698				
J070113MBKB	J070113MBKB	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	2	0.20	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9698				
J070113MBKB	J070113MBKB	ORG	135-98-8	sec-Butylbenzene		U	ug/L	2	0.32	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9698				
J070113MBKB	J070113MBKB	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	2	0.22	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9698				
J070113MBKB	J070113MBKB	ORG	99-87-6	p-Isopropltoluene		U	ug/L	2	0.25	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9698				
J070113MBKB	J070113MBKB	ORG	106-46-7	1,4-Dichlorobenzene		U	ug/L	2	0.33	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9698				
J070113MBKB	J070113MBKB	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	2	0.26	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9698				
J070113MBKB	J070113MBKB	ORG	104-51-8	n-Butylbenzene		U	ug/L	5	0.28	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9698				
J070113MBKB	J070113MBKB	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	5	1.59	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9698				
J070113MBKB	J070113MBKB	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	5	0.65	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9698				
J070113MBKB	J070113MBKB	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	5	0.28	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9698				
J070113MBKB	J070113MBKB	ORG	91-20-3	Naphthalene		U	ug/L	5	0.56	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9698				
J070113MBKB	J070113MBKB	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	5	0.23	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9698				
J070113MBKB	J070113MBKB	STD	1868-53-7	Dibromofluoromethane	54		ng			NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9698	50	108%		
J070113MBKB	J070113MBKB	STD	17060-07-0	1,2-Dichloroethane d4	56		ng			NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9698	50	112%		
J070113MBKB	J070113MBKB	STD	2037-26-5	Toluene d8	46		ng			NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9698	50	92%		
J070113MBKB	J070113MBKB	STD	460-00-4	Bromofluorobenzene	43		ng			NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9698	50	86%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J072513ALCS	J072513ALCS	ORG	75-71-8	Dichlorodifluoromethane	33		ug/L	5	0.29	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9692	50	66%		
J072513ALCS	J072513ALCS	ORG	74-87-3	Chloromethane	27		ug/L	5	0.43	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9692	50	54%		
J072513ALCS	J072513ALCS	ORG	75-01-4	Vinyl chloride	38		ug/L	2	0.32	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9692	50	76%		
J072513ALCS	J072513ALCS	ORG	74-83-9	Bromomethane	53		ug/L	5	0.50	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9692	50	106%		
J072513ALCS	J072513ALCS	ORG	75-00-3	Chloroethane	61		ug/L	5	0.56	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9692	50	122%		
J072513ALCS	J072513ALCS	ORG	75-69-4	Trichlorofluoromethane	55		ug/L	5	0.20	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9692	50	110%		
J072513ALCS	J072513ALCS	ORG	75-35-4	1,1-Dichloroethene	47		ug/L	1	0.47	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9692	50	94%		
J072513ALCS	J072513ALCS	ORG	75-09-2	Methylene chloride	52		ug/L	5	0.26	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9692	50	104%		
J072513ALCS	J072513ALCS	ORG	67-64-1	Acetone	59		ug/L	10	1.56	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9692	50	118%		
J072513ALCS	J072513ALCS	ORG	156-60-5	trans-1,2-Dichloroethene	48		ug/L	1	0.56	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9692	50	96%		
J072513ALCS	J072513ALCS	ORG	1634-04-4	MTBE	57		ug/L	5	0.61	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9692	50	114%		
J072513ALCS	J072513ALCS	ORG	75-34-3	1,1-Dichloroethane	39		ug/L	1	0.53	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9692	50	78%		
J072513ALCS	J072513ALCS	ORG	156-59-2	cis-1,2-Dichloroethene	51		ug/L	1	0.32	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9692	50	102%		
J072513ALCS	J072513ALCS	ORG	74-97-5	Bromochloromethane	55		ug/L	10	0.81	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9692	50	110%		
J072513ALCS	J072513ALCS	ORG	67-66-3	Chloroform	51		ug/L	2	0.41	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9692	50	102%		
J072513ALCS	J072513ALCS	ORG	71-55-6	1,1,1-Trichloroethane	55		ug/L	1	0.16	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9692	50	110%		
J072513ALCS	J072513ALCS	ORG	78-93-3	2-Butanone	49		ug/L	1	0.17	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9692	50	98%		
J072513ALCS	J072513ALCS	ORG	56-23-5	Carbon tetrachloride	53		ug/L	1	0.28	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9692	50	106%		
J072513ALCS	J072513ALCS	ORG	71-43-2	Benzene	43		ug/L	1	0.14	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9692	50	86%		
J072513ALCS	J072513ALCS	ORG	107-06-2	1,2-Dichloroethane	55		ug/L	1	0.20	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9692	50	110%		
J072513ALCS	J072513ALCS	ORG	79-01-6	Trichloroethene	53		ug/L	1	0.36	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9692	50	106%		
J072513ALCS	J072513ALCS	ORG	74-95-3	Dibromomethane	53		ug/L	2	0.32	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9692	50	106%		
J072513ALCS	J072513ALCS	ORG	78-87-5	1,2-Dichloropropane	40		ug/L	1	0.18	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9692	50	80%		
J072513ALCS	J072513ALCS	ORG	75-27-4	Bromodichloromethane	51		ug/L	2	0.12	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9692	50	102%		
J072513ALCS	J072513ALCS	ORG	10061-01-5	cis-1,3-Dichloropropene	45		ug/L	1	0.25	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9692	50	90%		
J072513ALCS	J072513ALCS	ORG	108-88-3	Toluene	46		ug/L	5	0.74	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9692	50	92%		
J072513ALCS	J072513ALCS	ORG	108-10-1	4-Methyl-2-pentanone	37		ug/L	1	0.21	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9692	50	74%		
J072513ALCS	J072513ALCS	ORG	10061-02-6	trans-1,3-Dichloropropene	49		ug/L	1	0.31	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9692	50	98%		
J072513ALCS	J072513ALCS	ORG	127-18-4	Tetrachloroethene	60		ug/L	1	0.49	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9692	50	120%		
J072513ALCS	J072513ALCS	ORG	79-00-5	1,1,2-Trichloroethane	48		ug/L	1	0.34	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9692	50	96%		
J072513ALCS	J072513ALCS	ORG	124-48-1	Dibromochloromethane	54		ug/L	5	0.69	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9692	50	108%		
J072513ALCS	J072513ALCS	ORG	106-93-4	1,2-Dibromoethane	55		ug/L	2	0.30	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9692	50	110%		
J072513ALCS	J072513ALCS	ORG	591-78-6	2-Hexanone	37		ug/L	2	0.26	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9692	50	74%		
J072513ALCS	J072513ALCS	ORG	100-41-4	Ethylbenzene	56		ug/L	1	0.25	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9692	50	112%		
J072513ALCS	J072513ALCS	ORG	108-90-7	Chlorobenzene	58		ug/L	1	0.28	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9692	50	116%		
J072513ALCS	J072513ALCS	ORG	630-20-6	1,1,1,2-Tetrachloroethane	58		ug/L	2	0.19	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9692	50	116%		
J072513ALCS	J072513ALCS	ORG	XYLMP	p&m-Xylene	110		ug/L	2	0.26	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9692	100	110%		
J072513ALCS	J072513ALCS	ORG	95-47-6	o-Xylene	56		ug/L	1	0.13	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9692	50	112%		
J072513ALCS	J072513ALCS	ORG	100-42-5	Styrene	51		ug/L	1	0.20	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9692	50	102%		
J072513ALCS	J072513ALCS	ORG	75-25-2	Bromoform	59		ug/L	2	0.47	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9692	50	118%		
J072513ALCS	J072513ALCS	ORG	98-82-8	Isopropylbenzene	56		ug/L	2	0.20	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9692	50	112%		
J072513ALCS	J072513ALCS	ORG	103-65-1	n-Propylbenzene	52		ug/L	2	0.27	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9692	50	104%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J072513ALCS	J072513ALCS	ORG	79-34-5	1,1,2,2-Tetrachloroethane	53		ug/L	2	0.29	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9692	50	106%		
J072513ALCS	J072513ALCS	ORG	96-18-4	1,2,3-Trichloropropane	53		ug/L	2	0.29	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9692	50	106%		
J072513ALCS	J072513ALCS	ORG	108-67-8	1,3,5-Trimethylbenzene	53		ug/L	2	0.20	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9692	50	106%		
J072513ALCS	J072513ALCS	ORG	98-06-6	tert-Butylbenzene	55		ug/L	2	0.33	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9692	50	110%		
J072513ALCS	J072513ALCS	ORG	95-63-6	1,2,4-Trimethylbenzene	52		ug/L	2	0.20	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9692	50	104%		
J072513ALCS	J072513ALCS	ORG	135-98-8	sec-Butylbenzene	52		ug/L	2	0.32	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9692	50	104%		
J072513ALCS	J072513ALCS	ORG	541-73-1	1,3-Dichlorobenzene	52		ug/L	2	0.22	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9692	50	104%		
J072513ALCS	J072513ALCS	ORG	99-87-6	p-Isopropltoluene	53		ug/L	2	0.25	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9692	50	106%		
J072513ALCS	J072513ALCS	ORG	106-46-7	1,4-Dichlorobenzene	53		ug/L	2	0.33	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9692	50	106%		
J072513ALCS	J072513ALCS	ORG	95-50-1	1,2-Dichlorobenzene	53		ug/L	2	0.26	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9692	50	106%		
J072513ALCS	J072513ALCS	ORG	104-51-8	n-Butylbenzene	49		ug/L	5	0.28	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9692	50	98%		
J072513ALCS	J072513ALCS	ORG	96-12-8	1,2-Dibromo-3-chloropropane	68		ug/L	5	1.59	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9692	50	136%		
J072513ALCS	J072513ALCS	ORG	87-68-3	Hexachlorobutadiene	49		ug/L	5	0.65	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9692	50	98%		
J072513ALCS	J072513ALCS	ORG	120-82-1	1,2,4-Trichlorobenzene	55		ug/L	5	0.28	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9692	50	110%		
J072513ALCS	J072513ALCS	ORG	91-20-3	Naphthalene	65		ug/L	5	0.56	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9692	50	130%		
J072513ALCS	J072513ALCS	ORG	87-61-6	1,2,3-Trichlorobenzene	57		ug/L	5	0.23	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9692	50	114%		
J072513ALCS	J072513ALCS	STD	1868-53-7	Dibromofluoromethane	53		ng			NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9692	50	106%		
J072513ALCS	J072513ALCS	STD	17060-07-0	1,2-Dichloroethane d4	53		ng			NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9692	50	106%		
J072513ALCS	J072513ALCS	STD	2037-26-5	Toluene d8	48		ng			NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9692	50	96%		
J072513ALCS	J072513ALCS	STD	460-00-4	Bromofluorobenzene	50		ng			NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9692	50	100%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J072513ALCD	J072513ALCD	ORG	75-71-8	Dichlorodifluoromethane	32		ug/L	5	0.29	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9693	50	64%	3%	
J072513ALCD	J072513ALCD	ORG	74-87-3	Chloromethane	28		ug/L	5	0.43	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9693	50	56%	4%	
J072513ALCD	J072513ALCD	ORG	75-01-4	Vinyl chloride	37		ug/L	2	0.32	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9693	50	74%	3%	
J072513ALCD	J072513ALCD	ORG	74-83-9	Bromomethane	52		ug/L	5	0.50	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9693	50	104%	2%	
J072513ALCD	J072513ALCD	ORG	75-00-3	Chloroethane	69		ug/L	5	0.56	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9693	50	138%	12%	
J072513ALCD	J072513ALCD	ORG	75-69-4	Trichlorofluoromethane	47		ug/L	5	0.20	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9693	50	94%	16%	
J072513ALCD	J072513ALCD	ORG	75-35-4	1,1-Dichloroethene	50		ug/L	1	0.47	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9693	50	100%	6%	
J072513ALCD	J072513ALCD	ORG	75-09-2	Methylene chloride	55		ug/L	5	0.26	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9693	50	110%	6%	
J072513ALCD	J072513ALCD	ORG	67-64-1	Acetone	54		ug/L	10	1.56	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9693	50	108%	9%	
J072513ALCD	J072513ALCD	ORG	156-60-5	trans-1,2-Dichloroethene	52		ug/L	1	0.56	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9693	50	104%	8%	
J072513ALCD	J072513ALCD	ORG	1634-04-4	MTBE	60		ug/L	5	0.61	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9693	50	120%	5%	
J072513ALCD	J072513ALCD	ORG	75-34-3	1,1-Dichloroethane	41		ug/L	1	0.53	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9693	50	82%	5%	
J072513ALCD	J072513ALCD	ORG	156-59-2	cis-1,2-Dichloroethene	53		ug/L	1	0.32	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9693	50	106%	4%	
J072513ALCD	J072513ALCD	ORG	74-97-5	Bromochloromethane	58		ug/L	10	0.81	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9693	50	116%	5%	
J072513ALCD	J072513ALCD	ORG	67-66-3	Chloroform	54		ug/L	2	0.41	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9693	50	108%	6%	
J072513ALCD	J072513ALCD	ORG	71-55-6	1,1,1-Trichloroethane	55		ug/L	1	0.16	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9693	50	110%	0%	
J072513ALCD	J072513ALCD	ORG	78-93-3	2-Butanone	44		ug/L	1	0.17	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9693	50	88%	11%	
J072513ALCD	J072513ALCD	ORG	56-23-5	Carbon tetrachloride	55		ug/L	1	0.28	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9693	50	110%	4%	
J072513ALCD	J072513ALCD	ORG	71-43-2	Benzene	44		ug/L	1	0.14	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9693	50	88%	2%	
J072513ALCD	J072513ALCD	ORG	107-06-2	1,2-Dichloroethane	56		ug/L	1	0.20	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9693	50	112%	2%	
J072513ALCD	J072513ALCD	ORG	79-01-6	Trichloroethene	52		ug/L	1	0.36	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9693	50	104%	2%	
J072513ALCD	J072513ALCD	ORG	74-95-3	Dibromomethane	55		ug/L	2	0.32	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9693	50	110%	4%	
J072513ALCD	J072513ALCD	ORG	78-87-5	1,2-Dichloropropane	41		ug/L	1	0.18	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9693	50	82%	2%	
J072513ALCD	J072513ALCD	ORG	75-27-4	Bromodichloromethane	51		ug/L	2	0.12	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9693	50	102%	0%	
J072513ALCD	J072513ALCD	ORG	10061-01-5	cis-1,3-Dichloropropene	44		ug/L	1	0.25	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9693	50	88%	2%	
J072513ALCD	J072513ALCD	ORG	108-88-3	Toluene	45		ug/L	5	0.74	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9693	50	90%	2%	
J072513ALCD	J072513ALCD	ORG	108-10-1	4-Methyl-2-pentanone	38		ug/L	1	0.21	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9693	50	76%	3%	
J072513ALCD	J072513ALCD	ORG	10061-02-6	trans-1,3-Dichloropropene	50		ug/L	1	0.31	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9693	50	100%	2%	
J072513ALCD	J072513ALCD	ORG	127-18-4	Tetrachloroethene	59		ug/L	1	0.49	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9693	50	118%	2%	
J072513ALCD	J072513ALCD	ORG	79-00-5	1,1,2-Trichloroethane	51		ug/L	1	0.34	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9693	50	102%	6%	
J072513ALCD	J072513ALCD	ORG	124-48-1	Dibromochloromethane	58		ug/L	5	0.69	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9693	50	116%	7%	
J072513ALCD	J072513ALCD	ORG	106-93-4	1,2-Dibromoethane	56		ug/L	2	0.30	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9693	50	112%	2%	
J072513ALCD	J072513ALCD	ORG	591-78-6	2-Hexanone	41		ug/L	2	0.26	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9693	50	82%	10%	
J072513ALCD	J072513ALCD	ORG	100-41-4	Ethylbenzene	43		ug/L	1	0.25	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9693	50	86%	26%	
J072513ALCD	J072513ALCD	ORG	108-90-7	Chlorobenzene	46		ug/L	1	0.28	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9693	50	92%	23%	
J072513ALCD	J072513ALCD	ORG	630-20-6	1,1,1,2-Tetrachloroethane	47		ug/L	2	0.19	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9693	50	94%	21%	
J072513ALCD	J072513ALCD	ORG	XYLMP	p&m-Xylene	88		ug/L	2	0.26	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9693	100	88%	22%	
J072513ALCD	J072513ALCD	ORG	95-47-6	o-Xylene	45		ug/L	1	0.13	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9693	50	90%	22%	
J072513ALCD	J072513ALCD	ORG	100-42-5	Styrene	44		ug/L	1	0.20	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9693	50	88%	15%	
J072513ALCD	J072513ALCD	ORG	75-25-2	Bromoform	57		ug/L	2	0.47	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9693	50	114%	3%	
J072513ALCD	J072513ALCD	ORG	98-82-8	Isopropylbenzene	46		ug/L	2	0.20	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9693	50	92%	20%	
J072513ALCD	J072513ALCD	ORG	103-65-1	n-Propylbenzene	45		ug/L	2	0.27	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9693	50	90%	14%	

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J072513ALCD	J072513ALCD	ORG	79-34-5	1,1,2,2-Tetrachloroethane	50		ug/L	2	0.29	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9693	50	100%	6%	
J072513ALCD	J072513ALCD	ORG	96-18-4	1,2,3-Trichloropropane	50		ug/L	2	0.29	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9693	50	100%	6%	
J072513ALCD	J072513ALCD	ORG	108-67-8	1,3,5-Trimethylbenzene	47		ug/L	2	0.20	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9693	50	94%	12%	
J072513ALCD	J072513ALCD	ORG	98-06-6	tert-Butylbenzene	48		ug/L	2	0.33	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9693	50	96%	14%	
J072513ALCD	J072513ALCD	ORG	95-63-6	1,2,4-Trimethylbenzene	47		ug/L	2	0.20	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9693	50	94%	10%	
J072513ALCD	J072513ALCD	ORG	135-98-8	sec-Butylbenzene	47		ug/L	2	0.32	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9693	50	94%	10%	
J072513ALCD	J072513ALCD	ORG	541-73-1	1,3-Dichlorobenzene	51		ug/L	2	0.22	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9693	50	102%	2%	
J072513ALCD	J072513ALCD	ORG	99-87-6	p-Isopropltoluene	49		ug/L	2	0.25	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9693	50	98%	8%	
J072513ALCD	J072513ALCD	ORG	106-46-7	1,4-Dichlorobenzene	51		ug/L	2	0.33	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9693	50	102%	4%	
J072513ALCD	J072513ALCD	ORG	95-50-1	1,2-Dichlorobenzene	52		ug/L	2	0.26	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9693	50	104%	2%	
J072513ALCD	J072513ALCD	ORG	104-51-8	n-Butylbenzene	46		ug/L	5	0.28	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9693	50	92%	6%	
J072513ALCD	J072513ALCD	ORG	96-12-8	1,2-Dibromo-3-chloropropane	55		ug/L	5	1.59	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9693	50	110%	21%	
J072513ALCD	J072513ALCD	ORG	87-68-3	Hexachlorobutadiene	47		ug/L	5	0.65	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9693	50	94%	4%	
J072513ALCD	J072513ALCD	ORG	120-82-1	1,2,4-Trichlorobenzene	49		ug/L	5	0.28	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9693	50	98%	12%	
J072513ALCD	J072513ALCD	ORG	91-20-3	Naphthalene	51		ug/L	5	0.56	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9693	50	102%	24%	
J072513ALCD	J072513ALCD	ORG	87-61-6	1,2,3-Trichlorobenzene	49		ug/L	5	0.23	NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9693	50	98%	15%	
J072513ALCD	J072513ALCD	STD	1868-53-7	Dibromofluoromethane	54		ng			NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9693	50	108%	2%	
J072513ALCD	J072513ALCD	STD	17060-07-0	1,2-Dichloroethane d4	55		ng			NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9693	50	110%	4%	
J072513ALCD	J072513ALCD	STD	2037-26-5	Toluene d8	46		ng			NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9693	50	92%	4%	
J072513ALCD	J072513ALCD	STD	460-00-4	Bromofluorobenzene	45		ng			NA	7/25/2013	7/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9693	50	90%	11%	

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-546	96-001-B	ORG	75-71-8	Dichlorodifluoromethane	3100		ug/L	500	29.28	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9694	5000	62%		
NAL13026-546	96-001-B	ORG	74-87-3	Chloromethane	2600		ug/L	500	43.07	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9694	5000	52%		
NAL13026-546	96-001-B	ORG	75-01-4	Vinyl chloride	3800		ug/L	200	31.86	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9694	5000	76%		
NAL13026-546	96-001-B	ORG	74-83-9	Bromomethane	5400		ug/L	500	50.04	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9694	5000	108%		
NAL13026-546	96-001-B	ORG	75-00-3	Chloroethane	6100		ug/L	500	55.61	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9694	5000	122%		
NAL13026-546	96-001-B	ORG	75-69-4	Trichlorofluoromethane	5500		ug/L	500	19.65	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9694	5000	110%		
NAL13026-546	96-001-B	ORG	75-35-4	1,1-Dichloroethene	4700		ug/L	100	47.11	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9694	5000	94%		
NAL13026-546	96-001-B	ORG	75-09-2	Methylene chloride	5200		ug/L	500	26.46	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9694	5000	104%		
NAL13026-546	96-001-B	ORG	67-64-1	Acetone	31000		ug/L	1000	155.61	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9694	5000	40%		29000
NAL13026-546	96-001-B	ORG	156-60-5	trans-1,2-Dichloroethene	4800		ug/L	100	55.61	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9694	5000	96%		
NAL13026-546	96-001-B	ORG	1634-04-4	MTBE	5800		ug/L	500	61.18	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9694	5000	116%		
NAL13026-546	96-001-B	ORG	75-34-3	1,1-Dichloroethane	4800		ug/L	100	52.66	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9694	5000	96%		
NAL13026-546	96-001-B	ORG	156-59-2	cis-1,2-Dichloroethene	5100		ug/L	100	32.11	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9694	5000	102%		
NAL13026-546	96-001-B	ORG	74-97-5	Bromochloromethane	5700		ug/L	1000	81.18	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9694	5000	114%		
NAL13026-546	96-001-B	ORG	67-66-3	Chloroform	5200		ug/L	200	41.37	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9694	5000	104%		
NAL13026-546	96-001-B	ORG	71-55-6	1,1,1-Trichloroethane	5400		ug/L	100	15.73	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9694	5000	108%		
NAL13026-546	96-001-B	ORG	78-93-3	2-Butanone	16000		ug/L	100	16.65	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9694	5000	120%		10000
NAL13026-546	96-001-B	ORG	56-23-5	Carbon tetrachloride	5300		ug/L	100	27.64	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9694	5000	106%		
NAL13026-546	96-001-B	ORG	71-43-2	Benzene	4400		ug/L	100	13.53	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9694	5000	88%		
NAL13026-546	96-001-B	ORG	107-06-2	1,2-Dichloroethane	5600		ug/L	100	20.01	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9694	5000	112%		
NAL13026-546	96-001-B	ORG	79-01-6	Trichloroethene	5300		ug/L	100	36.33	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9694	5000	106%		
NAL13026-546	96-001-B	ORG	74-95-3	Dibromomethane	5300		ug/L	200	32.20	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9694	5000	106%		
NAL13026-546	96-001-B	ORG	78-87-5	1,2-Dichloropropane	4000		ug/L	100	18.17	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9694	5000	80%		
NAL13026-546	96-001-B	ORG	75-27-4	Bromodichloromethane	5000		ug/L	200	11.58	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9694	5000	100%		
NAL13026-546	96-001-B	ORG	10061-01-5	cis-1,3-Dichloropropene	4300		ug/L	100	25.01	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9694	5000	86%		
NAL13026-546	96-001-B	ORG	108-88-3	Toluene	4400		ug/L	500	74.00	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9694	5000	88%		
NAL13026-546	96-001-B	ORG	108-10-1	4-Methyl-2-pentanone	3600		ug/L	100	20.96	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9694	5000	72%		
NAL13026-546	96-001-B	ORG	10061-02-6	trans-1,3-Dichloropropene	4800		ug/L	100	31.15	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9694	5000	96%		
NAL13026-546	96-001-B	ORG	127-18-4	Tetrachloroethene	5500		ug/L	100	48.56	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9694	5000	110%		
NAL13026-546	96-001-B	ORG	79-00-5	1,1,2-Trichloroethane	4600		ug/L	100	34.28	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9694	5000	92%		
NAL13026-546	96-001-B	ORG	124-48-1	Dibromochloromethane	5400		ug/L	500	68.90	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9694	5000	108%		
NAL13026-546	96-001-B	ORG	106-93-4	1,2-Dibromoethane	5400		ug/L	200	29.90	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9694	5000	108%		
NAL13026-546	96-001-B	ORG	591-78-6	2-Hexanone	2800		ug/L	200	26.49	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9694	5000	56%		
NAL13026-546	96-001-B	ORG	100-41-4	Ethylbenzene	5400		ug/L	100	25.38	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9694	5000	108%		
NAL13026-546	96-001-B	ORG	108-90-7	Chlorobenzene	5900		ug/L	100	27.52	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9694	5000	118%		
NAL13026-546	96-001-B	ORG	630-20-6	1,1,1,2-Tetrachloroethane	5800		ug/L	200	19.28	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9694	5000	116%		
NAL13026-546	96-001-B	ORG	XYLMP	p&m-Xylene	11000		ug/L	200	26.14	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9694	10000	110%		
NAL13026-546	96-001-B	ORG	95-47-6	o-Xylene	5300		ug/L	100	12.90	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9694	5000	106%		
NAL13026-546	96-001-B	ORG	100-42-5	Styrene	5100		ug/L	100	20.23	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9694	5000	102%		
NAL13026-546	96-001-B	ORG	75-25-2	Bromoform	6000		ug/L	200	46.83	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9694	5000	120%		
NAL13026-546	96-001-B	ORG	98-82-8	Isopropylbenzene	5500		ug/L	200	20.48	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9694	5000	110%		
NAL13026-546	96-001-B	ORG	103-65-1	n-Propylbenzene	5200		ug/L	200	27.00	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9694	5000	104%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-546	96-001-B	ORG	79-34-5	1,1,2,2-Tetrachloroethane	5200		ug/L	200	29.16	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9694	5000	104%		
NAL13026-546	96-001-B	ORG	96-18-4	1,2,3-Trichloropropane	5100		ug/L	200	29.47	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9694	5000	102%		
NAL13026-546	96-001-B	ORG	108-67-8	1,3,5-Trimethylbenzene	5300		ug/L	200	20.03	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9694	5000	106%		
NAL13026-546	96-001-B	ORG	98-06-6	tert-Butylbenzene	5300		ug/L	200	32.61	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9694	5000	106%		
NAL13026-546	96-001-B	ORG	95-63-6	1,2,4-Trimethylbenzene	5200		ug/L	200	20.03	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9694	5000	104%		
NAL13026-546	96-001-B	ORG	135-98-8	sec-Butylbenzene	5200		ug/L	200	32.34	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9694	5000	104%		
NAL13026-546	96-001-B	ORG	541-73-1	1,3-Dichlorobenzene	5200		ug/L	200	22.21	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9694	5000	104%		
NAL13026-546	96-001-B	ORG	99-87-6	p-Isopropltoluene	5300		ug/L	200	25.48	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9694	5000	105%		31
NAL13026-546	96-001-B	ORG	106-46-7	1,4-Dichlorobenzene	5100		ug/L	200	33.03	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9694	5000	102%		
NAL13026-546	96-001-B	ORG	95-50-1	1,2-Dichlorobenzene	5400		ug/L	200	26.38	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9694	5000	108%		
NAL13026-546	96-001-B	ORG	104-51-8	n-Butylbenzene	4700		ug/L	500	27.81	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9694	5000	94%		
NAL13026-546	96-001-B	ORG	96-12-8	1,2-Dibromo-3-chloropropane	6400		ug/L	500	159.11	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9694	5000	128%		
NAL13026-546	96-001-B	ORG	87-68-3	Hexachlorobutadiene	4600		ug/L	500	65.42	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9694	5000	92%		
NAL13026-546	96-001-B	ORG	120-82-1	1,2,4-Trichlorobenzene	5600		ug/L	500	27.63	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9694	5000	112%		
NAL13026-546	96-001-B	ORG	91-20-3	Naphthalene	6400		ug/L	500	56.04	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9694	5000	126%		92
NAL13026-546	96-001-B	ORG	87-61-6	1,2,3-Trichlorobenzene	5900		ug/L	500	23.28	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9694	5000	118%		
NAL13026-546	96-001-B	STD	1868-53-7	Dibromofluoromethane	54		ng			7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9694	50	108%		
NAL13026-546	96-001-B	STD	17060-07-0	1,2-Dichloroethane d4	61		ng			7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9694	50	122%		
NAL13026-546	96-001-B	STD	2037-26-5	Toluene d8	46		ng			7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9694	50	92%		
NAL13026-546	96-001-B	STD	460-00-4	Bromofluorobenzene	53		ng			7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9694	50	106%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-546	96-001-B	ORG	75-71-8	Dichlorodifluoromethane	3600		ug/L	500	29.28	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9695	5000	72%	15%	0
NAL13026-546	96-001-B	ORG	74-87-3	Chloromethane	2700		ug/L	500	43.07	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9695	5000	54%	4%	0
NAL13026-546	96-001-B	ORG	75-01-4	Vinyl chloride	3800		ug/L	200	31.86	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9695	5000	76%	0%	0
NAL13026-546	96-001-B	ORG	74-83-9	Bromomethane	6100		ug/L	500	50.04	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9695	5000	122%	12%	0
NAL13026-546	96-001-B	ORG	75-00-3	Chloroethane	7000		ug/L	500	55.61	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9695	5000	140%	14%	0
NAL13026-546	96-001-B	ORG	75-69-4	Trichlorofluoromethane	4200		ug/L	500	19.65	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9695	5000	84%	27%	0
NAL13026-546	96-001-B	ORG	75-35-4	1,1-Dichloroethene	5200		ug/L	100	47.11	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9695	5000	104%	10%	0
NAL13026-546	96-001-B	ORG	75-09-2	Methylene chloride	5700		ug/L	500	26.46	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9695	5000	114%	9%	0
NAL13026-546	96-001-B	ORG	67-64-1	Acetone	29000		ug/L	1000	155.61	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9695	5000	0%	7%	29000
NAL13026-546	96-001-B	ORG	156-60-5	trans-1,2-Dichloroethene	5500		ug/L	100	55.61	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9695	5000	110%	14%	0
NAL13026-546	96-001-B	ORG	1634-04-4	MTBE	6200		ug/L	500	61.18	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9695	5000	124%	7%	0
NAL13026-546	96-001-B	ORG	75-34-3	1,1-Dichloroethane	5200		ug/L	100	52.66	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9695	5000	104%	8%	0
NAL13026-546	96-001-B	ORG	156-59-2	cis-1,2-Dichloroethene	5400		ug/L	100	32.11	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9695	5000	108%	6%	0
NAL13026-546	96-001-B	ORG	74-97-5	Bromochloromethane	5900		ug/L	1000	81.18	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9695	5000	118%	3%	0
NAL13026-546	96-001-B	ORG	67-66-3	Chloroform	5700		ug/L	200	41.37	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9695	5000	114%	9%	0
NAL13026-546	96-001-B	ORG	71-55-6	1,1,1-Trichloroethane	6000		ug/L	100	15.73	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9695	5000	120%	11%	0
NAL13026-546	96-001-B	ORG	78-93-3	2-Butanone	15000		ug/L	100	16.65	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9695	5000	100%	6%	10000
NAL13026-546	96-001-B	ORG	56-23-5	Carbon tetrachloride	5900		ug/L	100	27.64	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9695	5000	118%	11%	0
NAL13026-546	96-001-B	ORG	71-43-2	Benzene	4700		ug/L	100	13.53	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9695	5000	94%	7%	0
NAL13026-546	96-001-B	ORG	107-06-2	1,2-Dichloroethane	6000		ug/L	100	20.01	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9695	5000	120%	7%	0
NAL13026-546	96-001-B	ORG	79-01-6	Trichloroethene	5700		ug/L	100	36.33	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9695	5000	114%	7%	0
NAL13026-546	96-001-B	ORG	74-95-3	Dibromomethane	5800		ug/L	200	32.20	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9695	5000	116%	9%	0
NAL13026-546	96-001-B	ORG	78-87-5	1,2-Dichloropropane	4300		ug/L	100	18.17	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9695	5000	86%	7%	0
NAL13026-546	96-001-B	ORG	75-27-4	Bromodichloromethane	5300		ug/L	200	11.58	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9695	5000	106%	6%	0
NAL13026-546	96-001-B	ORG	10061-01-5	cis-1,3-Dichloropropene	4600		ug/L	100	25.01	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9695	5000	92%	7%	0
NAL13026-546	96-001-B	ORG	108-88-3	Toluene	4800		ug/L	500	74.00	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9695	5000	96%	9%	0
NAL13026-546	96-001-B	ORG	108-10-1	4-Methyl-2-pentanone	3700		ug/L	100	20.96	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9695	5000	74%	3%	0
NAL13026-546	96-001-B	ORG	10061-02-6	trans-1,3-Dichloropropene	5200		ug/L	100	31.15	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9695	5000	104%	8%	0
NAL13026-546	96-001-B	ORG	127-18-4	Tetrachloroethene	6000		ug/L	100	48.56	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9695	5000	120%	9%	0
NAL13026-546	96-001-B	ORG	79-00-5	1,1,2-Trichloroethane	5200		ug/L	100	34.28	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9695	5000	104%	12%	0
NAL13026-546	96-001-B	ORG	124-48-1	Dibromochloromethane	6100		ug/L	500	68.90	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9695	5000	122%	12%	0
NAL13026-546	96-001-B	ORG	106-93-4	1,2-Dibromoethane	5900		ug/L	200	29.90	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9695	5000	118%	9%	0
NAL13026-546	96-001-B	ORG	591-78-6	2-Hexanone	3400		ug/L	200	26.49	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9695	5000	68%	19%	0
NAL13026-546	96-001-B	ORG	100-41-4	Ethylbenzene	4600		ug/L	100	25.38	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9695	5000	92%	16%	0
NAL13026-546	96-001-B	ORG	108-90-7	Chlorobenzene	4800		ug/L	100	27.52	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9695	5000	96%	21%	0
NAL13026-546	96-001-B	ORG	630-20-6	1,1,1,2-Tetrachloroethane	5000		ug/L	200	19.28	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9695	5000	100%	15%	0
NAL13026-546	96-001-B	ORG	XYLMP	p&m-Xylene	9400		ug/L	200	26.14	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9695	10000	94%	16%	0
NAL13026-546	96-001-B	ORG	95-47-6	o-Xylene	4900		ug/L	100	12.90	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9695	5000	98%	8%	0
NAL13026-546	96-001-B	ORG	100-42-5	Styrene	4700		ug/L	100	20.23	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9695	5000	94%	8%	0
NAL13026-546	96-001-B	ORG	75-25-2	Bromoform	6000		ug/L	200	46.83	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9695	5000	120%	0%	0
NAL13026-546	96-001-B	ORG	98-82-8	Isopropylbenzene	5000		ug/L	200	20.48	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9695	5000	100%	10%	0
NAL13026-546	96-001-B	ORG	103-65-1	n-Propylbenzene	4800		ug/L	200	27.00	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9695	5000	96%	8%	0

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-546	96-001-B	ORG	79-34-5	1,1,2,2-Tetrachloroethane	5300		ug/L	200	29.16	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9695	5000	106%	2%	0
NAL13026-546	96-001-B	ORG	96-18-4	1,2,3-Trichloropropane	5000		ug/L	200	29.47	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9695	5000	100%	2%	0
NAL13026-546	96-001-B	ORG	108-67-8	1,3,5-Trimethylbenzene	5000		ug/L	200	20.03	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9695	5000	100%	6%	0
NAL13026-546	96-001-B	ORG	98-06-6	tert-Butylbenzene	5400		ug/L	200	32.61	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9695	5000	108%	2%	0
NAL13026-546	96-001-B	ORG	95-63-6	1,2,4-Trimethylbenzene	5100		ug/L	200	20.03	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9695	5000	102%	2%	0
NAL13026-546	96-001-B	ORG	135-98-8	sec-Butylbenzene	5100		ug/L	200	32.34	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9695	5000	102%	2%	0
NAL13026-546	96-001-B	ORG	541-73-1	1,3-Dichlorobenzene	5500		ug/L	200	22.21	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9695	5000	110%	6%	0
NAL13026-546	96-001-B	ORG	99-87-6	p-Isopropltoluene	5300		ug/L	200	25.48	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9695	5000	105%	0%	31
NAL13026-546	96-001-B	ORG	106-46-7	1,4-Dichlorobenzene	5400		ug/L	200	33.03	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9695	5000	108%	6%	0
NAL13026-546	96-001-B	ORG	95-50-1	1,2-Dichlorobenzene	5500		ug/L	200	26.38	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9695	5000	110%	2%	0
NAL13026-546	96-001-B	ORG	104-51-8	n-Butylbenzene	4900		ug/L	500	27.81	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9695	5000	98%	4%	0
NAL13026-546	96-001-B	ORG	96-12-8	1,2-Dibromo-3-chloropropane	5700		ug/L	500	159.11	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9695	5000	114%	12%	0
NAL13026-546	96-001-B	ORG	87-68-3	Hexachlorobutadiene	5100		ug/L	500	65.42	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9695	5000	102%	10%	0
NAL13026-546	96-001-B	ORG	120-82-1	1,2,4-Trichlorobenzene	5300		ug/L	500	27.63	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9695	5000	106%	6%	0
NAL13026-546	96-001-B	ORG	91-20-3	Naphthalene	5400		ug/L	500	56.04	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9695	5000	106%	17%	92
NAL13026-546	96-001-B	ORG	87-61-6	1,2,3-Trichlorobenzene	5200		ug/L	500	23.28	7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9695	5000	104%	13%	0
NAL13026-546	96-001-B	STD	1868-53-7	Dibromofluoromethane	54		ng			7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9695	50	108%	0%	0
NAL13026-546	96-001-B	STD	17060-07-0	1,2-Dichloroethane d4	55		ng			7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9695	50	110%	10%	0
NAL13026-546	96-001-B	STD	2037-26-5	Toluene d8	46		ng			7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9695	50	92%	0%	0
NAL13026-546	96-001-B	STD	460-00-4	Bromofluorobenzene	46		ng			7/25/2013	7/25/2013	7/25/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9695	50	92%	14%	0

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-551	316-023	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9708				
NAL13026-551	316-023	ORG	74-87-3	Chloromethane		UX-	ug/L	500	43.07	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9708				
NAL13026-551	316-023	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9708				
NAL13026-551	316-023	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9708				
NAL13026-551	316-023	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9708				
NAL13026-551	316-023	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9708				
NAL13026-551	316-023	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9708				
NAL13026-551	316-023	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9708				
NAL13026-551	316-023	ORG	67-64-1	Acetone	52000	D	ug/L	10000	1556.07	7/26/2013	7/26/2013	7/26/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9714				
NAL13026-551	316-023	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9708				
NAL13026-551	316-023	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9708				
NAL13026-551	316-023	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9708				
NAL13026-551	316-023	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9708				
NAL13026-551	316-023	ORG	74-97-5	Bromochloromethane		U	ug/L	200	41.37	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9708				
NAL13026-551	316-023	ORG	67-66-3	Chloroform		U	ug/L	100	15.73	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9708				
NAL13026-551	316-023	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	16.65	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9708				
NAL13026-551	316-023	ORG	78-93-3	2-Butanone	20000	D	ug/L	10000	811.80	7/26/2013	7/26/2013	7/26/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9714				
NAL13026-551	316-023	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9708				
NAL13026-551	316-023	ORG	71-43-2	Benzene		U	ug/L	100	13.53	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9708				
NAL13026-551	316-023	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9708				
NAL13026-551	316-023	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9708				
NAL13026-551	316-023	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9708				
NAL13026-551	316-023	ORG	78-87-5	1,2-Dichloropropane		UX-	ug/L	100	18.17	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9708				
NAL13026-551	316-023	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9708				
NAL13026-551	316-023	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9708				
NAL13026-551	316-023	ORG	108-88-3	Toluene		U	ug/L	100	20.96	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9708				
NAL13026-551	316-023	ORG	108-10-1	4-Methyl-2-pentanone	320	JX-	ug/L	500	74.00	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9708				
NAL13026-551	316-023	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9708				
NAL13026-551	316-023	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9708				
NAL13026-551	316-023	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9708				
NAL13026-551	316-023	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	29.90	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9708				
NAL13026-551	316-023	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	26.49	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9708				
NAL13026-551	316-023	ORG	591-78-6	2-Hexanone		UX-	ug/L	500	68.90	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9708				
NAL13026-551	316-023	ORG	100-41-4	Ethylbenzene		U	ug/L	100	25.38	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9708				
NAL13026-551	316-023	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9708				
NAL13026-551	316-023	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9708				
NAL13026-551	316-023	ORG	XYLMP	p&m-Xylene		U	ug/L	200	26.14	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9708				
NAL13026-551	316-023	ORG	95-47-6	o-Xylene		U	ug/L	100	12.90	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9708				
NAL13026-551	316-023	ORG	100-42-5	Styrene		U	ug/L	100	20.23	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9708				
NAL13026-551	316-023	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9708				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-551	316-023	ORG	98-82-8	Isopropylbenzene		U	ug/L	200	20.48	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9708				
NAL13026-551	316-023	ORG	103-65-1	n-Propylbenzene		U	ug/L	200	27.00	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9708				
NAL13026-551	316-023	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9708				
NAL13026-551	316-023	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9708				
NAL13026-551	316-023	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	200	20.03	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9708				
NAL13026-551	316-023	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9708				
NAL13026-551	316-023	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	200	20.03	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9708				
NAL13026-551	316-023	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9708				
NAL13026-551	316-023	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9708				
NAL13026-551	316-023	ORG	99-87-6	p-Isopropltoluene	60	J	ug/L	200	25.48	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9708				
NAL13026-551	316-023	ORG	106-46-7	1,4-Dichlorobenzene		U	ug/L	200	33.03	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9708				
NAL13026-551	316-023	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9708				
NAL13026-551	316-023	ORG	104-51-8	n-Butylbenzene		U	ug/L	500	27.81	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9708				
NAL13026-551	316-023	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9708				
NAL13026-551	316-023	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9708				
NAL13026-551	316-023	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9708				
NAL13026-551	316-023	ORG	91-20-3	Naphthalene	170	J	ug/L	500	56.04	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9708				
NAL13026-551	316-023	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9708				
NAL13026-551	316-023	STD	1868-53-7	Dibromofluoromethane	51		ng			7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9708	50	102%		
NAL13026-551	316-023	STD	17060-07-0	1,2-Dichloroethane d4	54		ng			7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9708	50	108%		
NAL13026-551	316-023	STD	2037-26-5	Toluene d8	46		ng			7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9708	50	92%		
NAL13026-551	316-023	STD	460-00-4	Bromofluorobenzene	45		ng			7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9708	50	90%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-552	96-001-C	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9709				
NAL13026-552	96-001-C	ORG	74-87-3	Chloromethane		UX-	ug/L	500	43.07	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9709				
NAL13026-552	96-001-C	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9709				
NAL13026-552	96-001-C	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9709				
NAL13026-552	96-001-C	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9709				
NAL13026-552	96-001-C	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9709				
NAL13026-552	96-001-C	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9709				
NAL13026-552	96-001-C	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9709				
NAL13026-552	96-001-C	ORG	67-64-1	Acetone	34000	D	ug/L	10000	1556.07	7/26/2013	7/26/2013	7/26/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9715				
NAL13026-552	96-001-C	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9709				
NAL13026-552	96-001-C	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9709				
NAL13026-552	96-001-C	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9709				
NAL13026-552	96-001-C	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9709				
NAL13026-552	96-001-C	ORG	74-97-5	Bromochloromethane		U	ug/L	200	81.18	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9709				
NAL13026-552	96-001-C	ORG	67-66-3	Chloroform		U	ug/L	100	41.37	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9709				
NAL13026-552	96-001-C	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	15.73	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9709				
NAL13026-552	96-001-C	ORG	78-93-3	2-Butanone	12000		ug/L	1000	16.65	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9709				
NAL13026-552	96-001-C	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9709				
NAL13026-552	96-001-C	ORG	71-43-2	Benzene	25	J	ug/L	100	13.53	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9709				
NAL13026-552	96-001-C	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9709				
NAL13026-552	96-001-C	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9709				
NAL13026-552	96-001-C	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9709				
NAL13026-552	96-001-C	ORG	78-87-5	1,2-Dichloropropane		UX-	ug/L	100	18.17	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9709				
NAL13026-552	96-001-C	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9709				
NAL13026-552	96-001-C	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9709				
NAL13026-552	96-001-C	ORG	108-88-3	Toluene		U	ug/L	100	74.00	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9709				
NAL13026-552	96-001-C	ORG	108-10-1	4-Methyl-2-pentanone		UX-	ug/L	500	20.96	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9709				
NAL13026-552	96-001-C	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9709				
NAL13026-552	96-001-C	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9709				
NAL13026-552	96-001-C	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9709				
NAL13026-552	96-001-C	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	68.90	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9709				
NAL13026-552	96-001-C	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	29.90	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9709				
NAL13026-552	96-001-C	ORG	591-78-6	2-Hexanone		UX-	ug/L	500	26.49	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9709				
NAL13026-552	96-001-C	ORG	100-41-4	Ethylbenzene		U	ug/L	100	25.38	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9709				
NAL13026-552	96-001-C	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9709				
NAL13026-552	96-001-C	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9709				
NAL13026-552	96-001-C	ORG	XYLMP	p&m-Xylene		U	ug/L	200	26.14	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9709				
NAL13026-552	96-001-C	ORG	95-47-6	o-Xylene		U	ug/L	100	12.90	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9709				
NAL13026-552	96-001-C	ORG	100-42-5	Styrene		U	ug/L	100	20.23	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9709				
NAL13026-552	96-001-C	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9709				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-552	96-001-C	ORG	98-82-8	Isopropylbenzene		U	ug/L	200	20.48	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9709				
NAL13026-552	96-001-C	ORG	103-65-1	n-Propylbenzene		U	ug/L	200	27.00	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9709				
NAL13026-552	96-001-C	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9709				
NAL13026-552	96-001-C	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9709				
NAL13026-552	96-001-C	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	200	20.03	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9709				
NAL13026-552	96-001-C	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9709				
NAL13026-552	96-001-C	ORG	95-63-6	1,2,4-Trimethylbenzene	24	J	ug/L	200	20.03	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9709				
NAL13026-552	96-001-C	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9709				
NAL13026-552	96-001-C	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9709				
NAL13026-552	96-001-C	ORG	99-87-6	p-Isopropltoluene	70	J	ug/L	200	25.48	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9709				
NAL13026-552	96-001-C	ORG	106-46-7	1,4-Dichlorobenzene		U	ug/L	200	33.03	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9709				
NAL13026-552	96-001-C	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9709				
NAL13026-552	96-001-C	ORG	104-51-8	n-Butylbenzene		U	ug/L	500	27.81	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9709				
NAL13026-552	96-001-C	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9709				
NAL13026-552	96-001-C	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9709				
NAL13026-552	96-001-C	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9709				
NAL13026-552	96-001-C	ORG	91-20-3	Naphthalene	130	J	ug/L	500	56.04	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9709				
NAL13026-552	96-001-C	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9709				
NAL13026-552	96-001-C	STD	1868-53-7	Dibromofluoromethane	53		ng			7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9709	50	106%		
NAL13026-552	96-001-C	STD	17060-07-0	1,2-Dichloroethane d4	58		ng			7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9709	50	116%		
NAL13026-552	96-001-C	STD	2037-26-5	Toluene d8	46		ng			7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9709	50	92%		
NAL13026-552	96-001-C	STD	460-00-4	Bromofluorobenzene	44		ng			7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9709	50	88%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-553	301-ST T1	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9710				
NAL13026-553	301-ST T1	ORG	74-87-3	Chloromethane		UX-	ug/L	500	43.07	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9710				
NAL13026-553	301-ST T1	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9710				
NAL13026-553	301-ST T1	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9710				
NAL13026-553	301-ST T1	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9710				
NAL13026-553	301-ST T1	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9710				
NAL13026-553	301-ST T1	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9710				
NAL13026-553	301-ST T1	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9710				
NAL13026-553	301-ST T1	ORG	67-64-1	Acetone	53000	D	ug/L	10000	1556.07	7/26/2013	7/26/2013	7/26/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9716				
NAL13026-553	301-ST T1	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9710				
NAL13026-553	301-ST T1	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9710				
NAL13026-553	301-ST T1	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9710				
NAL13026-553	301-ST T1	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9710				
NAL13026-553	301-ST T1	ORG	74-97-5	Bromochloromethane		U	ug/L	200	81.18	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9710				
NAL13026-553	301-ST T1	ORG	67-66-3	Chloroform		U	ug/L	100	41.37	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9710				
NAL13026-553	301-ST T1	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	15.73	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9710				
NAL13026-553	301-ST T1	ORG	78-93-3	2-Butanone	20000	D	ug/L	10000	166.52	7/26/2013	7/26/2013	7/26/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9716				
NAL13026-553	301-ST T1	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9710				
NAL13026-553	301-ST T1	ORG	71-43-2	Benzene		U	ug/L	100	13.53	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9710				
NAL13026-553	301-ST T1	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9710				
NAL13026-553	301-ST T1	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9710				
NAL13026-553	301-ST T1	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9710				
NAL13026-553	301-ST T1	ORG	78-87-5	1,2-Dichloropropane		UX-	ug/L	100	18.17	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9710				
NAL13026-553	301-ST T1	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9710				
NAL13026-553	301-ST T1	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9710				
NAL13026-553	301-ST T1	ORG	108-88-3	Toluene		U	ug/L	100	74.00	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9710				
NAL13026-553	301-ST T1	ORG	108-10-1	4-Methyl-2-pentanone	280	JX-	ug/L	500	20.96	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9710				
NAL13026-553	301-ST T1	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9710				
NAL13026-553	301-ST T1	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9710				
NAL13026-553	301-ST T1	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9710				
NAL13026-553	301-ST T1	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	68.90	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9710				
NAL13026-553	301-ST T1	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	29.90	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9710				
NAL13026-553	301-ST T1	ORG	591-78-6	2-Hexanone		UX-	ug/L	500	26.49	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9710				
NAL13026-553	301-ST T1	ORG	100-41-4	Ethylbenzene		U	ug/L	100	25.38	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9710				
NAL13026-553	301-ST T1	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9710				
NAL13026-553	301-ST T1	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9710				
NAL13026-553	301-ST T1	ORG	XYLMP	p&m-Xylene		U	ug/L	200	26.14	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9710				
NAL13026-553	301-ST T1	ORG	95-47-6	o-Xylene		U	ug/L	100	12.90	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9710				
NAL13026-553	301-ST T1	ORG	100-42-5	Styrene		U	ug/L	100	20.23	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9710				
NAL13026-553	301-ST T1	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9710				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-553	301-ST T1	ORG	98-82-8	Isopropylbenzene		U	ug/L	200	20.48	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9710				
NAL13026-553	301-ST T1	ORG	103-65-1	n-Propylbenzene		U	ug/L	200	27.00	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9710				
NAL13026-553	301-ST T1	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9710				
NAL13026-553	301-ST T1	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9710				
NAL13026-553	301-ST T1	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	200	20.03	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9710				
NAL13026-553	301-ST T1	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9710				
NAL13026-553	301-ST T1	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	200	20.03	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9710				
NAL13026-553	301-ST T1	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9710				
NAL13026-553	301-ST T1	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9710				
NAL13026-553	301-ST T1	ORG	99-87-6	p-Isopropltoluene	100	J	ug/L	200	25.48	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9710				
NAL13026-553	301-ST T1	ORG	106-46-7	1,4-Dichlorobenzene		U	ug/L	200	33.03	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9710				
NAL13026-553	301-ST T1	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9710				
NAL13026-553	301-ST T1	ORG	104-51-8	n-Butylbenzene		U	ug/L	500	27.81	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9710				
NAL13026-553	301-ST T1	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9710				
NAL13026-553	301-ST T1	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9710				
NAL13026-553	301-ST T1	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9710				
NAL13026-553	301-ST T1	ORG	91-20-3	Naphthalene	280	J	ug/L	500	56.04	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9710				
NAL13026-553	301-ST T1	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9710				
NAL13026-553	301-ST T1	STD	1868-53-7	Dibromofluoromethane	52		ng			7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9710	50	104%		
NAL13026-553	301-ST T1	STD	17060-07-0	1,2-Dichloroethane d4	55		ng			7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9710	50	110%		
NAL13026-553	301-ST T1	STD	2037-26-5	Toluene d8	46		ng			7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9710	50	92%		
NAL13026-553	301-ST T1	STD	460-00-4	Bromofluorobenzene	45		ng			7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9710	50	90%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-554	301-ST T2	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9711				
NAL13026-554	301-ST T2	ORG	74-87-3	Chloromethane		UX-	ug/L	500	43.07	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9711				
NAL13026-554	301-ST T2	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9711				
NAL13026-554	301-ST T2	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9711				
NAL13026-554	301-ST T2	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9711				
NAL13026-554	301-ST T2	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9711				
NAL13026-554	301-ST T2	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9711				
NAL13026-554	301-ST T2	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9711				
NAL13026-554	301-ST T2	ORG	67-64-1	Acetone	49000	D	ug/L	10000	1556.07	7/26/2013	7/26/2013	7/26/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9717				
NAL13026-554	301-ST T2	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9711				
NAL13026-554	301-ST T2	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9711				
NAL13026-554	301-ST T2	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9711				
NAL13026-554	301-ST T2	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9711				
NAL13026-554	301-ST T2	ORG	74-97-5	Bromochloromethane		U	ug/L	200	81.18	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9711				
NAL13026-554	301-ST T2	ORG	67-66-3	Chloroform		U	ug/L	100	41.37	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9711				
NAL13026-554	301-ST T2	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	15.73	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9711				
NAL13026-554	301-ST T2	ORG	78-93-3	2-Butanone	15000		ug/L	1000	16.65	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9711				
NAL13026-554	301-ST T2	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9711				
NAL13026-554	301-ST T2	ORG	71-43-2	Benzene		U	ug/L	100	13.53	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9711				
NAL13026-554	301-ST T2	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9711				
NAL13026-554	301-ST T2	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9711				
NAL13026-554	301-ST T2	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9711				
NAL13026-554	301-ST T2	ORG	78-87-5	1,2-Dichloropropane		UX-	ug/L	100	18.17	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9711				
NAL13026-554	301-ST T2	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9711				
NAL13026-554	301-ST T2	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9711				
NAL13026-554	301-ST T2	ORG	108-88-3	Toluene		U	ug/L	100	74.00	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9711				
NAL13026-554	301-ST T2	ORG	108-10-1	4-Methyl-2-pentanone	430	JX-	ug/L	500	20.96	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9711				
NAL13026-554	301-ST T2	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9711				
NAL13026-554	301-ST T2	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9711				
NAL13026-554	301-ST T2	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9711				
NAL13026-554	301-ST T2	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	68.90	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9711				
NAL13026-554	301-ST T2	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	29.90	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9711				
NAL13026-554	301-ST T2	ORG	591-78-6	2-Hexanone		UX-	ug/L	500	26.49	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9711				
NAL13026-554	301-ST T2	ORG	100-41-4	Ethylbenzene		U	ug/L	100	25.38	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9711				
NAL13026-554	301-ST T2	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9711				
NAL13026-554	301-ST T2	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9711				
NAL13026-554	301-ST T2	ORG	XYLMP	p&m-Xylene		U	ug/L	200	26.14	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9711				
NAL13026-554	301-ST T2	ORG	95-47-6	o-Xylene		U	ug/L	100	12.90	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9711				
NAL13026-554	301-ST T2	ORG	100-42-5	Styrene		U	ug/L	100	20.23	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9711				
NAL13026-554	301-ST T2	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9711				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-554	301-ST T2	ORG	98-82-8	Isopropylbenzene		U	ug/L	200	20.48	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9711				
NAL13026-554	301-ST T2	ORG	103-65-1	n-Propylbenzene		U	ug/L	200	27.00	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9711				
NAL13026-554	301-ST T2	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9711				
NAL13026-554	301-ST T2	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9711				
NAL13026-554	301-ST T2	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	200	20.03	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9711				
NAL13026-554	301-ST T2	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9711				
NAL13026-554	301-ST T2	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	200	20.03	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9711				
NAL13026-554	301-ST T2	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9711				
NAL13026-554	301-ST T2	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9711				
NAL13026-554	301-ST T2	ORG	99-87-6	p-Isopropltoluene	70	J	ug/L	200	25.48	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9711				
NAL13026-554	301-ST T2	ORG	106-46-7	1,4-Dichlorobenzene		U	ug/L	200	33.03	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9711				
NAL13026-554	301-ST T2	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9711				
NAL13026-554	301-ST T2	ORG	104-51-8	n-Butylbenzene		U	ug/L	500	27.81	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9711				
NAL13026-554	301-ST T2	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9711				
NAL13026-554	301-ST T2	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9711				
NAL13026-554	301-ST T2	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9711				
NAL13026-554	301-ST T2	ORG	91-20-3	Naphthalene	210	J	ug/L	500	56.04	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9711				
NAL13026-554	301-ST T2	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9711				
NAL13026-554	301-ST T2	STD	1868-53-7	Dibromofluoromethane	53		ng			7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9711	50	106%		
NAL13026-554	301-ST T2	STD	17060-07-0	1,2-Dichloroethane d4	55		ng			7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9711	50	110%		
NAL13026-554	301-ST T2	STD	2037-26-5	Toluene d8	46		ng			7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9711	50	92%		
NAL13026-554	301-ST T2	STD	460-00-4	Bromofluorobenzene	45		ng			7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9711	50	90%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-555	301-ST T3	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9712				
NAL13026-555	301-ST T3	ORG	74-87-3	Chloromethane		UX-	ug/L	500	43.07	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9712				
NAL13026-555	301-ST T3	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9712				
NAL13026-555	301-ST T3	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9712				
NAL13026-555	301-ST T3	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9712				
NAL13026-555	301-ST T3	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9712				
NAL13026-555	301-ST T3	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9712				
NAL13026-555	301-ST T3	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9712				
NAL13026-555	301-ST T3	ORG	67-64-1	Acetone	51000	D	ug/L	10000	1556.07	7/26/2013	7/26/2013	7/26/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9718				
NAL13026-555	301-ST T3	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9712				
NAL13026-555	301-ST T3	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9712				
NAL13026-555	301-ST T3	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9712				
NAL13026-555	301-ST T3	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9712				
NAL13026-555	301-ST T3	ORG	74-97-5	Bromochloromethane		U	ug/L	200	81.18	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9712				
NAL13026-555	301-ST T3	ORG	67-66-3	Chloroform		U	ug/L	100	41.37	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9712				
NAL13026-555	301-ST T3	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	15.73	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9712				
NAL13026-555	301-ST T3	ORG	78-93-3	2-Butanone	21000	D	ug/L	10000	166.52	7/26/2013	7/26/2013	7/26/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9718				
NAL13026-555	301-ST T3	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9712				
NAL13026-555	301-ST T3	ORG	71-43-2	Benzene		U	ug/L	100	13.53	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9712				
NAL13026-555	301-ST T3	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9712				
NAL13026-555	301-ST T3	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9712				
NAL13026-555	301-ST T3	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9712				
NAL13026-555	301-ST T3	ORG	78-87-5	1,2-Dichloropropane		UX-	ug/L	100	18.17	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9712				
NAL13026-555	301-ST T3	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9712				
NAL13026-555	301-ST T3	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9712				
NAL13026-555	301-ST T3	ORG	108-88-3	Toluene		U	ug/L	100	74.00	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9712				
NAL13026-555	301-ST T3	ORG	108-10-1	4-Methyl-2-pentanone	430	JX-	ug/L	500	20.96	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9712				
NAL13026-555	301-ST T3	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9712				
NAL13026-555	301-ST T3	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9712				
NAL13026-555	301-ST T3	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9712				
NAL13026-555	301-ST T3	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	68.90	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9712				
NAL13026-555	301-ST T3	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	29.90	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9712				
NAL13026-555	301-ST T3	ORG	591-78-6	2-Hexanone		UX-	ug/L	500	26.49	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9712				
NAL13026-555	301-ST T3	ORG	100-41-4	Ethylbenzene		U	ug/L	100	25.38	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9712				
NAL13026-555	301-ST T3	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9712				
NAL13026-555	301-ST T3	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9712				
NAL13026-555	301-ST T3	ORG	XYLMP	p&m-Xylene		U	ug/L	200	26.14	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9712				
NAL13026-555	301-ST T3	ORG	95-47-6	o-Xylene		U	ug/L	100	12.90	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9712				
NAL13026-555	301-ST T3	ORG	100-42-5	Styrene		U	ug/L	100	20.23	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9712				
NAL13026-555	301-ST T3	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9712				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-555	301-ST T3	ORG	98-82-8	Isopropylbenzene		U	ug/L	200	20.48	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9712				
NAL13026-555	301-ST T3	ORG	103-65-1	n-Propylbenzene		U	ug/L	200	27.00	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9712				
NAL13026-555	301-ST T3	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9712				
NAL13026-555	301-ST T3	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9712				
NAL13026-555	301-ST T3	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	200	20.03	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9712				
NAL13026-555	301-ST T3	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9712				
NAL13026-555	301-ST T3	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	200	20.03	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9712				
NAL13026-555	301-ST T3	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9712				
NAL13026-555	301-ST T3	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9712				
NAL13026-555	301-ST T3	ORG	99-87-6	p-Isopropltoluene	30	J	ug/L	200	25.48	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9712				
NAL13026-555	301-ST T3	ORG	106-46-7	1,4-Dichlorobenzene		U	ug/L	200	33.03	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9712				
NAL13026-555	301-ST T3	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9712				
NAL13026-555	301-ST T3	ORG	104-51-8	n-Butylbenzene		U	ug/L	500	27.81	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9712				
NAL13026-555	301-ST T3	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9712				
NAL13026-555	301-ST T3	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9712				
NAL13026-555	301-ST T3	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9712				
NAL13026-555	301-ST T3	ORG	91-20-3	Naphthalene	110	J	ug/L	500	56.04	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9712				
NAL13026-555	301-ST T3	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9712				
NAL13026-555	301-ST T3	STD	1868-53-7	Dibromofluoromethane	57		ng			7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9712	50	114%		
NAL13026-555	301-ST T3	STD	17060-07-0	1,2-Dichloroethane d4	57		ng			7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9712	50	114%		
NAL13026-555	301-ST T3	STD	2037-26-5	Toluene d8	46		ng			7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9712	50	92%		
NAL13026-555	301-ST T3	STD	460-00-4	Bromofluorobenzene	46		ng			7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9712	50	92%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-556	301-ST T4	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9713				
NAL13026-556	301-ST T4	ORG	74-87-3	Chloromethane		UX-	ug/L	500	43.07	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9713				
NAL13026-556	301-ST T4	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9713				
NAL13026-556	301-ST T4	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9713				
NAL13026-556	301-ST T4	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9713				
NAL13026-556	301-ST T4	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9713				
NAL13026-556	301-ST T4	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9713				
NAL13026-556	301-ST T4	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9713				
NAL13026-556	301-ST T4	ORG	67-64-1	Acetone	66000	D	ug/L	10000	1556.07	7/26/2013	7/26/2013	7/26/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9719				
NAL13026-556	301-ST T4	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9713				
NAL13026-556	301-ST T4	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9713				
NAL13026-556	301-ST T4	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9713				
NAL13026-556	301-ST T4	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9713				
NAL13026-556	301-ST T4	ORG	74-97-5	Bromochloromethane		U	ug/L	200	81.18	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9713				
NAL13026-556	301-ST T4	ORG	67-66-3	Chloroform		U	ug/L	100	41.37	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9713				
NAL13026-556	301-ST T4	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	15.73	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9713				
NAL13026-556	301-ST T4	ORG	78-93-3	2-Butanone	29000	D	ug/L	10000	166.52	7/26/2013	7/26/2013	7/26/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9719				
NAL13026-556	301-ST T4	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9713				
NAL13026-556	301-ST T4	ORG	71-43-2	Benzene		U	ug/L	100	13.53	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9713				
NAL13026-556	301-ST T4	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9713				
NAL13026-556	301-ST T4	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9713				
NAL13026-556	301-ST T4	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9713				
NAL13026-556	301-ST T4	ORG	78-87-5	1,2-Dichloropropane		UX-	ug/L	100	18.17	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9713				
NAL13026-556	301-ST T4	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9713				
NAL13026-556	301-ST T4	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9713				
NAL13026-556	301-ST T4	ORG	108-88-3	Toluene		U	ug/L	100	74.00	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9713				
NAL13026-556	301-ST T4	ORG	108-10-1	4-Methyl-2-pentanone	530	X-	ug/L	500	20.96	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9713				
NAL13026-556	301-ST T4	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9713				
NAL13026-556	301-ST T4	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9713				
NAL13026-556	301-ST T4	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9713				
NAL13026-556	301-ST T4	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	68.90	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9713				
NAL13026-556	301-ST T4	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	29.90	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9713				
NAL13026-556	301-ST T4	ORG	591-78-6	2-Hexanone		UX-	ug/L	500	26.49	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9713				
NAL13026-556	301-ST T4	ORG	100-41-4	Ethylbenzene		U	ug/L	100	25.38	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9713				
NAL13026-556	301-ST T4	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9713				
NAL13026-556	301-ST T4	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9713				
NAL13026-556	301-ST T4	ORG	XYLMP	p&m-Xylene		U	ug/L	200	26.14	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9713				
NAL13026-556	301-ST T4	ORG	95-47-6	o-Xylene		U	ug/L	100	12.90	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9713				
NAL13026-556	301-ST T4	ORG	100-42-5	Styrene		U	ug/L	100	20.23	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9713				
NAL13026-556	301-ST T4	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9713				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-556	301-ST T4	ORG	98-82-8	Isopropylbenzene		U	ug/L	200	20.48	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9713				
NAL13026-556	301-ST T4	ORG	103-65-1	n-Propylbenzene		U	ug/L	200	27.00	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9713				
NAL13026-556	301-ST T4	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9713				
NAL13026-556	301-ST T4	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9713				
NAL13026-556	301-ST T4	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	200	20.03	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9713				
NAL13026-556	301-ST T4	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9713				
NAL13026-556	301-ST T4	ORG	95-63-6	1,2,4-Trimethylbenzene	30	J	ug/L	200	20.03	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9713				
NAL13026-556	301-ST T4	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9713				
NAL13026-556	301-ST T4	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9713				
NAL13026-556	301-ST T4	ORG	99-87-6	p-Isopropltoluene	230		ug/L	200	25.48	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9713				
NAL13026-556	301-ST T4	ORG	106-46-7	1,4-Dichlorobenzene	62	J	ug/L	200	33.03	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9713				
NAL13026-556	301-ST T4	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9713				
NAL13026-556	301-ST T4	ORG	104-51-8	n-Butylbenzene		U	ug/L	500	27.81	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9713				
NAL13026-556	301-ST T4	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9713				
NAL13026-556	301-ST T4	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9713				
NAL13026-556	301-ST T4	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9713				
NAL13026-556	301-ST T4	ORG	91-20-3	Naphthalene	450	J	ug/L	500	56.04	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9713				
NAL13026-556	301-ST T4	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9713				
NAL13026-556	301-ST T4	STD	1868-53-7	Dibromofluoromethane	53		ng			7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9713	50	106%		
NAL13026-556	301-ST T4	STD	17060-07-0	1,2-Dichloroethane d4	57		ng			7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9713	50	114%		
NAL13026-556	301-ST T4	STD	2037-26-5	Toluene d8	46		ng			7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9713	50	92%		
NAL13026-556	301-ST T4	STD	460-00-4	Bromofluorobenzene	46		ng			7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9713	50	92%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-557	300-ST T1	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9722				
NAL13026-557	300-ST T1	ORG	74-87-3	Chloromethane		UX-	ug/L	500	43.07	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9722				
NAL13026-557	300-ST T1	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9722				
NAL13026-557	300-ST T1	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9722				
NAL13026-557	300-ST T1	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9722				
NAL13026-557	300-ST T1	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9722				
NAL13026-557	300-ST T1	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9722				
NAL13026-557	300-ST T1	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9722				
NAL13026-557	300-ST T1	ORG	67-64-1	Acetone	50000	D	ug/L	10000	1556.07	7/26/2013	7/26/2013	7/26/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9726				
NAL13026-557	300-ST T1	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9722				
NAL13026-557	300-ST T1	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9722				
NAL13026-557	300-ST T1	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9722				
NAL13026-557	300-ST T1	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9722				
NAL13026-557	300-ST T1	ORG	74-97-5	Bromochloromethane		U	ug/L	200	81.18	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9722				
NAL13026-557	300-ST T1	ORG	67-66-3	Chloroform		U	ug/L	100	41.37	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9722				
NAL13026-557	300-ST T1	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	15.73	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9722				
NAL13026-557	300-ST T1	ORG	78-93-3	2-Butanone	24000	DX-	ug/L	10000	166.52	7/26/2013	7/26/2013	7/26/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9726				
NAL13026-557	300-ST T1	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9722				
NAL13026-557	300-ST T1	ORG	71-43-2	Benzene		U	ug/L	100	13.53	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9722				
NAL13026-557	300-ST T1	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9722				
NAL13026-557	300-ST T1	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9722				
NAL13026-557	300-ST T1	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9722				
NAL13026-557	300-ST T1	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9722				
NAL13026-557	300-ST T1	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9722				
NAL13026-557	300-ST T1	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9722				
NAL13026-557	300-ST T1	ORG	108-88-3	Toluene		U	ug/L	100	74.00	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9722				
NAL13026-557	300-ST T1	ORG	108-10-1	4-Methyl-2-pentanone	270	JX-	ug/L	500	20.96	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9722				
NAL13026-557	300-ST T1	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9722				
NAL13026-557	300-ST T1	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9722				
NAL13026-557	300-ST T1	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9722				
NAL13026-557	300-ST T1	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	68.90	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9722				
NAL13026-557	300-ST T1	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	29.90	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9722				
NAL13026-557	300-ST T1	ORG	591-78-6	2-Hexanone		UX-	ug/L	500	26.49	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9722				
NAL13026-557	300-ST T1	ORG	100-41-4	Ethylbenzene		U	ug/L	100	25.38	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9722				
NAL13026-557	300-ST T1	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9722				
NAL13026-557	300-ST T1	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9722				
NAL13026-557	300-ST T1	ORG	XYLMP	p&m-Xylene		U	ug/L	200	26.14	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9722				
NAL13026-557	300-ST T1	ORG	95-47-6	o-Xylene		U	ug/L	100	12.90	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9722				
NAL13026-557	300-ST T1	ORG	100-42-5	Styrene		U	ug/L	100	20.23	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9722				
NAL13026-557	300-ST T1	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9722				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-557	300-ST T1	ORG	98-82-8	Isopropylbenzene		U	ug/L	200	20.48	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9722				
NAL13026-557	300-ST T1	ORG	103-65-1	n-Propylbenzene		U	ug/L	200	27.00	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9722				
NAL13026-557	300-ST T1	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9722				
NAL13026-557	300-ST T1	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9722				
NAL13026-557	300-ST T1	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	200	20.03	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9722				
NAL13026-557	300-ST T1	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9722				
NAL13026-557	300-ST T1	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	200	20.03	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9722				
NAL13026-557	300-ST T1	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9722				
NAL13026-557	300-ST T1	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9722				
NAL13026-557	300-ST T1	ORG	99-87-6	p-Isopropltoluene		U	ug/L	200	25.48	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9722				
NAL13026-557	300-ST T1	ORG	106-46-7	1,4-Dichlorobenzene		U	ug/L	200	33.03	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9722				
NAL13026-557	300-ST T1	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9722				
NAL13026-557	300-ST T1	ORG	104-51-8	n-Butylbenzene		U	ug/L	500	27.81	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9722				
NAL13026-557	300-ST T1	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9722				
NAL13026-557	300-ST T1	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9722				
NAL13026-557	300-ST T1	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9722				
NAL13026-557	300-ST T1	ORG	91-20-3	Naphthalene	110	J	ug/L	500	56.04	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9722				
NAL13026-557	300-ST T1	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9722				
NAL13026-557	300-ST T1	STD	1868-53-7	Dibromofluoromethane	54		ng			7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9722	50	108%		
NAL13026-557	300-ST T1	STD	17060-07-0	1,2-Dichloroethane d4	57		ng			7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9722	50	114%		
NAL13026-557	300-ST T1	STD	2037-26-5	Toluene d8	45		ng			7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9722	50	90%		
NAL13026-557	300-ST T1	STD	460-00-4	Bromofluorobenzene	44		ng			7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9722	50	88%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-558	300-ST T2	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9723				
NAL13026-558	300-ST T2	ORG	74-87-3	Chloromethane		UX-	ug/L	500	43.07	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9723				
NAL13026-558	300-ST T2	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9723				
NAL13026-558	300-ST T2	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9723				
NAL13026-558	300-ST T2	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9723				
NAL13026-558	300-ST T2	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9723				
NAL13026-558	300-ST T2	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9723				
NAL13026-558	300-ST T2	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9723				
NAL13026-558	300-ST T2	ORG	67-64-1	Acetone	66000	D	ug/L	10000	1556.07	7/26/2013	7/26/2013	7/26/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9727				
NAL13026-558	300-ST T2	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9723				
NAL13026-558	300-ST T2	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9723				
NAL13026-558	300-ST T2	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9723				
NAL13026-558	300-ST T2	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9723				
NAL13026-558	300-ST T2	ORG	74-97-5	Bromochloromethane		U	ug/L	200	81.18	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9723				
NAL13026-558	300-ST T2	ORG	67-66-3	Chloroform		U	ug/L	100	41.37	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9723				
NAL13026-558	300-ST T2	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	15.73	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9723				
NAL13026-558	300-ST T2	ORG	78-93-3	2-Butanone	30000	DX-	ug/L	10000	166.52	7/26/2013	7/26/2013	7/26/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9727				
NAL13026-558	300-ST T2	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9723				
NAL13026-558	300-ST T2	ORG	71-43-2	Benzene		U	ug/L	100	13.53	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9723				
NAL13026-558	300-ST T2	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9723				
NAL13026-558	300-ST T2	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9723				
NAL13026-558	300-ST T2	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9723				
NAL13026-558	300-ST T2	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9723				
NAL13026-558	300-ST T2	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9723				
NAL13026-558	300-ST T2	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9723				
NAL13026-558	300-ST T2	ORG	108-88-3	Toluene		U	ug/L	100	74.00	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9723				
NAL13026-558	300-ST T2	ORG	108-10-1	4-Methyl-2-pentanone	590	X-	ug/L	500	20.96	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9723				
NAL13026-558	300-ST T2	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9723				
NAL13026-558	300-ST T2	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9723				
NAL13026-558	300-ST T2	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9723				
NAL13026-558	300-ST T2	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	68.90	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9723				
NAL13026-558	300-ST T2	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	29.90	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9723				
NAL13026-558	300-ST T2	ORG	591-78-6	2-Hexanone		UX-	ug/L	500	26.49	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9723				
NAL13026-558	300-ST T2	ORG	100-41-4	Ethylbenzene		U	ug/L	100	25.38	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9723				
NAL13026-558	300-ST T2	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9723				
NAL13026-558	300-ST T2	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9723				
NAL13026-558	300-ST T2	ORG	XYLMP	p&m-Xylene		U	ug/L	200	26.14	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9723				
NAL13026-558	300-ST T2	ORG	95-47-6	o-Xylene		U	ug/L	100	12.90	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9723				
NAL13026-558	300-ST T2	ORG	100-42-5	Styrene		U	ug/L	100	20.23	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9723				
NAL13026-558	300-ST T2	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9723				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-558	300-ST T2	ORG	98-82-8	Isopropylbenzene		U	ug/L	200	20.48	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9723				
NAL13026-558	300-ST T2	ORG	103-65-1	n-Propylbenzene		U	ug/L	200	27.00	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9723				
NAL13026-558	300-ST T2	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9723				
NAL13026-558	300-ST T2	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9723				
NAL13026-558	300-ST T2	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	200	20.03	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9723				
NAL13026-558	300-ST T2	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9723				
NAL13026-558	300-ST T2	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	200	20.03	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9723				
NAL13026-558	300-ST T2	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9723				
NAL13026-558	300-ST T2	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9723				
NAL13026-558	300-ST T2	ORG	99-87-6	p-Isopropltoluene		U	ug/L	200	25.48	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9723				
NAL13026-558	300-ST T2	ORG	106-46-7	1,4-Dichlorobenzene		U	ug/L	200	33.03	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9723				
NAL13026-558	300-ST T2	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9723				
NAL13026-558	300-ST T2	ORG	104-51-8	n-Butylbenzene		U	ug/L	500	27.81	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9723				
NAL13026-558	300-ST T2	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9723				
NAL13026-558	300-ST T2	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9723				
NAL13026-558	300-ST T2	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9723				
NAL13026-558	300-ST T2	ORG	91-20-3	Naphthalene	110	J	ug/L	500	56.04	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9723				
NAL13026-558	300-ST T2	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9723				
NAL13026-558	300-ST T2	STD	1868-53-7	Dibromofluoromethane	53		ng			7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9723	50	106%		
NAL13026-558	300-ST T2	STD	17060-07-0	1,2-Dichloroethane d4	57		ng			7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9723	50	114%		
NAL13026-558	300-ST T2	STD	2037-26-5	Toluene d8	45		ng			7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9723	50	90%		
NAL13026-558	300-ST T2	STD	460-00-4	Bromofluorobenzene	43		ng			7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9723	50	86%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-559	300-ST T3	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9724				
NAL13026-559	300-ST T3	ORG	74-87-3	Chloromethane		UX-	ug/L	500	43.07	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9724				
NAL13026-559	300-ST T3	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9724				
NAL13026-559	300-ST T3	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9724				
NAL13026-559	300-ST T3	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9724				
NAL13026-559	300-ST T3	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9724				
NAL13026-559	300-ST T3	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9724				
NAL13026-559	300-ST T3	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9724				
NAL13026-559	300-ST T3	ORG	67-64-1	Acetone	54000	D	ug/L	10000	1556.07	7/26/2013	7/26/2013	7/26/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9728				
NAL13026-559	300-ST T3	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9724				
NAL13026-559	300-ST T3	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9724				
NAL13026-559	300-ST T3	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9724				
NAL13026-559	300-ST T3	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9724				
NAL13026-559	300-ST T3	ORG	74-97-5	Bromochloromethane		U	ug/L	200	81.18	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9724				
NAL13026-559	300-ST T3	ORG	67-66-3	Chloroform		U	ug/L	100	41.37	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9724				
NAL13026-559	300-ST T3	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	15.73	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9724				
NAL13026-559	300-ST T3	ORG	78-93-3	2-Butanone	21000	DX-	ug/L	10000	166.52	7/26/2013	7/26/2013	7/26/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9728				
NAL13026-559	300-ST T3	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9724				
NAL13026-559	300-ST T3	ORG	71-43-2	Benzene		U	ug/L	100	13.53	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9724				
NAL13026-559	300-ST T3	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9724				
NAL13026-559	300-ST T3	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9724				
NAL13026-559	300-ST T3	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9724				
NAL13026-559	300-ST T3	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9724				
NAL13026-559	300-ST T3	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9724				
NAL13026-559	300-ST T3	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9724				
NAL13026-559	300-ST T3	ORG	108-88-3	Toluene		U	ug/L	100	74.00	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9724				
NAL13026-559	300-ST T3	ORG	108-10-1	4-Methyl-2-pentanone	180	JX-	ug/L	500	20.96	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9724				
NAL13026-559	300-ST T3	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9724				
NAL13026-559	300-ST T3	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9724				
NAL13026-559	300-ST T3	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9724				
NAL13026-559	300-ST T3	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	68.90	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9724				
NAL13026-559	300-ST T3	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	29.90	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9724				
NAL13026-559	300-ST T3	ORG	591-78-6	2-Hexanone		UX-	ug/L	500	26.49	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9724				
NAL13026-559	300-ST T3	ORG	100-41-4	Ethylbenzene		U	ug/L	100	25.38	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9724				
NAL13026-559	300-ST T3	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9724				
NAL13026-559	300-ST T3	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9724				
NAL13026-559	300-ST T3	ORG	XYLMP	p&m-Xylene		U	ug/L	200	26.14	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9724				
NAL13026-559	300-ST T3	ORG	95-47-6	o-Xylene		U	ug/L	100	12.90	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9724				
NAL13026-559	300-ST T3	ORG	100-42-5	Styrene		U	ug/L	100	20.23	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9724				
NAL13026-559	300-ST T3	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9724				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-559	300-ST T3	ORG	98-82-8	Isopropylbenzene		U	ug/L	200	20.48	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9724				
NAL13026-559	300-ST T3	ORG	103-65-1	n-Propylbenzene		U	ug/L	200	27.00	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9724				
NAL13026-559	300-ST T3	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9724				
NAL13026-559	300-ST T3	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9724				
NAL13026-559	300-ST T3	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	200	20.03	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9724				
NAL13026-559	300-ST T3	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9724				
NAL13026-559	300-ST T3	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	200	20.03	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9724				
NAL13026-559	300-ST T3	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9724				
NAL13026-559	300-ST T3	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9724				
NAL13026-559	300-ST T3	ORG	99-87-6	p-Isopropltoluene		U	ug/L	200	25.48	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9724				
NAL13026-559	300-ST T3	ORG	106-46-7	1,4-Dichlorobenzene		U	ug/L	200	33.03	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9724				
NAL13026-559	300-ST T3	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9724				
NAL13026-559	300-ST T3	ORG	104-51-8	n-Butylbenzene		U	ug/L	500	27.81	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9724				
NAL13026-559	300-ST T3	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9724				
NAL13026-559	300-ST T3	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9724				
NAL13026-559	300-ST T3	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9724				
NAL13026-559	300-ST T3	ORG	91-20-3	Naphthalene		U	ug/L	500	56.04	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9724				
NAL13026-559	300-ST T3	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9724				
NAL13026-559	300-ST T3	STD	1868-53-7	Dibromofluoromethane	54		ng			7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9724	50	108%		
NAL13026-559	300-ST T3	STD	17060-07-0	1,2-Dichloroethane d4	59		ng			7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9724	50	118%		
NAL13026-559	300-ST T3	STD	2037-26-5	Toluene d8	45		ng			7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9724	50	90%		
NAL13026-559	300-ST T3	STD	460-00-4	Bromofluorobenzene	45		ng			7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9724	50	90%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-560	300-ST T4	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9725				
NAL13026-560	300-ST T4	ORG	74-87-3	Chloromethane		UX-	ug/L	500	43.07	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9725				
NAL13026-560	300-ST T4	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9725				
NAL13026-560	300-ST T4	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9725				
NAL13026-560	300-ST T4	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9725				
NAL13026-560	300-ST T4	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9725				
NAL13026-560	300-ST T4	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9725				
NAL13026-560	300-ST T4	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9725				
NAL13026-560	300-ST T4	ORG	67-64-1	Acetone	43000	D	ug/L	10000	1556.07	7/26/2013	7/26/2013	7/26/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9729				
NAL13026-560	300-ST T4	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9725				
NAL13026-560	300-ST T4	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9725				
NAL13026-560	300-ST T4	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9725				
NAL13026-560	300-ST T4	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9725				
NAL13026-560	300-ST T4	ORG	74-97-5	Bromochloromethane		U	ug/L	200	81.18	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9725				
NAL13026-560	300-ST T4	ORG	67-66-3	Chloroform		U	ug/L	100	41.37	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9725				
NAL13026-560	300-ST T4	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	15.73	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9725				
NAL13026-560	300-ST T4	ORG	78-93-3	2-Butanone	14000	X-	ug/L	1000	16.65	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9725				
NAL13026-560	300-ST T4	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9725				
NAL13026-560	300-ST T4	ORG	71-43-2	Benzene		U	ug/L	100	13.53	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9725				
NAL13026-560	300-ST T4	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9725				
NAL13026-560	300-ST T4	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9725				
NAL13026-560	300-ST T4	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9725				
NAL13026-560	300-ST T4	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9725				
NAL13026-560	300-ST T4	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9725				
NAL13026-560	300-ST T4	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9725				
NAL13026-560	300-ST T4	ORG	108-88-3	Toluene		U	ug/L	100	74.00	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9725				
NAL13026-560	300-ST T4	ORG	108-10-1	4-Methyl-2-pentanone	350	JX-	ug/L	500	20.96	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9725				
NAL13026-560	300-ST T4	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9725				
NAL13026-560	300-ST T4	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9725				
NAL13026-560	300-ST T4	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9725				
NAL13026-560	300-ST T4	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	68.90	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9725				
NAL13026-560	300-ST T4	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	29.90	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9725				
NAL13026-560	300-ST T4	ORG	591-78-6	2-Hexanone		UX-	ug/L	500	26.49	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9725				
NAL13026-560	300-ST T4	ORG	100-41-4	Ethylbenzene		U	ug/L	100	25.38	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9725				
NAL13026-560	300-ST T4	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9725				
NAL13026-560	300-ST T4	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9725				
NAL13026-560	300-ST T4	ORG	XYLMP	p&m-Xylene		U	ug/L	200	26.14	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9725				
NAL13026-560	300-ST T4	ORG	95-47-6	o-Xylene		U	ug/L	100	12.90	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9725				
NAL13026-560	300-ST T4	ORG	100-42-5	Styrene		U	ug/L	100	20.23	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9725				
NAL13026-560	300-ST T4	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9725				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-560	300-ST T4	ORG	98-82-8	Isopropylbenzene		U	ug/L	200	20.48	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9725				
NAL13026-560	300-ST T4	ORG	103-65-1	n-Propylbenzene		U	ug/L	200	27.00	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9725				
NAL13026-560	300-ST T4	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9725				
NAL13026-560	300-ST T4	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9725				
NAL13026-560	300-ST T4	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	200	20.03	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9725				
NAL13026-560	300-ST T4	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9725				
NAL13026-560	300-ST T4	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	200	20.03	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9725				
NAL13026-560	300-ST T4	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9725				
NAL13026-560	300-ST T4	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9725				
NAL13026-560	300-ST T4	ORG	99-87-6	p-Isopropltoluene	70	J	ug/L	200	25.48	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9725				
NAL13026-560	300-ST T4	ORG	106-46-7	1,4-Dichlorobenzene		U	ug/L	200	33.03	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9725				
NAL13026-560	300-ST T4	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9725				
NAL13026-560	300-ST T4	ORG	104-51-8	n-Butylbenzene		U	ug/L	500	27.81	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9725				
NAL13026-560	300-ST T4	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9725				
NAL13026-560	300-ST T4	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9725				
NAL13026-560	300-ST T4	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9725				
NAL13026-560	300-ST T4	ORG	91-20-3	Naphthalene	250	J	ug/L	500	56.04	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9725				
NAL13026-560	300-ST T4	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9725				
NAL13026-560	300-ST T4	STD	1868-53-7	Dibromofluoromethane	54		ng			7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9725	50	108%		
NAL13026-560	300-ST T4	STD	17060-07-0	1,2-Dichloroethane d4	56		ng			7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9725	50	112%		
NAL13026-560	300-ST T4	STD	2037-26-5	Toluene d8	45		ng			7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9725	50	90%		
NAL13026-560	300-ST T4	STD	460-00-4	Bromofluorobenzene	44		ng			7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9725	50	88%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J072613CCVA	J072613CCVA	ORG	75-71-8	Dichlorodifluoromethane	40		ug/L	5	0.29	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9706	50	80%		
J072613CCVA	J072613CCVA	ORG	74-87-3	Chloromethane	32		ug/L	5	0.43	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9706	50	64%		
J072613CCVA	J072613CCVA	ORG	75-01-4	Vinyl chloride	40		ug/L	2	0.32	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9706	50	80%		
J072613CCVA	J072613CCVA	ORG	74-83-9	Bromomethane	58		ug/L	5	0.50	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9706	50	116%		
J072613CCVA	J072613CCVA	ORG	75-00-3	Chloroethane	62		ug/L	5	0.56	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9706	50	124%		
J072613CCVA	J072613CCVA	ORG	75-69-4	Trichlorofluoromethane	58		ug/L	5	0.20	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9706	50	116%		
J072613CCVA	J072613CCVA	ORG	75-35-4	1,1-Dichloroethene	60		ug/L	1	0.47	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9706	50	120%		
J072613CCVA	J072613CCVA	ORG	75-09-2	Methylene chloride	56		ug/L	5	0.26	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9706	50	112%		
J072613CCVA	J072613CCVA	ORG	67-64-1	Acetone	50		ug/L	10	1.56	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9706	50	100%		
J072613CCVA	J072613CCVA	ORG	156-60-5	trans-1,2-Dichloroethene	58		ug/L	1	0.56	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9706	50	116%		
J072613CCVA	J072613CCVA	ORG	1634-04-4	MTBE	58		ug/L	5	0.61	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9706	50	116%		
J072613CCVA	J072613CCVA	ORG	75-34-3	1,1-Dichloroethane	51		ug/L	1	0.53	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9706	50	102%		
J072613CCVA	J072613CCVA	ORG	156-59-2	cis-1,2-Dichloroethene	53		ug/L	1	0.32	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9706	50	106%		
J072613CCVA	J072613CCVA	ORG	74-97-5	Bromochloromethane	56		ug/L	10	0.81	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9706	50	112%		
J072613CCVA	J072613CCVA	ORG	67-66-3	Chloroform	52		ug/L	2	0.41	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9706	50	104%		
J072613CCVA	J072613CCVA	ORG	71-55-6	1,1,1-Trichloroethane	57		ug/L	1	0.16	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9706	50	114%		
J072613CCVA	J072613CCVA	ORG	78-93-3	2-Butanone	41		ug/L	1	0.17	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9706	50	82%		
J072613CCVA	J072613CCVA	ORG	56-23-5	Carbon tetrachloride	59		ug/L	1	0.28	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9706	50	118%		
J072613CCVA	J072613CCVA	ORG	71-43-2	Benzene	45		ug/L	1	0.14	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9706	50	90%		
J072613CCVA	J072613CCVA	ORG	107-06-2	1,2-Dichloroethane	56		ug/L	1	0.20	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9706	50	112%		
J072613CCVA	J072613CCVA	ORG	79-01-6	Trichloroethene	54		ug/L	1	0.36	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9706	50	108%		
J072613CCVA	J072613CCVA	ORG	74-95-3	Dibromomethane	51		ug/L	2	0.32	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9706	50	102%		
J072613CCVA	J072613CCVA	ORG	78-87-5	1,2-Dichloropropane	39		ug/L	1	0.18	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9706	50	78%		
J072613CCVA	J072613CCVA	ORG	75-27-4	Bromodichloromethane	50		ug/L	2	0.12	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9706	50	100%		
J072613CCVA	J072613CCVA	ORG	10061-01-5	cis-1,3-Dichloropropene	46		ug/L	1	0.25	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9706	50	92%		
J072613CCVA	J072613CCVA	ORG	108-88-3	Toluene	46		ug/L	5	0.74	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9706	50	92%		
J072613CCVA	J072613CCVA	ORG	108-10-1	4-Methyl-2-pentanone	36		ug/L	1	0.21	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9706	50	72%		
J072613CCVA	J072613CCVA	ORG	10061-02-6	trans-1,3-Dichloropropene	48		ug/L	1	0.31	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9706	50	96%		
J072613CCVA	J072613CCVA	ORG	127-18-4	Tetrachloroethene	43		ug/L	1	0.49	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9706	50	86%		
J072613CCVA	J072613CCVA	ORG	79-00-5	1,1,2-Trichloroethane	43		ug/L	1	0.34	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9706	50	86%		
J072613CCVA	J072613CCVA	ORG	124-48-1	Dibromochloromethane	52		ug/L	5	0.69	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9706	50	104%		
J072613CCVA	J072613CCVA	ORG	106-93-4	1,2-Dibromoethane	51		ug/L	2	0.30	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9706	50	102%		
J072613CCVA	J072613CCVA	ORG	591-78-6	2-Hexanone	35		ug/L	2	0.26	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9706	50	70%		
J072613CCVA	J072613CCVA	ORG	100-41-4	Ethylbenzene	51		ug/L	1	0.25	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9706	50	102%		
J072613CCVA	J072613CCVA	ORG	108-90-7	Chlorobenzene	53		ug/L	1	0.28	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9706	50	106%		
J072613CCVA	J072613CCVA	ORG	630-20-6	1,1,1,2-Tetrachloroethane	53		ug/L	2	0.19	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9706	50	106%		
J072613CCVA	J072613CCVA	ORG	XYLMP	p&m-Xylene	103		ug/L	2	0.26	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9706	100	103%		
J072613CCVA	J072613CCVA	ORG	95-47-6	o-Xylene	51		ug/L	1	0.13	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9706	50	102%		
J072613CCVA	J072613CCVA	ORG	100-42-5	Styrene	47		ug/L	1	0.20	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9706	50	94%		
J072613CCVA	J072613CCVA	ORG	75-25-2	Bromoform	51		ug/L	2	0.47	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9706	50	102%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J072613CCVA	J072613CCVA	ORG	98-82-8	Isopropylbenzene	52		ug/L	2	0.20	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9706	50	104%		
J072613CCVA	J072613CCVA	ORG	103-65-1	n-Propylbenzene	49		ug/L	2	0.27	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9706	50	98%		
J072613CCVA	J072613CCVA	ORG	79-34-5	1,1,2,2-Tetrachloroethane	44		ug/L	2	0.29	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9706	50	88%		
J072613CCVA	J072613CCVA	ORG	96-18-4	1,2,3-Trichloropropane	44		ug/L	2	0.29	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9706	50	88%		
J072613CCVA	J072613CCVA	ORG	108-67-8	1,3,5-Trimethylbenzene	51		ug/L	2	0.20	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9706	50	102%		
J072613CCVA	J072613CCVA	ORG	98-06-6	tert-Butylbenzene	51		ug/L	2	0.33	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9706	50	102%		
J072613CCVA	J072613CCVA	ORG	95-63-6	1,2,4-Trimethylbenzene	50		ug/L	2	0.20	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9706	50	100%		
J072613CCVA	J072613CCVA	ORG	135-98-8	sec-Butylbenzene	49		ug/L	2	0.32	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9706	50	98%		
J072613CCVA	J072613CCVA	ORG	541-73-1	1,3-Dichlorobenzene	52		ug/L	2	0.22	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9706	50	104%		
J072613CCVA	J072613CCVA	ORG	99-87-6	p-Isopropltoluene	51		ug/L	2	0.25	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9706	50	102%		
J072613CCVA	J072613CCVA	ORG	106-46-7	1,4-Dichlorobenzene	52		ug/L	2	0.33	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9706	50	104%		
J072613CCVA	J072613CCVA	ORG	95-50-1	1,2-Dichlorobenzene	51		ug/L	2	0.26	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9706	50	102%		
J072613CCVA	J072613CCVA	ORG	104-51-8	n-Butylbenzene	48		ug/L	5	0.28	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9706	50	96%		
J072613CCVA	J072613CCVA	ORG	96-12-8	1,2-Dibromo-3-chloropropane	51		ug/L	5	1.59	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9706	50	102%		
J072613CCVA	J072613CCVA	ORG	87-68-3	Hexachlorobutadiene	51		ug/L	5	0.65	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9706	50	102%		
J072613CCVA	J072613CCVA	ORG	120-82-1	1,2,4-Trichlorobenzene	58		ug/L	5	0.28	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9706	50	116%		
J072613CCVA	J072613CCVA	ORG	91-20-3	Naphthalene	56		ug/L	5	0.56	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9706	50	112%		
J072613CCVA	J072613CCVA	ORG	87-61-6	1,2,3-Trichlorobenzene	57		ug/L	5	0.23	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9706	50	114%		
J072613CCVA	J072613CCVA	STD	1868-53-7	Dibromofluoromethane	54		ng			NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9706	50	108%		
J072613CCVA	J072613CCVA	STD	17060-07-0	1,2-Dichloroethane d4	56		ng			NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9706	50	112%		
J072613CCVA	J072613CCVA	STD	2037-26-5	Toluene d8	48		ng			NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9706	50	96%		
J072613CCVA	J072613CCVA	STD	460-00-4	Bromofluorobenzene	47		ng			NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9706	50	94%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J072613MBKA	J072613MBKA	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	5	0.29	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9707				
J072613MBKA	J072613MBKA	ORG	74-87-3	Chloromethane		U	ug/L	5	0.43	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9707				
J072613MBKA	J072613MBKA	ORG	75-01-4	Vinyl chloride		U	ug/L	2	0.32	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9707				
J072613MBKA	J072613MBKA	ORG	74-83-9	Bromomethane		U	ug/L	5	0.50	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9707				
J072613MBKA	J072613MBKA	ORG	75-00-3	Chloroethane		U	ug/L	5	0.56	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9707				
J072613MBKA	J072613MBKA	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	5	0.20	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9707				
J072613MBKA	J072613MBKA	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	1	0.47	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9707				
J072613MBKA	J072613MBKA	ORG	75-09-2	Methylene chloride		U	ug/L	5	0.26	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9707				
J072613MBKA	J072613MBKA	ORG	67-64-1	Acetone		U	ug/L	10	1.56	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9707				
J072613MBKA	J072613MBKA	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	1	0.56	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9707				
J072613MBKA	J072613MBKA	ORG	1634-04-4	MTBE		U	ug/L	5	0.61	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9707				
J072613MBKA	J072613MBKA	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	1	0.53	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9707				
J072613MBKA	J072613MBKA	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	1	0.32	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9707				
J072613MBKA	J072613MBKA	ORG	74-97-5	Bromochloromethane		U	ug/L	10	0.81	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9707				
J072613MBKA	J072613MBKA	ORG	67-66-3	Chloroform		U	ug/L	2	0.41	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9707				
J072613MBKA	J072613MBKA	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	1	0.16	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9707				
J072613MBKA	J072613MBKA	ORG	78-93-3	2-Butanone		U	ug/L	1	0.17	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9707				
J072613MBKA	J072613MBKA	ORG	56-23-5	Carbon tetrachloride		U	ug/L	1	0.28	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9707				
J072613MBKA	J072613MBKA	ORG	71-43-2	Benzene		U	ug/L	1	0.14	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9707				
J072613MBKA	J072613MBKA	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	1	0.20	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9707				
J072613MBKA	J072613MBKA	ORG	79-01-6	Trichloroethene		U	ug/L	1	0.36	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9707				
J072613MBKA	J072613MBKA	ORG	74-95-3	Dibromomethane		U	ug/L	2	0.32	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9707				
J072613MBKA	J072613MBKA	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	1	0.18	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9707				
J072613MBKA	J072613MBKA	ORG	75-27-4	Bromodichloromethane		U	ug/L	2	0.12	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9707				
J072613MBKA	J072613MBKA	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	1	0.25	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9707				
J072613MBKA	J072613MBKA	ORG	108-88-3	Toluene		U	ug/L	5	0.74	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9707				
J072613MBKA	J072613MBKA	ORG	108-10-1	4-Methyl-2-pentanone		U	ug/L	1	0.21	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9707				
J072613MBKA	J072613MBKA	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	1	0.31	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9707				
J072613MBKA	J072613MBKA	ORG	127-18-4	Tetrachloroethene		U	ug/L	1	0.49	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9707				
J072613MBKA	J072613MBKA	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	1	0.34	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9707				
J072613MBKA	J072613MBKA	ORG	124-48-1	Dibromochloromethane		U	ug/L	5	0.69	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9707				
J072613MBKA	J072613MBKA	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	2	0.30	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9707				
J072613MBKA	J072613MBKA	ORG	591-78-6	2-Hexanone		U	ug/L	2	0.26	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9707				
J072613MBKA	J072613MBKA	ORG	100-41-4	Ethylbenzene		U	ug/L	1	0.25	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9707				
J072613MBKA	J072613MBKA	ORG	108-90-7	Chlorobenzene		U	ug/L	1	0.28	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9707				
J072613MBKA	J072613MBKA	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	2	0.19	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9707				
J072613MBKA	J072613MBKA	ORG	XYLMP	p&m-Xylene		U	ug/L	2	0.26	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9707				
J072613MBKA	J072613MBKA	ORG	95-47-6	o-Xylene		U	ug/L	1	0.13	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9707				
J072613MBKA	J072613MBKA	ORG	100-42-5	Styrene		U	ug/L	1	0.20	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9707				
J072613MBKA	J072613MBKA	ORG	75-25-2	Bromoform		U	ug/L	2	0.47	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9707				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J072613MBKA	J072613MBKA	ORG	98-82-8	Isopropylbenzene		U	ug/L	2	0.20	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9707				
J072613MBKA	J072613MBKA	ORG	103-65-1	n-Propylbenzene		U	ug/L	2	0.27	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9707				
J072613MBKA	J072613MBKA	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	2	0.29	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9707				
J072613MBKA	J072613MBKA	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	2	0.29	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9707				
J072613MBKA	J072613MBKA	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	2	0.20	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9707				
J072613MBKA	J072613MBKA	ORG	98-06-6	tert-Butylbenzene		U	ug/L	2	0.33	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9707				
J072613MBKA	J072613MBKA	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	2	0.20	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9707				
J072613MBKA	J072613MBKA	ORG	135-98-8	sec-Butylbenzene		U	ug/L	2	0.32	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9707				
J072613MBKA	J072613MBKA	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	2	0.22	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9707				
J072613MBKA	J072613MBKA	ORG	99-87-6	p-Isopropltoluene		U	ug/L	2	0.25	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9707				
J072613MBKA	J072613MBKA	ORG	106-46-7	1,4-Dichlorobenzene		U	ug/L	2	0.33	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9707				
J072613MBKA	J072613MBKA	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	2	0.26	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9707				
J072613MBKA	J072613MBKA	ORG	104-51-8	n-Butylbenzene		U	ug/L	5	0.28	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9707				
J072613MBKA	J072613MBKA	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	5	1.59	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9707				
J072613MBKA	J072613MBKA	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	5	0.65	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9707				
J072613MBKA	J072613MBKA	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	5	0.28	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9707				
J072613MBKA	J072613MBKA	ORG	91-20-3	Naphthalene		U	ug/L	5	0.56	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9707				
J072613MBKA	J072613MBKA	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	5	0.23	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9707				
J072613MBKA	J072613MBKA	STD	1868-53-7	Dibromofluoromethane	53		ng			NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9707	50	106%		
J072613MBKA	J072613MBKA	STD	17060-07-0	1,2-Dichloroethane d4	58		ng			NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9707	50	116%		
J072613MBKA	J072613MBKA	STD	2037-26-5	Toluene d8	46		ng			NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9707	50	92%		
J072613MBKA	J072613MBKA	STD	460-00-4	Bromofluorobenzene	44		ng			NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9707	50	88%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J072613CCVB	J072613CCVB	ORG	75-71-8	Dichlorodifluoromethane	43		ug/L	5	0.29	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9720	50	86%		
J072613CCVB	J072613CCVB	ORG	74-87-3	Chloromethane	32		ug/L	5	0.43	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9720	50	64%		
J072613CCVB	J072613CCVB	ORG	75-01-4	Vinyl chloride	43		ug/L	2	0.32	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9720	50	86%		
J072613CCVB	J072613CCVB	ORG	74-83-9	Bromomethane	64		ug/L	5	0.50	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9720	50	128%		
J072613CCVB	J072613CCVB	ORG	75-00-3	Chloroethane	66		ug/L	5	0.56	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9720	50	132%		
J072613CCVB	J072613CCVB	ORG	75-69-4	Trichlorofluoromethane	52		ug/L	5	0.20	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9720	50	104%		
J072613CCVB	J072613CCVB	ORG	75-35-4	1,1-Dichloroethene	58		ug/L	1	0.47	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9720	50	116%		
J072613CCVB	J072613CCVB	ORG	75-09-2	Methylene chloride	56		ug/L	5	0.26	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9720	50	112%		
J072613CCVB	J072613CCVB	ORG	67-64-1	Acetone	42		ug/L	10	1.56	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9720	50	84%		
J072613CCVB	J072613CCVB	ORG	156-60-5	trans-1,2-Dichloroethene	62		ug/L	1	0.56	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9720	50	124%		
J072613CCVB	J072613CCVB	ORG	1634-04-4	MTBE	62		ug/L	5	0.61	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9720	50	124%		
J072613CCVB	J072613CCVB	ORG	75-34-3	1,1-Dichloroethane	53		ug/L	1	0.53	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9720	50	106%		
J072613CCVB	J072613CCVB	ORG	156-59-2	cis-1,2-Dichloroethene	57		ug/L	1	0.32	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9720	50	114%		
J072613CCVB	J072613CCVB	ORG	74-97-5	Bromochloromethane	62		ug/L	10	0.81	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9720	50	124%		
J072613CCVB	J072613CCVB	ORG	67-66-3	Chloroform	56		ug/L	2	0.41	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9720	50	112%		
J072613CCVB	J072613CCVB	ORG	71-55-6	1,1,1-Trichloroethane	60		ug/L	1	0.16	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9720	50	120%		
J072613CCVB	J072613CCVB	ORG	78-93-3	2-Butanone	37		ug/L	1	0.17	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9720	50	74%		
J072613CCVB	J072613CCVB	ORG	56-23-5	Carbon tetrachloride	61		ug/L	1	0.28	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9720	50	122%		
J072613CCVB	J072613CCVB	ORG	71-43-2	Benzene	48		ug/L	1	0.14	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9720	50	96%		
J072613CCVB	J072613CCVB	ORG	107-06-2	1,2-Dichloroethane	59		ug/L	1	0.20	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9720	50	118%		
J072613CCVB	J072613CCVB	ORG	79-01-6	Trichloroethene	58		ug/L	1	0.36	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9720	50	116%		
J072613CCVB	J072613CCVB	ORG	74-95-3	Dibromomethane	55		ug/L	2	0.32	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9720	50	110%		
J072613CCVB	J072613CCVB	ORG	78-87-5	1,2-Dichloropropane	42		ug/L	1	0.18	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9720	50	84%		
J072613CCVB	J072613CCVB	ORG	75-27-4	Bromodichloromethane	51		ug/L	2	0.12	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9720	50	102%		
J072613CCVB	J072613CCVB	ORG	10061-01-5	cis-1,3-Dichloropropene	44		ug/L	1	0.25	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9720	50	88%		
J072613CCVB	J072613CCVB	ORG	108-88-3	Toluene	46		ug/L	5	0.74	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9720	50	92%		
J072613CCVB	J072613CCVB	ORG	108-10-1	4-Methyl-2-pentanone	32		ug/L	1	0.21	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9720	50	64%		
J072613CCVB	J072613CCVB	ORG	10061-02-6	trans-1,3-Dichloropropene	48		ug/L	1	0.31	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9720	50	96%		
J072613CCVB	J072613CCVB	ORG	127-18-4	Tetrachloroethene	63		ug/L	1	0.49	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9720	50	126%		
J072613CCVB	J072613CCVB	ORG	79-00-5	1,1,2-Trichloroethane	47		ug/L	1	0.34	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9720	50	94%		
J072613CCVB	J072613CCVB	ORG	124-48-1	Dibromochloromethane	58		ug/L	5	0.69	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9720	50	116%		
J072613CCVB	J072613CCVB	ORG	106-93-4	1,2-Dibromoethane	54		ug/L	2	0.30	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9720	50	108%		
J072613CCVB	J072613CCVB	ORG	591-78-6	2-Hexanone	31		ug/L	2	0.26	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9720	50	62%		
J072613CCVB	J072613CCVB	ORG	100-41-4	Ethylbenzene	48		ug/L	1	0.25	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9720	50	96%		
J072613CCVB	J072613CCVB	ORG	108-90-7	Chlorobenzene	51		ug/L	1	0.28	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9720	50	102%		
J072613CCVB	J072613CCVB	ORG	630-20-6	1,1,1,2-Tetrachloroethane	53		ug/L	2	0.19	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9720	50	106%		
J072613CCVB	J072613CCVB	ORG	XYLMP	p&m-Xylene	98		ug/L	2	0.26	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9720	100	98%		
J072613CCVB	J072613CCVB	ORG	95-47-6	o-Xylene	49		ug/L	1	0.13	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9720	50	98%		
J072613CCVB	J072613CCVB	ORG	100-42-5	Styrene	47		ug/L	1	0.20	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9720	50	94%		
J072613CCVB	J072613CCVB	ORG	75-25-2	Bromoform	55		ug/L	2	0.47	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9720	50	110%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J072613CCVB	J072613CCVB	ORG	98-82-8	Isopropylbenzene	50		ug/L	2	0.20	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9720	50	100%		
J072613CCVB	J072613CCVB	ORG	103-65-1	n-Propylbenzene	47		ug/L	2	0.27	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9720	50	94%		
J072613CCVB	J072613CCVB	ORG	79-34-5	1,1,2,2-Tetrachloroethane	44		ug/L	2	0.29	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9720	50	88%		
J072613CCVB	J072613CCVB	ORG	96-18-4	1,2,3-Trichloropropane	45		ug/L	2	0.29	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9720	50	90%		
J072613CCVB	J072613CCVB	ORG	108-67-8	1,3,5-Trimethylbenzene	51		ug/L	2	0.20	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9720	50	102%		
J072613CCVB	J072613CCVB	ORG	98-06-6	tert-Butylbenzene	52		ug/L	2	0.33	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9720	50	104%		
J072613CCVB	J072613CCVB	ORG	95-63-6	1,2,4-Trimethylbenzene	51		ug/L	2	0.20	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9720	50	102%		
J072613CCVB	J072613CCVB	ORG	135-98-8	sec-Butylbenzene	51		ug/L	2	0.32	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9720	50	102%		
J072613CCVB	J072613CCVB	ORG	541-73-1	1,3-Dichlorobenzene	53		ug/L	2	0.22	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9720	50	106%		
J072613CCVB	J072613CCVB	ORG	99-87-6	p-Isopropltoluene	53		ug/L	2	0.25	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9720	50	106%		
J072613CCVB	J072613CCVB	ORG	106-46-7	1,4-Dichlorobenzene	54		ug/L	2	0.33	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9720	50	108%		
J072613CCVB	J072613CCVB	ORG	95-50-1	1,2-Dichlorobenzene	53		ug/L	2	0.26	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9720	50	106%		
J072613CCVB	J072613CCVB	ORG	104-51-8	n-Butylbenzene	48		ug/L	5	0.28	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9720	50	96%		
J072613CCVB	J072613CCVB	ORG	96-12-8	1,2-Dibromo-3-chloropropane	52		ug/L	5	1.59	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9720	50	104%		
J072613CCVB	J072613CCVB	ORG	87-68-3	Hexachlorobutadiene	50		ug/L	5	0.65	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9720	50	100%		
J072613CCVB	J072613CCVB	ORG	120-82-1	1,2,4-Trichlorobenzene	54		ug/L	5	0.28	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9720	50	108%		
J072613CCVB	J072613CCVB	ORG	91-20-3	Naphthalene	56		ug/L	5	0.56	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9720	50	112%		
J072613CCVB	J072613CCVB	ORG	87-61-6	1,2,3-Trichlorobenzene	55		ug/L	5	0.23	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9720	50	110%		
J072613CCVB	J072613CCVB	STD	1868-53-7	Dibromofluoromethane	53		ng			NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9720	50	106%		
J072613CCVB	J072613CCVB	STD	17060-07-0	1,2-Dichloroethane d4	53		ng			NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9720	50	106%		
J072613CCVB	J072613CCVB	STD	2037-26-5	Toluene d8	46		ng			NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9720	50	92%		
J072613CCVB	J072613CCVB	STD	460-00-4	Bromofluorobenzene	45		ng			NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9720	50	90%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J072613MBKB	J072613MBKB	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	5	0.29	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9721				
J072613MBKB	J072613MBKB	ORG	74-87-3	Chloromethane		U	ug/L	5	0.43	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9721				
J072613MBKB	J072613MBKB	ORG	75-01-4	Vinyl chloride		U	ug/L	2	0.32	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9721				
J072613MBKB	J072613MBKB	ORG	74-83-9	Bromomethane		U	ug/L	5	0.50	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9721				
J072613MBKB	J072613MBKB	ORG	75-00-3	Chloroethane		U	ug/L	5	0.56	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9721				
J072613MBKB	J072613MBKB	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	5	0.20	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9721				
J072613MBKB	J072613MBKB	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	1	0.47	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9721				
J072613MBKB	J072613MBKB	ORG	75-09-2	Methylene chloride		U	ug/L	5	0.26	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9721				
J072613MBKB	J072613MBKB	ORG	67-64-1	Acetone		U	ug/L	10	1.56	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9721				
J072613MBKB	J072613MBKB	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	1	0.56	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9721				
J072613MBKB	J072613MBKB	ORG	1634-04-4	MTBE		U	ug/L	5	0.61	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9721				
J072613MBKB	J072613MBKB	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	1	0.53	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9721				
J072613MBKB	J072613MBKB	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	1	0.32	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9721				
J072613MBKB	J072613MBKB	ORG	74-97-5	Bromochloromethane		U	ug/L	10	0.81	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9721				
J072613MBKB	J072613MBKB	ORG	67-66-3	Chloroform		U	ug/L	2	0.41	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9721				
J072613MBKB	J072613MBKB	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	1	0.16	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9721				
J072613MBKB	J072613MBKB	ORG	78-93-3	2-Butanone		U	ug/L	1	0.17	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9721				
J072613MBKB	J072613MBKB	ORG	56-23-5	Carbon tetrachloride		U	ug/L	1	0.28	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9721				
J072613MBKB	J072613MBKB	ORG	71-43-2	Benzene		U	ug/L	1	0.14	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9721				
J072613MBKB	J072613MBKB	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	1	0.20	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9721				
J072613MBKB	J072613MBKB	ORG	79-01-6	Trichloroethene		U	ug/L	1	0.36	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9721				
J072613MBKB	J072613MBKB	ORG	74-95-3	Dibromomethane		U	ug/L	2	0.32	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9721				
J072613MBKB	J072613MBKB	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	1	0.18	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9721				
J072613MBKB	J072613MBKB	ORG	75-27-4	Bromodichloromethane		U	ug/L	2	0.12	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9721				
J072613MBKB	J072613MBKB	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	1	0.25	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9721				
J072613MBKB	J072613MBKB	ORG	108-88-3	Toluene		U	ug/L	5	0.74	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9721				
J072613MBKB	J072613MBKB	ORG	108-10-1	4-Methyl-2-pentanone		U	ug/L	1	0.21	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9721				
J072613MBKB	J072613MBKB	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	1	0.31	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9721				
J072613MBKB	J072613MBKB	ORG	127-18-4	Tetrachloroethene		U	ug/L	1	0.49	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9721				
J072613MBKB	J072613MBKB	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	1	0.34	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9721				
J072613MBKB	J072613MBKB	ORG	124-48-1	Dibromochloromethane		U	ug/L	5	0.69	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9721				
J072613MBKB	J072613MBKB	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	2	0.30	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9721				
J072613MBKB	J072613MBKB	ORG	591-78-6	2-Hexanone		U	ug/L	2	0.26	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9721				
J072613MBKB	J072613MBKB	ORG	100-41-4	Ethylbenzene		U	ug/L	1	0.25	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9721				
J072613MBKB	J072613MBKB	ORG	108-90-7	Chlorobenzene		U	ug/L	1	0.28	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9721				
J072613MBKB	J072613MBKB	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	2	0.19	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9721				
J072613MBKB	J072613MBKB	ORG	XYLMP	p&m-Xylene		U	ug/L	2	0.26	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9721				
J072613MBKB	J072613MBKB	ORG	95-47-6	o-Xylene		U	ug/L	1	0.13	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9721				
J072613MBKB	J072613MBKB	ORG	100-42-5	Styrene		U	ug/L	1	0.20	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9721				
J072613MBKB	J072613MBKB	ORG	75-25-2	Bromoform		U	ug/L	2	0.47	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9721				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J072613MBKB	J072613MBKB	ORG	98-82-8	Isopropylbenzene		U	ug/L	2	0.20	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9721				
J072613MBKB	J072613MBKB	ORG	103-65-1	n-Propylbenzene		U	ug/L	2	0.27	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9721				
J072613MBKB	J072613MBKB	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	2	0.29	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9721				
J072613MBKB	J072613MBKB	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	2	0.29	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9721				
J072613MBKB	J072613MBKB	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	2	0.20	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9721				
J072613MBKB	J072613MBKB	ORG	98-06-6	tert-Butylbenzene		U	ug/L	2	0.33	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9721				
J072613MBKB	J072613MBKB	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	2	0.20	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9721				
J072613MBKB	J072613MBKB	ORG	135-98-8	sec-Butylbenzene		U	ug/L	2	0.32	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9721				
J072613MBKB	J072613MBKB	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	2	0.22	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9721				
J072613MBKB	J072613MBKB	ORG	99-87-6	p-Isopropltoluene		U	ug/L	2	0.25	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9721				
J072613MBKB	J072613MBKB	ORG	106-46-7	1,4-Dichlorobenzene		U	ug/L	2	0.33	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9721				
J072613MBKB	J072613MBKB	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	2	0.26	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9721				
J072613MBKB	J072613MBKB	ORG	104-51-8	n-Butylbenzene		U	ug/L	5	0.28	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9721				
J072613MBKB	J072613MBKB	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	5	1.59	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9721				
J072613MBKB	J072613MBKB	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	5	0.65	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9721				
J072613MBKB	J072613MBKB	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	5	0.28	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9721				
J072613MBKB	J072613MBKB	ORG	91-20-3	Naphthalene		U	ug/L	5	0.56	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9721				
J072613MBKB	J072613MBKB	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	5	0.23	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9721				
J072613MBKB	J072613MBKB	STD	1868-53-7	Dibromofluoromethane	54		ng			NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9721	50	108%		
J072613MBKB	J072613MBKB	STD	17060-07-0	1,2-Dichloroethane d4	57		ng			NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9721	50	114%		
J072613MBKB	J072613MBKB	STD	2037-26-5	Toluene d8	46		ng			NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9721	50	92%		
J072613MBKB	J072613MBKB	STD	460-00-4	Bromofluorobenzene	45		ng			NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9721	50	90%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J072613ALCS	J072613ALCS	ORG	75-71-8	Dichlorodifluoromethane	44		ug/L	5	0.29	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9730	50	88%		
J072613ALCS	J072613ALCS	ORG	74-87-3	Chloromethane	29		ug/L	5	0.43	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9730	50	58%		
J072613ALCS	J072613ALCS	ORG	75-01-4	Vinyl chloride	41		ug/L	2	0.32	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9730	50	82%		
J072613ALCS	J072613ALCS	ORG	74-83-9	Bromomethane	80		ug/L	5	0.50	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9730	50	160%		
J072613ALCS	J072613ALCS	ORG	75-00-3	Chloroethane	82		ug/L	5	0.56	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9730	50	164%		
J072613ALCS	J072613ALCS	ORG	75-69-4	Trichlorofluoromethane	61		ug/L	5	0.20	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9730	50	122%		
J072613ALCS	J072613ALCS	ORG	75-35-4	1,1-Dichloroethene	61		ug/L	1	0.47	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9730	50	122%		
J072613ALCS	J072613ALCS	ORG	75-09-2	Methylene chloride	60		ug/L	5	0.26	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9730	50	120%		
J072613ALCS	J072613ALCS	ORG	67-64-1	Acetone	51		ug/L	10	1.56	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9730	50	102%		
J072613ALCS	J072613ALCS	ORG	156-60-5	trans-1,2-Dichloroethene	64		ug/L	1	0.56	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9730	50	128%		
J072613ALCS	J072613ALCS	ORG	1634-04-4	MTBE	61		ug/L	5	0.61	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9730	50	122%		
J072613ALCS	J072613ALCS	ORG	75-34-3	1,1-Dichloroethane	54		ug/L	1	0.53	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9730	50	108%		
J072613ALCS	J072613ALCS	ORG	156-59-2	cis-1,2-Dichloroethene	56		ug/L	1	0.32	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9730	50	112%		
J072613ALCS	J072613ALCS	ORG	74-97-5	Bromochloromethane	64		ug/L	10	0.81	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9730	50	128%		
J072613ALCS	J072613ALCS	ORG	67-66-3	Chloroform	58		ug/L	2	0.41	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9730	50	116%		
J072613ALCS	J072613ALCS	ORG	71-55-6	1,1,1-Trichloroethane	61		ug/L	1	0.16	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9730	50	122%		
J072613ALCS	J072613ALCS	ORG	78-93-3	2-Butanone	44		ug/L	1	0.17	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9730	50	88%		
J072613ALCS	J072613ALCS	ORG	56-23-5	Carbon tetrachloride	64		ug/L	1	0.28	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9730	50	128%		
J072613ALCS	J072613ALCS	ORG	71-43-2	Benzene	48		ug/L	1	0.14	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9730	50	96%		
J072613ALCS	J072613ALCS	ORG	107-06-2	1,2-Dichloroethane	60		ug/L	1	0.20	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9730	50	120%		
J072613ALCS	J072613ALCS	ORG	79-01-6	Trichloroethene	59		ug/L	1	0.36	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9730	50	118%		
J072613ALCS	J072613ALCS	ORG	74-95-3	Dibromomethane	57		ug/L	2	0.32	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9730	50	114%		
J072613ALCS	J072613ALCS	ORG	78-87-5	1,2-Dichloropropane	42		ug/L	1	0.18	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9730	50	84%		
J072613ALCS	J072613ALCS	ORG	75-27-4	Bromodichloromethane	51		ug/L	2	0.12	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9730	50	102%		
J072613ALCS	J072613ALCS	ORG	10061-01-5	cis-1,3-Dichloropropene	45		ug/L	1	0.25	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9730	50	90%		
J072613ALCS	J072613ALCS	ORG	108-88-3	Toluene	47		ug/L	5	0.74	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9730	50	94%		
J072613ALCS	J072613ALCS	ORG	108-10-1	4-Methyl-2-pentanone	39		ug/L	1	0.21	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9730	50	78%		
J072613ALCS	J072613ALCS	ORG	10061-02-6	trans-1,3-Dichloropropene	50		ug/L	1	0.31	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9730	50	100%		
J072613ALCS	J072613ALCS	ORG	127-18-4	Tetrachloroethene	53		ug/L	1	0.49	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9730	50	106%		
J072613ALCS	J072613ALCS	ORG	79-00-5	1,1,2-Trichloroethane	46		ug/L	1	0.34	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9730	50	92%		
J072613ALCS	J072613ALCS	ORG	124-48-1	Dibromochloromethane	57		ug/L	5	0.69	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9730	50	114%		
J072613ALCS	J072613ALCS	ORG	106-93-4	1,2-Dibromoethane	53		ug/L	2	0.30	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9730	50	106%		
J072613ALCS	J072613ALCS	ORG	591-78-6	2-Hexanone	44		ug/L	2	0.26	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9730	50	88%		
J072613ALCS	J072613ALCS	ORG	100-41-4	Ethylbenzene	44		ug/L	1	0.25	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9730	50	88%		
J072613ALCS	J072613ALCS	ORG	108-90-7	Chlorobenzene	45		ug/L	1	0.28	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9730	50	90%		
J072613ALCS	J072613ALCS	ORG	630-20-6	1,1,1,2-Tetrachloroethane	47		ug/L	2	0.19	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9730	50	94%		
J072613ALCS	J072613ALCS	ORG	XYLMP	p&m-Xylene	90		ug/L	2	0.26	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9730	100	90%		
J072613ALCS	J072613ALCS	ORG	95-47-6	o-Xylene	43		ug/L	1	0.13	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9730	50	86%		
J072613ALCS	J072613ALCS	ORG	100-42-5	Styrene	45		ug/L	1	0.20	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9730	50	90%		
J072613ALCS	J072613ALCS	ORG	75-25-2	Bromoform	55		ug/L	2	0.47	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9730	50	110%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J072613ALCS	J072613ALCS	ORG	98-82-8	Isopropylbenzene	48		ug/L	2	0.20	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9730	50	96%		
J072613ALCS	J072613ALCS	ORG	103-65-1	n-Propylbenzene	46		ug/L	2	0.27	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9730	50	92%		
J072613ALCS	J072613ALCS	ORG	79-34-5	1,1,2,2-Tetrachloroethane	48		ug/L	2	0.29	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9730	50	96%		
J072613ALCS	J072613ALCS	ORG	96-18-4	1,2,3-Trichloropropane	47		ug/L	2	0.29	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9730	50	94%		
J072613ALCS	J072613ALCS	ORG	108-67-8	1,3,5-Trimethylbenzene	49		ug/L	2	0.20	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9730	50	98%		
J072613ALCS	J072613ALCS	ORG	98-06-6	tert-Butylbenzene	50		ug/L	2	0.33	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9730	50	100%		
J072613ALCS	J072613ALCS	ORG	95-63-6	1,2,4-Trimethylbenzene	50		ug/L	2	0.20	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9730	50	100%		
J072613ALCS	J072613ALCS	ORG	135-98-8	sec-Butylbenzene	51		ug/L	2	0.32	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9730	50	102%		
J072613ALCS	J072613ALCS	ORG	541-73-1	1,3-Dichlorobenzene	55		ug/L	2	0.22	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9730	50	110%		
J072613ALCS	J072613ALCS	ORG	99-87-6	p-Isopropltoluene	53		ug/L	2	0.25	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9730	50	106%		
J072613ALCS	J072613ALCS	ORG	106-46-7	1,4-Dichlorobenzene	55		ug/L	2	0.33	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9730	50	110%		
J072613ALCS	J072613ALCS	ORG	95-50-1	1,2-Dichlorobenzene	56		ug/L	2	0.26	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9730	50	112%		
J072613ALCS	J072613ALCS	ORG	104-51-8	n-Butylbenzene	50		ug/L	5	0.28	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9730	50	100%		
J072613ALCS	J072613ALCS	ORG	96-12-8	1,2-Dibromo-3-chloropropane	51		ug/L	5	1.59	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9730	50	102%		
J072613ALCS	J072613ALCS	ORG	87-68-3	Hexachlorobutadiene	57		ug/L	5	0.65	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9730	50	114%		
J072613ALCS	J072613ALCS	ORG	120-82-1	1,2,4-Trichlorobenzene	55		ug/L	5	0.28	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9730	50	110%		
J072613ALCS	J072613ALCS	ORG	91-20-3	Naphthalene	51		ug/L	5	0.56	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9730	50	102%		
J072613ALCS	J072613ALCS	ORG	87-61-6	1,2,3-Trichlorobenzene	52		ug/L	5	0.23	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9730	50	104%		
J072613ALCS	J072613ALCS	STD	1868-53-7	Dibromofluoromethane	55		ng			NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9730	50	110%		
J072613ALCS	J072613ALCS	STD	17060-07-0	1,2-Dichloroethane d4	54		ng			NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9730	50	108%		
J072613ALCS	J072613ALCS	STD	2037-26-5	Toluene d8	46		ng			NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9730	50	92%		
J072613ALCS	J072613ALCS	STD	460-00-4	Bromofluorobenzene	44		ng			NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9730	50	88%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J072613ALCD	J072613ALCD	ORG	75-71-8	Dichlorodifluoromethane	44		ug/L	5	0.29	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9731	50	88%	0%	
J072613ALCD	J072613ALCD	ORG	74-87-3	Chloromethane	27		ug/L	5	0.43	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9731	50	54%	7%	
J072613ALCD	J072613ALCD	ORG	75-01-4	Vinyl chloride	39		ug/L	2	0.32	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9731	50	78%	5%	
J072613ALCD	J072613ALCD	ORG	74-83-9	Bromomethane	72		ug/L	5	0.50	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9731	50	144%	11%	
J072613ALCD	J072613ALCD	ORG	75-00-3	Chloroethane	78		ug/L	5	0.56	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9731	50	156%	5%	
J072613ALCD	J072613ALCD	ORG	75-69-4	Trichlorofluoromethane	58		ug/L	5	0.20	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9731	50	116%	5%	
J072613ALCD	J072613ALCD	ORG	75-35-4	1,1-Dichloroethene	56		ug/L	1	0.47	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9731	50	112%	9%	
J072613ALCD	J072613ALCD	ORG	75-09-2	Methylene chloride	56		ug/L	5	0.26	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9731	50	112%	7%	
J072613ALCD	J072613ALCD	ORG	67-64-1	Acetone	48		ug/L	10	1.56	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9731	50	96%	6%	
J072613ALCD	J072613ALCD	ORG	156-60-5	trans-1,2-Dichloroethene	59		ug/L	1	0.56	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9731	50	118%	8%	
J072613ALCD	J072613ALCD	ORG	1634-04-4	MTBE	61		ug/L	5	0.61	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9731	50	122%	0%	
J072613ALCD	J072613ALCD	ORG	75-34-3	1,1-Dichloroethane	50		ug/L	1	0.53	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9731	50	100%	8%	
J072613ALCD	J072613ALCD	ORG	156-59-2	cis-1,2-Dichloroethene	53		ug/L	1	0.32	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9731	50	106%	6%	
J072613ALCD	J072613ALCD	ORG	74-97-5	Bromochloromethane	58		ug/L	10	0.81	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9731	50	116%	10%	
J072613ALCD	J072613ALCD	ORG	67-66-3	Chloroform	54		ug/L	2	0.41	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9731	50	108%	7%	
J072613ALCD	J072613ALCD	ORG	71-55-6	1,1,1-Trichloroethane	57		ug/L	1	0.16	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9731	50	114%	7%	
J072613ALCD	J072613ALCD	ORG	78-93-3	2-Butanone	38		ug/L	1	0.17	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9731	50	76%	15%	
J072613ALCD	J072613ALCD	ORG	56-23-5	Carbon tetrachloride	59		ug/L	1	0.28	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9731	50	118%	8%	
J072613ALCD	J072613ALCD	ORG	71-43-2	Benzene	44		ug/L	1	0.14	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9731	50	88%	9%	
J072613ALCD	J072613ALCD	ORG	107-06-2	1,2-Dichloroethane	56		ug/L	1	0.20	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9731	50	112%	7%	
J072613ALCD	J072613ALCD	ORG	79-01-6	Trichloroethene	53		ug/L	1	0.36	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9731	50	106%	11%	
J072613ALCD	J072613ALCD	ORG	74-95-3	Dibromomethane	52		ug/L	2	0.32	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9731	50	104%	9%	
J072613ALCD	J072613ALCD	ORG	78-87-5	1,2-Dichloropropane	40		ug/L	1	0.18	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9731	50	80%	5%	
J072613ALCD	J072613ALCD	ORG	75-27-4	Bromodichloromethane	46		ug/L	2	0.12	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9731	50	92%	10%	
J072613ALCD	J072613ALCD	ORG	10061-01-5	cis-1,3-Dichloropropene	41		ug/L	1	0.25	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9731	50	82%	9%	
J072613ALCD	J072613ALCD	ORG	108-88-3	Toluene	43		ug/L	5	0.74	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9731	50	86%	9%	
J072613ALCD	J072613ALCD	ORG	108-10-1	4-Methyl-2-pentanone	38		ug/L	1	0.21	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9731	50	76%	3%	
J072613ALCD	J072613ALCD	ORG	10061-02-6	trans-1,3-Dichloropropene	45		ug/L	1	0.31	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9731	50	90%	11%	
J072613ALCD	J072613ALCD	ORG	127-18-4	Tetrachloroethene	49		ug/L	1	0.49	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9731	50	98%	8%	
J072613ALCD	J072613ALCD	ORG	79-00-5	1,1,2-Trichloroethane	42		ug/L	1	0.34	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9731	50	84%	9%	
J072613ALCD	J072613ALCD	ORG	124-48-1	Dibromochloromethane	53		ug/L	5	0.69	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9731	50	106%	7%	
J072613ALCD	J072613ALCD	ORG	106-93-4	1,2-Dibromoethane	49		ug/L	2	0.30	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9731	50	98%	8%	
J072613ALCD	J072613ALCD	ORG	591-78-6	2-Hexanone	42		ug/L	2	0.26	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9731	50	84%	5%	
J072613ALCD	J072613ALCD	ORG	100-41-4	Ethylbenzene	40		ug/L	1	0.25	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9731	50	80%	10%	
J072613ALCD	J072613ALCD	ORG	108-90-7	Chlorobenzene	42		ug/L	1	0.28	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9731	50	84%	7%	
J072613ALCD	J072613ALCD	ORG	630-20-6	1,1,1,2-Tetrachloroethane	44		ug/L	2	0.19	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9731	50	88%	7%	
J072613ALCD	J072613ALCD	ORG	XYLMP	p&m-Xylene	81		ug/L	2	0.26	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9731	100	81%	11%	
J072613ALCD	J072613ALCD	ORG	95-47-6	o-Xylene	41		ug/L	1	0.13	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9731	50	82%	5%	
J072613ALCD	J072613ALCD	ORG	100-42-5	Styrene	40		ug/L	1	0.20	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9731	50	80%	12%	
J072613ALCD	J072613ALCD	ORG	75-25-2	Bromoform	49		ug/L	2	0.47	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9731	50	98%	12%	

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J072613ALCD	J072613ALCD	ORG	98-82-8	Isopropylbenzene	42		ug/L	2	0.20	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9731	50	84%	13%	
J072613ALCD	J072613ALCD	ORG	103-65-1	n-Propylbenzene	41		ug/L	2	0.27	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9731	50	82%	11%	
J072613ALCD	J072613ALCD	ORG	79-34-5	1,1,2,2-Tetrachloroethane	43		ug/L	2	0.29	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9731	50	86%	11%	
J072613ALCD	J072613ALCD	ORG	96-18-4	1,2,3-Trichloropropane	43		ug/L	2	0.29	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9731	50	86%	9%	
J072613ALCD	J072613ALCD	ORG	108-67-8	1,3,5-Trimethylbenzene	44		ug/L	2	0.20	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9731	50	88%	11%	
J072613ALCD	J072613ALCD	ORG	98-06-6	tert-Butylbenzene	43		ug/L	2	0.33	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9731	50	86%	15%	
J072613ALCD	J072613ALCD	ORG	95-63-6	1,2,4-Trimethylbenzene	45		ug/L	2	0.20	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9731	50	90%	11%	
J072613ALCD	J072613ALCD	ORG	135-98-8	sec-Butylbenzene	44		ug/L	2	0.32	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9731	50	88%	15%	
J072613ALCD	J072613ALCD	ORG	541-73-1	1,3-Dichlorobenzene	50		ug/L	2	0.22	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9731	50	100%	10%	
J072613ALCD	J072613ALCD	ORG	99-87-6	p-Isopropltoluene	47		ug/L	2	0.25	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9731	50	94%	12%	
J072613ALCD	J072613ALCD	ORG	106-46-7	1,4-Dichlorobenzene	49		ug/L	2	0.33	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9731	50	98%	12%	
J072613ALCD	J072613ALCD	ORG	95-50-1	1,2-Dichlorobenzene	51		ug/L	2	0.26	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9731	50	102%	9%	
J072613ALCD	J072613ALCD	ORG	104-51-8	n-Butylbenzene	44		ug/L	5	0.28	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9731	50	88%	13%	
J072613ALCD	J072613ALCD	ORG	96-12-8	1,2-Dibromo-3-chloropropane	47		ug/L	5	1.59	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9731	50	94%	8%	
J072613ALCD	J072613ALCD	ORG	87-68-3	Hexachlorobutadiene	50		ug/L	5	0.65	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9731	50	100%	13%	
J072613ALCD	J072613ALCD	ORG	120-82-1	1,2,4-Trichlorobenzene	51		ug/L	5	0.28	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9731	50	102%	8%	
J072613ALCD	J072613ALCD	ORG	91-20-3	Naphthalene	50		ug/L	5	0.56	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9731	50	100%	2%	
J072613ALCD	J072613ALCD	ORG	87-61-6	1,2,3-Trichlorobenzene	50		ug/L	5	0.23	NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9731	50	100%	4%	
J072613ALCD	J072613ALCD	STD	1868-53-7	Dibromofluoromethane	55		ng			NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9731	50	110%	0%	
J072613ALCD	J072613ALCD	STD	17060-07-0	1,2-Dichloroethane d4	55		ng			NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9731	50	110%	2%	
J072613ALCD	J072613ALCD	STD	2037-26-5	Toluene d8	45		ng			NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9731	50	90%	2%	
J072613ALCD	J072613ALCD	STD	460-00-4	Bromofluorobenzene	44		ng			NA	7/26/2013	7/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9731	50	88%	0%	

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-552MS	96-001-C	ORG	75-71-8	Dichlorodifluoromethane	3800		ug/L	500	29.28	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9732	5000	76%		
NAL13026-552MS	96-001-C	ORG	74-87-3	Chloromethane	3300		ug/L	500	43.07	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9732	5000	66%		
NAL13026-552MS	96-001-C	ORG	75-01-4	Vinyl chloride	3500		ug/L	200	31.86	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9732	5000	70%		
NAL13026-552MS	96-001-C	ORG	74-83-9	Bromomethane	6100		ug/L	500	50.04	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9732	5000	122%		
NAL13026-552MS	96-001-C	ORG	75-00-3	Chloroethane	6800		ug/L	500	55.61	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9732	5000	136%		
NAL13026-552MS	96-001-C	ORG	75-69-4	Trichlorofluoromethane	5100		ug/L	500	19.65	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9732	5000	102%		
NAL13026-552MS	96-001-C	ORG	75-35-4	1,1-Dichloroethene	5800		ug/L	100	47.11	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9732	5000	116%		
NAL13026-552MS	96-001-C	ORG	75-09-2	Methylene chloride	5800		ug/L	500	26.46	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9732	5000	116%		
NAL13026-552MS	96-001-C	ORG	67-64-1	Acetone	25000		ug/L	1000	155.61	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9732	5000	-180%		34000
NAL13026-552MS	96-001-C	ORG	156-60-5	trans-1,2-Dichloroethene	6300		ug/L	100	55.61	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9732	5000	126%		
NAL13026-552MS	96-001-C	ORG	1634-04-4	MTBE	6200		ug/L	500	61.18	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9732	5000	124%		
NAL13026-552MS	96-001-C	ORG	75-34-3	1,1-Dichloroethane	5500		ug/L	100	52.66	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9732	5000	110%		
NAL13026-552MS	96-001-C	ORG	156-59-2	cis-1,2-Dichloroethene	5500		ug/L	100	32.11	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9732	5000	110%		
NAL13026-552MS	96-001-C	ORG	74-97-5	Bromochloromethane	6100		ug/L	1000	81.18	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9732	5000	122%		
NAL13026-552MS	96-001-C	ORG	67-66-3	Chloroform	5500		ug/L	200	41.37	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9732	5000	110%		
NAL13026-552MS	96-001-C	ORG	71-55-6	1,1,1-Trichloroethane	6100		ug/L	100	15.73	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9732	5000	122%		
NAL13026-552MS	96-001-C	ORG	78-93-3	2-Butanone	12000		ug/L	100	16.65	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9732	5000	0%		12000
NAL13026-552MS	96-001-C	ORG	56-23-5	Carbon tetrachloride	6100		ug/L	100	27.64	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9732	5000	122%		
NAL13026-552MS	96-001-C	ORG	71-43-2	Benzene	4700		ug/L	100	13.53	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9732	5000	94%		25
NAL13026-552MS	96-001-C	ORG	107-06-2	1,2-Dichloroethane	5800		ug/L	100	20.01	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9732	5000	116%		
NAL13026-552MS	96-001-C	ORG	79-01-6	Trichloroethene	5700		ug/L	100	36.33	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9732	5000	114%		
NAL13026-552MS	96-001-C	ORG	74-95-3	Dibromomethane	5500		ug/L	200	32.20	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9732	5000	110%		
NAL13026-552MS	96-001-C	ORG	78-87-5	1,2-Dichloropropane	4100		ug/L	100	18.17	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9732	5000	82%		
NAL13026-552MS	96-001-C	ORG	75-27-4	Bromodichloromethane	5000		ug/L	200	11.58	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9732	5000	100%		
NAL13026-552MS	96-001-C	ORG	10061-01-5	cis-1,3-Dichloropropene	4000		ug/L	100	25.01	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9732	5000	80%		
NAL13026-552MS	96-001-C	ORG	108-88-3	Toluene	4500		ug/L	500	74.00	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9732	5000	90%		
NAL13026-552MS	96-001-C	ORG	108-10-1	4-Methyl-2-pentanone	3100		ug/L	100	20.96	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9732	5000	62%		
NAL13026-552MS	96-001-C	ORG	10061-02-6	trans-1,3-Dichloropropene	4400		ug/L	100	31.15	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9732	5000	88%		
NAL13026-552MS	96-001-C	ORG	127-18-4	Tetrachloroethene	6600		ug/L	100	48.56	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9732	5000	132%		
NAL13026-552MS	96-001-C	ORG	79-00-5	1,1,2-Trichloroethane	4500		ug/L	100	34.28	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9732	5000	90%		
NAL13026-552MS	96-001-C	ORG	124-48-1	Dibromochloromethane	5500		ug/L	500	68.90	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9732	5000	110%		
NAL13026-552MS	96-001-C	ORG	106-93-4	1,2-Dibromoethane	5100		ug/L	200	29.90	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9732	5000	102%		
NAL13026-552MS	96-001-C	ORG	591-78-6	2-Hexanone	2200		ug/L	200	26.49	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9732	5000	44%		
NAL13026-552MS	96-001-C	ORG	100-41-4	Ethylbenzene	4600		ug/L	100	25.38	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9732	5000	92%		
NAL13026-552MS	96-001-C	ORG	108-90-7	Chlorobenzene	4800		ug/L	100	27.52	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9732	5000	96%		
NAL13026-552MS	96-001-C	ORG	630-20-6	1,1,1,2-Tetrachloroethane	5200		ug/L	200	19.28	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9732	5000	104%		
NAL13026-552MS	96-001-C	ORG	XYLMP	p&m-Xylene	9300		ug/L	200	26.14	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9732	10000	93%		
NAL13026-552MS	96-001-C	ORG	95-47-6	o-Xylene	4800		ug/L	100	12.90	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9732	5000	96%		
NAL13026-552MS	96-001-C	ORG	100-42-5	Styrene	4500		ug/L	100	20.23	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9732	5000	90%		
NAL13026-552MS	96-001-C	ORG	75-25-2	Bromoform	5600		ug/L	200	46.83	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9732	5000	112%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-552MS	96-001-C	ORG	98-82-8	Isopropylbenzene	4900		ug/L	200	20.48	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9732	5000	98%		
NAL13026-552MS	96-001-C	ORG	103-65-1	n-Propylbenzene	4600		ug/L	200	27.00	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9732	5000	92%		
NAL13026-552MS	96-001-C	ORG	79-34-5	1,1,2,2-Tetrachloroethane	4400		ug/L	200	29.16	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9732	5000	88%		
NAL13026-552MS	96-001-C	ORG	96-18-4	1,2,3-Trichloropropane	4400		ug/L	200	29.47	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9732	5000	88%		
NAL13026-552MS	96-001-C	ORG	108-67-8	1,3,5-Trimethylbenzene	4900		ug/L	200	20.03	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9732	5000	98%		
NAL13026-552MS	96-001-C	ORG	98-06-6	tert-Butylbenzene	5100		ug/L	200	32.61	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9732	5000	102%		
NAL13026-552MS	96-001-C	ORG	95-63-6	1,2,4-Trimethylbenzene	4800		ug/L	200	20.03	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9732	5000	96%		24
NAL13026-552MS	96-001-C	ORG	135-98-8	sec-Butylbenzene	4900		ug/L	200	32.34	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9732	5000	98%		
NAL13026-552MS	96-001-C	ORG	541-73-1	1,3-Dichlorobenzene	5000		ug/L	200	22.21	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9732	5000	100%		
NAL13026-552MS	96-001-C	ORG	99-87-6	p-Isopropltoluene	5000		ug/L	200	25.48	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9732	5000	99%		70
NAL13026-552MS	96-001-C	ORG	106-46-7	1,4-Dichlorobenzene	5100		ug/L	200	33.03	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9732	5000	102%		
NAL13026-552MS	96-001-C	ORG	95-50-1	1,2-Dichlorobenzene	5200		ug/L	200	26.38	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9732	5000	104%		
NAL13026-552MS	96-001-C	ORG	104-51-8	n-Butylbenzene	4400		ug/L	500	27.81	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9732	5000	88%		
NAL13026-552MS	96-001-C	ORG	96-12-8	1,2-Dibromo-3-chloropropane	5000		ug/L	500	159.11	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9732	5000	100%		
NAL13026-552MS	96-001-C	ORG	87-68-3	Hexachlorobutadiene	4700		ug/L	500	65.42	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9732	5000	94%		
NAL13026-552MS	96-001-C	ORG	120-82-1	1,2,4-Trichlorobenzene	4800		ug/L	500	27.63	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9732	5000	96%		
NAL13026-552MS	96-001-C	ORG	91-20-3	Naphthalene	4900		ug/L	500	56.04	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9732	5000	95%		130
NAL13026-552MS	96-001-C	ORG	87-61-6	1,2,3-Trichlorobenzene	4700		ug/L	500	23.28	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9732	5000	94%		
NAL13026-552MS	96-001-C	STD	1868-53-7	Dibromofluoromethane	55		ng			7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9732	50	110%		
NAL13026-552MS	96-001-C	STD	17060-07-0	1,2-Dichloroethane d4	56		ng			7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9732	50	112%		
NAL13026-552MS	96-001-C	STD	2037-26-5	Toluene d8	46		ng			7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9732	50	92%		
NAL13026-552MS	96-001-C	STD	460-00-4	Bromofluorobenzene	47		ng			7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9732	50	94%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-552MSD	96-001-C	ORG	75-71-8	Dichlorodifluoromethane	2900		ug/L	500	29.28	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9733	5000	58%	27%	0
NAL13026-552MSD	96-001-C	ORG	74-87-3	Chloromethane	2700		ug/L	500	43.07	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9733	5000	54%	20%	0
NAL13026-552MSD	96-001-C	ORG	75-01-4	Vinyl chloride	3100		ug/L	200	31.86	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9733	5000	62%	12%	0
NAL13026-552MSD	96-001-C	ORG	74-83-9	Bromomethane	6000		ug/L	500	50.04	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9733	5000	120%	2%	0
NAL13026-552MSD	96-001-C	ORG	75-00-3	Chloroethane	5500		ug/L	500	55.61	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9733	5000	110%	21%	0
NAL13026-552MSD	96-001-C	ORG	75-69-4	Trichlorofluoromethane	4400		ug/L	500	19.65	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9733	5000	88%	15%	0
NAL13026-552MSD	96-001-C	ORG	75-35-4	1,1-Dichloroethene	4700		ug/L	100	47.11	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9733	5000	94%	21%	0
NAL13026-552MSD	96-001-C	ORG	75-09-2	Methylene chloride	6500		ug/L	500	26.46	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9733	5000	130%	11%	0
NAL13026-552MSD	96-001-C	ORG	67-64-1	Acetone	38000		ug/L	1000	155.61	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9733	5000	80%	41%	34000
NAL13026-552MSD	96-001-C	ORG	156-60-5	trans-1,2-Dichloroethene	5600		ug/L	100	55.61	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9733	5000	112%	12%	0
NAL13026-552MSD	96-001-C	ORG	1634-04-4	MTBE	8400		ug/L	500	61.18	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9733	5000	168%	30%	0
NAL13026-552MSD	96-001-C	ORG	75-34-3	1,1-Dichloroethane	5200		ug/L	100	52.66	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9733	5000	104%	6%	0
NAL13026-552MSD	96-001-C	ORG	156-59-2	cis-1,2-Dichloroethene	5800		ug/L	100	32.11	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9733	5000	116%	5%	0
NAL13026-552MSD	96-001-C	ORG	74-97-5	Bromochloromethane	7500		ug/L	1000	81.18	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9733	5000	150%	21%	0
NAL13026-552MSD	96-001-C	ORG	67-66-3	Chloroform	5900		ug/L	200	41.37	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9733	5000	118%	7%	0
NAL13026-552MSD	96-001-C	ORG	71-55-6	1,1,1-Trichloroethane	5100		ug/L	100	15.73	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9733	5000	102%	18%	0
NAL13026-552MSD	96-001-C	ORG	78-93-3	2-Butanone	19000		ug/L	100	16.65	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9733	5000	140%	45%	12000
NAL13026-552MSD	96-001-C	ORG	56-23-5	Carbon tetrachloride	4900		ug/L	100	27.64	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9733	5000	98%	22%	0
NAL13026-552MSD	96-001-C	ORG	71-43-2	Benzene	4600		ug/L	100	13.53	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9733	5000	92%	2%	25
NAL13026-552MSD	96-001-C	ORG	107-06-2	1,2-Dichloroethane	7500		ug/L	100	20.01	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9733	5000	150%	26%	0
NAL13026-552MSD	96-001-C	ORG	79-01-6	Trichloroethene	5400		ug/L	100	36.33	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9733	5000	108%	5%	0
NAL13026-552MSD	96-001-C	ORG	74-95-3	Dibromomethane	7200		ug/L	200	32.20	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9733	5000	144%	27%	0
NAL13026-552MSD	96-001-C	ORG	78-87-5	1,2-Dichloropropane	4600		ug/L	100	18.17	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9733	5000	92%	11%	0
NAL13026-552MSD	96-001-C	ORG	75-27-4	Bromodichloromethane	5300		ug/L	200	11.58	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9733	5000	106%	6%	0
NAL13026-552MSD	96-001-C	ORG	10061-01-5	cis-1,3-Dichloropropene	4300		ug/L	100	25.01	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9733	5000	86%	7%	0
NAL13026-552MSD	96-001-C	ORG	108-88-3	Toluene	4100		ug/L	500	74.00	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9733	5000	82%	9%	0
NAL13026-552MSD	96-001-C	ORG	108-10-1	4-Methyl-2-pentanone	3900		ug/L	100	20.96	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9733	5000	78%	23%	0
NAL13026-552MSD	96-001-C	ORG	10061-02-6	trans-1,3-Dichloropropene	5100		ug/L	100	31.15	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9733	5000	102%	15%	0
NAL13026-552MSD	96-001-C	ORG	127-18-4	Tetrachloroethene	5600		ug/L	100	48.56	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9733	5000	112%	16%	0
NAL13026-552MSD	96-001-C	ORG	79-00-5	1,1,2-Trichloroethane	5300		ug/L	100	34.28	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9733	5000	106%	16%	0
NAL13026-552MSD	96-001-C	ORG	124-48-1	Dibromochloromethane	6300		ug/L	500	68.90	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9733	5000	126%	14%	0
NAL13026-552MSD	96-001-C	ORG	106-93-4	1,2-Dibromoethane	6400		ug/L	200	29.90	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9733	5000	128%	23%	0
NAL13026-552MSD	96-001-C	ORG	591-78-6	2-Hexanone	3400		ug/L	200	26.49	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9733	5000	68%	43%	0
NAL13026-552MSD	96-001-C	ORG	100-41-4	Ethylbenzene	3900		ug/L	100	25.38	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9733	5000	78%	16%	0
NAL13026-552MSD	96-001-C	ORG	108-90-7	Chlorobenzene	4600		ug/L	100	27.52	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9733	5000	92%	4%	0
NAL13026-552MSD	96-001-C	ORG	630-20-6	1,1,1,2-Tetrachloroethane	5100		ug/L	200	19.28	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9733	5000	102%	2%	0
NAL13026-552MSD	96-001-C	ORG	XYLMP	p&m-Xylene	8200		ug/L	200	26.14	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9733	10000	82%	13%	0
NAL13026-552MSD	96-001-C	ORG	95-47-6	o-Xylene	4200		ug/L	100	12.90	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9733	5000	84%	13%	0
NAL13026-552MSD	96-001-C	ORG	100-42-5	Styrene	4400		ug/L	100	20.23	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9733	5000	88%	2%	0
NAL13026-552MSD	96-001-C	ORG	75-25-2	Bromoform	6100		ug/L	200	46.83	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9733	5000	122%	9%	0

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-552MSD	96-001-C	ORG	98-82-8	Isopropylbenzene	4000		ug/L	200	20.48	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9733	5000	80%	20%	0
NAL13026-552MSD	96-001-C	ORG	103-65-1	n-Propylbenzene	3800		ug/L	200	27.00	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9733	5000	76%	19%	0
NAL13026-552MSD	96-001-C	ORG	79-34-5	1,1,2,2-Tetrachloroethane	4900		ug/L	200	29.16	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9733	5000	98%	11%	0
NAL13026-552MSD	96-001-C	ORG	96-18-4	1,2,3-Trichloropropane	5000		ug/L	200	29.47	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9733	5000	100%	13%	0
NAL13026-552MSD	96-001-C	ORG	108-67-8	1,3,5-Trimethylbenzene	4300		ug/L	200	20.03	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9733	5000	86%	13%	0
NAL13026-552MSD	96-001-C	ORG	98-06-6	tert-Butylbenzene	4200		ug/L	200	32.61	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9733	5000	84%	19%	0
NAL13026-552MSD	96-001-C	ORG	95-63-6	1,2,4-Trimethylbenzene	4500		ug/L	200	20.03	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9733	5000	90%	6%	24
NAL13026-552MSD	96-001-C	ORG	135-98-8	sec-Butylbenzene	4000		ug/L	200	32.34	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9733	5000	80%	20%	0
NAL13026-552MSD	96-001-C	ORG	541-73-1	1,3-Dichlorobenzene	5000		ug/L	200	22.21	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9733	5000	100%	0%	0
NAL13026-552MSD	96-001-C	ORG	99-87-6	p-Isopropltoluene	4200		ug/L	200	25.48	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9733	5000	83%	17%	70
NAL13026-552MSD	96-001-C	ORG	106-46-7	1,4-Dichlorobenzene	5100		ug/L	200	33.03	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9733	5000	102%	0%	0
NAL13026-552MSD	96-001-C	ORG	95-50-1	1,2-Dichlorobenzene	5300		ug/L	200	26.38	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9733	5000	106%	2%	0
NAL13026-552MSD	96-001-C	ORG	104-51-8	n-Butylbenzene	3800		ug/L	500	27.81	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9733	5000	76%	15%	0
NAL13026-552MSD	96-001-C	ORG	96-12-8	1,2-Dibromo-3-chloropropane	6600		ug/L	500	159.11	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9733	5000	132%	28%	0
NAL13026-552MSD	96-001-C	ORG	87-68-3	Hexachlorobutadiene	4200		ug/L	500	65.42	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9733	5000	84%	11%	0
NAL13026-552MSD	96-001-C	ORG	120-82-1	1,2,4-Trichlorobenzene	5400		ug/L	500	27.63	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9733	5000	108%	12%	0
NAL13026-552MSD	96-001-C	ORG	91-20-3	Naphthalene	6300		ug/L	500	56.04	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9733	5000	123%	25%	130
NAL13026-552MSD	96-001-C	ORG	87-61-6	1,2,3-Trichlorobenzene	5800		ug/L	500	23.28	7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9733	5000	116%	21%	0
NAL13026-552MSD	96-001-C	STD	1868-53-7	Dibromofluoromethane	62		ng			7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9733	50	124%	12%	0
NAL13026-552MSD	96-001-C	STD	17060-07-0	1,2-Dichloroethane d4	70		ng			7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9733	50	140%	22%	0
NAL13026-552MSD	96-001-C	STD	2037-26-5	Toluene d8	42		ng			7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9733	50	84%	9%	0
NAL13026-552MSD	96-001-C	STD	460-00-4	Bromofluorobenzene	46		ng			7/26/2013	7/26/2013	7/26/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9733	50	92%	2%	0

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-561	316-024	ORG	75-71-8	Dichlorodifluoromethane		UX-	ug/L	500	29.28	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9737				
NAL13026-561	316-024	ORG	74-87-3	Chloromethane		UX-	ug/L	500	43.07	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9737				
NAL13026-561	316-024	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9737				
NAL13026-561	316-024	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9737				
NAL13026-561	316-024	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9737				
NAL13026-561	316-024	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9737				
NAL13026-561	316-024	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9737				
NAL13026-561	316-024	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9737				
NAL13026-561	316-024	ORG	67-64-1	Acetone	49000	D	ug/L	10000	1556.07	7/27/2013	7/27/2013	7/27/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9738				
NAL13026-561	316-024	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9737				
NAL13026-561	316-024	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9737				
NAL13026-561	316-024	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9737				
NAL13026-561	316-024	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9737				
NAL13026-561	316-024	ORG	74-97-5	Bromochloromethane		U	ug/L	200	41.37	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9737				
NAL13026-561	316-024	ORG	67-66-3	Chloroform		U	ug/L	100	15.73	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9737				
NAL13026-561	316-024	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	16.65	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9737				
NAL13026-561	316-024	ORG	78-93-3	2-Butanone	16000		ug/L	1000	81.18	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9737				
NAL13026-561	316-024	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9737				
NAL13026-561	316-024	ORG	71-43-2	Benzene		U	ug/L	100	13.53	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9737				
NAL13026-561	316-024	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9737				
NAL13026-561	316-024	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9737				
NAL13026-561	316-024	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9737				
NAL13026-561	316-024	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9737				
NAL13026-561	316-024	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9737				
NAL13026-561	316-024	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9737				
NAL13026-561	316-024	ORG	108-88-3	Toluene		U	ug/L	100	20.96	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9737				
NAL13026-561	316-024	ORG	108-10-1	4-Methyl-2-pentanone	240	JX-	ug/L	500	74.00	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9737				
NAL13026-561	316-024	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9737				
NAL13026-561	316-024	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9737				
NAL13026-561	316-024	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9737				
NAL13026-561	316-024	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	29.90	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9737				
NAL13026-561	316-024	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	26.49	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9737				
NAL13026-561	316-024	ORG	591-78-6	2-Hexanone	320	JX-	ug/L	500	68.90	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9737				
NAL13026-561	316-024	ORG	100-41-4	Ethylbenzene		U	ug/L	100	25.38	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9737				
NAL13026-561	316-024	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9737				
NAL13026-561	316-024	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9737				
NAL13026-561	316-024	ORG	XYLMP	p&m-Xylene		U	ug/L	200	26.14	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9737				
NAL13026-561	316-024	ORG	95-47-6	o-Xylene		U	ug/L	100	12.90	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9737				
NAL13026-561	316-024	ORG	100-42-5	Styrene	27	J	ug/L	100	20.23	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9737				
NAL13026-561	316-024	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9737				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-561	316-024	ORG	98-82-8	Isopropylbenzene		U	ug/L	200	20.48	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9737				
NAL13026-561	316-024	ORG	103-65-1	n-Propylbenzene		U	ug/L	200	27.00	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9737				
NAL13026-561	316-024	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9737				
NAL13026-561	316-024	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9737				
NAL13026-561	316-024	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	200	20.03	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9737				
NAL13026-561	316-024	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9737				
NAL13026-561	316-024	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	200	20.03	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9737				
NAL13026-561	316-024	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9737				
NAL13026-561	316-024	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9737				
NAL13026-561	316-024	ORG	99-87-6	p-Isopropltoluene	48	J	ug/L	200	25.48	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9737				
NAL13026-561	316-024	ORG	106-46-7	1,4-Dichlorobenzene		U	ug/L	200	33.03	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9737				
NAL13026-561	316-024	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9737				
NAL13026-561	316-024	ORG	104-51-8	n-Butylbenzene		U	ug/L	500	27.81	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9737				
NAL13026-561	316-024	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9737				
NAL13026-561	316-024	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9737				
NAL13026-561	316-024	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9737				
NAL13026-561	316-024	ORG	91-20-3	Naphthalene	200	J	ug/L	500	56.04	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9737				
NAL13026-561	316-024	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9737				
NAL13026-561	316-024	STD	1868-53-7	Dibromofluoromethane	54		ng			7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9737	50	108%		
NAL13026-561	316-024	STD	17060-07-0	1,2-Dichloroethane d4	55		ng			7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9737	50	110%		
NAL13026-561	316-024	STD	2037-26-5	Toluene d8	46		ng			7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9737	50	92%		
NAL13026-561	316-024	STD	460-00-4	Bromofluorobenzene	43		ng			7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9737	50	86%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-562	302-ST-T1	ORG	75-71-8	Dichlorodifluoromethane		UX-	ug/L	500	29.28	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9746				
NAL13026-562	302-ST-T1	ORG	74-87-3	Chloromethane		UX-	ug/L	500	43.07	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9746				
NAL13026-562	302-ST-T1	ORG	75-01-4	Vinyl chloride		UX-	ug/L	200	31.86	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9746				
NAL13026-562	302-ST-T1	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9746				
NAL13026-562	302-ST-T1	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9746				
NAL13026-562	302-ST-T1	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9746				
NAL13026-562	302-ST-T1	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9746				
NAL13026-562	302-ST-T1	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9746				
NAL13026-562	302-ST-T1	ORG	67-64-1	Acetone	76000	D	ug/L	10000	1556.07	7/27/2013	7/27/2013	7/27/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9750				
NAL13026-562	302-ST-T1	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9746				
NAL13026-562	302-ST-T1	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9746				
NAL13026-562	302-ST-T1	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9746				
NAL13026-562	302-ST-T1	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9746				
NAL13026-562	302-ST-T1	ORG	74-97-5	Bromochloromethane		U	ug/L	200	81.18	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9746				
NAL13026-562	302-ST-T1	ORG	67-66-3	Chloroform		U	ug/L	100	41.37	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9746				
NAL13026-562	302-ST-T1	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	15.73	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9746				
NAL13026-562	302-ST-T1	ORG	78-93-3	2-Butanone	34000	D	ug/L	10000	166.52	7/27/2013	7/27/2013	7/27/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9750				
NAL13026-562	302-ST-T1	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9746				
NAL13026-562	302-ST-T1	ORG	71-43-2	Benzene	24	J	ug/L	100	13.53	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9746				
NAL13026-562	302-ST-T1	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9746				
NAL13026-562	302-ST-T1	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9746				
NAL13026-562	302-ST-T1	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9746				
NAL13026-562	302-ST-T1	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9746				
NAL13026-562	302-ST-T1	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9746				
NAL13026-562	302-ST-T1	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9746				
NAL13026-562	302-ST-T1	ORG	108-88-3	Toluene		U	ug/L	100	74.00	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9746				
NAL13026-562	302-ST-T1	ORG	108-10-1	4-Methyl-2-pentanone	760		ug/L	500	20.96	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9746				
NAL13026-562	302-ST-T1	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9746				
NAL13026-562	302-ST-T1	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9746				
NAL13026-562	302-ST-T1	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9746				
NAL13026-562	302-ST-T1	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	68.90	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9746				
NAL13026-562	302-ST-T1	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	29.90	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9746				
NAL13026-562	302-ST-T1	ORG	591-78-6	2-Hexanone	59	J	ug/L	500	26.49	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9746				
NAL13026-562	302-ST-T1	ORG	100-41-4	Ethylbenzene		U	ug/L	100	25.38	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9746				
NAL13026-562	302-ST-T1	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9746				
NAL13026-562	302-ST-T1	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9746				
NAL13026-562	302-ST-T1	ORG	XYLMP	p&m-Xylene	50	J	ug/L	200	26.14	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9746				
NAL13026-562	302-ST-T1	ORG	95-47-6	o-Xylene	27	J	ug/L	100	12.90	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9746				
NAL13026-562	302-ST-T1	ORG	100-42-5	Styrene	41	J	ug/L	100	20.23	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9746				
NAL13026-562	302-ST-T1	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9746				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-562	302-ST-T1	ORG	98-82-8	Isopropylbenzene	24	J	ug/L	200	20.48	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9746				
NAL13026-562	302-ST-T1	ORG	103-65-1	n-Propylbenzene		U	ug/L	200	27.00	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9746				
NAL13026-562	302-ST-T1	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9746				
NAL13026-562	302-ST-T1	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9746				
NAL13026-562	302-ST-T1	ORG	108-67-8	1,3,5-Trimethylbenzene	27	J	ug/L	200	20.03	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9746				
NAL13026-562	302-ST-T1	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9746				
NAL13026-562	302-ST-T1	ORG	95-63-6	1,2,4-Trimethylbenzene	40	J	ug/L	200	20.03	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9746				
NAL13026-562	302-ST-T1	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9746				
NAL13026-562	302-ST-T1	ORG	541-73-1	1,3-Dichlorobenzene	50	J	ug/L	200	22.21	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9746				
NAL13026-562	302-ST-T1	ORG	99-87-6	p-Isopropltoluene	73	J	ug/L	200	25.48	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9746				
NAL13026-562	302-ST-T1	ORG	106-46-7	1,4-Dichlorobenzene	74	J	ug/L	200	33.03	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9746				
NAL13026-562	302-ST-T1	ORG	95-50-1	1,2-Dichlorobenzene	42	J	ug/L	200	26.38	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9746				
NAL13026-562	302-ST-T1	ORG	104-51-8	n-Butylbenzene	37	J	ug/L	500	27.81	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9746				
NAL13026-562	302-ST-T1	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9746				
NAL13026-562	302-ST-T1	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9746				
NAL13026-562	302-ST-T1	ORG	120-82-1	1,2,4-Trichlorobenzene	74	J	ug/L	500	27.63	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9746				
NAL13026-562	302-ST-T1	ORG	91-20-3	Naphthalene	290	J	ug/L	500	56.04	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9746				
NAL13026-562	302-ST-T1	ORG	87-61-6	1,2,3-Trichlorobenzene	84	J	ug/L	500	23.28	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9746				
NAL13026-562	302-ST-T1	STD	1868-53-7	Dibromofluoromethane	54		ng			7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9746	50	108%		
NAL13026-562	302-ST-T1	STD	17060-07-0	1,2-Dichloroethane d4	58		ng			7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9746	50	116%		
NAL13026-562	302-ST-T1	STD	2037-26-5	Toluene d8	45		ng			7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9746	50	90%		
NAL13026-562	302-ST-T1	STD	460-00-4	Bromofluorobenzene	45		ng			7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9746	50	90%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-563	302-ST-T2	ORG	75-71-8	Dichlorodifluoromethane		UX-	ug/L	500	29.28	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9747				
NAL13026-563	302-ST-T2	ORG	74-87-3	Chloromethane		UX-	ug/L	500	43.07	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9747				
NAL13026-563	302-ST-T2	ORG	75-01-4	Vinyl chloride		UX-	ug/L	200	31.86	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9747				
NAL13026-563	302-ST-T2	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9747				
NAL13026-563	302-ST-T2	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9747				
NAL13026-563	302-ST-T2	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9747				
NAL13026-563	302-ST-T2	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9747				
NAL13026-563	302-ST-T2	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9747				
NAL13026-563	302-ST-T2	ORG	67-64-1	Acetone	75000	D	ug/L	10000	1556.07	7/27/2013	7/27/2013	7/27/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9751				
NAL13026-563	302-ST-T2	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9747				
NAL13026-563	302-ST-T2	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9747				
NAL13026-563	302-ST-T2	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9747				
NAL13026-563	302-ST-T2	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9747				
NAL13026-563	302-ST-T2	ORG	74-97-5	Bromochloromethane		U	ug/L	200	81.18	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9747				
NAL13026-563	302-ST-T2	ORG	67-66-3	Chloroform		U	ug/L	100	41.37	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9747				
NAL13026-563	302-ST-T2	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	15.73	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9747				
NAL13026-563	302-ST-T2	ORG	78-93-3	2-Butanone	32000	D	ug/L	10000	166.52	7/27/2013	7/27/2013	7/27/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9751				
NAL13026-563	302-ST-T2	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9747				
NAL13026-563	302-ST-T2	ORG	71-43-2	Benzene		U	ug/L	100	13.53	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9747				
NAL13026-563	302-ST-T2	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9747				
NAL13026-563	302-ST-T2	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9747				
NAL13026-563	302-ST-T2	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9747				
NAL13026-563	302-ST-T2	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9747				
NAL13026-563	302-ST-T2	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9747				
NAL13026-563	302-ST-T2	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9747				
NAL13026-563	302-ST-T2	ORG	108-88-3	Toluene		U	ug/L	100	74.00	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9747				
NAL13026-563	302-ST-T2	ORG	108-10-1	4-Methyl-2-pentanone	590		ug/L	500	20.96	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9747				
NAL13026-563	302-ST-T2	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9747				
NAL13026-563	302-ST-T2	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9747				
NAL13026-563	302-ST-T2	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9747				
NAL13026-563	302-ST-T2	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	68.90	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9747				
NAL13026-563	302-ST-T2	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	29.90	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9747				
NAL13026-563	302-ST-T2	ORG	591-78-6	2-Hexanone		U	ug/L	500	26.49	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9747				
NAL13026-563	302-ST-T2	ORG	100-41-4	Ethylbenzene		U	ug/L	100	25.38	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9747				
NAL13026-563	302-ST-T2	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9747				
NAL13026-563	302-ST-T2	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9747				
NAL13026-563	302-ST-T2	ORG	XYLMP	p&m-Xylene		U	ug/L	200	26.14	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9747				
NAL13026-563	302-ST-T2	ORG	95-47-6	o-Xylene		U	ug/L	100	12.90	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9747				
NAL13026-563	302-ST-T2	ORG	100-42-5	Styrene		U	ug/L	100	20.23	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9747				
NAL13026-563	302-ST-T2	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9747				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-563	302-ST-T2	ORG	98-82-8	Isopropylbenzene		U	ug/L	200	20.48	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9747				
NAL13026-563	302-ST-T2	ORG	103-65-1	n-Propylbenzene		U	ug/L	200	27.00	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9747				
NAL13026-563	302-ST-T2	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9747				
NAL13026-563	302-ST-T2	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9747				
NAL13026-563	302-ST-T2	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	200	20.03	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9747				
NAL13026-563	302-ST-T2	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9747				
NAL13026-563	302-ST-T2	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	200	20.03	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9747				
NAL13026-563	302-ST-T2	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9747				
NAL13026-563	302-ST-T2	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9747				
NAL13026-563	302-ST-T2	ORG	99-87-6	p-Isopropltoluene	46	J	ug/L	200	25.48	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9747				
NAL13026-563	302-ST-T2	ORG	106-46-7	1,4-Dichlorobenzene		U	ug/L	200	33.03	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9747				
NAL13026-563	302-ST-T2	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9747				
NAL13026-563	302-ST-T2	ORG	104-51-8	n-Butylbenzene		U	ug/L	500	27.81	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9747				
NAL13026-563	302-ST-T2	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9747				
NAL13026-563	302-ST-T2	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9747				
NAL13026-563	302-ST-T2	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9747				
NAL13026-563	302-ST-T2	ORG	91-20-3	Naphthalene	250	J	ug/L	500	56.04	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9747				
NAL13026-563	302-ST-T2	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9747				
NAL13026-563	302-ST-T2	STD	1868-53-7	Dibromofluoromethane	54		ng			7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9747	50	108%		
NAL13026-563	302-ST-T2	STD	17060-07-0	1,2-Dichloroethane d4	58		ng			7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9747	50	116%		
NAL13026-563	302-ST-T2	STD	2037-26-5	Toluene d8	46		ng			7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9747	50	92%		
NAL13026-563	302-ST-T2	STD	460-00-4	Bromofluorobenzene	45		ng			7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9747	50	90%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-564	302-ST-T3	ORG	75-71-8	Dichlorodifluoromethane		UX-	ug/L	500	29.28	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9748				
NAL13026-564	302-ST-T3	ORG	74-87-3	Chloromethane		UX-	ug/L	500	43.07	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9748				
NAL13026-564	302-ST-T3	ORG	75-01-4	Vinyl chloride		UX-	ug/L	200	31.86	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9748				
NAL13026-564	302-ST-T3	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9748				
NAL13026-564	302-ST-T3	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9748				
NAL13026-564	302-ST-T3	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9748				
NAL13026-564	302-ST-T3	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9748				
NAL13026-564	302-ST-T3	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9748				
NAL13026-564	302-ST-T3	ORG	67-64-1	Acetone	64000	D	ug/L	10000	1556.07	7/27/2013	7/27/2013	7/27/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9752				
NAL13026-564	302-ST-T3	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9748				
NAL13026-564	302-ST-T3	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9748				
NAL13026-564	302-ST-T3	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9748				
NAL13026-564	302-ST-T3	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9748				
NAL13026-564	302-ST-T3	ORG	74-97-5	Bromochloromethane		U	ug/L	200	81.18	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9748				
NAL13026-564	302-ST-T3	ORG	67-66-3	Chloroform		U	ug/L	100	41.37	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9748				
NAL13026-564	302-ST-T3	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	15.73	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9748				
NAL13026-564	302-ST-T3	ORG	78-93-3	2-Butanone	25000	D	ug/L	10000	166.52	7/27/2013	7/27/2013	7/27/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9752				
NAL13026-564	302-ST-T3	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9748				
NAL13026-564	302-ST-T3	ORG	71-43-2	Benzene		U	ug/L	100	13.53	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9748				
NAL13026-564	302-ST-T3	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9748				
NAL13026-564	302-ST-T3	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9748				
NAL13026-564	302-ST-T3	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9748				
NAL13026-564	302-ST-T3	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9748				
NAL13026-564	302-ST-T3	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9748				
NAL13026-564	302-ST-T3	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9748				
NAL13026-564	302-ST-T3	ORG	108-88-3	Toluene		U	ug/L	100	74.00	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9748				
NAL13026-564	302-ST-T3	ORG	108-10-1	4-Methyl-2-pentanone	340	J	ug/L	500	20.96	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9748				
NAL13026-564	302-ST-T3	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9748				
NAL13026-564	302-ST-T3	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9748				
NAL13026-564	302-ST-T3	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9748				
NAL13026-564	302-ST-T3	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	68.90	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9748				
NAL13026-564	302-ST-T3	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	29.90	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9748				
NAL13026-564	302-ST-T3	ORG	591-78-6	2-Hexanone		U	ug/L	500	26.49	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9748				
NAL13026-564	302-ST-T3	ORG	100-41-4	Ethylbenzene		U	ug/L	100	25.38	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9748				
NAL13026-564	302-ST-T3	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9748				
NAL13026-564	302-ST-T3	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9748				
NAL13026-564	302-ST-T3	ORG	XYLMP	p&m-Xylene		U	ug/L	200	26.14	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9748				
NAL13026-564	302-ST-T3	ORG	95-47-6	o-Xylene		U	ug/L	100	12.90	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9748				
NAL13026-564	302-ST-T3	ORG	100-42-5	Styrene		U	ug/L	100	20.23	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9748				
NAL13026-564	302-ST-T3	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9748				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-564	302-ST-T3	ORG	98-82-8	Isopropylbenzene		U	ug/L	200	20.48	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9748				
NAL13026-564	302-ST-T3	ORG	103-65-1	n-Propylbenzene		U	ug/L	200	27.00	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9748				
NAL13026-564	302-ST-T3	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9748				
NAL13026-564	302-ST-T3	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9748				
NAL13026-564	302-ST-T3	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	200	20.03	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9748				
NAL13026-564	302-ST-T3	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9748				
NAL13026-564	302-ST-T3	ORG	95-63-6	1,2,4-Trimethylbenzene	69	J	ug/L	200	20.03	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9748				
NAL13026-564	302-ST-T3	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9748				
NAL13026-564	302-ST-T3	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9748				
NAL13026-564	302-ST-T3	ORG	99-87-6	p-Isopropltoluene	720		ug/L	200	25.48	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9748				
NAL13026-564	302-ST-T3	ORG	106-46-7	1,4-Dichlorobenzene	97	J	ug/L	200	33.03	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9748				
NAL13026-564	302-ST-T3	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9748				
NAL13026-564	302-ST-T3	ORG	104-51-8	n-Butylbenzene	52	J	ug/L	500	27.81	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9748				
NAL13026-564	302-ST-T3	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9748				
NAL13026-564	302-ST-T3	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9748				
NAL13026-564	302-ST-T3	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9748				
NAL13026-564	302-ST-T3	ORG	91-20-3	Naphthalene	570		ug/L	500	56.04	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9748				
NAL13026-564	302-ST-T3	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9748				
NAL13026-564	302-ST-T3	STD	1868-53-7	Dibromofluoromethane	54		ng			7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9748	50	108%		
NAL13026-564	302-ST-T3	STD	17060-07-0	1,2-Dichloroethane d4	58		ng			7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9748	50	116%		
NAL13026-564	302-ST-T3	STD	2037-26-5	Toluene d8	45		ng			7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9748	50	90%		
NAL13026-564	302-ST-T3	STD	460-00-4	Bromofluorobenzene	45		ng			7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9748	50	90%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-565	302-ST-T4	ORG	75-71-8	Dichlorodifluoromethane		UX-	ug/L	500	29.28	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9749				
NAL13026-565	302-ST-T4	ORG	74-87-3	Chloromethane		UX-	ug/L	500	43.07	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9749				
NAL13026-565	302-ST-T4	ORG	75-01-4	Vinyl chloride		UX-	ug/L	200	31.86	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9749				
NAL13026-565	302-ST-T4	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9749				
NAL13026-565	302-ST-T4	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9749				
NAL13026-565	302-ST-T4	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9749				
NAL13026-565	302-ST-T4	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9749				
NAL13026-565	302-ST-T4	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9749				
NAL13026-565	302-ST-T4	ORG	67-64-1	Acetone	55000	D	ug/L	10000	1556.07	7/27/2013	7/27/2013	7/27/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9753				
NAL13026-565	302-ST-T4	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9749				
NAL13026-565	302-ST-T4	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9749				
NAL13026-565	302-ST-T4	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9749				
NAL13026-565	302-ST-T4	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9749				
NAL13026-565	302-ST-T4	ORG	74-97-5	Bromochloromethane		U	ug/L	200	81.18	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9749				
NAL13026-565	302-ST-T4	ORG	67-66-3	Chloroform		U	ug/L	100	41.37	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9749				
NAL13026-565	302-ST-T4	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	15.73	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9749				
NAL13026-565	302-ST-T4	ORG	78-93-3	2-Butanone	20000	D	ug/L	10000	166.52	7/27/2013	7/27/2013	7/27/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9753				
NAL13026-565	302-ST-T4	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9749				
NAL13026-565	302-ST-T4	ORG	71-43-2	Benzene		U	ug/L	100	13.53	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9749				
NAL13026-565	302-ST-T4	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9749				
NAL13026-565	302-ST-T4	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9749				
NAL13026-565	302-ST-T4	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9749				
NAL13026-565	302-ST-T4	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9749				
NAL13026-565	302-ST-T4	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9749				
NAL13026-565	302-ST-T4	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9749				
NAL13026-565	302-ST-T4	ORG	108-88-3	Toluene		U	ug/L	100	74.00	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9749				
NAL13026-565	302-ST-T4	ORG	108-10-1	4-Methyl-2-pentanone	230	J	ug/L	500	20.96	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9749				
NAL13026-565	302-ST-T4	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9749				
NAL13026-565	302-ST-T4	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9749				
NAL13026-565	302-ST-T4	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9749				
NAL13026-565	302-ST-T4	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	68.90	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9749				
NAL13026-565	302-ST-T4	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	29.90	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9749				
NAL13026-565	302-ST-T4	ORG	591-78-6	2-Hexanone		U	ug/L	500	26.49	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9749				
NAL13026-565	302-ST-T4	ORG	100-41-4	Ethylbenzene		U	ug/L	100	25.38	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9749				
NAL13026-565	302-ST-T4	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9749				
NAL13026-565	302-ST-T4	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9749				
NAL13026-565	302-ST-T4	ORG	XYLMP	p&m-Xylene	28	J	ug/L	200	26.14	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9749				
NAL13026-565	302-ST-T4	ORG	95-47-6	o-Xylene		U	ug/L	100	12.90	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9749				
NAL13026-565	302-ST-T4	ORG	100-42-5	Styrene		U	ug/L	100	20.23	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9749				
NAL13026-565	302-ST-T4	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9749				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-565	302-ST-T4	ORG	98-82-8	Isopropylbenzene		U	ug/L	200	20.48	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9749				
NAL13026-565	302-ST-T4	ORG	103-65-1	n-Propylbenzene	30	J	ug/L	200	27.00	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9749				
NAL13026-565	302-ST-T4	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9749				
NAL13026-565	302-ST-T4	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9749				
NAL13026-565	302-ST-T4	ORG	108-67-8	1,3,5-Trimethylbenzene	86	J	ug/L	200	20.03	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9749				
NAL13026-565	302-ST-T4	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9749				
NAL13026-565	302-ST-T4	ORG	95-63-6	1,2,4-Trimethylbenzene	360		ug/L	200	20.03	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9749				
NAL13026-565	302-ST-T4	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9749				
NAL13026-565	302-ST-T4	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9749				
NAL13026-565	302-ST-T4	ORG	99-87-6	p-Isopropltoluene	3000		ug/L	200	25.48	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9749				
NAL13026-565	302-ST-T4	ORG	106-46-7	1,4-Dichlorobenzene	440		ug/L	200	33.03	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9749				
NAL13026-565	302-ST-T4	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9749				
NAL13026-565	302-ST-T4	ORG	104-51-8	n-Butylbenzene	150	J	ug/L	500	27.81	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9749				
NAL13026-565	302-ST-T4	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9749				
NAL13026-565	302-ST-T4	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9749				
NAL13026-565	302-ST-T4	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9749				
NAL13026-565	302-ST-T4	ORG	91-20-3	Naphthalene	2300		ug/L	500	56.04	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9749				
NAL13026-565	302-ST-T4	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9749				
NAL13026-565	302-ST-T4	STD	1868-53-7	Dibromofluoromethane	55		ng			7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9749	50	110%		
NAL13026-565	302-ST-T4	STD	17060-07-0	1,2-Dichloroethane d4	58		ng			7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9749	50	116%		
NAL13026-565	302-ST-T4	STD	2037-26-5	Toluene d8	46		ng			7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9749	50	92%		
NAL13026-565	302-ST-T4	STD	460-00-4	Bromofluorobenzene	46		ng			7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9749	50	92%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J072713CCVA	J072713CCVA	ORG	75-71-8	Dichlorodifluoromethane	36		ug/L	5	0.29	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9735	50	72%		
J072713CCVA	J072713CCVA	ORG	74-87-3	Chloromethane	32		ug/L	5	0.43	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9735	50	64%		
J072713CCVA	J072713CCVA	ORG	75-01-4	Vinyl chloride	40		ug/L	2	0.32	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9735	50	80%		
J072713CCVA	J072713CCVA	ORG	74-83-9	Bromomethane	58		ug/L	5	0.50	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9735	50	116%		
J072713CCVA	J072713CCVA	ORG	75-00-3	Chloroethane	69		ug/L	5	0.56	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9735	50	138%		
J072713CCVA	J072713CCVA	ORG	75-69-4	Trichlorofluoromethane	61		ug/L	5	0.20	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9735	50	122%		
J072713CCVA	J072713CCVA	ORG	75-35-4	1,1-Dichloroethene	64		ug/L	1	0.47	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9735	50	128%		
J072713CCVA	J072713CCVA	ORG	75-09-2	Methylene chloride	60		ug/L	5	0.26	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9735	50	120%		
J072713CCVA	J072713CCVA	ORG	67-64-1	Acetone	52		ug/L	10	1.56	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9735	50	104%		
J072713CCVA	J072713CCVA	ORG	156-60-5	trans-1,2-Dichloroethene	60		ug/L	1	0.56	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9735	50	120%		
J072713CCVA	J072713CCVA	ORG	1634-04-4	MTBE	58		ug/L	5	0.61	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9735	50	116%		
J072713CCVA	J072713CCVA	ORG	75-34-3	1,1-Dichloroethane	50		ug/L	1	0.53	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9735	50	100%		
J072713CCVA	J072713CCVA	ORG	156-59-2	cis-1,2-Dichloroethene	54		ug/L	1	0.32	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9735	50	108%		
J072713CCVA	J072713CCVA	ORG	74-97-5	Bromochloromethane	59		ug/L	10	0.81	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9735	50	118%		
J072713CCVA	J072713CCVA	ORG	67-66-3	Chloroform	53		ug/L	2	0.41	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9735	50	106%		
J072713CCVA	J072713CCVA	ORG	71-55-6	1,1,1-Trichloroethane	59		ug/L	1	0.16	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9735	50	118%		
J072713CCVA	J072713CCVA	ORG	78-93-3	2-Butanone	40		ug/L	1	0.17	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9735	50	80%		
J072713CCVA	J072713CCVA	ORG	56-23-5	Carbon tetrachloride	60		ug/L	1	0.28	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9735	50	120%		
J072713CCVA	J072713CCVA	ORG	71-43-2	Benzene	46		ug/L	1	0.14	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9735	50	92%		
J072713CCVA	J072713CCVA	ORG	107-06-2	1,2-Dichloroethane	56		ug/L	1	0.20	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9735	50	112%		
J072713CCVA	J072713CCVA	ORG	79-01-6	Trichloroethene	54		ug/L	1	0.36	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9735	50	108%		
J072713CCVA	J072713CCVA	ORG	74-95-3	Dibromomethane	52		ug/L	2	0.32	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9735	50	104%		
J072713CCVA	J072713CCVA	ORG	78-87-5	1,2-Dichloropropane	40		ug/L	1	0.18	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9735	50	80%		
J072713CCVA	J072713CCVA	ORG	75-27-4	Bromodichloromethane	49		ug/L	2	0.12	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9735	50	98%		
J072713CCVA	J072713CCVA	ORG	10061-01-5	cis-1,3-Dichloropropene	45		ug/L	1	0.25	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9735	50	90%		
J072713CCVA	J072713CCVA	ORG	108-88-3	Toluene	47		ug/L	5	0.74	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9735	50	94%		
J072713CCVA	J072713CCVA	ORG	108-10-1	4-Methyl-2-pentanone	35		ug/L	1	0.21	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9735	50	70%		
J072713CCVA	J072713CCVA	ORG	10061-02-6	trans-1,3-Dichloropropene	49		ug/L	1	0.31	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9735	50	98%		
J072713CCVA	J072713CCVA	ORG	127-18-4	Tetrachloroethene	44		ug/L	1	0.49	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9735	50	88%		
J072713CCVA	J072713CCVA	ORG	79-00-5	1,1,2-Trichloroethane	42		ug/L	1	0.34	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9735	50	84%		
J072713CCVA	J072713CCVA	ORG	124-48-1	Dibromochloromethane	52		ug/L	5	0.69	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9735	50	104%		
J072713CCVA	J072713CCVA	ORG	106-93-4	1,2-Dibromoethane	51		ug/L	2	0.30	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9735	50	102%		
J072713CCVA	J072713CCVA	ORG	591-78-6	2-Hexanone	35		ug/L	2	0.26	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9735	50	70%		
J072713CCVA	J072713CCVA	ORG	100-41-4	Ethylbenzene	51		ug/L	1	0.25	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9735	50	102%		
J072713CCVA	J072713CCVA	ORG	108-90-7	Chlorobenzene	53		ug/L	1	0.28	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9735	50	106%		
J072713CCVA	J072713CCVA	ORG	630-20-6	1,1,1,2-Tetrachloroethane	52		ug/L	2	0.19	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9735	50	104%		
J072713CCVA	J072713CCVA	ORG	XYLMP	p&m-Xylene	102		ug/L	2	0.26	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9735	100	102%		
J072713CCVA	J072713CCVA	ORG	95-47-6	o-Xylene	51		ug/L	1	0.13	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9735	50	102%		
J072713CCVA	J072713CCVA	ORG	100-42-5	Styrene	49		ug/L	1	0.20	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9735	50	98%		
J072713CCVA	J072713CCVA	ORG	75-25-2	Bromoform	50		ug/L	2	0.47	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9735	50	100%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J072713CCVA	J072713CCVA	ORG	98-82-8	Isopropylbenzene	53		ug/L	2	0.20	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9735	50	106%		
J072713CCVA	J072713CCVA	ORG	103-65-1	n-Propylbenzene	50		ug/L	2	0.27	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9735	50	100%		
J072713CCVA	J072713CCVA	ORG	79-34-5	1,1,2,2-Tetrachloroethane	42		ug/L	2	0.29	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9735	50	84%		
J072713CCVA	J072713CCVA	ORG	96-18-4	1,2,3-Trichloropropane	43		ug/L	2	0.29	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9735	50	86%		
J072713CCVA	J072713CCVA	ORG	108-67-8	1,3,5-Trimethylbenzene	52		ug/L	2	0.20	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9735	50	104%		
J072713CCVA	J072713CCVA	ORG	98-06-6	tert-Butylbenzene	50		ug/L	2	0.33	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9735	50	100%		
J072713CCVA	J072713CCVA	ORG	95-63-6	1,2,4-Trimethylbenzene	51		ug/L	2	0.20	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9735	50	102%		
J072713CCVA	J072713CCVA	ORG	135-98-8	sec-Butylbenzene	51		ug/L	2	0.32	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9735	50	102%		
J072713CCVA	J072713CCVA	ORG	541-73-1	1,3-Dichlorobenzene	52		ug/L	2	0.22	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9735	50	104%		
J072713CCVA	J072713CCVA	ORG	99-87-6	p-Isopropltoluene	53		ug/L	2	0.25	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9735	50	106%		
J072713CCVA	J072713CCVA	ORG	106-46-7	1,4-Dichlorobenzene	52		ug/L	2	0.33	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9735	50	104%		
J072713CCVA	J072713CCVA	ORG	95-50-1	1,2-Dichlorobenzene	50		ug/L	2	0.26	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9735	50	100%		
J072713CCVA	J072713CCVA	ORG	104-51-8	n-Butylbenzene	48		ug/L	5	0.28	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9735	50	96%		
J072713CCVA	J072713CCVA	ORG	96-12-8	1,2-Dibromo-3-chloropropane	49		ug/L	5	1.59	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9735	50	98%		
J072713CCVA	J072713CCVA	ORG	87-68-3	Hexachlorobutadiene	54		ug/L	5	0.65	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9735	50	108%		
J072713CCVA	J072713CCVA	ORG	120-82-1	1,2,4-Trichlorobenzene	56		ug/L	5	0.28	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9735	50	112%		
J072713CCVA	J072713CCVA	ORG	91-20-3	Naphthalene	54		ug/L	5	0.56	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9735	50	108%		
J072713CCVA	J072713CCVA	ORG	87-61-6	1,2,3-Trichlorobenzene	56		ug/L	5	0.23	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9735	50	112%		
J072713CCVA	J072713CCVA	STD	1868-53-7	Dibromofluoromethane	53		ng			NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9735	50	106%		
J072713CCVA	J072713CCVA	STD	17060-07-0	1,2-Dichloroethane d4	52		ng			NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9735	50	104%		
J072713CCVA	J072713CCVA	STD	2037-26-5	Toluene d8	48		ng			NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9735	50	96%		
J072713CCVA	J072713CCVA	STD	460-00-4	Bromofluorobenzene	47		ng			NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9735	50	94%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J072713MBKA	J072713MBKA	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	5	0.29	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9736				
J072713MBKA	J072713MBKA	ORG	74-87-3	Chloromethane		U	ug/L	5	0.43	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9736				
J072713MBKA	J072713MBKA	ORG	75-01-4	Vinyl chloride		U	ug/L	2	0.32	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9736				
J072713MBKA	J072713MBKA	ORG	74-83-9	Bromomethane		U	ug/L	5	0.50	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9736				
J072713MBKA	J072713MBKA	ORG	75-00-3	Chloroethane		U	ug/L	5	0.56	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9736				
J072713MBKA	J072713MBKA	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	5	0.20	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9736				
J072713MBKA	J072713MBKA	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	1	0.47	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9736				
J072713MBKA	J072713MBKA	ORG	75-09-2	Methylene chloride		U	ug/L	5	0.26	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9736				
J072713MBKA	J072713MBKA	ORG	67-64-1	Acetone		U	ug/L	10	1.56	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9736				
J072713MBKA	J072713MBKA	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	1	0.56	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9736				
J072713MBKA	J072713MBKA	ORG	1634-04-4	MTBE		U	ug/L	5	0.61	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9736				
J072713MBKA	J072713MBKA	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	1	0.53	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9736				
J072713MBKA	J072713MBKA	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	1	0.32	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9736				
J072713MBKA	J072713MBKA	ORG	74-97-5	Bromochloromethane		U	ug/L	10	0.81	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9736				
J072713MBKA	J072713MBKA	ORG	67-66-3	Chloroform		U	ug/L	2	0.41	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9736				
J072713MBKA	J072713MBKA	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	1	0.16	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9736				
J072713MBKA	J072713MBKA	ORG	78-93-3	2-Butanone		U	ug/L	1	0.17	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9736				
J072713MBKA	J072713MBKA	ORG	56-23-5	Carbon tetrachloride		U	ug/L	1	0.28	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9736				
J072713MBKA	J072713MBKA	ORG	71-43-2	Benzene		U	ug/L	1	0.14	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9736				
J072713MBKA	J072713MBKA	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	1	0.20	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9736				
J072713MBKA	J072713MBKA	ORG	79-01-6	Trichloroethene		U	ug/L	1	0.36	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9736				
J072713MBKA	J072713MBKA	ORG	74-95-3	Dibromomethane		U	ug/L	2	0.32	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9736				
J072713MBKA	J072713MBKA	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	1	0.18	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9736				
J072713MBKA	J072713MBKA	ORG	75-27-4	Bromodichloromethane		U	ug/L	2	0.12	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9736				
J072713MBKA	J072713MBKA	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	1	0.25	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9736				
J072713MBKA	J072713MBKA	ORG	108-88-3	Toluene		U	ug/L	5	0.74	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9736				
J072713MBKA	J072713MBKA	ORG	108-10-1	4-Methyl-2-pentanone		U	ug/L	1	0.21	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9736				
J072713MBKA	J072713MBKA	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	1	0.31	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9736				
J072713MBKA	J072713MBKA	ORG	127-18-4	Tetrachloroethene		U	ug/L	1	0.49	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9736				
J072713MBKA	J072713MBKA	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	1	0.34	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9736				
J072713MBKA	J072713MBKA	ORG	124-48-1	Dibromochloromethane		U	ug/L	5	0.69	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9736				
J072713MBKA	J072713MBKA	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	2	0.30	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9736				
J072713MBKA	J072713MBKA	ORG	591-78-6	2-Hexanone		U	ug/L	2	0.26	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9736				
J072713MBKA	J072713MBKA	ORG	100-41-4	Ethylbenzene		U	ug/L	1	0.25	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9736				
J072713MBKA	J072713MBKA	ORG	108-90-7	Chlorobenzene		U	ug/L	1	0.28	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9736				
J072713MBKA	J072713MBKA	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	2	0.19	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9736				
J072713MBKA	J072713MBKA	ORG	XYLMP	p&m-Xylene		U	ug/L	2	0.26	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9736				
J072713MBKA	J072713MBKA	ORG	95-47-6	o-Xylene		U	ug/L	1	0.13	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9736				
J072713MBKA	J072713MBKA	ORG	100-42-5	Styrene		U	ug/L	1	0.20	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9736				
J072713MBKA	J072713MBKA	ORG	75-25-2	Bromoform		U	ug/L	2	0.47	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9736				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J072713MBKA	J072713MBKA	ORG	98-82-8	Isopropylbenzene		U	ug/L	2	0.20	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9736				
J072713MBKA	J072713MBKA	ORG	103-65-1	n-Propylbenzene		U	ug/L	2	0.27	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9736				
J072713MBKA	J072713MBKA	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	2	0.29	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9736				
J072713MBKA	J072713MBKA	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	2	0.29	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9736				
J072713MBKA	J072713MBKA	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	2	0.20	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9736				
J072713MBKA	J072713MBKA	ORG	98-06-6	tert-Butylbenzene		U	ug/L	2	0.33	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9736				
J072713MBKA	J072713MBKA	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	2	0.20	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9736				
J072713MBKA	J072713MBKA	ORG	135-98-8	sec-Butylbenzene		U	ug/L	2	0.32	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9736				
J072713MBKA	J072713MBKA	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	2	0.22	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9736				
J072713MBKA	J072713MBKA	ORG	99-87-6	p-Isopropltoluene		U	ug/L	2	0.25	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9736				
J072713MBKA	J072713MBKA	ORG	106-46-7	1,4-Dichlorobenzene		U	ug/L	2	0.33	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9736				
J072713MBKA	J072713MBKA	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	2	0.26	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9736				
J072713MBKA	J072713MBKA	ORG	104-51-8	n-Butylbenzene		U	ug/L	5	0.28	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9736				
J072713MBKA	J072713MBKA	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	5	1.59	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9736				
J072713MBKA	J072713MBKA	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	5	0.65	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9736				
J072713MBKA	J072713MBKA	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	5	0.28	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9736				
J072713MBKA	J072713MBKA	ORG	91-20-3	Naphthalene		U	ug/L	5	0.56	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9736				
J072713MBKA	J072713MBKA	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	5	0.23	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9736				
J072713MBKA	J072713MBKA	STD	1868-53-7	Dibromofluoromethane	55		ng			NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9736	50	110%		
J072713MBKA	J072713MBKA	STD	17060-07-0	1,2-Dichloroethane d4	57		ng			NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9736	50	114%		
J072713MBKA	J072713MBKA	STD	2037-26-5	Toluene d8	45		ng			NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9736	50	90%		
J072713MBKA	J072713MBKA	STD	460-00-4	Bromofluorobenzene	44		ng			NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9736	50	88%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J072713CCVB	J072713CCVB	ORG	75-71-8	Dichlorodifluoromethane	39		ug/L	5	0.29	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9744	50	78%		
J072713CCVB	J072713CCVB	ORG	74-87-3	Chloromethane	28		ug/L	5	0.43	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9744	50	56%		
J072713CCVB	J072713CCVB	ORG	75-01-4	Vinyl chloride	37		ug/L	2	0.32	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9744	50	74%		
J072713CCVB	J072713CCVB	ORG	74-83-9	Bromomethane	73		ug/L	5	0.50	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9744	50	146%		
J072713CCVB	J072713CCVB	ORG	75-00-3	Chloroethane	79		ug/L	5	0.56	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9744	50	158%		
J072713CCVB	J072713CCVB	ORG	75-69-4	Trichlorofluoromethane	64		ug/L	5	0.20	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9744	50	128%		
J072713CCVB	J072713CCVB	ORG	75-35-4	1,1-Dichloroethene	61		ug/L	1	0.47	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9744	50	122%		
J072713CCVB	J072713CCVB	ORG	75-09-2	Methylene chloride	59		ug/L	5	0.26	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9744	50	118%		
J072713CCVB	J072713CCVB	ORG	67-64-1	Acetone	56		ug/L	10	1.56	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9744	50	112%		
J072713CCVB	J072713CCVB	ORG	156-60-5	trans-1,2-Dichloroethene	58		ug/L	1	0.56	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9744	50	116%		
J072713CCVB	J072713CCVB	ORG	1634-04-4	MTBE	61		ug/L	5	0.61	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9744	50	122%		
J072713CCVB	J072713CCVB	ORG	75-34-3	1,1-Dichloroethane	44		ug/L	1	0.53	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9744	50	88%		
J072713CCVB	J072713CCVB	ORG	156-59-2	cis-1,2-Dichloroethene	54		ug/L	1	0.32	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9744	50	108%		
J072713CCVB	J072713CCVB	ORG	74-97-5	Bromochloromethane	59		ug/L	10	0.81	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9744	50	118%		
J072713CCVB	J072713CCVB	ORG	67-66-3	Chloroform	54		ug/L	2	0.41	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9744	50	108%		
J072713CCVB	J072713CCVB	ORG	71-55-6	1,1,1-Trichloroethane	57		ug/L	1	0.16	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9744	50	114%		
J072713CCVB	J072713CCVB	ORG	78-93-3	2-Butanone	46		ug/L	1	0.17	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9744	50	92%		
J072713CCVB	J072713CCVB	ORG	56-23-5	Carbon tetrachloride	59		ug/L	1	0.28	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9744	50	118%		
J072713CCVB	J072713CCVB	ORG	71-43-2	Benzene	45		ug/L	1	0.14	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9744	50	90%		
J072713CCVB	J072713CCVB	ORG	107-06-2	1,2-Dichloroethane	58		ug/L	1	0.20	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9744	50	116%		
J072713CCVB	J072713CCVB	ORG	79-01-6	Trichloroethene	54		ug/L	1	0.36	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9744	50	108%		
J072713CCVB	J072713CCVB	ORG	74-95-3	Dibromomethane	54		ug/L	2	0.32	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9744	50	108%		
J072713CCVB	J072713CCVB	ORG	78-87-5	1,2-Dichloropropane	40		ug/L	1	0.18	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9744	50	80%		
J072713CCVB	J072713CCVB	ORG	75-27-4	Bromodichloromethane	48		ug/L	2	0.12	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9744	50	96%		
J072713CCVB	J072713CCVB	ORG	10061-01-5	cis-1,3-Dichloropropene	43		ug/L	1	0.25	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9744	50	86%		
J072713CCVB	J072713CCVB	ORG	108-88-3	Toluene	44		ug/L	5	0.74	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9744	50	88%		
J072713CCVB	J072713CCVB	ORG	108-10-1	4-Methyl-2-pentanone	41		ug/L	1	0.21	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9744	50	82%		
J072713CCVB	J072713CCVB	ORG	10061-02-6	trans-1,3-Dichloropropene	48		ug/L	1	0.31	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9744	50	96%		
J072713CCVB	J072713CCVB	ORG	127-18-4	Tetrachloroethene	44		ug/L	1	0.49	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9744	50	88%		
J072713CCVB	J072713CCVB	ORG	79-00-5	1,1,2-Trichloroethane	44		ug/L	1	0.34	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9744	50	88%		
J072713CCVB	J072713CCVB	ORG	124-48-1	Dibromochloromethane	54		ug/L	5	0.69	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9744	50	108%		
J072713CCVB	J072713CCVB	ORG	106-93-4	1,2-Dibromoethane	51		ug/L	2	0.30	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9744	50	102%		
J072713CCVB	J072713CCVB	ORG	591-78-6	2-Hexanone	47		ug/L	2	0.26	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9744	50	94%		
J072713CCVB	J072713CCVB	ORG	100-41-4	Ethylbenzene	44		ug/L	1	0.25	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9744	50	88%		
J072713CCVB	J072713CCVB	ORG	108-90-7	Chlorobenzene	46		ug/L	1	0.28	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9744	50	92%		
J072713CCVB	J072713CCVB	ORG	630-20-6	1,1,1,2-Tetrachloroethane	47		ug/L	2	0.19	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9744	50	94%		
J072713CCVB	J072713CCVB	ORG	XYLMP	p&m-Xylene	90		ug/L	2	0.26	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9744	100	90%		
J072713CCVB	J072713CCVB	ORG	95-47-6	o-Xylene	45		ug/L	1	0.13	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9744	50	90%		
J072713CCVB	J072713CCVB	ORG	100-42-5	Styrene	43		ug/L	1	0.20	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9744	50	86%		
J072713CCVB	J072713CCVB	ORG	75-25-2	Bromoform	53		ug/L	2	0.47	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9744	50	106%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J072713CCVB	J072713CCVB	ORG	98-82-8	Isopropylbenzene	46		ug/L	2	0.20	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9744	50	92%		
J072713CCVB	J072713CCVB	ORG	103-65-1	n-Propylbenzene	44		ug/L	2	0.27	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9744	50	88%		
J072713CCVB	J072713CCVB	ORG	79-34-5	1,1,2,2-Tetrachloroethane	45		ug/L	2	0.29	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9744	50	90%		
J072713CCVB	J072713CCVB	ORG	96-18-4	1,2,3-Trichloropropane	47		ug/L	2	0.29	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9744	50	94%		
J072713CCVB	J072713CCVB	ORG	108-67-8	1,3,5-Trimethylbenzene	47		ug/L	2	0.20	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9744	50	94%		
J072713CCVB	J072713CCVB	ORG	98-06-6	tert-Butylbenzene	48		ug/L	2	0.33	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9744	50	96%		
J072713CCVB	J072713CCVB	ORG	95-63-6	1,2,4-Trimethylbenzene	47		ug/L	2	0.20	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9744	50	94%		
J072713CCVB	J072713CCVB	ORG	135-98-8	sec-Butylbenzene	47		ug/L	2	0.32	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9744	50	94%		
J072713CCVB	J072713CCVB	ORG	541-73-1	1,3-Dichlorobenzene	50		ug/L	2	0.22	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9744	50	100%		
J072713CCVB	J072713CCVB	ORG	99-87-6	p-Isopropltoluene	49		ug/L	2	0.25	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9744	50	98%		
J072713CCVB	J072713CCVB	ORG	106-46-7	1,4-Dichlorobenzene	51		ug/L	2	0.33	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9744	50	102%		
J072713CCVB	J072713CCVB	ORG	95-50-1	1,2-Dichlorobenzene	50		ug/L	2	0.26	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9744	50	100%		
J072713CCVB	J072713CCVB	ORG	104-51-8	n-Butylbenzene	46		ug/L	5	0.28	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9744	50	92%		
J072713CCVB	J072713CCVB	ORG	96-12-8	1,2-Dibromo-3-chloropropane	51		ug/L	5	1.59	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9744	50	102%		
J072713CCVB	J072713CCVB	ORG	87-68-3	Hexachlorobutadiene	47		ug/L	5	0.65	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9744	50	94%		
J072713CCVB	J072713CCVB	ORG	120-82-1	1,2,4-Trichlorobenzene	49		ug/L	5	0.28	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9744	50	98%		
J072713CCVB	J072713CCVB	ORG	91-20-3	Naphthalene	51		ug/L	5	0.56	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9744	50	102%		
J072713CCVB	J072713CCVB	ORG	87-61-6	1,2,3-Trichlorobenzene	48		ug/L	5	0.23	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9744	50	96%		
J072713CCVB	J072713CCVB	STD	1868-53-7	Dibromofluoromethane	54		ng			NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9744	50	108%		
J072713CCVB	J072713CCVB	STD	17060-07-0	1,2-Dichloroethane d4	55		ng			NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9744	50	110%		
J072713CCVB	J072713CCVB	STD	2037-26-5	Toluene d8	46		ng			NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9744	50	92%		
J072713CCVB	J072713CCVB	STD	460-00-4	Bromofluorobenzene	45		ng			NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9744	50	90%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J072713MBKB	J072713MBKB	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	5	0.29	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9745				
J072713MBKB	J072713MBKB	ORG	74-87-3	Chloromethane		U	ug/L	5	0.43	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9745				
J072713MBKB	J072713MBKB	ORG	75-01-4	Vinyl chloride		U	ug/L	2	0.32	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9745				
J072713MBKB	J072713MBKB	ORG	74-83-9	Bromomethane		U	ug/L	5	0.50	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9745				
J072713MBKB	J072713MBKB	ORG	75-00-3	Chloroethane		U	ug/L	5	0.56	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9745				
J072713MBKB	J072713MBKB	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	5	0.20	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9745				
J072713MBKB	J072713MBKB	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	1	0.47	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9745				
J072713MBKB	J072713MBKB	ORG	75-09-2	Methylene chloride		U	ug/L	5	0.26	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9745				
J072713MBKB	J072713MBKB	ORG	67-64-1	Acetone		U	ug/L	10	1.56	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9745				
J072713MBKB	J072713MBKB	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	1	0.56	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9745				
J072713MBKB	J072713MBKB	ORG	1634-04-4	MTBE		U	ug/L	5	0.61	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9745				
J072713MBKB	J072713MBKB	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	1	0.53	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9745				
J072713MBKB	J072713MBKB	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	1	0.32	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9745				
J072713MBKB	J072713MBKB	ORG	74-97-5	Bromochloromethane		U	ug/L	10	0.81	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9745				
J072713MBKB	J072713MBKB	ORG	67-66-3	Chloroform		U	ug/L	2	0.41	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9745				
J072713MBKB	J072713MBKB	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	1	0.16	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9745				
J072713MBKB	J072713MBKB	ORG	78-93-3	2-Butanone		U	ug/L	1	0.17	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9745				
J072713MBKB	J072713MBKB	ORG	56-23-5	Carbon tetrachloride		U	ug/L	1	0.28	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9745				
J072713MBKB	J072713MBKB	ORG	71-43-2	Benzene		U	ug/L	1	0.14	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9745				
J072713MBKB	J072713MBKB	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	1	0.20	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9745				
J072713MBKB	J072713MBKB	ORG	79-01-6	Trichloroethene		U	ug/L	1	0.36	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9745				
J072713MBKB	J072713MBKB	ORG	74-95-3	Dibromomethane		U	ug/L	2	0.32	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9745				
J072713MBKB	J072713MBKB	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	1	0.18	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9745				
J072713MBKB	J072713MBKB	ORG	75-27-4	Bromodichloromethane		U	ug/L	2	0.12	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9745				
J072713MBKB	J072713MBKB	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	1	0.25	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9745				
J072713MBKB	J072713MBKB	ORG	108-88-3	Toluene		U	ug/L	5	0.74	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9745				
J072713MBKB	J072713MBKB	ORG	108-10-1	4-Methyl-2-pentanone		U	ug/L	1	0.21	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9745				
J072713MBKB	J072713MBKB	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	1	0.31	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9745				
J072713MBKB	J072713MBKB	ORG	127-18-4	Tetrachloroethene		U	ug/L	1	0.49	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9745				
J072713MBKB	J072713MBKB	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	1	0.34	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9745				
J072713MBKB	J072713MBKB	ORG	124-48-1	Dibromochloromethane		U	ug/L	5	0.69	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9745				
J072713MBKB	J072713MBKB	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	2	0.30	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9745				
J072713MBKB	J072713MBKB	ORG	591-78-6	2-Hexanone		U	ug/L	2	0.26	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9745				
J072713MBKB	J072713MBKB	ORG	100-41-4	Ethylbenzene		U	ug/L	1	0.25	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9745				
J072713MBKB	J072713MBKB	ORG	108-90-7	Chlorobenzene		U	ug/L	1	0.28	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9745				
J072713MBKB	J072713MBKB	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	2	0.19	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9745				
J072713MBKB	J072713MBKB	ORG	XYLMP	p&m-Xylene		U	ug/L	2	0.26	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9745				
J072713MBKB	J072713MBKB	ORG	95-47-6	o-Xylene		U	ug/L	1	0.13	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9745				
J072713MBKB	J072713MBKB	ORG	100-42-5	Styrene		U	ug/L	1	0.20	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9745				
J072713MBKB	J072713MBKB	ORG	75-25-2	Bromoform		U	ug/L	2	0.47	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9745				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J072713MBKB	J072713MBKB	ORG	98-82-8	Isopropylbenzene		U	ug/L	2	0.20	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9745				
J072713MBKB	J072713MBKB	ORG	103-65-1	n-Propylbenzene		U	ug/L	2	0.27	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9745				
J072713MBKB	J072713MBKB	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	2	0.29	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9745				
J072713MBKB	J072713MBKB	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	2	0.29	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9745				
J072713MBKB	J072713MBKB	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	2	0.20	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9745				
J072713MBKB	J072713MBKB	ORG	98-06-6	tert-Butylbenzene		U	ug/L	2	0.33	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9745				
J072713MBKB	J072713MBKB	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	2	0.20	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9745				
J072713MBKB	J072713MBKB	ORG	135-98-8	sec-Butylbenzene		U	ug/L	2	0.32	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9745				
J072713MBKB	J072713MBKB	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	2	0.22	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9745				
J072713MBKB	J072713MBKB	ORG	99-87-6	p-Isopropltoluene		U	ug/L	2	0.25	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9745				
J072713MBKB	J072713MBKB	ORG	106-46-7	1,4-Dichlorobenzene		U	ug/L	2	0.33	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9745				
J072713MBKB	J072713MBKB	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	2	0.26	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9745				
J072713MBKB	J072713MBKB	ORG	104-51-8	n-Butylbenzene		U	ug/L	5	0.28	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9745				
J072713MBKB	J072713MBKB	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	5	1.59	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9745				
J072713MBKB	J072713MBKB	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	5	0.65	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9745				
J072713MBKB	J072713MBKB	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	5	0.28	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9745				
J072713MBKB	J072713MBKB	ORG	91-20-3	Naphthalene		U	ug/L	5	0.56	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9745				
J072713MBKB	J072713MBKB	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	5	0.23	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9745				
J072713MBKB	J072713MBKB	STD	1868-53-7	Dibromofluoromethane	55		ng			NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9745	50	110%		
J072713MBKB	J072713MBKB	STD	17060-07-0	1,2-Dichloroethane d4	60		ng			NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9745	50	120%		
J072713MBKB	J072713MBKB	STD	2037-26-5	Toluene d8	45		ng			NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9745	50	90%		
J072713MBKB	J072713MBKB	STD	460-00-4	Bromofluorobenzene	44		ng			NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9745	50	88%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J072713ALCS	J072713ALCS	ORG	75-71-8	Dichlorodifluoromethane	40		ug/L	5	0.29	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9739	50	80%		
J072713ALCS	J072713ALCS	ORG	74-87-3	Chloromethane	35		ug/L	5	0.43	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9739	50	70%		
J072713ALCS	J072713ALCS	ORG	75-01-4	Vinyl chloride	45		ug/L	2	0.32	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9739	50	90%		
J072713ALCS	J072713ALCS	ORG	74-83-9	Bromomethane	65		ug/L	5	0.50	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9739	50	130%		
J072713ALCS	J072713ALCS	ORG	75-00-3	Chloroethane	70		ug/L	5	0.56	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9739	50	140%		
J072713ALCS	J072713ALCS	ORG	75-69-4	Trichlorofluoromethane	58		ug/L	5	0.20	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9739	50	116%		
J072713ALCS	J072713ALCS	ORG	75-35-4	1,1-Dichloroethene	59		ug/L	1	0.47	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9739	50	118%		
J072713ALCS	J072713ALCS	ORG	75-09-2	Methylene chloride	56		ug/L	5	0.26	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9739	50	112%		
J072713ALCS	J072713ALCS	ORG	67-64-1	Acetone	61		ug/L	10	1.56	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9739	50	122%		
J072713ALCS	J072713ALCS	ORG	156-60-5	trans-1,2-Dichloroethene	58		ug/L	1	0.56	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9739	50	116%		
J072713ALCS	J072713ALCS	ORG	1634-04-4	MTBE	68		ug/L	5	0.61	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9739	50	136%		
J072713ALCS	J072713ALCS	ORG	75-34-3	1,1-Dichloroethane	53		ug/L	1	0.53	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9739	50	106%		
J072713ALCS	J072713ALCS	ORG	156-59-2	cis-1,2-Dichloroethene	56		ug/L	1	0.32	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9739	50	112%		
J072713ALCS	J072713ALCS	ORG	74-97-5	Bromochloromethane	61		ug/L	10	0.81	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9739	50	122%		
J072713ALCS	J072713ALCS	ORG	67-66-3	Chloroform	56		ug/L	2	0.41	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9739	50	112%		
J072713ALCS	J072713ALCS	ORG	71-55-6	1,1,1-Trichloroethane	60		ug/L	1	0.16	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9739	50	120%		
J072713ALCS	J072713ALCS	ORG	78-93-3	2-Butanone	47		ug/L	1	0.17	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9739	50	94%		
J072713ALCS	J072713ALCS	ORG	56-23-5	Carbon tetrachloride	60		ug/L	1	0.28	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9739	50	120%		
J072713ALCS	J072713ALCS	ORG	71-43-2	Benzene	47		ug/L	1	0.14	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9739	50	94%		
J072713ALCS	J072713ALCS	ORG	107-06-2	1,2-Dichloroethane	59		ug/L	1	0.20	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9739	50	118%		
J072713ALCS	J072713ALCS	ORG	79-01-6	Trichloroethene	56		ug/L	1	0.36	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9739	50	112%		
J072713ALCS	J072713ALCS	ORG	74-95-3	Dibromomethane	56		ug/L	2	0.32	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9739	50	112%		
J072713ALCS	J072713ALCS	ORG	78-87-5	1,2-Dichloropropane	41		ug/L	1	0.18	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9739	50	82%		
J072713ALCS	J072713ALCS	ORG	75-27-4	Bromodichloromethane	51		ug/L	2	0.12	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9739	50	102%		
J072713ALCS	J072713ALCS	ORG	10061-01-5	cis-1,3-Dichloropropene	45		ug/L	1	0.25	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9739	50	90%		
J072713ALCS	J072713ALCS	ORG	108-88-3	Toluene	46		ug/L	5	0.74	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9739	50	92%		
J072713ALCS	J072713ALCS	ORG	108-10-1	4-Methyl-2-pentanone	39		ug/L	1	0.21	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9739	50	78%		
J072713ALCS	J072713ALCS	ORG	10061-02-6	trans-1,3-Dichloropropene	49		ug/L	1	0.31	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9739	50	98%		
J072713ALCS	J072713ALCS	ORG	127-18-4	Tetrachloroethene	47		ug/L	1	0.49	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9739	50	94%		
J072713ALCS	J072713ALCS	ORG	79-00-5	1,1,2-Trichloroethane	45		ug/L	1	0.34	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9739	50	90%		
J072713ALCS	J072713ALCS	ORG	124-48-1	Dibromochloromethane	55		ug/L	5	0.69	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9739	50	110%		
J072713ALCS	J072713ALCS	ORG	106-93-4	1,2-Dibromoethane	53		ug/L	2	0.30	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9739	50	106%		
J072713ALCS	J072713ALCS	ORG	591-78-6	2-Hexanone	41		ug/L	2	0.26	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9739	50	82%		
J072713ALCS	J072713ALCS	ORG	100-41-4	Ethylbenzene	47		ug/L	1	0.25	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9739	50	94%		
J072713ALCS	J072713ALCS	ORG	108-90-7	Chlorobenzene	50		ug/L	1	0.28	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9739	50	100%		
J072713ALCS	J072713ALCS	ORG	630-20-6	1,1,1,2-Tetrachloroethane	49		ug/L	2	0.19	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9739	50	98%		
J072713ALCS	J072713ALCS	ORG	XYLMP	p&m-Xylene	96		ug/L	2	0.26	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9739	100	96%		
J072713ALCS	J072713ALCS	ORG	95-47-6	o-Xylene	48		ug/L	1	0.13	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9739	50	96%		
J072713ALCS	J072713ALCS	ORG	100-42-5	Styrene	45		ug/L	1	0.20	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9739	50	90%		
J072713ALCS	J072713ALCS	ORG	75-25-2	Bromoform	52		ug/L	2	0.47	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9739	50	104%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J072713ALCS	J072713ALCS	ORG	98-82-8	Isopropylbenzene	47		ug/L	2	0.20	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9739	50	94%		
J072713ALCS	J072713ALCS	ORG	103-65-1	n-Propylbenzene	46		ug/L	2	0.27	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9739	50	92%		
J072713ALCS	J072713ALCS	ORG	79-34-5	1,1,2,2-Tetrachloroethane	46		ug/L	2	0.29	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9739	50	92%		
J072713ALCS	J072713ALCS	ORG	96-18-4	1,2,3-Trichloropropane	47		ug/L	2	0.29	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9739	50	94%		
J072713ALCS	J072713ALCS	ORG	108-67-8	1,3,5-Trimethylbenzene	49		ug/L	2	0.20	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9739	50	98%		
J072713ALCS	J072713ALCS	ORG	98-06-6	tert-Butylbenzene	50		ug/L	2	0.33	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9739	50	100%		
J072713ALCS	J072713ALCS	ORG	95-63-6	1,2,4-Trimethylbenzene	48		ug/L	2	0.20	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9739	50	96%		
J072713ALCS	J072713ALCS	ORG	135-98-8	sec-Butylbenzene	47		ug/L	2	0.32	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9739	50	94%		
J072713ALCS	J072713ALCS	ORG	541-73-1	1,3-Dichlorobenzene	52		ug/L	2	0.22	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9739	50	104%		
J072713ALCS	J072713ALCS	ORG	99-87-6	p-Isopropltoluene	50		ug/L	2	0.25	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9739	50	100%		
J072713ALCS	J072713ALCS	ORG	106-46-7	1,4-Dichlorobenzene	50		ug/L	2	0.33	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9739	50	100%		
J072713ALCS	J072713ALCS	ORG	95-50-1	1,2-Dichlorobenzene	52		ug/L	2	0.26	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9739	50	104%		
J072713ALCS	J072713ALCS	ORG	104-51-8	n-Butylbenzene	45		ug/L	5	0.28	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9739	50	90%		
J072713ALCS	J072713ALCS	ORG	96-12-8	1,2-Dibromo-3-chloropropane	55		ug/L	5	1.59	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9739	50	110%		
J072713ALCS	J072713ALCS	ORG	87-68-3	Hexachlorobutadiene	47		ug/L	5	0.65	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9739	50	94%		
J072713ALCS	J072713ALCS	ORG	120-82-1	1,2,4-Trichlorobenzene	53		ug/L	5	0.28	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9739	50	106%		
J072713ALCS	J072713ALCS	ORG	91-20-3	Naphthalene	54		ug/L	5	0.56	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9739	50	108%		
J072713ALCS	J072713ALCS	ORG	87-61-6	1,2,3-Trichlorobenzene	53		ug/L	5	0.23	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9739	50	106%		
J072713ALCS	J072713ALCS	STD	1868-53-7	Dibromofluoromethane	54		ng			NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9739	50	108%		
J072713ALCS	J072713ALCS	STD	17060-07-0	1,2-Dichloroethane d4	53		ng			NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9739	50	106%		
J072713ALCS	J072713ALCS	STD	2037-26-5	Toluene d8	45		ng			NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9739	50	90%		
J072713ALCS	J072713ALCS	STD	460-00-4	Bromofluorobenzene	46		ng			NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9739	50	92%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J072713ALCD	J072713ALCD	ORG	75-71-8	Dichlorodifluoromethane	34		ug/L	5	0.29	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9740	50	68%	16%	
J072713ALCD	J072713ALCD	ORG	74-87-3	Chloromethane	30		ug/L	5	0.43	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9740	50	60%	15%	
J072713ALCD	J072713ALCD	ORG	75-01-4	Vinyl chloride	36		ug/L	2	0.32	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9740	50	72%	22%	
J072713ALCD	J072713ALCD	ORG	74-83-9	Bromomethane	54		ug/L	5	0.50	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9740	50	108%	18%	
J072713ALCD	J072713ALCD	ORG	75-00-3	Chloroethane	62		ug/L	5	0.56	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9740	50	124%	12%	
J072713ALCD	J072713ALCD	ORG	75-69-4	Trichlorofluoromethane	26		ug/L	5	0.20	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9740	50	52%	76%	
J072713ALCD	J072713ALCD	ORG	75-35-4	1,1-Dichloroethene	58		ug/L	1	0.47	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9740	50	116%	2%	
J072713ALCD	J072713ALCD	ORG	75-09-2	Methylene chloride	54		ug/L	5	0.26	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9740	50	108%	4%	
J072713ALCD	J072713ALCD	ORG	67-64-1	Acetone	60		ug/L	10	1.56	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9740	50	120%	2%	
J072713ALCD	J072713ALCD	ORG	156-60-5	trans-1,2-Dichloroethene	55		ug/L	1	0.56	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9740	50	110%	5%	
J072713ALCD	J072713ALCD	ORG	1634-04-4	MTBE	58		ug/L	5	0.61	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9740	50	116%	16%	
J072713ALCD	J072713ALCD	ORG	75-34-3	1,1-Dichloroethane	40		ug/L	1	0.53	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9740	50	80%	28%	
J072713ALCD	J072713ALCD	ORG	156-59-2	cis-1,2-Dichloroethene	51		ug/L	1	0.32	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9740	50	102%	9%	
J072713ALCD	J072713ALCD	ORG	74-97-5	Bromochloromethane	57		ug/L	10	0.81	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9740	50	114%	7%	
J072713ALCD	J072713ALCD	ORG	67-66-3	Chloroform	52		ug/L	2	0.41	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9740	50	104%	7%	
J072713ALCD	J072713ALCD	ORG	71-55-6	1,1,1-Trichloroethane	58		ug/L	1	0.16	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9740	50	116%	3%	
J072713ALCD	J072713ALCD	ORG	78-93-3	2-Butanone	51		ug/L	1	0.17	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9740	50	102%	8%	
J072713ALCD	J072713ALCD	ORG	56-23-5	Carbon tetrachloride	59		ug/L	1	0.28	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9740	50	118%	2%	
J072713ALCD	J072713ALCD	ORG	71-43-2	Benzene	45		ug/L	1	0.14	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9740	50	90%	4%	
J072713ALCD	J072713ALCD	ORG	107-06-2	1,2-Dichloroethane	59		ug/L	1	0.20	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9740	50	118%	0%	
J072713ALCD	J072713ALCD	ORG	79-01-6	Trichloroethene	55		ug/L	1	0.36	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9740	50	110%	2%	
J072713ALCD	J072713ALCD	ORG	74-95-3	Dibromomethane	54		ug/L	2	0.32	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9740	50	108%	4%	
J072713ALCD	J072713ALCD	ORG	78-87-5	1,2-Dichloropropane	38		ug/L	1	0.18	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9740	50	76%	8%	
J072713ALCD	J072713ALCD	ORG	75-27-4	Bromodichloromethane	51		ug/L	2	0.12	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9740	50	102%	0%	
J072713ALCD	J072713ALCD	ORG	10061-01-5	cis-1,3-Dichloropropene	44		ug/L	1	0.25	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9740	50	88%	2%	
J072713ALCD	J072713ALCD	ORG	108-88-3	Toluene	46		ug/L	5	0.74	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9740	50	92%	0%	
J072713ALCD	J072713ALCD	ORG	108-10-1	4-Methyl-2-pentanone	39		ug/L	1	0.21	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9740	50	78%	0%	
J072713ALCD	J072713ALCD	ORG	10061-02-6	trans-1,3-Dichloropropene	48		ug/L	1	0.31	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9740	50	96%	2%	
J072713ALCD	J072713ALCD	ORG	127-18-4	Tetrachloroethene	52		ug/L	1	0.49	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9740	50	104%	10%	
J072713ALCD	J072713ALCD	ORG	79-00-5	1,1,2-Trichloroethane	46		ug/L	1	0.34	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9740	50	92%	2%	
J072713ALCD	J072713ALCD	ORG	124-48-1	Dibromochloromethane	54		ug/L	5	0.69	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9740	50	108%	2%	
J072713ALCD	J072713ALCD	ORG	106-93-4	1,2-Dibromoethane	55		ug/L	2	0.30	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9740	50	110%	4%	
J072713ALCD	J072713ALCD	ORG	591-78-6	2-Hexanone	40		ug/L	2	0.26	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9740	50	80%	2%	
J072713ALCD	J072713ALCD	ORG	100-41-4	Ethylbenzene	54		ug/L	1	0.25	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9740	50	108%	14%	
J072713ALCD	J072713ALCD	ORG	108-90-7	Chlorobenzene	56		ug/L	1	0.28	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9740	50	112%	11%	
J072713ALCD	J072713ALCD	ORG	630-20-6	1,1,1,2-Tetrachloroethane	57		ug/L	2	0.19	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9740	50	114%	15%	
J072713ALCD	J072713ALCD	ORG	XYLMP	p&m-Xylene	110		ug/L	2	0.26	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9740	100	110%	14%	
J072713ALCD	J072713ALCD	ORG	95-47-6	o-Xylene	53		ug/L	1	0.13	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9740	50	106%	10%	
J072713ALCD	J072713ALCD	ORG	100-42-5	Styrene	49		ug/L	1	0.20	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9740	50	98%	9%	
J072713ALCD	J072713ALCD	ORG	75-25-2	Bromoform	58		ug/L	2	0.47	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9740	50	116%	11%	

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J072713ALCD	J072713ALCD	ORG	98-82-8	Isopropylbenzene	54		ug/L	2	0.20	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9740	50	108%	14%	
J072713ALCD	J072713ALCD	ORG	103-65-1	n-Propylbenzene	51		ug/L	2	0.27	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9740	50	102%	10%	
J072713ALCD	J072713ALCD	ORG	79-34-5	1,1,2,2-Tetrachloroethane	50		ug/L	2	0.29	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9740	50	100%	8%	
J072713ALCD	J072713ALCD	ORG	96-18-4	1,2,3-Trichloropropane	50		ug/L	2	0.29	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9740	50	100%	6%	
J072713ALCD	J072713ALCD	ORG	108-67-8	1,3,5-Trimethylbenzene	52		ug/L	2	0.20	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9740	50	104%	6%	
J072713ALCD	J072713ALCD	ORG	98-06-6	tert-Butylbenzene	55		ug/L	2	0.33	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9740	50	110%	10%	
J072713ALCD	J072713ALCD	ORG	95-63-6	1,2,4-Trimethylbenzene	51		ug/L	2	0.20	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9740	50	102%	6%	
J072713ALCD	J072713ALCD	ORG	135-98-8	sec-Butylbenzene	51		ug/L	2	0.32	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9740	50	102%	8%	
J072713ALCD	J072713ALCD	ORG	541-73-1	1,3-Dichlorobenzene	53		ug/L	2	0.22	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9740	50	106%	2%	
J072713ALCD	J072713ALCD	ORG	99-87-6	p-Isopropltoluene	54		ug/L	2	0.25	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9740	50	108%	8%	
J072713ALCD	J072713ALCD	ORG	106-46-7	1,4-Dichlorobenzene	50		ug/L	2	0.33	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9740	50	100%	0%	
J072713ALCD	J072713ALCD	ORG	95-50-1	1,2-Dichlorobenzene	53		ug/L	2	0.26	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9740	50	106%	2%	
J072713ALCD	J072713ALCD	ORG	104-51-8	n-Butylbenzene	49		ug/L	5	0.28	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9740	50	98%	9%	
J072713ALCD	J072713ALCD	ORG	96-12-8	1,2-Dibromo-3-chloropropane	66		ug/L	5	1.59	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9740	50	132%	18%	
J072713ALCD	J072713ALCD	ORG	87-68-3	Hexachlorobutadiene	52		ug/L	5	0.65	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9740	50	104%	10%	
J072713ALCD	J072713ALCD	ORG	120-82-1	1,2,4-Trichlorobenzene	60		ug/L	5	0.28	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9740	50	120%	12%	
J072713ALCD	J072713ALCD	ORG	91-20-3	Naphthalene	66		ug/L	5	0.56	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9740	50	132%	20%	
J072713ALCD	J072713ALCD	ORG	87-61-6	1,2,3-Trichlorobenzene	63		ug/L	5	0.23	NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9740	50	126%	17%	
J072713ALCD	J072713ALCD	STD	1868-53-7	Dibromofluoromethane	53		ng			NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9740	50	106%	2%	
J072713ALCD	J072713ALCD	STD	17060-07-0	1,2-Dichloroethane d4	61		ng			NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9740	50	122%	14%	
J072713ALCD	J072713ALCD	STD	2037-26-5	Toluene d8	47		ng			NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9740	50	94%	4%	
J072713ALCD	J072713ALCD	STD	460-00-4	Bromofluorobenzene	49		ng			NA	7/27/2013	7/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9740	50	98%	6%	

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-561MS	316-024	ORG	75-71-8	Dichlorodifluoromethane	3400		ug/L	500	29.28	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9741	5000	68%		
NAL13026-561MS	316-024	ORG	74-87-3	Chloromethane	3000		ug/L	500	43.07	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9741	5000	60%		
NAL13026-561MS	316-024	ORG	75-01-4	Vinyl chloride	4000		ug/L	200	31.86	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9741	5000	80%		
NAL13026-561MS	316-024	ORG	74-83-9	Bromomethane	5900		ug/L	500	50.04	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9741	5000	118%		
NAL13026-561MS	316-024	ORG	75-00-3	Chloroethane	6800		ug/L	500	55.61	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9741	5000	136%		
NAL13026-561MS	316-024	ORG	75-69-4	Trichlorofluoromethane	5900		ug/L	500	19.65	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9741	5000	118%		
NAL13026-561MS	316-024	ORG	75-35-4	1,1-Dichloroethene	5900		ug/L	100	47.11	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9741	5000	118%		
NAL13026-561MS	316-024	ORG	75-09-2	Methylene chloride	5900		ug/L	500	26.46	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9741	5000	118%		
NAL13026-561MS	316-024	ORG	67-64-1	Acetone	44000		ug/L	1000	155.61	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9741	5000	-100%		49000
NAL13026-561MS	316-024	ORG	156-60-5	trans-1,2-Dichloroethene	6000		ug/L	100	55.61	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9741	5000	120%		
NAL13026-561MS	316-024	ORG	1634-04-4	MTBE	6100		ug/L	500	61.18	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9741	5000	122%		
NAL13026-561MS	316-024	ORG	75-34-3	1,1-Dichloroethane	4200		ug/L	100	52.66	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9741	5000	84%		
NAL13026-561MS	316-024	ORG	156-59-2	cis-1,2-Dichloroethene	5300		ug/L	100	32.11	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9741	5000	106%		
NAL13026-561MS	316-024	ORG	74-97-5	Bromochloromethane	5800		ug/L	1000	81.18	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9741	5000	116%		
NAL13026-561MS	316-024	ORG	67-66-3	Chloroform	5200		ug/L	200	41.37	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9741	5000	104%		
NAL13026-561MS	316-024	ORG	71-55-6	1,1,1-Trichloroethane	5800		ug/L	100	15.73	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9741	5000	116%		
NAL13026-561MS	316-024	ORG	78-93-3	2-Butanone	21000		ug/L	100	16.65	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9741	5000	100%		16000
NAL13026-561MS	316-024	ORG	56-23-5	Carbon tetrachloride	6000		ug/L	100	27.64	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9741	5000	120%		
NAL13026-561MS	316-024	ORG	71-43-2	Benzene	4700		ug/L	100	13.53	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9741	5000	94%		
NAL13026-561MS	316-024	ORG	107-06-2	1,2-Dichloroethane	6000		ug/L	100	20.01	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9741	5000	120%		
NAL13026-561MS	316-024	ORG	79-01-6	Trichloroethene	5500		ug/L	100	36.33	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9741	5000	110%		
NAL13026-561MS	316-024	ORG	74-95-3	Dibromomethane	5400		ug/L	200	32.20	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9741	5000	108%		
NAL13026-561MS	316-024	ORG	78-87-5	1,2-Dichloropropane	4000		ug/L	100	18.17	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9741	5000	80%		
NAL13026-561MS	316-024	ORG	75-27-4	Bromodichloromethane	5000		ug/L	200	11.58	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9741	5000	100%		
NAL13026-561MS	316-024	ORG	10061-01-5	cis-1,3-Dichloropropene	4600		ug/L	100	25.01	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9741	5000	92%		
NAL13026-561MS	316-024	ORG	108-88-3	Toluene	4700		ug/L	500	74.00	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9741	5000	94%		
NAL13026-561MS	316-024	ORG	108-10-1	4-Methyl-2-pentanone	3800		ug/L	100	20.96	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9741	5000	71%		240
NAL13026-561MS	316-024	ORG	10061-02-6	trans-1,3-Dichloropropene	5000		ug/L	100	31.15	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9741	5000	100%		
NAL13026-561MS	316-024	ORG	127-18-4	Tetrachloroethene	4700		ug/L	100	48.56	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9741	5000	94%		
NAL13026-561MS	316-024	ORG	79-00-5	1,1,2-Trichloroethane	4500		ug/L	100	34.28	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9741	5000	90%		
NAL13026-561MS	316-024	ORG	124-48-1	Dibromochloromethane	5500		ug/L	500	68.90	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9741	5000	110%		
NAL13026-561MS	316-024	ORG	106-93-4	1,2-Dibromoethane	5500		ug/L	200	29.90	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9741	5000	110%		
NAL13026-561MS	316-024	ORG	591-78-6	2-Hexanone	3300		ug/L	200	26.49	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9741	5000	60%		320
NAL13026-561MS	316-024	ORG	100-41-4	Ethylbenzene	5200		ug/L	100	25.38	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9741	5000	104%		
NAL13026-561MS	316-024	ORG	108-90-7	Chlorobenzene	5500		ug/L	100	27.52	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9741	5000	110%		
NAL13026-561MS	316-024	ORG	630-20-6	1,1,1,2-Tetrachloroethane	5600		ug/L	200	19.28	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9741	5000	112%		
NAL13026-561MS	316-024	ORG	XYLMP	p&m-Xylene	11000		ug/L	200	26.14	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9741	10000	110%		
NAL13026-561MS	316-024	ORG	95-47-6	o-Xylene	5100		ug/L	100	12.90	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9741	5000	102%		
NAL13026-561MS	316-024	ORG	100-42-5	Styrene	5000		ug/L	100	20.23	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9741	5000	99%		27
NAL13026-561MS	316-024	ORG	75-25-2	Bromoform	5500		ug/L	200	46.83	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9741	5000	110%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-561MS	316-024	ORG	98-82-8	Isopropylbenzene	5300		ug/L	200	20.48	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9741	5000	106%		
NAL13026-561MS	316-024	ORG	103-65-1	n-Propylbenzene	5000		ug/L	200	27.00	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9741	5000	100%		
NAL13026-561MS	316-024	ORG	79-34-5	1,1,2,2-Tetrachloroethane	5000		ug/L	200	29.16	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9741	5000	100%		
NAL13026-561MS	316-024	ORG	96-18-4	1,2,3-Trichloropropane	4900		ug/L	200	29.47	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9741	5000	98%		
NAL13026-561MS	316-024	ORG	108-67-8	1,3,5-Trimethylbenzene	5200		ug/L	200	20.03	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9741	5000	104%		
NAL13026-561MS	316-024	ORG	98-06-6	tert-Butylbenzene	5200		ug/L	200	32.61	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9741	5000	104%		
NAL13026-561MS	316-024	ORG	95-63-6	1,2,4-Trimethylbenzene	5100		ug/L	200	20.03	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9741	5000	102%		
NAL13026-561MS	316-024	ORG	135-98-8	sec-Butylbenzene	5000		ug/L	200	32.34	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9741	5000	100%		
NAL13026-561MS	316-024	ORG	541-73-1	1,3-Dichlorobenzene	5200		ug/L	200	22.21	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9741	5000	104%		
NAL13026-561MS	316-024	ORG	99-87-6	p-Isopropltoluene	5200		ug/L	200	25.48	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9741	5000	103%		48
NAL13026-561MS	316-024	ORG	106-46-7	1,4-Dichlorobenzene	5200		ug/L	200	33.03	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9741	5000	104%		
NAL13026-561MS	316-024	ORG	95-50-1	1,2-Dichlorobenzene	5300		ug/L	200	26.38	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9741	5000	106%		
NAL13026-561MS	316-024	ORG	104-51-8	n-Butylbenzene	4700		ug/L	500	27.81	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9741	5000	94%		
NAL13026-561MS	316-024	ORG	96-12-8	1,2-Dibromo-3-chloropropane	6100		ug/L	500	159.11	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9741	5000	122%		
NAL13026-561MS	316-024	ORG	87-68-3	Hexachlorobutadiene	5000		ug/L	500	65.42	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9741	5000	100%		
NAL13026-561MS	316-024	ORG	120-82-1	1,2,4-Trichlorobenzene	5900		ug/L	500	27.63	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9741	5000	118%		
NAL13026-561MS	316-024	ORG	91-20-3	Naphthalene	6600		ug/L	500	56.04	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9741	5000	128%		200
NAL13026-561MS	316-024	ORG	87-61-6	1,2,3-Trichlorobenzene	6100		ug/L	500	23.28	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9741	5000	122%		
NAL13026-561MS	316-024	STD	1868-53-7	Dibromofluoromethane	53		ng			7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9741	50	106%		
NAL13026-561MS	316-024	STD	17060-07-0	1,2-Dichloroethane d4	53		ng			7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9741	50	106%		
NAL13026-561MS	316-024	STD	2037-26-5	Toluene d8	47		ng			7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9741	50	94%		
NAL13026-561MS	316-024	STD	460-00-4	Bromofluorobenzene	48		ng			7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9741	50	96%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-561MSD	316-024	ORG	75-71-8	Dichlorodifluoromethane	3700		ug/L	500	29.28	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9742	5000	74%	8%	0
NAL13026-561MSD	316-024	ORG	74-87-3	Chloromethane	2900		ug/L	500	43.07	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9742	5000	58%	3%	0
NAL13026-561MSD	316-024	ORG	75-01-4	Vinyl chloride	4100		ug/L	200	31.86	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9742	5000	82%	2%	0
NAL13026-561MSD	316-024	ORG	74-83-9	Bromomethane	5900		ug/L	500	50.04	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9742	5000	118%	0%	0
NAL13026-561MSD	316-024	ORG	75-00-3	Chloroethane	7500		ug/L	500	55.61	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9742	5000	150%	10%	0
NAL13026-561MSD	316-024	ORG	75-69-4	Trichlorofluoromethane	6600		ug/L	500	19.65	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9742	5000	132%	11%	0
NAL13026-561MSD	316-024	ORG	75-35-4	1,1-Dichloroethene	6600		ug/L	100	47.11	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9742	5000	132%	11%	0
NAL13026-561MSD	316-024	ORG	75-09-2	Methylene chloride	6100		ug/L	500	26.46	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9742	5000	122%	3%	0
NAL13026-561MSD	316-024	ORG	67-64-1	Acetone	43000		ug/L	1000	155.61	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9742	5000	-120%	2%	49000
NAL13026-561MSD	316-024	ORG	156-60-5	trans-1,2-Dichloroethene	6400		ug/L	100	55.61	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9742	5000	128%	6%	0
NAL13026-561MSD	316-024	ORG	1634-04-4	MTBE	6500		ug/L	500	61.18	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9742	5000	130%	6%	0
NAL13026-561MSD	316-024	ORG	75-34-3	1,1-Dichloroethane	4500		ug/L	100	52.66	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9742	5000	90%	7%	0
NAL13026-561MSD	316-024	ORG	156-59-2	cis-1,2-Dichloroethene	5600		ug/L	100	32.11	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9742	5000	112%	6%	0
NAL13026-561MSD	316-024	ORG	74-97-5	Bromochloromethane	6000		ug/L	1000	81.18	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9742	5000	120%	3%	0
NAL13026-561MSD	316-024	ORG	67-66-3	Chloroform	5500		ug/L	200	41.37	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9742	5000	110%	6%	0
NAL13026-561MSD	316-024	ORG	71-55-6	1,1,1-Trichloroethane	6200		ug/L	100	15.73	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9742	5000	124%	7%	0
NAL13026-561MSD	316-024	ORG	78-93-3	2-Butanone	20000		ug/L	100	16.65	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9742	5000	80%	5%	16000
NAL13026-561MSD	316-024	ORG	56-23-5	Carbon tetrachloride	6300		ug/L	100	27.64	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9742	5000	126%	5%	0
NAL13026-561MSD	316-024	ORG	71-43-2	Benzene	4900		ug/L	100	13.53	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9742	5000	98%	4%	0
NAL13026-561MSD	316-024	ORG	107-06-2	1,2-Dichloroethane	6300		ug/L	100	20.01	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9742	5000	126%	5%	0
NAL13026-561MSD	316-024	ORG	79-01-6	Trichloroethene	5700		ug/L	100	36.33	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9742	5000	114%	4%	0
NAL13026-561MSD	316-024	ORG	74-95-3	Dibromomethane	5600		ug/L	200	32.20	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9742	5000	112%	4%	0
NAL13026-561MSD	316-024	ORG	78-87-5	1,2-Dichloropropane	4200		ug/L	100	18.17	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9742	5000	84%	5%	0
NAL13026-561MSD	316-024	ORG	75-27-4	Bromodichloromethane	5200		ug/L	200	11.58	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9742	5000	104%	4%	0
NAL13026-561MSD	316-024	ORG	10061-01-5	cis-1,3-Dichloropropene	4800		ug/L	100	25.01	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9742	5000	96%	4%	0
NAL13026-561MSD	316-024	ORG	108-88-3	Toluene	5000		ug/L	500	74.00	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9742	5000	100%	6%	0
NAL13026-561MSD	316-024	ORG	108-10-1	4-Methyl-2-pentanone	3500		ug/L	100	20.96	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9742	5000	65%	8%	240
NAL13026-561MSD	316-024	ORG	10061-02-6	trans-1,3-Dichloropropene	5100		ug/L	100	31.15	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9742	5000	102%	2%	0
NAL13026-561MSD	316-024	ORG	127-18-4	Tetrachloroethene	5100		ug/L	100	48.56	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9742	5000	102%	8%	0
NAL13026-561MSD	316-024	ORG	79-00-5	1,1,2-Trichloroethane	4600		ug/L	100	34.28	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9742	5000	92%	2%	0
NAL13026-561MSD	316-024	ORG	124-48-1	Dibromochloromethane	5500		ug/L	500	68.90	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9742	5000	110%	0%	0
NAL13026-561MSD	316-024	ORG	106-93-4	1,2-Dibromoethane	5500		ug/L	200	29.90	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9742	5000	110%	0%	0
NAL13026-561MSD	316-024	ORG	591-78-6	2-Hexanone	2900		ug/L	200	26.49	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9742	5000	52%	13%	320
NAL13026-561MSD	316-024	ORG	100-41-4	Ethylbenzene	5600		ug/L	100	25.38	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9742	5000	112%	7%	0
NAL13026-561MSD	316-024	ORG	108-90-7	Chlorobenzene	5800		ug/L	100	27.52	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9742	5000	116%	5%	0
NAL13026-561MSD	316-024	ORG	630-20-6	1,1,1,2-Tetrachloroethane	5700		ug/L	200	19.28	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9742	5000	114%	2%	0
NAL13026-561MSD	316-024	ORG	XYLMP	p&m-Xylene	11000		ug/L	200	26.14	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9742	10000	110%	0%	0
NAL13026-561MSD	316-024	ORG	95-47-6	o-Xylene	5700		ug/L	100	12.90	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9742	5000	114%	11%	0
NAL13026-561MSD	316-024	ORG	100-42-5	Styrene	5200		ug/L	100	20.23	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9742	5000	103%	4%	27
NAL13026-561MSD	316-024	ORG	75-25-2	Bromoform	5700		ug/L	200	46.83	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9742	5000	114%	4%	0

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-561MSD	316-024	ORG	98-82-8	Isopropylbenzene	5700		ug/L	200	20.48	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9742	5000	114%	7%	0
NAL13026-561MSD	316-024	ORG	103-65-1	n-Propylbenzene	5300		ug/L	200	27.00	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9742	5000	106%	6%	0
NAL13026-561MSD	316-024	ORG	79-34-5	1,1,2,2-Tetrachloroethane	5000		ug/L	200	29.16	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9742	5000	100%	0%	0
NAL13026-561MSD	316-024	ORG	96-18-4	1,2,3-Trichloropropane	5000		ug/L	200	29.47	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9742	5000	100%	2%	0
NAL13026-561MSD	316-024	ORG	108-67-8	1,3,5-Trimethylbenzene	5500		ug/L	200	20.03	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9742	5000	110%	6%	0
NAL13026-561MSD	316-024	ORG	98-06-6	tert-Butylbenzene	5400		ug/L	200	32.61	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9742	5000	108%	4%	0
NAL13026-561MSD	316-024	ORG	95-63-6	1,2,4-Trimethylbenzene	5500		ug/L	200	20.03	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9742	5000	110%	8%	0
NAL13026-561MSD	316-024	ORG	135-98-8	sec-Butylbenzene	5300		ug/L	200	32.34	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9742	5000	106%	6%	0
NAL13026-561MSD	316-024	ORG	541-73-1	1,3-Dichlorobenzene	5500		ug/L	200	22.21	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9742	5000	110%	6%	0
NAL13026-561MSD	316-024	ORG	99-87-6	p-Isopropltoluene	5500		ug/L	200	25.48	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9742	5000	109%	6%	48
NAL13026-561MSD	316-024	ORG	106-46-7	1,4-Dichlorobenzene	5100		ug/L	200	33.03	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9742	5000	102%	2%	0
NAL13026-561MSD	316-024	ORG	95-50-1	1,2-Dichlorobenzene	5600		ug/L	200	26.38	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9742	5000	112%	6%	0
NAL13026-561MSD	316-024	ORG	104-51-8	n-Butylbenzene	5100		ug/L	500	27.81	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9742	5000	102%	8%	0
NAL13026-561MSD	316-024	ORG	96-12-8	1,2-Dibromo-3-chloropropane	6500		ug/L	500	159.11	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9742	5000	130%	6%	0
NAL13026-561MSD	316-024	ORG	87-68-3	Hexachlorobutadiene	5500		ug/L	500	65.42	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9742	5000	110%	10%	0
NAL13026-561MSD	316-024	ORG	120-82-1	1,2,4-Trichlorobenzene	6300		ug/L	500	27.63	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9742	5000	126%	7%	0
NAL13026-561MSD	316-024	ORG	91-20-3	Naphthalene	6900		ug/L	500	56.04	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9742	5000	134%	4%	200
NAL13026-561MSD	316-024	ORG	87-61-6	1,2,3-Trichlorobenzene	6600		ug/L	500	23.28	7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9742	5000	132%	8%	0
NAL13026-561MSD	316-024	STD	1868-53-7	Dibromofluoromethane	54		ng			7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9742	50	108%	2%	0
NAL13026-561MSD	316-024	STD	17060-07-0	1,2-Dichloroethane d4	62		ng			7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9742	50	124%	16%	0
NAL13026-561MSD	316-024	STD	2037-26-5	Toluene d8	48		ng			7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9742	50	96%	2%	0
NAL13026-561MSD	316-024	STD	460-00-4	Bromofluorobenzene	48		ng			7/27/2013	7/27/2013	7/27/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9742	50	96%	0%	0

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-566	316-025	ORG	75-71-8	Dichlorodifluoromethane		UX-	ug/L	500	29.28	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9757				
NAL13026-566	316-025	ORG	74-87-3	Chloromethane		UX-	ug/L	500	43.07	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9757				
NAL13026-566	316-025	ORG	75-01-4	Vinyl chloride		UX-	ug/L	200	31.86	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9757				
NAL13026-566	316-025	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9757				
NAL13026-566	316-025	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9757				
NAL13026-566	316-025	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9757				
NAL13026-566	316-025	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9757				
NAL13026-566	316-025	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9757				
NAL13026-566	316-025	ORG	67-64-1	Acetone	41000	D	ug/L	10000	1556.07	7/28/2013	7/28/2013	7/28/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9758				
NAL13026-566	316-025	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9757				
NAL13026-566	316-025	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9757				
NAL13026-566	316-025	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9757				
NAL13026-566	316-025	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9757				
NAL13026-566	316-025	ORG	74-97-5	Bromochloromethane		U	ug/L	200	41.37	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9757				
NAL13026-566	316-025	ORG	67-66-3	Chloroform		U	ug/L	100	15.73	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9757				
NAL13026-566	316-025	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	16.65	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9757				
NAL13026-566	316-025	ORG	78-93-3	2-Butanone	17000	D	ug/L	10000	811.80	7/28/2013	7/28/2013	7/28/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9758				
NAL13026-566	316-025	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9757				
NAL13026-566	316-025	ORG	71-43-2	Benzene	21	J	ug/L	100	13.53	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9757				
NAL13026-566	316-025	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9757				
NAL13026-566	316-025	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9757				
NAL13026-566	316-025	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9757				
NAL13026-566	316-025	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9757				
NAL13026-566	316-025	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9757				
NAL13026-566	316-025	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9757				
NAL13026-566	316-025	ORG	108-88-3	Toluene		U	ug/L	100	20.96	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9757				
NAL13026-566	316-025	ORG	108-10-1	4-Methyl-2-pentanone	430	J	ug/L	500	74.00	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9757				
NAL13026-566	316-025	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9757				
NAL13026-566	316-025	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9757				
NAL13026-566	316-025	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9757				
NAL13026-566	316-025	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	29.90	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9757				
NAL13026-566	316-025	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	26.49	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9757				
NAL13026-566	316-025	ORG	591-78-6	2-Hexanone		U	ug/L	500	68.90	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9757				
NAL13026-566	316-025	ORG	100-41-4	Ethylbenzene		U	ug/L	100	25.38	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9757				
NAL13026-566	316-025	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9757				
NAL13026-566	316-025	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9757				
NAL13026-566	316-025	ORG	XYLMP	p&m-Xylene		U	ug/L	200	26.14	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9757				
NAL13026-566	316-025	ORG	95-47-6	o-Xylene		U	ug/L	100	12.90	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9757				
NAL13026-566	316-025	ORG	100-42-5	Styrene		U	ug/L	100	20.23	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9757				
NAL13026-566	316-025	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9757				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-566	316-025	ORG	98-82-8	Isopropylbenzene		U	ug/L	200	20.48	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9757				
NAL13026-566	316-025	ORG	103-65-1	n-Propylbenzene		U	ug/L	200	27.00	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9757				
NAL13026-566	316-025	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9757				
NAL13026-566	316-025	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9757				
NAL13026-566	316-025	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	200	20.03	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9757				
NAL13026-566	316-025	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9757				
NAL13026-566	316-025	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	200	20.03	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9757				
NAL13026-566	316-025	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9757				
NAL13026-566	316-025	ORG	541-73-1	1,3-Dichlorobenzene	48	J	ug/L	200	22.21	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9757				
NAL13026-566	316-025	ORG	99-87-6	p-Isopropltoluene	59	J	ug/L	200	25.48	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9757				
NAL13026-566	316-025	ORG	106-46-7	1,4-Dichlorobenzene		U	ug/L	200	33.03	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9757				
NAL13026-566	316-025	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9757				
NAL13026-566	316-025	ORG	104-51-8	n-Butylbenzene		U	ug/L	500	27.81	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9757				
NAL13026-566	316-025	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9757				
NAL13026-566	316-025	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9757				
NAL13026-566	316-025	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9757				
NAL13026-566	316-025	ORG	91-20-3	Naphthalene	200	J	ug/L	500	56.04	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9757				
NAL13026-566	316-025	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9757				
NAL13026-566	316-025	STD	1868-53-7	Dibromofluoromethane	54		ng			7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9757	50	108%		
NAL13026-566	316-025	STD	17060-07-0	1,2-Dichloroethane d4	56		ng			7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9757	50	112%		
NAL13026-566	316-025	STD	2037-26-5	Toluene d8	46		ng			7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9757	50	92%		
NAL13026-566	316-025	STD	460-00-4	Bromofluorobenzene	45		ng			7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9757	50	90%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-567	303-ST T1	ORG	75-71-8	Dichlorodifluoromethane		UX-	ug/L	500	29.28	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9764				
NAL13026-567	303-ST T1	ORG	74-87-3	Chloromethane		UX-	ug/L	500	43.07	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9764				
NAL13026-567	303-ST T1	ORG	75-01-4	Vinyl chloride		UX-	ug/L	200	31.86	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9764				
NAL13026-567	303-ST T1	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9764				
NAL13026-567	303-ST T1	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9764				
NAL13026-567	303-ST T1	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9764				
NAL13026-567	303-ST T1	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9764				
NAL13026-567	303-ST T1	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9764				
NAL13026-567	303-ST T1	ORG	67-64-1	Acetone	66000	D	ug/L	10000	1556.07	7/28/2013	7/28/2013	7/28/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9768				
NAL13026-567	303-ST T1	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9764				
NAL13026-567	303-ST T1	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9764				
NAL13026-567	303-ST T1	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9764				
NAL13026-567	303-ST T1	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9764				
NAL13026-567	303-ST T1	ORG	74-97-5	Bromochloromethane		U	ug/L	200	81.18	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9764				
NAL13026-567	303-ST T1	ORG	67-66-3	Chloroform		U	ug/L	100	41.37	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9764				
NAL13026-567	303-ST T1	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	15.73	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9764				
NAL13026-567	303-ST T1	ORG	78-93-3	2-Butanone	27000	D	ug/L	10000	166.52	7/28/2013	7/28/2013	7/28/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9768				
NAL13026-567	303-ST T1	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9764				
NAL13026-567	303-ST T1	ORG	71-43-2	Benzene		U	ug/L	100	13.53	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9764				
NAL13026-567	303-ST T1	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9764				
NAL13026-567	303-ST T1	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9764				
NAL13026-567	303-ST T1	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9764				
NAL13026-567	303-ST T1	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9764				
NAL13026-567	303-ST T1	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9764				
NAL13026-567	303-ST T1	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9764				
NAL13026-567	303-ST T1	ORG	108-88-3	Toluene		U	ug/L	100	74.00	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9764				
NAL13026-567	303-ST T1	ORG	108-10-1	4-Methyl-2-pentanone	300	J	ug/L	500	20.96	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9764				
NAL13026-567	303-ST T1	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9764				
NAL13026-567	303-ST T1	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9764				
NAL13026-567	303-ST T1	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9764				
NAL13026-567	303-ST T1	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	68.90	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9764				
NAL13026-567	303-ST T1	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	29.90	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9764				
NAL13026-567	303-ST T1	ORG	591-78-6	2-Hexanone		U	ug/L	500	26.49	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9764				
NAL13026-567	303-ST T1	ORG	100-41-4	Ethylbenzene		U	ug/L	100	25.38	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9764				
NAL13026-567	303-ST T1	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9764				
NAL13026-567	303-ST T1	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9764				
NAL13026-567	303-ST T1	ORG	XYLMP	p&m-Xylene		U	ug/L	200	26.14	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9764				
NAL13026-567	303-ST T1	ORG	95-47-6	o-Xylene		U	ug/L	100	12.90	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9764				
NAL13026-567	303-ST T1	ORG	100-42-5	Styrene		U	ug/L	100	20.23	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9764				
NAL13026-567	303-ST T1	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9764				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-567	303-ST T1	ORG	98-82-8	Isopropylbenzene		U	ug/L	200	20.48	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9764				
NAL13026-567	303-ST T1	ORG	103-65-1	n-Propylbenzene		U	ug/L	200	27.00	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9764				
NAL13026-567	303-ST T1	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9764				
NAL13026-567	303-ST T1	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9764				
NAL13026-567	303-ST T1	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	200	20.03	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9764				
NAL13026-567	303-ST T1	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9764				
NAL13026-567	303-ST T1	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	200	20.03	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9764				
NAL13026-567	303-ST T1	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9764				
NAL13026-567	303-ST T1	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9764				
NAL13026-567	303-ST T1	ORG	99-87-6	p-Isopropltoluene	170	J	ug/L	200	25.48	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9764				
NAL13026-567	303-ST T1	ORG	106-46-7	1,4-Dichlorobenzene		U	ug/L	200	33.03	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9764				
NAL13026-567	303-ST T1	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9764				
NAL13026-567	303-ST T1	ORG	104-51-8	n-Butylbenzene		U	ug/L	500	27.81	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9764				
NAL13026-567	303-ST T1	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9764				
NAL13026-567	303-ST T1	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9764				
NAL13026-567	303-ST T1	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9764				
NAL13026-567	303-ST T1	ORG	91-20-3	Naphthalene	410	J	ug/L	500	56.04	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9764				
NAL13026-567	303-ST T1	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9764				
NAL13026-567	303-ST T1	STD	1868-53-7	Dibromofluoromethane	54		ng			7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9764	50	108%		
NAL13026-567	303-ST T1	STD	17060-07-0	1,2-Dichloroethane d4	56		ng			7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9764	50	112%		
NAL13026-567	303-ST T1	STD	2037-26-5	Toluene d8	46		ng			7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9764	50	92%		
NAL13026-567	303-ST T1	STD	460-00-4	Bromofluorobenzene	46		ng			7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9764	50	92%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-568	303-ST T2	ORG	75-71-8	Dichlorodifluoromethane		UX-	ug/L	500	29.28	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9765				
NAL13026-568	303-ST T2	ORG	74-87-3	Chloromethane		UX-	ug/L	500	43.07	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9765				
NAL13026-568	303-ST T2	ORG	75-01-4	Vinyl chloride		UX-	ug/L	200	31.86	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9765				
NAL13026-568	303-ST T2	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9765				
NAL13026-568	303-ST T2	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9765				
NAL13026-568	303-ST T2	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9765				
NAL13026-568	303-ST T2	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9765				
NAL13026-568	303-ST T2	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9765				
NAL13026-568	303-ST T2	ORG	67-64-1	Acetone	69000	D	ug/L	10000	1556.07	7/28/2013	7/28/2013	7/28/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9769				
NAL13026-568	303-ST T2	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9765				
NAL13026-568	303-ST T2	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9765				
NAL13026-568	303-ST T2	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9765				
NAL13026-568	303-ST T2	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9765				
NAL13026-568	303-ST T2	ORG	74-97-5	Bromochloromethane		U	ug/L	200	81.18	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9765				
NAL13026-568	303-ST T2	ORG	67-66-3	Chloroform		U	ug/L	100	41.37	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9765				
NAL13026-568	303-ST T2	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	15.73	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9765				
NAL13026-568	303-ST T2	ORG	78-93-3	2-Butanone	28000	D	ug/L	10000	166.52	7/28/2013	7/28/2013	7/28/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9769				
NAL13026-568	303-ST T2	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9765				
NAL13026-568	303-ST T2	ORG	71-43-2	Benzene		U	ug/L	100	13.53	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9765				
NAL13026-568	303-ST T2	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9765				
NAL13026-568	303-ST T2	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9765				
NAL13026-568	303-ST T2	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9765				
NAL13026-568	303-ST T2	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9765				
NAL13026-568	303-ST T2	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9765				
NAL13026-568	303-ST T2	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9765				
NAL13026-568	303-ST T2	ORG	108-88-3	Toluene		U	ug/L	100	74.00	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9765				
NAL13026-568	303-ST T2	ORG	108-10-1	4-Methyl-2-pentanone	440	J	ug/L	500	20.96	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9765				
NAL13026-568	303-ST T2	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9765				
NAL13026-568	303-ST T2	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9765				
NAL13026-568	303-ST T2	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9765				
NAL13026-568	303-ST T2	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	68.90	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9765				
NAL13026-568	303-ST T2	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	29.90	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9765				
NAL13026-568	303-ST T2	ORG	591-78-6	2-Hexanone		U	ug/L	500	26.49	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9765				
NAL13026-568	303-ST T2	ORG	100-41-4	Ethylbenzene		U	ug/L	100	25.38	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9765				
NAL13026-568	303-ST T2	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9765				
NAL13026-568	303-ST T2	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9765				
NAL13026-568	303-ST T2	ORG	XYLMP	p&m-Xylene	51	J	ug/L	200	26.14	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9765				
NAL13026-568	303-ST T2	ORG	95-47-6	o-Xylene	24	J	ug/L	100	12.90	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9765				
NAL13026-568	303-ST T2	ORG	100-42-5	Styrene	30	J	ug/L	100	20.23	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9765				
NAL13026-568	303-ST T2	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9765				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-568	303-ST T2	ORG	98-82-8	Isopropylbenzene	27	J	ug/L	200	20.48	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9765				
NAL13026-568	303-ST T2	ORG	103-65-1	n-Propylbenzene	32	J	ug/L	200	27.00	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9765				
NAL13026-568	303-ST T2	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9765				
NAL13026-568	303-ST T2	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9765				
NAL13026-568	303-ST T2	ORG	108-67-8	1,3,5-Trimethylbenzene	37	J	ug/L	200	20.03	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9765				
NAL13026-568	303-ST T2	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9765				
NAL13026-568	303-ST T2	ORG	95-63-6	1,2,4-Trimethylbenzene	58	J	ug/L	200	20.03	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9765				
NAL13026-568	303-ST T2	ORG	135-98-8	sec-Butylbenzene	41	J	ug/L	200	32.34	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9765				
NAL13026-568	303-ST T2	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9765				
NAL13026-568	303-ST T2	ORG	99-87-6	p-Isopropltoluene	190	J	ug/L	200	25.48	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9765				
NAL13026-568	303-ST T2	ORG	106-46-7	1,4-Dichlorobenzene	98	J	ug/L	200	33.03	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9765				
NAL13026-568	303-ST T2	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9765				
NAL13026-568	303-ST T2	ORG	104-51-8	n-Butylbenzene	57	J	ug/L	500	27.81	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9765				
NAL13026-568	303-ST T2	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9765				
NAL13026-568	303-ST T2	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9765				
NAL13026-568	303-ST T2	ORG	120-82-1	1,2,4-Trichlorobenzene	83	J	ug/L	500	27.63	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9765				
NAL13026-568	303-ST T2	ORG	91-20-3	Naphthalene	500		ug/L	500	56.04	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9765				
NAL13026-568	303-ST T2	ORG	87-61-6	1,2,3-Trichlorobenzene	96	J	ug/L	500	23.28	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9765				
NAL13026-568	303-ST T2	STD	1868-53-7	Dibromofluoromethane	53		ng			7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9765	50	106%		
NAL13026-568	303-ST T2	STD	17060-07-0	1,2-Dichloroethane d4	57		ng			7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9765	50	114%		
NAL13026-568	303-ST T2	STD	2037-26-5	Toluene d8	45		ng			7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9765	50	90%		
NAL13026-568	303-ST T2	STD	460-00-4	Bromofluorobenzene	45		ng			7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9765	50	90%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-569	303-ST T3	ORG	75-71-8	Dichlorodifluoromethane		UX-	ug/L	500	29.28	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9766				
NAL13026-569	303-ST T3	ORG	74-87-3	Chloromethane		UX-	ug/L	500	43.07	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9766				
NAL13026-569	303-ST T3	ORG	75-01-4	Vinyl chloride		UX-	ug/L	200	31.86	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9766				
NAL13026-569	303-ST T3	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9766				
NAL13026-569	303-ST T3	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9766				
NAL13026-569	303-ST T3	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9766				
NAL13026-569	303-ST T3	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9766				
NAL13026-569	303-ST T3	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9766				
NAL13026-569	303-ST T3	ORG	67-64-1	Acetone	63000	D	ug/L	10000	1556.07	7/28/2013	7/28/2013	7/28/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9770				
NAL13026-569	303-ST T3	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9766				
NAL13026-569	303-ST T3	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9766				
NAL13026-569	303-ST T3	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9766				
NAL13026-569	303-ST T3	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9766				
NAL13026-569	303-ST T3	ORG	74-97-5	Bromochloromethane		U	ug/L	200	81.18	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9766				
NAL13026-569	303-ST T3	ORG	67-66-3	Chloroform		U	ug/L	100	41.37	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9766				
NAL13026-569	303-ST T3	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	15.73	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9766				
NAL13026-569	303-ST T3	ORG	78-93-3	2-Butanone	25000	D	ug/L	10000	166.52	7/28/2013	7/28/2013	7/28/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9770				
NAL13026-569	303-ST T3	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9766				
NAL13026-569	303-ST T3	ORG	71-43-2	Benzene		U	ug/L	100	13.53	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9766				
NAL13026-569	303-ST T3	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9766				
NAL13026-569	303-ST T3	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9766				
NAL13026-569	303-ST T3	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9766				
NAL13026-569	303-ST T3	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9766				
NAL13026-569	303-ST T3	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9766				
NAL13026-569	303-ST T3	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9766				
NAL13026-569	303-ST T3	ORG	108-88-3	Toluene		U	ug/L	100	74.00	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9766				
NAL13026-569	303-ST T3	ORG	108-10-1	4-Methyl-2-pentanone	310	J	ug/L	500	20.96	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9766				
NAL13026-569	303-ST T3	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9766				
NAL13026-569	303-ST T3	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9766				
NAL13026-569	303-ST T3	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9766				
NAL13026-569	303-ST T3	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	68.90	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9766				
NAL13026-569	303-ST T3	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	29.90	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9766				
NAL13026-569	303-ST T3	ORG	591-78-6	2-Hexanone		U	ug/L	500	26.49	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9766				
NAL13026-569	303-ST T3	ORG	100-41-4	Ethylbenzene		U	ug/L	100	25.38	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9766				
NAL13026-569	303-ST T3	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9766				
NAL13026-569	303-ST T3	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9766				
NAL13026-569	303-ST T3	ORG	XYLMP	p&m-Xylene	35	J	ug/L	200	26.14	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9766				
NAL13026-569	303-ST T3	ORG	95-47-6	o-Xylene	15	J	ug/L	100	12.90	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9766				
NAL13026-569	303-ST T3	ORG	100-42-5	Styrene	24	J	ug/L	100	20.23	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9766				
NAL13026-569	303-ST T3	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9766				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-569	303-ST T3	ORG	98-82-8	Isopropylbenzene		U	ug/L	200	20.48	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9766				
NAL13026-569	303-ST T3	ORG	103-65-1	n-Propylbenzene		U	ug/L	200	27.00	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9766				
NAL13026-569	303-ST T3	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9766				
NAL13026-569	303-ST T3	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9766				
NAL13026-569	303-ST T3	ORG	108-67-8	1,3,5-Trimethylbenzene	26	J	ug/L	200	20.03	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9766				
NAL13026-569	303-ST T3	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9766				
NAL13026-569	303-ST T3	ORG	95-63-6	1,2,4-Trimethylbenzene	33	J	ug/L	200	20.03	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9766				
NAL13026-569	303-ST T3	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9766				
NAL13026-569	303-ST T3	ORG	541-73-1	1,3-Dichlorobenzene	43	J	ug/L	200	22.21	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9766				
NAL13026-569	303-ST T3	ORG	99-87-6	p-Isopropltoluene	65	J	ug/L	200	25.48	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9766				
NAL13026-569	303-ST T3	ORG	106-46-7	1,4-Dichlorobenzene	54	J	ug/L	200	33.03	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9766				
NAL13026-569	303-ST T3	ORG	95-50-1	1,2-Dichlorobenzene	33	J	ug/L	200	26.38	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9766				
NAL13026-569	303-ST T3	ORG	104-51-8	n-Butylbenzene	57	J	ug/L	500	27.81	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9766				
NAL13026-569	303-ST T3	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9766				
NAL13026-569	303-ST T3	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9766				
NAL13026-569	303-ST T3	ORG	120-82-1	1,2,4-Trichlorobenzene	110	J	ug/L	500	27.63	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9766				
NAL13026-569	303-ST T3	ORG	91-20-3	Naphthalene	330	J	ug/L	500	56.04	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9766				
NAL13026-569	303-ST T3	ORG	87-61-6	1,2,3-Trichlorobenzene	160	J	ug/L	500	23.28	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9766				
NAL13026-569	303-ST T3	STD	1868-53-7	Dibromofluoromethane	54		ng			7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9766	50	108%		
NAL13026-569	303-ST T3	STD	17060-07-0	1,2-Dichloroethane d4	56		ng			7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9766	50	112%		
NAL13026-569	303-ST T3	STD	2037-26-5	Toluene d8	45		ng			7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9766	50	90%		
NAL13026-569	303-ST T3	STD	460-00-4	Bromofluorobenzene	44		ng			7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9766	50	88%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-570	303-ST T4	ORG	75-71-8	Dichlorodifluoromethane		UX-	ug/L	500	29.28	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9767				
NAL13026-570	303-ST T4	ORG	74-87-3	Chloromethane		UX-	ug/L	500	43.07	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9767				
NAL13026-570	303-ST T4	ORG	75-01-4	Vinyl chloride		UX-	ug/L	200	31.86	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9767				
NAL13026-570	303-ST T4	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9767				
NAL13026-570	303-ST T4	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9767				
NAL13026-570	303-ST T4	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9767				
NAL13026-570	303-ST T4	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9767				
NAL13026-570	303-ST T4	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9767				
NAL13026-570	303-ST T4	ORG	67-64-1	Acetone	58000	D	ug/L	10000	1556.07	7/28/2013	7/28/2013	7/28/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9771				
NAL13026-570	303-ST T4	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9767				
NAL13026-570	303-ST T4	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9767				
NAL13026-570	303-ST T4	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9767				
NAL13026-570	303-ST T4	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9767				
NAL13026-570	303-ST T4	ORG	74-97-5	Bromochloromethane		U	ug/L	200	81.18	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9767				
NAL13026-570	303-ST T4	ORG	67-66-3	Chloroform		U	ug/L	100	41.37	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9767				
NAL13026-570	303-ST T4	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	15.73	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9767				
NAL13026-570	303-ST T4	ORG	78-93-3	2-Butanone	25000	D	ug/L	10000	166.52	7/28/2013	7/28/2013	7/28/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9771				
NAL13026-570	303-ST T4	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9767				
NAL13026-570	303-ST T4	ORG	71-43-2	Benzene	17	J	ug/L	100	13.53	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9767				
NAL13026-570	303-ST T4	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9767				
NAL13026-570	303-ST T4	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9767				
NAL13026-570	303-ST T4	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9767				
NAL13026-570	303-ST T4	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9767				
NAL13026-570	303-ST T4	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9767				
NAL13026-570	303-ST T4	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9767				
NAL13026-570	303-ST T4	ORG	108-88-3	Toluene		U	ug/L	100	74.00	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9767				
NAL13026-570	303-ST T4	ORG	108-10-1	4-Methyl-2-pentanone	300	J	ug/L	500	20.96	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9767				
NAL13026-570	303-ST T4	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9767				
NAL13026-570	303-ST T4	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9767				
NAL13026-570	303-ST T4	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9767				
NAL13026-570	303-ST T4	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	68.90	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9767				
NAL13026-570	303-ST T4	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	29.90	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9767				
NAL13026-570	303-ST T4	ORG	591-78-6	2-Hexanone		U	ug/L	500	26.49	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9767				
NAL13026-570	303-ST T4	ORG	100-41-4	Ethylbenzene	36	J	ug/L	100	25.38	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9767				
NAL13026-570	303-ST T4	ORG	108-90-7	Chlorobenzene	34	J	ug/L	100	27.52	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9767				
NAL13026-570	303-ST T4	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9767				
NAL13026-570	303-ST T4	ORG	XYLMP	p&m-Xylene	95	J	ug/L	200	26.14	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9767				
NAL13026-570	303-ST T4	ORG	95-47-6	o-Xylene	40	J	ug/L	100	12.90	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9767				
NAL13026-570	303-ST T4	ORG	100-42-5	Styrene	44	J	ug/L	100	20.23	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9767				
NAL13026-570	303-ST T4	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9767				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-570	303-ST T4	ORG	98-82-8	Isopropylbenzene	65	J	ug/L	200	20.48	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9767				
NAL13026-570	303-ST T4	ORG	103-65-1	n-Propylbenzene	65	J	ug/L	200	27.00	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9767				
NAL13026-570	303-ST T4	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9767				
NAL13026-570	303-ST T4	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9767				
NAL13026-570	303-ST T4	ORG	108-67-8	1,3,5-Trimethylbenzene	110	J	ug/L	200	20.03	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9767				
NAL13026-570	303-ST T4	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9767				
NAL13026-570	303-ST T4	ORG	95-63-6	1,2,4-Trimethylbenzene	270		ug/L	200	20.03	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9767				
NAL13026-570	303-ST T4	ORG	135-98-8	sec-Butylbenzene	75	J	ug/L	200	32.34	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9767				
NAL13026-570	303-ST T4	ORG	541-73-1	1,3-Dichlorobenzene	70	J	ug/L	200	22.21	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9767				
NAL13026-570	303-ST T4	ORG	99-87-6	p-Isopropltoluene	2100		ug/L	200	25.48	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9767				
NAL13026-570	303-ST T4	ORG	106-46-7	1,4-Dichlorobenzene	350		ug/L	200	33.03	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9767				
NAL13026-570	303-ST T4	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9767				
NAL13026-570	303-ST T4	ORG	104-51-8	n-Butylbenzene	180	J	ug/L	500	27.81	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9767				
NAL13026-570	303-ST T4	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9767				
NAL13026-570	303-ST T4	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9767				
NAL13026-570	303-ST T4	ORG	120-82-1	1,2,4-Trichlorobenzene	150	J	ug/L	500	27.63	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9767				
NAL13026-570	303-ST T4	ORG	91-20-3	Naphthalene	1400		ug/L	500	56.04	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9767				
NAL13026-570	303-ST T4	ORG	87-61-6	1,2,3-Trichlorobenzene	150	J	ug/L	500	23.28	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9767				
NAL13026-570	303-ST T4	STD	1868-53-7	Dibromofluoromethane	54		ng			7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9767	50	108%		
NAL13026-570	303-ST T4	STD	17060-07-0	1,2-Dichloroethane d4	57		ng			7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9767	50	114%		
NAL13026-570	303-ST T4	STD	2037-26-5	Toluene d8	45		ng			7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9767	50	90%		
NAL13026-570	303-ST T4	STD	460-00-4	Bromofluorobenzene	46		ng			7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9767	50	92%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J072813CCVA	J072813CCVA	ORG	75-71-8	Dichlorodifluoromethane	39		ug/L	5	0.29	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9755	50	78%		
J072813CCVA	J072813CCVA	ORG	74-87-3	Chloromethane	27		ug/L	5	0.43	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9755	50	54%		
J072813CCVA	J072813CCVA	ORG	75-01-4	Vinyl chloride	38		ug/L	2	0.32	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9755	50	76%		
J072813CCVA	J072813CCVA	ORG	74-83-9	Bromomethane	85		ug/L	5	0.50	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9755	50	170%		
J072813CCVA	J072813CCVA	ORG	75-00-3	Chloroethane	80		ug/L	5	0.56	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9755	50	160%		
J072813CCVA	J072813CCVA	ORG	75-69-4	Trichlorofluoromethane	60		ug/L	5	0.20	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9755	50	120%		
J072813CCVA	J072813CCVA	ORG	75-35-4	1,1-Dichloroethene	63		ug/L	1	0.47	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9755	50	126%		
J072813CCVA	J072813CCVA	ORG	75-09-2	Methylene chloride	58		ug/L	5	0.26	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9755	50	116%		
J072813CCVA	J072813CCVA	ORG	67-64-1	Acetone	55		ug/L	10	1.56	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9755	50	110%		
J072813CCVA	J072813CCVA	ORG	156-60-5	trans-1,2-Dichloroethene	59		ug/L	1	0.56	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9755	50	118%		
J072813CCVA	J072813CCVA	ORG	1634-04-4	MTBE	59		ug/L	5	0.61	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9755	50	118%		
J072813CCVA	J072813CCVA	ORG	75-34-3	1,1-Dichloroethane	53		ug/L	1	0.53	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9755	50	106%		
J072813CCVA	J072813CCVA	ORG	156-59-2	cis-1,2-Dichloroethene	54		ug/L	1	0.32	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9755	50	108%		
J072813CCVA	J072813CCVA	ORG	74-97-5	Bromochloromethane	58		ug/L	10	0.81	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9755	50	116%		
J072813CCVA	J072813CCVA	ORG	67-66-3	Chloroform	53		ug/L	2	0.41	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9755	50	106%		
J072813CCVA	J072813CCVA	ORG	71-55-6	1,1,1-Trichloroethane	59		ug/L	1	0.16	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9755	50	118%		
J072813CCVA	J072813CCVA	ORG	78-93-3	2-Butanone	44		ug/L	1	0.17	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9755	50	88%		
J072813CCVA	J072813CCVA	ORG	56-23-5	Carbon tetrachloride	60		ug/L	1	0.28	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9755	50	120%		
J072813CCVA	J072813CCVA	ORG	71-43-2	Benzene	46		ug/L	1	0.14	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9755	50	92%		
J072813CCVA	J072813CCVA	ORG	107-06-2	1,2-Dichloroethane	56		ug/L	1	0.20	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9755	50	112%		
J072813CCVA	J072813CCVA	ORG	79-01-6	Trichloroethene	54		ug/L	1	0.36	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9755	50	108%		
J072813CCVA	J072813CCVA	ORG	74-95-3	Dibromomethane	53		ug/L	2	0.32	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9755	50	106%		
J072813CCVA	J072813CCVA	ORG	78-87-5	1,2-Dichloropropane	41		ug/L	1	0.18	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9755	50	82%		
J072813CCVA	J072813CCVA	ORG	75-27-4	Bromodichloromethane	48		ug/L	2	0.12	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9755	50	96%		
J072813CCVA	J072813CCVA	ORG	10061-01-5	cis-1,3-Dichloropropene	43		ug/L	1	0.25	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9755	50	86%		
J072813CCVA	J072813CCVA	ORG	108-88-3	Toluene	45		ug/L	5	0.74	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9755	50	90%		
J072813CCVA	J072813CCVA	ORG	108-10-1	4-Methyl-2-pentanone	41		ug/L	1	0.21	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9755	50	82%		
J072813CCVA	J072813CCVA	ORG	10061-02-6	trans-1,3-Dichloropropene	48		ug/L	1	0.31	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9755	50	96%		
J072813CCVA	J072813CCVA	ORG	127-18-4	Tetrachloroethene	42		ug/L	1	0.49	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9755	50	84%		
J072813CCVA	J072813CCVA	ORG	79-00-5	1,1,2-Trichloroethane	43		ug/L	1	0.34	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9755	50	86%		
J072813CCVA	J072813CCVA	ORG	124-48-1	Dibromochloromethane	53		ug/L	5	0.69	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9755	50	106%		
J072813CCVA	J072813CCVA	ORG	106-93-4	1,2-Dibromoethane	50		ug/L	2	0.30	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9755	50	100%		
J072813CCVA	J072813CCVA	ORG	591-78-6	2-Hexanone	48		ug/L	2	0.26	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9755	50	96%		
J072813CCVA	J072813CCVA	ORG	100-41-4	Ethylbenzene	42		ug/L	1	0.25	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9755	50	84%		
J072813CCVA	J072813CCVA	ORG	108-90-7	Chlorobenzene	44		ug/L	1	0.28	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9755	50	88%		
J072813CCVA	J072813CCVA	ORG	630-20-6	1,1,1,2-Tetrachloroethane	45		ug/L	2	0.19	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9755	50	90%		
J072813CCVA	J072813CCVA	ORG	XYLMP	p&m-Xylene	85		ug/L	2	0.26	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9755	100	85%		
J072813CCVA	J072813CCVA	ORG	95-47-6	o-Xylene	43		ug/L	1	0.13	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9755	50	86%		
J072813CCVA	J072813CCVA	ORG	100-42-5	Styrene	42		ug/L	1	0.20	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9755	50	84%		
J072813CCVA	J072813CCVA	ORG	75-25-2	Bromoform	51		ug/L	2	0.47	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9755	50	102%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J072813CCVA	J072813CCVA	ORG	98-82-8	Isopropylbenzene	45		ug/L	2	0.20	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9755	50	90%		
J072813CCVA	J072813CCVA	ORG	103-65-1	n-Propylbenzene	43		ug/L	2	0.27	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9755	50	86%		
J072813CCVA	J072813CCVA	ORG	79-34-5	1,1,2,2-Tetrachloroethane	45		ug/L	2	0.29	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9755	50	90%		
J072813CCVA	J072813CCVA	ORG	96-18-4	1,2,3-Trichloropropane	45		ug/L	2	0.29	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9755	50	90%		
J072813CCVA	J072813CCVA	ORG	108-67-8	1,3,5-Trimethylbenzene	45		ug/L	2	0.20	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9755	50	90%		
J072813CCVA	J072813CCVA	ORG	98-06-6	tert-Butylbenzene	47		ug/L	2	0.33	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9755	50	94%		
J072813CCVA	J072813CCVA	ORG	95-63-6	1,2,4-Trimethylbenzene	46		ug/L	2	0.20	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9755	50	92%		
J072813CCVA	J072813CCVA	ORG	135-98-8	sec-Butylbenzene	46		ug/L	2	0.32	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9755	50	92%		
J072813CCVA	J072813CCVA	ORG	541-73-1	1,3-Dichlorobenzene	51		ug/L	2	0.22	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9755	50	102%		
J072813CCVA	J072813CCVA	ORG	99-87-6	p-Isopropltoluene	48		ug/L	2	0.25	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9755	50	96%		
J072813CCVA	J072813CCVA	ORG	106-46-7	1,4-Dichlorobenzene	52		ug/L	2	0.33	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9755	50	104%		
J072813CCVA	J072813CCVA	ORG	95-50-1	1,2-Dichlorobenzene	51		ug/L	2	0.26	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9755	50	102%		
J072813CCVA	J072813CCVA	ORG	104-51-8	n-Butylbenzene	45		ug/L	5	0.28	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9755	50	90%		
J072813CCVA	J072813CCVA	ORG	96-12-8	1,2-Dibromo-3-chloropropane	48		ug/L	5	1.59	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9755	50	96%		
J072813CCVA	J072813CCVA	ORG	87-68-3	Hexachlorobutadiene	51		ug/L	5	0.65	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9755	50	102%		
J072813CCVA	J072813CCVA	ORG	120-82-1	1,2,4-Trichlorobenzene	50		ug/L	5	0.28	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9755	50	100%		
J072813CCVA	J072813CCVA	ORG	91-20-3	Naphthalene	48		ug/L	5	0.56	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9755	50	96%		
J072813CCVA	J072813CCVA	ORG	87-61-6	1,2,3-Trichlorobenzene	49		ug/L	5	0.23	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9755	50	98%		
J072813CCVA	J072813CCVA	STD	1868-53-7	Dibromofluoromethane	55		ng			NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9755	50	110%		
J072813CCVA	J072813CCVA	STD	17060-07-0	1,2-Dichloroethane d4	53		ng			NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9755	50	106%		
J072813CCVA	J072813CCVA	STD	2037-26-5	Toluene d8	45		ng			NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9755	50	90%		
J072813CCVA	J072813CCVA	STD	460-00-4	Bromofluorobenzene	44		ng			NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9755	50	88%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J072813MBKA	J072813MBKA	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	5	0.29	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9756				
J072813MBKA	J072813MBKA	ORG	74-87-3	Chloromethane		U	ug/L	5	0.43	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9756				
J072813MBKA	J072813MBKA	ORG	75-01-4	Vinyl chloride		U	ug/L	2	0.32	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9756				
J072813MBKA	J072813MBKA	ORG	74-83-9	Bromomethane		U	ug/L	5	0.50	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9756				
J072813MBKA	J072813MBKA	ORG	75-00-3	Chloroethane		U	ug/L	5	0.56	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9756				
J072813MBKA	J072813MBKA	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	5	0.20	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9756				
J072813MBKA	J072813MBKA	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	1	0.47	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9756				
J072813MBKA	J072813MBKA	ORG	75-09-2	Methylene chloride		U	ug/L	5	0.26	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9756				
J072813MBKA	J072813MBKA	ORG	67-64-1	Acetone		U	ug/L	10	1.56	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9756				
J072813MBKA	J072813MBKA	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	1	0.56	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9756				
J072813MBKA	J072813MBKA	ORG	1634-04-4	MTBE		U	ug/L	5	0.61	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9756				
J072813MBKA	J072813MBKA	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	1	0.53	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9756				
J072813MBKA	J072813MBKA	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	1	0.32	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9756				
J072813MBKA	J072813MBKA	ORG	74-97-5	Bromochloromethane		U	ug/L	10	0.81	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9756				
J072813MBKA	J072813MBKA	ORG	67-66-3	Chloroform		U	ug/L	2	0.41	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9756				
J072813MBKA	J072813MBKA	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	1	0.16	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9756				
J072813MBKA	J072813MBKA	ORG	78-93-3	2-Butanone		U	ug/L	1	0.17	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9756				
J072813MBKA	J072813MBKA	ORG	56-23-5	Carbon tetrachloride		U	ug/L	1	0.28	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9756				
J072813MBKA	J072813MBKA	ORG	71-43-2	Benzene		U	ug/L	1	0.14	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9756				
J072813MBKA	J072813MBKA	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	1	0.20	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9756				
J072813MBKA	J072813MBKA	ORG	79-01-6	Trichloroethene		U	ug/L	1	0.36	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9756				
J072813MBKA	J072813MBKA	ORG	74-95-3	Dibromomethane		U	ug/L	2	0.32	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9756				
J072813MBKA	J072813MBKA	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	1	0.18	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9756				
J072813MBKA	J072813MBKA	ORG	75-27-4	Bromodichloromethane		U	ug/L	2	0.12	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9756				
J072813MBKA	J072813MBKA	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	1	0.25	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9756				
J072813MBKA	J072813MBKA	ORG	108-88-3	Toluene		U	ug/L	5	0.74	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9756				
J072813MBKA	J072813MBKA	ORG	108-10-1	4-Methyl-2-pentanone		U	ug/L	1	0.21	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9756				
J072813MBKA	J072813MBKA	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	1	0.31	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9756				
J072813MBKA	J072813MBKA	ORG	127-18-4	Tetrachloroethene		U	ug/L	1	0.49	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9756				
J072813MBKA	J072813MBKA	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	1	0.34	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9756				
J072813MBKA	J072813MBKA	ORG	124-48-1	Dibromochloromethane		U	ug/L	5	0.69	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9756				
J072813MBKA	J072813MBKA	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	2	0.30	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9756				
J072813MBKA	J072813MBKA	ORG	591-78-6	2-Hexanone		U	ug/L	2	0.26	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9756				
J072813MBKA	J072813MBKA	ORG	100-41-4	Ethylbenzene		U	ug/L	1	0.25	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9756				
J072813MBKA	J072813MBKA	ORG	108-90-7	Chlorobenzene		U	ug/L	1	0.28	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9756				
J072813MBKA	J072813MBKA	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	2	0.19	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9756				
J072813MBKA	J072813MBKA	ORG	XYLMP	p&m-Xylene		U	ug/L	2	0.26	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9756				
J072813MBKA	J072813MBKA	ORG	95-47-6	o-Xylene		U	ug/L	1	0.13	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9756				
J072813MBKA	J072813MBKA	ORG	100-42-5	Styrene		U	ug/L	1	0.20	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9756				
J072813MBKA	J072813MBKA	ORG	75-25-2	Bromoform		U	ug/L	2	0.47	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9756				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J072813MBKA	J072813MBKA	ORG	98-82-8	Isopropylbenzene		U	ug/L	2	0.20	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9756				
J072813MBKA	J072813MBKA	ORG	103-65-1	n-Propylbenzene		U	ug/L	2	0.27	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9756				
J072813MBKA	J072813MBKA	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	2	0.29	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9756				
J072813MBKA	J072813MBKA	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	2	0.29	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9756				
J072813MBKA	J072813MBKA	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	2	0.20	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9756				
J072813MBKA	J072813MBKA	ORG	98-06-6	tert-Butylbenzene		U	ug/L	2	0.33	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9756				
J072813MBKA	J072813MBKA	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	2	0.20	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9756				
J072813MBKA	J072813MBKA	ORG	135-98-8	sec-Butylbenzene		U	ug/L	2	0.32	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9756				
J072813MBKA	J072813MBKA	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	2	0.22	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9756				
J072813MBKA	J072813MBKA	ORG	99-87-6	p-Isopropltoluene		U	ug/L	2	0.25	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9756				
J072813MBKA	J072813MBKA	ORG	106-46-7	1,4-Dichlorobenzene		U	ug/L	2	0.33	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9756				
J072813MBKA	J072813MBKA	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	2	0.26	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9756				
J072813MBKA	J072813MBKA	ORG	104-51-8	n-Butylbenzene		U	ug/L	5	0.28	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9756				
J072813MBKA	J072813MBKA	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	5	1.59	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9756				
J072813MBKA	J072813MBKA	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	5	0.65	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9756				
J072813MBKA	J072813MBKA	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	5	0.28	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9756				
J072813MBKA	J072813MBKA	ORG	91-20-3	Naphthalene		U	ug/L	5	0.56	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9756				
J072813MBKA	J072813MBKA	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	5	0.23	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9756				
J072813MBKA	J072813MBKA	STD	1868-53-7	Dibromofluoromethane	54		ng			NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9756	50	108%		
J072813MBKA	J072813MBKA	STD	17060-07-0	1,2-Dichloroethane d4	57		ng			NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9756	50	114%		
J072813MBKA	J072813MBKA	STD	2037-26-5	Toluene d8	45		ng			NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9756	50	90%		
J072813MBKA	J072813MBKA	STD	460-00-4	Bromofluorobenzene	43		ng			NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9756	50	86%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J072813ALCS	J072813ALCS	ORG	75-71-8	Dichlorodifluoromethane	38		ug/L	5	0.29	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9759	50	76%		
J072813ALCS	J072813ALCS	ORG	74-87-3	Chloromethane	26		ug/L	5	0.43	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9759	50	52%		
J072813ALCS	J072813ALCS	ORG	75-01-4	Vinyl chloride	38		ug/L	2	0.32	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9759	50	76%		
J072813ALCS	J072813ALCS	ORG	74-83-9	Bromomethane	84		ug/L	5	0.50	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9759	50	168%		
J072813ALCS	J072813ALCS	ORG	75-00-3	Chloroethane	87		ug/L	5	0.56	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9759	50	174%		
J072813ALCS	J072813ALCS	ORG	75-69-4	Trichlorofluoromethane	63		ug/L	5	0.20	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9759	50	126%		
J072813ALCS	J072813ALCS	ORG	75-35-4	1,1-Dichloroethene	62		ug/L	1	0.47	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9759	50	124%		
J072813ALCS	J072813ALCS	ORG	75-09-2	Methylene chloride	62		ug/L	5	0.26	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9759	50	124%		
J072813ALCS	J072813ALCS	ORG	67-64-1	Acetone	51		ug/L	10	1.56	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9759	50	102%		
J072813ALCS	J072813ALCS	ORG	156-60-5	trans-1,2-Dichloroethene	61		ug/L	1	0.56	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9759	50	122%		
J072813ALCS	J072813ALCS	ORG	1634-04-4	MTBE	62		ug/L	5	0.61	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9759	50	124%		
J072813ALCS	J072813ALCS	ORG	75-34-3	1,1-Dichloroethane	44		ug/L	1	0.53	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9759	50	88%		
J072813ALCS	J072813ALCS	ORG	156-59-2	cis-1,2-Dichloroethene	54		ug/L	1	0.32	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9759	50	108%		
J072813ALCS	J072813ALCS	ORG	74-97-5	Bromochloromethane	58		ug/L	10	0.81	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9759	50	116%		
J072813ALCS	J072813ALCS	ORG	67-66-3	Chloroform	54		ug/L	2	0.41	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9759	50	108%		
J072813ALCS	J072813ALCS	ORG	71-55-6	1,1,1-Trichloroethane	60		ug/L	1	0.16	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9759	50	120%		
J072813ALCS	J072813ALCS	ORG	78-93-3	2-Butanone	42		ug/L	1	0.17	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9759	50	84%		
J072813ALCS	J072813ALCS	ORG	56-23-5	Carbon tetrachloride	60		ug/L	1	0.28	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9759	50	120%		
J072813ALCS	J072813ALCS	ORG	71-43-2	Benzene	46		ug/L	1	0.14	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9759	50	92%		
J072813ALCS	J072813ALCS	ORG	107-06-2	1,2-Dichloroethane	58		ug/L	1	0.20	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9759	50	116%		
J072813ALCS	J072813ALCS	ORG	79-01-6	Trichloroethene	55		ug/L	1	0.36	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9759	50	110%		
J072813ALCS	J072813ALCS	ORG	74-95-3	Dibromomethane	53		ug/L	2	0.32	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9759	50	106%		
J072813ALCS	J072813ALCS	ORG	78-87-5	1,2-Dichloropropane	41		ug/L	1	0.18	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9759	50	82%		
J072813ALCS	J072813ALCS	ORG	75-27-4	Bromodichloromethane	49		ug/L	2	0.12	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9759	50	98%		
J072813ALCS	J072813ALCS	ORG	10061-01-5	cis-1,3-Dichloropropene	43		ug/L	1	0.25	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9759	50	86%		
J072813ALCS	J072813ALCS	ORG	108-88-3	Toluene	44		ug/L	5	0.74	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9759	50	88%		
J072813ALCS	J072813ALCS	ORG	108-10-1	4-Methyl-2-pentanone	36		ug/L	1	0.21	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9759	50	72%		
J072813ALCS	J072813ALCS	ORG	10061-02-6	trans-1,3-Dichloropropene	47		ug/L	1	0.31	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9759	50	94%		
J072813ALCS	J072813ALCS	ORG	127-18-4	Tetrachloroethene	44		ug/L	1	0.49	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9759	50	88%		
J072813ALCS	J072813ALCS	ORG	79-00-5	1,1,2-Trichloroethane	44		ug/L	1	0.34	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9759	50	88%		
J072813ALCS	J072813ALCS	ORG	124-48-1	Dibromochloromethane	54		ug/L	5	0.69	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9759	50	108%		
J072813ALCS	J072813ALCS	ORG	106-93-4	1,2-Dibromoethane	50		ug/L	2	0.30	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9759	50	100%		
J072813ALCS	J072813ALCS	ORG	591-78-6	2-Hexanone	39		ug/L	2	0.26	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9759	50	78%		
J072813ALCS	J072813ALCS	ORG	100-41-4	Ethylbenzene	42		ug/L	1	0.25	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9759	50	84%		
J072813ALCS	J072813ALCS	ORG	108-90-7	Chlorobenzene	44		ug/L	1	0.28	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9759	50	88%		
J072813ALCS	J072813ALCS	ORG	630-20-6	1,1,1,2-Tetrachloroethane	46		ug/L	2	0.19	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9759	50	92%		
J072813ALCS	J072813ALCS	ORG	XYLMP	p&m-Xylene	85		ug/L	2	0.26	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9759	100	85%		
J072813ALCS	J072813ALCS	ORG	95-47-6	o-Xylene	44		ug/L	1	0.13	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9759	50	88%		
J072813ALCS	J072813ALCS	ORG	100-42-5	Styrene	43		ug/L	1	0.20	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9759	50	86%		
J072813ALCS	J072813ALCS	ORG	75-25-2	Bromoform	53		ug/L	2	0.47	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9759	50	106%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J072813ALCS	J072813ALCS	ORG	98-82-8	Isopropylbenzene	45		ug/L	2	0.20	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9759	50	90%		
J072813ALCS	J072813ALCS	ORG	103-65-1	n-Propylbenzene	42		ug/L	2	0.27	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9759	50	84%		
J072813ALCS	J072813ALCS	ORG	79-34-5	1,1,2,2-Tetrachloroethane	43		ug/L	2	0.29	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9759	50	86%		
J072813ALCS	J072813ALCS	ORG	96-18-4	1,2,3-Trichloropropane	44		ug/L	2	0.29	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9759	50	88%		
J072813ALCS	J072813ALCS	ORG	108-67-8	1,3,5-Trimethylbenzene	45		ug/L	2	0.20	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9759	50	90%		
J072813ALCS	J072813ALCS	ORG	98-06-6	tert-Butylbenzene	46		ug/L	2	0.33	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9759	50	92%		
J072813ALCS	J072813ALCS	ORG	95-63-6	1,2,4-Trimethylbenzene	45		ug/L	2	0.20	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9759	50	90%		
J072813ALCS	J072813ALCS	ORG	135-98-8	sec-Butylbenzene	45		ug/L	2	0.32	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9759	50	90%		
J072813ALCS	J072813ALCS	ORG	541-73-1	1,3-Dichlorobenzene	49		ug/L	2	0.22	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9759	50	98%		
J072813ALCS	J072813ALCS	ORG	99-87-6	p-Isopropltoluene	47		ug/L	2	0.25	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9759	50	94%		
J072813ALCS	J072813ALCS	ORG	106-46-7	1,4-Dichlorobenzene	48		ug/L	2	0.33	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9759	50	96%		
J072813ALCS	J072813ALCS	ORG	95-50-1	1,2-Dichlorobenzene	49		ug/L	2	0.26	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9759	50	98%		
J072813ALCS	J072813ALCS	ORG	104-51-8	n-Butylbenzene	43		ug/L	5	0.28	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9759	50	86%		
J072813ALCS	J072813ALCS	ORG	96-12-8	1,2-Dibromo-3-chloropropane	44		ug/L	5	1.59	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9759	50	88%		
J072813ALCS	J072813ALCS	ORG	87-68-3	Hexachlorobutadiene	43		ug/L	5	0.65	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9759	50	86%		
J072813ALCS	J072813ALCS	ORG	120-82-1	1,2,4-Trichlorobenzene	47		ug/L	5	0.28	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9759	50	94%		
J072813ALCS	J072813ALCS	ORG	91-20-3	Naphthalene	46		ug/L	5	0.56	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9759	50	92%		
J072813ALCS	J072813ALCS	ORG	87-61-6	1,2,3-Trichlorobenzene	47		ug/L	5	0.23	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9759	50	94%		
J072813ALCS	J072813ALCS	STD	1868-53-7	Dibromofluoromethane	54		ng			NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9759	50	108%		
J072813ALCS	J072813ALCS	STD	17060-07-0	1,2-Dichloroethane d4	55		ng			NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9759	50	110%		
J072813ALCS	J072813ALCS	STD	2037-26-5	Toluene d8	45		ng			NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9759	50	90%		
J072813ALCS	J072813ALCS	STD	460-00-4	Bromofluorobenzene	45		ng			NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9759	50	90%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J072813ALCD	J072813ALCD	ORG	75-71-8	Dichlorodifluoromethane	36		ug/L	5	0.29	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9760	50	72%	5%	
J072813ALCD	J072813ALCD	ORG	74-87-3	Chloromethane	25		ug/L	5	0.43	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9760	50	50%	4%	
J072813ALCD	J072813ALCD	ORG	75-01-4	Vinyl chloride	34		ug/L	2	0.32	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9760	50	68%	11%	
J072813ALCD	J072813ALCD	ORG	74-83-9	Bromomethane	81		ug/L	5	0.50	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9760	50	162%	4%	
J072813ALCD	J072813ALCD	ORG	75-00-3	Chloroethane	77		ug/L	5	0.56	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9760	50	154%	12%	
J072813ALCD	J072813ALCD	ORG	75-69-4	Trichlorofluoromethane	57		ug/L	5	0.20	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9760	50	114%	10%	
J072813ALCD	J072813ALCD	ORG	75-35-4	1,1-Dichloroethene	59		ug/L	1	0.47	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9760	50	118%	5%	
J072813ALCD	J072813ALCD	ORG	75-09-2	Methylene chloride	61		ug/L	5	0.26	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9760	50	122%	2%	
J072813ALCD	J072813ALCD	ORG	67-64-1	Acetone	45		ug/L	10	1.56	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9760	50	90%	13%	
J072813ALCD	J072813ALCD	ORG	156-60-5	trans-1,2-Dichloroethene	62		ug/L	1	0.56	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9760	50	124%	2%	
J072813ALCD	J072813ALCD	ORG	1634-04-4	MTBE	61		ug/L	5	0.61	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9760	50	122%	2%	
J072813ALCD	J072813ALCD	ORG	75-34-3	1,1-Dichloroethane	53		ug/L	1	0.53	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9760	50	106%	19%	
J072813ALCD	J072813ALCD	ORG	156-59-2	cis-1,2-Dichloroethene	55		ug/L	1	0.32	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9760	50	110%	2%	
J072813ALCD	J072813ALCD	ORG	74-97-5	Bromochloromethane	59		ug/L	10	0.81	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9760	50	118%	2%	
J072813ALCD	J072813ALCD	ORG	67-66-3	Chloroform	55		ug/L	2	0.41	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9760	50	110%	2%	
J072813ALCD	J072813ALCD	ORG	71-55-6	1,1,1-Trichloroethane	62		ug/L	1	0.16	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9760	50	124%	3%	
J072813ALCD	J072813ALCD	ORG	78-93-3	2-Butanone	38		ug/L	1	0.17	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9760	50	76%	10%	
J072813ALCD	J072813ALCD	ORG	56-23-5	Carbon tetrachloride	61		ug/L	1	0.28	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9760	50	122%	2%	
J072813ALCD	J072813ALCD	ORG	71-43-2	Benzene	48		ug/L	1	0.14	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9760	50	96%	4%	
J072813ALCD	J072813ALCD	ORG	107-06-2	1,2-Dichloroethane	60		ug/L	1	0.20	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9760	50	120%	3%	
J072813ALCD	J072813ALCD	ORG	79-01-6	Trichloroethene	56		ug/L	1	0.36	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9760	50	112%	2%	
J072813ALCD	J072813ALCD	ORG	74-95-3	Dibromomethane	56		ug/L	2	0.32	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9760	50	112%	6%	
J072813ALCD	J072813ALCD	ORG	78-87-5	1,2-Dichloropropane	42		ug/L	1	0.18	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9760	50	84%	2%	
J072813ALCD	J072813ALCD	ORG	75-27-4	Bromodichloromethane	50		ug/L	2	0.12	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9760	50	100%	2%	
J072813ALCD	J072813ALCD	ORG	10061-01-5	cis-1,3-Dichloropropene	44		ug/L	1	0.25	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9760	50	88%	2%	
J072813ALCD	J072813ALCD	ORG	108-88-3	Toluene	45		ug/L	5	0.74	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9760	50	90%	2%	
J072813ALCD	J072813ALCD	ORG	108-10-1	4-Methyl-2-pentanone	34		ug/L	1	0.21	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9760	50	68%	6%	
J072813ALCD	J072813ALCD	ORG	10061-02-6	trans-1,3-Dichloropropene	48		ug/L	1	0.31	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9760	50	96%	2%	
J072813ALCD	J072813ALCD	ORG	127-18-4	Tetrachloroethene	47		ug/L	1	0.49	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9760	50	94%	7%	
J072813ALCD	J072813ALCD	ORG	79-00-5	1,1,2-Trichloroethane	44		ug/L	1	0.34	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9760	50	88%	0%	
J072813ALCD	J072813ALCD	ORG	124-48-1	Dibromochloromethane	55		ug/L	5	0.69	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9760	50	110%	2%	
J072813ALCD	J072813ALCD	ORG	106-93-4	1,2-Dibromoethane	51		ug/L	2	0.30	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9760	50	102%	2%	
J072813ALCD	J072813ALCD	ORG	591-78-6	2-Hexanone	37		ug/L	2	0.26	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9760	50	74%	5%	
J072813ALCD	J072813ALCD	ORG	100-41-4	Ethylbenzene	43		ug/L	1	0.25	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9760	50	86%	2%	
J072813ALCD	J072813ALCD	ORG	108-90-7	Chlorobenzene	45		ug/L	1	0.28	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9760	50	90%	2%	
J072813ALCD	J072813ALCD	ORG	630-20-6	1,1,1,2-Tetrachloroethane	48		ug/L	2	0.19	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9760	50	96%	4%	
J072813ALCD	J072813ALCD	ORG	XYLMP	p&m-Xylene	86		ug/L	2	0.26	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9760	100	86%	1%	
J072813ALCD	J072813ALCD	ORG	95-47-6	o-Xylene	45		ug/L	1	0.13	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9760	50	90%	2%	
J072813ALCD	J072813ALCD	ORG	100-42-5	Styrene	44		ug/L	1	0.20	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9760	50	88%	2%	
J072813ALCD	J072813ALCD	ORG	75-25-2	Bromoform	55		ug/L	2	0.47	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9760	50	110%	4%	

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J072813ALCD	J072813ALCD	ORG	98-82-8	Isopropylbenzene	47		ug/L	2	0.20	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9760	50	94%	4%	
J072813ALCD	J072813ALCD	ORG	103-65-1	n-Propylbenzene	44		ug/L	2	0.27	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9760	50	88%	5%	
J072813ALCD	J072813ALCD	ORG	79-34-5	1,1,2,2-Tetrachloroethane	46		ug/L	2	0.29	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9760	50	92%	7%	
J072813ALCD	J072813ALCD	ORG	96-18-4	1,2,3-Trichloropropane	46		ug/L	2	0.29	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9760	50	92%	4%	
J072813ALCD	J072813ALCD	ORG	108-67-8	1,3,5-Trimethylbenzene	47		ug/L	2	0.20	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9760	50	94%	4%	
J072813ALCD	J072813ALCD	ORG	98-06-6	tert-Butylbenzene	50		ug/L	2	0.33	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9760	50	100%	8%	
J072813ALCD	J072813ALCD	ORG	95-63-6	1,2,4-Trimethylbenzene	47		ug/L	2	0.20	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9760	50	94%	4%	
J072813ALCD	J072813ALCD	ORG	135-98-8	sec-Butylbenzene	47		ug/L	2	0.32	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9760	50	94%	4%	
J072813ALCD	J072813ALCD	ORG	541-73-1	1,3-Dichlorobenzene	51		ug/L	2	0.22	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9760	50	102%	4%	
J072813ALCD	J072813ALCD	ORG	99-87-6	p-Isopropltoluene	50		ug/L	2	0.25	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9760	50	100%	6%	
J072813ALCD	J072813ALCD	ORG	106-46-7	1,4-Dichlorobenzene	52		ug/L	2	0.33	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9760	50	104%	8%	
J072813ALCD	J072813ALCD	ORG	95-50-1	1,2-Dichlorobenzene	53		ug/L	2	0.26	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9760	50	106%	8%	
J072813ALCD	J072813ALCD	ORG	104-51-8	n-Butylbenzene	45		ug/L	5	0.28	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9760	50	90%	5%	
J072813ALCD	J072813ALCD	ORG	96-12-8	1,2-Dibromo-3-chloropropane	50		ug/L	5	1.59	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9760	50	100%	13%	
J072813ALCD	J072813ALCD	ORG	87-68-3	Hexachlorobutadiene	49		ug/L	5	0.65	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9760	50	98%	13%	
J072813ALCD	J072813ALCD	ORG	120-82-1	1,2,4-Trichlorobenzene	51		ug/L	5	0.28	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9760	50	102%	8%	
J072813ALCD	J072813ALCD	ORG	91-20-3	Naphthalene	48		ug/L	5	0.56	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9760	50	96%	4%	
J072813ALCD	J072813ALCD	ORG	87-61-6	1,2,3-Trichlorobenzene	50		ug/L	5	0.23	NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9760	50	100%	6%	
J072813ALCD	J072813ALCD	STD	1868-53-7	Dibromofluoromethane	55		ng			NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9760	50	110%	2%	
J072813ALCD	J072813ALCD	STD	17060-07-0	1,2-Dichloroethane d4	54		ng			NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9760	50	108%	2%	
J072813ALCD	J072813ALCD	STD	2037-26-5	Toluene d8	46		ng			NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9760	50	92%	2%	
J072813ALCD	J072813ALCD	STD	460-00-4	Bromofluorobenzene	45		ng			NA	7/28/2013	7/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9760	50	90%	0%	

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-566MS	316-025	ORG	75-71-8	Dichlorodifluoromethane	4000		ug/L	500	29.28	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9761	5000	80%		
NAL13026-566MS	316-025	ORG	74-87-3	Chloromethane	2600		ug/L	500	43.07	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9761	5000	52%		
NAL13026-566MS	316-025	ORG	75-01-4	Vinyl chloride	3900		ug/L	200	31.86	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9761	5000	78%		
NAL13026-566MS	316-025	ORG	74-83-9	Bromomethane	8900		ug/L	500	50.04	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9761	5000	178%		
NAL13026-566MS	316-025	ORG	75-00-3	Chloroethane	8800		ug/L	500	55.61	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9761	5000	176%		
NAL13026-566MS	316-025	ORG	75-69-4	Trichlorofluoromethane	6300		ug/L	500	19.65	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9761	5000	126%		
NAL13026-566MS	316-025	ORG	75-35-4	1,1-Dichloroethene	6400		ug/L	100	47.11	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9761	5000	128%		
NAL13026-566MS	316-025	ORG	75-09-2	Methylene chloride	6400		ug/L	500	26.46	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9761	5000	128%		
NAL13026-566MS	316-025	ORG	67-64-1	Acetone	39000		ug/L	1000	155.61	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9761	5000	-40%		41000
NAL13026-566MS	316-025	ORG	156-60-5	trans-1,2-Dichloroethene	6700		ug/L	100	55.61	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9761	5000	134%		
NAL13026-566MS	316-025	ORG	1634-04-4	MTBE	6300		ug/L	500	61.18	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9761	5000	126%		
NAL13026-566MS	316-025	ORG	75-34-3	1,1-Dichloroethane	5500		ug/L	100	52.66	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9761	5000	110%		
NAL13026-566MS	316-025	ORG	156-59-2	cis-1,2-Dichloroethene	5700		ug/L	100	32.11	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9761	5000	114%		
NAL13026-566MS	316-025	ORG	74-97-5	Bromochloromethane	6100		ug/L	1000	81.18	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9761	5000	122%		
NAL13026-566MS	316-025	ORG	67-66-3	Chloroform	5700		ug/L	200	41.37	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9761	5000	114%		
NAL13026-566MS	316-025	ORG	71-55-6	1,1,1-Trichloroethane	6400		ug/L	100	15.73	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9761	5000	128%		
NAL13026-566MS	316-025	ORG	78-93-3	2-Butanone	18000		ug/L	100	16.65	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9761	5000	20%		17000
NAL13026-566MS	316-025	ORG	56-23-5	Carbon tetrachloride	6600		ug/L	100	27.64	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9761	5000	132%		
NAL13026-566MS	316-025	ORG	71-43-2	Benzene	5100		ug/L	100	13.53	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9761	5000	102%		21
NAL13026-566MS	316-025	ORG	107-06-2	1,2-Dichloroethane	6300		ug/L	100	20.01	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9761	5000	126%		
NAL13026-566MS	316-025	ORG	79-01-6	Trichloroethene	5900		ug/L	100	36.33	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9761	5000	118%		
NAL13026-566MS	316-025	ORG	74-95-3	Dibromomethane	5700		ug/L	200	32.20	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9761	5000	114%		
NAL13026-566MS	316-025	ORG	78-87-5	1,2-Dichloropropane	4400		ug/L	100	18.17	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9761	5000	88%		
NAL13026-566MS	316-025	ORG	75-27-4	Bromodichloromethane	5300		ug/L	200	11.58	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9761	5000	106%		
NAL13026-566MS	316-025	ORG	10061-01-5	cis-1,3-Dichloropropene	4700		ug/L	100	25.01	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9761	5000	94%		
NAL13026-566MS	316-025	ORG	108-88-3	Toluene	4900		ug/L	500	74.00	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9761	5000	98%		
NAL13026-566MS	316-025	ORG	108-10-1	4-Methyl-2-pentanone	3600		ug/L	100	20.96	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9761	5000	63%		430
NAL13026-566MS	316-025	ORG	10061-02-6	trans-1,3-Dichloropropene	5200		ug/L	100	31.15	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9761	5000	104%		
NAL13026-566MS	316-025	ORG	127-18-4	Tetrachloroethene	4700		ug/L	100	48.56	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9761	5000	94%		
NAL13026-566MS	316-025	ORG	79-00-5	1,1,2-Trichloroethane	4700		ug/L	100	34.28	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9761	5000	94%		
NAL13026-566MS	316-025	ORG	124-48-1	Dibromochloromethane	5900		ug/L	500	68.90	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9761	5000	118%		
NAL13026-566MS	316-025	ORG	106-93-4	1,2-Dibromoethane	5400		ug/L	200	29.90	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9761	5000	108%		
NAL13026-566MS	316-025	ORG	591-78-6	2-Hexanone	3300		ug/L	200	26.49	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9761	5000	66%		
NAL13026-566MS	316-025	ORG	100-41-4	Ethylbenzene	4600		ug/L	100	25.38	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9761	5000	92%		
NAL13026-566MS	316-025	ORG	108-90-7	Chlorobenzene	4900		ug/L	100	27.52	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9761	5000	98%		
NAL13026-566MS	316-025	ORG	630-20-6	1,1,1,2-Tetrachloroethane	5100		ug/L	200	19.28	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9761	5000	102%		
NAL13026-566MS	316-025	ORG	XYLMP	p&m-Xylene	9200		ug/L	200	26.14	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9761	10000	92%		
NAL13026-566MS	316-025	ORG	95-47-6	o-Xylene	4800		ug/L	100	12.90	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9761	5000	96%		
NAL13026-566MS	316-025	ORG	100-42-5	Styrene	4700		ug/L	100	20.23	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9761	5000	94%		
NAL13026-566MS	316-025	ORG	75-25-2	Bromoform	5600		ug/L	200	46.83	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9761	5000	112%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-566MS	316-025	ORG	98-82-8	Isopropylbenzene	5000		ug/L	200	20.48	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9761	5000	100%		
NAL13026-566MS	316-025	ORG	103-65-1	n-Propylbenzene	4700		ug/L	200	27.00	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9761	5000	94%		
NAL13026-566MS	316-025	ORG	79-34-5	1,1,2,2-Tetrachloroethane	4800		ug/L	200	29.16	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9761	5000	96%		
NAL13026-566MS	316-025	ORG	96-18-4	1,2,3-Trichloropropane	4700		ug/L	200	29.47	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9761	5000	94%		
NAL13026-566MS	316-025	ORG	108-67-8	1,3,5-Trimethylbenzene	5000		ug/L	200	20.03	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9761	5000	100%		
NAL13026-566MS	316-025	ORG	98-06-6	tert-Butylbenzene	5300		ug/L	200	32.61	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9761	5000	106%		
NAL13026-566MS	316-025	ORG	95-63-6	1,2,4-Trimethylbenzene	5000		ug/L	200	20.03	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9761	5000	100%		
NAL13026-566MS	316-025	ORG	135-98-8	sec-Butylbenzene	5100		ug/L	200	32.34	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9761	5000	102%		
NAL13026-566MS	316-025	ORG	541-73-1	1,3-Dichlorobenzene	5500		ug/L	200	22.21	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9761	5000	109%		48
NAL13026-566MS	316-025	ORG	99-87-6	p-Isopropltoluene	5400		ug/L	200	25.48	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9761	5000	107%		59
NAL13026-566MS	316-025	ORG	106-46-7	1,4-Dichlorobenzene	5400		ug/L	200	33.03	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9761	5000	108%		
NAL13026-566MS	316-025	ORG	95-50-1	1,2-Dichlorobenzene	5700		ug/L	200	26.38	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9761	5000	114%		
NAL13026-566MS	316-025	ORG	104-51-8	n-Butylbenzene	4800		ug/L	500	27.81	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9761	5000	96%		
NAL13026-566MS	316-025	ORG	96-12-8	1,2-Dibromo-3-chloropropane	5000		ug/L	500	159.11	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9761	5000	100%		
NAL13026-566MS	316-025	ORG	87-68-3	Hexachlorobutadiene	5300		ug/L	500	65.42	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9761	5000	106%		
NAL13026-566MS	316-025	ORG	120-82-1	1,2,4-Trichlorobenzene	5400		ug/L	500	27.63	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9761	5000	108%		
NAL13026-566MS	316-025	ORG	91-20-3	Naphthalene	5300		ug/L	500	56.04	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9761	5000	102%		200
NAL13026-566MS	316-025	ORG	87-61-6	1,2,3-Trichlorobenzene	5300		ug/L	500	23.28	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9761	5000	106%		
NAL13026-566MS	316-025	STD	1868-53-7	Dibromofluoromethane	55		ng			7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9761	50	110%		
NAL13026-566MS	316-025	STD	17060-07-0	1,2-Dichloroethane d4	52		ng			7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9761	50	104%		
NAL13026-566MS	316-025	STD	2037-26-5	Toluene d8	46		ng			7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9761	50	92%		
NAL13026-566MS	316-025	STD	460-00-4	Bromofluorobenzene	46		ng			7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9761	50	92%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-566MSD	316-025	ORG	75-71-8	Dichlorodifluoromethane	3800		ug/L	500	29.28	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9762	5000	76%	5%	0
NAL13026-566MSD	316-025	ORG	74-87-3	Chloromethane	2500		ug/L	500	43.07	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9762	5000	50%	4%	0
NAL13026-566MSD	316-025	ORG	75-01-4	Vinyl chloride	3800		ug/L	200	31.86	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9762	5000	76%	3%	0
NAL13026-566MSD	316-025	ORG	74-83-9	Bromomethane	8600		ug/L	500	50.04	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9762	5000	172%	3%	0
NAL13026-566MSD	316-025	ORG	75-00-3	Chloroethane	8100		ug/L	500	55.61	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9762	5000	162%	8%	0
NAL13026-566MSD	316-025	ORG	75-69-4	Trichlorofluoromethane	6300		ug/L	500	19.65	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9762	5000	126%	0%	0
NAL13026-566MSD	316-025	ORG	75-35-4	1,1-Dichloroethene	6500		ug/L	100	47.11	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9762	5000	130%	2%	0
NAL13026-566MSD	316-025	ORG	75-09-2	Methylene chloride	6400		ug/L	500	26.46	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9762	5000	128%	0%	0
NAL13026-566MSD	316-025	ORG	67-64-1	Acetone	39000		ug/L	1000	155.61	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9762	5000	-40%	0%	41000
NAL13026-566MSD	316-025	ORG	156-60-5	trans-1,2-Dichloroethene	6600		ug/L	100	55.61	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9762	5000	132%	2%	0
NAL13026-566MSD	316-025	ORG	1634-04-4	MTBE	6100		ug/L	500	61.18	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9762	5000	122%	3%	0
NAL13026-566MSD	316-025	ORG	75-34-3	1,1-Dichloroethane	5500		ug/L	100	52.66	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9762	5000	110%	0%	0
NAL13026-566MSD	316-025	ORG	156-59-2	cis-1,2-Dichloroethene	5600		ug/L	100	32.11	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9762	5000	112%	2%	0
NAL13026-566MSD	316-025	ORG	74-97-5	Bromochloromethane	6300		ug/L	1000	81.18	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9762	5000	126%	3%	0
NAL13026-566MSD	316-025	ORG	67-66-3	Chloroform	5800		ug/L	200	41.37	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9762	5000	116%	2%	0
NAL13026-566MSD	316-025	ORG	71-55-6	1,1,1-Trichloroethane	6400		ug/L	100	15.73	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9762	5000	128%	0%	0
NAL13026-566MSD	316-025	ORG	78-93-3	2-Butanone	19000		ug/L	100	16.65	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9762	5000	40%	5%	17000
NAL13026-566MSD	316-025	ORG	56-23-5	Carbon tetrachloride	6600		ug/L	100	27.64	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9762	5000	132%	0%	0
NAL13026-566MSD	316-025	ORG	71-43-2	Benzene	5200		ug/L	100	13.53	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9762	5000	104%	2%	21
NAL13026-566MSD	316-025	ORG	107-06-2	1,2-Dichloroethane	6200		ug/L	100	20.01	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9762	5000	124%	2%	0
NAL13026-566MSD	316-025	ORG	79-01-6	Trichloroethene	6000		ug/L	100	36.33	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9762	5000	120%	2%	0
NAL13026-566MSD	316-025	ORG	74-95-3	Dibromomethane	5800		ug/L	200	32.20	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9762	5000	116%	2%	0
NAL13026-566MSD	316-025	ORG	78-87-5	1,2-Dichloropropane	4500		ug/L	100	18.17	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9762	5000	90%	2%	0
NAL13026-566MSD	316-025	ORG	75-27-4	Bromodichloromethane	5200		ug/L	200	11.58	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9762	5000	104%	2%	0
NAL13026-566MSD	316-025	ORG	10061-01-5	cis-1,3-Dichloropropene	4800		ug/L	100	25.01	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9762	5000	96%	2%	0
NAL13026-566MSD	316-025	ORG	108-88-3	Toluene	4900		ug/L	500	74.00	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9762	5000	98%	0%	0
NAL13026-566MSD	316-025	ORG	108-10-1	4-Methyl-2-pentanone	3600		ug/L	100	20.96	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9762	5000	63%	0%	430
NAL13026-566MSD	316-025	ORG	10061-02-6	trans-1,3-Dichloropropene	5100		ug/L	100	31.15	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9762	5000	102%	2%	0
NAL13026-566MSD	316-025	ORG	127-18-4	Tetrachloroethene	4800		ug/L	100	48.56	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9762	5000	96%	2%	0
NAL13026-566MSD	316-025	ORG	79-00-5	1,1,2-Trichloroethane	4700		ug/L	100	34.28	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9762	5000	94%	0%	0
NAL13026-566MSD	316-025	ORG	124-48-1	Dibromochloromethane	5900		ug/L	500	68.90	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9762	5000	118%	0%	0
NAL13026-566MSD	316-025	ORG	106-93-4	1,2-Dibromoethane	5300		ug/L	200	29.90	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9762	5000	106%	2%	0
NAL13026-566MSD	316-025	ORG	591-78-6	2-Hexanone	3300		ug/L	200	26.49	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9762	5000	66%	0%	0
NAL13026-566MSD	316-025	ORG	100-41-4	Ethylbenzene	4700		ug/L	100	25.38	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9762	5000	94%	2%	0
NAL13026-566MSD	316-025	ORG	108-90-7	Chlorobenzene	5000		ug/L	100	27.52	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9762	5000	100%	2%	0
NAL13026-566MSD	316-025	ORG	630-20-6	1,1,1,2-Tetrachloroethane	5100		ug/L	200	19.28	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9762	5000	102%	0%	0
NAL13026-566MSD	316-025	ORG	XYLMP	p&m-Xylene	9300		ug/L	200	26.14	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9762	10000	93%	1%	0
NAL13026-566MSD	316-025	ORG	95-47-6	o-Xylene	4900		ug/L	100	12.90	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9762	5000	98%	2%	0
NAL13026-566MSD	316-025	ORG	100-42-5	Styrene	4700		ug/L	100	20.23	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9762	5000	94%	0%	0
NAL13026-566MSD	316-025	ORG	75-25-2	Bromoform	5900		ug/L	200	46.83	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9762	5000	118%	5%	0

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-566MSD	316-025	ORG	98-82-8	Isopropylbenzene	5100		ug/L	200	20.48	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9762	5000	102%	2%	0
NAL13026-566MSD	316-025	ORG	103-65-1	n-Propylbenzene	4800		ug/L	200	27.00	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9762	5000	96%	2%	0
NAL13026-566MSD	316-025	ORG	79-34-5	1,1,2,2-Tetrachloroethane	4900		ug/L	200	29.16	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9762	5000	98%	2%	0
NAL13026-566MSD	316-025	ORG	96-18-4	1,2,3-Trichloropropane	4700		ug/L	200	29.47	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9762	5000	94%	0%	0
NAL13026-566MSD	316-025	ORG	108-67-8	1,3,5-Trimethylbenzene	5100		ug/L	200	20.03	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9762	5000	102%	2%	0
NAL13026-566MSD	316-025	ORG	98-06-6	tert-Butylbenzene	5400		ug/L	200	32.61	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9762	5000	108%	2%	0
NAL13026-566MSD	316-025	ORG	95-63-6	1,2,4-Trimethylbenzene	5200		ug/L	200	20.03	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9762	5000	104%	4%	0
NAL13026-566MSD	316-025	ORG	135-98-8	sec-Butylbenzene	5200		ug/L	200	32.34	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9762	5000	104%	2%	0
NAL13026-566MSD	316-025	ORG	541-73-1	1,3-Dichlorobenzene	5700		ug/L	200	22.21	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9762	5000	113%	4%	48
NAL13026-566MSD	316-025	ORG	99-87-6	p-Isopropltoluene	5600		ug/L	200	25.48	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9762	5000	111%	4%	59
NAL13026-566MSD	316-025	ORG	106-46-7	1,4-Dichlorobenzene	5500		ug/L	200	33.03	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9762	5000	110%	2%	0
NAL13026-566MSD	316-025	ORG	95-50-1	1,2-Dichlorobenzene	5800		ug/L	200	26.38	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9762	5000	116%	2%	0
NAL13026-566MSD	316-025	ORG	104-51-8	n-Butylbenzene	4900		ug/L	500	27.81	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9762	5000	98%	2%	0
NAL13026-566MSD	316-025	ORG	96-12-8	1,2-Dibromo-3-chloropropane	5100		ug/L	500	159.11	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9762	5000	102%	2%	0
NAL13026-566MSD	316-025	ORG	87-68-3	Hexachlorobutadiene	5400		ug/L	500	65.42	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9762	5000	108%	2%	0
NAL13026-566MSD	316-025	ORG	120-82-1	1,2,4-Trichlorobenzene	5600		ug/L	500	27.63	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9762	5000	112%	4%	0
NAL13026-566MSD	316-025	ORG	91-20-3	Naphthalene	5400		ug/L	500	56.04	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9762	5000	104%	2%	200
NAL13026-566MSD	316-025	ORG	87-61-6	1,2,3-Trichlorobenzene	5400		ug/L	500	23.28	7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9762	5000	108%	2%	0
NAL13026-566MSD	316-025	STD	1868-53-7	Dibromofluoromethane	53		ng			7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9762	50	106%	4%	0
NAL13026-566MSD	316-025	STD	17060-07-0	1,2-Dichloroethane d4	54		ng			7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9762	50	108%	4%	0
NAL13026-566MSD	316-025	STD	2037-26-5	Toluene d8	46		ng			7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9762	50	92%	0%	0
NAL13026-566MSD	316-025	STD	460-00-4	Bromofluorobenzene	46		ng			7/28/2013	7/28/2013	7/28/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9762	50	92%	0%	0

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-571	316-026	ORG	75-71-8	Dichlorodifluoromethane		UX-	ug/L	500	29.28	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9775				
NAL13026-571	316-026	ORG	74-87-3	Chloromethane		UX-	ug/L	500	43.07	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9775				
NAL13026-571	316-026	ORG	75-01-4	Vinyl chloride		UX-	ug/L	200	31.86	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9775				
NAL13026-571	316-026	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9775				
NAL13026-571	316-026	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9775				
NAL13026-571	316-026	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9775				
NAL13026-571	316-026	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9775				
NAL13026-571	316-026	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9775				
NAL13026-571	316-026	ORG	67-64-1	Acetone	49000	D	ug/L	10000	1556.07	7/29/2013	7/29/2013	7/29/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9776				
NAL13026-571	316-026	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9775				
NAL13026-571	316-026	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9775				
NAL13026-571	316-026	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9775				
NAL13026-571	316-026	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9775				
NAL13026-571	316-026	ORG	74-97-5	Bromochloromethane		U	ug/L	200	41.37	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9775				
NAL13026-571	316-026	ORG	67-66-3	Chloroform		U	ug/L	100	15.73	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9775				
NAL13026-571	316-026	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	16.65	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9775				
NAL13026-571	316-026	ORG	78-93-3	2-Butanone	21000	D	ug/L	10000	811.80	7/29/2013	7/29/2013	7/29/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9776				
NAL13026-571	316-026	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9775				
NAL13026-571	316-026	ORG	71-43-2	Benzene	34	J	ug/L	100	13.53	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9775				
NAL13026-571	316-026	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9775				
NAL13026-571	316-026	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9775				
NAL13026-571	316-026	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9775				
NAL13026-571	316-026	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9775				
NAL13026-571	316-026	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9775				
NAL13026-571	316-026	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9775				
NAL13026-571	316-026	ORG	108-88-3	Toluene		U	ug/L	100	20.96	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9775				
NAL13026-571	316-026	ORG	108-10-1	4-Methyl-2-pentanone	430	J	ug/L	500	74.00	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9775				
NAL13026-571	316-026	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9775				
NAL13026-571	316-026	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9775				
NAL13026-571	316-026	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9775				
NAL13026-571	316-026	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	29.90	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9775				
NAL13026-571	316-026	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	26.49	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9775				
NAL13026-571	316-026	ORG	591-78-6	2-Hexanone		U	ug/L	500	68.90	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9775				
NAL13026-571	316-026	ORG	100-41-4	Ethylbenzene	27	J	ug/L	100	25.38	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9775				
NAL13026-571	316-026	ORG	108-90-7	Chlorobenzene	28	J	ug/L	100	27.52	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9775				
NAL13026-571	316-026	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9775				
NAL13026-571	316-026	ORG	XYLMP	p&m-Xylene	56	J	ug/L	200	26.14	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9775				
NAL13026-571	316-026	ORG	95-47-6	o-Xylene	30	J	ug/L	100	12.90	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9775				
NAL13026-571	316-026	ORG	100-42-5	Styrene	55	J	ug/L	100	20.23	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9775				
NAL13026-571	316-026	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9775				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-571	316-026	ORG	98-82-8	Isopropylbenzene	30	J	ug/L	200	20.48	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9775				
NAL13026-571	316-026	ORG	103-65-1	n-Propylbenzene	33	J	ug/L	200	27.00	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9775				
NAL13026-571	316-026	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9775				
NAL13026-571	316-026	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9775				
NAL13026-571	316-026	ORG	108-67-8	1,3,5-Trimethylbenzene	37	J	ug/L	200	20.03	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9775				
NAL13026-571	316-026	ORG	98-06-6	tert-Butylbenzene	33	J	ug/L	200	32.61	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9775				
NAL13026-571	316-026	ORG	95-63-6	1,2,4-Trimethylbenzene	50	J	ug/L	200	20.03	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9775				
NAL13026-571	316-026	ORG	135-98-8	sec-Butylbenzene	40	J	ug/L	200	32.34	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9775				
NAL13026-571	316-026	ORG	541-73-1	1,3-Dichlorobenzene	59	J	ug/L	200	22.21	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9775				
NAL13026-571	316-026	ORG	99-87-6	p-Isopropltoluene	82	J	ug/L	200	25.48	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9775				
NAL13026-571	316-026	ORG	106-46-7	1,4-Dichlorobenzene	88	J	ug/L	200	33.03	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9775				
NAL13026-571	316-026	ORG	95-50-1	1,2-Dichlorobenzene	53	J	ug/L	200	26.38	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9775				
NAL13026-571	316-026	ORG	104-51-8	n-Butylbenzene	46	J	ug/L	500	27.81	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9775				
NAL13026-571	316-026	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9775				
NAL13026-571	316-026	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9775				
NAL13026-571	316-026	ORG	120-82-1	1,2,4-Trichlorobenzene	98	J	ug/L	500	27.63	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9775				
NAL13026-571	316-026	ORG	91-20-3	Naphthalene	270	J	ug/L	500	56.04	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9775				
NAL13026-571	316-026	ORG	87-61-6	1,2,3-Trichlorobenzene	100	J	ug/L	500	23.28	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9775				
NAL13026-571	316-026	STD	1868-53-7	Dibromofluoromethane	55		ng			7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9775	50	110%		
NAL13026-571	316-026	STD	17060-07-0	1,2-Dichloroethane d4	57		ng			7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9775	50	114%		
NAL13026-571	316-026	STD	2037-26-5	Toluene d8	44		ng			7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9775	50	88%		
NAL13026-571	316-026	STD	460-00-4	Bromofluorobenzene	44		ng			7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9775	50	88%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J072913CCVA	J072913CCVA	ORG	75-71-8	Dichlorodifluoromethane	37		ug/L	5	0.29	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9773	50	74%		
J072913CCVA	J072913CCVA	ORG	74-87-3	Chloromethane	32		ug/L	5	0.43	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9773	50	64%		
J072913CCVA	J072913CCVA	ORG	75-01-4	Vinyl chloride	39		ug/L	2	0.32	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9773	50	78%		
J072913CCVA	J072913CCVA	ORG	74-83-9	Bromomethane	75		ug/L	5	0.50	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9773	50	150%		
J072913CCVA	J072913CCVA	ORG	75-00-3	Chloroethane	88		ug/L	5	0.56	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9773	50	176%		
J072913CCVA	J072913CCVA	ORG	75-69-4	Trichlorofluoromethane	61		ug/L	5	0.20	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9773	50	122%		
J072913CCVA	J072913CCVA	ORG	75-35-4	1,1-Dichloroethene	62		ug/L	1	0.47	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9773	50	124%		
J072913CCVA	J072913CCVA	ORG	75-09-2	Methylene chloride	59		ug/L	5	0.26	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9773	50	118%		
J072913CCVA	J072913CCVA	ORG	67-64-1	Acetone	60		ug/L	10	1.56	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9773	50	120%		
J072913CCVA	J072913CCVA	ORG	156-60-5	trans-1,2-Dichloroethene	59		ug/L	1	0.56	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9773	50	118%		
J072913CCVA	J072913CCVA	ORG	1634-04-4	MTBE	64		ug/L	5	0.61	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9773	50	128%		
J072913CCVA	J072913CCVA	ORG	75-34-3	1,1-Dichloroethane	56		ug/L	1	0.53	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9773	50	112%		
J072913CCVA	J072913CCVA	ORG	156-59-2	cis-1,2-Dichloroethene	59		ug/L	1	0.32	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9773	50	118%		
J072913CCVA	J072913CCVA	ORG	74-97-5	Bromochloromethane	64		ug/L	10	0.81	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9773	50	128%		
J072913CCVA	J072913CCVA	ORG	67-66-3	Chloroform	58		ug/L	2	0.41	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9773	50	116%		
J072913CCVA	J072913CCVA	ORG	71-55-6	1,1,1-Trichloroethane	62		ug/L	1	0.16	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9773	50	124%		
J072913CCVA	J072913CCVA	ORG	78-93-3	2-Butanone	47		ug/L	1	0.17	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9773	50	94%		
J072913CCVA	J072913CCVA	ORG	56-23-5	Carbon tetrachloride	64		ug/L	1	0.28	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9773	50	128%		
J072913CCVA	J072913CCVA	ORG	71-43-2	Benzene	49		ug/L	1	0.14	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9773	50	98%		
J072913CCVA	J072913CCVA	ORG	107-06-2	1,2-Dichloroethane	61		ug/L	1	0.20	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9773	50	122%		
J072913CCVA	J072913CCVA	ORG	79-01-6	Trichloroethene	60		ug/L	1	0.36	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9773	50	120%		
J072913CCVA	J072913CCVA	ORG	74-95-3	Dibromomethane	59		ug/L	2	0.32	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9773	50	118%		
J072913CCVA	J072913CCVA	ORG	78-87-5	1,2-Dichloropropane	43		ug/L	1	0.18	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9773	50	86%		
J072913CCVA	J072913CCVA	ORG	75-27-4	Bromodichloromethane	51		ug/L	2	0.12	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9773	50	102%		
J072913CCVA	J072913CCVA	ORG	10061-01-5	cis-1,3-Dichloropropene	46		ug/L	1	0.25	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9773	50	92%		
J072913CCVA	J072913CCVA	ORG	108-88-3	Toluene	47		ug/L	5	0.74	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9773	50	94%		
J072913CCVA	J072913CCVA	ORG	108-10-1	4-Methyl-2-pentanone	48		ug/L	1	0.21	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9773	50	96%		
J072913CCVA	J072913CCVA	ORG	10061-02-6	trans-1,3-Dichloropropene	51		ug/L	1	0.31	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9773	50	102%		
J072913CCVA	J072913CCVA	ORG	127-18-4	Tetrachloroethene	43		ug/L	1	0.49	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9773	50	86%		
J072913CCVA	J072913CCVA	ORG	79-00-5	1,1,2-Trichloroethane	47		ug/L	1	0.34	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9773	50	94%		
J072913CCVA	J072913CCVA	ORG	124-48-1	Dibromochloromethane	58		ug/L	5	0.69	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9773	50	116%		
J072913CCVA	J072913CCVA	ORG	106-93-4	1,2-Dibromoethane	55		ug/L	2	0.30	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9773	50	110%		
J072913CCVA	J072913CCVA	ORG	591-78-6	2-Hexanone	56		ug/L	2	0.26	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9773	50	112%		
J072913CCVA	J072913CCVA	ORG	100-41-4	Ethylbenzene	43		ug/L	1	0.25	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9773	50	86%		
J072913CCVA	J072913CCVA	ORG	108-90-7	Chlorobenzene	46		ug/L	1	0.28	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9773	50	92%		
J072913CCVA	J072913CCVA	ORG	630-20-6	1,1,1,2-Tetrachloroethane	46		ug/L	2	0.19	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9773	50	92%		
J072913CCVA	J072913CCVA	ORG	XYLMP	p&m-Xylene	88		ug/L	2	0.26	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9773	100	88%		
J072913CCVA	J072913CCVA	ORG	95-47-6	o-Xylene	45		ug/L	1	0.13	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9773	50	90%		
J072913CCVA	J072913CCVA	ORG	100-42-5	Styrene	43		ug/L	1	0.20	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9773	50	86%		
J072913CCVA	J072913CCVA	ORG	75-25-2	Bromoform	54		ug/L	2	0.47	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9773	50	108%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J072913CCVA	J072913CCVA	ORG	98-82-8	Isopropylbenzene	45		ug/L	2	0.20	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9773	50	90%		
J072913CCVA	J072913CCVA	ORG	103-65-1	n-Propylbenzene	46		ug/L	2	0.27	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9773	50	92%		
J072913CCVA	J072913CCVA	ORG	79-34-5	1,1,2,2-Tetrachloroethane	49		ug/L	2	0.29	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9773	50	98%		
J072913CCVA	J072913CCVA	ORG	96-18-4	1,2,3-Trichloropropane	48		ug/L	2	0.29	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9773	50	96%		
J072913CCVA	J072913CCVA	ORG	108-67-8	1,3,5-Trimethylbenzene	48		ug/L	2	0.20	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9773	50	96%		
J072913CCVA	J072913CCVA	ORG	98-06-6	tert-Butylbenzene	50		ug/L	2	0.33	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9773	50	100%		
J072913CCVA	J072913CCVA	ORG	95-63-6	1,2,4-Trimethylbenzene	49		ug/L	2	0.20	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9773	50	98%		
J072913CCVA	J072913CCVA	ORG	135-98-8	sec-Butylbenzene	48		ug/L	2	0.32	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9773	50	96%		
J072913CCVA	J072913CCVA	ORG	541-73-1	1,3-Dichlorobenzene	55		ug/L	2	0.22	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9773	50	110%		
J072913CCVA	J072913CCVA	ORG	99-87-6	p-Isopropltoluene	53		ug/L	2	0.25	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9773	50	106%		
J072913CCVA	J072913CCVA	ORG	106-46-7	1,4-Dichlorobenzene	54		ug/L	2	0.33	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9773	50	108%		
J072913CCVA	J072913CCVA	ORG	95-50-1	1,2-Dichlorobenzene	56		ug/L	2	0.26	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9773	50	112%		
J072913CCVA	J072913CCVA	ORG	104-51-8	n-Butylbenzene	50		ug/L	5	0.28	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9773	50	100%		
J072913CCVA	J072913CCVA	ORG	96-12-8	1,2-Dibromo-3-chloropropane	58		ug/L	5	1.59	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9773	50	116%		
J072913CCVA	J072913CCVA	ORG	87-68-3	Hexachlorobutadiene	53		ug/L	5	0.65	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9773	50	106%		
J072913CCVA	J072913CCVA	ORG	120-82-1	1,2,4-Trichlorobenzene	57		ug/L	5	0.28	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9773	50	114%		
J072913CCVA	J072913CCVA	ORG	91-20-3	Naphthalene	57		ug/L	5	0.56	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9773	50	114%		
J072913CCVA	J072913CCVA	ORG	87-61-6	1,2,3-Trichlorobenzene	56		ug/L	5	0.23	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9773	50	112%		
J072913CCVA	J072913CCVA	STD	1868-53-7	Dibromofluoromethane	55		ng			NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9773	50	110%		
J072913CCVA	J072913CCVA	STD	17060-07-0	1,2-Dichloroethane d4	53		ng			NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9773	50	106%		
J072913CCVA	J072913CCVA	STD	2037-26-5	Toluene d8	44		ng			NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9773	50	88%		
J072913CCVA	J072913CCVA	STD	460-00-4	Bromofluorobenzene	43		ng			NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9773	50	86%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J072913MBKA	J072913MBKA	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	5	0.29	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9774				
J072913MBKA	J072913MBKA	ORG	74-87-3	Chloromethane		U	ug/L	5	0.43	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9774				
J072913MBKA	J072913MBKA	ORG	75-01-4	Vinyl chloride		U	ug/L	2	0.32	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9774				
J072913MBKA	J072913MBKA	ORG	74-83-9	Bromomethane		U	ug/L	5	0.50	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9774				
J072913MBKA	J072913MBKA	ORG	75-00-3	Chloroethane		U	ug/L	5	0.56	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9774				
J072913MBKA	J072913MBKA	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	5	0.20	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9774				
J072913MBKA	J072913MBKA	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	1	0.47	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9774				
J072913MBKA	J072913MBKA	ORG	75-09-2	Methylene chloride		U	ug/L	5	0.26	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9774				
J072913MBKA	J072913MBKA	ORG	67-64-1	Acetone		U	ug/L	10	1.56	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9774				
J072913MBKA	J072913MBKA	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	1	0.56	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9774				
J072913MBKA	J072913MBKA	ORG	1634-04-4	MTBE		U	ug/L	5	0.61	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9774				
J072913MBKA	J072913MBKA	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	1	0.53	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9774				
J072913MBKA	J072913MBKA	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	1	0.32	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9774				
J072913MBKA	J072913MBKA	ORG	74-97-5	Bromochloromethane		U	ug/L	10	0.81	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9774				
J072913MBKA	J072913MBKA	ORG	67-66-3	Chloroform		U	ug/L	2	0.41	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9774				
J072913MBKA	J072913MBKA	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	1	0.16	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9774				
J072913MBKA	J072913MBKA	ORG	78-93-3	2-Butanone		U	ug/L	1	0.17	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9774				
J072913MBKA	J072913MBKA	ORG	56-23-5	Carbon tetrachloride		U	ug/L	1	0.28	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9774				
J072913MBKA	J072913MBKA	ORG	71-43-2	Benzene		U	ug/L	1	0.14	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9774				
J072913MBKA	J072913MBKA	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	1	0.20	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9774				
J072913MBKA	J072913MBKA	ORG	79-01-6	Trichloroethene		U	ug/L	1	0.36	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9774				
J072913MBKA	J072913MBKA	ORG	74-95-3	Dibromomethane		U	ug/L	2	0.32	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9774				
J072913MBKA	J072913MBKA	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	1	0.18	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9774				
J072913MBKA	J072913MBKA	ORG	75-27-4	Bromodichloromethane		U	ug/L	2	0.12	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9774				
J072913MBKA	J072913MBKA	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	1	0.25	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9774				
J072913MBKA	J072913MBKA	ORG	108-88-3	Toluene		U	ug/L	5	0.74	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9774				
J072913MBKA	J072913MBKA	ORG	108-10-1	4-Methyl-2-pentanone		U	ug/L	1	0.21	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9774				
J072913MBKA	J072913MBKA	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	1	0.31	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9774				
J072913MBKA	J072913MBKA	ORG	127-18-4	Tetrachloroethene		U	ug/L	1	0.49	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9774				
J072913MBKA	J072913MBKA	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	1	0.34	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9774				
J072913MBKA	J072913MBKA	ORG	124-48-1	Dibromochloromethane		U	ug/L	5	0.69	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9774				
J072913MBKA	J072913MBKA	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	2	0.30	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9774				
J072913MBKA	J072913MBKA	ORG	591-78-6	2-Hexanone		U	ug/L	2	0.26	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9774				
J072913MBKA	J072913MBKA	ORG	100-41-4	Ethylbenzene		U	ug/L	1	0.25	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9774				
J072913MBKA	J072913MBKA	ORG	108-90-7	Chlorobenzene		U	ug/L	1	0.28	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9774				
J072913MBKA	J072913MBKA	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	2	0.19	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9774				
J072913MBKA	J072913MBKA	ORG	XYLMP	p&m-Xylene		U	ug/L	2	0.26	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9774				
J072913MBKA	J072913MBKA	ORG	95-47-6	o-Xylene		U	ug/L	1	0.13	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9774				
J072913MBKA	J072913MBKA	ORG	100-42-5	Styrene		U	ug/L	1	0.20	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9774				
J072913MBKA	J072913MBKA	ORG	75-25-2	Bromoform		U	ug/L	2	0.47	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9774				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J072913MBKA	J072913MBKA	ORG	98-82-8	Isopropylbenzene		U	ug/L	2	0.20	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9774				
J072913MBKA	J072913MBKA	ORG	103-65-1	n-Propylbenzene		U	ug/L	2	0.27	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9774				
J072913MBKA	J072913MBKA	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	2	0.29	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9774				
J072913MBKA	J072913MBKA	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	2	0.29	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9774				
J072913MBKA	J072913MBKA	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	2	0.20	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9774				
J072913MBKA	J072913MBKA	ORG	98-06-6	tert-Butylbenzene		U	ug/L	2	0.33	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9774				
J072913MBKA	J072913MBKA	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	2	0.20	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9774				
J072913MBKA	J072913MBKA	ORG	135-98-8	sec-Butylbenzene		U	ug/L	2	0.32	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9774				
J072913MBKA	J072913MBKA	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	2	0.22	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9774				
J072913MBKA	J072913MBKA	ORG	99-87-6	p-Isopropltoluene		U	ug/L	2	0.25	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9774				
J072913MBKA	J072913MBKA	ORG	106-46-7	1,4-Dichlorobenzene		U	ug/L	2	0.33	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9774				
J072913MBKA	J072913MBKA	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	2	0.26	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9774				
J072913MBKA	J072913MBKA	ORG	104-51-8	n-Butylbenzene		U	ug/L	5	0.28	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9774				
J072913MBKA	J072913MBKA	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	5	1.59	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9774				
J072913MBKA	J072913MBKA	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	5	0.65	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9774				
J072913MBKA	J072913MBKA	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	5	0.28	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9774				
J072913MBKA	J072913MBKA	ORG	91-20-3	Naphthalene		U	ug/L	5	0.56	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9774				
J072913MBKA	J072913MBKA	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	5	0.23	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9774				
J072913MBKA	J072913MBKA	STD	1868-53-7	Dibromofluoromethane	55		ng			NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9774	50	110%		
J072913MBKA	J072913MBKA	STD	17060-07-0	1,2-Dichloroethane d4	58		ng			NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9774	50	116%		
J072913MBKA	J072913MBKA	STD	2037-26-5	Toluene d8	44		ng			NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9774	50	88%		
J072913MBKA	J072913MBKA	STD	460-00-4	Bromofluorobenzene	44		ng			NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9774	50	88%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J072913ALCS	J072913ALCS	ORG	75-71-8	Dichlorodifluoromethane	39		ug/L	5	0.29	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9777	50	78%		
J072913ALCS	J072913ALCS	ORG	74-87-3	Chloromethane	28		ug/L	5	0.43	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9777	50	56%		
J072913ALCS	J072913ALCS	ORG	75-01-4	Vinyl chloride	39		ug/L	2	0.32	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9777	50	78%		
J072913ALCS	J072913ALCS	ORG	74-83-9	Bromomethane	80		ug/L	5	0.50	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9777	50	160%		
J072913ALCS	J072913ALCS	ORG	75-00-3	Chloroethane	83		ug/L	5	0.56	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9777	50	166%		
J072913ALCS	J072913ALCS	ORG	75-69-4	Trichlorofluoromethane	62		ug/L	5	0.20	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9777	50	124%		
J072913ALCS	J072913ALCS	ORG	75-35-4	1,1-Dichloroethene	61		ug/L	1	0.47	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9777	50	122%		
J072913ALCS	J072913ALCS	ORG	75-09-2	Methylene chloride	60		ug/L	5	0.26	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9777	50	120%		
J072913ALCS	J072913ALCS	ORG	67-64-1	Acetone	57		ug/L	10	1.56	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9777	50	114%		
J072913ALCS	J072913ALCS	ORG	156-60-5	trans-1,2-Dichloroethene	64		ug/L	1	0.56	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9777	50	128%		
J072913ALCS	J072913ALCS	ORG	1634-04-4	MTBE	67		ug/L	5	0.61	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9777	50	134%		
J072913ALCS	J072913ALCS	ORG	75-34-3	1,1-Dichloroethane	55		ug/L	1	0.53	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9777	50	110%		
J072913ALCS	J072913ALCS	ORG	156-59-2	cis-1,2-Dichloroethene	58		ug/L	1	0.32	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9777	50	116%		
J072913ALCS	J072913ALCS	ORG	74-97-5	Bromochloromethane	62		ug/L	10	0.81	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9777	50	124%		
J072913ALCS	J072913ALCS	ORG	67-66-3	Chloroform	59		ug/L	2	0.41	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9777	50	118%		
J072913ALCS	J072913ALCS	ORG	71-55-6	1,1,1-Trichloroethane	63		ug/L	1	0.16	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9777	50	126%		
J072913ALCS	J072913ALCS	ORG	78-93-3	2-Butanone	48		ug/L	1	0.17	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9777	50	96%		
J072913ALCS	J072913ALCS	ORG	56-23-5	Carbon tetrachloride	63		ug/L	1	0.28	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9777	50	126%		
J072913ALCS	J072913ALCS	ORG	71-43-2	Benzene	48		ug/L	1	0.14	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9777	50	96%		
J072913ALCS	J072913ALCS	ORG	107-06-2	1,2-Dichloroethane	62		ug/L	1	0.20	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9777	50	124%		
J072913ALCS	J072913ALCS	ORG	79-01-6	Trichloroethene	59		ug/L	1	0.36	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9777	50	118%		
J072913ALCS	J072913ALCS	ORG	74-95-3	Dibromomethane	59		ug/L	2	0.32	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9777	50	118%		
J072913ALCS	J072913ALCS	ORG	78-87-5	1,2-Dichloropropane	43		ug/L	1	0.18	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9777	50	86%		
J072913ALCS	J072913ALCS	ORG	75-27-4	Bromodichloromethane	50		ug/L	2	0.12	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9777	50	100%		
J072913ALCS	J072913ALCS	ORG	10061-01-5	cis-1,3-Dichloropropene	46		ug/L	1	0.25	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9777	50	92%		
J072913ALCS	J072913ALCS	ORG	108-88-3	Toluene	46		ug/L	5	0.74	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9777	50	92%		
J072913ALCS	J072913ALCS	ORG	108-10-1	4-Methyl-2-pentanone	42		ug/L	1	0.21	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9777	50	84%		
J072913ALCS	J072913ALCS	ORG	10061-02-6	trans-1,3-Dichloropropene	50		ug/L	1	0.31	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9777	50	100%		
J072913ALCS	J072913ALCS	ORG	127-18-4	Tetrachloroethene	48		ug/L	1	0.49	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9777	50	96%		
J072913ALCS	J072913ALCS	ORG	79-00-5	1,1,2-Trichloroethane	46		ug/L	1	0.34	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9777	50	92%		
J072913ALCS	J072913ALCS	ORG	124-48-1	Dibromochloromethane	57		ug/L	5	0.69	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9777	50	114%		
J072913ALCS	J072913ALCS	ORG	106-93-4	1,2-Dibromoethane	54		ug/L	2	0.30	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9777	50	108%		
J072913ALCS	J072913ALCS	ORG	591-78-6	2-Hexanone	48		ug/L	2	0.26	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9777	50	96%		
J072913ALCS	J072913ALCS	ORG	100-41-4	Ethylbenzene	41		ug/L	1	0.25	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9777	50	82%		
J072913ALCS	J072913ALCS	ORG	108-90-7	Chlorobenzene	43		ug/L	1	0.28	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9777	50	86%		
J072913ALCS	J072913ALCS	ORG	630-20-6	1,1,1,2-Tetrachloroethane	46		ug/L	2	0.19	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9777	50	92%		
J072913ALCS	J072913ALCS	ORG	XYLMP	p&m-Xylene	84		ug/L	2	0.26	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9777	100	84%		
J072913ALCS	J072913ALCS	ORG	95-47-6	o-Xylene	42		ug/L	1	0.13	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9777	50	84%		
J072913ALCS	J072913ALCS	ORG	100-42-5	Styrene	41		ug/L	1	0.20	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9777	50	82%		
J072913ALCS	J072913ALCS	ORG	75-25-2	Bromoform	52		ug/L	2	0.47	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9777	50	104%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J072913ALCS	J072913ALCS	ORG	98-82-8	Isopropylbenzene	43		ug/L	2	0.20	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9777	50	86%		
J072913ALCS	J072913ALCS	ORG	103-65-1	n-Propylbenzene	42		ug/L	2	0.27	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9777	50	84%		
J072913ALCS	J072913ALCS	ORG	79-34-5	1,1,2,2-Tetrachloroethane	46		ug/L	2	0.29	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9777	50	92%		
J072913ALCS	J072913ALCS	ORG	96-18-4	1,2,3-Trichloropropane	46		ug/L	2	0.29	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9777	50	92%		
J072913ALCS	J072913ALCS	ORG	108-67-8	1,3,5-Trimethylbenzene	44		ug/L	2	0.20	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9777	50	88%		
J072913ALCS	J072913ALCS	ORG	98-06-6	tert-Butylbenzene	45		ug/L	2	0.33	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9777	50	90%		
J072913ALCS	J072913ALCS	ORG	95-63-6	1,2,4-Trimethylbenzene	45		ug/L	2	0.20	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9777	50	90%		
J072913ALCS	J072913ALCS	ORG	135-98-8	sec-Butylbenzene	45		ug/L	2	0.32	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9777	50	90%		
J072913ALCS	J072913ALCS	ORG	541-73-1	1,3-Dichlorobenzene	50		ug/L	2	0.22	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9777	50	100%		
J072913ALCS	J072913ALCS	ORG	99-87-6	p-Isopropltoluene	47		ug/L	2	0.25	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9777	50	94%		
J072913ALCS	J072913ALCS	ORG	106-46-7	1,4-Dichlorobenzene	49		ug/L	2	0.33	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9777	50	98%		
J072913ALCS	J072913ALCS	ORG	95-50-1	1,2-Dichlorobenzene	52		ug/L	2	0.26	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9777	50	104%		
J072913ALCS	J072913ALCS	ORG	104-51-8	n-Butylbenzene	44		ug/L	5	0.28	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9777	50	88%		
J072913ALCS	J072913ALCS	ORG	96-12-8	1,2-Dibromo-3-chloropropane	52		ug/L	5	1.59	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9777	50	104%		
J072913ALCS	J072913ALCS	ORG	87-68-3	Hexachlorobutadiene	46		ug/L	5	0.65	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9777	50	92%		
J072913ALCS	J072913ALCS	ORG	120-82-1	1,2,4-Trichlorobenzene	50		ug/L	5	0.28	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9777	50	100%		
J072913ALCS	J072913ALCS	ORG	91-20-3	Naphthalene	51		ug/L	5	0.56	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9777	50	102%		
J072913ALCS	J072913ALCS	ORG	87-61-6	1,2,3-Trichlorobenzene	49		ug/L	5	0.23	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9777	50	98%		
J072913ALCS	J072913ALCS	STD	1868-53-7	Dibromofluoromethane	55		ng			NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9777	50	110%		
J072913ALCS	J072913ALCS	STD	17060-07-0	1,2-Dichloroethane d4	55		ng			NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9777	50	110%		
J072913ALCS	J072913ALCS	STD	2037-26-5	Toluene d8	44		ng			NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9777	50	88%		
J072913ALCS	J072913ALCS	STD	460-00-4	Bromofluorobenzene	43		ng			NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9777	50	86%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J072913ALCD	J072913ALCD	ORG	75-71-8	Dichlorodifluoromethane	37		ug/L	5	0.29	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9778	50	74%	5%	
J072913ALCD	J072913ALCD	ORG	74-87-3	Chloromethane	28		ug/L	5	0.43	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9778	50	56%	0%	
J072913ALCD	J072913ALCD	ORG	75-01-4	Vinyl chloride	38		ug/L	2	0.32	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9778	50	76%	3%	
J072913ALCD	J072913ALCD	ORG	74-83-9	Bromomethane	84		ug/L	5	0.50	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9778	50	168%	5%	
J072913ALCD	J072913ALCD	ORG	75-00-3	Chloroethane	85		ug/L	5	0.56	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9778	50	170%	2%	
J072913ALCD	J072913ALCD	ORG	75-69-4	Trichlorofluoromethane	61		ug/L	5	0.20	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9778	50	122%	2%	
J072913ALCD	J072913ALCD	ORG	75-35-4	1,1-Dichloroethene	64		ug/L	1	0.47	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9778	50	128%	5%	
J072913ALCD	J072913ALCD	ORG	75-09-2	Methylene chloride	63		ug/L	5	0.26	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9778	50	126%	5%	
J072913ALCD	J072913ALCD	ORG	67-64-1	Acetone	57		ug/L	10	1.56	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9778	50	114%	0%	
J072913ALCD	J072913ALCD	ORG	156-60-5	trans-1,2-Dichloroethene	66		ug/L	1	0.56	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9778	50	132%	3%	
J072913ALCD	J072913ALCD	ORG	1634-04-4	MTBE	67		ug/L	5	0.61	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9778	50	134%	0%	
J072913ALCD	J072913ALCD	ORG	75-34-3	1,1-Dichloroethane	59		ug/L	1	0.53	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9778	50	118%	7%	
J072913ALCD	J072913ALCD	ORG	156-59-2	cis-1,2-Dichloroethene	60		ug/L	1	0.32	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9778	50	120%	3%	
J072913ALCD	J072913ALCD	ORG	74-97-5	Bromochloromethane	67		ug/L	10	0.81	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9778	50	134%	8%	
J072913ALCD	J072913ALCD	ORG	67-66-3	Chloroform	62		ug/L	2	0.41	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9778	50	124%	5%	
J072913ALCD	J072913ALCD	ORG	71-55-6	1,1,1-Trichloroethane	66		ug/L	1	0.16	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9778	50	132%	5%	
J072913ALCD	J072913ALCD	ORG	78-93-3	2-Butanone	48		ug/L	1	0.17	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9778	50	96%	0%	
J072913ALCD	J072913ALCD	ORG	56-23-5	Carbon tetrachloride	67		ug/L	1	0.28	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9778	50	134%	6%	
J072913ALCD	J072913ALCD	ORG	71-43-2	Benzene	52		ug/L	1	0.14	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9778	50	104%	8%	
J072913ALCD	J072913ALCD	ORG	107-06-2	1,2-Dichloroethane	66		ug/L	1	0.20	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9778	50	132%	6%	
J072913ALCD	J072913ALCD	ORG	79-01-6	Trichloroethene	62		ug/L	1	0.36	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9778	50	124%	5%	
J072913ALCD	J072913ALCD	ORG	74-95-3	Dibromomethane	62		ug/L	2	0.32	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9778	50	124%	5%	
J072913ALCD	J072913ALCD	ORG	78-87-5	1,2-Dichloropropane	46		ug/L	1	0.18	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9778	50	92%	7%	
J072913ALCD	J072913ALCD	ORG	75-27-4	Bromodichloromethane	53		ug/L	2	0.12	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9778	50	106%	6%	
J072913ALCD	J072913ALCD	ORG	10061-01-5	cis-1,3-Dichloropropene	46		ug/L	1	0.25	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9778	50	92%	0%	
J072913ALCD	J072913ALCD	ORG	108-88-3	Toluene	47		ug/L	5	0.74	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9778	50	94%	2%	
J072913ALCD	J072913ALCD	ORG	108-10-1	4-Methyl-2-pentanone	42		ug/L	1	0.21	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9778	50	84%	0%	
J072913ALCD	J072913ALCD	ORG	10061-02-6	trans-1,3-Dichloropropene	52		ug/L	1	0.31	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9778	50	104%	4%	
J072913ALCD	J072913ALCD	ORG	127-18-4	Tetrachloroethene	52		ug/L	1	0.49	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9778	50	104%	8%	
J072913ALCD	J072913ALCD	ORG	79-00-5	1,1,2-Trichloroethane	49		ug/L	1	0.34	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9778	50	98%	6%	
J072913ALCD	J072913ALCD	ORG	124-48-1	Dibromochloromethane	60		ug/L	5	0.69	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9778	50	120%	5%	
J072913ALCD	J072913ALCD	ORG	106-93-4	1,2-Dibromoethane	57		ug/L	2	0.30	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9778	50	114%	5%	
J072913ALCD	J072913ALCD	ORG	591-78-6	2-Hexanone	47		ug/L	2	0.26	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9778	50	94%	2%	
J072913ALCD	J072913ALCD	ORG	100-41-4	Ethylbenzene	44		ug/L	1	0.25	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9778	50	88%	7%	
J072913ALCD	J072913ALCD	ORG	108-90-7	Chlorobenzene	47		ug/L	1	0.28	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9778	50	94%	9%	
J072913ALCD	J072913ALCD	ORG	630-20-6	1,1,1,2-Tetrachloroethane	50		ug/L	2	0.19	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9778	50	100%	8%	
J072913ALCD	J072913ALCD	ORG	XYLMP	p&m-Xylene	90		ug/L	2	0.26	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9778	100	90%	7%	
J072913ALCD	J072913ALCD	ORG	95-47-6	o-Xylene	46		ug/L	1	0.13	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9778	50	92%	9%	
J072913ALCD	J072913ALCD	ORG	100-42-5	Styrene	45		ug/L	1	0.20	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9778	50	90%	9%	
J072913ALCD	J072913ALCD	ORG	75-25-2	Bromoform	59		ug/L	2	0.47	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9778	50	118%	13%	

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J072913ALCD	J072913ALCD	ORG	98-82-8	Isopropylbenzene	47		ug/L	2	0.20	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9778	50	94%	9%	
J072913ALCD	J072913ALCD	ORG	103-65-1	n-Propylbenzene	46		ug/L	2	0.27	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9778	50	92%	9%	
J072913ALCD	J072913ALCD	ORG	79-34-5	1,1,2,2-Tetrachloroethane	50		ug/L	2	0.29	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9778	50	100%	8%	
J072913ALCD	J072913ALCD	ORG	96-18-4	1,2,3-Trichloropropane	50		ug/L	2	0.29	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9778	50	100%	8%	
J072913ALCD	J072913ALCD	ORG	108-67-8	1,3,5-Trimethylbenzene	49		ug/L	2	0.20	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9778	50	98%	11%	
J072913ALCD	J072913ALCD	ORG	98-06-6	tert-Butylbenzene	52		ug/L	2	0.33	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9778	50	104%	14%	
J072913ALCD	J072913ALCD	ORG	95-63-6	1,2,4-Trimethylbenzene	49		ug/L	2	0.20	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9778	50	98%	9%	
J072913ALCD	J072913ALCD	ORG	135-98-8	sec-Butylbenzene	49		ug/L	2	0.32	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9778	50	98%	9%	
J072913ALCD	J072913ALCD	ORG	541-73-1	1,3-Dichlorobenzene	56		ug/L	2	0.22	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9778	50	112%	11%	
J072913ALCD	J072913ALCD	ORG	99-87-6	p-Isopropltoluene	52		ug/L	2	0.25	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9778	50	104%	10%	
J072913ALCD	J072913ALCD	ORG	106-46-7	1,4-Dichlorobenzene	57		ug/L	2	0.33	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9778	50	114%	15%	
J072913ALCD	J072913ALCD	ORG	95-50-1	1,2-Dichlorobenzene	56		ug/L	2	0.26	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9778	50	112%	7%	
J072913ALCD	J072913ALCD	ORG	104-51-8	n-Butylbenzene	48		ug/L	5	0.28	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9778	50	96%	9%	
J072913ALCD	J072913ALCD	ORG	96-12-8	1,2-Dibromo-3-chloropropane	59		ug/L	5	1.59	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9778	50	118%	13%	
J072913ALCD	J072913ALCD	ORG	87-68-3	Hexachlorobutadiene	52		ug/L	5	0.65	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9778	50	104%	12%	
J072913ALCD	J072913ALCD	ORG	120-82-1	1,2,4-Trichlorobenzene	57		ug/L	5	0.28	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9778	50	114%	13%	
J072913ALCD	J072913ALCD	ORG	91-20-3	Naphthalene	57		ug/L	5	0.56	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9778	50	114%	11%	
J072913ALCD	J072913ALCD	ORG	87-61-6	1,2,3-Trichlorobenzene	56		ug/L	5	0.23	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9778	50	112%	13%	
J072913ALCD	J072913ALCD	STD	1868-53-7	Dibromofluoromethane	58		ng			NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9778	50	116%	5%	
J072913ALCD	J072913ALCD	STD	17060-07-0	1,2-Dichloroethane d4	57		ng			NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9778	50	114%	4%	
J072913ALCD	J072913ALCD	STD	2037-26-5	Toluene d8	44		ng			NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9778	50	88%	0%	
J072913ALCD	J072913ALCD	STD	460-00-4	Bromofluorobenzene	45		ng			NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9778	50	90%	5%	

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-571MS	316-026	ORG	75-71-8	Dichlorodifluoromethane	4000		ug/L	500	29.28	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9779	5000	80%		
NAL13026-571MS	316-026	ORG	74-87-3	Chloromethane	3000		ug/L	500	43.07	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9779	5000	60%		
NAL13026-571MS	316-026	ORG	75-01-4	Vinyl chloride	4200		ug/L	200	31.86	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9779	5000	84%		
NAL13026-571MS	316-026	ORG	74-83-9	Bromomethane	8300		ug/L	500	50.04	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9779	5000	166%		
NAL13026-571MS	316-026	ORG	75-00-3	Chloroethane	8900		ug/L	500	55.61	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9779	5000	178%		
NAL13026-571MS	316-026	ORG	75-69-4	Trichlorofluoromethane	6600		ug/L	500	19.65	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9779	5000	132%		
NAL13026-571MS	316-026	ORG	75-35-4	1,1-Dichloroethene	6300		ug/L	100	47.11	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9779	5000	126%		
NAL13026-571MS	316-026	ORG	75-09-2	Methylene chloride	6400		ug/L	500	26.46	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9779	5000	128%		
NAL13026-571MS	316-026	ORG	67-64-1	Acetone	48000		ug/L	1000	155.61	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9779	5000	-20%		49000
NAL13026-571MS	316-026	ORG	156-60-5	trans-1,2-Dichloroethene	6900		ug/L	100	55.61	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9779	5000	138%		
NAL13026-571MS	316-026	ORG	1634-04-4	MTBE	6900		ug/L	500	61.18	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9779	5000	138%		
NAL13026-571MS	316-026	ORG	75-34-3	1,1-Dichloroethane	5900		ug/L	100	52.66	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9779	5000	118%		
NAL13026-571MS	316-026	ORG	156-59-2	cis-1,2-Dichloroethene	6100		ug/L	100	32.11	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9779	5000	122%		
NAL13026-571MS	316-026	ORG	74-97-5	Bromochloromethane	6600		ug/L	1000	81.18	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9779	5000	132%		
NAL13026-571MS	316-026	ORG	67-66-3	Chloroform	6100		ug/L	200	41.37	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9779	5000	122%		
NAL13026-571MS	316-026	ORG	71-55-6	1,1,1-Trichloroethane	6700		ug/L	100	15.73	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9779	5000	134%		
NAL13026-571MS	316-026	ORG	78-93-3	2-Butanone	22000		ug/L	100	16.65	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9779	5000	20%		21000
NAL13026-571MS	316-026	ORG	56-23-5	Carbon tetrachloride	6800		ug/L	100	27.64	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9779	5000	136%		
NAL13026-571MS	316-026	ORG	71-43-2	Benzene	5200		ug/L	100	13.53	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9779	5000	103%		34
NAL13026-571MS	316-026	ORG	107-06-2	1,2-Dichloroethane	6500		ug/L	100	20.01	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9779	5000	130%		
NAL13026-571MS	316-026	ORG	79-01-6	Trichloroethene	6300		ug/L	100	36.33	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9779	5000	126%		
NAL13026-571MS	316-026	ORG	74-95-3	Dibromomethane	6100		ug/L	200	32.20	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9779	5000	122%		
NAL13026-571MS	316-026	ORG	78-87-5	1,2-Dichloropropane	4500		ug/L	100	18.17	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9779	5000	90%		
NAL13026-571MS	316-026	ORG	75-27-4	Bromodichloromethane	5100		ug/L	200	11.58	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9779	5000	102%		
NAL13026-571MS	316-026	ORG	10061-01-5	cis-1,3-Dichloropropene	4700		ug/L	100	25.01	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9779	5000	94%		
NAL13026-571MS	316-026	ORG	108-88-3	Toluene	4800		ug/L	500	74.00	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9779	5000	96%		
NAL13026-571MS	316-026	ORG	108-10-1	4-Methyl-2-pentanone	4400		ug/L	100	20.96	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9779	5000	79%		430
NAL13026-571MS	316-026	ORG	10061-02-6	trans-1,3-Dichloropropene	5100		ug/L	100	31.15	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9779	5000	102%		
NAL13026-571MS	316-026	ORG	127-18-4	Tetrachloroethene	4600		ug/L	100	48.56	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9779	5000	92%		
NAL13026-571MS	316-026	ORG	79-00-5	1,1,2-Trichloroethane	4800		ug/L	100	34.28	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9779	5000	96%		
NAL13026-571MS	316-026	ORG	124-48-1	Dibromochloromethane	5900		ug/L	500	68.90	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9779	5000	118%		
NAL13026-571MS	316-026	ORG	106-93-4	1,2-Dibromoethane	5500		ug/L	200	29.90	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9779	5000	110%		
NAL13026-571MS	316-026	ORG	591-78-6	2-Hexanone	3900		ug/L	200	26.49	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9779	5000	78%		
NAL13026-571MS	316-026	ORG	100-41-4	Ethylbenzene	4400		ug/L	100	25.38	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9779	5000	87%		27
NAL13026-571MS	316-026	ORG	108-90-7	Chlorobenzene	4700		ug/L	100	27.52	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9779	5000	93%		28
NAL13026-571MS	316-026	ORG	630-20-6	1,1,1,2-Tetrachloroethane	4900		ug/L	200	19.28	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9779	5000	98%		
NAL13026-571MS	316-026	ORG	XYLMP	p&m-Xylene	9200		ug/L	200	26.14	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9779	10000	91%		56
NAL13026-571MS	316-026	ORG	95-47-6	o-Xylene	4500		ug/L	100	12.90	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9779	5000	89%		30
NAL13026-571MS	316-026	ORG	100-42-5	Styrene	4600		ug/L	100	20.23	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9779	5000	91%		55
NAL13026-571MS	316-026	ORG	75-25-2	Bromoform	5900		ug/L	200	46.83	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9779	5000	118%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-571MS	316-026	ORG	98-82-8	Isopropylbenzene	4900		ug/L	200	20.48	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9779	5000	97%		30
NAL13026-571MS	316-026	ORG	103-65-1	n-Propylbenzene	4700		ug/L	200	27.00	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9779	5000	93%		33
NAL13026-571MS	316-026	ORG	79-34-5	1,1,2,2-Tetrachloroethane	5000		ug/L	200	29.16	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9779	5000	100%		
NAL13026-571MS	316-026	ORG	96-18-4	1,2,3-Trichloropropane	5000		ug/L	200	29.47	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9779	5000	100%		
NAL13026-571MS	316-026	ORG	108-67-8	1,3,5-Trimethylbenzene	4900		ug/L	200	20.03	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9779	5000	97%		37
NAL13026-571MS	316-026	ORG	98-06-6	tert-Butylbenzene	5200		ug/L	200	32.61	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9779	5000	103%		33
NAL13026-571MS	316-026	ORG	95-63-6	1,2,4-Trimethylbenzene	5000		ug/L	200	20.03	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9779	5000	99%		50
NAL13026-571MS	316-026	ORG	135-98-8	sec-Butylbenzene	5000		ug/L	200	32.34	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9779	5000	99%		40
NAL13026-571MS	316-026	ORG	541-73-1	1,3-Dichlorobenzene	5400		ug/L	200	22.21	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9779	5000	107%		59
NAL13026-571MS	316-026	ORG	99-87-6	p-Isopropltoluene	5300		ug/L	200	25.48	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9779	5000	104%		82
NAL13026-571MS	316-026	ORG	106-46-7	1,4-Dichlorobenzene	5500		ug/L	200	33.03	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9779	5000	108%		88
NAL13026-571MS	316-026	ORG	95-50-1	1,2-Dichlorobenzene	5600		ug/L	200	26.38	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9779	5000	111%		53
NAL13026-571MS	316-026	ORG	104-51-8	n-Butylbenzene	4900		ug/L	500	27.81	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9779	5000	97%		46
NAL13026-571MS	316-026	ORG	96-12-8	1,2-Dibromo-3-chloropropane	5900		ug/L	500	159.11	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9779	5000	118%		
NAL13026-571MS	316-026	ORG	87-68-3	Hexachlorobutadiene	5200		ug/L	500	65.42	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9779	5000	104%		
NAL13026-571MS	316-026	ORG	120-82-1	1,2,4-Trichlorobenzene	5400		ug/L	500	27.63	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9779	5000	106%		98
NAL13026-571MS	316-026	ORG	91-20-3	Naphthalene	5700		ug/L	500	56.04	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9779	5000	109%		270
NAL13026-571MS	316-026	ORG	87-61-6	1,2,3-Trichlorobenzene	5300		ug/L	500	23.28	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9779	5000	104%		100
NAL13026-571MS	316-026	STD	1868-53-7	Dibromofluoromethane	57		ng			7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9779	50	114%		
NAL13026-571MS	316-026	STD	17060-07-0	1,2-Dichloroethane d4	55		ng			7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9779	50	110%		
NAL13026-571MS	316-026	STD	2037-26-5	Toluene d8	43		ng			7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9779	50	86%		
NAL13026-571MS	316-026	STD	460-00-4	Bromofluorobenzene	44		ng			7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9779	50	88%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-571MSD	316-026	ORG	75-71-8	Dichlorodifluoromethane	3900		ug/L	500	29.28	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9780	5000	78%	3%	0
NAL13026-571MSD	316-026	ORG	74-87-3	Chloromethane	2700		ug/L	500	43.07	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9780	5000	54%	11%	0
NAL13026-571MSD	316-026	ORG	75-01-4	Vinyl chloride	4200		ug/L	200	31.86	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9780	5000	84%	0%	0
NAL13026-571MSD	316-026	ORG	74-83-9	Bromomethane	9000		ug/L	500	50.04	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9780	5000	180%	8%	0
NAL13026-571MSD	316-026	ORG	75-00-3	Chloroethane	8900		ug/L	500	55.61	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9780	5000	178%	0%	0
NAL13026-571MSD	316-026	ORG	75-69-4	Trichlorofluoromethane	6500		ug/L	500	19.65	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9780	5000	130%	2%	0
NAL13026-571MSD	316-026	ORG	75-35-4	1,1-Dichloroethene	6500		ug/L	100	47.11	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9780	5000	130%	3%	0
NAL13026-571MSD	316-026	ORG	75-09-2	Methylene chloride	6800		ug/L	500	26.46	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9780	5000	136%	6%	0
NAL13026-571MSD	316-026	ORG	67-64-1	Acetone	47000		ug/L	1000	155.61	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9780	5000	-40%	2%	49000
NAL13026-571MSD	316-026	ORG	156-60-5	trans-1,2-Dichloroethene	7300		ug/L	100	55.61	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9780	5000	146%	6%	0
NAL13026-571MSD	316-026	ORG	1634-04-4	MTBE	7300		ug/L	500	61.18	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9780	5000	146%	6%	0
NAL13026-571MSD	316-026	ORG	75-34-3	1,1-Dichloroethane	6200		ug/L	100	52.66	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9780	5000	124%	5%	0
NAL13026-571MSD	316-026	ORG	156-59-2	cis-1,2-Dichloroethene	6500		ug/L	100	32.11	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9780	5000	130%	6%	0
NAL13026-571MSD	316-026	ORG	74-97-5	Bromochloromethane	7300		ug/L	1000	81.18	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9780	5000	146%	10%	0
NAL13026-571MSD	316-026	ORG	67-66-3	Chloroform	6400		ug/L	200	41.37	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9780	5000	128%	5%	0
NAL13026-571MSD	316-026	ORG	71-55-6	1,1,1-Trichloroethane	6900		ug/L	100	15.73	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9780	5000	138%	3%	0
NAL13026-571MSD	316-026	ORG	78-93-3	2-Butanone	23000		ug/L	100	16.65	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9780	5000	40%	4%	21000
NAL13026-571MSD	316-026	ORG	56-23-5	Carbon tetrachloride	7300		ug/L	100	27.64	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9780	5000	146%	7%	0
NAL13026-571MSD	316-026	ORG	71-43-2	Benzene	5500		ug/L	100	13.53	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9780	5000	109%	6%	34
NAL13026-571MSD	316-026	ORG	107-06-2	1,2-Dichloroethane	7100		ug/L	100	20.01	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9780	5000	142%	9%	0
NAL13026-571MSD	316-026	ORG	79-01-6	Trichloroethene	6500		ug/L	100	36.33	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9780	5000	130%	3%	0
NAL13026-571MSD	316-026	ORG	74-95-3	Dibromomethane	6600		ug/L	200	32.20	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9780	5000	132%	8%	0
NAL13026-571MSD	316-026	ORG	78-87-5	1,2-Dichloropropane	4800		ug/L	100	18.17	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9780	5000	96%	6%	0
NAL13026-571MSD	316-026	ORG	75-27-4	Bromodichloromethane	5300		ug/L	200	11.58	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9780	5000	106%	4%	0
NAL13026-571MSD	316-026	ORG	10061-01-5	cis-1,3-Dichloropropene	4800		ug/L	100	25.01	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9780	5000	96%	2%	0
NAL13026-571MSD	316-026	ORG	108-88-3	Toluene	4900		ug/L	500	74.00	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9780	5000	98%	2%	0
NAL13026-571MSD	316-026	ORG	108-10-1	4-Methyl-2-pentanone	4200		ug/L	100	20.96	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9780	5000	75%	5%	430
NAL13026-571MSD	316-026	ORG	10061-02-6	trans-1,3-Dichloropropene	5300		ug/L	100	31.15	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9780	5000	106%	4%	0
NAL13026-571MSD	316-026	ORG	127-18-4	Tetrachloroethene	4700		ug/L	100	48.56	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9780	5000	94%	2%	0
NAL13026-571MSD	316-026	ORG	79-00-5	1,1,2-Trichloroethane	5000		ug/L	100	34.28	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9780	5000	100%	4%	0
NAL13026-571MSD	316-026	ORG	124-48-1	Dibromochloromethane	6200		ug/L	500	68.90	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9780	5000	124%	5%	0
NAL13026-571MSD	316-026	ORG	106-93-4	1,2-Dibromoethane	5700		ug/L	200	29.90	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9780	5000	114%	4%	0
NAL13026-571MSD	316-026	ORG	591-78-6	2-Hexanone	3800		ug/L	200	26.49	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9780	5000	76%	3%	0
NAL13026-571MSD	316-026	ORG	100-41-4	Ethylbenzene	4500		ug/L	100	25.38	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9780	5000	89%	2%	27
NAL13026-571MSD	316-026	ORG	108-90-7	Chlorobenzene	4700		ug/L	100	27.52	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9780	5000	93%	0%	28
NAL13026-571MSD	316-026	ORG	630-20-6	1,1,1,2-Tetrachloroethane	5000		ug/L	200	19.28	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9780	5000	100%	2%	0
NAL13026-571MSD	316-026	ORG	XYLMP	p&m-Xylene	9100		ug/L	200	26.14	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9780	10000	90%	1%	56
NAL13026-571MSD	316-026	ORG	95-47-6	o-Xylene	4800		ug/L	100	12.90	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9780	5000	95%	6%	30
NAL13026-571MSD	316-026	ORG	100-42-5	Styrene	4700		ug/L	100	20.23	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9780	5000	93%	2%	55
NAL13026-571MSD	316-026	ORG	75-25-2	Bromoform	6100		ug/L	200	46.83	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9780	5000	122%	3%	0

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-571MSD	316-026	ORG	98-82-8	Isopropylbenzene	5000		ug/L	200	20.48	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9780	5000	99%	2%	30
NAL13026-571MSD	316-026	ORG	103-65-1	n-Propylbenzene	4700		ug/L	200	27.00	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9780	5000	93%	0%	33
NAL13026-571MSD	316-026	ORG	79-34-5	1,1,2,2-Tetrachloroethane	5300		ug/L	200	29.16	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9780	5000	106%	6%	0
NAL13026-571MSD	316-026	ORG	96-18-4	1,2,3-Trichloropropane	5100		ug/L	200	29.47	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9780	5000	102%	2%	0
NAL13026-571MSD	316-026	ORG	108-67-8	1,3,5-Trimethylbenzene	5000		ug/L	200	20.03	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9780	5000	99%	2%	37
NAL13026-571MSD	316-026	ORG	98-06-6	tert-Butylbenzene	5200		ug/L	200	32.61	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9780	5000	103%	0%	33
NAL13026-571MSD	316-026	ORG	95-63-6	1,2,4-Trimethylbenzene	5000		ug/L	200	20.03	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9780	5000	99%	0%	50
NAL13026-571MSD	316-026	ORG	135-98-8	sec-Butylbenzene	5100		ug/L	200	32.34	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9780	5000	101%	2%	40
NAL13026-571MSD	316-026	ORG	541-73-1	1,3-Dichlorobenzene	5500		ug/L	200	22.21	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9780	5000	109%	2%	59
NAL13026-571MSD	316-026	ORG	99-87-6	p-Isopropltoluene	5400		ug/L	200	25.48	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9780	5000	106%	2%	82
NAL13026-571MSD	316-026	ORG	106-46-7	1,4-Dichlorobenzene	5700		ug/L	200	33.03	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9780	5000	112%	4%	88
NAL13026-571MSD	316-026	ORG	95-50-1	1,2-Dichlorobenzene	5700		ug/L	200	26.38	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9780	5000	113%	2%	53
NAL13026-571MSD	316-026	ORG	104-51-8	n-Butylbenzene	5000		ug/L	500	27.81	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9780	5000	99%	2%	46
NAL13026-571MSD	316-026	ORG	96-12-8	1,2-Dibromo-3-chloropropane	5900		ug/L	500	159.11	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9780	5000	118%	0%	0
NAL13026-571MSD	316-026	ORG	87-68-3	Hexachlorobutadiene	5200		ug/L	500	65.42	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9780	5000	104%	0%	0
NAL13026-571MSD	316-026	ORG	120-82-1	1,2,4-Trichlorobenzene	5500		ug/L	500	27.63	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9780	5000	108%	2%	98
NAL13026-571MSD	316-026	ORG	91-20-3	Naphthalene	5900		ug/L	500	56.04	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9780	5000	113%	3%	270
NAL13026-571MSD	316-026	ORG	87-61-6	1,2,3-Trichlorobenzene	5600		ug/L	500	23.28	7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9780	5000	110%	6%	100
NAL13026-571MSD	316-026	STD	1868-53-7	Dibromofluoromethane	57		ng			7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9780	50	114%	0%	0
NAL13026-571MSD	316-026	STD	17060-07-0	1,2-Dichloroethane d4	56		ng			7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9780	50	112%	2%	0
NAL13026-571MSD	316-026	STD	2037-26-5	Toluene d8	43		ng			7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9780	50	86%	0%	0
NAL13026-571MSD	316-026	STD	460-00-4	Bromofluorobenzene	45		ng			7/29/2013	7/29/2013	7/29/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9780	50	90%	2%	0

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-572	316-027	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9798				
NAL13026-572	316-027	ORG	74-87-3	Chloromethane		U	ug/L	500	43.07	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9798				
NAL13026-572	316-027	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9798				
NAL13026-572	316-027	ORG	74-83-9	Bromomethane		UX-	ug/L	500	50.04	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9798				
NAL13026-572	316-027	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9798				
NAL13026-572	316-027	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9798				
NAL13026-572	316-027	ORG	75-35-4	1,1-Dichloroethene		UX-	ug/L	100	47.11	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9798				
NAL13026-572	316-027	ORG	75-09-2	Methylene chloride		UX-	ug/L	500	26.46	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9798				
NAL13026-572	316-027	ORG	67-64-1	Acetone	53000	DX-	ug/L	10000	1556.07	7/30/2013	7/30/2013	7/30/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9799				
NAL13026-572	316-027	ORG	156-60-5	trans-1,2-Dichloroethene		UX-	ug/L	100	55.61	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9798				
NAL13026-572	316-027	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9798				
NAL13026-572	316-027	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9798				
NAL13026-572	316-027	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9798				
NAL13026-572	316-027	ORG	74-97-5	Bromochloromethane		U	ug/L	200	41.37	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9798				
NAL13026-572	316-027	ORG	67-66-3	Chloroform		U	ug/L	100	15.73	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9798				
NAL13026-572	316-027	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	16.65	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9798				
NAL13026-572	316-027	ORG	78-93-3	2-Butanone	36000	D	ug/L	10000	811.80	7/30/2013	7/30/2013	7/30/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ0799				
NAL13026-572	316-027	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9798				
NAL13026-572	316-027	ORG	71-43-2	Benzene	25	J	ug/L	100	13.53	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9798				
NAL13026-572	316-027	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9798				
NAL13026-572	316-027	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9798				
NAL13026-572	316-027	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9798				
NAL13026-572	316-027	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9798				
NAL13026-572	316-027	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9798				
NAL13026-572	316-027	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9798				
NAL13026-572	316-027	ORG	108-88-3	Toluene		U	ug/L	100	20.96	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9798				
NAL13026-572	316-027	ORG	108-10-1	4-Methyl-2-pentanone	950		ug/L	500	74.00	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9798				
NAL13026-572	316-027	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9798				
NAL13026-572	316-027	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9798				
NAL13026-572	316-027	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9798				
NAL13026-572	316-027	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	29.90	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9798				
NAL13026-572	316-027	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	26.49	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9798				
NAL13026-572	316-027	ORG	591-78-6	2-Hexanone	360	J	ug/L	500	68.90	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9798				
NAL13026-572	316-027	ORG	100-41-4	Ethylbenzene		U	ug/L	100	25.38	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9798				
NAL13026-572	316-027	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9798				
NAL13026-572	316-027	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9798				
NAL13026-572	316-027	ORG	XYLMP	p&m-Xylene		U	ug/L	200	26.14	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9798				
NAL13026-572	316-027	ORG	95-47-6	o-Xylene		U	ug/L	100	12.90	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9798				
NAL13026-572	316-027	ORG	100-42-5	Styrene		U	ug/L	100	20.23	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9798				
NAL13026-572	316-027	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9798				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-572	316-027	ORG	98-82-8	Isopropylbenzene		U	ug/L	200	20.48	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9798				
NAL13026-572	316-027	ORG	103-65-1	n-Propylbenzene		U	ug/L	200	27.00	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9798				
NAL13026-572	316-027	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9798				
NAL13026-572	316-027	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9798				
NAL13026-572	316-027	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	200	20.03	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9798				
NAL13026-572	316-027	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9798				
NAL13026-572	316-027	ORG	95-63-6	1,2,4-Trimethylbenzene	35	J	ug/L	200	20.03	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9798				
NAL13026-572	316-027	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9798				
NAL13026-572	316-027	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9798				
NAL13026-572	316-027	ORG	99-87-6	p-Isopropltoluene	98	J	ug/L	200	25.48	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9798				
NAL13026-572	316-027	ORG	106-46-7	1,4-Dichlorobenzene		U	ug/L	200	33.03	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9798				
NAL13026-572	316-027	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9798				
NAL13026-572	316-027	ORG	104-51-8	n-Butylbenzene		U	ug/L	500	27.81	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9798				
NAL13026-572	316-027	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9798				
NAL13026-572	316-027	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9798				
NAL13026-572	316-027	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9798				
NAL13026-572	316-027	ORG	91-20-3	Naphthalene	270	J	ug/L	500	56.04	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9798				
NAL13026-572	316-027	ORG	87-61-6	1,2,3-Trichlorobenzene	69	J	ug/L	500	23.28	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9798				
NAL13026-572	316-027	STD	1868-53-7	Dibromofluoromethane	50		ng			7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9798	50	100%		
NAL13026-572	316-027	STD	17060-07-0	1,2-Dichloroethane d4	49		ng			7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9798	50	98%		
NAL13026-572	316-027	STD	2037-26-5	Toluene d8	49		ng			7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9798	50	98%		
NAL13026-572	316-027	STD	460-00-4	Bromofluorobenzene	46		ng			7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9798	50	92%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J072913ICVB	J072913ICVB	ORG	75-71-8	Dichlorodifluoromethane	40		ug/L	5	0.29	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9796	50	80%		
J072913ICVB	J072913ICVB	ORG	74-87-3	Chloromethane	45		ug/L	5	0.43	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9796	50	90%		
J072913ICVB	J072913ICVB	ORG	75-01-4	Vinyl chloride	49		ug/L	2	0.32	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9796	50	98%		
J072913ICVB	J072913ICVB	ORG	74-83-9	Bromomethane	33		ug/L	5	0.50	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9796	50	66%		
J072913ICVB	J072913ICVB	ORG	75-00-3	Chloroethane	45		ug/L	5	0.56	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9796	50	90%		
J072913ICVB	J072913ICVB	ORG	75-69-4	Trichlorofluoromethane	58		ug/L	5	0.20	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9796	50	116%		
J072913ICVB	J072913ICVB	ORG	75-35-4	1,1-Dichloroethene	17		ug/L	1	0.47	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9796	50	34%		
J072913ICVB	J072913ICVB	ORG	75-09-2	Methylene chloride	33		ug/L	5	0.26	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9796	50	66%		
J072913ICVB	J072913ICVB	ORG	67-64-1	Acetone	22		ug/L	10	1.56	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9796	50	44%		
J072913ICVB	J072913ICVB	ORG	156-60-5	trans-1,2-Dichloroethene	28		ug/L	1	0.56	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9796	50	56%		
J072913ICVB	J072913ICVB	ORG	1634-04-4	MTBE	43		ug/L	5	0.61	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9796	50	86%		
J072913ICVB	J072913ICVB	ORG	75-34-3	1,1-Dichloroethane	38		ug/L	1	0.53	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9796	50	76%		
J072913ICVB	J072913ICVB	ORG	156-59-2	cis-1,2-Dichloroethene	41		ug/L	1	0.32	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9796	50	82%		
J072913ICVB	J072913ICVB	ORG	74-97-5	Bromochloromethane	43		ug/L	10	0.81	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9796	50	86%		
J072913ICVB	J072913ICVB	ORG	67-66-3	Chloroform	46		ug/L	2	0.41	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9796	50	92%		
J072913ICVB	J072913ICVB	ORG	71-55-6	1,1,1-Trichloroethane	42		ug/L	1	0.16	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9796	50	84%		
J072913ICVB	J072913ICVB	ORG	78-93-3	2-Butanone	37		ug/L	1	0.17	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9796	50	74%		
J072913ICVB	J072913ICVB	ORG	56-23-5	Carbon tetrachloride	41		ug/L	1	0.28	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9796	50	82%		
J072913ICVB	J072913ICVB	ORG	71-43-2	Benzene	39		ug/L	1	0.14	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9796	50	78%		
J072913ICVB	J072913ICVB	ORG	107-06-2	1,2-Dichloroethane	46		ug/L	1	0.20	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9796	50	92%		
J072913ICVB	J072913ICVB	ORG	79-01-6	Trichloroethene	48		ug/L	1	0.36	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9796	50	96%		
J072913ICVB	J072913ICVB	ORG	74-95-3	Dibromomethane	50		ug/L	2	0.32	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9796	50	100%		
J072913ICVB	J072913ICVB	ORG	78-87-5	1,2-Dichloropropane	47		ug/L	1	0.18	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9796	50	94%		
J072913ICVB	J072913ICVB	ORG	75-27-4	Bromodichloromethane	52		ug/L	2	0.12	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9796	50	104%		
J072913ICVB	J072913ICVB	ORG	10061-01-5	cis-1,3-Dichloropropene	51		ug/L	1	0.25	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9796	50	102%		
J072913ICVB	J072913ICVB	ORG	108-88-3	Toluene	46		ug/L	5	0.74	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9796	50	92%		
J072913ICVB	J072913ICVB	ORG	108-10-1	4-Methyl-2-pentanone	55		ug/L	1	0.21	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9796	50	110%		
J072913ICVB	J072913ICVB	ORG	10061-02-6	trans-1,3-Dichloropropene	49		ug/L	1	0.31	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9796	50	98%		
J072913ICVB	J072913ICVB	ORG	127-18-4	Tetrachloroethene	52		ug/L	1	0.49	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9796	50	104%		
J072913ICVB	J072913ICVB	ORG	79-00-5	1,1,2-Trichloroethane	49		ug/L	1	0.34	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9796	50	98%		
J072913ICVB	J072913ICVB	ORG	124-48-1	Dibromochloromethane	55		ug/L	5	0.69	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9796	50	110%		
J072913ICVB	J072913ICVB	ORG	106-93-4	1,2-Dibromoethane	51		ug/L	2	0.30	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9796	50	102%		
J072913ICVB	J072913ICVB	ORG	591-78-6	2-Hexanone	36		ug/L	2	0.26	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9796	50	72%		
J072913ICVB	J072913ICVB	ORG	100-41-4	Ethylbenzene	53		ug/L	1	0.25	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9796	50	106%		
J072913ICVB	J072913ICVB	ORG	108-90-7	Chlorobenzene	48		ug/L	1	0.28	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9796	50	96%		
J072913ICVB	J072913ICVB	ORG	630-20-6	1,1,1,2-Tetrachloroethane	54		ug/L	2	0.19	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9796	50	108%		
J072913ICVB	J072913ICVB	ORG	XYLMP	p&m-Xylene	101		ug/L	2	0.26	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9796	100	101%		
J072913ICVB	J072913ICVB	ORG	95-47-6	o-Xylene	46		ug/L	1	0.13	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9796	50	92%		
J072913ICVB	J072913ICVB	ORG	100-42-5	Styrene	69		ug/L	1	0.20	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9796	50	138%		
J072913ICVB	J072913ICVB	ORG	75-25-2	Bromoform	59		ug/L	2	0.47	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9796	50	118%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J072913ICVB	J072913ICVB	ORG	98-82-8	Isopropylbenzene	51		ug/L	2	0.20	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9796	50	102%		
J072913ICVB	J072913ICVB	ORG	103-65-1	n-Propylbenzene	51		ug/L	2	0.27	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9796	50	102%		
J072913ICVB	J072913ICVB	ORG	79-34-5	1,1,2,2-Tetrachloroethane	54		ug/L	2	0.29	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9796	50	108%		
J072913ICVB	J072913ICVB	ORG	96-18-4	1,2,3-Trichloropropane	56		ug/L	2	0.29	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9796	50	112%		
J072913ICVB	J072913ICVB	ORG	108-67-8	1,3,5-Trimethylbenzene	56		ug/L	2	0.20	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9796	50	112%		
J072913ICVB	J072913ICVB	ORG	98-06-6	tert-Butylbenzene	51		ug/L	2	0.33	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9796	50	102%		
J072913ICVB	J072913ICVB	ORG	95-63-6	1,2,4-Trimethylbenzene	56		ug/L	2	0.20	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9796	50	112%		
J072913ICVB	J072913ICVB	ORG	135-98-8	sec-Butylbenzene	52		ug/L	2	0.32	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9796	50	104%		
J072913ICVB	J072913ICVB	ORG	541-73-1	1,3-Dichlorobenzene	49		ug/L	2	0.22	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9796	50	98%		
J072913ICVB	J072913ICVB	ORG	99-87-6	p-Isopropltoluene	54		ug/L	2	0.25	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9796	50	108%		
J072913ICVB	J072913ICVB	ORG	106-46-7	1,4-Dichlorobenzene	54		ug/L	2	0.33	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9796	50	108%		
J072913ICVB	J072913ICVB	ORG	95-50-1	1,2-Dichlorobenzene	49		ug/L	2	0.26	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9796	50	98%		
J072913ICVB	J072913ICVB	ORG	104-51-8	n-Butylbenzene	57		ug/L	5	0.28	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9796	50	114%		
J072913ICVB	J072913ICVB	ORG	96-12-8	1,2-Dibromo-3-chloropropane	57		ug/L	5	1.59	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9796	50	114%		
J072913ICVB	J072913ICVB	ORG	87-68-3	Hexachlorobutadiene	58		ug/L	5	0.65	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9796	50	116%		
J072913ICVB	J072913ICVB	ORG	120-82-1	1,2,4-Trichlorobenzene	56		ug/L	5	0.28	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9796	50	112%		
J072913ICVB	J072913ICVB	ORG	91-20-3	Naphthalene	58		ug/L	5	0.56	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9796	50	116%		
J072913ICVB	J072913ICVB	ORG	87-61-6	1,2,3-Trichlorobenzene	57		ug/L	5	0.23	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9796	50	114%		
J072913ICVB	J072913ICVB	STD	1868-53-7	Dibromofluoromethane	51		ng			NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9796	50	102%		
J072913ICVB	J072913ICVB	STD	17060-07-0	1,2-Dichloroethane d4	57		ng			NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9796	50	114%		
J072913ICVB	J072913ICVB	STD	2037-26-5	Toluene d8	50		ng			NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9796	50	100%		
J072913ICVB	J072913ICVB	STD	460-00-4	Bromofluorobenzene	50		ng			NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9796	50	100%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J072913MBKA	J072913MBKA	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	5	0.29	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9797				
J072913MBKA	J072913MBKA	ORG	74-87-3	Chloromethane		U	ug/L	5	0.43	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9797				
J072913MBKA	J072913MBKA	ORG	75-01-4	Vinyl chloride		U	ug/L	2	0.32	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9797				
J072913MBKA	J072913MBKA	ORG	74-83-9	Bromomethane		U	ug/L	5	0.50	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9797				
J072913MBKA	J072913MBKA	ORG	75-00-3	Chloroethane		U	ug/L	5	0.56	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9797				
J072913MBKA	J072913MBKA	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	5	0.20	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9797				
J072913MBKA	J072913MBKA	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	1	0.47	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9797				
J072913MBKA	J072913MBKA	ORG	75-09-2	Methylene chloride		U	ug/L	5	0.26	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9797				
J072913MBKA	J072913MBKA	ORG	67-64-1	Acetone		U	ug/L	10	1.56	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9797				
J072913MBKA	J072913MBKA	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	1	0.56	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9797				
J072913MBKA	J072913MBKA	ORG	1634-04-4	MTBE		U	ug/L	5	0.61	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9797				
J072913MBKA	J072913MBKA	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	1	0.53	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9797				
J072913MBKA	J072913MBKA	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	1	0.32	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9797				
J072913MBKA	J072913MBKA	ORG	74-97-5	Bromochloromethane		U	ug/L	10	0.81	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9797				
J072913MBKA	J072913MBKA	ORG	67-66-3	Chloroform		U	ug/L	2	0.41	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9797				
J072913MBKA	J072913MBKA	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	1	0.16	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9797				
J072913MBKA	J072913MBKA	ORG	78-93-3	2-Butanone		U	ug/L	1	0.17	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9797				
J072913MBKA	J072913MBKA	ORG	56-23-5	Carbon tetrachloride		U	ug/L	1	0.28	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9797				
J072913MBKA	J072913MBKA	ORG	71-43-2	Benzene		U	ug/L	1	0.14	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9797				
J072913MBKA	J072913MBKA	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	1	0.20	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9797				
J072913MBKA	J072913MBKA	ORG	79-01-6	Trichloroethene		U	ug/L	1	0.36	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9797				
J072913MBKA	J072913MBKA	ORG	74-95-3	Dibromomethane		U	ug/L	2	0.32	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9797				
J072913MBKA	J072913MBKA	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	1	0.18	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9797				
J072913MBKA	J072913MBKA	ORG	75-27-4	Bromodichloromethane		U	ug/L	2	0.12	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9797				
J072913MBKA	J072913MBKA	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	1	0.25	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9797				
J072913MBKA	J072913MBKA	ORG	108-88-3	Toluene		U	ug/L	5	0.74	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9797				
J072913MBKA	J072913MBKA	ORG	108-10-1	4-Methyl-2-pentanone		U	ug/L	1	0.21	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9797				
J072913MBKA	J072913MBKA	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	1	0.31	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9797				
J072913MBKA	J072913MBKA	ORG	127-18-4	Tetrachloroethene		U	ug/L	1	0.49	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9797				
J072913MBKA	J072913MBKA	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	1	0.34	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9797				
J072913MBKA	J072913MBKA	ORG	124-48-1	Dibromochloromethane		U	ug/L	5	0.69	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9797				
J072913MBKA	J072913MBKA	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	2	0.30	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9797				
J072913MBKA	J072913MBKA	ORG	591-78-6	2-Hexanone		U	ug/L	2	0.26	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9797				
J072913MBKA	J072913MBKA	ORG	100-41-4	Ethylbenzene		U	ug/L	1	0.25	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9797				
J072913MBKA	J072913MBKA	ORG	108-90-7	Chlorobenzene		U	ug/L	1	0.28	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9797				
J072913MBKA	J072913MBKA	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	2	0.19	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9797				
J072913MBKA	J072913MBKA	ORG	XYLMP	p&m-Xylene		U	ug/L	2	0.26	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9797				
J072913MBKA	J072913MBKA	ORG	95-47-6	o-Xylene		U	ug/L	1	0.13	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9797				
J072913MBKA	J072913MBKA	ORG	100-42-5	Styrene		U	ug/L	1	0.20	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9797				
J072913MBKA	J072913MBKA	ORG	75-25-2	Bromoform		U	ug/L	2	0.47	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9797				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J072913MBKA	J072913MBKA	ORG	98-82-8	Isopropylbenzene		U	ug/L	2	0.20	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9797				
J072913MBKA	J072913MBKA	ORG	103-65-1	n-Propylbenzene		U	ug/L	2	0.27	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9797				
J072913MBKA	J072913MBKA	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	2	0.29	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9797				
J072913MBKA	J072913MBKA	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	2	0.29	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9797				
J072913MBKA	J072913MBKA	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	2	0.20	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9797				
J072913MBKA	J072913MBKA	ORG	98-06-6	tert-Butylbenzene		U	ug/L	2	0.33	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9797				
J072913MBKA	J072913MBKA	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	2	0.20	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9797				
J072913MBKA	J072913MBKA	ORG	135-98-8	sec-Butylbenzene		U	ug/L	2	0.32	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9797				
J072913MBKA	J072913MBKA	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	2	0.22	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9797				
J072913MBKA	J072913MBKA	ORG	99-87-6	p-Isopropltoluene		U	ug/L	2	0.25	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9797				
J072913MBKA	J072913MBKA	ORG	106-46-7	1,4-Dichlorobenzene		U	ug/L	2	0.33	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9797				
J072913MBKA	J072913MBKA	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	2	0.26	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9797				
J072913MBKA	J072913MBKA	ORG	104-51-8	n-Butylbenzene		U	ug/L	5	0.28	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9797				
J072913MBKA	J072913MBKA	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	5	1.59	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9797				
J072913MBKA	J072913MBKA	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	5	0.65	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9797				
J072913MBKA	J072913MBKA	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	5	0.28	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9797				
J072913MBKA	J072913MBKA	ORG	91-20-3	Naphthalene		U	ug/L	5	0.56	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9797				
J072913MBKA	J072913MBKA	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	5	0.23	NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9797				
J072913MBKA	J072913MBKA	STD	1868-53-7	Dibromofluoromethane	50		ng			NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9797	50	100%		
J072913MBKA	J072913MBKA	STD	17060-07-0	1,2-Dichloroethane d4	53		ng			NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9797	50	106%		
J072913MBKA	J072913MBKA	STD	2037-26-5	Toluene d8	49		ng			NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9797	50	98%		
J072913MBKA	J072913MBKA	STD	460-00-4	Bromofluorobenzene	49		ng			NA	7/29/2013	7/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9797	50	98%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J073013CCVB	J073013CCVB	ORG	75-71-8	Dichlorodifluoromethane	47		ug/L	5	0.29	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9800	50	94%		
J073013CCVB	J073013CCVB	ORG	74-87-3	Chloromethane	54		ug/L	5	0.43	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9800	50	108%		
J073013CCVB	J073013CCVB	ORG	75-01-4	Vinyl chloride	48		ug/L	2	0.32	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9800	50	96%		
J073013CCVB	J073013CCVB	ORG	74-83-9	Bromomethane	54		ug/L	5	0.50	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9800	50	108%		
J073013CCVB	J073013CCVB	ORG	75-00-3	Chloroethane	50		ug/L	5	0.56	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9800	50	100%		
J073013CCVB	J073013CCVB	ORG	75-69-4	Trichlorofluoromethane	53		ug/L	5	0.20	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9800	50	106%		
J073013CCVB	J073013CCVB	ORG	75-35-4	1,1-Dichloroethene	51		ug/L	1	0.47	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9800	50	102%		
J073013CCVB	J073013CCVB	ORG	75-09-2	Methylene chloride	49		ug/L	5	0.26	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9800	50	98%		
J073013CCVB	J073013CCVB	ORG	67-64-1	Acetone	58		ug/L	10	1.56	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9800	50	116%		
J073013CCVB	J073013CCVB	ORG	156-60-5	trans-1,2-Dichloroethene	47		ug/L	1	0.56	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9800	50	94%		
J073013CCVB	J073013CCVB	ORG	1634-04-4	MTBE	55		ug/L	5	0.61	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9800	50	110%		
J073013CCVB	J073013CCVB	ORG	75-34-3	1,1-Dichloroethane	47		ug/L	1	0.53	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9800	50	94%		
J073013CCVB	J073013CCVB	ORG	156-59-2	cis-1,2-Dichloroethene	47		ug/L	1	0.32	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9800	50	94%		
J073013CCVB	J073013CCVB	ORG	74-97-5	Bromochloromethane	49		ug/L	10	0.81	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9800	50	98%		
J073013CCVB	J073013CCVB	ORG	67-66-3	Chloroform	47		ug/L	2	0.41	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9800	50	94%		
J073013CCVB	J073013CCVB	ORG	71-55-6	1,1,1-Trichloroethane	49		ug/L	1	0.16	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9800	50	98%		
J073013CCVB	J073013CCVB	ORG	78-93-3	2-Butanone	59		ug/L	1	0.17	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9800	50	118%		
J073013CCVB	J073013CCVB	ORG	56-23-5	Carbon tetrachloride	50		ug/L	1	0.28	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9800	50	100%		
J073013CCVB	J073013CCVB	ORG	71-43-2	Benzene	45		ug/L	1	0.14	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9800	50	90%		
J073013CCVB	J073013CCVB	ORG	107-06-2	1,2-Dichloroethane	47		ug/L	1	0.20	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9800	50	94%		
J073013CCVB	J073013CCVB	ORG	79-01-6	Trichloroethene	49		ug/L	1	0.36	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9800	50	98%		
J073013CCVB	J073013CCVB	ORG	74-95-3	Dibromomethane	49		ug/L	2	0.32	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9800	50	98%		
J073013CCVB	J073013CCVB	ORG	78-87-5	1,2-Dichloropropane	47		ug/L	1	0.18	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9800	50	94%		
J073013CCVB	J073013CCVB	ORG	75-27-4	Bromodichloromethane	45		ug/L	2	0.12	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9800	50	90%		
J073013CCVB	J073013CCVB	ORG	10061-01-5	cis-1,3-Dichloropropene	45		ug/L	1	0.25	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9800	50	90%		
J073013CCVB	J073013CCVB	ORG	108-88-3	Toluene	45		ug/L	5	0.74	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9800	50	90%		
J073013CCVB	J073013CCVB	ORG	108-10-1	4-Methyl-2-pentanone	62		ug/L	1	0.21	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9800	50	124%		
J073013CCVB	J073013CCVB	ORG	10061-02-6	trans-1,3-Dichloropropene	46		ug/L	1	0.31	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9800	50	92%		
J073013CCVB	J073013CCVB	ORG	127-18-4	Tetrachloroethene	38		ug/L	1	0.49	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9800	50	76%		
J073013CCVB	J073013CCVB	ORG	79-00-5	1,1,2-Trichloroethane	44		ug/L	1	0.34	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9800	50	88%		
J073013CCVB	J073013CCVB	ORG	124-48-1	Dibromochloromethane	46		ug/L	5	0.69	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9800	50	92%		
J073013CCVB	J073013CCVB	ORG	106-93-4	1,2-Dibromoethane	47		ug/L	2	0.30	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9800	50	94%		
J073013CCVB	J073013CCVB	ORG	591-78-6	2-Hexanone	56		ug/L	2	0.26	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9800	50	112%		
J073013CCVB	J073013CCVB	ORG	100-41-4	Ethylbenzene	47		ug/L	1	0.25	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9800	50	94%		
J073013CCVB	J073013CCVB	ORG	108-90-7	Chlorobenzene	45		ug/L	1	0.28	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9800	50	90%		
J073013CCVB	J073013CCVB	ORG	630-20-6	1,1,1,2-Tetrachloroethane	47		ug/L	2	0.19	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9800	50	94%		
J073013CCVB	J073013CCVB	ORG	XYLMP	p&m-Xylene	95		ug/L	2	0.26	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9800	100	95%		
J073013CCVB	J073013CCVB	ORG	95-47-6	o-Xylene	46		ug/L	1	0.13	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9800	50	92%		
J073013CCVB	J073013CCVB	ORG	100-42-5	Styrene	48		ug/L	1	0.20	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9800	50	96%		
J073013CCVB	J073013CCVB	ORG	75-25-2	Bromoform	47		ug/L	2	0.47	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9800	50	94%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J073013CCVB	J073013CCVB	ORG	98-82-8	Isopropylbenzene	47		ug/L	2	0.20	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9800	50	94%		
J073013CCVB	J073013CCVB	ORG	103-65-1	n-Propylbenzene	49		ug/L	2	0.27	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9800	50	98%		
J073013CCVB	J073013CCVB	ORG	79-34-5	1,1,2,2-Tetrachloroethane	47		ug/L	2	0.29	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9800	50	94%		
J073013CCVB	J073013CCVB	ORG	96-18-4	1,2,3-Trichloropropane	50		ug/L	2	0.29	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9800	50	100%		
J073013CCVB	J073013CCVB	ORG	108-67-8	1,3,5-Trimethylbenzene	48		ug/L	2	0.20	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9800	50	96%		
J073013CCVB	J073013CCVB	ORG	98-06-6	tert-Butylbenzene	48		ug/L	2	0.33	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9800	50	96%		
J073013CCVB	J073013CCVB	ORG	95-63-6	1,2,4-Trimethylbenzene	48		ug/L	2	0.20	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9800	50	96%		
J073013CCVB	J073013CCVB	ORG	135-98-8	sec-Butylbenzene	49		ug/L	2	0.32	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9800	50	98%		
J073013CCVB	J073013CCVB	ORG	541-73-1	1,3-Dichlorobenzene	46		ug/L	2	0.22	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9800	50	92%		
J073013CCVB	J073013CCVB	ORG	99-87-6	p-Isopropltoluene	48		ug/L	2	0.25	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9800	50	96%		
J073013CCVB	J073013CCVB	ORG	106-46-7	1,4-Dichlorobenzene	48		ug/L	2	0.33	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9800	50	96%		
J073013CCVB	J073013CCVB	ORG	95-50-1	1,2-Dichlorobenzene	45		ug/L	2	0.26	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9800	50	90%		
J073013CCVB	J073013CCVB	ORG	104-51-8	n-Butylbenzene	51		ug/L	5	0.28	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9800	50	102%		
J073013CCVB	J073013CCVB	ORG	96-12-8	1,2-Dibromo-3-chloropropane	46		ug/L	5	1.59	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9800	50	92%		
J073013CCVB	J073013CCVB	ORG	87-68-3	Hexachlorobutadiene	48		ug/L	5	0.65	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9800	50	96%		
J073013CCVB	J073013CCVB	ORG	120-82-1	1,2,4-Trichlorobenzene	45		ug/L	5	0.28	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9800	50	90%		
J073013CCVB	J073013CCVB	ORG	91-20-3	Naphthalene	45		ug/L	5	0.56	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9800	50	90%		
J073013CCVB	J073013CCVB	ORG	87-61-6	1,2,3-Trichlorobenzene	45		ug/L	5	0.23	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9800	50	90%		
J073013CCVB	J073013CCVB	STD	1868-53-7	Dibromofluoromethane	51		ng			NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9800	50	102%		
J073013CCVB	J073013CCVB	STD	17060-07-0	1,2-Dichloroethane d4	50		ng			NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9800	50	100%		
J073013CCVB	J073013CCVB	STD	2037-26-5	Toluene d8	48		ng			NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9800	50	96%		
J073013CCVB	J073013CCVB	STD	460-00-4	Bromofluorobenzene	50		ng			NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9800	50	100%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J073013MBKB	J073013MBKB	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	5	0.29	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9801				
J073013MBKB	J073013MBKB	ORG	74-87-3	Chloromethane		U	ug/L	5	0.43	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9801				
J073013MBKB	J073013MBKB	ORG	75-01-4	Vinyl chloride		U	ug/L	2	0.32	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9801				
J073013MBKB	J073013MBKB	ORG	74-83-9	Bromomethane		U	ug/L	5	0.50	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9801				
J073013MBKB	J073013MBKB	ORG	75-00-3	Chloroethane		U	ug/L	5	0.56	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9801				
J073013MBKB	J073013MBKB	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	5	0.20	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9801				
J073013MBKB	J073013MBKB	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	1	0.47	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9801				
J073013MBKB	J073013MBKB	ORG	75-09-2	Methylene chloride		U	ug/L	5	0.26	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9801				
J073013MBKB	J073013MBKB	ORG	67-64-1	Acetone		U	ug/L	10	1.56	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9801				
J073013MBKB	J073013MBKB	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	1	0.56	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9801				
J073013MBKB	J073013MBKB	ORG	1634-04-4	MTBE		U	ug/L	5	0.61	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9801				
J073013MBKB	J073013MBKB	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	1	0.53	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9801				
J073013MBKB	J073013MBKB	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	1	0.32	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9801				
J073013MBKB	J073013MBKB	ORG	74-97-5	Bromochloromethane		U	ug/L	10	0.81	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9801				
J073013MBKB	J073013MBKB	ORG	67-66-3	Chloroform		U	ug/L	2	0.41	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9801				
J073013MBKB	J073013MBKB	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	1	0.16	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9801				
J073013MBKB	J073013MBKB	ORG	78-93-3	2-Butanone		U	ug/L	1	0.17	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9801				
J073013MBKB	J073013MBKB	ORG	56-23-5	Carbon tetrachloride		U	ug/L	1	0.28	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9801				
J073013MBKB	J073013MBKB	ORG	71-43-2	Benzene		U	ug/L	1	0.14	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9801				
J073013MBKB	J073013MBKB	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	1	0.20	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9801				
J073013MBKB	J073013MBKB	ORG	79-01-6	Trichloroethene		U	ug/L	1	0.36	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9801				
J073013MBKB	J073013MBKB	ORG	74-95-3	Dibromomethane		U	ug/L	2	0.32	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9801				
J073013MBKB	J073013MBKB	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	1	0.18	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9801				
J073013MBKB	J073013MBKB	ORG	75-27-4	Bromodichloromethane		U	ug/L	2	0.12	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9801				
J073013MBKB	J073013MBKB	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	1	0.25	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9801				
J073013MBKB	J073013MBKB	ORG	108-88-3	Toluene		U	ug/L	5	0.74	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9801				
J073013MBKB	J073013MBKB	ORG	108-10-1	4-Methyl-2-pentanone		U	ug/L	1	0.21	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9801				
J073013MBKB	J073013MBKB	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	1	0.31	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9801				
J073013MBKB	J073013MBKB	ORG	127-18-4	Tetrachloroethene		U	ug/L	1	0.49	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9801				
J073013MBKB	J073013MBKB	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	1	0.34	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9801				
J073013MBKB	J073013MBKB	ORG	124-48-1	Dibromochloromethane		U	ug/L	5	0.69	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9801				
J073013MBKB	J073013MBKB	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	2	0.30	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9801				
J073013MBKB	J073013MBKB	ORG	591-78-6	2-Hexanone		U	ug/L	2	0.26	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9801				
J073013MBKB	J073013MBKB	ORG	100-41-4	Ethylbenzene		U	ug/L	1	0.25	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9801				
J073013MBKB	J073013MBKB	ORG	108-90-7	Chlorobenzene		U	ug/L	1	0.28	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9801				
J073013MBKB	J073013MBKB	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	2	0.19	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9801				
J073013MBKB	J073013MBKB	ORG	XYLMP	p&m-Xylene		U	ug/L	2	0.26	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9801				
J073013MBKB	J073013MBKB	ORG	95-47-6	o-Xylene		U	ug/L	1	0.13	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9801				
J073013MBKB	J073013MBKB	ORG	100-42-5	Styrene		U	ug/L	1	0.20	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9801				
J073013MBKB	J073013MBKB	ORG	75-25-2	Bromoform		U	ug/L	2	0.47	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9801				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J073013MBKB	J073013MBKB	ORG	98-82-8	Isopropylbenzene		U	ug/L	2	0.20	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9801				
J073013MBKB	J073013MBKB	ORG	103-65-1	n-Propylbenzene		U	ug/L	2	0.27	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9801				
J073013MBKB	J073013MBKB	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	2	0.29	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9801				
J073013MBKB	J073013MBKB	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	2	0.29	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9801				
J073013MBKB	J073013MBKB	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	2	0.20	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9801				
J073013MBKB	J073013MBKB	ORG	98-06-6	tert-Butylbenzene		U	ug/L	2	0.33	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9801				
J073013MBKB	J073013MBKB	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	2	0.20	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9801				
J073013MBKB	J073013MBKB	ORG	135-98-8	sec-Butylbenzene		U	ug/L	2	0.32	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9801				
J073013MBKB	J073013MBKB	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	2	0.22	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9801				
J073013MBKB	J073013MBKB	ORG	99-87-6	p-Isopropltoluene		U	ug/L	2	0.25	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9801				
J073013MBKB	J073013MBKB	ORG	106-46-7	1,4-Dichlorobenzene		U	ug/L	2	0.33	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9801				
J073013MBKB	J073013MBKB	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	2	0.26	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9801				
J073013MBKB	J073013MBKB	ORG	104-51-8	n-Butylbenzene		U	ug/L	5	0.28	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9801				
J073013MBKB	J073013MBKB	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	5	1.59	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9801				
J073013MBKB	J073013MBKB	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	5	0.65	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9801				
J073013MBKB	J073013MBKB	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	5	0.28	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9801				
J073013MBKB	J073013MBKB	ORG	91-20-3	Naphthalene		U	ug/L	5	0.56	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9801				
J073013MBKB	J073013MBKB	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	5	0.23	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9801				
J073013MBKB	J073013MBKB	STD	1868-53-7	Dibromofluoromethane	52		ng			NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9801	50	104%		
J073013MBKB	J073013MBKB	STD	17060-07-0	1,2-Dichloroethane d4	53		ng			NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9801	50	106%		
J073013MBKB	J073013MBKB	STD	2037-26-5	Toluene d8	47		ng			NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9801	50	94%		
J073013MBKB	J073013MBKB	STD	460-00-4	Bromofluorobenzene	47		ng			NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9801	50	94%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J073013ALCS	J073013ALCS	ORG	75-71-8	Dichlorodifluoromethane	44		ug/L	5	0.29	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9802	50	88%		
J073013ALCS	J073013ALCS	ORG	74-87-3	Chloromethane	52		ug/L	5	0.43	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9802	50	104%		
J073013ALCS	J073013ALCS	ORG	75-01-4	Vinyl chloride	50		ug/L	2	0.32	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9802	50	100%		
J073013ALCS	J073013ALCS	ORG	74-83-9	Bromomethane	52		ug/L	5	0.50	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9802	50	104%		
J073013ALCS	J073013ALCS	ORG	75-00-3	Chloroethane	48		ug/L	5	0.56	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9802	50	96%		
J073013ALCS	J073013ALCS	ORG	75-69-4	Trichlorofluoromethane	47		ug/L	5	0.20	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9802	50	94%		
J073013ALCS	J073013ALCS	ORG	75-35-4	1,1-Dichloroethene	49		ug/L	1	0.47	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9802	50	98%		
J073013ALCS	J073013ALCS	ORG	75-09-2	Methylene chloride	48		ug/L	5	0.26	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9802	50	96%		
J073013ALCS	J073013ALCS	ORG	67-64-1	Acetone	58		ug/L	10	1.56	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9802	50	116%		
J073013ALCS	J073013ALCS	ORG	156-60-5	trans-1,2-Dichloroethene	50		ug/L	1	0.56	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9802	50	100%		
J073013ALCS	J073013ALCS	ORG	1634-04-4	MTBE	54		ug/L	5	0.61	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9802	50	108%		
J073013ALCS	J073013ALCS	ORG	75-34-3	1,1-Dichloroethane	49		ug/L	1	0.53	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9802	50	98%		
J073013ALCS	J073013ALCS	ORG	156-59-2	cis-1,2-Dichloroethene	48		ug/L	1	0.32	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9802	50	96%		
J073013ALCS	J073013ALCS	ORG	74-97-5	Bromochloromethane	50		ug/L	10	0.81	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9802	50	100%		
J073013ALCS	J073013ALCS	ORG	67-66-3	Chloroform	49		ug/L	2	0.41	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9802	50	98%		
J073013ALCS	J073013ALCS	ORG	71-55-6	1,1,1-Trichloroethane	51		ug/L	1	0.16	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9802	50	102%		
J073013ALCS	J073013ALCS	ORG	78-93-3	2-Butanone	57		ug/L	1	0.17	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9802	50	114%		
J073013ALCS	J073013ALCS	ORG	56-23-5	Carbon tetrachloride	51		ug/L	1	0.28	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9802	50	102%		
J073013ALCS	J073013ALCS	ORG	71-43-2	Benzene	46		ug/L	1	0.14	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9802	50	92%		
J073013ALCS	J073013ALCS	ORG	107-06-2	1,2-Dichloroethane	49		ug/L	1	0.20	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9802	50	98%		
J073013ALCS	J073013ALCS	ORG	79-01-6	Trichloroethene	50		ug/L	1	0.36	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9802	50	100%		
J073013ALCS	J073013ALCS	ORG	74-95-3	Dibromomethane	50		ug/L	2	0.32	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9802	50	100%		
J073013ALCS	J073013ALCS	ORG	78-87-5	1,2-Dichloropropane	47		ug/L	1	0.18	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9802	50	94%		
J073013ALCS	J073013ALCS	ORG	75-27-4	Bromodichloromethane	48		ug/L	2	0.12	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9802	50	96%		
J073013ALCS	J073013ALCS	ORG	10061-01-5	cis-1,3-Dichloropropene	48		ug/L	1	0.25	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9802	50	96%		
J073013ALCS	J073013ALCS	ORG	108-88-3	Toluene	47		ug/L	5	0.74	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9802	50	94%		
J073013ALCS	J073013ALCS	ORG	108-10-1	4-Methyl-2-pentanone	60		ug/L	1	0.21	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9802	50	120%		
J073013ALCS	J073013ALCS	ORG	10061-02-6	trans-1,3-Dichloropropene	49		ug/L	1	0.31	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9802	50	98%		
J073013ALCS	J073013ALCS	ORG	127-18-4	Tetrachloroethene	40		ug/L	1	0.49	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9802	50	80%		
J073013ALCS	J073013ALCS	ORG	79-00-5	1,1,2-Trichloroethane	46		ug/L	1	0.34	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9802	50	92%		
J073013ALCS	J073013ALCS	ORG	124-48-1	Dibromochloromethane	48		ug/L	5	0.69	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9802	50	96%		
J073013ALCS	J073013ALCS	ORG	106-93-4	1,2-Dibromoethane	49		ug/L	2	0.30	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9802	50	98%		
J073013ALCS	J073013ALCS	ORG	591-78-6	2-Hexanone	54		ug/L	2	0.26	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9802	50	108%		
J073013ALCS	J073013ALCS	ORG	100-41-4	Ethylbenzene	50		ug/L	1	0.25	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9802	50	100%		
J073013ALCS	J073013ALCS	ORG	108-90-7	Chlorobenzene	47		ug/L	1	0.28	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9802	50	94%		
J073013ALCS	J073013ALCS	ORG	630-20-6	1,1,1,2-Tetrachloroethane	49		ug/L	2	0.19	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9802	50	98%		
J073013ALCS	J073013ALCS	ORG	XYLMP	p&m-Xylene	101		ug/L	2	0.26	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9802	100	101%		
J073013ALCS	J073013ALCS	ORG	95-47-6	o-Xylene	49		ug/L	1	0.13	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9802	50	98%		
J073013ALCS	J073013ALCS	ORG	100-42-5	Styrene	50		ug/L	1	0.20	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9802	50	100%		
J073013ALCS	J073013ALCS	ORG	75-25-2	Bromoform	49		ug/L	2	0.47	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9802	50	98%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J073013ALCS	J073013ALCS	ORG	98-82-8	Isopropylbenzene	51		ug/L	2	0.20	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9802	50	102%		
J073013ALCS	J073013ALCS	ORG	103-65-1	n-Propylbenzene	52		ug/L	2	0.27	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9802	50	104%		
J073013ALCS	J073013ALCS	ORG	79-34-5	1,1,2,2-Tetrachloroethane	50		ug/L	2	0.29	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9802	50	100%		
J073013ALCS	J073013ALCS	ORG	96-18-4	1,2,3-Trichloropropane	53		ug/L	2	0.29	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9802	50	106%		
J073013ALCS	J073013ALCS	ORG	108-67-8	1,3,5-Trimethylbenzene	52		ug/L	2	0.20	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9802	50	104%		
J073013ALCS	J073013ALCS	ORG	98-06-6	tert-Butylbenzene	51		ug/L	2	0.33	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9802	50	102%		
J073013ALCS	J073013ALCS	ORG	95-63-6	1,2,4-Trimethylbenzene	51		ug/L	2	0.20	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9802	50	102%		
J073013ALCS	J073013ALCS	ORG	135-98-8	sec-Butylbenzene	53		ug/L	2	0.32	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9802	50	106%		
J073013ALCS	J073013ALCS	ORG	541-73-1	1,3-Dichlorobenzene	51		ug/L	2	0.22	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9802	50	102%		
J073013ALCS	J073013ALCS	ORG	99-87-6	p-Isopropltoluene	53		ug/L	2	0.25	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9802	50	106%		
J073013ALCS	J073013ALCS	ORG	106-46-7	1,4-Dichlorobenzene	48		ug/L	2	0.33	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9802	50	96%		
J073013ALCS	J073013ALCS	ORG	95-50-1	1,2-Dichlorobenzene	48		ug/L	2	0.26	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9802	50	96%		
J073013ALCS	J073013ALCS	ORG	104-51-8	n-Butylbenzene	55		ug/L	5	0.28	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9802	50	110%		
J073013ALCS	J073013ALCS	ORG	96-12-8	1,2-Dibromo-3-chloropropane	53		ug/L	5	1.59	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9802	50	106%		
J073013ALCS	J073013ALCS	ORG	87-68-3	Hexachlorobutadiene	54		ug/L	5	0.65	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9802	50	108%		
J073013ALCS	J073013ALCS	ORG	120-82-1	1,2,4-Trichlorobenzene	49		ug/L	5	0.28	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9802	50	98%		
J073013ALCS	J073013ALCS	ORG	91-20-3	Naphthalene	50		ug/L	5	0.56	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9802	50	100%		
J073013ALCS	J073013ALCS	ORG	87-61-6	1,2,3-Trichlorobenzene	50		ug/L	5	0.23	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9802	50	100%		
J073013ALCS	J073013ALCS	STD	1868-53-7	Dibromofluoromethane	50		ng			NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9802	50	100%		
J073013ALCS	J073013ALCS	STD	17060-07-0	1,2-Dichloroethane d4	56		ng			NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9802	50	112%		
J073013ALCS	J073013ALCS	STD	2037-26-5	Toluene d8	48		ng			NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9802	50	96%		
J073013ALCS	J073013ALCS	STD	460-00-4	Bromofluorobenzene	50		ng			NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9802	50	100%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J073013ALCD	J073013ALCD	ORG	75-71-8	Dichlorodifluoromethane	40		ug/L	5	0.29	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9803	50	80%	10%	
J073013ALCD	J073013ALCD	ORG	74-87-3	Chloromethane	51		ug/L	5	0.43	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9803	50	102%	2%	
J073013ALCD	J073013ALCD	ORG	75-01-4	Vinyl chloride	46		ug/L	2	0.32	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9803	50	92%	8%	
J073013ALCD	J073013ALCD	ORG	74-83-9	Bromomethane	46		ug/L	5	0.50	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9803	50	92%	12%	
J073013ALCD	J073013ALCD	ORG	75-00-3	Chloroethane	47		ug/L	5	0.56	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9803	50	94%	2%	
J073013ALCD	J073013ALCD	ORG	75-69-4	Trichlorofluoromethane	42		ug/L	5	0.20	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9803	50	84%	11%	
J073013ALCD	J073013ALCD	ORG	75-35-4	1,1-Dichloroethene	48		ug/L	1	0.47	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9803	50	96%	2%	
J073013ALCD	J073013ALCD	ORG	75-09-2	Methylene chloride	48		ug/L	5	0.26	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9803	50	96%	0%	
J073013ALCD	J073013ALCD	ORG	67-64-1	Acetone	54		ug/L	10	1.56	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9803	50	108%	7%	
J073013ALCD	J073013ALCD	ORG	156-60-5	trans-1,2-Dichloroethene	47		ug/L	1	0.56	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9803	50	94%	6%	
J073013ALCD	J073013ALCD	ORG	1634-04-4	MTBE	55		ug/L	5	0.61	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9803	50	110%	2%	
J073013ALCD	J073013ALCD	ORG	75-34-3	1,1-Dichloroethane	49		ug/L	1	0.53	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9803	50	98%	0%	
J073013ALCD	J073013ALCD	ORG	156-59-2	cis-1,2-Dichloroethene	49		ug/L	1	0.32	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9803	50	98%	2%	
J073013ALCD	J073013ALCD	ORG	74-97-5	Bromochloromethane	50		ug/L	10	0.81	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9803	50	100%	0%	
J073013ALCD	J073013ALCD	ORG	67-66-3	Chloroform	48		ug/L	2	0.41	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9803	50	96%	2%	
J073013ALCD	J073013ALCD	ORG	71-55-6	1,1,1-Trichloroethane	51		ug/L	1	0.16	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9803	50	102%	0%	
J073013ALCD	J073013ALCD	ORG	78-93-3	2-Butanone	56		ug/L	1	0.17	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9803	50	112%	2%	
J073013ALCD	J073013ALCD	ORG	56-23-5	Carbon tetrachloride	51		ug/L	1	0.28	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9803	50	102%	0%	
J073013ALCD	J073013ALCD	ORG	71-43-2	Benzene	46		ug/L	1	0.14	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9803	50	92%	0%	
J073013ALCD	J073013ALCD	ORG	107-06-2	1,2-Dichloroethane	50		ug/L	1	0.20	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9803	50	100%	2%	
J073013ALCD	J073013ALCD	ORG	79-01-6	Trichloroethene	50		ug/L	1	0.36	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9803	50	100%	0%	
J073013ALCD	J073013ALCD	ORG	74-95-3	Dibromomethane	51		ug/L	2	0.32	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9803	50	102%	2%	
J073013ALCD	J073013ALCD	ORG	78-87-5	1,2-Dichloropropane	48		ug/L	1	0.18	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9803	50	96%	2%	
J073013ALCD	J073013ALCD	ORG	75-27-4	Bromodichloromethane	49		ug/L	2	0.12	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9803	50	98%	2%	
J073013ALCD	J073013ALCD	ORG	10061-01-5	cis-1,3-Dichloropropene	48		ug/L	1	0.25	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9803	50	96%	0%	
J073013ALCD	J073013ALCD	ORG	108-88-3	Toluene	47		ug/L	5	0.74	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9803	50	94%	0%	
J073013ALCD	J073013ALCD	ORG	108-10-1	4-Methyl-2-pentanone	60		ug/L	1	0.21	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9803	50	120%	0%	
J073013ALCD	J073013ALCD	ORG	10061-02-6	trans-1,3-Dichloropropene	49		ug/L	1	0.31	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9803	50	98%	0%	
J073013ALCD	J073013ALCD	ORG	127-18-4	Tetrachloroethene	40		ug/L	1	0.49	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9803	50	80%	0%	
J073013ALCD	J073013ALCD	ORG	79-00-5	1,1,2-Trichloroethane	47		ug/L	1	0.34	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9803	50	94%	2%	
J073013ALCD	J073013ALCD	ORG	124-48-1	Dibromochloromethane	49		ug/L	5	0.69	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9803	50	98%	2%	
J073013ALCD	J073013ALCD	ORG	106-93-4	1,2-Dibromoethane	50		ug/L	2	0.30	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9803	50	100%	2%	
J073013ALCD	J073013ALCD	ORG	591-78-6	2-Hexanone	54		ug/L	2	0.26	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9803	50	108%	0%	
J073013ALCD	J073013ALCD	ORG	100-41-4	Ethylbenzene	49		ug/L	1	0.25	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9803	50	98%	2%	
J073013ALCD	J073013ALCD	ORG	108-90-7	Chlorobenzene	47		ug/L	1	0.28	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9803	50	94%	0%	
J073013ALCD	J073013ALCD	ORG	630-20-6	1,1,1,2-Tetrachloroethane	49		ug/L	2	0.19	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9803	50	98%	0%	
J073013ALCD	J073013ALCD	ORG	XYLMP	p&m-Xylene	98		ug/L	2	0.26	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9803	100	98%	3%	
J073013ALCD	J073013ALCD	ORG	95-47-6	o-Xylene	49		ug/L	1	0.13	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9803	50	98%	0%	
J073013ALCD	J073013ALCD	ORG	100-42-5	Styrene	49		ug/L	1	0.20	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9803	50	98%	2%	
J073013ALCD	J073013ALCD	ORG	75-25-2	Bromoform	51		ug/L	2	0.47	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9803	50	102%	4%	

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J073013ALCD	J073013ALCD	ORG	98-82-8	Isopropylbenzene	48		ug/L	2	0.20	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9803	50	96%	6%	
J073013ALCD	J073013ALCD	ORG	103-65-1	n-Propylbenzene	50		ug/L	2	0.27	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9803	50	100%	4%	
J073013ALCD	J073013ALCD	ORG	79-34-5	1,1,2,2-Tetrachloroethane	51		ug/L	2	0.29	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9803	50	102%	2%	
J073013ALCD	J073013ALCD	ORG	96-18-4	1,2,3-Trichloropropane	53		ug/L	2	0.29	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9803	50	106%	0%	
J073013ALCD	J073013ALCD	ORG	108-67-8	1,3,5-Trimethylbenzene	49		ug/L	2	0.20	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9803	50	98%	6%	
J073013ALCD	J073013ALCD	ORG	98-06-6	tert-Butylbenzene	47		ug/L	2	0.33	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9803	50	94%	8%	
J073013ALCD	J073013ALCD	ORG	95-63-6	1,2,4-Trimethylbenzene	50		ug/L	2	0.20	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9803	50	100%	2%	
J073013ALCD	J073013ALCD	ORG	135-98-8	sec-Butylbenzene	48		ug/L	2	0.32	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9803	50	96%	10%	
J073013ALCD	J073013ALCD	ORG	541-73-1	1,3-Dichlorobenzene	49		ug/L	2	0.22	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9803	50	98%	4%	
J073013ALCD	J073013ALCD	ORG	99-87-6	p-Isopropltoluene	48		ug/L	2	0.25	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9803	50	96%	10%	
J073013ALCD	J073013ALCD	ORG	106-46-7	1,4-Dichlorobenzene	49		ug/L	2	0.33	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9803	50	98%	2%	
J073013ALCD	J073013ALCD	ORG	95-50-1	1,2-Dichlorobenzene	48		ug/L	2	0.26	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9803	50	96%	0%	
J073013ALCD	J073013ALCD	ORG	104-51-8	n-Butylbenzene	49		ug/L	5	0.28	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9803	50	98%	12%	
J073013ALCD	J073013ALCD	ORG	96-12-8	1,2-Dibromo-3-chloropropane	52		ug/L	5	1.59	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9803	50	104%	2%	
J073013ALCD	J073013ALCD	ORG	87-68-3	Hexachlorobutadiene	38		ug/L	5	0.65	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9803	50	76%	35%	
J073013ALCD	J073013ALCD	ORG	120-82-1	1,2,4-Trichlorobenzene	48		ug/L	5	0.28	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9803	50	96%	2%	
J073013ALCD	J073013ALCD	ORG	91-20-3	Naphthalene	50		ug/L	5	0.56	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9803	50	100%	0%	
J073013ALCD	J073013ALCD	ORG	87-61-6	1,2,3-Trichlorobenzene	48		ug/L	5	0.23	NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9803	50	96%	4%	
J073013ALCD	J073013ALCD	STD	1868-53-7	Dibromofluoromethane	51		ng			NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9803	50	102%	2%	
J073013ALCD	J073013ALCD	STD	17060-07-0	1,2-Dichloroethane d4	50		ng			NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9803	50	100%	11%	
J073013ALCD	J073013ALCD	STD	2037-26-5	Toluene d8	48		ng			NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9803	50	96%	0%	
J073013ALCD	J073013ALCD	STD	460-00-4	Bromofluorobenzene	49		ng			NA	7/30/2013	7/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9803	50	98%	2%	

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-572MS	316-027	ORG	75-71-8	Dichlorodifluoromethane	4600		ug/L	500	29.28	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9804	5000	92%		
NAL13026-572MS	316-027	ORG	74-87-3	Chloromethane	5200		ug/L	500	43.07	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9804	5000	104%		
NAL13026-572MS	316-027	ORG	75-01-4	Vinyl chloride	5000		ug/L	200	31.86	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9804	5000	100%		
NAL13026-572MS	316-027	ORG	74-83-9	Bromomethane	4900		ug/L	500	50.04	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9804	5000	98%		
NAL13026-572MS	316-027	ORG	75-00-3	Chloroethane	4600		ug/L	500	55.61	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9804	5000	92%		
NAL13026-572MS	316-027	ORG	75-69-4	Trichlorofluoromethane	4700		ug/L	500	19.65	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9804	5000	94%		
NAL13026-572MS	316-027	ORG	75-35-4	1,1-Dichloroethene	4600		ug/L	100	47.11	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9804	5000	92%		
NAL13026-572MS	316-027	ORG	75-09-2	Methylene chloride	4800		ug/L	500	26.46	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9804	5000	96%		
NAL13026-572MS	316-027	ORG	67-64-1	Acetone	56000		ug/L	1000	155.61	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9804	5000	60%		53000
NAL13026-572MS	316-027	ORG	156-60-5	trans-1,2-Dichloroethene	5999		ug/L	100	55.61	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9804	5000	120%		
NAL13026-572MS	316-027	ORG	1634-04-4	MTBE	5400		ug/L	500	61.18	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9804	5000	108%		
NAL13026-572MS	316-027	ORG	75-34-3	1,1-Dichloroethane	4800		ug/L	100	52.66	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9804	5000	96%		
NAL13026-572MS	316-027	ORG	156-59-2	cis-1,2-Dichloroethene	4700		ug/L	100	32.11	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9804	5000	94%		
NAL13026-572MS	316-027	ORG	74-97-5	Bromochloromethane	4800		ug/L	1000	81.18	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9804	5000	96%		
NAL13026-572MS	316-027	ORG	67-66-3	Chloroform	4600		ug/L	200	41.37	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9804	5000	92%		
NAL13026-572MS	316-027	ORG	71-55-6	1,1,1-Trichloroethane	5100		ug/L	100	15.73	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9804	5000	102%		
NAL13026-572MS	316-027	ORG	78-93-3	2-Butanone	32000		ug/L	100	16.65	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9804	5000	-80%		36000
NAL13026-572MS	316-027	ORG	56-23-5	Carbon tetrachloride	5100		ug/L	100	27.64	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9804	5000	102%		
NAL13026-572MS	316-027	ORG	71-43-2	Benzene	4600		ug/L	100	13.53	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9804	5000	92%		25
NAL13026-572MS	316-027	ORG	107-06-2	1,2-Dichloroethane	4900		ug/L	100	20.01	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9804	5000	98%		
NAL13026-572MS	316-027	ORG	79-01-6	Trichloroethene	5000		ug/L	100	36.33	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9804	5000	100%		
NAL13026-572MS	316-027	ORG	74-95-3	Dibromomethane	4800		ug/L	200	32.20	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9804	5000	96%		
NAL13026-572MS	316-027	ORG	78-87-5	1,2-Dichloropropane	4700		ug/L	100	18.17	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9804	5000	94%		
NAL13026-572MS	316-027	ORG	75-27-4	Bromodichloromethane	4700		ug/L	200	11.58	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9804	5000	94%		
NAL13026-572MS	316-027	ORG	10061-01-5	cis-1,3-Dichloropropene	4600		ug/L	100	25.01	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9804	5000	92%		
NAL13026-572MS	316-027	ORG	108-88-3	Toluene	4700		ug/L	500	74.00	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9804	5000	94%		
NAL13026-572MS	316-027	ORG	108-10-1	4-Methyl-2-pentanone	6200		ug/L	100	20.96	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9804	5000	105%		950
NAL13026-572MS	316-027	ORG	10061-02-6	trans-1,3-Dichloropropene	4900		ug/L	100	31.15	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9804	5000	98%		
NAL13026-572MS	316-027	ORG	127-18-4	Tetrachloroethene	3900		ug/L	100	48.56	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9804	5000	78%		
NAL13026-572MS	316-027	ORG	79-00-5	1,1,2-Trichloroethane	4500		ug/L	100	34.28	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9804	5000	90%		
NAL13026-572MS	316-027	ORG	124-48-1	Dibromochloromethane	4800		ug/L	500	68.90	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9804	5000	96%		
NAL13026-572MS	316-027	ORG	106-93-4	1,2-Dibromoethane	4800		ug/L	200	29.90	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9804	5000	96%		
NAL13026-572MS	316-027	ORG	591-78-6	2-Hexanone	4500		ug/L	200	26.49	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9804	5000	83%		360
NAL13026-572MS	316-027	ORG	100-41-4	Ethylbenzene	5000		ug/L	100	25.38	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9804	5000	100%		
NAL13026-572MS	316-027	ORG	108-90-7	Chlorobenzene	4700		ug/L	100	27.52	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9804	5000	94%		
NAL13026-572MS	316-027	ORG	630-20-6	1,1,1,2-Tetrachloroethane	4900		ug/L	200	19.28	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9804	5000	98%		
NAL13026-572MS	316-027	ORG	XYLMP	p&m-Xylene	9900		ug/L	200	26.14	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9804	10000	99%		
NAL13026-572MS	316-027	ORG	95-47-6	o-Xylene	5000		ug/L	100	12.90	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9804	5000	100%		
NAL13026-572MS	316-027	ORG	100-42-5	Styrene	4900		ug/L	100	20.23	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9804	5000	98%		
NAL13026-572MS	316-027	ORG	75-25-2	Bromoform	4900		ug/L	200	46.83	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9804	5000	98%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-572MS	316-027	ORG	98-82-8	Isopropylbenzene	5000		ug/L	200	20.48	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9804	5000	100%		
NAL13026-572MS	316-027	ORG	103-65-1	n-Propylbenzene	5100		ug/L	200	27.00	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9804	5000	102%		
NAL13026-572MS	316-027	ORG	79-34-5	1,1,2,2-Tetrachloroethane	5000		ug/L	200	29.16	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9804	5000	100%		
NAL13026-572MS	316-027	ORG	96-18-4	1,2,3-Trichloropropane	5100		ug/L	200	29.47	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9804	5000	102%		
NAL13026-572MS	316-027	ORG	108-67-8	1,3,5-Trimethylbenzene	5000		ug/L	200	20.03	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9804	5000	100%		
NAL13026-572MS	316-027	ORG	98-06-6	tert-Butylbenzene	4900		ug/L	200	32.61	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9804	5000	98%		
NAL13026-572MS	316-027	ORG	95-63-6	1,2,4-Trimethylbenzene	5000		ug/L	200	20.03	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9804	5000	99%		35
NAL13026-572MS	316-027	ORG	135-98-8	sec-Butylbenzene	5100		ug/L	200	32.34	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9804	5000	102%		
NAL13026-572MS	316-027	ORG	541-73-1	1,3-Dichlorobenzene	4800		ug/L	200	22.21	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9804	5000	96%		
NAL13026-572MS	316-027	ORG	99-87-6	p-Isopropltoluene	5100		ug/L	200	25.48	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9804	5000	100%		98
NAL13026-572MS	316-027	ORG	106-46-7	1,4-Dichlorobenzene	4600		ug/L	200	33.03	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9804	5000	92%		
NAL13026-572MS	316-027	ORG	95-50-1	1,2-Dichlorobenzene	4800		ug/L	200	26.38	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9804	5000	96%		
NAL13026-572MS	316-027	ORG	104-51-8	n-Butylbenzene	5400		ug/L	500	27.81	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9804	5000	108%		
NAL13026-572MS	316-027	ORG	96-12-8	1,2-Dibromo-3-chloropropane	5700		ug/L	500	159.11	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9804	5000	114%		
NAL13026-572MS	316-027	ORG	87-68-3	Hexachlorobutadiene	5100		ug/L	500	65.42	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9804	5000	102%		
NAL13026-572MS	316-027	ORG	120-82-1	1,2,4-Trichlorobenzene	5100		ug/L	500	27.63	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9804	5000	102%		
NAL13026-572MS	316-027	ORG	91-20-3	Naphthalene	5500		ug/L	500	56.04	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9804	5000	105%		270
NAL13026-572MS	316-027	ORG	87-61-6	1,2,3-Trichlorobenzene	5100		ug/L	500	23.28	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9804	5000	101%		69
NAL13026-572MS	316-027	STD	1868-53-7	Dibromofluoromethane	52		ng			7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9804	50	104%		
NAL13026-572MS	316-027	STD	17060-07-0	1,2-Dichloroethane d4	57		ng			7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9804	50	114%		
NAL13026-572MS	316-027	STD	2037-26-5	Toluene d8	48		ng			7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9804	50	96%		
NAL13026-572MS	316-027	STD	460-00-4	Bromofluorobenzene	50		ng			7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9804	50	100%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-572MSD	316-027	ORG	75-71-8	Dichlorodifluoromethane	4500		ug/L	500	29.28	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9805	5000	90%	2%	0
NAL13026-572MSD	316-027	ORG	74-87-3	Chloromethane	4500		ug/L	500	43.07	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9805	5000	90%	14%	0
NAL13026-572MSD	316-027	ORG	75-01-4	Vinyl chloride	4900		ug/L	200	31.86	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9805	5000	98%	2%	0
NAL13026-572MSD	316-027	ORG	74-83-9	Bromomethane	4800		ug/L	500	50.04	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9805	5000	96%	2%	0
NAL13026-572MSD	316-027	ORG	75-00-3	Chloroethane	4400		ug/L	500	55.61	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9805	5000	88%	4%	0
NAL13026-572MSD	316-027	ORG	75-69-4	Trichlorofluoromethane	4900		ug/L	500	19.65	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9805	5000	98%	4%	0
NAL13026-572MSD	316-027	ORG	75-35-4	1,1-Dichloroethene	4800		ug/L	100	47.11	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9805	5000	96%	4%	0
NAL13026-572MSD	316-027	ORG	75-09-2	Methylene chloride	5000		ug/L	500	26.46	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9805	5000	100%	4%	0
NAL13026-572MSD	316-027	ORG	67-64-1	Acetone	58000		ug/L	1000	155.61	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9805	5000	100%	4%	53000
NAL13026-572MSD	316-027	ORG	156-60-5	trans-1,2-Dichloroethene	4700		ug/L	100	55.61	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9805	5000	94%	24%	0
NAL13026-572MSD	316-027	ORG	1634-04-4	MTBE	5200		ug/L	500	61.18	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9805	5000	104%	4%	0
NAL13026-572MSD	316-027	ORG	75-34-3	1,1-Dichloroethane	4600		ug/L	100	52.66	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9805	5000	92%	4%	0
NAL13026-572MSD	316-027	ORG	156-59-2	cis-1,2-Dichloroethene	4600		ug/L	100	32.11	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9805	5000	92%	2%	0
NAL13026-572MSD	316-027	ORG	74-97-5	Bromochloromethane	4700		ug/L	1000	81.18	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9805	5000	94%	2%	0
NAL13026-572MSD	316-027	ORG	67-66-3	Chloroform	4600		ug/L	200	41.37	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9805	5000	92%	0%	0
NAL13026-572MSD	316-027	ORG	71-55-6	1,1,1-Trichloroethane	5000		ug/L	100	15.73	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9805	5000	100%	2%	0
NAL13026-572MSD	316-027	ORG	78-93-3	2-Butanone	31000		ug/L	100	16.65	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9805	5000	-100%	3%	36000
NAL13026-572MSD	316-027	ORG	56-23-5	Carbon tetrachloride	4900		ug/L	100	27.64	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9805	5000	98%	4%	0
NAL13026-572MSD	316-027	ORG	71-43-2	Benzene	4600		ug/L	100	13.53	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9805	5000	92%	0%	25
NAL13026-572MSD	316-027	ORG	107-06-2	1,2-Dichloroethane	4800		ug/L	100	20.01	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9805	5000	96%	2%	0
NAL13026-572MSD	316-027	ORG	79-01-6	Trichloroethene	4800		ug/L	100	36.33	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9805	5000	96%	4%	0
NAL13026-572MSD	316-027	ORG	74-95-3	Dibromomethane	4800		ug/L	200	32.20	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9805	5000	96%	0%	0
NAL13026-572MSD	316-027	ORG	78-87-5	1,2-Dichloropropane	4700		ug/L	100	18.17	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9805	5000	94%	0%	0
NAL13026-572MSD	316-027	ORG	75-27-4	Bromodichloromethane	4600		ug/L	200	11.58	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9805	5000	92%	2%	0
NAL13026-572MSD	316-027	ORG	10061-01-5	cis-1,3-Dichloropropene	4800		ug/L	100	25.01	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9805	5000	96%	4%	0
NAL13026-572MSD	316-027	ORG	108-88-3	Toluene	4700		ug/L	500	74.00	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9805	5000	94%	0%	0
NAL13026-572MSD	316-027	ORG	108-10-1	4-Methyl-2-pentanone	5800		ug/L	100	20.96	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9805	5000	97%	7%	950
NAL13026-572MSD	316-027	ORG	10061-02-6	trans-1,3-Dichloropropene	4900		ug/L	100	31.15	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9805	5000	98%	0%	0
NAL13026-572MSD	316-027	ORG	127-18-4	Tetrachloroethene	4000		ug/L	100	48.56	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9805	5000	80%	3%	0
NAL13026-572MSD	316-027	ORG	79-00-5	1,1,2-Trichloroethane	4600		ug/L	100	34.28	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9805	5000	92%	2%	0
NAL13026-572MSD	316-027	ORG	124-48-1	Dibromochloromethane	4700		ug/L	500	68.90	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9805	5000	94%	2%	0
NAL13026-572MSD	316-027	ORG	106-93-4	1,2-Dibromoethane	4800		ug/L	200	29.90	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9805	5000	96%	0%	0
NAL13026-572MSD	316-027	ORG	591-78-6	2-Hexanone	4300		ug/L	200	26.49	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9805	5000	79%	5%	360
NAL13026-572MSD	316-027	ORG	100-41-4	Ethylbenzene	5000		ug/L	100	25.38	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9805	5000	100%	0%	0
NAL13026-572MSD	316-027	ORG	108-90-7	Chlorobenzene	4900		ug/L	100	27.52	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9805	5000	98%	4%	0
NAL13026-572MSD	316-027	ORG	630-20-6	1,1,1,2-Tetrachloroethane	5000		ug/L	200	19.28	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9805	5000	100%	2%	0
NAL13026-572MSD	316-027	ORG	XYLMP	p&m-Xylene	10000		ug/L	200	26.14	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9805	10000	100%	1%	0
NAL13026-572MSD	316-027	ORG	95-47-6	o-Xylene	5100		ug/L	100	12.90	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9805	5000	102%	2%	0
NAL13026-572MSD	316-027	ORG	100-42-5	Styrene	5100		ug/L	100	20.23	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9805	5000	102%	4%	0
NAL13026-572MSD	316-027	ORG	75-25-2	Bromoform	4900		ug/L	200	46.83	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9805	5000	98%	0%	0

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-572MSD	316-027	ORG	98-82-8	Isopropylbenzene	5200		ug/L	200	20.48	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9805	5000	104%	4%	0
NAL13026-572MSD	316-027	ORG	103-65-1	n-Propylbenzene	5100		ug/L	200	27.00	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9805	5000	102%	0%	0
NAL13026-572MSD	316-027	ORG	79-34-5	1,1,2,2-Tetrachloroethane	4800		ug/L	200	29.16	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9805	5000	96%	4%	0
NAL13026-572MSD	316-027	ORG	96-18-4	1,2,3-Trichloropropane	5000		ug/L	200	29.47	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9805	5000	100%	2%	0
NAL13026-572MSD	316-027	ORG	108-67-8	1,3,5-Trimethylbenzene	5100		ug/L	200	20.03	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9805	5000	102%	2%	0
NAL13026-572MSD	316-027	ORG	98-06-6	tert-Butylbenzene	5000		ug/L	200	32.61	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9805	5000	100%	2%	0
NAL13026-572MSD	316-027	ORG	95-63-6	1,2,4-Trimethylbenzene	5000		ug/L	200	20.03	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9805	5000	99%	0%	35
NAL13026-572MSD	316-027	ORG	135-98-8	sec-Butylbenzene	5100		ug/L	200	32.34	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9805	5000	102%	0%	0
NAL13026-572MSD	316-027	ORG	541-73-1	1,3-Dichlorobenzene	4800		ug/L	200	22.21	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9805	5000	96%	0%	0
NAL13026-572MSD	316-027	ORG	99-87-6	p-Isopropltoluene	5300		ug/L	200	25.48	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9805	5000	104%	4%	98
NAL13026-572MSD	316-027	ORG	106-46-7	1,4-Dichlorobenzene	4600		ug/L	200	33.03	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9805	5000	92%	0%	0
NAL13026-572MSD	316-027	ORG	95-50-1	1,2-Dichlorobenzene	4800		ug/L	200	26.38	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9805	5000	96%	0%	0
NAL13026-572MSD	316-027	ORG	104-51-8	n-Butylbenzene	5200		ug/L	500	27.81	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9805	5000	104%	4%	0
NAL13026-572MSD	316-027	ORG	96-12-8	1,2-Dibromo-3-chloropropane	5100		ug/L	500	159.11	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9805	5000	102%	11%	0
NAL13026-572MSD	316-027	ORG	87-68-3	Hexachlorobutadiene	5000		ug/L	500	65.42	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9805	5000	100%	2%	0
NAL13026-572MSD	316-027	ORG	120-82-1	1,2,4-Trichlorobenzene	5000		ug/L	500	27.63	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9805	5000	100%	2%	0
NAL13026-572MSD	316-027	ORG	91-20-3	Naphthalene	5300		ug/L	500	56.04	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9805	5000	101%	4%	270
NAL13026-572MSD	316-027	ORG	87-61-6	1,2,3-Trichlorobenzene	5000		ug/L	500	23.28	7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9805	5000	99%	2%	69
NAL13026-572MSD	316-027	STD	1868-53-7	Dibromofluoromethane	49		ng			7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9805	50	98%	6%	0
NAL13026-572MSD	316-027	STD	17060-07-0	1,2-Dichloroethane d4	49		ng			7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9805	50	98%	15%	0
NAL13026-572MSD	316-027	STD	2037-26-5	Toluene d8	49		ng			7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9805	50	98%	2%	0
NAL13026-572MSD	316-027	STD	460-00-4	Bromofluorobenzene	52		ng			7/30/2013	7/30/2013	7/30/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9805	50	104%	4%	0

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-573	316-028	ORG	75-71-8	Dichlorodifluoromethane	160	J	ug/L	500	29.28	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9809				
NAL13026-573	316-028	ORG	74-87-3	Chloromethane	67	J	ug/L	500	43.07	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9809				
NAL13026-573	316-028	ORG	75-01-4	Vinyl chloride	59	J	ug/L	200	31.86	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9809				
NAL13026-573	316-028	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9809				
NAL13026-573	316-028	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9809				
NAL13026-573	316-028	ORG	75-69-4	Trichlorofluoromethane	130	J	ug/L	500	19.65	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9809				
NAL13026-573	316-028	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9809				
NAL13026-573	316-028	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9809				
NAL13026-573	316-028	ORG	67-64-1	Acetone	55000	D	ug/L	10000	1556.07	7/31/2013	7/31/2013	7/31/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9810				
NAL13026-573	316-028	ORG	156-60-5	trans-1,2-Dichloroethene	60	J	ug/L	100	55.61	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9809				
NAL13026-573	316-028	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9809				
NAL13026-573	316-028	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9809				
NAL13026-573	316-028	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9809				
NAL13026-573	316-028	ORG	74-97-5	Bromochloromethane		U	ug/L	200	41.37	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9809				
NAL13026-573	316-028	ORG	67-66-3	Chloroform	27	J	ug/L	100	15.73	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9809				
NAL13026-573	316-028	ORG	71-55-6	1,1,1-Trichloroethane	55	J	ug/L	100	16.65	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9809				
NAL13026-573	316-028	ORG	78-93-3	2-Butanone	35000	DX+	ug/L	10000	811.80	7/31/2013	7/31/2013	7/31/2013	WG	1000	NA	5.0	NA	SW8260B	NALJ9810				
NAL13026-573	316-028	ORG	56-23-5	Carbon tetrachloride	81	J	ug/L	100	27.64	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9809				
NAL13026-573	316-028	ORG	71-43-2	Benzene	72	J	ug/L	100	13.53	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9809				
NAL13026-573	316-028	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9809				
NAL13026-573	316-028	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9809				
NAL13026-573	316-028	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9809				
NAL13026-573	316-028	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9809				
NAL13026-573	316-028	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9809				
NAL13026-573	316-028	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9809				
NAL13026-573	316-028	ORG	108-88-3	Toluene	35	J	ug/L	100	20.96	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9809				
NAL13026-573	316-028	ORG	108-10-1	4-Methyl-2-pentanone	1100	X+	ug/L	500	74.00	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9809				
NAL13026-573	316-028	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9809				
NAL13026-573	316-028	ORG	127-18-4	Tetrachloroethene	49	JX-	ug/L	100	48.56	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9809				
NAL13026-573	316-028	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9809				
NAL13026-573	316-028	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	29.90	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9809				
NAL13026-573	316-028	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	26.49	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9809				
NAL13026-573	316-028	ORG	591-78-6	2-Hexanone	500	JX+	ug/L	500	68.90	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9809				
NAL13026-573	316-028	ORG	100-41-4	Ethylbenzene	34	J	ug/L	100	25.38	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9809				
NAL13026-573	316-028	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9809				
NAL13026-573	316-028	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9809				
NAL13026-573	316-028	ORG	XYLMP	p&m-Xylene	72	J	ug/L	200	26.14	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9809				
NAL13026-573	316-028	ORG	95-47-6	o-Xylene	32	J	ug/L	100	12.90	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9809				
NAL13026-573	316-028	ORG	100-42-5	Styrene	32	J	ug/L	100	20.23	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9809				
NAL13026-573	316-028	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9809				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-573	316-028	ORG	98-82-8	Isopropylbenzene	42	J	ug/L	200	20.48	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9809				
NAL13026-573	316-028	ORG	103-65-1	n-Propylbenzene	37	J	ug/L	200	27.00	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9809				
NAL13026-573	316-028	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9809				
NAL13026-573	316-028	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9809				
NAL13026-573	316-028	ORG	108-67-8	1,3,5-Trimethylbenzene	34	J	ug/L	200	20.03	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9809				
NAL13026-573	316-028	ORG	98-06-6	tert-Butylbenzene	33	J	ug/L	200	32.61	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9809				
NAL13026-573	316-028	ORG	95-63-6	1,2,4-Trimethylbenzene	58	J	ug/L	200	20.03	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9809				
NAL13026-573	316-028	ORG	135-98-8	sec-Butylbenzene	46	J	ug/L	200	32.34	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9809				
NAL13026-573	316-028	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9809				
NAL13026-573	316-028	ORG	99-87-6	p-Isopropltoluene	160	J	ug/L	200	25.48	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9809				
NAL13026-573	316-028	ORG	106-46-7	1,4-Dichlorobenzene	100	J	ug/L	200	33.03	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9809				
NAL13026-573	316-028	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9809				
NAL13026-573	316-028	ORG	104-51-8	n-Butylbenzene	43	J	ug/L	500	27.81	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9809				
NAL13026-573	316-028	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9809				
NAL13026-573	316-028	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9809				
NAL13026-573	316-028	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9809				
NAL13026-573	316-028	ORG	91-20-3	Naphthalene	240	J	ug/L	500	56.04	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9809				
NAL13026-573	316-028	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9809				
NAL13026-573	316-028	STD	1868-53-7	Dibromofluoromethane	51		ng			7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9809	50	102%		
NAL13026-573	316-028	STD	17060-07-0	1,2-Dichloroethane d4	50		ng			7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9809	50	100%		
NAL13026-573	316-028	STD	2037-26-5	Toluene d8	48		ng			7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9809	50	96%		
NAL13026-573	316-028	STD	460-00-4	Bromofluorobenzene	46		ng			7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9809	50	92%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J073113CCVA	J073113CCVA	ORG	75-71-8	Dichlorodifluoromethane	43		ug/L	5	0.29	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9807	50	86%		
J073113CCVA	J073113CCVA	ORG	74-87-3	Chloromethane	55		ug/L	5	0.43	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9807	50	110%		
J073113CCVA	J073113CCVA	ORG	75-01-4	Vinyl chloride	53		ug/L	2	0.32	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9807	50	106%		
J073113CCVA	J073113CCVA	ORG	74-83-9	Bromomethane	48		ug/L	5	0.50	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9807	50	96%		
J073113CCVA	J073113CCVA	ORG	75-00-3	Chloroethane	46		ug/L	5	0.56	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9807	50	92%		
J073113CCVA	J073113CCVA	ORG	75-69-4	Trichlorofluoromethane	41		ug/L	5	0.20	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9807	50	82%		
J073113CCVA	J073113CCVA	ORG	75-35-4	1,1-Dichloroethene	44		ug/L	1	0.47	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9807	50	88%		
J073113CCVA	J073113CCVA	ORG	75-09-2	Methylene chloride	45		ug/L	5	0.26	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9807	50	90%		
J073113CCVA	J073113CCVA	ORG	67-64-1	Acetone	60		ug/L	10	1.56	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9807	50	120%		
J073113CCVA	J073113CCVA	ORG	156-60-5	trans-1,2-Dichloroethene	56		ug/L	1	0.56	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9807	50	112%		
J073113CCVA	J073113CCVA	ORG	1634-04-4	MTBE	66		ug/L	5	0.61	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9807	50	132%		
J073113CCVA	J073113CCVA	ORG	75-34-3	1,1-Dichloroethane	48		ug/L	1	0.53	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9807	50	96%		
J073113CCVA	J073113CCVA	ORG	156-59-2	cis-1,2-Dichloroethene	47		ug/L	1	0.32	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9807	50	94%		
J073113CCVA	J073113CCVA	ORG	74-97-5	Bromochloromethane	47		ug/L	10	0.81	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9807	50	94%		
J073113CCVA	J073113CCVA	ORG	67-66-3	Chloroform	46		ug/L	2	0.41	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9807	50	92%		
J073113CCVA	J073113CCVA	ORG	71-55-6	1,1,1-Trichloroethane	48		ug/L	1	0.16	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9807	50	96%		
J073113CCVA	J073113CCVA	ORG	78-93-3	2-Butanone	63		ug/L	1	0.17	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9807	50	126%		
J073113CCVA	J073113CCVA	ORG	56-23-5	Carbon tetrachloride	48		ug/L	1	0.28	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9807	50	96%		
J073113CCVA	J073113CCVA	ORG	71-43-2	Benzene	45		ug/L	1	0.14	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9807	50	90%		
J073113CCVA	J073113CCVA	ORG	107-06-2	1,2-Dichloroethane	47		ug/L	1	0.20	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9807	50	94%		
J073113CCVA	J073113CCVA	ORG	79-01-6	Trichloroethene	49		ug/L	1	0.36	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9807	50	98%		
J073113CCVA	J073113CCVA	ORG	74-95-3	Dibromomethane	48		ug/L	2	0.32	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9807	50	96%		
J073113CCVA	J073113CCVA	ORG	78-87-5	1,2-Dichloropropane	47		ug/L	1	0.18	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9807	50	94%		
J073113CCVA	J073113CCVA	ORG	75-27-4	Bromodichloromethane	45		ug/L	2	0.12	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9807	50	90%		
J073113CCVA	J073113CCVA	ORG	10061-01-5	cis-1,3-Dichloropropene	46		ug/L	1	0.25	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9807	50	92%		
J073113CCVA	J073113CCVA	ORG	108-88-3	Toluene	45		ug/L	5	0.74	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9807	50	90%		
J073113CCVA	J073113CCVA	ORG	108-10-1	4-Methyl-2-pentanone	66		ug/L	1	0.21	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9807	50	132%		
J073113CCVA	J073113CCVA	ORG	10061-02-6	trans-1,3-Dichloropropene	48		ug/L	1	0.31	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9807	50	96%		
J073113CCVA	J073113CCVA	ORG	127-18-4	Tetrachloroethene	37		ug/L	1	0.49	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9807	50	74%		
J073113CCVA	J073113CCVA	ORG	79-00-5	1,1,2-Trichloroethane	45		ug/L	1	0.34	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9807	50	90%		
J073113CCVA	J073113CCVA	ORG	124-48-1	Dibromochloromethane	47		ug/L	5	0.69	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9807	50	94%		
J073113CCVA	J073113CCVA	ORG	106-93-4	1,2-Dibromoethane	48		ug/L	2	0.30	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9807	50	96%		
J073113CCVA	J073113CCVA	ORG	591-78-6	2-Hexanone	61		ug/L	2	0.26	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9807	50	122%		
J073113CCVA	J073113CCVA	ORG	100-41-4	Ethylbenzene	46		ug/L	1	0.25	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9807	50	92%		
J073113CCVA	J073113CCVA	ORG	108-90-7	Chlorobenzene	43		ug/L	1	0.28	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9807	50	86%		
J073113CCVA	J073113CCVA	ORG	630-20-6	1,1,1,2-Tetrachloroethane	46		ug/L	2	0.19	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9807	50	92%		
J073113CCVA	J073113CCVA	ORG	XYLMP	p&m-Xylene	91		ug/L	2	0.26	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9807	100	91%		
J073113CCVA	J073113CCVA	ORG	95-47-6	o-Xylene	46		ug/L	1	0.13	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9807	50	92%		
J073113CCVA	J073113CCVA	ORG	100-42-5	Styrene	48		ug/L	1	0.20	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9807	50	96%		
J073113CCVA	J073113CCVA	ORG	75-25-2	Bromoform	50		ug/L	2	0.47	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9807	50	100%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J073113CCVA	J073113CCVA	ORG	98-82-8	Isopropylbenzene	47		ug/L	2	0.20	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9807	50	94%		
J073113CCVA	J073113CCVA	ORG	103-65-1	n-Propylbenzene	48		ug/L	2	0.27	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9807	50	96%		
J073113CCVA	J073113CCVA	ORG	79-34-5	1,1,2,2-Tetrachloroethane	51		ug/L	2	0.29	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9807	50	102%		
J073113CCVA	J073113CCVA	ORG	96-18-4	1,2,3-Trichloropropane	54		ug/L	2	0.29	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9807	50	108%		
J073113CCVA	J073113CCVA	ORG	108-67-8	1,3,5-Trimethylbenzene	48		ug/L	2	0.20	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9807	50	96%		
J073113CCVA	J073113CCVA	ORG	98-06-6	tert-Butylbenzene	48		ug/L	2	0.33	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9807	50	96%		
J073113CCVA	J073113CCVA	ORG	95-63-6	1,2,4-Trimethylbenzene	48		ug/L	2	0.20	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9807	50	96%		
J073113CCVA	J073113CCVA	ORG	135-98-8	sec-Butylbenzene	50		ug/L	2	0.32	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9807	50	100%		
J073113CCVA	J073113CCVA	ORG	541-73-1	1,3-Dichlorobenzene	47		ug/L	2	0.22	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9807	50	94%		
J073113CCVA	J073113CCVA	ORG	99-87-6	p-Isopropltoluene	50		ug/L	2	0.25	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9807	50	100%		
J073113CCVA	J073113CCVA	ORG	106-46-7	1,4-Dichlorobenzene	48		ug/L	2	0.33	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9807	50	96%		
J073113CCVA	J073113CCVA	ORG	95-50-1	1,2-Dichlorobenzene	47		ug/L	2	0.26	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9807	50	94%		
J073113CCVA	J073113CCVA	ORG	104-51-8	n-Butylbenzene	52		ug/L	5	0.28	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9807	50	104%		
J073113CCVA	J073113CCVA	ORG	96-12-8	1,2-Dibromo-3-chloropropane	52		ug/L	5	1.59	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9807	50	104%		
J073113CCVA	J073113CCVA	ORG	87-68-3	Hexachlorobutadiene	54		ug/L	5	0.65	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9807	50	108%		
J073113CCVA	J073113CCVA	ORG	120-82-1	1,2,4-Trichlorobenzene	48		ug/L	5	0.28	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9807	50	96%		
J073113CCVA	J073113CCVA	ORG	91-20-3	Naphthalene	51		ug/L	5	0.56	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9807	50	102%		
J073113CCVA	J073113CCVA	ORG	87-61-6	1,2,3-Trichlorobenzene	47		ug/L	5	0.23	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9807	50	94%		
J073113CCVA	J073113CCVA	STD	1868-53-7	Dibromofluoromethane	50		ng			NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9807	50	100%		
J073113CCVA	J073113CCVA	STD	17060-07-0	1,2-Dichloroethane d4	54		ng			NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9807	50	108%		
J073113CCVA	J073113CCVA	STD	2037-26-5	Toluene d8	47		ng			NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9807	50	94%		
J073113CCVA	J073113CCVA	STD	460-00-4	Bromofluorobenzene	48		ng			NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9807	50	96%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J073113MBKA	J073113MBKA	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	5	0.29	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9808				
J073113MBKA	J073113MBKA	ORG	74-87-3	Chloromethane		U	ug/L	5	0.43	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9808				
J073113MBKA	J073113MBKA	ORG	75-01-4	Vinyl chloride		U	ug/L	2	0.32	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9808				
J073113MBKA	J073113MBKA	ORG	74-83-9	Bromomethane		U	ug/L	5	0.50	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9808				
J073113MBKA	J073113MBKA	ORG	75-00-3	Chloroethane		U	ug/L	5	0.56	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9808				
J073113MBKA	J073113MBKA	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	5	0.20	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9808				
J073113MBKA	J073113MBKA	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	1	0.47	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9808				
J073113MBKA	J073113MBKA	ORG	75-09-2	Methylene chloride		U	ug/L	5	0.26	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9808				
J073113MBKA	J073113MBKA	ORG	67-64-1	Acetone		U	ug/L	10	1.56	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9808				
J073113MBKA	J073113MBKA	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	1	0.56	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9808				
J073113MBKA	J073113MBKA	ORG	1634-04-4	MTBE		U	ug/L	5	0.61	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9808				
J073113MBKA	J073113MBKA	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	1	0.53	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9808				
J073113MBKA	J073113MBKA	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	1	0.32	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9808				
J073113MBKA	J073113MBKA	ORG	74-97-5	Bromochloromethane		U	ug/L	10	0.81	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9808				
J073113MBKA	J073113MBKA	ORG	67-66-3	Chloroform		U	ug/L	2	0.41	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9808				
J073113MBKA	J073113MBKA	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	1	0.16	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9808				
J073113MBKA	J073113MBKA	ORG	78-93-3	2-Butanone		U	ug/L	1	0.17	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9808				
J073113MBKA	J073113MBKA	ORG	56-23-5	Carbon tetrachloride		U	ug/L	1	0.28	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9808				
J073113MBKA	J073113MBKA	ORG	71-43-2	Benzene		U	ug/L	1	0.14	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9808				
J073113MBKA	J073113MBKA	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	1	0.20	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9808				
J073113MBKA	J073113MBKA	ORG	79-01-6	Trichloroethene		U	ug/L	1	0.36	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9808				
J073113MBKA	J073113MBKA	ORG	74-95-3	Dibromomethane		U	ug/L	2	0.32	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9808				
J073113MBKA	J073113MBKA	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	1	0.18	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9808				
J073113MBKA	J073113MBKA	ORG	75-27-4	Bromodichloromethane		U	ug/L	2	0.12	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9808				
J073113MBKA	J073113MBKA	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	1	0.25	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9808				
J073113MBKA	J073113MBKA	ORG	108-88-3	Toluene		U	ug/L	5	0.74	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9808				
J073113MBKA	J073113MBKA	ORG	108-10-1	4-Methyl-2-pentanone		U	ug/L	1	0.21	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9808				
J073113MBKA	J073113MBKA	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	1	0.31	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9808				
J073113MBKA	J073113MBKA	ORG	127-18-4	Tetrachloroethene		U	ug/L	1	0.49	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9808				
J073113MBKA	J073113MBKA	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	1	0.34	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9808				
J073113MBKA	J073113MBKA	ORG	124-48-1	Dibromochloromethane		U	ug/L	5	0.69	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9808				
J073113MBKA	J073113MBKA	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	2	0.30	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9808				
J073113MBKA	J073113MBKA	ORG	591-78-6	2-Hexanone		U	ug/L	2	0.26	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9808				
J073113MBKA	J073113MBKA	ORG	100-41-4	Ethylbenzene		U	ug/L	1	0.25	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9808				
J073113MBKA	J073113MBKA	ORG	108-90-7	Chlorobenzene		U	ug/L	1	0.28	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9808				
J073113MBKA	J073113MBKA	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	2	0.19	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9808				
J073113MBKA	J073113MBKA	ORG	XYLMP	p&m-Xylene		U	ug/L	2	0.26	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9808				
J073113MBKA	J073113MBKA	ORG	95-47-6	o-Xylene		U	ug/L	1	0.13	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9808				
J073113MBKA	J073113MBKA	ORG	100-42-5	Styrene		U	ug/L	1	0.20	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9808				
J073113MBKA	J073113MBKA	ORG	75-25-2	Bromoform		U	ug/L	2	0.47	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9808				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J073113MBKA	J073113MBKA	ORG	98-82-8	Isopropylbenzene		U	ug/L	2	0.20	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9808				
J073113MBKA	J073113MBKA	ORG	103-65-1	n-Propylbenzene		U	ug/L	2	0.27	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9808				
J073113MBKA	J073113MBKA	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	2	0.29	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9808				
J073113MBKA	J073113MBKA	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	2	0.29	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9808				
J073113MBKA	J073113MBKA	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	2	0.20	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9808				
J073113MBKA	J073113MBKA	ORG	98-06-6	tert-Butylbenzene		U	ug/L	2	0.33	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9808				
J073113MBKA	J073113MBKA	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	2	0.20	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9808				
J073113MBKA	J073113MBKA	ORG	135-98-8	sec-Butylbenzene		U	ug/L	2	0.32	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9808				
J073113MBKA	J073113MBKA	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	2	0.22	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9808				
J073113MBKA	J073113MBKA	ORG	99-87-6	p-Isopropltoluene		U	ug/L	2	0.25	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9808				
J073113MBKA	J073113MBKA	ORG	106-46-7	1,4-Dichlorobenzene		U	ug/L	2	0.33	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9808				
J073113MBKA	J073113MBKA	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	2	0.26	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9808				
J073113MBKA	J073113MBKA	ORG	104-51-8	n-Butylbenzene		U	ug/L	5	0.28	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9808				
J073113MBKA	J073113MBKA	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	5	1.59	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9808				
J073113MBKA	J073113MBKA	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	5	0.65	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9808				
J073113MBKA	J073113MBKA	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	5	0.28	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9808				
J073113MBKA	J073113MBKA	ORG	91-20-3	Naphthalene		U	ug/L	5	0.56	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9808				
J073113MBKA	J073113MBKA	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	5	0.23	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9808				
J073113MBKA	J073113MBKA	STD	1868-53-7	Dibromofluoromethane	52		ng			NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9808	50	104%		
J073113MBKA	J073113MBKA	STD	17060-07-0	1,2-Dichloroethane d4	55		ng			NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9808	50	110%		
J073113MBKA	J073113MBKA	STD	2037-26-5	Toluene d8	47		ng			NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9808	50	94%		
J073113MBKA	J073113MBKA	STD	460-00-4	Bromofluorobenzene	47		ng			NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9808	50	94%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J073113ALCS	J073113ALCS	ORG	75-71-8	Dichlorodifluoromethane	39		ug/L	5	0.29	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9811	50	78%		
J073113ALCS	J073113ALCS	ORG	74-87-3	Chloromethane	45		ug/L	5	0.43	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9811	50	90%		
J073113ALCS	J073113ALCS	ORG	75-01-4	Vinyl chloride	47		ug/L	2	0.32	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9811	50	94%		
J073113ALCS	J073113ALCS	ORG	74-83-9	Bromomethane	48		ug/L	5	0.50	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9811	50	96%		
J073113ALCS	J073113ALCS	ORG	75-00-3	Chloroethane	46		ug/L	5	0.56	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9811	50	92%		
J073113ALCS	J073113ALCS	ORG	75-69-4	Trichlorofluoromethane	50		ug/L	5	0.20	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9811	50	100%		
J073113ALCS	J073113ALCS	ORG	75-35-4	1,1-Dichloroethene	49		ug/L	1	0.47	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9811	50	98%		
J073113ALCS	J073113ALCS	ORG	75-09-2	Methylene chloride	48		ug/L	5	0.26	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9811	50	96%		
J073113ALCS	J073113ALCS	ORG	67-64-1	Acetone	54		ug/L	10	1.56	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9811	50	108%		
J073113ALCS	J073113ALCS	ORG	156-60-5	trans-1,2-Dichloroethene	47		ug/L	1	0.56	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9811	50	94%		
J073113ALCS	J073113ALCS	ORG	1634-04-4	MTBE	54		ug/L	5	0.61	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9811	50	108%		
J073113ALCS	J073113ALCS	ORG	75-34-3	1,1-Dichloroethane	49		ug/L	1	0.53	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9811	50	98%		
J073113ALCS	J073113ALCS	ORG	156-59-2	cis-1,2-Dichloroethene	48		ug/L	1	0.32	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9811	50	96%		
J073113ALCS	J073113ALCS	ORG	74-97-5	Bromochloromethane	50		ug/L	10	0.81	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9811	50	100%		
J073113ALCS	J073113ALCS	ORG	67-66-3	Chloroform	48		ug/L	2	0.41	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9811	50	96%		
J073113ALCS	J073113ALCS	ORG	71-55-6	1,1,1-Trichloroethane	51		ug/L	1	0.16	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9811	50	102%		
J073113ALCS	J073113ALCS	ORG	78-93-3	2-Butanone	56		ug/L	1	0.17	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9811	50	112%		
J073113ALCS	J073113ALCS	ORG	56-23-5	Carbon tetrachloride	51		ug/L	1	0.28	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9811	50	102%		
J073113ALCS	J073113ALCS	ORG	71-43-2	Benzene	47		ug/L	1	0.14	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9811	50	94%		
J073113ALCS	J073113ALCS	ORG	107-06-2	1,2-Dichloroethane	50		ug/L	1	0.20	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9811	50	100%		
J073113ALCS	J073113ALCS	ORG	79-01-6	Trichloroethene	51		ug/L	1	0.36	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9811	50	102%		
J073113ALCS	J073113ALCS	ORG	74-95-3	Dibromomethane	52		ug/L	2	0.32	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9811	50	104%		
J073113ALCS	J073113ALCS	ORG	78-87-5	1,2-Dichloropropane	49		ug/L	1	0.18	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9811	50	98%		
J073113ALCS	J073113ALCS	ORG	75-27-4	Bromodichloromethane	49		ug/L	2	0.12	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9811	50	98%		
J073113ALCS	J073113ALCS	ORG	10061-01-5	cis-1,3-Dichloropropene	48		ug/L	1	0.25	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9811	50	96%		
J073113ALCS	J073113ALCS	ORG	108-88-3	Toluene	47		ug/L	5	0.74	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9811	50	94%		
J073113ALCS	J073113ALCS	ORG	108-10-1	4-Methyl-2-pentanone	59		ug/L	1	0.21	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9811	50	118%		
J073113ALCS	J073113ALCS	ORG	10061-02-6	trans-1,3-Dichloropropene	49		ug/L	1	0.31	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9811	50	98%		
J073113ALCS	J073113ALCS	ORG	127-18-4	Tetrachloroethene	45		ug/L	1	0.49	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9811	50	90%		
J073113ALCS	J073113ALCS	ORG	79-00-5	1,1,2-Trichloroethane	47		ug/L	1	0.34	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9811	50	94%		
J073113ALCS	J073113ALCS	ORG	124-48-1	Dibromochloromethane	49		ug/L	5	0.69	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9811	50	98%		
J073113ALCS	J073113ALCS	ORG	106-93-4	1,2-Dibromoethane	51		ug/L	2	0.30	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9811	50	102%		
J073113ALCS	J073113ALCS	ORG	591-78-6	2-Hexanone	54		ug/L	2	0.26	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9811	50	108%		
J073113ALCS	J073113ALCS	ORG	100-41-4	Ethylbenzene	51		ug/L	1	0.25	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9811	50	102%		
J073113ALCS	J073113ALCS	ORG	108-90-7	Chlorobenzene	48		ug/L	1	0.28	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9811	50	96%		
J073113ALCS	J073113ALCS	ORG	630-20-6	1,1,1,2-Tetrachloroethane	50		ug/L	2	0.19	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9811	50	100%		
J073113ALCS	J073113ALCS	ORG	XYLMP	p&m-Xylene	101		ug/L	2	0.26	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9811	100	101%		
J073113ALCS	J073113ALCS	ORG	95-47-6	o-Xylene	51		ug/L	1	0.13	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9811	50	102%		
J073113ALCS	J073113ALCS	ORG	100-42-5	Styrene	50		ug/L	1	0.20	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9811	50	100%		
J073113ALCS	J073113ALCS	ORG	75-25-2	Bromoform	52		ug/L	2	0.47	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9811	50	104%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J073113ALCS	J073113ALCS	ORG	98-82-8	Isopropylbenzene	52		ug/L	2	0.20	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9811	50	104%		
J073113ALCS	J073113ALCS	ORG	103-65-1	n-Propylbenzene	52		ug/L	2	0.27	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9811	50	104%		
J073113ALCS	J073113ALCS	ORG	79-34-5	1,1,2,2-Tetrachloroethane	51		ug/L	2	0.29	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9811	50	102%		
J073113ALCS	J073113ALCS	ORG	96-18-4	1,2,3-Trichloropropane	54		ug/L	2	0.29	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9811	50	108%		
J073113ALCS	J073113ALCS	ORG	108-67-8	1,3,5-Trimethylbenzene	51		ug/L	2	0.20	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9811	50	102%		
J073113ALCS	J073113ALCS	ORG	98-06-6	tert-Butylbenzene	50		ug/L	2	0.33	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9811	50	100%		
J073113ALCS	J073113ALCS	ORG	95-63-6	1,2,4-Trimethylbenzene	51		ug/L	2	0.20	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9811	50	102%		
J073113ALCS	J073113ALCS	ORG	135-98-8	sec-Butylbenzene	51		ug/L	2	0.32	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9811	50	102%		
J073113ALCS	J073113ALCS	ORG	541-73-1	1,3-Dichlorobenzene	49		ug/L	2	0.22	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9811	50	98%		
J073113ALCS	J073113ALCS	ORG	99-87-6	p-Isopropltoluene	51		ug/L	2	0.25	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9811	50	102%		
J073113ALCS	J073113ALCS	ORG	106-46-7	1,4-Dichlorobenzene	47		ug/L	2	0.33	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9811	50	94%		
J073113ALCS	J073113ALCS	ORG	95-50-1	1,2-Dichlorobenzene	47		ug/L	2	0.26	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9811	50	94%		
J073113ALCS	J073113ALCS	ORG	104-51-8	n-Butylbenzene	53		ug/L	5	0.28	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9811	50	106%		
J073113ALCS	J073113ALCS	ORG	96-12-8	1,2-Dibromo-3-chloropropane	52		ug/L	5	1.59	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9811	50	104%		
J073113ALCS	J073113ALCS	ORG	87-68-3	Hexachlorobutadiene	50		ug/L	5	0.65	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9811	50	100%		
J073113ALCS	J073113ALCS	ORG	120-82-1	1,2,4-Trichlorobenzene	48		ug/L	5	0.28	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9811	50	96%		
J073113ALCS	J073113ALCS	ORG	91-20-3	Naphthalene	51		ug/L	5	0.56	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9811	50	102%		
J073113ALCS	J073113ALCS	ORG	87-61-6	1,2,3-Trichlorobenzene	48		ug/L	5	0.23	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9811	50	96%		
J073113ALCS	J073113ALCS	STD	1868-53-7	Dibromofluoromethane	52		ng			NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9811	50	104%		
J073113ALCS	J073113ALCS	STD	17060-07-0	1,2-Dichloroethane d4	49		ng			NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9811	50	98%		
J073113ALCS	J073113ALCS	STD	2037-26-5	Toluene d8	48		ng			NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9811	50	96%		
J073113ALCS	J073113ALCS	STD	460-00-4	Bromofluorobenzene	52		ng			NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9811	50	104%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J073113ALCD	J073113ALCD	ORG	75-71-8	Dichlorodifluoromethane	40		ug/L	5	0.29	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9812	50	80%	3%	
J073113ALCD	J073113ALCD	ORG	74-87-3	Chloromethane	48		ug/L	5	0.43	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9812	50	96%	6%	
J073113ALCD	J073113ALCD	ORG	75-01-4	Vinyl chloride	44		ug/L	2	0.32	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9812	50	88%	7%	
J073113ALCD	J073113ALCD	ORG	74-83-9	Bromomethane	49		ug/L	5	0.50	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9812	50	98%	2%	
J073113ALCD	J073113ALCD	ORG	75-00-3	Chloroethane	53		ug/L	5	0.56	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9812	50	106%	14%	
J073113ALCD	J073113ALCD	ORG	75-69-4	Trichlorofluoromethane	43		ug/L	5	0.20	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9812	50	86%	15%	
J073113ALCD	J073113ALCD	ORG	75-35-4	1,1-Dichloroethene	49		ug/L	1	0.47	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9812	50	98%	0%	
J073113ALCD	J073113ALCD	ORG	75-09-2	Methylene chloride	51		ug/L	5	0.26	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9812	50	102%	6%	
J073113ALCD	J073113ALCD	ORG	67-64-1	Acetone	52		ug/L	10	1.56	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9812	50	104%	4%	
J073113ALCD	J073113ALCD	ORG	156-60-5	trans-1,2-Dichloroethene	51		ug/L	1	0.56	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9812	50	102%	8%	
J073113ALCD	J073113ALCD	ORG	1634-04-4	MTBE	57		ug/L	5	0.61	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9812	50	114%	5%	
J073113ALCD	J073113ALCD	ORG	75-34-3	1,1-Dichloroethane	50		ug/L	1	0.53	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9812	50	100%	2%	
J073113ALCD	J073113ALCD	ORG	156-59-2	cis-1,2-Dichloroethene	48		ug/L	1	0.32	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9812	50	96%	0%	
J073113ALCD	J073113ALCD	ORG	74-97-5	Bromochloromethane	50		ug/L	10	0.81	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9812	50	100%	0%	
J073113ALCD	J073113ALCD	ORG	67-66-3	Chloroform	49		ug/L	2	0.41	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9812	50	98%	2%	
J073113ALCD	J073113ALCD	ORG	71-55-6	1,1,1-Trichloroethane	51		ug/L	1	0.16	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9812	50	102%	0%	
J073113ALCD	J073113ALCD	ORG	78-93-3	2-Butanone	51		ug/L	1	0.17	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9812	50	102%	9%	
J073113ALCD	J073113ALCD	ORG	56-23-5	Carbon tetrachloride	50		ug/L	1	0.28	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9812	50	100%	2%	
J073113ALCD	J073113ALCD	ORG	71-43-2	Benzene	46		ug/L	1	0.14	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9812	50	92%	2%	
J073113ALCD	J073113ALCD	ORG	107-06-2	1,2-Dichloroethane	48		ug/L	1	0.20	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9812	50	96%	4%	
J073113ALCD	J073113ALCD	ORG	79-01-6	Trichloroethene	50		ug/L	1	0.36	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9812	50	100%	2%	
J073113ALCD	J073113ALCD	ORG	74-95-3	Dibromomethane	50		ug/L	2	0.32	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9812	50	100%	4%	
J073113ALCD	J073113ALCD	ORG	78-87-5	1,2-Dichloropropane	48		ug/L	1	0.18	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9812	50	96%	2%	
J073113ALCD	J073113ALCD	ORG	75-27-4	Bromodichloromethane	48		ug/L	2	0.12	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9812	50	96%	2%	
J073113ALCD	J073113ALCD	ORG	10061-01-5	cis-1,3-Dichloropropene	47		ug/L	1	0.25	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9812	50	94%	2%	
J073113ALCD	J073113ALCD	ORG	108-88-3	Toluene	47		ug/L	5	0.74	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9812	50	94%	0%	
J073113ALCD	J073113ALCD	ORG	108-10-1	4-Methyl-2-pentanone	57		ug/L	1	0.21	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9812	50	114%	3%	
J073113ALCD	J073113ALCD	ORG	10061-02-6	trans-1,3-Dichloropropene	49		ug/L	1	0.31	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9812	50	98%	0%	
J073113ALCD	J073113ALCD	ORG	127-18-4	Tetrachloroethene	43		ug/L	1	0.49	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9812	50	86%	5%	
J073113ALCD	J073113ALCD	ORG	79-00-5	1,1,2-Trichloroethane	46		ug/L	1	0.34	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9812	50	92%	2%	
J073113ALCD	J073113ALCD	ORG	124-48-1	Dibromochloromethane	49		ug/L	5	0.69	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9812	50	98%	0%	
J073113ALCD	J073113ALCD	ORG	106-93-4	1,2-Dibromoethane	49		ug/L	2	0.30	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9812	50	98%	4%	
J073113ALCD	J073113ALCD	ORG	591-78-6	2-Hexanone	54		ug/L	2	0.26	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9812	50	108%	0%	
J073113ALCD	J073113ALCD	ORG	100-41-4	Ethylbenzene	46		ug/L	1	0.25	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9812	50	92%	10%	
J073113ALCD	J073113ALCD	ORG	108-90-7	Chlorobenzene	44		ug/L	1	0.28	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9812	50	88%	9%	
J073113ALCD	J073113ALCD	ORG	630-20-6	1,1,1,2-Tetrachloroethane	46		ug/L	2	0.19	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9812	50	92%	8%	
J073113ALCD	J073113ALCD	ORG	XYLMP	p&m-Xylene	93		ug/L	2	0.26	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9812	100	93%	8%	
J073113ALCD	J073113ALCD	ORG	95-47-6	o-Xylene	47		ug/L	1	0.13	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9812	50	94%	8%	
J073113ALCD	J073113ALCD	ORG	100-42-5	Styrene	48		ug/L	1	0.20	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9812	50	96%	4%	
J073113ALCD	J073113ALCD	ORG	75-25-2	Bromoform	51		ug/L	2	0.47	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9812	50	102%	2%	

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
J073113ALCD	J073113ALCD	ORG	98-82-8	Isopropylbenzene	47		ug/L	2	0.20	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9812	50	94%	10%	
J073113ALCD	J073113ALCD	ORG	103-65-1	n-Propylbenzene	49		ug/L	2	0.27	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9812	50	98%	6%	
J073113ALCD	J073113ALCD	ORG	79-34-5	1,1,2,2-Tetrachloroethane	53		ug/L	2	0.29	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9812	50	106%	4%	
J073113ALCD	J073113ALCD	ORG	96-18-4	1,2,3-Trichloropropane	53		ug/L	2	0.29	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9812	50	106%	2%	
J073113ALCD	J073113ALCD	ORG	108-67-8	1,3,5-Trimethylbenzene	48		ug/L	2	0.20	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9812	50	96%	6%	
J073113ALCD	J073113ALCD	ORG	98-06-6	tert-Butylbenzene	48		ug/L	2	0.33	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9812	50	96%	4%	
J073113ALCD	J073113ALCD	ORG	95-63-6	1,2,4-Trimethylbenzene	48		ug/L	2	0.20	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9812	50	96%	6%	
J073113ALCD	J073113ALCD	ORG	135-98-8	sec-Butylbenzene	50		ug/L	2	0.32	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9812	50	100%	2%	
J073113ALCD	J073113ALCD	ORG	541-73-1	1,3-Dichlorobenzene	50		ug/L	2	0.22	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9812	50	100%	2%	
J073113ALCD	J073113ALCD	ORG	99-87-6	p-Isopropltoluene	49		ug/L	2	0.25	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9812	50	98%	4%	
J073113ALCD	J073113ALCD	ORG	106-46-7	1,4-Dichlorobenzene	49		ug/L	2	0.33	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9812	50	98%	4%	
J073113ALCD	J073113ALCD	ORG	95-50-1	1,2-Dichlorobenzene	49		ug/L	2	0.26	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9812	50	98%	4%	
J073113ALCD	J073113ALCD	ORG	104-51-8	n-Butylbenzene	53		ug/L	5	0.28	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9812	50	106%	0%	
J073113ALCD	J073113ALCD	ORG	96-12-8	1,2-Dibromo-3-chloropropane	48		ug/L	5	1.59	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9812	50	96%	8%	
J073113ALCD	J073113ALCD	ORG	87-68-3	Hexachlorobutadiene	52		ug/L	5	0.65	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9812	50	104%	4%	
J073113ALCD	J073113ALCD	ORG	120-82-1	1,2,4-Trichlorobenzene	48		ug/L	5	0.28	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9812	50	96%	0%	
J073113ALCD	J073113ALCD	ORG	91-20-3	Naphthalene	45		ug/L	5	0.56	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9812	50	90%	13%	
J073113ALCD	J073113ALCD	ORG	87-61-6	1,2,3-Trichlorobenzene	45		ug/L	5	0.23	NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9812	50	90%	6%	
J073113ALCD	J073113ALCD	STD	1868-53-7	Dibromofluoromethane	51		ng			NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9812	50	102%	2%	
J073113ALCD	J073113ALCD	STD	17060-07-0	1,2-Dichloroethane d4	51		ng			NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9812	50	102%	4%	
J073113ALCD	J073113ALCD	STD	2037-26-5	Toluene d8	49		ng			NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9812	50	98%	2%	
J073113ALCD	J073113ALCD	STD	460-00-4	Bromofluorobenzene	49		ng			NA	7/31/2013	7/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALJ9812	50	98%	6%	

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-573MS	316-028	ORG	75-71-8	Dichlorodifluoromethane	3600		ug/L	500	29.28	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9813	5000	69%		160
NAL13026-573MS	316-028	ORG	74-87-3	Chloromethane	5100		ug/L	500	43.07	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9813	5000	101%		67
NAL13026-573MS	316-028	ORG	75-01-4	Vinyl chloride	4600		ug/L	200	31.86	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9813	5000	91%		59
NAL13026-573MS	316-028	ORG	74-83-9	Bromomethane	4800		ug/L	500	50.04	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9813	5000	96%		
NAL13026-573MS	316-028	ORG	75-00-3	Chloroethane	4700		ug/L	500	55.61	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9813	5000	94%		
NAL13026-573MS	316-028	ORG	75-69-4	Trichlorofluoromethane	4500		ug/L	500	19.65	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9813	5000	87%		130
NAL13026-573MS	316-028	ORG	75-35-4	1,1-Dichloroethene	4700		ug/L	100	47.11	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9813	5000	94%		
NAL13026-573MS	316-028	ORG	75-09-2	Methylene chloride	4700		ug/L	500	26.46	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9813	5000	94%		
NAL13026-573MS	316-028	ORG	67-64-1	Acetone	58000		ug/L	1000	155.61	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9813	5000	60%		55000
NAL13026-573MS	316-028	ORG	156-60-5	trans-1,2-Dichloroethene	4500		ug/L	100	55.61	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9813	5000	89%		60
NAL13026-573MS	316-028	ORG	1634-04-4	MTBE	5400		ug/L	500	61.18	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9813	5000	108%		
NAL13026-573MS	316-028	ORG	75-34-3	1,1-Dichloroethane	4900		ug/L	100	52.66	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9813	5000	98%		
NAL13026-573MS	316-028	ORG	156-59-2	cis-1,2-Dichloroethene	4700		ug/L	100	32.11	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9813	5000	94%		
NAL13026-573MS	316-028	ORG	74-97-5	Bromochloromethane	4800		ug/L	1000	81.18	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9813	5000	96%		
NAL13026-573MS	316-028	ORG	67-66-3	Chloroform	4700		ug/L	200	41.37	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9813	5000	93%		27
NAL13026-573MS	316-028	ORG	71-55-6	1,1,1-Trichloroethane	5000		ug/L	100	15.73	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9813	5000	99%		55
NAL13026-573MS	316-028	ORG	78-93-3	2-Butanone	33000		ug/L	100	16.65	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9813	5000	-40%		35000
NAL13026-573MS	316-028	ORG	56-23-5	Carbon tetrachloride	4900		ug/L	100	27.64	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9813	5000	96%		81
NAL13026-573MS	316-028	ORG	71-43-2	Benzene	4700		ug/L	100	13.53	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9813	5000	93%		72
NAL13026-573MS	316-028	ORG	107-06-2	1,2-Dichloroethane	4900		ug/L	100	20.01	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9813	5000	98%		
NAL13026-573MS	316-028	ORG	79-01-6	Trichloroethene	5000		ug/L	100	36.33	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9813	5000	100%		
NAL13026-573MS	316-028	ORG	74-95-3	Dibromomethane	5000		ug/L	200	32.20	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9813	5000	100%		
NAL13026-573MS	316-028	ORG	78-87-5	1,2-Dichloropropane	4700		ug/L	100	18.17	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9813	5000	94%		
NAL13026-573MS	316-028	ORG	75-27-4	Bromodichloromethane	4800		ug/L	200	11.58	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9813	5000	96%		
NAL13026-573MS	316-028	ORG	10061-01-5	cis-1,3-Dichloropropene	4700		ug/L	100	25.01	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9813	5000	94%		
NAL13026-573MS	316-028	ORG	108-88-3	Toluene	4700		ug/L	500	74.00	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9813	5000	93%		35
NAL13026-573MS	316-028	ORG	108-10-1	4-Methyl-2-pentanone	7100		ug/L	100	20.96	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9813	5000	120%		1100
NAL13026-573MS	316-028	ORG	10061-02-6	trans-1,3-Dichloropropene	4900		ug/L	100	31.15	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9813	5000	98%		
NAL13026-573MS	316-028	ORG	127-18-4	Tetrachloroethene	3900		ug/L	100	48.56	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9813	5000	77%		49
NAL13026-573MS	316-028	ORG	79-00-5	1,1,2-Trichloroethane	4900		ug/L	100	34.28	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9813	5000	98%		
NAL13026-573MS	316-028	ORG	124-48-1	Dibromochloromethane	4900		ug/L	500	68.90	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9813	5000	98%		
NAL13026-573MS	316-028	ORG	106-93-4	1,2-Dibromoethane	5000		ug/L	200	29.90	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9813	5000	100%		
NAL13026-573MS	316-028	ORG	591-78-6	2-Hexanone	4500		ug/L	200	26.49	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9813	5000	80%		500
NAL13026-573MS	316-028	ORG	100-41-4	Ethylbenzene	5000		ug/L	100	25.38	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9813	5000	99%		34
NAL13026-573MS	316-028	ORG	108-90-7	Chlorobenzene	4800		ug/L	100	27.52	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9813	5000	96%		
NAL13026-573MS	316-028	ORG	630-20-6	1,1,1,2-Tetrachloroethane	4900		ug/L	200	19.28	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9813	5000	98%		
NAL13026-573MS	316-028	ORG	XYLMP	p&m-Xylene	9900		ug/L	200	26.14	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9813	10000	98%		72
NAL13026-573MS	316-028	ORG	95-47-6	o-Xylene	5000		ug/L	100	12.90	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9813	5000	99%		32
NAL13026-573MS	316-028	ORG	100-42-5	Styrene	5000		ug/L	100	20.23	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9813	5000	99%		32
NAL13026-573MS	316-028	ORG	75-25-2	Bromoform	5000		ug/L	200	46.83	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9813	5000	100%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-573MS	316-028	ORG	98-82-8	Isopropylbenzene	4900		ug/L	200	20.48	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9813	5000	97%		42
NAL13026-573MS	316-028	ORG	103-65-1	n-Propylbenzene	5100		ug/L	200	27.00	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9813	5000	101%		37
NAL13026-573MS	316-028	ORG	79-34-5	1,1,2,2-Tetrachloroethane	5300		ug/L	200	29.16	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9813	5000	106%		
NAL13026-573MS	316-028	ORG	96-18-4	1,2,3-Trichloropropane	5400		ug/L	200	29.47	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9813	5000	108%		
NAL13026-573MS	316-028	ORG	108-67-8	1,3,5-Trimethylbenzene	4900		ug/L	200	20.03	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9813	5000	97%		34
NAL13026-573MS	316-028	ORG	98-06-6	tert-Butylbenzene	4900		ug/L	200	32.61	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9813	5000	97%		33
NAL13026-573MS	316-028	ORG	95-63-6	1,2,4-Trimethylbenzene	5200		ug/L	200	20.03	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9813	5000	103%		58
NAL13026-573MS	316-028	ORG	135-98-8	sec-Butylbenzene	5000		ug/L	200	32.34	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9813	5000	99%		46
NAL13026-573MS	316-028	ORG	541-73-1	1,3-Dichlorobenzene	4900		ug/L	200	22.21	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9813	5000	98%		
NAL13026-573MS	316-028	ORG	99-87-6	p-Isopropltoluene	5100		ug/L	200	25.48	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9813	5000	99%		160
NAL13026-573MS	316-028	ORG	106-46-7	1,4-Dichlorobenzene	4900		ug/L	200	33.03	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9813	5000	96%		100
NAL13026-573MS	316-028	ORG	95-50-1	1,2-Dichlorobenzene	4900		ug/L	200	26.38	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9813	5000	98%		
NAL13026-573MS	316-028	ORG	104-51-8	n-Butylbenzene	5300		ug/L	500	27.81	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9813	5000	105%		43
NAL13026-573MS	316-028	ORG	96-12-8	1,2-Dibromo-3-chloropropane	5600		ug/L	500	159.11	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9813	5000	112%		
NAL13026-573MS	316-028	ORG	87-68-3	Hexachlorobutadiene	4700		ug/L	500	65.42	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9813	5000	94%		
NAL13026-573MS	316-028	ORG	120-82-1	1,2,4-Trichlorobenzene	5000		ug/L	500	27.63	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9813	5000	100%		
NAL13026-573MS	316-028	ORG	91-20-3	Naphthalene	5500		ug/L	500	56.04	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9813	5000	105%		240
NAL13026-573MS	316-028	ORG	87-61-6	1,2,3-Trichlorobenzene	5000		ug/L	500	23.28	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9813	5000	100%		
NAL13026-573MS	316-028	STD	1868-53-7	Dibromofluoromethane	50		ng			7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9813	50	100%		
NAL13026-573MS	316-028	STD	17060-07-0	1,2-Dichloroethane d4	51		ng			7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9813	50	102%		
NAL13026-573MS	316-028	STD	2037-26-5	Toluene d8	48		ng			7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9813	50	96%		
NAL13026-573MS	316-028	STD	460-00-4	Bromofluorobenzene	50		ng			7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9813	50	100%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-573MSD	316-028	ORG	75-71-8	Dichlorodifluoromethane	3600		ug/L	500	29.28	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9814	5000	69%	0%	160
NAL13026-573MSD	316-028	ORG	74-87-3	Chloromethane	5000		ug/L	500	43.07	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9814	5000	99%	2%	67
NAL13026-573MSD	316-028	ORG	75-01-4	Vinyl chloride	4600		ug/L	200	31.86	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9814	5000	91%	0%	59
NAL13026-573MSD	316-028	ORG	74-83-9	Bromomethane	4400		ug/L	500	50.04	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9814	5000	88%	9%	0
NAL13026-573MSD	316-028	ORG	75-00-3	Chloroethane	4400		ug/L	500	55.61	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9814	5000	88%	7%	0
NAL13026-573MSD	316-028	ORG	75-69-4	Trichlorofluoromethane	4400		ug/L	500	19.65	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9814	5000	85%	2%	130
NAL13026-573MSD	316-028	ORG	75-35-4	1,1-Dichloroethene	4500		ug/L	100	47.11	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9814	5000	90%	4%	0
NAL13026-573MSD	316-028	ORG	75-09-2	Methylene chloride	4700		ug/L	500	26.46	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9814	5000	94%	0%	0
NAL13026-573MSD	316-028	ORG	67-64-1	Acetone	54000		ug/L	1000	155.61	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9814	5000	-20%	7%	55000
NAL13026-573MSD	316-028	ORG	156-60-5	trans-1,2-Dichloroethene	4700		ug/L	100	55.61	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9814	5000	93%	4%	60
NAL13026-573MSD	316-028	ORG	1634-04-4	MTBE	5600		ug/L	500	61.18	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9814	5000	112%	4%	0
NAL13026-573MSD	316-028	ORG	75-34-3	1,1-Dichloroethane	4600		ug/L	100	52.66	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9814	5000	92%	6%	0
NAL13026-573MSD	316-028	ORG	156-59-2	cis-1,2-Dichloroethene	4700		ug/L	100	32.11	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9814	5000	94%	0%	0
NAL13026-573MSD	316-028	ORG	74-97-5	Bromochloromethane	4700		ug/L	1000	81.18	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9814	5000	94%	2%	0
NAL13026-573MSD	316-028	ORG	67-66-3	Chloroform	4600		ug/L	200	41.37	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9814	5000	91%	2%	27
NAL13026-573MSD	316-028	ORG	71-55-6	1,1,1-Trichloroethane	4900		ug/L	100	15.73	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9814	5000	97%	2%	55
NAL13026-573MSD	316-028	ORG	78-93-3	2-Butanone	31000		ug/L	100	16.65	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9814	5000	-80%	6%	35000
NAL13026-573MSD	316-028	ORG	56-23-5	Carbon tetrachloride	5000		ug/L	100	27.64	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9814	5000	98%	2%	81
NAL13026-573MSD	316-028	ORG	71-43-2	Benzene	4600		ug/L	100	13.53	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9814	5000	91%	2%	72
NAL13026-573MSD	316-028	ORG	107-06-2	1,2-Dichloroethane	4900		ug/L	100	20.01	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9814	5000	98%	0%	0
NAL13026-573MSD	316-028	ORG	79-01-6	Trichloroethene	5000		ug/L	100	36.33	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9814	5000	100%	0%	0
NAL13026-573MSD	316-028	ORG	74-95-3	Dibromomethane	4900		ug/L	200	32.20	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9814	5000	98%	2%	0
NAL13026-573MSD	316-028	ORG	78-87-5	1,2-Dichloropropane	4600		ug/L	100	18.17	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9814	5000	92%	2%	0
NAL13026-573MSD	316-028	ORG	75-27-4	Bromodichloromethane	4800		ug/L	200	11.58	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9814	5000	96%	0%	0
NAL13026-573MSD	316-028	ORG	10061-01-5	cis-1,3-Dichloropropene	4700		ug/L	100	25.01	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9814	5000	94%	0%	0
NAL13026-573MSD	316-028	ORG	108-88-3	Toluene	4600		ug/L	500	74.00	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9814	5000	91%	2%	35
NAL13026-573MSD	316-028	ORG	108-10-1	4-Methyl-2-pentanone	6700		ug/L	100	20.96	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9814	5000	112%	6%	1100
NAL13026-573MSD	316-028	ORG	10061-02-6	trans-1,3-Dichloropropene	4800		ug/L	100	31.15	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9814	5000	96%	2%	0
NAL13026-573MSD	316-028	ORG	127-18-4	Tetrachloroethene	3800		ug/L	100	48.56	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9814	5000	75%	3%	49
NAL13026-573MSD	316-028	ORG	79-00-5	1,1,2-Trichloroethane	4800		ug/L	100	34.28	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9814	5000	96%	2%	0
NAL13026-573MSD	316-028	ORG	124-48-1	Dibromochloromethane	4900		ug/L	500	68.90	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9814	5000	98%	0%	0
NAL13026-573MSD	316-028	ORG	106-93-4	1,2-Dibromoethane	5100		ug/L	200	29.90	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9814	5000	102%	2%	0
NAL13026-573MSD	316-028	ORG	591-78-6	2-Hexanone	5100		ug/L	200	26.49	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9814	5000	92%	13%	500
NAL13026-573MSD	316-028	ORG	100-41-4	Ethylbenzene	5200		ug/L	100	25.38	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9814	5000	103%	4%	34
NAL13026-573MSD	316-028	ORG	108-90-7	Chlorobenzene	4900		ug/L	100	27.52	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9814	5000	98%	2%	0
NAL13026-573MSD	316-028	ORG	630-20-6	1,1,1,2-Tetrachloroethane	5100		ug/L	200	19.28	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9814	5000	102%	4%	0
NAL13026-573MSD	316-028	ORG	XYLMP	p&m-Xylene	10000		ug/L	200	26.14	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9814	10000	99%	1%	72
NAL13026-573MSD	316-028	ORG	95-47-6	o-Xylene	5200		ug/L	100	12.90	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9814	5000	103%	4%	32
NAL13026-573MSD	316-028	ORG	100-42-5	Styrene	5100		ug/L	100	20.23	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9814	5000	101%	2%	32
NAL13026-573MSD	316-028	ORG	75-25-2	Bromoform	5200		ug/L	200	46.83	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9814	5000	104%	4%	0

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-573MSD	316-028	ORG	98-82-8	Isopropylbenzene	5000		ug/L	200	20.48	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9814	5000	99%	2%	42
NAL13026-573MSD	316-028	ORG	103-65-1	n-Propylbenzene	5300		ug/L	200	27.00	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9814	5000	105%	4%	37
NAL13026-573MSD	316-028	ORG	79-34-5	1,1,2,2-Tetrachloroethane	5500		ug/L	200	29.16	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9814	5000	110%	4%	0
NAL13026-573MSD	316-028	ORG	96-18-4	1,2,3-Trichloropropane	5500		ug/L	200	29.47	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9814	5000	110%	2%	0
NAL13026-573MSD	316-028	ORG	108-67-8	1,3,5-Trimethylbenzene	5100		ug/L	200	20.03	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9814	5000	101%	4%	34
NAL13026-573MSD	316-028	ORG	98-06-6	tert-Butylbenzene	5100		ug/L	200	32.61	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9814	5000	101%	4%	33
NAL13026-573MSD	316-028	ORG	95-63-6	1,2,4-Trimethylbenzene	5100		ug/L	200	20.03	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9814	5000	101%	2%	58
NAL13026-573MSD	316-028	ORG	135-98-8	sec-Butylbenzene	5100		ug/L	200	32.34	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9814	5000	101%	2%	46
NAL13026-573MSD	316-028	ORG	541-73-1	1,3-Dichlorobenzene	5000		ug/L	200	22.21	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9814	5000	100%	2%	0
NAL13026-573MSD	316-028	ORG	99-87-6	p-Isopropltoluene	5300		ug/L	200	25.48	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9814	5000	103%	4%	160
NAL13026-573MSD	316-028	ORG	106-46-7	1,4-Dichlorobenzene	4900		ug/L	200	33.03	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9814	5000	96%	0%	100
NAL13026-573MSD	316-028	ORG	95-50-1	1,2-Dichlorobenzene	4900		ug/L	200	26.38	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9814	5000	98%	0%	0
NAL13026-573MSD	316-028	ORG	104-51-8	n-Butylbenzene	5500		ug/L	500	27.81	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9814	5000	109%	4%	43
NAL13026-573MSD	316-028	ORG	96-12-8	1,2-Dibromo-3-chloropropane	6000		ug/L	500	159.11	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9814	5000	120%	7%	0
NAL13026-573MSD	316-028	ORG	87-68-3	Hexachlorobutadiene	4700		ug/L	500	65.42	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9814	5000	94%	0%	0
NAL13026-573MSD	316-028	ORG	120-82-1	1,2,4-Trichlorobenzene	5000		ug/L	500	27.63	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9814	5000	100%	0%	0
NAL13026-573MSD	316-028	ORG	91-20-3	Naphthalene	5800		ug/L	500	56.04	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9814	5000	111%	5%	240
NAL13026-573MSD	316-028	ORG	87-61-6	1,2,3-Trichlorobenzene	5200		ug/L	500	23.28	7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9814	5000	104%	4%	0
NAL13026-573MSD	316-028	STD	1868-53-7	Dibromofluoromethane	50		ng			7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9814	50	100%	0%	0
NAL13026-573MSD	316-028	STD	17060-07-0	1,2-Dichloroethane d4	55		ng			7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9814	50	110%	8%	0
NAL13026-573MSD	316-028	STD	2037-26-5	Toluene d8	49		ng			7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9814	50	98%	2%	0
NAL13026-573MSD	316-028	STD	460-00-4	Bromofluorobenzene	53		ng			7/31/2013	7/31/2013	7/31/2013	WG	100	NA	5.0	NA	SW8260B	NALJ9814	50	106%	6%	0