New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-819	316-152	ORG	75-71-8	Dichlorodifluoromethane		UX-	ug/L	500	29.28	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0724				
NAL13026-819	316-152	ORG	74-87-3	Chloromethane		UX-	ug/L	500	43.07	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0724				
NAL13026-819	316-152	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0724				
NAL13026-819	316-152	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0724				
NAL13026-819	316-152	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0724				
NAL13026-819	316-152	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0724				
NAL13026-819	316-152	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0724				
NAL13026-819	316-152	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0724				
NAL13026-819	316-152	ORG	67-64-1	Acetone	66000	D	ug/L	10000	1556.07	12/1/2013	12/1/2013	12/1/2013	WG	1000	NA	5.0	NA	SW8260B	NALC0725				
NAL13026-819	316-152	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0724				
NAL13026-819	316-152	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0724				
NAL13026-819	316-152	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0724				
NAL13026-819	316-152	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0724				
NAL13026-819	316-152	ORG	74-97-5	Bromochloromethane		U	ug/L	200	41.37	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0724				
NAL13026-819	316-152	ORG	67-66-3	Chloroform		U	ug/L	100	15.73	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0724				
NAL13026-819	316-152	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	16.65	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0724				
NAL13026-819	316-152	ORG	78-93-3	2-Butanone	37000	D	ug/L	10000	811.80	12/1/2013	12/1/2013	12/1/2013	WG	1000	NA	5.0	NA	SW8260B	NALC0725				
NAL13026-819	316-152	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0724				
NAL13026-819	316-152	ORG	71-43-2	Benzene	54	J	ug/L	100	13.53	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0724				
NAL13026-819	316-152	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0724				
NAL13026-819	316-152	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0724				
NAL13026-819	316-152	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0724				
NAL13026-819	316-152	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0724				
NAL13026-819	316-152	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0724				
NAL13026-819	316-152	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0724				
NAL13026-819	316-152	ORG	108-88-3	Toluene		U	ug/L	100	20.96	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0724				
NAL13026-819	316-152	ORG	108-10-1	4-Methyl-2-pentanone	550	X-	ug/L	500	74.00	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0724				
NAL13026-819	316-152	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0724				
NAL13026-819	316-152	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0724				
NAL13026-819	316-152	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0724				
NAL13026-819	316-152	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	29.90	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0724				
NAL13026-819	316-152	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	26.49	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0724				
NAL13026-819	316-152	ORG	591-78-6	2-Hexanone	2600		ug/L	500	68.90	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0724				
NAL13026-819	316-152	ORG	100-41-4	Ethylbenzene	63	J	ug/L	100	25.38	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0724				
NAL13026-819	316-152	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0724				
NAL13026-819	316-152	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0724				
NAL13026-819	316-152	ORG	XYLMP	p&m-Xylene	880		ug/L	200	26.14	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0724				
NAL13026-819	316-152	ORG	95-47-6	o-Xylene	570		ug/L	100	12.90	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0724				
NAL13026-819	316-152	ORG	100-42-5	Styrene		U	ug/L	100	20.23	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0724				
NAL13026-819	316-152	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0724				
NAL13026-819	316-152	ORG	98-82-8	Isopropylbenzene	580		ug/L	200	20.48	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0724				
NAL13026-819	316-152	ORG	103-65-1	n-Propylbenzene	110	J	ug/L	200	27.00	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0724				
NAL13026-819	316-152	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0724				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-819	316-152	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0724				
NAL13026-819	316-152	ORG	108-67-8	1,3,5-Trimethylbenzene	630		ug/L	200	20.03	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0724				
NAL13026-819	316-152	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0724				
NAL13026-819	316-152	ORG	95-63-6	1,2,4-Trimethylbenzene	1300		ug/L	200	20.03	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0724				
NAL13026-819	316-152	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0724				
NAL13026-819	316-152	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0724				
NAL13026-819	316-152	ORG	99-87-6	p-Isopropltoluene	4700		ug/L	200	25.48	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0724				
NAL13026-819	316-152	ORG	106-46-7	1,4-Dichlorobenzene	1200		ug/L	200	33.03	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0724				
NAL13026-819	316-152	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0724				
NAL13026-819	316-152	ORG	104-51-8	n-Butylbenzene	570		ug/L	500	27.81	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0724				
NAL13026-819	316-152	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0724				
NAL13026-819	316-152	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0724				
NAL13026-819	316-152	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0724				
NAL13026-819	316-152	ORG	91-20-3	Naphthalene	2400		ug/L	500	56.04	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0724				
NAL13026-819	316-152	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0724				
NAL13026-819	316-152	STD	1868-53-7	Dibromofluoromethane	54		ng			12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0724	50	108%		
NAL13026-819	316-152	STD	17060-07-0	1,2-Dichloroethane d4	50		ng			12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0724	50	100%		
NAL13026-819	316-152	STD	2037-26-5	Toluene d8	41		ng			12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0724	50	82%		
NAL13026-819	316-152	STD	460-00-4	Bromofluorobenzene	52		ng			12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0724	50	104%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C120113CCVA	C120113CCVA	ORG	75-71-8	Dichlorodifluoromethane	37		ug/L	5	0.29	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0721	50	74%		
C120113CCVA	C120113CCVA	ORG	74-87-3	Chloromethane	38		ug/L	5	0.43	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0721	50	76%		
C120113CCVA	C120113CCVA	ORG	75-01-4	Vinyl chloride	49		ug/L	2	0.32	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0721	50	98%		
C120113CCVA	C120113CCVA	ORG	74-83-9	Bromomethane	44		ug/L	5	0.50	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0721	50	88%		
C120113CCVA	C120113CCVA	ORG	75-00-3	Chloroethane	43		ug/L	5	0.56	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0721	50	86%		
C120113CCVA	C120113CCVA	ORG	75-69-4	Trichlorofluoromethane	78		ug/L	5	0.20	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0721	50	156%		
C120113CCVA	C120113CCVA	ORG	75-35-4	1,1-Dichloroethene	52		ug/L	1	0.47	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0721	50	104%		
C120113CCVA	C120113CCVA	ORG	75-09-2	Methylene chloride	49		ug/L	5	0.26	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0721	50	98%		
C120113CCVA	C120113CCVA	ORG	67-64-1	Acetone	49		ug/L	10	1.56	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0721	50	98%		
C120113CCVA	C120113CCVA	ORG	156-60-5	trans-1,2-Dichloroethene	53		ug/L	1	0.56	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0721	50	106%		
C120113CCVA	C120113CCVA	ORG	1634-04-4	MTBE	51		ug/L	5	0.61	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0721	50	102%		
C120113CCVA	C120113CCVA	ORG	75-34-3	1,1-Dichloroethane	49		ug/L	1	0.53	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0721	50	98%		
C120113CCVA	C120113CCVA	ORG	156-59-2	cis-1,2-Dichloroethene	49		ug/L	1	0.32	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0721	50	98%		
C120113CCVA	C120113CCVA	ORG	74-97-5	Bromochloromethane	48		ug/L	10	0.41	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0721	50	96%		
C120113CCVA	C120113CCVA	ORG	67-66-3	Chloroform	46		ug/L	2	0.16	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0721	50	92%		
C120113CCVA	C120113CCVA	ORG	71-55-6	1,1,1-Trichloroethane	47		ug/L	1	0.17	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0721	50	94%		
C120113CCVA	C120113CCVA	ORG	78-93-3	2-Butanone	45		ug/L	1	0.81	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0721	50	90%		
C120113CCVA	C120113CCVA	ORG	56-23-5	Carbon tetrachloride	50		ug/L	1	0.28	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0721	50	100%		
C120113CCVA	C120113CCVA	ORG	71-43-2	Benzene	49		ug/L	1	0.14	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0721	50	98%		
C120113CCVA	C120113CCVA	ORG	107-06-2	1,2-Dichloroethane	47		ug/L	1	0.20	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0721	50	94%		
C120113CCVA	C120113CCVA	ORG	79-01-6	Trichloroethene	51		ug/L	1	0.36	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0721	50	102%		
C120113CCVA	C120113CCVA	ORG	74-95-3	Dibromomethane	49		ug/L	2	0.32	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0721	50	98%		
C120113CCVA	C120113CCVA	ORG	78-87-5	1,2-Dichloropropane	48		ug/L	1	0.18	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0721	50	96%		
C120113CCVA	C120113CCVA	ORG	75-27-4	Bromodichloromethane	45		ug/L	2	0.12	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0721	50	90%		
C120113CCVA	C120113CCVA	ORG	10061-01-5	cis-1,3-Dichloropropene	47		ug/L	1	0.25	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0721	50	94%		
C120113CCVA	C120113CCVA	ORG	108-88-3	Toluene	44		ug/L	1	0.21	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0721	50	88%		
C120113CCVA	C120113CCVA	ORG	108-10-1	4-Methyl-2-pentanone	38		ug/L	5	0.74	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0721	50	76%		
C120113CCVA	C120113CCVA	ORG	10061-02-6	trans-1,3-Dichloropropene	48		ug/L	1	0.31	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0721	50	96%		
C120113CCVA	C120113CCVA	ORG	127-18-4	Tetrachloroethene	44		ug/L	1	0.49	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0721	50	88%		
C120113CCVA	C120113CCVA	ORG	79-00-5	1,1,2-Trichloroethane	47		ug/L	1	0.34	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0721	50	94%		
C120113CCVA	C120113CCVA	ORG	124-48-1	Dibromochloromethane	49		ug/L	5	0.30	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0721	50	98%		
C120113CCVA	C120113CCVA	ORG	106-93-4	1,2-Dibromoethane	49		ug/L	2	0.26	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0721	50	98%		
C120113CCVA	C120113CCVA	ORG	591-78-6	2-Hexanone	42		ug/L	2	0.69	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0721	50	84%		
C120113CCVA	C120113CCVA	ORG	100-41-4	Ethylbenzene	50		ug/L	1	0.25	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0721	50	100%		
C120113CCVA	C120113CCVA	ORG	108-90-7	Chlorobenzene	47		ug/L	1	0.28	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0721	50	94%		
C120113CCVA	C120113CCVA	ORG	630-20-6	1,1,1,2-Tetrachloroethane	48		ug/L	2	0.19	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0721	50	96%		
C120113CCVA	C120113CCVA	ORG	XYLMP	p&m-Xylene	92		ug/L	2	0.26	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0721	100	92%		
C120113CCVA	C120113CCVA	ORG	95-47-6	o-Xylene	49		ug/L	1	0.13	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0721	50	98%		
C120113CCVA	C120113CCVA	ORG	100-42-5	Styrene	48		ug/L	1	0.20	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0721	50	96%		
C120113CCVA	C120113CCVA	ORG	75-25-2	Bromoform	47		ug/L	2	0.47	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0721	50	94%		
C120113CCVA	C120113CCVA	ORG	98-82-8	Isopropylbenzene	49		ug/L	2	0.20	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0721	50	98%		
C120113CCVA	C120113CCVA	ORG	103-65-1	n-Propylbenzene	52		ug/L	2	0.27	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0721	50	104%		
C120113CCVA	C120113CCVA	ORG	79-34-5	1,1,2,2-Tetrachloroethane	43		ug/L	2	0.29	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0721	50	86%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C120113CCVA	C120113CCVA	ORG	96-18-4	1,2,3-Trichloropropane	40		ug/L	2	0.29	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0721	50	80%		
C120113CCVA	C120113CCVA	ORG	108-67-8	1,3,5-Trimethylbenzene	48		ug/L	2	0.20	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0721	50	96%		
C120113CCVA	C120113CCVA	ORG	98-06-6	tert-Butylbenzene	50		ug/L	2	0.33	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0721	50	100%		
C120113CCVA	C120113CCVA	ORG	95-63-6	1,2,4-Trimethylbenzene	49		ug/L	2	0.20	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0721	50	98%		
C120113CCVA	C120113CCVA	ORG	135-98-8	sec-Butylbenzene	47		ug/L	2	0.32	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0721	50	94%		
C120113CCVA	C120113CCVA	ORG	541-73-1	1,3-Dichlorobenzene	51		ug/L	2	0.22	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0721	50	102%		
C120113CCVA	C120113CCVA	ORG	99-87-6	p-Isopropltoluene	48		ug/L	2	0.25	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0721	50	96%		
C120113CCVA	C120113CCVA	ORG	106-46-7	1,4-Dichlorobenzene	48		ug/L	2	0.33	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0721	50	96%		
C120113CCVA	C120113CCVA	ORG	95-50-1	1,2-Dichlorobenzene	52		ug/L	2	0.26	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0721	50	104%		
C120113CCVA	C120113CCVA	ORG	104-51-8	n-Butylbenzene	49		ug/L	5	0.28	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0721	50	98%		
C120113CCVA	C120113CCVA	ORG	96-12-8	1,2-Dibromo-3-chloropropane	55		ug/L	5	1.59	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0721	50	110%		
C120113CCVA	C120113CCVA	ORG	87-68-3	Hexachlorobutadiene	56		ug/L	5	0.65	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0721	50	112%		
C120113CCVA	C120113CCVA	ORG	120-82-1	1,2,4-Trichlorobenzene	56		ug/L	5	0.28	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0721	50	112%		
C120113CCVA	C120113CCVA	ORG	91-20-3	Naphthalene	55		ug/L	5	0.56	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0721	50	110%		
C120113CCVA	C120113CCVA	ORG	87-61-6	1,2,3-Trichlorobenzene	61		ug/L	5	0.23	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0721	50	122%		
C120113CCVA	C120113CCVA	STD	1868-53-7	Dibromofluoromethane	47		ng			NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0721	50	94%		
C120113CCVA	C120113CCVA	STD	17060-07-0	1,2-Dichloroethane d4	48		ng			NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0721	50	96%		
C120113CCVA	C120113CCVA	STD	2037-26-5	Toluene d8	41		ng			NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0721	50	82%		
C120113CCVA	C120113CCVA	STD	460-00-4	Bromofluorobenzene	52		ng			NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0721	50	104%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C120113MBKA	C120113MBKA	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	5	0.29	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0723				
C120113MBKA	C120113MBKA	ORG	74-87-3	Chloromethane		U	ug/L	5	0.43	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0723				
C120113MBKA	C120113MBKA	ORG	75-01-4	Vinyl chloride		U	ug/L	2	0.32	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0723				
C120113MBKA	C120113MBKA	ORG	74-83-9	Bromomethane		U	ug/L	5	0.50	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0723				
C120113MBKA	C120113MBKA	ORG	75-00-3	Chloroethane		U	ug/L	5	0.56	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0723				
C120113MBKA	C120113MBKA	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	5	0.20	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0723				
C120113MBKA	C120113MBKA	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	1	0.47	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0723				
C120113MBKA	C120113MBKA	ORG	75-09-2	Methylene chloride		U	ug/L	5	0.26	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0723				
C120113MBKA	C120113MBKA	ORG	67-64-1	Acetone		U	ug/L	10	1.56	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0723				
C120113MBKA	C120113MBKA	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	1	0.56	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0723				
C120113MBKA	C120113MBKA	ORG	1634-04-4	MTBE		U	ug/L	5	0.61	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0723				
C120113MBKA	C120113MBKA	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	1	0.53	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0723				
C120113MBKA	C120113MBKA	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	1	0.32	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0723				
C120113MBKA	C120113MBKA	ORG	74-97-5	Bromochloromethane		U	ug/L	10	0.41	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0723				
C120113MBKA	C120113MBKA	ORG	67-66-3	Chloroform		U	ug/L	2	0.16	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0723				
C120113MBKA	C120113MBKA	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	1	0.17	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0723				
C120113MBKA	C120113MBKA	ORG	78-93-3	2-Butanone		U	ug/L	1	0.81	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0723				
C120113MBKA	C120113MBKA	ORG	56-23-5	Carbon tetrachloride		U	ug/L	1	0.28	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0723				
C120113MBKA	C120113MBKA	ORG	71-43-2	Benzene		U	ug/L	1	0.14	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0723				
C120113MBKA	C120113MBKA	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	1	0.20	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0723				
C120113MBKA	C120113MBKA	ORG	79-01-6	Trichloroethene		U	ug/L	1	0.36	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0723				
C120113MBKA	C120113MBKA	ORG	74-95-3	Dibromomethane		U	ug/L	2	0.32	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0723				
C120113MBKA	C120113MBKA	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	1	0.18	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0723				
C120113MBKA	C120113MBKA	ORG	75-27-4	Bromodichloromethane		U	ug/L	2	0.12	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0723				
C120113MBKA	C120113MBKA	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	1	0.25	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0723				
C120113MBKA	C120113MBKA	ORG	108-88-3	Toluene		U	ug/L	1	0.21	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0723				
C120113MBKA	C120113MBKA	ORG	108-10-1	4-Methyl-2-pentanone		U	ug/L	5	0.74	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0723				
C120113MBKA	C120113MBKA	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	1	0.31	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0723				
C120113MBKA	C120113MBKA	ORG	127-18-4	Tetrachloroethene		U	ug/L	1	0.49	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0723				
C120113MBKA	C120113MBKA	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	1	0.34	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0723				
C120113MBKA	C120113MBKA	ORG	124-48-1	Dibromochloromethane		U	ug/L	5	0.30	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0723				
C120113MBKA	C120113MBKA	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	2	0.26	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0723				
C120113MBKA	C120113MBKA	ORG	591-78-6	2-Hexanone		U	ug/L	2	0.69	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0723				
C120113MBKA	C120113MBKA	ORG	100-41-4	Ethylbenzene		U	ug/L	1	0.25	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0723				
C120113MBKA	C120113MBKA	ORG	108-90-7	Chlorobenzene		U	ug/L	1	0.28	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0723				
C120113MBKA	C120113MBKA	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	2	0.19	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0723				
C120113MBKA	C120113MBKA	ORG	XYLMP	p&m-Xylene		U	ug/L	2	0.26	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0723				
C120113MBKA	C120113MBKA	ORG	95-47-6	o-Xylene		U	ug/L	1	0.13	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0723				
C120113MBKA	C120113MBKA	ORG	100-42-5	Styrene		U	ug/L	1	0.20	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0723				
C120113MBKA	C120113MBKA	ORG	75-25-2	Bromoform		U	ug/L	2	0.47	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0723				
C120113MBKA	C120113MBKA	ORG	98-82-8	Isopropylbenzene		U	ug/L	2	0.20	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0723				
C120113MBKA	C120113MBKA	ORG	103-65-1	n-Propylbenzene		U	ug/L	2	0.27	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0723				
C120113MBKA	C120113MBKA	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	2	0.29	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0723				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C120113MBKA	C120113MBKA	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	2	0.29	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0723				
C120113MBKA	C120113MBKA	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	2	0.20	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0723				
C120113MBKA	C120113MBKA	ORG	98-06-6	tert-Butylbenzene		U	ug/L	2	0.33	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0723				
C120113MBKA	C120113MBKA	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	2	0.20	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0723				
C120113MBKA	C120113MBKA	ORG	135-98-8	sec-Butylbenzene		U	ug/L	2	0.32	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0723				
C120113MBKA	C120113MBKA	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	2	0.22	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0723				
C120113MBKA	C120113MBKA	ORG	99-87-6	p-Isopropltoluene		U	ug/L	2	0.25	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0723				
C120113MBKA	C120113MBKA	ORG	106-46-7	1,4-Dichlorobenzene		U	ug/L	2	0.33	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0723				
C120113MBKA	C120113MBKA	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	2	0.26	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0723				
C120113MBKA	C120113MBKA	ORG	104-51-8	n-Butylbenzene		U	ug/L	5	0.28	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0723				
C120113MBKA	C120113MBKA	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	5	1.59	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0723				
C120113MBKA	C120113MBKA	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	5	0.65	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0723				
C120113MBKA	C120113MBKA	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	5	0.28	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0723				
C120113MBKA	C120113MBKA	ORG	91-20-3	Naphthalene		U	ug/L	5	0.56	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0723				
C120113MBKA	C120113MBKA	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	5	0.23	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0723				
C120113MBKA	C120113MBKA	STD	1868-53-7	Dibromofluoromethane	52		ng			NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0723	50	104%		
C120113MBKA	C120113MBKA	STD	17060-07-0	1,2-Dichloroethane d4	50		ng			NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0723	50	100%		
C120113MBKA	C120113MBKA	STD	2037-26-5	Toluene d8	46		ng			NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0723	50	92%		
C120113MBKA	C120113MBKA	STD	460-00-4	Bromofluorobenzene	57		ng			NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0723	50	114%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C120113ALCS	C120113ALCS	ORG	75-71-8	Dichlorodifluoromethane	51		ug/L	5	0.29	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0722	50	102%		
C120113ALCS	C120113ALCS	ORG	74-87-3	Chloromethane	53		ug/L	5	0.43	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0722	50	106%		
C120113ALCS	C120113ALCS	ORG	75-01-4	Vinyl chloride	63		ug/L	2	0.32	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0722	50	126%		
C120113ALCS	C120113ALCS	ORG	74-83-9	Bromomethane	65		ug/L	5	0.50	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0722	50	130%		
C120113ALCS	C120113ALCS	ORG	75-00-3	Chloroethane	45		ug/L	5	0.56	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0722	50	90%		
C120113ALCS	C120113ALCS	ORG	75-69-4	Trichlorofluoromethane	93		ug/L	5	0.20	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0722	50	186%		
C120113ALCS	C120113ALCS	ORG	75-35-4	1,1-Dichloroethene	63		ug/L	1	0.47	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0722	50	126%		
C120113ALCS	C120113ALCS	ORG	75-09-2	Methylene chloride	62		ug/L	5	0.26	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0722	50	124%		
C120113ALCS	C120113ALCS	ORG	67-64-1	Acetone	63		ug/L	10	1.56	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0722	50	126%		
C120113ALCS	C120113ALCS	ORG	156-60-5	trans-1,2-Dichloroethene	64		ug/L	1	0.56	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0722	50	128%		
C120113ALCS	C120113ALCS	ORG	1634-04-4	MTBE	68		ug/L	5	0.61	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0722	50	136%		
C120113ALCS	C120113ALCS	ORG	75-34-3	1,1-Dichloroethane	57		ug/L	1	0.53	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0722	50	114%		
C120113ALCS	C120113ALCS	ORG	156-59-2	cis-1,2-Dichloroethene	58		ug/L	1	0.32	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0722	50	116%		
C120113ALCS	C120113ALCS	ORG	74-97-5	Bromochloromethane	55		ug/L	10	0.41	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0722	50	110%		
C120113ALCS	C120113ALCS	ORG	67-66-3	Chloroform	52		ug/L	2	0.16	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0722	50	104%		
C120113ALCS	C120113ALCS	ORG	71-55-6	1,1,1-Trichloroethane	50		ug/L	1	0.17	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0722	50	100%		
C120113ALCS	C120113ALCS	ORG	78-93-3	2-Butanone	53		ug/L	1	0.81	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0722	50	106%		
C120113ALCS	C120113ALCS	ORG	56-23-5	Carbon tetrachloride	53		ug/L	1	0.28	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0722	50	106%		
C120113ALCS	C120113ALCS	ORG	71-43-2	Benzene	48		ug/L	1	0.14	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0722	50	96%		
C120113ALCS	C120113ALCS	ORG	107-06-2	1,2-Dichloroethane	47		ug/L	1	0.20	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0722	50	94%		
C120113ALCS	C120113ALCS	ORG	79-01-6	Trichloroethene	50		ug/L	1	0.36	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0722	50	100%		
C120113ALCS	C120113ALCS	ORG	74-95-3	Dibromomethane	47		ug/L	2	0.32	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0722	50	94%		
C120113ALCS	C120113ALCS	ORG	78-87-5	1,2-Dichloropropane	49		ug/L	1	0.18	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0722	50	98%		
C120113ALCS	C120113ALCS	ORG	75-27-4	Bromodichloromethane	50		ug/L	2	0.12	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0722	50	100%		
C120113ALCS	C120113ALCS	ORG	10061-01-5	cis-1,3-Dichloropropene	46		ug/L	1	0.25	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0722	50	92%		
C120113ALCS	C120113ALCS	ORG	108-88-3	Toluene	48		ug/L	1	0.21	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0722	50	96%		
C120113ALCS	C120113ALCS	ORG	108-10-1	4-Methyl-2-pentanone	46		ug/L	5	0.74	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0722	50	92%		
C120113ALCS	C120113ALCS	ORG	10061-02-6	trans-1,3-Dichloropropene	52		ug/L	1	0.31	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0722	50	104%		
C120113ALCS	C120113ALCS	ORG	127-18-4	Tetrachloroethene	47		ug/L	1	0.49	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0722	50	94%		
C120113ALCS	C120113ALCS	ORG	79-00-5	1,1,2-Trichloroethane	52		ug/L	1	0.34	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0722	50	104%		
C120113ALCS	C120113ALCS	ORG	124-48-1	Dibromochloromethane	50		ug/L	5	0.30	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0722	50	100%		
C120113ALCS	C120113ALCS	ORG	106-93-4	1,2-Dibromoethane	52		ug/L	2	0.26	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0722	50	104%		
C120113ALCS	C120113ALCS	ORG	591-78-6	2-Hexanone	51		ug/L	2	0.69	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0722	50	102%		
C120113ALCS	C120113ALCS	ORG	100-41-4	Ethylbenzene	54		ug/L	1	0.25	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0722	50	108%		
C120113ALCS	C120113ALCS	ORG	108-90-7	Chlorobenzene	48		ug/L	1	0.28	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0722	50	96%		
C120113ALCS	C120113ALCS	ORG	630-20-6	1,1,1,2-Tetrachloroethane	49		ug/L	2	0.19	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0722	50	98%		
C120113ALCS	C120113ALCS	ORG	XYLMP	p&m-Xylene	97		ug/L	2	0.26	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0722	100	97%		
C120113ALCS	C120113ALCS	ORG	95-47-6	o-Xylene	49		ug/L	1	0.13	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0722	50	98%		
C120113ALCS	C120113ALCS	ORG	100-42-5	Styrene	48		ug/L	1	0.20	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0722	50	96%		
C120113ALCS	C120113ALCS	ORG	75-25-2	Bromoform	48		ug/L	2	0.47	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0722	50	96%		
C120113ALCS	C120113ALCS	ORG	98-82-8	Isopropylbenzene	49		ug/L	2	0.20	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0722	50	98%		
C120113ALCS	C120113ALCS	ORG	103-65-1	n-Propylbenzene	54		ug/L	2	0.27	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0722	50	108%		
C120113ALCS	C120113ALCS	ORG	79-34-5	1,1,2,2-Tetrachloroethane	46		ug/L	2	0.29	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0722	50	92%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C120113ALCS	C120113ALCS	ORG	96-18-4	1,2,3-Trichloropropane	45		ug/L	2	0.29	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0722	50	90%		
C120113ALCS	C120113ALCS	ORG	108-67-8	1,3,5-Trimethylbenzene	48		ug/L	2	0.20	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0722	50	96%		
C120113ALCS	C120113ALCS	ORG	98-06-6	tert-Butylbenzene	50		ug/L	2	0.33	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0722	50	100%		
C120113ALCS	C120113ALCS	ORG	95-63-6	1,2,4-Trimethylbenzene	48		ug/L	2	0.20	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0722	50	96%		
C120113ALCS	C120113ALCS	ORG	135-98-8	sec-Butylbenzene	47		ug/L	2	0.32	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0722	50	94%		
C120113ALCS	C120113ALCS	ORG	541-73-1	1,3-Dichlorobenzene	53		ug/L	2	0.22	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0722	50	106%		
C120113ALCS	C120113ALCS	ORG	99-87-6	p-Isopropltoluene	50		ug/L	2	0.25	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0722	50	100%		
C120113ALCS	C120113ALCS	ORG	106-46-7	1,4-Dichlorobenzene	49		ug/L	2	0.33	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0722	50	98%		
C120113ALCS	C120113ALCS	ORG	95-50-1	1,2-Dichlorobenzene	52		ug/L	2	0.26	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0722	50	104%		
C120113ALCS	C120113ALCS	ORG	104-51-8	n-Butylbenzene	49		ug/L	5	0.28	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0722	50	98%		
C120113ALCS	C120113ALCS	ORG	96-12-8	1,2-Dibromo-3-chloropropane	57		ug/L	5	1.59	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0722	50	114%		
C120113ALCS	C120113ALCS	ORG	87-68-3	Hexachlorobutadiene	55		ug/L	5	0.65	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0722	50	110%		
C120113ALCS	C120113ALCS	ORG	120-82-1	1,2,4-Trichlorobenzene	52		ug/L	5	0.28	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0722	50	104%		
C120113ALCS	C120113ALCS	ORG	91-20-3	Naphthalene	54		ug/L	5	0.56	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0722	50	108%		
C120113ALCS	C120113ALCS	ORG	87-61-6	1,2,3-Trichlorobenzene	57		ug/L	5	0.23	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0722	50	114%		
C120113ALCS	C120113ALCS	STD	1868-53-7	Dibromofluoromethane	51		ng			NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0722	50	102%		
C120113ALCS	C120113ALCS	STD	17060-07-0	1,2-Dichloroethane d4	48		ng			NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0722	50	96%		
C120113ALCS	C120113ALCS	STD	2037-26-5	Toluene d8	44		ng			NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0722	50	88%		
C120113ALCS	C120113ALCS	STD	460-00-4	Bromofluorobenzene	53		ng			NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0722	50	106%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C120113ALCD	C120113ALCD	ORG	75-71-8	Dichlorodifluoromethane	35		ug/L	5	0.29	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0726	50	70%	37%	
C120113ALCD	C120113ALCD	ORG	74-87-3	Chloromethane	40		ug/L	5	0.43	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0726	50	80%	28%	
C120113ALCD	C120113ALCD	ORG	75-01-4	Vinyl chloride	44		ug/L	2	0.32	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0726	50	88%	36%	
C120113ALCD	C120113ALCD	ORG	74-83-9	Bromomethane	45		ug/L	5	0.50	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0726	50	90%	36%	
C120113ALCD	C120113ALCD	ORG	75-00-3	Chloroethane	50		ug/L	5	0.56	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0726	50	100%	11%	
C120113ALCD	C120113ALCD	ORG	75-69-4	Trichlorofluoromethane	89		ug/L	5	0.20	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0726	50	178%	4%	
C120113ALCD	C120113ALCD	ORG	75-35-4	1,1-Dichloroethene	47		ug/L	1	0.47	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0726	50	94%	29%	
C120113ALCD	C120113ALCD	ORG	75-09-2	Methylene chloride	50		ug/L	5	0.26	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0726	50	100%	21%	
C120113ALCD	C120113ALCD	ORG	67-64-1	Acetone	46		ug/L	10	1.56	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0726	50	92%	31%	
C120113ALCD	C120113ALCD	ORG	156-60-5	trans-1,2-Dichloroethene	48		ug/L	1	0.56	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0726	50	96%	29%	
C120113ALCD	C120113ALCD	ORG	1634-04-4	MTBE	45		ug/L	5	0.61	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0726	50	90%	41%	
C120113ALCD	C120113ALCD	ORG	75-34-3	1,1-Dichloroethane	46		ug/L	1	0.53	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0726	50	92%	21%	
C120113ALCD	C120113ALCD	ORG	156-59-2	cis-1,2-Dichloroethene	50		ug/L	1	0.32	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0726	50	100%	15%	
C120113ALCD	C120113ALCD	ORG	74-97-5	Bromochloromethane	50		ug/L	10	0.41	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0726	50	100%	10%	
C120113ALCD	C120113ALCD	ORG	67-66-3	Chloroform	48		ug/L	2	0.16	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0726	50	96%	8%	
C120113ALCD	C120113ALCD	ORG	71-55-6	1,1,1-Trichloroethane	50		ug/L	1	0.17	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0726	50	100%	0%	
C120113ALCD	C120113ALCD	ORG	78-93-3	2-Butanone	41		ug/L	1	0.81	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0726	50	82%	26%	
C120113ALCD	C120113ALCD	ORG	56-23-5	Carbon tetrachloride	51		ug/L	1	0.28	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0726	50	102%	4%	
C120113ALCD	C120113ALCD	ORG	71-43-2	Benzene	49		ug/L	1	0.14	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0726	50	98%	2%	
C120113ALCD	C120113ALCD	ORG	107-06-2	1,2-Dichloroethane	49		ug/L	1	0.20	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0726	50	98%	4%	
C120113ALCD	C120113ALCD	ORG	79-01-6	Trichloroethene	51		ug/L	1	0.36	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0726	50	102%	2%	
C120113ALCD	C120113ALCD	ORG	74-95-3	Dibromomethane	49		ug/L	2	0.32	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0726	50	98%	4%	
C120113ALCD	C120113ALCD	ORG	78-87-5	1,2-Dichloropropane	51		ug/L	1	0.18	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0726	50	102%	4%	
C120113ALCD	C120113ALCD	ORG	75-27-4	Bromodichloromethane	51		ug/L	2	0.12	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0726	50	102%	2%	
C120113ALCD	C120113ALCD	ORG	10061-01-5	cis-1,3-Dichloropropene	68		ug/L	1	0.25	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0726	50	136%	39%	
C120113ALCD	C120113ALCD	ORG	108-88-3	Toluene	64		ug/L	1	0.21	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0726	50	128%	29%	
C120113ALCD	C120113ALCD	ORG	108-10-1	4-Methyl-2-pentanone	42		ug/L	5	0.74	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0726	50	84%	9%	
C120113ALCD	C120113ALCD	ORG	10061-02-6	trans-1,3-Dichloropropene	53		ug/L	1	0.31	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0726	50	106%	2%	
C120113ALCD	C120113ALCD	ORG	127-18-4	Tetrachloroethene	52		ug/L	1	0.49	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0726	50	104%	10%	
C120113ALCD	C120113ALCD	ORG	79-00-5	1,1,2-Trichloroethane	48		ug/L	1	0.34	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0726	50	96%	8%	
C120113ALCD	C120113ALCD	ORG	124-48-1	Dibromochloromethane	45		ug/L	5	0.30	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0726	50	90%	11%	
C120113ALCD	C120113ALCD	ORG	106-93-4	1,2-Dibromoethane	53		ug/L	2	0.26	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0726	50	106%	2%	
C120113ALCD	C120113ALCD	ORG	591-78-6	2-Hexanone	40		ug/L	2	0.69	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0726	50	80%	24%	
C120113ALCD	C120113ALCD	ORG	100-41-4	Ethylbenzene	51		ug/L	1	0.25	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0726	50	102%	6%	
C120113ALCD	C120113ALCD	ORG	108-90-7	Chlorobenzene	46		ug/L	1	0.28	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0726	50	92%	4%	
C120113ALCD	C120113ALCD	ORG	630-20-6	1,1,1,2-Tetrachloroethane	46		ug/L	2	0.19	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0726	50	92%	6%	
C120113ALCD	C120113ALCD	ORG	XYLMP	p&m-Xylene	95		ug/L	2	0.26	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0726	100	95%	2%	
C120113ALCD	C120113ALCD	ORG	95-47-6	o-Xylene	48		ug/L	1	0.13	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0726	50	96%	2%	
C120113ALCD	C120113ALCD	ORG	100-42-5	Styrene	47		ug/L	1	0.20	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0726	50	94%	2%	
C120113ALCD	C120113ALCD	ORG	75-25-2	Bromoform	49		ug/L	2	0.47	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0726	50	98%	2%	
C120113ALCD	C120113ALCD	ORG	98-82-8	Isopropylbenzene	49		ug/L	2	0.20	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0726	50	98%	0%	
C120113ALCD	C120113ALCD	ORG	103-65-1	n-Propylbenzene	55		ug/L	2	0.27	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0726	50	110%	2%	
C120113ALCD	C120113ALCD	ORG	79-34-5	1,1,2,2-Tetrachloroethane	46		ug/L	2	0.29	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0726	50	92%	0%	

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C120113ALCD	C120113ALCD	ORG	96-18-4	1,2,3-Trichloropropane	45		ug/L	2	0.29	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0726	50	90%	0%	
C120113ALCD	C120113ALCD	ORG	108-67-8	1,3,5-Trimethylbenzene	48		ug/L	2	0.20	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0726	50	96%	0%	
C120113ALCD	C120113ALCD	ORG	98-06-6	tert-Butylbenzene	48		ug/L	2	0.33	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0726	50	96%	4%	
C120113ALCD	C120113ALCD	ORG	95-63-6	1,2,4-Trimethylbenzene	49		ug/L	2	0.20	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0726	50	98%	2%	
C120113ALCD	C120113ALCD	ORG	135-98-8	sec-Butylbenzene	48		ug/L	2	0.32	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0726	50	96%	2%	
C120113ALCD	C120113ALCD	ORG	541-73-1	1,3-Dichlorobenzene	53		ug/L	2	0.22	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0726	50	106%	0%	
C120113ALCD	C120113ALCD	ORG	99-87-6	p-Isopropltoluene	49		ug/L	2	0.25	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0726	50	98%	2%	
C120113ALCD	C120113ALCD	ORG	106-46-7	1,4-Dichlorobenzene	48		ug/L	2	0.33	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0726	50	96%	2%	
C120113ALCD	C120113ALCD	ORG	95-50-1	1,2-Dichlorobenzene	52		ug/L	2	0.26	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0726	50	104%	0%	
C120113ALCD	C120113ALCD	ORG	104-51-8	n-Butylbenzene	48		ug/L	5	0.28	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0726	50	96%	2%	
C120113ALCD	C120113ALCD	ORG	96-12-8	1,2-Dibromo-3-chloropropane	49		ug/L	5	1.59	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0726	50	98%	15%	
C120113ALCD	C120113ALCD	ORG	87-68-3	Hexachlorobutadiene	49		ug/L	5	0.65	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0726	50	98%	12%	
C120113ALCD	C120113ALCD	ORG	120-82-1	1,2,4-Trichlorobenzene	48		ug/L	5	0.28	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0726	50	96%	8%	
C120113ALCD	C120113ALCD	ORG	91-20-3	Naphthalene	47		ug/L	5	0.56	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0726	50	94%	14%	
C120113ALCD	C120113ALCD	ORG	87-61-6	1,2,3-Trichlorobenzene	52		ug/L	5	0.23	NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0726	50	104%	9%	
C120113ALCD	C120113ALCD	STD	1868-53-7	Dibromofluoromethane	50		ng			NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0726	50	100%	2%	
C120113ALCD	C120113ALCD	STD	17060-07-0	1,2-Dichloroethane d4	49		ng			NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0726	50	98%	2%	
C120113ALCD	C120113ALCD	STD	2037-26-5	Toluene d8	64		ng			NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0726	50	128%	37%	
C120113ALCD	C120113ALCD	STD	460-00-4	Bromofluorobenzene	48		ng			NA	12/1/2013	12/1/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0726	50	96%	10%	

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-819MS	316-152	ORG	75-71-8	Dichlorodifluoromethane	3900		ug/L	500	29.28	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0727	5000	78%		
NAL13026-819MS	316-152	ORG	74-87-3	Chloromethane	4400		ug/L	500	43.07	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0727	5000	88%		
NAL13026-819MS	316-152	ORG	75-01-4	Vinyl chloride	5000		ug/L	200	31.86	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0727	5000	100%		
NAL13026-819MS	316-152	ORG	74-83-9	Bromomethane	5200		ug/L	500	50.04	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0727	5000	104%		
NAL13026-819MS	316-152	ORG	75-00-3	Chloroethane	5200		ug/L	500	55.61	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0727	5000	104%		
NAL13026-819MS	316-152	ORG	75-69-4	Trichlorofluoromethane	9900		ug/L	500	19.65	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0727	5000	198%		
NAL13026-819MS	316-152	ORG	75-35-4	1,1-Dichloroethene	5400		ug/L	100	47.11	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0727	5000	108%		
NAL13026-819MS	316-152	ORG	75-09-2	Methylene chloride	5100		ug/L	500	26.46	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0727	5000	102%		
NAL13026-819MS	316-152	ORG	67-64-1	Acetone	68000		ug/L	1000	155.61	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0727	5000	40%		66000
NAL13026-819MS	316-152	ORG	156-60-5	trans-1,2-Dichloroethene	5200		ug/L	100	55.61	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0727	5000	104%		
NAL13026-819MS	316-152	ORG	1634-04-4	MTBE	5000		ug/L	500	61.18	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0727	5000	100%		
NAL13026-819MS	316-152	ORG	75-34-3	1,1-Dichloroethane	4900		ug/L	100	52.66	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0727	5000	98%		
NAL13026-819MS	316-152	ORG	156-59-2	cis-1,2-Dichloroethene	5200		ug/L	100	32.11	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0727	5000	104%		
NAL13026-819MS	316-152	ORG	74-97-5	Bromochloromethane	5300		ug/L	1000	41.37	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0727	5000	106%		
NAL13026-819MS	316-152	ORG	67-66-3	Chloroform	5200		ug/L	200	15.73	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0727	5000	104%		
NAL13026-819MS	316-152	ORG	71-55-6	1,1,1-Trichloroethane	5100		ug/L	100	16.65	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0727	5000	102%		
NAL13026-819MS	316-152	ORG	78-93-3	2-Butanone	39000		ug/L	100	81.18	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0727	5000	40%		37000
NAL13026-819MS	316-152	ORG	56-23-5	Carbon tetrachloride	4900		ug/L	100	27.64	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0727	5000	98%		
NAL13026-819MS	316-152	ORG	71-43-2	Benzene	5200		ug/L	100	13.53	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0727	5000	103%		54
NAL13026-819MS	316-152	ORG	107-06-2	1,2-Dichloroethane	5100		ug/L	100	20.01	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0727	5000	102%		
NAL13026-819MS	316-152	ORG	79-01-6	Trichloroethene	5300		ug/L	100	36.33	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0727	5000	106%		
NAL13026-819MS	316-152	ORG	74-95-3	Dibromomethane	5100		ug/L	200	32.20	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0727	5000	102%		
NAL13026-819MS	316-152	ORG	78-87-5	1,2-Dichloropropane	5500		ug/L	100	18.17	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0727	5000	110%		
NAL13026-819MS	316-152	ORG	75-27-4	Bromodichloromethane	5000		ug/L	200	11.58	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0727	5000	100%		
NAL13026-819MS	316-152	ORG	10061-01-5	cis-1,3-Dichloropropene	6800		ug/L	100	25.01	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0727	5000	136%		
NAL13026-819MS	316-152	ORG	108-88-3	Toluene	5800		ug/L	100	20.96	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0727	5000	116%		
NAL13026-819MS	316-152	ORG	108-10-1	4-Methyl-2-pentanone	5000		ug/L	500	74.00	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0727	5000	89%		550
NAL13026-819MS	316-152	ORG	10061-02-6	trans-1,3-Dichloropropene	4900		ug/L	100	31.15	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0727	5000	98%		
NAL13026-819MS	316-152	ORG	127-18-4	Tetrachloroethene	4200		ug/L	100	48.56	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0727	5000	84%		
NAL13026-819MS	316-152	ORG	79-00-5	1,1,2-Trichloroethane	4900		ug/L	100	34.28	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0727	5000	98%		
NAL13026-819MS	316-152	ORG	124-48-1	Dibromochloromethane	4600		ug/L	500	29.90	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0727	5000	92%		
NAL13026-819MS	316-152	ORG	106-93-4	1,2-Dibromoethane	5200		ug/L	200	26.49	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0727	5000	104%		
NAL13026-819MS	316-152	ORG	591-78-6	2-Hexanone	6400		ug/L	200	68.90	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0727	5000	76%		2600
NAL13026-819MS	316-152	ORG	100-41-4	Ethylbenzene	4800		ug/L	100	25.38	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0727	5000	95%		63
NAL13026-819MS	316-152	ORG	108-90-7	Chlorobenzene	4400		ug/L	100	27.52	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0727	5000	88%		
NAL13026-819MS	316-152	ORG	630-20-6	1,1,1,2-Tetrachloroethane	4300		ug/L	200	19.28	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0727	5000	86%		
NAL13026-819MS	316-152	ORG	XYLMP	p&m-Xylene	9200		ug/L	200	26.14	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0727	10000	83%		880
NAL13026-819MS	316-152	ORG	95-47-6	o-Xylene	4800		ug/L	100	12.90	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0727	5000	85%		570
NAL13026-819MS	316-152	ORG	100-42-5	Styrene	4700		ug/L	100	20.23	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0727	5000	94%		
NAL13026-819MS	316-152	ORG	75-25-2	Bromoform	4400		ug/L	200	46.83	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0727	5000	88%		
NAL13026-819MS	316-152	ORG	98-82-8	Isopropylbenzene	4900		ug/L	200	20.48	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0727	5000	86%		580
NAL13026-819MS	316-152	ORG	103-65-1	n-Propylbenzene	5300		ug/L	200	27.00	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0727	5000	104%		110
NAL13026-819MS	316-152	ORG	79-34-5	1,1,2,2-Tetrachloroethane	4400		ug/L	200	29.16	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0727	5000	88%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-819MS	316-152	ORG	96-18-4	1,2,3-Trichloropropane	4000		ug/L	200	29.47	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0727	5000	80%		
NAL13026-819MS	316-152	ORG	108-67-8	1,3,5-Trimethylbenzene	4900		ug/L	200	20.03	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0727	5000	85%		630
NAL13026-819MS	316-152	ORG	98-06-6	tert-Butylbenzene	4800		ug/L	200	32.61	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0727	5000	96%		
NAL13026-819MS	316-152	ORG	95-63-6	1,2,4-Trimethylbenzene	5800		ug/L	200	20.03	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0727	5000	90%		1300
NAL13026-819MS	316-152	ORG	135-98-8	sec-Butylbenzene	5300		ug/L	200	32.34	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0727	5000	106%		
NAL13026-819MS	316-152	ORG	541-73-1	1,3-Dichlorobenzene	5100		ug/L	200	22.21	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0727	5000	102%		
NAL13026-819MS	316-152	ORG	99-87-6	p-Isopropltoluene	8900		ug/L	200	25.48	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0727	5000	84%		4700
NAL13026-819MS	316-152	ORG	106-46-7	1,4-Dichlorobenzene	5800		ug/L	200	33.03	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0727	5000	92%		1200
NAL13026-819MS	316-152	ORG	95-50-1	1,2-Dichlorobenzene	5400		ug/L	200	26.38	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0727	5000	108%		
NAL13026-819MS	316-152	ORG	104-51-8	n-Butylbenzene	5100		ug/L	500	27.81	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0727	5000	91%		570
NAL13026-819MS	316-152	ORG	96-12-8	1,2-Dibromo-3-chloropropane	5700		ug/L	500	159.11	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0727	5000	114%		
NAL13026-819MS	316-152	ORG	87-68-3	Hexachlorobutadiene	5900		ug/L	500	65.42	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0727	5000	118%		
NAL13026-819MS	316-152	ORG	120-82-1	1,2,4-Trichlorobenzene	6000		ug/L	500	27.63	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0727	5000	120%		
NAL13026-819MS	316-152	ORG	91-20-3	Naphthalene	8100		ug/L	500	56.04	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0727	5000	114%		2400
NAL13026-819MS	316-152	ORG	87-61-6	1,2,3-Trichlorobenzene	6500		ug/L	500	23.28	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0727	5000	130%		
NAL13026-819MS	316-152	STD	1868-53-7	Dibromofluoromethane	53		ng			12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0727	50	106%		
NAL13026-819MS	316-152	STD	17060-07-0	1,2-Dichloroethane d4	48		ng			12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0727	50	96%		
NAL13026-819MS	316-152	STD	2037-26-5	Toluene d8	60		ng			12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0727	50	120%		
NAL13026-819MS	316-152	STD	460-00-4	Bromofluorobenzene	53		ng			12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0727	50	106%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-819MSD	316-152	ORG	75-71-8	Dichlorodifluoromethane	3900		ug/L	500	29.28	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0728	5000	78%	0%	0
NAL13026-819MSD	316-152	ORG	74-87-3	Chloromethane	4600		ug/L	500	43.07	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0728	5000	92%	4%	0
NAL13026-819MSD	316-152	ORG	75-01-4	Vinyl chloride	5200		ug/L	200	31.86	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0728	5000	104%	4%	0
NAL13026-819MSD	316-152	ORG	74-83-9	Bromomethane	5100		ug/L	500	50.04	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0728	5000	102%	2%	0
NAL13026-819MSD	316-152	ORG	75-00-3	Chloroethane	4700		ug/L	500	55.61	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0728	5000	94%	10%	0
NAL13026-819MSD	316-152	ORG	75-69-4	Trichlorofluoromethane	8400		ug/L	500	19.65	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0728	5000	168%	16%	0
NAL13026-819MSD	316-152	ORG	75-35-4	1,1-Dichloroethene	5400		ug/L	100	47.11	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0728	5000	108%	0%	0
NAL13026-819MSD	316-152	ORG	75-09-2	Methylene chloride	5500		ug/L	500	26.46	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0728	5000	110%	8%	0
NAL13026-819MSD	316-152	ORG	67-64-1	Acetone	69000		ug/L	1000	155.61	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0728	5000	60%	1%	66000
NAL13026-819MSD	316-152	ORG	156-60-5	trans-1,2-Dichloroethene	5600		ug/L	100	55.61	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0728	5000	112%	7%	0
NAL13026-819MSD	316-152	ORG	1634-04-4	MTBE	5300		ug/L	500	61.18	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0728	5000	106%	6%	0
NAL13026-819MSD	316-152	ORG	75-34-3	1,1-Dichloroethane	5300		ug/L	100	52.66	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0728	5000	106%	8%	0
NAL13026-819MSD	316-152	ORG	156-59-2	cis-1,2-Dichloroethene	5600		ug/L	100	32.11	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0728	5000	112%	7%	0
NAL13026-819MSD	316-152	ORG	74-97-5	Bromochloromethane	5300		ug/L	1000	41.37	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0728	5000	106%	0%	0
NAL13026-819MSD	316-152	ORG	67-66-3	Chloroform	5200		ug/L	200	15.73	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0728	5000	104%	0%	0
NAL13026-819MSD	316-152	ORG	71-55-6	1,1,1-Trichloroethane	5300		ug/L	100	16.65	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0728	5000	106%	4%	0
NAL13026-819MSD	316-152	ORG	78-93-3	2-Butanone	39000		ug/L	100	81.18	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0728	5000	40%	0%	37000
NAL13026-819MSD	316-152	ORG	56-23-5	Carbon tetrachloride	5300		ug/L	100	27.64	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0728	5000	106%	8%	0
NAL13026-819MSD	316-152	ORG	71-43-2	Benzene	5000		ug/L	100	13.53	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0728	5000	99%	4%	54
NAL13026-819MSD	316-152	ORG	107-06-2	1,2-Dichloroethane	4900		ug/L	100	20.01	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0728	5000	98%	4%	0
NAL13026-819MSD	316-152	ORG	79-01-6	Trichloroethene	5000		ug/L	100	36.33	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0728	5000	100%	6%	0
NAL13026-819MSD	316-152	ORG	74-95-3	Dibromomethane	5000		ug/L	200	32.20	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0728	5000	100%	2%	0
NAL13026-819MSD	316-152	ORG	78-87-5	1,2-Dichloropropane	4900		ug/L	100	18.17	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0728	5000	98%	12%	0
NAL13026-819MSD	316-152	ORG	75-27-4	Bromodichloromethane	4700		ug/L	200	11.58	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0728	5000	94%	6%	0
NAL13026-819MSD	316-152	ORG	10061-01-5	cis-1,3-Dichloropropene	4500		ug/L	100	25.01	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0728	5000	90%	41%	0
NAL13026-819MSD	316-152	ORG	108-88-3	Toluene	4600		ug/L	100	20.96	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0728	5000	92%	23%	0
NAL13026-819MSD	316-152	ORG	108-10-1	4-Methyl-2-pentanone	5000		ug/L	500	74.00	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0728	5000	89%	0%	550
NAL13026-819MSD	316-152	ORG	10061-02-6	trans-1,3-Dichloropropene	5100		ug/L	100	31.15	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0728	5000	102%	4%	0
NAL13026-819MSD	316-152	ORG	127-18-4	Tetrachloroethene	4300		ug/L	100	48.56	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0728	5000	86%	2%	0
NAL13026-819MSD	316-152	ORG	79-00-5	1,1,2-Trichloroethane	5000		ug/L	100	34.28	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0728	5000	100%	2%	0
NAL13026-819MSD	316-152	ORG	124-48-1	Dibromochloromethane	4900		ug/L	500	29.90	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0728	5000	98%	6%	0
NAL13026-819MSD	316-152	ORG	106-93-4	1,2-Dibromoethane	5100		ug/L	200	26.49	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0728	5000	102%	2%	0
NAL13026-819MSD	316-152	ORG	591-78-6	2-Hexanone	6200		ug/L	200	68.90	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0728	5000	72%	3%	2600
NAL13026-819MSD	316-152	ORG	100-41-4	Ethylbenzene	5100		ug/L	100	25.38	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0728	5000	101%	6%	63
NAL13026-819MSD	316-152	ORG	108-90-7	Chlorobenzene	4700		ug/L	100	27.52	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0728	5000	94%	7%	0
NAL13026-819MSD	316-152	ORG	630-20-6	1,1,1,2-Tetrachloroethane	4500		ug/L	200	19.28	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0728	5000	90%	5%	0
NAL13026-819MSD	316-152	ORG	XYLMP	p&m-Xylene	9200		ug/L	200	26.14	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0728	10000	83%	0%	880
NAL13026-819MSD	316-152	ORG	95-47-6	o-Xylene	4800		ug/L	100	12.90	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0728	5000	85%	0%	570
NAL13026-819MSD	316-152	ORG	100-42-5	Styrene	4800		ug/L	100	20.23	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0728	5000	96%	2%	0
NAL13026-819MSD	316-152	ORG	75-25-2	Bromoform	4200		ug/L	200	46.83	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0728	5000	84%	5%	0
NAL13026-819MSD	316-152	ORG	98-82-8	Isopropylbenzene	5100		ug/L	200	20.48	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0728	5000	90%	4%	580
NAL13026-819MSD	316-152	ORG	103-65-1	n-Propylbenzene	5500		ug/L	200	27.00	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0728	5000	108%	4%	110
NAL13026-819MSD	316-152	ORG	79-34-5	1,1,2,2-Tetrachloroethane	4400		ug/L	200	29.16	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0728	5000	88%	0%	0

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-819MSD	316-152	ORG	96-18-4	1,2,3-Trichloropropane	4000		ug/L	200	29.47	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0728	5000	80%	0%	0
NAL13026-819MSD	316-152	ORG	108-67-8	1,3,5-Trimethylbenzene	4900		ug/L	200	20.03	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0728	5000	85%	0%	630
NAL13026-819MSD	316-152	ORG	98-06-6	tert-Butylbenzene	5100		ug/L	200	32.61	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0728	5000	102%	6%	0
NAL13026-819MSD	316-152	ORG	95-63-6	1,2,4-Trimethylbenzene	5900		ug/L	200	20.03	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0728	5000	92%	2%	1300
NAL13026-819MSD	316-152	ORG	135-98-8	sec-Butylbenzene	5200		ug/L	200	32.34	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0728	5000	104%	2%	0
NAL13026-819MSD	316-152	ORG	541-73-1	1,3-Dichlorobenzene	5300		ug/L	200	22.21	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0728	5000	106%	4%	0
NAL13026-819MSD	316-152	ORG	99-87-6	p-Isopropltoluene	9400		ug/L	200	25.48	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0728	5000	94%	5%	4700
NAL13026-819MSD	316-152	ORG	106-46-7	1,4-Dichlorobenzene	6000		ug/L	200	33.03	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0728	5000	96%	3%	1200
NAL13026-819MSD	316-152	ORG	95-50-1	1,2-Dichlorobenzene	5300		ug/L	200	26.38	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0728	5000	106%	2%	0
NAL13026-819MSD	316-152	ORG	104-51-8	n-Butylbenzene	5200		ug/L	500	27.81	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0728	5000	93%	2%	570
NAL13026-819MSD	316-152	ORG	96-12-8	1,2-Dibromo-3-chloropropane	5500		ug/L	500	159.11	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0728	5000	110%	4%	0
NAL13026-819MSD	316-152	ORG	87-68-3	Hexachlorobutadiene	5900		ug/L	500	65.42	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0728	5000	118%	0%	0
NAL13026-819MSD	316-152	ORG	120-82-1	1,2,4-Trichlorobenzene	5900		ug/L	500	27.63	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0728	5000	118%	2%	0
NAL13026-819MSD	316-152	ORG	91-20-3	Naphthalene	7900		ug/L	500	56.04	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0728	5000	110%	3%	2400
NAL13026-819MSD	316-152	ORG	87-61-6	1,2,3-Trichlorobenzene	6300		ug/L	500	23.28	12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0728	5000	126%	3%	0
NAL13026-819MSD	316-152	STD	1868-53-7	Dibromofluoromethane	54		ng			12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0728	50	108%	2%	0
NAL13026-819MSD	316-152	STD	17060-07-0	1,2-Dichloroethane d4	48		ng			12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0728	50	96%	0%	0
NAL13026-819MSD	316-152	STD	2037-26-5	Toluene d8	41		ng			12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0728	50	82%	38%	0
NAL13026-819MSD	316-152	STD	460-00-4	Bromofluorobenzene	54		ng			12/1/2013	12/1/2013	12/1/2013	WG	100	NA	5.0	NA	SW8260B	NALC0728	50	108%	2%	0

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-820	316-153	ORG	75-71-8	Dichlorodifluoromethane		UX-	ug/L	500	29.28	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1210				
NAL13026-820	316-153	ORG	74-87-3	Chloromethane		U	ug/L	500	43.07	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1210				
NAL13026-820	316-153	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1210				
NAL13026-820	316-153	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1210				
NAL13026-820	316-153	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1210				
NAL13026-820	316-153	ORG	75-69-4	Trichlorofluoromethane		UX-	ug/L	500	19.65	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1210				
NAL13026-820	316-153	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1210				
NAL13026-820	316-153	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1210				
NAL13026-820	316-153	ORG	67-64-1	Acetone	340000	DX+	ug/L	10000	1556.07	12/2/2013	12/2/2013	12/2/2013	WG	1000	NA	5.0	NA	SW8260B	NALD1211				
NAL13026-820	316-153	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1210				
NAL13026-820	316-153	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1210				
NAL13026-820	316-153	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1210				
NAL13026-820	316-153	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1210				
NAL13026-820	316-153	ORG	74-97-5	Bromochloromethane		U	ug/L	200	41.37	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1210				
NAL13026-820	316-153	ORG	67-66-3	Chloroform		U	ug/L	100	15.73	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1210				
NAL13026-820	316-153	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	16.65	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1210				
NAL13026-820	316-153	ORG	78-93-3	2-Butanone	46000	D	ug/L	10000	811.80	12/2/2013	12/2/2013	12/2/2013	WG	1000	NA	5.0	NA	SW8260B	NALD1211				
NAL13026-820	316-153	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1210				
NAL13026-820	316-153	ORG	71-43-2	Benzene	44	J	ug/L	100	13.53	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1210				
NAL13026-820	316-153	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1210				
NAL13026-820	316-153	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1210				
NAL13026-820	316-153	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1210				
NAL13026-820	316-153	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1210				
NAL13026-820	316-153	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1210				
NAL13026-820	316-153	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1210				
NAL13026-820	316-153	ORG	108-88-3	Toluene	38	J	ug/L	100	20.96	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1210				
NAL13026-820	316-153	ORG	108-10-1	4-Methyl-2-pentanone	1700	X+	ug/L	500	74.00	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1210				
NAL13026-820	316-153	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1210				
NAL13026-820	316-153	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1210				
NAL13026-820	316-153	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1210				
NAL13026-820	316-153	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	29.90	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1210				
NAL13026-820	316-153	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	26.49	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1210				
NAL13026-820	316-153	ORG	591-78-6	2-Hexanone	5100	X+	ug/L	500	68.90	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1210				
NAL13026-820	316-153	ORG	100-41-4	Ethylbenzene	130		ug/L	100	25.38	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1210				
NAL13026-820	316-153	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1210				
NAL13026-820	316-153	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1210				
NAL13026-820	316-153	ORG	XYLMP	p&m-Xylene	370		ug/L	200	26.14	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1210				
NAL13026-820	316-153	ORG	95-47-6	o-Xylene	250		ug/L	100	12.90	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1210				
NAL13026-820	316-153	ORG	100-42-5	Styrene		U	ug/L	100	20.23	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1210				
NAL13026-820	316-153	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1210				
NAL13026-820	316-153	ORG	98-82-8	Isopropylbenzene	130	J	ug/L	200	20.48	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1210				
NAL13026-820	316-153	ORG	103-65-1	n-Propylbenzene	150	J	ug/L	200	27.00	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1210				
NAL13026-820	316-153	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1210				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-820	316-153	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1210				
NAL13026-820	316-153	ORG	108-67-8	1,3,5-Trimethylbenzene	360		ug/L	200	20.03	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1210				
NAL13026-820	316-153	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1210				
NAL13026-820	316-153	ORG	95-63-6	1,2,4-Trimethylbenzene	1800		ug/L	200	20.03	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1210				
NAL13026-820	316-153	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1210				
NAL13026-820	316-153	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1210				
NAL13026-820	316-153	ORG	99-87-6	p-Isopropltoluene	7000		ug/L	200	25.48	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1210				
NAL13026-820	316-153	ORG	106-46-7	1,4-Dichlorobenzene	1600		ug/L	200	33.03	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1210				
NAL13026-820	316-153	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1210				
NAL13026-820	316-153	ORG	104-51-8	n-Butylbenzene	240	J	ug/L	500	27.81	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1210				
NAL13026-820	316-153	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1210				
NAL13026-820	316-153	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1210				
NAL13026-820	316-153	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1210				
NAL13026-820	316-153	ORG	91-20-3	Naphthalene	2200		ug/L	500	56.04	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1210				
NAL13026-820	316-153	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1210				
NAL13026-820	316-153	STD	1868-53-7	Dibromofluoromethane	50		ng			12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1210	50	100%		
NAL13026-820	316-153	STD	17060-07-0	1,2-Dichloroethane d4	51		ng			12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1210	50	102%		
NAL13026-820	316-153	STD	2037-26-5	Toluene d8	49		ng			12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1210	50	98%		
NAL13026-820	316-153	STD	460-00-4	Bromofluorobenzene	50		ng			12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1210	50	100%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D120213CCVA	D120213CCVA	ORG	75-71-8	Dichlorodifluoromethane	37		ug/L	5	0.29	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1207	50	74%		
D120213CCVA	D120213CCVA	ORG	74-87-3	Chloromethane	49		ug/L	5	0.43	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1207	50	98%		
D120213CCVA	D120213CCVA	ORG	75-01-4	Vinyl chloride	51		ug/L	2	0.32	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1207	50	102%		
D120213CCVA	D120213CCVA	ORG	74-83-9	Bromomethane	58		ug/L	5	0.50	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1207	50	116%		
D120213CCVA	D120213CCVA	ORG	75-00-3	Chloroethane	68		ug/L	5	0.56	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1207	50	136%		
D120213CCVA	D120213CCVA	ORG	75-69-4	Trichlorofluoromethane	38		ug/L	5	0.20	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1207	50	76%		
D120213CCVA	D120213CCVA	ORG	75-35-4	1,1-Dichloroethene	54		ug/L	1	0.47	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1207	50	108%		
D120213CCVA	D120213CCVA	ORG	75-09-2	Methylene chloride	46		ug/L	5	0.26	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1207	50	92%		
D120213CCVA	D120213CCVA	ORG	67-64-1	Acetone	82		ug/L	10	1.56	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1207	50	164%		
D120213CCVA	D120213CCVA	ORG	156-60-5	trans-1,2-Dichloroethene	52		ug/L	1	0.56	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1207	50	104%		
D120213CCVA	D120213CCVA	ORG	1634-04-4	MTBE	59		ug/L	5	0.61	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1207	50	118%		
D120213CCVA	D120213CCVA	ORG	75-34-3	1,1-Dichloroethane	52		ug/L	1	0.53	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1207	50	104%		
D120213CCVA	D120213CCVA	ORG	156-59-2	cis-1,2-Dichloroethene	50		ug/L	1	0.32	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1207	50	100%		
D120213CCVA	D120213CCVA	ORG	74-97-5	Bromochloromethane	51		ug/L	10	0.41	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1207	50	102%		
D120213CCVA	D120213CCVA	ORG	67-66-3	Chloroform	49		ug/L	2	0.16	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1207	50	98%		
D120213CCVA	D120213CCVA	ORG	71-55-6	1,1,1-Trichloroethane	49		ug/L	1	0.17	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1207	50	98%		
D120213CCVA	D120213CCVA	ORG	78-93-3	2-Butanone	60		ug/L	1	0.81	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1207	50	120%		
D120213CCVA	D120213CCVA	ORG	56-23-5	Carbon tetrachloride	48		ug/L	1	0.28	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1207	50	96%		
D120213CCVA	D120213CCVA	ORG	71-43-2	Benzene	49		ug/L	1	0.14	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1207	50	98%		
D120213CCVA	D120213CCVA	ORG	107-06-2	1,2-Dichloroethane	49		ug/L	1	0.20	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1207	50	98%		
D120213CCVA	D120213CCVA	ORG	79-01-6	Trichloroethene	51		ug/L	1	0.36	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1207	50	102%		
D120213CCVA	D120213CCVA	ORG	74-95-3	Dibromomethane	51		ug/L	2	0.32	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1207	50	102%		
D120213CCVA	D120213CCVA	ORG	78-87-5	1,2-Dichloropropane	50		ug/L	1	0.18	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1207	50	100%		
D120213CCVA	D120213CCVA	ORG	75-27-4	Bromodichloromethane	49		ug/L	2	0.12	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1207	50	98%		
D120213CCVA	D120213CCVA	ORG	10061-01-5	cis-1,3-Dichloropropene	54		ug/L	1	0.25	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1207	50	108%		
D120213CCVA	D120213CCVA	ORG	108-88-3	Toluene	47		ug/L	1	0.21	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1207	50	94%		
D120213CCVA	D120213CCVA	ORG	108-10-1	4-Methyl-2-pentanone	69		ug/L	5	0.74	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1207	50	138%		
D120213CCVA	D120213CCVA	ORG	10061-02-6	trans-1,3-Dichloropropene	53		ug/L	1	0.31	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1207	50	106%		
D120213CCVA	D120213CCVA	ORG	127-18-4	Tetrachloroethene	50		ug/L	1	0.49	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1207	50	100%		
D120213CCVA	D120213CCVA	ORG	79-00-5	1,1,2-Trichloroethane	54		ug/L	1	0.34	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1207	50	108%		
D120213CCVA	D120213CCVA	ORG	124-48-1	Dibromochloromethane	53		ug/L	5	0.30	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1207	50	106%		
D120213CCVA	D120213CCVA	ORG	106-93-4	1,2-Dibromoethane	52		ug/L	2	0.26	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1207	50	104%		
D120213CCVA	D120213CCVA	ORG	591-78-6	2-Hexanone	74		ug/L	2	0.69	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1207	50	148%		
D120213CCVA	D120213CCVA	ORG	100-41-4	Ethylbenzene	50		ug/L	1	0.25	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1207	50	100%		
D120213CCVA	D120213CCVA	ORG	108-90-7	Chlorobenzene	49		ug/L	1	0.28	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1207	50	98%		
D120213CCVA	D120213CCVA	ORG	630-20-6	1,1,1,2-Tetrachloroethane	49		ug/L	2	0.19	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1207	50	98%		
D120213CCVA	D120213CCVA	ORG	XYLMP	p&m-Xylene	103		ug/L	2	0.26	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1207	100	103%		
D120213CCVA	D120213CCVA	ORG	95-47-6	o-Xylene	53		ug/L	1	0.13	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1207	50	106%		
D120213CCVA	D120213CCVA	ORG	100-42-5	Styrene	54		ug/L	1	0.20	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1207	50	108%		
D120213CCVA	D120213CCVA	ORG	75-25-2	Bromoform	56		ug/L	2	0.47	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1207	50	112%		
D120213CCVA	D120213CCVA	ORG	98-82-8	Isopropylbenzene	55		ug/L	2	0.20	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1207	50	110%		
D120213CCVA	D120213CCVA	ORG	103-65-1	n-Propylbenzene	53		ug/L	2	0.27	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1207	50	106%		
D120213CCVA	D120213CCVA	ORG	79-34-5	1,1,2,2-Tetrachloroethane	51		ug/L	2	0.29	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1207	50	102%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D120213CCVA	D120213CCVA	ORG	96-18-4	1,2,3-Trichloropropane	46		ug/L	2	0.29	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1207	50	92%		
D120213CCVA	D120213CCVA	ORG	108-67-8	1,3,5-Trimethylbenzene	53		ug/L	2	0.20	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1207	50	106%		
D120213CCVA	D120213CCVA	ORG	98-06-6	tert-Butylbenzene	56		ug/L	2	0.33	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1207	50	112%		
D120213CCVA	D120213CCVA	ORG	95-63-6	1,2,4-Trimethylbenzene	53		ug/L	2	0.20	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1207	50	106%		
D120213CCVA	D120213CCVA	ORG	135-98-8	sec-Butylbenzene	54		ug/L	2	0.32	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1207	50	108%		
D120213CCVA	D120213CCVA	ORG	541-73-1	1,3-Dichlorobenzene	51		ug/L	2	0.22	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1207	50	102%		
D120213CCVA	D120213CCVA	ORG	99-87-6	p-Isopropltoluene	56		ug/L	2	0.25	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1207	50	112%		
D120213CCVA	D120213CCVA	ORG	106-46-7	1,4-Dichlorobenzene	50		ug/L	2	0.33	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1207	50	100%		
D120213CCVA	D120213CCVA	ORG	95-50-1	1,2-Dichlorobenzene	51		ug/L	2	0.26	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1207	50	102%		
D120213CCVA	D120213CCVA	ORG	104-51-8	n-Butylbenzene	55		ug/L	5	0.28	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1207	50	110%		
D120213CCVA	D120213CCVA	ORG	96-12-8	1,2-Dibromo-3-chloropropane	58		ug/L	5	1.59	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1207	50	116%		
D120213CCVA	D120213CCVA	ORG	87-68-3	Hexachlorobutadiene	58		ug/L	5	0.65	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1207	50	116%		
D120213CCVA	D120213CCVA	ORG	120-82-1	1,2,4-Trichlorobenzene	58		ug/L	5	0.28	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1207	50	116%		
D120213CCVA	D120213CCVA	ORG	91-20-3	Naphthalene	57		ug/L	5	0.56	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1207	50	114%		
D120213CCVA	D120213CCVA	ORG	87-61-6	1,2,3-Trichlorobenzene	55		ug/L	5	0.23	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1207	50	110%		
D120213CCVA	D120213CCVA	STD	1868-53-7	Dibromofluoromethane	50		ng			NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1207	50	100%		
D120213CCVA	D120213CCVA	STD	17060-07-0	1,2-Dichloroethane d4	51		ng			NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1207	50	102%		
D120213CCVA	D120213CCVA	STD	2037-26-5	Toluene d8	49		ng			NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1207	50	98%		
D120213CCVA	D120213CCVA	STD	460-00-4	Bromofluorobenzene	50		ng			NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1207	50	100%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D120213MBKA	D120213MBKA	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	5	0.29	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1209				
D120213MBKA	D120213MBKA	ORG	74-87-3	Chloromethane		U	ug/L	5	0.43	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1209				
D120213MBKA	D120213MBKA	ORG	75-01-4	Vinyl chloride		U	ug/L	2	0.32	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1209				
D120213MBKA	D120213MBKA	ORG	74-83-9	Bromomethane		U	ug/L	5	0.50	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1209				
D120213MBKA	D120213MBKA	ORG	75-00-3	Chloroethane		U	ug/L	5	0.56	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1209				
D120213MBKA	D120213MBKA	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	5	0.20	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1209				
D120213MBKA	D120213MBKA	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	1	0.47	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1209				
D120213MBKA	D120213MBKA	ORG	75-09-2	Methylene chloride		U	ug/L	5	0.26	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1209				
D120213MBKA	D120213MBKA	ORG	67-64-1	Acetone		U	ug/L	10	1.56	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1209				
D120213MBKA	D120213MBKA	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	1	0.56	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1209				
D120213MBKA	D120213MBKA	ORG	1634-04-4	MTBE		U	ug/L	5	0.61	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1209				
D120213MBKA	D120213MBKA	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	1	0.53	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1209				
D120213MBKA	D120213MBKA	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	1	0.32	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1209				
D120213MBKA	D120213MBKA	ORG	74-97-5	Bromochloromethane		U	ug/L	10	0.41	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1209				
D120213MBKA	D120213MBKA	ORG	67-66-3	Chloroform		U	ug/L	2	0.16	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1209				
D120213MBKA	D120213MBKA	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	1	0.17	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1209				
D120213MBKA	D120213MBKA	ORG	78-93-3	2-Butanone		U	ug/L	1	0.81	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1209				
D120213MBKA	D120213MBKA	ORG	56-23-5	Carbon tetrachloride		U	ug/L	1	0.28	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1209				
D120213MBKA	D120213MBKA	ORG	71-43-2	Benzene		U	ug/L	1	0.14	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1209				
D120213MBKA	D120213MBKA	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	1	0.20	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1209				
D120213MBKA	D120213MBKA	ORG	79-01-6	Trichloroethene		U	ug/L	1	0.36	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1209				
D120213MBKA	D120213MBKA	ORG	74-95-3	Dibromomethane		U	ug/L	2	0.32	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1209				
D120213MBKA	D120213MBKA	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	1	0.18	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1209				
D120213MBKA	D120213MBKA	ORG	75-27-4	Bromodichloromethane		U	ug/L	2	0.12	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1209				
D120213MBKA	D120213MBKA	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	1	0.25	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1209				
D120213MBKA	D120213MBKA	ORG	108-88-3	Toluene		U	ug/L	1	0.21	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1209				
D120213MBKA	D120213MBKA	ORG	108-10-1	4-Methyl-2-pentanone		U	ug/L	5	0.74	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1209				
D120213MBKA	D120213MBKA	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	1	0.31	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1209				
D120213MBKA	D120213MBKA	ORG	127-18-4	Tetrachloroethene		U	ug/L	1	0.49	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1209				
D120213MBKA	D120213MBKA	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	1	0.34	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1209				
D120213MBKA	D120213MBKA	ORG	124-48-1	Dibromochloromethane		U	ug/L	5	0.30	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1209				
D120213MBKA	D120213MBKA	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	2	0.26	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1209				
D120213MBKA	D120213MBKA	ORG	591-78-6	2-Hexanone		U	ug/L	2	0.69	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1209				
D120213MBKA	D120213MBKA	ORG	100-41-4	Ethylbenzene		U	ug/L	1	0.25	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1209				
D120213MBKA	D120213MBKA	ORG	108-90-7	Chlorobenzene		U	ug/L	1	0.28	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1209				
D120213MBKA	D120213MBKA	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	2	0.19	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1209				
D120213MBKA	D120213MBKA	ORG	XYLMP	p&m-Xylene		U	ug/L	2	0.26	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1209				
D120213MBKA	D120213MBKA	ORG	95-47-6	o-Xylene		U	ug/L	1	0.13	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1209				
D120213MBKA	D120213MBKA	ORG	100-42-5	Styrene		U	ug/L	1	0.20	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1209				
D120213MBKA	D120213MBKA	ORG	75-25-2	Bromoform		U	ug/L	2	0.47	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1209				
D120213MBKA	D120213MBKA	ORG	98-82-8	Isopropylbenzene		U	ug/L	2	0.20	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1209				
D120213MBKA	D120213MBKA	ORG	103-65-1	n-Propylbenzene		U	ug/L	2	0.27	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1209				
D120213MBKA	D120213MBKA	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	2	0.29	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1209				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D120213MBKA	D120213MBKA	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	2	0.29	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1209				
D120213MBKA	D120213MBKA	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	2	0.20	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1209				
D120213MBKA	D120213MBKA	ORG	98-06-6	tert-Butylbenzene		U	ug/L	2	0.33	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1209				
D120213MBKA	D120213MBKA	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	2	0.20	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1209				
D120213MBKA	D120213MBKA	ORG	135-98-8	sec-Butylbenzene		U	ug/L	2	0.32	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1209				
D120213MBKA	D120213MBKA	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	2	0.22	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1209				
D120213MBKA	D120213MBKA	ORG	99-87-6	p-Isopropltoluene		U	ug/L	2	0.25	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1209				
D120213MBKA	D120213MBKA	ORG	106-46-7	1,4-Dichlorobenzene		U	ug/L	2	0.33	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1209				
D120213MBKA	D120213MBKA	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	2	0.26	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1209				
D120213MBKA	D120213MBKA	ORG	104-51-8	n-Butylbenzene		U	ug/L	5	0.28	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1209				
D120213MBKA	D120213MBKA	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	5	1.59	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1209				
D120213MBKA	D120213MBKA	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	5	0.65	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1209				
D120213MBKA	D120213MBKA	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	5	0.28	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1209				
D120213MBKA	D120213MBKA	ORG	91-20-3	Naphthalene		U	ug/L	5	0.56	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1209				
D120213MBKA	D120213MBKA	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	5	0.23	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1209				
D120213MBKA	D120213MBKA	STD	1868-53-7	Dibromofluoromethane	50		ng			NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1209	50	100%		
D120213MBKA	D120213MBKA	STD	17060-07-0	1,2-Dichloroethane d4	55		ng			NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1209	50	110%		
D120213MBKA	D120213MBKA	STD	2037-26-5	Toluene d8	52		ng			NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1209	50	104%		
D120213MBKA	D120213MBKA	STD	460-00-4	Bromofluorobenzene	48		ng			NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1209	50	96%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D120213ALCS	D120213ALCS	ORG	75-71-8	Dichlorodifluoromethane	31		ug/L	5	0.29	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1208	50	62%		
D120213ALCS	D120213ALCS	ORG	74-87-3	Chloromethane	40		ug/L	5	0.43	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1208	50	80%		
D120213ALCS	D120213ALCS	ORG	75-01-4	Vinyl chloride	44		ug/L	2	0.32	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1208	50	88%		
D120213ALCS	D120213ALCS	ORG	74-83-9	Bromomethane	65		ug/L	5	0.50	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1208	50	130%		
D120213ALCS	D120213ALCS	ORG	75-00-3	Chloroethane	62		ug/L	5	0.56	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1208	50	124%		
D120213ALCS	D120213ALCS	ORG	75-69-4	Trichlorofluoromethane	810		ug/L	5	0.20	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1208	50	1620%		
D120213ALCS	D120213ALCS	ORG	75-35-4	1,1-Dichloroethene	55		ug/L	1	0.47	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1208	50	110%		
D120213ALCS	D120213ALCS	ORG	75-09-2	Methylene chloride	51		ug/L	5	0.26	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1208	50	102%		
D120213ALCS	D120213ALCS	ORG	67-64-1	Acetone	63		ug/L	10	1.56	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1208	50	126%		
D120213ALCS	D120213ALCS	ORG	156-60-5	trans-1,2-Dichloroethene	48		ug/L	1	0.56	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1208	50	96%		
D120213ALCS	D120213ALCS	ORG	1634-04-4	MTBE	54		ug/L	5	0.61	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1208	50	108%		
D120213ALCS	D120213ALCS	ORG	75-34-3	1,1-Dichloroethane	48		ug/L	1	0.53	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1208	50	96%		
D120213ALCS	D120213ALCS	ORG	156-59-2	cis-1,2-Dichloroethene	48		ug/L	1	0.32	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1208	50	96%		
D120213ALCS	D120213ALCS	ORG	74-97-5	Bromochloromethane	49		ug/L	10	0.41	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1208	50	98%		
D120213ALCS	D120213ALCS	ORG	67-66-3	Chloroform	47		ug/L	2	0.16	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1208	50	94%		
D120213ALCS	D120213ALCS	ORG	71-55-6	1,1,1-Trichloroethane	48		ug/L	1	0.17	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1208	50	96%		
D120213ALCS	D120213ALCS	ORG	78-93-3	2-Butanone	62		ug/L	1	0.81	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1208	50	124%		
D120213ALCS	D120213ALCS	ORG	56-23-5	Carbon tetrachloride	47		ug/L	1	0.28	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1208	50	94%		
D120213ALCS	D120213ALCS	ORG	71-43-2	Benzene	49		ug/L	1	0.14	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1208	50	98%		
D120213ALCS	D120213ALCS	ORG	107-06-2	1,2-Dichloroethane	49		ug/L	1	0.20	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1208	50	98%		
D120213ALCS	D120213ALCS	ORG	79-01-6	Trichloroethene	49		ug/L	1	0.36	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1208	50	98%		
D120213ALCS	D120213ALCS	ORG	74-95-3	Dibromomethane	49		ug/L	2	0.32	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1208	50	98%		
D120213ALCS	D120213ALCS	ORG	78-87-5	1,2-Dichloropropane	49		ug/L	1	0.18	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1208	50	98%		
D120213ALCS	D120213ALCS	ORG	75-27-4	Bromodichloromethane	48		ug/L	2	0.12	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1208	50	96%		
D120213ALCS	D120213ALCS	ORG	10061-01-5	cis-1,3-Dichloropropene	52		ug/L	1	0.25	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1208	50	104%		
D120213ALCS	D120213ALCS	ORG	108-88-3	Toluene	47		ug/L	1	0.21	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1208	50	94%		
D120213ALCS	D120213ALCS	ORG	108-10-1	4-Methyl-2-pentanone	64		ug/L	5	0.74	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1208	50	128%		
D120213ALCS	D120213ALCS	ORG	10061-02-6	trans-1,3-Dichloropropene	54		ug/L	1	0.31	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1208	50	108%		
D120213ALCS	D120213ALCS	ORG	127-18-4	Tetrachloroethene	46		ug/L	1	0.49	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1208	50	92%		
D120213ALCS	D120213ALCS	ORG	79-00-5	1,1,2-Trichloroethane	55		ug/L	1	0.34	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1208	50	110%		
D120213ALCS	D120213ALCS	ORG	124-48-1	Dibromochloromethane	52		ug/L	5	0.30	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1208	50	104%		
D120213ALCS	D120213ALCS	ORG	106-93-4	1,2-Dibromoethane	53		ug/L	2	0.26	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1208	50	106%		
D120213ALCS	D120213ALCS	ORG	591-78-6	2-Hexanone	71		ug/L	2	0.69	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1208	50	142%		
D120213ALCS	D120213ALCS	ORG	100-41-4	Ethylbenzene	51		ug/L	1	0.25	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1208	50	102%		
D120213ALCS	D120213ALCS	ORG	108-90-7	Chlorobenzene	49		ug/L	1	0.28	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1208	50	98%		
D120213ALCS	D120213ALCS	ORG	630-20-6	1,1,1,2-Tetrachloroethane	51		ug/L	2	0.19	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1208	50	102%		
D120213ALCS	D120213ALCS	ORG	XYLMP	p&m-Xylene	110		ug/L	2	0.26	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1208	100	110%		
D120213ALCS	D120213ALCS	ORG	95-47-6	o-Xylene	51		ug/L	1	0.13	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1208	50	102%		
D120213ALCS	D120213ALCS	ORG	100-42-5	Styrene	52		ug/L	1	0.20	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1208	50	104%		
D120213ALCS	D120213ALCS	ORG	75-25-2	Bromoform	55		ug/L	2	0.47	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1208	50	110%		
D120213ALCS	D120213ALCS	ORG	98-82-8	Isopropylbenzene	55		ug/L	2	0.20	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1208	50	110%		
D120213ALCS	D120213ALCS	ORG	103-65-1	n-Propylbenzene	53		ug/L	2	0.27	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1208	50	106%		
D120213ALCS	D120213ALCS	ORG	79-34-5	1,1,2,2-Tetrachloroethane	51		ug/L	2	0.29	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1208	50	102%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D120213ALCS	D120213ALCS	ORG	96-18-4	1,2,3-Trichloropropane	49		ug/L	2	0.29	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1208	50	98%		
D120213ALCS	D120213ALCS	ORG	108-67-8	1,3,5-Trimethylbenzene	54		ug/L	2	0.20	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1208	50	108%		
D120213ALCS	D120213ALCS	ORG	98-06-6	tert-Butylbenzene	56		ug/L	2	0.33	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1208	50	112%		
D120213ALCS	D120213ALCS	ORG	95-63-6	1,2,4-Trimethylbenzene	53		ug/L	2	0.20	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1208	50	106%		
D120213ALCS	D120213ALCS	ORG	135-98-8	sec-Butylbenzene	54		ug/L	2	0.32	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1208	50	108%		
D120213ALCS	D120213ALCS	ORG	541-73-1	1,3-Dichlorobenzene	50		ug/L	2	0.22	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1208	50	100%		
D120213ALCS	D120213ALCS	ORG	99-87-6	p-Isopropltoluene	55		ug/L	2	0.25	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1208	50	110%		
D120213ALCS	D120213ALCS	ORG	106-46-7	1,4-Dichlorobenzene	49		ug/L	2	0.33	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1208	50	98%		
D120213ALCS	D120213ALCS	ORG	95-50-1	1,2-Dichlorobenzene	50		ug/L	2	0.26	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1208	50	100%		
D120213ALCS	D120213ALCS	ORG	104-51-8	n-Butylbenzene	54		ug/L	5	0.28	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1208	50	108%		
D120213ALCS	D120213ALCS	ORG	96-12-8	1,2-Dibromo-3-chloropropane	53		ug/L	5	1.59	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1208	50	106%		
D120213ALCS	D120213ALCS	ORG	87-68-3	Hexachlorobutadiene	56		ug/L	5	0.65	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1208	50	112%		
D120213ALCS	D120213ALCS	ORG	120-82-1	1,2,4-Trichlorobenzene	56		ug/L	5	0.28	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1208	50	112%		
D120213ALCS	D120213ALCS	ORG	91-20-3	Naphthalene	55		ug/L	5	0.56	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1208	50	110%		
D120213ALCS	D120213ALCS	ORG	87-61-6	1,2,3-Trichlorobenzene	55		ug/L	5	0.23	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1208	50	110%		
D120213ALCS	D120213ALCS	STD	1868-53-7	Dibromofluoromethane	49		ng			NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1208	50	98%		
D120213ALCS	D120213ALCS	STD	17060-07-0	1,2-Dichloroethane d4	51		ng			NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1208	50	102%		
D120213ALCS	D120213ALCS	STD	2037-26-5	Toluene d8	50		ng			NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1208	50	100%		
D120213ALCS	D120213ALCS	STD	460-00-4	Bromofluorobenzene	49		ng			NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1208	50	98%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D120213ALCD	D120213ALCD	ORG	75-71-8	Dichlorodifluoromethane	32		ug/L	5	0.29	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1212	50	64%	3%	
D120213ALCD	D120213ALCD	ORG	74-87-3	Chloromethane	41		ug/L	5	0.43	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1212	50	82%	2%	
D120213ALCD	D120213ALCD	ORG	75-01-4	Vinyl chloride	48		ug/L	2	0.32	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1212	50	96%	9%	
D120213ALCD	D120213ALCD	ORG	74-83-9	Bromomethane	52		ug/L	5	0.50	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1212	50	104%	22%	
D120213ALCD	D120213ALCD	ORG	75-00-3	Chloroethane	63		ug/L	5	0.56	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1212	50	126%	2%	
D120213ALCD	D120213ALCD	ORG	75-69-4	Trichlorofluoromethane	340		ug/L	5	0.20	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1212	50	680%	82%	
D120213ALCD	D120213ALCD	ORG	75-35-4	1,1-Dichloroethene	51		ug/L	1	0.47	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1212	50	102%	8%	
D120213ALCD	D120213ALCD	ORG	75-09-2	Methylene chloride	59		ug/L	5	0.26	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1212	50	118%	15%	
D120213ALCD	D120213ALCD	ORG	67-64-1	Acetone	82		ug/L	10	1.56	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1212	50	164%	26%	
D120213ALCD	D120213ALCD	ORG	156-60-5	trans-1,2-Dichloroethene	49		ug/L	1	0.56	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1212	50	98%	2%	
D120213ALCD	D120213ALCD	ORG	1634-04-4	MTBE	53		ug/L	5	0.61	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1212	50	106%	2%	
D120213ALCD	D120213ALCD	ORG	75-34-3	1,1-Dichloroethane	48		ug/L	1	0.53	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1212	50	96%	0%	
D120213ALCD	D120213ALCD	ORG	156-59-2	cis-1,2-Dichloroethene	48		ug/L	1	0.32	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1212	50	96%	0%	
D120213ALCD	D120213ALCD	ORG	74-97-5	Bromochloromethane	50		ug/L	10	0.41	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1212	50	100%	2%	
D120213ALCD	D120213ALCD	ORG	67-66-3	Chloroform	47		ug/L	2	0.16	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1212	50	94%	0%	
D120213ALCD	D120213ALCD	ORG	71-55-6	1,1,1-Trichloroethane	48		ug/L	1	0.17	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1212	50	96%	0%	
D120213ALCD	D120213ALCD	ORG	78-93-3	2-Butanone	63		ug/L	1	0.81	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1212	50	126%	2%	
D120213ALCD	D120213ALCD	ORG	56-23-5	Carbon tetrachloride	48		ug/L	1	0.28	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1212	50	96%	2%	
D120213ALCD	D120213ALCD	ORG	71-43-2	Benzene	50		ug/L	1	0.14	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1212	50	100%	2%	
D120213ALCD	D120213ALCD	ORG	107-06-2	1,2-Dichloroethane	48		ug/L	1	0.20	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1212	50	96%	2%	
D120213ALCD	D120213ALCD	ORG	79-01-6	Trichloroethene	50		ug/L	1	0.36	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1212	50	100%	2%	
D120213ALCD	D120213ALCD	ORG	74-95-3	Dibromomethane	50		ug/L	2	0.32	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1212	50	100%	2%	
D120213ALCD	D120213ALCD	ORG	78-87-5	1,2-Dichloropropane	50		ug/L	1	0.18	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1212	50	100%	2%	
D120213ALCD	D120213ALCD	ORG	75-27-4	Bromodichloromethane	49		ug/L	2	0.12	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1212	50	98%	2%	
D120213ALCD	D120213ALCD	ORG	10061-01-5	cis-1,3-Dichloropropene	53		ug/L	1	0.25	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1212	50	106%	2%	
D120213ALCD	D120213ALCD	ORG	108-88-3	Toluene	47		ug/L	1	0.21	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1212	50	94%	0%	
D120213ALCD	D120213ALCD	ORG	108-10-1	4-Methyl-2-pentanone	65		ug/L	5	0.74	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1212	50	130%	2%	
D120213ALCD	D120213ALCD	ORG	10061-02-6	trans-1,3-Dichloropropene	55		ug/L	1	0.31	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1212	50	110%	2%	
D120213ALCD	D120213ALCD	ORG	127-18-4	Tetrachloroethene	43		ug/L	1	0.49	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1212	50	86%	7%	
D120213ALCD	D120213ALCD	ORG	79-00-5	1,1,2-Trichloroethane	56		ug/L	1	0.34	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1212	50	112%	2%	
D120213ALCD	D120213ALCD	ORG	124-48-1	Dibromochloromethane	53		ug/L	5	0.30	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1212	50	106%	2%	
D120213ALCD	D120213ALCD	ORG	106-93-4	1,2-Dibromoethane	52		ug/L	2	0.26	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1212	50	104%	2%	
D120213ALCD	D120213ALCD	ORG	591-78-6	2-Hexanone	62		ug/L	2	0.69	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1212	50	124%	14%	
D120213ALCD	D120213ALCD	ORG	100-41-4	Ethylbenzene	51		ug/L	1	0.25	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1212	50	102%	0%	
D120213ALCD	D120213ALCD	ORG	108-90-7	Chlorobenzene	49		ug/L	1	0.28	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1212	50	98%	0%	
D120213ALCD	D120213ALCD	ORG	630-20-6	1,1,1,2-Tetrachloroethane	51		ug/L	2	0.19	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1212	50	102%	0%	
D120213ALCD	D120213ALCD	ORG	XYLMP	p&m-Xylene	110		ug/L	2	0.26	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1212	100	110%	0%	
D120213ALCD	D120213ALCD	ORG	95-47-6	o-Xylene	52		ug/L	1	0.13	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1212	50	104%	2%	
D120213ALCD	D120213ALCD	ORG	100-42-5	Styrene	54		ug/L	1	0.20	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1212	50	108%	4%	
D120213ALCD	D120213ALCD	ORG	75-25-2	Bromoform	55		ug/L	2	0.47	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1212	50	110%	0%	
D120213ALCD	D120213ALCD	ORG	98-82-8	Isopropylbenzene	56		ug/L	2	0.20	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1212	50	112%	2%	
D120213ALCD	D120213ALCD	ORG	103-65-1	n-Propylbenzene	54		ug/L	2	0.27	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1212	50	108%	2%	
D120213ALCD	D120213ALCD	ORG	79-34-5	1,1,2,2-Tetrachloroethane	51		ug/L	2	0.29	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1212	50	102%	0%	

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D120213ALCD	D120213ALCD	ORG	96-18-4	1,2,3-Trichloropropane	49		ug/L	2	0.29	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1212	50	98%	0%	
D120213ALCD	D120213ALCD	ORG	108-67-8	1,3,5-Trimethylbenzene	54		ug/L	2	0.20	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1212	50	108%	0%	
D120213ALCD	D120213ALCD	ORG	98-06-6	tert-Butylbenzene	57		ug/L	2	0.33	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1212	50	114%	2%	
D120213ALCD	D120213ALCD	ORG	95-63-6	1,2,4-Trimethylbenzene	54		ug/L	2	0.20	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1212	50	108%	2%	
D120213ALCD	D120213ALCD	ORG	135-98-8	sec-Butylbenzene	55		ug/L	2	0.32	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1212	50	110%	2%	
D120213ALCD	D120213ALCD	ORG	541-73-1	1,3-Dichlorobenzene	50		ug/L	2	0.22	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1212	50	100%	0%	
D120213ALCD	D120213ALCD	ORG	99-87-6	p-Isopropltoluene	56		ug/L	2	0.25	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1212	50	112%	2%	
D120213ALCD	D120213ALCD	ORG	106-46-7	1,4-Dichlorobenzene	50		ug/L	2	0.33	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1212	50	100%	2%	
D120213ALCD	D120213ALCD	ORG	95-50-1	1,2-Dichlorobenzene	50		ug/L	2	0.26	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1212	50	100%	0%	
D120213ALCD	D120213ALCD	ORG	104-51-8	n-Butylbenzene	54		ug/L	5	0.28	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1212	50	108%	0%	
D120213ALCD	D120213ALCD	ORG	96-12-8	1,2-Dibromo-3-chloropropane	53		ug/L	5	1.59	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1212	50	106%	0%	
D120213ALCD	D120213ALCD	ORG	87-68-3	Hexachlorobutadiene	54		ug/L	5	0.65	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1212	50	108%	4%	
D120213ALCD	D120213ALCD	ORG	120-82-1	1,2,4-Trichlorobenzene	55		ug/L	5	0.28	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1212	50	110%	2%	
D120213ALCD	D120213ALCD	ORG	91-20-3	Naphthalene	53		ug/L	5	0.56	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1212	50	106%	4%	
D120213ALCD	D120213ALCD	ORG	87-61-6	1,2,3-Trichlorobenzene	54		ug/L	5	0.23	NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1212	50	108%	2%	
D120213ALCD	D120213ALCD	STD	1868-53-7	Dibromofluoromethane	50		ng			NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1212	50	100%	2%	
D120213ALCD	D120213ALCD	STD	17060-07-0	1,2-Dichloroethane d4	50		ng			NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1212	50	100%	2%	
D120213ALCD	D120213ALCD	STD	2037-26-5	Toluene d8	48		ng			NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1212	50	96%	4%	
D120213ALCD	D120213ALCD	STD	460-00-4	Bromofluorobenzene	51		ng			NA	12/2/2013	12/2/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1212	50	102%	4%	

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-820MS	316-153	ORG	75-71-8	Dichlorodifluoromethane	3000		ug/L	500	29.28	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1213	5000	60%		
NAL13026-820MS	316-153	ORG	74-87-3	Chloromethane	4200		ug/L	500	43.07	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1213	5000	84%		
NAL13026-820MS	316-153	ORG	75-01-4	Vinyl chloride	4400		ug/L	200	31.86	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1213	5000	88%		
NAL13026-820MS	316-153	ORG	74-83-9	Bromomethane	4100		ug/L	500	50.04	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1213	5000	82%		
NAL13026-820MS	316-153	ORG	75-00-3	Chloroethane	4900		ug/L	500	55.61	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1213	5000	98%		
NAL13026-820MS	316-153	ORG	75-69-4	Trichlorofluoromethane	7800		ug/L	500	19.65	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1213	5000	156%		
NAL13026-820MS	316-153	ORG	75-35-4	1,1-Dichloroethene	5200		ug/L	100	47.11	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1213	5000	104%		
NAL13026-820MS	316-153	ORG	75-09-2	Methylene chloride	4700		ug/L	500	26.46	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1213	5000	94%		
NAL13026-820MS	316-153	ORG	67-64-1	Acetone	290000		ug/L	1000	155.61	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1213	5000	-1000%		340000
NAL13026-820MS	316-153	ORG	156-60-5	trans-1,2-Dichloroethene	4800		ug/L	100	55.61	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1213	5000	96%		
NAL13026-820MS	316-153	ORG	1634-04-4	MTBE	5300		ug/L	500	61.18	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1213	5000	106%		
NAL13026-820MS	316-153	ORG	75-34-3	1,1-Dichloroethane	5000		ug/L	100	52.66	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1213	5000	100%		
NAL13026-820MS	316-153	ORG	156-59-2	cis-1,2-Dichloroethene	5100		ug/L	100	32.11	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1213	5000	102%		
NAL13026-820MS	316-153	ORG	74-97-5	Bromochloromethane	5000		ug/L	1000	41.37	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1213	5000	100%		
NAL13026-820MS	316-153	ORG	67-66-3	Chloroform	4800		ug/L	200	15.73	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1213	5000	96%		
NAL13026-820MS	316-153	ORG	71-55-6	1,1,1-Trichloroethane	4800		ug/L	100	16.65	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1213	5000	96%		
NAL13026-820MS	316-153	ORG	78-93-3	2-Butanone	47000		ug/L	100	81.18	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1213	5000	20%		46000
NAL13026-820MS	316-153	ORG	56-23-5	Carbon tetrachloride	4900		ug/L	100	27.64	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1213	5000	98%		
NAL13026-820MS	316-153	ORG	71-43-2	Benzene	4900		ug/L	100	13.53	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1213	5000	97%		44
NAL13026-820MS	316-153	ORG	107-06-2	1,2-Dichloroethane	4800		ug/L	100	20.01	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1213	5000	96%		
NAL13026-820MS	316-153	ORG	79-01-6	Trichloroethene	5100		ug/L	100	36.33	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1213	5000	102%		
NAL13026-820MS	316-153	ORG	74-95-3	Dibromomethane	5000		ug/L	200	32.20	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1213	5000	100%		
NAL13026-820MS	316-153	ORG	78-87-5	1,2-Dichloropropane	5000		ug/L	100	18.17	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1213	5000	100%		
NAL13026-820MS	316-153	ORG	75-27-4	Bromodichloromethane	4900		ug/L	200	11.58	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1213	5000	98%		
NAL13026-820MS	316-153	ORG	10061-01-5	cis-1,3-Dichloropropene	5200		ug/L	100	25.01	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1213	5000	104%		
NAL13026-820MS	316-153	ORG	108-88-3	Toluene	4800		ug/L	100	20.96	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1213	5000	95%		38
NAL13026-820MS	316-153	ORG	108-10-1	4-Methyl-2-pentanone	8400		ug/L	500	74.00	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1213	5000	134%		1700
NAL13026-820MS	316-153	ORG	10061-02-6	trans-1,3-Dichloropropene	5600		ug/L	100	31.15	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1213	5000	112%		
NAL13026-820MS	316-153	ORG	127-18-4	Tetrachloroethene	4600		ug/L	100	48.56	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1213	5000	92%		
NAL13026-820MS	316-153	ORG	79-00-5	1,1,2-Trichloroethane	5600		ug/L	100	34.28	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1213	5000	112%		
NAL13026-820MS	316-153	ORG	124-48-1	Dibromochloromethane	5400		ug/L	500	29.90	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1213	5000	108%		
NAL13026-820MS	316-153	ORG	106-93-4	1,2-Dibromoethane	5400		ug/L	200	26.49	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1213	5000	108%		
NAL13026-820MS	316-153	ORG	591-78-6	2-Hexanone	11000		ug/L	200	68.90	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1213	5000	118%		5100
NAL13026-820MS	316-153	ORG	100-41-4	Ethylbenzene	5300		ug/L	100	25.38	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1213	5000	103%		130
NAL13026-820MS	316-153	ORG	108-90-7	Chlorobenzene	5000		ug/L	100	27.52	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1213	5000	100%		
NAL13026-820MS	316-153	ORG	630-20-6	1,1,1,2-Tetrachloroethane	5100		ug/L	200	19.28	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1213	5000	102%		
NAL13026-820MS	316-153	ORG	XYLMP	p&m-Xylene	11000		ug/L	200	26.14	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1213	10000	106%		370
NAL13026-820MS	316-153	ORG	95-47-6	o-Xylene	5900		ug/L	100	12.90	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1213	5000	113%		250
NAL13026-820MS	316-153	ORG	100-42-5	Styrene	5700		ug/L	100	20.23	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1213	5000	114%		
NAL13026-820MS	316-153	ORG	75-25-2	Bromoform	5600		ug/L	200	46.83	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1213	5000	112%		
NAL13026-820MS	316-153	ORG	98-82-8	Isopropylbenzene	5900		ug/L	200	20.48	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1213	5000	115%		130
NAL13026-820MS	316-153	ORG	103-65-1	n-Propylbenzene	5500		ug/L	200	27.00	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1213	5000	107%		150
NAL13026-820MS	316-153	ORG	79-34-5	1,1,2,2-Tetrachloroethane	5200		ug/L	200	29.16	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1213	5000	104%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-820MS	316-153	ORG	96-18-4	1,2,3-Trichloropropane	4900		ug/L	200	29.47	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1213	5000	98%		
NAL13026-820MS	316-153	ORG	108-67-8	1,3,5-Trimethylbenzene	5900		ug/L	200	20.03	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1213	5000	111%		360
NAL13026-820MS	316-153	ORG	98-06-6	tert-Butylbenzene	5900		ug/L	200	32.61	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1213	5000	118%		
NAL13026-820MS	316-153	ORG	95-63-6	1,2,4-Trimethylbenzene	7000		ug/L	200	20.03	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1213	5000	104%		1800
NAL13026-820MS	316-153	ORG	135-98-8	sec-Butylbenzene	5500		ug/L	200	32.34	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1213	5000	110%		
NAL13026-820MS	316-153	ORG	541-73-1	1,3-Dichlorobenzene	5100		ug/L	200	22.21	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1213	5000	102%		
NAL13026-820MS	316-153	ORG	99-87-6	p-Isopropltoluene	12000		ug/L	200	25.48	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1213	5000	100%		7000
NAL13026-820MS	316-153	ORG	106-46-7	1,4-Dichlorobenzene	6300		ug/L	200	33.03	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1213	5000	94%		1600
NAL13026-820MS	316-153	ORG	95-50-1	1,2-Dichlorobenzene	5100		ug/L	200	26.38	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1213	5000	102%		
NAL13026-820MS	316-153	ORG	104-51-8	n-Butylbenzene	5700		ug/L	500	27.81	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1213	5000	109%		240
NAL13026-820MS	316-153	ORG	96-12-8	1,2-Dibromo-3-chloropropane	6400		ug/L	500	159.11	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1213	5000	128%		
NAL13026-820MS	316-153	ORG	87-68-3	Hexachlorobutadiene	5200		ug/L	500	65.42	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1213	5000	104%		
NAL13026-820MS	316-153	ORG	120-82-1	1,2,4-Trichlorobenzene	5700		ug/L	500	27.63	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1213	5000	114%		
NAL13026-820MS	316-153	ORG	91-20-3	Naphthalene	8400		ug/L	500	56.04	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1213	5000	124%		2200
NAL13026-820MS	316-153	ORG	87-61-6	1,2,3-Trichlorobenzene	5800		ug/L	500	23.28	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1213	5000	116%		
NAL13026-820MS	316-153	STD	1868-53-7	Dibromofluoromethane	48		ng			12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1213	50	96%		
NAL13026-820MS	316-153	STD	17060-07-0	1,2-Dichloroethane d4	48		ng			12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1213	50	96%		
NAL13026-820MS	316-153	STD	2037-26-5	Toluene d8	49		ng			12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1213	50	98%		
NAL13026-820MS	316-153	STD	460-00-4	Bromofluorobenzene	50		ng			12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1213	50	100%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-820MSD	316-153	ORG	75-71-8	Dichlorodifluoromethane	3000		ug/L	500	29.28	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1214	5000	60%	0%	0
NAL13026-820MSD	316-153	ORG	74-87-3	Chloromethane	4100		ug/L	500	43.07	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1214	5000	82%	2%	0
NAL13026-820MSD	316-153	ORG	75-01-4	Vinyl chloride	4400		ug/L	200	31.86	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1214	5000	88%	0%	0
NAL13026-820MSD	316-153	ORG	74-83-9	Bromomethane	4600		ug/L	500	50.04	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1214	5000	92%	11%	0
NAL13026-820MSD	316-153	ORG	75-00-3	Chloroethane	5100		ug/L	500	55.61	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1214	5000	102%	4%	0
NAL13026-820MSD	316-153	ORG	75-69-4	Trichlorofluoromethane	6700		ug/L	500	19.65	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1214	5000	134%	15%	0
NAL13026-820MSD	316-153	ORG	75-35-4	1,1-Dichloroethene	4700		ug/L	100	47.11	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1214	5000	94%	10%	0
NAL13026-820MSD	316-153	ORG	75-09-2	Methylene chloride	4300		ug/L	500	26.46	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1214	5000	86%	9%	0
NAL13026-820MSD	316-153	ORG	67-64-1	Acetone	210000		ug/L	1000	155.61	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1214	5000	-2600%	32%	340000
NAL13026-820MSD	316-153	ORG	156-60-5	trans-1,2-Dichloroethene	4800		ug/L	100	55.61	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1214	5000	96%	0%	0
NAL13026-820MSD	316-153	ORG	1634-04-4	MTBE	5400		ug/L	500	61.18	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1214	5000	108%	2%	0
NAL13026-820MSD	316-153	ORG	75-34-3	1,1-Dichloroethane	4800		ug/L	100	52.66	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1214	5000	96%	4%	0
NAL13026-820MSD	316-153	ORG	156-59-2	cis-1,2-Dichloroethene	5100		ug/L	100	32.11	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1214	5000	102%	0%	0
NAL13026-820MSD	316-153	ORG	74-97-5	Bromochloromethane	4900		ug/L	1000	41.37	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1214	5000	98%	2%	0
NAL13026-820MSD	316-153	ORG	67-66-3	Chloroform	4800		ug/L	200	15.73	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1214	5000	96%	0%	0
NAL13026-820MSD	316-153	ORG	71-55-6	1,1,1-Trichloroethane	4700		ug/L	100	16.65	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1214	5000	94%	2%	0
NAL13026-820MSD	316-153	ORG	78-93-3	2-Butanone	48000		ug/L	100	81.18	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1214	5000	40%	2%	46000
NAL13026-820MSD	316-153	ORG	56-23-5	Carbon tetrachloride	4700		ug/L	100	27.64	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1214	5000	94%	4%	0
NAL13026-820MSD	316-153	ORG	71-43-2	Benzene	4800		ug/L	100	13.53	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1214	5000	95%	2%	44
NAL13026-820MSD	316-153	ORG	107-06-2	1,2-Dichloroethane	4800		ug/L	100	20.01	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1214	5000	96%	0%	0
NAL13026-820MSD	316-153	ORG	79-01-6	Trichloroethene	5000		ug/L	100	36.33	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1214	5000	100%	2%	0
NAL13026-820MSD	316-153	ORG	74-95-3	Dibromomethane	5000		ug/L	200	32.20	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1214	5000	100%	0%	0
NAL13026-820MSD	316-153	ORG	78-87-5	1,2-Dichloropropane	4900		ug/L	100	18.17	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1214	5000	98%	2%	0
NAL13026-820MSD	316-153	ORG	75-27-4	Bromodichloromethane	4800		ug/L	200	11.58	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1214	5000	96%	2%	0
NAL13026-820MSD	316-153	ORG	10061-01-5	cis-1,3-Dichloropropene	5100		ug/L	100	25.01	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1214	5000	102%	2%	0
NAL13026-820MSD	316-153	ORG	108-88-3	Toluene	4700		ug/L	100	20.96	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1214	5000	93%	2%	38
NAL13026-820MSD	316-153	ORG	108-10-1	4-Methyl-2-pentanone	8500		ug/L	500	74.00	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1214	5000	136%	1%	1700
NAL13026-820MSD	316-153	ORG	10061-02-6	trans-1,3-Dichloropropene	5200		ug/L	100	31.15	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1214	5000	104%	7%	0
NAL13026-820MSD	316-153	ORG	127-18-4	Tetrachloroethene	4600		ug/L	100	48.56	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1214	5000	92%	0%	0
NAL13026-820MSD	316-153	ORG	79-00-5	1,1,2-Trichloroethane	5500		ug/L	100	34.28	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1214	5000	110%	2%	0
NAL13026-820MSD	316-153	ORG	124-48-1	Dibromochloromethane	5300		ug/L	500	29.90	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1214	5000	106%	2%	0
NAL13026-820MSD	316-153	ORG	106-93-4	1,2-Dibromoethane	5300		ug/L	200	26.49	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1214	5000	106%	2%	0
NAL13026-820MSD	316-153	ORG	591-78-6	2-Hexanone	10000		ug/L	200	68.90	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1214	5000	98%	10%	5100
NAL13026-820MSD	316-153	ORG	100-41-4	Ethylbenzene	5200		ug/L	100	25.38	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1214	5000	101%	2%	130
NAL13026-820MSD	316-153	ORG	108-90-7	Chlorobenzene	4900		ug/L	100	27.52	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1214	5000	98%	2%	0
NAL13026-820MSD	316-153	ORG	630-20-6	1,1,1,2-Tetrachloroethane	5000		ug/L	200	19.28	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1214	5000	100%	2%	0
NAL13026-820MSD	316-153	ORG	XYLMP	p&m-Xylene	11000		ug/L	200	26.14	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1214	10000	106%	0%	370
NAL13026-820MSD	316-153	ORG	95-47-6	o-Xylene	5700		ug/L	100	12.90	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1214	5000	109%	3%	250
NAL13026-820MSD	316-153	ORG	100-42-5	Styrene	5600		ug/L	100	20.23	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1214	5000	112%	2%	0
NAL13026-820MSD	316-153	ORG	75-25-2	Bromoform	5600		ug/L	200	46.83	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1214	5000	112%	0%	0
NAL13026-820MSD	316-153	ORG	98-82-8	Isopropylbenzene	5800		ug/L	200	20.48	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1214	5000	113%	2%	130
NAL13026-820MSD	316-153	ORG	103-65-1	n-Propylbenzene	5400		ug/L	200	27.00	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1214	5000	105%	2%	150
NAL13026-820MSD	316-153	ORG	79-34-5	1,1,2,2-Tetrachloroethane	5300		ug/L	200	29.16	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1214	5000	106%	2%	0

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-820MSD	316-153	ORG	96-18-4	1,2,3-Trichloropropane	5000		ug/L	200	29.47	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1214	5000	100%	2%	0
NAL13026-820MSD	316-153	ORG	108-67-8	1,3,5-Trimethylbenzene	5800		ug/L	200	20.03	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1214	5000	109%	2%	360
NAL13026-820MSD	316-153	ORG	98-06-6	tert-Butylbenzene	5700		ug/L	200	32.61	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1214	5000	114%	3%	0
NAL13026-820MSD	316-153	ORG	95-63-6	1,2,4-Trimethylbenzene	7000		ug/L	200	20.03	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1214	5000	104%	0%	1800
NAL13026-820MSD	316-153	ORG	135-98-8	sec-Butylbenzene	5400		ug/L	200	32.34	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1214	5000	108%	2%	0
NAL13026-820MSD	316-153	ORG	541-73-1	1,3-Dichlorobenzene	5000		ug/L	200	22.21	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1214	5000	100%	2%	0
NAL13026-820MSD	316-153	ORG	99-87-6	p-Isopropltoluene	12000		ug/L	200	25.48	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1214	5000	100%	0%	7000
NAL13026-820MSD	316-153	ORG	106-46-7	1,4-Dichlorobenzene	6300		ug/L	200	33.03	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1214	5000	94%	0%	1600
NAL13026-820MSD	316-153	ORG	95-50-1	1,2-Dichlorobenzene	5000		ug/L	200	26.38	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1214	5000	100%	2%	0
NAL13026-820MSD	316-153	ORG	104-51-8	n-Butylbenzene	5600		ug/L	500	27.81	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1214	5000	107%	2%	240
NAL13026-820MSD	316-153	ORG	96-12-8	1,2-Dibromo-3-chloropropane	6500		ug/L	500	159.11	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1214	5000	130%	2%	0
NAL13026-820MSD	316-153	ORG	87-68-3	Hexachlorobutadiene	5000		ug/L	500	65.42	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1214	5000	100%	4%	0
NAL13026-820MSD	316-153	ORG	120-82-1	1,2,4-Trichlorobenzene	5500		ug/L	500	27.63	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1214	5000	110%	4%	0
NAL13026-820MSD	316-153	ORG	91-20-3	Naphthalene	8500		ug/L	500	56.04	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1214	5000	126%	1%	2200
NAL13026-820MSD	316-153	ORG	87-61-6	1,2,3-Trichlorobenzene	5500		ug/L	500	23.28	12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1214	5000	110%	5%	0
NAL13026-820MSD	316-153	STD	1868-53-7	Dibromofluoromethane	48		ng			12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1214	50	96%	0%	0
NAL13026-820MSD	316-153	STD	17060-07-0	1,2-Dichloroethane d4	48		ng			12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1214	50	96%	0%	0
NAL13026-820MSD	316-153	STD	2037-26-5	Toluene d8	48		ng			12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1214	50	96%	2%	0
NAL13026-820MSD	316-153	STD	460-00-4	Bromofluorobenzene	50		ng			12/2/2013	12/2/2013	12/2/2013	WG	100	NA	5.0	NA	SW8260B	NALD1214	50	100%	0%	0

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-821	316-154	ORG	75-71-8	Dichlorodifluoromethane		UX-	ug/L	500	29.28	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1219				
NAL13026-821	316-154	ORG	74-87-3	Chloromethane		U	ug/L	500	43.07	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1219				
NAL13026-821	316-154	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1219				
NAL13026-821	316-154	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1219				
NAL13026-821	316-154	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1219				
NAL13026-821	316-154	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1219				
NAL13026-821	316-154	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1219				
NAL13026-821	316-154	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1219				
NAL13026-821	316-154	ORG	67-64-1	Acetone	490000	DX+	ug/L	10000	1556.07	12/3/2013	12/3/2013	12/3/2013	WG	1000	NA	5.0	NA	SW8260B	NALD1220				
NAL13026-821	316-154	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1219				
NAL13026-821	316-154	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1219				
NAL13026-821	316-154	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1219				
NAL13026-821	316-154	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1219				
NAL13026-821	316-154	ORG	74-97-5	Bromochloromethane		U	ug/L	200	41.37	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1219				
NAL13026-821	316-154	ORG	67-66-3	Chloroform		U	ug/L	100	15.73	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1219				
NAL13026-821	316-154	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	16.65	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1219				
NAL13026-821	316-154	ORG	78-93-3	2-Butanone	84000	D	ug/L	10000	811.80	12/3/2013	12/3/2013	12/3/2013	WG	1000	NA	5.0	NA	SW8260B	NALD1220				
NAL13026-821	316-154	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1219				
NAL13026-821	316-154	ORG	71-43-2	Benzene	87	J	ug/L	100	13.53	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1219				
NAL13026-821	316-154	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1219				
NAL13026-821	316-154	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1219				
NAL13026-821	316-154	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1219				
NAL13026-821	316-154	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1219				
NAL13026-821	316-154	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1219				
NAL13026-821	316-154	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1219				
NAL13026-821	316-154	ORG	108-88-3	Toluene	79	J	ug/L	100	20.96	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1219				
NAL13026-821	316-154	ORG	108-10-1	4-Methyl-2-pentanone	2500	X+	ug/L	500	74.00	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1219				
NAL13026-821	316-154	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1219				
NAL13026-821	316-154	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1219				
NAL13026-821	316-154	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1219				
NAL13026-821	316-154	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	29.90	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1219				
NAL13026-821	316-154	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	26.49	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1219				
NAL13026-821	316-154	ORG	591-78-6	2-Hexanone	8200	X+	ug/L	500	68.90	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1219				
NAL13026-821	316-154	ORG	100-41-4	Ethylbenzene	240		ug/L	100	25.38	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1219				
NAL13026-821	316-154	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1219				
NAL13026-821	316-154	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1219				
NAL13026-821	316-154	ORG	XYLMP	p&m-Xylene	730		ug/L	200	26.14	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1219				
NAL13026-821	316-154	ORG	95-47-6	o-Xylene	470		ug/L	100	12.90	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1219				
NAL13026-821	316-154	ORG	100-42-5	Styrene		U	ug/L	100	20.23	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1219				
NAL13026-821	316-154	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1219				
NAL13026-821	316-154	ORG	98-82-8	Isopropylbenzene	250		ug/L	200	20.48	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1219				
NAL13026-821	316-154	ORG	103-65-1	n-Propylbenzene	250		ug/L	200	27.00	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1219				
NAL13026-821	316-154	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1219				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-821	316-154	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1219				
NAL13026-821	316-154	ORG	108-67-8	1,3,5-Trimethylbenzene	590		ug/L	200	20.03	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1219				
NAL13026-821	316-154	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1219				
NAL13026-821	316-154	ORG	95-63-6	1,2,4-Trimethylbenzene	2800		ug/L	200	20.03	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1219				
NAL13026-821	316-154	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1219				
NAL13026-821	316-154	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1219				
NAL13026-821	316-154	ORG	99-87-6	p-Isopropltoluene	11000		ug/L	200	25.48	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1219				
NAL13026-821	316-154	ORG	106-46-7	1,4-Dichlorobenzene	2200		ug/L	200	33.03	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1219				
NAL13026-821	316-154	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1219				
NAL13026-821	316-154	ORG	104-51-8	n-Butylbenzene	340	J	ug/L	500	27.81	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1219				
NAL13026-821	316-154	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1219				
NAL13026-821	316-154	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1219				
NAL13026-821	316-154	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1219				
NAL13026-821	316-154	ORG	91-20-3	Naphthalene	3200		ug/L	500	56.04	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1219				
NAL13026-821	316-154	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1219				
NAL13026-821	316-154	STD	1868-53-7	Dibromofluoromethane	51		ng			12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1219	50	102%		
NAL13026-821	316-154	STD	17060-07-0	1,2-Dichloroethane d4	53		ng			12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1219	50	106%		
NAL13026-821	316-154	STD	2037-26-5	Toluene d8	48		ng			12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1219	50	96%		
NAL13026-821	316-154	STD	460-00-4	Bromofluorobenzene	48		ng			12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1219	50	96%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D120313CCVA	D120313CCVA	ORG	75-71-8	Dichlorodifluoromethane	29		ug/L	5	0.29	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1216	50	58%		
D120313CCVA	D120313CCVA	ORG	74-87-3	Chloromethane	47		ug/L	5	0.43	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1216	50	94%		
D120313CCVA	D120313CCVA	ORG	75-01-4	Vinyl chloride	48		ug/L	2	0.32	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1216	50	96%		
D120313CCVA	D120313CCVA	ORG	74-83-9	Bromomethane	54		ug/L	5	0.50	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1216	50	108%		
D120313CCVA	D120313CCVA	ORG	75-00-3	Chloroethane	63		ug/L	5	0.56	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1216	50	126%		
D120313CCVA	D120313CCVA	ORG	75-69-4	Trichlorofluoromethane	58		ug/L	5	0.20	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1216	50	116%		
D120313CCVA	D120313CCVA	ORG	75-35-4	1,1-Dichloroethene	51		ug/L	1	0.47	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1216	50	102%		
D120313CCVA	D120313CCVA	ORG	75-09-2	Methylene chloride	47		ug/L	5	0.26	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1216	50	94%		
D120313CCVA	D120313CCVA	ORG	67-64-1	Acetone	77		ug/L	10	1.56	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1216	50	154%		
D120313CCVA	D120313CCVA	ORG	156-60-5	trans-1,2-Dichloroethene	51		ug/L	1	0.56	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1216	50	102%		
D120313CCVA	D120313CCVA	ORG	1634-04-4	MTBE	57		ug/L	5	0.61	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1216	50	114%		
D120313CCVA	D120313CCVA	ORG	75-34-3	1,1-Dichloroethane	50		ug/L	1	0.53	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1216	50	100%		
D120313CCVA	D120313CCVA	ORG	156-59-2	cis-1,2-Dichloroethene	50		ug/L	1	0.32	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1216	50	100%		
D120313CCVA	D120313CCVA	ORG	74-97-5	Bromochloromethane	49		ug/L	10	0.41	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1216	50	98%		
D120313CCVA	D120313CCVA	ORG	67-66-3	Chloroform	48		ug/L	2	0.16	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1216	50	96%		
D120313CCVA	D120313CCVA	ORG	71-55-6	1,1,1-Trichloroethane	47		ug/L	1	0.17	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1216	50	94%		
D120313CCVA	D120313CCVA	ORG	78-93-3	2-Butanone	55		ug/L	1	0.81	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1216	50	110%		
D120313CCVA	D120313CCVA	ORG	56-23-5	Carbon tetrachloride	48		ug/L	1	0.28	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1216	50	96%		
D120313CCVA	D120313CCVA	ORG	71-43-2	Benzene	48		ug/L	1	0.14	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1216	50	96%		
D120313CCVA	D120313CCVA	ORG	107-06-2	1,2-Dichloroethane	49		ug/L	1	0.20	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1216	50	98%		
D120313CCVA	D120313CCVA	ORG	79-01-6	Trichloroethene	49		ug/L	1	0.36	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1216	50	98%		
D120313CCVA	D120313CCVA	ORG	74-95-3	Dibromomethane	49		ug/L	2	0.32	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1216	50	98%		
D120313CCVA	D120313CCVA	ORG	78-87-5	1,2-Dichloropropane	50		ug/L	1	0.18	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1216	50	100%		
D120313CCVA	D120313CCVA	ORG	75-27-4	Bromodichloromethane	48		ug/L	2	0.12	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1216	50	96%		
D120313CCVA	D120313CCVA	ORG	10061-01-5	cis-1,3-Dichloropropene	53		ug/L	1	0.25	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1216	50	106%		
D120313CCVA	D120313CCVA	ORG	108-88-3	Toluene	46		ug/L	1	0.21	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1216	50	92%		
D120313CCVA	D120313CCVA	ORG	108-10-1	4-Methyl-2-pentanone	67		ug/L	5	0.74	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1216	50	134%		
D120313CCVA	D120313CCVA	ORG	10061-02-6	trans-1,3-Dichloropropene	53		ug/L	1	0.31	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1216	50	106%		
D120313CCVA	D120313CCVA	ORG	127-18-4	Tetrachloroethene	46		ug/L	1	0.49	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1216	50	92%		
D120313CCVA	D120313CCVA	ORG	79-00-5	1,1,2-Trichloroethane	52		ug/L	1	0.34	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1216	50	104%		
D120313CCVA	D120313CCVA	ORG	124-48-1	Dibromochloromethane	51		ug/L	5	0.30	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1216	50	102%		
D120313CCVA	D120313CCVA	ORG	106-93-4	1,2-Dibromoethane	50		ug/L	2	0.26	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1216	50	100%		
D120313CCVA	D120313CCVA	ORG	591-78-6	2-Hexanone	68		ug/L	2	0.69	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1216	50	136%		
D120313CCVA	D120313CCVA	ORG	100-41-4	Ethylbenzene	49		ug/L	1	0.25	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1216	50	98%		
D120313CCVA	D120313CCVA	ORG	108-90-7	Chlorobenzene	47		ug/L	1	0.28	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1216	50	94%		
D120313CCVA	D120313CCVA	ORG	630-20-6	1,1,1,2-Tetrachloroethane	49		ug/L	2	0.19	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1216	50	98%		
D120313CCVA	D120313CCVA	ORG	XYLMP	p&m-Xylene	100		ug/L	2	0.26	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1216	100	100%		
D120313CCVA	D120313CCVA	ORG	95-47-6	o-Xylene	52		ug/L	1	0.13	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1216	50	104%		
D120313CCVA	D120313CCVA	ORG	100-42-5	Styrene	52		ug/L	1	0.20	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1216	50	104%		
D120313CCVA	D120313CCVA	ORG	75-25-2	Bromoform	55		ug/L	2	0.47	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1216	50	110%		
D120313CCVA	D120313CCVA	ORG	98-82-8	Isopropylbenzene	54		ug/L	2	0.20	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1216	50	108%		
D120313CCVA	D120313CCVA	ORG	103-65-1	n-Propylbenzene	51		ug/L	2	0.27	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1216	50	102%		
D120313CCVA	D120313CCVA	ORG	79-34-5	1,1,2,2-Tetrachloroethane	50		ug/L	2	0.29	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1216	50	100%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D120313CCVA	D120313CCVA	ORG	96-18-4	1,2,3-Trichloropropane	45		ug/L	2	0.29	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1216	50	90%		
D120313CCVA	D120313CCVA	ORG	108-67-8	1,3,5-Trimethylbenzene	52		ug/L	2	0.20	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1216	50	104%		
D120313CCVA	D120313CCVA	ORG	98-06-6	tert-Butylbenzene	55		ug/L	2	0.33	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1216	50	110%		
D120313CCVA	D120313CCVA	ORG	95-63-6	1,2,4-Trimethylbenzene	52		ug/L	2	0.20	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1216	50	104%		
D120313CCVA	D120313CCVA	ORG	135-98-8	sec-Butylbenzene	52		ug/L	2	0.32	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1216	50	104%		
D120313CCVA	D120313CCVA	ORG	541-73-1	1,3-Dichlorobenzene	49		ug/L	2	0.22	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1216	50	98%		
D120313CCVA	D120313CCVA	ORG	99-87-6	p-Isopropltoluene	54		ug/L	2	0.25	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1216	50	108%		
D120313CCVA	D120313CCVA	ORG	106-46-7	1,4-Dichlorobenzene	47		ug/L	2	0.33	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1216	50	94%		
D120313CCVA	D120313CCVA	ORG	95-50-1	1,2-Dichlorobenzene	49		ug/L	2	0.26	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1216	50	98%		
D120313CCVA	D120313CCVA	ORG	104-51-8	n-Butylbenzene	53		ug/L	5	0.28	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1216	50	106%		
D120313CCVA	D120313CCVA	ORG	96-12-8	1,2-Dibromo-3-chloropropane	55		ug/L	5	1.59	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1216	50	110%		
D120313CCVA	D120313CCVA	ORG	87-68-3	Hexachlorobutadiene	56		ug/L	5	0.65	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1216	50	112%		
D120313CCVA	D120313CCVA	ORG	120-82-1	1,2,4-Trichlorobenzene	55		ug/L	5	0.28	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1216	50	110%		
D120313CCVA	D120313CCVA	ORG	91-20-3	Naphthalene	53		ug/L	5	0.56	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1216	50	106%		
D120313CCVA	D120313CCVA	ORG	87-61-6	1,2,3-Trichlorobenzene	54		ug/L	5	0.23	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1216	50	108%		
D120313CCVA	D120313CCVA	STD	1868-53-7	Dibromofluoromethane	50		ng			NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1216	50	100%		
D120313CCVA	D120313CCVA	STD	17060-07-0	1,2-Dichloroethane d4	50		ng			NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1216	50	100%		
D120313CCVA	D120313CCVA	STD	2037-26-5	Toluene d8	49		ng			NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1216	50	98%		
D120313CCVA	D120313CCVA	STD	460-00-4	Bromofluorobenzene	51		ng			NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1216	50	102%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D120313MBKA	D120313MBKA	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	5	0.29	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1218				
D120313MBKA	D120313MBKA	ORG	74-87-3	Chloromethane		U	ug/L	5	0.43	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1218				
D120313MBKA	D120313MBKA	ORG	75-01-4	Vinyl chloride		U	ug/L	2	0.32	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1218				
D120313MBKA	D120313MBKA	ORG	74-83-9	Bromomethane		U	ug/L	5	0.50	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1218				
D120313MBKA	D120313MBKA	ORG	75-00-3	Chloroethane		U	ug/L	5	0.56	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1218				
D120313MBKA	D120313MBKA	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	5	0.20	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1218				
D120313MBKA	D120313MBKA	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	1	0.47	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1218				
D120313MBKA	D120313MBKA	ORG	75-09-2	Methylene chloride		U	ug/L	5	0.26	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1218				
D120313MBKA	D120313MBKA	ORG	67-64-1	Acetone		U	ug/L	10	1.56	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1218				
D120313MBKA	D120313MBKA	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	1	0.56	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1218				
D120313MBKA	D120313MBKA	ORG	1634-04-4	MTBE		U	ug/L	5	0.61	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1218				
D120313MBKA	D120313MBKA	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	1	0.53	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1218				
D120313MBKA	D120313MBKA	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	1	0.32	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1218				
D120313MBKA	D120313MBKA	ORG	74-97-5	Bromochloromethane		U	ug/L	10	0.41	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1218				
D120313MBKA	D120313MBKA	ORG	67-66-3	Chloroform		U	ug/L	2	0.16	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1218				
D120313MBKA	D120313MBKA	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	1	0.17	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1218				
D120313MBKA	D120313MBKA	ORG	78-93-3	2-Butanone		U	ug/L	1	0.81	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1218				
D120313MBKA	D120313MBKA	ORG	56-23-5	Carbon tetrachloride		U	ug/L	1	0.28	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1218				
D120313MBKA	D120313MBKA	ORG	71-43-2	Benzene		U	ug/L	1	0.14	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1218				
D120313MBKA	D120313MBKA	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	1	0.20	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1218				
D120313MBKA	D120313MBKA	ORG	79-01-6	Trichloroethene		U	ug/L	1	0.36	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1218				
D120313MBKA	D120313MBKA	ORG	74-95-3	Dibromomethane		U	ug/L	2	0.32	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1218				
D120313MBKA	D120313MBKA	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	1	0.18	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1218				
D120313MBKA	D120313MBKA	ORG	75-27-4	Bromodichloromethane		U	ug/L	2	0.12	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1218				
D120313MBKA	D120313MBKA	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	1	0.25	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1218				
D120313MBKA	D120313MBKA	ORG	108-88-3	Toluene		U	ug/L	1	0.21	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1218				
D120313MBKA	D120313MBKA	ORG	108-10-1	4-Methyl-2-pentanone		U	ug/L	5	0.74	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1218				
D120313MBKA	D120313MBKA	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	1	0.31	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1218				
D120313MBKA	D120313MBKA	ORG	127-18-4	Tetrachloroethene		U	ug/L	1	0.49	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1218				
D120313MBKA	D120313MBKA	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	1	0.34	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1218				
D120313MBKA	D120313MBKA	ORG	124-48-1	Dibromochloromethane		U	ug/L	5	0.30	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1218				
D120313MBKA	D120313MBKA	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	2	0.26	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1218				
D120313MBKA	D120313MBKA	ORG	591-78-6	2-Hexanone		U	ug/L	2	0.69	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1218				
D120313MBKA	D120313MBKA	ORG	100-41-4	Ethylbenzene		U	ug/L	1	0.25	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1218				
D120313MBKA	D120313MBKA	ORG	108-90-7	Chlorobenzene		U	ug/L	1	0.28	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1218				
D120313MBKA	D120313MBKA	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	2	0.19	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1218				
D120313MBKA	D120313MBKA	ORG	XYLMP	p&m-Xylene		U	ug/L	2	0.26	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1218				
D120313MBKA	D120313MBKA	ORG	95-47-6	o-Xylene		U	ug/L	1	0.13	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1218				
D120313MBKA	D120313MBKA	ORG	100-42-5	Styrene		U	ug/L	1	0.20	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1218				
D120313MBKA	D120313MBKA	ORG	75-25-2	Bromoform		U	ug/L	2	0.47	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1218				
D120313MBKA	D120313MBKA	ORG	98-82-8	Isopropylbenzene		U	ug/L	2	0.20	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1218				
D120313MBKA	D120313MBKA	ORG	103-65-1	n-Propylbenzene		U	ug/L	2	0.27	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1218				
D120313MBKA	D120313MBKA	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	2	0.29	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1218				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D120313MBKA	D120313MBKA	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	2	0.29	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1218				
D120313MBKA	D120313MBKA	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	2	0.20	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1218				
D120313MBKA	D120313MBKA	ORG	98-06-6	tert-Butylbenzene		U	ug/L	2	0.33	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1218				
D120313MBKA	D120313MBKA	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	2	0.20	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1218				
D120313MBKA	D120313MBKA	ORG	135-98-8	sec-Butylbenzene		U	ug/L	2	0.32	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1218				
D120313MBKA	D120313MBKA	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	2	0.22	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1218				
D120313MBKA	D120313MBKA	ORG	99-87-6	p-Isopropltoluene		U	ug/L	2	0.25	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1218				
D120313MBKA	D120313MBKA	ORG	106-46-7	1,4-Dichlorobenzene		U	ug/L	2	0.33	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1218				
D120313MBKA	D120313MBKA	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	2	0.26	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1218				
D120313MBKA	D120313MBKA	ORG	104-51-8	n-Butylbenzene		U	ug/L	5	0.28	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1218				
D120313MBKA	D120313MBKA	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	5	1.59	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1218				
D120313MBKA	D120313MBKA	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	5	0.65	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1218				
D120313MBKA	D120313MBKA	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	5	0.28	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1218				
D120313MBKA	D120313MBKA	ORG	91-20-3	Naphthalene		U	ug/L	5	0.56	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1218				
D120313MBKA	D120313MBKA	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	5	0.23	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1218				
D120313MBKA	D120313MBKA	STD	1868-53-7	Dibromofluoromethane	52		ng			NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1218	50	104%		
D120313MBKA	D120313MBKA	STD	17060-07-0	1,2-Dichloroethane d4	57		ng			NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1218	50	114%		
D120313MBKA	D120313MBKA	STD	2037-26-5	Toluene d8	52		ng			NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1218	50	104%		
D120313MBKA	D120313MBKA	STD	460-00-4	Bromofluorobenzene	48		ng			NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1218	50	96%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D120313ALCS	D120313ALCS	ORG	75-71-8	Dichlorodifluoromethane	23		ug/L	5	0.29	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1217	50	46%		
D120313ALCS	D120313ALCS	ORG	74-87-3	Chloromethane	39		ug/L	5	0.43	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1217	50	78%		
D120313ALCS	D120313ALCS	ORG	75-01-4	Vinyl chloride	39		ug/L	2	0.32	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1217	50	78%		
D120313ALCS	D120313ALCS	ORG	74-83-9	Bromomethane	46		ug/L	5	0.50	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1217	50	92%		
D120313ALCS	D120313ALCS	ORG	75-00-3	Chloroethane	45		ug/L	5	0.56	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1217	50	90%		
D120313ALCS	D120313ALCS	ORG	75-69-4	Trichlorofluoromethane	52		ug/L	5	0.20	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1217	50	104%		
D120313ALCS	D120313ALCS	ORG	75-35-4	1,1-Dichloroethene	39		ug/L	1	0.47	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1217	50	78%		
D120313ALCS	D120313ALCS	ORG	75-09-2	Methylene chloride	40		ug/L	5	0.26	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1217	50	80%		
D120313ALCS	D120313ALCS	ORG	67-64-1	Acetone	92		ug/L	10	1.56	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1217	50	184%		
D120313ALCS	D120313ALCS	ORG	156-60-5	trans-1,2-Dichloroethene	45		ug/L	1	0.56	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1217	50	90%		
D120313ALCS	D120313ALCS	ORG	1634-04-4	MTBE	55		ug/L	5	0.61	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1217	50	110%		
D120313ALCS	D120313ALCS	ORG	75-34-3	1,1-Dichloroethane	46		ug/L	1	0.53	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1217	50	92%		
D120313ALCS	D120313ALCS	ORG	156-59-2	cis-1,2-Dichloroethene	46		ug/L	1	0.32	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1217	50	92%		
D120313ALCS	D120313ALCS	ORG	74-97-5	Bromochloromethane	48		ug/L	10	0.41	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1217	50	96%		
D120313ALCS	D120313ALCS	ORG	67-66-3	Chloroform	45		ug/L	2	0.16	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1217	50	90%		
D120313ALCS	D120313ALCS	ORG	71-55-6	1,1,1-Trichloroethane	43		ug/L	1	0.17	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1217	50	86%		
D120313ALCS	D120313ALCS	ORG	78-93-3	2-Butanone	62		ug/L	1	0.81	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1217	50	124%		
D120313ALCS	D120313ALCS	ORG	56-23-5	Carbon tetrachloride	44		ug/L	1	0.28	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1217	50	88%		
D120313ALCS	D120313ALCS	ORG	71-43-2	Benzene	47		ug/L	1	0.14	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1217	50	94%		
D120313ALCS	D120313ALCS	ORG	107-06-2	1,2-Dichloroethane	47		ug/L	1	0.20	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1217	50	94%		
D120313ALCS	D120313ALCS	ORG	79-01-6	Trichloroethene	47		ug/L	1	0.36	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1217	50	94%		
D120313ALCS	D120313ALCS	ORG	74-95-3	Dibromomethane	50		ug/L	2	0.32	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1217	50	100%		
D120313ALCS	D120313ALCS	ORG	78-87-5	1,2-Dichloropropane	48		ug/L	1	0.18	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1217	50	96%		
D120313ALCS	D120313ALCS	ORG	75-27-4	Bromodichloromethane	46		ug/L	2	0.12	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1217	50	92%		
D120313ALCS	D120313ALCS	ORG	10061-01-5	cis-1,3-Dichloropropene	51		ug/L	1	0.25	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1217	50	102%		
D120313ALCS	D120313ALCS	ORG	108-88-3	Toluene	46		ug/L	1	0.21	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1217	50	92%		
D120313ALCS	D120313ALCS	ORG	108-10-1	4-Methyl-2-pentanone	75		ug/L	5	0.74	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1217	50	150%		
D120313ALCS	D120313ALCS	ORG	10061-02-6	trans-1,3-Dichloropropene	55		ug/L	1	0.31	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1217	50	110%		
D120313ALCS	D120313ALCS	ORG	127-18-4	Tetrachloroethene	45		ug/L	1	0.49	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1217	50	90%		
D120313ALCS	D120313ALCS	ORG	79-00-5	1,1,2-Trichloroethane	57		ug/L	1	0.34	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1217	50	114%		
D120313ALCS	D120313ALCS	ORG	124-48-1	Dibromochloromethane	54		ug/L	5	0.30	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1217	50	108%		
D120313ALCS	D120313ALCS	ORG	106-93-4	1,2-Dibromoethane	54		ug/L	2	0.26	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1217	50	108%		
D120313ALCS	D120313ALCS	ORG	591-78-6	2-Hexanone	81		ug/L	2	0.69	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1217	50	162%		
D120313ALCS	D120313ALCS	ORG	100-41-4	Ethylbenzene	48		ug/L	1	0.25	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1217	50	96%		
D120313ALCS	D120313ALCS	ORG	108-90-7	Chlorobenzene	46		ug/L	1	0.28	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1217	50	92%		
D120313ALCS	D120313ALCS	ORG	630-20-6	1,1,1,2-Tetrachloroethane	49		ug/L	2	0.19	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1217	50	98%		
D120313ALCS	D120313ALCS	ORG	XYLMP	p&m-Xylene	99		ug/L	2	0.26	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1217	100	99%		
D120313ALCS	D120313ALCS	ORG	95-47-6	o-Xylene	50		ug/L	1	0.13	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1217	50	100%		
D120313ALCS	D120313ALCS	ORG	100-42-5	Styrene	51		ug/L	1	0.20	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1217	50	102%		
D120313ALCS	D120313ALCS	ORG	75-25-2	Bromoform	58		ug/L	2	0.47	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1217	50	116%		
D120313ALCS	D120313ALCS	ORG	98-82-8	Isopropylbenzene	52		ug/L	2	0.20	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1217	50	104%		
D120313ALCS	D120313ALCS	ORG	103-65-1	n-Propylbenzene	50		ug/L	2	0.27	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1217	50	100%		
D120313ALCS	D120313ALCS	ORG	79-34-5	1,1,2,2-Tetrachloroethane	55		ug/L	2	0.29	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1217	50	110%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D120313ALCS	D120313ALCS	ORG	96-18-4	1,2,3-Trichloropropane	50		ug/L	2	0.29	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1217	50	100%		
D120313ALCS	D120313ALCS	ORG	108-67-8	1,3,5-Trimethylbenzene	51		ug/L	2	0.20	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1217	50	102%		
D120313ALCS	D120313ALCS	ORG	98-06-6	tert-Butylbenzene	54		ug/L	2	0.33	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1217	50	108%		
D120313ALCS	D120313ALCS	ORG	95-63-6	1,2,4-Trimethylbenzene	51		ug/L	2	0.20	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1217	50	102%		
D120313ALCS	D120313ALCS	ORG	135-98-8	sec-Butylbenzene	51		ug/L	2	0.32	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1217	50	102%		
D120313ALCS	D120313ALCS	ORG	541-73-1	1,3-Dichlorobenzene	48		ug/L	2	0.22	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1217	50	96%		
D120313ALCS	D120313ALCS	ORG	99-87-6	p-Isopropltoluene	52		ug/L	2	0.25	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1217	50	104%		
D120313ALCS	D120313ALCS	ORG	106-46-7	1,4-Dichlorobenzene	47		ug/L	2	0.33	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1217	50	94%		
D120313ALCS	D120313ALCS	ORG	95-50-1	1,2-Dichlorobenzene	49		ug/L	2	0.26	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1217	50	98%		
D120313ALCS	D120313ALCS	ORG	104-51-8	n-Butylbenzene	51		ug/L	5	0.28	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1217	50	102%		
D120313ALCS	D120313ALCS	ORG	96-12-8	1,2-Dibromo-3-chloropropane	61		ug/L	5	1.59	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1217	50	122%		
D120313ALCS	D120313ALCS	ORG	87-68-3	Hexachlorobutadiene	55		ug/L	5	0.65	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1217	50	110%		
D120313ALCS	D120313ALCS	ORG	120-82-1	1,2,4-Trichlorobenzene	56		ug/L	5	0.28	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1217	50	112%		
D120313ALCS	D120313ALCS	ORG	91-20-3	Naphthalene	60		ug/L	5	0.56	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1217	50	120%		
D120313ALCS	D120313ALCS	ORG	87-61-6	1,2,3-Trichlorobenzene	57		ug/L	5	0.23	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1217	50	114%		
D120313ALCS	D120313ALCS	STD	1868-53-7	Dibromofluoromethane	49		ng			NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1217	50	98%		
D120313ALCS	D120313ALCS	STD	17060-07-0	1,2-Dichloroethane d4	48		ng			NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1217	50	96%		
D120313ALCS	D120313ALCS	STD	2037-26-5	Toluene d8	48		ng			NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1217	50	96%		
D120313ALCS	D120313ALCS	STD	460-00-4	Bromofluorobenzene	50		ng			NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1217	50	100%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D120313ALCD	D120313ALCD	ORG	75-71-8	Dichlorodifluoromethane	18		ug/L	5	0.29	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1224	50	36%	24%	
D120313ALCD	D120313ALCD	ORG	74-87-3	Chloromethane	30		ug/L	5	0.43	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1224	50	60%	26%	
D120313ALCD	D120313ALCD	ORG	75-01-4	Vinyl chloride	35		ug/L	2	0.32	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1224	50	70%	11%	
D120313ALCD	D120313ALCD	ORG	74-83-9	Bromomethane	36		ug/L	5	0.50	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1224	50	72%	24%	
D120313ALCD	D120313ALCD	ORG	75-00-3	Chloroethane	33		ug/L	5	0.56	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1224	50	66%	31%	
D120313ALCD	D120313ALCD	ORG	75-69-4	Trichlorofluoromethane	62		ug/L	5	0.20	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1224	50	124%	18%	
D120313ALCD	D120313ALCD	ORG	75-35-4	1,1-Dichloroethene	38		ug/L	1	0.47	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1224	50	76%	3%	
D120313ALCD	D120313ALCD	ORG	75-09-2	Methylene chloride	120		ug/L	5	0.26	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1224	50	240%	100%	
D120313ALCD	D120313ALCD	ORG	67-64-1	Acetone	71		ug/L	10	1.56	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1224	50	142%	26%	
D120313ALCD	D120313ALCD	ORG	156-60-5	trans-1,2-Dichloroethene	42		ug/L	1	0.56	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1224	50	84%	7%	
D120313ALCD	D120313ALCD	ORG	1634-04-4	MTBE	52		ug/L	5	0.61	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1224	50	104%	6%	
D120313ALCD	D120313ALCD	ORG	75-34-3	1,1-Dichloroethane	42		ug/L	1	0.53	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1224	50	84%	9%	
D120313ALCD	D120313ALCD	ORG	156-59-2	cis-1,2-Dichloroethene	43		ug/L	1	0.32	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1224	50	86%	7%	
D120313ALCD	D120313ALCD	ORG	74-97-5	Bromochloromethane	44		ug/L	10	0.41	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1224	50	88%	9%	
D120313ALCD	D120313ALCD	ORG	67-66-3	Chloroform	43		ug/L	2	0.16	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1224	50	86%	5%	
D120313ALCD	D120313ALCD	ORG	71-55-6	1,1,1-Trichloroethane	43		ug/L	1	0.17	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1224	50	86%	0%	
D120313ALCD	D120313ALCD	ORG	78-93-3	2-Butanone	60		ug/L	1	0.81	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1224	50	120%	3%	
D120313ALCD	D120313ALCD	ORG	56-23-5	Carbon tetrachloride	42		ug/L	1	0.28	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1224	50	84%	5%	
D120313ALCD	D120313ALCD	ORG	71-43-2	Benzene	46		ug/L	1	0.14	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1224	50	92%	2%	
D120313ALCD	D120313ALCD	ORG	107-06-2	1,2-Dichloroethane	44		ug/L	1	0.20	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1224	50	88%	7%	
D120313ALCD	D120313ALCD	ORG	79-01-6	Trichloroethene	46		ug/L	1	0.36	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1224	50	92%	2%	
D120313ALCD	D120313ALCD	ORG	74-95-3	Dibromomethane	47		ug/L	2	0.32	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1224	50	94%	6%	
D120313ALCD	D120313ALCD	ORG	78-87-5	1,2-Dichloropropane	46		ug/L	1	0.18	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1224	50	92%	4%	
D120313ALCD	D120313ALCD	ORG	75-27-4	Bromodichloromethane	46		ug/L	2	0.12	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1224	50	92%	0%	
D120313ALCD	D120313ALCD	ORG	10061-01-5	cis-1,3-Dichloropropene	52		ug/L	1	0.25	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1224	50	104%	2%	
D120313ALCD	D120313ALCD	ORG	108-88-3	Toluene	46		ug/L	1	0.21	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1224	50	92%	0%	
D120313ALCD	D120313ALCD	ORG	108-10-1	4-Methyl-2-pentanone	69		ug/L	5	0.74	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1224	50	138%	8%	
D120313ALCD	D120313ALCD	ORG	10061-02-6	trans-1,3-Dichloropropene	54		ug/L	1	0.31	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1224	50	108%	2%	
D120313ALCD	D120313ALCD	ORG	127-18-4	Tetrachloroethene	50		ug/L	1	0.49	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1224	50	100%	11%	
D120313ALCD	D120313ALCD	ORG	79-00-5	1,1,2-Trichloroethane	55		ug/L	1	0.34	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1224	50	110%	4%	
D120313ALCD	D120313ALCD	ORG	124-48-1	Dibromochloromethane	53		ug/L	5	0.30	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1224	50	106%	2%	
D120313ALCD	D120313ALCD	ORG	106-93-4	1,2-Dibromoethane	54		ug/L	2	0.26	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1224	50	108%	0%	
D120313ALCD	D120313ALCD	ORG	591-78-6	2-Hexanone	58		ug/L	2	0.69	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1224	50	116%	33%	
D120313ALCD	D120313ALCD	ORG	100-41-4	Ethylbenzene	50		ug/L	1	0.25	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1224	50	100%	4%	
D120313ALCD	D120313ALCD	ORG	108-90-7	Chlorobenzene	48		ug/L	1	0.28	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1224	50	96%	4%	
D120313ALCD	D120313ALCD	ORG	630-20-6	1,1,1,2-Tetrachloroethane	50		ug/L	2	0.19	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1224	50	100%	2%	
D120313ALCD	D120313ALCD	ORG	XYLMP	p&m-Xylene	102		ug/L	2	0.26	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1224	100	102%	3%	
D120313ALCD	D120313ALCD	ORG	95-47-6	o-Xylene	51		ug/L	1	0.13	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1224	50	102%	2%	
D120313ALCD	D120313ALCD	ORG	100-42-5	Styrene	52		ug/L	1	0.20	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1224	50	104%	2%	
D120313ALCD	D120313ALCD	ORG	75-25-2	Bromoform	57		ug/L	2	0.47	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1224	50	114%	2%	
D120313ALCD	D120313ALCD	ORG	98-82-8	Isopropylbenzene	54		ug/L	2	0.20	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1224	50	108%	4%	
D120313ALCD	D120313ALCD	ORG	103-65-1	n-Propylbenzene	51		ug/L	2	0.27	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1224	50	102%	2%	
D120313ALCD	D120313ALCD	ORG	79-34-5	1,1,2,2-Tetrachloroethane	54		ug/L	2	0.29	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1224	50	108%	2%	

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D120313ALCD	D120313ALCD	ORG	96-18-4	1,2,3-Trichloropropane	51		ug/L	2	0.29	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1224	50	102%	2%	
D120313ALCD	D120313ALCD	ORG	108-67-8	1,3,5-Trimethylbenzene	52		ug/L	2	0.20	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1224	50	104%	2%	
D120313ALCD	D120313ALCD	ORG	98-06-6	tert-Butylbenzene	54		ug/L	2	0.33	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1224	50	108%	0%	
D120313ALCD	D120313ALCD	ORG	95-63-6	1,2,4-Trimethylbenzene	52		ug/L	2	0.20	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1224	50	104%	2%	
D120313ALCD	D120313ALCD	ORG	135-98-8	sec-Butylbenzene	53		ug/L	2	0.32	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1224	50	106%	4%	
D120313ALCD	D120313ALCD	ORG	541-73-1	1,3-Dichlorobenzene	48		ug/L	2	0.22	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1224	50	96%	0%	
D120313ALCD	D120313ALCD	ORG	99-87-6	p-Isopropltoluene	54		ug/L	2	0.25	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1224	50	108%	4%	
D120313ALCD	D120313ALCD	ORG	106-46-7	1,4-Dichlorobenzene	47		ug/L	2	0.33	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1224	50	94%	0%	
D120313ALCD	D120313ALCD	ORG	95-50-1	1,2-Dichlorobenzene	48		ug/L	2	0.26	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1224	50	96%	2%	
D120313ALCD	D120313ALCD	ORG	104-51-8	n-Butylbenzene	52		ug/L	5	0.28	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1224	50	104%	2%	
D120313ALCD	D120313ALCD	ORG	96-12-8	1,2-Dibromo-3-chloropropane	59		ug/L	5	1.59	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1224	50	118%	3%	
D120313ALCD	D120313ALCD	ORG	87-68-3	Hexachlorobutadiene	53		ug/L	5	0.65	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1224	50	106%	4%	
D120313ALCD	D120313ALCD	ORG	120-82-1	1,2,4-Trichlorobenzene	55		ug/L	5	0.28	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1224	50	110%	2%	
D120313ALCD	D120313ALCD	ORG	91-20-3	Naphthalene	60		ug/L	5	0.56	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1224	50	120%	0%	
D120313ALCD	D120313ALCD	ORG	87-61-6	1,2,3-Trichlorobenzene	54		ug/L	5	0.23	NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1224	50	108%	5%	
D120313ALCD	D120313ALCD	STD	1868-53-7	Dibromofluoromethane	45		ng			NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1224	50	90%	9%	
D120313ALCD	D120313ALCD	STD	17060-07-0	1,2-Dichloroethane d4	46		ng			NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1224	50	92%	4%	
D120313ALCD	D120313ALCD	STD	2037-26-5	Toluene d8	49		ng			NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1224	50	98%	2%	
D120313ALCD	D120313ALCD	STD	460-00-4	Bromofluorobenzene	52		ng			NA	12/3/2013	12/3/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1224	50	104%	4%	

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-821MS	316-154	ORG	75-71-8	Dichlorodifluoromethane	2300		ug/L	500	29.28	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1222	5000	46%		
NAL13026-821MS	316-154	ORG	74-87-3	Chloromethane	4100		ug/L	500	43.07	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1222	5000	82%		
NAL13026-821MS	316-154	ORG	75-01-4	Vinyl chloride	3900		ug/L	200	31.86	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1222	5000	78%		
NAL13026-821MS	316-154	ORG	74-83-9	Bromomethane	3200		ug/L	500	50.04	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1222	5000	64%		
NAL13026-821MS	316-154	ORG	75-00-3	Chloroethane	3800		ug/L	500	55.61	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1222	5000	76%		
NAL13026-821MS	316-154	ORG	75-69-4	Trichlorofluoromethane	4200		ug/L	500	19.65	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1222	5000	84%		
NAL13026-821MS	316-154	ORG	75-35-4	1,1-Dichloroethene	2800		ug/L	100	47.11	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1222	5000	56%		
NAL13026-821MS	316-154	ORG	75-09-2	Methylene chloride	3100		ug/L	500	26.46	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1222	5000	62%		
NAL13026-821MS	316-154	ORG	67-64-1	Acetone	210000		ug/L	1000	155.61	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1222	5000	-5600%		490000
NAL13026-821MS	316-154	ORG	156-60-5	trans-1,2-Dichloroethene	2900		ug/L	100	55.61	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1222	5000	58%		
NAL13026-821MS	316-154	ORG	1634-04-4	MTBE	5900		ug/L	500	61.18	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1222	5000	118%		
NAL13026-821MS	316-154	ORG	75-34-3	1,1-Dichloroethane	4600		ug/L	100	52.66	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1222	5000	92%		
NAL13026-821MS	316-154	ORG	156-59-2	cis-1,2-Dichloroethene	4900		ug/L	100	32.11	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1222	5000	98%		
NAL13026-821MS	316-154	ORG	74-97-5	Bromochloromethane	5000		ug/L	1000	41.37	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1222	5000	100%		
NAL13026-821MS	316-154	ORG	67-66-3	Chloroform	4700		ug/L	200	15.73	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1222	5000	94%		
NAL13026-821MS	316-154	ORG	71-55-6	1,1,1-Trichloroethane	4500		ug/L	100	16.65	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1222	5000	90%		
NAL13026-821MS	316-154	ORG	78-93-3	2-Butanone	82000		ug/L	100	81.18	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1222	5000	-40%		84000
NAL13026-821MS	316-154	ORG	56-23-5	Carbon tetrachloride	4500		ug/L	100	27.64	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1222	5000	90%		
NAL13026-821MS	316-154	ORG	71-43-2	Benzene	4700		ug/L	100	13.53	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1222	5000	92%		87
NAL13026-821MS	316-154	ORG	107-06-2	1,2-Dichloroethane	4700		ug/L	100	20.01	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1222	5000	94%		
NAL13026-821MS	316-154	ORG	79-01-6	Trichloroethene	4700		ug/L	100	36.33	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1222	5000	94%		
NAL13026-821MS	316-154	ORG	74-95-3	Dibromomethane	5300		ug/L	200	32.20	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1222	5000	106%		
NAL13026-821MS	316-154	ORG	78-87-5	1,2-Dichloropropane	4600		ug/L	100	18.17	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1222	5000	92%		
NAL13026-821MS	316-154	ORG	75-27-4	Bromodichloromethane	4600		ug/L	200	11.58	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1222	5000	92%		
NAL13026-821MS	316-154	ORG	10061-01-5	cis-1,3-Dichloropropene	4900		ug/L	100	25.01	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1222	5000	98%		
NAL13026-821MS	316-154	ORG	108-88-3	Toluene	4600		ug/L	100	20.96	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1222	5000	90%		79
NAL13026-821MS	316-154	ORG	108-10-1	4-Methyl-2-pentanone	12000		ug/L	500	74.00	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1222	5000	190%		2500
NAL13026-821MS	316-154	ORG	10061-02-6	trans-1,3-Dichloropropene	5500		ug/L	100	31.15	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1222	5000	110%		
NAL13026-821MS	316-154	ORG	127-18-4	Tetrachloroethene	4600		ug/L	100	48.56	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1222	5000	92%		
NAL13026-821MS	316-154	ORG	79-00-5	1,1,2-Trichloroethane	6200		ug/L	100	34.28	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1222	5000	124%		
NAL13026-821MS	316-154	ORG	124-48-1	Dibromochloromethane	5700		ug/L	500	29.90	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1222	5000	114%		
NAL13026-821MS	316-154	ORG	106-93-4	1,2-Dibromoethane	5800		ug/L	200	26.49	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1222	5000	116%		
NAL13026-821MS	316-154	ORG	591-78-6	2-Hexanone	17000		ug/L	200	68.90	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1222	5000	176%		8200
NAL13026-821MS	316-154	ORG	100-41-4	Ethylbenzene	5300		ug/L	100	25.38	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1222	5000	101%		240
NAL13026-821MS	316-154	ORG	108-90-7	Chlorobenzene	4900		ug/L	100	27.52	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1222	5000	98%		
NAL13026-821MS	316-154	ORG	630-20-6	1,1,1,2-Tetrachloroethane	5100		ug/L	200	19.28	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1222	5000	102%		
NAL13026-821MS	316-154	ORG	XYLMP	p&m-Xylene	11000		ug/L	200	26.14	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1222	10000	103%		730
NAL13026-821MS	316-154	ORG	95-47-6	o-Xylene	5900		ug/L	100	12.90	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1222	5000	109%		470
NAL13026-821MS	316-154	ORG	100-42-5	Styrene	5700		ug/L	100	20.23	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1222	5000	114%		
NAL13026-821MS	316-154	ORG	75-25-2	Bromoform	6700		ug/L	200	46.83	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1222	5000	134%		
NAL13026-821MS	316-154	ORG	98-82-8	Isopropylbenzene	5900		ug/L	200	20.48	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1222	5000	113%		250
NAL13026-821MS	316-154	ORG	103-65-1	n-Propylbenzene	5500		ug/L	200	27.00	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1222	5000	105%		250
NAL13026-821MS	316-154	ORG	79-34-5	1,1,2,2-Tetrachloroethane	6600		ug/L	200	29.16	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1222	5000	132%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-821MS	316-154	ORG	96-18-4	1,2,3-Trichloropropane	6200		ug/L	200	29.47	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1222	5000	124%		
NAL13026-821MS	316-154	ORG	108-67-8	1,3,5-Trimethylbenzene	5900		ug/L	200	20.03	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1222	5000	106%		590
NAL13026-821MS	316-154	ORG	98-06-6	tert-Butylbenzene	5800		ug/L	200	32.61	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1222	5000	116%		
NAL13026-821MS	316-154	ORG	95-63-6	1,2,4-Trimethylbenzene	7700		ug/L	200	20.03	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1222	5000	98%		2800
NAL13026-821MS	316-154	ORG	135-98-8	sec-Butylbenzene	5300		ug/L	200	32.34	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1222	5000	106%		
NAL13026-821MS	316-154	ORG	541-73-1	1,3-Dichlorobenzene	5000		ug/L	200	22.21	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1222	5000	100%		
NAL13026-821MS	316-154	ORG	99-87-6	p-Isopropltoluene	15000		ug/L	200	25.48	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1222	5000	80%		11000
NAL13026-821MS	316-154	ORG	106-46-7	1,4-Dichlorobenzene	6900		ug/L	200	33.03	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1222	5000	94%		2200
NAL13026-821MS	316-154	ORG	95-50-1	1,2-Dichlorobenzene	5100		ug/L	200	26.38	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1222	5000	102%		
NAL13026-821MS	316-154	ORG	104-51-8	n-Butylbenzene	5600		ug/L	500	27.81	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1222	5000	105%		340
NAL13026-821MS	316-154	ORG	96-12-8	1,2-Dibromo-3-chloropropane	8800		ug/L	500	159.11	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1222	5000	176%		
NAL13026-821MS	316-154	ORG	87-68-3	Hexachlorobutadiene	5000		ug/L	500	65.42	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1222	5000	100%		
NAL13026-821MS	316-154	ORG	120-82-1	1,2,4-Trichlorobenzene	5800		ug/L	500	27.63	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1222	5000	116%		
NAL13026-821MS	316-154	ORG	91-20-3	Naphthalene	11000		ug/L	500	56.04	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1222	5000	156%		3200
NAL13026-821MS	316-154	ORG	87-61-6	1,2,3-Trichlorobenzene	6100		ug/L	500	23.28	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1222	5000	122%		
NAL13026-821MS	316-154	STD	1868-53-7	Dibromofluoromethane	49		ng			12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1222	50	98%		
NAL13026-821MS	316-154	STD	17060-07-0	1,2-Dichloroethane d4	48		ng			12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1222	50	96%		
NAL13026-821MS	316-154	STD	2037-26-5	Toluene d8	47		ng			12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1222	50	94%		
NAL13026-821MS	316-154	STD	460-00-4	Bromofluorobenzene	52		ng			12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1222	50	104%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-821MSD	316-154	ORG	75-71-8	Dichlorodifluoromethane	2200		ug/L	500	29.28	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1223	5000	44%	4%	0
NAL13026-821MSD	316-154	ORG	74-87-3	Chloromethane	3800		ug/L	500	43.07	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1223	5000	76%	8%	0
NAL13026-821MSD	316-154	ORG	75-01-4	Vinyl chloride	4100		ug/L	200	31.86	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1223	5000	82%	5%	0
NAL13026-821MSD	316-154	ORG	74-83-9	Bromomethane	4100		ug/L	500	50.04	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1223	5000	82%	25%	0
NAL13026-821MSD	316-154	ORG	75-00-3	Chloroethane	3800		ug/L	500	55.61	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1223	5000	76%	0%	0
NAL13026-821MSD	316-154	ORG	75-69-4	Trichlorofluoromethane	3900		ug/L	500	19.65	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1223	5000	78%	7%	0
NAL13026-821MSD	316-154	ORG	75-35-4	1,1-Dichloroethene	4200		ug/L	100	47.11	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1223	5000	84%	40%	0
NAL13026-821MSD	316-154	ORG	75-09-2	Methylene chloride	4200		ug/L	500	26.46	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1223	5000	84%	30%	0
NAL13026-821MSD	316-154	ORG	67-64-1	Acetone	420000		ug/L	1000	155.61	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1223	5000	-1400%	67%	490000
NAL13026-821MSD	316-154	ORG	156-60-5	trans-1,2-Dichloroethene	4300		ug/L	100	55.61	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1223	5000	86%	39%	0
NAL13026-821MSD	316-154	ORG	1634-04-4	MTBE	5600		ug/L	500	61.18	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1223	5000	112%	5%	0
NAL13026-821MSD	316-154	ORG	75-34-3	1,1-Dichloroethane	4600		ug/L	100	52.66	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1223	5000	92%	0%	0
NAL13026-821MSD	316-154	ORG	156-59-2	cis-1,2-Dichloroethene	4900		ug/L	100	32.11	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1223	5000	98%	0%	0
NAL13026-821MSD	316-154	ORG	74-97-5	Bromochloromethane	5000		ug/L	1000	41.37	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1223	5000	100%	0%	0
NAL13026-821MSD	316-154	ORG	67-66-3	Chloroform	4700		ug/L	200	15.73	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1223	5000	94%	0%	0
NAL13026-821MSD	316-154	ORG	71-55-6	1,1,1-Trichloroethane	4500		ug/L	100	16.65	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1223	5000	90%	0%	0
NAL13026-821MSD	316-154	ORG	78-93-3	2-Butanone	75000		ug/L	100	81.18	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1223	5000	-180%	9%	84000
NAL13026-821MSD	316-154	ORG	56-23-5	Carbon tetrachloride	4500		ug/L	100	27.64	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1223	5000	90%	0%	0
NAL13026-821MSD	316-154	ORG	71-43-2	Benzene	4700		ug/L	100	13.53	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1223	5000	92%	0%	87
NAL13026-821MSD	316-154	ORG	107-06-2	1,2-Dichloroethane	4800		ug/L	100	20.01	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1223	5000	96%	2%	0
NAL13026-821MSD	316-154	ORG	79-01-6	Trichloroethene	4800		ug/L	100	36.33	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1223	5000	96%	2%	0
NAL13026-821MSD	316-154	ORG	74-95-3	Dibromomethane	5100		ug/L	200	32.20	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1223	5000	102%	4%	0
NAL13026-821MSD	316-154	ORG	78-87-5	1,2-Dichloropropane	4700		ug/L	100	18.17	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1223	5000	94%	2%	0
NAL13026-821MSD	316-154	ORG	75-27-4	Bromodichloromethane	4700		ug/L	200	11.58	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1223	5000	94%	2%	0
NAL13026-821MSD	316-154	ORG	10061-01-5	cis-1,3-Dichloropropene	5000		ug/L	100	25.01	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1223	5000	100%	2%	0
NAL13026-821MSD	316-154	ORG	108-88-3	Toluene	4700		ug/L	100	20.96	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1223	5000	92%	2%	79
NAL13026-821MSD	316-154	ORG	108-10-1	4-Methyl-2-pentanone	12000		ug/L	500	74.00	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1223	5000	190%	0%	2500
NAL13026-821MSD	316-154	ORG	10061-02-6	trans-1,3-Dichloropropene	5400		ug/L	100	31.15	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1223	5000	108%	2%	0
NAL13026-821MSD	316-154	ORG	127-18-4	Tetrachloroethene	4800		ug/L	100	48.56	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1223	5000	96%	4%	0
NAL13026-821MSD	316-154	ORG	79-00-5	1,1,2-Trichloroethane	6000		ug/L	100	34.28	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1223	5000	120%	3%	0
NAL13026-821MSD	316-154	ORG	124-48-1	Dibromochloromethane	5500		ug/L	500	29.90	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1223	5000	110%	4%	0
NAL13026-821MSD	316-154	ORG	106-93-4	1,2-Dibromoethane	5800		ug/L	200	26.49	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1223	5000	116%	0%	0
NAL13026-821MSD	316-154	ORG	591-78-6	2-Hexanone	16000		ug/L	200	68.90	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1223	5000	156%	6%	8200
NAL13026-821MSD	316-154	ORG	100-41-4	Ethylbenzene	5200		ug/L	100	25.38	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1223	5000	99%	2%	240
NAL13026-821MSD	316-154	ORG	108-90-7	Chlorobenzene	4900		ug/L	100	27.52	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1223	5000	98%	0%	0
NAL13026-821MSD	316-154	ORG	630-20-6	1,1,1,2-Tetrachloroethane	5100		ug/L	200	19.28	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1223	5000	102%	0%	0
NAL13026-821MSD	316-154	ORG	XYLMP	p&m-Xylene	11000		ug/L	200	26.14	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1223	10000	103%	0%	730
NAL13026-821MSD	316-154	ORG	95-47-6	o-Xylene	5900		ug/L	100	12.90	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1223	5000	109%	0%	470
NAL13026-821MSD	316-154	ORG	100-42-5	Styrene	5600		ug/L	100	20.23	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1223	5000	112%	2%	0
NAL13026-821MSD	316-154	ORG	75-25-2	Bromoform	6300		ug/L	200	46.83	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1223	5000	126%	6%	0
NAL13026-821MSD	316-154	ORG	98-82-8	Isopropylbenzene	5800		ug/L	200	20.48	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1223	5000	111%	2%	250
NAL13026-821MSD	316-154	ORG	103-65-1	n-Propylbenzene	5400		ug/L	200	27.00	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1223	5000	103%	2%	250
NAL13026-821MSD	316-154	ORG	79-34-5	1,1,2,2-Tetrachloroethane	6400		ug/L	200	29.16	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1223	5000	128%	3%	0

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-821MSD	316-154	ORG	96-18-4	1,2,3-Trichloropropane	5800		ug/L	200	29.47	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1223	5000	116%	7%	0
NAL13026-821MSD	316-154	ORG	108-67-8	1,3,5-Trimethylbenzene	6000		ug/L	200	20.03	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1223	5000	108%	2%	590
NAL13026-821MSD	316-154	ORG	98-06-6	tert-Butylbenzene	5600		ug/L	200	32.61	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1223	5000	112%	4%	0
NAL13026-821MSD	316-154	ORG	95-63-6	1,2,4-Trimethylbenzene	7800		ug/L	200	20.03	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1223	5000	100%	1%	2800
NAL13026-821MSD	316-154	ORG	135-98-8	sec-Butylbenzene	5200		ug/L	200	32.34	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1223	5000	104%	2%	0
NAL13026-821MSD	316-154	ORG	541-73-1	1,3-Dichlorobenzene	4900		ug/L	200	22.21	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1223	5000	98%	2%	0
NAL13026-821MSD	316-154	ORG	99-87-6	p-Isopropltoluene	15000		ug/L	200	25.48	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1223	5000	80%	0%	11000
NAL13026-821MSD	316-154	ORG	106-46-7	1,4-Dichlorobenzene	6800		ug/L	200	33.03	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1223	5000	92%	1%	2200
NAL13026-821MSD	316-154	ORG	95-50-1	1,2-Dichlorobenzene	5100		ug/L	200	26.38	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1223	5000	102%	0%	0
NAL13026-821MSD	316-154	ORG	104-51-8	n-Butylbenzene	5500		ug/L	500	27.81	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1223	5000	103%	2%	340
NAL13026-821MSD	316-154	ORG	96-12-8	1,2-Dibromo-3-chloropropane	8000		ug/L	500	159.11	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1223	5000	160%	10%	0
NAL13026-821MSD	316-154	ORG	87-68-3	Hexachlorobutadiene	5000		ug/L	500	65.42	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1223	5000	100%	0%	0
NAL13026-821MSD	316-154	ORG	120-82-1	1,2,4-Trichlorobenzene	5700		ug/L	500	27.63	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1223	5000	114%	2%	0
NAL13026-821MSD	316-154	ORG	91-20-3	Naphthalene	11000		ug/L	500	56.04	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1223	5000	156%	0%	3200
NAL13026-821MSD	316-154	ORG	87-61-6	1,2,3-Trichlorobenzene	5900		ug/L	500	23.28	12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1223	5000	118%	3%	0
NAL13026-821MSD	316-154	STD	1868-53-7	Dibromofluoromethane	48		ng			12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1223	50	96%	2%	0
NAL13026-821MSD	316-154	STD	17060-07-0	1,2-Dichloroethane d4	49		ng			12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1223	50	98%	2%	0
NAL13026-821MSD	316-154	STD	2037-26-5	Toluene d8	47		ng			12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1223	50	94%	0%	0
NAL13026-821MSD	316-154	STD	460-00-4	Bromofluorobenzene	49		ng			12/3/2013	12/3/2013	12/3/2013	WG	100	NA	5.0	NA	SW8260B	NALD1223	50	98%	6%	0

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-822	316-155	ORG	75-71-8	Dichlorodifluoromethane		UX-	ug/L	500	29.28	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1230				
NAL13026-822	316-155	ORG	74-87-3	Chloromethane		UX-	ug/L	500	43.07	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1230				
NAL13026-822	316-155	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1230				
NAL13026-822	316-155	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1230				
NAL13026-822	316-155	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1230				
NAL13026-822	316-155	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1230				
NAL13026-822	316-155	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1230				
NAL13026-822	316-155	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1230				
NAL13026-822	316-155	ORG	67-64-1	Acetone	480000	DX+	ug/L	10000	1556.07	12/4/2013	12/4/2013	12/4/2013	WG	1000	NA	5.0	NA	SW8260B	NALD1231				
NAL13026-822	316-155	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1230				
NAL13026-822	316-155	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1230				
NAL13026-822	316-155	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1230				
NAL13026-822	316-155	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1230				
NAL13026-822	316-155	ORG	74-97-5	Bromochloromethane		U	ug/L	200	41.37	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1230				
NAL13026-822	316-155	ORG	67-66-3	Chloroform		U	ug/L	100	15.73	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1230				
NAL13026-822	316-155	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	16.65	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1230				
NAL13026-822	316-155	ORG	78-93-3	2-Butanone	67000	D	ug/L	10000	811.80	12/4/2013	12/4/2013	12/4/2013	WG	1000	NA	5.0	NA	SW8260B	NALD1231				
NAL13026-822	316-155	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1230				
NAL13026-822	316-155	ORG	71-43-2	Benzene	81	J	ug/L	100	13.53	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1230				
NAL13026-822	316-155	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1230				
NAL13026-822	316-155	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1230				
NAL13026-822	316-155	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1230				
NAL13026-822	316-155	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1230				
NAL13026-822	316-155	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1230				
NAL13026-822	316-155	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1230				
NAL13026-822	316-155	ORG	108-88-3	Toluene	71	J	ug/L	100	20.96	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1230				
NAL13026-822	316-155	ORG	108-10-1	4-Methyl-2-pentanone	2100	X+	ug/L	500	74.00	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1230				
NAL13026-822	316-155	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1230				
NAL13026-822	316-155	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1230				
NAL13026-822	316-155	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1230				
NAL13026-822	316-155	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	29.90	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1230				
NAL13026-822	316-155	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	26.49	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1230				
NAL13026-822	316-155	ORG	591-78-6	2-Hexanone	6500	X+	ug/L	500	68.90	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1230				
NAL13026-822	316-155	ORG	100-41-4	Ethylbenzene	180		ug/L	100	25.38	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1230				
NAL13026-822	316-155	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1230				
NAL13026-822	316-155	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1230				
NAL13026-822	316-155	ORG	XYLMP	p&m-Xylene	540		ug/L	200	26.14	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1230				
NAL13026-822	316-155	ORG	95-47-6	o-Xylene	350		ug/L	100	12.90	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1230				
NAL13026-822	316-155	ORG	100-42-5	Styrene		U	ug/L	100	20.23	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1230				
NAL13026-822	316-155	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1230				
NAL13026-822	316-155	ORG	98-82-8	Isopropylbenzene	180	J	ug/L	200	20.48	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1230				
NAL13026-822	316-155	ORG	103-65-1	n-Propylbenzene	200	J	ug/L	200	27.00	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1230				
NAL13026-822	316-155	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1230				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-822	316-155	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1230				
NAL13026-822	316-155	ORG	108-67-8	1,3,5-Trimethylbenzene	450		ug/L	200	20.03	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1230				
NAL13026-822	316-155	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1230				
NAL13026-822	316-155	ORG	95-63-6	1,2,4-Trimethylbenzene	2200		ug/L	200	20.03	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1230				
NAL13026-822	316-155	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1230				
NAL13026-822	316-155	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1230				
NAL13026-822	316-155	ORG	99-87-6	p-Isopropltoluene	8900		ug/L	200	25.48	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1230				
NAL13026-822	316-155	ORG	106-46-7	1,4-Dichlorobenzene	1800		ug/L	200	33.03	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1230				
NAL13026-822	316-155	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1230				
NAL13026-822	316-155	ORG	104-51-8	n-Butylbenzene		U	ug/L	500	27.81	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1230				
NAL13026-822	316-155	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1230				
NAL13026-822	316-155	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1230				
NAL13026-822	316-155	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1230				
NAL13026-822	316-155	ORG	91-20-3	Naphthalene	3000		ug/L	500	56.04	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1230				
NAL13026-822	316-155	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1230				
NAL13026-822	316-155	STD	1868-53-7	Dibromofluoromethane	50		ng			12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1230	50	100%		
NAL13026-822	316-155	STD	17060-07-0	1,2-Dichloroethane d4	53		ng			12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1230	50	106%		
NAL13026-822	316-155	STD	2037-26-5	Toluene d8	50		ng			12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1230	50	100%		
NAL13026-822	316-155	STD	460-00-4	Bromofluorobenzene	48		ng			12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1230	50	96%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D120413CCVA	D120413CCVA	ORG	75-71-8	Dichlorodifluoromethane	21		ug/L	5	0.29	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1227	50	42%		
D120413CCVA	D120413CCVA	ORG	74-87-3	Chloromethane	38		ug/L	5	0.43	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1227	50	76%		
D120413CCVA	D120413CCVA	ORG	75-01-4	Vinyl chloride	42		ug/L	2	0.32	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1227	50	84%		
D120413CCVA	D120413CCVA	ORG	74-83-9	Bromomethane	45		ug/L	5	0.50	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1227	50	90%		
D120413CCVA	D120413CCVA	ORG	75-00-3	Chloroethane	52		ug/L	5	0.56	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1227	50	104%		
D120413CCVA	D120413CCVA	ORG	75-69-4	Trichlorofluoromethane	160		ug/L	5	0.20	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1227	50	320%		
D120413CCVA	D120413CCVA	ORG	75-35-4	1,1-Dichloroethene	53		ug/L	1	0.47	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1227	50	106%		
D120413CCVA	D120413CCVA	ORG	75-09-2	Methylene chloride	51		ug/L	5	0.26	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1227	50	102%		
D120413CCVA	D120413CCVA	ORG	67-64-1	Acetone	75		ug/L	10	1.56	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1227	50	150%		
D120413CCVA	D120413CCVA	ORG	156-60-5	trans-1,2-Dichloroethene	51		ug/L	1	0.56	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1227	50	102%		
D120413CCVA	D120413CCVA	ORG	1634-04-4	MTBE	55		ug/L	5	0.61	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1227	50	110%		
D120413CCVA	D120413CCVA	ORG	75-34-3	1,1-Dichloroethane	50		ug/L	1	0.53	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1227	50	100%		
D120413CCVA	D120413CCVA	ORG	156-59-2	cis-1,2-Dichloroethene	51		ug/L	1	0.32	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1227	50	102%		
D120413CCVA	D120413CCVA	ORG	74-97-5	Bromochloromethane	49		ug/L	10	0.41	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1227	50	98%		
D120413CCVA	D120413CCVA	ORG	67-66-3	Chloroform	49		ug/L	2	0.16	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1227	50	98%		
D120413CCVA	D120413CCVA	ORG	71-55-6	1,1,1-Trichloroethane	48		ug/L	1	0.17	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1227	50	96%		
D120413CCVA	D120413CCVA	ORG	78-93-3	2-Butanone	56		ug/L	1	0.81	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1227	50	112%		
D120413CCVA	D120413CCVA	ORG	56-23-5	Carbon tetrachloride	48		ug/L	1	0.28	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1227	50	96%		
D120413CCVA	D120413CCVA	ORG	71-43-2	Benzene	49		ug/L	1	0.14	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1227	50	98%		
D120413CCVA	D120413CCVA	ORG	107-06-2	1,2-Dichloroethane	48		ug/L	1	0.20	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1227	50	96%		
D120413CCVA	D120413CCVA	ORG	79-01-6	Trichloroethene	49		ug/L	1	0.36	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1227	50	98%		
D120413CCVA	D120413CCVA	ORG	74-95-3	Dibromomethane	48		ug/L	2	0.32	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1227	50	96%		
D120413CCVA	D120413CCVA	ORG	78-87-5	1,2-Dichloropropane	50		ug/L	1	0.18	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1227	50	100%		
D120413CCVA	D120413CCVA	ORG	75-27-4	Bromodichloromethane	49		ug/L	2	0.12	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1227	50	98%		
D120413CCVA	D120413CCVA	ORG	10061-01-5	cis-1,3-Dichloropropene	54		ug/L	1	0.25	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1227	50	108%		
D120413CCVA	D120413CCVA	ORG	108-88-3	Toluene	48		ug/L	1	0.21	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1227	50	96%		
D120413CCVA	D120413CCVA	ORG	108-10-1	4-Methyl-2-pentanone	63		ug/L	5	0.74	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1227	50	126%		
D120413CCVA	D120413CCVA	ORG	10061-02-6	trans-1,3-Dichloropropene	54		ug/L	1	0.31	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1227	50	108%		
D120413CCVA	D120413CCVA	ORG	127-18-4	Tetrachloroethene	48		ug/L	1	0.49	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1227	50	96%		
D120413CCVA	D120413CCVA	ORG	79-00-5	1,1,2-Trichloroethane	53		ug/L	1	0.34	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1227	50	106%		
D120413CCVA	D120413CCVA	ORG	124-48-1	Dibromochloromethane	51		ug/L	5	0.30	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1227	50	102%		
D120413CCVA	D120413CCVA	ORG	106-93-4	1,2-Dibromoethane	52		ug/L	2	0.26	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1227	50	104%		
D120413CCVA	D120413CCVA	ORG	591-78-6	2-Hexanone	64		ug/L	2	0.69	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1227	50	128%		
D120413CCVA	D120413CCVA	ORG	100-41-4	Ethylbenzene	51		ug/L	1	0.25	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1227	50	102%		
D120413CCVA	D120413CCVA	ORG	108-90-7	Chlorobenzene	49		ug/L	1	0.28	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1227	50	98%		
D120413CCVA	D120413CCVA	ORG	630-20-6	1,1,1,2-Tetrachloroethane	49		ug/L	2	0.19	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1227	50	98%		
D120413CCVA	D120413CCVA	ORG	XYLMP	p&m-Xylene	105		ug/L	2	0.26	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1227	100	105%		
D120413CCVA	D120413CCVA	ORG	95-47-6	o-Xylene	53		ug/L	1	0.13	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1227	50	106%		
D120413CCVA	D120413CCVA	ORG	100-42-5	Styrene	55		ug/L	1	0.20	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1227	50	110%		
D120413CCVA	D120413CCVA	ORG	75-25-2	Bromoform	55		ug/L	2	0.47	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1227	50	110%		
D120413CCVA	D120413CCVA	ORG	98-82-8	Isopropylbenzene	56		ug/L	2	0.20	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1227	50	112%		
D120413CCVA	D120413CCVA	ORG	103-65-1	n-Propylbenzene	53		ug/L	2	0.27	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1227	50	106%		
D120413CCVA	D120413CCVA	ORG	79-34-5	1,1,2,2-Tetrachloroethane	50		ug/L	2	0.29	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1227	50	100%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D120413CCVA	D120413CCVA	ORG	96-18-4	1,2,3-Trichloropropane	46		ug/L	2	0.29	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1227	50	92%		
D120413CCVA	D120413CCVA	ORG	108-67-8	1,3,5-Trimethylbenzene	54		ug/L	2	0.20	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1227	50	108%		
D120413CCVA	D120413CCVA	ORG	98-06-6	tert-Butylbenzene	57		ug/L	2	0.33	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1227	50	114%		
D120413CCVA	D120413CCVA	ORG	95-63-6	1,2,4-Trimethylbenzene	54		ug/L	2	0.20	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1227	50	108%		
D120413CCVA	D120413CCVA	ORG	135-98-8	sec-Butylbenzene	54		ug/L	2	0.32	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1227	50	108%		
D120413CCVA	D120413CCVA	ORG	541-73-1	1,3-Dichlorobenzene	50		ug/L	2	0.22	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1227	50	100%		
D120413CCVA	D120413CCVA	ORG	99-87-6	p-Isopropltoluene	57		ug/L	2	0.25	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1227	50	114%		
D120413CCVA	D120413CCVA	ORG	106-46-7	1,4-Dichlorobenzene	49		ug/L	2	0.33	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1227	50	98%		
D120413CCVA	D120413CCVA	ORG	95-50-1	1,2-Dichlorobenzene	50		ug/L	2	0.26	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1227	50	100%		
D120413CCVA	D120413CCVA	ORG	104-51-8	n-Butylbenzene	55		ug/L	5	0.28	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1227	50	110%		
D120413CCVA	D120413CCVA	ORG	96-12-8	1,2-Dibromo-3-chloropropane	55		ug/L	5	1.59	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1227	50	110%		
D120413CCVA	D120413CCVA	ORG	87-68-3	Hexachlorobutadiene	58		ug/L	5	0.65	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1227	50	116%		
D120413CCVA	D120413CCVA	ORG	120-82-1	1,2,4-Trichlorobenzene	57		ug/L	5	0.28	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1227	50	114%		
D120413CCVA	D120413CCVA	ORG	91-20-3	Naphthalene	53		ug/L	5	0.56	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1227	50	106%		
D120413CCVA	D120413CCVA	ORG	87-61-6	1,2,3-Trichlorobenzene	55		ug/L	5	0.23	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1227	50	110%		
D120413CCVA	D120413CCVA	STD	1868-53-7	Dibromofluoromethane	50		ng			NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1227	50	100%		
D120413CCVA	D120413CCVA	STD	17060-07-0	1,2-Dichloroethane d4	50		ng			NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1227	50	100%		
D120413CCVA	D120413CCVA	STD	2037-26-5	Toluene d8	50		ng			NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1227	50	100%		
D120413CCVA	D120413CCVA	STD	460-00-4	Bromofluorobenzene	51		ng			NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1227	50	102%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D120413MBKA	D120413MBKA	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	5	0.29	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1229				
D120413MBKA	D120413MBKA	ORG	74-87-3	Chloromethane		U	ug/L	5	0.43	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1229				
D120413MBKA	D120413MBKA	ORG	75-01-4	Vinyl chloride		U	ug/L	2	0.32	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1229				
D120413MBKA	D120413MBKA	ORG	74-83-9	Bromomethane		U	ug/L	5	0.50	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1229				
D120413MBKA	D120413MBKA	ORG	75-00-3	Chloroethane		U	ug/L	5	0.56	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1229				
D120413MBKA	D120413MBKA	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	5	0.20	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1229				
D120413MBKA	D120413MBKA	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	1	0.47	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1229				
D120413MBKA	D120413MBKA	ORG	75-09-2	Methylene chloride		U	ug/L	5	0.26	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1229				
D120413MBKA	D120413MBKA	ORG	67-64-1	Acetone		U	ug/L	10	1.56	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1229				
D120413MBKA	D120413MBKA	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	1	0.56	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1229				
D120413MBKA	D120413MBKA	ORG	1634-04-4	MTBE		U	ug/L	5	0.61	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1229				
D120413MBKA	D120413MBKA	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	1	0.53	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1229				
D120413MBKA	D120413MBKA	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	1	0.32	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1229				
D120413MBKA	D120413MBKA	ORG	74-97-5	Bromochloromethane		U	ug/L	10	0.41	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1229				
D120413MBKA	D120413MBKA	ORG	67-66-3	Chloroform		U	ug/L	2	0.16	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1229				
D120413MBKA	D120413MBKA	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	1	0.17	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1229				
D120413MBKA	D120413MBKA	ORG	78-93-3	2-Butanone		U	ug/L	1	0.81	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1229				
D120413MBKA	D120413MBKA	ORG	56-23-5	Carbon tetrachloride		U	ug/L	1	0.28	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1229				
D120413MBKA	D120413MBKA	ORG	71-43-2	Benzene		U	ug/L	1	0.14	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1229				
D120413MBKA	D120413MBKA	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	1	0.20	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1229				
D120413MBKA	D120413MBKA	ORG	79-01-6	Trichloroethene		U	ug/L	1	0.36	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1229				
D120413MBKA	D120413MBKA	ORG	74-95-3	Dibromomethane		U	ug/L	2	0.32	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1229				
D120413MBKA	D120413MBKA	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	1	0.18	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1229				
D120413MBKA	D120413MBKA	ORG	75-27-4	Bromodichloromethane		U	ug/L	2	0.12	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1229				
D120413MBKA	D120413MBKA	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	1	0.25	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1229				
D120413MBKA	D120413MBKA	ORG	108-88-3	Toluene		U	ug/L	1	0.21	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1229				
D120413MBKA	D120413MBKA	ORG	108-10-1	4-Methyl-2-pentanone		U	ug/L	5	0.74	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1229				
D120413MBKA	D120413MBKA	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	1	0.31	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1229				
D120413MBKA	D120413MBKA	ORG	127-18-4	Tetrachloroethene		U	ug/L	1	0.49	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1229				
D120413MBKA	D120413MBKA	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	1	0.34	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1229				
D120413MBKA	D120413MBKA	ORG	124-48-1	Dibromochloromethane		U	ug/L	5	0.30	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1229				
D120413MBKA	D120413MBKA	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	2	0.26	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1229				
D120413MBKA	D120413MBKA	ORG	591-78-6	2-Hexanone		U	ug/L	2	0.69	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1229				
D120413MBKA	D120413MBKA	ORG	100-41-4	Ethylbenzene		U	ug/L	1	0.25	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1229				
D120413MBKA	D120413MBKA	ORG	108-90-7	Chlorobenzene		U	ug/L	1	0.28	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1229				
D120413MBKA	D120413MBKA	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	2	0.19	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1229				
D120413MBKA	D120413MBKA	ORG	XYLMP	p&m-Xylene		U	ug/L	2	0.26	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1229				
D120413MBKA	D120413MBKA	ORG	95-47-6	o-Xylene		U	ug/L	1	0.13	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1229				
D120413MBKA	D120413MBKA	ORG	100-42-5	Styrene		U	ug/L	1	0.20	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1229				
D120413MBKA	D120413MBKA	ORG	75-25-2	Bromoform		U	ug/L	2	0.47	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1229				
D120413MBKA	D120413MBKA	ORG	98-82-8	Isopropylbenzene		U	ug/L	2	0.20	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1229				
D120413MBKA	D120413MBKA	ORG	103-65-1	n-Propylbenzene		U	ug/L	2	0.27	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1229				
D120413MBKA	D120413MBKA	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	2	0.29	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1229				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D120413MBKA	D120413MBKA	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	2	0.29	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1229				
D120413MBKA	D120413MBKA	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	2	0.20	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1229				
D120413MBKA	D120413MBKA	ORG	98-06-6	tert-Butylbenzene		U	ug/L	2	0.33	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1229				
D120413MBKA	D120413MBKA	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	2	0.20	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1229				
D120413MBKA	D120413MBKA	ORG	135-98-8	sec-Butylbenzene		U	ug/L	2	0.32	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1229				
D120413MBKA	D120413MBKA	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	2	0.22	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1229				
D120413MBKA	D120413MBKA	ORG	99-87-6	p-Isopropltoluene		U	ug/L	2	0.25	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1229				
D120413MBKA	D120413MBKA	ORG	106-46-7	1,4-Dichlorobenzene		U	ug/L	2	0.33	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1229				
D120413MBKA	D120413MBKA	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	2	0.26	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1229				
D120413MBKA	D120413MBKA	ORG	104-51-8	n-Butylbenzene		U	ug/L	5	0.28	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1229				
D120413MBKA	D120413MBKA	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	5	1.59	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1229				
D120413MBKA	D120413MBKA	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	5	0.65	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1229				
D120413MBKA	D120413MBKA	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	5	0.28	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1229				
D120413MBKA	D120413MBKA	ORG	91-20-3	Naphthalene		U	ug/L	5	0.56	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1229				
D120413MBKA	D120413MBKA	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	5	0.23	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1229				
D120413MBKA	D120413MBKA	STD	1868-53-7	Dibromofluoromethane	50		ng			NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1229	50	100%		
D120413MBKA	D120413MBKA	STD	17060-07-0	1,2-Dichloroethane d4	54		ng			NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1229	50	108%		
D120413MBKA	D120413MBKA	STD	2037-26-5	Toluene d8	52		ng			NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1229	50	104%		
D120413MBKA	D120413MBKA	STD	460-00-4	Bromofluorobenzene	48		ng			NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1229	50	96%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D120413ALCS	D120413ALCS	ORG	75-71-8	Dichlorodifluoromethane	17		ug/L	5	0.29	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1228	50	34%		
D120413ALCS	D120413ALCS	ORG	74-87-3	Chloromethane	34		ug/L	5	0.43	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1228	50	68%		
D120413ALCS	D120413ALCS	ORG	75-01-4	Vinyl chloride	37		ug/L	2	0.32	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1228	50	74%		
D120413ALCS	D120413ALCS	ORG	74-83-9	Bromomethane	40		ug/L	5	0.50	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1228	50	80%		
D120413ALCS	D120413ALCS	ORG	75-00-3	Chloroethane	50		ug/L	5	0.56	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1228	50	100%		
D120413ALCS	D120413ALCS	ORG	75-69-4	Trichlorofluoromethane	74		ug/L	5	0.20	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1228	50	148%		
D120413ALCS	D120413ALCS	ORG	75-35-4	1,1-Dichloroethene	48		ug/L	1	0.47	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1228	50	96%		
D120413ALCS	D120413ALCS	ORG	75-09-2	Methylene chloride	46		ug/L	5	0.26	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1228	50	92%		
D120413ALCS	D120413ALCS	ORG	67-64-1	Acetone	81		ug/L	10	1.56	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1228	50	162%		
D120413ALCS	D120413ALCS	ORG	156-60-5	trans-1,2-Dichloroethene	47		ug/L	1	0.56	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1228	50	94%		
D120413ALCS	D120413ALCS	ORG	1634-04-4	MTBE	54		ug/L	5	0.61	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1228	50	108%		
D120413ALCS	D120413ALCS	ORG	75-34-3	1,1-Dichloroethane	48		ug/L	1	0.53	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1228	50	96%		
D120413ALCS	D120413ALCS	ORG	156-59-2	cis-1,2-Dichloroethene	49		ug/L	1	0.32	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1228	50	98%		
D120413ALCS	D120413ALCS	ORG	74-97-5	Bromochloromethane	50		ug/L	10	0.41	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1228	50	100%		
D120413ALCS	D120413ALCS	ORG	67-66-3	Chloroform	47		ug/L	2	0.16	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1228	50	94%		
D120413ALCS	D120413ALCS	ORG	71-55-6	1,1,1-Trichloroethane	47		ug/L	1	0.17	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1228	50	94%		
D120413ALCS	D120413ALCS	ORG	78-93-3	2-Butanone	55		ug/L	1	0.81	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1228	50	110%		
D120413ALCS	D120413ALCS	ORG	56-23-5	Carbon tetrachloride	47		ug/L	1	0.28	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1228	50	94%		
D120413ALCS	D120413ALCS	ORG	71-43-2	Benzene	48		ug/L	1	0.14	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1228	50	96%		
D120413ALCS	D120413ALCS	ORG	107-06-2	1,2-Dichloroethane	48		ug/L	1	0.20	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1228	50	96%		
D120413ALCS	D120413ALCS	ORG	79-01-6	Trichloroethene	49		ug/L	1	0.36	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1228	50	98%		
D120413ALCS	D120413ALCS	ORG	74-95-3	Dibromomethane	50		ug/L	2	0.32	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1228	50	100%		
D120413ALCS	D120413ALCS	ORG	78-87-5	1,2-Dichloropropane	49		ug/L	1	0.18	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1228	50	98%		
D120413ALCS	D120413ALCS	ORG	75-27-4	Bromodichloromethane	48		ug/L	2	0.12	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1228	50	96%		
D120413ALCS	D120413ALCS	ORG	10061-01-5	cis-1,3-Dichloropropene	53		ug/L	1	0.25	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1228	50	106%		
D120413ALCS	D120413ALCS	ORG	108-88-3	Toluene	47		ug/L	1	0.21	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1228	50	94%		
D120413ALCS	D120413ALCS	ORG	108-10-1	4-Methyl-2-pentanone	67		ug/L	5	0.74	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1228	50	134%		
D120413ALCS	D120413ALCS	ORG	10061-02-6	trans-1,3-Dichloropropene	54		ug/L	1	0.31	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1228	50	108%		
D120413ALCS	D120413ALCS	ORG	127-18-4	Tetrachloroethene	47		ug/L	1	0.49	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1228	50	94%		
D120413ALCS	D120413ALCS	ORG	79-00-5	1,1,2-Trichloroethane	54		ug/L	1	0.34	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1228	50	108%		
D120413ALCS	D120413ALCS	ORG	124-48-1	Dibromochloromethane	53		ug/L	5	0.30	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1228	50	106%		
D120413ALCS	D120413ALCS	ORG	106-93-4	1,2-Dibromoethane	52		ug/L	2	0.26	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1228	50	104%		
D120413ALCS	D120413ALCS	ORG	591-78-6	2-Hexanone	68		ug/L	2	0.69	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1228	50	136%		
D120413ALCS	D120413ALCS	ORG	100-41-4	Ethylbenzene	49		ug/L	1	0.25	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1228	50	98%		
D120413ALCS	D120413ALCS	ORG	108-90-7	Chlorobenzene	47		ug/L	1	0.28	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1228	50	94%		
D120413ALCS	D120413ALCS	ORG	630-20-6	1,1,1,2-Tetrachloroethane	49		ug/L	2	0.19	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1228	50	98%		
D120413ALCS	D120413ALCS	ORG	XYLMP	p&m-Xylene	101		ug/L	2	0.26	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1228	100	101%		
D120413ALCS	D120413ALCS	ORG	95-47-6	o-Xylene	51		ug/L	1	0.13	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1228	50	102%		
D120413ALCS	D120413ALCS	ORG	100-42-5	Styrene	52		ug/L	1	0.20	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1228	50	104%		
D120413ALCS	D120413ALCS	ORG	75-25-2	Bromoform	55		ug/L	2	0.47	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1228	50	110%		
D120413ALCS	D120413ALCS	ORG	98-82-8	Isopropylbenzene	54		ug/L	2	0.20	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1228	50	108%		
D120413ALCS	D120413ALCS	ORG	103-65-1	n-Propylbenzene	51		ug/L	2	0.27	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1228	50	102%		
D120413ALCS	D120413ALCS	ORG	79-34-5	1,1,2,2-Tetrachloroethane	52		ug/L	2	0.29	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1228	50	104%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D120413ALCS	D120413ALCS	ORG	96-18-4	1,2,3-Trichloropropane	48		ug/L	2	0.29	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1228	50	96%		
D120413ALCS	D120413ALCS	ORG	108-67-8	1,3,5-Trimethylbenzene	52		ug/L	2	0.20	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1228	50	104%		
D120413ALCS	D120413ALCS	ORG	98-06-6	tert-Butylbenzene	54		ug/L	2	0.33	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1228	50	108%		
D120413ALCS	D120413ALCS	ORG	95-63-6	1,2,4-Trimethylbenzene	52		ug/L	2	0.20	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1228	50	104%		
D120413ALCS	D120413ALCS	ORG	135-98-8	sec-Butylbenzene	52		ug/L	2	0.32	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1228	50	104%		
D120413ALCS	D120413ALCS	ORG	541-73-1	1,3-Dichlorobenzene	49		ug/L	2	0.22	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1228	50	98%		
D120413ALCS	D120413ALCS	ORG	99-87-6	p-Isopropltoluene	54		ug/L	2	0.25	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1228	50	108%		
D120413ALCS	D120413ALCS	ORG	106-46-7	1,4-Dichlorobenzene	47		ug/L	2	0.33	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1228	50	94%		
D120413ALCS	D120413ALCS	ORG	95-50-1	1,2-Dichlorobenzene	50		ug/L	2	0.26	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1228	50	100%		
D120413ALCS	D120413ALCS	ORG	104-51-8	n-Butylbenzene	53		ug/L	5	0.28	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1228	50	106%		
D120413ALCS	D120413ALCS	ORG	96-12-8	1,2-Dibromo-3-chloropropane	59		ug/L	5	1.59	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1228	50	118%		
D120413ALCS	D120413ALCS	ORG	87-68-3	Hexachlorobutadiene	56		ug/L	5	0.65	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1228	50	112%		
D120413ALCS	D120413ALCS	ORG	120-82-1	1,2,4-Trichlorobenzene	56		ug/L	5	0.28	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1228	50	112%		
D120413ALCS	D120413ALCS	ORG	91-20-3	Naphthalene	56		ug/L	5	0.56	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1228	50	112%		
D120413ALCS	D120413ALCS	ORG	87-61-6	1,2,3-Trichlorobenzene	55		ug/L	5	0.23	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1228	50	110%		
D120413ALCS	D120413ALCS	STD	1868-53-7	Dibromofluoromethane	49		ng			NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1228	50	98%		
D120413ALCS	D120413ALCS	STD	17060-07-0	1,2-Dichloroethane d4	51		ng			NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1228	50	102%		
D120413ALCS	D120413ALCS	STD	2037-26-5	Toluene d8	49		ng			NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1228	50	98%		
D120413ALCS	D120413ALCS	STD	460-00-4	Bromofluorobenzene	50		ng			NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1228	50	100%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D120413ALCD	D120413ALCD	ORG	75-71-8	Dichlorodifluoromethane	61		ug/L	5	0.29	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1232	50	122%	113%	
D120413ALCD	D120413ALCD	ORG	74-87-3	Chloromethane	56		ug/L	5	0.43	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1232	50	112%	49%	
D120413ALCD	D120413ALCD	ORG	75-01-4	Vinyl chloride	60		ug/L	2	0.32	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1232	50	120%	47%	
D120413ALCD	D120413ALCD	ORG	74-83-9	Bromomethane	53		ug/L	5	0.50	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1232	50	106%	28%	
D120413ALCD	D120413ALCD	ORG	75-00-3	Chloroethane	48		ug/L	5	0.56	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1232	50	96%	4%	
D120413ALCD	D120413ALCD	ORG	75-69-4	Trichlorofluoromethane	48		ug/L	5	0.20	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1232	50	96%	43%	
D120413ALCD	D120413ALCD	ORG	75-35-4	1,1-Dichloroethene	30		ug/L	1	0.47	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1232	50	60%	46%	
D120413ALCD	D120413ALCD	ORG	75-09-2	Methylene chloride	34		ug/L	5	0.26	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1232	50	68%	30%	
D120413ALCD	D120413ALCD	ORG	67-64-1	Acetone	59		ug/L	10	1.56	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1232	50	118%	31%	
D120413ALCD	D120413ALCD	ORG	156-60-5	trans-1,2-Dichloroethene	37		ug/L	1	0.56	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1232	50	74%	24%	
D120413ALCD	D120413ALCD	ORG	1634-04-4	MTBE	63		ug/L	5	0.61	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1232	50	126%	15%	
D120413ALCD	D120413ALCD	ORG	75-34-3	1,1-Dichloroethane	47		ug/L	1	0.53	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1232	50	94%	2%	
D120413ALCD	D120413ALCD	ORG	156-59-2	cis-1,2-Dichloroethene	48		ug/L	1	0.32	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1232	50	96%	2%	
D120413ALCD	D120413ALCD	ORG	74-97-5	Bromochloromethane	49		ug/L	10	0.41	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1232	50	98%	2%	
D120413ALCD	D120413ALCD	ORG	67-66-3	Chloroform	46		ug/L	2	0.16	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1232	50	92%	2%	
D120413ALCD	D120413ALCD	ORG	71-55-6	1,1,1-Trichloroethane	46		ug/L	1	0.17	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1232	50	92%	2%	
D120413ALCD	D120413ALCD	ORG	78-93-3	2-Butanone	81		ug/L	1	0.81	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1232	50	162%	38%	
D120413ALCD	D120413ALCD	ORG	56-23-5	Carbon tetrachloride	46		ug/L	1	0.28	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1232	50	92%	2%	
D120413ALCD	D120413ALCD	ORG	71-43-2	Benzene	47		ug/L	1	0.14	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1232	50	94%	2%	
D120413ALCD	D120413ALCD	ORG	107-06-2	1,2-Dichloroethane	48		ug/L	1	0.20	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1232	50	96%	0%	
D120413ALCD	D120413ALCD	ORG	79-01-6	Trichloroethene	46		ug/L	1	0.36	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1232	50	92%	6%	
D120413ALCD	D120413ALCD	ORG	74-95-3	Dibromomethane	52		ug/L	2	0.32	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1232	50	104%	4%	
D120413ALCD	D120413ALCD	ORG	78-87-5	1,2-Dichloropropane	47		ug/L	1	0.18	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1232	50	94%	4%	
D120413ALCD	D120413ALCD	ORG	75-27-4	Bromodichloromethane	44		ug/L	2	0.12	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1232	50	88%	9%	
D120413ALCD	D120413ALCD	ORG	10061-01-5	cis-1,3-Dichloropropene	50		ug/L	1	0.25	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1232	50	100%	6%	
D120413ALCD	D120413ALCD	ORG	108-88-3	Toluene	46		ug/L	1	0.21	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1232	50	92%	2%	
D120413ALCD	D120413ALCD	ORG	108-10-1	4-Methyl-2-pentanone	97		ug/L	5	0.74	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1232	50	194%	37%	
D120413ALCD	D120413ALCD	ORG	10061-02-6	trans-1,3-Dichloropropene	55		ug/L	1	0.31	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1232	50	110%	2%	
D120413ALCD	D120413ALCD	ORG	127-18-4	Tetrachloroethene	46		ug/L	1	0.49	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1232	50	92%	2%	
D120413ALCD	D120413ALCD	ORG	79-00-5	1,1,2-Trichloroethane	59		ug/L	1	0.34	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1232	50	118%	9%	
D120413ALCD	D120413ALCD	ORG	124-48-1	Dibromochloromethane	56		ug/L	5	0.30	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1232	50	112%	6%	
D120413ALCD	D120413ALCD	ORG	106-93-4	1,2-Dibromoethane	57		ug/L	2	0.26	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1232	50	114%	9%	
D120413ALCD	D120413ALCD	ORG	591-78-6	2-Hexanone	95		ug/L	2	0.69	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1232	50	190%	33%	
D120413ALCD	D120413ALCD	ORG	100-41-4	Ethylbenzene	47		ug/L	1	0.25	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1232	50	94%	4%	
D120413ALCD	D120413ALCD	ORG	108-90-7	Chlorobenzene	47		ug/L	1	0.28	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1232	50	94%	0%	
D120413ALCD	D120413ALCD	ORG	630-20-6	1,1,1,2-Tetrachloroethane	50		ug/L	2	0.19	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1232	50	100%	2%	
D120413ALCD	D120413ALCD	ORG	XYLMP	p&m-Xylene	99		ug/L	2	0.26	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1232	100	99%	2%	
D120413ALCD	D120413ALCD	ORG	95-47-6	o-Xylene	50		ug/L	1	0.13	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1232	50	100%	2%	
D120413ALCD	D120413ALCD	ORG	100-42-5	Styrene	53		ug/L	1	0.20	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1232	50	106%	2%	
D120413ALCD	D120413ALCD	ORG	75-25-2	Bromoform	62		ug/L	2	0.47	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1232	50	124%	12%	
D120413ALCD	D120413ALCD	ORG	98-82-8	Isopropylbenzene	53		ug/L	2	0.20	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1232	50	106%	2%	
D120413ALCD	D120413ALCD	ORG	103-65-1	n-Propylbenzene	51		ug/L	2	0.27	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1232	50	102%	0%	
D120413ALCD	D120413ALCD	ORG	79-34-5	1,1,2,2-Tetrachloroethane	61		ug/L	2	0.29	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1232	50	122%	16%	

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D120413ALCD	D120413ALCD	ORG	96-18-4	1,2,3-Trichloropropane	57		ug/L	2	0.29	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1232	50	114%	17%	
D120413ALCD	D120413ALCD	ORG	108-67-8	1,3,5-Trimethylbenzene	52		ug/L	2	0.20	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1232	50	104%	0%	
D120413ALCD	D120413ALCD	ORG	98-06-6	tert-Butylbenzene	55		ug/L	2	0.33	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1232	50	110%	2%	
D120413ALCD	D120413ALCD	ORG	95-63-6	1,2,4-Trimethylbenzene	52		ug/L	2	0.20	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1232	50	104%	0%	
D120413ALCD	D120413ALCD	ORG	135-98-8	sec-Butylbenzene	52		ug/L	2	0.32	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1232	50	104%	0%	
D120413ALCD	D120413ALCD	ORG	541-73-1	1,3-Dichlorobenzene	49		ug/L	2	0.22	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1232	50	98%	0%	
D120413ALCD	D120413ALCD	ORG	99-87-6	p-Isopropltoluene	54		ug/L	2	0.25	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1232	50	108%	0%	
D120413ALCD	D120413ALCD	ORG	106-46-7	1,4-Dichlorobenzene	47		ug/L	2	0.33	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1232	50	94%	0%	
D120413ALCD	D120413ALCD	ORG	95-50-1	1,2-Dichlorobenzene	49		ug/L	2	0.26	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1232	50	98%	2%	
D120413ALCD	D120413ALCD	ORG	104-51-8	n-Butylbenzene	53		ug/L	5	0.28	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1232	50	106%	0%	
D120413ALCD	D120413ALCD	ORG	96-12-8	1,2-Dibromo-3-chloropropane	70		ug/L	5	1.59	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1232	50	140%	17%	
D120413ALCD	D120413ALCD	ORG	87-68-3	Hexachlorobutadiene	53		ug/L	5	0.65	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1232	50	106%	6%	
D120413ALCD	D120413ALCD	ORG	120-82-1	1,2,4-Trichlorobenzene	57		ug/L	5	0.28	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1232	50	114%	2%	
D120413ALCD	D120413ALCD	ORG	91-20-3	Naphthalene	65		ug/L	5	0.56	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1232	50	130%	15%	
D120413ALCD	D120413ALCD	ORG	87-61-6	1,2,3-Trichlorobenzene	58		ug/L	5	0.23	NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1232	50	116%	5%	
D120413ALCD	D120413ALCD	STD	1868-53-7	Dibromofluoromethane	49		ng			NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1232	50	98%	0%	
D120413ALCD	D120413ALCD	STD	17060-07-0	1,2-Dichloroethane d4	50		ng			NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1232	50	100%	2%	
D120413ALCD	D120413ALCD	STD	2037-26-5	Toluene d8	48		ng			NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1232	50	96%	2%	
D120413ALCD	D120413ALCD	STD	460-00-4	Bromofluorobenzene	49		ng			NA	12/4/2013	12/4/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1232	50	98%	2%	

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-822MS	316-155	ORG	75-71-8	Dichlorodifluoromethane	5900		ug/L	500	29.28	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1233	5000	118%		
NAL13026-822MS	316-155	ORG	74-87-3	Chloromethane	5600		ug/L	500	43.07	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1233	5000	112%		
NAL13026-822MS	316-155	ORG	75-01-4	Vinyl chloride	5500		ug/L	200	31.86	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1233	5000	110%		
NAL13026-822MS	316-155	ORG	74-83-9	Bromomethane	4700		ug/L	500	50.04	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1233	5000	94%		
NAL13026-822MS	316-155	ORG	75-00-3	Chloroethane	5200		ug/L	500	55.61	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1233	5000	104%		
NAL13026-822MS	316-155	ORG	75-69-4	Trichlorofluoromethane	4800		ug/L	500	19.65	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1233	5000	96%		
NAL13026-822MS	316-155	ORG	75-35-4	1,1-Dichloroethene	3800		ug/L	100	47.11	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1233	5000	76%		
NAL13026-822MS	316-155	ORG	75-09-2	Methylene chloride	3800		ug/L	500	26.46	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1233	5000	76%		
NAL13026-822MS	316-155	ORG	67-64-1	Acetone	230000		ug/L	1000	155.61	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1233	5000	-5000%		480000
NAL13026-822MS	316-155	ORG	156-60-5	trans-1,2-Dichloroethene	4200		ug/L	100	55.61	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1233	5000	84%		
NAL13026-822MS	316-155	ORG	1634-04-4	MTBE	5600		ug/L	500	61.18	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1233	5000	112%		
NAL13026-822MS	316-155	ORG	75-34-3	1,1-Dichloroethane	4500		ug/L	100	52.66	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1233	5000	90%		
NAL13026-822MS	316-155	ORG	156-59-2	cis-1,2-Dichloroethene	4700		ug/L	100	32.11	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1233	5000	94%		
NAL13026-822MS	316-155	ORG	74-97-5	Bromochloromethane	4800		ug/L	1000	41.37	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1233	5000	96%		
NAL13026-822MS	316-155	ORG	67-66-3	Chloroform	4500		ug/L	200	15.73	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1233	5000	90%		
NAL13026-822MS	316-155	ORG	71-55-6	1,1,1-Trichloroethane	4400		ug/L	100	16.65	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1233	5000	88%		
NAL13026-822MS	316-155	ORG	78-93-3	2-Butanone	68000		ug/L	100	81.18	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1233	5000	20%		67000
NAL13026-822MS	316-155	ORG	56-23-5	Carbon tetrachloride	4500		ug/L	100	27.64	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1233	5000	90%		
NAL13026-822MS	316-155	ORG	71-43-2	Benzene	4500		ug/L	100	13.53	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1233	5000	88%		81
NAL13026-822MS	316-155	ORG	107-06-2	1,2-Dichloroethane	4600		ug/L	100	20.01	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1233	5000	92%		
NAL13026-822MS	316-155	ORG	79-01-6	Trichloroethene	4600		ug/L	100	36.33	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1233	5000	92%		
NAL13026-822MS	316-155	ORG	74-95-3	Dibromomethane	5000		ug/L	200	32.20	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1233	5000	100%		
NAL13026-822MS	316-155	ORG	78-87-5	1,2-Dichloropropane	4500		ug/L	100	18.17	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1233	5000	90%		
NAL13026-822MS	316-155	ORG	75-27-4	Bromodichloromethane	4500		ug/L	200	11.58	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1233	5000	90%		
NAL13026-822MS	316-155	ORG	10061-01-5	cis-1,3-Dichloropropene	4800		ug/L	100	25.01	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1233	5000	96%		
NAL13026-822MS	316-155	ORG	108-88-3	Toluene	4400		ug/L	100	20.96	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1233	5000	87%		71
NAL13026-822MS	316-155	ORG	108-10-1	4-Methyl-2-pentanone	11000		ug/L	500	74.00	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1233	5000	178%		2100
NAL13026-822MS	316-155	ORG	10061-02-6	trans-1,3-Dichloropropene	5200		ug/L	100	31.15	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1233	5000	104%		
NAL13026-822MS	316-155	ORG	127-18-4	Tetrachloroethene	4600		ug/L	100	48.56	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1233	5000	92%		
NAL13026-822MS	316-155	ORG	79-00-5	1,1,2-Trichloroethane	5700		ug/L	100	34.28	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1233	5000	114%		
NAL13026-822MS	316-155	ORG	124-48-1	Dibromochloromethane	5300		ug/L	500	29.90	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1233	5000	106%		
NAL13026-822MS	316-155	ORG	106-93-4	1,2-Dibromoethane	5500		ug/L	200	26.49	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1233	5000	110%		
NAL13026-822MS	316-155	ORG	591-78-6	2-Hexanone	14000		ug/L	200	68.90	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1233	5000	150%		6500
NAL13026-822MS	316-155	ORG	100-41-4	Ethylbenzene	4800		ug/L	100	25.38	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1233	5000	92%		180
NAL13026-822MS	316-155	ORG	108-90-7	Chlorobenzene	4600		ug/L	100	27.52	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1233	5000	92%		
NAL13026-822MS	316-155	ORG	630-20-6	1,1,1,2-Tetrachloroethane	4700		ug/L	200	19.28	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1233	5000	94%		
NAL13026-822MS	316-155	ORG	XYLMP	p&m-Xylene	10000		ug/L	200	26.14	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1233	10000	95%		540
NAL13026-822MS	316-155	ORG	95-47-6	o-Xylene	5400		ug/L	100	12.90	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1233	5000	101%		350
NAL13026-822MS	316-155	ORG	100-42-5	Styrene	5300		ug/L	100	20.23	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1233	5000	106%		
NAL13026-822MS	316-155	ORG	75-25-2	Bromoform	5900		ug/L	200	46.83	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1233	5000	118%		
NAL13026-822MS	316-155	ORG	98-82-8	Isopropylbenzene	5400		ug/L	200	20.48	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1233	5000	104%		180
NAL13026-822MS	316-155	ORG	103-65-1	n-Propylbenzene	5000		ug/L	200	27.00	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1233	5000	96%		200
NAL13026-822MS	316-155	ORG	79-34-5	1,1,2,2-Tetrachloroethane	6300		ug/L	200	29.16	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1233	5000	126%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-822MS	316-155	ORG	96-18-4	1,2,3-Trichloropropane	5400		ug/L	200	29.47	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1233	5000	108%		
NAL13026-822MS	316-155	ORG	108-67-8	1,3,5-Trimethylbenzene	5500		ug/L	200	20.03	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1233	5000	101%		450
NAL13026-822MS	316-155	ORG	98-06-6	tert-Butylbenzene	5300		ug/L	200	32.61	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1233	5000	106%		
NAL13026-822MS	316-155	ORG	95-63-6	1,2,4-Trimethylbenzene	6800		ug/L	200	20.03	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1233	5000	92%		2200
NAL13026-822MS	316-155	ORG	135-98-8	sec-Butylbenzene	5000		ug/L	200	32.34	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1233	5000	100%		
NAL13026-822MS	316-155	ORG	541-73-1	1,3-Dichlorobenzene	4600		ug/L	200	22.21	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1233	5000	92%		
NAL13026-822MS	316-155	ORG	99-87-6	p-Isopropltoluene	12000		ug/L	200	25.48	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1233	5000	62%		8900
NAL13026-822MS	316-155	ORG	106-46-7	1,4-Dichlorobenzene	6100		ug/L	200	33.03	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1233	5000	86%		1800
NAL13026-822MS	316-155	ORG	95-50-1	1,2-Dichlorobenzene	4700		ug/L	200	26.38	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1233	5000	94%		
NAL13026-822MS	316-155	ORG	104-51-8	n-Butylbenzene	5300		ug/L	500	27.81	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1233	5000	106%		
NAL13026-822MS	316-155	ORG	96-12-8	1,2-Dibromo-3-chloropropane	8000		ug/L	500	159.11	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1233	5000	160%		
NAL13026-822MS	316-155	ORG	87-68-3	Hexachlorobutadiene	4800		ug/L	500	65.42	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1233	5000	96%		
NAL13026-822MS	316-155	ORG	120-82-1	1,2,4-Trichlorobenzene	5500		ug/L	500	27.63	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1233	5000	110%		
NAL13026-822MS	316-155	ORG	91-20-3	Naphthalene	9500		ug/L	500	56.04	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1233	5000	130%		3000
NAL13026-822MS	316-155	ORG	87-61-6	1,2,3-Trichlorobenzene	5700		ug/L	500	23.28	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1233	5000	114%		
NAL13026-822MS	316-155	STD	1868-53-7	Dibromofluoromethane	48		ng			12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1233	50	96%		
NAL13026-822MS	316-155	STD	17060-07-0	1,2-Dichloroethane d4	50		ng			12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1233	50	100%		
NAL13026-822MS	316-155	STD	2037-26-5	Toluene d8	47		ng			12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1233	50	94%		
NAL13026-822MS	316-155	STD	460-00-4	Bromofluorobenzene	50		ng			12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1233	50	100%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-822MSD	316-155	ORG	75-71-8	Dichlorodifluoromethane	6100		ug/L	500	29.28	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1234	5000	122%	3%	0
NAL13026-822MSD	316-155	ORG	74-87-3	Chloromethane	6000		ug/L	500	43.07	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1234	5000	120%	7%	0
NAL13026-822MSD	316-155	ORG	75-01-4	Vinyl chloride	5300		ug/L	200	31.86	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1234	5000	106%	4%	0
NAL13026-822MSD	316-155	ORG	74-83-9	Bromomethane	4200		ug/L	500	50.04	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1234	5000	84%	11%	0
NAL13026-822MSD	316-155	ORG	75-00-3	Chloroethane	4600		ug/L	500	55.61	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1234	5000	92%	12%	0
NAL13026-822MSD	316-155	ORG	75-69-4	Trichlorofluoromethane	4300		ug/L	500	19.65	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1234	5000	86%	11%	0
NAL13026-822MSD	316-155	ORG	75-35-4	1,1-Dichloroethene	3100		ug/L	100	47.11	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1234	5000	62%	20%	0
NAL13026-822MSD	316-155	ORG	75-09-2	Methylene chloride	3000		ug/L	500	26.46	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1234	5000	60%	24%	0
NAL13026-822MSD	316-155	ORG	67-64-1	Acetone	400000		ug/L	1000	155.61	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1234	5000	-1600%	54%	480000
NAL13026-822MSD	316-155	ORG	156-60-5	trans-1,2-Dichloroethene	4300		ug/L	100	55.61	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1234	5000	86%	2%	0
NAL13026-822MSD	316-155	ORG	1634-04-4	MTBE	5400		ug/L	500	61.18	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1234	5000	108%	4%	0
NAL13026-822MSD	316-155	ORG	75-34-3	1,1-Dichloroethane	4400		ug/L	100	52.66	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1234	5000	88%	2%	0
NAL13026-822MSD	316-155	ORG	156-59-2	cis-1,2-Dichloroethene	4800		ug/L	100	32.11	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1234	5000	96%	2%	0
NAL13026-822MSD	316-155	ORG	74-97-5	Bromochloromethane	4800		ug/L	1000	41.37	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1234	5000	96%	0%	0
NAL13026-822MSD	316-155	ORG	67-66-3	Chloroform	4500		ug/L	200	15.73	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1234	5000	90%	0%	0
NAL13026-822MSD	316-155	ORG	71-55-6	1,1,1-Trichloroethane	4400		ug/L	100	16.65	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1234	5000	88%	0%	0
NAL13026-822MSD	316-155	ORG	78-93-3	2-Butanone	70000		ug/L	100	81.18	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1234	5000	60%	3%	67000
NAL13026-822MSD	316-155	ORG	56-23-5	Carbon tetrachloride	4500		ug/L	100	27.64	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1234	5000	90%	0%	0
NAL13026-822MSD	316-155	ORG	71-43-2	Benzene	4600		ug/L	100	13.53	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1234	5000	90%	2%	81
NAL13026-822MSD	316-155	ORG	107-06-2	1,2-Dichloroethane	4600		ug/L	100	20.01	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1234	5000	92%	0%	0
NAL13026-822MSD	316-155	ORG	79-01-6	Trichloroethene	4800		ug/L	100	36.33	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1234	5000	96%	4%	0
NAL13026-822MSD	316-155	ORG	74-95-3	Dibromomethane	5000		ug/L	200	32.20	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1234	5000	100%	0%	0
NAL13026-822MSD	316-155	ORG	78-87-5	1,2-Dichloropropane	4600		ug/L	100	18.17	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1234	5000	92%	2%	0
NAL13026-822MSD	316-155	ORG	75-27-4	Bromodichloromethane	4500		ug/L	200	11.58	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1234	5000	90%	0%	0
NAL13026-822MSD	316-155	ORG	10061-01-5	cis-1,3-Dichloropropene	4900		ug/L	100	25.01	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1234	5000	98%	2%	0
NAL13026-822MSD	316-155	ORG	108-88-3	Toluene	4600		ug/L	100	20.96	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1234	5000	91%	4%	71
NAL13026-822MSD	316-155	ORG	108-10-1	4-Methyl-2-pentanone	11000		ug/L	500	74.00	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1234	5000	178%	0%	2100
NAL13026-822MSD	316-155	ORG	10061-02-6	trans-1,3-Dichloropropene	5500		ug/L	100	31.15	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1234	5000	110%	6%	0
NAL13026-822MSD	316-155	ORG	127-18-4	Tetrachloroethene	4700		ug/L	100	48.56	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1234	5000	94%	2%	0
NAL13026-822MSD	316-155	ORG	79-00-5	1,1,2-Trichloroethane	5700		ug/L	100	34.28	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1234	5000	114%	0%	0
NAL13026-822MSD	316-155	ORG	124-48-1	Dibromochloromethane	5600		ug/L	500	29.90	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1234	5000	112%	6%	0
NAL13026-822MSD	316-155	ORG	106-93-4	1,2-Dibromoethane	5700		ug/L	200	26.49	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1234	5000	114%	4%	0
NAL13026-822MSD	316-155	ORG	591-78-6	2-Hexanone	14000		ug/L	200	68.90	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1234	5000	150%	0%	6500
NAL13026-822MSD	316-155	ORG	100-41-4	Ethylbenzene	5200		ug/L	100	25.38	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1234	5000	100%	8%	180
NAL13026-822MSD	316-155	ORG	108-90-7	Chlorobenzene	5000		ug/L	100	27.52	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1234	5000	100%	8%	0
NAL13026-822MSD	316-155	ORG	630-20-6	1,1,1,2-Tetrachloroethane	5100		ug/L	200	19.28	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1234	5000	102%	8%	0
NAL13026-822MSD	316-155	ORG	XYLMP	p&m-Xylene	11000		ug/L	200	26.14	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1234	10000	105%	10%	540
NAL13026-822MSD	316-155	ORG	95-47-6	o-Xylene	5800		ug/L	100	12.90	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1234	5000	109%	7%	350
NAL13026-822MSD	316-155	ORG	100-42-5	Styrene	5600		ug/L	100	20.23	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1234	5000	112%	6%	0
NAL13026-822MSD	316-155	ORG	75-25-2	Bromoform	6300		ug/L	200	46.83	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1234	5000	126%	7%	0
NAL13026-822MSD	316-155	ORG	98-82-8	Isopropylbenzene	5800		ug/L	200	20.48	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1234	5000	112%	7%	180
NAL13026-822MSD	316-155	ORG	103-65-1	n-Propylbenzene	5400		ug/L	200	27.00	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1234	5000	104%	8%	200
NAL13026-822MSD	316-155	ORG	79-34-5	1,1,2,2-Tetrachloroethane	6300		ug/L	200	29.16	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1234	5000	126%	0%	0

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-822MSD	316-155	ORG	96-18-4	1,2,3-Trichloropropane	5700		ug/L	200	29.47	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1234	5000	114%	5%	0
NAL13026-822MSD	316-155	ORG	108-67-8	1,3,5-Trimethylbenzene	5800		ug/L	200	20.03	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1234	5000	107%	5%	450
NAL13026-822MSD	316-155	ORG	98-06-6	tert-Butylbenzene	5700		ug/L	200	32.61	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1234	5000	114%	7%	0
NAL13026-822MSD	316-155	ORG	95-63-6	1,2,4-Trimethylbenzene	7400		ug/L	200	20.03	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1234	5000	104%	8%	2200
NAL13026-822MSD	316-155	ORG	135-98-8	sec-Butylbenzene	5300		ug/L	200	32.34	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1234	5000	106%	6%	0
NAL13026-822MSD	316-155	ORG	541-73-1	1,3-Dichlorobenzene	4800		ug/L	200	22.21	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1234	5000	96%	4%	0
NAL13026-822MSD	316-155	ORG	99-87-6	p-Isopropltoluene	14000		ug/L	200	25.48	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1234	5000	102%	15%	8900
NAL13026-822MSD	316-155	ORG	106-46-7	1,4-Dichlorobenzene	6600		ug/L	200	33.03	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1234	5000	96%	8%	1800
NAL13026-822MSD	316-155	ORG	95-50-1	1,2-Dichlorobenzene	5000		ug/L	200	26.38	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1234	5000	100%	6%	0
NAL13026-822MSD	316-155	ORG	104-51-8	n-Butylbenzene	5500		ug/L	500	27.81	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1234	5000	110%	4%	0
NAL13026-822MSD	316-155	ORG	96-12-8	1,2-Dibromo-3-chloropropane	7900		ug/L	500	159.11	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1234	5000	158%	1%	0
NAL13026-822MSD	316-155	ORG	87-68-3	Hexachlorobutadiene	4800		ug/L	500	65.42	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1234	5000	96%	0%	0
NAL13026-822MSD	316-155	ORG	120-82-1	1,2,4-Trichlorobenzene	5700		ug/L	500	27.63	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1234	5000	114%	4%	0
NAL13026-822MSD	316-155	ORG	91-20-3	Naphthalene	9900		ug/L	500	56.04	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1234	5000	138%	4%	3000
NAL13026-822MSD	316-155	ORG	87-61-6	1,2,3-Trichlorobenzene	6000		ug/L	500	23.28	12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1234	5000	120%	5%	0
NAL13026-822MSD	316-155	STD	1868-53-7	Dibromofluoromethane	47		ng			12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1234	50	94%	2%	0
NAL13026-822MSD	316-155	STD	17060-07-0	1,2-Dichloroethane d4	47		ng			12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1234	50	94%	6%	0
NAL13026-822MSD	316-155	STD	2037-26-5	Toluene d8	47		ng			12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1234	50	94%	0%	0
NAL13026-822MSD	316-155	STD	460-00-4	Bromofluorobenzene	51		ng			12/4/2013	12/4/2013	12/4/2013	WG	100	NA	5.0	NA	SW8260B	NALD1234	50	102%	2%	0

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-823	316-156	ORG	75-71-8	Dichlorodifluoromethane		UX-	ug/L	500	29.28	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1240				
NAL13026-823	316-156	ORG	74-87-3	Chloromethane		UX-	ug/L	500	43.07	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1240				
NAL13026-823	316-156	ORG	75-01-4	Vinyl chloride		UX-	ug/L	200	31.86	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1240				
NAL13026-823	316-156	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1240				
NAL13026-823	316-156	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1240				
NAL13026-823	316-156	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1240				
NAL13026-823	316-156	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1240				
NAL13026-823	316-156	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1240				
NAL13026-823	316-156	ORG	67-64-1	Acetone	370000	D	ug/L	50000	7780.35	12/5/2013	12/5/2013	12/5/2013	WG	5000	NA	5.0	NA	SW8260B	NALD1247				
NAL13026-823	316-156	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1240				
NAL13026-823	316-156	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1240				
NAL13026-823	316-156	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1240				
NAL13026-823	316-156	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1240				
NAL13026-823	316-156	ORG	74-97-5	Bromochloromethane		U	ug/L	200	41.37	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1240				
NAL13026-823	316-156	ORG	67-66-3	Chloroform		U	ug/L	100	15.73	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1240				
NAL13026-823	316-156	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	16.65	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1240				
NAL13026-823	316-156	ORG	78-93-3	2-Butanone	49000	D	ug/L	10000	811.80	12/5/2013	12/5/2013	12/5/2013	WG	1000	NA	5.0	NA	SW8260B	NALD1241				
NAL13026-823	316-156	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1240				
NAL13026-823	316-156	ORG	71-43-2	Benzene	46	J	ug/L	100	13.53	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1240				
NAL13026-823	316-156	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1240				
NAL13026-823	316-156	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1240				
NAL13026-823	316-156	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1240				
NAL13026-823	316-156	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1240				
NAL13026-823	316-156	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1240				
NAL13026-823	316-156	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1240				
NAL13026-823	316-156	ORG	108-88-3	Toluene	37	J	ug/L	100	20.96	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1240				
NAL13026-823	316-156	ORG	108-10-1	4-Methyl-2-pentanone	1800	X+	ug/L	500	74.00	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1240				
NAL13026-823	316-156	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1240				
NAL13026-823	316-156	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1240				
NAL13026-823	316-156	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1240				
NAL13026-823	316-156	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	29.90	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1240				
NAL13026-823	316-156	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	26.49	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1240				
NAL13026-823	316-156	ORG	591-78-6	2-Hexanone	5500	X+	ug/L	500	68.90	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1240				
NAL13026-823	316-156	ORG	100-41-4	Ethylbenzene	170		ug/L	100	25.38	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1240				
NAL13026-823	316-156	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1240				
NAL13026-823	316-156	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1240				
NAL13026-823	316-156	ORG	XYLMP	p&m-Xylene	520		ug/L	200	26.14	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1240				
NAL13026-823	316-156	ORG	95-47-6	o-Xylene	340		ug/L	100	12.90	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1240				
NAL13026-823	316-156	ORG	100-42-5	Styrene		U	ug/L	100	20.23	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1240				
NAL13026-823	316-156	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1240				
NAL13026-823	316-156	ORG	98-82-8	Isopropylbenzene	190	J	ug/L	200	20.48	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1240				
NAL13026-823	316-156	ORG	103-65-1	n-Propylbenzene	220		ug/L	200	27.00	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1240				
NAL13026-823	316-156	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1240				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-823	316-156	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1240				
NAL13026-823	316-156	ORG	108-67-8	1,3,5-Trimethylbenzene	520		ug/L	200	20.03	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1240				
NAL13026-823	316-156	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1240				
NAL13026-823	316-156	ORG	95-63-6	1,2,4-Trimethylbenzene	2400		ug/L	200	20.03	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1240				
NAL13026-823	316-156	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1240				
NAL13026-823	316-156	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1240				
NAL13026-823	316-156	ORG	99-87-6	p-Isopropltoluene	8800		ug/L	200	25.48	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1240				
NAL13026-823	316-156	ORG	106-46-7	1,4-Dichlorobenzene	2400		ug/L	200	33.03	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1240				
NAL13026-823	316-156	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1240				
NAL13026-823	316-156	ORG	104-51-8	n-Butylbenzene	210	J	ug/L	500	27.81	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1240				
NAL13026-823	316-156	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1240				
NAL13026-823	316-156	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1240				
NAL13026-823	316-156	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1240				
NAL13026-823	316-156	ORG	91-20-3	Naphthalene	2500		ug/L	500	56.04	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1240				
NAL13026-823	316-156	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1240				
NAL13026-823	316-156	STD	1868-53-7	Dibromofluoromethane	51		ng			12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1240	50	102%		
NAL13026-823	316-156	STD	17060-07-0	1,2-Dichloroethane d4	51		ng			12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1240	50	102%		
NAL13026-823	316-156	STD	2037-26-5	Toluene d8	49		ng			12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1240	50	98%		
NAL13026-823	316-156	STD	460-00-4	Bromofluorobenzene	51		ng			12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1240	50	102%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D120513CCVA	D120513CCVA	ORG	75-71-8	Dichlorodifluoromethane	18		ug/L	5	0.29	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1238	50	36%		
D120513CCVA	D120513CCVA	ORG	74-87-3	Chloromethane	35		ug/L	5	0.43	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1238	50	70%		
D120513CCVA	D120513CCVA	ORG	75-01-4	Vinyl chloride	39		ug/L	2	0.32	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1238	50	78%		
D120513CCVA	D120513CCVA	ORG	74-83-9	Bromomethane	44		ug/L	5	0.50	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1238	50	88%		
D120513CCVA	D120513CCVA	ORG	75-00-3	Chloroethane	55		ug/L	5	0.56	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1238	50	110%		
D120513CCVA	D120513CCVA	ORG	75-69-4	Trichlorofluoromethane	230		ug/L	5	0.20	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1238	50	460%		
D120513CCVA	D120513CCVA	ORG	75-35-4	1,1-Dichloroethene	53		ug/L	1	0.47	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1238	50	106%		
D120513CCVA	D120513CCVA	ORG	75-09-2	Methylene chloride	53		ug/L	5	0.26	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1238	50	106%		
D120513CCVA	D120513CCVA	ORG	67-64-1	Acetone	47		ug/L	10	1.56	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1238	50	94%		
D120513CCVA	D120513CCVA	ORG	156-60-5	trans-1,2-Dichloroethene	50		ug/L	1	0.56	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1238	50	100%		
D120513CCVA	D120513CCVA	ORG	1634-04-4	MTBE	56		ug/L	5	0.61	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1238	50	112%		
D120513CCVA	D120513CCVA	ORG	75-34-3	1,1-Dichloroethane	51		ug/L	1	0.53	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1238	50	102%		
D120513CCVA	D120513CCVA	ORG	156-59-2	cis-1,2-Dichloroethene	53		ug/L	1	0.32	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1238	50	106%		
D120513CCVA	D120513CCVA	ORG	74-97-5	Bromochloromethane	52		ug/L	10	0.41	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1238	50	104%		
D120513CCVA	D120513CCVA	ORG	67-66-3	Chloroform	50		ug/L	2	0.16	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1238	50	100%		
D120513CCVA	D120513CCVA	ORG	71-55-6	1,1,1-Trichloroethane	51		ug/L	1	0.17	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1238	50	102%		
D120513CCVA	D120513CCVA	ORG	78-93-3	2-Butanone	59		ug/L	1	0.81	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1238	50	118%		
D120513CCVA	D120513CCVA	ORG	56-23-5	Carbon tetrachloride	49		ug/L	1	0.28	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1238	50	98%		
D120513CCVA	D120513CCVA	ORG	71-43-2	Benzene	52		ug/L	1	0.14	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1238	50	104%		
D120513CCVA	D120513CCVA	ORG	107-06-2	1,2-Dichloroethane	52		ug/L	1	0.20	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1238	50	104%		
D120513CCVA	D120513CCVA	ORG	79-01-6	Trichloroethene	52		ug/L	1	0.36	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1238	50	104%		
D120513CCVA	D120513CCVA	ORG	74-95-3	Dibromomethane	53		ug/L	2	0.32	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1238	50	106%		
D120513CCVA	D120513CCVA	ORG	78-87-5	1,2-Dichloropropane	53		ug/L	1	0.18	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1238	50	106%		
D120513CCVA	D120513CCVA	ORG	75-27-4	Bromodichloromethane	53		ug/L	2	0.12	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1238	50	106%		
D120513CCVA	D120513CCVA	ORG	10061-01-5	cis-1,3-Dichloropropene	57		ug/L	1	0.25	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1238	50	114%		
D120513CCVA	D120513CCVA	ORG	108-88-3	Toluene	50		ug/L	1	0.21	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1238	50	100%		
D120513CCVA	D120513CCVA	ORG	108-10-1	4-Methyl-2-pentanone	65		ug/L	5	0.74	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1238	50	130%		
D120513CCVA	D120513CCVA	ORG	10061-02-6	trans-1,3-Dichloropropene	57		ug/L	1	0.31	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1238	50	114%		
D120513CCVA	D120513CCVA	ORG	127-18-4	Tetrachloroethene	50		ug/L	1	0.49	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1238	50	100%		
D120513CCVA	D120513CCVA	ORG	79-00-5	1,1,2-Trichloroethane	57		ug/L	1	0.34	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1238	50	114%		
D120513CCVA	D120513CCVA	ORG	124-48-1	Dibromochloromethane	55		ug/L	5	0.30	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1238	50	110%		
D120513CCVA	D120513CCVA	ORG	106-93-4	1,2-Dibromoethane	54		ug/L	2	0.26	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1238	50	108%		
D120513CCVA	D120513CCVA	ORG	591-78-6	2-Hexanone	65		ug/L	2	0.69	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1238	50	130%		
D120513CCVA	D120513CCVA	ORG	100-41-4	Ethylbenzene	53		ug/L	1	0.25	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1238	50	106%		
D120513CCVA	D120513CCVA	ORG	108-90-7	Chlorobenzene	52		ug/L	1	0.28	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1238	50	104%		
D120513CCVA	D120513CCVA	ORG	630-20-6	1,1,1,2-Tetrachloroethane	52		ug/L	2	0.19	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1238	50	104%		
D120513CCVA	D120513CCVA	ORG	XYLMP	p&m-Xylene	110		ug/L	2	0.26	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1238	100	110%		
D120513CCVA	D120513CCVA	ORG	95-47-6	o-Xylene	56		ug/L	1	0.13	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1238	50	112%		
D120513CCVA	D120513CCVA	ORG	100-42-5	Styrene	57		ug/L	1	0.20	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1238	50	114%		
D120513CCVA	D120513CCVA	ORG	75-25-2	Bromoform	56		ug/L	2	0.47	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1238	50	112%		
D120513CCVA	D120513CCVA	ORG	98-82-8	Isopropylbenzene	59		ug/L	2	0.20	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1238	50	118%		
D120513CCVA	D120513CCVA	ORG	103-65-1	n-Propylbenzene	56		ug/L	2	0.27	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1238	50	112%		
D120513CCVA	D120513CCVA	ORG	79-34-5	1,1,2,2-Tetrachloroethane	52		ug/L	2	0.29	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1238	50	104%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D120513CCVA	D120513CCVA	ORG	96-18-4	1,2,3-Trichloropropane	49		ug/L	2	0.29	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1238	50	98%		
D120513CCVA	D120513CCVA	ORG	108-67-8	1,3,5-Trimethylbenzene	57		ug/L	2	0.20	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1238	50	114%		
D120513CCVA	D120513CCVA	ORG	98-06-6	tert-Butylbenzene	60		ug/L	2	0.33	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1238	50	120%		
D120513CCVA	D120513CCVA	ORG	95-63-6	1,2,4-Trimethylbenzene	57		ug/L	2	0.20	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1238	50	114%		
D120513CCVA	D120513CCVA	ORG	135-98-8	sec-Butylbenzene	57		ug/L	2	0.32	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1238	50	114%		
D120513CCVA	D120513CCVA	ORG	541-73-1	1,3-Dichlorobenzene	53		ug/L	2	0.22	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1238	50	106%		
D120513CCVA	D120513CCVA	ORG	99-87-6	p-Isopropltoluene	59		ug/L	2	0.25	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1238	50	118%		
D120513CCVA	D120513CCVA	ORG	106-46-7	1,4-Dichlorobenzene	52		ug/L	2	0.33	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1238	50	104%		
D120513CCVA	D120513CCVA	ORG	95-50-1	1,2-Dichlorobenzene	53		ug/L	2	0.26	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1238	50	106%		
D120513CCVA	D120513CCVA	ORG	104-51-8	n-Butylbenzene	57		ug/L	5	0.28	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1238	50	114%		
D120513CCVA	D120513CCVA	ORG	96-12-8	1,2-Dibromo-3-chloropropane	55		ug/L	5	1.59	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1238	50	110%		
D120513CCVA	D120513CCVA	ORG	87-68-3	Hexachlorobutadiene	58		ug/L	5	0.65	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1238	50	116%		
D120513CCVA	D120513CCVA	ORG	120-82-1	1,2,4-Trichlorobenzene	59		ug/L	5	0.28	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1238	50	118%		
D120513CCVA	D120513CCVA	ORG	91-20-3	Naphthalene	57		ug/L	5	0.56	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1238	50	114%		
D120513CCVA	D120513CCVA	ORG	87-61-6	1,2,3-Trichlorobenzene	57		ug/L	5	0.23	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1238	50	114%		
D120513CCVA	D120513CCVA	STD	1868-53-7	Dibromofluoromethane	49		ng			NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1238	50	98%		
D120513CCVA	D120513CCVA	STD	17060-07-0	1,2-Dichloroethane d4	50		ng			NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1238	50	100%		
D120513CCVA	D120513CCVA	STD	2037-26-5	Toluene d8	50		ng			NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1238	50	100%		
D120513CCVA	D120513CCVA	STD	460-00-4	Bromofluorobenzene	51		ng			NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1238	50	102%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D120513MBKA	D120513MBKA	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	5	0.29	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1239				
D120513MBKA	D120513MBKA	ORG	74-87-3	Chloromethane		U	ug/L	5	0.43	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1239				
D120513MBKA	D120513MBKA	ORG	75-01-4	Vinyl chloride		U	ug/L	2	0.32	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1239				
D120513MBKA	D120513MBKA	ORG	74-83-9	Bromomethane		U	ug/L	5	0.50	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1239				
D120513MBKA	D120513MBKA	ORG	75-00-3	Chloroethane		U	ug/L	5	0.56	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1239				
D120513MBKA	D120513MBKA	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	5	0.20	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1239				
D120513MBKA	D120513MBKA	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	1	0.47	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1239				
D120513MBKA	D120513MBKA	ORG	75-09-2	Methylene chloride		U	ug/L	5	0.26	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1239				
D120513MBKA	D120513MBKA	ORG	67-64-1	Acetone		U	ug/L	10	1.56	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1239				
D120513MBKA	D120513MBKA	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	1	0.56	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1239				
D120513MBKA	D120513MBKA	ORG	1634-04-4	MTBE		U	ug/L	5	0.61	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1239				
D120513MBKA	D120513MBKA	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	1	0.53	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1239				
D120513MBKA	D120513MBKA	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	1	0.32	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1239				
D120513MBKA	D120513MBKA	ORG	74-97-5	Bromochloromethane		U	ug/L	10	0.41	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1239				
D120513MBKA	D120513MBKA	ORG	67-66-3	Chloroform		U	ug/L	2	0.16	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1239				
D120513MBKA	D120513MBKA	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	1	0.17	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1239				
D120513MBKA	D120513MBKA	ORG	78-93-3	2-Butanone		U	ug/L	1	0.81	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1239				
D120513MBKA	D120513MBKA	ORG	56-23-5	Carbon tetrachloride		U	ug/L	1	0.28	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1239				
D120513MBKA	D120513MBKA	ORG	71-43-2	Benzene		U	ug/L	1	0.14	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1239				
D120513MBKA	D120513MBKA	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	1	0.20	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1239				
D120513MBKA	D120513MBKA	ORG	79-01-6	Trichloroethene		U	ug/L	1	0.36	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1239				
D120513MBKA	D120513MBKA	ORG	74-95-3	Dibromomethane		U	ug/L	2	0.32	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1239				
D120513MBKA	D120513MBKA	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	1	0.18	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1239				
D120513MBKA	D120513MBKA	ORG	75-27-4	Bromodichloromethane		U	ug/L	2	0.12	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1239				
D120513MBKA	D120513MBKA	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	1	0.25	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1239				
D120513MBKA	D120513MBKA	ORG	108-88-3	Toluene		U	ug/L	1	0.21	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1239				
D120513MBKA	D120513MBKA	ORG	108-10-1	4-Methyl-2-pentanone		U	ug/L	5	0.74	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1239				
D120513MBKA	D120513MBKA	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	1	0.31	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1239				
D120513MBKA	D120513MBKA	ORG	127-18-4	Tetrachloroethene		U	ug/L	1	0.49	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1239				
D120513MBKA	D120513MBKA	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	1	0.34	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1239				
D120513MBKA	D120513MBKA	ORG	124-48-1	Dibromochloromethane		U	ug/L	5	0.30	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1239				
D120513MBKA	D120513MBKA	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	2	0.26	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1239				
D120513MBKA	D120513MBKA	ORG	591-78-6	2-Hexanone		U	ug/L	2	0.69	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1239				
D120513MBKA	D120513MBKA	ORG	100-41-4	Ethylbenzene		U	ug/L	1	0.25	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1239				
D120513MBKA	D120513MBKA	ORG	108-90-7	Chlorobenzene		U	ug/L	1	0.28	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1239				
D120513MBKA	D120513MBKA	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	2	0.19	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1239				
D120513MBKA	D120513MBKA	ORG	XYLMP	p&m-Xylene		U	ug/L	2	0.26	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1239				
D120513MBKA	D120513MBKA	ORG	95-47-6	o-Xylene		U	ug/L	1	0.13	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1239				
D120513MBKA	D120513MBKA	ORG	100-42-5	Styrene		U	ug/L	1	0.20	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1239				
D120513MBKA	D120513MBKA	ORG	75-25-2	Bromoform		U	ug/L	2	0.47	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1239				
D120513MBKA	D120513MBKA	ORG	98-82-8	Isopropylbenzene		U	ug/L	2	0.20	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1239				
D120513MBKA	D120513MBKA	ORG	103-65-1	n-Propylbenzene		U	ug/L	2	0.27	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1239				
D120513MBKA	D120513MBKA	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	2	0.29	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1239				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D120513MBKA	D120513MBKA	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	2	0.29	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1239				
D120513MBKA	D120513MBKA	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	2	0.20	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1239				
D120513MBKA	D120513MBKA	ORG	98-06-6	tert-Butylbenzene		U	ug/L	2	0.33	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1239				
D120513MBKA	D120513MBKA	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	2	0.20	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1239				
D120513MBKA	D120513MBKA	ORG	135-98-8	sec-Butylbenzene		U	ug/L	2	0.32	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1239				
D120513MBKA	D120513MBKA	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	2	0.22	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1239				
D120513MBKA	D120513MBKA	ORG	99-87-6	p-Isopropltoluene		U	ug/L	2	0.25	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1239				
D120513MBKA	D120513MBKA	ORG	106-46-7	1,4-Dichlorobenzene		U	ug/L	2	0.33	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1239				
D120513MBKA	D120513MBKA	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	2	0.26	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1239				
D120513MBKA	D120513MBKA	ORG	104-51-8	n-Butylbenzene		U	ug/L	5	0.28	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1239				
D120513MBKA	D120513MBKA	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	5	1.59	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1239				
D120513MBKA	D120513MBKA	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	5	0.65	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1239				
D120513MBKA	D120513MBKA	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	5	0.28	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1239				
D120513MBKA	D120513MBKA	ORG	91-20-3	Naphthalene		U	ug/L	5	0.56	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1239				
D120513MBKA	D120513MBKA	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	5	0.23	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1239				
D120513MBKA	D120513MBKA	STD	1868-53-7	Dibromofluoromethane	51		ng			NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1239	50	102%		
D120513MBKA	D120513MBKA	STD	17060-07-0	1,2-Dichloroethane d4	55		ng			NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1239	50	110%		
D120513MBKA	D120513MBKA	STD	2037-26-5	Toluene d8	52		ng			NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1239	50	104%		
D120513MBKA	D120513MBKA	STD	460-00-4	Bromofluorobenzene	50		ng			NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1239	50	100%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D120513ALCS	D120513ALCS	ORG	75-71-8	Dichlorodifluoromethane	18		ug/L	5	0.29	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1242	50	36%		
D120513ALCS	D120513ALCS	ORG	74-87-3	Chloromethane	34		ug/L	5	0.43	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1242	50	68%		
D120513ALCS	D120513ALCS	ORG	75-01-4	Vinyl chloride	41		ug/L	2	0.32	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1242	50	82%		
D120513ALCS	D120513ALCS	ORG	74-83-9	Bromomethane	69		ug/L	5	0.50	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1242	50	138%		
D120513ALCS	D120513ALCS	ORG	75-00-3	Chloroethane	59		ug/L	5	0.56	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1242	50	118%		
D120513ALCS	D120513ALCS	ORG	75-69-4	Trichlorofluoromethane	300		ug/L	5	0.20	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1242	50	600%		
D120513ALCS	D120513ALCS	ORG	75-35-4	1,1-Dichloroethene	54		ug/L	1	0.47	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1242	50	108%		
D120513ALCS	D120513ALCS	ORG	75-09-2	Methylene chloride	54		ug/L	5	0.26	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1242	50	108%		
D120513ALCS	D120513ALCS	ORG	67-64-1	Acetone	61		ug/L	10	1.56	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1242	50	122%		
D120513ALCS	D120513ALCS	ORG	156-60-5	trans-1,2-Dichloroethene	49		ug/L	1	0.56	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1242	50	98%		
D120513ALCS	D120513ALCS	ORG	1634-04-4	MTBE	57		ug/L	5	0.61	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1242	50	114%		
D120513ALCS	D120513ALCS	ORG	75-34-3	1,1-Dichloroethane	51		ug/L	1	0.53	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1242	50	102%		
D120513ALCS	D120513ALCS	ORG	156-59-2	cis-1,2-Dichloroethene	51		ug/L	1	0.32	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1242	50	102%		
D120513ALCS	D120513ALCS	ORG	74-97-5	Bromochloromethane	51		ug/L	10	0.41	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1242	50	102%		
D120513ALCS	D120513ALCS	ORG	67-66-3	Chloroform	50		ug/L	2	0.16	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1242	50	100%		
D120513ALCS	D120513ALCS	ORG	71-55-6	1,1,1-Trichloroethane	49		ug/L	1	0.17	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1242	50	98%		
D120513ALCS	D120513ALCS	ORG	78-93-3	2-Butanone	62		ug/L	1	0.81	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1242	50	124%		
D120513ALCS	D120513ALCS	ORG	56-23-5	Carbon tetrachloride	49		ug/L	1	0.28	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1242	50	98%		
D120513ALCS	D120513ALCS	ORG	71-43-2	Benzene	51		ug/L	1	0.14	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1242	50	102%		
D120513ALCS	D120513ALCS	ORG	107-06-2	1,2-Dichloroethane	50		ug/L	1	0.20	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1242	50	100%		
D120513ALCS	D120513ALCS	ORG	79-01-6	Trichloroethene	51		ug/L	1	0.36	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1242	50	102%		
D120513ALCS	D120513ALCS	ORG	74-95-3	Dibromomethane	52		ug/L	2	0.32	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1242	50	104%		
D120513ALCS	D120513ALCS	ORG	78-87-5	1,2-Dichloropropane	51		ug/L	1	0.18	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1242	50	102%		
D120513ALCS	D120513ALCS	ORG	75-27-4	Bromodichloromethane	51		ug/L	2	0.12	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1242	50	102%		
D120513ALCS	D120513ALCS	ORG	10061-01-5	cis-1,3-Dichloropropene	55		ug/L	1	0.25	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1242	50	110%		
D120513ALCS	D120513ALCS	ORG	108-88-3	Toluene	49		ug/L	1	0.21	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1242	50	98%		
D120513ALCS	D120513ALCS	ORG	108-10-1	4-Methyl-2-pentanone	64		ug/L	5	0.74	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1242	50	128%		
D120513ALCS	D120513ALCS	ORG	10061-02-6	trans-1,3-Dichloropropene	55		ug/L	1	0.31	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1242	50	110%		
D120513ALCS	D120513ALCS	ORG	127-18-4	Tetrachloroethene	48		ug/L	1	0.49	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1242	50	96%		
D120513ALCS	D120513ALCS	ORG	79-00-5	1,1,2-Trichloroethane	56		ug/L	1	0.34	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1242	50	112%		
D120513ALCS	D120513ALCS	ORG	124-48-1	Dibromochloromethane	53		ug/L	5	0.30	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1242	50	106%		
D120513ALCS	D120513ALCS	ORG	106-93-4	1,2-Dibromoethane	54		ug/L	2	0.26	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1242	50	108%		
D120513ALCS	D120513ALCS	ORG	591-78-6	2-Hexanone	63		ug/L	2	0.69	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1242	50	126%		
D120513ALCS	D120513ALCS	ORG	100-41-4	Ethylbenzene	52		ug/L	1	0.25	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1242	50	104%		
D120513ALCS	D120513ALCS	ORG	108-90-7	Chlorobenzene	50		ug/L	1	0.28	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1242	50	100%		
D120513ALCS	D120513ALCS	ORG	630-20-6	1,1,1,2-Tetrachloroethane	51		ug/L	2	0.19	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1242	50	102%		
D120513ALCS	D120513ALCS	ORG	XYLMP	p&m-Xylene	110		ug/L	2	0.26	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1242	100	110%		
D120513ALCS	D120513ALCS	ORG	95-47-6	o-Xylene	55		ug/L	1	0.13	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1242	50	110%		
D120513ALCS	D120513ALCS	ORG	100-42-5	Styrene	56		ug/L	1	0.20	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1242	50	112%		
D120513ALCS	D120513ALCS	ORG	75-25-2	Bromoform	55		ug/L	2	0.47	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1242	50	110%		
D120513ALCS	D120513ALCS	ORG	98-82-8	Isopropylbenzene	57		ug/L	2	0.20	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1242	50	114%		
D120513ALCS	D120513ALCS	ORG	103-65-1	n-Propylbenzene	55		ug/L	2	0.27	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1242	50	110%		
D120513ALCS	D120513ALCS	ORG	79-34-5	1,1,2,2-Tetrachloroethane	53		ug/L	2	0.29	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1242	50	106%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D120513ALCS	D120513ALCS	ORG	96-18-4	1,2,3-Trichloropropane	49		ug/L	2	0.29	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1242	50	98%		
D120513ALCS	D120513ALCS	ORG	108-67-8	1,3,5-Trimethylbenzene	55		ug/L	2	0.20	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1242	50	110%		
D120513ALCS	D120513ALCS	ORG	98-06-6	tert-Butylbenzene	57		ug/L	2	0.33	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1242	50	114%		
D120513ALCS	D120513ALCS	ORG	95-63-6	1,2,4-Trimethylbenzene	55		ug/L	2	0.20	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1242	50	110%		
D120513ALCS	D120513ALCS	ORG	135-98-8	sec-Butylbenzene	55		ug/L	2	0.32	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1242	50	110%		
D120513ALCS	D120513ALCS	ORG	541-73-1	1,3-Dichlorobenzene	51		ug/L	2	0.22	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1242	50	102%		
D120513ALCS	D120513ALCS	ORG	99-87-6	p-Isopropltoluene	57		ug/L	2	0.25	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1242	50	114%		
D120513ALCS	D120513ALCS	ORG	106-46-7	1,4-Dichlorobenzene	49		ug/L	2	0.33	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1242	50	98%		
D120513ALCS	D120513ALCS	ORG	95-50-1	1,2-Dichlorobenzene	51		ug/L	2	0.26	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1242	50	102%		
D120513ALCS	D120513ALCS	ORG	104-51-8	n-Butylbenzene	55		ug/L	5	0.28	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1242	50	110%		
D120513ALCS	D120513ALCS	ORG	96-12-8	1,2-Dibromo-3-chloropropane	55		ug/L	5	1.59	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1242	50	110%		
D120513ALCS	D120513ALCS	ORG	87-68-3	Hexachlorobutadiene	52		ug/L	5	0.65	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1242	50	104%		
D120513ALCS	D120513ALCS	ORG	120-82-1	1,2,4-Trichlorobenzene	56		ug/L	5	0.28	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1242	50	112%		
D120513ALCS	D120513ALCS	ORG	91-20-3	Naphthalene	57		ug/L	5	0.56	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1242	50	114%		
D120513ALCS	D120513ALCS	ORG	87-61-6	1,2,3-Trichlorobenzene	54		ug/L	5	0.23	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1242	50	108%		
D120513ALCS	D120513ALCS	STD	1868-53-7	Dibromofluoromethane	51		ng			NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1242	50	102%		
D120513ALCS	D120513ALCS	STD	17060-07-0	1,2-Dichloroethane d4	52		ng			NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1242	50	104%		
D120513ALCS	D120513ALCS	STD	2037-26-5	Toluene d8	50		ng			NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1242	50	100%		
D120513ALCS	D120513ALCS	STD	460-00-4	Bromofluorobenzene	51		ng			NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1242	50	102%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D120513ALCD	D120513ALCD	ORG	75-71-8	Dichlorodifluoromethane	16		ug/L	5	0.29	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1243	50	32%	12%	
D120513ALCD	D120513ALCD	ORG	74-87-3	Chloromethane	31		ug/L	5	0.43	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1243	50	62%	9%	
D120513ALCD	D120513ALCD	ORG	75-01-4	Vinyl chloride	36		ug/L	2	0.32	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1243	50	72%	13%	
D120513ALCD	D120513ALCD	ORG	74-83-9	Bromomethane	54		ug/L	5	0.50	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1243	50	108%	24%	
D120513ALCD	D120513ALCD	ORG	75-00-3	Chloroethane	49		ug/L	5	0.56	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1243	50	98%	19%	
D120513ALCD	D120513ALCD	ORG	75-69-4	Trichlorofluoromethane	240		ug/L	5	0.20	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1243	50	480%	22%	
D120513ALCD	D120513ALCD	ORG	75-35-4	1,1-Dichloroethene	53		ug/L	1	0.47	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1243	50	106%	2%	
D120513ALCD	D120513ALCD	ORG	75-09-2	Methylene chloride	51		ug/L	5	0.26	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1243	50	102%	6%	
D120513ALCD	D120513ALCD	ORG	67-64-1	Acetone	21		ug/L	10	1.56	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1243	50	42%	98%	
D120513ALCD	D120513ALCD	ORG	156-60-5	trans-1,2-Dichloroethene	21		ug/L	1	0.56	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1243	50	42%	80%	
D120513ALCD	D120513ALCD	ORG	1634-04-4	MTBE	57		ug/L	5	0.61	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1243	50	114%	0%	
D120513ALCD	D120513ALCD	ORG	75-34-3	1,1-Dichloroethane	49		ug/L	1	0.53	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1243	50	98%	4%	
D120513ALCD	D120513ALCD	ORG	156-59-2	cis-1,2-Dichloroethene	50		ug/L	1	0.32	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1243	50	100%	2%	
D120513ALCD	D120513ALCD	ORG	74-97-5	Bromochloromethane	50		ug/L	10	0.41	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1243	50	100%	2%	
D120513ALCD	D120513ALCD	ORG	67-66-3	Chloroform	48		ug/L	2	0.16	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1243	50	96%	4%	
D120513ALCD	D120513ALCD	ORG	71-55-6	1,1,1-Trichloroethane	49		ug/L	1	0.17	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1243	50	98%	0%	
D120513ALCD	D120513ALCD	ORG	78-93-3	2-Butanone	55		ug/L	1	0.81	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1243	50	110%	12%	
D120513ALCD	D120513ALCD	ORG	56-23-5	Carbon tetrachloride	48		ug/L	1	0.28	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1243	50	96%	2%	
D120513ALCD	D120513ALCD	ORG	71-43-2	Benzene	49		ug/L	1	0.14	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1243	50	98%	4%	
D120513ALCD	D120513ALCD	ORG	107-06-2	1,2-Dichloroethane	49		ug/L	1	0.20	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1243	50	98%	2%	
D120513ALCD	D120513ALCD	ORG	79-01-6	Trichloroethene	50		ug/L	1	0.36	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1243	50	100%	2%	
D120513ALCD	D120513ALCD	ORG	74-95-3	Dibromomethane	52		ug/L	2	0.32	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1243	50	104%	0%	
D120513ALCD	D120513ALCD	ORG	78-87-5	1,2-Dichloropropane	51		ug/L	1	0.18	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1243	50	102%	0%	
D120513ALCD	D120513ALCD	ORG	75-27-4	Bromodichloromethane	48		ug/L	2	0.12	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1243	50	96%	6%	
D120513ALCD	D120513ALCD	ORG	10061-01-5	cis-1,3-Dichloropropene	54		ug/L	1	0.25	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1243	50	108%	2%	
D120513ALCD	D120513ALCD	ORG	108-88-3	Toluene	47		ug/L	1	0.21	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1243	50	94%	4%	
D120513ALCD	D120513ALCD	ORG	108-10-1	4-Methyl-2-pentanone	60		ug/L	5	0.74	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1243	50	120%	6%	
D120513ALCD	D120513ALCD	ORG	10061-02-6	trans-1,3-Dichloropropene	54		ug/L	1	0.31	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1243	50	108%	2%	
D120513ALCD	D120513ALCD	ORG	127-18-4	Tetrachloroethene	49		ug/L	1	0.49	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1243	50	98%	2%	
D120513ALCD	D120513ALCD	ORG	79-00-5	1,1,2-Trichloroethane	53		ug/L	1	0.34	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1243	50	106%	6%	
D120513ALCD	D120513ALCD	ORG	124-48-1	Dibromochloromethane	52		ug/L	5	0.30	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1243	50	104%	2%	
D120513ALCD	D120513ALCD	ORG	106-93-4	1,2-Dibromoethane	51		ug/L	2	0.26	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1243	50	102%	6%	
D120513ALCD	D120513ALCD	ORG	591-78-6	2-Hexanone	54		ug/L	2	0.69	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1243	50	108%	15%	
D120513ALCD	D120513ALCD	ORG	100-41-4	Ethylbenzene	51		ug/L	1	0.25	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1243	50	102%	2%	
D120513ALCD	D120513ALCD	ORG	108-90-7	Chlorobenzene	50		ug/L	1	0.28	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1243	50	100%	0%	
D120513ALCD	D120513ALCD	ORG	630-20-6	1,1,1,2-Tetrachloroethane	50		ug/L	2	0.19	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1243	50	100%	2%	
D120513ALCD	D120513ALCD	ORG	XYLMP	p&m-Xylene	110		ug/L	2	0.26	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1243	100	110%	0%	
D120513ALCD	D120513ALCD	ORG	95-47-6	o-Xylene	54		ug/L	1	0.13	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1243	50	108%	2%	
D120513ALCD	D120513ALCD	ORG	100-42-5	Styrene	55		ug/L	1	0.20	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1243	50	110%	2%	
D120513ALCD	D120513ALCD	ORG	75-25-2	Bromoform	54		ug/L	2	0.47	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1243	50	108%	2%	
D120513ALCD	D120513ALCD	ORG	98-82-8	Isopropylbenzene	56		ug/L	2	0.20	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1243	50	112%	2%	
D120513ALCD	D120513ALCD	ORG	103-65-1	n-Propylbenzene	53		ug/L	2	0.27	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1243	50	106%	4%	
D120513ALCD	D120513ALCD	ORG	79-34-5	1,1,2,2-Tetrachloroethane	51		ug/L	2	0.29	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1243	50	102%	4%	

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D120513ALCD	D120513ALCD	ORG	96-18-4	1,2,3-Trichloropropane	48		ug/L	2	0.29	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1243	50	96%	2%	
D120513ALCD	D120513ALCD	ORG	108-67-8	1,3,5-Trimethylbenzene	54		ug/L	2	0.20	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1243	50	108%	2%	
D120513ALCD	D120513ALCD	ORG	98-06-6	tert-Butylbenzene	57		ug/L	2	0.33	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1243	50	114%	0%	
D120513ALCD	D120513ALCD	ORG	95-63-6	1,2,4-Trimethylbenzene	54		ug/L	2	0.20	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1243	50	108%	2%	
D120513ALCD	D120513ALCD	ORG	135-98-8	sec-Butylbenzene	54		ug/L	2	0.32	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1243	50	108%	2%	
D120513ALCD	D120513ALCD	ORG	541-73-1	1,3-Dichlorobenzene	50		ug/L	2	0.22	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1243	50	100%	2%	
D120513ALCD	D120513ALCD	ORG	99-87-6	p-Isopropltoluene	56		ug/L	2	0.25	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1243	50	112%	2%	
D120513ALCD	D120513ALCD	ORG	106-46-7	1,4-Dichlorobenzene	49		ug/L	2	0.33	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1243	50	98%	0%	
D120513ALCD	D120513ALCD	ORG	95-50-1	1,2-Dichlorobenzene	50		ug/L	2	0.26	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1243	50	100%	2%	
D120513ALCD	D120513ALCD	ORG	104-51-8	n-Butylbenzene	54		ug/L	5	0.28	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1243	50	108%	2%	
D120513ALCD	D120513ALCD	ORG	96-12-8	1,2-Dibromo-3-chloropropane	54		ug/L	5	1.59	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1243	50	108%	2%	
D120513ALCD	D120513ALCD	ORG	87-68-3	Hexachlorobutadiene	53		ug/L	5	0.65	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1243	50	106%	2%	
D120513ALCD	D120513ALCD	ORG	120-82-1	1,2,4-Trichlorobenzene	55		ug/L	5	0.28	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1243	50	110%	2%	
D120513ALCD	D120513ALCD	ORG	91-20-3	Naphthalene	55		ug/L	5	0.56	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1243	50	110%	4%	
D120513ALCD	D120513ALCD	ORG	87-61-6	1,2,3-Trichlorobenzene	53		ug/L	5	0.23	NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1243	50	106%	2%	
D120513ALCD	D120513ALCD	STD	1868-53-7	Dibromofluoromethane	50		ng			NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1243	50	100%	2%	
D120513ALCD	D120513ALCD	STD	17060-07-0	1,2-Dichloroethane d4	51		ng			NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1243	50	102%	2%	
D120513ALCD	D120513ALCD	STD	2037-26-5	Toluene d8	49		ng			NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1243	50	98%	2%	
D120513ALCD	D120513ALCD	STD	460-00-4	Bromofluorobenzene	53		ng			NA	12/5/2013	12/5/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1243	50	106%	4%	

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-823MS	316-156	ORG	75-71-8	Dichlorodifluoromethane	1700		ug/L	500	29.28	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1244	5000	34%		
NAL13026-823MS	316-156	ORG	74-87-3	Chloromethane	3200		ug/L	500	43.07	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1244	5000	64%		
NAL13026-823MS	316-156	ORG	75-01-4	Vinyl chloride	3700		ug/L	200	31.86	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1244	5000	74%		
NAL13026-823MS	316-156	ORG	74-83-9	Bromomethane	4300		ug/L	500	50.04	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1244	5000	86%		
NAL13026-823MS	316-156	ORG	75-00-3	Chloroethane	5100		ug/L	500	55.61	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1244	5000	102%		
NAL13026-823MS	316-156	ORG	75-69-4	Trichlorofluoromethane	19000		ug/L	500	19.65	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1244	5000	380%		
NAL13026-823MS	316-156	ORG	75-35-4	1,1-Dichloroethene	5100		ug/L	100	47.11	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1244	5000	102%		
NAL13026-823MS	316-156	ORG	75-09-2	Methylene chloride	5100		ug/L	500	26.46	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1244	5000	102%		
NAL13026-823MS	316-156	ORG	67-64-1	Acetone	360000		ug/L	1000	155.61	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1244	5000	-200%		370000
NAL13026-823MS	316-156	ORG	156-60-5	trans-1,2-Dichloroethene	4600		ug/L	100	55.61	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1244	5000	92%		
NAL13026-823MS	316-156	ORG	1634-04-4	MTBE	5300		ug/L	500	61.18	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1244	5000	106%		
NAL13026-823MS	316-156	ORG	75-34-3	1,1-Dichloroethane	4800		ug/L	100	52.66	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1244	5000	96%		
NAL13026-823MS	316-156	ORG	156-59-2	cis-1,2-Dichloroethene	5000		ug/L	100	32.11	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1244	5000	100%		
NAL13026-823MS	316-156	ORG	74-97-5	Bromochloromethane	5000		ug/L	1000	41.37	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1244	5000	100%		
NAL13026-823MS	316-156	ORG	67-66-3	Chloroform	4800		ug/L	200	15.73	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1244	5000	96%		
NAL13026-823MS	316-156	ORG	71-55-6	1,1,1-Trichloroethane	4800		ug/L	100	16.65	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1244	5000	96%		
NAL13026-823MS	316-156	ORG	78-93-3	2-Butanone	57000		ug/L	100	81.18	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1244	5000	160%		49000
NAL13026-823MS	316-156	ORG	56-23-5	Carbon tetrachloride	4900		ug/L	100	27.64	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1244	5000	98%		
NAL13026-823MS	316-156	ORG	71-43-2	Benzene	4900		ug/L	100	13.53	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1244	5000	97%		46
NAL13026-823MS	316-156	ORG	107-06-2	1,2-Dichloroethane	4800		ug/L	100	20.01	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1244	5000	96%		
NAL13026-823MS	316-156	ORG	79-01-6	Trichloroethene	5000		ug/L	100	36.33	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1244	5000	100%		
NAL13026-823MS	316-156	ORG	74-95-3	Dibromomethane	5000		ug/L	200	32.20	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1244	5000	100%		
NAL13026-823MS	316-156	ORG	78-87-5	1,2-Dichloropropane	4900		ug/L	100	18.17	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1244	5000	98%		
NAL13026-823MS	316-156	ORG	75-27-4	Bromodichloromethane	5000		ug/L	200	11.58	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1244	5000	100%		
NAL13026-823MS	316-156	ORG	10061-01-5	cis-1,3-Dichloropropene	5300		ug/L	100	25.01	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1244	5000	106%		
NAL13026-823MS	316-156	ORG	108-88-3	Toluene	4900		ug/L	100	20.96	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1244	5000	97%		37
NAL13026-823MS	316-156	ORG	108-10-1	4-Methyl-2-pentanone	8800		ug/L	500	74.00	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1244	5000	140%		1800
NAL13026-823MS	316-156	ORG	10061-02-6	trans-1,3-Dichloropropene	5500		ug/L	100	31.15	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1244	5000	110%		
NAL13026-823MS	316-156	ORG	127-18-4	Tetrachloroethene	4800		ug/L	100	48.56	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1244	5000	96%		
NAL13026-823MS	316-156	ORG	79-00-5	1,1,2-Trichloroethane	5500		ug/L	100	34.28	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1244	5000	110%		
NAL13026-823MS	316-156	ORG	124-48-1	Dibromochloromethane	5300		ug/L	500	29.90	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1244	5000	106%		
NAL13026-823MS	316-156	ORG	106-93-4	1,2-Dibromoethane	5300		ug/L	200	26.49	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1244	5000	106%		
NAL13026-823MS	316-156	ORG	591-78-6	2-Hexanone	11000		ug/L	200	68.90	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1244	5000	110%		5500
NAL13026-823MS	316-156	ORG	100-41-4	Ethylbenzene	5400		ug/L	100	25.38	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1244	5000	105%		170
NAL13026-823MS	316-156	ORG	108-90-7	Chlorobenzene	5100		ug/L	100	27.52	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1244	5000	102%		
NAL13026-823MS	316-156	ORG	630-20-6	1,1,1,2-Tetrachloroethane	5100		ug/L	200	19.28	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1244	5000	102%		
NAL13026-823MS	316-156	ORG	XYLMP	p&m-Xylene	12000		ug/L	200	26.14	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1244	10000	115%		520
NAL13026-823MS	316-156	ORG	95-47-6	o-Xylene	6000		ug/L	100	12.90	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1244	5000	113%		340
NAL13026-823MS	316-156	ORG	100-42-5	Styrene	5800		ug/L	100	20.23	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1244	5000	116%		
NAL13026-823MS	316-156	ORG	75-25-2	Bromoform	5400		ug/L	200	46.83	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1244	5000	108%		
NAL13026-823MS	316-156	ORG	98-82-8	Isopropylbenzene	6100		ug/L	200	20.48	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1244	5000	118%		190
NAL13026-823MS	316-156	ORG	103-65-1	n-Propylbenzene	5600		ug/L	200	27.00	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1244	5000	108%		220
NAL13026-823MS	316-156	ORG	79-34-5	1,1,2,2-Tetrachloroethane	5200		ug/L	200	29.16	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1244	5000	104%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-823MS	316-156	ORG	96-18-4	1,2,3-Trichloropropane	4900		ug/L	200	29.47	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1244	5000	98%		
NAL13026-823MS	316-156	ORG	108-67-8	1,3,5-Trimethylbenzene	6000		ug/L	200	20.03	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1244	5000	110%		520
NAL13026-823MS	316-156	ORG	98-06-6	tert-Butylbenzene	5900		ug/L	200	32.61	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1244	5000	118%		
NAL13026-823MS	316-156	ORG	95-63-6	1,2,4-Trimethylbenzene	7500		ug/L	200	20.03	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1244	5000	102%		2400
NAL13026-823MS	316-156	ORG	135-98-8	sec-Butylbenzene	5500		ug/L	200	32.34	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1244	5000	110%		
NAL13026-823MS	316-156	ORG	541-73-1	1,3-Dichlorobenzene	5000		ug/L	200	22.21	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1244	5000	100%		
NAL13026-823MS	316-156	ORG	99-87-6	p-Isopropltoluene	13000		ug/L	200	25.48	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1244	5000	84%		8800
NAL13026-823MS	316-156	ORG	106-46-7	1,4-Dichlorobenzene	7000		ug/L	200	33.03	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1244	5000	92%		2400
NAL13026-823MS	316-156	ORG	95-50-1	1,2-Dichlorobenzene	5100		ug/L	200	26.38	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1244	5000	102%		
NAL13026-823MS	316-156	ORG	104-51-8	n-Butylbenzene	5800		ug/L	500	27.81	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1244	5000	112%		210
NAL13026-823MS	316-156	ORG	96-12-8	1,2-Dibromo-3-chloropropane	5900		ug/L	500	159.11	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1244	5000	118%		
NAL13026-823MS	316-156	ORG	87-68-3	Hexachlorobutadiene	4800		ug/L	500	65.42	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1244	5000	96%		
NAL13026-823MS	316-156	ORG	120-82-1	1,2,4-Trichlorobenzene	5600		ug/L	500	27.63	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1244	5000	112%		
NAL13026-823MS	316-156	ORG	91-20-3	Naphthalene	8200		ug/L	500	56.04	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1244	5000	114%		2500
NAL13026-823MS	316-156	ORG	87-61-6	1,2,3-Trichlorobenzene	5500		ug/L	500	23.28	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1244	5000	110%		
NAL13026-823MS	316-156	STD	1868-53-7	Dibromofluoromethane	48		ng			12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1244	50	96%		
NAL13026-823MS	316-156	STD	17060-07-0	1,2-Dichloroethane d4	49		ng			12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1244	50	98%		
NAL13026-823MS	316-156	STD	2037-26-5	Toluene d8	49		ng			12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1244	50	98%		
NAL13026-823MS	316-156	STD	460-00-4	Bromofluorobenzene	51		ng			12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1244	50	102%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-823MSD	316-156	ORG	75-71-8	Dichlorodifluoromethane	1600		ug/L	500	29.28	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1245	5000	32%	6%	0
NAL13026-823MSD	316-156	ORG	74-87-3	Chloromethane	3100		ug/L	500	43.07	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1245	5000	62%	3%	0
NAL13026-823MSD	316-156	ORG	75-01-4	Vinyl chloride	3700		ug/L	200	31.86	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1245	5000	74%	0%	0
NAL13026-823MSD	316-156	ORG	74-83-9	Bromomethane	4200		ug/L	500	50.04	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1245	5000	84%	2%	0
NAL13026-823MSD	316-156	ORG	75-00-3	Chloroethane	4400		ug/L	500	55.61	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1245	5000	88%	15%	0
NAL13026-823MSD	316-156	ORG	75-69-4	Trichlorofluoromethane	53000		ug/L	500	19.65	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1245	5000	1060%	94%	0
NAL13026-823MSD	316-156	ORG	75-35-4	1,1-Dichloroethene	4900		ug/L	100	47.11	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1245	5000	98%	4%	0
NAL13026-823MSD	316-156	ORG	75-09-2	Methylene chloride	14000		ug/L	500	26.46	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1245	5000	280%	93%	0
NAL13026-823MSD	316-156	ORG	67-64-1	Acetone	330000		ug/L	1000	155.61	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1245	5000	-800%	9%	370000
NAL13026-823MSD	316-156	ORG	156-60-5	trans-1,2-Dichloroethene	4700		ug/L	100	55.61	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1245	5000	94%	2%	0
NAL13026-823MSD	316-156	ORG	1634-04-4	MTBE	5200		ug/L	500	61.18	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1245	5000	104%	2%	0
NAL13026-823MSD	316-156	ORG	75-34-3	1,1-Dichloroethane	4800		ug/L	100	52.66	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1245	5000	96%	0%	0
NAL13026-823MSD	316-156	ORG	156-59-2	cis-1,2-Dichloroethene	5200		ug/L	100	32.11	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1245	5000	104%	4%	0
NAL13026-823MSD	316-156	ORG	74-97-5	Bromochloromethane	5000		ug/L	1000	41.37	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1245	5000	100%	0%	0
NAL13026-823MSD	316-156	ORG	67-66-3	Chloroform	4900		ug/L	200	15.73	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1245	5000	98%	2%	0
NAL13026-823MSD	316-156	ORG	71-55-6	1,1,1-Trichloroethane	4900		ug/L	100	16.65	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1245	5000	98%	2%	0
NAL13026-823MSD	316-156	ORG	78-93-3	2-Butanone	53000		ug/L	100	81.18	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1245	5000	80%	7%	49000
NAL13026-823MSD	316-156	ORG	56-23-5	Carbon tetrachloride	5000		ug/L	100	27.64	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1245	5000	100%	2%	0
NAL13026-823MSD	316-156	ORG	71-43-2	Benzene	5100		ug/L	100	13.53	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1245	5000	101%	4%	46
NAL13026-823MSD	316-156	ORG	107-06-2	1,2-Dichloroethane	4900		ug/L	100	20.01	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1245	5000	98%	2%	0
NAL13026-823MSD	316-156	ORG	79-01-6	Trichloroethene	5300		ug/L	100	36.33	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1245	5000	106%	6%	0
NAL13026-823MSD	316-156	ORG	74-95-3	Dibromomethane	5000		ug/L	200	32.20	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1245	5000	100%	0%	0
NAL13026-823MSD	316-156	ORG	78-87-5	1,2-Dichloropropane	5200		ug/L	100	18.17	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1245	5000	104%	6%	0
NAL13026-823MSD	316-156	ORG	75-27-4	Bromodichloromethane	5200		ug/L	200	11.58	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1245	5000	104%	4%	0
NAL13026-823MSD	316-156	ORG	10061-01-5	cis-1,3-Dichloropropene	5600		ug/L	100	25.01	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1245	5000	112%	6%	0
NAL13026-823MSD	316-156	ORG	108-88-3	Toluene	5100		ug/L	100	20.96	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1245	5000	101%	4%	37
NAL13026-823MSD	316-156	ORG	108-10-1	4-Methyl-2-pentanone	8100		ug/L	500	74.00	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1245	5000	126%	8%	1800
NAL13026-823MSD	316-156	ORG	10061-02-6	trans-1,3-Dichloropropene	5700		ug/L	100	31.15	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1245	5000	114%	4%	0
NAL13026-823MSD	316-156	ORG	127-18-4	Tetrachloroethene	4900		ug/L	100	48.56	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1245	5000	98%	2%	0
NAL13026-823MSD	316-156	ORG	79-00-5	1,1,2-Trichloroethane	5700		ug/L	100	34.28	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1245	5000	114%	4%	0
NAL13026-823MSD	316-156	ORG	124-48-1	Dibromochloromethane	5400		ug/L	500	29.90	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1245	5000	108%	2%	0
NAL13026-823MSD	316-156	ORG	106-93-4	1,2-Dibromoethane	5400		ug/L	200	26.49	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1245	5000	108%	2%	0
NAL13026-823MSD	316-156	ORG	591-78-6	2-Hexanone	11000		ug/L	200	68.90	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1245	5000	110%	0%	5500
NAL13026-823MSD	316-156	ORG	100-41-4	Ethylbenzene	5800		ug/L	100	25.38	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1245	5000	113%	7%	170
NAL13026-823MSD	316-156	ORG	108-90-7	Chlorobenzene	5400		ug/L	100	27.52	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1245	5000	108%	6%	0
NAL13026-823MSD	316-156	ORG	630-20-6	1,1,1,2-Tetrachloroethane	5500		ug/L	200	19.28	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1245	5000	110%	8%	0
NAL13026-823MSD	316-156	ORG	XYLMP	p&m-Xylene	12000		ug/L	200	26.14	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1245	10000	115%	0%	520
NAL13026-823MSD	316-156	ORG	95-47-6	o-Xylene	6400		ug/L	100	12.90	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1245	5000	121%	6%	340
NAL13026-823MSD	316-156	ORG	100-42-5	Styrene	6100		ug/L	100	20.23	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1245	5000	122%	5%	0
NAL13026-823MSD	316-156	ORG	75-25-2	Bromoform	5500		ug/L	200	46.83	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1245	5000	110%	2%	0
NAL13026-823MSD	316-156	ORG	98-82-8	Isopropylbenzene	6400		ug/L	200	20.48	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1245	5000	124%	5%	190
NAL13026-823MSD	316-156	ORG	103-65-1	n-Propylbenzene	6000		ug/L	200	27.00	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1245	5000	116%	7%	220
NAL13026-823MSD	316-156	ORG	79-34-5	1,1,2,2-Tetrachloroethane	5400		ug/L	200	29.16	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1245	5000	108%	4%	0

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-823MSD	316-156	ORG	96-18-4	1,2,3-Trichloropropane	4900		ug/L	200	29.47	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1245	5000	98%	0%	0
NAL13026-823MSD	316-156	ORG	108-67-8	1,3,5-Trimethylbenzene	6400		ug/L	200	20.03	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1245	5000	118%	6%	520
NAL13026-823MSD	316-156	ORG	98-06-6	tert-Butylbenzene	6200		ug/L	200	32.61	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1245	5000	124%	5%	0
NAL13026-823MSD	316-156	ORG	95-63-6	1,2,4-Trimethylbenzene	7800		ug/L	200	20.03	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1245	5000	108%	4%	2400
NAL13026-823MSD	316-156	ORG	135-98-8	sec-Butylbenzene	5800		ug/L	200	32.34	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1245	5000	116%	5%	0
NAL13026-823MSD	316-156	ORG	541-73-1	1,3-Dichlorobenzene	5200		ug/L	200	22.21	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1245	5000	104%	4%	0
NAL13026-823MSD	316-156	ORG	99-87-6	p-Isopropltoluene	13000		ug/L	200	25.48	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1245	5000	84%	0%	8800
NAL13026-823MSD	316-156	ORG	106-46-7	1,4-Dichlorobenzene	7200		ug/L	200	33.03	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1245	5000	96%	3%	2400
NAL13026-823MSD	316-156	ORG	95-50-1	1,2-Dichlorobenzene	5200		ug/L	200	26.38	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1245	5000	104%	2%	0
NAL13026-823MSD	316-156	ORG	104-51-8	n-Butylbenzene	6000		ug/L	500	27.81	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1245	5000	116%	3%	210
NAL13026-823MSD	316-156	ORG	96-12-8	1,2-Dibromo-3-chloropropane	5800		ug/L	500	159.11	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1245	5000	116%	2%	0
NAL13026-823MSD	316-156	ORG	87-68-3	Hexachlorobutadiene	5000		ug/L	500	65.42	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1245	5000	100%	4%	0
NAL13026-823MSD	316-156	ORG	120-82-1	1,2,4-Trichlorobenzene	5700		ug/L	500	27.63	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1245	5000	114%	2%	0
NAL13026-823MSD	316-156	ORG	91-20-3	Naphthalene	8200		ug/L	500	56.04	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1245	5000	114%	0%	2500
NAL13026-823MSD	316-156	ORG	87-61-6	1,2,3-Trichlorobenzene	5600		ug/L	500	23.28	12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1245	5000	112%	2%	0
NAL13026-823MSD	316-156	STD	1868-53-7	Dibromofluoromethane	47		ng			12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1245	50	94%	2%	0
NAL13026-823MSD	316-156	STD	17060-07-0	1,2-Dichloroethane d4	47		ng			12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1245	50	94%	4%	0
NAL13026-823MSD	316-156	STD	2037-26-5	Toluene d8	49		ng			12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1245	50	98%	0%	0
NAL13026-823MSD	316-156	STD	460-00-4	Bromofluorobenzene	51		ng			12/5/2013	12/5/2013	12/5/2013	WG	100	NA	5.0	NA	SW8260B	NALD1245	50	102%	0%	0

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-824	316-157	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1267				
NAL13026-824	316-157	ORG	74-87-3	Chloromethane		U	ug/L	500	43.07	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1267				
NAL13026-824	316-157	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1267				
NAL13026-824	316-157	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1267				
NAL13026-824	316-157	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1267				
NAL13026-824	316-157	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1267				
NAL13026-824	316-157	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1267				
NAL13026-824	316-157	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1267				
NAL13026-824	316-157	ORG	67-64-1	Acetone	240000	D	ug/L	10000	1556.07	12/6/2013	12/6/2013	12/6/2013	WG	1000	NA	5.0	NA	SW8260B	NALD1268				
NAL13026-824	316-157	ORG	156-60-5	trans-1,2-Dichloroethene		UX-	ug/L	100	55.61	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1267				
NAL13026-824	316-157	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1267				
NAL13026-824	316-157	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1267				
NAL13026-824	316-157	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1267				
NAL13026-824	316-157	ORG	74-97-5	Bromochloromethane		U	ug/L	200	41.37	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1267				
NAL13026-824	316-157	ORG	67-66-3	Chloroform		U	ug/L	100	15.73	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1267				
NAL13026-824	316-157	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	16.65	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1267				
NAL13026-824	316-157	ORG	78-93-3	2-Butanone	38000	D	ug/L	10000	811.80	12/6/2013	12/6/2013	12/6/2013	WG	1000	NA	5.0	NA	SW8260B	NALD1268				
NAL13026-824	316-157	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1267				
NAL13026-824	316-157	ORG	71-43-2	Benzene	46	J	ug/L	100	13.53	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1267				
NAL13026-824	316-157	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1267				
NAL13026-824	316-157	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1267				
NAL13026-824	316-157	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1267				
NAL13026-824	316-157	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1267				
NAL13026-824	316-157	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1267				
NAL13026-824	316-157	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1267				
NAL13026-824	316-157	ORG	108-88-3	Toluene		U	ug/L	100	20.96	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1267				
NAL13026-824	316-157	ORG	108-10-1	4-Methyl-2-pentanone	1800		ug/L	500	74.00	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1267				
NAL13026-824	316-157	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1267				
NAL13026-824	316-157	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1267				
NAL13026-824	316-157	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1267				
NAL13026-824	316-157	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	29.90	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1267				
NAL13026-824	316-157	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	26.49	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1267				
NAL13026-824	316-157	ORG	591-78-6	2-Hexanone	6600	X+	ug/L	500	68.90	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1267				
NAL13026-824	316-157	ORG	100-41-4	Ethylbenzene	56	JX+	ug/L	100	25.38	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1267				
NAL13026-824	316-157	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1267				
NAL13026-824	316-157	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1267				
NAL13026-824	316-157	ORG	XYLMP	p&m-Xylene		U	ug/L	200	26.14	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1267				
NAL13026-824	316-157	ORG	95-47-6	o-Xylene	120		ug/L	100	12.90	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1267				
NAL13026-824	316-157	ORG	100-42-5	Styrene		U	ug/L	100	20.23	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1267				
NAL13026-824	316-157	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1267				
NAL13026-824	316-157	ORG	98-82-8	Isopropylbenzene	52	JX+	ug/L	200	20.48	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1267				
NAL13026-824	316-157	ORG	103-65-1	n-Propylbenzene	78	JX+	ug/L	200	27.00	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1267				
NAL13026-824	316-157	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1267				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-824	316-157	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1267				
NAL13026-824	316-157	ORG	108-67-8	1,3,5-Trimethylbenzene	190	J	ug/L	200	20.03	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1267				
NAL13026-824	316-157	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1267				
NAL13026-824	316-157	ORG	95-63-6	1,2,4-Trimethylbenzene	1000		ug/L	200	20.03	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1267				
NAL13026-824	316-157	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1267				
NAL13026-824	316-157	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1267				
NAL13026-824	316-157	ORG	99-87-6	p-IsopropItoluene	3700		ug/L	200	25.48	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1267				
NAL13026-824	316-157	ORG	106-46-7	1,4-Dichlorobenzene	1100		ug/L	200	33.03	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1267				
NAL13026-824	316-157	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1267				
NAL13026-824	316-157	ORG	104-51-8	n-Butylbenzene	100	J	ug/L	500	27.81	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1267				
NAL13026-824	316-157	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1267				
NAL13026-824	316-157	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1267				
NAL13026-824	316-157	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1267				
NAL13026-824	316-157	ORG	91-20-3	Naphthalene	1400		ug/L	500	56.04	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1267				
NAL13026-824	316-157	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1267				
NAL13026-824	316-157	STD	1868-53-7	Dibromofluoromethane	49		ng			12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1267	50	98%		
NAL13026-824	316-157	STD	17060-07-0	1,2-Dichloroethane d4	49		ng			12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1267	50	98%		
NAL13026-824	316-157	STD	2037-26-5	Toluene d8	50		ng			12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1267	50	100%		
NAL13026-824	316-157	STD	460-00-4	Bromofluorobenzene	54		ng			12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1267	50	108%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D120613CCVA	D120613CCVA	ORG	75-71-8	Dichlorodifluoromethane	45		ug/L	5	0.29	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1265	50	90%		
D120613CCVA	D120613CCVA	ORG	74-87-3	Chloromethane	47		ug/L	5	0.43	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1265	50	94%		
D120613CCVA	D120613CCVA	ORG	75-01-4	Vinyl chloride	48		ug/L	2	0.32	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1265	50	96%		
D120613CCVA	D120613CCVA	ORG	74-83-9	Bromomethane	58		ug/L	5	0.50	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1265	50	116%		
D120613CCVA	D120613CCVA	ORG	75-00-3	Chloroethane	55		ug/L	5	0.56	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1265	50	110%		
D120613CCVA	D120613CCVA	ORG	75-69-4	Trichlorofluoromethane	450		ug/L	5	0.20	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1265	50	900%		
D120613CCVA	D120613CCVA	ORG	75-35-4	1,1-Dichloroethene	57		ug/L	1	0.47	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1265	50	114%		
D120613CCVA	D120613CCVA	ORG	75-09-2	Methylene chloride	51		ug/L	5	0.26	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1265	50	102%		
D120613CCVA	D120613CCVA	ORG	67-64-1	Acetone	43		ug/L	10	1.56	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1265	50	86%		
D120613CCVA	D120613CCVA	ORG	156-60-5	trans-1,2-Dichloroethene	28		ug/L	1	0.56	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1265	50	56%		
D120613CCVA	D120613CCVA	ORG	1634-04-4	MTBE	54		ug/L	5	0.61	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1265	50	108%		
D120613CCVA	D120613CCVA	ORG	75-34-3	1,1-Dichloroethane	55		ug/L	1	0.53	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1265	50	110%		
D120613CCVA	D120613CCVA	ORG	156-59-2	cis-1,2-Dichloroethene	50		ug/L	1	0.32	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1265	50	100%		
D120613CCVA	D120613CCVA	ORG	74-97-5	Bromochloromethane	47		ug/L	10	0.41	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1265	50	94%		
D120613CCVA	D120613CCVA	ORG	67-66-3	Chloroform	54		ug/L	2	0.16	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1265	50	108%		
D120613CCVA	D120613CCVA	ORG	71-55-6	1,1,1-Trichloroethane	55		ug/L	1	0.17	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1265	50	110%		
D120613CCVA	D120613CCVA	ORG	78-93-3	2-Butanone	53		ug/L	1	0.81	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1265	50	106%		
D120613CCVA	D120613CCVA	ORG	56-23-5	Carbon tetrachloride	51		ug/L	1	0.28	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1265	50	102%		
D120613CCVA	D120613CCVA	ORG	71-43-2	Benzene	56		ug/L	1	0.14	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1265	50	112%		
D120613CCVA	D120613CCVA	ORG	107-06-2	1,2-Dichloroethane	53		ug/L	1	0.20	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1265	50	106%		
D120613CCVA	D120613CCVA	ORG	79-01-6	Trichloroethene	56		ug/L	1	0.36	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1265	50	112%		
D120613CCVA	D120613CCVA	ORG	74-95-3	Dibromomethane	52		ug/L	2	0.32	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1265	50	104%		
D120613CCVA	D120613CCVA	ORG	78-87-5	1,2-Dichloropropane	56		ug/L	1	0.18	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1265	50	112%		
D120613CCVA	D120613CCVA	ORG	75-27-4	Bromodichloromethane	53		ug/L	2	0.12	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1265	50	106%		
D120613CCVA	D120613CCVA	ORG	10061-01-5	cis-1,3-Dichloropropene	56		ug/L	1	0.25	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1265	50	112%		
D120613CCVA	D120613CCVA	ORG	108-88-3	Toluene	56		ug/L	1	0.21	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1265	50	112%		
D120613CCVA	D120613CCVA	ORG	108-10-1	4-Methyl-2-pentanone	60		ug/L	5	0.74	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1265	50	120%		
D120613CCVA	D120613CCVA	ORG	10061-02-6	trans-1,3-Dichloropropene	56		ug/L	1	0.31	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1265	50	112%		
D120613CCVA	D120613CCVA	ORG	127-18-4	Tetrachloroethene	43		ug/L	1	0.49	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1265	50	86%		
D120613CCVA	D120613CCVA	ORG	79-00-5	1,1,2-Trichloroethane	54		ug/L	1	0.34	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1265	50	108%		
D120613CCVA	D120613CCVA	ORG	124-48-1	Dibromochloromethane	51		ug/L	5	0.30	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1265	50	102%		
D120613CCVA	D120613CCVA	ORG	106-93-4	1,2-Dibromoethane	51		ug/L	2	0.26	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1265	50	102%		
D120613CCVA	D120613CCVA	ORG	591-78-6	2-Hexanone	86		ug/L	2	0.69	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1265	50	172%		
D120613CCVA	D120613CCVA	ORG	100-41-4	Ethylbenzene	63		ug/L	1	0.25	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1265	50	126%		
D120613CCVA	D120613CCVA	ORG	108-90-7	Chlorobenzene	58		ug/L	1	0.28	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1265	50	116%		
D120613CCVA	D120613CCVA	ORG	630-20-6	1,1,1,2-Tetrachloroethane	56		ug/L	2	0.19	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1265	50	112%		
D120613CCVA	D120613CCVA	ORG	XYLMP	p&m-Xylene	130		ug/L	2	0.26	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1265	100	130%		
D120613CCVA	D120613CCVA	ORG	95-47-6	o-Xylene	58		ug/L	1	0.13	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1265	50	116%		
D120613CCVA	D120613CCVA	ORG	100-42-5	Styrene	57		ug/L	1	0.20	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1265	50	114%		
D120613CCVA	D120613CCVA	ORG	75-25-2	Bromoform	51		ug/L	2	0.47	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1265	50	102%		
D120613CCVA	D120613CCVA	ORG	98-82-8	Isopropylbenzene	61		ug/L	2	0.20	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1265	50	122%		
D120613CCVA	D120613CCVA	ORG	103-65-1	n-Propylbenzene	61		ug/L	2	0.27	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1265	50	122%		
D120613CCVA	D120613CCVA	ORG	79-34-5	1,1,2,2-Tetrachloroethane	52		ug/L	2	0.29	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1265	50	104%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D120613CCVA	D120613CCVA	ORG	96-18-4	1,2,3-Trichloropropane	53		ug/L	2	0.29	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1265	50	106%		
D120613CCVA	D120613CCVA	ORG	108-67-8	1,3,5-Trimethylbenzene	60		ug/L	2	0.20	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1265	50	120%		
D120613CCVA	D120613CCVA	ORG	98-06-6	tert-Butylbenzene	62		ug/L	2	0.33	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1265	50	124%		
D120613CCVA	D120613CCVA	ORG	95-63-6	1,2,4-Trimethylbenzene	60		ug/L	2	0.20	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1265	50	120%		
D120613CCVA	D120613CCVA	ORG	135-98-8	sec-Butylbenzene	60		ug/L	2	0.32	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1265	50	120%		
D120613CCVA	D120613CCVA	ORG	541-73-1	1,3-Dichlorobenzene	50		ug/L	2	0.22	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1265	50	100%		
D120613CCVA	D120613CCVA	ORG	99-87-6	p-IsopropItoluene	60		ug/L	2	0.25	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1265	50	120%		
D120613CCVA	D120613CCVA	ORG	106-46-7	1,4-Dichlorobenzene	51		ug/L	2	0.33	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1265	50	102%		
D120613CCVA	D120613CCVA	ORG	95-50-1	1,2-Dichlorobenzene	52		ug/L	2	0.26	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1265	50	104%		
D120613CCVA	D120613CCVA	ORG	104-51-8	n-Butylbenzene	60		ug/L	5	0.28	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1265	50	120%		
D120613CCVA	D120613CCVA	ORG	96-12-8	1,2-Dibromo-3-chloropropane	55		ug/L	5	1.59	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1265	50	110%		
D120613CCVA	D120613CCVA	ORG	87-68-3	Hexachlorobutadiene	47		ug/L	5	0.65	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1265	50	94%		
D120613CCVA	D120613CCVA	ORG	120-82-1	1,2,4-Trichlorobenzene	52		ug/L	5	0.28	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1265	50	104%		
D120613CCVA	D120613CCVA	ORG	91-20-3	Naphthalene	53		ug/L	5	0.56	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1265	50	106%		
D120613CCVA	D120613CCVA	ORG	87-61-6	1,2,3-Trichlorobenzene	47		ug/L	5	0.23	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1265	50	94%		
D120613CCVA	D120613CCVA	STD	1868-53-7	Dibromofluoromethane	50		ng			NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1265	50	100%		
D120613CCVA	D120613CCVA	STD	17060-07-0	1,2-Dichloroethane d4	47		ng			NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1265	50	94%		
D120613CCVA	D120613CCVA	STD	2037-26-5	Toluene d8	50		ng			NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1265	50	100%		
D120613CCVA	D120613CCVA	STD	460-00-4	Bromofluorobenzene	52		ng			NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1265	50	104%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D120613MBKA	D120613MBKA	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	5	0.29	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1266				
D120613MBKA	D120613MBKA	ORG	74-87-3	Chloromethane		U	ug/L	5	0.43	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1266				
D120613MBKA	D120613MBKA	ORG	75-01-4	Vinyl chloride		U	ug/L	2	0.32	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1266				
D120613MBKA	D120613MBKA	ORG	74-83-9	Bromomethane		U	ug/L	5	0.50	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1266				
D120613MBKA	D120613MBKA	ORG	75-00-3	Chloroethane		U	ug/L	5	0.56	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1266				
D120613MBKA	D120613MBKA	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	5	0.20	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1266				
D120613MBKA	D120613MBKA	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	1	0.47	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1266				
D120613MBKA	D120613MBKA	ORG	75-09-2	Methylene chloride		U	ug/L	5	0.26	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1266				
D120613MBKA	D120613MBKA	ORG	67-64-1	Acetone		U	ug/L	10	1.56	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1266				
D120613MBKA	D120613MBKA	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	1	0.56	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1266				
D120613MBKA	D120613MBKA	ORG	1634-04-4	MTBE		U	ug/L	5	0.61	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1266				
D120613MBKA	D120613MBKA	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	1	0.53	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1266				
D120613MBKA	D120613MBKA	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	1	0.32	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1266				
D120613MBKA	D120613MBKA	ORG	74-97-5	Bromochloromethane		U	ug/L	10	0.41	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1266				
D120613MBKA	D120613MBKA	ORG	67-66-3	Chloroform		U	ug/L	2	0.16	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1266				
D120613MBKA	D120613MBKA	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	1	0.17	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1266				
D120613MBKA	D120613MBKA	ORG	78-93-3	2-Butanone		U	ug/L	1	0.81	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1266				
D120613MBKA	D120613MBKA	ORG	56-23-5	Carbon tetrachloride		U	ug/L	1	0.28	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1266				
D120613MBKA	D120613MBKA	ORG	71-43-2	Benzene		U	ug/L	1	0.14	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1266				
D120613MBKA	D120613MBKA	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	1	0.20	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1266				
D120613MBKA	D120613MBKA	ORG	79-01-6	Trichloroethene		U	ug/L	1	0.36	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1266				
D120613MBKA	D120613MBKA	ORG	74-95-3	Dibromomethane		U	ug/L	2	0.32	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1266				
D120613MBKA	D120613MBKA	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	1	0.18	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1266				
D120613MBKA	D120613MBKA	ORG	75-27-4	Bromodichloromethane		U	ug/L	2	0.12	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1266				
D120613MBKA	D120613MBKA	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	1	0.25	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1266				
D120613MBKA	D120613MBKA	ORG	108-88-3	Toluene		U	ug/L	1	0.21	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1266				
D120613MBKA	D120613MBKA	ORG	108-10-1	4-Methyl-2-pentanone		U	ug/L	5	0.74	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1266				
D120613MBKA	D120613MBKA	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	1	0.31	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1266				
D120613MBKA	D120613MBKA	ORG	127-18-4	Tetrachloroethene		U	ug/L	1	0.49	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1266				
D120613MBKA	D120613MBKA	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	1	0.34	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1266				
D120613MBKA	D120613MBKA	ORG	124-48-1	Dibromochloromethane		U	ug/L	5	0.30	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1266				
D120613MBKA	D120613MBKA	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	2	0.26	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1266				
D120613MBKA	D120613MBKA	ORG	591-78-6	2-Hexanone		U	ug/L	2	0.69	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1266				
D120613MBKA	D120613MBKA	ORG	100-41-4	Ethylbenzene		U	ug/L	1	0.25	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1266				
D120613MBKA	D120613MBKA	ORG	108-90-7	Chlorobenzene		U	ug/L	1	0.28	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1266				
D120613MBKA	D120613MBKA	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	2	0.19	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1266				
D120613MBKA	D120613MBKA	ORG	XYLMP	p&m-Xylene		U	ug/L	2	0.26	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1266				
D120613MBKA	D120613MBKA	ORG	95-47-6	o-Xylene		U	ug/L	1	0.13	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1266				
D120613MBKA	D120613MBKA	ORG	100-42-5	Styrene		U	ug/L	1	0.20	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1266				
D120613MBKA	D120613MBKA	ORG	75-25-2	Bromoform		U	ug/L	2	0.47	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1266				
D120613MBKA	D120613MBKA	ORG	98-82-8	Isopropylbenzene		U	ug/L	2	0.20	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1266				
D120613MBKA	D120613MBKA	ORG	103-65-1	n-Propylbenzene		U	ug/L	2	0.27	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1266				
D120613MBKA	D120613MBKA	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	2	0.29	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1266				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D120613MBKA	D120613MBKA	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	2	0.29	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1266				
D120613MBKA	D120613MBKA	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	2	0.20	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1266				
D120613MBKA	D120613MBKA	ORG	98-06-6	tert-Butylbenzene		U	ug/L	2	0.33	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1266				
D120613MBKA	D120613MBKA	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	2	0.20	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1266				
D120613MBKA	D120613MBKA	ORG	135-98-8	sec-Butylbenzene		U	ug/L	2	0.32	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1266				
D120613MBKA	D120613MBKA	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	2	0.22	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1266				
D120613MBKA	D120613MBKA	ORG	99-87-6	p-Isopropltoluene		U	ug/L	2	0.25	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1266				
D120613MBKA	D120613MBKA	ORG	106-46-7	1,4-Dichlorobenzene		U	ug/L	2	0.33	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1266				
D120613MBKA	D120613MBKA	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	2	0.26	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1266				
D120613MBKA	D120613MBKA	ORG	104-51-8	n-Butylbenzene		U	ug/L	5	0.28	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1266				
D120613MBKA	D120613MBKA	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	5	1.59	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1266				
D120613MBKA	D120613MBKA	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	5	0.65	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1266				
D120613MBKA	D120613MBKA	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	5	0.28	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1266				
D120613MBKA	D120613MBKA	ORG	91-20-3	Naphthalene		U	ug/L	5	0.56	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1266				
D120613MBKA	D120613MBKA	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	5	0.23	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1266				
D120613MBKA	D120613MBKA	STD	1868-53-7	Dibromofluoromethane	49		ng			NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1266	50	98%		
D120613MBKA	D120613MBKA	STD	17060-07-0	1,2-Dichloroethane d4	51		ng			NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1266	50	102%		
D120613MBKA	D120613MBKA	STD	2037-26-5	Toluene d8	53		ng			NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1266	50	106%		
D120613MBKA	D120613MBKA	STD	460-00-4	Bromofluorobenzene	54		ng			NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1266	50	108%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D120613ALCS	D120613ALCS	ORG	75-71-8	Dichlorodifluoromethane	39		ug/L	5	0.29	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1273	50	78%		
D120613ALCS	D120613ALCS	ORG	74-87-3	Chloromethane	46		ug/L	5	0.43	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1273	50	92%		
D120613ALCS	D120613ALCS	ORG	75-01-4	Vinyl chloride	46		ug/L	2	0.32	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1273	50	92%		
D120613ALCS	D120613ALCS	ORG	74-83-9	Bromomethane	63		ug/L	5	0.50	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1273	50	126%		
D120613ALCS	D120613ALCS	ORG	75-00-3	Chloroethane	51		ug/L	5	0.56	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1273	50	102%		
D120613ALCS	D120613ALCS	ORG	75-69-4	Trichlorofluoromethane	790		ug/L	5	0.20	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1273	50	1580%		
D120613ALCS	D120613ALCS	ORG	75-35-4	1,1-Dichloroethene	63		ug/L	1	0.47	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1273	50	126%		
D120613ALCS	D120613ALCS	ORG	75-09-2	Methylene chloride	55		ug/L	5	0.26	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1273	50	110%		
D120613ALCS	D120613ALCS	ORG	67-64-1	Acetone	75		ug/L	10	1.56	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1273	50	150%		
D120613ALCS	D120613ALCS	ORG	156-60-5	trans-1,2-Dichloroethene	52		ug/L	1	0.56	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1273	50	104%		
D120613ALCS	D120613ALCS	ORG	1634-04-4	MTBE	53		ug/L	5	0.61	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1273	50	106%		
D120613ALCS	D120613ALCS	ORG	75-34-3	1,1-Dichloroethane	52		ug/L	1	0.53	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1273	50	104%		
D120613ALCS	D120613ALCS	ORG	156-59-2	cis-1,2-Dichloroethene	53		ug/L	1	0.32	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1273	50	106%		
D120613ALCS	D120613ALCS	ORG	74-97-5	Bromochloromethane	51		ug/L	10	0.41	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1273	50	102%		
D120613ALCS	D120613ALCS	ORG	67-66-3	Chloroform	52		ug/L	2	0.16	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1273	50	104%		
D120613ALCS	D120613ALCS	ORG	71-55-6	1,1,1-Trichloroethane	54		ug/L	1	0.17	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1273	50	108%		
D120613ALCS	D120613ALCS	ORG	78-93-3	2-Butanone	53		ug/L	1	0.81	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1273	50	106%		
D120613ALCS	D120613ALCS	ORG	56-23-5	Carbon tetrachloride	51		ug/L	1	0.28	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1273	50	102%		
D120613ALCS	D120613ALCS	ORG	71-43-2	Benzene	55		ug/L	1	0.14	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1273	50	110%		
D120613ALCS	D120613ALCS	ORG	107-06-2	1,2-Dichloroethane	49		ug/L	1	0.20	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1273	50	98%		
D120613ALCS	D120613ALCS	ORG	79-01-6	Trichloroethene	57		ug/L	1	0.36	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1273	50	114%		
D120613ALCS	D120613ALCS	ORG	74-95-3	Dibromomethane	51		ug/L	2	0.32	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1273	50	102%		
D120613ALCS	D120613ALCS	ORG	78-87-5	1,2-Dichloropropane	54		ug/L	1	0.18	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1273	50	108%		
D120613ALCS	D120613ALCS	ORG	75-27-4	Bromodichloromethane	52		ug/L	2	0.12	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1273	50	104%		
D120613ALCS	D120613ALCS	ORG	10061-01-5	cis-1,3-Dichloropropene	57		ug/L	1	0.25	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1273	50	114%		
D120613ALCS	D120613ALCS	ORG	108-88-3	Toluene	57		ug/L	1	0.21	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1273	50	114%		
D120613ALCS	D120613ALCS	ORG	108-10-1	4-Methyl-2-pentanone	59		ug/L	5	0.74	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1273	50	118%		
D120613ALCS	D120613ALCS	ORG	10061-02-6	trans-1,3-Dichloropropene	57		ug/L	1	0.31	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1273	50	114%		
D120613ALCS	D120613ALCS	ORG	127-18-4	Tetrachloroethene	47		ug/L	1	0.49	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1273	50	94%		
D120613ALCS	D120613ALCS	ORG	79-00-5	1,1,2-Trichloroethane	53		ug/L	1	0.34	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1273	50	106%		
D120613ALCS	D120613ALCS	ORG	124-48-1	Dibromochloromethane	54		ug/L	5	0.30	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1273	50	108%		
D120613ALCS	D120613ALCS	ORG	106-93-4	1,2-Dibromoethane	52		ug/L	2	0.26	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1273	50	104%		
D120613ALCS	D120613ALCS	ORG	591-78-6	2-Hexanone	85		ug/L	2	0.69	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1273	50	170%		
D120613ALCS	D120613ALCS	ORG	100-41-4	Ethylbenzene	60		ug/L	1	0.25	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1273	50	120%		
D120613ALCS	D120613ALCS	ORG	108-90-7	Chlorobenzene	57		ug/L	1	0.28	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1273	50	114%		
D120613ALCS	D120613ALCS	ORG	630-20-6	1,1,1,2-Tetrachloroethane	58		ug/L	2	0.19	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1273	50	116%		
D120613ALCS	D120613ALCS	ORG	XYLMP	p&m-Xylene	120		ug/L	2	0.26	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1273	100	120%		
D120613ALCS	D120613ALCS	ORG	95-47-6	o-Xylene	56		ug/L	1	0.13	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1273	50	112%		
D120613ALCS	D120613ALCS	ORG	100-42-5	Styrene	57		ug/L	1	0.20	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1273	50	114%		
D120613ALCS	D120613ALCS	ORG	75-25-2	Bromoform	54		ug/L	2	0.47	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1273	50	108%		
D120613ALCS	D120613ALCS	ORG	98-82-8	Isopropylbenzene	61		ug/L	2	0.20	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1273	50	122%		
D120613ALCS	D120613ALCS	ORG	103-65-1	n-Propylbenzene	58		ug/L	2	0.27	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1273	50	116%		
D120613ALCS	D120613ALCS	ORG	79-34-5	1,1,2,2-Tetrachloroethane	48		ug/L	2	0.29	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1273	50	96%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D120613ALCS	D120613ALCS	ORG	96-18-4	1,2,3-Trichloropropane	45		ug/L	2	0.29	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1273	50	90%		
D120613ALCS	D120613ALCS	ORG	108-67-8	1,3,5-Trimethylbenzene	58		ug/L	2	0.20	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1273	50	116%		
D120613ALCS	D120613ALCS	ORG	98-06-6	tert-Butylbenzene	63		ug/L	2	0.33	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1273	50	126%		
D120613ALCS	D120613ALCS	ORG	95-63-6	1,2,4-Trimethylbenzene	59		ug/L	2	0.20	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1273	50	118%		
D120613ALCS	D120613ALCS	ORG	135-98-8	sec-Butylbenzene	59		ug/L	2	0.32	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1273	50	118%		
D120613ALCS	D120613ALCS	ORG	541-73-1	1,3-Dichlorobenzene	54		ug/L	2	0.22	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1273	50	108%		
D120613ALCS	D120613ALCS	ORG	99-87-6	p-IsopropItoluene	61		ug/L	2	0.25	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1273	50	122%		
D120613ALCS	D120613ALCS	ORG	106-46-7	1,4-Dichlorobenzene	53		ug/L	2	0.33	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1273	50	106%		
D120613ALCS	D120613ALCS	ORG	95-50-1	1,2-Dichlorobenzene	53		ug/L	2	0.26	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1273	50	106%		
D120613ALCS	D120613ALCS	ORG	104-51-8	n-Butylbenzene	57		ug/L	5	0.28	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1273	50	114%		
D120613ALCS	D120613ALCS	ORG	96-12-8	1,2-Dibromo-3-chloropropane	49		ug/L	5	1.59	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1273	50	98%		
D120613ALCS	D120613ALCS	ORG	87-68-3	Hexachlorobutadiene	56		ug/L	5	0.65	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1273	50	112%		
D120613ALCS	D120613ALCS	ORG	120-82-1	1,2,4-Trichlorobenzene	56		ug/L	5	0.28	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1273	50	112%		
D120613ALCS	D120613ALCS	ORG	91-20-3	Naphthalene	54		ug/L	5	0.56	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1273	50	108%		
D120613ALCS	D120613ALCS	ORG	87-61-6	1,2,3-Trichlorobenzene	53		ug/L	5	0.23	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1273	50	106%		
D120613ALCS	D120613ALCS	STD	1868-53-7	Dibromofluoromethane	48		ng			NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1273	50	96%		
D120613ALCS	D120613ALCS	STD	17060-07-0	1,2-Dichloroethane d4	43		ng			NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1273	50	86%		
D120613ALCS	D120613ALCS	STD	2037-26-5	Toluene d8	49		ng			NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1273	50	98%		
D120613ALCS	D120613ALCS	STD	460-00-4	Bromofluorobenzene	50		ng			NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1273	50	100%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D120613ALCD	D120613ALCD	ORG	75-71-8	Dichlorodifluoromethane	46		ug/L	5	0.29	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1270	50	92%	16%	
D120613ALCD	D120613ALCD	ORG	74-87-3	Chloromethane	51		ug/L	5	0.43	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1270	50	102%	10%	
D120613ALCD	D120613ALCD	ORG	75-01-4	Vinyl chloride	54		ug/L	2	0.32	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1270	50	108%	16%	
D120613ALCD	D120613ALCD	ORG	74-83-9	Bromomethane	74		ug/L	5	0.50	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1270	50	148%	16%	
D120613ALCD	D120613ALCD	ORG	75-00-3	Chloroethane	61		ug/L	5	0.56	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1270	50	122%	18%	
D120613ALCD	D120613ALCD	ORG	75-69-4	Trichlorofluoromethane	710		ug/L	5	0.20	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1270	50	1420%	11%	
D120613ALCD	D120613ALCD	ORG	75-35-4	1,1-Dichloroethene	63		ug/L	1	0.47	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1270	50	126%	0%	
D120613ALCD	D120613ALCD	ORG	75-09-2	Methylene chloride	60		ug/L	5	0.26	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1270	50	120%	9%	
D120613ALCD	D120613ALCD	ORG	67-64-1	Acetone	54		ug/L	10	1.56	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1270	50	108%	33%	
D120613ALCD	D120613ALCD	ORG	156-60-5	trans-1,2-Dichloroethene	56		ug/L	1	0.56	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1270	50	112%	7%	
D120613ALCD	D120613ALCD	ORG	1634-04-4	MTBE	58		ug/L	5	0.61	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1270	50	116%	9%	
D120613ALCD	D120613ALCD	ORG	75-34-3	1,1-Dichloroethane	58		ug/L	1	0.53	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1270	50	116%	11%	
D120613ALCD	D120613ALCD	ORG	156-59-2	cis-1,2-Dichloroethene	55		ug/L	1	0.32	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1270	50	110%	4%	
D120613ALCD	D120613ALCD	ORG	74-97-5	Bromochloromethane	49		ug/L	10	0.41	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1270	50	98%	4%	
D120613ALCD	D120613ALCD	ORG	67-66-3	Chloroform	55		ug/L	2	0.16	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1270	50	110%	6%	
D120613ALCD	D120613ALCD	ORG	71-55-6	1,1,1-Trichloroethane	56		ug/L	1	0.17	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1270	50	112%	4%	
D120613ALCD	D120613ALCD	ORG	78-93-3	2-Butanone	60		ug/L	1	0.81	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1270	50	120%	12%	
D120613ALCD	D120613ALCD	ORG	56-23-5	Carbon tetrachloride	53		ug/L	1	0.28	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1270	50	106%	4%	
D120613ALCD	D120613ALCD	ORG	71-43-2	Benzene	57		ug/L	1	0.14	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1270	50	114%	4%	
D120613ALCD	D120613ALCD	ORG	107-06-2	1,2-Dichloroethane	54		ug/L	1	0.20	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1270	50	108%	10%	
D120613ALCD	D120613ALCD	ORG	79-01-6	Trichloroethene	58		ug/L	1	0.36	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1270	50	116%	2%	
D120613ALCD	D120613ALCD	ORG	74-95-3	Dibromomethane	53		ug/L	2	0.32	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1270	50	106%	4%	
D120613ALCD	D120613ALCD	ORG	78-87-5	1,2-Dichloropropane	56		ug/L	1	0.18	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1270	50	112%	4%	
D120613ALCD	D120613ALCD	ORG	75-27-4	Bromodichloromethane	55		ug/L	2	0.12	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1270	50	110%	6%	
D120613ALCD	D120613ALCD	ORG	10061-01-5	cis-1,3-Dichloropropene	58		ug/L	1	0.25	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1270	50	116%	2%	
D120613ALCD	D120613ALCD	ORG	108-88-3	Toluene	59		ug/L	1	0.21	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1270	50	118%	3%	
D120613ALCD	D120613ALCD	ORG	108-10-1	4-Methyl-2-pentanone	66		ug/L	5	0.74	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1270	50	132%	11%	
D120613ALCD	D120613ALCD	ORG	10061-02-6	trans-1,3-Dichloropropene	59		ug/L	1	0.31	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1270	50	118%	3%	
D120613ALCD	D120613ALCD	ORG	127-18-4	Tetrachloroethene	46		ug/L	1	0.49	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1270	50	92%	2%	
D120613ALCD	D120613ALCD	ORG	79-00-5	1,1,2-Trichloroethane	55		ug/L	1	0.34	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1270	50	110%	4%	
D120613ALCD	D120613ALCD	ORG	124-48-1	Dibromochloromethane	54		ug/L	5	0.30	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1270	50	108%	0%	
D120613ALCD	D120613ALCD	ORG	106-93-4	1,2-Dibromoethane	54		ug/L	2	0.26	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1270	50	108%	4%	
D120613ALCD	D120613ALCD	ORG	591-78-6	2-Hexanone	95		ug/L	2	0.69	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1270	50	190%	11%	
D120613ALCD	D120613ALCD	ORG	100-41-4	Ethylbenzene	67		ug/L	1	0.25	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1270	50	134%	11%	
D120613ALCD	D120613ALCD	ORG	108-90-7	Chlorobenzene	61		ug/L	1	0.28	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1270	50	122%	7%	
D120613ALCD	D120613ALCD	ORG	630-20-6	1,1,1,2-Tetrachloroethane	59		ug/L	2	0.19	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1270	50	118%	2%	
D120613ALCD	D120613ALCD	ORG	XYLMP	p&m-Xylene	110		ug/L	2	0.26	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1270	100	110%	9%	
D120613ALCD	D120613ALCD	ORG	95-47-6	o-Xylene	54		ug/L	1	0.13	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1270	50	108%	4%	
D120613ALCD	D120613ALCD	ORG	100-42-5	Styrene	61		ug/L	1	0.20	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1270	50	122%	7%	
D120613ALCD	D120613ALCD	ORG	75-25-2	Bromoform	63		ug/L	2	0.47	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1270	50	126%	15%	
D120613ALCD	D120613ALCD	ORG	98-82-8	Isopropylbenzene	67		ug/L	2	0.20	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1270	50	134%	9%	
D120613ALCD	D120613ALCD	ORG	103-65-1	n-Propylbenzene	65		ug/L	2	0.27	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1270	50	130%	11%	
D120613ALCD	D120613ALCD	ORG	79-34-5	1,1,2,2-Tetrachloroethane	58		ug/L	2	0.29	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1270	50	116%	19%	

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D120613ALCD	D120613ALCD	ORG	96-18-4	1,2,3-Trichloropropane	56		ug/L	2	0.29	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1270	50	112%	22%	
D120613ALCD	D120613ALCD	ORG	108-67-8	1,3,5-Trimethylbenzene	65		ug/L	2	0.20	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1270	50	130%	11%	
D120613ALCD	D120613ALCD	ORG	98-06-6	tert-Butylbenzene	69		ug/L	2	0.33	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1270	50	138%	9%	
D120613ALCD	D120613ALCD	ORG	95-63-6	1,2,4-Trimethylbenzene	66		ug/L	2	0.20	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1270	50	132%	11%	
D120613ALCD	D120613ALCD	ORG	135-98-8	sec-Butylbenzene	64		ug/L	2	0.32	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1270	50	128%	8%	
D120613ALCD	D120613ALCD	ORG	541-73-1	1,3-Dichlorobenzene	54		ug/L	2	0.22	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1270	50	108%	0%	
D120613ALCD	D120613ALCD	ORG	99-87-6	p-Isopropltoluene	64		ug/L	2	0.25	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1270	50	128%	5%	
D120613ALCD	D120613ALCD	ORG	106-46-7	1,4-Dichlorobenzene	54		ug/L	2	0.33	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1270	50	108%	2%	
D120613ALCD	D120613ALCD	ORG	95-50-1	1,2-Dichlorobenzene	55		ug/L	2	0.26	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1270	50	110%	4%	
D120613ALCD	D120613ALCD	ORG	104-51-8	n-Butylbenzene	63		ug/L	5	0.28	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1270	50	126%	10%	
D120613ALCD	D120613ALCD	ORG	96-12-8	1,2-Dibromo-3-chloropropane	61		ug/L	5	1.59	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1270	50	122%	22%	
D120613ALCD	D120613ALCD	ORG	87-68-3	Hexachlorobutadiene	56		ug/L	5	0.65	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1270	50	112%	0%	
D120613ALCD	D120613ALCD	ORG	120-82-1	1,2,4-Trichlorobenzene	58		ug/L	5	0.28	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1270	50	116%	4%	
D120613ALCD	D120613ALCD	ORG	91-20-3	Naphthalene	61		ug/L	5	0.56	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1270	50	122%	12%	
D120613ALCD	D120613ALCD	ORG	87-61-6	1,2,3-Trichlorobenzene	55		ug/L	5	0.23	NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1270	50	110%	4%	
D120613ALCD	D120613ALCD	STD	1868-53-7	Dibromofluoromethane	50		ng			NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1270	50	100%	4%	
D120613ALCD	D120613ALCD	STD	17060-07-0	1,2-Dichloroethane d4	46		ng			NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1270	50	92%	7%	
D120613ALCD	D120613ALCD	STD	2037-26-5	Toluene d8	37		ng			NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1270	50	74%	28%	
D120613ALCD	D120613ALCD	STD	460-00-4	Bromofluorobenzene	56		ng			NA	12/6/2013	12/6/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1270	50	112%	11%	

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-824MS	316-157	ORG	75-71-8	Dichlorodifluoromethane	4600		ug/L	500	29.28	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1271	5000	92%		
NAL13026-824MS	316-157	ORG	74-87-3	Chloromethane	5000		ug/L	500	43.07	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1271	5000	100%		
NAL13026-824MS	316-157	ORG	75-01-4	Vinyl chloride	5100		ug/L	200	31.86	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1271	5000	102%		
NAL13026-824MS	316-157	ORG	74-83-9	Bromomethane	6500		ug/L	500	50.04	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1271	5000	130%		
NAL13026-824MS	316-157	ORG	75-00-3	Chloroethane	5300		ug/L	500	55.61	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1271	5000	106%		
NAL13026-824MS	316-157	ORG	75-69-4	Trichlorofluoromethane	87000		ug/L	500	19.65	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1271	5000	1740%		
NAL13026-824MS	316-157	ORG	75-35-4	1,1-Dichloroethene	5700		ug/L	100	47.11	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1271	5000	114%		
NAL13026-824MS	316-157	ORG	75-09-2	Methylene chloride	5300		ug/L	500	26.46	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1271	5000	106%		
NAL13026-824MS	316-157	ORG	67-64-1	Acetone	200000		ug/L	1000	155.61	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1271	5000	-800%		240000
NAL13026-824MS	316-157	ORG	156-60-5	trans-1,2-Dichloroethene	3100		ug/L	100	55.61	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1271	5000	62%		
NAL13026-824MS	316-157	ORG	1634-04-4	MTBE	5700		ug/L	500	61.18	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1271	5000	114%		
NAL13026-824MS	316-157	ORG	75-34-3	1,1-Dichloroethane	5500		ug/L	100	52.66	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1271	5000	110%		
NAL13026-824MS	316-157	ORG	156-59-2	cis-1,2-Dichloroethene	5300		ug/L	100	32.11	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1271	5000	106%		
NAL13026-824MS	316-157	ORG	74-97-5	Bromochloromethane	5000		ug/L	1000	41.37	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1271	5000	100%		
NAL13026-824MS	316-157	ORG	67-66-3	Chloroform	5600		ug/L	200	15.73	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1271	5000	112%		
NAL13026-824MS	316-157	ORG	71-55-6	1,1,1-Trichloroethane	5600		ug/L	100	16.65	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1271	5000	112%		
NAL13026-824MS	316-157	ORG	78-93-3	2-Butanone	43000		ug/L	100	81.18	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1271	5000	100%		38000
NAL13026-824MS	316-157	ORG	56-23-5	Carbon tetrachloride	5000		ug/L	100	27.64	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1271	5000	100%		
NAL13026-824MS	316-157	ORG	71-43-2	Benzene	5600		ug/L	100	13.53	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1271	5000	111%		46
NAL13026-824MS	316-157	ORG	107-06-2	1,2-Dichloroethane	5300		ug/L	100	20.01	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1271	5000	106%		
NAL13026-824MS	316-157	ORG	79-01-6	Trichloroethene	5700		ug/L	100	36.33	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1271	5000	114%		
NAL13026-824MS	316-157	ORG	74-95-3	Dibromomethane	5400		ug/L	200	32.20	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1271	5000	108%		
NAL13026-824MS	316-157	ORG	78-87-5	1,2-Dichloropropane	5500		ug/L	100	18.17	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1271	5000	110%		
NAL13026-824MS	316-157	ORG	75-27-4	Bromodichloromethane	5300		ug/L	200	11.58	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1271	5000	106%		
NAL13026-824MS	316-157	ORG	10061-01-5	cis-1,3-Dichloropropene	5400		ug/L	100	25.01	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1271	5000	108%		
NAL13026-824MS	316-157	ORG	108-88-3	Toluene	5600		ug/L	100	20.96	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1271	5000	112%		
NAL13026-824MS	316-157	ORG	108-10-1	4-Methyl-2-pentanone	8200		ug/L	500	74.00	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1271	5000	128%		1800
NAL13026-824MS	316-157	ORG	10061-02-6	trans-1,3-Dichloropropene	5700		ug/L	100	31.15	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1271	5000	114%		
NAL13026-824MS	316-157	ORG	127-18-4	Tetrachloroethene	4300		ug/L	100	48.56	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1271	5000	86%		
NAL13026-824MS	316-157	ORG	79-00-5	1,1,2-Trichloroethane	5700		ug/L	100	34.28	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1271	5000	114%		
NAL13026-824MS	316-157	ORG	124-48-1	Dibromochloromethane	5400		ug/L	500	29.90	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1271	5000	108%		
NAL13026-824MS	316-157	ORG	106-93-4	1,2-Dibromoethane	5400		ug/L	200	26.49	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1271	5000	108%		
NAL13026-824MS	316-157	ORG	591-78-6	2-Hexanone	14000		ug/L	200	68.90	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1271	5000	148%		6600
NAL13026-824MS	316-157	ORG	100-41-4	Ethylbenzene	6500		ug/L	100	25.38	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1271	5000	129%		56
NAL13026-824MS	316-157	ORG	108-90-7	Chlorobenzene	5900		ug/L	100	27.52	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1271	5000	118%		
NAL13026-824MS	316-157	ORG	630-20-6	1,1,1,2-Tetrachloroethane	5800		ug/L	200	19.28	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1271	5000	116%		
NAL13026-824MS	316-157	ORG	XYLMP	p&m-Xylene	13000		ug/L	200	26.14	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1271	10000	130%		
NAL13026-824MS	316-157	ORG	95-47-6	o-Xylene	6100		ug/L	100	12.90	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1271	5000	120%		120
NAL13026-824MS	316-157	ORG	100-42-5	Styrene	5900		ug/L	100	20.23	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1271	5000	118%		
NAL13026-824MS	316-157	ORG	75-25-2	Bromoform	5400		ug/L	200	46.83	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1271	5000	108%		
NAL13026-824MS	316-157	ORG	98-82-8	Isopropylbenzene	6400		ug/L	200	20.48	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1271	5000	127%		52
NAL13026-824MS	316-157	ORG	103-65-1	n-Propylbenzene	6300		ug/L	200	27.00	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1271	5000	124%		78
NAL13026-824MS	316-157	ORG	79-34-5	1,1,2,2-Tetrachloroethane	5500		ug/L	200	29.16	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1271	5000	110%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-824MS	316-157	ORG	96-18-4	1,2,3-Trichloropropane	5400		ug/L	200	29.47	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1271	5000	108%		
NAL13026-824MS	316-157	ORG	108-67-8	1,3,5-Trimethylbenzene	6200		ug/L	200	20.03	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1271	5000	120%		190
NAL13026-824MS	316-157	ORG	98-06-6	tert-Butylbenzene	6500		ug/L	200	32.61	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1271	5000	130%		
NAL13026-824MS	316-157	ORG	95-63-6	1,2,4-Trimethylbenzene	7100		ug/L	200	20.03	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1271	5000	122%		1000
NAL13026-824MS	316-157	ORG	135-98-8	sec-Butylbenzene	6300		ug/L	200	32.34	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1271	5000	126%		
NAL13026-824MS	316-157	ORG	541-73-1	1,3-Dichlorobenzene	5200		ug/L	200	22.21	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1271	5000	104%		
NAL13026-824MS	316-157	ORG	99-87-6	p-IsopropItoluene	9700		ug/L	200	25.48	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1271	5000	120%		3700
NAL13026-824MS	316-157	ORG	106-46-7	1,4-Dichlorobenzene	6200		ug/L	200	33.03	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1271	5000	102%		1100
NAL13026-824MS	316-157	ORG	95-50-1	1,2-Dichlorobenzene	5300		ug/L	200	26.38	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1271	5000	106%		
NAL13026-824MS	316-157	ORG	104-51-8	n-Butylbenzene	6200		ug/L	500	27.81	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1271	5000	122%		100
NAL13026-824MS	316-157	ORG	96-12-8	1,2-Dibromo-3-chloropropane	6700		ug/L	500	159.11	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1271	5000	134%		
NAL13026-824MS	316-157	ORG	87-68-3	Hexachlorobutadiene	4800		ug/L	500	65.42	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1271	5000	96%		
NAL13026-824MS	316-157	ORG	120-82-1	1,2,4-Trichlorobenzene	5500		ug/L	500	27.63	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1271	5000	110%		
NAL13026-824MS	316-157	ORG	91-20-3	Naphthalene	7700		ug/L	500	56.04	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1271	5000	126%		1400
NAL13026-824MS	316-157	ORG	87-61-6	1,2,3-Trichlorobenzene	5200		ug/L	500	23.28	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1271	5000	104%		
NAL13026-824MS	316-157	STD	1868-53-7	Dibromofluoromethane	50		ng			12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1271	50	100%		
NAL13026-824MS	316-157	STD	17060-07-0	1,2-Dichloroethane d4	47		ng			12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1271	50	94%		
NAL13026-824MS	316-157	STD	2037-26-5	Toluene d8	48		ng			12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1271	50	96%		
NAL13026-824MS	316-157	STD	460-00-4	Bromofluorobenzene	53		ng			12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1271	50	106%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-824MSD	316-157	ORG	75-71-8	Dichlorodifluoromethane	3600		ug/L	500	29.28	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1272	5000	72%	24%	0
NAL13026-824MSD	316-157	ORG	74-87-3	Chloromethane	4400		ug/L	500	43.07	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1272	5000	88%	13%	0
NAL13026-824MSD	316-157	ORG	75-01-4	Vinyl chloride	4500		ug/L	200	31.86	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1272	5000	90%	13%	0
NAL13026-824MSD	316-157	ORG	74-83-9	Bromomethane	7300		ug/L	500	50.04	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1272	5000	146%	12%	0
NAL13026-824MSD	316-157	ORG	75-00-3	Chloroethane	5600		ug/L	500	55.61	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1272	5000	112%	6%	0
NAL13026-824MSD	316-157	ORG	75-69-4	Trichlorofluoromethane	100000		ug/L	500	19.65	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1272	5000	2000%	14%	0
NAL13026-824MSD	316-157	ORG	75-35-4	1,1-Dichloroethene	6000		ug/L	100	47.11	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1272	5000	120%	5%	0
NAL13026-824MSD	316-157	ORG	75-09-2	Methylene chloride	5200		ug/L	500	26.46	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1272	5000	104%	2%	0
NAL13026-824MSD	316-157	ORG	67-64-1	Acetone	180000		ug/L	1000	155.61	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1272	5000	-1200%	11%	240000
NAL13026-824MSD	316-157	ORG	156-60-5	trans-1,2-Dichloroethene	5000		ug/L	100	55.61	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1272	5000	100%	47%	0
NAL13026-824MSD	316-157	ORG	1634-04-4	MTBE	4800		ug/L	500	61.18	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1272	5000	96%	17%	0
NAL13026-824MSD	316-157	ORG	75-34-3	1,1-Dichloroethane	5100		ug/L	100	52.66	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1272	5000	102%	8%	0
NAL13026-824MSD	316-157	ORG	156-59-2	cis-1,2-Dichloroethene	5100		ug/L	100	32.11	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1272	5000	102%	4%	0
NAL13026-824MSD	316-157	ORG	74-97-5	Bromochloromethane	4800		ug/L	1000	41.37	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1272	5000	96%	4%	0
NAL13026-824MSD	316-157	ORG	67-66-3	Chloroform	5100		ug/L	200	15.73	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1272	5000	102%	9%	0
NAL13026-824MSD	316-157	ORG	71-55-6	1,1,1-Trichloroethane	5100		ug/L	100	16.65	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1272	5000	102%	9%	0
NAL13026-824MSD	316-157	ORG	78-93-3	2-Butanone	32000		ug/L	100	81.18	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1272	5000	-120%	29%	38000
NAL13026-824MSD	316-157	ORG	56-23-5	Carbon tetrachloride	5200		ug/L	100	27.64	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1272	5000	104%	4%	0
NAL13026-824MSD	316-157	ORG	71-43-2	Benzene	5300		ug/L	100	13.53	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1272	5000	105%	6%	46
NAL13026-824MSD	316-157	ORG	107-06-2	1,2-Dichloroethane	4700		ug/L	100	20.01	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1272	5000	94%	12%	0
NAL13026-824MSD	316-157	ORG	79-01-6	Trichloroethene	5500		ug/L	100	36.33	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1272	5000	110%	4%	0
NAL13026-824MSD	316-157	ORG	74-95-3	Dibromomethane	4800		ug/L	200	32.20	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1272	5000	96%	12%	0
NAL13026-824MSD	316-157	ORG	78-87-5	1,2-Dichloropropane	5100		ug/L	100	18.17	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1272	5000	102%	8%	0
NAL13026-824MSD	316-157	ORG	75-27-4	Bromodichloromethane	5200		ug/L	200	11.58	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1272	5000	104%	2%	0
NAL13026-824MSD	316-157	ORG	10061-01-5	cis-1,3-Dichloropropene	5400		ug/L	100	25.01	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1272	5000	108%	0%	0
NAL13026-824MSD	316-157	ORG	108-88-3	Toluene	5600		ug/L	100	20.96	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1272	5000	112%	0%	0
NAL13026-824MSD	316-157	ORG	108-10-1	4-Methyl-2-pentanone	6200		ug/L	500	74.00	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1272	5000	88%	28%	1800
NAL13026-824MSD	316-157	ORG	10061-02-6	trans-1,3-Dichloropropene	5500		ug/L	100	31.15	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1272	5000	110%	4%	0
NAL13026-824MSD	316-157	ORG	127-18-4	Tetrachloroethene	4700		ug/L	100	48.56	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1272	5000	94%	9%	0
NAL13026-824MSD	316-157	ORG	79-00-5	1,1,2-Trichloroethane	5100		ug/L	100	34.28	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1272	5000	102%	11%	0
NAL13026-824MSD	316-157	ORG	124-48-1	Dibromochloromethane	5200		ug/L	500	29.90	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1272	5000	104%	4%	0
NAL13026-824MSD	316-157	ORG	106-93-4	1,2-Dibromoethane	5100		ug/L	200	26.49	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1272	5000	102%	6%	0
NAL13026-824MSD	316-157	ORG	591-78-6	2-Hexanone	10000		ug/L	200	68.90	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1272	5000	68%	33%	6600
NAL13026-824MSD	316-157	ORG	100-41-4	Ethylbenzene	5900		ug/L	100	25.38	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1272	5000	117%	10%	56
NAL13026-824MSD	316-157	ORG	108-90-7	Chlorobenzene	5400		ug/L	100	27.52	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1272	5000	108%	9%	0
NAL13026-824MSD	316-157	ORG	630-20-6	1,1,1,2-Tetrachloroethane	5600		ug/L	200	19.28	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1272	5000	112%	4%	0
NAL13026-824MSD	316-157	ORG	XYLMP	p&m-Xylene	12000		ug/L	200	26.14	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1272	10000	120%	8%	0
NAL13026-824MSD	316-157	ORG	95-47-6	o-Xylene	5600		ug/L	100	12.90	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1272	5000	110%	9%	120
NAL13026-824MSD	316-157	ORG	100-42-5	Styrene	5600		ug/L	100	20.23	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1272	5000	112%	5%	0
NAL13026-824MSD	316-157	ORG	75-25-2	Bromoform	5100		ug/L	200	46.83	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1272	5000	102%	6%	0
NAL13026-824MSD	316-157	ORG	98-82-8	Isopropylbenzene	6000		ug/L	200	20.48	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1272	5000	119%	6%	52
NAL13026-824MSD	316-157	ORG	103-65-1	n-Propylbenzene	5700		ug/L	200	27.00	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1272	5000	112%	10%	78
NAL13026-824MSD	316-157	ORG	79-34-5	1,1,2,2-Tetrachloroethane	4500		ug/L	200	29.16	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1272	5000	90%	20%	0

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-824MSD	316-157	ORG	96-18-4	1,2,3-Trichloropropane	4200		ug/L	200	29.47	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1272	5000	84%	25%	0
NAL13026-824MSD	316-157	ORG	108-67-8	1,3,5-Trimethylbenzene	5900		ug/L	200	20.03	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1272	5000	114%	5%	190
NAL13026-824MSD	316-157	ORG	98-06-6	tert-Butylbenzene	6100		ug/L	200	32.61	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1272	5000	122%	6%	0
NAL13026-824MSD	316-157	ORG	95-63-6	1,2,4-Trimethylbenzene	6400		ug/L	200	20.03	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1272	5000	108%	10%	1000
NAL13026-824MSD	316-157	ORG	135-98-8	sec-Butylbenzene	5800		ug/L	200	32.34	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1272	5000	116%	8%	0
NAL13026-824MSD	316-157	ORG	541-73-1	1,3-Dichlorobenzene	5200		ug/L	200	22.21	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1272	5000	104%	0%	0
NAL13026-824MSD	316-157	ORG	99-87-6	p-IsopropItoluene	8600		ug/L	200	25.48	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1272	5000	98%	12%	3700
NAL13026-824MSD	316-157	ORG	106-46-7	1,4-Dichlorobenzene	5900		ug/L	200	33.03	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1272	5000	96%	5%	1100
NAL13026-824MSD	316-157	ORG	95-50-1	1,2-Dichlorobenzene	5100		ug/L	200	26.38	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1272	5000	102%	4%	0
NAL13026-824MSD	316-157	ORG	104-51-8	n-Butylbenzene	5700		ug/L	500	27.81	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1272	5000	112%	8%	100
NAL13026-824MSD	316-157	ORG	96-12-8	1,2-Dibromo-3-chloropropane	4900		ug/L	500	159.11	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1272	5000	98%	31%	0
NAL13026-824MSD	316-157	ORG	87-68-3	Hexachlorobutadiene	5200		ug/L	500	65.42	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1272	5000	104%	8%	0
NAL13026-824MSD	316-157	ORG	120-82-1	1,2,4-Trichlorobenzene	5300		ug/L	500	27.63	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1272	5000	106%	4%	0
NAL13026-824MSD	316-157	ORG	91-20-3	Naphthalene	6300		ug/L	500	56.04	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1272	5000	98%	20%	1400
NAL13026-824MSD	316-157	ORG	87-61-6	1,2,3-Trichlorobenzene	5100		ug/L	500	23.28	12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1272	5000	102%	2%	0
NAL13026-824MSD	316-157	STD	1868-53-7	Dibromofluoromethane	47		ng			12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1272	50	94%	6%	0
NAL13026-824MSD	316-157	STD	17060-07-0	1,2-Dichloroethane d4	42		ng			12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1272	50	84%	11%	0
NAL13026-824MSD	316-157	STD	2037-26-5	Toluene d8	49		ng			12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1272	50	98%	2%	0
NAL13026-824MSD	316-157	STD	460-00-4	Bromofluorobenzene	49		ng			12/6/2013	12/6/2013	12/6/2013	WG	100	NA	5.0	NA	SW8260B	NALD1272	50	98%	8%	0

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-825	316-158	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1291				
NAL13026-825	316-158	ORG	74-87-3	Chloromethane		U	ug/L	500	43.07	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1291				
NAL13026-825	316-158	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1291				
NAL13026-825	316-158	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1291				
NAL13026-825	316-158	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1291				
NAL13026-825	316-158	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1291				
NAL13026-825	316-158	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1291				
NAL13026-825	316-158	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1291				
NAL13026-825	316-158	ORG	67-64-1	Acetone	340000	D	ug/L	10000	1556.07	12/7/2013	12/7/2013	12/7/2013	WG	1000	NA	5.0	NA	SW8260B	NALD1292				
NAL13026-825	316-158	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1291				
NAL13026-825	316-158	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1291				
NAL13026-825	316-158	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1291				
NAL13026-825	316-158	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1291				
NAL13026-825	316-158	ORG	74-97-5	Bromochloromethane		U	ug/L	200	41.37	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1291				
NAL13026-825	316-158	ORG	67-66-3	Chloroform		U	ug/L	100	15.73	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1291				
NAL13026-825	316-158	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	16.65	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1291				
NAL13026-825	316-158	ORG	78-93-3	2-Butanone	41000	D	ug/L	10000	811.80	12/7/2013	12/7/2013	12/7/2013	WG	1000	NA	5.0	NA	SW8260B	NALD1292				
NAL13026-825	316-158	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1291				
NAL13026-825	316-158	ORG	71-43-2	Benzene	120		ug/L	100	13.53	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1291				
NAL13026-825	316-158	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1291				
NAL13026-825	316-158	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1291				
NAL13026-825	316-158	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1291				
NAL13026-825	316-158	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1291				
NAL13026-825	316-158	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1291				
NAL13026-825	316-158	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1291				
NAL13026-825	316-158	ORG	108-88-3	Toluene	120		ug/L	100	20.96	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1291				
NAL13026-825	316-158	ORG	108-10-1	4-Methyl-2-pentanone	2300		ug/L	500	74.00	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1291				
NAL13026-825	316-158	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1291				
NAL13026-825	316-158	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1291				
NAL13026-825	316-158	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1291				
NAL13026-825	316-158	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	29.90	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1291				
NAL13026-825	316-158	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	26.49	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1291				
NAL13026-825	316-158	ORG	591-78-6	2-Hexanone	6100		ug/L	500	68.90	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1291				
NAL13026-825	316-158	ORG	100-41-4	Ethylbenzene	320		ug/L	100	25.38	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1291				
NAL13026-825	316-158	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1291				
NAL13026-825	316-158	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1291				
NAL13026-825	316-158	ORG	XYLMP	p&m-Xylene	920		ug/L	200	26.14	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1291				
NAL13026-825	316-158	ORG	95-47-6	o-Xylene	610		ug/L	100	12.90	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1291				
NAL13026-825	316-158	ORG	100-42-5	Styrene		U	ug/L	100	20.23	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1291				
NAL13026-825	316-158	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1291				
NAL13026-825	316-158	ORG	98-82-8	Isopropylbenzene	300		ug/L	200	20.48	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1291				
NAL13026-825	316-158	ORG	103-65-1	n-Propylbenzene	290		ug/L	200	27.00	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1291				
NAL13026-825	316-158	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1291				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-825	316-158	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1291				
NAL13026-825	316-158	ORG	108-67-8	1,3,5-Trimethylbenzene	660		ug/L	200	20.03	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1291				
NAL13026-825	316-158	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1291				
NAL13026-825	316-158	ORG	95-63-6	1,2,4-Trimethylbenzene	3100		ug/L	200	20.03	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1291				
NAL13026-825	316-158	ORG	135-98-8	sec-Butylbenzene	260		ug/L	200	32.34	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1291				
NAL13026-825	316-158	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1291				
NAL13026-825	316-158	ORG	99-87-6	p-IsopropItoluene	11000		ug/L	200	25.48	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1291				
NAL13026-825	316-158	ORG	106-46-7	1,4-Dichlorobenzene	2700		ug/L	200	33.03	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1291				
NAL13026-825	316-158	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1291				
NAL13026-825	316-158	ORG	104-51-8	n-Butylbenzene	360	J	ug/L	500	27.81	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1291				
NAL13026-825	316-158	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1291				
NAL13026-825	316-158	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1291				
NAL13026-825	316-158	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1291				
NAL13026-825	316-158	ORG	91-20-3	Naphthalene	2600		ug/L	500	56.04	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1291				
NAL13026-825	316-158	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1291				
NAL13026-825	316-158	STD	1868-53-7	Dibromofluoromethane	51		ng			12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1291	50	102%		
NAL13026-825	316-158	STD	17060-07-0	1,2-Dichloroethane d4	50		ng			12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1291	50	100%		
NAL13026-825	316-158	STD	2037-26-5	Toluene d8	51		ng			12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1291	50	102%		
NAL13026-825	316-158	STD	460-00-4	Bromofluorobenzene	49		ng			12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1291	50	98%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-826	316-158R	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1293				
NAL13026-826	316-158R	ORG	74-87-3	Chloromethane		U	ug/L	500	43.07	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1293				
NAL13026-826	316-158R	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1293				
NAL13026-826	316-158R	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1293				
NAL13026-826	316-158R	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1293				
NAL13026-826	316-158R	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1293				
NAL13026-826	316-158R	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1293				
NAL13026-826	316-158R	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1293				
NAL13026-826	316-158R	ORG	67-64-1	Acetone	300000	D	ug/L	10000	1556.07	12/7/2013	12/7/2013	12/7/2013	WG	1000	NA	5.0	NA	SW8260B	NALD1294				
NAL13026-826	316-158R	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1293				
NAL13026-826	316-158R	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1293				
NAL13026-826	316-158R	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1293				
NAL13026-826	316-158R	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1293				
NAL13026-826	316-158R	ORG	74-97-5	Bromochloromethane		U	ug/L	200	41.37	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1293				
NAL13026-826	316-158R	ORG	67-66-3	Chloroform		U	ug/L	100	15.73	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1293				
NAL13026-826	316-158R	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	16.65	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1293				
NAL13026-826	316-158R	ORG	78-93-3	2-Butanone	42000	D	ug/L	10000	811.80	12/7/2013	12/7/2013	12/7/2013	WG	1000	NA	5.0	NA	SW8260B	NALD1294				
NAL13026-826	316-158R	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1293				
NAL13026-826	316-158R	ORG	71-43-2	Benzene	76	J	ug/L	100	13.53	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1293				
NAL13026-826	316-158R	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1293				
NAL13026-826	316-158R	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1293				
NAL13026-826	316-158R	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1293				
NAL13026-826	316-158R	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1293				
NAL13026-826	316-158R	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1293				
NAL13026-826	316-158R	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1293				
NAL13026-826	316-158R	ORG	108-88-3	Toluene	74	J	ug/L	100	20.96	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1293				
NAL13026-826	316-158R	ORG	108-10-1	4-Methyl-2-pentanone	2000		ug/L	500	74.00	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1293				
NAL13026-826	316-158R	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1293				
NAL13026-826	316-158R	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1293				
NAL13026-826	316-158R	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1293				
NAL13026-826	316-158R	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	29.90	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1293				
NAL13026-826	316-158R	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	26.49	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1293				
NAL13026-826	316-158R	ORG	591-78-6	2-Hexanone	5500		ug/L	500	68.90	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1293				
NAL13026-826	316-158R	ORG	100-41-4	Ethylbenzene	260		ug/L	100	25.38	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1293				
NAL13026-826	316-158R	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1293				
NAL13026-826	316-158R	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1293				
NAL13026-826	316-158R	ORG	XYLMP	p&m-Xylene	810		ug/L	200	26.14	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1293				
NAL13026-826	316-158R	ORG	95-47-6	o-Xylene	500		ug/L	100	12.90	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1293				
NAL13026-826	316-158R	ORG	100-42-5	Styrene		U	ug/L	100	20.23	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1293				
NAL13026-826	316-158R	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1293				
NAL13026-826	316-158R	ORG	98-82-8	Isopropylbenzene	260		ug/L	200	20.48	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1293				
NAL13026-826	316-158R	ORG	103-65-1	n-Propylbenzene	290		ug/L	200	27.00	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1293				
NAL13026-826	316-158R	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1293				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-826	316-158R	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1293				
NAL13026-826	316-158R	ORG	108-67-8	1,3,5-Trimethylbenzene	700		ug/L	200	20.03	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1293				
NAL13026-826	316-158R	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1293				
NAL13026-826	316-158R	ORG	95-63-6	1,2,4-Trimethylbenzene	3100		ug/L	200	20.03	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1293				
NAL13026-826	316-158R	ORG	135-98-8	sec-Butylbenzene	250		ug/L	200	32.34	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1293				
NAL13026-826	316-158R	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1293				
NAL13026-826	316-158R	ORG	99-87-6	p-Isopropltoluene	12000		ug/L	200	25.48	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1293				
NAL13026-826	316-158R	ORG	106-46-7	1,4-Dichlorobenzene	2800		ug/L	200	33.03	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1293				
NAL13026-826	316-158R	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1293				
NAL13026-826	316-158R	ORG	104-51-8	n-Butylbenzene	380	J	ug/L	500	27.81	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1293				
NAL13026-826	316-158R	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1293				
NAL13026-826	316-158R	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1293				
NAL13026-826	316-158R	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1293				
NAL13026-826	316-158R	ORG	91-20-3	Naphthalene	2800		ug/L	500	56.04	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1293				
NAL13026-826	316-158R	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1293				
NAL13026-826	316-158R	STD	1868-53-7	Dibromofluoromethane	50		ng			12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1293	50	100%		
NAL13026-826	316-158R	STD	17060-07-0	1,2-Dichloroethane d4	49		ng			12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1293	50	98%		
NAL13026-826	316-158R	STD	2037-26-5	Toluene d8	49		ng			12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1293	50	98%		
NAL13026-826	316-158R	STD	460-00-4	Bromofluorobenzene	49		ng			12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1293	50	98%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D120613ICVA	D120613ICVA	ORG	75-71-8	Dichlorodifluoromethane	55		ug/L	5	0.29	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1288	50	110%		
D120613ICVA	D120613ICVA	ORG	74-87-3	Chloromethane	42		ug/L	5	0.43	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1288	50	84%		
D120613ICVA	D120613ICVA	ORG	75-01-4	Vinyl chloride	48		ug/L	2	0.32	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1288	50	96%		
D120613ICVA	D120613ICVA	ORG	74-83-9	Bromomethane	76		ug/L	5	0.50	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1288	50	152%		
D120613ICVA	D120613ICVA	ORG	75-00-3	Chloroethane	49		ug/L	5	0.56	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1288	50	98%		
D120613ICVA	D120613ICVA	ORG	75-69-4	Trichlorofluoromethane	100		ug/L	5	0.20	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1288	50	200%		
D120613ICVA	D120613ICVA	ORG	75-35-4	1,1-Dichloroethene	51		ug/L	1	0.47	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1288	50	102%		
D120613ICVA	D120613ICVA	ORG	75-09-2	Methylene chloride	53		ug/L	5	0.26	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1288	50	106%		
D120613ICVA	D120613ICVA	ORG	67-64-1	Acetone	54		ug/L	10	1.56	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1288	50	108%		
D120613ICVA	D120613ICVA	ORG	156-60-5	trans-1,2-Dichloroethene	50		ug/L	1	0.56	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1288	50	100%		
D120613ICVA	D120613ICVA	ORG	1634-04-4	MTBE	45		ug/L	5	0.61	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1288	50	90%		
D120613ICVA	D120613ICVA	ORG	75-34-3	1,1-Dichloroethane	47		ug/L	1	0.53	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1288	50	94%		
D120613ICVA	D120613ICVA	ORG	156-59-2	cis-1,2-Dichloroethene	50		ug/L	1	0.32	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1288	50	100%		
D120613ICVA	D120613ICVA	ORG	74-97-5	Bromochloromethane	48		ug/L	10	0.41	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1288	50	96%		
D120613ICVA	D120613ICVA	ORG	67-66-3	Chloroform	48		ug/L	2	0.16	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1288	50	96%		
D120613ICVA	D120613ICVA	ORG	71-55-6	1,1,1-Trichloroethane	49		ug/L	1	0.17	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1288	50	98%		
D120613ICVA	D120613ICVA	ORG	78-93-3	2-Butanone	46		ug/L	1	0.81	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1288	50	92%		
D120613ICVA	D120613ICVA	ORG	56-23-5	Carbon tetrachloride	49		ug/L	1	0.28	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1288	50	98%		
D120613ICVA	D120613ICVA	ORG	71-43-2	Benzene	50		ug/L	1	0.14	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1288	50	100%		
D120613ICVA	D120613ICVA	ORG	107-06-2	1,2-Dichloroethane	47		ug/L	1	0.20	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1288	50	94%		
D120613ICVA	D120613ICVA	ORG	79-01-6	Trichloroethene	50		ug/L	1	0.36	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1288	50	100%		
D120613ICVA	D120613ICVA	ORG	74-95-3	Dibromomethane	48		ug/L	2	0.32	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1288	50	96%		
D120613ICVA	D120613ICVA	ORG	78-87-5	1,2-Dichloropropane	50		ug/L	1	0.18	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1288	50	100%		
D120613ICVA	D120613ICVA	ORG	75-27-4	Bromodichloromethane	51		ug/L	2	0.12	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1288	50	102%		
D120613ICVA	D120613ICVA	ORG	10061-01-5	cis-1,3-Dichloropropene	56		ug/L	1	0.25	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1288	50	112%		
D120613ICVA	D120613ICVA	ORG	108-88-3	Toluene	49		ug/L	1	0.21	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1288	50	98%		
D120613ICVA	D120613ICVA	ORG	108-10-1	4-Methyl-2-pentanone	53		ug/L	5	0.74	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1288	50	106%		
D120613ICVA	D120613ICVA	ORG	10061-02-6	trans-1,3-Dichloropropene	53		ug/L	1	0.31	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1288	50	106%		
D120613ICVA	D120613ICVA	ORG	127-18-4	Tetrachloroethene	56		ug/L	1	0.49	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1288	50	112%		
D120613ICVA	D120613ICVA	ORG	79-00-5	1,1,2-Trichloroethane	50		ug/L	1	0.34	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1288	50	100%		
D120613ICVA	D120613ICVA	ORG	124-48-1	Dibromochloromethane	54		ug/L	5	0.30	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1288	50	108%		
D120613ICVA	D120613ICVA	ORG	106-93-4	1,2-Dibromoethane	52		ug/L	2	0.26	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1288	50	104%		
D120613ICVA	D120613ICVA	ORG	591-78-6	2-Hexanone	51		ug/L	2	0.69	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1288	50	102%		
D120613ICVA	D120613ICVA	ORG	100-41-4	Ethylbenzene	53		ug/L	1	0.25	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1288	50	106%		
D120613ICVA	D120613ICVA	ORG	108-90-7	Chlorobenzene	49		ug/L	1	0.28	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1288	50	98%		
D120613ICVA	D120613ICVA	ORG	630-20-6	1,1,1,2-Tetrachloroethane	53		ug/L	2	0.19	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1288	50	106%		
D120613ICVA	D120613ICVA	ORG	XYLMP	p&m-Xylene	100		ug/L	2	0.26	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1288	100	100%		
D120613ICVA	D120613ICVA	ORG	95-47-6	o-Xylene	51		ug/L	1	0.13	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1288	50	102%		
D120613ICVA	D120613ICVA	ORG	100-42-5	Styrene	58		ug/L	1	0.20	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1288	50	116%		
D120613ICVA	D120613ICVA	ORG	75-25-2	Bromoform	54		ug/L	2	0.47	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1288	50	108%		
D120613ICVA	D120613ICVA	ORG	98-82-8	Isopropylbenzene	51		ug/L	2	0.20	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1288	50	102%		
D120613ICVA	D120613ICVA	ORG	103-65-1	n-Propylbenzene	51		ug/L	2	0.27	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1288	50	102%		
D120613ICVA	D120613ICVA	ORG	79-34-5	1,1,2,2-Tetrachloroethane	49		ug/L	2	0.29	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1288	50	98%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D120613ICVA	D120613ICVA	ORG	96-18-4	1,2,3-Trichloropropane	49		ug/L	2	0.29	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1288	50	98%		
D120613ICVA	D120613ICVA	ORG	108-67-8	1,3,5-Trimethylbenzene	56		ug/L	2	0.20	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1288	50	112%		
D120613ICVA	D120613ICVA	ORG	98-06-6	tert-Butylbenzene	52		ug/L	2	0.33	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1288	50	104%		
D120613ICVA	D120613ICVA	ORG	95-63-6	1,2,4-Trimethylbenzene	55		ug/L	2	0.20	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1288	50	110%		
D120613ICVA	D120613ICVA	ORG	135-98-8	sec-Butylbenzene	50		ug/L	2	0.32	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1288	50	100%		
D120613ICVA	D120613ICVA	ORG	541-73-1	1,3-Dichlorobenzene	47		ug/L	2	0.22	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1288	50	94%		
D120613ICVA	D120613ICVA	ORG	99-87-6	p-IsopropItoluene	52		ug/L	2	0.25	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1288	50	104%		
D120613ICVA	D120613ICVA	ORG	106-46-7	1,4-Dichlorobenzene	51		ug/L	2	0.33	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1288	50	102%		
D120613ICVA	D120613ICVA	ORG	95-50-1	1,2-Dichlorobenzene	47		ug/L	2	0.26	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1288	50	94%		
D120613ICVA	D120613ICVA	ORG	104-51-8	n-Butylbenzene	54		ug/L	5	0.28	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1288	50	108%		
D120613ICVA	D120613ICVA	ORG	96-12-8	1,2-Dibromo-3-chloropropane	48		ug/L	5	1.59	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1288	50	96%		
D120613ICVA	D120613ICVA	ORG	87-68-3	Hexachlorobutadiene	51		ug/L	5	0.65	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1288	50	102%		
D120613ICVA	D120613ICVA	ORG	120-82-1	1,2,4-Trichlorobenzene	51		ug/L	5	0.28	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1288	50	102%		
D120613ICVA	D120613ICVA	ORG	91-20-3	Naphthalene	51		ug/L	5	0.56	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1288	50	102%		
D120613ICVA	D120613ICVA	ORG	87-61-6	1,2,3-Trichlorobenzene	49		ug/L	5	0.23	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1288	50	98%		
D120613ICVA	D120613ICVA	STD	1868-53-7	Dibromofluoromethane	49		ng			NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1288	50	98%		
D120613ICVA	D120613ICVA	STD	17060-07-0	1,2-Dichloroethane d4	48		ng			NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1288	50	96%		
D120613ICVA	D120613ICVA	STD	2037-26-5	Toluene d8	50		ng			NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1288	50	100%		
D120613ICVA	D120613ICVA	STD	460-00-4	Bromofluorobenzene	49		ng			NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1288	50	98%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D120613MBKA	D120613MBKA	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	5	0.29	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD12890				
D120613MBKA	D120613MBKA	ORG	74-87-3	Chloromethane		U	ug/L	5	0.43	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD12890				
D120613MBKA	D120613MBKA	ORG	75-01-4	Vinyl chloride		U	ug/L	2	0.32	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD12890				
D120613MBKA	D120613MBKA	ORG	74-83-9	Bromomethane		U	ug/L	5	0.50	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD12890				
D120613MBKA	D120613MBKA	ORG	75-00-3	Chloroethane		U	ug/L	5	0.56	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD12890				
D120613MBKA	D120613MBKA	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	5	0.20	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD12890				
D120613MBKA	D120613MBKA	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	1	0.47	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD12890				
D120613MBKA	D120613MBKA	ORG	75-09-2	Methylene chloride		U	ug/L	5	0.26	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD12890				
D120613MBKA	D120613MBKA	ORG	67-64-1	Acetone		U	ug/L	10	1.56	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD12890				
D120613MBKA	D120613MBKA	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	1	0.56	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD12890				
D120613MBKA	D120613MBKA	ORG	1634-04-4	MTBE		U	ug/L	5	0.61	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD12890				
D120613MBKA	D120613MBKA	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	1	0.53	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD12890				
D120613MBKA	D120613MBKA	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	1	0.32	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD12890				
D120613MBKA	D120613MBKA	ORG	74-97-5	Bromochloromethane		U	ug/L	10	0.41	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD12890				
D120613MBKA	D120613MBKA	ORG	67-66-3	Chloroform		U	ug/L	2	0.16	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD12890				
D120613MBKA	D120613MBKA	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	1	0.17	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD12890				
D120613MBKA	D120613MBKA	ORG	78-93-3	2-Butanone		U	ug/L	1	0.81	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD12890				
D120613MBKA	D120613MBKA	ORG	56-23-5	Carbon tetrachloride		U	ug/L	1	0.28	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD12890				
D120613MBKA	D120613MBKA	ORG	71-43-2	Benzene		U	ug/L	1	0.14	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD12890				
D120613MBKA	D120613MBKA	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	1	0.20	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD12890				
D120613MBKA	D120613MBKA	ORG	79-01-6	Trichloroethene		U	ug/L	1	0.36	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD12890				
D120613MBKA	D120613MBKA	ORG	74-95-3	Dibromomethane		U	ug/L	2	0.32	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD12890				
D120613MBKA	D120613MBKA	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	1	0.18	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD12890				
D120613MBKA	D120613MBKA	ORG	75-27-4	Bromodichloromethane		U	ug/L	2	0.12	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD12890				
D120613MBKA	D120613MBKA	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	1	0.25	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD12890				
D120613MBKA	D120613MBKA	ORG	108-88-3	Toluene		U	ug/L	1	0.21	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD12890				
D120613MBKA	D120613MBKA	ORG	108-10-1	4-Methyl-2-pentanone		U	ug/L	5	0.74	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD12890				
D120613MBKA	D120613MBKA	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	1	0.31	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD12890				
D120613MBKA	D120613MBKA	ORG	127-18-4	Tetrachloroethene		U	ug/L	1	0.49	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD12890				
D120613MBKA	D120613MBKA	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	1	0.34	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD12890				
D120613MBKA	D120613MBKA	ORG	124-48-1	Dibromochloromethane		U	ug/L	5	0.30	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD12890				
D120613MBKA	D120613MBKA	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	2	0.26	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD12890				
D120613MBKA	D120613MBKA	ORG	591-78-6	2-Hexanone		U	ug/L	2	0.69	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD12890				
D120613MBKA	D120613MBKA	ORG	100-41-4	Ethylbenzene		U	ug/L	1	0.25	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD12890				
D120613MBKA	D120613MBKA	ORG	108-90-7	Chlorobenzene		U	ug/L	1	0.28	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD12890				
D120613MBKA	D120613MBKA	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	2	0.19	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD12890				
D120613MBKA	D120613MBKA	ORG	XYLMP	p&m-Xylene		U	ug/L	2	0.26	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD12890				
D120613MBKA	D120613MBKA	ORG	95-47-6	o-Xylene		U	ug/L	1	0.13	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD12890				
D120613MBKA	D120613MBKA	ORG	100-42-5	Styrene		U	ug/L	1	0.20	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD12890				
D120613MBKA	D120613MBKA	ORG	75-25-2	Bromoform		U	ug/L	2	0.47	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD12890				
D120613MBKA	D120613MBKA	ORG	98-82-8	Isopropylbenzene		U	ug/L	2	0.20	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD12890				
D120613MBKA	D120613MBKA	ORG	103-65-1	n-Propylbenzene		U	ug/L	2	0.27	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD12890				
D120613MBKA	D120613MBKA	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	2	0.29	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD12890				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D120613MBKA	D120613MBKA	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	2	0.29	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD12890				
D120613MBKA	D120613MBKA	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	2	0.20	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD12890				
D120613MBKA	D120613MBKA	ORG	98-06-6	tert-Butylbenzene		U	ug/L	2	0.33	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD12890				
D120613MBKA	D120613MBKA	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	2	0.20	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD12890				
D120613MBKA	D120613MBKA	ORG	135-98-8	sec-Butylbenzene		U	ug/L	2	0.32	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD12890				
D120613MBKA	D120613MBKA	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	2	0.22	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD12890				
D120613MBKA	D120613MBKA	ORG	99-87-6	p-Isopropltoluene		U	ug/L	2	0.25	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD12890				
D120613MBKA	D120613MBKA	ORG	106-46-7	1,4-Dichlorobenzene		U	ug/L	2	0.33	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD12890				
D120613MBKA	D120613MBKA	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	2	0.26	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD12890				
D120613MBKA	D120613MBKA	ORG	104-51-8	n-Butylbenzene		U	ug/L	5	0.28	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD12890				
D120613MBKA	D120613MBKA	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	5	1.59	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD12890				
D120613MBKA	D120613MBKA	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	5	0.65	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD12890				
D120613MBKA	D120613MBKA	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	5	0.28	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD12890				
D120613MBKA	D120613MBKA	ORG	91-20-3	Naphthalene		U	ug/L	5	0.56	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD12890				
D120613MBKA	D120613MBKA	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	5	0.23	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD12890				
D120613MBKA	D120613MBKA	STD	1868-53-7	Dibromofluoromethane	52		ng			NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD12890	50	104%		
D120613MBKA	D120613MBKA	STD	17060-07-0	1,2-Dichloroethane d4	55		ng			NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD12890	50	110%		
D120613MBKA	D120613MBKA	STD	2037-26-5	Toluene d8	52		ng			NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD12890	50	104%		
D120613MBKA	D120613MBKA	STD	460-00-4	Bromofluorobenzene	50		ng			NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD12890	50	100%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D120713ALCS	D120713ALCS	ORG	75-71-8	Dichlorodifluoromethane	44		ug/L	5	0.29	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1295	50	88%		
D120713ALCS	D120713ALCS	ORG	74-87-3	Chloromethane	46		ug/L	5	0.43	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1295	50	92%		
D120713ALCS	D120713ALCS	ORG	75-01-4	Vinyl chloride	49		ug/L	2	0.32	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1295	50	98%		
D120713ALCS	D120713ALCS	ORG	74-83-9	Bromomethane	100		ug/L	5	0.50	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1295	50	200%		
D120713ALCS	D120713ALCS	ORG	75-00-3	Chloroethane	54		ug/L	5	0.56	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1295	50	108%		
D120713ALCS	D120713ALCS	ORG	75-69-4	Trichlorofluoromethane	900		ug/L	5	0.20	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1295	50	1800%		
D120713ALCS	D120713ALCS	ORG	75-35-4	1,1-Dichloroethene	55		ug/L	1	0.47	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1295	50	110%		
D120713ALCS	D120713ALCS	ORG	75-09-2	Methylene chloride	55		ug/L	5	0.26	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1295	50	110%		
D120713ALCS	D120713ALCS	ORG	67-64-1	Acetone	57		ug/L	10	1.56	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1295	50	114%		
D120713ALCS	D120713ALCS	ORG	156-60-5	trans-1,2-Dichloroethene	48		ug/L	1	0.56	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1295	50	96%		
D120713ALCS	D120713ALCS	ORG	1634-04-4	MTBE	51		ug/L	5	0.61	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1295	50	102%		
D120713ALCS	D120713ALCS	ORG	75-34-3	1,1-Dichloroethane	48		ug/L	1	0.53	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1295	50	96%		
D120713ALCS	D120713ALCS	ORG	156-59-2	cis-1,2-Dichloroethene	50		ug/L	1	0.32	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1295	50	100%		
D120713ALCS	D120713ALCS	ORG	74-97-5	Bromochloromethane	48		ug/L	10	0.41	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1295	50	96%		
D120713ALCS	D120713ALCS	ORG	67-66-3	Chloroform	48		ug/L	2	0.16	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1295	50	96%		
D120713ALCS	D120713ALCS	ORG	71-55-6	1,1,1-Trichloroethane	48		ug/L	1	0.17	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1295	50	96%		
D120713ALCS	D120713ALCS	ORG	78-93-3	2-Butanone	59		ug/L	1	0.81	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1295	50	118%		
D120713ALCS	D120713ALCS	ORG	56-23-5	Carbon tetrachloride	48		ug/L	1	0.28	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1295	50	96%		
D120713ALCS	D120713ALCS	ORG	71-43-2	Benzene	50		ug/L	1	0.14	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1295	50	100%		
D120713ALCS	D120713ALCS	ORG	107-06-2	1,2-Dichloroethane	49		ug/L	1	0.20	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1295	50	98%		
D120713ALCS	D120713ALCS	ORG	79-01-6	Trichloroethene	49		ug/L	1	0.36	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1295	50	98%		
D120713ALCS	D120713ALCS	ORG	74-95-3	Dibromomethane	51		ug/L	2	0.32	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1295	50	102%		
D120713ALCS	D120713ALCS	ORG	78-87-5	1,2-Dichloropropane	52		ug/L	1	0.18	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1295	50	104%		
D120713ALCS	D120713ALCS	ORG	75-27-4	Bromodichloromethane	50		ug/L	2	0.12	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1295	50	100%		
D120713ALCS	D120713ALCS	ORG	10061-01-5	cis-1,3-Dichloropropene	52		ug/L	1	0.25	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1295	50	104%		
D120713ALCS	D120713ALCS	ORG	108-88-3	Toluene	50		ug/L	1	0.21	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1295	50	100%		
D120713ALCS	D120713ALCS	ORG	108-10-1	4-Methyl-2-pentanone	68		ug/L	5	0.74	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1295	50	136%		
D120713ALCS	D120713ALCS	ORG	10061-02-6	trans-1,3-Dichloropropene	56		ug/L	1	0.31	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1295	50	112%		
D120713ALCS	D120713ALCS	ORG	127-18-4	Tetrachloroethene	50		ug/L	1	0.49	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1295	50	100%		
D120713ALCS	D120713ALCS	ORG	79-00-5	1,1,2-Trichloroethane	50		ug/L	1	0.34	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1295	50	100%		
D120713ALCS	D120713ALCS	ORG	124-48-1	Dibromochloromethane	56		ug/L	5	0.30	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1295	50	112%		
D120713ALCS	D120713ALCS	ORG	106-93-4	1,2-Dibromoethane	53		ug/L	2	0.26	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1295	50	106%		
D120713ALCS	D120713ALCS	ORG	591-78-6	2-Hexanone	70		ug/L	2	0.69	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1295	50	140%		
D120713ALCS	D120713ALCS	ORG	100-41-4	Ethylbenzene	53		ug/L	1	0.25	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1295	50	106%		
D120713ALCS	D120713ALCS	ORG	108-90-7	Chlorobenzene	51		ug/L	1	0.28	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1295	50	102%		
D120713ALCS	D120713ALCS	ORG	630-20-6	1,1,1,2-Tetrachloroethane	53		ug/L	2	0.19	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1295	50	106%		
D120713ALCS	D120713ALCS	ORG	XYLMP	p&m-Xylene	110		ug/L	2	0.26	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1295	100	110%		
D120713ALCS	D120713ALCS	ORG	95-47-6	o-Xylene	56		ug/L	1	0.13	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1295	50	112%		
D120713ALCS	D120713ALCS	ORG	100-42-5	Styrene	57		ug/L	1	0.20	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1295	50	114%		
D120713ALCS	D120713ALCS	ORG	75-25-2	Bromoform	60		ug/L	2	0.47	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1295	50	120%		
D120713ALCS	D120713ALCS	ORG	98-82-8	Isopropylbenzene	56		ug/L	2	0.20	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1295	50	112%		
D120713ALCS	D120713ALCS	ORG	103-65-1	n-Propylbenzene	56		ug/L	2	0.27	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1295	50	112%		
D120713ALCS	D120713ALCS	ORG	79-34-5	1,1,2,2-Tetrachloroethane	56		ug/L	2	0.29	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1295	50	112%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D120713ALCS	D120713ALCS	ORG	96-18-4	1,2,3-Trichloropropane	53		ug/L	2	0.29	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1295	50	106%		
D120713ALCS	D120713ALCS	ORG	108-67-8	1,3,5-Trimethylbenzene	55		ug/L	2	0.20	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1295	50	110%		
D120713ALCS	D120713ALCS	ORG	98-06-6	tert-Butylbenzene	57		ug/L	2	0.33	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1295	50	114%		
D120713ALCS	D120713ALCS	ORG	95-63-6	1,2,4-Trimethylbenzene	56		ug/L	2	0.20	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1295	50	112%		
D120713ALCS	D120713ALCS	ORG	135-98-8	sec-Butylbenzene	56		ug/L	2	0.32	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1295	50	112%		
D120713ALCS	D120713ALCS	ORG	541-73-1	1,3-Dichlorobenzene	51		ug/L	2	0.22	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1295	50	102%		
D120713ALCS	D120713ALCS	ORG	99-87-6	p-Isopropltoluene	57		ug/L	2	0.25	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1295	50	114%		
D120713ALCS	D120713ALCS	ORG	106-46-7	1,4-Dichlorobenzene	52		ug/L	2	0.33	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1295	50	104%		
D120713ALCS	D120713ALCS	ORG	95-50-1	1,2-Dichlorobenzene	53		ug/L	2	0.26	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1295	50	106%		
D120713ALCS	D120713ALCS	ORG	104-51-8	n-Butylbenzene	56		ug/L	5	0.28	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1295	50	112%		
D120713ALCS	D120713ALCS	ORG	96-12-8	1,2-Dibromo-3-chloropropane	58		ug/L	5	1.59	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1295	50	116%		
D120713ALCS	D120713ALCS	ORG	87-68-3	Hexachlorobutadiene	53		ug/L	5	0.65	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1295	50	106%		
D120713ALCS	D120713ALCS	ORG	120-82-1	1,2,4-Trichlorobenzene	58		ug/L	5	0.28	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1295	50	116%		
D120713ALCS	D120713ALCS	ORG	91-20-3	Naphthalene	61		ug/L	5	0.56	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1295	50	122%		
D120713ALCS	D120713ALCS	ORG	87-61-6	1,2,3-Trichlorobenzene	56		ug/L	5	0.23	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1295	50	112%		
D120713ALCS	D120713ALCS	STD	1868-53-7	Dibromofluoromethane	49		ng			NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1295	50	98%		
D120713ALCS	D120713ALCS	STD	17060-07-0	1,2-Dichloroethane d4	49		ng			NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1295	50	98%		
D120713ALCS	D120713ALCS	STD	2037-26-5	Toluene d8	48		ng			NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1295	50	96%		
D120713ALCS	D120713ALCS	STD	460-00-4	Bromofluorobenzene	50		ng			NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1295	50	100%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D120713ALCD	D120713ALCD	ORG	75-71-8	Dichlorodifluoromethane	45		ug/L	5	0.29	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1296	50	90%	2%	
D120713ALCD	D120713ALCD	ORG	74-87-3	Chloromethane	47		ug/L	5	0.43	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1296	50	94%	2%	
D120713ALCD	D120713ALCD	ORG	75-01-4	Vinyl chloride	48		ug/L	2	0.32	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1296	50	96%	2%	
D120713ALCD	D120713ALCD	ORG	74-83-9	Bromomethane	82		ug/L	5	0.50	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1296	50	164%	20%	
D120713ALCD	D120713ALCD	ORG	75-00-3	Chloroethane	56		ug/L	5	0.56	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1296	50	112%	4%	
D120713ALCD	D120713ALCD	ORG	75-69-4	Trichlorofluoromethane	690		ug/L	5	0.20	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1296	50	1380%	26%	
D120713ALCD	D120713ALCD	ORG	75-35-4	1,1-Dichloroethene	51		ug/L	1	0.47	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1296	50	102%	8%	
D120713ALCD	D120713ALCD	ORG	75-09-2	Methylene chloride	50		ug/L	5	0.26	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1296	50	100%	10%	
D120713ALCD	D120713ALCD	ORG	67-64-1	Acetone	54		ug/L	10	1.56	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1296	50	108%	5%	
D120713ALCD	D120713ALCD	ORG	156-60-5	trans-1,2-Dichloroethene	48		ug/L	1	0.56	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1296	50	96%	0%	
D120713ALCD	D120713ALCD	ORG	1634-04-4	MTBE	52		ug/L	5	0.61	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1296	50	104%	2%	
D120713ALCD	D120713ALCD	ORG	75-34-3	1,1-Dichloroethane	48		ug/L	1	0.53	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1296	50	96%	0%	
D120713ALCD	D120713ALCD	ORG	156-59-2	cis-1,2-Dichloroethene	50		ug/L	1	0.32	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1296	50	100%	0%	
D120713ALCD	D120713ALCD	ORG	74-97-5	Bromochloromethane	49		ug/L	10	0.41	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1296	50	98%	2%	
D120713ALCD	D120713ALCD	ORG	67-66-3	Chloroform	48		ug/L	2	0.16	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1296	50	96%	0%	
D120713ALCD	D120713ALCD	ORG	71-55-6	1,1,1-Trichloroethane	49		ug/L	1	0.17	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1296	50	98%	2%	
D120713ALCD	D120713ALCD	ORG	78-93-3	2-Butanone	59		ug/L	1	0.81	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1296	50	118%	0%	
D120713ALCD	D120713ALCD	ORG	56-23-5	Carbon tetrachloride	50		ug/L	1	0.28	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1296	50	100%	4%	
D120713ALCD	D120713ALCD	ORG	71-43-2	Benzene	49		ug/L	1	0.14	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1296	50	98%	2%	
D120713ALCD	D120713ALCD	ORG	107-06-2	1,2-Dichloroethane	49		ug/L	1	0.20	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1296	50	98%	0%	
D120713ALCD	D120713ALCD	ORG	79-01-6	Trichloroethene	49		ug/L	1	0.36	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1296	50	98%	0%	
D120713ALCD	D120713ALCD	ORG	74-95-3	Dibromomethane	50		ug/L	2	0.32	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1296	50	100%	2%	
D120713ALCD	D120713ALCD	ORG	78-87-5	1,2-Dichloropropane	51		ug/L	1	0.18	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1296	50	102%	2%	
D120713ALCD	D120713ALCD	ORG	75-27-4	Bromodichloromethane	51		ug/L	2	0.12	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1296	50	102%	2%	
D120713ALCD	D120713ALCD	ORG	10061-01-5	cis-1,3-Dichloropropene	55		ug/L	1	0.25	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1296	50	110%	6%	
D120713ALCD	D120713ALCD	ORG	108-88-3	Toluene	49		ug/L	1	0.21	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1296	50	98%	2%	
D120713ALCD	D120713ALCD	ORG	108-10-1	4-Methyl-2-pentanone	63		ug/L	5	0.74	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1296	50	126%	8%	
D120713ALCD	D120713ALCD	ORG	10061-02-6	trans-1,3-Dichloropropene	57		ug/L	1	0.31	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1296	50	114%	2%	
D120713ALCD	D120713ALCD	ORG	127-18-4	Tetrachloroethene	54		ug/L	1	0.49	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1296	50	108%	8%	
D120713ALCD	D120713ALCD	ORG	79-00-5	1,1,2-Trichloroethane	50		ug/L	1	0.34	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1296	50	100%	0%	
D120713ALCD	D120713ALCD	ORG	124-48-1	Dibromochloromethane	55		ug/L	5	0.30	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1296	50	110%	2%	
D120713ALCD	D120713ALCD	ORG	106-93-4	1,2-Dibromoethane	54		ug/L	2	0.26	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1296	50	108%	2%	
D120713ALCD	D120713ALCD	ORG	591-78-6	2-Hexanone	57		ug/L	2	0.69	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1296	50	114%	20%	
D120713ALCD	D120713ALCD	ORG	100-41-4	Ethylbenzene	51		ug/L	1	0.25	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1296	50	102%	4%	
D120713ALCD	D120713ALCD	ORG	108-90-7	Chlorobenzene	51		ug/L	1	0.28	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1296	50	102%	0%	
D120713ALCD	D120713ALCD	ORG	630-20-6	1,1,1,2-Tetrachloroethane	53		ug/L	2	0.19	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1296	50	106%	0%	
D120713ALCD	D120713ALCD	ORG	XYLMP	p&m-Xylene	100		ug/L	2	0.26	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1296	100	100%	10%	
D120713ALCD	D120713ALCD	ORG	95-47-6	o-Xylene	54		ug/L	1	0.13	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1296	50	108%	4%	
D120713ALCD	D120713ALCD	ORG	100-42-5	Styrene	54		ug/L	1	0.20	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1296	50	108%	5%	
D120713ALCD	D120713ALCD	ORG	75-25-2	Bromoform	58		ug/L	2	0.47	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1296	50	116%	3%	
D120713ALCD	D120713ALCD	ORG	98-82-8	Isopropylbenzene	54		ug/L	2	0.20	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1296	50	108%	4%	
D120713ALCD	D120713ALCD	ORG	103-65-1	n-Propylbenzene	53		ug/L	2	0.27	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1296	50	106%	6%	
D120713ALCD	D120713ALCD	ORG	79-34-5	1,1,2,2-Tetrachloroethane	54		ug/L	2	0.29	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1296	50	108%	4%	

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D120713ALCD	D120713ALCD	ORG	96-18-4	1,2,3-Trichloropropane	52		ug/L	2	0.29	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1296	50	104%	2%	
D120713ALCD	D120713ALCD	ORG	108-67-8	1,3,5-Trimethylbenzene	54		ug/L	2	0.20	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1296	50	108%	2%	
D120713ALCD	D120713ALCD	ORG	98-06-6	tert-Butylbenzene	55		ug/L	2	0.33	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1296	50	110%	4%	
D120713ALCD	D120713ALCD	ORG	95-63-6	1,2,4-Trimethylbenzene	53		ug/L	2	0.20	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1296	50	106%	6%	
D120713ALCD	D120713ALCD	ORG	135-98-8	sec-Butylbenzene	53		ug/L	2	0.32	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1296	50	106%	6%	
D120713ALCD	D120713ALCD	ORG	541-73-1	1,3-Dichlorobenzene	52		ug/L	2	0.22	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1296	50	104%	2%	
D120713ALCD	D120713ALCD	ORG	99-87-6	p-IsopropItoluene	54		ug/L	2	0.25	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1296	50	108%	5%	
D120713ALCD	D120713ALCD	ORG	106-46-7	1,4-Dichlorobenzene	50		ug/L	2	0.33	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1296	50	100%	4%	
D120713ALCD	D120713ALCD	ORG	95-50-1	1,2-Dichlorobenzene	51		ug/L	2	0.26	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1296	50	102%	4%	
D120713ALCD	D120713ALCD	ORG	104-51-8	n-Butylbenzene	53		ug/L	5	0.28	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1296	50	106%	6%	
D120713ALCD	D120713ALCD	ORG	96-12-8	1,2-Dibromo-3-chloropropane	55		ug/L	5	1.59	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1296	50	110%	5%	
D120713ALCD	D120713ALCD	ORG	87-68-3	Hexachlorobutadiene	51		ug/L	5	0.65	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1296	50	102%	4%	
D120713ALCD	D120713ALCD	ORG	120-82-1	1,2,4-Trichlorobenzene	54		ug/L	5	0.28	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1296	50	108%	7%	
D120713ALCD	D120713ALCD	ORG	91-20-3	Naphthalene	58		ug/L	5	0.56	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1296	50	116%	5%	
D120713ALCD	D120713ALCD	ORG	87-61-6	1,2,3-Trichlorobenzene	53		ug/L	5	0.23	NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1296	50	106%	6%	
D120713ALCD	D120713ALCD	STD	1868-53-7	Dibromofluoromethane	50		ng			NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1296	50	100%	2%	
D120713ALCD	D120713ALCD	STD	17060-07-0	1,2-Dichloroethane d4	50		ng			NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1296	50	100%	2%	
D120713ALCD	D120713ALCD	STD	2037-26-5	Toluene d8	50		ng			NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1296	50	100%	4%	
D120713ALCD	D120713ALCD	STD	460-00-4	Bromofluorobenzene	50		ng			NA	12/7/2013	12/7/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1296	50	100%	0%	

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-826MS	316-158R	ORG	75-71-8	Dichlorodifluoromethane	5000		ug/L	500	29.28	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1297	5000	100%		
NAL13026-826MS	316-158R	ORG	74-87-3	Chloromethane	5100		ug/L	500	43.07	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1297	5000	102%		
NAL13026-826MS	316-158R	ORG	75-01-4	Vinyl chloride	5400		ug/L	200	31.86	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1297	5000	108%		
NAL13026-826MS	316-158R	ORG	74-83-9	Bromomethane	9300		ug/L	500	50.04	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1297	5000	186%		
NAL13026-826MS	316-158R	ORG	75-00-3	Chloroethane	5800		ug/L	500	55.61	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1297	5000	116%		
NAL13026-826MS	316-158R	ORG	75-69-4	Trichlorofluoromethane	75000		ug/L	500	19.65	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1297	5000	1500%		
NAL13026-826MS	316-158R	ORG	75-35-4	1,1-Dichloroethene	5600		ug/L	100	47.11	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1297	5000	112%		
NAL13026-826MS	316-158R	ORG	75-09-2	Methylene chloride	5400		ug/L	500	26.46	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1297	5000	108%		
NAL13026-826MS	316-158R	ORG	67-64-1	Acetone	260000		ug/L	1000	155.61	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1297	5000	-800%		300000
NAL13026-826MS	316-158R	ORG	156-60-5	trans-1,2-Dichloroethene	5000		ug/L	100	55.61	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1297	5000	100%		
NAL13026-826MS	316-158R	ORG	1634-04-4	MTBE	5200		ug/L	500	61.18	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1297	5000	104%		
NAL13026-826MS	316-158R	ORG	75-34-3	1,1-Dichloroethane	4900		ug/L	100	52.66	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1297	5000	98%		
NAL13026-826MS	316-158R	ORG	156-59-2	cis-1,2-Dichloroethene	5300		ug/L	100	32.11	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1297	5000	106%		
NAL13026-826MS	316-158R	ORG	74-97-5	Bromochloromethane	5000		ug/L	1000	41.37	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1297	5000	100%		
NAL13026-826MS	316-158R	ORG	67-66-3	Chloroform	5000		ug/L	200	15.73	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1297	5000	100%		
NAL13026-826MS	316-158R	ORG	71-55-6	1,1,1-Trichloroethane	5100		ug/L	100	16.65	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1297	5000	102%		
NAL13026-826MS	316-158R	ORG	78-93-3	2-Butanone	47000		ug/L	100	81.18	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1297	5000	100%		42000
NAL13026-826MS	316-158R	ORG	56-23-5	Carbon tetrachloride	5100		ug/L	100	27.64	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1297	5000	102%		
NAL13026-826MS	316-158R	ORG	71-43-2	Benzene	5100		ug/L	100	13.53	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1297	5000	100%		76
NAL13026-826MS	316-158R	ORG	107-06-2	1,2-Dichloroethane	4800		ug/L	100	20.01	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1297	5000	96%		
NAL13026-826MS	316-158R	ORG	79-01-6	Trichloroethene	5100		ug/L	100	36.33	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1297	5000	102%		
NAL13026-826MS	316-158R	ORG	74-95-3	Dibromomethane	5200		ug/L	200	32.20	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1297	5000	104%		
NAL13026-826MS	316-158R	ORG	78-87-5	1,2-Dichloropropane	5100		ug/L	100	18.17	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1297	5000	102%		
NAL13026-826MS	316-158R	ORG	75-27-4	Bromodichloromethane	5100		ug/L	200	11.58	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1297	5000	102%		
NAL13026-826MS	316-158R	ORG	10061-01-5	cis-1,3-Dichloropropene	5600		ug/L	100	25.01	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1297	5000	112%		
NAL13026-826MS	316-158R	ORG	108-88-3	Toluene	5100		ug/L	100	20.96	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1297	5000	101%		74
NAL13026-826MS	316-158R	ORG	108-10-1	4-Methyl-2-pentanone	8400		ug/L	500	74.00	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1297	5000	128%		2000
NAL13026-826MS	316-158R	ORG	10061-02-6	trans-1,3-Dichloropropene	6100		ug/L	100	31.15	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1297	5000	122%		
NAL13026-826MS	316-158R	ORG	127-18-4	Tetrachloroethene	5000		ug/L	100	48.56	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1297	5000	100%		
NAL13026-826MS	316-158R	ORG	79-00-5	1,1,2-Trichloroethane	5400		ug/L	100	34.28	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1297	5000	108%		
NAL13026-826MS	316-158R	ORG	124-48-1	Dibromochloromethane	5700		ug/L	500	29.90	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1297	5000	114%		
NAL13026-826MS	316-158R	ORG	106-93-4	1,2-Dibromoethane	5600		ug/L	200	26.49	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1297	5000	112%		
NAL13026-826MS	316-158R	ORG	591-78-6	2-Hexanone	10000		ug/L	200	68.90	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1297	5000	90%		5500
NAL13026-826MS	316-158R	ORG	100-41-4	Ethylbenzene	5600		ug/L	100	25.38	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1297	5000	107%		260
NAL13026-826MS	316-158R	ORG	108-90-7	Chlorobenzene	5300		ug/L	100	27.52	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1297	5000	106%		
NAL13026-826MS	316-158R	ORG	630-20-6	1,1,1,2-Tetrachloroethane	5400		ug/L	200	19.28	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1297	5000	108%		
NAL13026-826MS	316-158R	ORG	XYLMP	p&m-Xylene	12000		ug/L	200	26.14	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1297	10000	112%		810
NAL13026-826MS	316-158R	ORG	95-47-6	o-Xylene	6200		ug/L	100	12.90	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1297	5000	114%		500
NAL13026-826MS	316-158R	ORG	100-42-5	Styrene	5800		ug/L	100	20.23	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1297	5000	116%		
NAL13026-826MS	316-158R	ORG	75-25-2	Bromoform	5800		ug/L	200	46.83	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1297	5000	116%		
NAL13026-826MS	316-158R	ORG	98-82-8	Isopropylbenzene	6000		ug/L	200	20.48	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1297	5000	115%		260
NAL13026-826MS	316-158R	ORG	103-65-1	n-Propylbenzene	5800		ug/L	200	27.00	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1297	5000	110%		290
NAL13026-826MS	316-158R	ORG	79-34-5	1,1,2,2-Tetrachloroethane	5400		ug/L	200	29.16	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1297	5000	108%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-826MS	316-158R	ORG	96-18-4	1,2,3-Trichloropropane	5300		ug/L	200	29.47	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1297	5000	106%		
NAL13026-826MS	316-158R	ORG	108-67-8	1,3,5-Trimethylbenzene	6100		ug/L	200	20.03	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1297	5000	108%		700
NAL13026-826MS	316-158R	ORG	98-06-6	tert-Butylbenzene	5900		ug/L	200	32.61	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1297	5000	118%		
NAL13026-826MS	316-158R	ORG	95-63-6	1,2,4-Trimethylbenzene	7800		ug/L	200	20.03	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1297	5000	94%		3100
NAL13026-826MS	316-158R	ORG	135-98-8	sec-Butylbenzene	5600		ug/L	200	32.34	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1297	5000	107%		250
NAL13026-826MS	316-158R	ORG	541-73-1	1,3-Dichlorobenzene	5200		ug/L	200	22.21	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1297	5000	104%		
NAL13026-826MS	316-158R	ORG	99-87-6	p-IsopropItoluene	14000		ug/L	200	25.48	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1297	5000	40%		12000
NAL13026-826MS	316-158R	ORG	106-46-7	1,4-Dichlorobenzene	7400		ug/L	200	33.03	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1297	5000	92%		2800
NAL13026-826MS	316-158R	ORG	95-50-1	1,2-Dichlorobenzene	5300		ug/L	200	26.38	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1297	5000	106%		
NAL13026-826MS	316-158R	ORG	104-51-8	n-Butylbenzene	5800		ug/L	500	27.81	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1297	5000	108%		380
NAL13026-826MS	316-158R	ORG	96-12-8	1,2-Dibromo-3-chloropropane	6400		ug/L	500	159.11	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1297	5000	128%		
NAL13026-826MS	316-158R	ORG	87-68-3	Hexachlorobutadiene	4800		ug/L	500	65.42	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1297	5000	96%		
NAL13026-826MS	316-158R	ORG	120-82-1	1,2,4-Trichlorobenzene	5800		ug/L	500	27.63	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1297	5000	116%		
NAL13026-826MS	316-158R	ORG	91-20-3	Naphthalene	8900		ug/L	500	56.04	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1297	5000	122%		2800
NAL13026-826MS	316-158R	ORG	87-61-6	1,2,3-Trichlorobenzene	5600		ug/L	500	23.28	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1297	5000	112%		
NAL13026-826MS	316-158R	STD	1868-53-7	Dibromofluoromethane	49		ng			12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1297	50	98%		
NAL13026-826MS	316-158R	STD	17060-07-0	1,2-Dichloroethane d4	47		ng			12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1297	50	94%		
NAL13026-826MS	316-158R	STD	2037-26-5	Toluene d8	48		ng			12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1297	50	96%		
NAL13026-826MS	316-158R	STD	460-00-4	Bromofluorobenzene	48		ng			12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1297	50	96%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-826MSD	316-158R	ORG	75-71-8	Dichlorodifluoromethane	4700		ug/L	500	29.28	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1298	5000	94%	6%	0
NAL13026-826MSD	316-158R	ORG	74-87-3	Chloromethane	4700		ug/L	500	43.07	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1298	5000	94%	8%	0
NAL13026-826MSD	316-158R	ORG	75-01-4	Vinyl chloride	4900		ug/L	200	31.86	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1298	5000	98%	10%	0
NAL13026-826MSD	316-158R	ORG	74-83-9	Bromomethane	7900		ug/L	500	50.04	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1298	5000	158%	16%	0
NAL13026-826MSD	316-158R	ORG	75-00-3	Chloroethane	4500		ug/L	500	55.61	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1298	5000	90%	25%	0
NAL13026-826MSD	316-158R	ORG	75-69-4	Trichlorofluoromethane	84000		ug/L	500	19.65	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1298	5000	1680%	11%	0
NAL13026-826MSD	316-158R	ORG	75-35-4	1,1-Dichloroethene	5000		ug/L	100	47.11	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1298	5000	100%	11%	0
NAL13026-826MSD	316-158R	ORG	75-09-2	Methylene chloride	4800		ug/L	500	26.46	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1298	5000	96%	12%	0
NAL13026-826MSD	316-158R	ORG	67-64-1	Acetone	280000		ug/L	1000	155.61	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1298	5000	-400%	7%	300000
NAL13026-826MSD	316-158R	ORG	156-60-5	trans-1,2-Dichloroethene	4600		ug/L	100	55.61	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1298	5000	92%	8%	0
NAL13026-826MSD	316-158R	ORG	1634-04-4	MTBE	4900		ug/L	500	61.18	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1298	5000	98%	6%	0
NAL13026-826MSD	316-158R	ORG	75-34-3	1,1-Dichloroethane	4600		ug/L	100	52.66	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1298	5000	92%	6%	0
NAL13026-826MSD	316-158R	ORG	156-59-2	cis-1,2-Dichloroethene	4900		ug/L	100	32.11	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1298	5000	98%	8%	0
NAL13026-826MSD	316-158R	ORG	74-97-5	Bromochloromethane	4800		ug/L	1000	41.37	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1298	5000	96%	4%	0
NAL13026-826MSD	316-158R	ORG	67-66-3	Chloroform	4700		ug/L	200	15.73	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1298	5000	94%	6%	0
NAL13026-826MSD	316-158R	ORG	71-55-6	1,1,1-Trichloroethane	4800		ug/L	100	16.65	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1298	5000	96%	6%	0
NAL13026-826MSD	316-158R	ORG	78-93-3	2-Butanone	43000		ug/L	100	81.18	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1298	5000	20%	9%	42000
NAL13026-826MSD	316-158R	ORG	56-23-5	Carbon tetrachloride	5000		ug/L	100	27.64	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1298	5000	100%	2%	0
NAL13026-826MSD	316-158R	ORG	71-43-2	Benzene	4800		ug/L	100	13.53	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1298	5000	94%	6%	76
NAL13026-826MSD	316-158R	ORG	107-06-2	1,2-Dichloroethane	4600		ug/L	100	20.01	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1298	5000	92%	4%	0
NAL13026-826MSD	316-158R	ORG	79-01-6	Trichloroethene	4900		ug/L	100	36.33	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1298	5000	98%	4%	0
NAL13026-826MSD	316-158R	ORG	74-95-3	Dibromomethane	4800		ug/L	200	32.20	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1298	5000	96%	8%	0
NAL13026-826MSD	316-158R	ORG	78-87-5	1,2-Dichloropropane	4800		ug/L	100	18.17	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1298	5000	96%	6%	0
NAL13026-826MSD	316-158R	ORG	75-27-4	Bromodichloromethane	4900		ug/L	200	11.58	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1298	5000	98%	4%	0
NAL13026-826MSD	316-158R	ORG	10061-01-5	cis-1,3-Dichloropropene	5200		ug/L	100	25.01	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1298	5000	104%	7%	0
NAL13026-826MSD	316-158R	ORG	108-88-3	Toluene	4800		ug/L	100	20.96	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1298	5000	95%	6%	74
NAL13026-826MSD	316-158R	ORG	108-10-1	4-Methyl-2-pentanone	7800		ug/L	500	74.00	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1298	5000	116%	7%	2000
NAL13026-826MSD	316-158R	ORG	10061-02-6	trans-1,3-Dichloropropene	5600		ug/L	100	31.15	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1298	5000	112%	9%	0
NAL13026-826MSD	316-158R	ORG	127-18-4	Tetrachloroethene	4700		ug/L	100	48.56	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1298	5000	94%	6%	0
NAL13026-826MSD	316-158R	ORG	79-00-5	1,1,2-Trichloroethane	4900		ug/L	100	34.28	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1298	5000	98%	10%	0
NAL13026-826MSD	316-158R	ORG	124-48-1	Dibromochloromethane	5300		ug/L	500	29.90	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1298	5000	106%	7%	0
NAL13026-826MSD	316-158R	ORG	106-93-4	1,2-Dibromoethane	5300		ug/L	200	26.49	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1298	5000	106%	6%	0
NAL13026-826MSD	316-158R	ORG	591-78-6	2-Hexanone	9600		ug/L	200	68.90	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1298	5000	82%	4%	5500
NAL13026-826MSD	316-158R	ORG	100-41-4	Ethylbenzene	5100		ug/L	100	25.38	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1298	5000	97%	9%	260
NAL13026-826MSD	316-158R	ORG	108-90-7	Chlorobenzene	4800		ug/L	100	27.52	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1298	5000	96%	10%	0
NAL13026-826MSD	316-158R	ORG	630-20-6	1,1,1,2-Tetrachloroethane	4900		ug/L	200	19.28	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1298	5000	98%	10%	0
NAL13026-826MSD	316-158R	ORG	XYLMP	p&m-Xylene	11000		ug/L	200	26.14	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1298	10000	102%	9%	810
NAL13026-826MSD	316-158R	ORG	95-47-6	o-Xylene	5700		ug/L	100	12.90	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1298	5000	104%	8%	500
NAL13026-826MSD	316-158R	ORG	100-42-5	Styrene	5200		ug/L	100	20.23	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1298	5000	104%	11%	0
NAL13026-826MSD	316-158R	ORG	75-25-2	Bromoform	5200		ug/L	200	46.83	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1298	5000	104%	11%	0
NAL13026-826MSD	316-158R	ORG	98-82-8	Isopropylbenzene	5400		ug/L	200	20.48	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1298	5000	103%	11%	260
NAL13026-826MSD	316-158R	ORG	103-65-1	n-Propylbenzene	5200		ug/L	200	27.00	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1298	5000	98%	11%	290
NAL13026-826MSD	316-158R	ORG	79-34-5	1,1,2,2-Tetrachloroethane	5000		ug/L	200	29.16	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1298	5000	100%	8%	0

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-826MSD	316-158R	ORG	96-18-4	1,2,3-Trichloropropane	4700		ug/L	200	29.47	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1298	5000	94%	12%	0
NAL13026-826MSD	316-158R	ORG	108-67-8	1,3,5-Trimethylbenzene	5600		ug/L	200	20.03	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1298	5000	98%	9%	700
NAL13026-826MSD	316-158R	ORG	98-06-6	tert-Butylbenzene	5400		ug/L	200	32.61	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1298	5000	108%	9%	0
NAL13026-826MSD	316-158R	ORG	95-63-6	1,2,4-Trimethylbenzene	7100		ug/L	200	20.03	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1298	5000	80%	9%	3100
NAL13026-826MSD	316-158R	ORG	135-98-8	sec-Butylbenzene	5000		ug/L	200	32.34	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1298	5000	95%	11%	250
NAL13026-826MSD	316-158R	ORG	541-73-1	1,3-Dichlorobenzene	4800		ug/L	200	22.21	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1298	5000	96%	8%	0
NAL13026-826MSD	316-158R	ORG	99-87-6	p-IsopropItoluene	13000		ug/L	200	25.48	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1298	5000	20%	7%	12000
NAL13026-826MSD	316-158R	ORG	106-46-7	1,4-Dichlorobenzene	6800		ug/L	200	33.03	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1298	5000	80%	8%	2800
NAL13026-826MSD	316-158R	ORG	95-50-1	1,2-Dichlorobenzene	4900		ug/L	200	26.38	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1298	5000	98%	8%	0
NAL13026-826MSD	316-158R	ORG	104-51-8	n-Butylbenzene	5100		ug/L	500	27.81	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1298	5000	94%	13%	380
NAL13026-826MSD	316-158R	ORG	96-12-8	1,2-Dibromo-3-chloropropane	5900		ug/L	500	159.11	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1298	5000	118%	8%	0
NAL13026-826MSD	316-158R	ORG	87-68-3	Hexachlorobutadiene	4500		ug/L	500	65.42	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1298	5000	90%	6%	0
NAL13026-826MSD	316-158R	ORG	120-82-1	1,2,4-Trichlorobenzene	5200		ug/L	500	27.63	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1298	5000	104%	11%	0
NAL13026-826MSD	316-158R	ORG	91-20-3	Naphthalene	7900		ug/L	500	56.04	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1298	5000	102%	12%	2800
NAL13026-826MSD	316-158R	ORG	87-61-6	1,2,3-Trichlorobenzene	5200		ug/L	500	23.28	12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1298	5000	104%	7%	0
NAL13026-826MSD	316-158R	STD	1868-53-7	Dibromofluoromethane	49		ng			12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1298	50	98%	0%	0
NAL13026-826MSD	316-158R	STD	17060-07-0	1,2-Dichloroethane d4	47		ng			12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1298	50	94%	0%	0
NAL13026-826MSD	316-158R	STD	2037-26-5	Toluene d8	49		ng			12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1298	50	98%	2%	0
NAL13026-826MSD	316-158R	STD	460-00-4	Bromofluorobenzene	48		ng			12/7/2013	12/7/2013	12/7/2013	WG	100	NA	5.0	NA	SW8260B	NALD1298	50	96%	0%	0

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-827	316-159	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0806				
NAL13026-827	316-159	ORG	74-87-3	Chloromethane		U	ug/L	500	43.07	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0806				
NAL13026-827	316-159	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0806				
NAL13026-827	316-159	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0806				
NAL13026-827	316-159	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0806				
NAL13026-827	316-159	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0806				
NAL13026-827	316-159	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0806				
NAL13026-827	316-159	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0806				
NAL13026-827	316-159	ORG	67-64-1	Acetone	95000	D	ug/L	10000	1556.07	12/8/2013	12/8/2013	12/8/2013	WG	1000	NA	5.0	NA	SW8260B	NALC0807				
NAL13026-827	316-159	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0806				
NAL13026-827	316-159	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0806				
NAL13026-827	316-159	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0806				
NAL13026-827	316-159	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0806				
NAL13026-827	316-159	ORG	74-97-5	Bromochloromethane		U	ug/L	200	41.37	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0806				
NAL13026-827	316-159	ORG	67-66-3	Chloroform		U	ug/L	100	15.73	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0806				
NAL13026-827	316-159	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	16.65	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0806				
NAL13026-827	316-159	ORG	78-93-3	2-Butanone	53000	D	ug/L	10000	811.80	12/8/2013	12/8/2013	12/8/2013	WG	1000	NA	5.0	NA	SW8260B	NALC0807				
NAL13026-827	316-159	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0806				
NAL13026-827	316-159	ORG	71-43-2	Benzene	140		ug/L	100	13.53	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0806				
NAL13026-827	316-159	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0806				
NAL13026-827	316-159	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0806				
NAL13026-827	316-159	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0806				
NAL13026-827	316-159	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0806				
NAL13026-827	316-159	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0806				
NAL13026-827	316-159	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0806				
NAL13026-827	316-159	ORG	108-88-3	Toluene	120		ug/L	100	20.96	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0806				
NAL13026-827	316-159	ORG	108-10-1	4-Methyl-2-pentanone	1800		ug/L	500	74.00	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0806				
NAL13026-827	316-159	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0806				
NAL13026-827	316-159	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0806				
NAL13026-827	316-159	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0806				
NAL13026-827	316-159	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	29.90	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0806				
NAL13026-827	316-159	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	26.49	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0806				
NAL13026-827	316-159	ORG	591-78-6	2-Hexanone	4300		ug/L	500	68.90	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0806				
NAL13026-827	316-159	ORG	100-41-4	Ethylbenzene	270		ug/L	100	25.38	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0806				
NAL13026-827	316-159	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0806				
NAL13026-827	316-159	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0806				
NAL13026-827	316-159	ORG	XYLMP	p&m-Xylene	800		ug/L	200	26.14	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0806				
NAL13026-827	316-159	ORG	95-47-6	o-Xylene	480		ug/L	100	12.90	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0806				
NAL13026-827	316-159	ORG	100-42-5	Styrene		U	ug/L	100	20.23	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0806				
NAL13026-827	316-159	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0806				
NAL13026-827	316-159	ORG	98-82-8	Isopropylbenzene	270		ug/L	200	20.48	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0806				
NAL13026-827	316-159	ORG	103-65-1	n-Propylbenzene	270		ug/L	200	27.00	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0806				
NAL13026-827	316-159	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0806				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-827	316-159	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0806				
NAL13026-827	316-159	ORG	108-67-8	1,3,5-Trimethylbenzene	580		ug/L	200	20.03	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0806				
NAL13026-827	316-159	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0806				
NAL13026-827	316-159	ORG	95-63-6	1,2,4-Trimethylbenzene	2900		ug/L	200	20.03	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0806				
NAL13026-827	316-159	ORG	135-98-8	sec-Butylbenzene	120	J	ug/L	200	32.34	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0806				
NAL13026-827	316-159	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0806				
NAL13026-827	316-159	ORG	99-87-6	p-Isopropltoluene	12000		ug/L	200	25.48	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0806				
NAL13026-827	316-159	ORG	106-46-7	1,4-Dichlorobenzene	2600		ug/L	200	33.03	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0806				
NAL13026-827	316-159	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0806				
NAL13026-827	316-159	ORG	104-51-8	n-Butylbenzene	360	J	ug/L	500	27.81	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0806				
NAL13026-827	316-159	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0806				
NAL13026-827	316-159	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0806				
NAL13026-827	316-159	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0806				
NAL13026-827	316-159	ORG	91-20-3	Naphthalene	3000		ug/L	500	56.04	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0806				
NAL13026-827	316-159	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0806				
NAL13026-827	316-159	STD	1868-53-7	Dibromofluoromethane	53		ng			12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0806	50	106%		
NAL13026-827	316-159	STD	17060-07-0	1,2-Dichloroethane d4	51		ng			12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0806	50	102%		
NAL13026-827	316-159	STD	2037-26-5	Toluene d8	47		ng			12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0806	50	94%		
NAL13026-827	316-159	STD	460-00-4	Bromofluorobenzene	50		ng			12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0806	50	100%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-828	316-159R	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0808				
NAL13026-828	316-159R	ORG	74-87-3	Chloromethane		U	ug/L	500	43.07	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0808				
NAL13026-828	316-159R	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0808				
NAL13026-828	316-159R	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0808				
NAL13026-828	316-159R	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0808				
NAL13026-828	316-159R	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0808				
NAL13026-828	316-159R	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0808				
NAL13026-828	316-159R	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0808				
NAL13026-828	316-159R	ORG	67-64-1	Acetone	92000	D	ug/L	10000	1556.07	12/8/2013	12/8/2013	12/8/2013	WG	1000	NA	5.0	NA	SW8260B	NALC0809				
NAL13026-828	316-159R	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0808				
NAL13026-828	316-159R	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0808				
NAL13026-828	316-159R	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0808				
NAL13026-828	316-159R	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0808				
NAL13026-828	316-159R	ORG	74-97-5	Bromochloromethane		U	ug/L	200	41.37	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0808				
NAL13026-828	316-159R	ORG	67-66-3	Chloroform		U	ug/L	100	15.73	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0808				
NAL13026-828	316-159R	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	16.65	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0808				
NAL13026-828	316-159R	ORG	78-93-3	2-Butanone	51000	D	ug/L	10000	811.80	12/8/2013	12/8/2013	12/8/2013	WG	1000	NA	5.0	NA	SW8260B	NALC0809				
NAL13026-828	316-159R	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0808				
NAL13026-828	316-159R	ORG	71-43-2	Benzene	80	J	ug/L	100	13.53	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0808				
NAL13026-828	316-159R	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0808				
NAL13026-828	316-159R	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0808				
NAL13026-828	316-159R	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0808				
NAL13026-828	316-159R	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0808				
NAL13026-828	316-159R	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0808				
NAL13026-828	316-159R	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0808				
NAL13026-828	316-159R	ORG	108-88-3	Toluene	69	J	ug/L	100	20.96	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0808				
NAL13026-828	316-159R	ORG	108-10-1	4-Methyl-2-pentanone	1600		ug/L	500	74.00	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0808				
NAL13026-828	316-159R	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0808				
NAL13026-828	316-159R	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0808				
NAL13026-828	316-159R	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0808				
NAL13026-828	316-159R	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	29.90	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0808				
NAL13026-828	316-159R	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	26.49	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0808				
NAL13026-828	316-159R	ORG	591-78-6	2-Hexanone	4100		ug/L	500	68.90	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0808				
NAL13026-828	316-159R	ORG	100-41-4	Ethylbenzene	220		ug/L	100	25.38	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0808				
NAL13026-828	316-159R	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0808				
NAL13026-828	316-159R	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0808				
NAL13026-828	316-159R	ORG	XYLMP	p&m-Xylene	640		ug/L	200	26.14	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0808				
NAL13026-828	316-159R	ORG	95-47-6	o-Xylene	400		ug/L	100	12.90	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0808				
NAL13026-828	316-159R	ORG	100-42-5	Styrene		U	ug/L	100	20.23	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0808				
NAL13026-828	316-159R	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0808				
NAL13026-828	316-159R	ORG	98-82-8	Isopropylbenzene	220		ug/L	200	20.48	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0808				
NAL13026-828	316-159R	ORG	103-65-1	n-Propylbenzene	230		ug/L	200	27.00	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0808				
NAL13026-828	316-159R	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0808				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-828	316-159R	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0808				
NAL13026-828	316-159R	ORG	108-67-8	1,3,5-Trimethylbenzene	500		ug/L	200	20.03	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0808				
NAL13026-828	316-159R	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0808				
NAL13026-828	316-159R	ORG	95-63-6	1,2,4-Trimethylbenzene	2500		ug/L	200	20.03	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0808				
NAL13026-828	316-159R	ORG	135-98-8	sec-Butylbenzene	110	J	ug/L	200	32.34	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0808				
NAL13026-828	316-159R	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0808				
NAL13026-828	316-159R	ORG	99-87-6	p-Isopropltoluene	11000		ug/L	200	25.48	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0808				
NAL13026-828	316-159R	ORG	106-46-7	1,4-Dichlorobenzene	2400		ug/L	200	33.03	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0808				
NAL13026-828	316-159R	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0808				
NAL13026-828	316-159R	ORG	104-51-8	n-Butylbenzene	190	J	ug/L	500	27.81	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0808				
NAL13026-828	316-159R	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0808				
NAL13026-828	316-159R	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0808				
NAL13026-828	316-159R	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0808				
NAL13026-828	316-159R	ORG	91-20-3	Naphthalene	2600		ug/L	500	56.04	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0808				
NAL13026-828	316-159R	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0808				
NAL13026-828	316-159R	STD	1868-53-7	Dibromofluoromethane	50		ng			12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0808	50	100%		
NAL13026-828	316-159R	STD	17060-07-0	1,2-Dichloroethane d4	48		ng			12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0808	50	96%		
NAL13026-828	316-159R	STD	2037-26-5	Toluene d8	48		ng			12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0808	50	96%		
NAL13026-828	316-159R	STD	460-00-4	Bromofluorobenzene	52		ng			12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0808	50	104%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C120813CCVA	C120813CCVA	ORG	75-71-8	Dichlorodifluoromethane	45		ug/L	5	0.29	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0804	50	90%		
C120813CCVA	C120813CCVA	ORG	74-87-3	Chloromethane	50		ug/L	5	0.43	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0804	50	100%		
C120813CCVA	C120813CCVA	ORG	75-01-4	Vinyl chloride	49		ug/L	2	0.32	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0804	50	98%		
C120813CCVA	C120813CCVA	ORG	74-83-9	Bromomethane	54		ug/L	5	0.50	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0804	50	108%		
C120813CCVA	C120813CCVA	ORG	75-00-3	Chloroethane	45		ug/L	5	0.56	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0804	50	90%		
C120813CCVA	C120813CCVA	ORG	75-69-4	Trichlorofluoromethane	98		ug/L	5	0.20	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0804	50	196%		
C120813CCVA	C120813CCVA	ORG	75-35-4	1,1-Dichloroethene	48		ug/L	1	0.47	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0804	50	96%		
C120813CCVA	C120813CCVA	ORG	75-09-2	Methylene chloride	47		ug/L	5	0.26	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0804	50	94%		
C120813CCVA	C120813CCVA	ORG	67-64-1	Acetone	53		ug/L	10	1.56	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0804	50	106%		
C120813CCVA	C120813CCVA	ORG	156-60-5	trans-1,2-Dichloroethene	48		ug/L	1	0.56	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0804	50	96%		
C120813CCVA	C120813CCVA	ORG	1634-04-4	MTBE	57		ug/L	5	0.61	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0804	50	114%		
C120813CCVA	C120813CCVA	ORG	75-34-3	1,1-Dichloroethane	47		ug/L	1	0.53	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0804	50	94%		
C120813CCVA	C120813CCVA	ORG	156-59-2	cis-1,2-Dichloroethene	47		ug/L	1	0.32	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0804	50	94%		
C120813CCVA	C120813CCVA	ORG	74-97-5	Bromochloromethane	48		ug/L	10	0.41	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0804	50	96%		
C120813CCVA	C120813CCVA	ORG	67-66-3	Chloroform	45		ug/L	2	0.16	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0804	50	90%		
C120813CCVA	C120813CCVA	ORG	71-55-6	1,1,1-Trichloroethane	48		ug/L	1	0.17	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0804	50	96%		
C120813CCVA	C120813CCVA	ORG	78-93-3	2-Butanone	52		ug/L	1	0.81	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0804	50	104%		
C120813CCVA	C120813CCVA	ORG	56-23-5	Carbon tetrachloride	47		ug/L	1	0.28	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0804	50	94%		
C120813CCVA	C120813CCVA	ORG	71-43-2	Benzene	46		ug/L	1	0.14	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0804	50	92%		
C120813CCVA	C120813CCVA	ORG	107-06-2	1,2-Dichloroethane	45		ug/L	1	0.20	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0804	50	90%		
C120813CCVA	C120813CCVA	ORG	79-01-6	Trichloroethene	45		ug/L	1	0.36	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0804	50	90%		
C120813CCVA	C120813CCVA	ORG	74-95-3	Dibromomethane	41		ug/L	2	0.32	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0804	50	82%		
C120813CCVA	C120813CCVA	ORG	78-87-5	1,2-Dichloropropane	43		ug/L	1	0.18	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0804	50	86%		
C120813CCVA	C120813CCVA	ORG	75-27-4	Bromodichloromethane	41		ug/L	2	0.12	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0804	50	82%		
C120813CCVA	C120813CCVA	ORG	10061-01-5	cis-1,3-Dichloropropene	45		ug/L	1	0.25	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0804	50	90%		
C120813CCVA	C120813CCVA	ORG	108-88-3	Toluene	44		ug/L	1	0.21	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0804	50	88%		
C120813CCVA	C120813CCVA	ORG	108-10-1	4-Methyl-2-pentanone	51		ug/L	5	0.74	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0804	50	102%		
C120813CCVA	C120813CCVA	ORG	10061-02-6	trans-1,3-Dichloropropene	50		ug/L	1	0.31	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0804	50	100%		
C120813CCVA	C120813CCVA	ORG	127-18-4	Tetrachloroethene	43		ug/L	1	0.49	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0804	50	86%		
C120813CCVA	C120813CCVA	ORG	79-00-5	1,1,2-Trichloroethane	45		ug/L	1	0.34	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0804	50	90%		
C120813CCVA	C120813CCVA	ORG	124-48-1	Dibromochloromethane	47		ug/L	5	0.30	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0804	50	94%		
C120813CCVA	C120813CCVA	ORG	106-93-4	1,2-Dibromoethane	47		ug/L	2	0.26	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0804	50	94%		
C120813CCVA	C120813CCVA	ORG	591-78-6	2-Hexanone	54		ug/L	2	0.69	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0804	50	108%		
C120813CCVA	C120813CCVA	ORG	100-41-4	Ethylbenzene	47		ug/L	1	0.25	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0804	50	94%		
C120813CCVA	C120813CCVA	ORG	108-90-7	Chlorobenzene	45		ug/L	1	0.28	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0804	50	90%		
C120813CCVA	C120813CCVA	ORG	630-20-6	1,1,1,2-Tetrachloroethane	46		ug/L	2	0.19	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0804	50	92%		
C120813CCVA	C120813CCVA	ORG	XYLMP	p&m-Xylene	100		ug/L	2	0.26	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0804	100	100%		
C120813CCVA	C120813CCVA	ORG	95-47-6	o-Xylene	50		ug/L	1	0.13	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0804	50	100%		
C120813CCVA	C120813CCVA	ORG	100-42-5	Styrene	51		ug/L	1	0.20	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0804	50	102%		
C120813CCVA	C120813CCVA	ORG	75-25-2	Bromoform	48		ug/L	2	0.47	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0804	50	96%		
C120813CCVA	C120813CCVA	ORG	98-82-8	Isopropylbenzene	52		ug/L	2	0.20	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0804	50	104%		
C120813CCVA	C120813CCVA	ORG	103-65-1	n-Propylbenzene	50		ug/L	2	0.27	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0804	50	100%		
C120813CCVA	C120813CCVA	ORG	79-34-5	1,1,2,2-Tetrachloroethane	41		ug/L	2	0.29	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0804	50	82%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C120813CCVA	C120813CCVA	ORG	96-18-4	1,2,3-Trichloropropane	47		ug/L	2	0.29	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0804	50	94%		
C120813CCVA	C120813CCVA	ORG	108-67-8	1,3,5-Trimethylbenzene	51		ug/L	2	0.20	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0804	50	102%		
C120813CCVA	C120813CCVA	ORG	98-06-6	tert-Butylbenzene	54		ug/L	2	0.33	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0804	50	108%		
C120813CCVA	C120813CCVA	ORG	95-63-6	1,2,4-Trimethylbenzene	53		ug/L	2	0.20	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0804	50	106%		
C120813CCVA	C120813CCVA	ORG	135-98-8	sec-Butylbenzene	53		ug/L	2	0.32	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0804	50	106%		
C120813CCVA	C120813CCVA	ORG	541-73-1	1,3-Dichlorobenzene	49		ug/L	2	0.22	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0804	50	98%		
C120813CCVA	C120813CCVA	ORG	99-87-6	p-Isopropltoluene	54		ug/L	2	0.25	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0804	50	108%		
C120813CCVA	C120813CCVA	ORG	106-46-7	1,4-Dichlorobenzene	47		ug/L	2	0.33	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0804	50	94%		
C120813CCVA	C120813CCVA	ORG	95-50-1	1,2-Dichlorobenzene	49		ug/L	2	0.26	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0804	50	98%		
C120813CCVA	C120813CCVA	ORG	104-51-8	n-Butylbenzene	53		ug/L	5	0.28	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0804	50	106%		
C120813CCVA	C120813CCVA	ORG	96-12-8	1,2-Dibromo-3-chloropropane	52		ug/L	5	1.59	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0804	50	104%		
C120813CCVA	C120813CCVA	ORG	87-68-3	Hexachlorobutadiene	55		ug/L	5	0.65	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0804	50	110%		
C120813CCVA	C120813CCVA	ORG	120-82-1	1,2,4-Trichlorobenzene	55		ug/L	5	0.28	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0804	50	110%		
C120813CCVA	C120813CCVA	ORG	91-20-3	Naphthalene	57		ug/L	5	0.56	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0804	50	114%		
C120813CCVA	C120813CCVA	ORG	87-61-6	1,2,3-Trichlorobenzene	55		ug/L	5	0.23	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0804	50	110%		
C120813CCVA	C120813CCVA	STD	1868-53-7	Dibromofluoromethane	51		ng			NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0804	50	102%		
C120813CCVA	C120813CCVA	STD	17060-07-0	1,2-Dichloroethane d4	49		ng			NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0804	50	98%		
C120813CCVA	C120813CCVA	STD	2037-26-5	Toluene d8	47		ng			NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0804	50	94%		
C120813CCVA	C120813CCVA	STD	460-00-4	Bromofluorobenzene	51		ng			NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0804	50	102%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C120813MBKA	C120813MBKA	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	5	0.29	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0805				
C120813MBKA	C120813MBKA	ORG	74-87-3	Chloromethane		U	ug/L	5	0.43	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0805				
C120813MBKA	C120813MBKA	ORG	75-01-4	Vinyl chloride		U	ug/L	2	0.32	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0805				
C120813MBKA	C120813MBKA	ORG	74-83-9	Bromomethane		U	ug/L	5	0.50	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0805				
C120813MBKA	C120813MBKA	ORG	75-00-3	Chloroethane		U	ug/L	5	0.56	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0805				
C120813MBKA	C120813MBKA	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	5	0.20	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0805				
C120813MBKA	C120813MBKA	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	1	0.47	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0805				
C120813MBKA	C120813MBKA	ORG	75-09-2	Methylene chloride		U	ug/L	5	0.26	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0805				
C120813MBKA	C120813MBKA	ORG	67-64-1	Acetone		U	ug/L	10	1.56	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0805				
C120813MBKA	C120813MBKA	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	1	0.56	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0805				
C120813MBKA	C120813MBKA	ORG	1634-04-4	MTBE		U	ug/L	5	0.61	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0805				
C120813MBKA	C120813MBKA	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	1	0.53	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0805				
C120813MBKA	C120813MBKA	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	1	0.32	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0805				
C120813MBKA	C120813MBKA	ORG	74-97-5	Bromochloromethane		U	ug/L	10	0.41	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0805				
C120813MBKA	C120813MBKA	ORG	67-66-3	Chloroform		U	ug/L	2	0.16	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0805				
C120813MBKA	C120813MBKA	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	1	0.17	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0805				
C120813MBKA	C120813MBKA	ORG	78-93-3	2-Butanone		U	ug/L	1	0.81	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0805				
C120813MBKA	C120813MBKA	ORG	56-23-5	Carbon tetrachloride		U	ug/L	1	0.28	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0805				
C120813MBKA	C120813MBKA	ORG	71-43-2	Benzene		U	ug/L	1	0.14	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0805				
C120813MBKA	C120813MBKA	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	1	0.20	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0805				
C120813MBKA	C120813MBKA	ORG	79-01-6	Trichloroethene		U	ug/L	1	0.36	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0805				
C120813MBKA	C120813MBKA	ORG	74-95-3	Dibromomethane		U	ug/L	2	0.32	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0805				
C120813MBKA	C120813MBKA	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	1	0.18	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0805				
C120813MBKA	C120813MBKA	ORG	75-27-4	Bromodichloromethane		U	ug/L	2	0.12	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0805				
C120813MBKA	C120813MBKA	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	1	0.25	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0805				
C120813MBKA	C120813MBKA	ORG	108-88-3	Toluene		U	ug/L	1	0.21	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0805				
C120813MBKA	C120813MBKA	ORG	108-10-1	4-Methyl-2-pentanone		U	ug/L	5	0.74	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0805				
C120813MBKA	C120813MBKA	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	1	0.31	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0805				
C120813MBKA	C120813MBKA	ORG	127-18-4	Tetrachloroethene		U	ug/L	1	0.49	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0805				
C120813MBKA	C120813MBKA	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	1	0.34	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0805				
C120813MBKA	C120813MBKA	ORG	124-48-1	Dibromochloromethane		U	ug/L	5	0.30	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0805				
C120813MBKA	C120813MBKA	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	2	0.26	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0805				
C120813MBKA	C120813MBKA	ORG	591-78-6	2-Hexanone		U	ug/L	2	0.69	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0805				
C120813MBKA	C120813MBKA	ORG	100-41-4	Ethylbenzene		U	ug/L	1	0.25	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0805				
C120813MBKA	C120813MBKA	ORG	108-90-7	Chlorobenzene		U	ug/L	1	0.28	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0805				
C120813MBKA	C120813MBKA	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	2	0.19	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0805				
C120813MBKA	C120813MBKA	ORG	XYLMP	p&m-Xylene		U	ug/L	2	0.26	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0805				
C120813MBKA	C120813MBKA	ORG	95-47-6	o-Xylene		U	ug/L	1	0.13	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0805				
C120813MBKA	C120813MBKA	ORG	100-42-5	Styrene		U	ug/L	1	0.20	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0805				
C120813MBKA	C120813MBKA	ORG	75-25-2	Bromoform		U	ug/L	2	0.47	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0805				
C120813MBKA	C120813MBKA	ORG	98-82-8	Isopropylbenzene		U	ug/L	2	0.20	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0805				
C120813MBKA	C120813MBKA	ORG	103-65-1	n-Propylbenzene		U	ug/L	2	0.27	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0805				
C120813MBKA	C120813MBKA	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	2	0.29	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0805				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C120813MBKA	C120813MBKA	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	2	0.29	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0805				
C120813MBKA	C120813MBKA	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	2	0.20	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0805				
C120813MBKA	C120813MBKA	ORG	98-06-6	tert-Butylbenzene		U	ug/L	2	0.33	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0805				
C120813MBKA	C120813MBKA	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	2	0.20	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0805				
C120813MBKA	C120813MBKA	ORG	135-98-8	sec-Butylbenzene		U	ug/L	2	0.32	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0805				
C120813MBKA	C120813MBKA	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	2	0.22	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0805				
C120813MBKA	C120813MBKA	ORG	99-87-6	p-Isopropltoluene		U	ug/L	2	0.25	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0805				
C120813MBKA	C120813MBKA	ORG	106-46-7	1,4-Dichlorobenzene		U	ug/L	2	0.33	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0805				
C120813MBKA	C120813MBKA	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	2	0.26	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0805				
C120813MBKA	C120813MBKA	ORG	104-51-8	n-Butylbenzene		U	ug/L	5	0.28	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0805				
C120813MBKA	C120813MBKA	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	5	1.59	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0805				
C120813MBKA	C120813MBKA	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	5	0.65	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0805				
C120813MBKA	C120813MBKA	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	5	0.28	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0805				
C120813MBKA	C120813MBKA	ORG	91-20-3	Naphthalene		U	ug/L	5	0.56	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0805				
C120813MBKA	C120813MBKA	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	5	0.23	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0805				
C120813MBKA	C120813MBKA	STD	1868-53-7	Dibromofluoromethane	51		ng			NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0805	50	102%		
C120813MBKA	C120813MBKA	STD	17060-07-0	1,2-Dichloroethane d4	51		ng			NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0805	50	102%		
C120813MBKA	C120813MBKA	STD	2037-26-5	Toluene d8	49		ng			NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0805	50	98%		
C120813MBKA	C120813MBKA	STD	460-00-4	Bromofluorobenzene	55		ng			NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0805	50	110%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C120813ALCS	C120813ALCS	ORG	75-71-8	Dichlorodifluoromethane	39		ug/L	5	0.29	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0810	50	78%		
C120813ALCS	C120813ALCS	ORG	74-87-3	Chloromethane	44		ug/L	5	0.43	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0810	50	88%		
C120813ALCS	C120813ALCS	ORG	75-01-4	Vinyl chloride	43		ug/L	2	0.32	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0810	50	86%		
C120813ALCS	C120813ALCS	ORG	74-83-9	Bromomethane	55		ug/L	5	0.50	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0810	50	110%		
C120813ALCS	C120813ALCS	ORG	75-00-3	Chloroethane	52		ug/L	5	0.56	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0810	50	104%		
C120813ALCS	C120813ALCS	ORG	75-69-4	Trichlorofluoromethane	98		ug/L	5	0.20	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0810	50	196%		
C120813ALCS	C120813ALCS	ORG	75-35-4	1,1-Dichloroethene	46		ug/L	1	0.47	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0810	50	92%		
C120813ALCS	C120813ALCS	ORG	75-09-2	Methylene chloride	47		ug/L	5	0.26	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0810	50	94%		
C120813ALCS	C120813ALCS	ORG	67-64-1	Acetone	47		ug/L	10	1.56	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0810	50	94%		
C120813ALCS	C120813ALCS	ORG	156-60-5	trans-1,2-Dichloroethene	46		ug/L	1	0.56	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0810	50	92%		
C120813ALCS	C120813ALCS	ORG	1634-04-4	MTBE	53		ug/L	5	0.61	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0810	50	106%		
C120813ALCS	C120813ALCS	ORG	75-34-3	1,1-Dichloroethane	45		ug/L	1	0.53	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0810	50	90%		
C120813ALCS	C120813ALCS	ORG	156-59-2	cis-1,2-Dichloroethene	46		ug/L	1	0.32	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0810	50	92%		
C120813ALCS	C120813ALCS	ORG	74-97-5	Bromochloromethane	46		ug/L	10	0.41	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0810	50	92%		
C120813ALCS	C120813ALCS	ORG	67-66-3	Chloroform	45		ug/L	2	0.16	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0810	50	90%		
C120813ALCS	C120813ALCS	ORG	71-55-6	1,1,1-Trichloroethane	47		ug/L	1	0.17	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0810	50	94%		
C120813ALCS	C120813ALCS	ORG	78-93-3	2-Butanone	48		ug/L	1	0.81	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0810	50	96%		
C120813ALCS	C120813ALCS	ORG	56-23-5	Carbon tetrachloride	47		ug/L	1	0.28	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0810	50	94%		
C120813ALCS	C120813ALCS	ORG	71-43-2	Benzene	45		ug/L	1	0.14	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0810	50	90%		
C120813ALCS	C120813ALCS	ORG	107-06-2	1,2-Dichloroethane	44		ug/L	1	0.20	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0810	50	88%		
C120813ALCS	C120813ALCS	ORG	79-01-6	Trichloroethene	40		ug/L	1	0.36	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0810	50	80%		
C120813ALCS	C120813ALCS	ORG	74-95-3	Dibromomethane	39		ug/L	2	0.32	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0810	50	78%		
C120813ALCS	C120813ALCS	ORG	78-87-5	1,2-Dichloropropane	41		ug/L	1	0.18	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0810	50	82%		
C120813ALCS	C120813ALCS	ORG	75-27-4	Bromodichloromethane	41		ug/L	2	0.12	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0810	50	82%		
C120813ALCS	C120813ALCS	ORG	10061-01-5	cis-1,3-Dichloropropene	43		ug/L	1	0.25	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0810	50	86%		
C120813ALCS	C120813ALCS	ORG	108-88-3	Toluene	43		ug/L	1	0.21	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0810	50	86%		
C120813ALCS	C120813ALCS	ORG	108-10-1	4-Methyl-2-pentanone	43		ug/L	5	0.74	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0810	50	86%		
C120813ALCS	C120813ALCS	ORG	10061-02-6	trans-1,3-Dichloropropene	49		ug/L	1	0.31	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0810	50	98%		
C120813ALCS	C120813ALCS	ORG	127-18-4	Tetrachloroethene	46		ug/L	1	0.49	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0810	50	92%		
C120813ALCS	C120813ALCS	ORG	79-00-5	1,1,2-Trichloroethane	43		ug/L	1	0.34	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0810	50	86%		
C120813ALCS	C120813ALCS	ORG	124-48-1	Dibromochloromethane	45		ug/L	5	0.30	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0810	50	90%		
C120813ALCS	C120813ALCS	ORG	106-93-4	1,2-Dibromoethane	46		ug/L	2	0.26	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0810	50	92%		
C120813ALCS	C120813ALCS	ORG	591-78-6	2-Hexanone	42		ug/L	2	0.69	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0810	50	84%		
C120813ALCS	C120813ALCS	ORG	100-41-4	Ethylbenzene	46		ug/L	1	0.25	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0810	50	92%		
C120813ALCS	C120813ALCS	ORG	108-90-7	Chlorobenzene	44		ug/L	1	0.28	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0810	50	88%		
C120813ALCS	C120813ALCS	ORG	630-20-6	1,1,1,2-Tetrachloroethane	45		ug/L	2	0.19	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0810	50	90%		
C120813ALCS	C120813ALCS	ORG	XYLMP	p&m-Xylene	99		ug/L	2	0.26	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0810	100	99%		
C120813ALCS	C120813ALCS	ORG	95-47-6	o-Xylene	49		ug/L	1	0.13	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0810	50	98%		
C120813ALCS	C120813ALCS	ORG	100-42-5	Styrene	50		ug/L	1	0.20	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0810	50	100%		
C120813ALCS	C120813ALCS	ORG	75-25-2	Bromoform	46		ug/L	2	0.47	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0810	50	92%		
C120813ALCS	C120813ALCS	ORG	98-82-8	Isopropylbenzene	51		ug/L	2	0.20	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0810	50	102%		
C120813ALCS	C120813ALCS	ORG	103-65-1	n-Propylbenzene	49		ug/L	2	0.27	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0810	50	98%		
C120813ALCS	C120813ALCS	ORG	79-34-5	1,1,2,2-Tetrachloroethane	39		ug/L	2	0.29	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0810	50	78%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C120813ALCS	C120813ALCS	ORG	96-18-4	1,2,3-Trichloropropane	44		ug/L	2	0.29	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0810	50	88%		
C120813ALCS	C120813ALCS	ORG	108-67-8	1,3,5-Trimethylbenzene	50		ug/L	2	0.20	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0810	50	100%		
C120813ALCS	C120813ALCS	ORG	98-06-6	tert-Butylbenzene	52		ug/L	2	0.33	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0810	50	104%		
C120813ALCS	C120813ALCS	ORG	95-63-6	1,2,4-Trimethylbenzene	52		ug/L	2	0.20	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0810	50	104%		
C120813ALCS	C120813ALCS	ORG	135-98-8	sec-Butylbenzene	51		ug/L	2	0.32	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0810	50	102%		
C120813ALCS	C120813ALCS	ORG	541-73-1	1,3-Dichlorobenzene	47		ug/L	2	0.22	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0810	50	94%		
C120813ALCS	C120813ALCS	ORG	99-87-6	p-Isopropltoluene	53		ug/L	2	0.25	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0810	50	106%		
C120813ALCS	C120813ALCS	ORG	106-46-7	1,4-Dichlorobenzene	46		ug/L	2	0.33	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0810	50	92%		
C120813ALCS	C120813ALCS	ORG	95-50-1	1,2-Dichlorobenzene	47		ug/L	2	0.26	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0810	50	94%		
C120813ALCS	C120813ALCS	ORG	104-51-8	n-Butylbenzene	51		ug/L	5	0.28	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0810	50	102%		
C120813ALCS	C120813ALCS	ORG	96-12-8	1,2-Dibromo-3-chloropropane	49		ug/L	5	1.59	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0810	50	98%		
C120813ALCS	C120813ALCS	ORG	87-68-3	Hexachlorobutadiene	51		ug/L	5	0.65	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0810	50	102%		
C120813ALCS	C120813ALCS	ORG	120-82-1	1,2,4-Trichlorobenzene	50		ug/L	5	0.28	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0810	50	100%		
C120813ALCS	C120813ALCS	ORG	91-20-3	Naphthalene	50		ug/L	5	0.56	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0810	50	100%		
C120813ALCS	C120813ALCS	ORG	87-61-6	1,2,3-Trichlorobenzene	50		ug/L	5	0.23	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0810	50	100%		
C120813ALCS	C120813ALCS	STD	1868-53-7	Dibromofluoromethane	50		ng			NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0810	50	100%		
C120813ALCS	C120813ALCS	STD	17060-07-0	1,2-Dichloroethane d4	48		ng			NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0810	50	96%		
C120813ALCS	C120813ALCS	STD	2037-26-5	Toluene d8	47		ng			NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0810	50	94%		
C120813ALCS	C120813ALCS	STD	460-00-4	Bromofluorobenzene	49		ng			NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0810	50	98%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C120813ALCD	C120813ALCD	ORG	75-71-8	Dichlorodifluoromethane	46		ug/L	5	0.29	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0811	50	92%	16%	
C120813ALCD	C120813ALCD	ORG	74-87-3	Chloromethane	49		ug/L	5	0.43	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0811	50	98%	11%	
C120813ALCD	C120813ALCD	ORG	75-01-4	Vinyl chloride	50		ug/L	2	0.32	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0811	50	100%	15%	
C120813ALCD	C120813ALCD	ORG	74-83-9	Bromomethane	62		ug/L	5	0.50	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0811	50	124%	12%	
C120813ALCD	C120813ALCD	ORG	75-00-3	Chloroethane	59		ug/L	5	0.56	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0811	50	118%	13%	
C120813ALCD	C120813ALCD	ORG	75-69-4	Trichlorofluoromethane	110		ug/L	5	0.20	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0811	50	220%	12%	
C120813ALCD	C120813ALCD	ORG	75-35-4	1,1-Dichloroethene	50		ug/L	1	0.47	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0811	50	100%	8%	
C120813ALCD	C120813ALCD	ORG	75-09-2	Methylene chloride	52		ug/L	5	0.26	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0811	50	104%	10%	
C120813ALCD	C120813ALCD	ORG	67-64-1	Acetone	54		ug/L	10	1.56	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0811	50	108%	14%	
C120813ALCD	C120813ALCD	ORG	156-60-5	trans-1,2-Dichloroethene	51		ug/L	1	0.56	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0811	50	102%	10%	
C120813ALCD	C120813ALCD	ORG	1634-04-4	MTBE	60		ug/L	5	0.61	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0811	50	120%	12%	
C120813ALCD	C120813ALCD	ORG	75-34-3	1,1-Dichloroethane	51		ug/L	1	0.53	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0811	50	102%	13%	
C120813ALCD	C120813ALCD	ORG	156-59-2	cis-1,2-Dichloroethene	50		ug/L	1	0.32	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0811	50	100%	8%	
C120813ALCD	C120813ALCD	ORG	74-97-5	Bromochloromethane	53		ug/L	10	0.41	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0811	50	106%	14%	
C120813ALCD	C120813ALCD	ORG	67-66-3	Chloroform	49		ug/L	2	0.16	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0811	50	98%	9%	
C120813ALCD	C120813ALCD	ORG	71-55-6	1,1,1-Trichloroethane	52		ug/L	1	0.17	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0811	50	104%	10%	
C120813ALCD	C120813ALCD	ORG	78-93-3	2-Butanone	55		ug/L	1	0.81	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0811	50	110%	14%	
C120813ALCD	C120813ALCD	ORG	56-23-5	Carbon tetrachloride	51		ug/L	1	0.28	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0811	50	102%	8%	
C120813ALCD	C120813ALCD	ORG	71-43-2	Benzene	59		ug/L	1	0.14	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0811	50	118%	27%	
C120813ALCD	C120813ALCD	ORG	107-06-2	1,2-Dichloroethane	50		ug/L	1	0.20	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0811	50	100%	13%	
C120813ALCD	C120813ALCD	ORG	79-01-6	Trichloroethene	42		ug/L	1	0.36	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0811	50	84%	5%	
C120813ALCD	C120813ALCD	ORG	74-95-3	Dibromomethane	44		ug/L	2	0.32	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0811	50	88%	12%	
C120813ALCD	C120813ALCD	ORG	78-87-5	1,2-Dichloropropane	47		ug/L	1	0.18	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0811	50	94%	14%	
C120813ALCD	C120813ALCD	ORG	75-27-4	Bromodichloromethane	42		ug/L	2	0.12	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0811	50	84%	2%	
C120813ALCD	C120813ALCD	ORG	10061-01-5	cis-1,3-Dichloropropene	45		ug/L	1	0.25	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0811	50	90%	5%	
C120813ALCD	C120813ALCD	ORG	108-88-3	Toluene	44		ug/L	1	0.21	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0811	50	88%	2%	
C120813ALCD	C120813ALCD	ORG	108-10-1	4-Methyl-2-pentanone	45		ug/L	5	0.74	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0811	50	90%	5%	
C120813ALCD	C120813ALCD	ORG	10061-02-6	trans-1,3-Dichloropropene	50		ug/L	1	0.31	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0811	50	100%	2%	
C120813ALCD	C120813ALCD	ORG	127-18-4	Tetrachloroethene	49		ug/L	1	0.49	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0811	50	98%	6%	
C120813ALCD	C120813ALCD	ORG	79-00-5	1,1,2-Trichloroethane	46		ug/L	1	0.34	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0811	50	92%	7%	
C120813ALCD	C120813ALCD	ORG	124-48-1	Dibromochloromethane	48		ug/L	5	0.30	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0811	50	96%	6%	
C120813ALCD	C120813ALCD	ORG	106-93-4	1,2-Dibromoethane	48		ug/L	2	0.26	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0811	50	96%	4%	
C120813ALCD	C120813ALCD	ORG	591-78-6	2-Hexanone	45		ug/L	2	0.69	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0811	50	90%	7%	
C120813ALCD	C120813ALCD	ORG	100-41-4	Ethylbenzene	47		ug/L	1	0.25	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0811	50	94%	2%	
C120813ALCD	C120813ALCD	ORG	108-90-7	Chlorobenzene	45		ug/L	1	0.28	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0811	50	90%	2%	
C120813ALCD	C120813ALCD	ORG	630-20-6	1,1,1,2-Tetrachloroethane	46		ug/L	2	0.19	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0811	50	92%	2%	
C120813ALCD	C120813ALCD	ORG	XYLMP	p&m-Xylene	99		ug/L	2	0.26	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0811	100	99%	0%	
C120813ALCD	C120813ALCD	ORG	95-47-6	o-Xylene	49		ug/L	1	0.13	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0811	50	98%	0%	
C120813ALCD	C120813ALCD	ORG	100-42-5	Styrene	50		ug/L	1	0.20	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0811	50	100%	0%	
C120813ALCD	C120813ALCD	ORG	75-25-2	Bromoform	48		ug/L	2	0.47	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0811	50	96%	4%	
C120813ALCD	C120813ALCD	ORG	98-82-8	Isopropylbenzene	51		ug/L	2	0.20	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0811	50	102%	0%	
C120813ALCD	C120813ALCD	ORG	103-65-1	n-Propylbenzene	49		ug/L	2	0.27	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0811	50	98%	0%	
C120813ALCD	C120813ALCD	ORG	79-34-5	1,1,2,2-Tetrachloroethane	42		ug/L	2	0.29	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0811	50	84%	7%	

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C120813ALCD	C120813ALCD	ORG	96-18-4	1,2,3-Trichloropropane	48		ug/L	2	0.29	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0811	50	96%	9%	
C120813ALCD	C120813ALCD	ORG	108-67-8	1,3,5-Trimethylbenzene	50		ug/L	2	0.20	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0811	50	100%	0%	
C120813ALCD	C120813ALCD	ORG	98-06-6	tert-Butylbenzene	51		ug/L	2	0.33	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0811	50	102%	2%	
C120813ALCD	C120813ALCD	ORG	95-63-6	1,2,4-Trimethylbenzene	52		ug/L	2	0.20	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0811	50	104%	0%	
C120813ALCD	C120813ALCD	ORG	135-98-8	sec-Butylbenzene	51		ug/L	2	0.32	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0811	50	102%	0%	
C120813ALCD	C120813ALCD	ORG	541-73-1	1,3-Dichlorobenzene	47		ug/L	2	0.22	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0811	50	94%	0%	
C120813ALCD	C120813ALCD	ORG	99-87-6	p-Isopropltoluene	52		ug/L	2	0.25	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0811	50	104%	2%	
C120813ALCD	C120813ALCD	ORG	106-46-7	1,4-Dichlorobenzene	46		ug/L	2	0.33	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0811	50	92%	0%	
C120813ALCD	C120813ALCD	ORG	95-50-1	1,2-Dichlorobenzene	48		ug/L	2	0.26	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0811	50	96%	2%	
C120813ALCD	C120813ALCD	ORG	104-51-8	n-Butylbenzene	51		ug/L	5	0.28	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0811	50	102%	0%	
C120813ALCD	C120813ALCD	ORG	96-12-8	1,2-Dibromo-3-chloropropane	50		ug/L	5	1.59	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0811	50	100%	2%	
C120813ALCD	C120813ALCD	ORG	87-68-3	Hexachlorobutadiene	50		ug/L	5	0.65	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0811	50	100%	2%	
C120813ALCD	C120813ALCD	ORG	120-82-1	1,2,4-Trichlorobenzene	51		ug/L	5	0.28	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0811	50	102%	2%	
C120813ALCD	C120813ALCD	ORG	91-20-3	Naphthalene	55		ug/L	5	0.56	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0811	50	110%	10%	
C120813ALCD	C120813ALCD	ORG	87-61-6	1,2,3-Trichlorobenzene	50		ug/L	5	0.23	NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0811	50	100%	0%	
C120813ALCD	C120813ALCD	STD	1868-53-7	Dibromofluoromethane	54		ng			NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0811	50	108%	8%	
C120813ALCD	C120813ALCD	STD	17060-07-0	1,2-Dichloroethane d4	54		ng			NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0811	50	108%	12%	
C120813ALCD	C120813ALCD	STD	2037-26-5	Toluene d8	48		ng			NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0811	50	96%	2%	
C120813ALCD	C120813ALCD	STD	460-00-4	Bromofluorobenzene	49		ng			NA	12/8/2013	12/8/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0811	50	98%	0%	

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-828MS	316-159R	ORG	75-71-8	Dichlorodifluoromethane	4000		ug/L	500	29.28	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0812	5000	80%		
NAL13026-828MS	316-159R	ORG	74-87-3	Chloromethane	4400		ug/L	500	43.07	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0812	5000	88%		
NAL13026-828MS	316-159R	ORG	75-01-4	Vinyl chloride	4400		ug/L	200	31.86	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0812	5000	88%		
NAL13026-828MS	316-159R	ORG	74-83-9	Bromomethane	5500		ug/L	500	50.04	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0812	5000	110%		
NAL13026-828MS	316-159R	ORG	75-00-3	Chloroethane	5300		ug/L	500	55.61	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0812	5000	106%		
NAL13026-828MS	316-159R	ORG	75-69-4	Trichlorofluoromethane	11000		ug/L	500	19.65	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0812	5000	220%		
NAL13026-828MS	316-159R	ORG	75-35-4	1,1-Dichloroethene	4700		ug/L	100	47.11	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0812	5000	94%		
NAL13026-828MS	316-159R	ORG	75-09-2	Methylene chloride	4700		ug/L	500	26.46	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0812	5000	94%		
NAL13026-828MS	316-159R	ORG	67-64-1	Acetone	88000		ug/L	1000	155.61	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0812	5000	-80%		92000
NAL13026-828MS	316-159R	ORG	156-60-5	trans-1,2-Dichloroethene	4700		ug/L	100	55.61	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0812	5000	94%		
NAL13026-828MS	316-159R	ORG	1634-04-4	MTBE	5300		ug/L	500	61.18	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0812	5000	106%		
NAL13026-828MS	316-159R	ORG	75-34-3	1,1-Dichloroethane	4700		ug/L	100	52.66	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0812	5000	94%		
NAL13026-828MS	316-159R	ORG	156-59-2	cis-1,2-Dichloroethene	4700		ug/L	100	32.11	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0812	5000	94%		
NAL13026-828MS	316-159R	ORG	74-97-5	Bromochloromethane	4700		ug/L	1000	41.37	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0812	5000	94%		
NAL13026-828MS	316-159R	ORG	67-66-3	Chloroform	4600		ug/L	200	15.73	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0812	5000	92%		
NAL13026-828MS	316-159R	ORG	71-55-6	1,1,1-Trichloroethane	4900		ug/L	100	16.65	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0812	5000	98%		
NAL13026-828MS	316-159R	ORG	78-93-3	2-Butanone	52000		ug/L	100	81.18	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0812	5000	20%		51000
NAL13026-828MS	316-159R	ORG	56-23-5	Carbon tetrachloride	4700		ug/L	100	27.64	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0812	5000	94%		
NAL13026-828MS	316-159R	ORG	71-43-2	Benzene	4700		ug/L	100	13.53	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0812	5000	92%		80
NAL13026-828MS	316-159R	ORG	107-06-2	1,2-Dichloroethane	4700		ug/L	100	20.01	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0812	5000	94%		
NAL13026-828MS	316-159R	ORG	79-01-6	Trichloroethene	4400		ug/L	100	36.33	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0812	5000	88%		
NAL13026-828MS	316-159R	ORG	74-95-3	Dibromomethane	4300		ug/L	200	32.20	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0812	5000	86%		
NAL13026-828MS	316-159R	ORG	78-87-5	1,2-Dichloropropane	4400		ug/L	100	18.17	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0812	5000	88%		
NAL13026-828MS	316-159R	ORG	75-27-4	Bromodichloromethane	3900		ug/L	200	11.58	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0812	5000	78%		
NAL13026-828MS	316-159R	ORG	10061-01-5	cis-1,3-Dichloropropene	4300		ug/L	100	25.01	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0812	5000	86%		
NAL13026-828MS	316-159R	ORG	108-88-3	Toluene	4300		ug/L	100	20.96	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0812	5000	85%		69
NAL13026-828MS	316-159R	ORG	108-10-1	4-Methyl-2-pentanone	5800		ug/L	500	74.00	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0812	5000	84%		1600
NAL13026-828MS	316-159R	ORG	10061-02-6	trans-1,3-Dichloropropene	4600		ug/L	100	31.15	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0812	5000	92%		
NAL13026-828MS	316-159R	ORG	127-18-4	Tetrachloroethene	4100		ug/L	100	48.56	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0812	5000	82%		
NAL13026-828MS	316-159R	ORG	79-00-5	1,1,2-Trichloroethane	4500		ug/L	100	34.28	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0812	5000	90%		
NAL13026-828MS	316-159R	ORG	124-48-1	Dibromochloromethane	4400		ug/L	500	29.90	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0812	5000	88%		
NAL13026-828MS	316-159R	ORG	106-93-4	1,2-Dibromoethane	4600		ug/L	200	26.49	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0812	5000	92%		
NAL13026-828MS	316-159R	ORG	591-78-6	2-Hexanone	8200		ug/L	200	68.90	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0812	5000	82%		4100
NAL13026-828MS	316-159R	ORG	100-41-4	Ethylbenzene	4700		ug/L	100	25.38	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0812	5000	90%		220
NAL13026-828MS	316-159R	ORG	108-90-7	Chlorobenzene	4200		ug/L	100	27.52	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0812	5000	84%		
NAL13026-828MS	316-159R	ORG	630-20-6	1,1,1,2-Tetrachloroethane	4300		ug/L	200	19.28	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0812	5000	86%		
NAL13026-828MS	316-159R	ORG	XYLMP	p&m-Xylene	10000		ug/L	200	26.14	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0812	10000	94%		640
NAL13026-828MS	316-159R	ORG	95-47-6	o-Xylene	5200		ug/L	100	12.90	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0812	5000	96%		400
NAL13026-828MS	316-159R	ORG	100-42-5	Styrene	4900		ug/L	100	20.23	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0812	5000	98%		
NAL13026-828MS	316-159R	ORG	75-25-2	Bromoform	4300		ug/L	200	46.83	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0812	5000	86%		
NAL13026-828MS	316-159R	ORG	98-82-8	Isopropylbenzene	5300		ug/L	200	20.48	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0812	5000	102%		220
NAL13026-828MS	316-159R	ORG	103-65-1	n-Propylbenzene	5000		ug/L	200	27.00	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0812	5000	95%		230
NAL13026-828MS	316-159R	ORG	79-34-5	1,1,2,2-Tetrachloroethane	3900		ug/L	200	29.16	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0812	5000	78%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-828MS	316-159R	ORG	96-18-4	1,2,3-Trichloropropane	4400		ug/L	200	29.47	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0812	5000	88%		
NAL13026-828MS	316-159R	ORG	108-67-8	1,3,5-Trimethylbenzene	5400		ug/L	200	20.03	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0812	5000	98%		500
NAL13026-828MS	316-159R	ORG	98-06-6	tert-Butylbenzene	5300		ug/L	200	32.61	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0812	5000	106%		
NAL13026-828MS	316-159R	ORG	95-63-6	1,2,4-Trimethylbenzene	7700		ug/L	200	20.03	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0812	5000	104%		2500
NAL13026-828MS	316-159R	ORG	135-98-8	sec-Butylbenzene	5800		ug/L	200	32.34	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0812	5000	114%		110
NAL13026-828MS	316-159R	ORG	541-73-1	1,3-Dichlorobenzene	4800		ug/L	200	22.21	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0812	5000	96%		
NAL13026-828MS	316-159R	ORG	99-87-6	p-Isopropltoluene	16000		ug/L	200	25.48	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0812	5000	100%		11000
NAL13026-828MS	316-159R	ORG	106-46-7	1,4-Dichlorobenzene	7000		ug/L	200	33.03	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0812	5000	92%		2400
NAL13026-828MS	316-159R	ORG	95-50-1	1,2-Dichlorobenzene	5000		ug/L	200	26.38	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0812	5000	100%		
NAL13026-828MS	316-159R	ORG	104-51-8	n-Butylbenzene	5600		ug/L	500	27.81	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0812	5000	108%		190
NAL13026-828MS	316-159R	ORG	96-12-8	1,2-Dibromo-3-chloropropane	5500		ug/L	500	159.11	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0812	5000	110%		
NAL13026-828MS	316-159R	ORG	87-68-3	Hexachlorobutadiene	5500		ug/L	500	65.42	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0812	5000	110%		
NAL13026-828MS	316-159R	ORG	120-82-1	1,2,4-Trichlorobenzene	5900		ug/L	500	27.63	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0812	5000	118%		
NAL13026-828MS	316-159R	ORG	91-20-3	Naphthalene	9300		ug/L	500	56.04	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0812	5000	134%		2600
NAL13026-828MS	316-159R	ORG	87-61-6	1,2,3-Trichlorobenzene	5700		ug/L	500	23.28	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0812	5000	114%		
NAL13026-828MS	316-159R	STD	1868-53-7	Dibromofluoromethane	51		ng			12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0812	50	102%		
NAL13026-828MS	316-159R	STD	17060-07-0	1,2-Dichloroethane d4	49		ng			12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0812	50	98%		
NAL13026-828MS	316-159R	STD	2037-26-5	Toluene d8	46		ng			12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0812	50	92%		
NAL13026-828MS	316-159R	STD	460-00-4	Bromofluorobenzene	51		ng			12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0812	50	102%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-828MSD	316-159R	ORG	75-71-8	Dichlorodifluoromethane	4100		ug/L	500	29.28	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0813	5000	82%	2%	0
NAL13026-828MSD	316-159R	ORG	74-87-3	Chloromethane	4800		ug/L	500	43.07	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0813	5000	96%	9%	0
NAL13026-828MSD	316-159R	ORG	75-01-4	Vinyl chloride	4800		ug/L	200	31.86	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0813	5000	96%	9%	0
NAL13026-828MSD	316-159R	ORG	74-83-9	Bromomethane	5400		ug/L	500	50.04	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0813	5000	108%	2%	0
NAL13026-828MSD	316-159R	ORG	75-00-3	Chloroethane	5000		ug/L	500	55.61	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0813	5000	100%	6%	0
NAL13026-828MSD	316-159R	ORG	75-69-4	Trichlorofluoromethane	11000		ug/L	500	19.65	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0813	5000	220%	0%	0
NAL13026-828MSD	316-159R	ORG	75-35-4	1,1-Dichloroethene	4700		ug/L	100	47.11	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0813	5000	94%	0%	0
NAL13026-828MSD	316-159R	ORG	75-09-2	Methylene chloride	4800		ug/L	500	26.46	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0813	5000	96%	2%	0
NAL13026-828MSD	316-159R	ORG	67-64-1	Acetone	81000		ug/L	1000	155.61	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0813	5000	-220%	8%	92000
NAL13026-828MSD	316-159R	ORG	156-60-5	trans-1,2-Dichloroethene	4800		ug/L	100	55.61	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0813	5000	96%	2%	0
NAL13026-828MSD	316-159R	ORG	1634-04-4	MTBE	5400		ug/L	500	61.18	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0813	5000	108%	2%	0
NAL13026-828MSD	316-159R	ORG	75-34-3	1,1-Dichloroethane	4800		ug/L	100	52.66	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0813	5000	96%	2%	0
NAL13026-828MSD	316-159R	ORG	156-59-2	cis-1,2-Dichloroethene	4800		ug/L	100	32.11	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0813	5000	96%	2%	0
NAL13026-828MSD	316-159R	ORG	74-97-5	Bromochloromethane	4800		ug/L	1000	41.37	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0813	5000	96%	2%	0
NAL13026-828MSD	316-159R	ORG	67-66-3	Chloroform	4700		ug/L	200	15.73	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0813	5000	94%	2%	0
NAL13026-828MSD	316-159R	ORG	71-55-6	1,1,1-Trichloroethane	5000		ug/L	100	16.65	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0813	5000	100%	2%	0
NAL13026-828MSD	316-159R	ORG	78-93-3	2-Butanone	47000		ug/L	100	81.18	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0813	5000	-80%	10%	51000
NAL13026-828MSD	316-159R	ORG	56-23-5	Carbon tetrachloride	4800		ug/L	100	27.64	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0813	5000	96%	2%	0
NAL13026-828MSD	316-159R	ORG	71-43-2	Benzene	4800		ug/L	100	13.53	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0813	5000	94%	2%	80
NAL13026-828MSD	316-159R	ORG	107-06-2	1,2-Dichloroethane	4600		ug/L	100	20.01	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0813	5000	92%	2%	0
NAL13026-828MSD	316-159R	ORG	79-01-6	Trichloroethene	4100		ug/L	100	36.33	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0813	5000	82%	7%	0
NAL13026-828MSD	316-159R	ORG	74-95-3	Dibromomethane	4300		ug/L	200	32.20	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0813	5000	86%	0%	0
NAL13026-828MSD	316-159R	ORG	78-87-5	1,2-Dichloropropane	4600		ug/L	100	18.17	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0813	5000	92%	4%	0
NAL13026-828MSD	316-159R	ORG	75-27-4	Bromodichloromethane	4100		ug/L	200	11.58	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0813	5000	82%	5%	0
NAL13026-828MSD	316-159R	ORG	10061-01-5	cis-1,3-Dichloropropene	4500		ug/L	100	25.01	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0813	5000	90%	5%	0
NAL13026-828MSD	316-159R	ORG	108-88-3	Toluene	4500		ug/L	100	20.96	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0813	5000	89%	5%	69
NAL13026-828MSD	316-159R	ORG	108-10-1	4-Methyl-2-pentanone	5600		ug/L	500	74.00	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0813	5000	80%	4%	1600
NAL13026-828MSD	316-159R	ORG	10061-02-6	trans-1,3-Dichloropropene	4800		ug/L	100	31.15	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0813	5000	96%	4%	0
NAL13026-828MSD	316-159R	ORG	127-18-4	Tetrachloroethene	4300		ug/L	100	48.56	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0813	5000	86%	5%	0
NAL13026-828MSD	316-159R	ORG	79-00-5	1,1,2-Trichloroethane	4600		ug/L	100	34.28	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0813	5000	92%	2%	0
NAL13026-828MSD	316-159R	ORG	124-48-1	Dibromochloromethane	4600		ug/L	500	29.90	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0813	5000	92%	4%	0
NAL13026-828MSD	316-159R	ORG	106-93-4	1,2-Dibromoethane	4700		ug/L	200	26.49	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0813	5000	94%	2%	0
NAL13026-828MSD	316-159R	ORG	591-78-6	2-Hexanone	7700		ug/L	200	68.90	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0813	5000	72%	6%	4100
NAL13026-828MSD	316-159R	ORG	100-41-4	Ethylbenzene	5000		ug/L	100	25.38	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0813	5000	96%	6%	220
NAL13026-828MSD	316-159R	ORG	108-90-7	Chlorobenzene	4500		ug/L	100	27.52	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0813	5000	90%	7%	0
NAL13026-828MSD	316-159R	ORG	630-20-6	1,1,1,2-Tetrachloroethane	4600		ug/L	200	19.28	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0813	5000	92%	7%	0
NAL13026-828MSD	316-159R	ORG	XYLMP	p&m-Xylene	11000		ug/L	200	26.14	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0813	10000	104%	10%	640
NAL13026-828MSD	316-159R	ORG	95-47-6	o-Xylene	5600		ug/L	100	12.90	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0813	5000	104%	7%	400
NAL13026-828MSD	316-159R	ORG	100-42-5	Styrene	5200		ug/L	100	20.23	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0813	5000	104%	6%	0
NAL13026-828MSD	316-159R	ORG	75-25-2	Bromoform	4400		ug/L	200	46.83	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0813	5000	88%	2%	0
NAL13026-828MSD	316-159R	ORG	98-82-8	Isopropylbenzene	5700		ug/L	200	20.48	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0813	5000	110%	7%	220
NAL13026-828MSD	316-159R	ORG	103-65-1	n-Propylbenzene	5400		ug/L	200	27.00	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0813	5000	103%	8%	230
NAL13026-828MSD	316-159R	ORG	79-34-5	1,1,2,2-Tetrachloroethane	3900		ug/L	200	29.16	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0813	5000	78%	0%	0

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-828MSD	316-159R	ORG	96-18-4	1,2,3-Trichloropropane	4500		ug/L	200	29.47	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0813	5000	90%	2%	0
NAL13026-828MSD	316-159R	ORG	108-67-8	1,3,5-Trimethylbenzene	5800		ug/L	200	20.03	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0813	5000	106%	7%	500
NAL13026-828MSD	316-159R	ORG	98-06-6	tert-Butylbenzene	5600		ug/L	200	32.61	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0813	5000	112%	6%	0
NAL13026-828MSD	316-159R	ORG	95-63-6	1,2,4-Trimethylbenzene	8300		ug/L	200	20.03	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0813	5000	116%	8%	2500
NAL13026-828MSD	316-159R	ORG	135-98-8	sec-Butylbenzene	6100		ug/L	200	32.34	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0813	5000	120%	5%	110
NAL13026-828MSD	316-159R	ORG	541-73-1	1,3-Dichlorobenzene	5000		ug/L	200	22.21	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0813	5000	100%	4%	0
NAL13026-828MSD	316-159R	ORG	99-87-6	p-Isopropltoluene	17000		ug/L	200	25.48	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0813	5000	120%	6%	11000
NAL13026-828MSD	316-159R	ORG	106-46-7	1,4-Dichlorobenzene	7300		ug/L	200	33.03	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0813	5000	98%	4%	2400
NAL13026-828MSD	316-159R	ORG	95-50-1	1,2-Dichlorobenzene	5200		ug/L	200	26.38	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0813	5000	104%	4%	0
NAL13026-828MSD	316-159R	ORG	104-51-8	n-Butylbenzene	5900		ug/L	500	27.81	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0813	5000	114%	5%	190
NAL13026-828MSD	316-159R	ORG	96-12-8	1,2-Dibromo-3-chloropropane	5900		ug/L	500	159.11	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0813	5000	118%	7%	0
NAL13026-828MSD	316-159R	ORG	87-68-3	Hexachlorobutadiene	5500		ug/L	500	65.42	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0813	5000	110%	0%	0
NAL13026-828MSD	316-159R	ORG	120-82-1	1,2,4-Trichlorobenzene	6100		ug/L	500	27.63	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0813	5000	122%	3%	0
NAL13026-828MSD	316-159R	ORG	91-20-3	Naphthalene	9000		ug/L	500	56.04	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0813	5000	128%	3%	2600
NAL13026-828MSD	316-159R	ORG	87-61-6	1,2,3-Trichlorobenzene	5700		ug/L	500	23.28	12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0813	5000	114%	0%	0
NAL13026-828MSD	316-159R	STD	1868-53-7	Dibromofluoromethane	50		ng			12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0813	50	100%	2%	0
NAL13026-828MSD	316-159R	STD	17060-07-0	1,2-Dichloroethane d4	48		ng			12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0813	50	96%	2%	0
NAL13026-828MSD	316-159R	STD	2037-26-5	Toluene d8	46		ng			12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0813	50	92%	0%	0
NAL13026-828MSD	316-159R	STD	460-00-4	Bromofluorobenzene	51		ng			12/8/2013	12/8/2013	12/8/2013	WG	100	NA	5.0	NA	SW8260B	NALC0813	50	102%	0%	0

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-829	316-160	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0818				
NAL13026-829	316-160	ORG	74-87-3	Chloromethane		U	ug/L	500	43.07	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0818				
NAL13026-829	316-160	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0818				
NAL13026-829	316-160	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0818				
NAL13026-829	316-160	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0818				
NAL13026-829	316-160	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0818				
NAL13026-829	316-160	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0818				
NAL13026-829	316-160	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0818				
NAL13026-829	316-160	ORG	67-64-1	Acetone	90000	D	ug/L	10000	1556.07	12/9/2013	12/9/2013	12/9/2013	WG	1000	NA	5.0	NA	SW8260B	NALC0819				
NAL13026-829	316-160	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0818				
NAL13026-829	316-160	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0818				
NAL13026-829	316-160	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0818				
NAL13026-829	316-160	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0818				
NAL13026-829	316-160	ORG	74-97-5	Bromochloromethane		U	ug/L	200	41.37	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0818				
NAL13026-829	316-160	ORG	67-66-3	Chloroform		U	ug/L	100	15.73	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0818				
NAL13026-829	316-160	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	16.65	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0818				
NAL13026-829	316-160	ORG	78-93-3	2-Butanone	50000	D	ug/L	10000	811.80	12/9/2013	12/9/2013	12/9/2013	WG	1000	NA	5.0	NA	SW8260B	NALC0819				
NAL13026-829	316-160	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0818				
NAL13026-829	316-160	ORG	71-43-2	Benzene	160		ug/L	100	13.53	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0818				
NAL13026-829	316-160	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0818				
NAL13026-829	316-160	ORG	79-01-6	Trichloroethene		UX-	ug/L	100	36.33	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0818				
NAL13026-829	316-160	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0818				
NAL13026-829	316-160	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0818				
NAL13026-829	316-160	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0818				
NAL13026-829	316-160	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0818				
NAL13026-829	316-160	ORG	108-88-3	Toluene	120		ug/L	100	20.96	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0818				
NAL13026-829	316-160	ORG	108-10-1	4-Methyl-2-pentanone	1700		ug/L	500	74.00	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0818				
NAL13026-829	316-160	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0818				
NAL13026-829	316-160	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0818				
NAL13026-829	316-160	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0818				
NAL13026-829	316-160	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	29.90	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0818				
NAL13026-829	316-160	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	26.49	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0818				
NAL13026-829	316-160	ORG	591-78-6	2-Hexanone	4000		ug/L	500	68.90	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0818				
NAL13026-829	316-160	ORG	100-41-4	Ethylbenzene	280		ug/L	100	25.38	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0818				
NAL13026-829	316-160	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0818				
NAL13026-829	316-160	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0818				
NAL13026-829	316-160	ORG	XYLMP	p&m-Xylene	790		ug/L	200	26.14	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0818				
NAL13026-829	316-160	ORG	95-47-6	o-Xylene	490		ug/L	100	12.90	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0818				
NAL13026-829	316-160	ORG	100-42-5	Styrene		U	ug/L	100	20.23	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0818				
NAL13026-829	316-160	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0818				
NAL13026-829	316-160	ORG	98-82-8	Isopropylbenzene	270		ug/L	200	20.48	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0818				
NAL13026-829	316-160	ORG	103-65-1	n-Propylbenzene	280		ug/L	200	27.00	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0818				
NAL13026-829	316-160	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0818				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-829	316-160	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0818				
NAL13026-829	316-160	ORG	108-67-8	1,3,5-Trimethylbenzene	610		ug/L	200	20.03	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0818				
NAL13026-829	316-160	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0818				
NAL13026-829	316-160	ORG	95-63-6	1,2,4-Trimethylbenzene	3100		ug/L	200	20.03	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0818				
NAL13026-829	316-160	ORG	135-98-8	sec-Butylbenzene	110	J	ug/L	200	32.34	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0818				
NAL13026-829	316-160	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0818				
NAL13026-829	316-160	ORG	99-87-6	p-Isopropltoluene	13000		ug/L	200	25.48	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0818				
NAL13026-829	316-160	ORG	106-46-7	1,4-Dichlorobenzene	2800		ug/L	200	33.03	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0818				
NAL13026-829	316-160	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0818				
NAL13026-829	316-160	ORG	104-51-8	n-Butylbenzene	230	J	ug/L	500	27.81	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0818				
NAL13026-829	316-160	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0818				
NAL13026-829	316-160	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0818				
NAL13026-829	316-160	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0818				
NAL13026-829	316-160	ORG	91-20-3	Naphthalene	3000		ug/L	500	56.04	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0818				
NAL13026-829	316-160	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0818				
NAL13026-829	316-160	STD	1868-53-7	Dibromofluoromethane	49		ng			12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0818	50	98%		
NAL13026-829	316-160	STD	17060-07-0	1,2-Dichloroethane d4	49		ng			12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0818	50	98%		
NAL13026-829	316-160	STD	2037-26-5	Toluene d8	47		ng			12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0818	50	94%		
NAL13026-829	316-160	STD	460-00-4	Bromofluorobenzene	50		ng			12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0818	50	100%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-830	316-160R	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0820				
NAL13026-830	316-160R	ORG	74-87-3	Chloromethane		U	ug/L	500	43.07	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0820				
NAL13026-830	316-160R	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0820				
NAL13026-830	316-160R	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0820				
NAL13026-830	316-160R	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0820				
NAL13026-830	316-160R	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0820				
NAL13026-830	316-160R	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0820				
NAL13026-830	316-160R	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0820				
NAL13026-830	316-160R	ORG	67-64-1	Acetone	85000	D	ug/L	10000	1556.07	12/9/2013	12/9/2013	12/9/2013	WG	1000	NA	5.0	NA	SW8260B	NALC0821				
NAL13026-830	316-160R	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0820				
NAL13026-830	316-160R	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0820				
NAL13026-830	316-160R	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0820				
NAL13026-830	316-160R	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0820				
NAL13026-830	316-160R	ORG	74-97-5	Bromochloromethane		U	ug/L	200	41.37	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0820				
NAL13026-830	316-160R	ORG	67-66-3	Chloroform		U	ug/L	100	15.73	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0820				
NAL13026-830	316-160R	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	16.65	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0820				
NAL13026-830	316-160R	ORG	78-93-3	2-Butanone	46000	D	ug/L	10000	811.80	12/9/2013	12/9/2013	12/9/2013	WG	1000	NA	5.0	NA	SW8260B	NALC0821				
NAL13026-830	316-160R	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0820				
NAL13026-830	316-160R	ORG	71-43-2	Benzene	120		ug/L	100	13.53	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0820				
NAL13026-830	316-160R	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0820				
NAL13026-830	316-160R	ORG	79-01-6	Trichloroethene		UX-	ug/L	100	36.33	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0820				
NAL13026-830	316-160R	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0820				
NAL13026-830	316-160R	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0820				
NAL13026-830	316-160R	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0820				
NAL13026-830	316-160R	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0820				
NAL13026-830	316-160R	ORG	108-88-3	Toluene	72	J	ug/L	100	20.96	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0820				
NAL13026-830	316-160R	ORG	108-10-1	4-Methyl-2-pentanone	1700		ug/L	500	74.00	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0820				
NAL13026-830	316-160R	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0820				
NAL13026-830	316-160R	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0820				
NAL13026-830	316-160R	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0820				
NAL13026-830	316-160R	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	29.90	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0820				
NAL13026-830	316-160R	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	26.49	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0820				
NAL13026-830	316-160R	ORG	591-78-6	2-Hexanone	4000		ug/L	500	68.90	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0820				
NAL13026-830	316-160R	ORG	100-41-4	Ethylbenzene	210		ug/L	100	25.38	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0820				
NAL13026-830	316-160R	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0820				
NAL13026-830	316-160R	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0820				
NAL13026-830	316-160R	ORG	XYLMP	p&m-Xylene	600		ug/L	200	26.14	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0820				
NAL13026-830	316-160R	ORG	95-47-6	o-Xylene	370		ug/L	100	12.90	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0820				
NAL13026-830	316-160R	ORG	100-42-5	Styrene		U	ug/L	100	20.23	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0820				
NAL13026-830	316-160R	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0820				
NAL13026-830	316-160R	ORG	98-82-8	Isopropylbenzene	210		ug/L	200	20.48	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0820				
NAL13026-830	316-160R	ORG	103-65-1	n-Propylbenzene	220		ug/L	200	27.00	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0820				
NAL13026-830	316-160R	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0820				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-830	316-160R	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0820				
NAL13026-830	316-160R	ORG	108-67-8	1,3,5-Trimethylbenzene	500		ug/L	200	20.03	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0820				
NAL13026-830	316-160R	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0820				
NAL13026-830	316-160R	ORG	95-63-6	1,2,4-Trimethylbenzene	2500		ug/L	200	20.03	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0820				
NAL13026-830	316-160R	ORG	135-98-8	sec-Butylbenzene	96	J	ug/L	200	32.34	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0820				
NAL13026-830	316-160R	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0820				
NAL13026-830	316-160R	ORG	99-87-6	p-Isopropltoluene	11000		ug/L	200	25.48	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0820				
NAL13026-830	316-160R	ORG	106-46-7	1,4-Dichlorobenzene	2300		ug/L	200	33.03	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0820				
NAL13026-830	316-160R	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0820				
NAL13026-830	316-160R	ORG	104-51-8	n-Butylbenzene	190	J	ug/L	500	27.81	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0820				
NAL13026-830	316-160R	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0820				
NAL13026-830	316-160R	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0820				
NAL13026-830	316-160R	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0820				
NAL13026-830	316-160R	ORG	91-20-3	Naphthalene	2500		ug/L	500	56.04	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0820				
NAL13026-830	316-160R	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0820				
NAL13026-830	316-160R	STD	1868-53-7	Dibromofluoromethane	58		ng			12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0820	50	116%		
NAL13026-830	316-160R	STD	17060-07-0	1,2-Dichloroethane d4	57		ng			12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0820	50	114%		
NAL13026-830	316-160R	STD	2037-26-5	Toluene d8	47		ng			12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0820	50	94%		
NAL13026-830	316-160R	STD	460-00-4	Bromofluorobenzene	50		ng			12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0820	50	100%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-831	316-160RR	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0822				
NAL13026-831	316-160RR	ORG	74-87-3	Chloromethane		U	ug/L	500	43.07	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0822				
NAL13026-831	316-160RR	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0822				
NAL13026-831	316-160RR	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0822				
NAL13026-831	316-160RR	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0822				
NAL13026-831	316-160RR	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0822				
NAL13026-831	316-160RR	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0822				
NAL13026-831	316-160RR	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0822				
NAL13026-831	316-160RR	ORG	67-64-1	Acetone	94000	D	ug/L	10000	1556.07	12/9/2013	12/9/2013	12/9/2013	WG	1000	NA	5.0	NA	SW8260B	NALC0823				
NAL13026-831	316-160RR	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0822				
NAL13026-831	316-160RR	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0822				
NAL13026-831	316-160RR	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0822				
NAL13026-831	316-160RR	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0822				
NAL13026-831	316-160RR	ORG	74-97-5	Bromochloromethane		U	ug/L	200	41.37	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0822				
NAL13026-831	316-160RR	ORG	67-66-3	Chloroform		U	ug/L	100	15.73	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0822				
NAL13026-831	316-160RR	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	16.65	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0822				
NAL13026-831	316-160RR	ORG	78-93-3	2-Butanone	50000	D	ug/L	10000	811.80	12/9/2013	12/9/2013	12/9/2013	WG	1000	NA	5.0	NA	SW8260B	NALC0823				
NAL13026-831	316-160RR	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0822				
NAL13026-831	316-160RR	ORG	71-43-2	Benzene	81	J	ug/L	100	13.53	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0822				
NAL13026-831	316-160RR	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0822				
NAL13026-831	316-160RR	ORG	79-01-6	Trichloroethene		UX-	ug/L	100	36.33	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0822				
NAL13026-831	316-160RR	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0822				
NAL13026-831	316-160RR	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0822				
NAL13026-831	316-160RR	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0822				
NAL13026-831	316-160RR	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0822				
NAL13026-831	316-160RR	ORG	108-88-3	Toluene	64	J	ug/L	100	20.96	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0822				
NAL13026-831	316-160RR	ORG	108-10-1	4-Methyl-2-pentanone	1700		ug/L	500	74.00	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0822				
NAL13026-831	316-160RR	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0822				
NAL13026-831	316-160RR	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0822				
NAL13026-831	316-160RR	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0822				
NAL13026-831	316-160RR	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	29.90	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0822				
NAL13026-831	316-160RR	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	26.49	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0822				
NAL13026-831	316-160RR	ORG	591-78-6	2-Hexanone	4000		ug/L	500	68.90	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0822				
NAL13026-831	316-160RR	ORG	100-41-4	Ethylbenzene	200		ug/L	100	25.38	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0822				
NAL13026-831	316-160RR	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0822				
NAL13026-831	316-160RR	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0822				
NAL13026-831	316-160RR	ORG	XYLMP	p&m-Xylene	600		ug/L	200	26.14	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0822				
NAL13026-831	316-160RR	ORG	95-47-6	o-Xylene	410		ug/L	100	12.90	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0822				
NAL13026-831	316-160RR	ORG	100-42-5	Styrene		U	ug/L	100	20.23	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0822				
NAL13026-831	316-160RR	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0822				
NAL13026-831	316-160RR	ORG	98-82-8	Isopropylbenzene	230		ug/L	200	20.48	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0822				
NAL13026-831	316-160RR	ORG	103-65-1	n-Propylbenzene	250		ug/L	200	27.00	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0822				
NAL13026-831	316-160RR	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0822				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-831	316-160RR	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0822				
NAL13026-831	316-160RR	ORG	108-67-8	1,3,5-Trimethylbenzene	560		ug/L	200	20.03	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0822				
NAL13026-831	316-160RR	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0822				
NAL13026-831	316-160RR	ORG	95-63-6	1,2,4-Trimethylbenzene	2800		ug/L	200	20.03	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0822				
NAL13026-831	316-160RR	ORG	135-98-8	sec-Butylbenzene	98	J	ug/L	200	32.34	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0822				
NAL13026-831	316-160RR	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0822				
NAL13026-831	316-160RR	ORG	99-87-6	p-Isopropltoluene	13000		ug/L	200	25.48	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0822				
NAL13026-831	316-160RR	ORG	106-46-7	1,4-Dichlorobenzene	2600		ug/L	200	33.03	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0822				
NAL13026-831	316-160RR	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0822				
NAL13026-831	316-160RR	ORG	104-51-8	n-Butylbenzene	210	J	ug/L	500	27.81	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0822				
NAL13026-831	316-160RR	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0822				
NAL13026-831	316-160RR	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0822				
NAL13026-831	316-160RR	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0822				
NAL13026-831	316-160RR	ORG	91-20-3	Naphthalene	3000		ug/L	500	56.04	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0822				
NAL13026-831	316-160RR	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0822				
NAL13026-831	316-160RR	STD	1868-53-7	Dibromofluoromethane	61		ng			12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0822	50	122%		
NAL13026-831	316-160RR	STD	17060-07-0	1,2-Dichloroethane d4	59		ng			12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0822	50	118%		
NAL13026-831	316-160RR	STD	2037-26-5	Toluene d8	47		ng			12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0822	50	94%		
NAL13026-831	316-160RR	STD	460-00-4	Bromofluorobenzene	50		ng			12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0822	50	100%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C120913CCVA	C120913CCVA	ORG	75-71-8	Dichlorodifluoromethane	42		ug/L	5	0.29	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0816	50	84%		
C120913CCVA	C120913CCVA	ORG	74-87-3	Chloromethane	49		ug/L	5	0.43	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0816	50	98%		
C120913CCVA	C120913CCVA	ORG	75-01-4	Vinyl chloride	49		ug/L	2	0.32	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0816	50	98%		
C120913CCVA	C120913CCVA	ORG	74-83-9	Bromomethane	55		ug/L	5	0.50	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0816	50	110%		
C120913CCVA	C120913CCVA	ORG	75-00-3	Chloroethane	41		ug/L	5	0.56	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0816	50	82%		
C120913CCVA	C120913CCVA	ORG	75-69-4	Trichlorofluoromethane	93		ug/L	5	0.20	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0816	50	186%		
C120913CCVA	C120913CCVA	ORG	75-35-4	1,1-Dichloroethene	47		ug/L	1	0.47	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0816	50	94%		
C120913CCVA	C120913CCVA	ORG	75-09-2	Methylene chloride	48		ug/L	5	0.26	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0816	50	96%		
C120913CCVA	C120913CCVA	ORG	67-64-1	Acetone	54		ug/L	10	1.56	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0816	50	108%		
C120913CCVA	C120913CCVA	ORG	156-60-5	trans-1,2-Dichloroethene	48		ug/L	1	0.56	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0816	50	96%		
C120913CCVA	C120913CCVA	ORG	1634-04-4	MTBE	59		ug/L	5	0.61	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0816	50	118%		
C120913CCVA	C120913CCVA	ORG	75-34-3	1,1-Dichloroethane	47		ug/L	1	0.53	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0816	50	94%		
C120913CCVA	C120913CCVA	ORG	156-59-2	cis-1,2-Dichloroethene	47		ug/L	1	0.32	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0816	50	94%		
C120913CCVA	C120913CCVA	ORG	74-97-5	Bromochloromethane	48		ug/L	10	0.41	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0816	50	96%		
C120913CCVA	C120913CCVA	ORG	67-66-3	Chloroform	45		ug/L	2	0.16	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0816	50	90%		
C120913CCVA	C120913CCVA	ORG	71-55-6	1,1,1-Trichloroethane	48		ug/L	1	0.17	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0816	50	96%		
C120913CCVA	C120913CCVA	ORG	78-93-3	2-Butanone	53		ug/L	1	0.81	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0816	50	106%		
C120913CCVA	C120913CCVA	ORG	56-23-5	Carbon tetrachloride	47		ug/L	1	0.28	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0816	50	94%		
C120913CCVA	C120913CCVA	ORG	71-43-2	Benzene	46		ug/L	1	0.14	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0816	50	92%		
C120913CCVA	C120913CCVA	ORG	107-06-2	1,2-Dichloroethane	46		ug/L	1	0.20	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0816	50	92%		
C120913CCVA	C120913CCVA	ORG	79-01-6	Trichloroethene	39		ug/L	1	0.36	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0816	50	78%		
C120913CCVA	C120913CCVA	ORG	74-95-3	Dibromomethane	40		ug/L	2	0.32	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0816	50	80%		
C120913CCVA	C120913CCVA	ORG	78-87-5	1,2-Dichloropropane	43		ug/L	1	0.18	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0816	50	86%		
C120913CCVA	C120913CCVA	ORG	75-27-4	Bromodichloromethane	41		ug/L	2	0.12	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0816	50	82%		
C120913CCVA	C120913CCVA	ORG	10061-01-5	cis-1,3-Dichloropropene	44		ug/L	1	0.25	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0816	50	88%		
C120913CCVA	C120913CCVA	ORG	108-88-3	Toluene	43		ug/L	1	0.21	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0816	50	86%		
C120913CCVA	C120913CCVA	ORG	108-10-1	4-Methyl-2-pentanone	52		ug/L	5	0.74	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0816	50	104%		
C120913CCVA	C120913CCVA	ORG	10061-02-6	trans-1,3-Dichloropropene	50		ug/L	1	0.31	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0816	50	100%		
C120913CCVA	C120913CCVA	ORG	127-18-4	Tetrachloroethene	43		ug/L	1	0.49	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0816	50	86%		
C120913CCVA	C120913CCVA	ORG	79-00-5	1,1,2-Trichloroethane	44		ug/L	1	0.34	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0816	50	88%		
C120913CCVA	C120913CCVA	ORG	124-48-1	Dibromochloromethane	46		ug/L	5	0.30	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0816	50	92%		
C120913CCVA	C120913CCVA	ORG	106-93-4	1,2-Dibromoethane	47		ug/L	2	0.26	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0816	50	94%		
C120913CCVA	C120913CCVA	ORG	591-78-6	2-Hexanone	55		ug/L	2	0.69	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0816	50	110%		
C120913CCVA	C120913CCVA	ORG	100-41-4	Ethylbenzene	46		ug/L	1	0.25	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0816	50	92%		
C120913CCVA	C120913CCVA	ORG	108-90-7	Chlorobenzene	45		ug/L	1	0.28	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0816	50	90%		
C120913CCVA	C120913CCVA	ORG	630-20-6	1,1,1,2-Tetrachloroethane	45		ug/L	2	0.19	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0816	50	90%		
C120913CCVA	C120913CCVA	ORG	XYLMP	p&m-Xylene	98		ug/L	2	0.26	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0816	100	98%		
C120913CCVA	C120913CCVA	ORG	95-47-6	o-Xylene	49		ug/L	1	0.13	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0816	50	98%		
C120913CCVA	C120913CCVA	ORG	100-42-5	Styrene	49		ug/L	1	0.20	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0816	50	98%		
C120913CCVA	C120913CCVA	ORG	75-25-2	Bromoform	47		ug/L	2	0.47	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0816	50	94%		
C120913CCVA	C120913CCVA	ORG	98-82-8	Isopropylbenzene	50		ug/L	2	0.20	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0816	50	100%		
C120913CCVA	C120913CCVA	ORG	103-65-1	n-Propylbenzene	49		ug/L	2	0.27	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0816	50	98%		
C120913CCVA	C120913CCVA	ORG	79-34-5	1,1,2,2-Tetrachloroethane	40		ug/L	2	0.29	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0816	50	80%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C120913CCVA	C120913CCVA	ORG	96-18-4	1,2,3-Trichloropropane	46		ug/L	2	0.29	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0816	50	92%		
C120913CCVA	C120913CCVA	ORG	108-67-8	1,3,5-Trimethylbenzene	49		ug/L	2	0.20	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0816	50	98%		
C120913CCVA	C120913CCVA	ORG	98-06-6	tert-Butylbenzene	52		ug/L	2	0.33	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0816	50	104%		
C120913CCVA	C120913CCVA	ORG	95-63-6	1,2,4-Trimethylbenzene	52		ug/L	2	0.20	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0816	50	104%		
C120913CCVA	C120913CCVA	ORG	135-98-8	sec-Butylbenzene	51		ug/L	2	0.32	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0816	50	102%		
C120913CCVA	C120913CCVA	ORG	541-73-1	1,3-Dichlorobenzene	47		ug/L	2	0.22	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0816	50	94%		
C120913CCVA	C120913CCVA	ORG	99-87-6	p-Isopropltoluene	52		ug/L	2	0.25	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0816	50	104%		
C120913CCVA	C120913CCVA	ORG	106-46-7	1,4-Dichlorobenzene	47		ug/L	2	0.33	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0816	50	94%		
C120913CCVA	C120913CCVA	ORG	95-50-1	1,2-Dichlorobenzene	48		ug/L	2	0.26	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0816	50	96%		
C120913CCVA	C120913CCVA	ORG	104-51-8	n-Butylbenzene	51		ug/L	5	0.28	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0816	50	102%		
C120913CCVA	C120913CCVA	ORG	96-12-8	1,2-Dibromo-3-chloropropane	51		ug/L	5	1.59	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0816	50	102%		
C120913CCVA	C120913CCVA	ORG	87-68-3	Hexachlorobutadiene	54		ug/L	5	0.65	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0816	50	108%		
C120913CCVA	C120913CCVA	ORG	120-82-1	1,2,4-Trichlorobenzene	55		ug/L	5	0.28	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0816	50	110%		
C120913CCVA	C120913CCVA	ORG	91-20-3	Naphthalene	57		ug/L	5	0.56	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0816	50	114%		
C120913CCVA	C120913CCVA	ORG	87-61-6	1,2,3-Trichlorobenzene	53		ug/L	5	0.23	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0816	50	106%		
C120913CCVA	C120913CCVA	STD	1868-53-7	Dibromofluoromethane	50		ng			NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0816	50	100%		
C120913CCVA	C120913CCVA	STD	17060-07-0	1,2-Dichloroethane d4	49		ng			NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0816	50	98%		
C120913CCVA	C120913CCVA	STD	2037-26-5	Toluene d8	46		ng			NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0816	50	92%		
C120913CCVA	C120913CCVA	STD	460-00-4	Bromofluorobenzene	49		ng			NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0816	50	98%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C120913MBKA	C120913MBKA	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	5	0.29	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0817				
C120913MBKA	C120913MBKA	ORG	74-87-3	Chloromethane		U	ug/L	5	0.43	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0817				
C120913MBKA	C120913MBKA	ORG	75-01-4	Vinyl chloride		U	ug/L	2	0.32	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0817				
C120913MBKA	C120913MBKA	ORG	74-83-9	Bromomethane		U	ug/L	5	0.50	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0817				
C120913MBKA	C120913MBKA	ORG	75-00-3	Chloroethane		U	ug/L	5	0.56	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0817				
C120913MBKA	C120913MBKA	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	5	0.20	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0817				
C120913MBKA	C120913MBKA	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	1	0.47	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0817				
C120913MBKA	C120913MBKA	ORG	75-09-2	Methylene chloride		U	ug/L	5	0.26	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0817				
C120913MBKA	C120913MBKA	ORG	67-64-1	Acetone		U	ug/L	10	1.56	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0817				
C120913MBKA	C120913MBKA	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	1	0.56	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0817				
C120913MBKA	C120913MBKA	ORG	1634-04-4	MTBE		U	ug/L	5	0.61	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0817				
C120913MBKA	C120913MBKA	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	1	0.53	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0817				
C120913MBKA	C120913MBKA	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	1	0.32	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0817				
C120913MBKA	C120913MBKA	ORG	74-97-5	Bromochloromethane		U	ug/L	10	0.41	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0817				
C120913MBKA	C120913MBKA	ORG	67-66-3	Chloroform		U	ug/L	2	0.16	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0817				
C120913MBKA	C120913MBKA	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	1	0.17	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0817				
C120913MBKA	C120913MBKA	ORG	78-93-3	2-Butanone		U	ug/L	1	0.81	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0817				
C120913MBKA	C120913MBKA	ORG	56-23-5	Carbon tetrachloride		U	ug/L	1	0.28	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0817				
C120913MBKA	C120913MBKA	ORG	71-43-2	Benzene		U	ug/L	1	0.14	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0817				
C120913MBKA	C120913MBKA	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	1	0.20	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0817				
C120913MBKA	C120913MBKA	ORG	79-01-6	Trichloroethene		U	ug/L	1	0.36	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0817				
C120913MBKA	C120913MBKA	ORG	74-95-3	Dibromomethane		U	ug/L	2	0.32	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0817				
C120913MBKA	C120913MBKA	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	1	0.18	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0817				
C120913MBKA	C120913MBKA	ORG	75-27-4	Bromodichloromethane		U	ug/L	2	0.12	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0817				
C120913MBKA	C120913MBKA	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	1	0.25	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0817				
C120913MBKA	C120913MBKA	ORG	108-88-3	Toluene		U	ug/L	1	0.21	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0817				
C120913MBKA	C120913MBKA	ORG	108-10-1	4-Methyl-2-pentanone		U	ug/L	5	0.74	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0817				
C120913MBKA	C120913MBKA	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	1	0.31	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0817				
C120913MBKA	C120913MBKA	ORG	127-18-4	Tetrachloroethene		U	ug/L	1	0.49	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0817				
C120913MBKA	C120913MBKA	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	1	0.34	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0817				
C120913MBKA	C120913MBKA	ORG	124-48-1	Dibromochloromethane		U	ug/L	5	0.30	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0817				
C120913MBKA	C120913MBKA	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	2	0.26	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0817				
C120913MBKA	C120913MBKA	ORG	591-78-6	2-Hexanone		U	ug/L	2	0.69	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0817				
C120913MBKA	C120913MBKA	ORG	100-41-4	Ethylbenzene		U	ug/L	1	0.25	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0817				
C120913MBKA	C120913MBKA	ORG	108-90-7	Chlorobenzene		U	ug/L	1	0.28	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0817				
C120913MBKA	C120913MBKA	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	2	0.19	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0817				
C120913MBKA	C120913MBKA	ORG	XYLMP	p&m-Xylene		U	ug/L	2	0.26	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0817				
C120913MBKA	C120913MBKA	ORG	95-47-6	o-Xylene		U	ug/L	1	0.13	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0817				
C120913MBKA	C120913MBKA	ORG	100-42-5	Styrene		U	ug/L	1	0.20	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0817				
C120913MBKA	C120913MBKA	ORG	75-25-2	Bromoform		U	ug/L	2	0.47	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0817				
C120913MBKA	C120913MBKA	ORG	98-82-8	Isopropylbenzene		U	ug/L	2	0.20	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0817				
C120913MBKA	C120913MBKA	ORG	103-65-1	n-Propylbenzene		U	ug/L	2	0.27	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0817				
C120913MBKA	C120913MBKA	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	2	0.29	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0817				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C120913MBKA	C120913MBKA	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	2	0.29	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0817				
C120913MBKA	C120913MBKA	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	2	0.20	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0817				
C120913MBKA	C120913MBKA	ORG	98-06-6	tert-Butylbenzene		U	ug/L	2	0.33	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0817				
C120913MBKA	C120913MBKA	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	2	0.20	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0817				
C120913MBKA	C120913MBKA	ORG	135-98-8	sec-Butylbenzene		U	ug/L	2	0.32	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0817				
C120913MBKA	C120913MBKA	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	2	0.22	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0817				
C120913MBKA	C120913MBKA	ORG	99-87-6	p-Isopropltoluene		U	ug/L	2	0.25	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0817				
C120913MBKA	C120913MBKA	ORG	106-46-7	1,4-Dichlorobenzene		U	ug/L	2	0.33	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0817				
C120913MBKA	C120913MBKA	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	2	0.26	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0817				
C120913MBKA	C120913MBKA	ORG	104-51-8	n-Butylbenzene		U	ug/L	5	0.28	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0817				
C120913MBKA	C120913MBKA	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	5	1.59	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0817				
C120913MBKA	C120913MBKA	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	5	0.65	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0817				
C120913MBKA	C120913MBKA	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	5	0.28	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0817				
C120913MBKA	C120913MBKA	ORG	91-20-3	Naphthalene		U	ug/L	5	0.56	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0817				
C120913MBKA	C120913MBKA	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	5	0.23	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0817				
C120913MBKA	C120913MBKA	STD	1868-53-7	Dibromofluoromethane	52		ng			NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0817	50	104%		
C120913MBKA	C120913MBKA	STD	17060-07-0	1,2-Dichloroethane d4	53		ng			NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0817	50	106%		
C120913MBKA	C120913MBKA	STD	2037-26-5	Toluene d8	49		ng			NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0817	50	98%		
C120913MBKA	C120913MBKA	STD	460-00-4	Bromofluorobenzene	52		ng			NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0817	50	104%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C120913ALCS	C120913ALCS	ORG	75-71-8	Dichlorodifluoromethane	43		ug/L	5	0.29	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0824	50	86%		
C120913ALCS	C120913ALCS	ORG	74-87-3	Chloromethane	49		ug/L	5	0.43	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0824	50	98%		
C120913ALCS	C120913ALCS	ORG	75-01-4	Vinyl chloride	50		ug/L	2	0.32	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0824	50	100%		
C120913ALCS	C120913ALCS	ORG	74-83-9	Bromomethane	63		ug/L	5	0.50	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0824	50	126%		
C120913ALCS	C120913ALCS	ORG	75-00-3	Chloroethane	62		ug/L	5	0.56	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0824	50	124%		
C120913ALCS	C120913ALCS	ORG	75-69-4	Trichlorofluoromethane	120		ug/L	5	0.20	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0824	50	240%		
C120913ALCS	C120913ALCS	ORG	75-35-4	1,1-Dichloroethene	51		ug/L	1	0.47	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0824	50	102%		
C120913ALCS	C120913ALCS	ORG	75-09-2	Methylene chloride	51		ug/L	5	0.26	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0824	50	102%		
C120913ALCS	C120913ALCS	ORG	67-64-1	Acetone	55		ug/L	10	1.56	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0824	50	110%		
C120913ALCS	C120913ALCS	ORG	156-60-5	trans-1,2-Dichloroethene	50		ug/L	1	0.56	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0824	50	100%		
C120913ALCS	C120913ALCS	ORG	1634-04-4	MTBE	59		ug/L	5	0.61	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0824	50	118%		
C120913ALCS	C120913ALCS	ORG	75-34-3	1,1-Dichloroethane	50		ug/L	1	0.53	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0824	50	100%		
C120913ALCS	C120913ALCS	ORG	156-59-2	cis-1,2-Dichloroethene	51		ug/L	1	0.32	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0824	50	102%		
C120913ALCS	C120913ALCS	ORG	74-97-5	Bromochloromethane	52		ug/L	10	0.41	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0824	50	104%		
C120913ALCS	C120913ALCS	ORG	67-66-3	Chloroform	49		ug/L	2	0.16	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0824	50	98%		
C120913ALCS	C120913ALCS	ORG	71-55-6	1,1,1-Trichloroethane	52		ug/L	1	0.17	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0824	50	104%		
C120913ALCS	C120913ALCS	ORG	78-93-3	2-Butanone	54		ug/L	1	0.81	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0824	50	108%		
C120913ALCS	C120913ALCS	ORG	56-23-5	Carbon tetrachloride	51		ug/L	1	0.28	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0824	50	102%		
C120913ALCS	C120913ALCS	ORG	71-43-2	Benzene	49		ug/L	1	0.14	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0824	50	98%		
C120913ALCS	C120913ALCS	ORG	107-06-2	1,2-Dichloroethane	49		ug/L	1	0.20	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0824	50	98%		
C120913ALCS	C120913ALCS	ORG	79-01-6	Trichloroethene	41		ug/L	1	0.36	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0824	50	82%		
C120913ALCS	C120913ALCS	ORG	74-95-3	Dibromomethane	42		ug/L	2	0.32	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0824	50	84%		
C120913ALCS	C120913ALCS	ORG	78-87-5	1,2-Dichloropropane	45		ug/L	1	0.18	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0824	50	90%		
C120913ALCS	C120913ALCS	ORG	75-27-4	Bromodichloromethane	40		ug/L	2	0.12	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0824	50	80%		
C120913ALCS	C120913ALCS	ORG	10061-01-5	cis-1,3-Dichloropropene	42		ug/L	1	0.25	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0824	50	84%		
C120913ALCS	C120913ALCS	ORG	108-88-3	Toluene	43		ug/L	1	0.21	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0824	50	86%		
C120913ALCS	C120913ALCS	ORG	108-10-1	4-Methyl-2-pentanone	45		ug/L	5	0.74	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0824	50	90%		
C120913ALCS	C120913ALCS	ORG	10061-02-6	trans-1,3-Dichloropropene	48		ug/L	1	0.31	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0824	50	96%		
C120913ALCS	C120913ALCS	ORG	127-18-4	Tetrachloroethene	49		ug/L	1	0.49	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0824	50	98%		
C120913ALCS	C120913ALCS	ORG	79-00-5	1,1,2-Trichloroethane	43		ug/L	1	0.34	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0824	50	86%		
C120913ALCS	C120913ALCS	ORG	124-48-1	Dibromochloromethane	45		ug/L	5	0.30	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0824	50	90%		
C120913ALCS	C120913ALCS	ORG	106-93-4	1,2-Dibromoethane	46		ug/L	2	0.26	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0824	50	92%		
C120913ALCS	C120913ALCS	ORG	591-78-6	2-Hexanone	46		ug/L	2	0.69	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0824	50	92%		
C120913ALCS	C120913ALCS	ORG	100-41-4	Ethylbenzene	45		ug/L	1	0.25	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0824	50	90%		
C120913ALCS	C120913ALCS	ORG	108-90-7	Chlorobenzene	42		ug/L	1	0.28	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0824	50	84%		
C120913ALCS	C120913ALCS	ORG	630-20-6	1,1,1,2-Tetrachloroethane	43		ug/L	2	0.19	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0824	50	86%		
C120913ALCS	C120913ALCS	ORG	XYLMP	p&m-Xylene	96		ug/L	2	0.26	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0824	100	96%		
C120913ALCS	C120913ALCS	ORG	95-47-6	o-Xylene	47		ug/L	1	0.13	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0824	50	94%		
C120913ALCS	C120913ALCS	ORG	100-42-5	Styrene	48		ug/L	1	0.20	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0824	50	96%		
C120913ALCS	C120913ALCS	ORG	75-25-2	Bromoform	45		ug/L	2	0.47	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0824	50	90%		
C120913ALCS	C120913ALCS	ORG	98-82-8	Isopropylbenzene	50		ug/L	2	0.20	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0824	50	100%		
C120913ALCS	C120913ALCS	ORG	103-65-1	n-Propylbenzene	49		ug/L	2	0.27	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0824	50	98%		
C120913ALCS	C120913ALCS	ORG	79-34-5	1,1,2,2-Tetrachloroethane	39		ug/L	2	0.29	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0824	50	78%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C120913ALCS	C120913ALCS	ORG	96-18-4	1,2,3-Trichloropropane	45		ug/L	2	0.29	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0824	50	90%		
C120913ALCS	C120913ALCS	ORG	108-67-8	1,3,5-Trimethylbenzene	50		ug/L	2	0.20	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0824	50	100%		
C120913ALCS	C120913ALCS	ORG	98-06-6	tert-Butylbenzene	50		ug/L	2	0.33	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0824	50	100%		
C120913ALCS	C120913ALCS	ORG	95-63-6	1,2,4-Trimethylbenzene	51		ug/L	2	0.20	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0824	50	102%		
C120913ALCS	C120913ALCS	ORG	135-98-8	sec-Butylbenzene	52		ug/L	2	0.32	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0824	50	104%		
C120913ALCS	C120913ALCS	ORG	541-73-1	1,3-Dichlorobenzene	48		ug/L	2	0.22	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0824	50	96%		
C120913ALCS	C120913ALCS	ORG	99-87-6	p-Isopropltoluene	53		ug/L	2	0.25	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0824	50	106%		
C120913ALCS	C120913ALCS	ORG	106-46-7	1,4-Dichlorobenzene	46		ug/L	2	0.33	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0824	50	92%		
C120913ALCS	C120913ALCS	ORG	95-50-1	1,2-Dichlorobenzene	48		ug/L	2	0.26	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0824	50	96%		
C120913ALCS	C120913ALCS	ORG	104-51-8	n-Butylbenzene	52		ug/L	5	0.28	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0824	50	104%		
C120913ALCS	C120913ALCS	ORG	96-12-8	1,2-Dibromo-3-chloropropane	49		ug/L	5	1.59	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0824	50	98%		
C120913ALCS	C120913ALCS	ORG	87-68-3	Hexachlorobutadiene	52		ug/L	5	0.65	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0824	50	104%		
C120913ALCS	C120913ALCS	ORG	120-82-1	1,2,4-Trichlorobenzene	51		ug/L	5	0.28	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0824	50	102%		
C120913ALCS	C120913ALCS	ORG	91-20-3	Naphthalene	52		ug/L	5	0.56	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0824	50	104%		
C120913ALCS	C120913ALCS	ORG	87-61-6	1,2,3-Trichlorobenzene	51		ug/L	5	0.23	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0824	50	102%		
C120913ALCS	C120913ALCS	STD	1868-53-7	Dibromofluoromethane	55		ng			NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0824	50	110%		
C120913ALCS	C120913ALCS	STD	17060-07-0	1,2-Dichloroethane d4	52		ng			NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0824	50	104%		
C120913ALCS	C120913ALCS	STD	2037-26-5	Toluene d8	46		ng			NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0824	50	92%		
C120913ALCS	C120913ALCS	STD	460-00-4	Bromofluorobenzene	48		ng			NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0824	50	96%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C120913ALCD	C120913ALCD	ORG	75-71-8	Dichlorodifluoromethane	39		ug/L	5	0.29	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0825	50	78%	10%	
C120913ALCD	C120913ALCD	ORG	74-87-3	Chloromethane	45		ug/L	5	0.43	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0825	50	90%	9%	
C120913ALCD	C120913ALCD	ORG	75-01-4	Vinyl chloride	45		ug/L	2	0.32	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0825	50	90%	11%	
C120913ALCD	C120913ALCD	ORG	74-83-9	Bromomethane	57		ug/L	5	0.50	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0825	50	114%	10%	
C120913ALCD	C120913ALCD	ORG	75-00-3	Chloroethane	54		ug/L	5	0.56	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0825	50	108%	14%	
C120913ALCD	C120913ALCD	ORG	75-69-4	Trichlorofluoromethane	100		ug/L	5	0.20	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0825	50	200%	18%	
C120913ALCD	C120913ALCD	ORG	75-35-4	1,1-Dichloroethene	47		ug/L	1	0.47	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0825	50	94%	8%	
C120913ALCD	C120913ALCD	ORG	75-09-2	Methylene chloride	48		ug/L	5	0.26	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0825	50	96%	6%	
C120913ALCD	C120913ALCD	ORG	67-64-1	Acetone	52		ug/L	10	1.56	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0825	50	104%	6%	
C120913ALCD	C120913ALCD	ORG	156-60-5	trans-1,2-Dichloroethene	47		ug/L	1	0.56	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0825	50	94%	6%	
C120913ALCD	C120913ALCD	ORG	1634-04-4	MTBE	57		ug/L	5	0.61	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0825	50	114%	3%	
C120913ALCD	C120913ALCD	ORG	75-34-3	1,1-Dichloroethane	47		ug/L	1	0.53	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0825	50	94%	6%	
C120913ALCD	C120913ALCD	ORG	156-59-2	cis-1,2-Dichloroethene	48		ug/L	1	0.32	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0825	50	96%	6%	
C120913ALCD	C120913ALCD	ORG	74-97-5	Bromochloromethane	49		ug/L	10	0.41	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0825	50	98%	6%	
C120913ALCD	C120913ALCD	ORG	67-66-3	Chloroform	47		ug/L	2	0.16	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0825	50	94%	4%	
C120913ALCD	C120913ALCD	ORG	71-55-6	1,1,1-Trichloroethane	48		ug/L	1	0.17	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0825	50	96%	8%	
C120913ALCD	C120913ALCD	ORG	78-93-3	2-Butanone	50		ug/L	1	0.81	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0825	50	100%	8%	
C120913ALCD	C120913ALCD	ORG	56-23-5	Carbon tetrachloride	48		ug/L	1	0.28	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0825	50	96%	6%	
C120913ALCD	C120913ALCD	ORG	71-43-2	Benzene	46		ug/L	1	0.14	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0825	50	92%	6%	
C120913ALCD	C120913ALCD	ORG	107-06-2	1,2-Dichloroethane	47		ug/L	1	0.20	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0825	50	94%	4%	
C120913ALCD	C120913ALCD	ORG	79-01-6	Trichloroethene	40		ug/L	1	0.36	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0825	50	80%	2%	
C120913ALCD	C120913ALCD	ORG	74-95-3	Dibromomethane	41		ug/L	2	0.32	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0825	50	82%	2%	
C120913ALCD	C120913ALCD	ORG	78-87-5	1,2-Dichloropropane	44		ug/L	1	0.18	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0825	50	88%	2%	
C120913ALCD	C120913ALCD	ORG	75-27-4	Bromodichloromethane	42		ug/L	2	0.12	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0825	50	84%	5%	
C120913ALCD	C120913ALCD	ORG	10061-01-5	cis-1,3-Dichloropropene	44		ug/L	1	0.25	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0825	50	88%	5%	
C120913ALCD	C120913ALCD	ORG	108-88-3	Toluene	44		ug/L	1	0.21	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0825	50	88%	2%	
C120913ALCD	C120913ALCD	ORG	108-10-1	4-Methyl-2-pentanone	47		ug/L	5	0.74	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0825	50	94%	4%	
C120913ALCD	C120913ALCD	ORG	10061-02-6	trans-1,3-Dichloropropene	51		ug/L	1	0.31	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0825	50	102%	6%	
C120913ALCD	C120913ALCD	ORG	127-18-4	Tetrachloroethene	51		ug/L	1	0.49	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0825	50	102%	4%	
C120913ALCD	C120913ALCD	ORG	79-00-5	1,1,2-Trichloroethane	45		ug/L	1	0.34	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0825	50	90%	5%	
C120913ALCD	C120913ALCD	ORG	124-48-1	Dibromochloromethane	48		ug/L	5	0.30	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0825	50	96%	6%	
C120913ALCD	C120913ALCD	ORG	106-93-4	1,2-Dibromoethane	48		ug/L	2	0.26	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0825	50	96%	4%	
C120913ALCD	C120913ALCD	ORG	591-78-6	2-Hexanone	45		ug/L	2	0.69	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0825	50	90%	2%	
C120913ALCD	C120913ALCD	ORG	100-41-4	Ethylbenzene	45		ug/L	1	0.25	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0825	50	90%	0%	
C120913ALCD	C120913ALCD	ORG	108-90-7	Chlorobenzene	43		ug/L	1	0.28	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0825	50	86%	2%	
C120913ALCD	C120913ALCD	ORG	630-20-6	1,1,1,2-Tetrachloroethane	45		ug/L	2	0.19	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0825	50	90%	5%	
C120913ALCD	C120913ALCD	ORG	XYLMP	p&m-Xylene	96		ug/L	2	0.26	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0825	100	96%	0%	
C120913ALCD	C120913ALCD	ORG	95-47-6	o-Xylene	47		ug/L	1	0.13	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0825	50	94%	0%	
C120913ALCD	C120913ALCD	ORG	100-42-5	Styrene	48		ug/L	1	0.20	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0825	50	96%	0%	
C120913ALCD	C120913ALCD	ORG	75-25-2	Bromoform	47		ug/L	2	0.47	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0825	50	94%	4%	
C120913ALCD	C120913ALCD	ORG	98-82-8	Isopropylbenzene	49		ug/L	2	0.20	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0825	50	98%	2%	
C120913ALCD	C120913ALCD	ORG	103-65-1	n-Propylbenzene	48		ug/L	2	0.27	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0825	50	96%	2%	
C120913ALCD	C120913ALCD	ORG	79-34-5	1,1,2,2-Tetrachloroethane	40		ug/L	2	0.29	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0825	50	80%	3%	

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C120913ALCD	C120913ALCD	ORG	96-18-4	1,2,3-Trichloropropane	47		ug/L	2	0.29	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0825	50	94%	4%	
C120913ALCD	C120913ALCD	ORG	108-67-8	1,3,5-Trimethylbenzene	49		ug/L	2	0.20	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0825	50	98%	2%	
C120913ALCD	C120913ALCD	ORG	98-06-6	tert-Butylbenzene	49		ug/L	2	0.33	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0825	50	98%	2%	
C120913ALCD	C120913ALCD	ORG	95-63-6	1,2,4-Trimethylbenzene	51		ug/L	2	0.20	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0825	50	102%	0%	
C120913ALCD	C120913ALCD	ORG	135-98-8	sec-Butylbenzene	50		ug/L	2	0.32	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0825	50	100%	4%	
C120913ALCD	C120913ALCD	ORG	541-73-1	1,3-Dichlorobenzene	47		ug/L	2	0.22	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0825	50	94%	2%	
C120913ALCD	C120913ALCD	ORG	99-87-6	p-Isopropltoluene	51		ug/L	2	0.25	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0825	50	102%	4%	
C120913ALCD	C120913ALCD	ORG	106-46-7	1,4-Dichlorobenzene	46		ug/L	2	0.33	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0825	50	92%	0%	
C120913ALCD	C120913ALCD	ORG	95-50-1	1,2-Dichlorobenzene	48		ug/L	2	0.26	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0825	50	96%	0%	
C120913ALCD	C120913ALCD	ORG	104-51-8	n-Butylbenzene	50		ug/L	5	0.28	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0825	50	100%	4%	
C120913ALCD	C120913ALCD	ORG	96-12-8	1,2-Dibromo-3-chloropropane	50		ug/L	5	1.59	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0825	50	100%	2%	
C120913ALCD	C120913ALCD	ORG	87-68-3	Hexachlorobutadiene	49		ug/L	5	0.65	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0825	50	98%	6%	
C120913ALCD	C120913ALCD	ORG	120-82-1	1,2,4-Trichlorobenzene	50		ug/L	5	0.28	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0825	50	100%	2%	
C120913ALCD	C120913ALCD	ORG	91-20-3	Naphthalene	54		ug/L	5	0.56	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0825	50	108%	4%	
C120913ALCD	C120913ALCD	ORG	87-61-6	1,2,3-Trichlorobenzene	49		ug/L	5	0.23	NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0825	50	98%	4%	
C120913ALCD	C120913ALCD	STD	1868-53-7	Dibromofluoromethane	50		ng			NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0825	50	100%	10%	
C120913ALCD	C120913ALCD	STD	17060-07-0	1,2-Dichloroethane d4	50		ng			NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0825	50	100%	4%	
C120913ALCD	C120913ALCD	STD	2037-26-5	Toluene d8	47		ng			NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0825	50	94%	2%	
C120913ALCD	C120913ALCD	STD	460-00-4	Bromofluorobenzene	47		ng			NA	12/9/2013	12/9/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0825	50	94%	2%	

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-831MS	316-160RR	ORG	75-71-8	Dichlorodifluoromethane	3700		ug/L	500	29.28	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0826	5000	74%		
NAL13026-831MS	316-160RR	ORG	74-87-3	Chloromethane	4300		ug/L	500	43.07	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0826	5000	86%		
NAL13026-831MS	316-160RR	ORG	75-01-4	Vinyl chloride	4400		ug/L	200	31.86	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0826	5000	88%		
NAL13026-831MS	316-160RR	ORG	74-83-9	Bromomethane	5700		ug/L	500	50.04	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0826	5000	114%		
NAL13026-831MS	316-160RR	ORG	75-00-3	Chloroethane	5500		ug/L	500	55.61	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0826	5000	110%		
NAL13026-831MS	316-160RR	ORG	75-69-4	Trichlorofluoromethane	11000		ug/L	500	19.65	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0826	5000	220%		
NAL13026-831MS	316-160RR	ORG	75-35-4	1,1-Dichloroethene	5100		ug/L	100	47.11	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0826	5000	102%		
NAL13026-831MS	316-160RR	ORG	75-09-2	Methylene chloride	5100		ug/L	500	26.46	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0826	5000	102%		
NAL13026-831MS	316-160RR	ORG	67-64-1	Acetone	89000		ug/L	1000	155.61	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0826	5000	-100%		94000
NAL13026-831MS	316-160RR	ORG	156-60-5	trans-1,2-Dichloroethene	5100		ug/L	100	55.61	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0826	5000	102%		
NAL13026-831MS	316-160RR	ORG	1634-04-4	MTBE	5600		ug/L	500	61.18	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0826	5000	112%		
NAL13026-831MS	316-160RR	ORG	75-34-3	1,1-Dichloroethane	5000		ug/L	100	52.66	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0826	5000	100%		
NAL13026-831MS	316-160RR	ORG	156-59-2	cis-1,2-Dichloroethene	5000		ug/L	100	32.11	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0826	5000	100%		
NAL13026-831MS	316-160RR	ORG	74-97-5	Bromochloromethane	5200		ug/L	1000	41.37	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0826	5000	104%		
NAL13026-831MS	316-160RR	ORG	67-66-3	Chloroform	4900		ug/L	200	15.73	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0826	5000	98%		
NAL13026-831MS	316-160RR	ORG	71-55-6	1,1,1-Trichloroethane	5100		ug/L	100	16.65	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0826	5000	102%		
NAL13026-831MS	316-160RR	ORG	78-93-3	2-Butanone	51000		ug/L	100	81.18	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0826	5000	20%		50000
NAL13026-831MS	316-160RR	ORG	56-23-5	Carbon tetrachloride	5000		ug/L	100	27.64	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0826	5000	100%		
NAL13026-831MS	316-160RR	ORG	71-43-2	Benzene	5000		ug/L	100	13.53	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0826	5000	98%		81
NAL13026-831MS	316-160RR	ORG	107-06-2	1,2-Dichloroethane	4900		ug/L	100	20.01	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0826	5000	98%		
NAL13026-831MS	316-160RR	ORG	79-01-6	Trichloroethene	4100		ug/L	100	36.33	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0826	5000	82%		
NAL13026-831MS	316-160RR	ORG	74-95-3	Dibromomethane	4500		ug/L	200	32.20	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0826	5000	90%		
NAL13026-831MS	316-160RR	ORG	78-87-5	1,2-Dichloropropane	4700		ug/L	100	18.17	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0826	5000	94%		
NAL13026-831MS	316-160RR	ORG	75-27-4	Bromodichloromethane	4000		ug/L	200	11.58	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0826	5000	80%		
NAL13026-831MS	316-160RR	ORG	10061-01-5	cis-1,3-Dichloropropene	4400		ug/L	100	25.01	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0826	5000	88%		
NAL13026-831MS	316-160RR	ORG	108-88-3	Toluene	4400		ug/L	100	20.96	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0826	5000	87%		64
NAL13026-831MS	316-160RR	ORG	108-10-1	4-Methyl-2-pentanone	5800		ug/L	500	74.00	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0826	5000	82%		1700
NAL13026-831MS	316-160RR	ORG	10061-02-6	trans-1,3-Dichloropropene	5000		ug/L	100	31.15	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0826	5000	100%		
NAL13026-831MS	316-160RR	ORG	127-18-4	Tetrachloroethene	4200		ug/L	100	48.56	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0826	5000	84%		
NAL13026-831MS	316-160RR	ORG	79-00-5	1,1,2-Trichloroethane	4700		ug/L	100	34.28	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0826	5000	94%		
NAL13026-831MS	316-160RR	ORG	124-48-1	Dibromochloromethane	4600		ug/L	500	29.90	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0826	5000	92%		
NAL13026-831MS	316-160RR	ORG	106-93-4	1,2-Dibromoethane	4700		ug/L	200	26.49	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0826	5000	94%		
NAL13026-831MS	316-160RR	ORG	591-78-6	2-Hexanone	8000		ug/L	200	68.90	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0826	5000	80%		4000
NAL13026-831MS	316-160RR	ORG	100-41-4	Ethylbenzene	4700		ug/L	100	25.38	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0826	5000	90%		200
NAL13026-831MS	316-160RR	ORG	108-90-7	Chlorobenzene	4300		ug/L	100	27.52	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0826	5000	86%		
NAL13026-831MS	316-160RR	ORG	630-20-6	1,1,1,2-Tetrachloroethane	4400		ug/L	200	19.28	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0826	5000	88%		
NAL13026-831MS	316-160RR	ORG	XYLMP	p&m-Xylene	10000		ug/L	200	26.14	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0826	10000	94%		600
NAL13026-831MS	316-160RR	ORG	95-47-6	o-Xylene	5300		ug/L	100	12.90	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0826	5000	98%		410
NAL13026-831MS	316-160RR	ORG	100-42-5	Styrene	4900		ug/L	100	20.23	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0826	5000	98%		
NAL13026-831MS	316-160RR	ORG	75-25-2	Bromoform	4500		ug/L	200	46.83	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0826	5000	90%		
NAL13026-831MS	316-160RR	ORG	98-82-8	Isopropylbenzene	5400		ug/L	200	20.48	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0826	5000	103%		230
NAL13026-831MS	316-160RR	ORG	103-65-1	n-Propylbenzene	5200		ug/L	200	27.00	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0826	5000	99%		250
NAL13026-831MS	316-160RR	ORG	79-34-5	1,1,2,2-Tetrachloroethane	3900		ug/L	200	29.16	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0826	5000	78%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-831MS	316-160RR	ORG	96-18-4	1,2,3-Trichloropropane	4500		ug/L	200	29.47	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0826	5000	90%		
NAL13026-831MS	316-160RR	ORG	108-67-8	1,3,5-Trimethylbenzene	5600		ug/L	200	20.03	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0826	5000	101%		560
NAL13026-831MS	316-160RR	ORG	98-06-6	tert-Butylbenzene	5400		ug/L	200	32.61	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0826	5000	108%		
NAL13026-831MS	316-160RR	ORG	95-63-6	1,2,4-Trimethylbenzene	8400		ug/L	200	20.03	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0826	5000	112%		2800
NAL13026-831MS	316-160RR	ORG	135-98-8	sec-Butylbenzene	6000		ug/L	200	32.34	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0826	5000	118%		98
NAL13026-831MS	316-160RR	ORG	541-73-1	1,3-Dichlorobenzene	4900		ug/L	200	22.21	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0826	5000	98%		
NAL13026-831MS	316-160RR	ORG	99-87-6	p-Isopropltoluene	18000		ug/L	200	25.48	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0826	5000	100%		13000
NAL13026-831MS	316-160RR	ORG	106-46-7	1,4-Dichlorobenzene	7500		ug/L	200	33.03	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0826	5000	98%		2600
NAL13026-831MS	316-160RR	ORG	95-50-1	1,2-Dichlorobenzene	5200		ug/L	200	26.38	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0826	5000	104%		
NAL13026-831MS	316-160RR	ORG	104-51-8	n-Butylbenzene	5800		ug/L	500	27.81	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0826	5000	112%		210
NAL13026-831MS	316-160RR	ORG	96-12-8	1,2-Dibromo-3-chloropropane	5500		ug/L	500	159.11	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0826	5000	110%		
NAL13026-831MS	316-160RR	ORG	87-68-3	Hexachlorobutadiene	5700		ug/L	500	65.42	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0826	5000	114%		
NAL13026-831MS	316-160RR	ORG	120-82-1	1,2,4-Trichlorobenzene	6300		ug/L	500	27.63	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0826	5000	126%		
NAL13026-831MS	316-160RR	ORG	91-20-3	Naphthalene	9900		ug/L	500	56.04	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0826	5000	138%		3000
NAL13026-831MS	316-160RR	ORG	87-61-6	1,2,3-Trichlorobenzene	6000		ug/L	500	23.28	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0826	5000	120%		
NAL13026-831MS	316-160RR	STD	1868-53-7	Dibromofluoromethane	52		ng			12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0826	50	104%		
NAL13026-831MS	316-160RR	STD	17060-07-0	1,2-Dichloroethane d4	50		ng			12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0826	50	100%		
NAL13026-831MS	316-160RR	STD	2037-26-5	Toluene d8	45		ng			12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0826	50	90%		
NAL13026-831MS	316-160RR	STD	460-00-4	Bromofluorobenzene	48		ng			12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0826	50	96%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-831MSD	316-160RR	ORG	75-71-8	Dichlorodifluoromethane	4500		ug/L	500	29.28	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0827	5000	90%	20%	0
NAL13026-831MSD	316-160RR	ORG	74-87-3	Chloromethane	5500		ug/L	500	43.07	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0827	5000	110%	24%	0
NAL13026-831MSD	316-160RR	ORG	75-01-4	Vinyl chloride	5600		ug/L	200	31.86	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0827	5000	112%	24%	0
NAL13026-831MSD	316-160RR	ORG	74-83-9	Bromomethane	6500		ug/L	500	50.04	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0827	5000	130%	13%	0
NAL13026-831MSD	316-160RR	ORG	75-00-3	Chloroethane	6400		ug/L	500	55.61	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0827	5000	128%	15%	0
NAL13026-831MSD	316-160RR	ORG	75-69-4	Trichlorofluoromethane	13000		ug/L	500	19.65	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0827	5000	260%	17%	0
NAL13026-831MSD	316-160RR	ORG	75-35-4	1,1-Dichloroethene	5600		ug/L	100	47.11	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0827	5000	112%	9%	0
NAL13026-831MSD	316-160RR	ORG	75-09-2	Methylene chloride	5600		ug/L	500	26.46	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0827	5000	112%	9%	0
NAL13026-831MSD	316-160RR	ORG	67-64-1	Acetone	93000		ug/L	1000	155.61	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0827	5000	-20%	4%	94000
NAL13026-831MSD	316-160RR	ORG	156-60-5	trans-1,2-Dichloroethene	5700		ug/L	100	55.61	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0827	5000	114%	11%	0
NAL13026-831MSD	316-160RR	ORG	1634-04-4	MTBE	6400		ug/L	500	61.18	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0827	5000	128%	13%	0
NAL13026-831MSD	316-160RR	ORG	75-34-3	1,1-Dichloroethane	5600		ug/L	100	52.66	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0827	5000	112%	11%	0
NAL13026-831MSD	316-160RR	ORG	156-59-2	cis-1,2-Dichloroethene	5600		ug/L	100	32.11	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0827	5000	112%	11%	0
NAL13026-831MSD	316-160RR	ORG	74-97-5	Bromochloromethane	5500		ug/L	1000	41.37	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0827	5000	110%	6%	0
NAL13026-831MSD	316-160RR	ORG	67-66-3	Chloroform	5500		ug/L	200	15.73	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0827	5000	110%	12%	0
NAL13026-831MSD	316-160RR	ORG	71-55-6	1,1,1-Trichloroethane	5800		ug/L	100	16.65	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0827	5000	116%	13%	0
NAL13026-831MSD	316-160RR	ORG	78-93-3	2-Butanone	54000		ug/L	100	81.18	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0827	5000	80%	6%	50000
NAL13026-831MSD	316-160RR	ORG	56-23-5	Carbon tetrachloride	5600		ug/L	100	27.64	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0827	5000	112%	11%	0
NAL13026-831MSD	316-160RR	ORG	71-43-2	Benzene	5600		ug/L	100	13.53	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0827	5000	110%	11%	81
NAL13026-831MSD	316-160RR	ORG	107-06-2	1,2-Dichloroethane	5300		ug/L	100	20.01	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0827	5000	106%	8%	0
NAL13026-831MSD	316-160RR	ORG	79-01-6	Trichloroethene	4800		ug/L	100	36.33	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0827	5000	96%	16%	0
NAL13026-831MSD	316-160RR	ORG	74-95-3	Dibromomethane	4900		ug/L	200	32.20	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0827	5000	98%	9%	0
NAL13026-831MSD	316-160RR	ORG	78-87-5	1,2-Dichloropropane	5200		ug/L	100	18.17	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0827	5000	104%	10%	0
NAL13026-831MSD	316-160RR	ORG	75-27-4	Bromodichloromethane	4100		ug/L	200	11.58	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0827	5000	82%	2%	0
NAL13026-831MSD	316-160RR	ORG	10061-01-5	cis-1,3-Dichloropropene	4600		ug/L	100	25.01	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0827	5000	92%	4%	0
NAL13026-831MSD	316-160RR	ORG	108-88-3	Toluene	4600		ug/L	100	20.96	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0827	5000	91%	4%	64
NAL13026-831MSD	316-160RR	ORG	108-10-1	4-Methyl-2-pentanone	5800		ug/L	500	74.00	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0827	5000	82%	0%	1700
NAL13026-831MSD	316-160RR	ORG	10061-02-6	trans-1,3-Dichloropropene	4900		ug/L	100	31.15	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0827	5000	98%	2%	0
NAL13026-831MSD	316-160RR	ORG	127-18-4	Tetrachloroethene	4300		ug/L	100	48.56	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0827	5000	86%	2%	0
NAL13026-831MSD	316-160RR	ORG	79-00-5	1,1,2-Trichloroethane	4600		ug/L	100	34.28	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0827	5000	92%	2%	0
NAL13026-831MSD	316-160RR	ORG	124-48-1	Dibromochloromethane	4700		ug/L	500	29.90	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0827	5000	94%	2%	0
NAL13026-831MSD	316-160RR	ORG	106-93-4	1,2-Dibromoethane	4800		ug/L	200	26.49	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0827	5000	96%	2%	0
NAL13026-831MSD	316-160RR	ORG	591-78-6	2-Hexanone	7700		ug/L	200	68.90	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0827	5000	74%	4%	4000
NAL13026-831MSD	316-160RR	ORG	100-41-4	Ethylbenzene	4900		ug/L	100	25.38	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0827	5000	94%	4%	200
NAL13026-831MSD	316-160RR	ORG	108-90-7	Chlorobenzene	4500		ug/L	100	27.52	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0827	5000	90%	5%	0
NAL13026-831MSD	316-160RR	ORG	630-20-6	1,1,1,2-Tetrachloroethane	4500		ug/L	200	19.28	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0827	5000	90%	2%	0
NAL13026-831MSD	316-160RR	ORG	XYLMP	p&m-Xylene	11000		ug/L	200	26.14	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0827	10000	104%	10%	600
NAL13026-831MSD	316-160RR	ORG	95-47-6	o-Xylene	5600		ug/L	100	12.90	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0827	5000	104%	6%	410
NAL13026-831MSD	316-160RR	ORG	100-42-5	Styrene	5200		ug/L	100	20.23	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0827	5000	104%	6%	0
NAL13026-831MSD	316-160RR	ORG	75-25-2	Bromoform	4500		ug/L	200	46.83	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0827	5000	90%	0%	0
NAL13026-831MSD	316-160RR	ORG	98-82-8	Isopropylbenzene	5600		ug/L	200	20.48	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0827	5000	107%	4%	230
NAL13026-831MSD	316-160RR	ORG	103-65-1	n-Propylbenzene	5400		ug/L	200	27.00	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0827	5000	103%	4%	250
NAL13026-831MSD	316-160RR	ORG	79-34-5	1,1,2,2-Tetrachloroethane	3800		ug/L	200	29.16	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0827	5000	76%	3%	0

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-831MSD	316-160RR	ORG	96-18-4	1,2,3-Trichloropropane	4400		ug/L	200	29.47	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0827	5000	88%	2%	0
NAL13026-831MSD	316-160RR	ORG	108-67-8	1,3,5-Trimethylbenzene	5800		ug/L	200	20.03	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0827	5000	105%	4%	560
NAL13026-831MSD	316-160RR	ORG	98-06-6	tert-Butylbenzene	5600		ug/L	200	32.61	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0827	5000	112%	4%	0
NAL13026-831MSD	316-160RR	ORG	95-63-6	1,2,4-Trimethylbenzene	8500		ug/L	200	20.03	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0827	5000	114%	1%	2800
NAL13026-831MSD	316-160RR	ORG	135-98-8	sec-Butylbenzene	6100		ug/L	200	32.34	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0827	5000	120%	2%	98
NAL13026-831MSD	316-160RR	ORG	541-73-1	1,3-Dichlorobenzene	5100		ug/L	200	22.21	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0827	5000	102%	4%	0
NAL13026-831MSD	316-160RR	ORG	99-87-6	p-Isopropltoluene	18000		ug/L	200	25.48	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0827	5000	100%	0%	13000
NAL13026-831MSD	316-160RR	ORG	106-46-7	1,4-Dichlorobenzene	7500		ug/L	200	33.03	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0827	5000	98%	0%	2600
NAL13026-831MSD	316-160RR	ORG	95-50-1	1,2-Dichlorobenzene	5300		ug/L	200	26.38	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0827	5000	106%	2%	0
NAL13026-831MSD	316-160RR	ORG	104-51-8	n-Butylbenzene	5900		ug/L	500	27.81	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0827	5000	114%	2%	210
NAL13026-831MSD	316-160RR	ORG	96-12-8	1,2-Dibromo-3-chloropropane	5200		ug/L	500	159.11	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0827	5000	104%	6%	0
NAL13026-831MSD	316-160RR	ORG	87-68-3	Hexachlorobutadiene	5500		ug/L	500	65.42	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0827	5000	110%	4%	0
NAL13026-831MSD	316-160RR	ORG	120-82-1	1,2,4-Trichlorobenzene	6300		ug/L	500	27.63	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0827	5000	126%	0%	0
NAL13026-831MSD	316-160RR	ORG	91-20-3	Naphthalene	9500		ug/L	500	56.04	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0827	5000	130%	4%	3000
NAL13026-831MSD	316-160RR	ORG	87-61-6	1,2,3-Trichlorobenzene	5900		ug/L	500	23.28	12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0827	5000	118%	2%	0
NAL13026-831MSD	316-160RR	STD	1868-53-7	Dibromofluoromethane	56		ng			12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0827	50	112%	7%	0
NAL13026-831MSD	316-160RR	STD	17060-07-0	1,2-Dichloroethane d4	54		ng			12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0827	50	108%	8%	0
NAL13026-831MSD	316-160RR	STD	2037-26-5	Toluene d8	46		ng			12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0827	50	92%	2%	0
NAL13026-831MSD	316-160RR	STD	460-00-4	Bromofluorobenzene	51		ng			12/9/2013	12/9/2013	12/9/2013	WG	100	NA	5.0	NA	SW8260B	NALC0827	50	102%	6%	0

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-832	316-161	ORG	75-71-8	Dichlorodifluoromethane		UX-	ug/L	500	29.28	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0832				
NAL13026-832	316-161	ORG	74-87-3	Chloromethane		U	ug/L	500	43.07	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0832				
NAL13026-832	316-161	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0832				
NAL13026-832	316-161	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0832				
NAL13026-832	316-161	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0832				
NAL13026-832	316-161	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0832				
NAL13026-832	316-161	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0832				
NAL13026-832	316-161	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0832				
NAL13026-832	316-161	ORG	67-64-1	Acetone	82000	D	ug/L	10000	1556.07	12/10/2013	12/10/2013	12/10/2013	WG	1000	NA	5.0	NA	SW8260B	NALC0833				
NAL13026-832	316-161	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0832				
NAL13026-832	316-161	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0832				
NAL13026-832	316-161	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0832				
NAL13026-832	316-161	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0832				
NAL13026-832	316-161	ORG	74-97-5	Bromochloromethane		U	ug/L	200	41.37	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0832				
NAL13026-832	316-161	ORG	67-66-3	Chloroform		U	ug/L	100	15.73	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0832				
NAL13026-832	316-161	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	16.65	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0832				
NAL13026-832	316-161	ORG	78-93-3	2-Butanone	44000	D	ug/L	10000	811.80	12/10/2013	12/10/2013	12/10/2013	WG	1000	NA	5.0	NA	SW8260B	NALC0833				
NAL13026-832	316-161	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0832				
NAL13026-832	316-161	ORG	71-43-2	Benzene	51	J	ug/L	100	13.53	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0832				
NAL13026-832	316-161	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0832				
NAL13026-832	316-161	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0832				
NAL13026-832	316-161	ORG	74-95-3	Dibromomethane		UX-	ug/L	200	32.20	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0832				
NAL13026-832	316-161	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0832				
NAL13026-832	316-161	ORG	75-27-4	Bromodichloromethane		UX-	ug/L	200	11.58	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0832				
NAL13026-832	316-161	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0832				
NAL13026-832	316-161	ORG	108-88-3	Toluene	38	J	ug/L	100	20.96	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0832				
NAL13026-832	316-161	ORG	108-10-1	4-Methyl-2-pentanone	1600		ug/L	500	74.00	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0832				
NAL13026-832	316-161	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0832				
NAL13026-832	316-161	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0832				
NAL13026-832	316-161	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0832				
NAL13026-832	316-161	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	29.90	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0832				
NAL13026-832	316-161	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	26.49	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0832				
NAL13026-832	316-161	ORG	591-78-6	2-Hexanone	3600		ug/L	500	68.90	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0832				
NAL13026-832	316-161	ORG	100-41-4	Ethylbenzene	98	J	ug/L	100	25.38	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0832				
NAL13026-832	316-161	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0832				
NAL13026-832	316-161	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0832				
NAL13026-832	316-161	ORG	XYLMP	p&m-Xylene	330		ug/L	200	26.14	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0832				
NAL13026-832	316-161	ORG	95-47-6	o-Xylene	240		ug/L	100	12.90	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0832				
NAL13026-832	316-161	ORG	100-42-5	Styrene		U	ug/L	100	20.23	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0832				
NAL13026-832	316-161	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0832				
NAL13026-832	316-161	ORG	98-82-8	Isopropylbenzene	140	J	ug/L	200	20.48	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0832				
NAL13026-832	316-161	ORG	103-65-1	n-Propylbenzene	150	J	ug/L	200	27.00	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0832				
NAL13026-832	316-161	ORG	79-34-5	1,1,2,2-Tetrachloroethane		UX-	ug/L	200	29.16	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0832				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-832	316-161	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0832				
NAL13026-832	316-161	ORG	108-67-8	1,3,5-Trimethylbenzene	370		ug/L	200	20.03	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0832				
NAL13026-832	316-161	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0832				
NAL13026-832	316-161	ORG	95-63-6	1,2,4-Trimethylbenzene	1800		ug/L	200	20.03	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0832				
NAL13026-832	316-161	ORG	135-98-8	sec-Butylbenzene	180	J	ug/L	200	32.34	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0832				
NAL13026-832	316-161	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0832				
NAL13026-832	316-161	ORG	99-87-6	p-Isopropltoluene	8600		ug/L	200	25.48	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0832				
NAL13026-832	316-161	ORG	106-46-7	1,4-Dichlorobenzene	1900		ug/L	200	33.03	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0832				
NAL13026-832	316-161	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0832				
NAL13026-832	316-161	ORG	104-51-8	n-Butylbenzene	150	J	ug/L	500	27.81	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0832				
NAL13026-832	316-161	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0832				
NAL13026-832	316-161	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0832				
NAL13026-832	316-161	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0832				
NAL13026-832	316-161	ORG	91-20-3	Naphthalene	2400		ug/L	500	56.04	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0832				
NAL13026-832	316-161	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0832				
NAL13026-832	316-161	STD	1868-53-7	Dibromofluoromethane	59		ng			12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0832	50	118%		
NAL13026-832	316-161	STD	17060-07-0	1,2-Dichloroethane d4	56		ng			12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0832	50	112%		
NAL13026-832	316-161	STD	2037-26-5	Toluene d8	45		ng			12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0832	50	90%		
NAL13026-832	316-161	STD	460-00-4	Bromofluorobenzene	50		ng			12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0832	50	100%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C121013CCVA	C121013CCVA	ORG	75-71-8	Dichlorodifluoromethane	34		ug/L	5	0.29	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0829	50	68%		
C121013CCVA	C121013CCVA	ORG	74-87-3	Chloromethane	41		ug/L	5	0.43	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0829	50	82%		
C121013CCVA	C121013CCVA	ORG	75-01-4	Vinyl chloride	42		ug/L	2	0.32	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0829	50	84%		
C121013CCVA	C121013CCVA	ORG	74-83-9	Bromomethane	51		ug/L	5	0.50	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0829	50	102%		
C121013CCVA	C121013CCVA	ORG	75-00-3	Chloroethane	41		ug/L	5	0.56	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0829	50	82%		
C121013CCVA	C121013CCVA	ORG	75-69-4	Trichlorofluoromethane	97		ug/L	5	0.20	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0829	50	194%		
C121013CCVA	C121013CCVA	ORG	75-35-4	1,1-Dichloroethene	46		ug/L	1	0.47	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0829	50	92%		
C121013CCVA	C121013CCVA	ORG	75-09-2	Methylene chloride	47		ug/L	5	0.26	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0829	50	94%		
C121013CCVA	C121013CCVA	ORG	67-64-1	Acetone	49		ug/L	10	1.56	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0829	50	98%		
C121013CCVA	C121013CCVA	ORG	156-60-5	trans-1,2-Dichloroethene	47		ug/L	1	0.56	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0829	50	94%		
C121013CCVA	C121013CCVA	ORG	1634-04-4	MTBE	56		ug/L	5	0.61	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0829	50	112%		
C121013CCVA	C121013CCVA	ORG	75-34-3	1,1-Dichloroethane	47		ug/L	1	0.53	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0829	50	94%		
C121013CCVA	C121013CCVA	ORG	156-59-2	cis-1,2-Dichloroethene	46		ug/L	1	0.32	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0829	50	92%		
C121013CCVA	C121013CCVA	ORG	74-97-5	Bromochloromethane	48		ug/L	10	0.41	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0829	50	96%		
C121013CCVA	C121013CCVA	ORG	67-66-3	Chloroform	45		ug/L	2	0.16	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0829	50	90%		
C121013CCVA	C121013CCVA	ORG	71-55-6	1,1,1-Trichloroethane	49		ug/L	1	0.17	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0829	50	98%		
C121013CCVA	C121013CCVA	ORG	78-93-3	2-Butanone	46		ug/L	1	0.81	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0829	50	92%		
C121013CCVA	C121013CCVA	ORG	56-23-5	Carbon tetrachloride	47		ug/L	1	0.28	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0829	50	94%		
C121013CCVA	C121013CCVA	ORG	71-43-2	Benzene	46		ug/L	1	0.14	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0829	50	92%		
C121013CCVA	C121013CCVA	ORG	107-06-2	1,2-Dichloroethane	45		ug/L	1	0.20	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0829	50	90%		
C121013CCVA	C121013CCVA	ORG	79-01-6	Trichloroethene	44		ug/L	1	0.36	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0829	50	88%		
C121013CCVA	C121013CCVA	ORG	74-95-3	Dibromomethane	39		ug/L	2	0.32	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0829	50	78%		
C121013CCVA	C121013CCVA	ORG	78-87-5	1,2-Dichloropropane	42		ug/L	1	0.18	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0829	50	84%		
C121013CCVA	C121013CCVA	ORG	75-27-4	Bromodichloromethane	39		ug/L	2	0.12	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0829	50	78%		
C121013CCVA	C121013CCVA	ORG	10061-01-5	cis-1,3-Dichloropropene	44		ug/L	1	0.25	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0829	50	88%		
C121013CCVA	C121013CCVA	ORG	108-88-3	Toluene	42		ug/L	1	0.21	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0829	50	84%		
C121013CCVA	C121013CCVA	ORG	108-10-1	4-Methyl-2-pentanone	44		ug/L	5	0.74	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0829	50	88%		
C121013CCVA	C121013CCVA	ORG	10061-02-6	trans-1,3-Dichloropropene	48		ug/L	1	0.31	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0829	50	96%		
C121013CCVA	C121013CCVA	ORG	127-18-4	Tetrachloroethene	41		ug/L	1	0.49	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0829	50	82%		
C121013CCVA	C121013CCVA	ORG	79-00-5	1,1,2-Trichloroethane	41		ug/L	1	0.34	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0829	50	82%		
C121013CCVA	C121013CCVA	ORG	124-48-1	Dibromochloromethane	44		ug/L	5	0.30	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0829	50	88%		
C121013CCVA	C121013CCVA	ORG	106-93-4	1,2-Dibromoethane	44		ug/L	2	0.26	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0829	50	88%		
C121013CCVA	C121013CCVA	ORG	591-78-6	2-Hexanone	46		ug/L	2	0.69	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0829	50	92%		
C121013CCVA	C121013CCVA	ORG	100-41-4	Ethylbenzene	44		ug/L	1	0.25	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0829	50	88%		
C121013CCVA	C121013CCVA	ORG	108-90-7	Chlorobenzene	43		ug/L	1	0.28	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0829	50	86%		
C121013CCVA	C121013CCVA	ORG	630-20-6	1,1,1,2-Tetrachloroethane	44		ug/L	2	0.19	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0829	50	88%		
C121013CCVA	C121013CCVA	ORG	XYLMP	p&m-Xylene	93		ug/L	2	0.26	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0829	100	93%		
C121013CCVA	C121013CCVA	ORG	95-47-6	o-Xylene	48		ug/L	1	0.13	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0829	50	96%		
C121013CCVA	C121013CCVA	ORG	100-42-5	Styrene	47		ug/L	1	0.20	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0829	50	94%		
C121013CCVA	C121013CCVA	ORG	75-25-2	Bromoform	43		ug/L	2	0.47	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0829	50	86%		
C121013CCVA	C121013CCVA	ORG	98-82-8	Isopropylbenzene	49		ug/L	2	0.20	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0829	50	98%		
C121013CCVA	C121013CCVA	ORG	103-65-1	n-Propylbenzene	47		ug/L	2	0.27	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0829	50	94%		
C121013CCVA	C121013CCVA	ORG	79-34-5	1,1,2,2-Tetrachloroethane	36		ug/L	2	0.29	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0829	50	72%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C121013CCVA	C121013CCVA	ORG	96-18-4	1,2,3-Trichloropropane	40		ug/L	2	0.29	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0829	50	80%		
C121013CCVA	C121013CCVA	ORG	108-67-8	1,3,5-Trimethylbenzene	48		ug/L	2	0.20	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0829	50	96%		
C121013CCVA	C121013CCVA	ORG	98-06-6	tert-Butylbenzene	52		ug/L	2	0.33	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0829	50	104%		
C121013CCVA	C121013CCVA	ORG	95-63-6	1,2,4-Trimethylbenzene	50		ug/L	2	0.20	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0829	50	100%		
C121013CCVA	C121013CCVA	ORG	135-98-8	sec-Butylbenzene	50		ug/L	2	0.32	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0829	50	100%		
C121013CCVA	C121013CCVA	ORG	541-73-1	1,3-Dichlorobenzene	47		ug/L	2	0.22	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0829	50	94%		
C121013CCVA	C121013CCVA	ORG	99-87-6	p-Isopropltoluene	52		ug/L	2	0.25	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0829	50	104%		
C121013CCVA	C121013CCVA	ORG	106-46-7	1,4-Dichlorobenzene	45		ug/L	2	0.33	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0829	50	90%		
C121013CCVA	C121013CCVA	ORG	95-50-1	1,2-Dichlorobenzene	48		ug/L	2	0.26	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0829	50	96%		
C121013CCVA	C121013CCVA	ORG	104-51-8	n-Butylbenzene	51		ug/L	5	0.28	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0829	50	102%		
C121013CCVA	C121013CCVA	ORG	96-12-8	1,2-Dibromo-3-chloropropane	51		ug/L	5	1.59	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0829	50	102%		
C121013CCVA	C121013CCVA	ORG	87-68-3	Hexachlorobutadiene	56		ug/L	5	0.65	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0829	50	112%		
C121013CCVA	C121013CCVA	ORG	120-82-1	1,2,4-Trichlorobenzene	56		ug/L	5	0.28	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0829	50	112%		
C121013CCVA	C121013CCVA	ORG	91-20-3	Naphthalene	52		ug/L	5	0.56	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0829	50	104%		
C121013CCVA	C121013CCVA	ORG	87-61-6	1,2,3-Trichlorobenzene	53		ug/L	5	0.23	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0829	50	106%		
C121013CCVA	C121013CCVA	STD	1868-53-7	Dibromofluoromethane	51		ng			NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0829	50	102%		
C121013CCVA	C121013CCVA	STD	17060-07-0	1,2-Dichloroethane d4	48		ng			NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0829	50	96%		
C121013CCVA	C121013CCVA	STD	2037-26-5	Toluene d8	45		ng			NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0829	50	90%		
C121013CCVA	C121013CCVA	STD	460-00-4	Bromofluorobenzene	49		ng			NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0829	50	98%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C121013MBKA	C121013MBKA	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	5	0.29	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0831				
C121013MBKA	C121013MBKA	ORG	74-87-3	Chloromethane		U	ug/L	5	0.43	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0831				
C121013MBKA	C121013MBKA	ORG	75-01-4	Vinyl chloride		U	ug/L	2	0.32	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0831				
C121013MBKA	C121013MBKA	ORG	74-83-9	Bromomethane		U	ug/L	5	0.50	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0831				
C121013MBKA	C121013MBKA	ORG	75-00-3	Chloroethane		U	ug/L	5	0.56	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0831				
C121013MBKA	C121013MBKA	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	5	0.20	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0831				
C121013MBKA	C121013MBKA	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	1	0.47	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0831				
C121013MBKA	C121013MBKA	ORG	75-09-2	Methylene chloride		U	ug/L	5	0.26	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0831				
C121013MBKA	C121013MBKA	ORG	67-64-1	Acetone		U	ug/L	10	1.56	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0831				
C121013MBKA	C121013MBKA	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	1	0.56	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0831				
C121013MBKA	C121013MBKA	ORG	1634-04-4	MTBE		U	ug/L	5	0.61	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0831				
C121013MBKA	C121013MBKA	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	1	0.53	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0831				
C121013MBKA	C121013MBKA	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	1	0.32	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0831				
C121013MBKA	C121013MBKA	ORG	74-97-5	Bromochloromethane		U	ug/L	10	0.41	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0831				
C121013MBKA	C121013MBKA	ORG	67-66-3	Chloroform		U	ug/L	2	0.16	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0831				
C121013MBKA	C121013MBKA	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	1	0.17	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0831				
C121013MBKA	C121013MBKA	ORG	78-93-3	2-Butanone		U	ug/L	1	0.81	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0831				
C121013MBKA	C121013MBKA	ORG	56-23-5	Carbon tetrachloride		U	ug/L	1	0.28	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0831				
C121013MBKA	C121013MBKA	ORG	71-43-2	Benzene		U	ug/L	1	0.14	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0831				
C121013MBKA	C121013MBKA	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	1	0.20	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0831				
C121013MBKA	C121013MBKA	ORG	79-01-6	Trichloroethene		U	ug/L	1	0.36	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0831				
C121013MBKA	C121013MBKA	ORG	74-95-3	Dibromomethane		U	ug/L	2	0.32	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0831				
C121013MBKA	C121013MBKA	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	1	0.18	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0831				
C121013MBKA	C121013MBKA	ORG	75-27-4	Bromodichloromethane		U	ug/L	2	0.12	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0831				
C121013MBKA	C121013MBKA	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	1	0.25	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0831				
C121013MBKA	C121013MBKA	ORG	108-88-3	Toluene		U	ug/L	1	0.21	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0831				
C121013MBKA	C121013MBKA	ORG	108-10-1	4-Methyl-2-pentanone		U	ug/L	5	0.74	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0831				
C121013MBKA	C121013MBKA	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	1	0.31	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0831				
C121013MBKA	C121013MBKA	ORG	127-18-4	Tetrachloroethene		U	ug/L	1	0.49	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0831				
C121013MBKA	C121013MBKA	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	1	0.34	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0831				
C121013MBKA	C121013MBKA	ORG	124-48-1	Dibromochloromethane		U	ug/L	5	0.30	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0831				
C121013MBKA	C121013MBKA	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	2	0.26	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0831				
C121013MBKA	C121013MBKA	ORG	591-78-6	2-Hexanone		U	ug/L	2	0.69	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0831				
C121013MBKA	C121013MBKA	ORG	100-41-4	Ethylbenzene		U	ug/L	1	0.25	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0831				
C121013MBKA	C121013MBKA	ORG	108-90-7	Chlorobenzene		U	ug/L	1	0.28	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0831				
C121013MBKA	C121013MBKA	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	2	0.19	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0831				
C121013MBKA	C121013MBKA	ORG	XYLMP	p&m-Xylene		U	ug/L	2	0.26	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0831				
C121013MBKA	C121013MBKA	ORG	95-47-6	o-Xylene		U	ug/L	1	0.13	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0831				
C121013MBKA	C121013MBKA	ORG	100-42-5	Styrene		U	ug/L	1	0.20	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0831				
C121013MBKA	C121013MBKA	ORG	75-25-2	Bromoform		U	ug/L	2	0.47	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0831				
C121013MBKA	C121013MBKA	ORG	98-82-8	Isopropylbenzene		U	ug/L	2	0.20	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0831				
C121013MBKA	C121013MBKA	ORG	103-65-1	n-Propylbenzene		U	ug/L	2	0.27	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0831				
C121013MBKA	C121013MBKA	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	2	0.29	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0831				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C121013MBKA	C121013MBKA	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	2	0.29	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0831				
C121013MBKA	C121013MBKA	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	2	0.20	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0831				
C121013MBKA	C121013MBKA	ORG	98-06-6	tert-Butylbenzene		U	ug/L	2	0.33	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0831				
C121013MBKA	C121013MBKA	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	2	0.20	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0831				
C121013MBKA	C121013MBKA	ORG	135-98-8	sec-Butylbenzene		U	ug/L	2	0.32	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0831				
C121013MBKA	C121013MBKA	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	2	0.22	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0831				
C121013MBKA	C121013MBKA	ORG	99-87-6	p-Isopropltoluene		U	ug/L	2	0.25	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0831				
C121013MBKA	C121013MBKA	ORG	106-46-7	1,4-Dichlorobenzene		U	ug/L	2	0.33	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0831				
C121013MBKA	C121013MBKA	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	2	0.26	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0831				
C121013MBKA	C121013MBKA	ORG	104-51-8	n-Butylbenzene		U	ug/L	5	0.28	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0831				
C121013MBKA	C121013MBKA	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	5	1.59	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0831				
C121013MBKA	C121013MBKA	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	5	0.65	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0831				
C121013MBKA	C121013MBKA	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	5	0.28	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0831				
C121013MBKA	C121013MBKA	ORG	91-20-3	Naphthalene		U	ug/L	5	0.56	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0831				
C121013MBKA	C121013MBKA	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	5	0.23	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0831				
C121013MBKA	C121013MBKA	STD	1868-53-7	Dibromofluoromethane	60		ng			NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0831	50	120%		
C121013MBKA	C121013MBKA	STD	17060-07-0	1,2-Dichloroethane d4	60		ng			NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0831	50	120%		
C121013MBKA	C121013MBKA	STD	2037-26-5	Toluene d8	48		ng			NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0831	50	96%		
C121013MBKA	C121013MBKA	STD	460-00-4	Bromofluorobenzene	53		ng			NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0831	50	106%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C121013ALCS	C121013ALCS	ORG	75-71-8	Dichlorodifluoromethane	34		ug/L	5	0.29	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0830	50	68%		
C121013ALCS	C121013ALCS	ORG	74-87-3	Chloromethane	42		ug/L	5	0.43	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0830	50	84%		
C121013ALCS	C121013ALCS	ORG	75-01-4	Vinyl chloride	44		ug/L	2	0.32	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0830	50	88%		
C121013ALCS	C121013ALCS	ORG	74-83-9	Bromomethane	51		ug/L	5	0.50	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0830	50	102%		
C121013ALCS	C121013ALCS	ORG	75-00-3	Chloroethane	42		ug/L	5	0.56	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0830	50	84%		
C121013ALCS	C121013ALCS	ORG	75-69-4	Trichlorofluoromethane	95		ug/L	5	0.20	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0830	50	190%		
C121013ALCS	C121013ALCS	ORG	75-35-4	1,1-Dichloroethene	47		ug/L	1	0.47	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0830	50	94%		
C121013ALCS	C121013ALCS	ORG	75-09-2	Methylene chloride	47		ug/L	5	0.26	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0830	50	94%		
C121013ALCS	C121013ALCS	ORG	67-64-1	Acetone	51		ug/L	10	1.56	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0830	50	102%		
C121013ALCS	C121013ALCS	ORG	156-60-5	trans-1,2-Dichloroethene	47		ug/L	1	0.56	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0830	50	94%		
C121013ALCS	C121013ALCS	ORG	1634-04-4	MTBE	56		ug/L	5	0.61	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0830	50	112%		
C121013ALCS	C121013ALCS	ORG	75-34-3	1,1-Dichloroethane	46		ug/L	1	0.53	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0830	50	92%		
C121013ALCS	C121013ALCS	ORG	156-59-2	cis-1,2-Dichloroethene	46		ug/L	1	0.32	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0830	50	92%		
C121013ALCS	C121013ALCS	ORG	74-97-5	Bromochloromethane	48		ug/L	10	0.41	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0830	50	96%		
C121013ALCS	C121013ALCS	ORG	67-66-3	Chloroform	44		ug/L	2	0.16	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0830	50	88%		
C121013ALCS	C121013ALCS	ORG	71-55-6	1,1,1-Trichloroethane	48		ug/L	1	0.17	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0830	50	96%		
C121013ALCS	C121013ALCS	ORG	78-93-3	2-Butanone	51		ug/L	1	0.81	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0830	50	102%		
C121013ALCS	C121013ALCS	ORG	56-23-5	Carbon tetrachloride	46		ug/L	1	0.28	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0830	50	92%		
C121013ALCS	C121013ALCS	ORG	71-43-2	Benzene	45		ug/L	1	0.14	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0830	50	90%		
C121013ALCS	C121013ALCS	ORG	107-06-2	1,2-Dichloroethane	45		ug/L	1	0.20	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0830	50	90%		
C121013ALCS	C121013ALCS	ORG	79-01-6	Trichloroethene	44		ug/L	1	0.36	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0830	50	88%		
C121013ALCS	C121013ALCS	ORG	74-95-3	Dibromomethane	39		ug/L	2	0.32	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0830	50	78%		
C121013ALCS	C121013ALCS	ORG	78-87-5	1,2-Dichloropropane	41		ug/L	1	0.18	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0830	50	82%		
C121013ALCS	C121013ALCS	ORG	75-27-4	Bromodichloromethane	40		ug/L	2	0.12	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0830	50	80%		
C121013ALCS	C121013ALCS	ORG	10061-01-5	cis-1,3-Dichloropropene	43		ug/L	1	0.25	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0830	50	86%		
C121013ALCS	C121013ALCS	ORG	108-88-3	Toluene	42		ug/L	1	0.21	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0830	50	84%		
C121013ALCS	C121013ALCS	ORG	108-10-1	4-Methyl-2-pentanone	49		ug/L	5	0.74	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0830	50	98%		
C121013ALCS	C121013ALCS	ORG	10061-02-6	trans-1,3-Dichloropropene	49		ug/L	1	0.31	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0830	50	98%		
C121013ALCS	C121013ALCS	ORG	127-18-4	Tetrachloroethene	43		ug/L	1	0.49	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0830	50	86%		
C121013ALCS	C121013ALCS	ORG	79-00-5	1,1,2-Trichloroethane	43		ug/L	1	0.34	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0830	50	86%		
C121013ALCS	C121013ALCS	ORG	124-48-1	Dibromochloromethane	45		ug/L	5	0.30	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0830	50	90%		
C121013ALCS	C121013ALCS	ORG	106-93-4	1,2-Dibromoethane	45		ug/L	2	0.26	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0830	50	90%		
C121013ALCS	C121013ALCS	ORG	591-78-6	2-Hexanone	51		ug/L	2	0.69	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0830	50	102%		
C121013ALCS	C121013ALCS	ORG	100-41-4	Ethylbenzene	44		ug/L	1	0.25	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0830	50	88%		
C121013ALCS	C121013ALCS	ORG	108-90-7	Chlorobenzene	42		ug/L	1	0.28	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0830	50	84%		
C121013ALCS	C121013ALCS	ORG	630-20-6	1,1,1,2-Tetrachloroethane	44		ug/L	2	0.19	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0830	50	88%		
C121013ALCS	C121013ALCS	ORG	XYLMP	p&m-Xylene	93		ug/L	2	0.26	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0830	100	93%		
C121013ALCS	C121013ALCS	ORG	95-47-6	o-Xylene	46		ug/L	1	0.13	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0830	50	92%		
C121013ALCS	C121013ALCS	ORG	100-42-5	Styrene	47		ug/L	1	0.20	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0830	50	94%		
C121013ALCS	C121013ALCS	ORG	75-25-2	Bromoform	45		ug/L	2	0.47	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0830	50	90%		
C121013ALCS	C121013ALCS	ORG	98-82-8	Isopropylbenzene	49		ug/L	2	0.20	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0830	50	98%		
C121013ALCS	C121013ALCS	ORG	103-65-1	n-Propylbenzene	47		ug/L	2	0.27	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0830	50	94%		
C121013ALCS	C121013ALCS	ORG	79-34-5	1,1,2,2-Tetrachloroethane	37		ug/L	2	0.29	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0830	50	74%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C121013ALCS	C121013ALCS	ORG	96-18-4	1,2,3-Trichloropropane	43		ug/L	2	0.29	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0830	50	86%		
C121013ALCS	C121013ALCS	ORG	108-67-8	1,3,5-Trimethylbenzene	47		ug/L	2	0.20	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0830	50	94%		
C121013ALCS	C121013ALCS	ORG	98-06-6	tert-Butylbenzene	50		ug/L	2	0.33	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0830	50	100%		
C121013ALCS	C121013ALCS	ORG	95-63-6	1,2,4-Trimethylbenzene	50		ug/L	2	0.20	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0830	50	100%		
C121013ALCS	C121013ALCS	ORG	135-98-8	sec-Butylbenzene	48		ug/L	2	0.32	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0830	50	96%		
C121013ALCS	C121013ALCS	ORG	541-73-1	1,3-Dichlorobenzene	46		ug/L	2	0.22	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0830	50	92%		
C121013ALCS	C121013ALCS	ORG	99-87-6	p-Isopropltoluene	51		ug/L	2	0.25	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0830	50	102%		
C121013ALCS	C121013ALCS	ORG	106-46-7	1,4-Dichlorobenzene	45		ug/L	2	0.33	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0830	50	90%		
C121013ALCS	C121013ALCS	ORG	95-50-1	1,2-Dichlorobenzene	47		ug/L	2	0.26	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0830	50	94%		
C121013ALCS	C121013ALCS	ORG	104-51-8	n-Butylbenzene	49		ug/L	5	0.28	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0830	50	98%		
C121013ALCS	C121013ALCS	ORG	96-12-8	1,2-Dibromo-3-chloropropane	47		ug/L	5	1.59	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0830	50	94%		
C121013ALCS	C121013ALCS	ORG	87-68-3	Hexachlorobutadiene	53		ug/L	5	0.65	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0830	50	106%		
C121013ALCS	C121013ALCS	ORG	120-82-1	1,2,4-Trichlorobenzene	52		ug/L	5	0.28	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0830	50	104%		
C121013ALCS	C121013ALCS	ORG	91-20-3	Naphthalene	53		ug/L	5	0.56	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0830	50	106%		
C121013ALCS	C121013ALCS	ORG	87-61-6	1,2,3-Trichlorobenzene	51		ug/L	5	0.23	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0830	50	102%		
C121013ALCS	C121013ALCS	STD	1868-53-7	Dibromofluoromethane	50		ng			NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0830	50	100%		
C121013ALCS	C121013ALCS	STD	17060-07-0	1,2-Dichloroethane d4	48		ng			NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0830	50	96%		
C121013ALCS	C121013ALCS	STD	2037-26-5	Toluene d8	46		ng			NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0830	50	92%		
C121013ALCS	C121013ALCS	STD	460-00-4	Bromofluorobenzene	48		ng			NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0830	50	96%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C121013ALCD	C121013ALCD	ORG	75-71-8	Dichlorodifluoromethane	36		ug/L	5	0.29	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0834	50	72%	6%	
C121013ALCD	C121013ALCD	ORG	74-87-3	Chloromethane	46		ug/L	5	0.43	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0834	50	92%	9%	
C121013ALCD	C121013ALCD	ORG	75-01-4	Vinyl chloride	46		ug/L	2	0.32	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0834	50	92%	4%	
C121013ALCD	C121013ALCD	ORG	74-83-9	Bromomethane	61		ug/L	5	0.50	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0834	50	122%	18%	
C121013ALCD	C121013ALCD	ORG	75-00-3	Chloroethane	60		ug/L	5	0.56	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0834	50	120%	35%	
C121013ALCD	C121013ALCD	ORG	75-69-4	Trichlorofluoromethane	130		ug/L	5	0.20	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0834	50	260%	31%	
C121013ALCD	C121013ALCD	ORG	75-35-4	1,1-Dichloroethene	50		ug/L	1	0.47	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0834	50	100%	6%	
C121013ALCD	C121013ALCD	ORG	75-09-2	Methylene chloride	52		ug/L	5	0.26	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0834	50	104%	10%	
C121013ALCD	C121013ALCD	ORG	67-64-1	Acetone	54		ug/L	10	1.56	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0834	50	108%	6%	
C121013ALCD	C121013ALCD	ORG	156-60-5	trans-1,2-Dichloroethene	51		ug/L	1	0.56	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0834	50	102%	8%	
C121013ALCD	C121013ALCD	ORG	1634-04-4	MTBE	59		ug/L	5	0.61	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0834	50	118%	5%	
C121013ALCD	C121013ALCD	ORG	75-34-3	1,1-Dichloroethane	50		ug/L	1	0.53	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0834	50	100%	8%	
C121013ALCD	C121013ALCD	ORG	156-59-2	cis-1,2-Dichloroethene	51		ug/L	1	0.32	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0834	50	102%	10%	
C121013ALCD	C121013ALCD	ORG	74-97-5	Bromochloromethane	52		ug/L	10	0.41	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0834	50	104%	8%	
C121013ALCD	C121013ALCD	ORG	67-66-3	Chloroform	49		ug/L	2	0.16	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0834	50	98%	11%	
C121013ALCD	C121013ALCD	ORG	71-55-6	1,1,1-Trichloroethane	51		ug/L	1	0.17	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0834	50	102%	6%	
C121013ALCD	C121013ALCD	ORG	78-93-3	2-Butanone	51		ug/L	1	0.81	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0834	50	102%	0%	
C121013ALCD	C121013ALCD	ORG	56-23-5	Carbon tetrachloride	50		ug/L	1	0.28	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0834	50	100%	8%	
C121013ALCD	C121013ALCD	ORG	71-43-2	Benzene	49		ug/L	1	0.14	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0834	50	98%	9%	
C121013ALCD	C121013ALCD	ORG	107-06-2	1,2-Dichloroethane	48		ug/L	1	0.20	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0834	50	96%	6%	
C121013ALCD	C121013ALCD	ORG	79-01-6	Trichloroethene	44		ug/L	1	0.36	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0834	50	88%	0%	
C121013ALCD	C121013ALCD	ORG	74-95-3	Dibromomethane	42		ug/L	2	0.32	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0834	50	84%	7%	
C121013ALCD	C121013ALCD	ORG	78-87-5	1,2-Dichloropropane	44		ug/L	1	0.18	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0834	50	88%	7%	
C121013ALCD	C121013ALCD	ORG	75-27-4	Bromodichloromethane	43		ug/L	2	0.12	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0834	50	86%	7%	
C121013ALCD	C121013ALCD	ORG	10061-01-5	cis-1,3-Dichloropropene	46		ug/L	1	0.25	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0834	50	92%	7%	
C121013ALCD	C121013ALCD	ORG	108-88-3	Toluene	45		ug/L	1	0.21	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0834	50	90%	7%	
C121013ALCD	C121013ALCD	ORG	108-10-1	4-Methyl-2-pentanone	44		ug/L	5	0.74	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0834	50	88%	11%	
C121013ALCD	C121013ALCD	ORG	10061-02-6	trans-1,3-Dichloropropene	53		ug/L	1	0.31	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0834	50	106%	8%	
C121013ALCD	C121013ALCD	ORG	127-18-4	Tetrachloroethene	46		ug/L	1	0.49	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0834	50	92%	7%	
C121013ALCD	C121013ALCD	ORG	79-00-5	1,1,2-Trichloroethane	47		ug/L	1	0.34	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0834	50	94%	9%	
C121013ALCD	C121013ALCD	ORG	124-48-1	Dibromochloromethane	49		ug/L	5	0.30	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0834	50	98%	9%	
C121013ALCD	C121013ALCD	ORG	106-93-4	1,2-Dibromoethane	50		ug/L	2	0.26	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0834	50	100%	11%	
C121013ALCD	C121013ALCD	ORG	591-78-6	2-Hexanone	42		ug/L	2	0.69	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0834	50	84%	19%	
C121013ALCD	C121013ALCD	ORG	100-41-4	Ethylbenzene	48		ug/L	1	0.25	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0834	50	96%	9%	
C121013ALCD	C121013ALCD	ORG	108-90-7	Chlorobenzene	45		ug/L	1	0.28	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0834	50	90%	7%	
C121013ALCD	C121013ALCD	ORG	630-20-6	1,1,1,2-Tetrachloroethane	47		ug/L	2	0.19	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0834	50	94%	7%	
C121013ALCD	C121013ALCD	ORG	XYLMP	p&m-Xylene	100		ug/L	2	0.26	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0834	100	100%	7%	
C121013ALCD	C121013ALCD	ORG	95-47-6	o-Xylene	49		ug/L	1	0.13	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0834	50	98%	6%	
C121013ALCD	C121013ALCD	ORG	100-42-5	Styrene	51		ug/L	1	0.20	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0834	50	102%	8%	
C121013ALCD	C121013ALCD	ORG	75-25-2	Bromoform	50		ug/L	2	0.47	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0834	50	100%	11%	
C121013ALCD	C121013ALCD	ORG	98-82-8	Isopropylbenzene	52		ug/L	2	0.20	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0834	50	104%	6%	
C121013ALCD	C121013ALCD	ORG	103-65-1	n-Propylbenzene	51		ug/L	2	0.27	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0834	50	102%	8%	
C121013ALCD	C121013ALCD	ORG	79-34-5	1,1,2,2-Tetrachloroethane	42		ug/L	2	0.29	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0834	50	84%	13%	

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C121013ALCD	C121013ALCD	ORG	96-18-4	1,2,3-Trichloropropane	48		ug/L	2	0.29	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0834	50	96%	11%	
C121013ALCD	C121013ALCD	ORG	108-67-8	1,3,5-Trimethylbenzene	52		ug/L	2	0.20	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0834	50	104%	10%	
C121013ALCD	C121013ALCD	ORG	98-06-6	tert-Butylbenzene	54		ug/L	2	0.33	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0834	50	108%	8%	
C121013ALCD	C121013ALCD	ORG	95-63-6	1,2,4-Trimethylbenzene	54		ug/L	2	0.20	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0834	50	108%	8%	
C121013ALCD	C121013ALCD	ORG	135-98-8	sec-Butylbenzene	53		ug/L	2	0.32	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0834	50	106%	10%	
C121013ALCD	C121013ALCD	ORG	541-73-1	1,3-Dichlorobenzene	50		ug/L	2	0.22	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0834	50	100%	8%	
C121013ALCD	C121013ALCD	ORG	99-87-6	p-Isopropltoluene	54		ug/L	2	0.25	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0834	50	108%	6%	
C121013ALCD	C121013ALCD	ORG	106-46-7	1,4-Dichlorobenzene	49		ug/L	2	0.33	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0834	50	98%	9%	
C121013ALCD	C121013ALCD	ORG	95-50-1	1,2-Dichlorobenzene	51		ug/L	2	0.26	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0834	50	102%	8%	
C121013ALCD	C121013ALCD	ORG	104-51-8	n-Butylbenzene	53		ug/L	5	0.28	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0834	50	106%	8%	
C121013ALCD	C121013ALCD	ORG	96-12-8	1,2-Dibromo-3-chloropropane	49		ug/L	5	1.59	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0834	50	98%	4%	
C121013ALCD	C121013ALCD	ORG	87-68-3	Hexachlorobutadiene	53		ug/L	5	0.65	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0834	50	106%	0%	
C121013ALCD	C121013ALCD	ORG	120-82-1	1,2,4-Trichlorobenzene	52		ug/L	5	0.28	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0834	50	104%	0%	
C121013ALCD	C121013ALCD	ORG	91-20-3	Naphthalene	52		ug/L	5	0.56	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0834	50	104%	2%	
C121013ALCD	C121013ALCD	ORG	87-61-6	1,2,3-Trichlorobenzene	53		ug/L	5	0.23	NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0834	50	106%	4%	
C121013ALCD	C121013ALCD	STD	1868-53-7	Dibromofluoromethane	51		ng			NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0834	50	102%	2%	
C121013ALCD	C121013ALCD	STD	17060-07-0	1,2-Dichloroethane d4	49		ng			NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0834	50	98%	2%	
C121013ALCD	C121013ALCD	STD	2037-26-5	Toluene d8	46		ng			NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0834	50	92%	0%	
C121013ALCD	C121013ALCD	STD	460-00-4	Bromofluorobenzene	47		ng			NA	12/10/2013	12/10/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0834	50	94%	2%	

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-832MS	316-161	ORG	75-71-8	Dichlorodifluoromethane	3100		ug/L	500	29.28	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0835	5000	62%		
NAL13026-832MS	316-161	ORG	74-87-3	Chloromethane	4100		ug/L	500	43.07	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0835	5000	82%		
NAL13026-832MS	316-161	ORG	75-01-4	Vinyl chloride	4200		ug/L	200	31.86	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0835	5000	84%		
NAL13026-832MS	316-161	ORG	74-83-9	Bromomethane	5700		ug/L	500	50.04	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0835	5000	114%		
NAL13026-832MS	316-161	ORG	75-00-3	Chloroethane	5600		ug/L	500	55.61	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0835	5000	112%		
NAL13026-832MS	316-161	ORG	75-69-4	Trichlorofluoromethane	12000		ug/L	500	19.65	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0835	5000	240%		
NAL13026-832MS	316-161	ORG	75-35-4	1,1-Dichloroethene	4800		ug/L	100	47.11	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0835	5000	96%		
NAL13026-832MS	316-161	ORG	75-09-2	Methylene chloride	4900		ug/L	500	26.46	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0835	5000	98%		
NAL13026-832MS	316-161	ORG	67-64-1	Acetone	83000		ug/L	1000	155.61	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0835	5000	20%		82000
NAL13026-832MS	316-161	ORG	156-60-5	trans-1,2-Dichloroethene	4800		ug/L	100	55.61	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0835	5000	96%		
NAL13026-832MS	316-161	ORG	1634-04-4	MTBE	5400		ug/L	500	61.18	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0835	5000	108%		
NAL13026-832MS	316-161	ORG	75-34-3	1,1-Dichloroethane	4900		ug/L	100	52.66	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0835	5000	98%		
NAL13026-832MS	316-161	ORG	156-59-2	cis-1,2-Dichloroethene	4800		ug/L	100	32.11	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0835	5000	96%		
NAL13026-832MS	316-161	ORG	74-97-5	Bromochloromethane	4800		ug/L	1000	41.37	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0835	5000	96%		
NAL13026-832MS	316-161	ORG	67-66-3	Chloroform	4700		ug/L	200	15.73	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0835	5000	94%		
NAL13026-832MS	316-161	ORG	71-55-6	1,1,1-Trichloroethane	5000		ug/L	100	16.65	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0835	5000	100%		
NAL13026-832MS	316-161	ORG	78-93-3	2-Butanone	47000		ug/L	100	81.18	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0835	5000	60%		44000
NAL13026-832MS	316-161	ORG	56-23-5	Carbon tetrachloride	4800		ug/L	100	27.64	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0835	5000	96%		
NAL13026-832MS	316-161	ORG	71-43-2	Benzene	4700		ug/L	100	13.53	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0835	5000	93%		51
NAL13026-832MS	316-161	ORG	107-06-2	1,2-Dichloroethane	4600		ug/L	100	20.01	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0835	5000	92%		
NAL13026-832MS	316-161	ORG	79-01-6	Trichloroethene	4500		ug/L	100	36.33	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0835	5000	90%		
NAL13026-832MS	316-161	ORG	74-95-3	Dibromomethane	4200		ug/L	200	32.20	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0835	5000	84%		
NAL13026-832MS	316-161	ORG	78-87-5	1,2-Dichloropropane	4400		ug/L	100	18.17	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0835	5000	88%		
NAL13026-832MS	316-161	ORG	75-27-4	Bromodichloromethane	4000		ug/L	200	11.58	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0835	5000	80%		
NAL13026-832MS	316-161	ORG	10061-01-5	cis-1,3-Dichloropropene	4500		ug/L	100	25.01	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0835	5000	90%		
NAL13026-832MS	316-161	ORG	108-88-3	Toluene	4300		ug/L	100	20.96	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0835	5000	85%		38
NAL13026-832MS	316-161	ORG	108-10-1	4-Methyl-2-pentanone	5500		ug/L	500	74.00	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0835	5000	78%		1600
NAL13026-832MS	316-161	ORG	10061-02-6	trans-1,3-Dichloropropene	4800		ug/L	100	31.15	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0835	5000	96%		
NAL13026-832MS	316-161	ORG	127-18-4	Tetrachloroethene	4100		ug/L	100	48.56	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0835	5000	82%		
NAL13026-832MS	316-161	ORG	79-00-5	1,1,2-Trichloroethane	4600		ug/L	100	34.28	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0835	5000	92%		
NAL13026-832MS	316-161	ORG	124-48-1	Dibromochloromethane	4600		ug/L	500	29.90	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0835	5000	92%		
NAL13026-832MS	316-161	ORG	106-93-4	1,2-Dibromoethane	4600		ug/L	200	26.49	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0835	5000	92%		
NAL13026-832MS	316-161	ORG	591-78-6	2-Hexanone	7700		ug/L	200	68.90	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0835	5000	82%		3600
NAL13026-832MS	316-161	ORG	100-41-4	Ethylbenzene	4400		ug/L	100	25.38	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0835	5000	86%		98
NAL13026-832MS	316-161	ORG	108-90-7	Chlorobenzene	4100		ug/L	100	27.52	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0835	5000	82%		
NAL13026-832MS	316-161	ORG	630-20-6	1,1,1,2-Tetrachloroethane	4100		ug/L	200	19.28	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0835	5000	82%		
NAL13026-832MS	316-161	ORG	XYLMP	p&m-Xylene	9600		ug/L	200	26.14	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0835	10000	93%		330
NAL13026-832MS	316-161	ORG	95-47-6	o-Xylene	4900		ug/L	100	12.90	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0835	5000	93%		240
NAL13026-832MS	316-161	ORG	100-42-5	Styrene	4700		ug/L	100	20.23	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0835	5000	94%		
NAL13026-832MS	316-161	ORG	75-25-2	Bromoform	4200		ug/L	200	46.83	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0835	5000	84%		
NAL13026-832MS	316-161	ORG	98-82-8	Isopropylbenzene	5100		ug/L	200	20.48	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0835	5000	99%		140
NAL13026-832MS	316-161	ORG	103-65-1	n-Propylbenzene	4900		ug/L	200	27.00	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0835	5000	95%		150
NAL13026-832MS	316-161	ORG	79-34-5	1,1,2,2-Tetrachloroethane	3700		ug/L	200	29.16	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0835	5000	74%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-832MS	316-161	ORG	96-18-4	1,2,3-Trichloropropane	4100		ug/L	200	29.47	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0835	5000	82%		
NAL13026-832MS	316-161	ORG	108-67-8	1,3,5-Trimethylbenzene	5100		ug/L	200	20.03	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0835	5000	95%		370
NAL13026-832MS	316-161	ORG	98-06-6	tert-Butylbenzene	5200		ug/L	200	32.61	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0835	5000	104%		
NAL13026-832MS	316-161	ORG	95-63-6	1,2,4-Trimethylbenzene	6800		ug/L	200	20.03	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0835	5000	100%		1800
NAL13026-832MS	316-161	ORG	135-98-8	sec-Butylbenzene	5600		ug/L	200	32.34	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0835	5000	108%		180
NAL13026-832MS	316-161	ORG	541-73-1	1,3-Dichlorobenzene	4800		ug/L	200	22.21	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0835	5000	96%		
NAL13026-832MS	316-161	ORG	99-87-6	p-Isopropltoluene	13000		ug/L	200	25.48	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0835	5000	88%		8600
NAL13026-832MS	316-161	ORG	106-46-7	1,4-Dichlorobenzene	6300		ug/L	200	33.03	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0835	5000	88%		1900
NAL13026-832MS	316-161	ORG	95-50-1	1,2-Dichlorobenzene	4900		ug/L	200	26.38	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0835	5000	98%		
NAL13026-832MS	316-161	ORG	104-51-8	n-Butylbenzene	5600		ug/L	500	27.81	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0835	5000	109%		150
NAL13026-832MS	316-161	ORG	96-12-8	1,2-Dibromo-3-chloropropane	5200		ug/L	500	159.11	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0835	5000	104%		
NAL13026-832MS	316-161	ORG	87-68-3	Hexachlorobutadiene	5600		ug/L	500	65.42	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0835	5000	112%		
NAL13026-832MS	316-161	ORG	120-82-1	1,2,4-Trichlorobenzene	5800		ug/L	500	27.63	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0835	5000	116%		
NAL13026-832MS	316-161	ORG	91-20-3	Naphthalene	8300		ug/L	500	56.04	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0835	5000	118%		2400
NAL13026-832MS	316-161	ORG	87-61-6	1,2,3-Trichlorobenzene	5700		ug/L	500	23.28	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0835	5000	114%		
NAL13026-832MS	316-161	STD	1868-53-7	Dibromofluoromethane	51		ng			12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0835	50	102%		
NAL13026-832MS	316-161	STD	17060-07-0	1,2-Dichloroethane d4	48		ng			12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0835	50	96%		
NAL13026-832MS	316-161	STD	2037-26-5	Toluene d8	46		ng			12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0835	50	92%		
NAL13026-832MS	316-161	STD	460-00-4	Bromofluorobenzene	49		ng			12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0835	50	98%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-832MSD	316-161	ORG	75-71-8	Dichlorodifluoromethane	3400		ug/L	500	29.28	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0836	5000	68%	9%	0
NAL13026-832MSD	316-161	ORG	74-87-3	Chloromethane	4600		ug/L	500	43.07	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0836	5000	92%	11%	0
NAL13026-832MSD	316-161	ORG	75-01-4	Vinyl chloride	4600		ug/L	200	31.86	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0836	5000	92%	9%	0
NAL13026-832MSD	316-161	ORG	74-83-9	Bromomethane	5700		ug/L	500	50.04	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0836	5000	114%	0%	0
NAL13026-832MSD	316-161	ORG	75-00-3	Chloroethane	5500		ug/L	500	55.61	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0836	5000	110%	2%	0
NAL13026-832MSD	316-161	ORG	75-69-4	Trichlorofluoromethane	11000		ug/L	500	19.65	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0836	5000	220%	9%	0
NAL13026-832MSD	316-161	ORG	75-35-4	1,1-Dichloroethene	4800		ug/L	100	47.11	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0836	5000	96%	0%	0
NAL13026-832MSD	316-161	ORG	75-09-2	Methylene chloride	4900		ug/L	500	26.46	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0836	5000	98%	0%	0
NAL13026-832MSD	316-161	ORG	67-64-1	Acetone	79000		ug/L	1000	155.61	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0836	5000	-60%	5%	82000
NAL13026-832MSD	316-161	ORG	156-60-5	trans-1,2-Dichloroethene	4800		ug/L	100	55.61	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0836	5000	96%	0%	0
NAL13026-832MSD	316-161	ORG	1634-04-4	MTBE	5700		ug/L	500	61.18	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0836	5000	114%	5%	0
NAL13026-832MSD	316-161	ORG	75-34-3	1,1-Dichloroethane	4900		ug/L	100	52.66	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0836	5000	98%	0%	0
NAL13026-832MSD	316-161	ORG	156-59-2	cis-1,2-Dichloroethene	4800		ug/L	100	32.11	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0836	5000	96%	0%	0
NAL13026-832MSD	316-161	ORG	74-97-5	Bromochloromethane	4800		ug/L	1000	41.37	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0836	5000	96%	0%	0
NAL13026-832MSD	316-161	ORG	67-66-3	Chloroform	4600		ug/L	200	15.73	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0836	5000	92%	2%	0
NAL13026-832MSD	316-161	ORG	71-55-6	1,1,1-Trichloroethane	4900		ug/L	100	16.65	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0836	5000	98%	2%	0
NAL13026-832MSD	316-161	ORG	78-93-3	2-Butanone	44000		ug/L	100	81.18	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0836	5000	0%	7%	44000
NAL13026-832MSD	316-161	ORG	56-23-5	Carbon tetrachloride	4900		ug/L	100	27.64	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0836	5000	98%	2%	0
NAL13026-832MSD	316-161	ORG	71-43-2	Benzene	4700		ug/L	100	13.53	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0836	5000	93%	0%	51
NAL13026-832MSD	316-161	ORG	107-06-2	1,2-Dichloroethane	4500		ug/L	100	20.01	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0836	5000	90%	2%	0
NAL13026-832MSD	316-161	ORG	79-01-6	Trichloroethene	4500		ug/L	100	36.33	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0836	5000	90%	0%	0
NAL13026-832MSD	316-161	ORG	74-95-3	Dibromomethane	4000		ug/L	200	32.20	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0836	5000	80%	5%	0
NAL13026-832MSD	316-161	ORG	78-87-5	1,2-Dichloropropane	4300		ug/L	100	18.17	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0836	5000	86%	2%	0
NAL13026-832MSD	316-161	ORG	75-27-4	Bromodichloromethane	3900		ug/L	200	11.58	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0836	5000	78%	3%	0
NAL13026-832MSD	316-161	ORG	10061-01-5	cis-1,3-Dichloropropene	4300		ug/L	100	25.01	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0836	5000	86%	5%	0
NAL13026-832MSD	316-161	ORG	108-88-3	Toluene	4300		ug/L	100	20.96	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0836	5000	85%	0%	38
NAL13026-832MSD	316-161	ORG	108-10-1	4-Methyl-2-pentanone	5400		ug/L	500	74.00	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0836	5000	76%	2%	1600
NAL13026-832MSD	316-161	ORG	10061-02-6	trans-1,3-Dichloropropene	4700		ug/L	100	31.15	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0836	5000	94%	2%	0
NAL13026-832MSD	316-161	ORG	127-18-4	Tetrachloroethene	4100		ug/L	100	48.56	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0836	5000	82%	0%	0
NAL13026-832MSD	316-161	ORG	79-00-5	1,1,2-Trichloroethane	4300		ug/L	100	34.28	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0836	5000	86%	7%	0
NAL13026-832MSD	316-161	ORG	124-48-1	Dibromochloromethane	4400		ug/L	500	29.90	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0836	5000	88%	4%	0
NAL13026-832MSD	316-161	ORG	106-93-4	1,2-Dibromoethane	4400		ug/L	200	26.49	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0836	5000	88%	4%	0
NAL13026-832MSD	316-161	ORG	591-78-6	2-Hexanone	7300		ug/L	200	68.90	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0836	5000	74%	5%	3600
NAL13026-832MSD	316-161	ORG	100-41-4	Ethylbenzene	4600		ug/L	100	25.38	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0836	5000	90%	4%	98
NAL13026-832MSD	316-161	ORG	108-90-7	Chlorobenzene	4300		ug/L	100	27.52	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0836	5000	86%	5%	0
NAL13026-832MSD	316-161	ORG	630-20-6	1,1,1,2-Tetrachloroethane	4300		ug/L	200	19.28	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0836	5000	86%	5%	0
NAL13026-832MSD	316-161	ORG	XYLMP	p&m-Xylene	9900		ug/L	200	26.14	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0836	10000	96%	3%	330
NAL13026-832MSD	316-161	ORG	95-47-6	o-Xylene	5100		ug/L	100	12.90	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0836	5000	97%	4%	240
NAL13026-832MSD	316-161	ORG	100-42-5	Styrene	4900		ug/L	100	20.23	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0836	5000	98%	4%	0
NAL13026-832MSD	316-161	ORG	75-25-2	Bromoform	4400		ug/L	200	46.83	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0836	5000	88%	5%	0
NAL13026-832MSD	316-161	ORG	98-82-8	Isopropylbenzene	5300		ug/L	200	20.48	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0836	5000	103%	4%	140
NAL13026-832MSD	316-161	ORG	103-65-1	n-Propylbenzene	5000		ug/L	200	27.00	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0836	5000	97%	2%	150
NAL13026-832MSD	316-161	ORG	79-34-5	1,1,2,2-Tetrachloroethane	3600		ug/L	200	29.16	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0836	5000	72%	3%	0

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-832MSD	316-161	ORG	96-18-4	1,2,3-Trichloropropane	4200		ug/L	200	29.47	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0836	5000	84%	2%	0
NAL13026-832MSD	316-161	ORG	108-67-8	1,3,5-Trimethylbenzene	5200		ug/L	200	20.03	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0836	5000	97%	2%	370
NAL13026-832MSD	316-161	ORG	98-06-6	tert-Butylbenzene	5400		ug/L	200	32.61	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0836	5000	108%	4%	0
NAL13026-832MSD	316-161	ORG	95-63-6	1,2,4-Trimethylbenzene	7000		ug/L	200	20.03	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0836	5000	104%	3%	1800
NAL13026-832MSD	316-161	ORG	135-98-8	sec-Butylbenzene	5700		ug/L	200	32.34	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0836	5000	110%	2%	180
NAL13026-832MSD	316-161	ORG	541-73-1	1,3-Dichlorobenzene	4800		ug/L	200	22.21	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0836	5000	96%	0%	0
NAL13026-832MSD	316-161	ORG	99-87-6	p-Isopropltoluene	13000		ug/L	200	25.48	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0836	5000	88%	0%	8600
NAL13026-832MSD	316-161	ORG	106-46-7	1,4-Dichlorobenzene	6400		ug/L	200	33.03	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0836	5000	90%	2%	1900
NAL13026-832MSD	316-161	ORG	95-50-1	1,2-Dichlorobenzene	4900		ug/L	200	26.38	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0836	5000	98%	0%	0
NAL13026-832MSD	316-161	ORG	104-51-8	n-Butylbenzene	5500		ug/L	500	27.81	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0836	5000	107%	2%	150
NAL13026-832MSD	316-161	ORG	96-12-8	1,2-Dibromo-3-chloropropane	5100		ug/L	500	159.11	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0836	5000	102%	2%	0
NAL13026-832MSD	316-161	ORG	87-68-3	Hexachlorobutadiene	5400		ug/L	500	65.42	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0836	5000	108%	4%	0
NAL13026-832MSD	316-161	ORG	120-82-1	1,2,4-Trichlorobenzene	5800		ug/L	500	27.63	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0836	5000	116%	0%	0
NAL13026-832MSD	316-161	ORG	91-20-3	Naphthalene	8300		ug/L	500	56.04	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0836	5000	118%	0%	2400
NAL13026-832MSD	316-161	ORG	87-61-6	1,2,3-Trichlorobenzene	5600		ug/L	500	23.28	12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0836	5000	112%	2%	0
NAL13026-832MSD	316-161	STD	1868-53-7	Dibromofluoromethane	50		ng			12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0836	50	100%	2%	0
NAL13026-832MSD	316-161	STD	17060-07-0	1,2-Dichloroethane d4	48		ng			12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0836	50	96%	0%	0
NAL13026-832MSD	316-161	STD	2037-26-5	Toluene d8	46		ng			12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0836	50	92%	0%	0
NAL13026-832MSD	316-161	STD	460-00-4	Bromofluorobenzene	49		ng			12/10/2013	12/10/2013	12/10/2013	WG	100	NA	5.0	NA	SW8260B	NALC0836	50	98%	0%	0

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-833	316-162	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0841				
NAL13026-833	316-162	ORG	74-87-3	Chloromethane		U	ug/L	500	43.07	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0841				
NAL13026-833	316-162	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0841				
NAL13026-833	316-162	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0841				
NAL13026-833	316-162	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0841				
NAL13026-833	316-162	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0841				
NAL13026-833	316-162	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0841				
NAL13026-833	316-162	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0841				
NAL13026-833	316-162	ORG	67-64-1	Acetone	86000	D	ug/L	10000	1556.07	12/11/2013	12/11/2013	12/11/2013	WG	1000	NA	5.0	NA	SW8260B	NALC0842				
NAL13026-833	316-162	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0841				
NAL13026-833	316-162	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0841				
NAL13026-833	316-162	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0841				
NAL13026-833	316-162	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0841				
NAL13026-833	316-162	ORG	74-97-5	Bromochloromethane		U	ug/L	200	41.37	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0841				
NAL13026-833	316-162	ORG	67-66-3	Chloroform		U	ug/L	100	15.73	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0841				
NAL13026-833	316-162	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	16.65	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0841				
NAL13026-833	316-162	ORG	78-93-3	2-Butanone	45000	D	ug/L	10000	811.80	12/11/2013	12/11/2013	12/11/2013	WG	1000	NA	5.0	NA	SW8260B	NALC0842				
NAL13026-833	316-162	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0841				
NAL13026-833	316-162	ORG	71-43-2	Benzene	54	J	ug/L	100	13.53	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0841				
NAL13026-833	316-162	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0841				
NAL13026-833	316-162	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0841				
NAL13026-833	316-162	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0841				
NAL13026-833	316-162	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0841				
NAL13026-833	316-162	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0841				
NAL13026-833	316-162	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0841				
NAL13026-833	316-162	ORG	108-88-3	Toluene	21	J	ug/L	100	20.96	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0841				
NAL13026-833	316-162	ORG	108-10-1	4-Methyl-2-pentanone	1200		ug/L	500	74.00	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0841				
NAL13026-833	316-162	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0841				
NAL13026-833	316-162	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0841				
NAL13026-833	316-162	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0841				
NAL13026-833	316-162	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	29.90	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0841				
NAL13026-833	316-162	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	26.49	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0841				
NAL13026-833	316-162	ORG	591-78-6	2-Hexanone	3200		ug/L	500	68.90	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0841				
NAL13026-833	316-162	ORG	100-41-4	Ethylbenzene	39	J	ug/L	100	25.38	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0841				
NAL13026-833	316-162	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0841				
NAL13026-833	316-162	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0841				
NAL13026-833	316-162	ORG	XYLMP	p&m-Xylene	130	J	ug/L	200	26.14	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0841				
NAL13026-833	316-162	ORG	95-47-6	o-Xylene	91	J	ug/L	100	12.90	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0841				
NAL13026-833	316-162	ORG	100-42-5	Styrene		U	ug/L	100	20.23	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0841				
NAL13026-833	316-162	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0841				
NAL13026-833	316-162	ORG	98-82-8	Isopropylbenzene	45	J	ug/L	200	20.48	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0841				
NAL13026-833	316-162	ORG	103-65-1	n-Propylbenzene	62	J	ug/L	200	27.00	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0841				
NAL13026-833	316-162	ORG	79-34-5	1,1,2,2-Tetrachloroethane		UX-	ug/L	200	29.16	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0841				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-833	316-162	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0841				
NAL13026-833	316-162	ORG	108-67-8	1,3,5-Trimethylbenzene	140	J	ug/L	200	20.03	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0841				
NAL13026-833	316-162	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0841				
NAL13026-833	316-162	ORG	95-63-6	1,2,4-Trimethylbenzene	800		ug/L	200	20.03	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0841				
NAL13026-833	316-162	ORG	135-98-8	sec-Butylbenzene	71	J	ug/L	200	32.34	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0841				
NAL13026-833	316-162	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0841				
NAL13026-833	316-162	ORG	99-87-6	p-Isopropltoluene	3600		ug/L	200	25.48	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0841				
NAL13026-833	316-162	ORG	106-46-7	1,4-Dichlorobenzene	990		ug/L	200	33.03	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0841				
NAL13026-833	316-162	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0841				
NAL13026-833	316-162	ORG	104-51-8	n-Butylbenzene	96	J	ug/L	500	27.81	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0841				
NAL13026-833	316-162	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0841				
NAL13026-833	316-162	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0841				
NAL13026-833	316-162	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0841				
NAL13026-833	316-162	ORG	91-20-3	Naphthalene	1500		ug/L	500	56.04	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0841				
NAL13026-833	316-162	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0841				
NAL13026-833	316-162	STD	1868-53-7	Dibromofluoromethane	53		ng			12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0841	50	106%		
NAL13026-833	316-162	STD	17060-07-0	1,2-Dichloroethane d4	51		ng			12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0841	50	102%		
NAL13026-833	316-162	STD	2037-26-5	Toluene d8	45		ng			12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0841	50	90%		
NAL13026-833	316-162	STD	460-00-4	Bromofluorobenzene	49		ng			12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0841	50	98%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C121113CCVA	C121113CCVA	ORG	75-71-8	Dichlorodifluoromethane	64		ug/L	5	0.29	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0839	50	128%		
C121113CCVA	C121113CCVA	ORG	74-87-3	Chloromethane	59		ug/L	5	0.43	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0839	50	118%		
C121113CCVA	C121113CCVA	ORG	75-01-4	Vinyl chloride	58		ug/L	2	0.32	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0839	50	116%		
C121113CCVA	C121113CCVA	ORG	74-83-9	Bromomethane	66		ug/L	5	0.50	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0839	50	132%		
C121113CCVA	C121113CCVA	ORG	75-00-3	Chloroethane	52		ug/L	5	0.56	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0839	50	104%		
C121113CCVA	C121113CCVA	ORG	75-69-4	Trichlorofluoromethane	120		ug/L	5	0.20	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0839	50	240%		
C121113CCVA	C121113CCVA	ORG	75-35-4	1,1-Dichloroethene	50		ug/L	1	0.47	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0839	50	100%		
C121113CCVA	C121113CCVA	ORG	75-09-2	Methylene chloride	51		ug/L	5	0.26	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0839	50	102%		
C121113CCVA	C121113CCVA	ORG	67-64-1	Acetone	52		ug/L	10	1.56	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0839	50	104%		
C121113CCVA	C121113CCVA	ORG	156-60-5	trans-1,2-Dichloroethene	51		ug/L	1	0.56	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0839	50	102%		
C121113CCVA	C121113CCVA	ORG	1634-04-4	MTBE	61		ug/L	5	0.61	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0839	50	122%		
C121113CCVA	C121113CCVA	ORG	75-34-3	1,1-Dichloroethane	50		ug/L	1	0.53	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0839	50	100%		
C121113CCVA	C121113CCVA	ORG	156-59-2	cis-1,2-Dichloroethene	59		ug/L	1	0.32	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0839	50	118%		
C121113CCVA	C121113CCVA	ORG	74-97-5	Bromochloromethane	49		ug/L	10	0.41	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0839	50	98%		
C121113CCVA	C121113CCVA	ORG	67-66-3	Chloroform	47		ug/L	2	0.16	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0839	50	94%		
C121113CCVA	C121113CCVA	ORG	71-55-6	1,1,1-Trichloroethane	51		ug/L	1	0.17	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0839	50	102%		
C121113CCVA	C121113CCVA	ORG	78-93-3	2-Butanone	53		ug/L	1	0.81	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0839	50	106%		
C121113CCVA	C121113CCVA	ORG	56-23-5	Carbon tetrachloride	49		ug/L	1	0.28	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0839	50	98%		
C121113CCVA	C121113CCVA	ORG	71-43-2	Benzene	47		ug/L	1	0.14	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0839	50	94%		
C121113CCVA	C121113CCVA	ORG	107-06-2	1,2-Dichloroethane	46		ug/L	1	0.20	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0839	50	92%		
C121113CCVA	C121113CCVA	ORG	79-01-6	Trichloroethene	41		ug/L	1	0.36	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0839	50	82%		
C121113CCVA	C121113CCVA	ORG	74-95-3	Dibromomethane	41		ug/L	2	0.32	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0839	50	82%		
C121113CCVA	C121113CCVA	ORG	78-87-5	1,2-Dichloropropane	44		ug/L	1	0.18	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0839	50	88%		
C121113CCVA	C121113CCVA	ORG	75-27-4	Bromodichloromethane	41		ug/L	2	0.12	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0839	50	82%		
C121113CCVA	C121113CCVA	ORG	10061-01-5	cis-1,3-Dichloropropene	44		ug/L	1	0.25	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0839	50	88%		
C121113CCVA	C121113CCVA	ORG	108-88-3	Toluene	43		ug/L	1	0.21	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0839	50	86%		
C121113CCVA	C121113CCVA	ORG	108-10-1	4-Methyl-2-pentanone	48		ug/L	5	0.74	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0839	50	96%		
C121113CCVA	C121113CCVA	ORG	10061-02-6	trans-1,3-Dichloropropene	51		ug/L	1	0.31	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0839	50	102%		
C121113CCVA	C121113CCVA	ORG	127-18-4	Tetrachloroethene	44		ug/L	1	0.49	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0839	50	88%		
C121113CCVA	C121113CCVA	ORG	79-00-5	1,1,2-Trichloroethane	44		ug/L	1	0.34	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0839	50	88%		
C121113CCVA	C121113CCVA	ORG	124-48-1	Dibromochloromethane	46		ug/L	5	0.30	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0839	50	92%		
C121113CCVA	C121113CCVA	ORG	106-93-4	1,2-Dibromoethane	46		ug/L	2	0.26	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0839	50	92%		
C121113CCVA	C121113CCVA	ORG	591-78-6	2-Hexanone	51		ug/L	2	0.69	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0839	50	102%		
C121113CCVA	C121113CCVA	ORG	100-41-4	Ethylbenzene	45		ug/L	1	0.25	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0839	50	90%		
C121113CCVA	C121113CCVA	ORG	108-90-7	Chlorobenzene	43		ug/L	1	0.28	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0839	50	86%		
C121113CCVA	C121113CCVA	ORG	630-20-6	1,1,1,2-Tetrachloroethane	45		ug/L	2	0.19	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0839	50	90%		
C121113CCVA	C121113CCVA	ORG	XYLMP	p&m-Xylene	96		ug/L	2	0.26	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0839	100	96%		
C121113CCVA	C121113CCVA	ORG	95-47-6	o-Xylene	48		ug/L	1	0.13	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0839	50	96%		
C121113CCVA	C121113CCVA	ORG	100-42-5	Styrene	48		ug/L	1	0.20	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0839	50	96%		
C121113CCVA	C121113CCVA	ORG	75-25-2	Bromoform	47		ug/L	2	0.47	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0839	50	94%		
C121113CCVA	C121113CCVA	ORG	98-82-8	Isopropylbenzene	50		ug/L	2	0.20	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0839	50	100%		
C121113CCVA	C121113CCVA	ORG	103-65-1	n-Propylbenzene	48		ug/L	2	0.27	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0839	50	96%		
C121113CCVA	C121113CCVA	ORG	79-34-5	1,1,2,2-Tetrachloroethane	39		ug/L	2	0.29	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0839	50	78%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C121113CCVA	C121113CCVA	ORG	96-18-4	1,2,3-Trichloropropane	45		ug/L	2	0.29	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0839	50	90%		
C121113CCVA	C121113CCVA	ORG	108-67-8	1,3,5-Trimethylbenzene	49		ug/L	2	0.20	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0839	50	98%		
C121113CCVA	C121113CCVA	ORG	98-06-6	tert-Butylbenzene	52		ug/L	2	0.33	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0839	50	104%		
C121113CCVA	C121113CCVA	ORG	95-63-6	1,2,4-Trimethylbenzene	51		ug/L	2	0.20	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0839	50	102%		
C121113CCVA	C121113CCVA	ORG	135-98-8	sec-Butylbenzene	50		ug/L	2	0.32	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0839	50	100%		
C121113CCVA	C121113CCVA	ORG	541-73-1	1,3-Dichlorobenzene	48		ug/L	2	0.22	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0839	50	96%		
C121113CCVA	C121113CCVA	ORG	99-87-6	p-Isopropltoluene	52		ug/L	2	0.25	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0839	50	104%		
C121113CCVA	C121113CCVA	ORG	106-46-7	1,4-Dichlorobenzene	46		ug/L	2	0.33	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0839	50	92%		
C121113CCVA	C121113CCVA	ORG	95-50-1	1,2-Dichlorobenzene	48		ug/L	2	0.26	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0839	50	96%		
C121113CCVA	C121113CCVA	ORG	104-51-8	n-Butylbenzene	51		ug/L	5	0.28	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0839	50	102%		
C121113CCVA	C121113CCVA	ORG	96-12-8	1,2-Dibromo-3-chloropropane	50		ug/L	5	1.59	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0839	50	100%		
C121113CCVA	C121113CCVA	ORG	87-68-3	Hexachlorobutadiene	56		ug/L	5	0.65	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0839	50	112%		
C121113CCVA	C121113CCVA	ORG	120-82-1	1,2,4-Trichlorobenzene	54		ug/L	5	0.28	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0839	50	108%		
C121113CCVA	C121113CCVA	ORG	91-20-3	Naphthalene	55		ug/L	5	0.56	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0839	50	110%		
C121113CCVA	C121113CCVA	ORG	87-61-6	1,2,3-Trichlorobenzene	53		ug/L	5	0.23	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0839	50	106%		
C121113CCVA	C121113CCVA	STD	1868-53-7	Dibromofluoromethane	51		ng			NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0839	50	102%		
C121113CCVA	C121113CCVA	STD	17060-07-0	1,2-Dichloroethane d4	49		ng			NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0839	50	98%		
C121113CCVA	C121113CCVA	STD	2037-26-5	Toluene d8	46		ng			NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0839	50	92%		
C121113CCVA	C121113CCVA	STD	460-00-4	Bromofluorobenzene	47		ng			NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0839	50	94%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C121113MBKA	C121113MBKA	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	5	0.29	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0840				
C121113MBKA	C121113MBKA	ORG	74-87-3	Chloromethane		U	ug/L	5	0.43	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0840				
C121113MBKA	C121113MBKA	ORG	75-01-4	Vinyl chloride		U	ug/L	2	0.32	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0840				
C121113MBKA	C121113MBKA	ORG	74-83-9	Bromomethane		U	ug/L	5	0.50	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0840				
C121113MBKA	C121113MBKA	ORG	75-00-3	Chloroethane		U	ug/L	5	0.56	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0840				
C121113MBKA	C121113MBKA	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	5	0.20	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0840				
C121113MBKA	C121113MBKA	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	1	0.47	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0840				
C121113MBKA	C121113MBKA	ORG	75-09-2	Methylene chloride		U	ug/L	5	0.26	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0840				
C121113MBKA	C121113MBKA	ORG	67-64-1	Acetone		U	ug/L	10	1.56	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0840				
C121113MBKA	C121113MBKA	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	1	0.56	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0840				
C121113MBKA	C121113MBKA	ORG	1634-04-4	MTBE		U	ug/L	5	0.61	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0840				
C121113MBKA	C121113MBKA	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	1	0.53	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0840				
C121113MBKA	C121113MBKA	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	1	0.32	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0840				
C121113MBKA	C121113MBKA	ORG	74-97-5	Bromochloromethane		U	ug/L	10	0.41	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0840				
C121113MBKA	C121113MBKA	ORG	67-66-3	Chloroform		U	ug/L	2	0.16	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0840				
C121113MBKA	C121113MBKA	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	1	0.17	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0840				
C121113MBKA	C121113MBKA	ORG	78-93-3	2-Butanone		U	ug/L	1	0.81	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0840				
C121113MBKA	C121113MBKA	ORG	56-23-5	Carbon tetrachloride		U	ug/L	1	0.28	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0840				
C121113MBKA	C121113MBKA	ORG	71-43-2	Benzene		U	ug/L	1	0.14	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0840				
C121113MBKA	C121113MBKA	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	1	0.20	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0840				
C121113MBKA	C121113MBKA	ORG	79-01-6	Trichloroethene		U	ug/L	1	0.36	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0840				
C121113MBKA	C121113MBKA	ORG	74-95-3	Dibromomethane		U	ug/L	2	0.32	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0840				
C121113MBKA	C121113MBKA	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	1	0.18	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0840				
C121113MBKA	C121113MBKA	ORG	75-27-4	Bromodichloromethane		U	ug/L	2	0.12	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0840				
C121113MBKA	C121113MBKA	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	1	0.25	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0840				
C121113MBKA	C121113MBKA	ORG	108-88-3	Toluene		U	ug/L	1	0.21	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0840				
C121113MBKA	C121113MBKA	ORG	108-10-1	4-Methyl-2-pentanone		U	ug/L	5	0.74	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0840				
C121113MBKA	C121113MBKA	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	1	0.31	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0840				
C121113MBKA	C121113MBKA	ORG	127-18-4	Tetrachloroethene		U	ug/L	1	0.49	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0840				
C121113MBKA	C121113MBKA	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	1	0.34	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0840				
C121113MBKA	C121113MBKA	ORG	124-48-1	Dibromochloromethane		U	ug/L	5	0.30	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0840				
C121113MBKA	C121113MBKA	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	2	0.26	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0840				
C121113MBKA	C121113MBKA	ORG	591-78-6	2-Hexanone		U	ug/L	2	0.69	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0840				
C121113MBKA	C121113MBKA	ORG	100-41-4	Ethylbenzene		U	ug/L	1	0.25	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0840				
C121113MBKA	C121113MBKA	ORG	108-90-7	Chlorobenzene		U	ug/L	1	0.28	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0840				
C121113MBKA	C121113MBKA	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	2	0.19	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0840				
C121113MBKA	C121113MBKA	ORG	XYLMP	p&m-Xylene		U	ug/L	2	0.26	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0840				
C121113MBKA	C121113MBKA	ORG	95-47-6	o-Xylene		U	ug/L	1	0.13	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0840				
C121113MBKA	C121113MBKA	ORG	100-42-5	Styrene		U	ug/L	1	0.20	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0840				
C121113MBKA	C121113MBKA	ORG	75-25-2	Bromoform		U	ug/L	2	0.47	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0840				
C121113MBKA	C121113MBKA	ORG	98-82-8	Isopropylbenzene		U	ug/L	2	0.20	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0840				
C121113MBKA	C121113MBKA	ORG	103-65-1	n-Propylbenzene		U	ug/L	2	0.27	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0840				
C121113MBKA	C121113MBKA	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	2	0.29	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0840				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C121113MBKA	C121113MBKA	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	2	0.29	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0840				
C121113MBKA	C121113MBKA	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	2	0.20	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0840				
C121113MBKA	C121113MBKA	ORG	98-06-6	tert-Butylbenzene		U	ug/L	2	0.33	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0840				
C121113MBKA	C121113MBKA	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	2	0.20	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0840				
C121113MBKA	C121113MBKA	ORG	135-98-8	sec-Butylbenzene		U	ug/L	2	0.32	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0840				
C121113MBKA	C121113MBKA	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	2	0.22	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0840				
C121113MBKA	C121113MBKA	ORG	99-87-6	p-Isopropltoluene		U	ug/L	2	0.25	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0840				
C121113MBKA	C121113MBKA	ORG	106-46-7	1,4-Dichlorobenzene		U	ug/L	2	0.33	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0840				
C121113MBKA	C121113MBKA	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	2	0.26	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0840				
C121113MBKA	C121113MBKA	ORG	104-51-8	n-Butylbenzene		U	ug/L	5	0.28	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0840				
C121113MBKA	C121113MBKA	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	5	1.59	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0840				
C121113MBKA	C121113MBKA	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	5	0.65	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0840				
C121113MBKA	C121113MBKA	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	5	0.28	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0840				
C121113MBKA	C121113MBKA	ORG	91-20-3	Naphthalene		U	ug/L	5	0.56	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0840				
C121113MBKA	C121113MBKA	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	5	0.23	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0840				
C121113MBKA	C121113MBKA	STD	1868-53-7	Dibromofluoromethane	51		ng			NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0840	50	102%		
C121113MBKA	C121113MBKA	STD	17060-07-0	1,2-Dichloroethane d4	51		ng			NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0840	50	102%		
C121113MBKA	C121113MBKA	STD	2037-26-5	Toluene d8	49		ng			NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0840	50	98%		
C121113MBKA	C121113MBKA	STD	460-00-4	Bromofluorobenzene	53		ng			NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0840	50	106%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C121113ALCS	C121113ALCS	ORG	75-71-8	Dichlorodifluoromethane	68		ug/L	5	0.29	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0843	50	136%		
C121113ALCS	C121113ALCS	ORG	74-87-3	Chloromethane	64		ug/L	5	0.43	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0843	50	128%		
C121113ALCS	C121113ALCS	ORG	75-01-4	Vinyl chloride	62		ug/L	2	0.32	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0843	50	124%		
C121113ALCS	C121113ALCS	ORG	74-83-9	Bromomethane	79		ug/L	5	0.50	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0843	50	158%		
C121113ALCS	C121113ALCS	ORG	75-00-3	Chloroethane	74		ug/L	5	0.56	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0843	50	148%		
C121113ALCS	C121113ALCS	ORG	75-69-4	Trichlorofluoromethane	160		ug/L	5	0.20	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0843	50	320%		
C121113ALCS	C121113ALCS	ORG	75-35-4	1,1-Dichloroethene	54		ug/L	1	0.47	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0843	50	108%		
C121113ALCS	C121113ALCS	ORG	75-09-2	Methylene chloride	54		ug/L	5	0.26	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0843	50	108%		
C121113ALCS	C121113ALCS	ORG	67-64-1	Acetone	55		ug/L	10	1.56	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0843	50	110%		
C121113ALCS	C121113ALCS	ORG	156-60-5	trans-1,2-Dichloroethene	53		ug/L	1	0.56	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0843	50	106%		
C121113ALCS	C121113ALCS	ORG	1634-04-4	MTBE	62		ug/L	5	0.61	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0843	50	124%		
C121113ALCS	C121113ALCS	ORG	75-34-3	1,1-Dichloroethane	53		ug/L	1	0.53	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0843	50	106%		
C121113ALCS	C121113ALCS	ORG	156-59-2	cis-1,2-Dichloroethene	53		ug/L	1	0.32	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0843	50	106%		
C121113ALCS	C121113ALCS	ORG	74-97-5	Bromochloromethane	54		ug/L	10	0.41	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0843	50	108%		
C121113ALCS	C121113ALCS	ORG	67-66-3	Chloroform	51		ug/L	2	0.16	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0843	50	102%		
C121113ALCS	C121113ALCS	ORG	71-55-6	1,1,1-Trichloroethane	53		ug/L	1	0.17	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0843	50	106%		
C121113ALCS	C121113ALCS	ORG	78-93-3	2-Butanone	53		ug/L	1	0.81	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0843	50	106%		
C121113ALCS	C121113ALCS	ORG	56-23-5	Carbon tetrachloride	52		ug/L	1	0.28	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0843	50	104%		
C121113ALCS	C121113ALCS	ORG	71-43-2	Benzene	51		ug/L	1	0.14	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0843	50	102%		
C121113ALCS	C121113ALCS	ORG	107-06-2	1,2-Dichloroethane	50		ug/L	1	0.20	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0843	50	100%		
C121113ALCS	C121113ALCS	ORG	79-01-6	Trichloroethene	44		ug/L	1	0.36	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0843	50	88%		
C121113ALCS	C121113ALCS	ORG	74-95-3	Dibromomethane	45		ug/L	2	0.32	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0843	50	90%		
C121113ALCS	C121113ALCS	ORG	78-87-5	1,2-Dichloropropane	47		ug/L	1	0.18	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0843	50	94%		
C121113ALCS	C121113ALCS	ORG	75-27-4	Bromodichloromethane	41		ug/L	2	0.12	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0843	50	82%		
C121113ALCS	C121113ALCS	ORG	10061-01-5	cis-1,3-Dichloropropene	43		ug/L	1	0.25	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0843	50	86%		
C121113ALCS	C121113ALCS	ORG	108-88-3	Toluene	43		ug/L	1	0.21	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0843	50	86%		
C121113ALCS	C121113ALCS	ORG	108-10-1	4-Methyl-2-pentanone	40		ug/L	5	0.74	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0843	50	80%		
C121113ALCS	C121113ALCS	ORG	10061-02-6	trans-1,3-Dichloropropene	50		ug/L	1	0.31	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0843	50	100%		
C121113ALCS	C121113ALCS	ORG	127-18-4	Tetrachloroethene	46		ug/L	1	0.49	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0843	50	92%		
C121113ALCS	C121113ALCS	ORG	79-00-5	1,1,2-Trichloroethane	42		ug/L	1	0.34	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0843	50	84%		
C121113ALCS	C121113ALCS	ORG	124-48-1	Dibromochloromethane	45		ug/L	5	0.30	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0843	50	90%		
C121113ALCS	C121113ALCS	ORG	106-93-4	1,2-Dibromoethane	45		ug/L	2	0.26	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0843	50	90%		
C121113ALCS	C121113ALCS	ORG	591-78-6	2-Hexanone	38		ug/L	2	0.69	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0843	50	76%		
C121113ALCS	C121113ALCS	ORG	100-41-4	Ethylbenzene	44		ug/L	1	0.25	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0843	50	88%		
C121113ALCS	C121113ALCS	ORG	108-90-7	Chlorobenzene	42		ug/L	1	0.28	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0843	50	84%		
C121113ALCS	C121113ALCS	ORG	630-20-6	1,1,1,2-Tetrachloroethane	43		ug/L	2	0.19	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0843	50	86%		
C121113ALCS	C121113ALCS	ORG	XYLMP	p&m-Xylene	95		ug/L	2	0.26	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0843	100	95%		
C121113ALCS	C121113ALCS	ORG	95-47-6	o-Xylene	46		ug/L	1	0.13	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0843	50	92%		
C121113ALCS	C121113ALCS	ORG	100-42-5	Styrene	47		ug/L	1	0.20	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0843	50	94%		
C121113ALCS	C121113ALCS	ORG	75-25-2	Bromoform	45		ug/L	2	0.47	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0843	50	90%		
C121113ALCS	C121113ALCS	ORG	98-82-8	Isopropylbenzene	49		ug/L	2	0.20	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0843	50	98%		
C121113ALCS	C121113ALCS	ORG	103-65-1	n-Propylbenzene	48		ug/L	2	0.27	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0843	50	96%		
C121113ALCS	C121113ALCS	ORG	79-34-5	1,1,2,2-Tetrachloroethane	37		ug/L	2	0.29	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0843	50	74%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C121113ALCS	C121113ALCS	ORG	96-18-4	1,2,3-Trichloropropane	44		ug/L	2	0.29	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0843	50	88%		
C121113ALCS	C121113ALCS	ORG	108-67-8	1,3,5-Trimethylbenzene	49		ug/L	2	0.20	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0843	50	98%		
C121113ALCS	C121113ALCS	ORG	98-06-6	tert-Butylbenzene	50		ug/L	2	0.33	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0843	50	100%		
C121113ALCS	C121113ALCS	ORG	95-63-6	1,2,4-Trimethylbenzene	51		ug/L	2	0.20	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0843	50	102%		
C121113ALCS	C121113ALCS	ORG	135-98-8	sec-Butylbenzene	52		ug/L	2	0.32	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0843	50	104%		
C121113ALCS	C121113ALCS	ORG	541-73-1	1,3-Dichlorobenzene	47		ug/L	2	0.22	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0843	50	94%		
C121113ALCS	C121113ALCS	ORG	99-87-6	p-Isopropltoluene	52		ug/L	2	0.25	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0843	50	104%		
C121113ALCS	C121113ALCS	ORG	106-46-7	1,4-Dichlorobenzene	45		ug/L	2	0.33	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0843	50	90%		
C121113ALCS	C121113ALCS	ORG	95-50-1	1,2-Dichlorobenzene	47		ug/L	2	0.26	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0843	50	94%		
C121113ALCS	C121113ALCS	ORG	104-51-8	n-Butylbenzene	51		ug/L	5	0.28	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0843	50	102%		
C121113ALCS	C121113ALCS	ORG	96-12-8	1,2-Dibromo-3-chloropropane	46		ug/L	5	1.59	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0843	50	92%		
C121113ALCS	C121113ALCS	ORG	87-68-3	Hexachlorobutadiene	53		ug/L	5	0.65	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0843	50	106%		
C121113ALCS	C121113ALCS	ORG	120-82-1	1,2,4-Trichlorobenzene	51		ug/L	5	0.28	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0843	50	102%		
C121113ALCS	C121113ALCS	ORG	91-20-3	Naphthalene	47		ug/L	5	0.56	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0843	50	94%		
C121113ALCS	C121113ALCS	ORG	87-61-6	1,2,3-Trichlorobenzene	49		ug/L	5	0.23	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0843	50	98%		
C121113ALCS	C121113ALCS	STD	1868-53-7	Dibromofluoromethane	57		ng			NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0843	50	114%		
C121113ALCS	C121113ALCS	STD	17060-07-0	1,2-Dichloroethane d4	54		ng			NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0843	50	108%		
C121113ALCS	C121113ALCS	STD	2037-26-5	Toluene d8	46		ng			NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0843	50	92%		
C121113ALCS	C121113ALCS	STD	460-00-4	Bromofluorobenzene	47		ng			NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0843	50	94%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C121113ALCD	C121113ALCD	ORG	75-71-8	Dichlorodifluoromethane	69		ug/L	5	0.29	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0844	50	138%	1%	
C121113ALCD	C121113ALCD	ORG	74-87-3	Chloromethane	63		ug/L	5	0.43	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0844	50	126%	2%	
C121113ALCD	C121113ALCD	ORG	75-01-4	Vinyl chloride	62		ug/L	2	0.32	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0844	50	124%	0%	
C121113ALCD	C121113ALCD	ORG	74-83-9	Bromomethane	81		ug/L	5	0.50	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0844	50	162%	3%	
C121113ALCD	C121113ALCD	ORG	75-00-3	Chloroethane	86		ug/L	5	0.56	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0844	50	172%	15%	
C121113ALCD	C121113ALCD	ORG	75-69-4	Trichlorofluoromethane	160		ug/L	5	0.20	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0844	50	320%	0%	
C121113ALCD	C121113ALCD	ORG	75-35-4	1,1-Dichloroethene	55		ug/L	1	0.47	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0844	50	110%	2%	
C121113ALCD	C121113ALCD	ORG	75-09-2	Methylene chloride	57		ug/L	5	0.26	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0844	50	114%	5%	
C121113ALCD	C121113ALCD	ORG	67-64-1	Acetone	59		ug/L	10	1.56	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0844	50	118%	7%	
C121113ALCD	C121113ALCD	ORG	156-60-5	trans-1,2-Dichloroethene	55		ug/L	1	0.56	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0844	50	110%	4%	
C121113ALCD	C121113ALCD	ORG	1634-04-4	MTBE	65		ug/L	5	0.61	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0844	50	130%	5%	
C121113ALCD	C121113ALCD	ORG	75-34-3	1,1-Dichloroethane	54		ug/L	1	0.53	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0844	50	108%	2%	
C121113ALCD	C121113ALCD	ORG	156-59-2	cis-1,2-Dichloroethene	54		ug/L	1	0.32	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0844	50	108%	2%	
C121113ALCD	C121113ALCD	ORG	74-97-5	Bromochloromethane	55		ug/L	10	0.41	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0844	50	110%	2%	
C121113ALCD	C121113ALCD	ORG	67-66-3	Chloroform	52		ug/L	2	0.16	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0844	50	104%	2%	
C121113ALCD	C121113ALCD	ORG	71-55-6	1,1,1-Trichloroethane	55		ug/L	1	0.17	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0844	50	110%	4%	
C121113ALCD	C121113ALCD	ORG	78-93-3	2-Butanone	59		ug/L	1	0.81	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0844	50	118%	11%	
C121113ALCD	C121113ALCD	ORG	56-23-5	Carbon tetrachloride	54		ug/L	1	0.28	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0844	50	108%	4%	
C121113ALCD	C121113ALCD	ORG	71-43-2	Benzene	53		ug/L	1	0.14	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0844	50	106%	4%	
C121113ALCD	C121113ALCD	ORG	107-06-2	1,2-Dichloroethane	52		ug/L	1	0.20	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0844	50	104%	4%	
C121113ALCD	C121113ALCD	ORG	79-01-6	Trichloroethene	46		ug/L	1	0.36	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0844	50	92%	4%	
C121113ALCD	C121113ALCD	ORG	74-95-3	Dibromomethane	48		ug/L	2	0.32	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0844	50	96%	6%	
C121113ALCD	C121113ALCD	ORG	78-87-5	1,2-Dichloropropane	50		ug/L	1	0.18	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0844	50	100%	6%	
C121113ALCD	C121113ALCD	ORG	75-27-4	Bromodichloromethane	48		ug/L	2	0.12	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0844	50	96%	16%	
C121113ALCD	C121113ALCD	ORG	10061-01-5	cis-1,3-Dichloropropene	50		ug/L	1	0.25	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0844	50	100%	15%	
C121113ALCD	C121113ALCD	ORG	108-88-3	Toluene	50		ug/L	1	0.21	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0844	50	100%	15%	
C121113ALCD	C121113ALCD	ORG	108-10-1	4-Methyl-2-pentanone	47		ug/L	5	0.74	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0844	50	94%	16%	
C121113ALCD	C121113ALCD	ORG	10061-02-6	trans-1,3-Dichloropropene	56		ug/L	1	0.31	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0844	50	112%	11%	
C121113ALCD	C121113ALCD	ORG	127-18-4	Tetrachloroethene	44		ug/L	1	0.49	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0844	50	88%	4%	
C121113ALCD	C121113ALCD	ORG	79-00-5	1,1,2-Trichloroethane	50		ug/L	1	0.34	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0844	50	100%	17%	
C121113ALCD	C121113ALCD	ORG	124-48-1	Dibromochloromethane	54		ug/L	5	0.30	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0844	50	108%	18%	
C121113ALCD	C121113ALCD	ORG	106-93-4	1,2-Dibromoethane	53		ug/L	2	0.26	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0844	50	106%	16%	
C121113ALCD	C121113ALCD	ORG	591-78-6	2-Hexanone	49		ug/L	2	0.69	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0844	50	98%	25%	
C121113ALCD	C121113ALCD	ORG	100-41-4	Ethylbenzene	50		ug/L	1	0.25	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0844	50	100%	13%	
C121113ALCD	C121113ALCD	ORG	108-90-7	Chlorobenzene	48		ug/L	1	0.28	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0844	50	96%	13%	
C121113ALCD	C121113ALCD	ORG	630-20-6	1,1,1,2-Tetrachloroethane	49		ug/L	2	0.19	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0844	50	98%	13%	
C121113ALCD	C121113ALCD	ORG	XYLMP	p&m-Xylene	110		ug/L	2	0.26	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0844	100	110%	15%	
C121113ALCD	C121113ALCD	ORG	95-47-6	o-Xylene	53		ug/L	1	0.13	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0844	50	106%	14%	
C121113ALCD	C121113ALCD	ORG	100-42-5	Styrene	54		ug/L	1	0.20	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0844	50	108%	14%	
C121113ALCD	C121113ALCD	ORG	75-25-2	Bromoform	53		ug/L	2	0.47	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0844	50	106%	16%	
C121113ALCD	C121113ALCD	ORG	98-82-8	Isopropylbenzene	56		ug/L	2	0.20	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0844	50	112%	13%	
C121113ALCD	C121113ALCD	ORG	103-65-1	n-Propylbenzene	55		ug/L	2	0.27	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0844	50	110%	14%	
C121113ALCD	C121113ALCD	ORG	79-34-5	1,1,2,2-Tetrachloroethane	46		ug/L	2	0.29	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0844	50	92%	22%	

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C121113ALCD	C121113ALCD	ORG	96-18-4	1,2,3-Trichloropropane	52		ug/L	2	0.29	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0844	50	104%	17%	
C121113ALCD	C121113ALCD	ORG	108-67-8	1,3,5-Trimethylbenzene	56		ug/L	2	0.20	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0844	50	112%	13%	
C121113ALCD	C121113ALCD	ORG	98-06-6	tert-Butylbenzene	58		ug/L	2	0.33	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0844	50	116%	15%	
C121113ALCD	C121113ALCD	ORG	95-63-6	1,2,4-Trimethylbenzene	57		ug/L	2	0.20	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0844	50	114%	11%	
C121113ALCD	C121113ALCD	ORG	135-98-8	sec-Butylbenzene	58		ug/L	2	0.32	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0844	50	116%	11%	
C121113ALCD	C121113ALCD	ORG	541-73-1	1,3-Dichlorobenzene	53		ug/L	2	0.22	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0844	50	106%	12%	
C121113ALCD	C121113ALCD	ORG	99-87-6	p-Isopropltoluene	58		ug/L	2	0.25	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0844	50	116%	11%	
C121113ALCD	C121113ALCD	ORG	106-46-7	1,4-Dichlorobenzene	52		ug/L	2	0.33	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0844	50	104%	14%	
C121113ALCD	C121113ALCD	ORG	95-50-1	1,2-Dichlorobenzene	53		ug/L	2	0.26	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0844	50	106%	12%	
C121113ALCD	C121113ALCD	ORG	104-51-8	n-Butylbenzene	57		ug/L	5	0.28	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0844	50	114%	11%	
C121113ALCD	C121113ALCD	ORG	96-12-8	1,2-Dibromo-3-chloropropane	51		ug/L	5	1.59	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0844	50	102%	10%	
C121113ALCD	C121113ALCD	ORG	87-68-3	Hexachlorobutadiene	57		ug/L	5	0.65	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0844	50	114%	7%	
C121113ALCD	C121113ALCD	ORG	120-82-1	1,2,4-Trichlorobenzene	56		ug/L	5	0.28	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0844	50	112%	9%	
C121113ALCD	C121113ALCD	ORG	91-20-3	Naphthalene	58		ug/L	5	0.56	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0844	50	116%	21%	
C121113ALCD	C121113ALCD	ORG	87-61-6	1,2,3-Trichlorobenzene	56		ug/L	5	0.23	NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0844	50	112%	13%	
C121113ALCD	C121113ALCD	STD	1868-53-7	Dibromofluoromethane	52		ng			NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0844	50	104%	9%	
C121113ALCD	C121113ALCD	STD	17060-07-0	1,2-Dichloroethane d4	50		ng			NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0844	50	100%	8%	
C121113ALCD	C121113ALCD	STD	2037-26-5	Toluene d8	47		ng			NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0844	50	94%	2%	
C121113ALCD	C121113ALCD	STD	460-00-4	Bromofluorobenzene	47		ng			NA	12/11/2013	12/11/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0844	50	94%	0%	

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-833MS	316-162	ORG	75-71-8	Dichlorodifluoromethane	6700		ug/L	500	29.28	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0845	5000	134%		
NAL13026-833MS	316-162	ORG	74-87-3	Chloromethane	6200		ug/L	500	43.07	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0845	5000	124%		
NAL13026-833MS	316-162	ORG	75-01-4	Vinyl chloride	6200		ug/L	200	31.86	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0845	5000	124%		
NAL13026-833MS	316-162	ORG	74-83-9	Bromomethane	7800		ug/L	500	50.04	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0845	5000	156%		
NAL13026-833MS	316-162	ORG	75-00-3	Chloroethane	8100		ug/L	500	55.61	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0845	5000	162%		
NAL13026-833MS	316-162	ORG	75-69-4	Trichlorofluoromethane	16000		ug/L	500	19.65	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0845	5000	320%		
NAL13026-833MS	316-162	ORG	75-35-4	1,1-Dichloroethene	5100		ug/L	100	47.11	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0845	5000	102%		
NAL13026-833MS	316-162	ORG	75-09-2	Methylene chloride	5300		ug/L	500	26.46	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0845	5000	106%		
NAL13026-833MS	316-162	ORG	67-64-1	Acetone	86000		ug/L	1000	155.61	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0845	5000	0%		86000
NAL13026-833MS	316-162	ORG	156-60-5	trans-1,2-Dichloroethene	5100		ug/L	100	55.61	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0845	5000	102%		
NAL13026-833MS	316-162	ORG	1634-04-4	MTBE	6000		ug/L	500	61.18	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0845	5000	120%		
NAL13026-833MS	316-162	ORG	75-34-3	1,1-Dichloroethane	5100		ug/L	100	52.66	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0845	5000	102%		
NAL13026-833MS	316-162	ORG	156-59-2	cis-1,2-Dichloroethene	5000		ug/L	100	32.11	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0845	5000	100%		
NAL13026-833MS	316-162	ORG	74-97-5	Bromochloromethane	5200		ug/L	1000	41.37	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0845	5000	104%		
NAL13026-833MS	316-162	ORG	67-66-3	Chloroform	5000		ug/L	200	15.73	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0845	5000	100%		
NAL13026-833MS	316-162	ORG	71-55-6	1,1,1-Trichloroethane	5300		ug/L	100	16.65	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0845	5000	106%		
NAL13026-833MS	316-162	ORG	78-93-3	2-Butanone	47000		ug/L	100	81.18	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0845	5000	40%		45000
NAL13026-833MS	316-162	ORG	56-23-5	Carbon tetrachloride	5000		ug/L	100	27.64	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0845	5000	100%		
NAL13026-833MS	316-162	ORG	71-43-2	Benzene	5100		ug/L	100	13.53	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0845	5000	101%		54
NAL13026-833MS	316-162	ORG	107-06-2	1,2-Dichloroethane	4900		ug/L	100	20.01	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0845	5000	98%		
NAL13026-833MS	316-162	ORG	79-01-6	Trichloroethene	4300		ug/L	100	36.33	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0845	5000	86%		
NAL13026-833MS	316-162	ORG	74-95-3	Dibromomethane	4800		ug/L	200	32.20	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0845	5000	96%		
NAL13026-833MS	316-162	ORG	78-87-5	1,2-Dichloropropane	4900		ug/L	100	18.17	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0845	5000	98%		
NAL13026-833MS	316-162	ORG	75-27-4	Bromodichloromethane	3800		ug/L	200	11.58	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0845	5000	76%		
NAL13026-833MS	316-162	ORG	10061-01-5	cis-1,3-Dichloropropene	4100		ug/L	100	25.01	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0845	5000	82%		
NAL13026-833MS	316-162	ORG	108-88-3	Toluene	4100		ug/L	100	20.96	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0845	5000	82%		21
NAL13026-833MS	316-162	ORG	108-10-1	4-Methyl-2-pentanone	5200		ug/L	500	74.00	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0845	5000	80%		1200
NAL13026-833MS	316-162	ORG	10061-02-6	trans-1,3-Dichloropropene	4700		ug/L	100	31.15	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0845	5000	94%		
NAL13026-833MS	316-162	ORG	127-18-4	Tetrachloroethene	4000		ug/L	100	48.56	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0845	5000	80%		
NAL13026-833MS	316-162	ORG	79-00-5	1,1,2-Trichloroethane	4300		ug/L	100	34.28	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0845	5000	86%		
NAL13026-833MS	316-162	ORG	124-48-1	Dibromochloromethane	4400		ug/L	500	29.90	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0845	5000	88%		
NAL13026-833MS	316-162	ORG	106-93-4	1,2-Dibromoethane	4400		ug/L	200	26.49	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0845	5000	88%		
NAL13026-833MS	316-162	ORG	591-78-6	2-Hexanone	7100		ug/L	200	68.90	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0845	5000	78%		3200
NAL13026-833MS	316-162	ORG	100-41-4	Ethylbenzene	4100		ug/L	100	25.38	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0845	5000	81%		39
NAL13026-833MS	316-162	ORG	108-90-7	Chlorobenzene	3800		ug/L	100	27.52	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0845	5000	76%		
NAL13026-833MS	316-162	ORG	630-20-6	1,1,1,2-Tetrachloroethane	3900		ug/L	200	19.28	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0845	5000	78%		
NAL13026-833MS	316-162	ORG	XYLMP	p&m-Xylene	8700		ug/L	200	26.14	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0845	10000	86%		130
NAL13026-833MS	316-162	ORG	95-47-6	o-Xylene	4400		ug/L	100	12.90	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0845	5000	86%		91
NAL13026-833MS	316-162	ORG	100-42-5	Styrene	4400		ug/L	100	20.23	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0845	5000	88%		
NAL13026-833MS	316-162	ORG	75-25-2	Bromoform	4000		ug/L	200	46.83	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0845	5000	80%		
NAL13026-833MS	316-162	ORG	98-82-8	Isopropylbenzene	4700		ug/L	200	20.48	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0845	5000	93%		45
NAL13026-833MS	316-162	ORG	103-65-1	n-Propylbenzene	4400		ug/L	200	27.00	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0845	5000	87%		62
NAL13026-833MS	316-162	ORG	79-34-5	1,1,2,2-Tetrachloroethane	3500		ug/L	200	29.16	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0845	5000	70%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-833MS	316-162	ORG	96-18-4	1,2,3-Trichloropropane	4000		ug/L	200	29.47	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0845	5000	80%		
NAL13026-833MS	316-162	ORG	108-67-8	1,3,5-Trimethylbenzene	4700		ug/L	200	20.03	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0845	5000	91%		140
NAL13026-833MS	316-162	ORG	98-06-6	tert-Butylbenzene	4900		ug/L	200	32.61	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0845	5000	98%		
NAL13026-833MS	316-162	ORG	95-63-6	1,2,4-Trimethylbenzene	5700		ug/L	200	20.03	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0845	5000	98%		800
NAL13026-833MS	316-162	ORG	135-98-8	sec-Butylbenzene	5100		ug/L	200	32.34	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0845	5000	101%		71
NAL13026-833MS	316-162	ORG	541-73-1	1,3-Dichlorobenzene	4500		ug/L	200	22.21	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0845	5000	90%		
NAL13026-833MS	316-162	ORG	99-87-6	p-Isopropltoluene	8300		ug/L	200	25.48	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0845	5000	94%		3600
NAL13026-833MS	316-162	ORG	106-46-7	1,4-Dichlorobenzene	5300		ug/L	200	33.03	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0845	5000	86%		990
NAL13026-833MS	316-162	ORG	95-50-1	1,2-Dichlorobenzene	4700		ug/L	200	26.38	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0845	5000	94%		
NAL13026-833MS	316-162	ORG	104-51-8	n-Butylbenzene	5000		ug/L	500	27.81	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0845	5000	98%		96
NAL13026-833MS	316-162	ORG	96-12-8	1,2-Dibromo-3-chloropropane	4900		ug/L	500	159.11	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0845	5000	98%		
NAL13026-833MS	316-162	ORG	87-68-3	Hexachlorobutadiene	5400		ug/L	500	65.42	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0845	5000	108%		
NAL13026-833MS	316-162	ORG	120-82-1	1,2,4-Trichlorobenzene	5500		ug/L	500	27.63	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0845	5000	110%		
NAL13026-833MS	316-162	ORG	91-20-3	Naphthalene	7400		ug/L	500	56.04	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0845	5000	118%		1500
NAL13026-833MS	316-162	ORG	87-61-6	1,2,3-Trichlorobenzene	5300		ug/L	500	23.28	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0845	5000	106%		
NAL13026-833MS	316-162	STD	1868-53-7	Dibromofluoromethane	56		ng			12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0845	50	112%		
NAL13026-833MS	316-162	STD	17060-07-0	1,2-Dichloroethane d4	55		ng			12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0845	50	110%		
NAL13026-833MS	316-162	STD	2037-26-5	Toluene d8	45		ng			12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0845	50	90%		
NAL13026-833MS	316-162	STD	460-00-4	Bromofluorobenzene	47		ng			12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0845	50	94%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-833MSD	316-162	ORG	75-71-8	Dichlorodifluoromethane	7200		ug/L	500	29.28	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0846	5000	144%	7%	0
NAL13026-833MSD	316-162	ORG	74-87-3	Chloromethane	6800		ug/L	500	43.07	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0846	5000	136%	9%	0
NAL13026-833MSD	316-162	ORG	75-01-4	Vinyl chloride	6700		ug/L	200	31.86	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0846	5000	134%	8%	0
NAL13026-833MSD	316-162	ORG	74-83-9	Bromomethane	8100		ug/L	500	50.04	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0846	5000	162%	4%	0
NAL13026-833MSD	316-162	ORG	75-00-3	Chloroethane	8000		ug/L	500	55.61	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0846	5000	160%	1%	0
NAL13026-833MSD	316-162	ORG	75-69-4	Trichlorofluoromethane	16000		ug/L	500	19.65	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0846	5000	320%	0%	0
NAL13026-833MSD	316-162	ORG	75-35-4	1,1-Dichloroethene	5800		ug/L	100	47.11	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0846	5000	116%	13%	0
NAL13026-833MSD	316-162	ORG	75-09-2	Methylene chloride	5900		ug/L	500	26.46	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0846	5000	118%	11%	0
NAL13026-833MSD	316-162	ORG	67-64-1	Acetone	88000		ug/L	1000	155.61	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0846	5000	40%	2%	86000
NAL13026-833MSD	316-162	ORG	156-60-5	trans-1,2-Dichloroethene	5900		ug/L	100	55.61	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0846	5000	118%	15%	0
NAL13026-833MSD	316-162	ORG	1634-04-4	MTBE	6400		ug/L	500	61.18	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0846	5000	128%	6%	0
NAL13026-833MSD	316-162	ORG	75-34-3	1,1-Dichloroethane	5800		ug/L	100	52.66	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0846	5000	116%	13%	0
NAL13026-833MSD	316-162	ORG	156-59-2	cis-1,2-Dichloroethene	5600		ug/L	100	32.11	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0846	5000	112%	11%	0
NAL13026-833MSD	316-162	ORG	74-97-5	Bromochloromethane	5500		ug/L	1000	41.37	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0846	5000	110%	6%	0
NAL13026-833MSD	316-162	ORG	67-66-3	Chloroform	5400		ug/L	200	15.73	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0846	5000	108%	8%	0
NAL13026-833MSD	316-162	ORG	71-55-6	1,1,1-Trichloroethane	5800		ug/L	100	16.65	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0846	5000	116%	9%	0
NAL13026-833MSD	316-162	ORG	78-93-3	2-Butanone	47000		ug/L	100	81.18	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0846	5000	40%	0%	45000
NAL13026-833MSD	316-162	ORG	56-23-5	Carbon tetrachloride	5600		ug/L	100	27.64	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0846	5000	112%	11%	0
NAL13026-833MSD	316-162	ORG	71-43-2	Benzene	5500		ug/L	100	13.53	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0846	5000	109%	8%	54
NAL13026-833MSD	316-162	ORG	107-06-2	1,2-Dichloroethane	5200		ug/L	100	20.01	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0846	5000	104%	6%	0
NAL13026-833MSD	316-162	ORG	79-01-6	Trichloroethene	4600		ug/L	100	36.33	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0846	5000	92%	7%	0
NAL13026-833MSD	316-162	ORG	74-95-3	Dibromomethane	4800		ug/L	200	32.20	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0846	5000	96%	0%	0
NAL13026-833MSD	316-162	ORG	78-87-5	1,2-Dichloropropane	5100		ug/L	100	18.17	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0846	5000	102%	4%	0
NAL13026-833MSD	316-162	ORG	75-27-4	Bromodichloromethane	4000		ug/L	200	11.58	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0846	5000	80%	5%	0
NAL13026-833MSD	316-162	ORG	10061-01-5	cis-1,3-Dichloropropene	4400		ug/L	100	25.01	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0846	5000	88%	7%	0
NAL13026-833MSD	316-162	ORG	108-88-3	Toluene	4300		ug/L	100	20.96	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0846	5000	86%	5%	21
NAL13026-833MSD	316-162	ORG	108-10-1	4-Methyl-2-pentanone	4900		ug/L	500	74.00	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0846	5000	74%	6%	1200
NAL13026-833MSD	316-162	ORG	10061-02-6	trans-1,3-Dichloropropene	5000		ug/L	100	31.15	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0846	5000	100%	6%	0
NAL13026-833MSD	316-162	ORG	127-18-4	Tetrachloroethene	4200		ug/L	100	48.56	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0846	5000	84%	5%	0
NAL13026-833MSD	316-162	ORG	79-00-5	1,1,2-Trichloroethane	4400		ug/L	100	34.28	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0846	5000	88%	2%	0
NAL13026-833MSD	316-162	ORG	124-48-1	Dibromochloromethane	4500		ug/L	500	29.90	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0846	5000	90%	2%	0
NAL13026-833MSD	316-162	ORG	106-93-4	1,2-Dibromoethane	4400		ug/L	200	26.49	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0846	5000	88%	0%	0
NAL13026-833MSD	316-162	ORG	591-78-6	2-Hexanone	6800		ug/L	200	68.90	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0846	5000	72%	4%	3200
NAL13026-833MSD	316-162	ORG	100-41-4	Ethylbenzene	4600		ug/L	100	25.38	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0846	5000	91%	11%	39
NAL13026-833MSD	316-162	ORG	108-90-7	Chlorobenzene	4300		ug/L	100	27.52	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0846	5000	86%	12%	0
NAL13026-833MSD	316-162	ORG	630-20-6	1,1,1,2-Tetrachloroethane	4300		ug/L	200	19.28	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0846	5000	86%	10%	0
NAL13026-833MSD	316-162	ORG	XYLMP	p&m-Xylene	9800		ug/L	200	26.14	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0846	10000	97%	12%	130
NAL13026-833MSD	316-162	ORG	95-47-6	o-Xylene	4900		ug/L	100	12.90	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0846	5000	96%	11%	91
NAL13026-833MSD	316-162	ORG	100-42-5	Styrene	4900		ug/L	100	20.23	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0846	5000	98%	11%	0
NAL13026-833MSD	316-162	ORG	75-25-2	Bromoform	4200		ug/L	200	46.83	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0846	5000	84%	5%	0
NAL13026-833MSD	316-162	ORG	98-82-8	Isopropylbenzene	5200		ug/L	200	20.48	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0846	5000	103%	10%	45
NAL13026-833MSD	316-162	ORG	103-65-1	n-Propylbenzene	5000		ug/L	200	27.00	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0846	5000	99%	13%	62
NAL13026-833MSD	316-162	ORG	79-34-5	1,1,2,2-Tetrachloroethane	3700		ug/L	200	29.16	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0846	5000	74%	6%	0

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-833MSD	316-162	ORG	96-18-4	1,2,3-Trichloropropane	4200		ug/L	200	29.47	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0846	5000	84%	5%	0
NAL13026-833MSD	316-162	ORG	108-67-8	1,3,5-Trimethylbenzene	5200		ug/L	200	20.03	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0846	5000	101%	10%	140
NAL13026-833MSD	316-162	ORG	98-06-6	tert-Butylbenzene	5300		ug/L	200	32.61	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0846	5000	106%	8%	0
NAL13026-833MSD	316-162	ORG	95-63-6	1,2,4-Trimethylbenzene	6000		ug/L	200	20.03	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0846	5000	104%	5%	800
NAL13026-833MSD	316-162	ORG	135-98-8	sec-Butylbenzene	5600		ug/L	200	32.34	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0846	5000	111%	9%	71
NAL13026-833MSD	316-162	ORG	541-73-1	1,3-Dichlorobenzene	4900		ug/L	200	22.21	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0846	5000	98%	9%	0
NAL13026-833MSD	316-162	ORG	99-87-6	p-Isopropltoluene	9100		ug/L	200	25.48	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0846	5000	110%	9%	3600
NAL13026-833MSD	316-162	ORG	106-46-7	1,4-Dichlorobenzene	5700		ug/L	200	33.03	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0846	5000	94%	7%	990
NAL13026-833MSD	316-162	ORG	95-50-1	1,2-Dichlorobenzene	5000		ug/L	200	26.38	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0846	5000	100%	6%	0
NAL13026-833MSD	316-162	ORG	104-51-8	n-Butylbenzene	5500		ug/L	500	27.81	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0846	5000	108%	10%	96
NAL13026-833MSD	316-162	ORG	96-12-8	1,2-Dibromo-3-chloropropane	5100		ug/L	500	159.11	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0846	5000	102%	4%	0
NAL13026-833MSD	316-162	ORG	87-68-3	Hexachlorobutadiene	5700		ug/L	500	65.42	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0846	5000	114%	5%	0
NAL13026-833MSD	316-162	ORG	120-82-1	1,2,4-Trichlorobenzene	5900		ug/L	500	27.63	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0846	5000	118%	7%	0
NAL13026-833MSD	316-162	ORG	91-20-3	Naphthalene	7400		ug/L	500	56.04	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0846	5000	118%	0%	1500
NAL13026-833MSD	316-162	ORG	87-61-6	1,2,3-Trichlorobenzene	5600		ug/L	500	23.28	12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0846	5000	112%	6%	0
NAL13026-833MSD	316-162	STD	1868-53-7	Dibromofluoromethane	59		ng			12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0846	50	118%	5%	0
NAL13026-833MSD	316-162	STD	17060-07-0	1,2-Dichloroethane d4	55		ng			12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0846	50	110%	0%	0
NAL13026-833MSD	316-162	STD	2037-26-5	Toluene d8	45		ng			12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0846	50	90%	0%	0
NAL13026-833MSD	316-162	STD	460-00-4	Bromofluorobenzene	48		ng			12/11/2013	12/11/2013	12/11/2013	WG	100	NA	5.0	NA	SW8260B	NALC0846	50	96%	2%	0

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-834	316-163	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0851				
NAL13026-834	316-163	ORG	74-87-3	Chloromethane		U	ug/L	500	43.07	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0851				
NAL13026-834	316-163	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0851				
NAL13026-834	316-163	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0851				
NAL13026-834	316-163	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0851				
NAL13026-834	316-163	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0851				
NAL13026-834	316-163	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0851				
NAL13026-834	316-163	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0851				
NAL13026-834	316-163	ORG	67-64-1	Acetone	110000	D	ug/L	10000	1556.07	12/12/2013	12/12/2013	12/12/2013	WG	1000	NA	5.0	NA	SW8260B	NALC0852				
NAL13026-834	316-163	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0851				
NAL13026-834	316-163	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0851				
NAL13026-834	316-163	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0851				
NAL13026-834	316-163	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0851				
NAL13026-834	316-163	ORG	74-97-5	Bromochloromethane		U	ug/L	200	41.37	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0851				
NAL13026-834	316-163	ORG	67-66-3	Chloroform		U	ug/L	100	15.73	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0851				
NAL13026-834	316-163	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	16.65	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0851				
NAL13026-834	316-163	ORG	78-93-3	2-Butanone	54000	D	ug/L	10000	811.80	12/12/2013	12/12/2013	12/12/2013	WG	1000	NA	5.0	NA	SW8260B	NALC0852				
NAL13026-834	316-163	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0851				
NAL13026-834	316-163	ORG	71-43-2	Benzene	37	J	ug/L	100	13.53	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0851				
NAL13026-834	316-163	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0851				
NAL13026-834	316-163	ORG	79-01-6	Trichloroethene		UX-	ug/L	100	36.33	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0851				
NAL13026-834	316-163	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0851				
NAL13026-834	316-163	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0851				
NAL13026-834	316-163	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0851				
NAL13026-834	316-163	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0851				
NAL13026-834	316-163	ORG	108-88-3	Toluene	36	J	ug/L	100	20.96	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0851				
NAL13026-834	316-163	ORG	108-10-1	4-Methyl-2-pentanone	1400		ug/L	500	74.00	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0851				
NAL13026-834	316-163	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0851				
NAL13026-834	316-163	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0851				
NAL13026-834	316-163	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0851				
NAL13026-834	316-163	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	29.90	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0851				
NAL13026-834	316-163	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	26.49	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0851				
NAL13026-834	316-163	ORG	591-78-6	2-Hexanone	3500		ug/L	500	68.90	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0851				
NAL13026-834	316-163	ORG	100-41-4	Ethylbenzene	72	J	ug/L	100	25.38	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0851				
NAL13026-834	316-163	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0851				
NAL13026-834	316-163	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0851				
NAL13026-834	316-163	ORG	XYLMP	p&m-Xylene	190	J	ug/L	200	26.14	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0851				
NAL13026-834	316-163	ORG	95-47-6	o-Xylene	160		ug/L	100	12.90	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0851				
NAL13026-834	316-163	ORG	100-42-5	Styrene		U	ug/L	100	20.23	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0851				
NAL13026-834	316-163	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0851				
NAL13026-834	316-163	ORG	98-82-8	Isopropylbenzene	70	J	ug/L	200	20.48	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0851				
NAL13026-834	316-163	ORG	103-65-1	n-Propylbenzene	84	J	ug/L	200	27.00	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0851				
NAL13026-834	316-163	ORG	79-34-5	1,1,2,2-Tetrachloroethane		UX-	ug/L	200	29.16	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0851				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-834	316-163	ORG	96-18-4	1,2,3-Trichloropropane		UX-	ug/L	200	29.47	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0851				
NAL13026-834	316-163	ORG	108-67-8	1,3,5-Trimethylbenzene	200	J	ug/L	200	20.03	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0851				
NAL13026-834	316-163	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0851				
NAL13026-834	316-163	ORG	95-63-6	1,2,4-Trimethylbenzene	1000		ug/L	200	20.03	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0851				
NAL13026-834	316-163	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0851				
NAL13026-834	316-163	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0851				
NAL13026-834	316-163	ORG	99-87-6	p-Isopropltoluene	4800		ug/L	200	25.48	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0851				
NAL13026-834	316-163	ORG	106-46-7	1,4-Dichlorobenzene	1200		ug/L	200	33.03	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0851				
NAL13026-834	316-163	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0851				
NAL13026-834	316-163	ORG	104-51-8	n-Butylbenzene		U	ug/L	500	27.81	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0851				
NAL13026-834	316-163	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0851				
NAL13026-834	316-163	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0851				
NAL13026-834	316-163	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0851				
NAL13026-834	316-163	ORG	91-20-3	Naphthalene	1600		ug/L	500	56.04	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0851				
NAL13026-834	316-163	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0851				
NAL13026-834	316-163	STD	1868-53-7	Dibromofluoromethane	48		ng			12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0851	50	96%		
NAL13026-834	316-163	STD	17060-07-0	1,2-Dichloroethane d4	47		ng			12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0851	50	94%		
NAL13026-834	316-163	STD	2037-26-5	Toluene d8	45		ng			12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0851	50	90%		
NAL13026-834	316-163	STD	460-00-4	Bromofluorobenzene	49		ng			12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0851	50	98%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C121213CCVA	C121213CCVA	ORG	75-71-8	Dichlorodifluoromethane	57		ug/L	5	0.29	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0848	50	114%		
C121213CCVA	C121213CCVA	ORG	74-87-3	Chloromethane	54		ug/L	5	0.43	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0848	50	108%		
C121213CCVA	C121213CCVA	ORG	75-01-4	Vinyl chloride	54		ug/L	2	0.32	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0848	50	108%		
C121213CCVA	C121213CCVA	ORG	74-83-9	Bromomethane	65		ug/L	5	0.50	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0848	50	130%		
C121213CCVA	C121213CCVA	ORG	75-00-3	Chloroethane	55		ug/L	5	0.56	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0848	50	110%		
C121213CCVA	C121213CCVA	ORG	75-69-4	Trichlorofluoromethane	120		ug/L	5	0.20	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0848	50	240%		
C121213CCVA	C121213CCVA	ORG	75-35-4	1,1-Dichloroethene	47		ug/L	1	0.47	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0848	50	94%		
C121213CCVA	C121213CCVA	ORG	75-09-2	Methylene chloride	47		ug/L	5	0.26	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0848	50	94%		
C121213CCVA	C121213CCVA	ORG	67-64-1	Acetone	47		ug/L	10	1.56	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0848	50	94%		
C121213CCVA	C121213CCVA	ORG	156-60-5	trans-1,2-Dichloroethene	47		ug/L	1	0.56	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0848	50	94%		
C121213CCVA	C121213CCVA	ORG	1634-04-4	MTBE	55		ug/L	5	0.61	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0848	50	110%		
C121213CCVA	C121213CCVA	ORG	75-34-3	1,1-Dichloroethane	46		ug/L	1	0.53	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0848	50	92%		
C121213CCVA	C121213CCVA	ORG	156-59-2	cis-1,2-Dichloroethene	45		ug/L	1	0.32	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0848	50	90%		
C121213CCVA	C121213CCVA	ORG	74-97-5	Bromochloromethane	47		ug/L	10	0.41	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0848	50	94%		
C121213CCVA	C121213CCVA	ORG	67-66-3	Chloroform	43		ug/L	2	0.16	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0848	50	86%		
C121213CCVA	C121213CCVA	ORG	71-55-6	1,1,1-Trichloroethane	46		ug/L	1	0.17	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0848	50	92%		
C121213CCVA	C121213CCVA	ORG	78-93-3	2-Butanone	44		ug/L	1	0.81	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0848	50	88%		
C121213CCVA	C121213CCVA	ORG	56-23-5	Carbon tetrachloride	45		ug/L	1	0.28	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0848	50	90%		
C121213CCVA	C121213CCVA	ORG	71-43-2	Benzene	44		ug/L	1	0.14	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0848	50	88%		
C121213CCVA	C121213CCVA	ORG	107-06-2	1,2-Dichloroethane	43		ug/L	1	0.20	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0848	50	86%		
C121213CCVA	C121213CCVA	ORG	79-01-6	Trichloroethene	39		ug/L	1	0.36	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0848	50	78%		
C121213CCVA	C121213CCVA	ORG	74-95-3	Dibromomethane	40		ug/L	2	0.32	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0848	50	80%		
C121213CCVA	C121213CCVA	ORG	78-87-5	1,2-Dichloropropane	42		ug/L	1	0.18	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0848	50	84%		
C121213CCVA	C121213CCVA	ORG	75-27-4	Bromodichloromethane	40		ug/L	2	0.12	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0848	50	80%		
C121213CCVA	C121213CCVA	ORG	10061-01-5	cis-1,3-Dichloropropene	43		ug/L	1	0.25	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0848	50	86%		
C121213CCVA	C121213CCVA	ORG	108-88-3	Toluene	41		ug/L	1	0.21	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0848	50	82%		
C121213CCVA	C121213CCVA	ORG	108-10-1	4-Methyl-2-pentanone	41		ug/L	5	0.74	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0848	50	82%		
C121213CCVA	C121213CCVA	ORG	10061-02-6	trans-1,3-Dichloropropene	48		ug/L	1	0.31	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0848	50	96%		
C121213CCVA	C121213CCVA	ORG	127-18-4	Tetrachloroethene	40		ug/L	1	0.49	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0848	50	80%		
C121213CCVA	C121213CCVA	ORG	79-00-5	1,1,2-Trichloroethane	41		ug/L	1	0.34	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0848	50	82%		
C121213CCVA	C121213CCVA	ORG	124-48-1	Dibromochloromethane	44		ug/L	5	0.30	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0848	50	88%		
C121213CCVA	C121213CCVA	ORG	106-93-4	1,2-Dibromoethane	43		ug/L	2	0.26	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0848	50	86%		
C121213CCVA	C121213CCVA	ORG	591-78-6	2-Hexanone	42		ug/L	2	0.69	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0848	50	84%		
C121213CCVA	C121213CCVA	ORG	100-41-4	Ethylbenzene	41		ug/L	1	0.25	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0848	50	82%		
C121213CCVA	C121213CCVA	ORG	108-90-7	Chlorobenzene	40		ug/L	1	0.28	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0848	50	80%		
C121213CCVA	C121213CCVA	ORG	630-20-6	1,1,1,2-Tetrachloroethane	42		ug/L	2	0.19	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0848	50	84%		
C121213CCVA	C121213CCVA	ORG	XYLMP	p&m-Xylene	88		ug/L	2	0.26	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0848	100	88%		
C121213CCVA	C121213CCVA	ORG	95-47-6	o-Xylene	45		ug/L	1	0.13	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0848	50	90%		
C121213CCVA	C121213CCVA	ORG	100-42-5	Styrene	45		ug/L	1	0.20	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0848	50	90%		
C121213CCVA	C121213CCVA	ORG	75-25-2	Bromoform	41		ug/L	2	0.47	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0848	50	82%		
C121213CCVA	C121213CCVA	ORG	98-82-8	Isopropylbenzene	47		ug/L	2	0.20	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0848	50	94%		
C121213CCVA	C121213CCVA	ORG	103-65-1	n-Propylbenzene	46		ug/L	2	0.27	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0848	50	92%		
C121213CCVA	C121213CCVA	ORG	79-34-5	1,1,2,2-Tetrachloroethane	35		ug/L	2	0.29	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0848	50	70%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C121213CCVA	C121213CCVA	ORG	96-18-4	1,2,3-Trichloropropane	39		ug/L	2	0.29	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0848	50	78%		
C121213CCVA	C121213CCVA	ORG	108-67-8	1,3,5-Trimethylbenzene	46		ug/L	2	0.20	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0848	50	92%		
C121213CCVA	C121213CCVA	ORG	98-06-6	tert-Butylbenzene	50		ug/L	2	0.33	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0848	50	100%		
C121213CCVA	C121213CCVA	ORG	95-63-6	1,2,4-Trimethylbenzene	48		ug/L	2	0.20	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0848	50	96%		
C121213CCVA	C121213CCVA	ORG	135-98-8	sec-Butylbenzene	49		ug/L	2	0.32	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0848	50	98%		
C121213CCVA	C121213CCVA	ORG	541-73-1	1,3-Dichlorobenzene	45		ug/L	2	0.22	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0848	50	90%		
C121213CCVA	C121213CCVA	ORG	99-87-6	p-Isopropltoluene	51		ug/L	2	0.25	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0848	50	102%		
C121213CCVA	C121213CCVA	ORG	106-46-7	1,4-Dichlorobenzene	44		ug/L	2	0.33	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0848	50	88%		
C121213CCVA	C121213CCVA	ORG	95-50-1	1,2-Dichlorobenzene	46		ug/L	2	0.26	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0848	50	92%		
C121213CCVA	C121213CCVA	ORG	104-51-8	n-Butylbenzene	51		ug/L	5	0.28	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0848	50	102%		
C121213CCVA	C121213CCVA	ORG	96-12-8	1,2-Dibromo-3-chloropropane	46		ug/L	5	1.59	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0848	50	92%		
C121213CCVA	C121213CCVA	ORG	87-68-3	Hexachlorobutadiene	57		ug/L	5	0.65	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0848	50	114%		
C121213CCVA	C121213CCVA	ORG	120-82-1	1,2,4-Trichlorobenzene	54		ug/L	5	0.28	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0848	50	108%		
C121213CCVA	C121213CCVA	ORG	91-20-3	Naphthalene	52		ug/L	5	0.56	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0848	50	104%		
C121213CCVA	C121213CCVA	ORG	87-61-6	1,2,3-Trichlorobenzene	53		ug/L	5	0.23	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0848	50	106%		
C121213CCVA	C121213CCVA	STD	1868-53-7	Dibromofluoromethane	50		ng			NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0848	50	100%		
C121213CCVA	C121213CCVA	STD	17060-07-0	1,2-Dichloroethane d4	48		ng			NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0848	50	96%		
C121213CCVA	C121213CCVA	STD	2037-26-5	Toluene d8	45		ng			NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0848	50	90%		
C121213CCVA	C121213CCVA	STD	460-00-4	Bromofluorobenzene	47		ng			NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0848	50	94%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C121213MBKA	C121213MBKA	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	5	0.29	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0850				
C121213MBKA	C121213MBKA	ORG	74-87-3	Chloromethane		U	ug/L	5	0.43	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0850				
C121213MBKA	C121213MBKA	ORG	75-01-4	Vinyl chloride		U	ug/L	2	0.32	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0850				
C121213MBKA	C121213MBKA	ORG	74-83-9	Bromomethane		U	ug/L	5	0.50	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0850				
C121213MBKA	C121213MBKA	ORG	75-00-3	Chloroethane		U	ug/L	5	0.56	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0850				
C121213MBKA	C121213MBKA	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	5	0.20	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0850				
C121213MBKA	C121213MBKA	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	1	0.47	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0850				
C121213MBKA	C121213MBKA	ORG	75-09-2	Methylene chloride		U	ug/L	5	0.26	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0850				
C121213MBKA	C121213MBKA	ORG	67-64-1	Acetone		U	ug/L	10	1.56	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0850				
C121213MBKA	C121213MBKA	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	1	0.56	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0850				
C121213MBKA	C121213MBKA	ORG	1634-04-4	MTBE		U	ug/L	5	0.61	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0850				
C121213MBKA	C121213MBKA	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	1	0.53	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0850				
C121213MBKA	C121213MBKA	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	1	0.32	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0850				
C121213MBKA	C121213MBKA	ORG	74-97-5	Bromochloromethane		U	ug/L	10	0.41	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0850				
C121213MBKA	C121213MBKA	ORG	67-66-3	Chloroform		U	ug/L	2	0.16	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0850				
C121213MBKA	C121213MBKA	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	1	0.17	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0850				
C121213MBKA	C121213MBKA	ORG	78-93-3	2-Butanone		U	ug/L	1	0.81	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0850				
C121213MBKA	C121213MBKA	ORG	56-23-5	Carbon tetrachloride		U	ug/L	1	0.28	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0850				
C121213MBKA	C121213MBKA	ORG	71-43-2	Benzene		U	ug/L	1	0.14	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0850				
C121213MBKA	C121213MBKA	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	1	0.20	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0850				
C121213MBKA	C121213MBKA	ORG	79-01-6	Trichloroethene		U	ug/L	1	0.36	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0850				
C121213MBKA	C121213MBKA	ORG	74-95-3	Dibromomethane		U	ug/L	2	0.32	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0850				
C121213MBKA	C121213MBKA	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	1	0.18	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0850				
C121213MBKA	C121213MBKA	ORG	75-27-4	Bromodichloromethane		U	ug/L	2	0.12	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0850				
C121213MBKA	C121213MBKA	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	1	0.25	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0850				
C121213MBKA	C121213MBKA	ORG	108-88-3	Toluene		U	ug/L	1	0.21	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0850				
C121213MBKA	C121213MBKA	ORG	108-10-1	4-Methyl-2-pentanone		U	ug/L	5	0.74	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0850				
C121213MBKA	C121213MBKA	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	1	0.31	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0850				
C121213MBKA	C121213MBKA	ORG	127-18-4	Tetrachloroethene		U	ug/L	1	0.49	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0850				
C121213MBKA	C121213MBKA	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	1	0.34	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0850				
C121213MBKA	C121213MBKA	ORG	124-48-1	Dibromochloromethane		U	ug/L	5	0.30	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0850				
C121213MBKA	C121213MBKA	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	2	0.26	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0850				
C121213MBKA	C121213MBKA	ORG	591-78-6	2-Hexanone		U	ug/L	2	0.69	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0850				
C121213MBKA	C121213MBKA	ORG	100-41-4	Ethylbenzene		U	ug/L	1	0.25	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0850				
C121213MBKA	C121213MBKA	ORG	108-90-7	Chlorobenzene		U	ug/L	1	0.28	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0850				
C121213MBKA	C121213MBKA	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	2	0.19	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0850				
C121213MBKA	C121213MBKA	ORG	XYLMP	p&m-Xylene		U	ug/L	2	0.26	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0850				
C121213MBKA	C121213MBKA	ORG	95-47-6	o-Xylene		U	ug/L	1	0.13	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0850				
C121213MBKA	C121213MBKA	ORG	100-42-5	Styrene		U	ug/L	1	0.20	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0850				
C121213MBKA	C121213MBKA	ORG	75-25-2	Bromoform		U	ug/L	2	0.47	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0850				
C121213MBKA	C121213MBKA	ORG	98-82-8	Isopropylbenzene		U	ug/L	2	0.20	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0850				
C121213MBKA	C121213MBKA	ORG	103-65-1	n-Propylbenzene		U	ug/L	2	0.27	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0850				
C121213MBKA	C121213MBKA	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	2	0.29	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0850				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C121213MBKA	C121213MBKA	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	2	0.29	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0850				
C121213MBKA	C121213MBKA	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	2	0.20	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0850				
C121213MBKA	C121213MBKA	ORG	98-06-6	tert-Butylbenzene		U	ug/L	2	0.33	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0850				
C121213MBKA	C121213MBKA	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	2	0.20	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0850				
C121213MBKA	C121213MBKA	ORG	135-98-8	sec-Butylbenzene		U	ug/L	2	0.32	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0850				
C121213MBKA	C121213MBKA	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	2	0.22	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0850				
C121213MBKA	C121213MBKA	ORG	99-87-6	p-Isopropltoluene		U	ug/L	2	0.25	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0850				
C121213MBKA	C121213MBKA	ORG	106-46-7	1,4-Dichlorobenzene		U	ug/L	2	0.33	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0850				
C121213MBKA	C121213MBKA	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	2	0.26	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0850				
C121213MBKA	C121213MBKA	ORG	104-51-8	n-Butylbenzene		U	ug/L	5	0.28	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0850				
C121213MBKA	C121213MBKA	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	5	1.59	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0850				
C121213MBKA	C121213MBKA	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	5	0.65	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0850				
C121213MBKA	C121213MBKA	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	5	0.28	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0850				
C121213MBKA	C121213MBKA	ORG	91-20-3	Naphthalene		U	ug/L	5	0.56	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0850				
C121213MBKA	C121213MBKA	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	5	0.23	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0850				
C121213MBKA	C121213MBKA	STD	1868-53-7	Dibromofluoromethane	48		ng			NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0850	50	96%		
C121213MBKA	C121213MBKA	STD	17060-07-0	1,2-Dichloroethane d4	48		ng			NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0850	50	96%		
C121213MBKA	C121213MBKA	STD	2037-26-5	Toluene d8	52		ng			NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0850	50	104%		
C121213MBKA	C121213MBKA	STD	460-00-4	Bromofluorobenzene	56		ng			NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0850	50	112%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C121213ALCS	C121213ALCS	ORG	75-71-8	Dichlorodifluoromethane	57		ug/L	5	0.29	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0849	50	114%		
C121213ALCS	C121213ALCS	ORG	74-87-3	Chloromethane	57		ug/L	5	0.43	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0849	50	114%		
C121213ALCS	C121213ALCS	ORG	75-01-4	Vinyl chloride	56		ug/L	2	0.32	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0849	50	112%		
C121213ALCS	C121213ALCS	ORG	74-83-9	Bromomethane	68		ug/L	5	0.50	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0849	50	136%		
C121213ALCS	C121213ALCS	ORG	75-00-3	Chloroethane	55		ug/L	5	0.56	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0849	50	110%		
C121213ALCS	C121213ALCS	ORG	75-69-4	Trichlorofluoromethane	99		ug/L	5	0.20	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0849	50	198%		
C121213ALCS	C121213ALCS	ORG	75-35-4	1,1-Dichloroethene	47		ug/L	1	0.47	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0849	50	94%		
C121213ALCS	C121213ALCS	ORG	75-09-2	Methylene chloride	48		ug/L	5	0.26	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0849	50	96%		
C121213ALCS	C121213ALCS	ORG	67-64-1	Acetone	52		ug/L	10	1.56	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0849	50	104%		
C121213ALCS	C121213ALCS	ORG	156-60-5	trans-1,2-Dichloroethene	46		ug/L	1	0.56	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0849	50	92%		
C121213ALCS	C121213ALCS	ORG	1634-04-4	MTBE	57		ug/L	5	0.61	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0849	50	114%		
C121213ALCS	C121213ALCS	ORG	75-34-3	1,1-Dichloroethane	46		ug/L	1	0.53	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0849	50	92%		
C121213ALCS	C121213ALCS	ORG	156-59-2	cis-1,2-Dichloroethene	46		ug/L	1	0.32	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0849	50	92%		
C121213ALCS	C121213ALCS	ORG	74-97-5	Bromochloromethane	46		ug/L	10	0.41	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0849	50	92%		
C121213ALCS	C121213ALCS	ORG	67-66-3	Chloroform	44		ug/L	2	0.16	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0849	50	88%		
C121213ALCS	C121213ALCS	ORG	71-55-6	1,1,1-Trichloroethane	47		ug/L	1	0.17	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0849	50	94%		
C121213ALCS	C121213ALCS	ORG	78-93-3	2-Butanone	50		ug/L	1	0.81	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0849	50	100%		
C121213ALCS	C121213ALCS	ORG	56-23-5	Carbon tetrachloride	44		ug/L	1	0.28	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0849	50	88%		
C121213ALCS	C121213ALCS	ORG	71-43-2	Benzene	43		ug/L	1	0.14	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0849	50	86%		
C121213ALCS	C121213ALCS	ORG	107-06-2	1,2-Dichloroethane	43		ug/L	1	0.20	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0849	50	86%		
C121213ALCS	C121213ALCS	ORG	79-01-6	Trichloroethene	37		ug/L	1	0.36	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0849	50	74%		
C121213ALCS	C121213ALCS	ORG	74-95-3	Dibromomethane	38		ug/L	2	0.32	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0849	50	76%		
C121213ALCS	C121213ALCS	ORG	78-87-5	1,2-Dichloropropane	40		ug/L	1	0.18	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0849	50	80%		
C121213ALCS	C121213ALCS	ORG	75-27-4	Bromodichloromethane	39		ug/L	2	0.12	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0849	50	78%		
C121213ALCS	C121213ALCS	ORG	10061-01-5	cis-1,3-Dichloropropene	42		ug/L	1	0.25	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0849	50	84%		
C121213ALCS	C121213ALCS	ORG	108-88-3	Toluene	40		ug/L	1	0.21	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0849	50	80%		
C121213ALCS	C121213ALCS	ORG	108-10-1	4-Methyl-2-pentanone	46		ug/L	5	0.74	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0849	50	92%		
C121213ALCS	C121213ALCS	ORG	10061-02-6	trans-1,3-Dichloropropene	49		ug/L	1	0.31	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0849	50	98%		
C121213ALCS	C121213ALCS	ORG	127-18-4	Tetrachloroethene	40		ug/L	1	0.49	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0849	50	80%		
C121213ALCS	C121213ALCS	ORG	79-00-5	1,1,2-Trichloroethane	42		ug/L	1	0.34	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0849	50	84%		
C121213ALCS	C121213ALCS	ORG	124-48-1	Dibromochloromethane	43		ug/L	5	0.30	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0849	50	86%		
C121213ALCS	C121213ALCS	ORG	106-93-4	1,2-Dibromoethane	44		ug/L	2	0.26	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0849	50	88%		
C121213ALCS	C121213ALCS	ORG	591-78-6	2-Hexanone	48		ug/L	2	0.69	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0849	50	96%		
C121213ALCS	C121213ALCS	ORG	100-41-4	Ethylbenzene	41		ug/L	1	0.25	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0849	50	82%		
C121213ALCS	C121213ALCS	ORG	108-90-7	Chlorobenzene	39		ug/L	1	0.28	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0849	50	78%		
C121213ALCS	C121213ALCS	ORG	630-20-6	1,1,1,2-Tetrachloroethane	41		ug/L	2	0.19	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0849	50	82%		
C121213ALCS	C121213ALCS	ORG	XYLMP	p&m-Xylene	88		ug/L	2	0.26	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0849	100	88%		
C121213ALCS	C121213ALCS	ORG	95-47-6	o-Xylene	43		ug/L	1	0.13	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0849	50	86%		
C121213ALCS	C121213ALCS	ORG	100-42-5	Styrene	44		ug/L	1	0.20	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0849	50	88%		
C121213ALCS	C121213ALCS	ORG	75-25-2	Bromoform	43		ug/L	2	0.47	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0849	50	86%		
C121213ALCS	C121213ALCS	ORG	98-82-8	Isopropylbenzene	46		ug/L	2	0.20	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0849	50	92%		
C121213ALCS	C121213ALCS	ORG	103-65-1	n-Propylbenzene	45		ug/L	2	0.27	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0849	50	90%		
C121213ALCS	C121213ALCS	ORG	79-34-5	1,1,2,2-Tetrachloroethane	36		ug/L	2	0.29	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0849	50	72%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C121213ALCS	C121213ALCS	ORG	96-18-4	1,2,3-Trichloropropane	41		ug/L	2	0.29	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0849	50	82%		
C121213ALCS	C121213ALCS	ORG	108-67-8	1,3,5-Trimethylbenzene	46		ug/L	2	0.20	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0849	50	92%		
C121213ALCS	C121213ALCS	ORG	98-06-6	tert-Butylbenzene	49		ug/L	2	0.33	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0849	50	98%		
C121213ALCS	C121213ALCS	ORG	95-63-6	1,2,4-Trimethylbenzene	48		ug/L	2	0.20	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0849	50	96%		
C121213ALCS	C121213ALCS	ORG	135-98-8	sec-Butylbenzene	47		ug/L	2	0.32	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0849	50	94%		
C121213ALCS	C121213ALCS	ORG	541-73-1	1,3-Dichlorobenzene	44		ug/L	2	0.22	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0849	50	88%		
C121213ALCS	C121213ALCS	ORG	99-87-6	p-Isopropltoluene	50		ug/L	2	0.25	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0849	50	100%		
C121213ALCS	C121213ALCS	ORG	106-46-7	1,4-Dichlorobenzene	43		ug/L	2	0.33	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0849	50	86%		
C121213ALCS	C121213ALCS	ORG	95-50-1	1,2-Dichlorobenzene	45		ug/L	2	0.26	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0849	50	90%		
C121213ALCS	C121213ALCS	ORG	104-51-8	n-Butylbenzene	49		ug/L	5	0.28	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0849	50	98%		
C121213ALCS	C121213ALCS	ORG	96-12-8	1,2-Dibromo-3-chloropropane	46		ug/L	5	1.59	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0849	50	92%		
C121213ALCS	C121213ALCS	ORG	87-68-3	Hexachlorobutadiene	52		ug/L	5	0.65	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0849	50	104%		
C121213ALCS	C121213ALCS	ORG	120-82-1	1,2,4-Trichlorobenzene	51		ug/L	5	0.28	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0849	50	102%		
C121213ALCS	C121213ALCS	ORG	91-20-3	Naphthalene	51		ug/L	5	0.56	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0849	50	102%		
C121213ALCS	C121213ALCS	ORG	87-61-6	1,2,3-Trichlorobenzene	50		ug/L	5	0.23	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0849	50	100%		
C121213ALCS	C121213ALCS	STD	1868-53-7	Dibromofluoromethane	52		ng			NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0849	50	104%		
C121213ALCS	C121213ALCS	STD	17060-07-0	1,2-Dichloroethane d4	50		ng			NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0849	50	100%		
C121213ALCS	C121213ALCS	STD	2037-26-5	Toluene d8	47		ng			NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0849	50	94%		
C121213ALCS	C121213ALCS	STD	460-00-4	Bromofluorobenzene	46		ng			NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0849	50	92%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C121213ALCD	C121213ALCD	ORG	75-71-8	Dichlorodifluoromethane	51		ug/L	5	0.29	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0853	50	102%	11%	
C121213ALCD	C121213ALCD	ORG	74-87-3	Chloromethane	51		ug/L	5	0.43	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0853	50	102%	11%	
C121213ALCD	C121213ALCD	ORG	75-01-4	Vinyl chloride	51		ug/L	2	0.32	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0853	50	102%	9%	
C121213ALCD	C121213ALCD	ORG	74-83-9	Bromomethane	68		ug/L	5	0.50	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0853	50	136%	0%	
C121213ALCD	C121213ALCD	ORG	75-00-3	Chloroethane	62		ug/L	5	0.56	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0853	50	124%	12%	
C121213ALCD	C121213ALCD	ORG	75-69-4	Trichlorofluoromethane	130		ug/L	5	0.20	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0853	50	260%	27%	
C121213ALCD	C121213ALCD	ORG	75-35-4	1,1-Dichloroethene	46		ug/L	1	0.47	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0853	50	92%	2%	
C121213ALCD	C121213ALCD	ORG	75-09-2	Methylene chloride	47		ug/L	5	0.26	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0853	50	94%	2%	
C121213ALCD	C121213ALCD	ORG	67-64-1	Acetone	49		ug/L	10	1.56	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0853	50	98%	6%	
C121213ALCD	C121213ALCD	ORG	156-60-5	trans-1,2-Dichloroethene	45		ug/L	1	0.56	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0853	50	90%	2%	
C121213ALCD	C121213ALCD	ORG	1634-04-4	MTBE	50		ug/L	5	0.61	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0853	50	100%	13%	
C121213ALCD	C121213ALCD	ORG	75-34-3	1,1-Dichloroethane	44		ug/L	1	0.53	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0853	50	88%	4%	
C121213ALCD	C121213ALCD	ORG	156-59-2	cis-1,2-Dichloroethene	44		ug/L	1	0.32	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0853	50	88%	4%	
C121213ALCD	C121213ALCD	ORG	74-97-5	Bromochloromethane	45		ug/L	10	0.41	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0853	50	90%	2%	
C121213ALCD	C121213ALCD	ORG	67-66-3	Chloroform	43		ug/L	2	0.16	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0853	50	86%	2%	
C121213ALCD	C121213ALCD	ORG	71-55-6	1,1,1-Trichloroethane	45		ug/L	1	0.17	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0853	50	90%	4%	
C121213ALCD	C121213ALCD	ORG	78-93-3	2-Butanone	50		ug/L	1	0.81	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0853	50	100%	0%	
C121213ALCD	C121213ALCD	ORG	56-23-5	Carbon tetrachloride	44		ug/L	1	0.28	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0853	50	88%	0%	
C121213ALCD	C121213ALCD	ORG	71-43-2	Benzene	44		ug/L	1	0.14	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0853	50	88%	2%	
C121213ALCD	C121213ALCD	ORG	107-06-2	1,2-Dichloroethane	43		ug/L	1	0.20	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0853	50	86%	0%	
C121213ALCD	C121213ALCD	ORG	79-01-6	Trichloroethene	37		ug/L	1	0.36	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0853	50	74%	0%	
C121213ALCD	C121213ALCD	ORG	74-95-3	Dibromomethane	40		ug/L	2	0.32	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0853	50	80%	5%	
C121213ALCD	C121213ALCD	ORG	78-87-5	1,2-Dichloropropane	42		ug/L	1	0.18	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0853	50	84%	5%	
C121213ALCD	C121213ALCD	ORG	75-27-4	Bromodichloromethane	41		ug/L	2	0.12	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0853	50	82%	5%	
C121213ALCD	C121213ALCD	ORG	10061-01-5	cis-1,3-Dichloropropene	42		ug/L	1	0.25	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0853	50	84%	0%	
C121213ALCD	C121213ALCD	ORG	108-88-3	Toluene	42		ug/L	1	0.21	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0853	50	84%	5%	
C121213ALCD	C121213ALCD	ORG	108-10-1	4-Methyl-2-pentanone	46		ug/L	5	0.74	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0853	50	92%	0%	
C121213ALCD	C121213ALCD	ORG	10061-02-6	trans-1,3-Dichloropropene	49		ug/L	1	0.31	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0853	50	98%	0%	
C121213ALCD	C121213ALCD	ORG	127-18-4	Tetrachloroethene	43		ug/L	1	0.49	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0853	50	86%	7%	
C121213ALCD	C121213ALCD	ORG	79-00-5	1,1,2-Trichloroethane	43		ug/L	1	0.34	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0853	50	86%	2%	
C121213ALCD	C121213ALCD	ORG	124-48-1	Dibromochloromethane	44		ug/L	5	0.30	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0853	50	88%	2%	
C121213ALCD	C121213ALCD	ORG	106-93-4	1,2-Dibromoethane	46		ug/L	2	0.26	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0853	50	92%	4%	
C121213ALCD	C121213ALCD	ORG	591-78-6	2-Hexanone	49		ug/L	2	0.69	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0853	50	98%	2%	
C121213ALCD	C121213ALCD	ORG	100-41-4	Ethylbenzene	42		ug/L	1	0.25	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0853	50	84%	2%	
C121213ALCD	C121213ALCD	ORG	108-90-7	Chlorobenzene	40		ug/L	1	0.28	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0853	50	80%	3%	
C121213ALCD	C121213ALCD	ORG	630-20-6	1,1,1,2-Tetrachloroethane	42		ug/L	2	0.19	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0853	50	84%	2%	
C121213ALCD	C121213ALCD	ORG	XYLMP	p&m-Xylene	90		ug/L	2	0.26	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0853	100	90%	2%	
C121213ALCD	C121213ALCD	ORG	95-47-6	o-Xylene	45		ug/L	1	0.13	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0853	50	90%	5%	
C121213ALCD	C121213ALCD	ORG	100-42-5	Styrene	46		ug/L	1	0.20	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0853	50	92%	4%	
C121213ALCD	C121213ALCD	ORG	75-25-2	Bromoform	43		ug/L	2	0.47	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0853	50	86%	0%	
C121213ALCD	C121213ALCD	ORG	98-82-8	Isopropylbenzene	42		ug/L	2	0.20	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0853	50	84%	9%	
C121213ALCD	C121213ALCD	ORG	103-65-1	n-Propylbenzene	46		ug/L	2	0.27	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0853	50	92%	2%	
C121213ALCD	C121213ALCD	ORG	79-34-5	1,1,2,2-Tetrachloroethane	36		ug/L	2	0.29	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0853	50	72%	0%	

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C121213ALCD	C121213ALCD	ORG	96-18-4	1,2,3-Trichloropropane	42		ug/L	2	0.29	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0853	50	84%	2%	
C121213ALCD	C121213ALCD	ORG	108-67-8	1,3,5-Trimethylbenzene	47		ug/L	2	0.20	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0853	50	94%	2%	
C121213ALCD	C121213ALCD	ORG	98-06-6	tert-Butylbenzene	50		ug/L	2	0.33	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0853	50	100%	2%	
C121213ALCD	C121213ALCD	ORG	95-63-6	1,2,4-Trimethylbenzene	49		ug/L	2	0.20	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0853	50	98%	2%	
C121213ALCD	C121213ALCD	ORG	135-98-8	sec-Butylbenzene	50		ug/L	2	0.32	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0853	50	100%	6%	
C121213ALCD	C121213ALCD	ORG	541-73-1	1,3-Dichlorobenzene	46		ug/L	2	0.22	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0853	50	92%	4%	
C121213ALCD	C121213ALCD	ORG	99-87-6	p-Isopropltoluene	51		ug/L	2	0.25	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0853	50	102%	2%	
C121213ALCD	C121213ALCD	ORG	106-46-7	1,4-Dichlorobenzene	44		ug/L	2	0.33	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0853	50	88%	2%	
C121213ALCD	C121213ALCD	ORG	95-50-1	1,2-Dichlorobenzene	47		ug/L	2	0.26	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0853	50	94%	4%	
C121213ALCD	C121213ALCD	ORG	104-51-8	n-Butylbenzene	51		ug/L	5	0.28	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0853	50	102%	4%	
C121213ALCD	C121213ALCD	ORG	96-12-8	1,2-Dibromo-3-chloropropane	47		ug/L	5	1.59	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0853	50	94%	2%	
C121213ALCD	C121213ALCD	ORG	87-68-3	Hexachlorobutadiene	55		ug/L	5	0.65	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0853	50	110%	6%	
C121213ALCD	C121213ALCD	ORG	120-82-1	1,2,4-Trichlorobenzene	52		ug/L	5	0.28	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0853	50	104%	2%	
C121213ALCD	C121213ALCD	ORG	91-20-3	Naphthalene	48		ug/L	5	0.56	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0853	50	96%	6%	
C121213ALCD	C121213ALCD	ORG	87-61-6	1,2,3-Trichlorobenzene	50		ug/L	5	0.23	NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0853	50	100%	0%	
C121213ALCD	C121213ALCD	STD	1868-53-7	Dibromofluoromethane	50		ng			NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0853	50	100%	4%	
C121213ALCD	C121213ALCD	STD	17060-07-0	1,2-Dichloroethane d4	48		ng			NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0853	50	96%	4%	
C121213ALCD	C121213ALCD	STD	2037-26-5	Toluene d8	46		ng			NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0853	50	92%	2%	
C121213ALCD	C121213ALCD	STD	460-00-4	Bromofluorobenzene	45		ng			NA	12/12/2013	12/12/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0853	50	90%	2%	

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-834MS	316-163	ORG	75-71-8	Dichlorodifluoromethane	4800		ug/L	500	29.28	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0854	5000	96%		
NAL13026-834MS	316-163	ORG	74-87-3	Chloromethane	5000		ug/L	500	43.07	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0854	5000	100%		
NAL13026-834MS	316-163	ORG	75-01-4	Vinyl chloride	4900		ug/L	200	31.86	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0854	5000	98%		
NAL13026-834MS	316-163	ORG	74-83-9	Bromomethane	6400		ug/L	500	50.04	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0854	5000	128%		
NAL13026-834MS	316-163	ORG	75-00-3	Chloroethane	6800		ug/L	500	55.61	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0854	5000	136%		
NAL13026-834MS	316-163	ORG	75-69-4	Trichlorofluoromethane	13000		ug/L	500	19.65	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0854	5000	260%		
NAL13026-834MS	316-163	ORG	75-35-4	1,1-Dichloroethene	4500		ug/L	100	47.11	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0854	5000	90%		
NAL13026-834MS	316-163	ORG	75-09-2	Methylene chloride	4500		ug/L	500	26.46	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0854	5000	90%		
NAL13026-834MS	316-163	ORG	67-64-1	Acetone	76000		ug/L	1000	155.61	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0854	5000	-680%		110000
NAL13026-834MS	316-163	ORG	156-60-5	trans-1,2-Dichloroethene	4500		ug/L	100	55.61	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0854	5000	90%		
NAL13026-834MS	316-163	ORG	1634-04-4	MTBE	5100		ug/L	500	61.18	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0854	5000	102%		
NAL13026-834MS	316-163	ORG	75-34-3	1,1-Dichloroethane	4500		ug/L	100	52.66	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0854	5000	90%		
NAL13026-834MS	316-163	ORG	156-59-2	cis-1,2-Dichloroethene	4400		ug/L	100	32.11	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0854	5000	88%		
NAL13026-834MS	316-163	ORG	74-97-5	Bromochloromethane	4500		ug/L	1000	41.37	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0854	5000	90%		
NAL13026-834MS	316-163	ORG	67-66-3	Chloroform	4300		ug/L	200	15.73	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0854	5000	86%		
NAL13026-834MS	316-163	ORG	71-55-6	1,1,1-Trichloroethane	4500		ug/L	100	16.65	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0854	5000	90%		
NAL13026-834MS	316-163	ORG	78-93-3	2-Butanone	43000		ug/L	100	81.18	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0854	5000	-220%		54000
NAL13026-834MS	316-163	ORG	56-23-5	Carbon tetrachloride	4400		ug/L	100	27.64	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0854	5000	88%		
NAL13026-834MS	316-163	ORG	71-43-2	Benzene	4400		ug/L	100	13.53	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0854	5000	87%		37
NAL13026-834MS	316-163	ORG	107-06-2	1,2-Dichloroethane	4400		ug/L	100	20.01	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0854	5000	88%		
NAL13026-834MS	316-163	ORG	79-01-6	Trichloroethene	3700		ug/L	100	36.33	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0854	5000	74%		
NAL13026-834MS	316-163	ORG	74-95-3	Dibromomethane	4200		ug/L	200	32.20	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0854	5000	84%		
NAL13026-834MS	316-163	ORG	78-87-5	1,2-Dichloropropane	4300		ug/L	100	18.17	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0854	5000	86%		
NAL13026-834MS	316-163	ORG	75-27-4	Bromodichloromethane	3900		ug/L	200	11.58	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0854	5000	78%		
NAL13026-834MS	316-163	ORG	10061-01-5	cis-1,3-Dichloropropene	4200		ug/L	100	25.01	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0854	5000	84%		
NAL13026-834MS	316-163	ORG	108-88-3	Toluene	4000		ug/L	100	20.96	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0854	5000	79%		36
NAL13026-834MS	316-163	ORG	108-10-1	4-Methyl-2-pentanone	5700		ug/L	500	74.00	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0854	5000	86%		1400
NAL13026-834MS	316-163	ORG	10061-02-6	trans-1,3-Dichloropropene	4700		ug/L	100	31.15	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0854	5000	94%		
NAL13026-834MS	316-163	ORG	127-18-4	Tetrachloroethene	4000		ug/L	100	48.56	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0854	5000	80%		
NAL13026-834MS	316-163	ORG	79-00-5	1,1,2-Trichloroethane	4300		ug/L	100	34.28	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0854	5000	86%		
NAL13026-834MS	316-163	ORG	124-48-1	Dibromochloromethane	4300		ug/L	500	29.90	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0854	5000	86%		
NAL13026-834MS	316-163	ORG	106-93-4	1,2-Dibromoethane	4400		ug/L	200	26.49	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0854	5000	88%		
NAL13026-834MS	316-163	ORG	591-78-6	2-Hexanone	8500		ug/L	200	68.90	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0854	5000	100%		3500
NAL13026-834MS	316-163	ORG	100-41-4	Ethylbenzene	4000		ug/L	100	25.38	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0854	5000	79%		72
NAL13026-834MS	316-163	ORG	108-90-7	Chlorobenzene	3800		ug/L	100	27.52	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0854	5000	76%		
NAL13026-834MS	316-163	ORG	630-20-6	1,1,1,2-Tetrachloroethane	3900		ug/L	200	19.28	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0854	5000	78%		
NAL13026-834MS	316-163	ORG	XYLMP	p&m-Xylene	8700		ug/L	200	26.14	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0854	10000	85%		190
NAL13026-834MS	316-163	ORG	95-47-6	o-Xylene	4400		ug/L	100	12.90	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0854	5000	85%		160
NAL13026-834MS	316-163	ORG	100-42-5	Styrene	4300		ug/L	100	20.23	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0854	5000	86%		
NAL13026-834MS	316-163	ORG	75-25-2	Bromoform	4000		ug/L	200	46.83	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0854	5000	80%		
NAL13026-834MS	316-163	ORG	98-82-8	Isopropylbenzene	4800		ug/L	200	20.48	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0854	5000	95%		70
NAL13026-834MS	316-163	ORG	103-65-1	n-Propylbenzene	4600		ug/L	200	27.00	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0854	5000	90%		84
NAL13026-834MS	316-163	ORG	79-34-5	1,1,2,2-Tetrachloroethane	3600		ug/L	200	29.16	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0854	5000	72%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-834MS	316-163	ORG	96-18-4	1,2,3-Trichloropropane	4000		ug/L	200	29.47	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0854	5000	80%		
NAL13026-834MS	316-163	ORG	108-67-8	1,3,5-Trimethylbenzene	4700		ug/L	200	20.03	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0854	5000	90%		200
NAL13026-834MS	316-163	ORG	98-06-6	tert-Butylbenzene	5000		ug/L	200	32.61	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0854	5000	100%		
NAL13026-834MS	316-163	ORG	95-63-6	1,2,4-Trimethylbenzene	5900		ug/L	200	20.03	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0854	5000	98%		1000
NAL13026-834MS	316-163	ORG	135-98-8	sec-Butylbenzene	5300		ug/L	200	32.34	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0854	5000	106%		
NAL13026-834MS	316-163	ORG	541-73-1	1,3-Dichlorobenzene	4500		ug/L	200	22.21	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0854	5000	90%		
NAL13026-834MS	316-163	ORG	99-87-6	p-Isopropltoluene	9900		ug/L	200	25.48	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0854	5000	102%		4800
NAL13026-834MS	316-163	ORG	106-46-7	1,4-Dichlorobenzene	5500		ug/L	200	33.03	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0854	5000	86%		1200
NAL13026-834MS	316-163	ORG	95-50-1	1,2-Dichlorobenzene	4700		ug/L	200	26.38	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0854	5000	94%		
NAL13026-834MS	316-163	ORG	104-51-8	n-Butylbenzene	5300		ug/L	500	27.81	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0854	5000	106%		
NAL13026-834MS	316-163	ORG	96-12-8	1,2-Dibromo-3-chloropropane	5000		ug/L	500	159.11	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0854	5000	100%		
NAL13026-834MS	316-163	ORG	87-68-3	Hexachlorobutadiene	5600		ug/L	500	65.42	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0854	5000	112%		
NAL13026-834MS	316-163	ORG	120-82-1	1,2,4-Trichlorobenzene	5700		ug/L	500	27.63	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0854	5000	114%		
NAL13026-834MS	316-163	ORG	91-20-3	Naphthalene	7700		ug/L	500	56.04	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0854	5000	122%		1600
NAL13026-834MS	316-163	ORG	87-61-6	1,2,3-Trichlorobenzene	5600		ug/L	500	23.28	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0854	5000	112%		
NAL13026-834MS	316-163	STD	1868-53-7	Dibromofluoromethane	50		ng			12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0854	50	100%		
NAL13026-834MS	316-163	STD	17060-07-0	1,2-Dichloroethane d4	48		ng			12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0854	50	96%		
NAL13026-834MS	316-163	STD	2037-26-5	Toluene d8	44		ng			12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0854	50	88%		
NAL13026-834MS	316-163	STD	460-00-4	Bromofluorobenzene	47		ng			12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0854	50	94%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-834MSD	316-163	ORG	75-71-8	Dichlorodifluoromethane	4900		ug/L	500	29.28	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0855	5000	98%	2%	0
NAL13026-834MSD	316-163	ORG	74-87-3	Chloromethane	5200		ug/L	500	43.07	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0855	5000	104%	4%	0
NAL13026-834MSD	316-163	ORG	75-01-4	Vinyl chloride	5200		ug/L	200	31.86	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0855	5000	104%	6%	0
NAL13026-834MSD	316-163	ORG	74-83-9	Bromomethane	6300		ug/L	500	50.04	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0855	5000	126%	2%	0
NAL13026-834MSD	316-163	ORG	75-00-3	Chloroethane	6300		ug/L	500	55.61	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0855	5000	126%	8%	0
NAL13026-834MSD	316-163	ORG	75-69-4	Trichlorofluoromethane	12000		ug/L	500	19.65	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0855	5000	240%	8%	0
NAL13026-834MSD	316-163	ORG	75-35-4	1,1-Dichloroethene	4700		ug/L	100	47.11	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0855	5000	94%	4%	0
NAL13026-834MSD	316-163	ORG	75-09-2	Methylene chloride	4900		ug/L	500	26.46	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0855	5000	98%	9%	0
NAL13026-834MSD	316-163	ORG	67-64-1	Acetone	82000		ug/L	1000	155.61	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0855	5000	-560%	8%	110000
NAL13026-834MSD	316-163	ORG	156-60-5	trans-1,2-Dichloroethene	4800		ug/L	100	55.61	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0855	5000	96%	6%	0
NAL13026-834MSD	316-163	ORG	1634-04-4	MTBE	5600		ug/L	500	61.18	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0855	5000	112%	9%	0
NAL13026-834MSD	316-163	ORG	75-34-3	1,1-Dichloroethane	4900		ug/L	100	52.66	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0855	5000	98%	9%	0
NAL13026-834MSD	316-163	ORG	156-59-2	cis-1,2-Dichloroethene	4700		ug/L	100	32.11	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0855	5000	94%	7%	0
NAL13026-834MSD	316-163	ORG	74-97-5	Bromochloromethane	4700		ug/L	1000	41.37	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0855	5000	94%	4%	0
NAL13026-834MSD	316-163	ORG	67-66-3	Chloroform	4600		ug/L	200	15.73	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0855	5000	92%	7%	0
NAL13026-834MSD	316-163	ORG	71-55-6	1,1,1-Trichloroethane	4700		ug/L	100	16.65	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0855	5000	94%	4%	0
NAL13026-834MSD	316-163	ORG	78-93-3	2-Butanone	43000		ug/L	100	81.18	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0855	5000	-220%	0%	54000
NAL13026-834MSD	316-163	ORG	56-23-5	Carbon tetrachloride	4600		ug/L	100	27.64	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0855	5000	92%	4%	0
NAL13026-834MSD	316-163	ORG	71-43-2	Benzene	4500		ug/L	100	13.53	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0855	5000	89%	2%	37
NAL13026-834MSD	316-163	ORG	107-06-2	1,2-Dichloroethane	4400		ug/L	100	20.01	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0855	5000	88%	0%	0
NAL13026-834MSD	316-163	ORG	79-01-6	Trichloroethene	4200		ug/L	100	36.33	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0855	5000	84%	13%	0
NAL13026-834MSD	316-163	ORG	74-95-3	Dibromomethane	4100		ug/L	200	32.20	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0855	5000	82%	2%	0
NAL13026-834MSD	316-163	ORG	78-87-5	1,2-Dichloropropane	4200		ug/L	100	18.17	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0855	5000	84%	2%	0
NAL13026-834MSD	316-163	ORG	75-27-4	Bromodichloromethane	3800		ug/L	200	11.58	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0855	5000	76%	3%	0
NAL13026-834MSD	316-163	ORG	10061-01-5	cis-1,3-Dichloropropene	4100		ug/L	100	25.01	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0855	5000	82%	2%	0
NAL13026-834MSD	316-163	ORG	108-88-3	Toluene	4000		ug/L	100	20.96	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0855	5000	79%	0%	36
NAL13026-834MSD	316-163	ORG	108-10-1	4-Methyl-2-pentanone	5600		ug/L	500	74.00	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0855	5000	84%	2%	1400
NAL13026-834MSD	316-163	ORG	10061-02-6	trans-1,3-Dichloropropene	4700		ug/L	100	31.15	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0855	5000	94%	0%	0
NAL13026-834MSD	316-163	ORG	127-18-4	Tetrachloroethene	3900		ug/L	100	48.56	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0855	5000	78%	3%	0
NAL13026-834MSD	316-163	ORG	79-00-5	1,1,2-Trichloroethane	4300		ug/L	100	34.28	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0855	5000	86%	0%	0
NAL13026-834MSD	316-163	ORG	124-48-1	Dibromochloromethane	4400		ug/L	500	29.90	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0855	5000	88%	2%	0
NAL13026-834MSD	316-163	ORG	106-93-4	1,2-Dibromoethane	4400		ug/L	200	26.49	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0855	5000	88%	0%	0
NAL13026-834MSD	316-163	ORG	591-78-6	2-Hexanone	7900		ug/L	200	68.90	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0855	5000	88%	7%	3500
NAL13026-834MSD	316-163	ORG	100-41-4	Ethylbenzene	4100		ug/L	100	25.38	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0855	5000	81%	2%	72
NAL13026-834MSD	316-163	ORG	108-90-7	Chlorobenzene	3900		ug/L	100	27.52	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0855	5000	78%	3%	0
NAL13026-834MSD	316-163	ORG	630-20-6	1,1,1,2-Tetrachloroethane	4000		ug/L	200	19.28	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0855	5000	80%	3%	0
NAL13026-834MSD	316-163	ORG	XYLMP	p&m-Xylene	8800		ug/L	200	26.14	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0855	10000	86%	1%	190
NAL13026-834MSD	316-163	ORG	95-47-6	o-Xylene	4500		ug/L	100	12.90	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0855	5000	87%	2%	160
NAL13026-834MSD	316-163	ORG	100-42-5	Styrene	4500		ug/L	100	20.23	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0855	5000	90%	5%	0
NAL13026-834MSD	316-163	ORG	75-25-2	Bromoform	4200		ug/L	200	46.83	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0855	5000	84%	5%	0
NAL13026-834MSD	316-163	ORG	98-82-8	Isopropylbenzene	4800		ug/L	200	20.48	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0855	5000	95%	0%	70
NAL13026-834MSD	316-163	ORG	103-65-1	n-Propylbenzene	4600		ug/L	200	27.00	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0855	5000	90%	0%	84
NAL13026-834MSD	316-163	ORG	79-34-5	1,1,2,2-Tetrachloroethane	3600		ug/L	200	29.16	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0855	5000	72%	0%	0

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-834MSD	316-163	ORG	96-18-4	1,2,3-Trichloropropane	4000		ug/L	200	29.47	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0855	5000	80%	0%	0
NAL13026-834MSD	316-163	ORG	108-67-8	1,3,5-Trimethylbenzene	4800		ug/L	200	20.03	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0855	5000	92%	2%	200
NAL13026-834MSD	316-163	ORG	98-06-6	tert-Butylbenzene	5000		ug/L	200	32.61	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0855	5000	100%	0%	0
NAL13026-834MSD	316-163	ORG	95-63-6	1,2,4-Trimethylbenzene	6000		ug/L	200	20.03	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0855	5000	100%	2%	1000
NAL13026-834MSD	316-163	ORG	135-98-8	sec-Butylbenzene	5400		ug/L	200	32.34	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0855	5000	108%	2%	0
NAL13026-834MSD	316-163	ORG	541-73-1	1,3-Dichlorobenzene	4600		ug/L	200	22.21	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0855	5000	92%	2%	0
NAL13026-834MSD	316-163	ORG	99-87-6	p-Isopropltoluene	10000		ug/L	200	25.48	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0855	5000	104%	1%	4800
NAL13026-834MSD	316-163	ORG	106-46-7	1,4-Dichlorobenzene	5700		ug/L	200	33.03	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0855	5000	90%	4%	1200
NAL13026-834MSD	316-163	ORG	95-50-1	1,2-Dichlorobenzene	4800		ug/L	200	26.38	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0855	5000	96%	2%	0
NAL13026-834MSD	316-163	ORG	104-51-8	n-Butylbenzene	5300		ug/L	500	27.81	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0855	5000	106%	0%	0
NAL13026-834MSD	316-163	ORG	96-12-8	1,2-Dibromo-3-chloropropane	5100		ug/L	500	159.11	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0855	5000	102%	2%	0
NAL13026-834MSD	316-163	ORG	87-68-3	Hexachlorobutadiene	5900		ug/L	500	65.42	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0855	5000	118%	5%	0
NAL13026-834MSD	316-163	ORG	120-82-1	1,2,4-Trichlorobenzene	5800		ug/L	500	27.63	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0855	5000	116%	2%	0
NAL13026-834MSD	316-163	ORG	91-20-3	Naphthalene	8000		ug/L	500	56.04	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0855	5000	128%	4%	1600
NAL13026-834MSD	316-163	ORG	87-61-6	1,2,3-Trichlorobenzene	5800		ug/L	500	23.28	12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0855	5000	116%	4%	0
NAL13026-834MSD	316-163	STD	1868-53-7	Dibromofluoromethane	52		ng			12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0855	50	104%	4%	0
NAL13026-834MSD	316-163	STD	17060-07-0	1,2-Dichloroethane d4	49		ng			12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0855	50	98%	2%	0
NAL13026-834MSD	316-163	STD	2037-26-5	Toluene d8	45		ng			12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0855	50	90%	2%	0
NAL13026-834MSD	316-163	STD	460-00-4	Bromofluorobenzene	47		ng			12/12/2013	12/12/2013	12/12/2013	WG	100	NA	5.0	NA	SW8260B	NALC0855	50	94%	0%	0

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-835	316-164	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0861				
NAL13026-835	316-164	ORG	74-87-3	Chloromethane		U	ug/L	500	43.07	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0861				
NAL13026-835	316-164	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0861				
NAL13026-835	316-164	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0861				
NAL13026-835	316-164	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0861				
NAL13026-835	316-164	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0861				
NAL13026-835	316-164	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0861				
NAL13026-835	316-164	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0861				
NAL13026-835	316-164	ORG	67-64-1	Acetone	66000	D	ug/L	10000	1556.07	12/13/2013	12/13/2013	12/13/2013	WG	1000	NA	5.0	NA	SW8260B	NALC0863				
NAL13026-835	316-164	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0861				
NAL13026-835	316-164	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0861				
NAL13026-835	316-164	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0861				
NAL13026-835	316-164	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0861				
NAL13026-835	316-164	ORG	74-97-5	Bromochloromethane		U	ug/L	200	41.37	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0861				
NAL13026-835	316-164	ORG	67-66-3	Chloroform		U	ug/L	100	15.73	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0861				
NAL13026-835	316-164	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	16.65	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0861				
NAL13026-835	316-164	ORG	78-93-3	2-Butanone	35000	D	ug/L	10000	811.80	12/13/2013	12/13/2013	12/13/2013	WG	1000	NA	5.0	NA	SW8260B	NALC0863				
NAL13026-835	316-164	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0861				
NAL13026-835	316-164	ORG	71-43-2	Benzene	190		ug/L	100	13.53	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0861				
NAL13026-835	316-164	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0861				
NAL13026-835	316-164	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0861				
NAL13026-835	316-164	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0861				
NAL13026-835	316-164	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0861				
NAL13026-835	316-164	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0861				
NAL13026-835	316-164	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0861				
NAL13026-835	316-164	ORG	108-88-3	Toluene	120		ug/L	100	20.96	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0861				
NAL13026-835	316-164	ORG	108-10-1	4-Methyl-2-pentanone	1600		ug/L	500	74.00	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0861				
NAL13026-835	316-164	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0861				
NAL13026-835	316-164	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0861				
NAL13026-835	316-164	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0861				
NAL13026-835	316-164	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	29.90	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0861				
NAL13026-835	316-164	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	26.49	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0861				
NAL13026-835	316-164	ORG	591-78-6	2-Hexanone	4200		ug/L	500	68.90	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0861				
NAL13026-835	316-164	ORG	100-41-4	Ethylbenzene	230		ug/L	100	25.38	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0861				
NAL13026-835	316-164	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0861				
NAL13026-835	316-164	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0861				
NAL13026-835	316-164	ORG	XYLMP	p&m-Xylene	650		ug/L	200	26.14	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0861				
NAL13026-835	316-164	ORG	95-47-6	o-Xylene	400		ug/L	100	12.90	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0861				
NAL13026-835	316-164	ORG	100-42-5	Styrene		U	ug/L	100	20.23	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0861				
NAL13026-835	316-164	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0861				
NAL13026-835	316-164	ORG	98-82-8	Isopropylbenzene	200	J	ug/L	200	20.48	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0861				
NAL13026-835	316-164	ORG	103-65-1	n-Propylbenzene	200	J	ug/L	200	27.00	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0861				
NAL13026-835	316-164	ORG	79-34-5	1,1,2,2-Tetrachloroethane		UX-	ug/L	200	29.16	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0861				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-835	316-164	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0861				
NAL13026-835	316-164	ORG	108-67-8	1,3,5-Trimethylbenzene	450		ug/L	200	20.03	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0861				
NAL13026-835	316-164	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0861				
NAL13026-835	316-164	ORG	95-63-6	1,2,4-Trimethylbenzene	2300		ug/L	200	20.03	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0861				
NAL13026-835	316-164	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0861				
NAL13026-835	316-164	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0861				
NAL13026-835	316-164	ORG	99-87-6	p-Isopropltoluene	9700		ug/L	200	25.48	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0861				
NAL13026-835	316-164	ORG	106-46-7	1,4-Dichlorobenzene	2200		ug/L	200	33.03	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0861				
NAL13026-835	316-164	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0861				
NAL13026-835	316-164	ORG	104-51-8	n-Butylbenzene		U	ug/L	500	27.81	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0861				
NAL13026-835	316-164	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0861				
NAL13026-835	316-164	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0861				
NAL13026-835	316-164	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0861				
NAL13026-835	316-164	ORG	91-20-3	Naphthalene	2600		ug/L	500	56.04	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0861				
NAL13026-835	316-164	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0861				
NAL13026-835	316-164	STD	1868-53-7	Dibromofluoromethane	54		ng			12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0861	50	108%		
NAL13026-835	316-164	STD	17060-07-0	1,2-Dichloroethane d4	53		ng			12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0861	50	106%		
NAL13026-835	316-164	STD	2037-26-5	Toluene d8	45		ng			12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0861	50	90%		
NAL13026-835	316-164	STD	460-00-4	Bromofluorobenzene	47		ng			12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0861	50	94%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-836	316-164R	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0864				
NAL13026-836	316-164R	ORG	74-87-3	Chloromethane		U	ug/L	500	43.07	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0864				
NAL13026-836	316-164R	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0864				
NAL13026-836	316-164R	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0864				
NAL13026-836	316-164R	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0864				
NAL13026-836	316-164R	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0864				
NAL13026-836	316-164R	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0864				
NAL13026-836	316-164R	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0864				
NAL13026-836	316-164R	ORG	67-64-1	Acetone	120000	D	ug/L	10000	1556.07	12/13/2013	12/13/2013	12/13/2013	WG	1000	NA	5.0	NA	SW8260B	NALC0865				
NAL13026-836	316-164R	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0864				
NAL13026-836	316-164R	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0864				
NAL13026-836	316-164R	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0864				
NAL13026-836	316-164R	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0864				
NAL13026-836	316-164R	ORG	74-97-5	Bromochloromethane		U	ug/L	200	41.37	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0864				
NAL13026-836	316-164R	ORG	67-66-3	Chloroform		U	ug/L	100	15.73	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0864				
NAL13026-836	316-164R	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	16.65	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0864				
NAL13026-836	316-164R	ORG	78-93-3	2-Butanone	62000	D	ug/L	10000	811.80	12/13/2013	12/13/2013	12/13/2013	WG	1000	NA	5.0	NA	SW8260B	NALC0865				
NAL13026-836	316-164R	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0864				
NAL13026-836	316-164R	ORG	71-43-2	Benzene	83	J	ug/L	100	13.53	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0864				
NAL13026-836	316-164R	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0864				
NAL13026-836	316-164R	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0864				
NAL13026-836	316-164R	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0864				
NAL13026-836	316-164R	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0864				
NAL13026-836	316-164R	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0864				
NAL13026-836	316-164R	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0864				
NAL13026-836	316-164R	ORG	108-88-3	Toluene	71	J	ug/L	100	20.96	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0864				
NAL13026-836	316-164R	ORG	108-10-1	4-Methyl-2-pentanone	1600		ug/L	500	74.00	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0864				
NAL13026-836	316-164R	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0864				
NAL13026-836	316-164R	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0864				
NAL13026-836	316-164R	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0864				
NAL13026-836	316-164R	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	29.90	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0864				
NAL13026-836	316-164R	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	26.49	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0864				
NAL13026-836	316-164R	ORG	591-78-6	2-Hexanone	4200		ug/L	500	68.90	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0864				
NAL13026-836	316-164R	ORG	100-41-4	Ethylbenzene	180		ug/L	100	25.38	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0864				
NAL13026-836	316-164R	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0864				
NAL13026-836	316-164R	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0864				
NAL13026-836	316-164R	ORG	XYLMP	p&m-Xylene	500		ug/L	200	26.14	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0864				
NAL13026-836	316-164R	ORG	95-47-6	o-Xylene	300		ug/L	100	12.90	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0864				
NAL13026-836	316-164R	ORG	100-42-5	Styrene		U	ug/L	100	20.23	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0864				
NAL13026-836	316-164R	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0864				
NAL13026-836	316-164R	ORG	98-82-8	Isopropylbenzene	190	J	ug/L	200	20.48	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0864				
NAL13026-836	316-164R	ORG	103-65-1	n-Propylbenzene	190	J	ug/L	200	27.00	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0864				
NAL13026-836	316-164R	ORG	79-34-5	1,1,2,2-Tetrachloroethane		UX-	ug/L	200	29.16	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0864				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-836	316-164R	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0864				
NAL13026-836	316-164R	ORG	108-67-8	1,3,5-Trimethylbenzene	390		ug/L	200	20.03	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0864				
NAL13026-836	316-164R	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0864				
NAL13026-836	316-164R	ORG	95-63-6	1,2,4-Trimethylbenzene	2100		ug/L	200	20.03	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0864				
NAL13026-836	316-164R	ORG	135-98-8	sec-Butylbenzene	57	J	ug/L	200	32.34	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0864				
NAL13026-836	316-164R	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0864				
NAL13026-836	316-164R	ORG	99-87-6	p-Isopropltoluene	9200		ug/L	200	25.48	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0864				
NAL13026-836	316-164R	ORG	106-46-7	1,4-Dichlorobenzene	2100		ug/L	200	33.03	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0864				
NAL13026-836	316-164R	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0864				
NAL13026-836	316-164R	ORG	104-51-8	n-Butylbenzene		U	ug/L	500	27.81	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0864				
NAL13026-836	316-164R	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0864				
NAL13026-836	316-164R	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0864				
NAL13026-836	316-164R	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0864				
NAL13026-836	316-164R	ORG	91-20-3	Naphthalene	2500		ug/L	500	56.04	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0864				
NAL13026-836	316-164R	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0864				
NAL13026-836	316-164R	STD	1868-53-7	Dibromofluoromethane	60		ng			12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0864	50	120%		
NAL13026-836	316-164R	STD	17060-07-0	1,2-Dichloroethane d4	57		ng			12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0864	50	114%		
NAL13026-836	316-164R	STD	2037-26-5	Toluene d8	46		ng			12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0864	50	92%		
NAL13026-836	316-164R	STD	460-00-4	Bromofluorobenzene	48		ng			12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0864	50	96%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C121313CCVA	C121313CCVA	ORG	75-71-8	Dichlorodifluoromethane	45		ug/L	5	0.29	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0858	50	90%		
C121313CCVA	C121313CCVA	ORG	74-87-3	Chloromethane	50		ug/L	5	0.43	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0858	50	100%		
C121313CCVA	C121313CCVA	ORG	75-01-4	Vinyl chloride	49		ug/L	2	0.32	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0858	50	98%		
C121313CCVA	C121313CCVA	ORG	74-83-9	Bromomethane	64		ug/L	5	0.50	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0858	50	128%		
C121313CCVA	C121313CCVA	ORG	75-00-3	Chloroethane	60		ug/L	5	0.56	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0858	50	120%		
C121313CCVA	C121313CCVA	ORG	75-69-4	Trichlorofluoromethane	130		ug/L	5	0.20	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0858	50	260%		
C121313CCVA	C121313CCVA	ORG	75-35-4	1,1-Dichloroethene	45		ug/L	1	0.47	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0858	50	90%		
C121313CCVA	C121313CCVA	ORG	75-09-2	Methylene chloride	46		ug/L	5	0.26	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0858	50	92%		
C121313CCVA	C121313CCVA	ORG	67-64-1	Acetone	52		ug/L	10	1.56	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0858	50	104%		
C121313CCVA	C121313CCVA	ORG	156-60-5	trans-1,2-Dichloroethene	46		ug/L	1	0.56	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0858	50	92%		
C121313CCVA	C121313CCVA	ORG	1634-04-4	MTBE	56		ug/L	5	0.61	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0858	50	112%		
C121313CCVA	C121313CCVA	ORG	75-34-3	1,1-Dichloroethane	47		ug/L	1	0.53	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0858	50	94%		
C121313CCVA	C121313CCVA	ORG	156-59-2	cis-1,2-Dichloroethene	46		ug/L	1	0.32	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0858	50	92%		
C121313CCVA	C121313CCVA	ORG	74-97-5	Bromochloromethane	48		ug/L	10	0.41	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0858	50	96%		
C121313CCVA	C121313CCVA	ORG	67-66-3	Chloroform	45		ug/L	2	0.16	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0858	50	90%		
C121313CCVA	C121313CCVA	ORG	71-55-6	1,1,1-Trichloroethane	48		ug/L	1	0.17	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0858	50	96%		
C121313CCVA	C121313CCVA	ORG	78-93-3	2-Butanone	53		ug/L	1	0.81	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0858	50	106%		
C121313CCVA	C121313CCVA	ORG	56-23-5	Carbon tetrachloride	47		ug/L	1	0.28	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0858	50	94%		
C121313CCVA	C121313CCVA	ORG	71-43-2	Benzene	45		ug/L	1	0.14	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0858	50	90%		
C121313CCVA	C121313CCVA	ORG	107-06-2	1,2-Dichloroethane	45		ug/L	1	0.20	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0858	50	90%		
C121313CCVA	C121313CCVA	ORG	79-01-6	Trichloroethene	40		ug/L	1	0.36	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0858	50	80%		
C121313CCVA	C121313CCVA	ORG	74-95-3	Dibromomethane	41		ug/L	2	0.32	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0858	50	82%		
C121313CCVA	C121313CCVA	ORG	78-87-5	1,2-Dichloropropane	44		ug/L	1	0.18	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0858	50	88%		
C121313CCVA	C121313CCVA	ORG	75-27-4	Bromodichloromethane	40		ug/L	2	0.12	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0858	50	80%		
C121313CCVA	C121313CCVA	ORG	10061-01-5	cis-1,3-Dichloropropene	44		ug/L	1	0.25	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0858	50	88%		
C121313CCVA	C121313CCVA	ORG	108-88-3	Toluene	42		ug/L	1	0.21	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0858	50	84%		
C121313CCVA	C121313CCVA	ORG	108-10-1	4-Methyl-2-pentanone	49		ug/L	5	0.74	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0858	50	98%		
C121313CCVA	C121313CCVA	ORG	10061-02-6	trans-1,3-Dichloropropene	52		ug/L	1	0.31	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0858	50	104%		
C121313CCVA	C121313CCVA	ORG	127-18-4	Tetrachloroethene	41		ug/L	1	0.49	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0858	50	82%		
C121313CCVA	C121313CCVA	ORG	79-00-5	1,1,2-Trichloroethane	44		ug/L	1	0.34	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0858	50	88%		
C121313CCVA	C121313CCVA	ORG	124-48-1	Dibromochloromethane	46		ug/L	5	0.30	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0858	50	92%		
C121313CCVA	C121313CCVA	ORG	106-93-4	1,2-Dibromoethane	46		ug/L	2	0.26	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0858	50	92%		
C121313CCVA	C121313CCVA	ORG	591-78-6	2-Hexanone	53		ug/L	2	0.69	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0858	50	106%		
C121313CCVA	C121313CCVA	ORG	100-41-4	Ethylbenzene	43		ug/L	1	0.25	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0858	50	86%		
C121313CCVA	C121313CCVA	ORG	108-90-7	Chlorobenzene	41		ug/L	1	0.28	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0858	50	82%		
C121313CCVA	C121313CCVA	ORG	630-20-6	1,1,1,2-Tetrachloroethane	42		ug/L	2	0.19	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0858	50	84%		
C121313CCVA	C121313CCVA	ORG	XYLMP	p&m-Xylene	91		ug/L	2	0.26	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0858	100	91%		
C121313CCVA	C121313CCVA	ORG	95-47-6	o-Xylene	47		ug/L	1	0.13	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0858	50	94%		
C121313CCVA	C121313CCVA	ORG	100-42-5	Styrene	46		ug/L	1	0.20	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0858	50	92%		
C121313CCVA	C121313CCVA	ORG	75-25-2	Bromoform	44		ug/L	2	0.47	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0858	50	88%		
C121313CCVA	C121313CCVA	ORG	98-82-8	Isopropylbenzene	49		ug/L	2	0.20	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0858	50	98%		
C121313CCVA	C121313CCVA	ORG	103-65-1	n-Propylbenzene	47		ug/L	2	0.27	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0858	50	94%		
C121313CCVA	C121313CCVA	ORG	79-34-5	1,1,2,2-Tetrachloroethane	37		ug/L	2	0.29	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0858	50	74%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C121313CCVA	C121313CCVA	ORG	96-18-4	1,2,3-Trichloropropane	42		ug/L	2	0.29	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0858	50	84%		
C121313CCVA	C121313CCVA	ORG	108-67-8	1,3,5-Trimethylbenzene	48		ug/L	2	0.20	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0858	50	96%		
C121313CCVA	C121313CCVA	ORG	98-06-6	tert-Butylbenzene	52		ug/L	2	0.33	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0858	50	104%		
C121313CCVA	C121313CCVA	ORG	95-63-6	1,2,4-Trimethylbenzene	49		ug/L	2	0.20	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0858	50	98%		
C121313CCVA	C121313CCVA	ORG	135-98-8	sec-Butylbenzene	51		ug/L	2	0.32	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0858	50	102%		
C121313CCVA	C121313CCVA	ORG	541-73-1	1,3-Dichlorobenzene	47		ug/L	2	0.22	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0858	50	94%		
C121313CCVA	C121313CCVA	ORG	99-87-6	p-Isopropltoluene	53		ug/L	2	0.25	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0858	50	106%		
C121313CCVA	C121313CCVA	ORG	106-46-7	1,4-Dichlorobenzene	46		ug/L	2	0.33	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0858	50	92%		
C121313CCVA	C121313CCVA	ORG	95-50-1	1,2-Dichlorobenzene	48		ug/L	2	0.26	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0858	50	96%		
C121313CCVA	C121313CCVA	ORG	104-51-8	n-Butylbenzene	53		ug/L	5	0.28	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0858	50	106%		
C121313CCVA	C121313CCVA	ORG	96-12-8	1,2-Dibromo-3-chloropropane	50		ug/L	5	1.59	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0858	50	100%		
C121313CCVA	C121313CCVA	ORG	87-68-3	Hexachlorobutadiene	60		ug/L	5	0.65	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0858	50	120%		
C121313CCVA	C121313CCVA	ORG	120-82-1	1,2,4-Trichlorobenzene	57		ug/L	5	0.28	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0858	50	114%		
C121313CCVA	C121313CCVA	ORG	91-20-3	Naphthalene	54		ug/L	5	0.56	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0858	50	108%		
C121313CCVA	C121313CCVA	ORG	87-61-6	1,2,3-Trichlorobenzene	55		ug/L	5	0.23	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0858	50	110%		
C121313CCVA	C121313CCVA	STD	1868-53-7	Dibromofluoromethane	51		ng			NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0858	50	102%		
C121313CCVA	C121313CCVA	STD	17060-07-0	1,2-Dichloroethane d4	49		ng			NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0858	50	98%		
C121313CCVA	C121313CCVA	STD	2037-26-5	Toluene d8	45		ng			NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0858	50	90%		
C121313CCVA	C121313CCVA	STD	460-00-4	Bromofluorobenzene	47		ng			NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0858	50	94%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C121313MBKA	C121313MBKA	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	5	0.29	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0860				
C121313MBKA	C121313MBKA	ORG	74-87-3	Chloromethane		U	ug/L	5	0.43	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0860				
C121313MBKA	C121313MBKA	ORG	75-01-4	Vinyl chloride		U	ug/L	2	0.32	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0860				
C121313MBKA	C121313MBKA	ORG	74-83-9	Bromomethane		U	ug/L	5	0.50	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0860				
C121313MBKA	C121313MBKA	ORG	75-00-3	Chloroethane		U	ug/L	5	0.56	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0860				
C121313MBKA	C121313MBKA	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	5	0.20	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0860				
C121313MBKA	C121313MBKA	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	1	0.47	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0860				
C121313MBKA	C121313MBKA	ORG	75-09-2	Methylene chloride		U	ug/L	5	0.26	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0860				
C121313MBKA	C121313MBKA	ORG	67-64-1	Acetone		U	ug/L	10	1.56	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0860				
C121313MBKA	C121313MBKA	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	1	0.56	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0860				
C121313MBKA	C121313MBKA	ORG	1634-04-4	MTBE		U	ug/L	5	0.61	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0860				
C121313MBKA	C121313MBKA	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	1	0.53	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0860				
C121313MBKA	C121313MBKA	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	1	0.32	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0860				
C121313MBKA	C121313MBKA	ORG	74-97-5	Bromochloromethane		U	ug/L	10	0.41	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0860				
C121313MBKA	C121313MBKA	ORG	67-66-3	Chloroform		U	ug/L	2	0.16	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0860				
C121313MBKA	C121313MBKA	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	1	0.17	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0860				
C121313MBKA	C121313MBKA	ORG	78-93-3	2-Butanone		U	ug/L	1	0.81	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0860				
C121313MBKA	C121313MBKA	ORG	56-23-5	Carbon tetrachloride		U	ug/L	1	0.28	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0860				
C121313MBKA	C121313MBKA	ORG	71-43-2	Benzene		U	ug/L	1	0.14	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0860				
C121313MBKA	C121313MBKA	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	1	0.20	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0860				
C121313MBKA	C121313MBKA	ORG	79-01-6	Trichloroethene		U	ug/L	1	0.36	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0860				
C121313MBKA	C121313MBKA	ORG	74-95-3	Dibromomethane		U	ug/L	2	0.32	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0860				
C121313MBKA	C121313MBKA	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	1	0.18	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0860				
C121313MBKA	C121313MBKA	ORG	75-27-4	Bromodichloromethane		U	ug/L	2	0.12	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0860				
C121313MBKA	C121313MBKA	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	1	0.25	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0860				
C121313MBKA	C121313MBKA	ORG	108-88-3	Toluene		U	ug/L	1	0.21	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0860				
C121313MBKA	C121313MBKA	ORG	108-10-1	4-Methyl-2-pentanone		U	ug/L	5	0.74	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0860				
C121313MBKA	C121313MBKA	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	1	0.31	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0860				
C121313MBKA	C121313MBKA	ORG	127-18-4	Tetrachloroethene		U	ug/L	1	0.49	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0860				
C121313MBKA	C121313MBKA	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	1	0.34	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0860				
C121313MBKA	C121313MBKA	ORG	124-48-1	Dibromochloromethane		U	ug/L	5	0.30	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0860				
C121313MBKA	C121313MBKA	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	2	0.26	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0860				
C121313MBKA	C121313MBKA	ORG	591-78-6	2-Hexanone		U	ug/L	2	0.69	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0860				
C121313MBKA	C121313MBKA	ORG	100-41-4	Ethylbenzene		U	ug/L	1	0.25	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0860				
C121313MBKA	C121313MBKA	ORG	108-90-7	Chlorobenzene		U	ug/L	1	0.28	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0860				
C121313MBKA	C121313MBKA	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	2	0.19	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0860				
C121313MBKA	C121313MBKA	ORG	XYLMP	p&m-Xylene		U	ug/L	2	0.26	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0860				
C121313MBKA	C121313MBKA	ORG	95-47-6	o-Xylene		U	ug/L	1	0.13	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0860				
C121313MBKA	C121313MBKA	ORG	100-42-5	Styrene		U	ug/L	1	0.20	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0860				
C121313MBKA	C121313MBKA	ORG	75-25-2	Bromoform		U	ug/L	2	0.47	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0860				
C121313MBKA	C121313MBKA	ORG	98-82-8	Isopropylbenzene		U	ug/L	2	0.20	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0860				
C121313MBKA	C121313MBKA	ORG	103-65-1	n-Propylbenzene		U	ug/L	2	0.27	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0860				
C121313MBKA	C121313MBKA	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	2	0.29	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0860				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C121313MBKA	C121313MBKA	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	2	0.29	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0860				
C121313MBKA	C121313MBKA	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	2	0.20	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0860				
C121313MBKA	C121313MBKA	ORG	98-06-6	tert-Butylbenzene		U	ug/L	2	0.33	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0860				
C121313MBKA	C121313MBKA	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	2	0.20	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0860				
C121313MBKA	C121313MBKA	ORG	135-98-8	sec-Butylbenzene		U	ug/L	2	0.32	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0860				
C121313MBKA	C121313MBKA	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	2	0.22	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0860				
C121313MBKA	C121313MBKA	ORG	99-87-6	p-Isopropltoluene		U	ug/L	2	0.25	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0860				
C121313MBKA	C121313MBKA	ORG	106-46-7	1,4-Dichlorobenzene		U	ug/L	2	0.33	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0860				
C121313MBKA	C121313MBKA	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	2	0.26	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0860				
C121313MBKA	C121313MBKA	ORG	104-51-8	n-Butylbenzene		U	ug/L	5	0.28	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0860				
C121313MBKA	C121313MBKA	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	5	1.59	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0860				
C121313MBKA	C121313MBKA	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	5	0.65	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0860				
C121313MBKA	C121313MBKA	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	5	0.28	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0860				
C121313MBKA	C121313MBKA	ORG	91-20-3	Naphthalene		U	ug/L	5	0.56	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0860				
C121313MBKA	C121313MBKA	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	5	0.23	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0860				
C121313MBKA	C121313MBKA	STD	1868-53-7	Dibromofluoromethane	50		ng			NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0860	50	100%		
C121313MBKA	C121313MBKA	STD	17060-07-0	1,2-Dichloroethane d4	50		ng			NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0860	50	100%		
C121313MBKA	C121313MBKA	STD	2037-26-5	Toluene d8	50		ng			NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0860	50	100%		
C121313MBKA	C121313MBKA	STD	460-00-4	Bromofluorobenzene	50		ng			NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0860	50	100%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C121313ALCS	C121313ALCS	ORG	75-71-8	Dichlorodifluoromethane	51		ug/L	5	0.29	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0859	50	102%		
C121313ALCS	C121313ALCS	ORG	74-87-3	Chloromethane	56		ug/L	5	0.43	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0859	50	112%		
C121313ALCS	C121313ALCS	ORG	75-01-4	Vinyl chloride	57		ug/L	2	0.32	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0859	50	114%		
C121313ALCS	C121313ALCS	ORG	74-83-9	Bromomethane	70		ug/L	5	0.50	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0859	50	140%		
C121313ALCS	C121313ALCS	ORG	75-00-3	Chloroethane	64		ug/L	5	0.56	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0859	50	128%		
C121313ALCS	C121313ALCS	ORG	75-69-4	Trichlorofluoromethane	140		ug/L	5	0.20	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0859	50	280%		
C121313ALCS	C121313ALCS	ORG	75-35-4	1,1-Dichloroethene	48		ug/L	1	0.47	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0859	50	96%		
C121313ALCS	C121313ALCS	ORG	75-09-2	Methylene chloride	49		ug/L	5	0.26	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0859	50	98%		
C121313ALCS	C121313ALCS	ORG	67-64-1	Acetone	54		ug/L	10	1.56	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0859	50	108%		
C121313ALCS	C121313ALCS	ORG	156-60-5	trans-1,2-Dichloroethene	48		ug/L	1	0.56	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0859	50	96%		
C121313ALCS	C121313ALCS	ORG	1634-04-4	MTBE	57		ug/L	5	0.61	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0859	50	114%		
C121313ALCS	C121313ALCS	ORG	75-34-3	1,1-Dichloroethane	47		ug/L	1	0.53	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0859	50	94%		
C121313ALCS	C121313ALCS	ORG	156-59-2	cis-1,2-Dichloroethene	45		ug/L	1	0.32	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0859	50	90%		
C121313ALCS	C121313ALCS	ORG	74-97-5	Bromochloromethane	46		ug/L	10	0.41	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0859	50	92%		
C121313ALCS	C121313ALCS	ORG	67-66-3	Chloroform	44		ug/L	2	0.16	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0859	50	88%		
C121313ALCS	C121313ALCS	ORG	71-55-6	1,1,1-Trichloroethane	46		ug/L	1	0.17	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0859	50	92%		
C121313ALCS	C121313ALCS	ORG	78-93-3	2-Butanone	49		ug/L	1	0.81	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0859	50	98%		
C121313ALCS	C121313ALCS	ORG	56-23-5	Carbon tetrachloride	45		ug/L	1	0.28	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0859	50	90%		
C121313ALCS	C121313ALCS	ORG	71-43-2	Benzene	43		ug/L	1	0.14	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0859	50	86%		
C121313ALCS	C121313ALCS	ORG	107-06-2	1,2-Dichloroethane	43		ug/L	1	0.20	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0859	50	86%		
C121313ALCS	C121313ALCS	ORG	79-01-6	Trichloroethene	43		ug/L	1	0.36	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0859	50	86%		
C121313ALCS	C121313ALCS	ORG	74-95-3	Dibromomethane	40		ug/L	2	0.32	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0859	50	80%		
C121313ALCS	C121313ALCS	ORG	78-87-5	1,2-Dichloropropane	41		ug/L	1	0.18	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0859	50	82%		
C121313ALCS	C121313ALCS	ORG	75-27-4	Bromodichloromethane	41		ug/L	2	0.12	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0859	50	82%		
C121313ALCS	C121313ALCS	ORG	10061-01-5	cis-1,3-Dichloropropene	43		ug/L	1	0.25	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0859	50	86%		
C121313ALCS	C121313ALCS	ORG	108-88-3	Toluene	42		ug/L	1	0.21	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0859	50	84%		
C121313ALCS	C121313ALCS	ORG	108-10-1	4-Methyl-2-pentanone	46		ug/L	5	0.74	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0859	50	92%		
C121313ALCS	C121313ALCS	ORG	10061-02-6	trans-1,3-Dichloropropene	51		ug/L	1	0.31	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0859	50	102%		
C121313ALCS	C121313ALCS	ORG	127-18-4	Tetrachloroethene	42		ug/L	1	0.49	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0859	50	84%		
C121313ALCS	C121313ALCS	ORG	79-00-5	1,1,2-Trichloroethane	43		ug/L	1	0.34	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0859	50	86%		
C121313ALCS	C121313ALCS	ORG	124-48-1	Dibromochloromethane	46		ug/L	5	0.30	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0859	50	92%		
C121313ALCS	C121313ALCS	ORG	106-93-4	1,2-Dibromoethane	46		ug/L	2	0.26	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0859	50	92%		
C121313ALCS	C121313ALCS	ORG	591-78-6	2-Hexanone	49		ug/L	2	0.69	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0859	50	98%		
C121313ALCS	C121313ALCS	ORG	100-41-4	Ethylbenzene	43		ug/L	1	0.25	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0859	50	86%		
C121313ALCS	C121313ALCS	ORG	108-90-7	Chlorobenzene	41		ug/L	1	0.28	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0859	50	82%		
C121313ALCS	C121313ALCS	ORG	630-20-6	1,1,1,2-Tetrachloroethane	44		ug/L	2	0.19	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0859	50	88%		
C121313ALCS	C121313ALCS	ORG	XYLMP	p&m-Xylene	93		ug/L	2	0.26	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0859	100	93%		
C121313ALCS	C121313ALCS	ORG	95-47-6	o-Xylene	46		ug/L	1	0.13	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0859	50	92%		
C121313ALCS	C121313ALCS	ORG	100-42-5	Styrene	47		ug/L	1	0.20	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0859	50	94%		
C121313ALCS	C121313ALCS	ORG	75-25-2	Bromoform	45		ug/L	2	0.47	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0859	50	90%		
C121313ALCS	C121313ALCS	ORG	98-82-8	Isopropylbenzene	48		ug/L	2	0.20	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0859	50	96%		
C121313ALCS	C121313ALCS	ORG	103-65-1	n-Propylbenzene	47		ug/L	2	0.27	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0859	50	94%		
C121313ALCS	C121313ALCS	ORG	79-34-5	1,1,2,2-Tetrachloroethane	38		ug/L	2	0.29	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0859	50	76%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C121313ALCS	C121313ALCS	ORG	96-18-4	1,2,3-Trichloropropane	44		ug/L	2	0.29	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0859	50	88%		
C121313ALCS	C121313ALCS	ORG	108-67-8	1,3,5-Trimethylbenzene	48		ug/L	2	0.20	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0859	50	96%		
C121313ALCS	C121313ALCS	ORG	98-06-6	tert-Butylbenzene	51		ug/L	2	0.33	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0859	50	102%		
C121313ALCS	C121313ALCS	ORG	95-63-6	1,2,4-Trimethylbenzene	50		ug/L	2	0.20	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0859	50	100%		
C121313ALCS	C121313ALCS	ORG	135-98-8	sec-Butylbenzene	50		ug/L	2	0.32	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0859	50	100%		
C121313ALCS	C121313ALCS	ORG	541-73-1	1,3-Dichlorobenzene	47		ug/L	2	0.22	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0859	50	94%		
C121313ALCS	C121313ALCS	ORG	99-87-6	p-Isopropltoluene	52		ug/L	2	0.25	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0859	50	104%		
C121313ALCS	C121313ALCS	ORG	106-46-7	1,4-Dichlorobenzene	45		ug/L	2	0.33	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0859	50	90%		
C121313ALCS	C121313ALCS	ORG	95-50-1	1,2-Dichlorobenzene	48		ug/L	2	0.26	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0859	50	96%		
C121313ALCS	C121313ALCS	ORG	104-51-8	n-Butylbenzene	51		ug/L	5	0.28	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0859	50	102%		
C121313ALCS	C121313ALCS	ORG	96-12-8	1,2-Dibromo-3-chloropropane	50		ug/L	5	1.59	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0859	50	100%		
C121313ALCS	C121313ALCS	ORG	87-68-3	Hexachlorobutadiene	55		ug/L	5	0.65	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0859	50	110%		
C121313ALCS	C121313ALCS	ORG	120-82-1	1,2,4-Trichlorobenzene	54		ug/L	5	0.28	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0859	50	108%		
C121313ALCS	C121313ALCS	ORG	91-20-3	Naphthalene	54		ug/L	5	0.56	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0859	50	108%		
C121313ALCS	C121313ALCS	ORG	87-61-6	1,2,3-Trichlorobenzene	53		ug/L	5	0.23	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0859	50	106%		
C121313ALCS	C121313ALCS	STD	1868-53-7	Dibromofluoromethane	50		ng			NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0859	50	100%		
C121313ALCS	C121313ALCS	STD	17060-07-0	1,2-Dichloroethane d4	50		ng			NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0859	50	100%		
C121313ALCS	C121313ALCS	STD	2037-26-5	Toluene d8	47		ng			NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0859	50	94%		
C121313ALCS	C121313ALCS	STD	460-00-4	Bromofluorobenzene	46		ng			NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0859	50	92%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C121313ALCD	C121313ALCD	ORG	75-71-8	Dichlorodifluoromethane	51		ug/L	5	0.29	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0866	50	102%	0%	
C121313ALCD	C121313ALCD	ORG	74-87-3	Chloromethane	60		ug/L	5	0.43	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0866	50	120%	7%	
C121313ALCD	C121313ALCD	ORG	75-01-4	Vinyl chloride	62		ug/L	2	0.32	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0866	50	124%	8%	
C121313ALCD	C121313ALCD	ORG	74-83-9	Bromomethane	79		ug/L	5	0.50	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0866	50	158%	12%	
C121313ALCD	C121313ALCD	ORG	75-00-3	Chloroethane	83		ug/L	5	0.56	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0866	50	166%	26%	
C121313ALCD	C121313ALCD	ORG	75-69-4	Trichlorofluoromethane	120		ug/L	5	0.20	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0866	50	240%	15%	
C121313ALCD	C121313ALCD	ORG	75-35-4	1,1-Dichloroethene	59		ug/L	1	0.47	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0866	50	118%	21%	
C121313ALCD	C121313ALCD	ORG	75-09-2	Methylene chloride	63		ug/L	5	0.26	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0866	50	126%	25%	
C121313ALCD	C121313ALCD	ORG	67-64-1	Acetone	84		ug/L	10	1.56	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0866	50	168%	43%	
C121313ALCD	C121313ALCD	ORG	156-60-5	trans-1,2-Dichloroethene	59		ug/L	1	0.56	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0866	50	118%	21%	
C121313ALCD	C121313ALCD	ORG	1634-04-4	MTBE	77		ug/L	5	0.61	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0866	50	154%	30%	
C121313ALCD	C121313ALCD	ORG	75-34-3	1,1-Dichloroethane	58		ug/L	1	0.53	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0866	50	116%	21%	
C121313ALCD	C121313ALCD	ORG	156-59-2	cis-1,2-Dichloroethene	58		ug/L	1	0.32	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0866	50	116%	25%	
C121313ALCD	C121313ALCD	ORG	74-97-5	Bromochloromethane	64		ug/L	10	0.41	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0866	50	128%	33%	
C121313ALCD	C121313ALCD	ORG	67-66-3	Chloroform	59		ug/L	2	0.16	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0866	50	118%	29%	
C121313ALCD	C121313ALCD	ORG	71-55-6	1,1,1-Trichloroethane	61		ug/L	1	0.17	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0866	50	122%	28%	
C121313ALCD	C121313ALCD	ORG	78-93-3	2-Butanone	74		ug/L	1	0.81	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0866	50	148%	41%	
C121313ALCD	C121313ALCD	ORG	56-23-5	Carbon tetrachloride	61		ug/L	1	0.28	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0866	50	122%	30%	
C121313ALCD	C121313ALCD	ORG	71-43-2	Benzene	47		ug/L	1	0.14	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0866	50	94%	9%	
C121313ALCD	C121313ALCD	ORG	107-06-2	1,2-Dichloroethane	52		ug/L	1	0.20	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0866	50	104%	19%	
C121313ALCD	C121313ALCD	ORG	79-01-6	Trichloroethene	43		ug/L	1	0.36	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0866	50	86%	0%	
C121313ALCD	C121313ALCD	ORG	74-95-3	Dibromomethane	51		ug/L	2	0.32	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0866	50	102%	24%	
C121313ALCD	C121313ALCD	ORG	78-87-5	1,2-Dichloropropane	50		ug/L	1	0.18	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0866	50	100%	20%	
C121313ALCD	C121313ALCD	ORG	75-27-4	Bromodichloromethane	42		ug/L	2	0.12	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0866	50	84%	2%	
C121313ALCD	C121313ALCD	ORG	10061-01-5	cis-1,3-Dichloropropene	41		ug/L	1	0.25	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0866	50	82%	5%	
C121313ALCD	C121313ALCD	ORG	108-88-3	Toluene	42		ug/L	1	0.21	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0866	50	84%	0%	
C121313ALCD	C121313ALCD	ORG	108-10-1	4-Methyl-2-pentanone	55		ug/L	5	0.74	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0866	50	110%	18%	
C121313ALCD	C121313ALCD	ORG	10061-02-6	trans-1,3-Dichloropropene	53		ug/L	1	0.31	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0866	50	106%	4%	
C121313ALCD	C121313ALCD	ORG	127-18-4	Tetrachloroethene	47		ug/L	1	0.49	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0866	50	94%	11%	
C121313ALCD	C121313ALCD	ORG	79-00-5	1,1,2-Trichloroethane	48		ug/L	1	0.34	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0866	50	96%	11%	
C121313ALCD	C121313ALCD	ORG	124-48-1	Dibromochloromethane	49		ug/L	5	0.30	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0866	50	98%	6%	
C121313ALCD	C121313ALCD	ORG	106-93-4	1,2-Dibromoethane	49		ug/L	2	0.26	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0866	50	98%	6%	
C121313ALCD	C121313ALCD	ORG	591-78-6	2-Hexanone	64		ug/L	2	0.69	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0866	50	128%	27%	
C121313ALCD	C121313ALCD	ORG	100-41-4	Ethylbenzene	40		ug/L	1	0.25	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0866	50	80%	7%	
C121313ALCD	C121313ALCD	ORG	108-90-7	Chlorobenzene	38		ug/L	1	0.28	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0866	50	76%	8%	
C121313ALCD	C121313ALCD	ORG	630-20-6	1,1,1,2-Tetrachloroethane	40		ug/L	2	0.19	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0866	50	80%	10%	
C121313ALCD	C121313ALCD	ORG	XYLMP	p&m-Xylene	86		ug/L	2	0.26	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0866	100	86%	8%	
C121313ALCD	C121313ALCD	ORG	95-47-6	o-Xylene	43		ug/L	1	0.13	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0866	50	86%	7%	
C121313ALCD	C121313ALCD	ORG	100-42-5	Styrene	44		ug/L	1	0.20	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0866	50	88%	7%	
C121313ALCD	C121313ALCD	ORG	75-25-2	Bromoform	48		ug/L	2	0.47	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0866	50	96%	6%	
C121313ALCD	C121313ALCD	ORG	98-82-8	Isopropylbenzene	45		ug/L	2	0.20	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0866	50	90%	6%	
C121313ALCD	C121313ALCD	ORG	103-65-1	n-Propylbenzene	46		ug/L	2	0.27	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0866	50	92%	2%	
C121313ALCD	C121313ALCD	ORG	79-34-5	1,1,2,2-Tetrachloroethane	43		ug/L	2	0.29	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0866	50	86%	12%	

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C121313ALCD	C121313ALCD	ORG	96-18-4	1,2,3-Trichloropropane	49		ug/L	2	0.29	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0866	50	98%	11%	
C121313ALCD	C121313ALCD	ORG	108-67-8	1,3,5-Trimethylbenzene	47		ug/L	2	0.20	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0866	50	94%	2%	
C121313ALCD	C121313ALCD	ORG	98-06-6	tert-Butylbenzene	48		ug/L	2	0.33	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0866	50	96%	6%	
C121313ALCD	C121313ALCD	ORG	95-63-6	1,2,4-Trimethylbenzene	49		ug/L	2	0.20	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0866	50	98%	2%	
C121313ALCD	C121313ALCD	ORG	135-98-8	sec-Butylbenzene	50		ug/L	2	0.32	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0866	50	100%	0%	
C121313ALCD	C121313ALCD	ORG	541-73-1	1,3-Dichlorobenzene	46		ug/L	2	0.22	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0866	50	92%	2%	
C121313ALCD	C121313ALCD	ORG	99-87-6	p-Isopropltoluene	50		ug/L	2	0.25	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0866	50	100%	4%	
C121313ALCD	C121313ALCD	ORG	106-46-7	1,4-Dichlorobenzene	46		ug/L	2	0.33	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0866	50	92%	2%	
C121313ALCD	C121313ALCD	ORG	95-50-1	1,2-Dichlorobenzene	48		ug/L	2	0.26	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0866	50	96%	0%	
C121313ALCD	C121313ALCD	ORG	104-51-8	n-Butylbenzene	51		ug/L	5	0.28	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0866	50	102%	0%	
C121313ALCD	C121313ALCD	ORG	96-12-8	1,2-Dibromo-3-chloropropane	62		ug/L	5	1.59	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0866	50	124%	21%	
C121313ALCD	C121313ALCD	ORG	87-68-3	Hexachlorobutadiene	53		ug/L	5	0.65	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0866	50	106%	4%	
C121313ALCD	C121313ALCD	ORG	120-82-1	1,2,4-Trichlorobenzene	54		ug/L	5	0.28	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0866	50	108%	0%	
C121313ALCD	C121313ALCD	ORG	91-20-3	Naphthalene	59		ug/L	5	0.56	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0866	50	118%	9%	
C121313ALCD	C121313ALCD	ORG	87-61-6	1,2,3-Trichlorobenzene	54		ug/L	5	0.23	NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0866	50	108%	2%	
C121313ALCD	C121313ALCD	STD	1868-53-7	Dibromofluoromethane	67		ng			NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0866	50	134%	29%	
C121313ALCD	C121313ALCD	STD	17060-07-0	1,2-Dichloroethane d4	60		ng			NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0866	50	120%	18%	
C121313ALCD	C121313ALCD	STD	2037-26-5	Toluene d8	46		ng			NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0866	50	92%	2%	
C121313ALCD	C121313ALCD	STD	460-00-4	Bromofluorobenzene	45		ng			NA	12/13/2013	12/13/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0866	50	90%	2%	

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-836MS	316-164R	ORG	75-71-8	Dichlorodifluoromethane	4200		ug/L	500	29.28	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0867	5000	84%		
NAL13026-836MS	316-164R	ORG	74-87-3	Chloromethane	4800		ug/L	500	43.07	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0867	5000	96%		
NAL13026-836MS	316-164R	ORG	75-01-4	Vinyl chloride	5000		ug/L	200	31.86	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0867	5000	100%		
NAL13026-836MS	316-164R	ORG	74-83-9	Bromomethane	6500		ug/L	500	50.04	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0867	5000	130%		
NAL13026-836MS	316-164R	ORG	75-00-3	Chloroethane	7300		ug/L	500	55.61	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0867	5000	146%		
NAL13026-836MS	316-164R	ORG	75-69-4	Trichlorofluoromethane	11000		ug/L	500	19.65	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0867	5000	220%		
NAL13026-836MS	316-164R	ORG	75-35-4	1,1-Dichloroethene	4400		ug/L	100	47.11	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0867	5000	88%		
NAL13026-836MS	316-164R	ORG	75-09-2	Methylene chloride	4800		ug/L	500	26.46	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0867	5000	96%		
NAL13026-836MS	316-164R	ORG	67-64-1	Acetone	93000		ug/L	1000	155.61	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0867	5000	-540%		120000
NAL13026-836MS	316-164R	ORG	156-60-5	trans-1,2-Dichloroethene	4500		ug/L	100	55.61	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0867	5000	90%		
NAL13026-836MS	316-164R	ORG	1634-04-4	MTBE	5500		ug/L	500	61.18	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0867	5000	110%		
NAL13026-836MS	316-164R	ORG	75-34-3	1,1-Dichloroethane	4400		ug/L	100	52.66	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0867	5000	88%		
NAL13026-836MS	316-164R	ORG	156-59-2	cis-1,2-Dichloroethene	4500		ug/L	100	32.11	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0867	5000	90%		
NAL13026-836MS	316-164R	ORG	74-97-5	Bromochloromethane	4600		ug/L	1000	41.37	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0867	5000	92%		
NAL13026-836MS	316-164R	ORG	67-66-3	Chloroform	4500		ug/L	200	15.73	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0867	5000	90%		
NAL13026-836MS	316-164R	ORG	71-55-6	1,1,1-Trichloroethane	4600		ug/L	100	16.65	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0867	5000	92%		
NAL13026-836MS	316-164R	ORG	78-93-3	2-Butanone	53000		ug/L	100	81.18	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0867	5000	-180%		62000
NAL13026-836MS	316-164R	ORG	56-23-5	Carbon tetrachloride	4500		ug/L	100	27.64	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0867	5000	90%		
NAL13026-836MS	316-164R	ORG	71-43-2	Benzene	4500		ug/L	100	13.53	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0867	5000	88%		83
NAL13026-836MS	316-164R	ORG	107-06-2	1,2-Dichloroethane	4400		ug/L	100	20.01	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0867	5000	88%		
NAL13026-836MS	316-164R	ORG	79-01-6	Trichloroethene	4300		ug/L	100	36.33	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0867	5000	86%		
NAL13026-836MS	316-164R	ORG	74-95-3	Dibromomethane	4400		ug/L	200	32.20	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0867	5000	88%		
NAL13026-836MS	316-164R	ORG	78-87-5	1,2-Dichloropropane	4300		ug/L	100	18.17	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0867	5000	86%		
NAL13026-836MS	316-164R	ORG	75-27-4	Bromodichloromethane	3700		ug/L	200	11.58	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0867	5000	74%		
NAL13026-836MS	316-164R	ORG	10061-01-5	cis-1,3-Dichloropropene	4100		ug/L	100	25.01	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0867	5000	82%		
NAL13026-836MS	316-164R	ORG	108-88-3	Toluene	4000		ug/L	100	20.96	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0867	5000	79%		71
NAL13026-836MS	316-164R	ORG	108-10-1	4-Methyl-2-pentanone	6600		ug/L	500	74.00	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0867	5000	100%		1600
NAL13026-836MS	316-164R	ORG	10061-02-6	trans-1,3-Dichloropropene	4800		ug/L	100	31.15	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0867	5000	96%		
NAL13026-836MS	316-164R	ORG	127-18-4	Tetrachloroethene	3900		ug/L	100	48.56	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0867	5000	78%		
NAL13026-836MS	316-164R	ORG	79-00-5	1,1,2-Trichloroethane	4400		ug/L	100	34.28	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0867	5000	88%		
NAL13026-836MS	316-164R	ORG	124-48-1	Dibromochloromethane	4400		ug/L	500	29.90	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0867	5000	88%		
NAL13026-836MS	316-164R	ORG	106-93-4	1,2-Dibromoethane	4600		ug/L	200	26.49	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0867	5000	92%		
NAL13026-836MS	316-164R	ORG	591-78-6	2-Hexanone	10000		ug/L	200	68.90	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0867	5000	116%		4200
NAL13026-836MS	316-164R	ORG	100-41-4	Ethylbenzene	3700		ug/L	100	25.38	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0867	5000	70%		180
NAL13026-836MS	316-164R	ORG	108-90-7	Chlorobenzene	3400		ug/L	100	27.52	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0867	5000	68%		
NAL13026-836MS	316-164R	ORG	630-20-6	1,1,1,2-Tetrachloroethane	3500		ug/L	200	19.28	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0867	5000	70%		
NAL13026-836MS	316-164R	ORG	XYLMP	p&m-Xylene	8300		ug/L	200	26.14	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0867	10000	78%		500
NAL13026-836MS	316-164R	ORG	95-47-6	o-Xylene	4300		ug/L	100	12.90	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0867	5000	80%		300
NAL13026-836MS	316-164R	ORG	100-42-5	Styrene	4200		ug/L	100	20.23	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0867	5000	84%		
NAL13026-836MS	316-164R	ORG	75-25-2	Bromoform	4000		ug/L	200	46.83	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0867	5000	80%		
NAL13026-836MS	316-164R	ORG	98-82-8	Isopropylbenzene	4600		ug/L	200	20.48	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0867	5000	88%		190
NAL13026-836MS	316-164R	ORG	103-65-1	n-Propylbenzene	4500		ug/L	200	27.00	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0867	5000	86%		190
NAL13026-836MS	316-164R	ORG	79-34-5	1,1,2,2-Tetrachloroethane	3900		ug/L	200	29.16	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0867	5000	78%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-836MS	316-164R	ORG	96-18-4	1,2,3-Trichloropropane	4300		ug/L	200	29.47	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0867	5000	86%		
NAL13026-836MS	316-164R	ORG	108-67-8	1,3,5-Trimethylbenzene	4800		ug/L	200	20.03	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0867	5000	88%		390
NAL13026-836MS	316-164R	ORG	98-06-6	tert-Butylbenzene	4800		ug/L	200	32.61	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0867	5000	96%		
NAL13026-836MS	316-164R	ORG	95-63-6	1,2,4-Trimethylbenzene	6700		ug/L	200	20.03	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0867	5000	92%		2100
NAL13026-836MS	316-164R	ORG	135-98-8	sec-Butylbenzene	5300		ug/L	200	32.34	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0867	5000	105%		57
NAL13026-836MS	316-164R	ORG	541-73-1	1,3-Dichlorobenzene	4400		ug/L	200	22.21	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0867	5000	88%		
NAL13026-836MS	316-164R	ORG	99-87-6	p-Isopropltoluene	13000		ug/L	200	25.48	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0867	5000	76%		9200
NAL13026-836MS	316-164R	ORG	106-46-7	1,4-Dichlorobenzene	6300		ug/L	200	33.03	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0867	5000	84%		2100
NAL13026-836MS	316-164R	ORG	95-50-1	1,2-Dichlorobenzene	4700		ug/L	200	26.38	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0867	5000	94%		
NAL13026-836MS	316-164R	ORG	104-51-8	n-Butylbenzene	5300		ug/L	500	27.81	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0867	5000	106%		
NAL13026-836MS	316-164R	ORG	96-12-8	1,2-Dibromo-3-chloropropane	6000		ug/L	500	159.11	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0867	5000	120%		
NAL13026-836MS	316-164R	ORG	87-68-3	Hexachlorobutadiene	5700		ug/L	500	65.42	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0867	5000	114%		
NAL13026-836MS	316-164R	ORG	120-82-1	1,2,4-Trichlorobenzene	6000		ug/L	500	27.63	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0867	5000	120%		
NAL13026-836MS	316-164R	ORG	91-20-3	Naphthalene	9700		ug/L	500	56.04	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0867	5000	144%		2500
NAL13026-836MS	316-164R	ORG	87-61-6	1,2,3-Trichlorobenzene	6000		ug/L	500	23.28	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0867	5000	120%		
NAL13026-836MS	316-164R	STD	1868-53-7	Dibromofluoromethane	52		ng			12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0867	50	104%		
NAL13026-836MS	316-164R	STD	17060-07-0	1,2-Dichloroethane d4	50		ng			12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0867	50	100%		
NAL13026-836MS	316-164R	STD	2037-26-5	Toluene d8	43		ng			12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0867	50	86%		
NAL13026-836MS	316-164R	STD	460-00-4	Bromofluorobenzene	44		ng			12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0867	50	88%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-836MSD	316-164R	ORG	75-71-8	Dichlorodifluoromethane	4100		ug/L	500	29.28	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0868	5000	82%	2%	0
NAL13026-836MSD	316-164R	ORG	74-87-3	Chloromethane	4900		ug/L	500	43.07	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0868	5000	98%	2%	0
NAL13026-836MSD	316-164R	ORG	75-01-4	Vinyl chloride	5000		ug/L	200	31.86	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0868	5000	100%	0%	0
NAL13026-836MSD	316-164R	ORG	74-83-9	Bromomethane	6100		ug/L	500	50.04	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0868	5000	122%	6%	0
NAL13026-836MSD	316-164R	ORG	75-00-3	Chloroethane	6000		ug/L	500	55.61	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0868	5000	120%	20%	0
NAL13026-836MSD	316-164R	ORG	75-69-4	Trichlorofluoromethane	10000		ug/L	500	19.65	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0868	5000	200%	10%	0
NAL13026-836MSD	316-164R	ORG	75-35-4	1,1-Dichloroethene	4500		ug/L	100	47.11	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0868	5000	90%	2%	0
NAL13026-836MSD	316-164R	ORG	75-09-2	Methylene chloride	5000		ug/L	500	26.46	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0868	5000	100%	4%	0
NAL13026-836MSD	316-164R	ORG	67-64-1	Acetone	92000		ug/L	1000	155.61	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0868	5000	-560%	1%	120000
NAL13026-836MSD	316-164R	ORG	156-60-5	trans-1,2-Dichloroethene	4800		ug/L	100	55.61	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0868	5000	96%	6%	0
NAL13026-836MSD	316-164R	ORG	1634-04-4	MTBE	6200		ug/L	500	61.18	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0868	5000	124%	12%	0
NAL13026-836MSD	316-164R	ORG	75-34-3	1,1-Dichloroethane	4800		ug/L	100	52.66	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0868	5000	96%	9%	0
NAL13026-836MSD	316-164R	ORG	156-59-2	cis-1,2-Dichloroethene	4800		ug/L	100	32.11	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0868	5000	96%	6%	0
NAL13026-836MSD	316-164R	ORG	74-97-5	Bromochloromethane	5000		ug/L	1000	41.37	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0868	5000	100%	8%	0
NAL13026-836MSD	316-164R	ORG	67-66-3	Chloroform	4600		ug/L	200	15.73	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0868	5000	92%	2%	0
NAL13026-836MSD	316-164R	ORG	71-55-6	1,1,1-Trichloroethane	4900		ug/L	100	16.65	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0868	5000	98%	6%	0
NAL13026-836MSD	316-164R	ORG	78-93-3	2-Butanone	51000		ug/L	100	81.18	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0868	5000	-220%	4%	62000
NAL13026-836MSD	316-164R	ORG	56-23-5	Carbon tetrachloride	4600		ug/L	100	27.64	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0868	5000	92%	2%	0
NAL13026-836MSD	316-164R	ORG	71-43-2	Benzene	4500		ug/L	100	13.53	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0868	5000	88%	0%	83
NAL13026-836MSD	316-164R	ORG	107-06-2	1,2-Dichloroethane	4500		ug/L	100	20.01	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0868	5000	90%	2%	0
NAL13026-836MSD	316-164R	ORG	79-01-6	Trichloroethene	3900		ug/L	100	36.33	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0868	5000	78%	10%	0
NAL13026-836MSD	316-164R	ORG	74-95-3	Dibromomethane	4200		ug/L	200	32.20	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0868	5000	84%	5%	0
NAL13026-836MSD	316-164R	ORG	78-87-5	1,2-Dichloropropane	4200		ug/L	100	18.17	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0868	5000	84%	2%	0
NAL13026-836MSD	316-164R	ORG	75-27-4	Bromodichloromethane	3700		ug/L	200	11.58	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0868	5000	74%	0%	0
NAL13026-836MSD	316-164R	ORG	10061-01-5	cis-1,3-Dichloropropene	4200		ug/L	100	25.01	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0868	5000	84%	2%	0
NAL13026-836MSD	316-164R	ORG	108-88-3	Toluene	4100		ug/L	100	20.96	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0868	5000	81%	2%	71
NAL13026-836MSD	316-164R	ORG	108-10-1	4-Methyl-2-pentanone	6200		ug/L	500	74.00	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0868	5000	92%	6%	1600
NAL13026-836MSD	316-164R	ORG	10061-02-6	trans-1,3-Dichloropropene	4700		ug/L	100	31.15	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0868	5000	94%	2%	0
NAL13026-836MSD	316-164R	ORG	127-18-4	Tetrachloroethene	3900		ug/L	100	48.56	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0868	5000	78%	0%	0
NAL13026-836MSD	316-164R	ORG	79-00-5	1,1,2-Trichloroethane	4500		ug/L	100	34.28	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0868	5000	90%	2%	0
NAL13026-836MSD	316-164R	ORG	124-48-1	Dibromochloromethane	4400		ug/L	500	29.90	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0868	5000	88%	0%	0
NAL13026-836MSD	316-164R	ORG	106-93-4	1,2-Dibromoethane	4600		ug/L	200	26.49	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0868	5000	92%	0%	0
NAL13026-836MSD	316-164R	ORG	591-78-6	2-Hexanone	9200		ug/L	200	68.90	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0868	5000	100%	8%	4200
NAL13026-836MSD	316-164R	ORG	100-41-4	Ethylbenzene	4100		ug/L	100	25.38	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0868	5000	78%	10%	180
NAL13026-836MSD	316-164R	ORG	108-90-7	Chlorobenzene	3800		ug/L	100	27.52	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0868	5000	76%	11%	0
NAL13026-836MSD	316-164R	ORG	630-20-6	1,1,1,2-Tetrachloroethane	3900		ug/L	200	19.28	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0868	5000	78%	11%	0
NAL13026-836MSD	316-164R	ORG	XYLMP	p&m-Xylene	8900		ug/L	200	26.14	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0868	10000	84%	7%	500
NAL13026-836MSD	316-164R	ORG	95-47-6	o-Xylene	4600		ug/L	100	12.90	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0868	5000	86%	7%	300
NAL13026-836MSD	316-164R	ORG	100-42-5	Styrene	4400		ug/L	100	20.23	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0868	5000	88%	5%	0
NAL13026-836MSD	316-164R	ORG	75-25-2	Bromoform	4300		ug/L	200	46.83	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0868	5000	86%	7%	0
NAL13026-836MSD	316-164R	ORG	98-82-8	Isopropylbenzene	4800		ug/L	200	20.48	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0868	5000	92%	4%	190
NAL13026-836MSD	316-164R	ORG	103-65-1	n-Propylbenzene	4600		ug/L	200	27.00	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0868	5000	88%	2%	190
NAL13026-836MSD	316-164R	ORG	79-34-5	1,1,2,2-Tetrachloroethane	3800		ug/L	200	29.16	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0868	5000	76%	3%	0

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-836MSD	316-164R	ORG	96-18-4	1,2,3-Trichloropropane	4300		ug/L	200	29.47	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0868	5000	86%	0%	0
NAL13026-836MSD	316-164R	ORG	108-67-8	1,3,5-Trimethylbenzene	4900		ug/L	200	20.03	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0868	5000	90%	2%	390
NAL13026-836MSD	316-164R	ORG	98-06-6	tert-Butylbenzene	5000		ug/L	200	32.61	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0868	5000	100%	4%	0
NAL13026-836MSD	316-164R	ORG	95-63-6	1,2,4-Trimethylbenzene	7000		ug/L	200	20.03	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0868	5000	98%	4%	2100
NAL13026-836MSD	316-164R	ORG	135-98-8	sec-Butylbenzene	5500		ug/L	200	32.34	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0868	5000	109%	4%	57
NAL13026-836MSD	316-164R	ORG	541-73-1	1,3-Dichlorobenzene	4600		ug/L	200	22.21	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0868	5000	92%	4%	0
NAL13026-836MSD	316-164R	ORG	99-87-6	p-Isopropltoluene	14000		ug/L	200	25.48	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0868	5000	96%	7%	9200
NAL13026-836MSD	316-164R	ORG	106-46-7	1,4-Dichlorobenzene	6600		ug/L	200	33.03	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0868	5000	90%	5%	2100
NAL13026-836MSD	316-164R	ORG	95-50-1	1,2-Dichlorobenzene	4900		ug/L	200	26.38	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0868	5000	98%	4%	0
NAL13026-836MSD	316-164R	ORG	104-51-8	n-Butylbenzene	5400		ug/L	500	27.81	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0868	5000	108%	2%	0
NAL13026-836MSD	316-164R	ORG	96-12-8	1,2-Dibromo-3-chloropropane	5800		ug/L	500	159.11	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0868	5000	116%	3%	0
NAL13026-836MSD	316-164R	ORG	87-68-3	Hexachlorobutadiene	5900		ug/L	500	65.42	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0868	5000	118%	3%	0
NAL13026-836MSD	316-164R	ORG	120-82-1	1,2,4-Trichlorobenzene	6200		ug/L	500	27.63	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0868	5000	124%	3%	0
NAL13026-836MSD	316-164R	ORG	91-20-3	Naphthalene	9600		ug/L	500	56.04	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0868	5000	142%	1%	2500
NAL13026-836MSD	316-164R	ORG	87-61-6	1,2,3-Trichlorobenzene	6100		ug/L	500	23.28	12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0868	5000	122%	2%	0
NAL13026-836MSD	316-164R	STD	1868-53-7	Dibromofluoromethane	54		ng			12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0868	50	108%	4%	0
NAL13026-836MSD	316-164R	STD	17060-07-0	1,2-Dichloroethane d4	51		ng			12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0868	50	102%	2%	0
NAL13026-836MSD	316-164R	STD	2037-26-5	Toluene d8	44		ng			12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0868	50	88%	2%	0
NAL13026-836MSD	316-164R	STD	460-00-4	Bromofluorobenzene	48		ng			12/13/2013	12/13/2013	12/13/2013	WG	100	NA	5.0	NA	SW8260B	NALC0868	50	96%	9%	0

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-837	316-165	ORG	75-71-8	Dichlorodifluoromethane		UX-	ug/L	500	29.28	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1368				
NAL13026-837	316-165	ORG	74-87-3	Chloromethane		U	ug/L	500	43.07	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1368				
NAL13026-837	316-165	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1368				
NAL13026-837	316-165	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1368				
NAL13026-837	316-165	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1368				
NAL13026-837	316-165	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1368				
NAL13026-837	316-165	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1368				
NAL13026-837	316-165	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1368				
NAL13026-837	316-165	ORG	67-64-1	Acetone	300000	D	ug/L	10000	1556.07	12/14/2013	12/14/2013	12/14/2013	WG	1000	NA	5.0	NA	SW8260B	NALD1369				
NAL13026-837	316-165	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1368				
NAL13026-837	316-165	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1368				
NAL13026-837	316-165	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1368				
NAL13026-837	316-165	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1368				
NAL13026-837	316-165	ORG	74-97-5	Bromochloromethane		U	ug/L	200	41.37	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1368				
NAL13026-837	316-165	ORG	67-66-3	Chloroform		U	ug/L	100	15.73	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1368				
NAL13026-837	316-165	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	16.65	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1368				
NAL13026-837	316-165	ORG	78-93-3	2-Butanone	35000	D	ug/L	10000	811.80	12/14/2013	12/14/2013	12/14/2013	WG	1000	NA	5.0	NA	SW8260B	NALD1369				
NAL13026-837	316-165	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1368				
NAL13026-837	316-165	ORG	71-43-2	Benzene	95	J	ug/L	100	13.53	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1368				
NAL13026-837	316-165	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1368				
NAL13026-837	316-165	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1368				
NAL13026-837	316-165	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1368				
NAL13026-837	316-165	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1368				
NAL13026-837	316-165	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1368				
NAL13026-837	316-165	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1368				
NAL13026-837	316-165	ORG	108-88-3	Toluene	75	J	ug/L	100	20.96	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1368				
NAL13026-837	316-165	ORG	108-10-1	4-Methyl-2-pentanone	2300		ug/L	500	74.00	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1368				
NAL13026-837	316-165	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1368				
NAL13026-837	316-165	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1368				
NAL13026-837	316-165	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1368				
NAL13026-837	316-165	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	29.90	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1368				
NAL13026-837	316-165	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	26.49	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1368				
NAL13026-837	316-165	ORG	591-78-6	2-Hexanone	5700		ug/L	500	68.90	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1368				
NAL13026-837	316-165	ORG	100-41-4	Ethylbenzene	120		ug/L	100	25.38	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1368				
NAL13026-837	316-165	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1368				
NAL13026-837	316-165	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1368				
NAL13026-837	316-165	ORG	XYLMP	p&m-Xylene	330		ug/L	200	26.14	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1368				
NAL13026-837	316-165	ORG	95-47-6	o-Xylene	220		ug/L	100	12.90	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1368				
NAL13026-837	316-165	ORG	100-42-5	Styrene		U	ug/L	100	20.23	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1368				
NAL13026-837	316-165	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1368				
NAL13026-837	316-165	ORG	98-82-8	Isopropylbenzene	100	J	ug/L	200	20.48	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1368				
NAL13026-837	316-165	ORG	103-65-1	n-Propylbenzene	100	J	ug/L	200	27.00	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1368				
NAL13026-837	316-165	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1368				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-837	316-165	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1368				
NAL13026-837	316-165	ORG	108-67-8	1,3,5-Trimethylbenzene	290		ug/L	200	20.03	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1368				
NAL13026-837	316-165	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1368				
NAL13026-837	316-165	ORG	95-63-6	1,2,4-Trimethylbenzene	1300		ug/L	200	20.03	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1368				
NAL13026-837	316-165	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1368				
NAL13026-837	316-165	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1368				
NAL13026-837	316-165	ORG	99-87-6	p-Isopropltoluene	5400		ug/L	200	25.48	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1368				
NAL13026-837	316-165	ORG	106-46-7	1,4-Dichlorobenzene	1500		ug/L	200	33.03	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1368				
NAL13026-837	316-165	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1368				
NAL13026-837	316-165	ORG	104-51-8	n-Butylbenzene		U	ug/L	500	27.81	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1368				
NAL13026-837	316-165	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1368				
NAL13026-837	316-165	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1368				
NAL13026-837	316-165	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1368				
NAL13026-837	316-165	ORG	91-20-3	Naphthalene	1900		ug/L	500	56.04	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1368				
NAL13026-837	316-165	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1368				
NAL13026-837	316-165	STD	1868-53-7	Dibromofluoromethane	53		ng			12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1368	50	106%		
NAL13026-837	316-165	STD	17060-07-0	1,2-Dichloroethane d4	50		ng			12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1368	50	100%		
NAL13026-837	316-165	STD	2037-26-5	Toluene d8	49		ng			12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1368	50	98%		
NAL13026-837	316-165	STD	460-00-4	Bromofluorobenzene	46		ng			12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1368	50	92%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D121413CCVA	D121413CCVA	ORG	75-71-8	Dichlorodifluoromethane	37		ug/L	5	0.29	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1365	50	74%		
D121413CCVA	D121413CCVA	ORG	74-87-3	Chloromethane	47		ug/L	5	0.43	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1365	50	94%		
D121413CCVA	D121413CCVA	ORG	75-01-4	Vinyl chloride	49		ug/L	2	0.32	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1365	50	98%		
D121413CCVA	D121413CCVA	ORG	74-83-9	Bromomethane	95		ug/L	5	0.50	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1365	50	190%		
D121413CCVA	D121413CCVA	ORG	75-00-3	Chloroethane	60		ug/L	5	0.56	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1365	50	120%		
D121413CCVA	D121413CCVA	ORG	75-69-4	Trichlorofluoromethane	789		ug/L	5	0.20	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1365	50	1578%		
D121413CCVA	D121413CCVA	ORG	75-35-4	1,1-Dichloroethene	49		ug/L	1	0.47	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1365	50	98%		
D121413CCVA	D121413CCVA	ORG	75-09-2	Methylene chloride	49		ug/L	5	0.26	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1365	50	98%		
D121413CCVA	D121413CCVA	ORG	67-64-1	Acetone	50		ug/L	10	1.56	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1365	50	100%		
D121413CCVA	D121413CCVA	ORG	156-60-5	trans-1,2-Dichloroethene	48		ug/L	1	0.56	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1365	50	96%		
D121413CCVA	D121413CCVA	ORG	1634-04-4	MTBE	50		ug/L	5	0.61	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1365	50	100%		
D121413CCVA	D121413CCVA	ORG	75-34-3	1,1-Dichloroethane	47		ug/L	1	0.53	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1365	50	94%		
D121413CCVA	D121413CCVA	ORG	156-59-2	cis-1,2-Dichloroethene	50		ug/L	1	0.32	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1365	50	100%		
D121413CCVA	D121413CCVA	ORG	74-97-5	Bromochloromethane	50		ug/L	10	0.41	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1365	50	100%		
D121413CCVA	D121413CCVA	ORG	67-66-3	Chloroform	47		ug/L	2	0.16	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1365	50	94%		
D121413CCVA	D121413CCVA	ORG	71-55-6	1,1,1-Trichloroethane	49		ug/L	1	0.17	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1365	50	98%		
D121413CCVA	D121413CCVA	ORG	78-93-3	2-Butanone	49		ug/L	1	0.81	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1365	50	98%		
D121413CCVA	D121413CCVA	ORG	56-23-5	Carbon tetrachloride	51		ug/L	1	0.28	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1365	50	102%		
D121413CCVA	D121413CCVA	ORG	71-43-2	Benzene	47		ug/L	1	0.14	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1365	50	94%		
D121413CCVA	D121413CCVA	ORG	107-06-2	1,2-Dichloroethane	48		ug/L	1	0.20	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1365	50	96%		
D121413CCVA	D121413CCVA	ORG	79-01-6	Trichloroethene	49		ug/L	1	0.36	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1365	50	98%		
D121413CCVA	D121413CCVA	ORG	74-95-3	Dibromomethane	50		ug/L	2	0.32	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1365	50	100%		
D121413CCVA	D121413CCVA	ORG	78-87-5	1,2-Dichloropropane	48		ug/L	1	0.18	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1365	50	96%		
D121413CCVA	D121413CCVA	ORG	75-27-4	Bromodichloromethane	49		ug/L	2	0.12	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1365	50	98%		
D121413CCVA	D121413CCVA	ORG	10061-01-5	cis-1,3-Dichloropropene	53		ug/L	1	0.25	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1365	50	106%		
D121413CCVA	D121413CCVA	ORG	108-88-3	Toluene	47		ug/L	1	0.21	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1365	50	94%		
D121413CCVA	D121413CCVA	ORG	108-10-1	4-Methyl-2-pentanone	62		ug/L	5	0.74	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1365	50	124%		
D121413CCVA	D121413CCVA	ORG	10061-02-6	trans-1,3-Dichloropropene	56		ug/L	1	0.31	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1365	50	112%		
D121413CCVA	D121413CCVA	ORG	127-18-4	Tetrachloroethene	48		ug/L	1	0.49	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1365	50	96%		
D121413CCVA	D121413CCVA	ORG	79-00-5	1,1,2-Trichloroethane	46		ug/L	1	0.34	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1365	50	92%		
D121413CCVA	D121413CCVA	ORG	124-48-1	Dibromochloromethane	55		ug/L	5	0.30	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1365	50	110%		
D121413CCVA	D121413CCVA	ORG	106-93-4	1,2-Dibromoethane	50		ug/L	2	0.26	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1365	50	100%		
D121413CCVA	D121413CCVA	ORG	591-78-6	2-Hexanone	60		ug/L	2	0.69	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1365	50	120%		
D121413CCVA	D121413CCVA	ORG	100-41-4	Ethylbenzene	47		ug/L	1	0.25	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1365	50	94%		
D121413CCVA	D121413CCVA	ORG	108-90-7	Chlorobenzene	48		ug/L	1	0.28	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1365	50	96%		
D121413CCVA	D121413CCVA	ORG	630-20-6	1,1,1,2-Tetrachloroethane	50		ug/L	2	0.19	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1365	50	100%		
D121413CCVA	D121413CCVA	ORG	XYLMP	p&m-Xylene	96		ug/L	2	0.26	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1365	100	96%		
D121413CCVA	D121413CCVA	ORG	95-47-6	o-Xylene	50		ug/L	1	0.13	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1365	50	100%		
D121413CCVA	D121413CCVA	ORG	100-42-5	Styrene	53		ug/L	1	0.20	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1365	50	106%		
D121413CCVA	D121413CCVA	ORG	75-25-2	Bromoform	62		ug/L	2	0.47	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1365	50	124%		
D121413CCVA	D121413CCVA	ORG	98-82-8	Isopropylbenzene	51		ug/L	2	0.20	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1365	50	102%		
D121413CCVA	D121413CCVA	ORG	103-65-1	n-Propylbenzene	51		ug/L	2	0.27	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1365	50	102%		
D121413CCVA	D121413CCVA	ORG	79-34-5	1,1,2,2-Tetrachloroethane	48		ug/L	2	0.29	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1365	50	96%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D121413CCVA	D121413CCVA	ORG	96-18-4	1,2,3-Trichloropropane	44		ug/L	2	0.29	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1365	50	88%		
D121413CCVA	D121413CCVA	ORG	108-67-8	1,3,5-Trimethylbenzene	51		ug/L	2	0.20	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1365	50	102%		
D121413CCVA	D121413CCVA	ORG	98-06-6	tert-Butylbenzene	54		ug/L	2	0.33	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1365	50	108%		
D121413CCVA	D121413CCVA	ORG	95-63-6	1,2,4-Trimethylbenzene	50		ug/L	2	0.20	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1365	50	100%		
D121413CCVA	D121413CCVA	ORG	135-98-8	sec-Butylbenzene	51		ug/L	2	0.32	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1365	50	102%		
D121413CCVA	D121413CCVA	ORG	541-73-1	1,3-Dichlorobenzene	50		ug/L	2	0.22	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1365	50	100%		
D121413CCVA	D121413CCVA	ORG	99-87-6	p-Isopropltoluene	53		ug/L	2	0.25	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1365	50	106%		
D121413CCVA	D121413CCVA	ORG	106-46-7	1,4-Dichlorobenzene	49		ug/L	2	0.33	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1365	50	98%		
D121413CCVA	D121413CCVA	ORG	95-50-1	1,2-Dichlorobenzene	50		ug/L	2	0.26	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1365	50	100%		
D121413CCVA	D121413CCVA	ORG	104-51-8	n-Butylbenzene	51		ug/L	5	0.28	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1365	50	102%		
D121413CCVA	D121413CCVA	ORG	96-12-8	1,2-Dibromo-3-chloropropane	57		ug/L	5	1.59	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1365	50	114%		
D121413CCVA	D121413CCVA	ORG	87-68-3	Hexachlorobutadiene	55		ug/L	5	0.65	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1365	50	110%		
D121413CCVA	D121413CCVA	ORG	120-82-1	1,2,4-Trichlorobenzene	56		ug/L	5	0.28	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1365	50	112%		
D121413CCVA	D121413CCVA	ORG	91-20-3	Naphthalene	53		ug/L	5	0.56	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1365	50	106%		
D121413CCVA	D121413CCVA	ORG	87-61-6	1,2,3-Trichlorobenzene	51		ug/L	5	0.23	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1365	50	102%		
D121413CCVA	D121413CCVA	STD	1868-53-7	Dibromofluoromethane	51		ng			NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1365	50	102%		
D121413CCVA	D121413CCVA	STD	17060-07-0	1,2-Dichloroethane d4	48		ng			NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1365	50	96%		
D121413CCVA	D121413CCVA	STD	2037-26-5	Toluene d8	48		ng			NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1365	50	96%		
D121413CCVA	D121413CCVA	STD	460-00-4	Bromofluorobenzene	47		ng			NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1365	50	94%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D121413MBKA	D121413MBKA	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	5	0.29	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1367				
D121413MBKA	D121413MBKA	ORG	74-87-3	Chloromethane		U	ug/L	5	0.43	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1367				
D121413MBKA	D121413MBKA	ORG	75-01-4	Vinyl chloride		U	ug/L	2	0.32	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1367				
D121413MBKA	D121413MBKA	ORG	74-83-9	Bromomethane		U	ug/L	5	0.50	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1367				
D121413MBKA	D121413MBKA	ORG	75-00-3	Chloroethane		U	ug/L	5	0.56	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1367				
D121413MBKA	D121413MBKA	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	5	0.20	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1367				
D121413MBKA	D121413MBKA	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	1	0.47	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1367				
D121413MBKA	D121413MBKA	ORG	75-09-2	Methylene chloride		U	ug/L	5	0.26	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1367				
D121413MBKA	D121413MBKA	ORG	67-64-1	Acetone		U	ug/L	10	1.56	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1367				
D121413MBKA	D121413MBKA	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	1	0.56	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1367				
D121413MBKA	D121413MBKA	ORG	1634-04-4	MTBE		U	ug/L	5	0.61	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1367				
D121413MBKA	D121413MBKA	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	1	0.53	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1367				
D121413MBKA	D121413MBKA	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	1	0.32	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1367				
D121413MBKA	D121413MBKA	ORG	74-97-5	Bromochloromethane		U	ug/L	10	0.41	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1367				
D121413MBKA	D121413MBKA	ORG	67-66-3	Chloroform		U	ug/L	2	0.16	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1367				
D121413MBKA	D121413MBKA	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	1	0.17	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1367				
D121413MBKA	D121413MBKA	ORG	78-93-3	2-Butanone		U	ug/L	1	0.81	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1367				
D121413MBKA	D121413MBKA	ORG	56-23-5	Carbon tetrachloride		U	ug/L	1	0.28	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1367				
D121413MBKA	D121413MBKA	ORG	71-43-2	Benzene		U	ug/L	1	0.14	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1367				
D121413MBKA	D121413MBKA	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	1	0.20	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1367				
D121413MBKA	D121413MBKA	ORG	79-01-6	Trichloroethene		U	ug/L	1	0.36	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1367				
D121413MBKA	D121413MBKA	ORG	74-95-3	Dibromomethane		U	ug/L	2	0.32	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1367				
D121413MBKA	D121413MBKA	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	1	0.18	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1367				
D121413MBKA	D121413MBKA	ORG	75-27-4	Bromodichloromethane		U	ug/L	2	0.12	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1367				
D121413MBKA	D121413MBKA	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	1	0.25	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1367				
D121413MBKA	D121413MBKA	ORG	108-88-3	Toluene		U	ug/L	1	0.21	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1367				
D121413MBKA	D121413MBKA	ORG	108-10-1	4-Methyl-2-pentanone		U	ug/L	5	0.74	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1367				
D121413MBKA	D121413MBKA	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	1	0.31	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1367				
D121413MBKA	D121413MBKA	ORG	127-18-4	Tetrachloroethene		U	ug/L	1	0.49	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1367				
D121413MBKA	D121413MBKA	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	1	0.34	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1367				
D121413MBKA	D121413MBKA	ORG	124-48-1	Dibromochloromethane		U	ug/L	5	0.30	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1367				
D121413MBKA	D121413MBKA	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	2	0.26	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1367				
D121413MBKA	D121413MBKA	ORG	591-78-6	2-Hexanone		U	ug/L	2	0.69	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1367				
D121413MBKA	D121413MBKA	ORG	100-41-4	Ethylbenzene		U	ug/L	1	0.25	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1367				
D121413MBKA	D121413MBKA	ORG	108-90-7	Chlorobenzene		U	ug/L	1	0.28	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1367				
D121413MBKA	D121413MBKA	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	2	0.19	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1367				
D121413MBKA	D121413MBKA	ORG	XYLMP	p&m-Xylene		U	ug/L	2	0.26	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1367				
D121413MBKA	D121413MBKA	ORG	95-47-6	o-Xylene		U	ug/L	1	0.13	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1367				
D121413MBKA	D121413MBKA	ORG	100-42-5	Styrene		U	ug/L	1	0.20	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1367				
D121413MBKA	D121413MBKA	ORG	75-25-2	Bromoform		U	ug/L	2	0.47	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1367				
D121413MBKA	D121413MBKA	ORG	98-82-8	Isopropylbenzene		U	ug/L	2	0.20	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1367				
D121413MBKA	D121413MBKA	ORG	103-65-1	n-Propylbenzene		U	ug/L	2	0.27	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1367				
D121413MBKA	D121413MBKA	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	2	0.29	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1367				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D121413MBKA	D121413MBKA	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	2	0.29	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1367				
D121413MBKA	D121413MBKA	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	2	0.20	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1367				
D121413MBKA	D121413MBKA	ORG	98-06-6	tert-Butylbenzene		U	ug/L	2	0.33	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1367				
D121413MBKA	D121413MBKA	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	2	0.20	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1367				
D121413MBKA	D121413MBKA	ORG	135-98-8	sec-Butylbenzene		U	ug/L	2	0.32	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1367				
D121413MBKA	D121413MBKA	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	2	0.22	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1367				
D121413MBKA	D121413MBKA	ORG	99-87-6	p-Isopropltoluene		U	ug/L	2	0.25	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1367				
D121413MBKA	D121413MBKA	ORG	106-46-7	1,4-Dichlorobenzene		U	ug/L	2	0.33	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1367				
D121413MBKA	D121413MBKA	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	2	0.26	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1367				
D121413MBKA	D121413MBKA	ORG	104-51-8	n-Butylbenzene		U	ug/L	5	0.28	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1367				
D121413MBKA	D121413MBKA	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	5	1.59	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1367				
D121413MBKA	D121413MBKA	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	5	0.65	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1367				
D121413MBKA	D121413MBKA	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	5	0.28	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1367				
D121413MBKA	D121413MBKA	ORG	91-20-3	Naphthalene		U	ug/L	5	0.56	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1367				
D121413MBKA	D121413MBKA	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	5	0.23	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1367				
D121413MBKA	D121413MBKA	STD	1868-53-7	Dibromofluoromethane	54		ng			NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1367	50	108%		
D121413MBKA	D121413MBKA	STD	17060-07-0	1,2-Dichloroethane d4	53		ng			NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1367	50	106%		
D121413MBKA	D121413MBKA	STD	2037-26-5	Toluene d8	52		ng			NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1367	50	104%		
D121413MBKA	D121413MBKA	STD	460-00-4	Bromofluorobenzene	48		ng			NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1367	50	96%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D121413ALCS	D121413ALCS	ORG	75-71-8	Dichlorodifluoromethane	33		ug/L	5	0.29	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1366	50	66%		
D121413ALCS	D121413ALCS	ORG	74-87-3	Chloromethane	41		ug/L	5	0.43	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1366	50	82%		
D121413ALCS	D121413ALCS	ORG	75-01-4	Vinyl chloride	44		ug/L	2	0.32	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1366	50	88%		
D121413ALCS	D121413ALCS	ORG	74-83-9	Bromomethane	86		ug/L	5	0.50	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1366	50	172%		
D121413ALCS	D121413ALCS	ORG	75-00-3	Chloroethane	54		ug/L	5	0.56	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1366	50	108%		
D121413ALCS	D121413ALCS	ORG	75-69-4	Trichlorofluoromethane	1100		ug/L	5	0.20	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1366	50	2200%		
D121413ALCS	D121413ALCS	ORG	75-35-4	1,1-Dichloroethene	44		ug/L	1	0.47	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1366	50	88%		
D121413ALCS	D121413ALCS	ORG	75-09-2	Methylene chloride	47		ug/L	5	0.26	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1366	50	94%		
D121413ALCS	D121413ALCS	ORG	67-64-1	Acetone	65		ug/L	10	1.56	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1366	50	130%		
D121413ALCS	D121413ALCS	ORG	156-60-5	trans-1,2-Dichloroethene	45		ug/L	1	0.56	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1366	50	90%		
D121413ALCS	D121413ALCS	ORG	1634-04-4	MTBE	48		ug/L	5	0.61	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1366	50	96%		
D121413ALCS	D121413ALCS	ORG	75-34-3	1,1-Dichloroethane	46		ug/L	1	0.53	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1366	50	92%		
D121413ALCS	D121413ALCS	ORG	156-59-2	cis-1,2-Dichloroethene	47		ug/L	1	0.32	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1366	50	94%		
D121413ALCS	D121413ALCS	ORG	74-97-5	Bromochloromethane	48		ug/L	10	0.41	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1366	50	96%		
D121413ALCS	D121413ALCS	ORG	67-66-3	Chloroform	47		ug/L	2	0.16	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1366	50	94%		
D121413ALCS	D121413ALCS	ORG	71-55-6	1,1,1-Trichloroethane	48		ug/L	1	0.17	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1366	50	96%		
D121413ALCS	D121413ALCS	ORG	78-93-3	2-Butanone	54		ug/L	1	0.81	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1366	50	108%		
D121413ALCS	D121413ALCS	ORG	56-23-5	Carbon tetrachloride	48		ug/L	1	0.28	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1366	50	96%		
D121413ALCS	D121413ALCS	ORG	71-43-2	Benzene	47		ug/L	1	0.14	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1366	50	94%		
D121413ALCS	D121413ALCS	ORG	107-06-2	1,2-Dichloroethane	48		ug/L	1	0.20	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1366	50	96%		
D121413ALCS	D121413ALCS	ORG	79-01-6	Trichloroethene	47		ug/L	1	0.36	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1366	50	94%		
D121413ALCS	D121413ALCS	ORG	74-95-3	Dibromomethane	48		ug/L	2	0.32	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1366	50	96%		
D121413ALCS	D121413ALCS	ORG	78-87-5	1,2-Dichloropropane	47		ug/L	1	0.18	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1366	50	94%		
D121413ALCS	D121413ALCS	ORG	75-27-4	Bromodichloromethane	49		ug/L	2	0.12	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1366	50	98%		
D121413ALCS	D121413ALCS	ORG	10061-01-5	cis-1,3-Dichloropropene	53		ug/L	1	0.25	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1366	50	106%		
D121413ALCS	D121413ALCS	ORG	108-88-3	Toluene	47		ug/L	1	0.21	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1366	50	94%		
D121413ALCS	D121413ALCS	ORG	108-10-1	4-Methyl-2-pentanone	65		ug/L	5	0.74	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1366	50	130%		
D121413ALCS	D121413ALCS	ORG	10061-02-6	trans-1,3-Dichloropropene	58		ug/L	1	0.31	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1366	50	116%		
D121413ALCS	D121413ALCS	ORG	127-18-4	Tetrachloroethene	46		ug/L	1	0.49	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1366	50	92%		
D121413ALCS	D121413ALCS	ORG	79-00-5	1,1,2-Trichloroethane	50		ug/L	1	0.34	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1366	50	100%		
D121413ALCS	D121413ALCS	ORG	124-48-1	Dibromochloromethane	55		ug/L	5	0.30	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1366	50	110%		
D121413ALCS	D121413ALCS	ORG	106-93-4	1,2-Dibromoethane	52		ug/L	2	0.26	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1366	50	104%		
D121413ALCS	D121413ALCS	ORG	591-78-6	2-Hexanone	65		ug/L	2	0.69	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1366	50	130%		
D121413ALCS	D121413ALCS	ORG	100-41-4	Ethylbenzene	48		ug/L	1	0.25	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1366	50	96%		
D121413ALCS	D121413ALCS	ORG	108-90-7	Chlorobenzene	48		ug/L	1	0.28	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1366	50	96%		
D121413ALCS	D121413ALCS	ORG	630-20-6	1,1,1,2-Tetrachloroethane	51		ug/L	2	0.19	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1366	50	102%		
D121413ALCS	D121413ALCS	ORG	XYLMP	p&m-Xylene	100		ug/L	2	0.26	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1366	100	100%		
D121413ALCS	D121413ALCS	ORG	95-47-6	o-Xylene	49		ug/L	1	0.13	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1366	50	98%		
D121413ALCS	D121413ALCS	ORG	100-42-5	Styrene	51		ug/L	1	0.20	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1366	50	102%		
D121413ALCS	D121413ALCS	ORG	75-25-2	Bromoform	60		ug/L	2	0.47	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1366	50	120%		
D121413ALCS	D121413ALCS	ORG	98-82-8	Isopropylbenzene	51		ug/L	2	0.20	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1366	50	102%		
D121413ALCS	D121413ALCS	ORG	103-65-1	n-Propylbenzene	51		ug/L	2	0.27	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1366	50	102%		
D121413ALCS	D121413ALCS	ORG	79-34-5	1,1,2,2-Tetrachloroethane	51		ug/L	2	0.29	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1366	50	102%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D121413ALCS	D121413ALCS	ORG	96-18-4	1,2,3-Trichloropropane	49		ug/L	2	0.29	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1366	50	98%		
D121413ALCS	D121413ALCS	ORG	108-67-8	1,3,5-Trimethylbenzene	51		ug/L	2	0.20	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1366	50	102%		
D121413ALCS	D121413ALCS	ORG	98-06-6	tert-Butylbenzene	54		ug/L	2	0.33	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1366	50	108%		
D121413ALCS	D121413ALCS	ORG	95-63-6	1,2,4-Trimethylbenzene	50		ug/L	2	0.20	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1366	50	100%		
D121413ALCS	D121413ALCS	ORG	135-98-8	sec-Butylbenzene	52		ug/L	2	0.32	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1366	50	104%		
D121413ALCS	D121413ALCS	ORG	541-73-1	1,3-Dichlorobenzene	50		ug/L	2	0.22	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1366	50	100%		
D121413ALCS	D121413ALCS	ORG	99-87-6	p-Isopropltoluene	52		ug/L	2	0.25	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1366	50	104%		
D121413ALCS	D121413ALCS	ORG	106-46-7	1,4-Dichlorobenzene	49		ug/L	2	0.33	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1366	50	98%		
D121413ALCS	D121413ALCS	ORG	95-50-1	1,2-Dichlorobenzene	50		ug/L	2	0.26	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1366	50	100%		
D121413ALCS	D121413ALCS	ORG	104-51-8	n-Butylbenzene	51		ug/L	5	0.28	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1366	50	102%		
D121413ALCS	D121413ALCS	ORG	96-12-8	1,2-Dibromo-3-chloropropane	55		ug/L	5	1.59	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1366	50	110%		
D121413ALCS	D121413ALCS	ORG	87-68-3	Hexachlorobutadiene	48		ug/L	5	0.65	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1366	50	96%		
D121413ALCS	D121413ALCS	ORG	120-82-1	1,2,4-Trichlorobenzene	53		ug/L	5	0.28	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1366	50	106%		
D121413ALCS	D121413ALCS	ORG	91-20-3	Naphthalene	53		ug/L	5	0.56	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1366	50	106%		
D121413ALCS	D121413ALCS	ORG	87-61-6	1,2,3-Trichlorobenzene	51		ug/L	5	0.23	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1366	50	102%		
D121413ALCS	D121413ALCS	STD	1868-53-7	Dibromofluoromethane	51		ng			NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1366	50	102%		
D121413ALCS	D121413ALCS	STD	17060-07-0	1,2-Dichloroethane d4	49		ng			NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1366	50	98%		
D121413ALCS	D121413ALCS	STD	2037-26-5	Toluene d8	50		ng			NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1366	50	100%		
D121413ALCS	D121413ALCS	STD	460-00-4	Bromofluorobenzene	47		ng			NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1366	50	94%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D121413ALCD	D121413ALCD	ORG	75-71-8	Dichlorodifluoromethane	31		ug/L	5	0.29	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1370	50	62%	6%	
D121413ALCD	D121413ALCD	ORG	74-87-3	Chloromethane	40		ug/L	5	0.43	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1370	50	80%	2%	
D121413ALCD	D121413ALCD	ORG	75-01-4	Vinyl chloride	45		ug/L	2	0.32	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1370	50	90%	2%	
D121413ALCD	D121413ALCD	ORG	74-83-9	Bromomethane	55		ug/L	5	0.50	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1370	50	110%	44%	
D121413ALCD	D121413ALCD	ORG	75-00-3	Chloroethane	55		ug/L	5	0.56	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1370	50	110%	2%	
D121413ALCD	D121413ALCD	ORG	75-69-4	Trichlorofluoromethane	401		ug/L	5	0.20	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1370	50	802%	93%	
D121413ALCD	D121413ALCD	ORG	75-35-4	1,1-Dichloroethene	44		ug/L	1	0.47	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1370	50	88%	0%	
D121413ALCD	D121413ALCD	ORG	75-09-2	Methylene chloride	51		ug/L	5	0.26	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1370	50	102%	8%	
D121413ALCD	D121413ALCD	ORG	67-64-1	Acetone	63		ug/L	10	1.56	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1370	50	126%	3%	
D121413ALCD	D121413ALCD	ORG	156-60-5	trans-1,2-Dichloroethene	45		ug/L	1	0.56	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1370	50	90%	0%	
D121413ALCD	D121413ALCD	ORG	1634-04-4	MTBE	48		ug/L	5	0.61	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1370	50	96%	0%	
D121413ALCD	D121413ALCD	ORG	75-34-3	1,1-Dichloroethane	44		ug/L	1	0.53	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1370	50	88%	4%	
D121413ALCD	D121413ALCD	ORG	156-59-2	cis-1,2-Dichloroethene	46		ug/L	1	0.32	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1370	50	92%	2%	
D121413ALCD	D121413ALCD	ORG	74-97-5	Bromochloromethane	45		ug/L	10	0.41	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1370	50	90%	6%	
D121413ALCD	D121413ALCD	ORG	67-66-3	Chloroform	46		ug/L	2	0.16	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1370	50	92%	2%	
D121413ALCD	D121413ALCD	ORG	71-55-6	1,1,1-Trichloroethane	46		ug/L	1	0.17	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1370	50	92%	4%	
D121413ALCD	D121413ALCD	ORG	78-93-3	2-Butanone	53		ug/L	1	0.81	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1370	50	106%	2%	
D121413ALCD	D121413ALCD	ORG	56-23-5	Carbon tetrachloride	48		ug/L	1	0.28	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1370	50	96%	0%	
D121413ALCD	D121413ALCD	ORG	71-43-2	Benzene	47		ug/L	1	0.14	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1370	50	94%	0%	
D121413ALCD	D121413ALCD	ORG	107-06-2	1,2-Dichloroethane	46		ug/L	1	0.20	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1370	50	92%	4%	
D121413ALCD	D121413ALCD	ORG	79-01-6	Trichloroethene	47		ug/L	1	0.36	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1370	50	94%	0%	
D121413ALCD	D121413ALCD	ORG	74-95-3	Dibromomethane	49		ug/L	2	0.32	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1370	50	98%	2%	
D121413ALCD	D121413ALCD	ORG	78-87-5	1,2-Dichloropropane	47		ug/L	1	0.18	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1370	50	94%	0%	
D121413ALCD	D121413ALCD	ORG	75-27-4	Bromodichloromethane	49		ug/L	2	0.12	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1370	50	98%	0%	
D121413ALCD	D121413ALCD	ORG	10061-01-5	cis-1,3-Dichloropropene	53		ug/L	1	0.25	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1370	50	106%	0%	
D121413ALCD	D121413ALCD	ORG	108-88-3	Toluene	47		ug/L	1	0.21	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1370	50	94%	0%	
D121413ALCD	D121413ALCD	ORG	108-10-1	4-Methyl-2-pentanone	63		ug/L	5	0.74	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1370	50	126%	3%	
D121413ALCD	D121413ALCD	ORG	10061-02-6	trans-1,3-Dichloropropene	57		ug/L	1	0.31	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1370	50	114%	2%	
D121413ALCD	D121413ALCD	ORG	127-18-4	Tetrachloroethene	45		ug/L	1	0.49	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1370	50	90%	2%	
D121413ALCD	D121413ALCD	ORG	79-00-5	1,1,2-Trichloroethane	48		ug/L	1	0.34	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1370	50	96%	4%	
D121413ALCD	D121413ALCD	ORG	124-48-1	Dibromochloromethane	55		ug/L	5	0.30	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1370	50	110%	0%	
D121413ALCD	D121413ALCD	ORG	106-93-4	1,2-Dibromoethane	52		ug/L	2	0.26	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1370	50	104%	0%	
D121413ALCD	D121413ALCD	ORG	591-78-6	2-Hexanone	56		ug/L	2	0.69	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1370	50	112%	15%	
D121413ALCD	D121413ALCD	ORG	100-41-4	Ethylbenzene	49		ug/L	1	0.25	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1370	50	98%	2%	
D121413ALCD	D121413ALCD	ORG	108-90-7	Chlorobenzene	48		ug/L	1	0.28	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1370	50	96%	0%	
D121413ALCD	D121413ALCD	ORG	630-20-6	1,1,1,2-Tetrachloroethane	50		ug/L	2	0.19	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1370	50	100%	2%	
D121413ALCD	D121413ALCD	ORG	XYLMP	p&m-Xylene	98		ug/L	2	0.26	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1370	100	98%	2%	
D121413ALCD	D121413ALCD	ORG	95-47-6	o-Xylene	49		ug/L	1	0.13	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1370	50	98%	0%	
D121413ALCD	D121413ALCD	ORG	100-42-5	Styrene	51		ug/L	1	0.20	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1370	50	102%	0%	
D121413ALCD	D121413ALCD	ORG	75-25-2	Bromoform	61		ug/L	2	0.47	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1370	50	122%	2%	
D121413ALCD	D121413ALCD	ORG	98-82-8	Isopropylbenzene	51		ug/L	2	0.20	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1370	50	102%	0%	
D121413ALCD	D121413ALCD	ORG	103-65-1	n-Propylbenzene	52		ug/L	2	0.27	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1370	50	104%	2%	
D121413ALCD	D121413ALCD	ORG	79-34-5	1,1,2,2-Tetrachloroethane	52		ug/L	2	0.29	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1370	50	104%	2%	

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D121413ALCD	D121413ALCD	ORG	96-18-4	1,2,3-Trichloropropane	49		ug/L	2	0.29	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1370	50	98%	0%	
D121413ALCD	D121413ALCD	ORG	108-67-8	1,3,5-Trimethylbenzene	52		ug/L	2	0.20	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1370	50	104%	2%	
D121413ALCD	D121413ALCD	ORG	98-06-6	tert-Butylbenzene	54		ug/L	2	0.33	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1370	50	108%	0%	
D121413ALCD	D121413ALCD	ORG	95-63-6	1,2,4-Trimethylbenzene	51		ug/L	2	0.20	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1370	50	102%	2%	
D121413ALCD	D121413ALCD	ORG	135-98-8	sec-Butylbenzene	52		ug/L	2	0.32	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1370	50	104%	0%	
D121413ALCD	D121413ALCD	ORG	541-73-1	1,3-Dichlorobenzene	49		ug/L	2	0.22	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1370	50	98%	2%	
D121413ALCD	D121413ALCD	ORG	99-87-6	p-Isopropltoluene	52		ug/L	2	0.25	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1370	50	104%	0%	
D121413ALCD	D121413ALCD	ORG	106-46-7	1,4-Dichlorobenzene	49		ug/L	2	0.33	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1370	50	98%	0%	
D121413ALCD	D121413ALCD	ORG	95-50-1	1,2-Dichlorobenzene	49		ug/L	2	0.26	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1370	50	98%	2%	
D121413ALCD	D121413ALCD	ORG	104-51-8	n-Butylbenzene	52		ug/L	5	0.28	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1370	50	104%	2%	
D121413ALCD	D121413ALCD	ORG	96-12-8	1,2-Dibromo-3-chloropropane	54		ug/L	5	1.59	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1370	50	108%	2%	
D121413ALCD	D121413ALCD	ORG	87-68-3	Hexachlorobutadiene	51		ug/L	5	0.65	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1370	50	102%	6%	
D121413ALCD	D121413ALCD	ORG	120-82-1	1,2,4-Trichlorobenzene	52		ug/L	5	0.28	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1370	50	104%	2%	
D121413ALCD	D121413ALCD	ORG	91-20-3	Naphthalene	53		ug/L	5	0.56	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1370	50	106%	0%	
D121413ALCD	D121413ALCD	ORG	87-61-6	1,2,3-Trichlorobenzene	50		ug/L	5	0.23	NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1370	50	100%	2%	
D121413ALCD	D121413ALCD	STD	1868-53-7	Dibromofluoromethane	50		ng			NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1370	50	100%	2%	
D121413ALCD	D121413ALCD	STD	17060-07-0	1,2-Dichloroethane d4	48		ng			NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1370	50	96%	2%	
D121413ALCD	D121413ALCD	STD	2037-26-5	Toluene d8	49		ng			NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1370	50	98%	2%	
D121413ALCD	D121413ALCD	STD	460-00-4	Bromofluorobenzene	47		ng			NA	12/14/2013	12/14/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1370	50	94%	0%	

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-837MS	316-165	ORG	75-71-8	Dichlorodifluoromethane	3000		ug/L	500	29.28	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1371	5000	60%		
NAL13026-837MS	316-165	ORG	74-87-3	Chloromethane	4000		ug/L	500	43.07	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1371	5000	80%		
NAL13026-837MS	316-165	ORG	75-01-4	Vinyl chloride	4400		ug/L	200	31.86	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1371	5000	88%		
NAL13026-837MS	316-165	ORG	74-83-9	Bromomethane	4500		ug/L	500	50.04	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1371	5000	90%		
NAL13026-837MS	316-165	ORG	75-00-3	Chloroethane	4500		ug/L	500	55.61	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1371	5000	90%		
NAL13026-837MS	316-165	ORG	75-69-4	Trichlorofluoromethane	18000		ug/L	500	19.65	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1371	5000	360%		
NAL13026-837MS	316-165	ORG	75-35-4	1,1-Dichloroethene	3900		ug/L	100	47.11	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1371	5000	78%		
NAL13026-837MS	316-165	ORG	75-09-2	Methylene chloride	4100		ug/L	500	26.46	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1371	5000	82%		
NAL13026-837MS	316-165	ORG	67-64-1	Acetone	230000		ug/L	1000	155.61	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1371	5000	-1400%		300000
NAL13026-837MS	316-165	ORG	156-60-5	trans-1,2-Dichloroethene	4100		ug/L	100	55.61	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1371	5000	82%		
NAL13026-837MS	316-165	ORG	1634-04-4	MTBE	4700		ug/L	500	61.18	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1371	5000	94%		
NAL13026-837MS	316-165	ORG	75-34-3	1,1-Dichloroethane	4200		ug/L	100	52.66	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1371	5000	84%		
NAL13026-837MS	316-165	ORG	156-59-2	cis-1,2-Dichloroethene	4600		ug/L	100	32.11	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1371	5000	92%		
NAL13026-837MS	316-165	ORG	74-97-5	Bromochloromethane	4500		ug/L	1000	41.37	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1371	5000	90%		
NAL13026-837MS	316-165	ORG	67-66-3	Chloroform	4400		ug/L	200	15.73	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1371	5000	88%		
NAL13026-837MS	316-165	ORG	71-55-6	1,1,1-Trichloroethane	4400		ug/L	100	16.65	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1371	5000	88%		
NAL13026-837MS	316-165	ORG	78-93-3	2-Butanone	39000		ug/L	100	81.18	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1371	5000	80%		35000
NAL13026-837MS	316-165	ORG	56-23-5	Carbon tetrachloride	4700		ug/L	100	27.64	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1371	5000	94%		
NAL13026-837MS	316-165	ORG	71-43-2	Benzene	4500		ug/L	100	13.53	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1371	5000	88%		95
NAL13026-837MS	316-165	ORG	107-06-2	1,2-Dichloroethane	4500		ug/L	100	20.01	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1371	5000	90%		
NAL13026-837MS	316-165	ORG	79-01-6	Trichloroethene	4500		ug/L	100	36.33	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1371	5000	90%		
NAL13026-837MS	316-165	ORG	74-95-3	Dibromomethane	4900		ug/L	200	32.20	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1371	5000	98%		
NAL13026-837MS	316-165	ORG	78-87-5	1,2-Dichloropropane	4600		ug/L	100	18.17	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1371	5000	92%		
NAL13026-837MS	316-165	ORG	75-27-4	Bromodichloromethane	4700		ug/L	200	11.58	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1371	5000	94%		
NAL13026-837MS	316-165	ORG	10061-01-5	cis-1,3-Dichloropropene	5000		ug/L	100	25.01	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1371	5000	100%		
NAL13026-837MS	316-165	ORG	108-88-3	Toluene	4400		ug/L	100	20.96	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1371	5000	87%		75
NAL13026-837MS	316-165	ORG	108-10-1	4-Methyl-2-pentanone	7900		ug/L	500	74.00	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1371	5000	112%		2300
NAL13026-837MS	316-165	ORG	10061-02-6	trans-1,3-Dichloropropene	5500		ug/L	100	31.15	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1371	5000	110%		
NAL13026-837MS	316-165	ORG	127-18-4	Tetrachloroethene	4400		ug/L	100	48.56	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1371	5000	88%		
NAL13026-837MS	316-165	ORG	79-00-5	1,1,2-Trichloroethane	4800		ug/L	100	34.28	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1371	5000	96%		
NAL13026-837MS	316-165	ORG	124-48-1	Dibromochloromethane	5400		ug/L	500	29.90	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1371	5000	108%		
NAL13026-837MS	316-165	ORG	106-93-4	1,2-Dibromoethane	5000		ug/L	200	26.49	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1371	5000	100%		
NAL13026-837MS	316-165	ORG	591-78-6	2-Hexanone	9200		ug/L	200	68.90	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1371	5000	70%		5700
NAL13026-837MS	316-165	ORG	100-41-4	Ethylbenzene	4400		ug/L	100	25.38	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1371	5000	86%		120
NAL13026-837MS	316-165	ORG	108-90-7	Chlorobenzene	4400		ug/L	100	27.52	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1371	5000	88%		
NAL13026-837MS	316-165	ORG	630-20-6	1,1,1,2-Tetrachloroethane	4600		ug/L	200	19.28	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1371	5000	92%		
NAL13026-837MS	316-165	ORG	XYLMP	p&m-Xylene	9300		ug/L	200	26.14	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1371	10000	90%		330
NAL13026-837MS	316-165	ORG	95-47-6	o-Xylene	4900		ug/L	100	12.90	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1371	5000	94%		220
NAL13026-837MS	316-165	ORG	100-42-5	Styrene	4900		ug/L	100	20.23	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1371	5000	98%		
NAL13026-837MS	316-165	ORG	75-25-2	Bromoform	5700		ug/L	200	46.83	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1371	5000	114%		
NAL13026-837MS	316-165	ORG	98-82-8	Isopropylbenzene	4900		ug/L	200	20.48	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1371	5000	96%		100
NAL13026-837MS	316-165	ORG	103-65-1	n-Propylbenzene	4800		ug/L	200	27.00	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1371	5000	94%		100
NAL13026-837MS	316-165	ORG	79-34-5	1,1,2,2-Tetrachloroethane	4800		ug/L	200	29.16	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1371	5000	96%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-837MS	316-165	ORG	96-18-4	1,2,3-Trichloropropane	4500		ug/L	200	29.47	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1371	5000	90%		
NAL13026-837MS	316-165	ORG	108-67-8	1,3,5-Trimethylbenzene	5000		ug/L	200	20.03	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1371	5000	94%		290
NAL13026-837MS	316-165	ORG	98-06-6	tert-Butylbenzene	5100		ug/L	200	32.61	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1371	5000	102%		
NAL13026-837MS	316-165	ORG	95-63-6	1,2,4-Trimethylbenzene	5900		ug/L	200	20.03	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1371	5000	92%		1300
NAL13026-837MS	316-165	ORG	135-98-8	sec-Butylbenzene	4900		ug/L	200	32.34	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1371	5000	98%		
NAL13026-837MS	316-165	ORG	541-73-1	1,3-Dichlorobenzene	4600		ug/L	200	22.21	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1371	5000	92%		
NAL13026-837MS	316-165	ORG	99-87-6	p-Isopropltoluene	9200		ug/L	200	25.48	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1371	5000	76%		5400
NAL13026-837MS	316-165	ORG	106-46-7	1,4-Dichlorobenzene	5800		ug/L	200	33.03	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1371	5000	86%		1500
NAL13026-837MS	316-165	ORG	95-50-1	1,2-Dichlorobenzene	4700		ug/L	200	26.38	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1371	5000	94%		
NAL13026-837MS	316-165	ORG	104-51-8	n-Butylbenzene	4900		ug/L	500	27.81	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1371	5000	98%		
NAL13026-837MS	316-165	ORG	96-12-8	1,2-Dibromo-3-chloropropane	5800		ug/L	500	159.11	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1371	5000	116%		
NAL13026-837MS	316-165	ORG	87-68-3	Hexachlorobutadiene	4700		ug/L	500	65.42	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1371	5000	94%		
NAL13026-837MS	316-165	ORG	120-82-1	1,2,4-Trichlorobenzene	5300		ug/L	500	27.63	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1371	5000	106%		
NAL13026-837MS	316-165	ORG	91-20-3	Naphthalene	7500		ug/L	500	56.04	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1371	5000	112%		1900
NAL13026-837MS	316-165	ORG	87-61-6	1,2,3-Trichlorobenzene	5100		ug/L	500	23.28	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1371	5000	102%		
NAL13026-837MS	316-165	STD	1868-53-7	Dibromofluoromethane	51		ng			12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1371	50	102%		
NAL13026-837MS	316-165	STD	17060-07-0	1,2-Dichloroethane d4	49		ng			12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1371	50	98%		
NAL13026-837MS	316-165	STD	2037-26-5	Toluene d8	47		ng			12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1371	50	94%		
NAL13026-837MS	316-165	STD	460-00-4	Bromofluorobenzene	45		ng			12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1371	50	90%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-837MSD	316-165	ORG	75-71-8	Dichlorodifluoromethane	3100		ug/L	500	29.28	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1372	5000	62%	3%	0
NAL13026-837MSD	316-165	ORG	74-87-3	Chloromethane	4200		ug/L	500	43.07	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1372	5000	84%	5%	0
NAL13026-837MSD	316-165	ORG	75-01-4	Vinyl chloride	4500		ug/L	200	31.86	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1372	5000	90%	2%	0
NAL13026-837MSD	316-165	ORG	74-83-9	Bromomethane	4800		ug/L	500	50.04	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1372	5000	96%	6%	0
NAL13026-837MSD	316-165	ORG	75-00-3	Chloroethane	4800		ug/L	500	55.61	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1372	5000	96%	6%	0
NAL13026-837MSD	316-165	ORG	75-69-4	Trichlorofluoromethane	22000		ug/L	500	19.65	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1372	5000	440%	20%	0
NAL13026-837MSD	316-165	ORG	75-35-4	1,1-Dichloroethene	4200		ug/L	100	47.11	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1372	5000	84%	7%	0
NAL13026-837MSD	316-165	ORG	75-09-2	Methylene chloride	4300		ug/L	500	26.46	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1372	5000	86%	5%	0
NAL13026-837MSD	316-165	ORG	67-64-1	Acetone	230000		ug/L	1000	155.61	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1372	5000	-1400%	0%	300000
NAL13026-837MSD	316-165	ORG	156-60-5	trans-1,2-Dichloroethene	4300		ug/L	100	55.61	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1372	5000	86%	5%	0
NAL13026-837MSD	316-165	ORG	1634-04-4	MTBE	4800		ug/L	500	61.18	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1372	5000	96%	2%	0
NAL13026-837MSD	316-165	ORG	75-34-3	1,1-Dichloroethane	4400		ug/L	100	52.66	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1372	5000	88%	5%	0
NAL13026-837MSD	316-165	ORG	156-59-2	cis-1,2-Dichloroethene	4700		ug/L	100	32.11	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1372	5000	94%	2%	0
NAL13026-837MSD	316-165	ORG	74-97-5	Bromochloromethane	4800		ug/L	1000	41.37	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1372	5000	96%	6%	0
NAL13026-837MSD	316-165	ORG	67-66-3	Chloroform	4600		ug/L	200	15.73	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1372	5000	92%	4%	0
NAL13026-837MSD	316-165	ORG	71-55-6	1,1,1-Trichloroethane	4700		ug/L	100	16.65	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1372	5000	94%	7%	0
NAL13026-837MSD	316-165	ORG	78-93-3	2-Butanone	40000		ug/L	100	81.18	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1372	5000	100%	3%	35000
NAL13026-837MSD	316-165	ORG	56-23-5	Carbon tetrachloride	5000		ug/L	100	27.64	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1372	5000	100%	6%	0
NAL13026-837MSD	316-165	ORG	71-43-2	Benzene	4700		ug/L	100	13.53	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1372	5000	92%	4%	95
NAL13026-837MSD	316-165	ORG	107-06-2	1,2-Dichloroethane	4600		ug/L	100	20.01	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1372	5000	92%	2%	0
NAL13026-837MSD	316-165	ORG	79-01-6	Trichloroethene	4800		ug/L	100	36.33	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1372	5000	96%	6%	0
NAL13026-837MSD	316-165	ORG	74-95-3	Dibromomethane	5000		ug/L	200	32.20	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1372	5000	100%	2%	0
NAL13026-837MSD	316-165	ORG	78-87-5	1,2-Dichloropropane	4700		ug/L	100	18.17	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1372	5000	94%	2%	0
NAL13026-837MSD	316-165	ORG	75-27-4	Bromodichloromethane	4900		ug/L	200	11.58	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1372	5000	98%	4%	0
NAL13026-837MSD	316-165	ORG	10061-01-5	cis-1,3-Dichloropropene	5200		ug/L	100	25.01	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1372	5000	104%	4%	0
NAL13026-837MSD	316-165	ORG	108-88-3	Toluene	4700		ug/L	100	20.96	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1372	5000	93%	7%	75
NAL13026-837MSD	316-165	ORG	108-10-1	4-Methyl-2-pentanone	8300		ug/L	500	74.00	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1372	5000	120%	5%	2300
NAL13026-837MSD	316-165	ORG	10061-02-6	trans-1,3-Dichloropropene	5700		ug/L	100	31.15	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1372	5000	114%	4%	0
NAL13026-837MSD	316-165	ORG	127-18-4	Tetrachloroethene	4800		ug/L	100	48.56	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1372	5000	96%	9%	0
NAL13026-837MSD	316-165	ORG	79-00-5	1,1,2-Trichloroethane	4900		ug/L	100	34.28	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1372	5000	98%	2%	0
NAL13026-837MSD	316-165	ORG	124-48-1	Dibromochloromethane	5600		ug/L	500	29.90	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1372	5000	112%	4%	0
NAL13026-837MSD	316-165	ORG	106-93-4	1,2-Dibromoethane	5300		ug/L	200	26.49	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1372	5000	106%	6%	0
NAL13026-837MSD	316-165	ORG	591-78-6	2-Hexanone	9600		ug/L	200	68.90	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1372	5000	78%	4%	5700
NAL13026-837MSD	316-165	ORG	100-41-4	Ethylbenzene	4900		ug/L	100	25.38	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1372	5000	96%	11%	120
NAL13026-837MSD	316-165	ORG	108-90-7	Chlorobenzene	4800		ug/L	100	27.52	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1372	5000	96%	9%	0
NAL13026-837MSD	316-165	ORG	630-20-6	1,1,1,2-Tetrachloroethane	4900		ug/L	200	19.28	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1372	5000	98%	6%	0
NAL13026-837MSD	316-165	ORG	XYLMP	p&m-Xylene	10000		ug/L	200	26.14	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1372	10000	97%	7%	330
NAL13026-837MSD	316-165	ORG	95-47-6	o-Xylene	5300		ug/L	100	12.90	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1372	5000	102%	8%	220
NAL13026-837MSD	316-165	ORG	100-42-5	Styrene	5200		ug/L	100	20.23	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1372	5000	104%	6%	0
NAL13026-837MSD	316-165	ORG	75-25-2	Bromoform	6200		ug/L	200	46.83	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1372	5000	124%	8%	0
NAL13026-837MSD	316-165	ORG	98-82-8	Isopropylbenzene	5300		ug/L	200	20.48	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1372	5000	104%	8%	100
NAL13026-837MSD	316-165	ORG	103-65-1	n-Propylbenzene	5200		ug/L	200	27.00	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1372	5000	102%	8%	100
NAL13026-837MSD	316-165	ORG	79-34-5	1,1,2,2-Tetrachloroethane	5100		ug/L	200	29.16	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1372	5000	102%	6%	0

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-837MSD	316-165	ORG	96-18-4	1,2,3-Trichloropropane	4800		ug/L	200	29.47	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1372	5000	96%	6%	0
NAL13026-837MSD	316-165	ORG	108-67-8	1,3,5-Trimethylbenzene	5400		ug/L	200	20.03	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1372	5000	102%	8%	290
NAL13026-837MSD	316-165	ORG	98-06-6	tert-Butylbenzene	5500		ug/L	200	32.61	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1372	5000	110%	8%	0
NAL13026-837MSD	316-165	ORG	95-63-6	1,2,4-Trimethylbenzene	6300		ug/L	200	20.03	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1372	5000	100%	7%	1300
NAL13026-837MSD	316-165	ORG	135-98-8	sec-Butylbenzene	5300		ug/L	200	32.34	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1372	5000	106%	8%	0
NAL13026-837MSD	316-165	ORG	541-73-1	1,3-Dichlorobenzene	4900		ug/L	200	22.21	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1372	5000	98%	6%	0
NAL13026-837MSD	316-165	ORG	99-87-6	p-Isopropltoluene	9800		ug/L	200	25.48	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1372	5000	88%	6%	5400
NAL13026-837MSD	316-165	ORG	106-46-7	1,4-Dichlorobenzene	6200		ug/L	200	33.03	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1372	5000	94%	7%	1500
NAL13026-837MSD	316-165	ORG	95-50-1	1,2-Dichlorobenzene	5000		ug/L	200	26.38	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1372	5000	100%	6%	0
NAL13026-837MSD	316-165	ORG	104-51-8	n-Butylbenzene	5300		ug/L	500	27.81	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1372	5000	106%	8%	0
NAL13026-837MSD	316-165	ORG	96-12-8	1,2-Dibromo-3-chloropropane	6300		ug/L	500	159.11	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1372	5000	126%	8%	0
NAL13026-837MSD	316-165	ORG	87-68-3	Hexachlorobutadiene	4900		ug/L	500	65.42	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1372	5000	98%	4%	0
NAL13026-837MSD	316-165	ORG	120-82-1	1,2,4-Trichlorobenzene	5600		ug/L	500	27.63	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1372	5000	112%	6%	0
NAL13026-837MSD	316-165	ORG	91-20-3	Naphthalene	8000		ug/L	500	56.04	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1372	5000	122%	6%	1900
NAL13026-837MSD	316-165	ORG	87-61-6	1,2,3-Trichlorobenzene	5400		ug/L	500	23.28	12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1372	5000	108%	6%	0
NAL13026-837MSD	316-165	STD	1868-53-7	Dibromofluoromethane	50		ng			12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1372	50	100%	2%	0
NAL13026-837MSD	316-165	STD	17060-07-0	1,2-Dichloroethane d4	46		ng			12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1372	50	92%	6%	0
NAL13026-837MSD	316-165	STD	2037-26-5	Toluene d8	48		ng			12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1372	50	96%	2%	0
NAL13026-837MSD	316-165	STD	460-00-4	Bromofluorobenzene	47		ng			12/14/2013	12/14/2013	12/14/2013	WG	100	NA	5.0	NA	SW8260B	NALD1372	50	94%	4%	0

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-838	316-166	ORG	75-71-8	Dichlorodifluoromethane		UX-	ug/L	500	29.28	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1377				
NAL13026-838	316-166	ORG	74-87-3	Chloromethane		U	ug/L	500	43.07	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1377				
NAL13026-838	316-166	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1377				
NAL13026-838	316-166	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1377				
NAL13026-838	316-166	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1377				
NAL13026-838	316-166	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1377				
NAL13026-838	316-166	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1377				
NAL13026-838	316-166	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1377				
NAL13026-838	316-166	ORG	67-64-1	Acetone	280000	D	ug/L	10000	1556.07	12/15/2013	12/15/2013	12/15/2013	WG	1000	NA	5.0	NA	SW8260B	NALD1378				
NAL13026-838	316-166	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1377				
NAL13026-838	316-166	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1377				
NAL13026-838	316-166	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1377				
NAL13026-838	316-166	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1377				
NAL13026-838	316-166	ORG	74-97-5	Bromochloromethane		U	ug/L	200	41.37	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1377				
NAL13026-838	316-166	ORG	67-66-3	Chloroform		U	ug/L	100	15.73	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1377				
NAL13026-838	316-166	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	16.65	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1377				
NAL13026-838	316-166	ORG	78-93-3	2-Butanone	33000	D	ug/L	10000	811.80	12/15/2013	12/15/2013	12/15/2013	WG	1000	NA	5.0	NA	SW8260B	NALD1378				
NAL13026-838	316-166	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1377				
NAL13026-838	316-166	ORG	71-43-2	Benzene	200		ug/L	100	13.53	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1377				
NAL13026-838	316-166	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1377				
NAL13026-838	316-166	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1377				
NAL13026-838	316-166	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1377				
NAL13026-838	316-166	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1377				
NAL13026-838	316-166	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1377				
NAL13026-838	316-166	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1377				
NAL13026-838	316-166	ORG	108-88-3	Toluene	110		ug/L	100	20.96	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1377				
NAL13026-838	316-166	ORG	108-10-1	4-Methyl-2-pentanone	2100		ug/L	500	74.00	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1377				
NAL13026-838	316-166	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1377				
NAL13026-838	316-166	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1377				
NAL13026-838	316-166	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1377				
NAL13026-838	316-166	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	29.90	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1377				
NAL13026-838	316-166	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	26.49	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1377				
NAL13026-838	316-166	ORG	591-78-6	2-Hexanone	5500		ug/L	500	68.90	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1377				
NAL13026-838	316-166	ORG	100-41-4	Ethylbenzene	180		ug/L	100	25.38	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1377				
NAL13026-838	316-166	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1377				
NAL13026-838	316-166	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1377				
NAL13026-838	316-166	ORG	XYLMP	p&m-Xylene	470		ug/L	200	26.14	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1377				
NAL13026-838	316-166	ORG	95-47-6	o-Xylene	320		ug/L	100	12.90	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1377				
NAL13026-838	316-166	ORG	100-42-5	Styrene		U	ug/L	100	20.23	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1377				
NAL13026-838	316-166	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1377				
NAL13026-838	316-166	ORG	98-82-8	Isopropylbenzene	140	J	ug/L	200	20.48	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1377				
NAL13026-838	316-166	ORG	103-65-1	n-Propylbenzene	140	J	ug/L	200	27.00	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1377				
NAL13026-838	316-166	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1377				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-838	316-166	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1377				
NAL13026-838	316-166	ORG	108-67-8	1,3,5-Trimethylbenzene	300		ug/L	200	20.03	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1377				
NAL13026-838	316-166	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1377				
NAL13026-838	316-166	ORG	95-63-6	1,2,4-Trimethylbenzene	1400		ug/L	200	20.03	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1377				
NAL13026-838	316-166	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1377				
NAL13026-838	316-166	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1377				
NAL13026-838	316-166	ORG	99-87-6	p-Isopropltoluene	5300		ug/L	200	25.48	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1377				
NAL13026-838	316-166	ORG	106-46-7	1,4-Dichlorobenzene	1500		ug/L	200	33.03	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1377				
NAL13026-838	316-166	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1377				
NAL13026-838	316-166	ORG	104-51-8	n-Butylbenzene	310		ug/L	500	27.81	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1377				
NAL13026-838	316-166	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1377				
NAL13026-838	316-166	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1377				
NAL13026-838	316-166	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1377				
NAL13026-838	316-166	ORG	91-20-3	Naphthalene	1500		ug/L	500	56.04	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1377				
NAL13026-838	316-166	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1377				
NAL13026-838	316-166	STD	1868-53-7	Dibromofluoromethane	53		ng			12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1377	50	106%		
NAL13026-838	316-166	STD	17060-07-0	1,2-Dichloroethane d4	49		ng			12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1377	50	98%		
NAL13026-838	316-166	STD	2037-26-5	Toluene d8	50		ng			12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1377	50	100%		
NAL13026-838	316-166	STD	460-00-4	Bromofluorobenzene	45		ng			12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1377	50	90%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-839	316-166R	ORG	75-71-8	Dichlorodifluoromethane		UX-	ug/L	500	29.28	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1379				
NAL13026-839	316-166R	ORG	74-87-3	Chloromethane		U	ug/L	500	43.07	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1379				
NAL13026-839	316-166R	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1379				
NAL13026-839	316-166R	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1379				
NAL13026-839	316-166R	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1379				
NAL13026-839	316-166R	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1379				
NAL13026-839	316-166R	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1379				
NAL13026-839	316-166R	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1379				
NAL13026-839	316-166R	ORG	67-64-1	Acetone	230000	D	ug/L	10000	1556.07	12/15/2013	12/15/2013	12/15/2013	WG	1000	NA	5.0	NA	SW8260B	NALD1380				
NAL13026-839	316-166R	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1379				
NAL13026-839	316-166R	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1379				
NAL13026-839	316-166R	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1379				
NAL13026-839	316-166R	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1379				
NAL13026-839	316-166R	ORG	74-97-5	Bromochloromethane		U	ug/L	200	41.37	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1379				
NAL13026-839	316-166R	ORG	67-66-3	Chloroform		U	ug/L	100	15.73	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1379				
NAL13026-839	316-166R	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	16.65	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1379				
NAL13026-839	316-166R	ORG	78-93-3	2-Butanone	32000	D	ug/L	10000	811.80	12/15/2013	12/15/2013	12/15/2013	WG	1000	NA	5.0	NA	SW8260B	NALD1380				
NAL13026-839	316-166R	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1379				
NAL13026-839	316-166R	ORG	71-43-2	Benzene	140		ug/L	100	13.53	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1379				
NAL13026-839	316-166R	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1379				
NAL13026-839	316-166R	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1379				
NAL13026-839	316-166R	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1379				
NAL13026-839	316-166R	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1379				
NAL13026-839	316-166R	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1379				
NAL13026-839	316-166R	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1379				
NAL13026-839	316-166R	ORG	108-88-3	Toluene	82	J	ug/L	100	20.96	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1379				
NAL13026-839	316-166R	ORG	108-10-1	4-Methyl-2-pentanone	2100		ug/L	500	74.00	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1379				
NAL13026-839	316-166R	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1379				
NAL13026-839	316-166R	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1379				
NAL13026-839	316-166R	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1379				
NAL13026-839	316-166R	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	29.90	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1379				
NAL13026-839	316-166R	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	26.49	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1379				
NAL13026-839	316-166R	ORG	591-78-6	2-Hexanone	5600		ug/L	500	68.90	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1379				
NAL13026-839	316-166R	ORG	100-41-4	Ethylbenzene	140		ug/L	100	25.38	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1379				
NAL13026-839	316-166R	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1379				
NAL13026-839	316-166R	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1379				
NAL13026-839	316-166R	ORG	XYLMP	p&m-Xylene	370		ug/L	200	26.14	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1379				
NAL13026-839	316-166R	ORG	95-47-6	o-Xylene	270		ug/L	100	12.90	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1379				
NAL13026-839	316-166R	ORG	100-42-5	Styrene		U	ug/L	100	20.23	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1379				
NAL13026-839	316-166R	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1379				
NAL13026-839	316-166R	ORG	98-82-8	Isopropylbenzene	94	J	ug/L	200	20.48	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1379				
NAL13026-839	316-166R	ORG	103-65-1	n-Propylbenzene	110	J	ug/L	200	27.00	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1379				
NAL13026-839	316-166R	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1379				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-839	316-166R	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1379				
NAL13026-839	316-166R	ORG	108-67-8	1,3,5-Trimethylbenzene	240		ug/L	200	20.03	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1379				
NAL13026-839	316-166R	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1379				
NAL13026-839	316-166R	ORG	95-63-6	1,2,4-Trimethylbenzene	1200		ug/L	200	20.03	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1379				
NAL13026-839	316-166R	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1379				
NAL13026-839	316-166R	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1379				
NAL13026-839	316-166R	ORG	99-87-6	p-Isopropltoluene	4300		ug/L	200	25.48	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1379				
NAL13026-839	316-166R	ORG	106-46-7	1,4-Dichlorobenzene	1300		ug/L	200	33.03	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1379				
NAL13026-839	316-166R	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1379				
NAL13026-839	316-166R	ORG	104-51-8	n-Butylbenzene	260	J	ug/L	500	27.81	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1379				
NAL13026-839	316-166R	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1379				
NAL13026-839	316-166R	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1379				
NAL13026-839	316-166R	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1379				
NAL13026-839	316-166R	ORG	91-20-3	Naphthalene	1400		ug/L	500	56.04	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1379				
NAL13026-839	316-166R	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1379				
NAL13026-839	316-166R	STD	1868-53-7	Dibromofluoromethane	53		ng			12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1379	50	106%		
NAL13026-839	316-166R	STD	17060-07-0	1,2-Dichloroethane d4	51		ng			12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1379	50	102%		
NAL13026-839	316-166R	STD	2037-26-5	Toluene d8	49		ng			12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1379	50	98%		
NAL13026-839	316-166R	STD	460-00-4	Bromofluorobenzene	46		ng			12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1379	50	92%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-840	316-166RR	ORG	75-71-8	Dichlorodifluoromethane		UX-	ug/L	500	29.28	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1381				
NAL13026-840	316-166RR	ORG	74-87-3	Chloromethane		U	ug/L	500	43.07	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1381				
NAL13026-840	316-166RR	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1381				
NAL13026-840	316-166RR	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1381				
NAL13026-840	316-166RR	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1381				
NAL13026-840	316-166RR	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1381				
NAL13026-840	316-166RR	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1381				
NAL13026-840	316-166RR	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1381				
NAL13026-840	316-166RR	ORG	67-64-1	Acetone	250000	D	ug/L	10000	1556.07	12/15/2013	12/15/2013	12/15/2013	WG	1000	NA	5.0	NA	SW8260B	NALD1382				
NAL13026-840	316-166RR	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1381				
NAL13026-840	316-166RR	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1381				
NAL13026-840	316-166RR	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1381				
NAL13026-840	316-166RR	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1381				
NAL13026-840	316-166RR	ORG	74-97-5	Bromochloromethane		U	ug/L	200	41.37	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1381				
NAL13026-840	316-166RR	ORG	67-66-3	Chloroform		U	ug/L	100	15.73	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1381				
NAL13026-840	316-166RR	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	16.65	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1381				
NAL13026-840	316-166RR	ORG	78-93-3	2-Butanone	32000	D	ug/L	10000	811.80	12/15/2013	12/15/2013	12/15/2013	WG	1000	NA	5.0	NA	SW8260B	NALD1382				
NAL13026-840	316-166RR	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1381				
NAL13026-840	316-166RR	ORG	71-43-2	Benzene	85	J	ug/L	100	13.53	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1381				
NAL13026-840	316-166RR	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1381				
NAL13026-840	316-166RR	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1381				
NAL13026-840	316-166RR	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1381				
NAL13026-840	316-166RR	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1381				
NAL13026-840	316-166RR	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1381				
NAL13026-840	316-166RR	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1381				
NAL13026-840	316-166RR	ORG	108-88-3	Toluene	56	J	ug/L	100	20.96	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1381				
NAL13026-840	316-166RR	ORG	108-10-1	4-Methyl-2-pentanone	2000		ug/L	500	74.00	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1381				
NAL13026-840	316-166RR	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1381				
NAL13026-840	316-166RR	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1381				
NAL13026-840	316-166RR	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1381				
NAL13026-840	316-166RR	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	29.90	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1381				
NAL13026-840	316-166RR	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	26.49	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1381				
NAL13026-840	316-166RR	ORG	591-78-6	2-Hexanone	5300		ug/L	500	68.90	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1381				
NAL13026-840	316-166RR	ORG	100-41-4	Ethylbenzene	98	J	ug/L	100	25.38	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1381				
NAL13026-840	316-166RR	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1381				
NAL13026-840	316-166RR	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1381				
NAL13026-840	316-166RR	ORG	XYLMP	p&m-Xylene	290		ug/L	200	26.14	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1381				
NAL13026-840	316-166RR	ORG	95-47-6	o-Xylene	230		ug/L	100	12.90	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1381				
NAL13026-840	316-166RR	ORG	100-42-5	Styrene		U	ug/L	100	20.23	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1381				
NAL13026-840	316-166RR	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1381				
NAL13026-840	316-166RR	ORG	98-82-8	Isopropylbenzene	90	J	ug/L	200	20.48	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1381				
NAL13026-840	316-166RR	ORG	103-65-1	n-Propylbenzene	100	J	ug/L	200	27.00	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1381				
NAL13026-840	316-166RR	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1381				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-840	316-166RR	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1381				
NAL13026-840	316-166RR	ORG	108-67-8	1,3,5-Trimethylbenzene	240		ug/L	200	20.03	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1381				
NAL13026-840	316-166RR	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1381				
NAL13026-840	316-166RR	ORG	95-63-6	1,2,4-Trimethylbenzene	1200		ug/L	200	20.03	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1381				
NAL13026-840	316-166RR	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1381				
NAL13026-840	316-166RR	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1381				
NAL13026-840	316-166RR	ORG	99-87-6	p-Isopropltoluene	4100		ug/L	200	25.48	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1381				
NAL13026-840	316-166RR	ORG	106-46-7	1,4-Dichlorobenzene	1200		ug/L	200	33.03	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1381				
NAL13026-840	316-166RR	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1381				
NAL13026-840	316-166RR	ORG	104-51-8	n-Butylbenzene	250		ug/L	500	27.81	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1381				
NAL13026-840	316-166RR	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1381				
NAL13026-840	316-166RR	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1381				
NAL13026-840	316-166RR	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1381				
NAL13026-840	316-166RR	ORG	91-20-3	Naphthalene	1400		ug/L	500	56.04	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1381				
NAL13026-840	316-166RR	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1381				
NAL13026-840	316-166RR	STD	1868-53-7	Dibromofluoromethane	52		ng			12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1381	50	104%		
NAL13026-840	316-166RR	STD	17060-07-0	1,2-Dichloroethane d4	49		ng			12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1381	50	98%		
NAL13026-840	316-166RR	STD	2037-26-5	Toluene d8	50		ng			12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1381	50	100%		
NAL13026-840	316-166RR	STD	460-00-4	Bromofluorobenzene	46		ng			12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1381	50	92%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D121513CCVA	D121513CCVA	ORG	75-71-8	Dichlorodifluoromethane	30		ug/L	5	0.29	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1374	50	60%		
D121513CCVA	D121513CCVA	ORG	74-87-3	Chloromethane	44		ug/L	5	0.43	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1374	50	88%		
D121513CCVA	D121513CCVA	ORG	75-01-4	Vinyl chloride	44		ug/L	2	0.32	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1374	50	88%		
D121513CCVA	D121513CCVA	ORG	74-83-9	Bromomethane	92		ug/L	5	0.50	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1374	50	184%		
D121513CCVA	D121513CCVA	ORG	75-00-3	Chloroethane	60		ug/L	5	0.56	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1374	50	120%		
D121513CCVA	D121513CCVA	ORG	75-69-4	Trichlorofluoromethane	1100		ug/L	5	0.20	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1374	50	2200%		
D121513CCVA	D121513CCVA	ORG	75-35-4	1,1-Dichloroethene	48		ug/L	1	0.47	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1374	50	96%		
D121513CCVA	D121513CCVA	ORG	75-09-2	Methylene chloride	48		ug/L	5	0.26	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1374	50	96%		
D121513CCVA	D121513CCVA	ORG	67-64-1	Acetone	55		ug/L	10	1.56	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1374	50	110%		
D121513CCVA	D121513CCVA	ORG	156-60-5	trans-1,2-Dichloroethene	46		ug/L	1	0.56	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1374	50	92%		
D121513CCVA	D121513CCVA	ORG	1634-04-4	MTBE	48		ug/L	5	0.61	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1374	50	96%		
D121513CCVA	D121513CCVA	ORG	75-34-3	1,1-Dichloroethane	46		ug/L	1	0.53	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1374	50	92%		
D121513CCVA	D121513CCVA	ORG	156-59-2	cis-1,2-Dichloroethene	48		ug/L	1	0.32	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1374	50	96%		
D121513CCVA	D121513CCVA	ORG	74-97-5	Bromochloromethane	48		ug/L	10	0.41	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1374	50	96%		
D121513CCVA	D121513CCVA	ORG	67-66-3	Chloroform	47		ug/L	2	0.16	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1374	50	94%		
D121513CCVA	D121513CCVA	ORG	71-55-6	1,1,1-Trichloroethane	48		ug/L	1	0.17	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1374	50	96%		
D121513CCVA	D121513CCVA	ORG	78-93-3	2-Butanone	46		ug/L	1	0.81	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1374	50	92%		
D121513CCVA	D121513CCVA	ORG	56-23-5	Carbon tetrachloride	49		ug/L	1	0.28	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1374	50	98%		
D121513CCVA	D121513CCVA	ORG	71-43-2	Benzene	46		ug/L	1	0.14	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1374	50	92%		
D121513CCVA	D121513CCVA	ORG	107-06-2	1,2-Dichloroethane	46		ug/L	1	0.20	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1374	50	92%		
D121513CCVA	D121513CCVA	ORG	79-01-6	Trichloroethene	48		ug/L	1	0.36	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1374	50	96%		
D121513CCVA	D121513CCVA	ORG	74-95-3	Dibromomethane	49		ug/L	2	0.32	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1374	50	98%		
D121513CCVA	D121513CCVA	ORG	78-87-5	1,2-Dichloropropane	47		ug/L	1	0.18	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1374	50	94%		
D121513CCVA	D121513CCVA	ORG	75-27-4	Bromodichloromethane	48		ug/L	2	0.12	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1374	50	96%		
D121513CCVA	D121513CCVA	ORG	10061-01-5	cis-1,3-Dichloropropene	51		ug/L	1	0.25	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1374	50	102%		
D121513CCVA	D121513CCVA	ORG	108-88-3	Toluene	45		ug/L	1	0.21	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1374	50	90%		
D121513CCVA	D121513CCVA	ORG	108-10-1	4-Methyl-2-pentanone	59		ug/L	5	0.74	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1374	50	118%		
D121513CCVA	D121513CCVA	ORG	10061-02-6	trans-1,3-Dichloropropene	55		ug/L	1	0.31	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1374	50	110%		
D121513CCVA	D121513CCVA	ORG	127-18-4	Tetrachloroethene	47		ug/L	1	0.49	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1374	50	94%		
D121513CCVA	D121513CCVA	ORG	79-00-5	1,1,2-Trichloroethane	45		ug/L	1	0.34	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1374	50	90%		
D121513CCVA	D121513CCVA	ORG	124-48-1	Dibromochloromethane	53		ug/L	5	0.30	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1374	50	106%		
D121513CCVA	D121513CCVA	ORG	106-93-4	1,2-Dibromoethane	49		ug/L	2	0.26	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1374	50	98%		
D121513CCVA	D121513CCVA	ORG	591-78-6	2-Hexanone	56		ug/L	2	0.69	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1374	50	112%		
D121513CCVA	D121513CCVA	ORG	100-41-4	Ethylbenzene	47		ug/L	1	0.25	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1374	50	94%		
D121513CCVA	D121513CCVA	ORG	108-90-7	Chlorobenzene	47		ug/L	1	0.28	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1374	50	94%		
D121513CCVA	D121513CCVA	ORG	630-20-6	1,1,1,2-Tetrachloroethane	50		ug/L	2	0.19	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1374	50	100%		
D121513CCVA	D121513CCVA	ORG	XYLMP	p&m-Xylene	95		ug/L	2	0.26	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1374	100	95%		
D121513CCVA	D121513CCVA	ORG	95-47-6	o-Xylene	49		ug/L	1	0.13	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1374	50	98%		
D121513CCVA	D121513CCVA	ORG	100-42-5	Styrene	50		ug/L	1	0.20	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1374	50	100%		
D121513CCVA	D121513CCVA	ORG	75-25-2	Bromoform	59		ug/L	2	0.47	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1374	50	118%		
D121513CCVA	D121513CCVA	ORG	98-82-8	Isopropylbenzene	50		ug/L	2	0.20	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1374	50	100%		
D121513CCVA	D121513CCVA	ORG	103-65-1	n-Propylbenzene	50		ug/L	2	0.27	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1374	50	100%		
D121513CCVA	D121513CCVA	ORG	79-34-5	1,1,2,2-Tetrachloroethane	46		ug/L	2	0.29	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1374	50	92%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D121513CCVA	D121513CCVA	ORG	96-18-4	1,2,3-Trichloropropane	43		ug/L	2	0.29	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1374	50	86%		
D121513CCVA	D121513CCVA	ORG	108-67-8	1,3,5-Trimethylbenzene	50		ug/L	2	0.20	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1374	50	100%		
D121513CCVA	D121513CCVA	ORG	98-06-6	tert-Butylbenzene	54		ug/L	2	0.33	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1374	50	108%		
D121513CCVA	D121513CCVA	ORG	95-63-6	1,2,4-Trimethylbenzene	50		ug/L	2	0.20	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1374	50	100%		
D121513CCVA	D121513CCVA	ORG	135-98-8	sec-Butylbenzene	51		ug/L	2	0.32	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1374	50	102%		
D121513CCVA	D121513CCVA	ORG	541-73-1	1,3-Dichlorobenzene	49		ug/L	2	0.22	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1374	50	98%		
D121513CCVA	D121513CCVA	ORG	99-87-6	p-Isopropltoluene	52		ug/L	2	0.25	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1374	50	104%		
D121513CCVA	D121513CCVA	ORG	106-46-7	1,4-Dichlorobenzene	49		ug/L	2	0.33	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1374	50	98%		
D121513CCVA	D121513CCVA	ORG	95-50-1	1,2-Dichlorobenzene	49		ug/L	2	0.26	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1374	50	98%		
D121513CCVA	D121513CCVA	ORG	104-51-8	n-Butylbenzene	51		ug/L	5	0.28	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1374	50	102%		
D121513CCVA	D121513CCVA	ORG	96-12-8	1,2-Dibromo-3-chloropropane	51		ug/L	5	1.59	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1374	50	102%		
D121513CCVA	D121513CCVA	ORG	87-68-3	Hexachlorobutadiene	55		ug/L	5	0.65	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1374	50	110%		
D121513CCVA	D121513CCVA	ORG	120-82-1	1,2,4-Trichlorobenzene	54		ug/L	5	0.28	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1374	50	108%		
D121513CCVA	D121513CCVA	ORG	91-20-3	Naphthalene	48		ug/L	5	0.56	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1374	50	96%		
D121513CCVA	D121513CCVA	ORG	87-61-6	1,2,3-Trichlorobenzene	49		ug/L	5	0.23	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1374	50	98%		
D121513CCVA	D121513CCVA	STD	1868-53-7	Dibromofluoromethane	53		ng			NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1374	50	106%		
D121513CCVA	D121513CCVA	STD	17060-07-0	1,2-Dichloroethane d4	47		ng			NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1374	50	94%		
D121513CCVA	D121513CCVA	STD	2037-26-5	Toluene d8	48		ng			NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1374	50	96%		
D121513CCVA	D121513CCVA	STD	460-00-4	Bromofluorobenzene	47		ng			NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1374	50	94%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D121513MBKA	D121513MBKA	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	5	0.29	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1376				
D121513MBKA	D121513MBKA	ORG	74-87-3	Chloromethane		U	ug/L	5	0.43	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1376				
D121513MBKA	D121513MBKA	ORG	75-01-4	Vinyl chloride		U	ug/L	2	0.32	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1376				
D121513MBKA	D121513MBKA	ORG	74-83-9	Bromomethane		U	ug/L	5	0.50	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1376				
D121513MBKA	D121513MBKA	ORG	75-00-3	Chloroethane		U	ug/L	5	0.56	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1376				
D121513MBKA	D121513MBKA	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	5	0.20	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1376				
D121513MBKA	D121513MBKA	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	1	0.47	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1376				
D121513MBKA	D121513MBKA	ORG	75-09-2	Methylene chloride		U	ug/L	5	0.26	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1376				
D121513MBKA	D121513MBKA	ORG	67-64-1	Acetone		U	ug/L	10	1.56	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1376				
D121513MBKA	D121513MBKA	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	1	0.56	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1376				
D121513MBKA	D121513MBKA	ORG	1634-04-4	MTBE		U	ug/L	5	0.61	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1376				
D121513MBKA	D121513MBKA	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	1	0.53	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1376				
D121513MBKA	D121513MBKA	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	1	0.32	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1376				
D121513MBKA	D121513MBKA	ORG	74-97-5	Bromochloromethane		U	ug/L	10	0.41	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1376				
D121513MBKA	D121513MBKA	ORG	67-66-3	Chloroform		U	ug/L	2	0.16	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1376				
D121513MBKA	D121513MBKA	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	1	0.17	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1376				
D121513MBKA	D121513MBKA	ORG	78-93-3	2-Butanone		U	ug/L	1	0.81	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1376				
D121513MBKA	D121513MBKA	ORG	56-23-5	Carbon tetrachloride		U	ug/L	1	0.28	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1376				
D121513MBKA	D121513MBKA	ORG	71-43-2	Benzene		U	ug/L	1	0.14	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1376				
D121513MBKA	D121513MBKA	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	1	0.20	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1376				
D121513MBKA	D121513MBKA	ORG	79-01-6	Trichloroethene		U	ug/L	1	0.36	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1376				
D121513MBKA	D121513MBKA	ORG	74-95-3	Dibromomethane		U	ug/L	2	0.32	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1376				
D121513MBKA	D121513MBKA	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	1	0.18	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1376				
D121513MBKA	D121513MBKA	ORG	75-27-4	Bromodichloromethane		U	ug/L	2	0.12	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1376				
D121513MBKA	D121513MBKA	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	1	0.25	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1376				
D121513MBKA	D121513MBKA	ORG	108-88-3	Toluene		U	ug/L	1	0.21	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1376				
D121513MBKA	D121513MBKA	ORG	108-10-1	4-Methyl-2-pentanone		U	ug/L	5	0.74	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1376				
D121513MBKA	D121513MBKA	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	1	0.31	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1376				
D121513MBKA	D121513MBKA	ORG	127-18-4	Tetrachloroethene		U	ug/L	1	0.49	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1376				
D121513MBKA	D121513MBKA	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	1	0.34	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1376				
D121513MBKA	D121513MBKA	ORG	124-48-1	Dibromochloromethane		U	ug/L	5	0.30	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1376				
D121513MBKA	D121513MBKA	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	2	0.26	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1376				
D121513MBKA	D121513MBKA	ORG	591-78-6	2-Hexanone		U	ug/L	2	0.69	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1376				
D121513MBKA	D121513MBKA	ORG	100-41-4	Ethylbenzene		U	ug/L	1	0.25	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1376				
D121513MBKA	D121513MBKA	ORG	108-90-7	Chlorobenzene		U	ug/L	1	0.28	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1376				
D121513MBKA	D121513MBKA	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	2	0.19	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1376				
D121513MBKA	D121513MBKA	ORG	XYLMP	p&m-Xylene		U	ug/L	2	0.26	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1376				
D121513MBKA	D121513MBKA	ORG	95-47-6	o-Xylene		U	ug/L	1	0.13	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1376				
D121513MBKA	D121513MBKA	ORG	100-42-5	Styrene		U	ug/L	1	0.20	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1376				
D121513MBKA	D121513MBKA	ORG	75-25-2	Bromoform		U	ug/L	2	0.47	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1376				
D121513MBKA	D121513MBKA	ORG	98-82-8	Isopropylbenzene		U	ug/L	2	0.20	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1376				
D121513MBKA	D121513MBKA	ORG	103-65-1	n-Propylbenzene		U	ug/L	2	0.27	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1376				
D121513MBKA	D121513MBKA	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	2	0.29	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1376				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D121513MBKA	D121513MBKA	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	2	0.29	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1376				
D121513MBKA	D121513MBKA	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	2	0.20	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1376				
D121513MBKA	D121513MBKA	ORG	98-06-6	tert-Butylbenzene		U	ug/L	2	0.33	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1376				
D121513MBKA	D121513MBKA	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	2	0.20	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1376				
D121513MBKA	D121513MBKA	ORG	135-98-8	sec-Butylbenzene		U	ug/L	2	0.32	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1376				
D121513MBKA	D121513MBKA	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	2	0.22	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1376				
D121513MBKA	D121513MBKA	ORG	99-87-6	p-Isopropltoluene		U	ug/L	2	0.25	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1376				
D121513MBKA	D121513MBKA	ORG	106-46-7	1,4-Dichlorobenzene		U	ug/L	2	0.33	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1376				
D121513MBKA	D121513MBKA	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	2	0.26	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1376				
D121513MBKA	D121513MBKA	ORG	104-51-8	n-Butylbenzene		U	ug/L	5	0.28	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1376				
D121513MBKA	D121513MBKA	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	5	1.59	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1376				
D121513MBKA	D121513MBKA	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	5	0.65	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1376				
D121513MBKA	D121513MBKA	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	5	0.28	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1376				
D121513MBKA	D121513MBKA	ORG	91-20-3	Naphthalene		U	ug/L	5	0.56	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1376				
D121513MBKA	D121513MBKA	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	5	0.23	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1376				
D121513MBKA	D121513MBKA	STD	1868-53-7	Dibromofluoromethane	52		ng			NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1376	50	104%		
D121513MBKA	D121513MBKA	STD	17060-07-0	1,2-Dichloroethane d4	54		ng			NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1376	50	108%		
D121513MBKA	D121513MBKA	STD	2037-26-5	Toluene d8	50		ng			NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1376	50	100%		
D121513MBKA	D121513MBKA	STD	460-00-4	Bromofluorobenzene	47		ng			NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1376	50	94%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D121513ALCS	D121513ALCS	ORG	75-71-8	Dichlorodifluoromethane	25		ug/L	5	0.29	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1375	50	50%		
D121513ALCS	D121513ALCS	ORG	74-87-3	Chloromethane	37		ug/L	5	0.43	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1375	50	74%		
D121513ALCS	D121513ALCS	ORG	75-01-4	Vinyl chloride	40		ug/L	2	0.32	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1375	50	80%		
D121513ALCS	D121513ALCS	ORG	74-83-9	Bromomethane	67		ug/L	5	0.50	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1375	50	134%		
D121513ALCS	D121513ALCS	ORG	75-00-3	Chloroethane	51		ug/L	5	0.56	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1375	50	102%		
D121513ALCS	D121513ALCS	ORG	75-69-4	Trichlorofluoromethane	990		ug/L	5	0.20	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1375	50	1980%		
D121513ALCS	D121513ALCS	ORG	75-35-4	1,1-Dichloroethene	39		ug/L	1	0.47	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1375	50	78%		
D121513ALCS	D121513ALCS	ORG	75-09-2	Methylene chloride	44		ug/L	5	0.26	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1375	50	88%		
D121513ALCS	D121513ALCS	ORG	67-64-1	Acetone	54		ug/L	10	1.56	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1375	50	108%		
D121513ALCS	D121513ALCS	ORG	156-60-5	trans-1,2-Dichloroethene	43		ug/L	1	0.56	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1375	50	86%		
D121513ALCS	D121513ALCS	ORG	1634-04-4	MTBE	46		ug/L	5	0.61	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1375	50	92%		
D121513ALCS	D121513ALCS	ORG	75-34-3	1,1-Dichloroethane	42		ug/L	1	0.53	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1375	50	84%		
D121513ALCS	D121513ALCS	ORG	156-59-2	cis-1,2-Dichloroethene	45		ug/L	1	0.32	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1375	50	90%		
D121513ALCS	D121513ALCS	ORG	74-97-5	Bromochloromethane	46		ug/L	10	0.41	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1375	50	92%		
D121513ALCS	D121513ALCS	ORG	67-66-3	Chloroform	44		ug/L	2	0.16	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1375	50	88%		
D121513ALCS	D121513ALCS	ORG	71-55-6	1,1,1-Trichloroethane	46		ug/L	1	0.17	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1375	50	92%		
D121513ALCS	D121513ALCS	ORG	78-93-3	2-Butanone	49		ug/L	1	0.81	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1375	50	98%		
D121513ALCS	D121513ALCS	ORG	56-23-5	Carbon tetrachloride	46		ug/L	1	0.28	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1375	50	92%		
D121513ALCS	D121513ALCS	ORG	71-43-2	Benzene	45		ug/L	1	0.14	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1375	50	90%		
D121513ALCS	D121513ALCS	ORG	107-06-2	1,2-Dichloroethane	46		ug/L	1	0.20	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1375	50	92%		
D121513ALCS	D121513ALCS	ORG	79-01-6	Trichloroethene	47		ug/L	1	0.36	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1375	50	94%		
D121513ALCS	D121513ALCS	ORG	74-95-3	Dibromomethane	49		ug/L	2	0.32	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1375	50	98%		
D121513ALCS	D121513ALCS	ORG	78-87-5	1,2-Dichloropropane	47		ug/L	1	0.18	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1375	50	94%		
D121513ALCS	D121513ALCS	ORG	75-27-4	Bromodichloromethane	48		ug/L	2	0.12	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1375	50	96%		
D121513ALCS	D121513ALCS	ORG	10061-01-5	cis-1,3-Dichloropropene	52		ug/L	1	0.25	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1375	50	104%		
D121513ALCS	D121513ALCS	ORG	108-88-3	Toluene	44		ug/L	1	0.21	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1375	50	88%		
D121513ALCS	D121513ALCS	ORG	108-10-1	4-Methyl-2-pentanone	63		ug/L	5	0.74	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1375	50	126%		
D121513ALCS	D121513ALCS	ORG	10061-02-6	trans-1,3-Dichloropropene	55		ug/L	1	0.31	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1375	50	110%		
D121513ALCS	D121513ALCS	ORG	127-18-4	Tetrachloroethene	44		ug/L	1	0.49	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1375	50	88%		
D121513ALCS	D121513ALCS	ORG	79-00-5	1,1,2-Trichloroethane	47		ug/L	1	0.34	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1375	50	94%		
D121513ALCS	D121513ALCS	ORG	124-48-1	Dibromochloromethane	53		ug/L	5	0.30	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1375	50	106%		
D121513ALCS	D121513ALCS	ORG	106-93-4	1,2-Dibromoethane	50		ug/L	2	0.26	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1375	50	100%		
D121513ALCS	D121513ALCS	ORG	591-78-6	2-Hexanone	62		ug/L	2	0.69	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1375	50	124%		
D121513ALCS	D121513ALCS	ORG	100-41-4	Ethylbenzene	46		ug/L	1	0.25	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1375	50	92%		
D121513ALCS	D121513ALCS	ORG	108-90-7	Chlorobenzene	46		ug/L	1	0.28	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1375	50	92%		
D121513ALCS	D121513ALCS	ORG	630-20-6	1,1,1,2-Tetrachloroethane	48		ug/L	2	0.19	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1375	50	96%		
D121513ALCS	D121513ALCS	ORG	XYLMP	p&m-Xylene	94		ug/L	2	0.26	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1375	100	94%		
D121513ALCS	D121513ALCS	ORG	95-47-6	o-Xylene	46		ug/L	1	0.13	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1375	50	92%		
D121513ALCS	D121513ALCS	ORG	100-42-5	Styrene	48		ug/L	1	0.20	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1375	50	96%		
D121513ALCS	D121513ALCS	ORG	75-25-2	Bromoform	58		ug/L	2	0.47	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1375	50	116%		
D121513ALCS	D121513ALCS	ORG	98-82-8	Isopropylbenzene	49		ug/L	2	0.20	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1375	50	98%		
D121513ALCS	D121513ALCS	ORG	103-65-1	n-Propylbenzene	48		ug/L	2	0.27	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1375	50	96%		
D121513ALCS	D121513ALCS	ORG	79-34-5	1,1,2,2-Tetrachloroethane	48		ug/L	2	0.29	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1375	50	96%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D121513ALCS	D121513ALCS	ORG	96-18-4	1,2,3-Trichloropropane	47		ug/L	2	0.29	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1375	50	94%		
D121513ALCS	D121513ALCS	ORG	108-67-8	1,3,5-Trimethylbenzene	48		ug/L	2	0.20	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1375	50	96%		
D121513ALCS	D121513ALCS	ORG	98-06-6	tert-Butylbenzene	50		ug/L	2	0.33	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1375	50	100%		
D121513ALCS	D121513ALCS	ORG	95-63-6	1,2,4-Trimethylbenzene	48		ug/L	2	0.20	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1375	50	96%		
D121513ALCS	D121513ALCS	ORG	135-98-8	sec-Butylbenzene	49		ug/L	2	0.32	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1375	50	98%		
D121513ALCS	D121513ALCS	ORG	541-73-1	1,3-Dichlorobenzene	48		ug/L	2	0.22	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1375	50	96%		
D121513ALCS	D121513ALCS	ORG	99-87-6	p-Isopropltoluene	50		ug/L	2	0.25	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1375	50	100%		
D121513ALCS	D121513ALCS	ORG	106-46-7	1,4-Dichlorobenzene	47		ug/L	2	0.33	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1375	50	94%		
D121513ALCS	D121513ALCS	ORG	95-50-1	1,2-Dichlorobenzene	47		ug/L	2	0.26	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1375	50	94%		
D121513ALCS	D121513ALCS	ORG	104-51-8	n-Butylbenzene	48		ug/L	5	0.28	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1375	50	96%		
D121513ALCS	D121513ALCS	ORG	96-12-8	1,2-Dibromo-3-chloropropane	49		ug/L	5	1.59	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1375	50	98%		
D121513ALCS	D121513ALCS	ORG	87-68-3	Hexachlorobutadiene	49		ug/L	5	0.65	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1375	50	98%		
D121513ALCS	D121513ALCS	ORG	120-82-1	1,2,4-Trichlorobenzene	50		ug/L	5	0.28	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1375	50	100%		
D121513ALCS	D121513ALCS	ORG	91-20-3	Naphthalene	50		ug/L	5	0.56	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1375	50	100%		
D121513ALCS	D121513ALCS	ORG	87-61-6	1,2,3-Trichlorobenzene	48		ug/L	5	0.23	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1375	50	96%		
D121513ALCS	D121513ALCS	STD	1868-53-7	Dibromofluoromethane	53		ng			NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1375	50	106%		
D121513ALCS	D121513ALCS	STD	17060-07-0	1,2-Dichloroethane d4	49		ng			NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1375	50	98%		
D121513ALCS	D121513ALCS	STD	2037-26-5	Toluene d8	48		ng			NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1375	50	96%		
D121513ALCS	D121513ALCS	STD	460-00-4	Bromofluorobenzene	45		ng			NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1375	50	90%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D121513ALCD	D121513ALCD	ORG	75-71-8	Dichlorodifluoromethane	24		ug/L	5	0.29	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1383	50	48%	4%	
D121513ALCD	D121513ALCD	ORG	74-87-3	Chloromethane	35		ug/L	5	0.43	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1383	50	70%	6%	
D121513ALCD	D121513ALCD	ORG	75-01-4	Vinyl chloride	41		ug/L	2	0.32	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1383	50	82%	2%	
D121513ALCD	D121513ALCD	ORG	74-83-9	Bromomethane	47		ug/L	5	0.50	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1383	50	94%	35%	
D121513ALCD	D121513ALCD	ORG	75-00-3	Chloroethane	53		ug/L	5	0.56	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1383	50	106%	4%	
D121513ALCD	D121513ALCD	ORG	75-69-4	Trichlorofluoromethane	370		ug/L	5	0.20	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1383	50	740%	91%	
D121513ALCD	D121513ALCD	ORG	75-35-4	1,1-Dichloroethene	38		ug/L	1	0.47	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1383	50	76%	3%	
D121513ALCD	D121513ALCD	ORG	75-09-2	Methylene chloride	43		ug/L	5	0.26	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1383	50	86%	2%	
D121513ALCD	D121513ALCD	ORG	67-64-1	Acetone	60		ug/L	10	1.56	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1383	50	120%	11%	
D121513ALCD	D121513ALCD	ORG	156-60-5	trans-1,2-Dichloroethene	44		ug/L	1	0.56	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1383	50	88%	2%	
D121513ALCD	D121513ALCD	ORG	1634-04-4	MTBE	50		ug/L	5	0.61	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1383	50	100%	8%	
D121513ALCD	D121513ALCD	ORG	75-34-3	1,1-Dichloroethane	44		ug/L	1	0.53	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1383	50	88%	5%	
D121513ALCD	D121513ALCD	ORG	156-59-2	cis-1,2-Dichloroethene	46		ug/L	1	0.32	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1383	50	92%	2%	
D121513ALCD	D121513ALCD	ORG	74-97-5	Bromochloromethane	48		ug/L	10	0.41	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1383	50	96%	4%	
D121513ALCD	D121513ALCD	ORG	67-66-3	Chloroform	47		ug/L	2	0.16	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1383	50	94%	7%	
D121513ALCD	D121513ALCD	ORG	71-55-6	1,1,1-Trichloroethane	47		ug/L	1	0.17	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1383	50	94%	2%	
D121513ALCD	D121513ALCD	ORG	78-93-3	2-Butanone	50		ug/L	1	0.81	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1383	50	100%	2%	
D121513ALCD	D121513ALCD	ORG	56-23-5	Carbon tetrachloride	47		ug/L	1	0.28	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1383	50	94%	2%	
D121513ALCD	D121513ALCD	ORG	71-43-2	Benzene	47		ug/L	1	0.14	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1383	50	94%	4%	
D121513ALCD	D121513ALCD	ORG	107-06-2	1,2-Dichloroethane	48		ug/L	1	0.20	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1383	50	96%	4%	
D121513ALCD	D121513ALCD	ORG	79-01-6	Trichloroethene	47		ug/L	1	0.36	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1383	50	94%	0%	
D121513ALCD	D121513ALCD	ORG	74-95-3	Dibromomethane	50		ug/L	2	0.32	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1383	50	100%	2%	
D121513ALCD	D121513ALCD	ORG	78-87-5	1,2-Dichloropropane	49		ug/L	1	0.18	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1383	50	98%	4%	
D121513ALCD	D121513ALCD	ORG	75-27-4	Bromodichloromethane	50		ug/L	2	0.12	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1383	50	100%	4%	
D121513ALCD	D121513ALCD	ORG	10061-01-5	cis-1,3-Dichloropropene	53		ug/L	1	0.25	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1383	50	106%	2%	
D121513ALCD	D121513ALCD	ORG	108-88-3	Toluene	46		ug/L	1	0.21	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1383	50	92%	4%	
D121513ALCD	D121513ALCD	ORG	108-10-1	4-Methyl-2-pentanone	62		ug/L	5	0.74	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1383	50	124%	2%	
D121513ALCD	D121513ALCD	ORG	10061-02-6	trans-1,3-Dichloropropene	58		ug/L	1	0.31	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1383	50	116%	5%	
D121513ALCD	D121513ALCD	ORG	127-18-4	Tetrachloroethene	53		ug/L	1	0.49	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1383	50	106%	19%	
D121513ALCD	D121513ALCD	ORG	79-00-5	1,1,2-Trichloroethane	50		ug/L	1	0.34	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1383	50	100%	6%	
D121513ALCD	D121513ALCD	ORG	124-48-1	Dibromochloromethane	56		ug/L	5	0.30	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1383	50	112%	6%	
D121513ALCD	D121513ALCD	ORG	106-93-4	1,2-Dibromoethane	52		ug/L	2	0.26	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1383	50	104%	4%	
D121513ALCD	D121513ALCD	ORG	591-78-6	2-Hexanone	54		ug/L	2	0.69	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1383	50	108%	14%	
D121513ALCD	D121513ALCD	ORG	100-41-4	Ethylbenzene	49		ug/L	1	0.25	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1383	50	98%	6%	
D121513ALCD	D121513ALCD	ORG	108-90-7	Chlorobenzene	49		ug/L	1	0.28	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1383	50	98%	6%	
D121513ALCD	D121513ALCD	ORG	630-20-6	1,1,1,2-Tetrachloroethane	52		ug/L	2	0.19	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1383	50	104%	8%	
D121513ALCD	D121513ALCD	ORG	XYLMP	p&m-Xylene	100		ug/L	2	0.26	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1383	100	100%	6%	
D121513ALCD	D121513ALCD	ORG	95-47-6	o-Xylene	50		ug/L	1	0.13	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1383	50	100%	8%	
D121513ALCD	D121513ALCD	ORG	100-42-5	Styrene	52		ug/L	1	0.20	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1383	50	104%	8%	
D121513ALCD	D121513ALCD	ORG	75-25-2	Bromoform	62		ug/L	2	0.47	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1383	50	124%	7%	
D121513ALCD	D121513ALCD	ORG	98-82-8	Isopropylbenzene	51		ug/L	2	0.20	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1383	50	102%	4%	
D121513ALCD	D121513ALCD	ORG	103-65-1	n-Propylbenzene	52		ug/L	2	0.27	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1383	50	104%	8%	
D121513ALCD	D121513ALCD	ORG	79-34-5	1,1,2,2-Tetrachloroethane	52		ug/L	2	0.29	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1383	50	104%	8%	

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D121513ALCD	D121513ALCD	ORG	96-18-4	1,2,3-Trichloropropane	51		ug/L	2	0.29	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1383	50	102%	8%	
D121513ALCD	D121513ALCD	ORG	108-67-8	1,3,5-Trimethylbenzene	51		ug/L	2	0.20	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1383	50	102%	6%	
D121513ALCD	D121513ALCD	ORG	98-06-6	tert-Butylbenzene	52		ug/L	2	0.33	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1383	50	104%	4%	
D121513ALCD	D121513ALCD	ORG	95-63-6	1,2,4-Trimethylbenzene	52		ug/L	2	0.20	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1383	50	104%	8%	
D121513ALCD	D121513ALCD	ORG	135-98-8	sec-Butylbenzene	52		ug/L	2	0.32	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1383	50	104%	6%	
D121513ALCD	D121513ALCD	ORG	541-73-1	1,3-Dichlorobenzene	50		ug/L	2	0.22	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1383	50	100%	4%	
D121513ALCD	D121513ALCD	ORG	99-87-6	p-Isopropltoluene	52		ug/L	2	0.25	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1383	50	104%	4%	
D121513ALCD	D121513ALCD	ORG	106-46-7	1,4-Dichlorobenzene	49		ug/L	2	0.33	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1383	50	98%	4%	
D121513ALCD	D121513ALCD	ORG	95-50-1	1,2-Dichlorobenzene	50		ug/L	2	0.26	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1383	50	100%	6%	
D121513ALCD	D121513ALCD	ORG	104-51-8	n-Butylbenzene	51		ug/L	5	0.28	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1383	50	102%	6%	
D121513ALCD	D121513ALCD	ORG	96-12-8	1,2-Dibromo-3-chloropropane	54		ug/L	5	1.59	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1383	50	108%	10%	
D121513ALCD	D121513ALCD	ORG	87-68-3	Hexachlorobutadiene	46		ug/L	5	0.65	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1383	50	92%	6%	
D121513ALCD	D121513ALCD	ORG	120-82-1	1,2,4-Trichlorobenzene	52		ug/L	5	0.28	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1383	50	104%	4%	
D121513ALCD	D121513ALCD	ORG	91-20-3	Naphthalene	55		ug/L	5	0.56	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1383	50	110%	10%	
D121513ALCD	D121513ALCD	ORG	87-61-6	1,2,3-Trichlorobenzene	51		ug/L	5	0.23	NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1383	50	102%	6%	
D121513ALCD	D121513ALCD	STD	1868-53-7	Dibromofluoromethane	52		ng			NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1383	50	104%	2%	
D121513ALCD	D121513ALCD	STD	17060-07-0	1,2-Dichloroethane d4	51		ng			NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1383	50	102%	4%	
D121513ALCD	D121513ALCD	STD	2037-26-5	Toluene d8	48		ng			NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1383	50	96%	0%	
D121513ALCD	D121513ALCD	STD	460-00-4	Bromofluorobenzene	49		ng			NA	12/15/2013	12/15/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1383	50	98%	9%	

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-840MS	316-166RR	ORG	75-71-8	Dichlorodifluoromethane	5500		ug/L	500	29.28	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1384	5000	110%		
NAL13026-840MS	316-166RR	ORG	74-87-3	Chloromethane	5200		ug/L	500	43.07	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1384	5000	104%		
NAL13026-840MS	316-166RR	ORG	75-01-4	Vinyl chloride	5500		ug/L	200	31.86	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1384	5000	110%		
NAL13026-840MS	316-166RR	ORG	74-83-9	Bromomethane	6200		ug/L	500	50.04	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1384	5000	124%		
NAL13026-840MS	316-166RR	ORG	75-00-3	Chloroethane	6600		ug/L	500	55.61	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1384	5000	132%		
NAL13026-840MS	316-166RR	ORG	75-69-4	Trichlorofluoromethane	25000		ug/L	500	19.65	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1384	5000	500%		
NAL13026-840MS	316-166RR	ORG	75-35-4	1,1-Dichloroethene	3900		ug/L	100	47.11	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1384	5000	78%		
NAL13026-840MS	316-166RR	ORG	75-09-2	Methylene chloride	4700		ug/L	500	26.46	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1384	5000	94%		
NAL13026-840MS	316-166RR	ORG	67-64-1	Acetone	240000		ug/L	1000	155.61	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1384	5000	-200%		250000
NAL13026-840MS	316-166RR	ORG	156-60-5	trans-1,2-Dichloroethene	4200		ug/L	100	55.61	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1384	5000	84%		
NAL13026-840MS	316-166RR	ORG	1634-04-4	MTBE	4600		ug/L	500	61.18	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1384	5000	92%		
NAL13026-840MS	316-166RR	ORG	75-34-3	1,1-Dichloroethane	4300		ug/L	100	52.66	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1384	5000	86%		
NAL13026-840MS	316-166RR	ORG	156-59-2	cis-1,2-Dichloroethene	4700		ug/L	100	32.11	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1384	5000	94%		
NAL13026-840MS	316-166RR	ORG	74-97-5	Bromochloromethane	4700		ug/L	1000	41.37	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1384	5000	94%		
NAL13026-840MS	316-166RR	ORG	67-66-3	Chloroform	4800		ug/L	200	15.73	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1384	5000	96%		
NAL13026-840MS	316-166RR	ORG	71-55-6	1,1,1-Trichloroethane	4600		ug/L	100	16.65	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1384	5000	92%		
NAL13026-840MS	316-166RR	ORG	78-93-3	2-Butanone	39000		ug/L	100	81.18	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1384	5000	140%		32000
NAL13026-840MS	316-166RR	ORG	56-23-5	Carbon tetrachloride	4600		ug/L	100	27.64	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1384	5000	92%		
NAL13026-840MS	316-166RR	ORG	71-43-2	Benzene	4700		ug/L	100	13.53	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1384	5000	92%		85
NAL13026-840MS	316-166RR	ORG	107-06-2	1,2-Dichloroethane	4700		ug/L	100	20.01	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1384	5000	94%		
NAL13026-840MS	316-166RR	ORG	79-01-6	Trichloroethene	4700		ug/L	100	36.33	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1384	5000	94%		
NAL13026-840MS	316-166RR	ORG	74-95-3	Dibromomethane	5100		ug/L	200	32.20	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1384	5000	102%		
NAL13026-840MS	316-166RR	ORG	78-87-5	1,2-Dichloropropane	4800		ug/L	100	18.17	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1384	5000	96%		
NAL13026-840MS	316-166RR	ORG	75-27-4	Bromodichloromethane	4800		ug/L	200	11.58	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1384	5000	96%		
NAL13026-840MS	316-166RR	ORG	10061-01-5	cis-1,3-Dichloropropene	5000		ug/L	100	25.01	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1384	5000	100%		
NAL13026-840MS	316-166RR	ORG	108-88-3	Toluene	4500		ug/L	100	20.96	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1384	5000	89%		56
NAL13026-840MS	316-166RR	ORG	108-10-1	4-Methyl-2-pentanone	7800		ug/L	500	74.00	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1384	5000	116%		2000
NAL13026-840MS	316-166RR	ORG	10061-02-6	trans-1,3-Dichloropropene	5700		ug/L	100	31.15	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1384	5000	114%		
NAL13026-840MS	316-166RR	ORG	127-18-4	Tetrachloroethene	4400		ug/L	100	48.56	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1384	5000	88%		
NAL13026-840MS	316-166RR	ORG	79-00-5	1,1,2-Trichloroethane	5000		ug/L	100	34.28	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1384	5000	100%		
NAL13026-840MS	316-166RR	ORG	124-48-1	Dibromochloromethane	5600		ug/L	500	29.90	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1384	5000	112%		
NAL13026-840MS	316-166RR	ORG	106-93-4	1,2-Dibromoethane	5200		ug/L	200	26.49	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1384	5000	104%		
NAL13026-840MS	316-166RR	ORG	591-78-6	2-Hexanone	9400		ug/L	200	68.90	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1384	5000	82%		5300
NAL13026-840MS	316-166RR	ORG	100-41-4	Ethylbenzene	4700		ug/L	100	25.38	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1384	5000	92%		98
NAL13026-840MS	316-166RR	ORG	108-90-7	Chlorobenzene	4600		ug/L	100	27.52	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1384	5000	92%		
NAL13026-840MS	316-166RR	ORG	630-20-6	1,1,1,2-Tetrachloroethane	4800		ug/L	200	19.28	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1384	5000	96%		
NAL13026-840MS	316-166RR	ORG	XYLMP	p&m-Xylene	9800		ug/L	200	26.14	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1384	10000	95%		290
NAL13026-840MS	316-166RR	ORG	95-47-6	o-Xylene	5100		ug/L	100	12.90	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1384	5000	97%		230
NAL13026-840MS	316-166RR	ORG	100-42-5	Styrene	5100		ug/L	100	20.23	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1384	5000	102%		
NAL13026-840MS	316-166RR	ORG	75-25-2	Bromoform	5800		ug/L	200	46.83	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1384	5000	116%		
NAL13026-840MS	316-166RR	ORG	98-82-8	Isopropylbenzene	5200		ug/L	200	20.48	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1384	5000	102%		90
NAL13026-840MS	316-166RR	ORG	103-65-1	n-Propylbenzene	5000		ug/L	200	27.00	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1384	5000	98%		100
NAL13026-840MS	316-166RR	ORG	79-34-5	1,1,2,2-Tetrachloroethane	4800		ug/L	200	29.16	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1384	5000	96%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-840MS	316-166RR	ORG	96-18-4	1,2,3-Trichloropropane	4800		ug/L	200	29.47	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1384	5000	96%		
NAL13026-840MS	316-166RR	ORG	108-67-8	1,3,5-Trimethylbenzene	5200		ug/L	200	20.03	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1384	5000	99%		240
NAL13026-840MS	316-166RR	ORG	98-06-6	tert-Butylbenzene	5300		ug/L	200	32.61	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1384	5000	106%		
NAL13026-840MS	316-166RR	ORG	95-63-6	1,2,4-Trimethylbenzene	6100		ug/L	200	20.03	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1384	5000	98%		1200
NAL13026-840MS	316-166RR	ORG	135-98-8	sec-Butylbenzene	5200		ug/L	200	32.34	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1384	5000	104%		
NAL13026-840MS	316-166RR	ORG	541-73-1	1,3-Dichlorobenzene	4900		ug/L	200	22.21	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1384	5000	98%		
NAL13026-840MS	316-166RR	ORG	99-87-6	p-Isopropltoluene	9100		ug/L	200	25.48	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1384	5000	100%		4100
NAL13026-840MS	316-166RR	ORG	106-46-7	1,4-Dichlorobenzene	6200		ug/L	200	33.03	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1384	5000	100%		1200
NAL13026-840MS	316-166RR	ORG	95-50-1	1,2-Dichlorobenzene	4900		ug/L	200	26.38	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1384	5000	98%		
NAL13026-840MS	316-166RR	ORG	104-51-8	n-Butylbenzene	5100		ug/L	500	27.81	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1384	5000	97%		250
NAL13026-840MS	316-166RR	ORG	96-12-8	1,2-Dibromo-3-chloropropane	5900		ug/L	500	159.11	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1384	5000	118%		
NAL13026-840MS	316-166RR	ORG	87-68-3	Hexachlorobutadiene	5000		ug/L	500	65.42	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1384	5000	100%		
NAL13026-840MS	316-166RR	ORG	120-82-1	1,2,4-Trichlorobenzene	5400		ug/L	500	27.63	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1384	5000	108%		
NAL13026-840MS	316-166RR	ORG	91-20-3	Naphthalene	7500		ug/L	500	56.04	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1384	5000	122%		1400
NAL13026-840MS	316-166RR	ORG	87-61-6	1,2,3-Trichlorobenzene	5300		ug/L	500	23.28	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1384	5000	106%		
NAL13026-840MS	316-166RR	STD	1868-53-7	Dibromofluoromethane	52		ng			12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1384	50	104%		
NAL13026-840MS	316-166RR	STD	17060-07-0	1,2-Dichloroethane d4	48		ng			12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1384	50	96%		
NAL13026-840MS	316-166RR	STD	2037-26-5	Toluene d8	46		ng			12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1384	50	92%		
NAL13026-840MS	316-166RR	STD	460-00-4	Bromofluorobenzene	45		ng			12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1384	50	90%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-840MSD	316-166RR	ORG	75-71-8	Dichlorodifluoromethane	5400		ug/L	500	29.28	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1385	5000	108%	2%	0
NAL13026-840MSD	316-166RR	ORG	74-87-3	Chloromethane	5300		ug/L	500	43.07	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1385	5000	106%	2%	0
NAL13026-840MSD	316-166RR	ORG	75-01-4	Vinyl chloride	5500		ug/L	200	31.86	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1385	5000	110%	0%	0
NAL13026-840MSD	316-166RR	ORG	74-83-9	Bromomethane	5400		ug/L	500	50.04	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1385	5000	108%	14%	0
NAL13026-840MSD	316-166RR	ORG	75-00-3	Chloroethane	5800		ug/L	500	55.61	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1385	5000	116%	13%	0
NAL13026-840MSD	316-166RR	ORG	75-69-4	Trichlorofluoromethane	26000		ug/L	500	19.65	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1385	5000	520%	4%	0
NAL13026-840MSD	316-166RR	ORG	75-35-4	1,1-Dichloroethene	3900		ug/L	100	47.11	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1385	5000	78%	0%	0
NAL13026-840MSD	316-166RR	ORG	75-09-2	Methylene chloride	4400		ug/L	500	26.46	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1385	5000	88%	7%	0
NAL13026-840MSD	316-166RR	ORG	67-64-1	Acetone	240000		ug/L	1000	155.61	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1385	5000	-200%	0%	250000
NAL13026-840MSD	316-166RR	ORG	156-60-5	trans-1,2-Dichloroethene	4000		ug/L	100	55.61	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1385	5000	80%	5%	0
NAL13026-840MSD	316-166RR	ORG	1634-04-4	MTBE	4600		ug/L	500	61.18	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1385	5000	92%	0%	0
NAL13026-840MSD	316-166RR	ORG	75-34-3	1,1-Dichloroethane	4200		ug/L	100	52.66	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1385	5000	84%	2%	0
NAL13026-840MSD	316-166RR	ORG	156-59-2	cis-1,2-Dichloroethene	4600		ug/L	100	32.11	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1385	5000	92%	2%	0
NAL13026-840MSD	316-166RR	ORG	74-97-5	Bromochloromethane	4600		ug/L	1000	41.37	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1385	5000	92%	2%	0
NAL13026-840MSD	316-166RR	ORG	67-66-3	Chloroform	4600		ug/L	200	15.73	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1385	5000	92%	4%	0
NAL13026-840MSD	316-166RR	ORG	71-55-6	1,1,1-Trichloroethane	4600		ug/L	100	16.65	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1385	5000	92%	0%	0
NAL13026-840MSD	316-166RR	ORG	78-93-3	2-Butanone	39000		ug/L	100	81.18	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1385	5000	140%	0%	32000
NAL13026-840MSD	316-166RR	ORG	56-23-5	Carbon tetrachloride	4700		ug/L	100	27.64	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1385	5000	94%	2%	0
NAL13026-840MSD	316-166RR	ORG	71-43-2	Benzene	4600		ug/L	100	13.53	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1385	5000	90%	2%	85
NAL13026-840MSD	316-166RR	ORG	107-06-2	1,2-Dichloroethane	4600		ug/L	100	20.01	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1385	5000	92%	2%	0
NAL13026-840MSD	316-166RR	ORG	79-01-6	Trichloroethene	4800		ug/L	100	36.33	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1385	5000	96%	2%	0
NAL13026-840MSD	316-166RR	ORG	74-95-3	Dibromomethane	5000		ug/L	200	32.20	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1385	5000	100%	2%	0
NAL13026-840MSD	316-166RR	ORG	78-87-5	1,2-Dichloropropane	4700		ug/L	100	18.17	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1385	5000	94%	2%	0
NAL13026-840MSD	316-166RR	ORG	75-27-4	Bromodichloromethane	4800		ug/L	200	11.58	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1385	5000	96%	0%	0
NAL13026-840MSD	316-166RR	ORG	10061-01-5	cis-1,3-Dichloropropene	5100		ug/L	100	25.01	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1385	5000	102%	2%	0
NAL13026-840MSD	316-166RR	ORG	108-88-3	Toluene	4600		ug/L	100	20.96	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1385	5000	91%	2%	56
NAL13026-840MSD	316-166RR	ORG	108-10-1	4-Methyl-2-pentanone	7900		ug/L	500	74.00	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1385	5000	118%	1%	2000
NAL13026-840MSD	316-166RR	ORG	10061-02-6	trans-1,3-Dichloropropene	5800		ug/L	100	31.15	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1385	5000	116%	2%	0
NAL13026-840MSD	316-166RR	ORG	127-18-4	Tetrachloroethene	4600		ug/L	100	48.56	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1385	5000	92%	4%	0
NAL13026-840MSD	316-166RR	ORG	79-00-5	1,1,2-Trichloroethane	5000		ug/L	100	34.28	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1385	5000	100%	0%	0
NAL13026-840MSD	316-166RR	ORG	124-48-1	Dibromochloromethane	5500		ug/L	500	29.90	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1385	5000	110%	2%	0
NAL13026-840MSD	316-166RR	ORG	106-93-4	1,2-Dibromoethane	5200		ug/L	200	26.49	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1385	5000	104%	0%	0
NAL13026-840MSD	316-166RR	ORG	591-78-6	2-Hexanone	9600		ug/L	200	68.90	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1385	5000	86%	2%	5300
NAL13026-840MSD	316-166RR	ORG	100-41-4	Ethylbenzene	4700		ug/L	100	25.38	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1385	5000	92%	0%	98
NAL13026-840MSD	316-166RR	ORG	108-90-7	Chlorobenzene	4700		ug/L	100	27.52	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1385	5000	94%	2%	0
NAL13026-840MSD	316-166RR	ORG	630-20-6	1,1,1,2-Tetrachloroethane	4800		ug/L	200	19.28	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1385	5000	96%	0%	0
NAL13026-840MSD	316-166RR	ORG	XYLMP	p&m-Xylene	9900		ug/L	200	26.14	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1385	10000	96%	1%	290
NAL13026-840MSD	316-166RR	ORG	95-47-6	o-Xylene	5200		ug/L	100	12.90	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1385	5000	99%	2%	230
NAL13026-840MSD	316-166RR	ORG	100-42-5	Styrene	5100		ug/L	100	20.23	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1385	5000	102%	0%	0
NAL13026-840MSD	316-166RR	ORG	75-25-2	Bromoform	5900		ug/L	200	46.83	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1385	5000	118%	2%	0
NAL13026-840MSD	316-166RR	ORG	98-82-8	Isopropylbenzene	5200		ug/L	200	20.48	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1385	5000	102%	0%	90
NAL13026-840MSD	316-166RR	ORG	103-65-1	n-Propylbenzene	5100		ug/L	200	27.00	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1385	5000	100%	2%	100
NAL13026-840MSD	316-166RR	ORG	79-34-5	1,1,2,2-Tetrachloroethane	5000		ug/L	200	29.16	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1385	5000	100%	4%	0

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-840MSD	316-166RR	ORG	96-18-4	1,2,3-Trichloropropane	5500		ug/L	200	29.47	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1385	5000	110%	14%	0
NAL13026-840MSD	316-166RR	ORG	108-67-8	1,3,5-Trimethylbenzene	5400		ug/L	200	20.03	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1385	5000	103%	4%	240
NAL13026-840MSD	316-166RR	ORG	98-06-6	tert-Butylbenzene	5400		ug/L	200	32.61	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1385	5000	108%	2%	0
NAL13026-840MSD	316-166RR	ORG	95-63-6	1,2,4-Trimethylbenzene	6300		ug/L	200	20.03	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1385	5000	102%	3%	1200
NAL13026-840MSD	316-166RR	ORG	135-98-8	sec-Butylbenzene	5200		ug/L	200	32.34	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1385	5000	104%	0%	0
NAL13026-840MSD	316-166RR	ORG	541-73-1	1,3-Dichlorobenzene	4900		ug/L	200	22.21	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1385	5000	98%	0%	0
NAL13026-840MSD	316-166RR	ORG	99-87-6	p-Isopropltoluene	9900		ug/L	200	25.48	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1385	5000	116%	8%	4100
NAL13026-840MSD	316-166RR	ORG	106-46-7	1,4-Dichlorobenzene	6300		ug/L	200	33.03	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1385	5000	102%	2%	1200
NAL13026-840MSD	316-166RR	ORG	95-50-1	1,2-Dichlorobenzene	5000		ug/L	200	26.38	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1385	5000	100%	2%	0
NAL13026-840MSD	316-166RR	ORG	104-51-8	n-Butylbenzene	5200		ug/L	500	27.81	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1385	5000	99%	2%	250
NAL13026-840MSD	316-166RR	ORG	96-12-8	1,2-Dibromo-3-chloropropane	5800		ug/L	500	159.11	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1385	5000	116%	2%	0
NAL13026-840MSD	316-166RR	ORG	87-68-3	Hexachlorobutadiene	4900		ug/L	500	65.42	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1385	5000	98%	2%	0
NAL13026-840MSD	316-166RR	ORG	120-82-1	1,2,4-Trichlorobenzene	5500		ug/L	500	27.63	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1385	5000	110%	2%	0
NAL13026-840MSD	316-166RR	ORG	91-20-3	Naphthalene	7600		ug/L	500	56.04	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1385	5000	124%	1%	1400
NAL13026-840MSD	316-166RR	ORG	87-61-6	1,2,3-Trichlorobenzene	5200		ug/L	500	23.28	12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1385	5000	104%	2%	0
NAL13026-840MSD	316-166RR	STD	1868-53-7	Dibromofluoromethane	51		ng			12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1385	50	102%	2%	0
NAL13026-840MSD	316-166RR	STD	17060-07-0	1,2-Dichloroethane d4	46		ng			12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1385	50	92%	4%	0
NAL13026-840MSD	316-166RR	STD	2037-26-5	Toluene d8	47		ng			12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1385	50	94%	2%	0
NAL13026-840MSD	316-166RR	STD	460-00-4	Bromofluorobenzene	46		ng			12/15/2013	12/15/2013	12/15/2013	WG	100	NA	5.0	NA	SW8260B	NALD1385	50	92%	2%	0

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-841	316-167	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0896				
NAL13026-841	316-167	ORG	74-87-3	Chloromethane		U	ug/L	500	43.07	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0896				
NAL13026-841	316-167	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0896				
NAL13026-841	316-167	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0896				
NAL13026-841	316-167	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0896				
NAL13026-841	316-167	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0896				
NAL13026-841	316-167	ORG	75-35-4	1,1-Dichloroethene		UX-	ug/L	100	47.11	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0896				
NAL13026-841	316-167	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0896				
NAL13026-841	316-167	ORG	67-64-1	Acetone	82000	D	ug/L	10000	1556.07	12/16/2013	12/16/2013	12/16/2013	WG	1000	NA	5.0	NA	SW8260B	NALC0897				
NAL13026-841	316-167	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0896				
NAL13026-841	316-167	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0896				
NAL13026-841	316-167	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0896				
NAL13026-841	316-167	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0896				
NAL13026-841	316-167	ORG	74-97-5	Bromochloromethane		U	ug/L	200	41.37	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0896				
NAL13026-841	316-167	ORG	67-66-3	Chloroform		U	ug/L	100	15.73	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0896				
NAL13026-841	316-167	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	16.65	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0896				
NAL13026-841	316-167	ORG	78-93-3	2-Butanone	36000	D	ug/L	10000	811.80	12/16/2013	12/16/2013	12/16/2013	WG	1000	NA	5.0	NA	SW8260B	NALC0897				
NAL13026-841	316-167	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0896				
NAL13026-841	316-167	ORG	71-43-2	Benzene	130		ug/L	100	13.53	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0896				
NAL13026-841	316-167	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0896				
NAL13026-841	316-167	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0896				
NAL13026-841	316-167	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0896				
NAL13026-841	316-167	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0896				
NAL13026-841	316-167	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0896				
NAL13026-841	316-167	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0896				
NAL13026-841	316-167	ORG	108-88-3	Toluene	62	J	ug/L	100	20.96	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0896				
NAL13026-841	316-167	ORG	108-10-1	4-Methyl-2-pentanone	1000		ug/L	500	74.00	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0896				
NAL13026-841	316-167	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0896				
NAL13026-841	316-167	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0896				
NAL13026-841	316-167	ORG	79-00-5	1,1,2-Trichloroethane	160		ug/L	100	34.28	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0896				
NAL13026-841	316-167	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	29.90	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0896				
NAL13026-841	316-167	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	26.49	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0896				
NAL13026-841	316-167	ORG	591-78-6	2-Hexanone	3100		ug/L	500	68.90	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0896				
NAL13026-841	316-167	ORG	100-41-4	Ethylbenzene	91	JX-	ug/L	100	25.38	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0896				
NAL13026-841	316-167	ORG	108-90-7	Chlorobenzene		UX-	ug/L	100	27.52	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0896				
NAL13026-841	316-167	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0896				
NAL13026-841	316-167	ORG	XYLMP	p&m-Xylene	230		ug/L	200	26.14	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0896				
NAL13026-841	316-167	ORG	95-47-6	o-Xylene	150		ug/L	100	12.90	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0896				
NAL13026-841	316-167	ORG	100-42-5	Styrene		U	ug/L	100	20.23	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0896				
NAL13026-841	316-167	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0896				
NAL13026-841	316-167	ORG	98-82-8	Isopropylbenzene	80	J	ug/L	200	20.48	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0896				
NAL13026-841	316-167	ORG	103-65-1	n-Propylbenzene	90	J	ug/L	200	27.00	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0896				
NAL13026-841	316-167	ORG	79-34-5	1,1,2,2-Tetrachloroethane		UX-	ug/L	200	29.16	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0896				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-841	316-167	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0896				
NAL13026-841	316-167	ORG	108-67-8	1,3,5-Trimethylbenzene	180	J	ug/L	200	20.03	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0896				
NAL13026-841	316-167	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0896				
NAL13026-841	316-167	ORG	95-63-6	1,2,4-Trimethylbenzene	1000	U	ug/L	200	20.03	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0896				
NAL13026-841	316-167	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0896				
NAL13026-841	316-167	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0896				
NAL13026-841	316-167	ORG	99-87-6	p-Isopropltoluene	4400		ug/L	200	25.48	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0896				
NAL13026-841	316-167	ORG	106-46-7	1,4-Dichlorobenzene	1200		ug/L	200	33.03	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0896				
NAL13026-841	316-167	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0896				
NAL13026-841	316-167	ORG	104-51-8	n-Butylbenzene		U	ug/L	500	27.81	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0896				
NAL13026-841	316-167	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0896				
NAL13026-841	316-167	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0896				
NAL13026-841	316-167	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0896				
NAL13026-841	316-167	ORG	91-20-3	Naphthalene	1600		ug/L	500	56.04	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0896				
NAL13026-841	316-167	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0896				
NAL13026-841	316-167	STD	1868-53-7	Dibromofluoromethane	50		ng			12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0896	50	100%		
NAL13026-841	316-167	STD	17060-07-0	1,2-Dichloroethane d4	51		ng			12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0896	50	102%		
NAL13026-841	316-167	STD	2037-26-5	Toluene d8	43		ng			12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0896	50	86%		
NAL13026-841	316-167	STD	460-00-4	Bromofluorobenzene	46		ng			12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0896	50	92%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-842	316-167R	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0898				
NAL13026-842	316-167R	ORG	74-87-3	Chloromethane		U	ug/L	500	43.07	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0898				
NAL13026-842	316-167R	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0898				
NAL13026-842	316-167R	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0898				
NAL13026-842	316-167R	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0898				
NAL13026-842	316-167R	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0898				
NAL13026-842	316-167R	ORG	75-35-4	1,1-Dichloroethene		UX-	ug/L	100	47.11	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0898				
NAL13026-842	316-167R	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0898				
NAL13026-842	316-167R	ORG	67-64-1	Acetone	84000	D	ug/L	10000	1556.07	12/16/2013	12/16/2013	12/16/2013	WG	1000	NA	5.0	NA	SW8260B	NALC0899				
NAL13026-842	316-167R	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0898				
NAL13026-842	316-167R	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0898				
NAL13026-842	316-167R	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0898				
NAL13026-842	316-167R	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0898				
NAL13026-842	316-167R	ORG	74-97-5	Bromochloromethane		U	ug/L	200	41.37	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0898				
NAL13026-842	316-167R	ORG	67-66-3	Chloroform		U	ug/L	100	15.73	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0898				
NAL13026-842	316-167R	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	16.65	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0898				
NAL13026-842	316-167R	ORG	78-93-3	2-Butanone	38000	D	ug/L	10000	811.80	12/16/2013	12/16/2013	12/16/2013	WG	1000	NA	5.0	NA	SW8260B	NALC0899				
NAL13026-842	316-167R	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0898				
NAL13026-842	316-167R	ORG	71-43-2	Benzene	96	J	ug/L	100	13.53	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0898				
NAL13026-842	316-167R	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0898				
NAL13026-842	316-167R	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0898				
NAL13026-842	316-167R	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0898				
NAL13026-842	316-167R	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0898				
NAL13026-842	316-167R	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0898				
NAL13026-842	316-167R	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0898				
NAL13026-842	316-167R	ORG	108-88-3	Toluene	38	J	ug/L	100	20.96	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0898				
NAL13026-842	316-167R	ORG	108-10-1	4-Methyl-2-pentanone	900		ug/L	500	74.00	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0898				
NAL13026-842	316-167R	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0898				
NAL13026-842	316-167R	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0898				
NAL13026-842	316-167R	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0898				
NAL13026-842	316-167R	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	29.90	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0898				
NAL13026-842	316-167R	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	26.49	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0898				
NAL13026-842	316-167R	ORG	591-78-6	2-Hexanone	3200		ug/L	500	68.90	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0898				
NAL13026-842	316-167R	ORG	100-41-4	Ethylbenzene	71	JX-	ug/L	100	25.38	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0898				
NAL13026-842	316-167R	ORG	108-90-7	Chlorobenzene		UX-	ug/L	100	27.52	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0898				
NAL13026-842	316-167R	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0898				
NAL13026-842	316-167R	ORG	XYLMP	p&m-Xylene	200	J	ug/L	200	26.14	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0898				
NAL13026-842	316-167R	ORG	95-47-6	o-Xylene	140		ug/L	100	12.90	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0898				
NAL13026-842	316-167R	ORG	100-42-5	Styrene		U	ug/L	100	20.23	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0898				
NAL13026-842	316-167R	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0898				
NAL13026-842	316-167R	ORG	98-82-8	Isopropylbenzene	70	J	ug/L	200	20.48	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0898				
NAL13026-842	316-167R	ORG	103-65-1	n-Propylbenzene	90	J	ug/L	200	27.00	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0898				
NAL13026-842	316-167R	ORG	79-34-5	1,1,2,2-Tetrachloroethane		UX-	ug/L	200	29.16	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0898				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-842	316-167R	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0898				
NAL13026-842	316-167R	ORG	108-67-8	1,3,5-Trimethylbenzene	170	J	ug/L	200	20.03	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0898				
NAL13026-842	316-167R	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0898				
NAL13026-842	316-167R	ORG	95-63-6	1,2,4-Trimethylbenzene	1000		ug/L	200	20.03	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0898				
NAL13026-842	316-167R	ORG	135-98-8	sec-Butylbenzene	34	J	ug/L	200	32.34	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0898				
NAL13026-842	316-167R	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0898				
NAL13026-842	316-167R	ORG	99-87-6	p-Isopropltoluene	4700		ug/L	200	25.48	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0898				
NAL13026-842	316-167R	ORG	106-46-7	1,4-Dichlorobenzene	1300		ug/L	200	33.03	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0898				
NAL13026-842	316-167R	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0898				
NAL13026-842	316-167R	ORG	104-51-8	n-Butylbenzene		U	ug/L	500	27.81	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0898				
NAL13026-842	316-167R	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0898				
NAL13026-842	316-167R	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0898				
NAL13026-842	316-167R	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0898				
NAL13026-842	316-167R	ORG	91-20-3	Naphthalene	1600		ug/L	500	56.04	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0898				
NAL13026-842	316-167R	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0898				
NAL13026-842	316-167R	STD	1868-53-7	Dibromofluoromethane	53		ng			12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0898	50	106%		
NAL13026-842	316-167R	STD	17060-07-0	1,2-Dichloroethane d4	50		ng			12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0898	50	100%		
NAL13026-842	316-167R	STD	2037-26-5	Toluene d8	43		ng			12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0898	50	86%		
NAL13026-842	316-167R	STD	460-00-4	Bromofluorobenzene	45		ng			12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0898	50	90%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-843	#3 P0ND	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0904				
NAL13026-843	#3 P0ND	ORG	74-87-3	Chloromethane		U	ug/L	500	43.07	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0904				
NAL13026-843	#3 P0ND	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0904				
NAL13026-843	#3 P0ND	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0904				
NAL13026-843	#3 P0ND	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0904				
NAL13026-843	#3 P0ND	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0904				
NAL13026-843	#3 P0ND	ORG	75-35-4	1,1-Dichloroethene		UX-	ug/L	100	47.11	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0904				
NAL13026-843	#3 P0ND	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0904				
NAL13026-843	#3 P0ND	ORG	67-64-1	Acetone	3300		ug/L	1000	155.61	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0904				
NAL13026-843	#3 P0ND	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0904				
NAL13026-843	#3 P0ND	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0904				
NAL13026-843	#3 P0ND	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0904				
NAL13026-843	#3 P0ND	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0904				
NAL13026-843	#3 P0ND	ORG	74-97-5	Bromochloromethane		U	ug/L	200	41.37	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0904				
NAL13026-843	#3 P0ND	ORG	67-66-3	Chloroform		U	ug/L	100	15.73	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0904				
NAL13026-843	#3 P0ND	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	16.65	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0904				
NAL13026-843	#3 P0ND	ORG	78-93-3	2-Butanone	1400		ug/L	1000	81.18	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0904				
NAL13026-843	#3 P0ND	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0904				
NAL13026-843	#3 P0ND	ORG	71-43-2	Benzene	28	J	ug/L	100	13.53	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0904				
NAL13026-843	#3 P0ND	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0904				
NAL13026-843	#3 P0ND	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0904				
NAL13026-843	#3 P0ND	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0904				
NAL13026-843	#3 P0ND	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0904				
NAL13026-843	#3 P0ND	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0904				
NAL13026-843	#3 P0ND	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0904				
NAL13026-843	#3 P0ND	ORG	108-88-3	Toluene		U	ug/L	100	20.96	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0904				
NAL13026-843	#3 P0ND	ORG	108-10-1	4-Methyl-2-pentanone		U	ug/L	500	74.00	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0904				
NAL13026-843	#3 P0ND	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0904				
NAL13026-843	#3 P0ND	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0904				
NAL13026-843	#3 P0ND	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0904				
NAL13026-843	#3 P0ND	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	29.90	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0904				
NAL13026-843	#3 P0ND	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	26.49	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0904				
NAL13026-843	#3 P0ND	ORG	591-78-6	2-Hexanone		U	ug/L	500	68.90	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0904				
NAL13026-843	#3 P0ND	ORG	100-41-4	Ethylbenzene		UX-	ug/L	100	25.38	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0904				
NAL13026-843	#3 P0ND	ORG	108-90-7	Chlorobenzene		UX-	ug/L	100	27.52	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0904				
NAL13026-843	#3 P0ND	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0904				
NAL13026-843	#3 P0ND	ORG	XYLMP	p&m-Xylene		U	ug/L	200	26.14	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0904				
NAL13026-843	#3 P0ND	ORG	95-47-6	o-Xylene		U	ug/L	100	12.90	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0904				
NAL13026-843	#3 P0ND	ORG	100-42-5	Styrene		U	ug/L	100	20.23	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0904				
NAL13026-843	#3 P0ND	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0904				
NAL13026-843	#3 P0ND	ORG	98-82-8	Isopropylbenzene		U	ug/L	200	20.48	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0904				
NAL13026-843	#3 P0ND	ORG	103-65-1	n-Propylbenzene		U	ug/L	200	27.00	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0904				
NAL13026-843	#3 P0ND	ORG	79-34-5	1,1,2,2-Tetrachloroethane		UX-	ug/L	200	29.16	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0904				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-843	#3 P0ND	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0904				
NAL13026-843	#3 P0ND	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	200	20.03	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0904				
NAL13026-843	#3 P0ND	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0904				
NAL13026-843	#3 P0ND	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	200	20.03	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0904				
NAL13026-843	#3 P0ND	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0904				
NAL13026-843	#3 P0ND	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0904				
NAL13026-843	#3 P0ND	ORG	99-87-6	p-Isopropltoluene	32	J	ug/L	200	25.48	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0904				
NAL13026-843	#3 P0ND	ORG	106-46-7	1,4-Dichlorobenzene	42	J	ug/L	200	33.03	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0904				
NAL13026-843	#3 P0ND	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0904				
NAL13026-843	#3 P0ND	ORG	104-51-8	n-Butylbenzene		U	ug/L	500	27.81	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0904				
NAL13026-843	#3 P0ND	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0904				
NAL13026-843	#3 P0ND	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0904				
NAL13026-843	#3 P0ND	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0904				
NAL13026-843	#3 P0ND	ORG	91-20-3	Naphthalene		U	ug/L	500	56.04	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0904				
NAL13026-843	#3 P0ND	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0904				
NAL13026-843	#3 P0ND	STD	1868-53-7	Dibromofluoromethane	52		ng			12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0904	50	104%		
NAL13026-843	#3 P0ND	STD	17060-07-0	1,2-Dichloroethane d4	52		ng			12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0904	50	104%		
NAL13026-843	#3 P0ND	STD	2037-26-5	Toluene d8	45		ng			12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0904	50	90%		
NAL13026-843	#3 P0ND	STD	460-00-4	Bromofluorobenzene	48		ng			12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0904	50	96%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-844	#3 SLUICE	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0906				
NAL13026-844	#3 SLUICE	ORG	74-87-3	Chloromethane		U	ug/L	500	43.07	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0906				
NAL13026-844	#3 SLUICE	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0906				
NAL13026-844	#3 SLUICE	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0906				
NAL13026-844	#3 SLUICE	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0906				
NAL13026-844	#3 SLUICE	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0906				
NAL13026-844	#3 SLUICE	ORG	75-35-4	1,1-Dichloroethene		UX-	ug/L	100	47.11	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0906				
NAL13026-844	#3 SLUICE	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0906				
NAL13026-844	#3 SLUICE	ORG	67-64-1	Acetone	510	J	ug/L	1000	155.61	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0906				
NAL13026-844	#3 SLUICE	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0906				
NAL13026-844	#3 SLUICE	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0906				
NAL13026-844	#3 SLUICE	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0906				
NAL13026-844	#3 SLUICE	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0906				
NAL13026-844	#3 SLUICE	ORG	74-97-5	Bromochloromethane		U	ug/L	200	41.37	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0906				
NAL13026-844	#3 SLUICE	ORG	67-66-3	Chloroform		U	ug/L	100	15.73	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0906				
NAL13026-844	#3 SLUICE	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	16.65	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0906				
NAL13026-844	#3 SLUICE	ORG	78-93-3	2-Butanone		U	ug/L	1000	81.18	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0906				
NAL13026-844	#3 SLUICE	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0906				
NAL13026-844	#3 SLUICE	ORG	71-43-2	Benzene		U	ug/L	100	13.53	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0906				
NAL13026-844	#3 SLUICE	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0906				
NAL13026-844	#3 SLUICE	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0906				
NAL13026-844	#3 SLUICE	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0906				
NAL13026-844	#3 SLUICE	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0906				
NAL13026-844	#3 SLUICE	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0906				
NAL13026-844	#3 SLUICE	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0906				
NAL13026-844	#3 SLUICE	ORG	108-88-3	Toluene		U	ug/L	100	20.96	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0906				
NAL13026-844	#3 SLUICE	ORG	108-10-1	4-Methyl-2-pentanone		U	ug/L	500	74.00	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0906				
NAL13026-844	#3 SLUICE	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0906				
NAL13026-844	#3 SLUICE	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0906				
NAL13026-844	#3 SLUICE	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0906				
NAL13026-844	#3 SLUICE	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	29.90	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0906				
NAL13026-844	#3 SLUICE	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	26.49	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0906				
NAL13026-844	#3 SLUICE	ORG	591-78-6	2-Hexanone		U	ug/L	500	68.90	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0906				
NAL13026-844	#3 SLUICE	ORG	100-41-4	Ethylbenzene		UX-	ug/L	100	25.38	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0906				
NAL13026-844	#3 SLUICE	ORG	108-90-7	Chlorobenzene		UX-	ug/L	100	27.52	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0906				
NAL13026-844	#3 SLUICE	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0906				
NAL13026-844	#3 SLUICE	ORG	XYLMP	p&m-Xylene		U	ug/L	200	26.14	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0906				
NAL13026-844	#3 SLUICE	ORG	95-47-6	o-Xylene		U	ug/L	100	12.90	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0906				
NAL13026-844	#3 SLUICE	ORG	100-42-5	Styrene		U	ug/L	100	20.23	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0906				
NAL13026-844	#3 SLUICE	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0906				
NAL13026-844	#3 SLUICE	ORG	98-82-8	Isopropylbenzene		U	ug/L	200	20.48	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0906				
NAL13026-844	#3 SLUICE	ORG	103-65-1	n-Propylbenzene		U	ug/L	200	27.00	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0906				
NAL13026-844	#3 SLUICE	ORG	79-34-5	1,1,2,2-Tetrachloroethane		UX-	ug/L	200	29.16	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0906				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-844	#3 SLUICE	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0906				
NAL13026-844	#3 SLUICE	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	200	20.03	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0906				
NAL13026-844	#3 SLUICE	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0906				
NAL13026-844	#3 SLUICE	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	200	20.03	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0906				
NAL13026-844	#3 SLUICE	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0906				
NAL13026-844	#3 SLUICE	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0906				
NAL13026-844	#3 SLUICE	ORG	99-87-6	p-Isopropltoluene		U	ug/L	200	25.48	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0906				
NAL13026-844	#3 SLUICE	ORG	106-46-7	1,4-Dichlorobenzene		U	ug/L	200	33.03	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0906				
NAL13026-844	#3 SLUICE	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0906				
NAL13026-844	#3 SLUICE	ORG	104-51-8	n-Butylbenzene		U	ug/L	500	27.81	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0906				
NAL13026-844	#3 SLUICE	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0906				
NAL13026-844	#3 SLUICE	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0906				
NAL13026-844	#3 SLUICE	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0906				
NAL13026-844	#3 SLUICE	ORG	91-20-3	Naphthalene		U	ug/L	500	56.04	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0906				
NAL13026-844	#3 SLUICE	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0906				
NAL13026-844	#3 SLUICE	STD	1868-53-7	Dibromofluoromethane	54		ng			12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0906	50	108%		
NAL13026-844	#3 SLUICE	STD	17060-07-0	1,2-Dichloroethane d4	52		ng			12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0906	50	104%		
NAL13026-844	#3 SLUICE	STD	2037-26-5	Toluene d8	48		ng			12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0906	50	96%		
NAL13026-844	#3 SLUICE	STD	460-00-4	Bromofluorobenzene	44		ng			12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0906	50	88%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C121613CCVA	C121613CCVA	ORG	75-71-8	Dichlorodifluoromethane	59		ug/L	5	0.29	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0892	50	118%		
C121613CCVA	C121613CCVA	ORG	74-87-3	Chloromethane	56		ug/L	5	0.43	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0892	50	112%		
C121613CCVA	C121613CCVA	ORG	75-01-4	Vinyl chloride	55		ug/L	2	0.32	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0892	50	110%		
C121613CCVA	C121613CCVA	ORG	74-83-9	Bromomethane	65		ug/L	5	0.50	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0892	50	130%		
C121613CCVA	C121613CCVA	ORG	75-00-3	Chloroethane	64		ug/L	5	0.56	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0892	50	128%		
C121613CCVA	C121613CCVA	ORG	75-69-4	Trichlorofluoromethane	140		ug/L	5	0.20	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0892	50	280%		
C121613CCVA	C121613CCVA	ORG	75-35-4	1,1-Dichloroethene	38		ug/L	1	0.47	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0892	50	76%		
C121613CCVA	C121613CCVA	ORG	75-09-2	Methylene chloride	44		ug/L	5	0.26	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0892	50	88%		
C121613CCVA	C121613CCVA	ORG	67-64-1	Acetone	50		ug/L	10	1.56	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0892	50	100%		
C121613CCVA	C121613CCVA	ORG	156-60-5	trans-1,2-Dichloroethene	43		ug/L	1	0.56	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0892	50	86%		
C121613CCVA	C121613CCVA	ORG	1634-04-4	MTBE	51		ug/L	5	0.61	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0892	50	102%		
C121613CCVA	C121613CCVA	ORG	75-34-3	1,1-Dichloroethane	43		ug/L	1	0.53	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0892	50	86%		
C121613CCVA	C121613CCVA	ORG	156-59-2	cis-1,2-Dichloroethene	44		ug/L	1	0.32	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0892	50	88%		
C121613CCVA	C121613CCVA	ORG	74-97-5	Bromochloromethane	46		ug/L	10	0.41	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0892	50	92%		
C121613CCVA	C121613CCVA	ORG	67-66-3	Chloroform	44		ug/L	2	0.16	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0892	50	88%		
C121613CCVA	C121613CCVA	ORG	71-55-6	1,1,1-Trichloroethane	46		ug/L	1	0.17	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0892	50	92%		
C121613CCVA	C121613CCVA	ORG	78-93-3	2-Butanone	46		ug/L	1	0.81	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0892	50	92%		
C121613CCVA	C121613CCVA	ORG	56-23-5	Carbon tetrachloride	44		ug/L	1	0.28	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0892	50	88%		
C121613CCVA	C121613CCVA	ORG	71-43-2	Benzene	43		ug/L	1	0.14	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0892	50	86%		
C121613CCVA	C121613CCVA	ORG	107-06-2	1,2-Dichloroethane	45		ug/L	1	0.20	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0892	50	90%		
C121613CCVA	C121613CCVA	ORG	79-01-6	Trichloroethene	43		ug/L	1	0.36	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0892	50	86%		
C121613CCVA	C121613CCVA	ORG	74-95-3	Dibromomethane	40		ug/L	2	0.32	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0892	50	80%		
C121613CCVA	C121613CCVA	ORG	78-87-5	1,2-Dichloropropane	41		ug/L	1	0.18	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0892	50	82%		
C121613CCVA	C121613CCVA	ORG	75-27-4	Bromodichloromethane	40		ug/L	2	0.12	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0892	50	80%		
C121613CCVA	C121613CCVA	ORG	10061-01-5	cis-1,3-Dichloropropene	41		ug/L	1	0.25	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0892	50	82%		
C121613CCVA	C121613CCVA	ORG	108-88-3	Toluene	40		ug/L	1	0.21	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0892	50	80%		
C121613CCVA	C121613CCVA	ORG	108-10-1	4-Methyl-2-pentanone	45		ug/L	5	0.74	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0892	50	90%		
C121613CCVA	C121613CCVA	ORG	10061-02-6	trans-1,3-Dichloropropene	50		ug/L	1	0.31	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0892	50	100%		
C121613CCVA	C121613CCVA	ORG	127-18-4	Tetrachloroethene	41		ug/L	1	0.49	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0892	50	82%		
C121613CCVA	C121613CCVA	ORG	79-00-5	1,1,2-Trichloroethane	44		ug/L	1	0.34	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0892	50	88%		
C121613CCVA	C121613CCVA	ORG	124-48-1	Dibromochloromethane	46		ug/L	5	0.30	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0892	50	92%		
C121613CCVA	C121613CCVA	ORG	106-93-4	1,2-Dibromoethane	45		ug/L	2	0.26	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0892	50	90%		
C121613CCVA	C121613CCVA	ORG	591-78-6	2-Hexanone	47		ug/L	2	0.69	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0892	50	94%		
C121613CCVA	C121613CCVA	ORG	100-41-4	Ethylbenzene	39		ug/L	1	0.25	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0892	50	78%		
C121613CCVA	C121613CCVA	ORG	108-90-7	Chlorobenzene	38		ug/L	1	0.28	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0892	50	76%		
C121613CCVA	C121613CCVA	ORG	630-20-6	1,1,1,2-Tetrachloroethane	40		ug/L	2	0.19	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0892	50	80%		
C121613CCVA	C121613CCVA	ORG	XYLMP	p&m-Xylene	85		ug/L	2	0.26	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0892	100	85%		
C121613CCVA	C121613CCVA	ORG	95-47-6	o-Xylene	42		ug/L	1	0.13	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0892	50	84%		
C121613CCVA	C121613CCVA	ORG	100-42-5	Styrene	43		ug/L	1	0.20	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0892	50	86%		
C121613CCVA	C121613CCVA	ORG	75-25-2	Bromoform	43		ug/L	2	0.47	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0892	50	86%		
C121613CCVA	C121613CCVA	ORG	98-82-8	Isopropylbenzene	46		ug/L	2	0.20	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0892	50	92%		
C121613CCVA	C121613CCVA	ORG	103-65-1	n-Propylbenzene	45		ug/L	2	0.27	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0892	50	90%		
C121613CCVA	C121613CCVA	ORG	79-34-5	1,1,2,2-Tetrachloroethane	37		ug/L	2	0.29	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0892	50	74%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C121613CCVA	C121613CCVA	ORG	96-18-4	1,2,3-Trichloropropane	41		ug/L	2	0.29	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0892	50	82%		
C121613CCVA	C121613CCVA	ORG	108-67-8	1,3,5-Trimethylbenzene	46		ug/L	2	0.20	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0892	50	92%		
C121613CCVA	C121613CCVA	ORG	98-06-6	tert-Butylbenzene	49		ug/L	2	0.33	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0892	50	98%		
C121613CCVA	C121613CCVA	ORG	95-63-6	1,2,4-Trimethylbenzene	48		ug/L	2	0.20	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0892	50	96%		
C121613CCVA	C121613CCVA	ORG	135-98-8	sec-Butylbenzene	49		ug/L	2	0.32	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0892	50	98%		
C121613CCVA	C121613CCVA	ORG	541-73-1	1,3-Dichlorobenzene	46		ug/L	2	0.22	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0892	50	92%		
C121613CCVA	C121613CCVA	ORG	99-87-6	p-Isopropltoluene	51		ug/L	2	0.25	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0892	50	102%		
C121613CCVA	C121613CCVA	ORG	106-46-7	1,4-Dichlorobenzene	45		ug/L	2	0.33	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0892	50	90%		
C121613CCVA	C121613CCVA	ORG	95-50-1	1,2-Dichlorobenzene	48		ug/L	2	0.26	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0892	50	96%		
C121613CCVA	C121613CCVA	ORG	104-51-8	n-Butylbenzene	52		ug/L	5	0.28	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0892	50	104%		
C121613CCVA	C121613CCVA	ORG	96-12-8	1,2-Dibromo-3-chloropropane	53		ug/L	5	1.59	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0892	50	106%		
C121613CCVA	C121613CCVA	ORG	87-68-3	Hexachlorobutadiene	61		ug/L	5	0.65	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0892	50	122%		
C121613CCVA	C121613CCVA	ORG	120-82-1	1,2,4-Trichlorobenzene	58		ug/L	5	0.28	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0892	50	116%		
C121613CCVA	C121613CCVA	ORG	91-20-3	Naphthalene	56		ug/L	5	0.56	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0892	50	112%		
C121613CCVA	C121613CCVA	ORG	87-61-6	1,2,3-Trichlorobenzene	58		ug/L	5	0.23	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0892	50	116%		
C121613CCVA	C121613CCVA	STD	1868-53-7	Dibromofluoromethane	50		ng			NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0892	50	100%		
C121613CCVA	C121613CCVA	STD	17060-07-0	1,2-Dichloroethane d4	50		ng			NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0892	50	100%		
C121613CCVA	C121613CCVA	STD	2037-26-5	Toluene d8	44		ng			NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0892	50	88%		
C121613CCVA	C121613CCVA	STD	460-00-4	Bromofluorobenzene	46		ng			NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0892	50	92%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C121613MBKA	C121613MBKA	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	5	0.29	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0894				
C121613MBKA	C121613MBKA	ORG	74-87-3	Chloromethane		U	ug/L	5	0.43	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0894				
C121613MBKA	C121613MBKA	ORG	75-01-4	Vinyl chloride		U	ug/L	2	0.32	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0894				
C121613MBKA	C121613MBKA	ORG	74-83-9	Bromomethane		U	ug/L	5	0.50	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0894				
C121613MBKA	C121613MBKA	ORG	75-00-3	Chloroethane		U	ug/L	5	0.56	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0894				
C121613MBKA	C121613MBKA	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	5	0.20	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0894				
C121613MBKA	C121613MBKA	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	1	0.47	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0894				
C121613MBKA	C121613MBKA	ORG	75-09-2	Methylene chloride		U	ug/L	5	0.26	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0894				
C121613MBKA	C121613MBKA	ORG	67-64-1	Acetone		U	ug/L	10	1.56	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0894				
C121613MBKA	C121613MBKA	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	1	0.56	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0894				
C121613MBKA	C121613MBKA	ORG	1634-04-4	MTBE		U	ug/L	5	0.61	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0894				
C121613MBKA	C121613MBKA	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	1	0.53	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0894				
C121613MBKA	C121613MBKA	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	1	0.32	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0894				
C121613MBKA	C121613MBKA	ORG	74-97-5	Bromochloromethane		U	ug/L	10	0.41	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0894				
C121613MBKA	C121613MBKA	ORG	67-66-3	Chloroform		U	ug/L	2	0.16	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0894				
C121613MBKA	C121613MBKA	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	1	0.17	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0894				
C121613MBKA	C121613MBKA	ORG	78-93-3	2-Butanone		U	ug/L	1	0.81	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0894				
C121613MBKA	C121613MBKA	ORG	56-23-5	Carbon tetrachloride		U	ug/L	1	0.28	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0894				
C121613MBKA	C121613MBKA	ORG	71-43-2	Benzene		U	ug/L	1	0.14	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0894				
C121613MBKA	C121613MBKA	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	1	0.20	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0894				
C121613MBKA	C121613MBKA	ORG	79-01-6	Trichloroethene		U	ug/L	1	0.36	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0894				
C121613MBKA	C121613MBKA	ORG	74-95-3	Dibromomethane		U	ug/L	2	0.32	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0894				
C121613MBKA	C121613MBKA	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	1	0.18	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0894				
C121613MBKA	C121613MBKA	ORG	75-27-4	Bromodichloromethane		U	ug/L	2	0.12	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0894				
C121613MBKA	C121613MBKA	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	1	0.25	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0894				
C121613MBKA	C121613MBKA	ORG	108-88-3	Toluene		U	ug/L	1	0.21	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0894				
C121613MBKA	C121613MBKA	ORG	108-10-1	4-Methyl-2-pentanone		U	ug/L	5	0.74	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0894				
C121613MBKA	C121613MBKA	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	1	0.31	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0894				
C121613MBKA	C121613MBKA	ORG	127-18-4	Tetrachloroethene		U	ug/L	1	0.49	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0894				
C121613MBKA	C121613MBKA	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	1	0.34	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0894				
C121613MBKA	C121613MBKA	ORG	124-48-1	Dibromochloromethane		U	ug/L	5	0.30	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0894				
C121613MBKA	C121613MBKA	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	2	0.26	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0894				
C121613MBKA	C121613MBKA	ORG	591-78-6	2-Hexanone		U	ug/L	2	0.69	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0894				
C121613MBKA	C121613MBKA	ORG	100-41-4	Ethylbenzene		U	ug/L	1	0.25	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0894				
C121613MBKA	C121613MBKA	ORG	108-90-7	Chlorobenzene		U	ug/L	1	0.28	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0894				
C121613MBKA	C121613MBKA	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	2	0.19	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0894				
C121613MBKA	C121613MBKA	ORG	XYLMP	p&m-Xylene		U	ug/L	2	0.26	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0894				
C121613MBKA	C121613MBKA	ORG	95-47-6	o-Xylene		U	ug/L	1	0.13	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0894				
C121613MBKA	C121613MBKA	ORG	100-42-5	Styrene		U	ug/L	1	0.20	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0894				
C121613MBKA	C121613MBKA	ORG	75-25-2	Bromoform		U	ug/L	2	0.47	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0894				
C121613MBKA	C121613MBKA	ORG	98-82-8	Isopropylbenzene		U	ug/L	2	0.20	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0894				
C121613MBKA	C121613MBKA	ORG	103-65-1	n-Propylbenzene		U	ug/L	2	0.27	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0894				
C121613MBKA	C121613MBKA	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	2	0.29	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0894				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C121613MBKA	C121613MBKA	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	2	0.29	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0894				
C121613MBKA	C121613MBKA	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	2	0.20	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0894				
C121613MBKA	C121613MBKA	ORG	98-06-6	tert-Butylbenzene		U	ug/L	2	0.33	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0894				
C121613MBKA	C121613MBKA	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	2	0.20	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0894				
C121613MBKA	C121613MBKA	ORG	135-98-8	sec-Butylbenzene		U	ug/L	2	0.32	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0894				
C121613MBKA	C121613MBKA	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	2	0.22	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0894				
C121613MBKA	C121613MBKA	ORG	99-87-6	p-Isopropltoluene		U	ug/L	2	0.25	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0894				
C121613MBKA	C121613MBKA	ORG	106-46-7	1,4-Dichlorobenzene		U	ug/L	2	0.33	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0894				
C121613MBKA	C121613MBKA	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	2	0.26	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0894				
C121613MBKA	C121613MBKA	ORG	104-51-8	n-Butylbenzene		U	ug/L	5	0.28	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0894				
C121613MBKA	C121613MBKA	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	5	1.59	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0894				
C121613MBKA	C121613MBKA	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	5	0.65	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0894				
C121613MBKA	C121613MBKA	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	5	0.28	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0894				
C121613MBKA	C121613MBKA	ORG	91-20-3	Naphthalene		U	ug/L	5	0.56	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0894				
C121613MBKA	C121613MBKA	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	5	0.23	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0894				
C121613MBKA	C121613MBKA	STD	1868-53-7	Dibromofluoromethane	51		ng			NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0894	50	102%		
C121613MBKA	C121613MBKA	STD	17060-07-0	1,2-Dichloroethane d4	53		ng			NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0894	50	106%		
C121613MBKA	C121613MBKA	STD	2037-26-5	Toluene d8	50		ng			NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0894	50	100%		
C121613MBKA	C121613MBKA	STD	460-00-4	Bromofluorobenzene	47		ng			NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0894	50	94%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C121613ALCS	C121613ALCS	ORG	75-71-8	Dichlorodifluoromethane	66		ug/L	5	0.29	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0893	50	132%		
C121613ALCS	C121613ALCS	ORG	74-87-3	Chloromethane	64		ug/L	5	0.43	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0893	50	128%		
C121613ALCS	C121613ALCS	ORG	75-01-4	Vinyl chloride	65		ug/L	2	0.32	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0893	50	130%		
C121613ALCS	C121613ALCS	ORG	74-83-9	Bromomethane	77		ug/L	5	0.50	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0893	50	154%		
C121613ALCS	C121613ALCS	ORG	75-00-3	Chloroethane	65		ug/L	5	0.56	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0893	50	130%		
C121613ALCS	C121613ALCS	ORG	75-69-4	Trichlorofluoromethane	130		ug/L	5	0.20	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0893	50	260%		
C121613ALCS	C121613ALCS	ORG	75-35-4	1,1-Dichloroethene	42		ug/L	1	0.47	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0893	50	84%		
C121613ALCS	C121613ALCS	ORG	75-09-2	Methylene chloride	49		ug/L	5	0.26	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0893	50	98%		
C121613ALCS	C121613ALCS	ORG	67-64-1	Acetone	58		ug/L	10	1.56	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0893	50	116%		
C121613ALCS	C121613ALCS	ORG	156-60-5	trans-1,2-Dichloroethene	47		ug/L	1	0.56	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0893	50	94%		
C121613ALCS	C121613ALCS	ORG	1634-04-4	MTBE	57		ug/L	5	0.61	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0893	50	114%		
C121613ALCS	C121613ALCS	ORG	75-34-3	1,1-Dichloroethane	48		ug/L	1	0.53	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0893	50	96%		
C121613ALCS	C121613ALCS	ORG	156-59-2	cis-1,2-Dichloroethene	47		ug/L	1	0.32	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0893	50	94%		
C121613ALCS	C121613ALCS	ORG	74-97-5	Bromochloromethane	49		ug/L	10	0.41	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0893	50	98%		
C121613ALCS	C121613ALCS	ORG	67-66-3	Chloroform	46		ug/L	2	0.16	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0893	50	92%		
C121613ALCS	C121613ALCS	ORG	71-55-6	1,1,1-Trichloroethane	48		ug/L	1	0.17	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0893	50	96%		
C121613ALCS	C121613ALCS	ORG	78-93-3	2-Butanone	52		ug/L	1	0.81	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0893	50	104%		
C121613ALCS	C121613ALCS	ORG	56-23-5	Carbon tetrachloride	46		ug/L	1	0.28	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0893	50	92%		
C121613ALCS	C121613ALCS	ORG	71-43-2	Benzene	44		ug/L	1	0.14	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0893	50	88%		
C121613ALCS	C121613ALCS	ORG	107-06-2	1,2-Dichloroethane	47		ug/L	1	0.20	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0893	50	94%		
C121613ALCS	C121613ALCS	ORG	79-01-6	Trichloroethene	44		ug/L	1	0.36	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0893	50	88%		
C121613ALCS	C121613ALCS	ORG	74-95-3	Dibromomethane	42		ug/L	2	0.32	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0893	50	84%		
C121613ALCS	C121613ALCS	ORG	78-87-5	1,2-Dichloropropane	43		ug/L	1	0.18	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0893	50	86%		
C121613ALCS	C121613ALCS	ORG	75-27-4	Bromodichloromethane	44		ug/L	2	0.12	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0893	50	88%		
C121613ALCS	C121613ALCS	ORG	10061-01-5	cis-1,3-Dichloropropene	44		ug/L	1	0.25	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0893	50	88%		
C121613ALCS	C121613ALCS	ORG	108-88-3	Toluene	44		ug/L	1	0.21	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0893	50	88%		
C121613ALCS	C121613ALCS	ORG	108-10-1	4-Methyl-2-pentanone	50		ug/L	5	0.74	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0893	50	100%		
C121613ALCS	C121613ALCS	ORG	10061-02-6	trans-1,3-Dichloropropene	54		ug/L	1	0.31	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0893	50	108%		
C121613ALCS	C121613ALCS	ORG	127-18-4	Tetrachloroethene	45		ug/L	1	0.49	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0893	50	90%		
C121613ALCS	C121613ALCS	ORG	79-00-5	1,1,2-Trichloroethane	48		ug/L	1	0.34	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0893	50	96%		
C121613ALCS	C121613ALCS	ORG	124-48-1	Dibromochloromethane	49		ug/L	5	0.30	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0893	50	98%		
C121613ALCS	C121613ALCS	ORG	106-93-4	1,2-Dibromoethane	49		ug/L	2	0.26	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0893	50	98%		
C121613ALCS	C121613ALCS	ORG	591-78-6	2-Hexanone	52		ug/L	2	0.69	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0893	50	104%		
C121613ALCS	C121613ALCS	ORG	100-41-4	Ethylbenzene	42		ug/L	1	0.25	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0893	50	84%		
C121613ALCS	C121613ALCS	ORG	108-90-7	Chlorobenzene	40		ug/L	1	0.28	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0893	50	80%		
C121613ALCS	C121613ALCS	ORG	630-20-6	1,1,1,2-Tetrachloroethane	43		ug/L	2	0.19	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0893	50	86%		
C121613ALCS	C121613ALCS	ORG	XYLMP	p&m-Xylene	92		ug/L	2	0.26	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0893	100	92%		
C121613ALCS	C121613ALCS	ORG	95-47-6	o-Xylene	44		ug/L	1	0.13	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0893	50	88%		
C121613ALCS	C121613ALCS	ORG	100-42-5	Styrene	47		ug/L	1	0.20	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0893	50	94%		
C121613ALCS	C121613ALCS	ORG	75-25-2	Bromoform	48		ug/L	2	0.47	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0893	50	96%		
C121613ALCS	C121613ALCS	ORG	98-82-8	Isopropylbenzene	48		ug/L	2	0.20	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0893	50	96%		
C121613ALCS	C121613ALCS	ORG	103-65-1	n-Propylbenzene	48		ug/L	2	0.27	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0893	50	96%		
C121613ALCS	C121613ALCS	ORG	79-34-5	1,1,2,2-Tetrachloroethane	40		ug/L	2	0.29	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0893	50	80%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C121613ALCS	C121613ALCS	ORG	96-18-4	1,2,3-Trichloropropane	46		ug/L	2	0.29	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0893	50	92%		
C121613ALCS	C121613ALCS	ORG	108-67-8	1,3,5-Trimethylbenzene	49		ug/L	2	0.20	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0893	50	98%		
C121613ALCS	C121613ALCS	ORG	98-06-6	tert-Butylbenzene	52		ug/L	2	0.33	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0893	50	104%		
C121613ALCS	C121613ALCS	ORG	95-63-6	1,2,4-Trimethylbenzene	51		ug/L	2	0.20	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0893	50	102%		
C121613ALCS	C121613ALCS	ORG	135-98-8	sec-Butylbenzene	52		ug/L	2	0.32	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0893	50	104%		
C121613ALCS	C121613ALCS	ORG	541-73-1	1,3-Dichlorobenzene	49		ug/L	2	0.22	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0893	50	98%		
C121613ALCS	C121613ALCS	ORG	99-87-6	p-Isopropltoluene	54		ug/L	2	0.25	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0893	50	108%		
C121613ALCS	C121613ALCS	ORG	106-46-7	1,4-Dichlorobenzene	48		ug/L	2	0.33	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0893	50	96%		
C121613ALCS	C121613ALCS	ORG	95-50-1	1,2-Dichlorobenzene	50		ug/L	2	0.26	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0893	50	100%		
C121613ALCS	C121613ALCS	ORG	104-51-8	n-Butylbenzene	54		ug/L	5	0.28	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0893	50	108%		
C121613ALCS	C121613ALCS	ORG	96-12-8	1,2-Dibromo-3-chloropropane	55		ug/L	5	1.59	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0893	50	110%		
C121613ALCS	C121613ALCS	ORG	87-68-3	Hexachlorobutadiene	59		ug/L	5	0.65	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0893	50	118%		
C121613ALCS	C121613ALCS	ORG	120-82-1	1,2,4-Trichlorobenzene	58		ug/L	5	0.28	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0893	50	116%		
C121613ALCS	C121613ALCS	ORG	91-20-3	Naphthalene	57		ug/L	5	0.56	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0893	50	114%		
C121613ALCS	C121613ALCS	ORG	87-61-6	1,2,3-Trichlorobenzene	57		ug/L	5	0.23	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0893	50	114%		
C121613ALCS	C121613ALCS	STD	1868-53-7	Dibromofluoromethane	51		ng			NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0893	50	102%		
C121613ALCS	C121613ALCS	STD	17060-07-0	1,2-Dichloroethane d4	49		ng			NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0893	50	98%		
C121613ALCS	C121613ALCS	STD	2037-26-5	Toluene d8	46		ng			NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0893	50	92%		
C121613ALCS	C121613ALCS	STD	460-00-4	Bromofluorobenzene	44		ng			NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0893	50	88%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C121613ALCD	C121613ALCD	ORG	75-71-8	Dichlorodifluoromethane	66		ug/L	5	0.29	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0900	50	132%	0%	
C121613ALCD	C121613ALCD	ORG	74-87-3	Chloromethane	66		ug/L	5	0.43	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0900	50	132%	3%	
C121613ALCD	C121613ALCD	ORG	75-01-4	Vinyl chloride	62		ug/L	2	0.32	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0900	50	124%	5%	
C121613ALCD	C121613ALCD	ORG	74-83-9	Bromomethane	83		ug/L	5	0.50	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0900	50	166%	8%	
C121613ALCD	C121613ALCD	ORG	75-00-3	Chloroethane	96		ug/L	5	0.56	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0900	50	192%	39%	
C121613ALCD	C121613ALCD	ORG	75-69-4	Trichlorofluoromethane	190		ug/L	5	0.20	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0900	50	380%	38%	
C121613ALCD	C121613ALCD	ORG	75-35-4	1,1-Dichloroethene	40		ug/L	1	0.47	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0900	50	80%	5%	
C121613ALCD	C121613ALCD	ORG	75-09-2	Methylene chloride	49		ug/L	5	0.26	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0900	50	98%	0%	
C121613ALCD	C121613ALCD	ORG	67-64-1	Acetone	55		ug/L	10	1.56	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0900	50	110%	5%	
C121613ALCD	C121613ALCD	ORG	156-60-5	trans-1,2-Dichloroethene	46		ug/L	1	0.56	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0900	50	92%	2%	
C121613ALCD	C121613ALCD	ORG	1634-04-4	MTBE	54		ug/L	5	0.61	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0900	50	108%	5%	
C121613ALCD	C121613ALCD	ORG	75-34-3	1,1-Dichloroethane	48		ug/L	1	0.53	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0900	50	96%	0%	
C121613ALCD	C121613ALCD	ORG	156-59-2	cis-1,2-Dichloroethene	48		ug/L	1	0.32	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0900	50	96%	2%	
C121613ALCD	C121613ALCD	ORG	74-97-5	Bromochloromethane	52		ug/L	10	0.41	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0900	50	104%	6%	
C121613ALCD	C121613ALCD	ORG	67-66-3	Chloroform	49		ug/L	2	0.16	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0900	50	98%	6%	
C121613ALCD	C121613ALCD	ORG	71-55-6	1,1,1-Trichloroethane	51		ug/L	1	0.17	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0900	50	102%	6%	
C121613ALCD	C121613ALCD	ORG	78-93-3	2-Butanone	56		ug/L	1	0.81	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0900	50	112%	7%	
C121613ALCD	C121613ALCD	ORG	56-23-5	Carbon tetrachloride	48		ug/L	1	0.28	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0900	50	96%	4%	
C121613ALCD	C121613ALCD	ORG	71-43-2	Benzene	48		ug/L	1	0.14	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0900	50	96%	9%	
C121613ALCD	C121613ALCD	ORG	107-06-2	1,2-Dichloroethane	51		ug/L	1	0.20	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0900	50	102%	8%	
C121613ALCD	C121613ALCD	ORG	79-01-6	Trichloroethene	39		ug/L	1	0.36	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0900	50	78%	12%	
C121613ALCD	C121613ALCD	ORG	74-95-3	Dibromomethane	44		ug/L	2	0.32	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0900	50	88%	5%	
C121613ALCD	C121613ALCD	ORG	78-87-5	1,2-Dichloropropane	45		ug/L	1	0.18	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0900	50	90%	5%	
C121613ALCD	C121613ALCD	ORG	75-27-4	Bromodichloromethane	41		ug/L	2	0.12	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0900	50	82%	7%	
C121613ALCD	C121613ALCD	ORG	10061-01-5	cis-1,3-Dichloropropene	39		ug/L	1	0.25	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0900	50	78%	12%	
C121613ALCD	C121613ALCD	ORG	108-88-3	Toluene	42		ug/L	1	0.21	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0900	50	84%	5%	
C121613ALCD	C121613ALCD	ORG	108-10-1	4-Methyl-2-pentanone	43		ug/L	5	0.74	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0900	50	86%	15%	
C121613ALCD	C121613ALCD	ORG	10061-02-6	trans-1,3-Dichloropropene	51		ug/L	1	0.31	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0900	50	102%	6%	
C121613ALCD	C121613ALCD	ORG	127-18-4	Tetrachloroethene	45		ug/L	1	0.49	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0900	50	90%	0%	
C121613ALCD	C121613ALCD	ORG	79-00-5	1,1,2-Trichloroethane	46		ug/L	1	0.34	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0900	50	92%	4%	
C121613ALCD	C121613ALCD	ORG	124-48-1	Dibromochloromethane	47		ug/L	5	0.30	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0900	50	94%	4%	
C121613ALCD	C121613ALCD	ORG	106-93-4	1,2-Dibromoethane	47		ug/L	2	0.26	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0900	50	94%	4%	
C121613ALCD	C121613ALCD	ORG	591-78-6	2-Hexanone	43		ug/L	2	0.69	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0900	50	86%	19%	
C121613ALCD	C121613ALCD	ORG	100-41-4	Ethylbenzene	40		ug/L	1	0.25	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0900	50	80%	5%	
C121613ALCD	C121613ALCD	ORG	108-90-7	Chlorobenzene	38		ug/L	1	0.28	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0900	50	76%	5%	
C121613ALCD	C121613ALCD	ORG	630-20-6	1,1,1,2-Tetrachloroethane	41		ug/L	2	0.19	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0900	50	82%	5%	
C121613ALCD	C121613ALCD	ORG	XYLMP	p&m-Xylene	87		ug/L	2	0.26	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0900	100	87%	6%	
C121613ALCD	C121613ALCD	ORG	95-47-6	o-Xylene	40		ug/L	1	0.13	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0900	50	80%	10%	
C121613ALCD	C121613ALCD	ORG	100-42-5	Styrene	44		ug/L	1	0.20	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0900	50	88%	7%	
C121613ALCD	C121613ALCD	ORG	75-25-2	Bromoform	45		ug/L	2	0.47	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0900	50	90%	6%	
C121613ALCD	C121613ALCD	ORG	98-82-8	Isopropylbenzene	45		ug/L	2	0.20	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0900	50	90%	6%	
C121613ALCD	C121613ALCD	ORG	103-65-1	n-Propylbenzene	46		ug/L	2	0.27	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0900	50	92%	4%	
C121613ALCD	C121613ALCD	ORG	79-34-5	1,1,2,2-Tetrachloroethane	39		ug/L	2	0.29	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0900	50	78%	3%	

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C121613ALCD	C121613ALCD	ORG	96-18-4	1,2,3-Trichloropropane	44		ug/L	2	0.29	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0900	50	88%	4%	
C121613ALCD	C121613ALCD	ORG	108-67-8	1,3,5-Trimethylbenzene	46		ug/L	2	0.20	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0900	50	92%	6%	
C121613ALCD	C121613ALCD	ORG	98-06-6	tert-Butylbenzene	48		ug/L	2	0.33	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0900	50	96%	8%	
C121613ALCD	C121613ALCD	ORG	95-63-6	1,2,4-Trimethylbenzene	48		ug/L	2	0.20	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0900	50	96%	6%	
C121613ALCD	C121613ALCD	ORG	135-98-8	sec-Butylbenzene	49		ug/L	2	0.32	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0900	50	98%	6%	
C121613ALCD	C121613ALCD	ORG	541-73-1	1,3-Dichlorobenzene	47		ug/L	2	0.22	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0900	50	94%	4%	
C121613ALCD	C121613ALCD	ORG	99-87-6	p-Isopropltoluene	49		ug/L	2	0.25	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0900	50	98%	10%	
C121613ALCD	C121613ALCD	ORG	106-46-7	1,4-Dichlorobenzene	45		ug/L	2	0.33	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0900	50	90%	6%	
C121613ALCD	C121613ALCD	ORG	95-50-1	1,2-Dichlorobenzene	47		ug/L	2	0.26	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0900	50	94%	6%	
C121613ALCD	C121613ALCD	ORG	104-51-8	n-Butylbenzene	49		ug/L	5	0.28	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0900	50	98%	10%	
C121613ALCD	C121613ALCD	ORG	96-12-8	1,2-Dibromo-3-chloropropane	47		ug/L	5	1.59	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0900	50	94%	16%	
C121613ALCD	C121613ALCD	ORG	87-68-3	Hexachlorobutadiene	50		ug/L	5	0.65	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0900	50	100%	17%	
C121613ALCD	C121613ALCD	ORG	120-82-1	1,2,4-Trichlorobenzene	48		ug/L	5	0.28	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0900	50	96%	19%	
C121613ALCD	C121613ALCD	ORG	91-20-3	Naphthalene	44		ug/L	5	0.56	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0900	50	88%	26%	
C121613ALCD	C121613ALCD	ORG	87-61-6	1,2,3-Trichlorobenzene	49		ug/L	5	0.23	NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0900	50	98%	15%	
C121613ALCD	C121613ALCD	STD	1868-53-7	Dibromofluoromethane	59		ng			NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0900	50	118%	15%	
C121613ALCD	C121613ALCD	STD	17060-07-0	1,2-Dichloroethane d4	56		ng			NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0900	50	112%	13%	
C121613ALCD	C121613ALCD	STD	2037-26-5	Toluene d8	45		ng			NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0900	50	90%	2%	
C121613ALCD	C121613ALCD	STD	460-00-4	Bromofluorobenzene	41		ng			NA	12/16/2013	12/16/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0900	50	82%	7%	

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-842MS	316-167R	ORG	75-71-8	Dichlorodifluoromethane	5700		ug/L	500	29.28	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0901	5000	114%		
NAL13026-842MS	316-167R	ORG	74-87-3	Chloromethane	5800		ug/L	500	43.07	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0901	5000	116%		
NAL13026-842MS	316-167R	ORG	75-01-4	Vinyl chloride	5700		ug/L	200	31.86	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0901	5000	114%		
NAL13026-842MS	316-167R	ORG	74-83-9	Bromomethane	7400		ug/L	500	50.04	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0901	5000	148%		
NAL13026-842MS	316-167R	ORG	75-00-3	Chloroethane	8700		ug/L	500	55.61	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0901	5000	174%		
NAL13026-842MS	316-167R	ORG	75-69-4	Trichlorofluoromethane	16000		ug/L	500	19.65	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0901	5000	320%		
NAL13026-842MS	316-167R	ORG	75-35-4	1,1-Dichloroethene	3700		ug/L	100	47.11	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0901	5000	74%		
NAL13026-842MS	316-167R	ORG	75-09-2	Methylene chloride	4600		ug/L	500	26.46	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0901	5000	92%		
NAL13026-842MS	316-167R	ORG	67-64-1	Acetone	73000		ug/L	1000	155.61	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0901	5000	-220%		84000
NAL13026-842MS	316-167R	ORG	156-60-5	trans-1,2-Dichloroethene	4200		ug/L	100	55.61	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0901	5000	84%		
NAL13026-842MS	316-167R	ORG	1634-04-4	MTBE	5200		ug/L	500	61.18	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0901	5000	104%		
NAL13026-842MS	316-167R	ORG	75-34-3	1,1-Dichloroethane	4400		ug/L	100	52.66	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0901	5000	88%		
NAL13026-842MS	316-167R	ORG	156-59-2	cis-1,2-Dichloroethene	4500		ug/L	100	32.11	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0901	5000	90%		
NAL13026-842MS	316-167R	ORG	74-97-5	Bromochloromethane	4700		ug/L	1000	41.37	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0901	5000	94%		
NAL13026-842MS	316-167R	ORG	67-66-3	Chloroform	4700		ug/L	200	15.73	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0901	5000	94%		
NAL13026-842MS	316-167R	ORG	71-55-6	1,1,1-Trichloroethane	4700		ug/L	100	16.65	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0901	5000	94%		
NAL13026-842MS	316-167R	ORG	78-93-3	2-Butanone	41000		ug/L	100	81.18	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0901	5000	60%		38000
NAL13026-842MS	316-167R	ORG	56-23-5	Carbon tetrachloride	4300		ug/L	100	27.64	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0901	5000	86%		
NAL13026-842MS	316-167R	ORG	71-43-2	Benzene	4600		ug/L	100	13.53	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0901	5000	90%		96
NAL13026-842MS	316-167R	ORG	107-06-2	1,2-Dichloroethane	4600		ug/L	100	20.01	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0901	5000	92%		
NAL13026-842MS	316-167R	ORG	79-01-6	Trichloroethene	3700		ug/L	100	36.33	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0901	5000	74%		
NAL13026-842MS	316-167R	ORG	74-95-3	Dibromomethane	4600		ug/L	200	32.20	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0901	5000	92%		
NAL13026-842MS	316-167R	ORG	78-87-5	1,2-Dichloropropane	4500		ug/L	100	18.17	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0901	5000	90%		
NAL13026-842MS	316-167R	ORG	75-27-4	Bromodichloromethane	3900		ug/L	200	11.58	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0901	5000	78%		
NAL13026-842MS	316-167R	ORG	10061-01-5	cis-1,3-Dichloropropene	4100		ug/L	100	25.01	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0901	5000	82%		
NAL13026-842MS	316-167R	ORG	108-88-3	Toluene	4100		ug/L	100	20.96	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0901	5000	81%		38
NAL13026-842MS	316-167R	ORG	108-10-1	4-Methyl-2-pentanone	5500		ug/L	500	74.00	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0901	5000	92%		900
NAL13026-842MS	316-167R	ORG	10061-02-6	trans-1,3-Dichloropropene	5000		ug/L	100	31.15	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0901	5000	100%		
NAL13026-842MS	316-167R	ORG	127-18-4	Tetrachloroethene	4000		ug/L	100	48.56	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0901	5000	80%		
NAL13026-842MS	316-167R	ORG	79-00-5	1,1,2-Trichloroethane	4700		ug/L	100	34.28	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0901	5000	94%		
NAL13026-842MS	316-167R	ORG	124-48-1	Dibromochloromethane	4800		ug/L	500	29.90	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0901	5000	96%		
NAL13026-842MS	316-167R	ORG	106-93-4	1,2-Dibromoethane	4600		ug/L	200	26.49	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0901	5000	92%		
NAL13026-842MS	316-167R	ORG	591-78-6	2-Hexanone	8100		ug/L	200	68.90	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0901	5000	98%		3200
NAL13026-842MS	316-167R	ORG	100-41-4	Ethylbenzene	3900		ug/L	100	25.38	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0901	5000	77%		71
NAL13026-842MS	316-167R	ORG	108-90-7	Chlorobenzene	3700		ug/L	100	27.52	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0901	5000	74%		
NAL13026-842MS	316-167R	ORG	630-20-6	1,1,1,2-Tetrachloroethane	3800		ug/L	200	19.28	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0901	5000	76%		
NAL13026-842MS	316-167R	ORG	XYLMP	p&m-Xylene	8500		ug/L	200	26.14	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0901	10000	83%		200
NAL13026-842MS	316-167R	ORG	95-47-6	o-Xylene	4300		ug/L	100	12.90	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0901	5000	83%		140
NAL13026-842MS	316-167R	ORG	100-42-5	Styrene	4400		ug/L	100	20.23	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0901	5000	88%		
NAL13026-842MS	316-167R	ORG	75-25-2	Bromoform	4300		ug/L	200	46.83	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0901	5000	86%		
NAL13026-842MS	316-167R	ORG	98-82-8	Isopropylbenzene	4700		ug/L	200	20.48	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0901	5000	93%		70
NAL13026-842MS	316-167R	ORG	103-65-1	n-Propylbenzene	4700		ug/L	200	27.00	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0901	5000	92%		90
NAL13026-842MS	316-167R	ORG	79-34-5	1,1,2,2-Tetrachloroethane	3800		ug/L	200	29.16	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0901	5000	76%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-842MS	316-167R	ORG	96-18-4	1,2,3-Trichloropropane	4200		ug/L	200	29.47	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0901	5000	84%		
NAL13026-842MS	316-167R	ORG	108-67-8	1,3,5-Trimethylbenzene	4800		ug/L	200	20.03	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0901	5000	93%		170
NAL13026-842MS	316-167R	ORG	98-06-6	tert-Butylbenzene	5000		ug/L	200	32.61	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0901	5000	100%		
NAL13026-842MS	316-167R	ORG	95-63-6	1,2,4-Trimethylbenzene	6200		ug/L	200	20.03	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0901	5000	104%		1000
NAL13026-842MS	316-167R	ORG	135-98-8	sec-Butylbenzene	5600		ug/L	200	32.34	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0901	5000	111%		34
NAL13026-842MS	316-167R	ORG	541-73-1	1,3-Dichlorobenzene	4800		ug/L	200	22.21	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0901	5000	96%		
NAL13026-842MS	316-167R	ORG	99-87-6	p-Isopropltoluene	10000		ug/L	200	25.48	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0901	5000	106%		4700
NAL13026-842MS	316-167R	ORG	106-46-7	1,4-Dichlorobenzene	6000		ug/L	200	33.03	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0901	5000	94%		1300
NAL13026-842MS	316-167R	ORG	95-50-1	1,2-Dichlorobenzene	5100		ug/L	200	26.38	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0901	5000	102%		
NAL13026-842MS	316-167R	ORG	104-51-8	n-Butylbenzene	5500		ug/L	500	27.81	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0901	5000	110%		
NAL13026-842MS	316-167R	ORG	96-12-8	1,2-Dibromo-3-chloropropane	5700		ug/L	500	159.11	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0901	5000	114%		
NAL13026-842MS	316-167R	ORG	87-68-3	Hexachlorobutadiene	6300		ug/L	500	65.42	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0901	5000	126%		
NAL13026-842MS	316-167R	ORG	120-82-1	1,2,4-Trichlorobenzene	6200		ug/L	500	27.63	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0901	5000	124%		
NAL13026-842MS	316-167R	ORG	91-20-3	Naphthalene	8600		ug/L	500	56.04	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0901	5000	140%		1600
NAL13026-842MS	316-167R	ORG	87-61-6	1,2,3-Trichlorobenzene	6200		ug/L	500	23.28	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0901	5000	124%		
NAL13026-842MS	316-167R	STD	1868-53-7	Dibromofluoromethane	52		ng			12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0901	50	104%		
NAL13026-842MS	316-167R	STD	17060-07-0	1,2-Dichloroethane d4	50		ng			12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0901	50	100%		
NAL13026-842MS	316-167R	STD	2037-26-5	Toluene d8	43		ng			12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0901	50	86%		
NAL13026-842MS	316-167R	STD	460-00-4	Bromofluorobenzene	44		ng			12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0901	50	88%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-842MSD	316-167R	ORG	75-71-8	Dichlorodifluoromethane	6000		ug/L	500	29.28	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0902	5000	120%	5%	0
NAL13026-842MSD	316-167R	ORG	74-87-3	Chloromethane	6200		ug/L	500	43.07	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0902	5000	124%	7%	0
NAL13026-842MSD	316-167R	ORG	75-01-4	Vinyl chloride	6200		ug/L	200	31.86	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0902	5000	124%	8%	0
NAL13026-842MSD	316-167R	ORG	74-83-9	Bromomethane	7400		ug/L	500	50.04	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0902	5000	148%	0%	0
NAL13026-842MSD	316-167R	ORG	75-00-3	Chloroethane	7500		ug/L	500	55.61	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0902	5000	150%	15%	0
NAL13026-842MSD	316-167R	ORG	75-69-4	Trichlorofluoromethane	14000		ug/L	500	19.65	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0902	5000	280%	13%	0
NAL13026-842MSD	316-167R	ORG	75-35-4	1,1-Dichloroethene	3700		ug/L	100	47.11	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0902	5000	74%	0%	0
NAL13026-842MSD	316-167R	ORG	75-09-2	Methylene chloride	4900		ug/L	500	26.46	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0902	5000	98%	6%	0
NAL13026-842MSD	316-167R	ORG	67-64-1	Acetone	81000		ug/L	1000	155.61	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0902	5000	-60%	10%	84000
NAL13026-842MSD	316-167R	ORG	156-60-5	trans-1,2-Dichloroethene	4600		ug/L	100	55.61	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0902	5000	92%	9%	0
NAL13026-842MSD	316-167R	ORG	1634-04-4	MTBE	6000		ug/L	500	61.18	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0902	5000	120%	14%	0
NAL13026-842MSD	316-167R	ORG	75-34-3	1,1-Dichloroethane	4800		ug/L	100	52.66	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0902	5000	96%	9%	0
NAL13026-842MSD	316-167R	ORG	156-59-2	cis-1,2-Dichloroethene	4800		ug/L	100	32.11	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0902	5000	96%	6%	0
NAL13026-842MSD	316-167R	ORG	74-97-5	Bromochloromethane	5000		ug/L	1000	41.37	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0902	5000	100%	6%	0
NAL13026-842MSD	316-167R	ORG	67-66-3	Chloroform	4700		ug/L	200	15.73	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0902	5000	94%	0%	0
NAL13026-842MSD	316-167R	ORG	71-55-6	1,1,1-Trichloroethane	4800		ug/L	100	16.65	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0902	5000	96%	2%	0
NAL13026-842MSD	316-167R	ORG	78-93-3	2-Butanone	41000		ug/L	100	81.18	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0902	5000	60%	0%	38000
NAL13026-842MSD	316-167R	ORG	56-23-5	Carbon tetrachloride	4700		ug/L	100	27.64	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0902	5000	94%	9%	0
NAL13026-842MSD	316-167R	ORG	71-43-2	Benzene	4500		ug/L	100	13.53	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0902	5000	88%	2%	96
NAL13026-842MSD	316-167R	ORG	107-06-2	1,2-Dichloroethane	4600		ug/L	100	20.01	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0902	5000	92%	0%	0
NAL13026-842MSD	316-167R	ORG	79-01-6	Trichloroethene	3700		ug/L	100	36.33	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0902	5000	74%	0%	0
NAL13026-842MSD	316-167R	ORG	74-95-3	Dibromomethane	4400		ug/L	200	32.20	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0902	5000	88%	4%	0
NAL13026-842MSD	316-167R	ORG	78-87-5	1,2-Dichloropropane	4400		ug/L	100	18.17	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0902	5000	88%	2%	0
NAL13026-842MSD	316-167R	ORG	75-27-4	Bromodichloromethane	3800		ug/L	200	11.58	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0902	5000	76%	3%	0
NAL13026-842MSD	316-167R	ORG	10061-01-5	cis-1,3-Dichloropropene	4200		ug/L	100	25.01	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0902	5000	84%	2%	0
NAL13026-842MSD	316-167R	ORG	108-88-3	Toluene	4000		ug/L	100	20.96	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0902	5000	79%	2%	38
NAL13026-842MSD	316-167R	ORG	108-10-1	4-Methyl-2-pentanone	5200		ug/L	500	74.00	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0902	5000	86%	6%	900
NAL13026-842MSD	316-167R	ORG	10061-02-6	trans-1,3-Dichloropropene	4900		ug/L	100	31.15	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0902	5000	98%	2%	0
NAL13026-842MSD	316-167R	ORG	127-18-4	Tetrachloroethene	4000		ug/L	100	48.56	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0902	5000	80%	0%	0
NAL13026-842MSD	316-167R	ORG	79-00-5	1,1,2-Trichloroethane	4600		ug/L	100	34.28	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0902	5000	92%	2%	0
NAL13026-842MSD	316-167R	ORG	124-48-1	Dibromochloromethane	4600		ug/L	500	29.90	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0902	5000	92%	4%	0
NAL13026-842MSD	316-167R	ORG	106-93-4	1,2-Dibromoethane	4600		ug/L	200	26.49	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0902	5000	92%	0%	0
NAL13026-842MSD	316-167R	ORG	591-78-6	2-Hexanone	7800		ug/L	200	68.90	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0902	5000	92%	4%	3200
NAL13026-842MSD	316-167R	ORG	100-41-4	Ethylbenzene	3800		ug/L	100	25.38	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0902	5000	75%	3%	71
NAL13026-842MSD	316-167R	ORG	108-90-7	Chlorobenzene	3600		ug/L	100	27.52	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0902	5000	72%	3%	0
NAL13026-842MSD	316-167R	ORG	630-20-6	1,1,1,2-Tetrachloroethane	3700		ug/L	200	19.28	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0902	5000	74%	3%	0
NAL13026-842MSD	316-167R	ORG	XYLMP	p&m-Xylene	8400		ug/L	200	26.14	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0902	10000	82%	1%	200
NAL13026-842MSD	316-167R	ORG	95-47-6	o-Xylene	4200		ug/L	100	12.90	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0902	5000	81%	2%	140
NAL13026-842MSD	316-167R	ORG	100-42-5	Styrene	4300		ug/L	100	20.23	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0902	5000	86%	2%	0
NAL13026-842MSD	316-167R	ORG	75-25-2	Bromoform	4200		ug/L	200	46.83	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0902	5000	84%	2%	0
NAL13026-842MSD	316-167R	ORG	98-82-8	Isopropylbenzene	4700		ug/L	200	20.48	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0902	5000	93%	0%	70
NAL13026-842MSD	316-167R	ORG	103-65-1	n-Propylbenzene	4500		ug/L	200	27.00	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0902	5000	88%	4%	90
NAL13026-842MSD	316-167R	ORG	79-34-5	1,1,2,2-Tetrachloroethane	3800		ug/L	200	29.16	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0902	5000	76%	0%	0

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-842MSD	316-167R	ORG	96-18-4	1,2,3-Trichloropropane	4100		ug/L	200	29.47	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0902	5000	82%	2%	0
NAL13026-842MSD	316-167R	ORG	108-67-8	1,3,5-Trimethylbenzene	4800		ug/L	200	20.03	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0902	5000	93%	0%	170
NAL13026-842MSD	316-167R	ORG	98-06-6	tert-Butylbenzene	5000		ug/L	200	32.61	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0902	5000	100%	0%	0
NAL13026-842MSD	316-167R	ORG	95-63-6	1,2,4-Trimethylbenzene	6000		ug/L	200	20.03	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0902	5000	100%	3%	1000
NAL13026-842MSD	316-167R	ORG	135-98-8	sec-Butylbenzene	5400		ug/L	200	32.34	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0902	5000	107%	4%	34
NAL13026-842MSD	316-167R	ORG	541-73-1	1,3-Dichlorobenzene	4700		ug/L	200	22.21	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0902	5000	94%	2%	0
NAL13026-842MSD	316-167R	ORG	99-87-6	p-Isopropltoluene	9700		ug/L	200	25.48	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0902	5000	100%	3%	4700
NAL13026-842MSD	316-167R	ORG	106-46-7	1,4-Dichlorobenzene	5700		ug/L	200	33.03	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0902	5000	88%	5%	1300
NAL13026-842MSD	316-167R	ORG	95-50-1	1,2-Dichlorobenzene	4900		ug/L	200	26.38	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0902	5000	98%	4%	0
NAL13026-842MSD	316-167R	ORG	104-51-8	n-Butylbenzene	5300		ug/L	500	27.81	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0902	5000	106%	4%	0
NAL13026-842MSD	316-167R	ORG	96-12-8	1,2-Dibromo-3-chloropropane	5200		ug/L	500	159.11	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0902	5000	104%	9%	0
NAL13026-842MSD	316-167R	ORG	87-68-3	Hexachlorobutadiene	6100		ug/L	500	65.42	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0902	5000	122%	3%	0
NAL13026-842MSD	316-167R	ORG	120-82-1	1,2,4-Trichlorobenzene	6100		ug/L	500	27.63	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0902	5000	122%	2%	0
NAL13026-842MSD	316-167R	ORG	91-20-3	Naphthalene	8100		ug/L	500	56.04	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0902	5000	130%	6%	1600
NAL13026-842MSD	316-167R	ORG	87-61-6	1,2,3-Trichlorobenzene	6100		ug/L	500	23.28	12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0902	5000	122%	2%	0
NAL13026-842MSD	316-167R	STD	1868-53-7	Dibromofluoromethane	55		ng			12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0902	50	110%	6%	0
NAL13026-842MSD	316-167R	STD	17060-07-0	1,2-Dichloroethane d4	51		ng			12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0902	50	102%	2%	0
NAL13026-842MSD	316-167R	STD	2037-26-5	Toluene d8	42		ng			12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0902	50	84%	2%	0
NAL13026-842MSD	316-167R	STD	460-00-4	Bromofluorobenzene	45		ng			12/16/2013	12/16/2013	12/16/2013	WG	100	NA	5.0	NA	SW8260B	NALC0902	50	90%	2%	0

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-845	316-168	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1402				
NAL13026-845	316-168	ORG	74-87-3	Chloromethane		U	ug/L	500	43.07	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1402				
NAL13026-845	316-168	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1402				
NAL13026-845	316-168	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1402				
NAL13026-845	316-168	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1402				
NAL13026-845	316-168	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1402				
NAL13026-845	316-168	ORG	75-35-4	1,1-Dichloroethene		UX-	ug/L	100	47.11	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1402				
NAL13026-845	316-168	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1402				
NAL13026-845	316-168	ORG	67-64-1	Acetone	330000	DX+	ug/L	10000	1556.07	12/17/2013	12/17/2013	12/17/2013	WG	1000	NA	5.0	NA	SW8260B	NALD1403				
NAL13026-845	316-168	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1402				
NAL13026-845	316-168	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1402				
NAL13026-845	316-168	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1402				
NAL13026-845	316-168	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1402				
NAL13026-845	316-168	ORG	74-97-5	Bromochloromethane		U	ug/L	200	41.37	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1402				
NAL13026-845	316-168	ORG	67-66-3	Chloroform		U	ug/L	100	15.73	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1402				
NAL13026-845	316-168	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	16.65	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1402				
NAL13026-845	316-168	ORG	78-93-3	2-Butanone	40000	D	ug/L	10000	811.80	12/17/2013	12/17/2013	12/17/2013	WG	1000	NA	5.0	NA	SW8260B	NALD1403				
NAL13026-845	316-168	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1402				
NAL13026-845	316-168	ORG	71-43-2	Benzene	140		ug/L	100	13.53	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1402				
NAL13026-845	316-168	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1402				
NAL13026-845	316-168	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1402				
NAL13026-845	316-168	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1402				
NAL13026-845	316-168	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1402				
NAL13026-845	316-168	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1402				
NAL13026-845	316-168	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1402				
NAL13026-845	316-168	ORG	108-88-3	Toluene	90	J	ug/L	100	20.96	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1402				
NAL13026-845	316-168	ORG	108-10-1	4-Methyl-2-pentanone	2100	X+	ug/L	500	74.00	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1402				
NAL13026-845	316-168	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1402				
NAL13026-845	316-168	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1402				
NAL13026-845	316-168	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1402				
NAL13026-845	316-168	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	29.90	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1402				
NAL13026-845	316-168	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	26.49	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1402				
NAL13026-845	316-168	ORG	591-78-6	2-Hexanone	6500		ug/L	500	68.90	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1402				
NAL13026-845	316-168	ORG	100-41-4	Ethylbenzene	140		ug/L	100	25.38	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1402				
NAL13026-845	316-168	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1402				
NAL13026-845	316-168	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1402				
NAL13026-845	316-168	ORG	XYLMP	p&m-Xylene	360		ug/L	200	26.14	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1402				
NAL13026-845	316-168	ORG	95-47-6	o-Xylene	270		ug/L	100	12.90	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1402				
NAL13026-845	316-168	ORG	100-42-5	Styrene		U	ug/L	100	20.23	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1402				
NAL13026-845	316-168	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1402				
NAL13026-845	316-168	ORG	98-82-8	Isopropylbenzene	110	J	ug/L	200	20.48	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1402				
NAL13026-845	316-168	ORG	103-65-1	n-Propylbenzene	90	J	ug/L	200	27.00	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1402				
NAL13026-845	316-168	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1402				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-845	316-168	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1402				
NAL13026-845	316-168	ORG	108-67-8	1,3,5-Trimethylbenzene	230		ug/L	200	20.03	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1402				
NAL13026-845	316-168	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1402				
NAL13026-845	316-168	ORG	95-63-6	1,2,4-Trimethylbenzene	1100		ug/L	200	20.03	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1402				
NAL13026-845	316-168	ORG	135-98-8	sec-Butylbenzene	89	J	ug/L	200	32.34	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1402				
NAL13026-845	316-168	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1402				
NAL13026-845	316-168	ORG	99-87-6	p-Isopropltoluene	4200		ug/L	200	25.48	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1402				
NAL13026-845	316-168	ORG	106-46-7	1,4-Dichlorobenzene	1300		ug/L	200	33.03	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1402				
NAL13026-845	316-168	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1402				
NAL13026-845	316-168	ORG	104-51-8	n-Butylbenzene		U	ug/L	500	27.81	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1402				
NAL13026-845	316-168	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1402				
NAL13026-845	316-168	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1402				
NAL13026-845	316-168	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1402				
NAL13026-845	316-168	ORG	91-20-3	Naphthalene	1400		ug/L	500	56.04	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1402				
NAL13026-845	316-168	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1402				
NAL13026-845	316-168	STD	1868-53-7	Dibromofluoromethane	52		ng			12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1402	50	104%		
NAL13026-845	316-168	STD	17060-07-0	1,2-Dichloroethane d4	49		ng			12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1402	50	98%		
NAL13026-845	316-168	STD	2037-26-5	Toluene d8	48		ng			12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1402	50	96%		
NAL13026-845	316-168	STD	460-00-4	Bromofluorobenzene	45		ng			12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1402	50	90%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-846	316-168R	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1404				
NAL13026-846	316-168R	ORG	74-87-3	Chloromethane		U	ug/L	500	43.07	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1404				
NAL13026-846	316-168R	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1404				
NAL13026-846	316-168R	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1404				
NAL13026-846	316-168R	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1404				
NAL13026-846	316-168R	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1404				
NAL13026-846	316-168R	ORG	75-35-4	1,1-Dichloroethene		UX-	ug/L	100	47.11	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1404				
NAL13026-846	316-168R	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1404				
NAL13026-846	316-168R	ORG	67-64-1	Acetone	330000	DX+	ug/L	10000	1556.07	12/17/2013	12/17/2013	12/17/2013	WG	1000	NA	5.0	NA	SW8260B	NALD1405				
NAL13026-846	316-168R	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1404				
NAL13026-846	316-168R	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1404				
NAL13026-846	316-168R	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1404				
NAL13026-846	316-168R	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1404				
NAL13026-846	316-168R	ORG	74-97-5	Bromochloromethane		U	ug/L	200	41.37	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1404				
NAL13026-846	316-168R	ORG	67-66-3	Chloroform		U	ug/L	100	15.73	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1404				
NAL13026-846	316-168R	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	16.65	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1404				
NAL13026-846	316-168R	ORG	78-93-3	2-Butanone	40000	D	ug/L	10000	811.80	12/17/2013	12/17/2013	12/17/2013	WG	1000	NA	5.0	NA	SW8260B	NALD1405				
NAL13026-846	316-168R	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1404				
NAL13026-846	316-168R	ORG	71-43-2	Benzene	95	J	ug/L	100	13.53	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1404				
NAL13026-846	316-168R	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1404				
NAL13026-846	316-168R	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1404				
NAL13026-846	316-168R	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1404				
NAL13026-846	316-168R	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1404				
NAL13026-846	316-168R	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1404				
NAL13026-846	316-168R	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1404				
NAL13026-846	316-168R	ORG	108-88-3	Toluene	56	J	ug/L	100	20.96	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1404				
NAL13026-846	316-168R	ORG	108-10-1	4-Methyl-2-pentanone	2100	X+	ug/L	500	74.00	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1404				
NAL13026-846	316-168R	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1404				
NAL13026-846	316-168R	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1404				
NAL13026-846	316-168R	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1404				
NAL13026-846	316-168R	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	29.90	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1404				
NAL13026-846	316-168R	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	26.49	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1404				
NAL13026-846	316-168R	ORG	591-78-6	2-Hexanone	6200		ug/L	500	68.90	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1404				
NAL13026-846	316-168R	ORG	100-41-4	Ethylbenzene	100	J	ug/L	100	25.38	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1404				
NAL13026-846	316-168R	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1404				
NAL13026-846	316-168R	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1404				
NAL13026-846	316-168R	ORG	XYLMP	p&m-Xylene	320		ug/L	200	26.14	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1404				
NAL13026-846	316-168R	ORG	95-47-6	o-Xylene	200		ug/L	100	12.90	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1404				
NAL13026-846	316-168R	ORG	100-42-5	Styrene		U	ug/L	100	20.23	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1404				
NAL13026-846	316-168R	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1404				
NAL13026-846	316-168R	ORG	98-82-8	Isopropylbenzene	96	J	ug/L	200	20.48	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1404				
NAL13026-846	316-168R	ORG	103-65-1	n-Propylbenzene	89	J	ug/L	200	27.00	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1404				
NAL13026-846	316-168R	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1404				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-846	316-168R	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1404				
NAL13026-846	316-168R	ORG	108-67-8	1,3,5-Trimethylbenzene	220		ug/L	200	20.03	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1404				
NAL13026-846	316-168R	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1404				
NAL13026-846	316-168R	ORG	95-63-6	1,2,4-Trimethylbenzene	1100		ug/L	200	20.03	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1404				
NAL13026-846	316-168R	ORG	135-98-8	sec-Butylbenzene	100	J	ug/L	200	32.34	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1404				
NAL13026-846	316-168R	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1404				
NAL13026-846	316-168R	ORG	99-87-6	p-Isopropltoluene	4200		ug/L	200	25.48	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1404				
NAL13026-846	316-168R	ORG	106-46-7	1,4-Dichlorobenzene	1200		ug/L	200	33.03	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1404				
NAL13026-846	316-168R	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1404				
NAL13026-846	316-168R	ORG	104-51-8	n-Butylbenzene		U	ug/L	500	27.81	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1404				
NAL13026-846	316-168R	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1404				
NAL13026-846	316-168R	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1404				
NAL13026-846	316-168R	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1404				
NAL13026-846	316-168R	ORG	91-20-3	Naphthalene	1500		ug/L	500	56.04	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1404				
NAL13026-846	316-168R	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1404				
NAL13026-846	316-168R	STD	1868-53-7	Dibromofluoromethane	51		ng			12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1404	50	102%		
NAL13026-846	316-168R	STD	17060-07-0	1,2-Dichloroethane d4	51		ng			12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1404	50	102%		
NAL13026-846	316-168R	STD	2037-26-5	Toluene d8	48		ng			12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1404	50	96%		
NAL13026-846	316-168R	STD	460-00-4	Bromofluorobenzene	46		ng			12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1404	50	92%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D121713CCVA	D121713CCVA	ORG	75-71-8	Dichlorodifluoromethane	47		ug/L	5	0.29	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1399	50	94%		
D121713CCVA	D121713CCVA	ORG	74-87-3	Chloromethane	54		ug/L	5	0.43	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1399	50	108%		
D121713CCVA	D121713CCVA	ORG	75-01-4	Vinyl chloride	53		ug/L	2	0.32	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1399	50	106%		
D121713CCVA	D121713CCVA	ORG	74-83-9	Bromomethane	96		ug/L	5	0.50	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1399	50	192%		
D121713CCVA	D121713CCVA	ORG	75-00-3	Chloroethane	70		ug/L	5	0.56	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1399	50	140%		
D121713CCVA	D121713CCVA	ORG	75-69-4	Trichlorofluoromethane	930		ug/L	5	0.20	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1399	50	1860%		
D121713CCVA	D121713CCVA	ORG	75-35-4	1,1-Dichloroethene	34		ug/L	1	0.47	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1399	50	68%		
D121713CCVA	D121713CCVA	ORG	75-09-2	Methylene chloride	43		ug/L	5	0.26	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1399	50	86%		
D121713CCVA	D121713CCVA	ORG	67-64-1	Acetone	62		ug/L	10	1.56	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1399	50	124%		
D121713CCVA	D121713CCVA	ORG	156-60-5	trans-1,2-Dichloroethene	40		ug/L	1	0.56	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1399	50	80%		
D121713CCVA	D121713CCVA	ORG	1634-04-4	MTBE	47		ug/L	5	0.61	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1399	50	94%		
D121713CCVA	D121713CCVA	ORG	75-34-3	1,1-Dichloroethane	43		ug/L	1	0.53	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1399	50	86%		
D121713CCVA	D121713CCVA	ORG	156-59-2	cis-1,2-Dichloroethene	45		ug/L	1	0.32	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1399	50	90%		
D121713CCVA	D121713CCVA	ORG	74-97-5	Bromochloromethane	46		ug/L	10	0.41	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1399	50	92%		
D121713CCVA	D121713CCVA	ORG	67-66-3	Chloroform	46		ug/L	2	0.16	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1399	50	92%		
D121713CCVA	D121713CCVA	ORG	71-55-6	1,1,1-Trichloroethane	45		ug/L	1	0.17	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1399	50	90%		
D121713CCVA	D121713CCVA	ORG	78-93-3	2-Butanone	50		ug/L	1	0.81	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1399	50	100%		
D121713CCVA	D121713CCVA	ORG	56-23-5	Carbon tetrachloride	46		ug/L	1	0.28	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1399	50	92%		
D121713CCVA	D121713CCVA	ORG	71-43-2	Benzene	44		ug/L	1	0.14	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1399	50	88%		
D121713CCVA	D121713CCVA	ORG	107-06-2	1,2-Dichloroethane	46		ug/L	1	0.20	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1399	50	92%		
D121713CCVA	D121713CCVA	ORG	79-01-6	Trichloroethene	45		ug/L	1	0.36	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1399	50	90%		
D121713CCVA	D121713CCVA	ORG	74-95-3	Dibromomethane	48		ug/L	2	0.32	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1399	50	96%		
D121713CCVA	D121713CCVA	ORG	78-87-5	1,2-Dichloropropane	47		ug/L	1	0.18	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1399	50	94%		
D121713CCVA	D121713CCVA	ORG	75-27-4	Bromodichloromethane	48		ug/L	2	0.12	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1399	50	96%		
D121713CCVA	D121713CCVA	ORG	10061-01-5	cis-1,3-Dichloropropene	50		ug/L	1	0.25	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1399	50	100%		
D121713CCVA	D121713CCVA	ORG	108-88-3	Toluene	44		ug/L	1	0.21	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1399	50	88%		
D121713CCVA	D121713CCVA	ORG	108-10-1	4-Methyl-2-pentanone	61		ug/L	5	0.74	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1399	50	122%		
D121713CCVA	D121713CCVA	ORG	10061-02-6	trans-1,3-Dichloropropene	54		ug/L	1	0.31	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1399	50	108%		
D121713CCVA	D121713CCVA	ORG	127-18-4	Tetrachloroethene	44		ug/L	1	0.49	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1399	50	88%		
D121713CCVA	D121713CCVA	ORG	79-00-5	1,1,2-Trichloroethane	46		ug/L	1	0.34	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1399	50	92%		
D121713CCVA	D121713CCVA	ORG	124-48-1	Dibromochloromethane	53		ug/L	5	0.30	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1399	50	106%		
D121713CCVA	D121713CCVA	ORG	106-93-4	1,2-Dibromoethane	49		ug/L	2	0.26	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1399	50	98%		
D121713CCVA	D121713CCVA	ORG	591-78-6	2-Hexanone	56		ug/L	2	0.69	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1399	50	112%		
D121713CCVA	D121713CCVA	ORG	100-41-4	Ethylbenzene	45		ug/L	1	0.25	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1399	50	90%		
D121713CCVA	D121713CCVA	ORG	108-90-7	Chlorobenzene	45		ug/L	1	0.28	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1399	50	90%		
D121713CCVA	D121713CCVA	ORG	630-20-6	1,1,1,2-Tetrachloroethane	47		ug/L	2	0.19	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1399	50	94%		
D121713CCVA	D121713CCVA	ORG	XYLMP	p&m-Xylene	92		ug/L	2	0.26	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1399	100	92%		
D121713CCVA	D121713CCVA	ORG	95-47-6	o-Xylene	47		ug/L	1	0.13	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1399	50	94%		
D121713CCVA	D121713CCVA	ORG	100-42-5	Styrene	48		ug/L	1	0.20	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1399	50	96%		
D121713CCVA	D121713CCVA	ORG	75-25-2	Bromoform	59		ug/L	2	0.47	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1399	50	118%		
D121713CCVA	D121713CCVA	ORG	98-82-8	Isopropylbenzene	49		ug/L	2	0.20	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1399	50	98%		
D121713CCVA	D121713CCVA	ORG	103-65-1	n-Propylbenzene	49		ug/L	2	0.27	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1399	50	98%		
D121713CCVA	D121713CCVA	ORG	79-34-5	1,1,2,2-Tetrachloroethane	47		ug/L	2	0.29	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1399	50	94%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D121713CCVA	D121713CCVA	ORG	96-18-4	1,2,3-Trichloropropane	43		ug/L	2	0.29	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1399	50	86%		
D121713CCVA	D121713CCVA	ORG	108-67-8	1,3,5-Trimethylbenzene	49		ug/L	2	0.20	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1399	50	98%		
D121713CCVA	D121713CCVA	ORG	98-06-6	tert-Butylbenzene	52		ug/L	2	0.33	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1399	50	104%		
D121713CCVA	D121713CCVA	ORG	95-63-6	1,2,4-Trimethylbenzene	48		ug/L	2	0.20	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1399	50	96%		
D121713CCVA	D121713CCVA	ORG	135-98-8	sec-Butylbenzene	50		ug/L	2	0.32	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1399	50	100%		
D121713CCVA	D121713CCVA	ORG	541-73-1	1,3-Dichlorobenzene	48		ug/L	2	0.22	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1399	50	96%		
D121713CCVA	D121713CCVA	ORG	99-87-6	p-Isopropltoluene	51		ug/L	2	0.25	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1399	50	102%		
D121713CCVA	D121713CCVA	ORG	106-46-7	1,4-Dichlorobenzene	48		ug/L	2	0.33	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1399	50	96%		
D121713CCVA	D121713CCVA	ORG	95-50-1	1,2-Dichlorobenzene	48		ug/L	2	0.26	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1399	50	96%		
D121713CCVA	D121713CCVA	ORG	104-51-8	n-Butylbenzene	50		ug/L	5	0.28	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1399	50	100%		
D121713CCVA	D121713CCVA	ORG	96-12-8	1,2-Dibromo-3-chloropropane	53		ug/L	5	1.59	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1399	50	106%		
D121713CCVA	D121713CCVA	ORG	87-68-3	Hexachlorobutadiene	52		ug/L	5	0.65	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1399	50	104%		
D121713CCVA	D121713CCVA	ORG	120-82-1	1,2,4-Trichlorobenzene	53		ug/L	5	0.28	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1399	50	106%		
D121713CCVA	D121713CCVA	ORG	91-20-3	Naphthalene	50		ug/L	5	0.56	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1399	50	100%		
D121713CCVA	D121713CCVA	ORG	87-61-6	1,2,3-Trichlorobenzene	48		ug/L	5	0.23	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1399	50	96%		
D121713CCVA	D121713CCVA	STD	1868-53-7	Dibromofluoromethane	54		ng			NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1399	50	108%		
D121713CCVA	D121713CCVA	STD	17060-07-0	1,2-Dichloroethane d4	49		ng			NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1399	50	98%		
D121713CCVA	D121713CCVA	STD	2037-26-5	Toluene d8	48		ng			NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1399	50	96%		
D121713CCVA	D121713CCVA	STD	460-00-4	Bromofluorobenzene	46		ng			NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1399	50	92%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D121713MBKA	D121713MBKA	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	5	0.29	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1401				
D121713MBKA	D121713MBKA	ORG	74-87-3	Chloromethane		U	ug/L	5	0.43	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1401				
D121713MBKA	D121713MBKA	ORG	75-01-4	Vinyl chloride		U	ug/L	2	0.32	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1401				
D121713MBKA	D121713MBKA	ORG	74-83-9	Bromomethane		U	ug/L	5	0.50	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1401				
D121713MBKA	D121713MBKA	ORG	75-00-3	Chloroethane		U	ug/L	5	0.56	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1401				
D121713MBKA	D121713MBKA	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	5	0.20	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1401				
D121713MBKA	D121713MBKA	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	1	0.47	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1401				
D121713MBKA	D121713MBKA	ORG	75-09-2	Methylene chloride		U	ug/L	5	0.26	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1401				
D121713MBKA	D121713MBKA	ORG	67-64-1	Acetone		U	ug/L	10	1.56	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1401				
D121713MBKA	D121713MBKA	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	1	0.56	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1401				
D121713MBKA	D121713MBKA	ORG	1634-04-4	MTBE		U	ug/L	5	0.61	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1401				
D121713MBKA	D121713MBKA	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	1	0.53	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1401				
D121713MBKA	D121713MBKA	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	1	0.32	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1401				
D121713MBKA	D121713MBKA	ORG	74-97-5	Bromochloromethane		U	ug/L	10	0.41	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1401				
D121713MBKA	D121713MBKA	ORG	67-66-3	Chloroform		U	ug/L	2	0.16	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1401				
D121713MBKA	D121713MBKA	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	1	0.17	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1401				
D121713MBKA	D121713MBKA	ORG	78-93-3	2-Butanone		U	ug/L	1	0.81	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1401				
D121713MBKA	D121713MBKA	ORG	56-23-5	Carbon tetrachloride		U	ug/L	1	0.28	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1401				
D121713MBKA	D121713MBKA	ORG	71-43-2	Benzene		U	ug/L	1	0.14	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1401				
D121713MBKA	D121713MBKA	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	1	0.20	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1401				
D121713MBKA	D121713MBKA	ORG	79-01-6	Trichloroethene		U	ug/L	1	0.36	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1401				
D121713MBKA	D121713MBKA	ORG	74-95-3	Dibromomethane		U	ug/L	2	0.32	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1401				
D121713MBKA	D121713MBKA	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	1	0.18	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1401				
D121713MBKA	D121713MBKA	ORG	75-27-4	Bromodichloromethane		U	ug/L	2	0.12	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1401				
D121713MBKA	D121713MBKA	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	1	0.25	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1401				
D121713MBKA	D121713MBKA	ORG	108-88-3	Toluene		U	ug/L	1	0.21	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1401				
D121713MBKA	D121713MBKA	ORG	108-10-1	4-Methyl-2-pentanone		U	ug/L	5	0.74	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1401				
D121713MBKA	D121713MBKA	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	1	0.31	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1401				
D121713MBKA	D121713MBKA	ORG	127-18-4	Tetrachloroethene		U	ug/L	1	0.49	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1401				
D121713MBKA	D121713MBKA	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	1	0.34	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1401				
D121713MBKA	D121713MBKA	ORG	124-48-1	Dibromochloromethane		U	ug/L	5	0.30	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1401				
D121713MBKA	D121713MBKA	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	2	0.26	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1401				
D121713MBKA	D121713MBKA	ORG	591-78-6	2-Hexanone		U	ug/L	2	0.69	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1401				
D121713MBKA	D121713MBKA	ORG	100-41-4	Ethylbenzene		U	ug/L	1	0.25	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1401				
D121713MBKA	D121713MBKA	ORG	108-90-7	Chlorobenzene		U	ug/L	1	0.28	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1401				
D121713MBKA	D121713MBKA	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	2	0.19	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1401				
D121713MBKA	D121713MBKA	ORG	XYLMP	p&m-Xylene		U	ug/L	2	0.26	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1401				
D121713MBKA	D121713MBKA	ORG	95-47-6	o-Xylene		U	ug/L	1	0.13	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1401				
D121713MBKA	D121713MBKA	ORG	100-42-5	Styrene		U	ug/L	1	0.20	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1401				
D121713MBKA	D121713MBKA	ORG	75-25-2	Bromoform		U	ug/L	2	0.47	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1401				
D121713MBKA	D121713MBKA	ORG	98-82-8	Isopropylbenzene		U	ug/L	2	0.20	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1401				
D121713MBKA	D121713MBKA	ORG	103-65-1	n-Propylbenzene		U	ug/L	2	0.27	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1401				
D121713MBKA	D121713MBKA	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	2	0.29	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1401				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D121713MBKA	D121713MBKA	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	2	0.29	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1401				
D121713MBKA	D121713MBKA	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	2	0.20	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1401				
D121713MBKA	D121713MBKA	ORG	98-06-6	tert-Butylbenzene		U	ug/L	2	0.33	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1401				
D121713MBKA	D121713MBKA	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	2	0.20	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1401				
D121713MBKA	D121713MBKA	ORG	135-98-8	sec-Butylbenzene		U	ug/L	2	0.32	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1401				
D121713MBKA	D121713MBKA	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	2	0.22	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1401				
D121713MBKA	D121713MBKA	ORG	99-87-6	p-Isopropltoluene		U	ug/L	2	0.25	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1401				
D121713MBKA	D121713MBKA	ORG	106-46-7	1,4-Dichlorobenzene		U	ug/L	2	0.33	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1401				
D121713MBKA	D121713MBKA	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	2	0.26	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1401				
D121713MBKA	D121713MBKA	ORG	104-51-8	n-Butylbenzene		U	ug/L	5	0.28	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1401				
D121713MBKA	D121713MBKA	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	5	1.59	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1401				
D121713MBKA	D121713MBKA	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	5	0.65	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1401				
D121713MBKA	D121713MBKA	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	5	0.28	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1401				
D121713MBKA	D121713MBKA	ORG	91-20-3	Naphthalene		U	ug/L	5	0.56	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1401				
D121713MBKA	D121713MBKA	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	5	0.23	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1401				
D121713MBKA	D121713MBKA	STD	1868-53-7	Dibromofluoromethane	52		ng			NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1401	50	104%		
D121713MBKA	D121713MBKA	STD	17060-07-0	1,2-Dichloroethane d4	53		ng			NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1401	50	106%		
D121713MBKA	D121713MBKA	STD	2037-26-5	Toluene d8	50		ng			NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1401	50	100%		
D121713MBKA	D121713MBKA	STD	460-00-4	Bromofluorobenzene	47		ng			NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1401	50	94%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D121713ALCS	D121713ALCS	ORG	75-71-8	Dichlorodifluoromethane	42		ug/L	5	0.29	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1400	50	84%		
D121713ALCS	D121713ALCS	ORG	74-87-3	Chloromethane	50		ug/L	5	0.43	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1400	50	100%		
D121713ALCS	D121713ALCS	ORG	75-01-4	Vinyl chloride	50		ug/L	2	0.32	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1400	50	100%		
D121713ALCS	D121713ALCS	ORG	74-83-9	Bromomethane	76		ug/L	5	0.50	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1400	50	152%		
D121713ALCS	D121713ALCS	ORG	75-00-3	Chloroethane	59		ug/L	5	0.56	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1400	50	118%		
D121713ALCS	D121713ALCS	ORG	75-69-4	Trichlorofluoromethane	500		ug/L	5	0.20	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1400	50	1000%		
D121713ALCS	D121713ALCS	ORG	75-35-4	1,1-Dichloroethene	26		ug/L	1	0.47	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1400	50	52%		
D121713ALCS	D121713ALCS	ORG	75-09-2	Methylene chloride	37		ug/L	5	0.26	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1400	50	74%		
D121713ALCS	D121713ALCS	ORG	67-64-1	Acetone	62		ug/L	10	1.56	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1400	50	124%		
D121713ALCS	D121713ALCS	ORG	156-60-5	trans-1,2-Dichloroethene	37		ug/L	1	0.56	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1400	50	74%		
D121713ALCS	D121713ALCS	ORG	1634-04-4	MTBE	49		ug/L	5	0.61	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1400	50	98%		
D121713ALCS	D121713ALCS	ORG	75-34-3	1,1-Dichloroethane	40		ug/L	1	0.53	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1400	50	80%		
D121713ALCS	D121713ALCS	ORG	156-59-2	cis-1,2-Dichloroethene	42		ug/L	1	0.32	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1400	50	84%		
D121713ALCS	D121713ALCS	ORG	74-97-5	Bromochloromethane	44		ug/L	10	0.41	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1400	50	88%		
D121713ALCS	D121713ALCS	ORG	67-66-3	Chloroform	45		ug/L	2	0.16	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1400	50	90%		
D121713ALCS	D121713ALCS	ORG	71-55-6	1,1,1-Trichloroethane	42		ug/L	1	0.17	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1400	50	84%		
D121713ALCS	D121713ALCS	ORG	78-93-3	2-Butanone	49		ug/L	1	0.81	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1400	50	98%		
D121713ALCS	D121713ALCS	ORG	56-23-5	Carbon tetrachloride	43		ug/L	1	0.28	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1400	50	86%		
D121713ALCS	D121713ALCS	ORG	71-43-2	Benzene	43		ug/L	1	0.14	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1400	50	86%		
D121713ALCS	D121713ALCS	ORG	107-06-2	1,2-Dichloroethane	45		ug/L	1	0.20	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1400	50	90%		
D121713ALCS	D121713ALCS	ORG	79-01-6	Trichloroethene	45		ug/L	1	0.36	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1400	50	90%		
D121713ALCS	D121713ALCS	ORG	74-95-3	Dibromomethane	48		ug/L	2	0.32	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1400	50	96%		
D121713ALCS	D121713ALCS	ORG	78-87-5	1,2-Dichloropropane	47		ug/L	1	0.18	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1400	50	94%		
D121713ALCS	D121713ALCS	ORG	75-27-4	Bromodichloromethane	47		ug/L	2	0.12	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1400	50	94%		
D121713ALCS	D121713ALCS	ORG	10061-01-5	cis-1,3-Dichloropropene	50		ug/L	1	0.25	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1400	50	100%		
D121713ALCS	D121713ALCS	ORG	108-88-3	Toluene	44		ug/L	1	0.21	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1400	50	88%		
D121713ALCS	D121713ALCS	ORG	108-10-1	4-Methyl-2-pentanone	68		ug/L	5	0.74	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1400	50	136%		
D121713ALCS	D121713ALCS	ORG	10061-02-6	trans-1,3-Dichloropropene	54		ug/L	1	0.31	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1400	50	108%		
D121713ALCS	D121713ALCS	ORG	127-18-4	Tetrachloroethene	44		ug/L	1	0.49	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1400	50	88%		
D121713ALCS	D121713ALCS	ORG	79-00-5	1,1,2-Trichloroethane	46		ug/L	1	0.34	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1400	50	92%		
D121713ALCS	D121713ALCS	ORG	124-48-1	Dibromochloromethane	53		ug/L	5	0.30	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1400	50	106%		
D121713ALCS	D121713ALCS	ORG	106-93-4	1,2-Dibromoethane	49		ug/L	2	0.26	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1400	50	98%		
D121713ALCS	D121713ALCS	ORG	591-78-6	2-Hexanone	66		ug/L	2	0.69	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1400	50	132%		
D121713ALCS	D121713ALCS	ORG	100-41-4	Ethylbenzene	45		ug/L	1	0.25	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1400	50	90%		
D121713ALCS	D121713ALCS	ORG	108-90-7	Chlorobenzene	45		ug/L	1	0.28	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1400	50	90%		
D121713ALCS	D121713ALCS	ORG	630-20-6	1,1,1,2-Tetrachloroethane	48		ug/L	2	0.19	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1400	50	96%		
D121713ALCS	D121713ALCS	ORG	XYLMP	p&m-Xylene	91		ug/L	2	0.26	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1400	100	91%		
D121713ALCS	D121713ALCS	ORG	95-47-6	o-Xylene	46		ug/L	1	0.13	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1400	50	92%		
D121713ALCS	D121713ALCS	ORG	100-42-5	Styrene	48		ug/L	1	0.20	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1400	50	96%		
D121713ALCS	D121713ALCS	ORG	75-25-2	Bromoform	56		ug/L	2	0.47	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1400	50	112%		
D121713ALCS	D121713ALCS	ORG	98-82-8	Isopropylbenzene	48		ug/L	2	0.20	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1400	50	96%		
D121713ALCS	D121713ALCS	ORG	103-65-1	n-Propylbenzene	48		ug/L	2	0.27	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1400	50	96%		
D121713ALCS	D121713ALCS	ORG	79-34-5	1,1,2,2-Tetrachloroethane	47		ug/L	2	0.29	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1400	50	94%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D121713ALCS	D121713ALCS	ORG	96-18-4	1,2,3-Trichloropropane	43		ug/L	2	0.29	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1400	50	86%		
D121713ALCS	D121713ALCS	ORG	108-67-8	1,3,5-Trimethylbenzene	48		ug/L	2	0.20	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1400	50	96%		
D121713ALCS	D121713ALCS	ORG	98-06-6	tert-Butylbenzene	51		ug/L	2	0.33	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1400	50	102%		
D121713ALCS	D121713ALCS	ORG	95-63-6	1,2,4-Trimethylbenzene	48		ug/L	2	0.20	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1400	50	96%		
D121713ALCS	D121713ALCS	ORG	135-98-8	sec-Butylbenzene	49		ug/L	2	0.32	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1400	50	98%		
D121713ALCS	D121713ALCS	ORG	541-73-1	1,3-Dichlorobenzene	46		ug/L	2	0.22	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1400	50	92%		
D121713ALCS	D121713ALCS	ORG	99-87-6	p-Isopropltoluene	49		ug/L	2	0.25	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1400	50	98%		
D121713ALCS	D121713ALCS	ORG	106-46-7	1,4-Dichlorobenzene	46		ug/L	2	0.33	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1400	50	92%		
D121713ALCS	D121713ALCS	ORG	95-50-1	1,2-Dichlorobenzene	46		ug/L	2	0.26	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1400	50	92%		
D121713ALCS	D121713ALCS	ORG	104-51-8	n-Butylbenzene	49		ug/L	5	0.28	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1400	50	98%		
D121713ALCS	D121713ALCS	ORG	96-12-8	1,2-Dibromo-3-chloropropane	48		ug/L	5	1.59	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1400	50	96%		
D121713ALCS	D121713ALCS	ORG	87-68-3	Hexachlorobutadiene	48		ug/L	5	0.65	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1400	50	96%		
D121713ALCS	D121713ALCS	ORG	120-82-1	1,2,4-Trichlorobenzene	50		ug/L	5	0.28	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1400	50	100%		
D121713ALCS	D121713ALCS	ORG	91-20-3	Naphthalene	49		ug/L	5	0.56	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1400	50	98%		
D121713ALCS	D121713ALCS	ORG	87-61-6	1,2,3-Trichlorobenzene	47		ug/L	5	0.23	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1400	50	94%		
D121713ALCS	D121713ALCS	STD	1868-53-7	Dibromofluoromethane	53		ng			NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1400	50	106%		
D121713ALCS	D121713ALCS	STD	17060-07-0	1,2-Dichloroethane d4	49		ng			NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1400	50	98%		
D121713ALCS	D121713ALCS	STD	2037-26-5	Toluene d8	49		ng			NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1400	50	98%		
D121713ALCS	D121713ALCS	STD	460-00-4	Bromofluorobenzene	46		ng			NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1400	50	92%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D121713ALCD	D121713ALCD	ORG	75-71-8	Dichlorodifluoromethane	43		ug/L	5	0.29	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1406	50	86%	2%	
D121713ALCD	D121713ALCD	ORG	74-87-3	Chloromethane	47		ug/L	5	0.43	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1406	50	94%	6%	
D121713ALCD	D121713ALCD	ORG	75-01-4	Vinyl chloride	54		ug/L	2	0.32	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1406	50	108%	8%	
D121713ALCD	D121713ALCD	ORG	74-83-9	Bromomethane	79		ug/L	5	0.50	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1406	50	158%	4%	
D121713ALCD	D121713ALCD	ORG	75-00-3	Chloroethane	61		ug/L	5	0.56	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1406	50	122%	3%	
D121713ALCD	D121713ALCD	ORG	75-69-4	Trichlorofluoromethane	650		ug/L	5	0.20	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1406	50	1300%	26%	
D121713ALCD	D121713ALCD	ORG	75-35-4	1,1-Dichloroethene	30		ug/L	1	0.47	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1406	50	60%	14%	
D121713ALCD	D121713ALCD	ORG	75-09-2	Methylene chloride	41		ug/L	5	0.26	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1406	50	82%	10%	
D121713ALCD	D121713ALCD	ORG	67-64-1	Acetone	63		ug/L	10	1.56	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1406	50	126%	2%	
D121713ALCD	D121713ALCD	ORG	156-60-5	trans-1,2-Dichloroethene	37		ug/L	1	0.56	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1406	50	74%	0%	
D121713ALCD	D121713ALCD	ORG	1634-04-4	MTBE	47		ug/L	5	0.61	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1406	50	94%	4%	
D121713ALCD	D121713ALCD	ORG	75-34-3	1,1-Dichloroethane	40		ug/L	1	0.53	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1406	50	80%	0%	
D121713ALCD	D121713ALCD	ORG	156-59-2	cis-1,2-Dichloroethene	43		ug/L	1	0.32	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1406	50	86%	2%	
D121713ALCD	D121713ALCD	ORG	74-97-5	Bromochloromethane	43		ug/L	10	0.41	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1406	50	86%	2%	
D121713ALCD	D121713ALCD	ORG	67-66-3	Chloroform	45		ug/L	2	0.16	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1406	50	90%	0%	
D121713ALCD	D121713ALCD	ORG	71-55-6	1,1,1-Trichloroethane	44		ug/L	1	0.17	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1406	50	88%	5%	
D121713ALCD	D121713ALCD	ORG	78-93-3	2-Butanone	51		ug/L	1	0.81	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1406	50	102%	4%	
D121713ALCD	D121713ALCD	ORG	56-23-5	Carbon tetrachloride	44		ug/L	1	0.28	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1406	50	88%	2%	
D121713ALCD	D121713ALCD	ORG	71-43-2	Benzene	44		ug/L	1	0.14	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1406	50	88%	2%	
D121713ALCD	D121713ALCD	ORG	107-06-2	1,2-Dichloroethane	47		ug/L	1	0.20	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1406	50	94%	4%	
D121713ALCD	D121713ALCD	ORG	79-01-6	Trichloroethene	45		ug/L	1	0.36	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1406	50	90%	0%	
D121713ALCD	D121713ALCD	ORG	74-95-3	Dibromomethane	49		ug/L	2	0.32	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1406	50	98%	2%	
D121713ALCD	D121713ALCD	ORG	78-87-5	1,2-Dichloropropane	47		ug/L	1	0.18	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1406	50	94%	0%	
D121713ALCD	D121713ALCD	ORG	75-27-4	Bromodichloromethane	47		ug/L	2	0.12	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1406	50	94%	0%	
D121713ALCD	D121713ALCD	ORG	10061-01-5	cis-1,3-Dichloropropene	50		ug/L	1	0.25	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1406	50	100%	0%	
D121713ALCD	D121713ALCD	ORG	108-88-3	Toluene	43		ug/L	1	0.21	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1406	50	86%	2%	
D121713ALCD	D121713ALCD	ORG	108-10-1	4-Methyl-2-pentanone	60		ug/L	5	0.74	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1406	50	120%	13%	
D121713ALCD	D121713ALCD	ORG	10061-02-6	trans-1,3-Dichloropropene	55		ug/L	1	0.31	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1406	50	110%	2%	
D121713ALCD	D121713ALCD	ORG	127-18-4	Tetrachloroethene	42		ug/L	1	0.49	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1406	50	84%	5%	
D121713ALCD	D121713ALCD	ORG	79-00-5	1,1,2-Trichloroethane	46		ug/L	1	0.34	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1406	50	92%	0%	
D121713ALCD	D121713ALCD	ORG	124-48-1	Dibromochloromethane	53		ug/L	5	0.30	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1406	50	106%	0%	
D121713ALCD	D121713ALCD	ORG	106-93-4	1,2-Dibromoethane	49		ug/L	2	0.26	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1406	50	98%	0%	
D121713ALCD	D121713ALCD	ORG	591-78-6	2-Hexanone	54		ug/L	2	0.69	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1406	50	108%	20%	
D121713ALCD	D121713ALCD	ORG	100-41-4	Ethylbenzene	46		ug/L	1	0.25	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1406	50	92%	2%	
D121713ALCD	D121713ALCD	ORG	108-90-7	Chlorobenzene	46		ug/L	1	0.28	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1406	50	92%	2%	
D121713ALCD	D121713ALCD	ORG	630-20-6	1,1,1,2-Tetrachloroethane	49		ug/L	2	0.19	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1406	50	98%	2%	
D121713ALCD	D121713ALCD	ORG	XYLMP	p&m-Xylene	95		ug/L	2	0.26	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1406	100	95%	4%	
D121713ALCD	D121713ALCD	ORG	95-47-6	o-Xylene	47		ug/L	1	0.13	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1406	50	94%	2%	
D121713ALCD	D121713ALCD	ORG	100-42-5	Styrene	50		ug/L	1	0.20	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1406	50	100%	4%	
D121713ALCD	D121713ALCD	ORG	75-25-2	Bromoform	60		ug/L	2	0.47	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1406	50	120%	7%	
D121713ALCD	D121713ALCD	ORG	98-82-8	Isopropylbenzene	49		ug/L	2	0.20	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1406	50	98%	2%	
D121713ALCD	D121713ALCD	ORG	103-65-1	n-Propylbenzene	50		ug/L	2	0.27	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1406	50	100%	4%	
D121713ALCD	D121713ALCD	ORG	79-34-5	1,1,2,2-Tetrachloroethane	49		ug/L	2	0.29	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1406	50	98%	4%	

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D121713ALCD	D121713ALCD	ORG	96-18-4	1,2,3-Trichloropropane	58		ug/L	2	0.29	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1406	50	116%	30%	
D121713ALCD	D121713ALCD	ORG	108-67-8	1,3,5-Trimethylbenzene	50		ug/L	2	0.20	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1406	50	100%	4%	
D121713ALCD	D121713ALCD	ORG	98-06-6	tert-Butylbenzene	51		ug/L	2	0.33	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1406	50	102%	0%	
D121713ALCD	D121713ALCD	ORG	95-63-6	1,2,4-Trimethylbenzene	49		ug/L	2	0.20	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1406	50	98%	2%	
D121713ALCD	D121713ALCD	ORG	135-98-8	sec-Butylbenzene	50		ug/L	2	0.32	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1406	50	100%	2%	
D121713ALCD	D121713ALCD	ORG	541-73-1	1,3-Dichlorobenzene	46		ug/L	2	0.22	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1406	50	92%	0%	
D121713ALCD	D121713ALCD	ORG	99-87-6	p-Isopropltoluene	51		ug/L	2	0.25	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1406	50	102%	4%	
D121713ALCD	D121713ALCD	ORG	106-46-7	1,4-Dichlorobenzene	48		ug/L	2	0.33	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1406	50	96%	4%	
D121713ALCD	D121713ALCD	ORG	95-50-1	1,2-Dichlorobenzene	46		ug/L	2	0.26	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1406	50	92%	0%	
D121713ALCD	D121713ALCD	ORG	104-51-8	n-Butylbenzene	49		ug/L	5	0.28	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1406	50	98%	0%	
D121713ALCD	D121713ALCD	ORG	96-12-8	1,2-Dibromo-3-chloropropane	52		ug/L	5	1.59	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1406	50	104%	8%	
D121713ALCD	D121713ALCD	ORG	87-68-3	Hexachlorobutadiene	46		ug/L	5	0.65	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1406	50	92%	4%	
D121713ALCD	D121713ALCD	ORG	120-82-1	1,2,4-Trichlorobenzene	49		ug/L	5	0.28	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1406	50	98%	2%	
D121713ALCD	D121713ALCD	ORG	91-20-3	Naphthalene	49		ug/L	5	0.56	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1406	50	98%	0%	
D121713ALCD	D121713ALCD	ORG	87-61-6	1,2,3-Trichlorobenzene	47		ug/L	5	0.23	NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1406	50	94%	0%	
D121713ALCD	D121713ALCD	STD	1868-53-7	Dibromofluoromethane	55		ng			NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1406	50	110%	4%	
D121713ALCD	D121713ALCD	STD	17060-07-0	1,2-Dichloroethane d4	51		ng			NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1406	50	102%	4%	
D121713ALCD	D121713ALCD	STD	2037-26-5	Toluene d8	48		ng			NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1406	50	96%	2%	
D121713ALCD	D121713ALCD	STD	460-00-4	Bromofluorobenzene	46		ng			NA	12/17/2013	12/17/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1406	50	92%	0%	

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-846MS	316-168R	ORG	75-71-8	Dichlorodifluoromethane	4100		ug/L	500	29.28	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1407	5000	82%		
NAL13026-846MS	316-168R	ORG	74-87-3	Chloromethane	4600		ug/L	500	43.07	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1407	5000	92%		
NAL13026-846MS	316-168R	ORG	75-01-4	Vinyl chloride	5100		ug/L	200	31.86	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1407	5000	102%		
NAL13026-846MS	316-168R	ORG	74-83-9	Bromomethane	5300		ug/L	500	50.04	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1407	5000	106%		
NAL13026-846MS	316-168R	ORG	75-00-3	Chloroethane	5700		ug/L	500	55.61	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1407	5000	114%		
NAL13026-846MS	316-168R	ORG	75-69-4	Trichlorofluoromethane	43000		ug/L	500	19.65	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1407	5000	860%		
NAL13026-846MS	316-168R	ORG	75-35-4	1,1-Dichloroethene	5300		ug/L	100	47.11	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1407	5000	106%		
NAL13026-846MS	316-168R	ORG	75-09-2	Methylene chloride	5100		ug/L	500	26.46	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1407	5000	102%		
NAL13026-846MS	316-168R	ORG	67-64-1	Acetone	270000		ug/L	1000	155.61	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1407	5000	-1200%		330000
NAL13026-846MS	316-168R	ORG	156-60-5	trans-1,2-Dichloroethene	5000		ug/L	100	55.61	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1407	5000	100%		
NAL13026-846MS	316-168R	ORG	1634-04-4	MTBE	5300		ug/L	500	61.18	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1407	5000	106%		
NAL13026-846MS	316-168R	ORG	75-34-3	1,1-Dichloroethane	4900		ug/L	100	52.66	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1407	5000	98%		
NAL13026-846MS	316-168R	ORG	156-59-2	cis-1,2-Dichloroethene	5300		ug/L	100	32.11	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1407	5000	106%		
NAL13026-846MS	316-168R	ORG	74-97-5	Bromochloromethane	5200		ug/L	1000	41.37	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1407	5000	104%		
NAL13026-846MS	316-168R	ORG	67-66-3	Chloroform	5100		ug/L	200	15.73	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1407	5000	102%		
NAL13026-846MS	316-168R	ORG	71-55-6	1,1,1-Trichloroethane	5100		ug/L	100	16.65	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1407	5000	102%		
NAL13026-846MS	316-168R	ORG	78-93-3	2-Butanone	43000		ug/L	100	81.18	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1407	5000	60%		40000
NAL13026-846MS	316-168R	ORG	56-23-5	Carbon tetrachloride	5300		ug/L	100	27.64	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1407	5000	106%		
NAL13026-846MS	316-168R	ORG	71-43-2	Benzene	5200		ug/L	100	13.53	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1407	5000	102%		95
NAL13026-846MS	316-168R	ORG	107-06-2	1,2-Dichloroethane	5100		ug/L	100	20.01	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1407	5000	102%		
NAL13026-846MS	316-168R	ORG	79-01-6	Trichloroethene	5300		ug/L	100	36.33	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1407	5000	106%		
NAL13026-846MS	316-168R	ORG	74-95-3	Dibromomethane	5600		ug/L	200	32.20	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1407	5000	112%		
NAL13026-846MS	316-168R	ORG	78-87-5	1,2-Dichloropropane	5200		ug/L	100	18.17	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1407	5000	104%		
NAL13026-846MS	316-168R	ORG	75-27-4	Bromodichloromethane	4900		ug/L	200	11.58	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1407	5000	98%		
NAL13026-846MS	316-168R	ORG	10061-01-5	cis-1,3-Dichloropropene	5300		ug/L	100	25.01	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1407	5000	106%		
NAL13026-846MS	316-168R	ORG	108-88-3	Toluene	4700		ug/L	100	20.96	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1407	5000	93%		56
NAL13026-846MS	316-168R	ORG	108-10-1	4-Methyl-2-pentanone	7900		ug/L	500	74.00	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1407	5000	116%		2100
NAL13026-846MS	316-168R	ORG	10061-02-6	trans-1,3-Dichloropropene	6000		ug/L	100	31.15	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1407	5000	120%		
NAL13026-846MS	316-168R	ORG	127-18-4	Tetrachloroethene	4600		ug/L	100	48.56	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1407	5000	92%		
NAL13026-846MS	316-168R	ORG	79-00-5	1,1,2-Trichloroethane	5000		ug/L	100	34.28	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1407	5000	100%		
NAL13026-846MS	316-168R	ORG	124-48-1	Dibromochloromethane	5600		ug/L	500	29.90	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1407	5000	112%		
NAL13026-846MS	316-168R	ORG	106-93-4	1,2-Dibromoethane	5300		ug/L	200	26.49	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1407	5000	106%		
NAL13026-846MS	316-168R	ORG	591-78-6	2-Hexanone	10000		ug/L	200	68.90	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1407	5000	76%		6200
NAL13026-846MS	316-168R	ORG	100-41-4	Ethylbenzene	4800		ug/L	100	25.38	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1407	5000	94%		100
NAL13026-846MS	316-168R	ORG	108-90-7	Chlorobenzene	4700		ug/L	100	27.52	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1407	5000	94%		
NAL13026-846MS	316-168R	ORG	630-20-6	1,1,1,2-Tetrachloroethane	5000		ug/L	200	19.28	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1407	5000	100%		
NAL13026-846MS	316-168R	ORG	XYLMP	p&m-Xylene	10000		ug/L	200	26.14	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1407	10000	97%		320
NAL13026-846MS	316-168R	ORG	95-47-6	o-Xylene	5200		ug/L	100	12.90	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1407	5000	100%		200
NAL13026-846MS	316-168R	ORG	100-42-5	Styrene	5200		ug/L	100	20.23	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1407	5000	104%		
NAL13026-846MS	316-168R	ORG	75-25-2	Bromoform	6100		ug/L	200	46.83	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1407	5000	122%		
NAL13026-846MS	316-168R	ORG	98-82-8	Isopropylbenzene	5300		ug/L	200	20.48	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1407	5000	104%		96
NAL13026-846MS	316-168R	ORG	103-65-1	n-Propylbenzene	5200		ug/L	200	27.00	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1407	5000	102%		89
NAL13026-846MS	316-168R	ORG	79-34-5	1,1,2,2-Tetrachloroethane	5300		ug/L	200	29.16	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1407	5000	106%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-846MS	316-168R	ORG	96-18-4	1,2,3-Trichloropropane	5700		ug/L	200	29.47	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1407	5000	114%		
NAL13026-846MS	316-168R	ORG	108-67-8	1,3,5-Trimethylbenzene	5400		ug/L	200	20.03	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1407	5000	104%		220
NAL13026-846MS	316-168R	ORG	98-06-6	tert-Butylbenzene	5500		ug/L	200	32.61	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1407	5000	110%		
NAL13026-846MS	316-168R	ORG	95-63-6	1,2,4-Trimethylbenzene	6200		ug/L	200	20.03	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1407	5000	102%		1100
NAL13026-846MS	316-168R	ORG	135-98-8	sec-Butylbenzene	5400		ug/L	200	32.34	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1407	5000	106%		100
NAL13026-846MS	316-168R	ORG	541-73-1	1,3-Dichlorobenzene	4900		ug/L	200	22.21	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1407	5000	98%		
NAL13026-846MS	316-168R	ORG	99-87-6	p-Isopropltoluene	9100		ug/L	200	25.48	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1407	5000	98%		4200
NAL13026-846MS	316-168R	ORG	106-46-7	1,4-Dichlorobenzene	6200		ug/L	200	33.03	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1407	5000	100%		1200
NAL13026-846MS	316-168R	ORG	95-50-1	1,2-Dichlorobenzene	5000		ug/L	200	26.38	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1407	5000	100%		
NAL13026-846MS	316-168R	ORG	104-51-8	n-Butylbenzene	5400		ug/L	500	27.81	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1407	5000	108%		
NAL13026-846MS	316-168R	ORG	96-12-8	1,2-Dibromo-3-chloropropane	6500		ug/L	500	159.11	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1407	5000	130%		
NAL13026-846MS	316-168R	ORG	87-68-3	Hexachlorobutadiene	5300		ug/L	500	65.42	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1407	5000	106%		
NAL13026-846MS	316-168R	ORG	120-82-1	1,2,4-Trichlorobenzene	5700		ug/L	500	27.63	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1407	5000	114%		
NAL13026-846MS	316-168R	ORG	91-20-3	Naphthalene	7700		ug/L	500	56.04	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1407	5000	124%		1500
NAL13026-846MS	316-168R	ORG	87-61-6	1,2,3-Trichlorobenzene	5500		ug/L	500	23.28	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1407	5000	110%		
NAL13026-846MS	316-168R	STD	1868-53-7	Dibromofluoromethane	51		ng			12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1407	50	102%		
NAL13026-846MS	316-168R	STD	17060-07-0	1,2-Dichloroethane d4	47		ng			12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1407	50	94%		
NAL13026-846MS	316-168R	STD	2037-26-5	Toluene d8	46		ng			12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1407	50	92%		
NAL13026-846MS	316-168R	STD	460-00-4	Bromofluorobenzene	45		ng			12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1407	50	90%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-846MSD	316-168R	ORG	75-71-8	Dichlorodifluoromethane	4100		ug/L	500	29.28	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1408	5000	82%	0%	0
NAL13026-846MSD	316-168R	ORG	74-87-3	Chloromethane	4800		ug/L	500	43.07	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1408	5000	96%	4%	0
NAL13026-846MSD	316-168R	ORG	75-01-4	Vinyl chloride	5200		ug/L	200	31.86	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1408	5000	104%	2%	0
NAL13026-846MSD	316-168R	ORG	74-83-9	Bromomethane	5200		ug/L	500	50.04	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1408	5000	104%	2%	0
NAL13026-846MSD	316-168R	ORG	75-00-3	Chloroethane	5700		ug/L	500	55.61	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1408	5000	114%	0%	0
NAL13026-846MSD	316-168R	ORG	75-69-4	Trichlorofluoromethane	18000		ug/L	500	19.65	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1408	5000	360%	82%	0
NAL13026-846MSD	316-168R	ORG	75-35-4	1,1-Dichloroethene	5200		ug/L	100	47.11	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1408	5000	104%	2%	0
NAL13026-846MSD	316-168R	ORG	75-09-2	Methylene chloride	5000		ug/L	500	26.46	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1408	5000	100%	2%	0
NAL13026-846MSD	316-168R	ORG	67-64-1	Acetone	240000		ug/L	1000	155.61	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1408	5000	-1800%	12%	330000
NAL13026-846MSD	316-168R	ORG	156-60-5	trans-1,2-Dichloroethene	5100		ug/L	100	55.61	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1408	5000	102%	2%	0
NAL13026-846MSD	316-168R	ORG	1634-04-4	MTBE	5300		ug/L	500	61.18	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1408	5000	106%	0%	0
NAL13026-846MSD	316-168R	ORG	75-34-3	1,1-Dichloroethane	5000		ug/L	100	52.66	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1408	5000	100%	2%	0
NAL13026-846MSD	316-168R	ORG	156-59-2	cis-1,2-Dichloroethene	5300		ug/L	100	32.11	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1408	5000	106%	0%	0
NAL13026-846MSD	316-168R	ORG	74-97-5	Bromochloromethane	5400		ug/L	1000	41.37	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1408	5000	108%	4%	0
NAL13026-846MSD	316-168R	ORG	67-66-3	Chloroform	5200		ug/L	200	15.73	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1408	5000	104%	2%	0
NAL13026-846MSD	316-168R	ORG	71-55-6	1,1,1-Trichloroethane	5300		ug/L	100	16.65	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1408	5000	106%	4%	0
NAL13026-846MSD	316-168R	ORG	78-93-3	2-Butanone	44000		ug/L	100	81.18	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1408	5000	80%	2%	40000
NAL13026-846MSD	316-168R	ORG	56-23-5	Carbon tetrachloride	5200		ug/L	100	27.64	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1408	5000	104%	2%	0
NAL13026-846MSD	316-168R	ORG	71-43-2	Benzene	5300		ug/L	100	13.53	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1408	5000	104%	2%	95
NAL13026-846MSD	316-168R	ORG	107-06-2	1,2-Dichloroethane	5100		ug/L	100	20.01	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1408	5000	102%	0%	0
NAL13026-846MSD	316-168R	ORG	79-01-6	Trichloroethene	5400		ug/L	100	36.33	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1408	5000	108%	2%	0
NAL13026-846MSD	316-168R	ORG	74-95-3	Dibromomethane	5600		ug/L	200	32.20	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1408	5000	112%	0%	0
NAL13026-846MSD	316-168R	ORG	78-87-5	1,2-Dichloropropane	5300		ug/L	100	18.17	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1408	5000	106%	2%	0
NAL13026-846MSD	316-168R	ORG	75-27-4	Bromodichloromethane	5100		ug/L	200	11.58	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1408	5000	102%	4%	0
NAL13026-846MSD	316-168R	ORG	10061-01-5	cis-1,3-Dichloropropene	5400		ug/L	100	25.01	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1408	5000	108%	2%	0
NAL13026-846MSD	316-168R	ORG	108-88-3	Toluene	4900		ug/L	100	20.96	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1408	5000	97%	4%	56
NAL13026-846MSD	316-168R	ORG	108-10-1	4-Methyl-2-pentanone	8400		ug/L	500	74.00	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1408	5000	126%	6%	2100
NAL13026-846MSD	316-168R	ORG	10061-02-6	trans-1,3-Dichloropropene	5900		ug/L	100	31.15	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1408	5000	118%	2%	0
NAL13026-846MSD	316-168R	ORG	127-18-4	Tetrachloroethene	4800		ug/L	100	48.56	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1408	5000	96%	4%	0
NAL13026-846MSD	316-168R	ORG	79-00-5	1,1,2-Trichloroethane	5300		ug/L	100	34.28	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1408	5000	106%	6%	0
NAL13026-846MSD	316-168R	ORG	124-48-1	Dibromochloromethane	5900		ug/L	500	29.90	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1408	5000	118%	5%	0
NAL13026-846MSD	316-168R	ORG	106-93-4	1,2-Dibromoethane	5600		ug/L	200	26.49	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1408	5000	112%	6%	0
NAL13026-846MSD	316-168R	ORG	591-78-6	2-Hexanone	11000		ug/L	200	68.90	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1408	5000	96%	10%	6200
NAL13026-846MSD	316-168R	ORG	100-41-4	Ethylbenzene	5000		ug/L	100	25.38	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1408	5000	98%	4%	100
NAL13026-846MSD	316-168R	ORG	108-90-7	Chlorobenzene	4900		ug/L	100	27.52	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1408	5000	98%	4%	0
NAL13026-846MSD	316-168R	ORG	630-20-6	1,1,1,2-Tetrachloroethane	5100		ug/L	200	19.28	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1408	5000	102%	2%	0
NAL13026-846MSD	316-168R	ORG	XYLMP	p&m-Xylene	10000		ug/L	200	26.14	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1408	10000	97%	0%	320
NAL13026-846MSD	316-168R	ORG	95-47-6	o-Xylene	5400		ug/L	100	12.90	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1408	5000	104%	4%	200
NAL13026-846MSD	316-168R	ORG	100-42-5	Styrene	5400		ug/L	100	20.23	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1408	5000	108%	4%	0
NAL13026-846MSD	316-168R	ORG	75-25-2	Bromoform	6400		ug/L	200	46.83	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1408	5000	128%	5%	0
NAL13026-846MSD	316-168R	ORG	98-82-8	Isopropylbenzene	5400		ug/L	200	20.48	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1408	5000	106%	2%	96
NAL13026-846MSD	316-168R	ORG	103-65-1	n-Propylbenzene	5300		ug/L	200	27.00	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1408	5000	104%	2%	89
NAL13026-846MSD	316-168R	ORG	79-34-5	1,1,2,2-Tetrachloroethane	5400		ug/L	200	29.16	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1408	5000	108%	2%	0

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-846MSD	316-168R	ORG	96-18-4	1,2,3-Trichloropropane	5100		ug/L	200	29.47	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1408	5000	102%	11%	0
NAL13026-846MSD	316-168R	ORG	108-67-8	1,3,5-Trimethylbenzene	5500		ug/L	200	20.03	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1408	5000	106%	2%	220
NAL13026-846MSD	316-168R	ORG	98-06-6	tert-Butylbenzene	5700		ug/L	200	32.61	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1408	5000	114%	4%	0
NAL13026-846MSD	316-168R	ORG	95-63-6	1,2,4-Trimethylbenzene	6400		ug/L	200	20.03	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1408	5000	106%	3%	1100
NAL13026-846MSD	316-168R	ORG	135-98-8	sec-Butylbenzene	5500		ug/L	200	32.34	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1408	5000	108%	2%	100
NAL13026-846MSD	316-168R	ORG	541-73-1	1,3-Dichlorobenzene	5100		ug/L	200	22.21	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1408	5000	102%	4%	0
NAL13026-846MSD	316-168R	ORG	99-87-6	p-Isopropltoluene	9800		ug/L	200	25.48	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1408	5000	112%	7%	4200
NAL13026-846MSD	316-168R	ORG	106-46-7	1,4-Dichlorobenzene	6400		ug/L	200	33.03	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1408	5000	104%	3%	1200
NAL13026-846MSD	316-168R	ORG	95-50-1	1,2-Dichlorobenzene	5200		ug/L	200	26.38	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1408	5000	104%	4%	0
NAL13026-846MSD	316-168R	ORG	104-51-8	n-Butylbenzene	5400		ug/L	500	27.81	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1408	5000	108%	0%	0
NAL13026-846MSD	316-168R	ORG	96-12-8	1,2-Dibromo-3-chloropropane	6700		ug/L	500	159.11	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1408	5000	134%	3%	0
NAL13026-846MSD	316-168R	ORG	87-68-3	Hexachlorobutadiene	5100		ug/L	500	65.42	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1408	5000	102%	4%	0
NAL13026-846MSD	316-168R	ORG	120-82-1	1,2,4-Trichlorobenzene	5800		ug/L	500	27.63	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1408	5000	116%	2%	0
NAL13026-846MSD	316-168R	ORG	91-20-3	Naphthalene	7900		ug/L	500	56.04	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1408	5000	128%	3%	1500
NAL13026-846MSD	316-168R	ORG	87-61-6	1,2,3-Trichlorobenzene	5600		ug/L	500	23.28	12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1408	5000	112%	2%	0
NAL13026-846MSD	316-168R	STD	1868-53-7	Dibromofluoromethane	51		ng			12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1408	50	102%	0%	0
NAL13026-846MSD	316-168R	STD	17060-07-0	1,2-Dichloroethane d4	48		ng			12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1408	50	96%	2%	0
NAL13026-846MSD	316-168R	STD	2037-26-5	Toluene d8	46		ng			12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1408	50	92%	0%	0
NAL13026-846MSD	316-168R	STD	460-00-4	Bromofluorobenzene	45		ng			12/17/2013	12/17/2013	12/17/2013	WG	100	NA	5.0	NA	SW8260B	NALD1408	50	90%	0%	0

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-847	316-169	ORG	75-71-8	Dichlorodifluoromethane		UX-	ug/L	500	29.28	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1413				
NAL13026-847	316-169	ORG	74-87-3	Chloromethane		U	ug/L	500	43.07	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1413				
NAL13026-847	316-169	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1413				
NAL13026-847	316-169	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1413				
NAL13026-847	316-169	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1413				
NAL13026-847	316-169	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1413				
NAL13026-847	316-169	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1413				
NAL13026-847	316-169	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1413				
NAL13026-847	316-169	ORG	67-64-1	Acetone	360000	D	ug/L	10000	1556.07	12/18/2013	12/18/2013	12/18/2013	WG	1000	NA	5.0	NA	SW8260B	NALD1414				
NAL13026-847	316-169	ORG	156-60-5	trans-1,2-Dichloroethene		UX-	ug/L	100	55.61	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1413				
NAL13026-847	316-169	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1413				
NAL13026-847	316-169	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1413				
NAL13026-847	316-169	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1413				
NAL13026-847	316-169	ORG	74-97-5	Bromochloromethane		U	ug/L	200	41.37	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1413				
NAL13026-847	316-169	ORG	67-66-3	Chloroform		U	ug/L	100	15.73	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1413				
NAL13026-847	316-169	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	16.65	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1413				
NAL13026-847	316-169	ORG	78-93-3	2-Butanone	48000	D	ug/L	10000	811.80	12/18/2013	12/18/2013	12/18/2013	WG	1000	NA	5.0	NA	SW8260B	NALD1414				
NAL13026-847	316-169	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1413				
NAL13026-847	316-169	ORG	71-43-2	Benzene	220		ug/L	100	13.53	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1413				
NAL13026-847	316-169	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1413				
NAL13026-847	316-169	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1413				
NAL13026-847	316-169	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1413				
NAL13026-847	316-169	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1413				
NAL13026-847	316-169	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1413				
NAL13026-847	316-169	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1413				
NAL13026-847	316-169	ORG	108-88-3	Toluene	130		ug/L	100	20.96	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1413				
NAL13026-847	316-169	ORG	108-10-1	4-Methyl-2-pentanone	2500	X+	ug/L	500	74.00	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1413				
NAL13026-847	316-169	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1413				
NAL13026-847	316-169	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1413				
NAL13026-847	316-169	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1413				
NAL13026-847	316-169	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	29.90	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1413				
NAL13026-847	316-169	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	26.49	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1413				
NAL13026-847	316-169	ORG	591-78-6	2-Hexanone	8500	X+	ug/L	500	68.90	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1413				
NAL13026-847	316-169	ORG	100-41-4	Ethylbenzene	270		ug/L	100	25.38	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1413				
NAL13026-847	316-169	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1413				
NAL13026-847	316-169	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1413				
NAL13026-847	316-169	ORG	XYLMP	p&m-Xylene	710		ug/L	200	26.14	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1413				
NAL13026-847	316-169	ORG	95-47-6	o-Xylene	440		ug/L	100	12.90	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1413				
NAL13026-847	316-169	ORG	100-42-5	Styrene		U	ug/L	100	20.23	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1413				
NAL13026-847	316-169	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1413				
NAL13026-847	316-169	ORG	98-82-8	Isopropylbenzene	220		ug/L	200	20.48	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1413				
NAL13026-847	316-169	ORG	103-65-1	n-Propylbenzene	200	J	ug/L	200	27.00	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1413				
NAL13026-847	316-169	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1413				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-847	316-169	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1413				
NAL13026-847	316-169	ORG	108-67-8	1,3,5-Trimethylbenzene	460		ug/L	200	20.03	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1413				
NAL13026-847	316-169	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1413				
NAL13026-847	316-169	ORG	95-63-6	1,2,4-Trimethylbenzene	2200		ug/L	200	20.03	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1413				
NAL13026-847	316-169	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1413				
NAL13026-847	316-169	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1413				
NAL13026-847	316-169	ORG	99-87-6	p-Isopropltoluene	8000		ug/L	200	25.48	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1413				
NAL13026-847	316-169	ORG	106-46-7	1,4-Dichlorobenzene	2000		ug/L	200	33.03	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1413				
NAL13026-847	316-169	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1413				
NAL13026-847	316-169	ORG	104-51-8	n-Butylbenzene	170	J	ug/L	500	27.81	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1413				
NAL13026-847	316-169	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1413				
NAL13026-847	316-169	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1413				
NAL13026-847	316-169	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1413				
NAL13026-847	316-169	ORG	91-20-3	Naphthalene	1900		ug/L	500	56.04	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1413				
NAL13026-847	316-169	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1413				
NAL13026-847	316-169	STD	1868-53-7	Dibromofluoromethane	54		ng			12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1413	50	108%		
NAL13026-847	316-169	STD	17060-07-0	1,2-Dichloroethane d4	49		ng			12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1413	50	98%		
NAL13026-847	316-169	STD	2037-26-5	Toluene d8	48		ng			12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1413	50	96%		
NAL13026-847	316-169	STD	460-00-4	Bromofluorobenzene	45		ng			12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1413	50	90%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-848	96-SW01	ORG	75-71-8	Dichlorodifluoromethane		UX-	ug/L	500	29.28	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1421				
NAL13026-848	96-SW01	ORG	74-87-3	Chloromethane		U	ug/L	500	43.07	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1421				
NAL13026-848	96-SW01	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1421				
NAL13026-848	96-SW01	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1421				
NAL13026-848	96-SW01	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1421				
NAL13026-848	96-SW01	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1421				
NAL13026-848	96-SW01	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1421				
NAL13026-848	96-SW01	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1421				
NAL13026-848	96-SW01	ORG	67-64-1	Acetone	18000		ug/L	1000	155.61	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1421				
NAL13026-848	96-SW01	ORG	156-60-5	trans-1,2-Dichloroethene		UX-	ug/L	100	55.61	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1421				
NAL13026-848	96-SW01	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1421				
NAL13026-848	96-SW01	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1421				
NAL13026-848	96-SW01	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1421				
NAL13026-848	96-SW01	ORG	74-97-5	Bromochloromethane		U	ug/L	200	41.37	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1421				
NAL13026-848	96-SW01	ORG	67-66-3	Chloroform		U	ug/L	100	15.73	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1421				
NAL13026-848	96-SW01	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	16.65	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1421				
NAL13026-848	96-SW01	ORG	78-93-3	2-Butanone	2100		ug/L	1000	81.18	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1421				
NAL13026-848	96-SW01	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1421				
NAL13026-848	96-SW01	ORG	71-43-2	Benzene		U	ug/L	100	13.53	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1421				
NAL13026-848	96-SW01	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1421				
NAL13026-848	96-SW01	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1421				
NAL13026-848	96-SW01	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1421				
NAL13026-848	96-SW01	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1421				
NAL13026-848	96-SW01	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1421				
NAL13026-848	96-SW01	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1421				
NAL13026-848	96-SW01	ORG	108-88-3	Toluene		U	ug/L	100	20.96	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1421				
NAL13026-848	96-SW01	ORG	108-10-1	4-Methyl-2-pentanone		U	ug/L	500	74.00	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1421				
NAL13026-848	96-SW01	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1421				
NAL13026-848	96-SW01	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1421				
NAL13026-848	96-SW01	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1421				
NAL13026-848	96-SW01	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	29.90	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1421				
NAL13026-848	96-SW01	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	26.49	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1421				
NAL13026-848	96-SW01	ORG	591-78-6	2-Hexanone		U	ug/L	500	68.90	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1421				
NAL13026-848	96-SW01	ORG	100-41-4	Ethylbenzene		U	ug/L	100	25.38	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1421				
NAL13026-848	96-SW01	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1421				
NAL13026-848	96-SW01	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1421				
NAL13026-848	96-SW01	ORG	XYLMP	p&m-Xylene		U	ug/L	200	26.14	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1421				
NAL13026-848	96-SW01	ORG	95-47-6	o-Xylene		U	ug/L	100	12.90	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1421				
NAL13026-848	96-SW01	ORG	100-42-5	Styrene		U	ug/L	100	20.23	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1421				
NAL13026-848	96-SW01	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1421				
NAL13026-848	96-SW01	ORG	98-82-8	Isopropylbenzene		U	ug/L	200	20.48	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1421				
NAL13026-848	96-SW01	ORG	103-65-1	n-Propylbenzene		U	ug/L	200	27.00	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1421				
NAL13026-848	96-SW01	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1421				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-848	96-SW01	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1421				
NAL13026-848	96-SW01	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	200	20.03	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1421				
NAL13026-848	96-SW01	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1421				
NAL13026-848	96-SW01	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	200	20.03	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1421				
NAL13026-848	96-SW01	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1421				
NAL13026-848	96-SW01	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1421				
NAL13026-848	96-SW01	ORG	99-87-6	p-Isopropltoluene		U	ug/L	200	25.48	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1421				
NAL13026-848	96-SW01	ORG	106-46-7	1,4-Dichlorobenzene		U	ug/L	200	33.03	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1421				
NAL13026-848	96-SW01	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1421				
NAL13026-848	96-SW01	ORG	104-51-8	n-Butylbenzene		U	ug/L	500	27.81	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1421				
NAL13026-848	96-SW01	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1421				
NAL13026-848	96-SW01	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1421				
NAL13026-848	96-SW01	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1421				
NAL13026-848	96-SW01	ORG	91-20-3	Naphthalene		U	ug/L	500	56.04	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1421				
NAL13026-848	96-SW01	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1421				
NAL13026-848	96-SW01	STD	1868-53-7	Dibromofluoromethane	53		ng			12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1421	50	106%		
NAL13026-848	96-SW01	STD	17060-07-0	1,2-Dichloroethane d4	61		ng			12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1421	50	122%		
NAL13026-848	96-SW01	STD	2037-26-5	Toluene d8	50		ng			12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1421	50	100%		
NAL13026-848	96-SW01	STD	460-00-4	Bromofluorobenzene	47		ng			12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1421	50	94%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-849	316-169R	ORG	75-71-8	Dichlorodifluoromethane		UX-	ug/L	500	29.28	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1415				
NAL13026-849	316-169R	ORG	74-87-3	Chloromethane		U	ug/L	500	43.07	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1415				
NAL13026-849	316-169R	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1415				
NAL13026-849	316-169R	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1415				
NAL13026-849	316-169R	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1415				
NAL13026-849	316-169R	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1415				
NAL13026-849	316-169R	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1415				
NAL13026-849	316-169R	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1415				
NAL13026-849	316-169R	ORG	67-64-1	Acetone	400000	D	ug/L	10000	1556.07	12/18/2013	12/18/2013	12/18/2013	WG	1000	NA	5.0	NA	SW8260B	NALD1416				
NAL13026-849	316-169R	ORG	156-60-5	trans-1,2-Dichloroethene		UX-	ug/L	100	55.61	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1415				
NAL13026-849	316-169R	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1415				
NAL13026-849	316-169R	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1415				
NAL13026-849	316-169R	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1415				
NAL13026-849	316-169R	ORG	74-97-5	Bromochloromethane		U	ug/L	200	41.37	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1415				
NAL13026-849	316-169R	ORG	67-66-3	Chloroform		U	ug/L	100	15.73	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1415				
NAL13026-849	316-169R	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	16.65	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1415				
NAL13026-849	316-169R	ORG	78-93-3	2-Butanone	45000	D	ug/L	10000	811.80	12/18/2013	12/18/2013	12/18/2013	WG	1000	NA	5.0	NA	SW8260B	NALD1416				
NAL13026-849	316-169R	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1415				
NAL13026-849	316-169R	ORG	71-43-2	Benzene	150		ug/L	100	13.53	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1415				
NAL13026-849	316-169R	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1415				
NAL13026-849	316-169R	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1415				
NAL13026-849	316-169R	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1415				
NAL13026-849	316-169R	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1415				
NAL13026-849	316-169R	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1415				
NAL13026-849	316-169R	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1415				
NAL13026-849	316-169R	ORG	108-88-3	Toluene	110		ug/L	100	20.96	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1415				
NAL13026-849	316-169R	ORG	108-10-1	4-Methyl-2-pentanone	2100	X+	ug/L	500	74.00	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1415				
NAL13026-849	316-169R	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1415				
NAL13026-849	316-169R	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1415				
NAL13026-849	316-169R	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1415				
NAL13026-849	316-169R	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	29.90	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1415				
NAL13026-849	316-169R	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	26.49	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1415				
NAL13026-849	316-169R	ORG	591-78-6	2-Hexanone	7500	X+	ug/L	500	68.90	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1415				
NAL13026-849	316-169R	ORG	100-41-4	Ethylbenzene	230		ug/L	100	25.38	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1415				
NAL13026-849	316-169R	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1415				
NAL13026-849	316-169R	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1415				
NAL13026-849	316-169R	ORG	XYLMP	p&m-Xylene	670		ug/L	200	26.14	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1415				
NAL13026-849	316-169R	ORG	95-47-6	o-Xylene	450		ug/L	100	12.90	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1415				
NAL13026-849	316-169R	ORG	100-42-5	Styrene		U	ug/L	100	20.23	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1415				
NAL13026-849	316-169R	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1415				
NAL13026-849	316-169R	ORG	98-82-8	Isopropylbenzene	250		ug/L	200	20.48	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1415				
NAL13026-849	316-169R	ORG	103-65-1	n-Propylbenzene	250		ug/L	200	27.00	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1415				
NAL13026-849	316-169R	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1415				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-849	316-169R	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1415				
NAL13026-849	316-169R	ORG	108-67-8	1,3,5-Trimethylbenzene	500		ug/L	200	20.03	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1415				
NAL13026-849	316-169R	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1415				
NAL13026-849	316-169R	ORG	95-63-6	1,2,4-Trimethylbenzene	2200		ug/L	200	20.03	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1415				
NAL13026-849	316-169R	ORG	135-98-8	sec-Butylbenzene	190	J	ug/L	200	32.34	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1415				
NAL13026-849	316-169R	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1415				
NAL13026-849	316-169R	ORG	99-87-6	p-Isopropltoluene	8100		ug/L	200	25.48	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1415				
NAL13026-849	316-169R	ORG	106-46-7	1,4-Dichlorobenzene	2000		ug/L	200	33.03	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1415				
NAL13026-849	316-169R	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1415				
NAL13026-849	316-169R	ORG	104-51-8	n-Butylbenzene	360	J	ug/L	500	27.81	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1415				
NAL13026-849	316-169R	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1415				
NAL13026-849	316-169R	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1415				
NAL13026-849	316-169R	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1415				
NAL13026-849	316-169R	ORG	91-20-3	Naphthalene	1900		ug/L	500	56.04	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1415				
NAL13026-849	316-169R	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1415				
NAL13026-849	316-169R	STD	1868-53-7	Dibromofluoromethane	52		ng			12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1415	50	104%		
NAL13026-849	316-169R	STD	17060-07-0	1,2-Dichloroethane d4	50		ng			12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1415	50	100%		
NAL13026-849	316-169R	STD	2037-26-5	Toluene d8	48		ng			12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1415	50	96%		
NAL13026-849	316-169R	STD	460-00-4	Bromofluorobenzene	47		ng			12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1415	50	94%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-850	316-169RR	ORG	75-71-8	Dichlorodifluoromethane		UX-	ug/L	500	29.28	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1417				
NAL13026-850	316-169RR	ORG	74-87-3	Chloromethane		U	ug/L	500	43.07	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1417				
NAL13026-850	316-169RR	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1417				
NAL13026-850	316-169RR	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1417				
NAL13026-850	316-169RR	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1417				
NAL13026-850	316-169RR	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1417				
NAL13026-850	316-169RR	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1417				
NAL13026-850	316-169RR	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1417				
NAL13026-850	316-169RR	ORG	67-64-1	Acetone	350000	D	ug/L	10000	1556.07	12/18/2013	12/18/2013	12/18/2013	WG	1000	NA	5.0	NA	SW8260B	NALD1418				
NAL13026-850	316-169RR	ORG	156-60-5	trans-1,2-Dichloroethene		UX-	ug/L	100	55.61	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1417				
NAL13026-850	316-169RR	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1417				
NAL13026-850	316-169RR	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1417				
NAL13026-850	316-169RR	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1417				
NAL13026-850	316-169RR	ORG	74-97-5	Bromochloromethane		U	ug/L	200	41.37	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1417				
NAL13026-850	316-169RR	ORG	67-66-3	Chloroform		U	ug/L	100	15.73	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1417				
NAL13026-850	316-169RR	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	16.65	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1417				
NAL13026-850	316-169RR	ORG	78-93-3	2-Butanone	45000	D	ug/L	10000	811.80	12/18/2013	12/18/2013	12/18/2013	WG	1000	NA	5.0	NA	SW8260B	NALD1418				
NAL13026-850	316-169RR	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1417				
NAL13026-850	316-169RR	ORG	71-43-2	Benzene	120		ug/L	100	13.53	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1417				
NAL13026-850	316-169RR	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1417				
NAL13026-850	316-169RR	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1417				
NAL13026-850	316-169RR	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1417				
NAL13026-850	316-169RR	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1417				
NAL13026-850	316-169RR	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1417				
NAL13026-850	316-169RR	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1417				
NAL13026-850	316-169RR	ORG	108-88-3	Toluene		U	ug/L	100	20.96	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1417				
NAL13026-850	316-169RR	ORG	108-10-1	4-Methyl-2-pentanone	1900	X+	ug/L	500	74.00	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1417				
NAL13026-850	316-169RR	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1417				
NAL13026-850	316-169RR	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1417				
NAL13026-850	316-169RR	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1417				
NAL13026-850	316-169RR	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	29.90	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1417				
NAL13026-850	316-169RR	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	26.49	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1417				
NAL13026-850	316-169RR	ORG	591-78-6	2-Hexanone	8100	X+	ug/L	500	68.90	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1417				
NAL13026-850	316-169RR	ORG	100-41-4	Ethylbenzene	190		ug/L	100	25.38	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1417				
NAL13026-850	316-169RR	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1417				
NAL13026-850	316-169RR	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1417				
NAL13026-850	316-169RR	ORG	XYLMP	p&m-Xylene	490		ug/L	200	26.14	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1417				
NAL13026-850	316-169RR	ORG	95-47-6	o-Xylene	320		ug/L	100	12.90	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1417				
NAL13026-850	316-169RR	ORG	100-42-5	Styrene		U	ug/L	100	20.23	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1417				
NAL13026-850	316-169RR	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1417				
NAL13026-850	316-169RR	ORG	98-82-8	Isopropylbenzene	160	J	ug/L	200	20.48	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1417				
NAL13026-850	316-169RR	ORG	103-65-1	n-Propylbenzene	160	J	ug/L	200	27.00	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1417				
NAL13026-850	316-169RR	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1417				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-850	316-169RR	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1417				
NAL13026-850	316-169RR	ORG	108-67-8	1,3,5-Trimethylbenzene	380		ug/L	200	20.03	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1417				
NAL13026-850	316-169RR	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1417				
NAL13026-850	316-169RR	ORG	95-63-6	1,2,4-Trimethylbenzene	1900		ug/L	200	20.03	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1417				
NAL13026-850	316-169RR	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1417				
NAL13026-850	316-169RR	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1417				
NAL13026-850	316-169RR	ORG	99-87-6	p-Isopropltoluene	7500		ug/L	200	25.48	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1417				
NAL13026-850	316-169RR	ORG	106-46-7	1,4-Dichlorobenzene	1800		ug/L	200	33.03	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1417				
NAL13026-850	316-169RR	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1417				
NAL13026-850	316-169RR	ORG	104-51-8	n-Butylbenzene	430	J	ug/L	500	27.81	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1417				
NAL13026-850	316-169RR	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1417				
NAL13026-850	316-169RR	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1417				
NAL13026-850	316-169RR	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1417				
NAL13026-850	316-169RR	ORG	91-20-3	Naphthalene	1900		ug/L	500	56.04	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1417				
NAL13026-850	316-169RR	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1417				
NAL13026-850	316-169RR	STD	1868-53-7	Dibromofluoromethane	53		ng			12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1417	50	106%		
NAL13026-850	316-169RR	STD	17060-07-0	1,2-Dichloroethane d4	53		ng			12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1417	50	106%		
NAL13026-850	316-169RR	STD	2037-26-5	Toluene d8	47		ng			12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1417	50	94%		
NAL13026-850	316-169RR	STD	460-00-4	Bromofluorobenzene	46		ng			12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1417	50	92%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-851	316-169RRR	ORG	75-71-8	Dichlorodifluoromethane		UX-	ug/L	500	29.28	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1419				
NAL13026-851	316-169RRR	ORG	74-87-3	Chloromethane		U	ug/L	500	43.07	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1419				
NAL13026-851	316-169RRR	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1419				
NAL13026-851	316-169RRR	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1419				
NAL13026-851	316-169RRR	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1419				
NAL13026-851	316-169RRR	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1419				
NAL13026-851	316-169RRR	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1419				
NAL13026-851	316-169RRR	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1419				
NAL13026-851	316-169RRR	ORG	67-64-1	Acetone	410000	D	ug/L	10000	1556.07	12/18/2013	12/18/2013	12/18/2013	WG	1000	NA	5.0	NA	SW8260B	NALD1420				
NAL13026-851	316-169RRR	ORG	156-60-5	trans-1,2-Dichloroethene		UX-	ug/L	100	55.61	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1419				
NAL13026-851	316-169RRR	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1419				
NAL13026-851	316-169RRR	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1419				
NAL13026-851	316-169RRR	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1419				
NAL13026-851	316-169RRR	ORG	74-97-5	Bromochloromethane		U	ug/L	200	41.37	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1419				
NAL13026-851	316-169RRR	ORG	67-66-3	Chloroform		U	ug/L	100	15.73	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1419				
NAL13026-851	316-169RRR	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	16.65	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1419				
NAL13026-851	316-169RRR	ORG	78-93-3	2-Butanone	51000	D	ug/L	10000	811.80	12/18/2013	12/18/2013	12/18/2013	WG	1000	NA	5.0	NA	SW8260B	NALD1420				
NAL13026-851	316-169RRR	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1419				
NAL13026-851	316-169RRR	ORG	71-43-2	Benzene	82	J	ug/L	100	13.53	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1419				
NAL13026-851	316-169RRR	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1419				
NAL13026-851	316-169RRR	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1419				
NAL13026-851	316-169RRR	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1419				
NAL13026-851	316-169RRR	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1419				
NAL13026-851	316-169RRR	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1419				
NAL13026-851	316-169RRR	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1419				
NAL13026-851	316-169RRR	ORG	108-88-3	Toluene	56	J	ug/L	100	20.96	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1419				
NAL13026-851	316-169RRR	ORG	108-10-1	4-Methyl-2-pentanone	2300	X+	ug/L	500	74.00	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1419				
NAL13026-851	316-169RRR	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1419				
NAL13026-851	316-169RRR	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1419				
NAL13026-851	316-169RRR	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1419				
NAL13026-851	316-169RRR	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	29.90	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1419				
NAL13026-851	316-169RRR	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	26.49	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1419				
NAL13026-851	316-169RRR	ORG	591-78-6	2-Hexanone	7800	X+	ug/L	500	68.90	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1419				
NAL13026-851	316-169RRR	ORG	100-41-4	Ethylbenzene	150		ug/L	100	25.38	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1419				
NAL13026-851	316-169RRR	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1419				
NAL13026-851	316-169RRR	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1419				
NAL13026-851	316-169RRR	ORG	XYLMP	p&m-Xylene	440		ug/L	200	26.14	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1419				
NAL13026-851	316-169RRR	ORG	95-47-6	o-Xylene	300		ug/L	100	12.90	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1419				
NAL13026-851	316-169RRR	ORG	100-42-5	Styrene		U	ug/L	100	20.23	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1419				
NAL13026-851	316-169RRR	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1419				
NAL13026-851	316-169RRR	ORG	98-82-8	Isopropylbenzene	140	J	ug/L	200	20.48	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1419				
NAL13026-851	316-169RRR	ORG	103-65-1	n-Propylbenzene	160	J	ug/L	200	27.00	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1419				
NAL13026-851	316-169RRR	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1419				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-851	316-169RRR	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1419				
NAL13026-851	316-169RRR	ORG	108-67-8	1,3,5-Trimethylbenzene	330		ug/L	200	20.03	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1419				
NAL13026-851	316-169RRR	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1419				
NAL13026-851	316-169RRR	ORG	95-63-6	1,2,4-Trimethylbenzene	1800		ug/L	200	20.03	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1419				
NAL13026-851	316-169RRR	ORG	135-98-8	sec-Butylbenzene	71	J	ug/L	200	32.34	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1419				
NAL13026-851	316-169RRR	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1419				
NAL13026-851	316-169RRR	ORG	99-87-6	p-Isopropltoluene	6700		ug/L	200	25.48	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1419				
NAL13026-851	316-169RRR	ORG	106-46-7	1,4-Dichlorobenzene	1700		ug/L	200	33.03	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1419				
NAL13026-851	316-169RRR	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1419				
NAL13026-851	316-169RRR	ORG	104-51-8	n-Butylbenzene	160	J	ug/L	500	27.81	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1419				
NAL13026-851	316-169RRR	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1419				
NAL13026-851	316-169RRR	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1419				
NAL13026-851	316-169RRR	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1419				
NAL13026-851	316-169RRR	ORG	91-20-3	Naphthalene	1800		ug/L	500	56.04	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1419				
NAL13026-851	316-169RRR	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1419				
NAL13026-851	316-169RRR	STD	1868-53-7	Dibromofluoromethane	53		ng			12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1419	50	106%		
NAL13026-851	316-169RRR	STD	17060-07-0	1,2-Dichloroethane d4	50		ng			12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1419	50	100%		
NAL13026-851	316-169RRR	STD	2037-26-5	Toluene d8	47		ng			12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1419	50	94%		
NAL13026-851	316-169RRR	STD	460-00-4	Bromofluorobenzene	46		ng			12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1419	50	92%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D121813CCVA	D121813CCVA	ORG	75-71-8	Dichlorodifluoromethane	39		ug/L	5	0.29	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1411	50	78%		
D121813CCVA	D121813CCVA	ORG	74-87-3	Chloromethane	50		ug/L	5	0.43	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1411	50	100%		
D121813CCVA	D121813CCVA	ORG	75-01-4	Vinyl chloride	52		ug/L	2	0.32	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1411	50	104%		
D121813CCVA	D121813CCVA	ORG	74-83-9	Bromomethane	95		ug/L	5	0.50	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1411	50	190%		
D121813CCVA	D121813CCVA	ORG	75-00-3	Chloroethane	64		ug/L	5	0.56	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1411	50	128%		
D121813CCVA	D121813CCVA	ORG	75-69-4	Trichlorofluoromethane	1200		ug/L	5	0.20	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1411	50	2400%		
D121813CCVA	D121813CCVA	ORG	75-35-4	1,1-Dichloroethene	50		ug/L	1	0.47	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1411	50	100%		
D121813CCVA	D121813CCVA	ORG	75-09-2	Methylene chloride	52		ug/L	5	0.26	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1411	50	104%		
D121813CCVA	D121813CCVA	ORG	67-64-1	Acetone	58		ug/L	10	1.56	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1411	50	116%		
D121813CCVA	D121813CCVA	ORG	156-60-5	trans-1,2-Dichloroethene	34		ug/L	1	0.56	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1411	50	68%		
D121813CCVA	D121813CCVA	ORG	1634-04-4	MTBE	56		ug/L	5	0.61	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1411	50	112%		
D121813CCVA	D121813CCVA	ORG	75-34-3	1,1-Dichloroethane	52		ug/L	1	0.53	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1411	50	104%		
D121813CCVA	D121813CCVA	ORG	156-59-2	cis-1,2-Dichloroethene	54		ug/L	1	0.32	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1411	50	108%		
D121813CCVA	D121813CCVA	ORG	74-97-5	Bromochloromethane	53		ug/L	10	0.41	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1411	50	106%		
D121813CCVA	D121813CCVA	ORG	67-66-3	Chloroform	53		ug/L	2	0.16	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1411	50	106%		
D121813CCVA	D121813CCVA	ORG	71-55-6	1,1,1-Trichloroethane	54		ug/L	1	0.17	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1411	50	108%		
D121813CCVA	D121813CCVA	ORG	78-93-3	2-Butanone	53		ug/L	1	0.81	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1411	50	106%		
D121813CCVA	D121813CCVA	ORG	56-23-5	Carbon tetrachloride	53		ug/L	1	0.28	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1411	50	106%		
D121813CCVA	D121813CCVA	ORG	71-43-2	Benzene	53		ug/L	1	0.14	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1411	50	106%		
D121813CCVA	D121813CCVA	ORG	107-06-2	1,2-Dichloroethane	53		ug/L	1	0.20	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1411	50	106%		
D121813CCVA	D121813CCVA	ORG	79-01-6	Trichloroethene	53		ug/L	1	0.36	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1411	50	106%		
D121813CCVA	D121813CCVA	ORG	74-95-3	Dibromomethane	56		ug/L	2	0.32	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1411	50	112%		
D121813CCVA	D121813CCVA	ORG	78-87-5	1,2-Dichloropropane	56		ug/L	1	0.18	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1411	50	112%		
D121813CCVA	D121813CCVA	ORG	75-27-4	Bromodichloromethane	53		ug/L	2	0.12	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1411	50	106%		
D121813CCVA	D121813CCVA	ORG	10061-01-5	cis-1,3-Dichloropropene	56		ug/L	1	0.25	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1411	50	112%		
D121813CCVA	D121813CCVA	ORG	108-88-3	Toluene	50		ug/L	1	0.21	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1411	50	100%		
D121813CCVA	D121813CCVA	ORG	108-10-1	4-Methyl-2-pentanone	67		ug/L	5	0.74	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1411	50	134%		
D121813CCVA	D121813CCVA	ORG	10061-02-6	trans-1,3-Dichloropropene	61		ug/L	1	0.31	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1411	50	122%		
D121813CCVA	D121813CCVA	ORG	127-18-4	Tetrachloroethene	47		ug/L	1	0.49	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1411	50	94%		
D121813CCVA	D121813CCVA	ORG	79-00-5	1,1,2-Trichloroethane	52		ug/L	1	0.34	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1411	50	104%		
D121813CCVA	D121813CCVA	ORG	124-48-1	Dibromochloromethane	61		ug/L	5	0.30	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1411	50	122%		
D121813CCVA	D121813CCVA	ORG	106-93-4	1,2-Dibromoethane	55		ug/L	2	0.26	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1411	50	110%		
D121813CCVA	D121813CCVA	ORG	591-78-6	2-Hexanone	62		ug/L	2	0.69	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1411	50	124%		
D121813CCVA	D121813CCVA	ORG	100-41-4	Ethylbenzene	51		ug/L	1	0.25	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1411	50	102%		
D121813CCVA	D121813CCVA	ORG	108-90-7	Chlorobenzene	51		ug/L	1	0.28	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1411	50	102%		
D121813CCVA	D121813CCVA	ORG	630-20-6	1,1,1,2-Tetrachloroethane	56		ug/L	2	0.19	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1411	50	112%		
D121813CCVA	D121813CCVA	ORG	XYLMP	p&m-Xylene	100		ug/L	2	0.26	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1411	100	100%		
D121813CCVA	D121813CCVA	ORG	95-47-6	o-Xylene	52		ug/L	1	0.13	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1411	50	104%		
D121813CCVA	D121813CCVA	ORG	100-42-5	Styrene	55		ug/L	1	0.20	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1411	50	110%		
D121813CCVA	D121813CCVA	ORG	75-25-2	Bromoform	65		ug/L	2	0.47	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1411	50	130%		
D121813CCVA	D121813CCVA	ORG	98-82-8	Isopropylbenzene	54		ug/L	2	0.20	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1411	50	108%		
D121813CCVA	D121813CCVA	ORG	103-65-1	n-Propylbenzene	54		ug/L	2	0.27	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1411	50	108%		
D121813CCVA	D121813CCVA	ORG	79-34-5	1,1,2,2-Tetrachloroethane	53		ug/L	2	0.29	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1411	50	106%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D121813CCVA	D121813CCVA	ORG	96-18-4	1,2,3-Trichloropropane	51		ug/L	2	0.29	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1411	50	102%		
D121813CCVA	D121813CCVA	ORG	108-67-8	1,3,5-Trimethylbenzene	54		ug/L	2	0.20	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1411	50	108%		
D121813CCVA	D121813CCVA	ORG	98-06-6	tert-Butylbenzene	57		ug/L	2	0.33	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1411	50	114%		
D121813CCVA	D121813CCVA	ORG	95-63-6	1,2,4-Trimethylbenzene	53		ug/L	2	0.20	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1411	50	106%		
D121813CCVA	D121813CCVA	ORG	135-98-8	sec-Butylbenzene	54		ug/L	2	0.32	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1411	50	108%		
D121813CCVA	D121813CCVA	ORG	541-73-1	1,3-Dichlorobenzene	52		ug/L	2	0.22	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1411	50	104%		
D121813CCVA	D121813CCVA	ORG	99-87-6	p-Isopropltoluene	55		ug/L	2	0.25	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1411	50	110%		
D121813CCVA	D121813CCVA	ORG	106-46-7	1,4-Dichlorobenzene	53		ug/L	2	0.33	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1411	50	106%		
D121813CCVA	D121813CCVA	ORG	95-50-1	1,2-Dichlorobenzene	54		ug/L	2	0.26	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1411	50	108%		
D121813CCVA	D121813CCVA	ORG	104-51-8	n-Butylbenzene	55		ug/L	5	0.28	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1411	50	110%		
D121813CCVA	D121813CCVA	ORG	96-12-8	1,2-Dibromo-3-chloropropane	56		ug/L	5	1.59	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1411	50	112%		
D121813CCVA	D121813CCVA	ORG	87-68-3	Hexachlorobutadiene	54		ug/L	5	0.65	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1411	50	108%		
D121813CCVA	D121813CCVA	ORG	120-82-1	1,2,4-Trichlorobenzene	56		ug/L	5	0.28	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1411	50	112%		
D121813CCVA	D121813CCVA	ORG	91-20-3	Naphthalene	56		ug/L	5	0.56	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1411	50	112%		
D121813CCVA	D121813CCVA	ORG	87-61-6	1,2,3-Trichlorobenzene	53		ug/L	5	0.23	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1411	50	106%		
D121813CCVA	D121813CCVA	STD	1868-53-7	Dibromofluoromethane	54		ng			NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1411	50	108%		
D121813CCVA	D121813CCVA	STD	17060-07-0	1,2-Dichloroethane d4	50		ng			NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1411	50	100%		
D121813CCVA	D121813CCVA	STD	2037-26-5	Toluene d8	47		ng			NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1411	50	94%		
D121813CCVA	D121813CCVA	STD	460-00-4	Bromofluorobenzene	46		ng			NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1411	50	92%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D121813MBKA	D121813MBKA	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	5	0.29	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1412				
D121813MBKA	D121813MBKA	ORG	74-87-3	Chloromethane		U	ug/L	5	0.43	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1412				
D121813MBKA	D121813MBKA	ORG	75-01-4	Vinyl chloride		U	ug/L	2	0.32	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1412				
D121813MBKA	D121813MBKA	ORG	74-83-9	Bromomethane		U	ug/L	5	0.50	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1412				
D121813MBKA	D121813MBKA	ORG	75-00-3	Chloroethane		U	ug/L	5	0.56	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1412				
D121813MBKA	D121813MBKA	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	5	0.20	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1412				
D121813MBKA	D121813MBKA	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	1	0.47	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1412				
D121813MBKA	D121813MBKA	ORG	75-09-2	Methylene chloride		U	ug/L	5	0.26	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1412				
D121813MBKA	D121813MBKA	ORG	67-64-1	Acetone		U	ug/L	10	1.56	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1412				
D121813MBKA	D121813MBKA	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	1	0.56	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1412				
D121813MBKA	D121813MBKA	ORG	1634-04-4	MTBE		U	ug/L	5	0.61	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1412				
D121813MBKA	D121813MBKA	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	1	0.53	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1412				
D121813MBKA	D121813MBKA	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	1	0.32	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1412				
D121813MBKA	D121813MBKA	ORG	74-97-5	Bromochloromethane		U	ug/L	10	0.41	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1412				
D121813MBKA	D121813MBKA	ORG	67-66-3	Chloroform		U	ug/L	2	0.16	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1412				
D121813MBKA	D121813MBKA	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	1	0.17	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1412				
D121813MBKA	D121813MBKA	ORG	78-93-3	2-Butanone		U	ug/L	1	0.81	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1412				
D121813MBKA	D121813MBKA	ORG	56-23-5	Carbon tetrachloride		U	ug/L	1	0.28	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1412				
D121813MBKA	D121813MBKA	ORG	71-43-2	Benzene		U	ug/L	1	0.14	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1412				
D121813MBKA	D121813MBKA	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	1	0.20	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1412				
D121813MBKA	D121813MBKA	ORG	79-01-6	Trichloroethene		U	ug/L	1	0.36	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1412				
D121813MBKA	D121813MBKA	ORG	74-95-3	Dibromomethane		U	ug/L	2	0.32	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1412				
D121813MBKA	D121813MBKA	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	1	0.18	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1412				
D121813MBKA	D121813MBKA	ORG	75-27-4	Bromodichloromethane		U	ug/L	2	0.12	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1412				
D121813MBKA	D121813MBKA	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	1	0.25	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1412				
D121813MBKA	D121813MBKA	ORG	108-88-3	Toluene		U	ug/L	1	0.21	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1412				
D121813MBKA	D121813MBKA	ORG	108-10-1	4-Methyl-2-pentanone		U	ug/L	5	0.74	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1412				
D121813MBKA	D121813MBKA	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	1	0.31	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1412				
D121813MBKA	D121813MBKA	ORG	127-18-4	Tetrachloroethene		U	ug/L	1	0.49	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1412				
D121813MBKA	D121813MBKA	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	1	0.34	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1412				
D121813MBKA	D121813MBKA	ORG	124-48-1	Dibromochloromethane		U	ug/L	5	0.30	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1412				
D121813MBKA	D121813MBKA	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	2	0.26	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1412				
D121813MBKA	D121813MBKA	ORG	591-78-6	2-Hexanone		U	ug/L	2	0.69	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1412				
D121813MBKA	D121813MBKA	ORG	100-41-4	Ethylbenzene		U	ug/L	1	0.25	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1412				
D121813MBKA	D121813MBKA	ORG	108-90-7	Chlorobenzene		U	ug/L	1	0.28	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1412				
D121813MBKA	D121813MBKA	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	2	0.19	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1412				
D121813MBKA	D121813MBKA	ORG	XYLMP	p&m-Xylene		U	ug/L	2	0.26	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1412				
D121813MBKA	D121813MBKA	ORG	95-47-6	o-Xylene		U	ug/L	1	0.13	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1412				
D121813MBKA	D121813MBKA	ORG	100-42-5	Styrene		U	ug/L	1	0.20	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1412				
D121813MBKA	D121813MBKA	ORG	75-25-2	Bromoform		U	ug/L	2	0.47	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1412				
D121813MBKA	D121813MBKA	ORG	98-82-8	Isopropylbenzene		U	ug/L	2	0.20	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1412				
D121813MBKA	D121813MBKA	ORG	103-65-1	n-Propylbenzene		U	ug/L	2	0.27	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1412				
D121813MBKA	D121813MBKA	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	2	0.29	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1412				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D121813MBKA	D121813MBKA	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	2	0.29	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1412				
D121813MBKA	D121813MBKA	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	2	0.20	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1412				
D121813MBKA	D121813MBKA	ORG	98-06-6	tert-Butylbenzene		U	ug/L	2	0.33	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1412				
D121813MBKA	D121813MBKA	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	2	0.20	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1412				
D121813MBKA	D121813MBKA	ORG	135-98-8	sec-Butylbenzene		U	ug/L	2	0.32	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1412				
D121813MBKA	D121813MBKA	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	2	0.22	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1412				
D121813MBKA	D121813MBKA	ORG	99-87-6	p-Isopropltoluene		U	ug/L	2	0.25	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1412				
D121813MBKA	D121813MBKA	ORG	106-46-7	1,4-Dichlorobenzene		U	ug/L	2	0.33	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1412				
D121813MBKA	D121813MBKA	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	2	0.26	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1412				
D121813MBKA	D121813MBKA	ORG	104-51-8	n-Butylbenzene		U	ug/L	5	0.28	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1412				
D121813MBKA	D121813MBKA	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	5	1.59	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1412				
D121813MBKA	D121813MBKA	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	5	0.65	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1412				
D121813MBKA	D121813MBKA	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	5	0.28	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1412				
D121813MBKA	D121813MBKA	ORG	91-20-3	Naphthalene		U	ug/L	5	0.56	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1412				
D121813MBKA	D121813MBKA	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	5	0.23	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1412				
D121813MBKA	D121813MBKA	STD	1868-53-7	Dibromofluoromethane	53		ng			NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1412	50	106%		
D121813MBKA	D121813MBKA	STD	17060-07-0	1,2-Dichloroethane d4	52		ng			NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1412	50	104%		
D121813MBKA	D121813MBKA	STD	2037-26-5	Toluene d8	51		ng			NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1412	50	102%		
D121813MBKA	D121813MBKA	STD	460-00-4	Bromofluorobenzene	47		ng			NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1412	50	94%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D121813ALCS	D121813ALCS	ORG	75-71-8	Dichlorodifluoromethane	35		ug/L	5	0.29	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1427	50	70%		
D121813ALCS	D121813ALCS	ORG	74-87-3	Chloromethane	45		ug/L	5	0.43	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1427	50	90%		
D121813ALCS	D121813ALCS	ORG	75-01-4	Vinyl chloride	49		ug/L	2	0.32	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1427	50	98%		
D121813ALCS	D121813ALCS	ORG	74-83-9	Bromomethane	55		ug/L	5	0.50	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1427	50	110%		
D121813ALCS	D121813ALCS	ORG	75-00-3	Chloroethane	53		ug/L	5	0.56	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1427	50	106%		
D121813ALCS	D121813ALCS	ORG	75-69-4	Trichlorofluoromethane	44		ug/L	5	0.20	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1427	50	88%		
D121813ALCS	D121813ALCS	ORG	75-35-4	1,1-Dichloroethene	42		ug/L	1	0.47	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1427	50	84%		
D121813ALCS	D121813ALCS	ORG	75-09-2	Methylene chloride	47		ug/L	5	0.26	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1427	50	94%		
D121813ALCS	D121813ALCS	ORG	67-64-1	Acetone	63		ug/L	10	1.56	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1427	50	126%		
D121813ALCS	D121813ALCS	ORG	156-60-5	trans-1,2-Dichloroethene	47		ug/L	1	0.56	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1427	50	94%		
D121813ALCS	D121813ALCS	ORG	1634-04-4	MTBE	51		ug/L	5	0.61	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1427	50	102%		
D121813ALCS	D121813ALCS	ORG	75-34-3	1,1-Dichloroethane	46		ug/L	1	0.53	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1427	50	92%		
D121813ALCS	D121813ALCS	ORG	156-59-2	cis-1,2-Dichloroethene	47		ug/L	1	0.32	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1427	50	94%		
D121813ALCS	D121813ALCS	ORG	74-97-5	Bromochloromethane	49		ug/L	10	0.41	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1427	50	98%		
D121813ALCS	D121813ALCS	ORG	67-66-3	Chloroform	47		ug/L	2	0.16	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1427	50	94%		
D121813ALCS	D121813ALCS	ORG	71-55-6	1,1,1-Trichloroethane	48		ug/L	1	0.17	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1427	50	96%		
D121813ALCS	D121813ALCS	ORG	78-93-3	2-Butanone	51		ug/L	1	0.81	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1427	50	102%		
D121813ALCS	D121813ALCS	ORG	56-23-5	Carbon tetrachloride	47		ug/L	1	0.28	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1427	50	94%		
D121813ALCS	D121813ALCS	ORG	71-43-2	Benzene	48		ug/L	1	0.14	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1427	50	96%		
D121813ALCS	D121813ALCS	ORG	107-06-2	1,2-Dichloroethane	47		ug/L	1	0.20	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1427	50	94%		
D121813ALCS	D121813ALCS	ORG	79-01-6	Trichloroethene	48		ug/L	1	0.36	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1427	50	96%		
D121813ALCS	D121813ALCS	ORG	74-95-3	Dibromomethane	50		ug/L	2	0.32	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1427	50	100%		
D121813ALCS	D121813ALCS	ORG	78-87-5	1,2-Dichloropropane	49		ug/L	1	0.18	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1427	50	98%		
D121813ALCS	D121813ALCS	ORG	75-27-4	Bromodichloromethane	49		ug/L	2	0.12	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1427	50	98%		
D121813ALCS	D121813ALCS	ORG	10061-01-5	cis-1,3-Dichloropropene	52		ug/L	1	0.25	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1427	50	104%		
D121813ALCS	D121813ALCS	ORG	108-88-3	Toluene	47		ug/L	1	0.21	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1427	50	94%		
D121813ALCS	D121813ALCS	ORG	108-10-1	4-Methyl-2-pentanone	61		ug/L	5	0.74	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1427	50	122%		
D121813ALCS	D121813ALCS	ORG	10061-02-6	trans-1,3-Dichloropropene	56		ug/L	1	0.31	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1427	50	112%		
D121813ALCS	D121813ALCS	ORG	127-18-4	Tetrachloroethene	43		ug/L	1	0.49	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1427	50	86%		
D121813ALCS	D121813ALCS	ORG	79-00-5	1,1,2-Trichloroethane	49		ug/L	1	0.34	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1427	50	98%		
D121813ALCS	D121813ALCS	ORG	124-48-1	Dibromochloromethane	56		ug/L	5	0.30	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1427	50	112%		
D121813ALCS	D121813ALCS	ORG	106-93-4	1,2-Dibromoethane	49		ug/L	2	0.26	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1427	50	98%		
D121813ALCS	D121813ALCS	ORG	591-78-6	2-Hexanone	52		ug/L	2	0.69	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1427	50	104%		
D121813ALCS	D121813ALCS	ORG	100-41-4	Ethylbenzene	49		ug/L	1	0.25	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1427	50	98%		
D121813ALCS	D121813ALCS	ORG	108-90-7	Chlorobenzene	49		ug/L	1	0.28	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1427	50	98%		
D121813ALCS	D121813ALCS	ORG	630-20-6	1,1,1,2-Tetrachloroethane	52		ug/L	2	0.19	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1427	50	104%		
D121813ALCS	D121813ALCS	ORG	XYLMP	p&m-Xylene	100		ug/L	2	0.26	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1427	100	100%		
D121813ALCS	D121813ALCS	ORG	95-47-6	o-Xylene	50		ug/L	1	0.13	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1427	50	100%		
D121813ALCS	D121813ALCS	ORG	100-42-5	Styrene	52		ug/L	1	0.20	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1427	50	104%		
D121813ALCS	D121813ALCS	ORG	75-25-2	Bromoform	61		ug/L	2	0.47	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1427	50	122%		
D121813ALCS	D121813ALCS	ORG	98-82-8	Isopropylbenzene	52		ug/L	2	0.20	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1427	50	104%		
D121813ALCS	D121813ALCS	ORG	103-65-1	n-Propylbenzene	52		ug/L	2	0.27	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1427	50	104%		
D121813ALCS	D121813ALCS	ORG	79-34-5	1,1,2,2-Tetrachloroethane	52		ug/L	2	0.29	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1427	50	104%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D121813ALCS	D121813ALCS	ORG	96-18-4	1,2,3-Trichloropropane	49		ug/L	2	0.29	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1427	50	98%		
D121813ALCS	D121813ALCS	ORG	108-67-8	1,3,5-Trimethylbenzene	52		ug/L	2	0.20	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1427	50	104%		
D121813ALCS	D121813ALCS	ORG	98-06-6	tert-Butylbenzene	56		ug/L	2	0.33	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1427	50	112%		
D121813ALCS	D121813ALCS	ORG	95-63-6	1,2,4-Trimethylbenzene	51		ug/L	2	0.20	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1427	50	102%		
D121813ALCS	D121813ALCS	ORG	135-98-8	sec-Butylbenzene	53		ug/L	2	0.32	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1427	50	106%		
D121813ALCS	D121813ALCS	ORG	541-73-1	1,3-Dichlorobenzene	51		ug/L	2	0.22	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1427	50	102%		
D121813ALCS	D121813ALCS	ORG	99-87-6	p-Isopropltoluene	53		ug/L	2	0.25	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1427	50	106%		
D121813ALCS	D121813ALCS	ORG	106-46-7	1,4-Dichlorobenzene	50		ug/L	2	0.33	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1427	50	100%		
D121813ALCS	D121813ALCS	ORG	95-50-1	1,2-Dichlorobenzene	50		ug/L	2	0.26	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1427	50	100%		
D121813ALCS	D121813ALCS	ORG	104-51-8	n-Butylbenzene	52		ug/L	5	0.28	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1427	50	104%		
D121813ALCS	D121813ALCS	ORG	96-12-8	1,2-Dibromo-3-chloropropane	53		ug/L	5	1.59	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1427	50	106%		
D121813ALCS	D121813ALCS	ORG	87-68-3	Hexachlorobutadiene	49		ug/L	5	0.65	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1427	50	98%		
D121813ALCS	D121813ALCS	ORG	120-82-1	1,2,4-Trichlorobenzene	52		ug/L	5	0.28	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1427	50	104%		
D121813ALCS	D121813ALCS	ORG	91-20-3	Naphthalene	51		ug/L	5	0.56	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1427	50	102%		
D121813ALCS	D121813ALCS	ORG	87-61-6	1,2,3-Trichlorobenzene	49		ug/L	5	0.23	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1427	50	98%		
D121813ALCS	D121813ALCS	STD	1868-53-7	Dibromofluoromethane	53		ng			NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1427	50	106%		
D121813ALCS	D121813ALCS	STD	17060-07-0	1,2-Dichloroethane d4	48		ng			NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1427	50	96%		
D121813ALCS	D121813ALCS	STD	2037-26-5	Toluene d8	47		ng			NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1427	50	94%		
D121813ALCS	D121813ALCS	STD	460-00-4	Bromofluorobenzene	46		ng			NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1427	50	92%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D121813ALCD	D121813ALCD	ORG	75-71-8	Dichlorodifluoromethane	31		ug/L	5	0.29	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1424	50	62%	12%	
D121813ALCD	D121813ALCD	ORG	74-87-3	Chloromethane	39		ug/L	5	0.43	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1424	50	78%	14%	
D121813ALCD	D121813ALCD	ORG	75-01-4	Vinyl chloride	45		ug/L	2	0.32	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1424	50	90%	9%	
D121813ALCD	D121813ALCD	ORG	74-83-9	Bromomethane	51		ug/L	5	0.50	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1424	50	102%	8%	
D121813ALCD	D121813ALCD	ORG	75-00-3	Chloroethane	66		ug/L	5	0.56	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1424	50	132%	22%	
D121813ALCD	D121813ALCD	ORG	75-69-4	Trichlorofluoromethane	53		ug/L	5	0.20	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1424	50	106%	19%	
D121813ALCD	D121813ALCD	ORG	75-35-4	1,1-Dichloroethene	45		ug/L	1	0.47	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1424	50	90%	7%	
D121813ALCD	D121813ALCD	ORG	75-09-2	Methylene chloride	48		ug/L	5	0.26	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1424	50	96%	2%	
D121813ALCD	D121813ALCD	ORG	67-64-1	Acetone	40		ug/L	10	1.56	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1424	50	80%	45%	
D121813ALCD	D121813ALCD	ORG	156-60-5	trans-1,2-Dichloroethene	45		ug/L	1	0.56	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1424	50	90%	4%	
D121813ALCD	D121813ALCD	ORG	1634-04-4	MTBE	50		ug/L	5	0.61	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1424	50	100%	2%	
D121813ALCD	D121813ALCD	ORG	75-34-3	1,1-Dichloroethane	45		ug/L	1	0.53	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1424	50	90%	2%	
D121813ALCD	D121813ALCD	ORG	156-59-2	cis-1,2-Dichloroethene	46		ug/L	1	0.32	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1424	50	92%	2%	
D121813ALCD	D121813ALCD	ORG	74-97-5	Bromochloromethane	46		ug/L	10	0.41	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1424	50	92%	6%	
D121813ALCD	D121813ALCD	ORG	67-66-3	Chloroform	46		ug/L	2	0.16	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1424	50	92%	2%	
D121813ALCD	D121813ALCD	ORG	71-55-6	1,1,1-Trichloroethane	45		ug/L	1	0.17	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1424	50	90%	6%	
D121813ALCD	D121813ALCD	ORG	78-93-3	2-Butanone	54		ug/L	1	0.81	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1424	50	108%	6%	
D121813ALCD	D121813ALCD	ORG	56-23-5	Carbon tetrachloride	45		ug/L	1	0.28	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1424	50	90%	4%	
D121813ALCD	D121813ALCD	ORG	71-43-2	Benzene	47		ug/L	1	0.14	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1424	50	94%	2%	
D121813ALCD	D121813ALCD	ORG	107-06-2	1,2-Dichloroethane	47		ug/L	1	0.20	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1424	50	94%	0%	
D121813ALCD	D121813ALCD	ORG	79-01-6	Trichloroethene	47		ug/L	1	0.36	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1424	50	94%	2%	
D121813ALCD	D121813ALCD	ORG	74-95-3	Dibromomethane	50		ug/L	2	0.32	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1424	50	100%	0%	
D121813ALCD	D121813ALCD	ORG	78-87-5	1,2-Dichloropropane	47		ug/L	1	0.18	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1424	50	94%	4%	
D121813ALCD	D121813ALCD	ORG	75-27-4	Bromodichloromethane	49		ug/L	2	0.12	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1424	50	98%	0%	
D121813ALCD	D121813ALCD	ORG	10061-01-5	cis-1,3-Dichloropropene	53		ug/L	1	0.25	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1424	50	106%	2%	
D121813ALCD	D121813ALCD	ORG	108-88-3	Toluene	47		ug/L	1	0.21	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1424	50	94%	0%	
D121813ALCD	D121813ALCD	ORG	108-10-1	4-Methyl-2-pentanone	57		ug/L	5	0.74	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1424	50	114%	7%	
D121813ALCD	D121813ALCD	ORG	10061-02-6	trans-1,3-Dichloropropene	57		ug/L	1	0.31	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1424	50	114%	2%	
D121813ALCD	D121813ALCD	ORG	127-18-4	Tetrachloroethene	43		ug/L	1	0.49	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1424	50	86%	0%	
D121813ALCD	D121813ALCD	ORG	79-00-5	1,1,2-Trichloroethane	50		ug/L	1	0.34	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1424	50	100%	2%	
D121813ALCD	D121813ALCD	ORG	124-48-1	Dibromochloromethane	55		ug/L	5	0.30	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1424	50	110%	2%	
D121813ALCD	D121813ALCD	ORG	106-93-4	1,2-Dibromoethane	50		ug/L	2	0.26	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1424	50	100%	2%	
D121813ALCD	D121813ALCD	ORG	591-78-6	2-Hexanone	38		ug/L	2	0.69	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1424	50	76%	31%	
D121813ALCD	D121813ALCD	ORG	100-41-4	Ethylbenzene	48		ug/L	1	0.25	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1424	50	96%	2%	
D121813ALCD	D121813ALCD	ORG	108-90-7	Chlorobenzene	48		ug/L	1	0.28	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1424	50	96%	2%	
D121813ALCD	D121813ALCD	ORG	630-20-6	1,1,1,2-Tetrachloroethane	49		ug/L	2	0.19	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1424	50	98%	6%	
D121813ALCD	D121813ALCD	ORG	XYLMP	p&m-Xylene	97		ug/L	2	0.26	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1424	100	97%	3%	
D121813ALCD	D121813ALCD	ORG	95-47-6	o-Xylene	48		ug/L	1	0.13	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1424	50	96%	4%	
D121813ALCD	D121813ALCD	ORG	100-42-5	Styrene	51		ug/L	1	0.20	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1424	50	102%	2%	
D121813ALCD	D121813ALCD	ORG	75-25-2	Bromoform	61		ug/L	2	0.47	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1424	50	122%	0%	
D121813ALCD	D121813ALCD	ORG	98-82-8	Isopropylbenzene	49		ug/L	2	0.20	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1424	50	98%	6%	
D121813ALCD	D121813ALCD	ORG	103-65-1	n-Propylbenzene	51		ug/L	2	0.27	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1424	50	102%	2%	
D121813ALCD	D121813ALCD	ORG	79-34-5	1,1,2,2-Tetrachloroethane	53		ug/L	2	0.29	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1424	50	106%	2%	

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D121813ALCD	D121813ALCD	ORG	96-18-4	1,2,3-Trichloropropane	50		ug/L	2	0.29	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1424	50	100%	2%	
D121813ALCD	D121813ALCD	ORG	108-67-8	1,3,5-Trimethylbenzene	51		ug/L	2	0.20	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1424	50	102%	2%	
D121813ALCD	D121813ALCD	ORG	98-06-6	tert-Butylbenzene	54		ug/L	2	0.33	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1424	50	108%	4%	
D121813ALCD	D121813ALCD	ORG	95-63-6	1,2,4-Trimethylbenzene	50		ug/L	2	0.20	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1424	50	100%	2%	
D121813ALCD	D121813ALCD	ORG	135-98-8	sec-Butylbenzene	51		ug/L	2	0.32	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1424	50	102%	4%	
D121813ALCD	D121813ALCD	ORG	541-73-1	1,3-Dichlorobenzene	49		ug/L	2	0.22	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1424	50	98%	4%	
D121813ALCD	D121813ALCD	ORG	99-87-6	p-Isopropltoluene	51		ug/L	2	0.25	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1424	50	102%	4%	
D121813ALCD	D121813ALCD	ORG	106-46-7	1,4-Dichlorobenzene	48		ug/L	2	0.33	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1424	50	96%	4%	
D121813ALCD	D121813ALCD	ORG	95-50-1	1,2-Dichlorobenzene	49		ug/L	2	0.26	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1424	50	98%	2%	
D121813ALCD	D121813ALCD	ORG	104-51-8	n-Butylbenzene	51		ug/L	5	0.28	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1424	50	102%	2%	
D121813ALCD	D121813ALCD	ORG	96-12-8	1,2-Dibromo-3-chloropropane	54		ug/L	5	1.59	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1424	50	108%	2%	
D121813ALCD	D121813ALCD	ORG	87-68-3	Hexachlorobutadiene	46		ug/L	5	0.65	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1424	50	92%	6%	
D121813ALCD	D121813ALCD	ORG	120-82-1	1,2,4-Trichlorobenzene	50		ug/L	5	0.28	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1424	50	100%	4%	
D121813ALCD	D121813ALCD	ORG	91-20-3	Naphthalene	51		ug/L	5	0.56	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1424	50	102%	0%	
D121813ALCD	D121813ALCD	ORG	87-61-6	1,2,3-Trichlorobenzene	48		ug/L	5	0.23	NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1424	50	96%	2%	
D121813ALCD	D121813ALCD	STD	1868-53-7	Dibromofluoromethane	52		ng			NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1424	50	104%	2%	
D121813ALCD	D121813ALCD	STD	17060-07-0	1,2-Dichloroethane d4	50		ng			NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1424	50	100%	4%	
D121813ALCD	D121813ALCD	STD	2037-26-5	Toluene d8	48		ng			NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1424	50	96%	2%	
D121813ALCD	D121813ALCD	STD	460-00-4	Bromofluorobenzene	45		ng			NA	12/18/2013	12/18/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1424	50	90%	2%	

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-851MS	316-169RRR	ORG	75-71-8	Dichlorodifluoromethane	3300		ug/L	500	29.28	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1425	5000	66%		
NAL13026-851MS	316-169RRR	ORG	74-87-3	Chloromethane	4100		ug/L	500	43.07	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1425	5000	82%		
NAL13026-851MS	316-169RRR	ORG	75-01-4	Vinyl chloride	4600		ug/L	200	31.86	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1425	5000	92%		
NAL13026-851MS	316-169RRR	ORG	74-83-9	Bromomethane	5200		ug/L	500	50.04	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1425	5000	104%		
NAL13026-851MS	316-169RRR	ORG	75-00-3	Chloroethane	5900		ug/L	500	55.61	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1425	5000	118%		
NAL13026-851MS	316-169RRR	ORG	75-69-4	Trichlorofluoromethane	17000		ug/L	500	19.65	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1425	5000	340%		
NAL13026-851MS	316-169RRR	ORG	75-35-4	1,1-Dichloroethene	4500		ug/L	100	47.11	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1425	5000	90%		
NAL13026-851MS	316-169RRR	ORG	75-09-2	Methylene chloride	4400		ug/L	500	26.46	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1425	5000	88%		
NAL13026-851MS	316-169RRR	ORG	67-64-1	Acetone	280000		ug/L	1000	155.61	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1425	5000	-2600%		410000
NAL13026-851MS	316-169RRR	ORG	156-60-5	trans-1,2-Dichloroethene	3800		ug/L	100	55.61	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1425	5000	76%		
NAL13026-851MS	316-169RRR	ORG	1634-04-4	MTBE	4800		ug/L	500	61.18	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1425	5000	96%		
NAL13026-851MS	316-169RRR	ORG	75-34-3	1,1-Dichloroethane	4200		ug/L	100	52.66	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1425	5000	84%		
NAL13026-851MS	316-169RRR	ORG	156-59-2	cis-1,2-Dichloroethene	4600		ug/L	100	32.11	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1425	5000	92%		
NAL13026-851MS	316-169RRR	ORG	74-97-5	Bromochloromethane	4500		ug/L	1000	41.37	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1425	5000	90%		
NAL13026-851MS	316-169RRR	ORG	67-66-3	Chloroform	4600		ug/L	200	15.73	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1425	5000	92%		
NAL13026-851MS	316-169RRR	ORG	71-55-6	1,1,1-Trichloroethane	4600		ug/L	100	16.65	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1425	5000	92%		
NAL13026-851MS	316-169RRR	ORG	78-93-3	2-Butanone	52000		ug/L	100	81.18	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1425	5000	20%		51000
NAL13026-851MS	316-169RRR	ORG	56-23-5	Carbon tetrachloride	4600		ug/L	100	27.64	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1425	5000	92%		
NAL13026-851MS	316-169RRR	ORG	71-43-2	Benzene	4600		ug/L	100	13.53	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1425	5000	90%		82
NAL13026-851MS	316-169RRR	ORG	107-06-2	1,2-Dichloroethane	4600		ug/L	100	20.01	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1425	5000	92%		
NAL13026-851MS	316-169RRR	ORG	79-01-6	Trichloroethene	4600		ug/L	100	36.33	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1425	5000	92%		
NAL13026-851MS	316-169RRR	ORG	74-95-3	Dibromomethane	5100		ug/L	200	32.20	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1425	5000	102%		
NAL13026-851MS	316-169RRR	ORG	78-87-5	1,2-Dichloropropane	4700		ug/L	100	18.17	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1425	5000	94%		
NAL13026-851MS	316-169RRR	ORG	75-27-4	Bromodichloromethane	4700		ug/L	200	11.58	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1425	5000	94%		
NAL13026-851MS	316-169RRR	ORG	10061-01-5	cis-1,3-Dichloropropene	5000		ug/L	100	25.01	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1425	5000	100%		
NAL13026-851MS	316-169RRR	ORG	108-88-3	Toluene	4600		ug/L	100	20.96	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1425	5000	91%		56
NAL13026-851MS	316-169RRR	ORG	108-10-1	4-Methyl-2-pentanone	8800		ug/L	500	74.00	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1425	5000	130%		2300
NAL13026-851MS	316-169RRR	ORG	10061-02-6	trans-1,3-Dichloropropene	5500		ug/L	100	31.15	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1425	5000	110%		
NAL13026-851MS	316-169RRR	ORG	127-18-4	Tetrachloroethene	4300		ug/L	100	48.56	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1425	5000	86%		
NAL13026-851MS	316-169RRR	ORG	79-00-5	1,1,2-Trichloroethane	5000		ug/L	100	34.28	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1425	5000	100%		
NAL13026-851MS	316-169RRR	ORG	124-48-1	Dibromochloromethane	5500		ug/L	500	29.90	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1425	5000	110%		
NAL13026-851MS	316-169RRR	ORG	106-93-4	1,2-Dibromoethane	5300		ug/L	200	26.49	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1425	5000	106%		
NAL13026-851MS	316-169RRR	ORG	591-78-6	2-Hexanone	13000		ug/L	200	68.90	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1425	5000	104%		7800
NAL13026-851MS	316-169RRR	ORG	100-41-4	Ethylbenzene	4700		ug/L	100	25.38	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1425	5000	91%		150
NAL13026-851MS	316-169RRR	ORG	108-90-7	Chlorobenzene	4600		ug/L	100	27.52	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1425	5000	92%		
NAL13026-851MS	316-169RRR	ORG	630-20-6	1,1,1,2-Tetrachloroethane	4700		ug/L	200	19.28	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1425	5000	94%		
NAL13026-851MS	316-169RRR	ORG	XYLMP	p&m-Xylene	9900		ug/L	200	26.14	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1425	10000	95%		440
NAL13026-851MS	316-169RRR	ORG	95-47-6	o-Xylene	5200		ug/L	100	12.90	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1425	5000	98%		300
NAL13026-851MS	316-169RRR	ORG	100-42-5	Styrene	5100		ug/L	100	20.23	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1425	5000	102%		
NAL13026-851MS	316-169RRR	ORG	75-25-2	Bromoform	6000		ug/L	200	46.83	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1425	5000	120%		
NAL13026-851MS	316-169RRR	ORG	98-82-8	Isopropylbenzene	5200		ug/L	200	20.48	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1425	5000	101%		140
NAL13026-851MS	316-169RRR	ORG	103-65-1	n-Propylbenzene	5100		ug/L	200	27.00	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1425	5000	99%		160
NAL13026-851MS	316-169RRR	ORG	79-34-5	1,1,2,2-Tetrachloroethane	5600		ug/L	200	29.16	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1425	5000	112%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-851MS	316-169RRR	ORG	96-18-4	1,2,3-Trichloropropane	5100		ug/L	200	29.47	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1425	5000	102%		
NAL13026-851MS	316-169RRR	ORG	108-67-8	1,3,5-Trimethylbenzene	5200		ug/L	200	20.03	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1425	5000	97%		330
NAL13026-851MS	316-169RRR	ORG	98-06-6	tert-Butylbenzene	5300		ug/L	200	32.61	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1425	5000	106%		
NAL13026-851MS	316-169RRR	ORG	95-63-6	1,2,4-Trimethylbenzene	6400		ug/L	200	20.03	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1425	5000	92%		1800
NAL13026-851MS	316-169RRR	ORG	135-98-8	sec-Butylbenzene	5200		ug/L	200	32.34	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1425	5000	103%		71
NAL13026-851MS	316-169RRR	ORG	541-73-1	1,3-Dichlorobenzene	4800		ug/L	200	22.21	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1425	5000	96%		
NAL13026-851MS	316-169RRR	ORG	99-87-6	p-Isopropltoluene	10000		ug/L	200	25.48	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1425	5000	66%		6700
NAL13026-851MS	316-169RRR	ORG	106-46-7	1,4-Dichlorobenzene	6300		ug/L	200	33.03	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1425	5000	92%		1700
NAL13026-851MS	316-169RRR	ORG	95-50-1	1,2-Dichlorobenzene	4900		ug/L	200	26.38	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1425	5000	98%		
NAL13026-851MS	316-169RRR	ORG	104-51-8	n-Butylbenzene	5100		ug/L	500	27.81	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1425	5000	99%		160
NAL13026-851MS	316-169RRR	ORG	96-12-8	1,2-Dibromo-3-chloropropane	6700		ug/L	500	159.11	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1425	5000	134%		
NAL13026-851MS	316-169RRR	ORG	87-68-3	Hexachlorobutadiene	4500		ug/L	500	65.42	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1425	5000	90%		
NAL13026-851MS	316-169RRR	ORG	120-82-1	1,2,4-Trichlorobenzene	5400		ug/L	500	27.63	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1425	5000	108%		
NAL13026-851MS	316-169RRR	ORG	91-20-3	Naphthalene	7800		ug/L	500	56.04	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1425	5000	120%		1800
NAL13026-851MS	316-169RRR	ORG	87-61-6	1,2,3-Trichlorobenzene	5200		ug/L	500	23.28	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1425	5000	104%		
NAL13026-851MS	316-169RRR	STD	1868-53-7	Dibromofluoromethane	49		ng			12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1425	50	98%		
NAL13026-851MS	316-169RRR	STD	17060-07-0	1,2-Dichloroethane d4	47		ng			12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1425	50	94%		
NAL13026-851MS	316-169RRR	STD	2037-26-5	Toluene d8	48		ng			12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1425	50	96%		
NAL13026-851MS	316-169RRR	STD	460-00-4	Bromofluorobenzene	45		ng			12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1425	50	90%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-851MSD	316-169RRR	ORG	75-71-8	Dichlorodifluoromethane	3300		ug/L	500	29.28	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1426	5000	66%	0%	0
NAL13026-851MSD	316-169RRR	ORG	74-87-3	Chloromethane	4200		ug/L	500	43.07	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1426	5000	84%	2%	0
NAL13026-851MSD	316-169RRR	ORG	75-01-4	Vinyl chloride	4500		ug/L	200	31.86	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1426	5000	90%	2%	0
NAL13026-851MSD	316-169RRR	ORG	74-83-9	Bromomethane	4600		ug/L	500	50.04	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1426	5000	92%	12%	0
NAL13026-851MSD	316-169RRR	ORG	75-00-3	Chloroethane	5200		ug/L	500	55.61	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1426	5000	104%	13%	0
NAL13026-851MSD	316-169RRR	ORG	75-69-4	Trichlorofluoromethane	33000		ug/L	500	19.65	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1426	5000	660%	64%	0
NAL13026-851MSD	316-169RRR	ORG	75-35-4	1,1-Dichloroethene	4200		ug/L	100	47.11	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1426	5000	84%	7%	0
NAL13026-851MSD	316-169RRR	ORG	75-09-2	Methylene chloride	4500		ug/L	500	26.46	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1426	5000	90%	2%	0
NAL13026-851MSD	316-169RRR	ORG	67-64-1	Acetone	300000		ug/L	1000	155.61	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1426	5000	-2200%	7%	410000
NAL13026-851MSD	316-169RRR	ORG	156-60-5	trans-1,2-Dichloroethene	4100		ug/L	100	55.61	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1426	5000	82%	8%	0
NAL13026-851MSD	316-169RRR	ORG	1634-04-4	MTBE	4700		ug/L	500	61.18	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1426	5000	94%	2%	0
NAL13026-851MSD	316-169RRR	ORG	75-34-3	1,1-Dichloroethane	4200		ug/L	100	52.66	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1426	5000	84%	0%	0
NAL13026-851MSD	316-169RRR	ORG	156-59-2	cis-1,2-Dichloroethene	4500		ug/L	100	32.11	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1426	5000	90%	2%	0
NAL13026-851MSD	316-169RRR	ORG	74-97-5	Bromochloromethane	4400		ug/L	1000	41.37	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1426	5000	88%	2%	0
NAL13026-851MSD	316-169RRR	ORG	67-66-3	Chloroform	4500		ug/L	200	15.73	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1426	5000	90%	2%	0
NAL13026-851MSD	316-169RRR	ORG	71-55-6	1,1,1-Trichloroethane	4600		ug/L	100	16.65	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1426	5000	92%	0%	0
NAL13026-851MSD	316-169RRR	ORG	78-93-3	2-Butanone	47000		ug/L	100	81.18	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1426	5000	-80%	10%	51000
NAL13026-851MSD	316-169RRR	ORG	56-23-5	Carbon tetrachloride	4600		ug/L	100	27.64	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1426	5000	92%	0%	0
NAL13026-851MSD	316-169RRR	ORG	71-43-2	Benzene	4500		ug/L	100	13.53	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1426	5000	88%	2%	82
NAL13026-851MSD	316-169RRR	ORG	107-06-2	1,2-Dichloroethane	4500		ug/L	100	20.01	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1426	5000	90%	2%	0
NAL13026-851MSD	316-169RRR	ORG	79-01-6	Trichloroethene	4500		ug/L	100	36.33	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1426	5000	90%	2%	0
NAL13026-851MSD	316-169RRR	ORG	74-95-3	Dibromomethane	4900		ug/L	200	32.20	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1426	5000	98%	4%	0
NAL13026-851MSD	316-169RRR	ORG	78-87-5	1,2-Dichloropropane	4700		ug/L	100	18.17	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1426	5000	94%	0%	0
NAL13026-851MSD	316-169RRR	ORG	75-27-4	Bromodichloromethane	4600		ug/L	200	11.58	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1426	5000	92%	2%	0
NAL13026-851MSD	316-169RRR	ORG	10061-01-5	cis-1,3-Dichloropropene	4900		ug/L	100	25.01	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1426	5000	98%	2%	0
NAL13026-851MSD	316-169RRR	ORG	108-88-3	Toluene	4600		ug/L	100	20.96	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1426	5000	91%	0%	56
NAL13026-851MSD	316-169RRR	ORG	108-10-1	4-Methyl-2-pentanone	8600		ug/L	500	74.00	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1426	5000	126%	2%	2300
NAL13026-851MSD	316-169RRR	ORG	10061-02-6	trans-1,3-Dichloropropene	5700		ug/L	100	31.15	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1426	5000	114%	4%	0
NAL13026-851MSD	316-169RRR	ORG	127-18-4	Tetrachloroethene	4300		ug/L	100	48.56	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1426	5000	86%	0%	0
NAL13026-851MSD	316-169RRR	ORG	79-00-5	1,1,2-Trichloroethane	5000		ug/L	100	34.28	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1426	5000	100%	0%	0
NAL13026-851MSD	316-169RRR	ORG	124-48-1	Dibromochloromethane	5400		ug/L	500	29.90	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1426	5000	108%	2%	0
NAL13026-851MSD	316-169RRR	ORG	106-93-4	1,2-Dibromoethane	5100		ug/L	200	26.49	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1426	5000	102%	4%	0
NAL13026-851MSD	316-169RRR	ORG	591-78-6	2-Hexanone	13000		ug/L	200	68.90	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1426	5000	104%	0%	7800
NAL13026-851MSD	316-169RRR	ORG	100-41-4	Ethylbenzene	4700		ug/L	100	25.38	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1426	5000	91%	0%	150
NAL13026-851MSD	316-169RRR	ORG	108-90-7	Chlorobenzene	4600		ug/L	100	27.52	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1426	5000	92%	0%	0
NAL13026-851MSD	316-169RRR	ORG	630-20-6	1,1,1,2-Tetrachloroethane	4900		ug/L	200	19.28	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1426	5000	98%	4%	0
NAL13026-851MSD	316-169RRR	ORG	XYLMP	p&m-Xylene	9800		ug/L	200	26.14	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1426	10000	94%	1%	440
NAL13026-851MSD	316-169RRR	ORG	95-47-6	o-Xylene	5100		ug/L	100	12.90	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1426	5000	96%	2%	300
NAL13026-851MSD	316-169RRR	ORG	100-42-5	Styrene	5200		ug/L	100	20.23	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1426	5000	104%	2%	0
NAL13026-851MSD	316-169RRR	ORG	75-25-2	Bromoform	5700		ug/L	200	46.83	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1426	5000	114%	5%	0
NAL13026-851MSD	316-169RRR	ORG	98-82-8	Isopropylbenzene	5200		ug/L	200	20.48	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1426	5000	101%	0%	140
NAL13026-851MSD	316-169RRR	ORG	103-65-1	n-Propylbenzene	5000		ug/L	200	27.00	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1426	5000	97%	2%	160
NAL13026-851MSD	316-169RRR	ORG	79-34-5	1,1,2,2-Tetrachloroethane	5500		ug/L	200	29.16	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1426	5000	110%	2%	0

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-851MSD	316-169RRR	ORG	96-18-4	1,2,3-Trichloropropane	4800		ug/L	200	29.47	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1426	5000	96%	6%	0
NAL13026-851MSD	316-169RRR	ORG	108-67-8	1,3,5-Trimethylbenzene	5200		ug/L	200	20.03	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1426	5000	97%	0%	330
NAL13026-851MSD	316-169RRR	ORG	98-06-6	tert-Butylbenzene	5300		ug/L	200	32.61	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1426	5000	106%	0%	0
NAL13026-851MSD	316-169RRR	ORG	95-63-6	1,2,4-Trimethylbenzene	6100		ug/L	200	20.03	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1426	5000	86%	5%	1800
NAL13026-851MSD	316-169RRR	ORG	135-98-8	sec-Butylbenzene	5100		ug/L	200	32.34	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1426	5000	101%	2%	71
NAL13026-851MSD	316-169RRR	ORG	541-73-1	1,3-Dichlorobenzene	4700		ug/L	200	22.21	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1426	5000	94%	2%	0
NAL13026-851MSD	316-169RRR	ORG	99-87-6	p-Isopropltoluene	9600		ug/L	200	25.48	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1426	5000	58%	4%	6700
NAL13026-851MSD	316-169RRR	ORG	106-46-7	1,4-Dichlorobenzene	6100		ug/L	200	33.03	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1426	5000	88%	3%	1700
NAL13026-851MSD	316-169RRR	ORG	95-50-1	1,2-Dichlorobenzene	4900		ug/L	200	26.38	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1426	5000	98%	0%	0
NAL13026-851MSD	316-169RRR	ORG	104-51-8	n-Butylbenzene	4900		ug/L	500	27.81	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1426	5000	95%	4%	160
NAL13026-851MSD	316-169RRR	ORG	96-12-8	1,2-Dibromo-3-chloropropane	6200		ug/L	500	159.11	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1426	5000	124%	8%	0
NAL13026-851MSD	316-169RRR	ORG	87-68-3	Hexachlorobutadiene	4600		ug/L	500	65.42	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1426	5000	92%	2%	0
NAL13026-851MSD	316-169RRR	ORG	120-82-1	1,2,4-Trichlorobenzene	5200		ug/L	500	27.63	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1426	5000	104%	4%	0
NAL13026-851MSD	316-169RRR	ORG	91-20-3	Naphthalene	7300		ug/L	500	56.04	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1426	5000	110%	7%	1800
NAL13026-851MSD	316-169RRR	ORG	87-61-6	1,2,3-Trichlorobenzene	5100		ug/L	500	23.28	12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1426	5000	102%	2%	0
NAL13026-851MSD	316-169RRR	STD	1868-53-7	Dibromofluoromethane	49		ng			12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1426	50	98%	0%	0
NAL13026-851MSD	316-169RRR	STD	17060-07-0	1,2-Dichloroethane d4	47		ng			12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1426	50	94%	0%	0
NAL13026-851MSD	316-169RRR	STD	2037-26-5	Toluene d8	47		ng			12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1426	50	94%	2%	0
NAL13026-851MSD	316-169RRR	STD	460-00-4	Bromofluorobenzene	45		ng			12/18/2013	12/18/2013	12/18/2013	WG	100	NA	5.0	NA	SW8260B	NALD1426	50	90%	0%	0

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-852	316-170	ORG	75-71-8	Dichlorodifluoromethane		UX-	ug/L	500	29.28	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1432				
NAL13026-852	316-170	ORG	74-87-3	Chloromethane		U	ug/L	500	43.07	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1432				
NAL13026-852	316-170	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1432				
NAL13026-852	316-170	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1432				
NAL13026-852	316-170	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1432				
NAL13026-852	316-170	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1432				
NAL13026-852	316-170	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1432				
NAL13026-852	316-170	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1432				
NAL13026-852	316-170	ORG	67-64-1	Acetone	540000	D	ug/L	50000	7780.35	12/19/2013	12/19/2013	12/19/2013	WG	5000	NA	5.0	NA	SW8260B	NALD1439				
NAL13026-852	316-170	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1432				
NAL13026-852	316-170	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1432				
NAL13026-852	316-170	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1432				
NAL13026-852	316-170	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1432				
NAL13026-852	316-170	ORG	74-97-5	Bromochloromethane		U	ug/L	200	41.37	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1432				
NAL13026-852	316-170	ORG	67-66-3	Chloroform		U	ug/L	100	15.73	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1432				
NAL13026-852	316-170	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	16.65	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1432				
NAL13026-852	316-170	ORG	78-93-3	2-Butanone	43000	D	ug/L	10000	811.80	12/19/2013	12/19/2013	12/19/2013	WG	1000	NA	5.0	NA	SW8260B	NALD1429				
NAL13026-852	316-170	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1432				
NAL13026-852	316-170	ORG	71-43-2	Benzene	33	J	ug/L	100	13.53	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1432				
NAL13026-852	316-170	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1432				
NAL13026-852	316-170	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1432				
NAL13026-852	316-170	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1432				
NAL13026-852	316-170	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1432				
NAL13026-852	316-170	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1432				
NAL13026-852	316-170	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1432				
NAL13026-852	316-170	ORG	108-88-3	Toluene	32	J	ug/L	100	20.96	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1432				
NAL13026-852	316-170	ORG	108-10-1	4-Methyl-2-pentanone	2200	X+	ug/L	500	74.00	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1432				
NAL13026-852	316-170	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1432				
NAL13026-852	316-170	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1432				
NAL13026-852	316-170	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1432				
NAL13026-852	316-170	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	29.90	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1432				
NAL13026-852	316-170	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	26.49	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1432				
NAL13026-852	316-170	ORG	591-78-6	2-Hexanone	7100		ug/L	500	68.90	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1432				
NAL13026-852	316-170	ORG	100-41-4	Ethylbenzene	78	J	ug/L	100	25.38	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1432				
NAL13026-852	316-170	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1432				
NAL13026-852	316-170	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1432				
NAL13026-852	316-170	ORG	XYLMP	p&m-Xylene	180	J	ug/L	200	26.14	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1432				
NAL13026-852	316-170	ORG	95-47-6	o-Xylene	140		ug/L	100	12.90	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1432				
NAL13026-852	316-170	ORG	100-42-5	Styrene		U	ug/L	100	20.23	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1432				
NAL13026-852	316-170	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1432				
NAL13026-852	316-170	ORG	98-82-8	Isopropylbenzene		U	ug/L	200	20.48	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1432				
NAL13026-852	316-170	ORG	103-65-1	n-Propylbenzene	74	J	ug/L	200	27.00	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1432				
NAL13026-852	316-170	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1432				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-852	316-170	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1432				
NAL13026-852	316-170	ORG	108-67-8	1,3,5-Trimethylbenzene	190	J	ug/L	200	20.03	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1432				
NAL13026-852	316-170	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1432				
NAL13026-852	316-170	ORG	95-63-6	1,2,4-Trimethylbenzene	960		ug/L	200	20.03	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1432				
NAL13026-852	316-170	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1432				
NAL13026-852	316-170	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1432				
NAL13026-852	316-170	ORG	99-87-6	p-Isopropltoluene	3800		ug/L	200	25.48	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1432				
NAL13026-852	316-170	ORG	106-46-7	1,4-Dichlorobenzene	1200		ug/L	200	33.03	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1432				
NAL13026-852	316-170	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1432				
NAL13026-852	316-170	ORG	104-51-8	n-Butylbenzene	99	J	ug/L	500	27.81	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1432				
NAL13026-852	316-170	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1432				
NAL13026-852	316-170	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1432				
NAL13026-852	316-170	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1432				
NAL13026-852	316-170	ORG	91-20-3	Naphthalene	1600		ug/L	500	56.04	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1432				
NAL13026-852	316-170	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1432				
NAL13026-852	316-170	STD	1868-53-7	Dibromofluoromethane	53		ng			12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1432	50	106%		
NAL13026-852	316-170	STD	17060-07-0	1,2-Dichloroethane d4	50		ng			12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1432	50	100%		
NAL13026-852	316-170	STD	2037-26-5	Toluene d8	48		ng			12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1432	50	96%		
NAL13026-852	316-170	STD	460-00-4	Bromofluorobenzene	45		ng			12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1432	50	90%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-853	96-SW01b	ORG	75-71-8	Dichlorodifluoromethane		UX-	ug/L	500	29.28	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1438				
NAL13026-853	96-SW01b	ORG	74-87-3	Chloromethane		U	ug/L	500	43.07	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1438				
NAL13026-853	96-SW01b	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1438				
NAL13026-853	96-SW01b	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1438				
NAL13026-853	96-SW01b	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1438				
NAL13026-853	96-SW01b	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1438				
NAL13026-853	96-SW01b	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1438				
NAL13026-853	96-SW01b	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1438				
NAL13026-853	96-SW01b	ORG	67-64-1	Acetone	17000		ug/L	1000	155.61	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1438				
NAL13026-853	96-SW01b	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1438				
NAL13026-853	96-SW01b	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1438				
NAL13026-853	96-SW01b	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1438				
NAL13026-853	96-SW01b	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1438				
NAL13026-853	96-SW01b	ORG	74-97-5	Bromochloromethane		U	ug/L	200	41.37	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1438				
NAL13026-853	96-SW01b	ORG	67-66-3	Chloroform		U	ug/L	100	15.73	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1438				
NAL13026-853	96-SW01b	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	16.65	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1438				
NAL13026-853	96-SW01b	ORG	78-93-3	2-Butanone	1900		ug/L	1000	81.18	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1438				
NAL13026-853	96-SW01b	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1438				
NAL13026-853	96-SW01b	ORG	71-43-2	Benzene		U	ug/L	100	13.53	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1438				
NAL13026-853	96-SW01b	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1438				
NAL13026-853	96-SW01b	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1438				
NAL13026-853	96-SW01b	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1438				
NAL13026-853	96-SW01b	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1438				
NAL13026-853	96-SW01b	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1438				
NAL13026-853	96-SW01b	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1438				
NAL13026-853	96-SW01b	ORG	108-88-3	Toluene		U	ug/L	100	20.96	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1438				
NAL13026-853	96-SW01b	ORG	108-10-1	4-Methyl-2-pentanone		U	ug/L	500	74.00	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1438				
NAL13026-853	96-SW01b	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1438				
NAL13026-853	96-SW01b	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1438				
NAL13026-853	96-SW01b	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1438				
NAL13026-853	96-SW01b	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	29.90	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1438				
NAL13026-853	96-SW01b	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	26.49	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1438				
NAL13026-853	96-SW01b	ORG	591-78-6	2-Hexanone		U	ug/L	500	68.90	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1438				
NAL13026-853	96-SW01b	ORG	100-41-4	Ethylbenzene		U	ug/L	100	25.38	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1438				
NAL13026-853	96-SW01b	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1438				
NAL13026-853	96-SW01b	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1438				
NAL13026-853	96-SW01b	ORG	XYLMP	p&m-Xylene		U	ug/L	200	26.14	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1438				
NAL13026-853	96-SW01b	ORG	95-47-6	o-Xylene		U	ug/L	100	12.90	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1438				
NAL13026-853	96-SW01b	ORG	100-42-5	Styrene		U	ug/L	100	20.23	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1438				
NAL13026-853	96-SW01b	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1438				
NAL13026-853	96-SW01b	ORG	98-82-8	Isopropylbenzene		U	ug/L	200	20.48	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1438				
NAL13026-853	96-SW01b	ORG	103-65-1	n-Propylbenzene		U	ug/L	200	27.00	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1438				
NAL13026-853	96-SW01b	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1438				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-853	96-SW01b	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1438				
NAL13026-853	96-SW01b	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	200	20.03	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1438				
NAL13026-853	96-SW01b	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1438				
NAL13026-853	96-SW01b	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	200	20.03	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1438				
NAL13026-853	96-SW01b	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1438				
NAL13026-853	96-SW01b	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1438				
NAL13026-853	96-SW01b	ORG	99-87-6	p-Isopropltoluene		U	ug/L	200	25.48	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1438				
NAL13026-853	96-SW01b	ORG	106-46-7	1,4-Dichlorobenzene		U	ug/L	200	33.03	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1438				
NAL13026-853	96-SW01b	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1438				
NAL13026-853	96-SW01b	ORG	104-51-8	n-Butylbenzene		U	ug/L	500	27.81	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1438				
NAL13026-853	96-SW01b	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1438				
NAL13026-853	96-SW01b	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1438				
NAL13026-853	96-SW01b	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1438				
NAL13026-853	96-SW01b	ORG	91-20-3	Naphthalene		U	ug/L	500	56.04	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1438				
NAL13026-853	96-SW01b	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1438				
NAL13026-853	96-SW01b	STD	1868-53-7	Dibromofluoromethane	50		ng			12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1438	50	100%		
NAL13026-853	96-SW01b	STD	17060-07-0	1,2-Dichloroethane d4	53		ng			12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1438	50	106%		
NAL13026-853	96-SW01b	STD	2037-26-5	Toluene d8	53		ng			12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1438	50	106%		
NAL13026-853	96-SW01b	STD	460-00-4	Bromofluorobenzene	47		ng			12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1438	50	94%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D121913CCVA	D121913CCVA	ORG	75-71-8	Dichlorodifluoromethane	34		ug/L	5	0.29	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1429	50	68%		
D121913CCVA	D121913CCVA	ORG	74-87-3	Chloromethane	46		ug/L	5	0.43	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1429	50	92%		
D121913CCVA	D121913CCVA	ORG	75-01-4	Vinyl chloride	48		ug/L	2	0.32	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1429	50	96%		
D121913CCVA	D121913CCVA	ORG	74-83-9	Bromomethane	85		ug/L	5	0.50	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1429	50	170%		
D121913CCVA	D121913CCVA	ORG	75-00-3	Chloroethane	73		ug/L	5	0.56	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1429	50	146%		
D121913CCVA	D121913CCVA	ORG	75-69-4	Trichlorofluoromethane	400		ug/L	5	0.20	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1429	50	800%		
D121913CCVA	D121913CCVA	ORG	75-35-4	1,1-Dichloroethene	47		ug/L	1	0.47	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1429	50	94%		
D121913CCVA	D121913CCVA	ORG	75-09-2	Methylene chloride	44		ug/L	5	0.26	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1429	50	88%		
D121913CCVA	D121913CCVA	ORG	67-64-1	Acetone	58		ug/L	10	1.56	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1429	50	116%		
D121913CCVA	D121913CCVA	ORG	156-60-5	trans-1,2-Dichloroethene	47		ug/L	1	0.56	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1429	50	94%		
D121913CCVA	D121913CCVA	ORG	1634-04-4	MTBE	52		ug/L	5	0.61	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1429	50	104%		
D121913CCVA	D121913CCVA	ORG	75-34-3	1,1-Dichloroethane	47		ug/L	1	0.53	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1429	50	94%		
D121913CCVA	D121913CCVA	ORG	156-59-2	cis-1,2-Dichloroethene	48		ug/L	1	0.32	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1429	50	96%		
D121913CCVA	D121913CCVA	ORG	74-97-5	Bromochloromethane	47		ug/L	10	0.41	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1429	50	94%		
D121913CCVA	D121913CCVA	ORG	67-66-3	Chloroform	47		ug/L	2	0.16	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1429	50	94%		
D121913CCVA	D121913CCVA	ORG	71-55-6	1,1,1-Trichloroethane	48		ug/L	1	0.17	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1429	50	96%		
D121913CCVA	D121913CCVA	ORG	78-93-3	2-Butanone	48		ug/L	1	0.81	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1429	50	96%		
D121913CCVA	D121913CCVA	ORG	56-23-5	Carbon tetrachloride	48		ug/L	1	0.28	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1429	50	96%		
D121913CCVA	D121913CCVA	ORG	71-43-2	Benzene	48		ug/L	1	0.14	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1429	50	96%		
D121913CCVA	D121913CCVA	ORG	107-06-2	1,2-Dichloroethane	47		ug/L	1	0.20	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1429	50	94%		
D121913CCVA	D121913CCVA	ORG	79-01-6	Trichloroethene	49		ug/L	1	0.36	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1429	50	98%		
D121913CCVA	D121913CCVA	ORG	74-95-3	Dibromomethane	48		ug/L	2	0.32	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1429	50	96%		
D121913CCVA	D121913CCVA	ORG	78-87-5	1,2-Dichloropropane	49		ug/L	1	0.18	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1429	50	98%		
D121913CCVA	D121913CCVA	ORG	75-27-4	Bromodichloromethane	48		ug/L	2	0.12	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1429	50	96%		
D121913CCVA	D121913CCVA	ORG	10061-01-5	cis-1,3-Dichloropropene	52		ug/L	1	0.25	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1429	50	104%		
D121913CCVA	D121913CCVA	ORG	108-88-3	Toluene	46		ug/L	1	0.21	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1429	50	92%		
D121913CCVA	D121913CCVA	ORG	108-10-1	4-Methyl-2-pentanone	62		ug/L	5	0.74	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1429	50	124%		
D121913CCVA	D121913CCVA	ORG	10061-02-6	trans-1,3-Dichloropropene	55		ug/L	1	0.31	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1429	50	110%		
D121913CCVA	D121913CCVA	ORG	127-18-4	Tetrachloroethene	44		ug/L	1	0.49	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1429	50	88%		
D121913CCVA	D121913CCVA	ORG	79-00-5	1,1,2-Trichloroethane	46		ug/L	1	0.34	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1429	50	92%		
D121913CCVA	D121913CCVA	ORG	124-48-1	Dibromochloromethane	54		ug/L	5	0.30	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1429	50	108%		
D121913CCVA	D121913CCVA	ORG	106-93-4	1,2-Dibromoethane	49		ug/L	2	0.26	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1429	50	98%		
D121913CCVA	D121913CCVA	ORG	591-78-6	2-Hexanone	54		ug/L	2	0.69	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1429	50	108%		
D121913CCVA	D121913CCVA	ORG	100-41-4	Ethylbenzene	47		ug/L	1	0.25	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1429	50	94%		
D121913CCVA	D121913CCVA	ORG	108-90-7	Chlorobenzene	46		ug/L	1	0.28	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1429	50	92%		
D121913CCVA	D121913CCVA	ORG	630-20-6	1,1,1,2-Tetrachloroethane	48		ug/L	2	0.19	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1429	50	96%		
D121913CCVA	D121913CCVA	ORG	XYLMP	p&m-Xylene	97		ug/L	2	0.26	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1429	100	97%		
D121913CCVA	D121913CCVA	ORG	95-47-6	o-Xylene	48		ug/L	1	0.13	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1429	50	96%		
D121913CCVA	D121913CCVA	ORG	100-42-5	Styrene	50		ug/L	1	0.20	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1429	50	100%		
D121913CCVA	D121913CCVA	ORG	75-25-2	Bromoform	59		ug/L	2	0.47	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1429	50	118%		
D121913CCVA	D121913CCVA	ORG	98-82-8	Isopropylbenzene	51		ug/L	2	0.20	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1429	50	102%		
D121913CCVA	D121913CCVA	ORG	103-65-1	n-Propylbenzene	50		ug/L	2	0.27	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1429	50	100%		
D121913CCVA	D121913CCVA	ORG	79-34-5	1,1,2,2-Tetrachloroethane	49		ug/L	2	0.29	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1429	50	98%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D121913CCVA	D121913CCVA	ORG	96-18-4	1,2,3-Trichloropropane	46		ug/L	2	0.29	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1429	50	92%		
D121913CCVA	D121913CCVA	ORG	108-67-8	1,3,5-Trimethylbenzene	51		ug/L	2	0.20	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1429	50	102%		
D121913CCVA	D121913CCVA	ORG	98-06-6	tert-Butylbenzene	54		ug/L	2	0.33	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1429	50	108%		
D121913CCVA	D121913CCVA	ORG	95-63-6	1,2,4-Trimethylbenzene	50		ug/L	2	0.20	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1429	50	100%		
D121913CCVA	D121913CCVA	ORG	135-98-8	sec-Butylbenzene	51		ug/L	2	0.32	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1429	50	102%		
D121913CCVA	D121913CCVA	ORG	541-73-1	1,3-Dichlorobenzene	49		ug/L	2	0.22	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1429	50	98%		
D121913CCVA	D121913CCVA	ORG	99-87-6	p-Isopropltoluene	52		ug/L	2	0.25	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1429	50	104%		
D121913CCVA	D121913CCVA	ORG	106-46-7	1,4-Dichlorobenzene	50		ug/L	2	0.33	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1429	50	100%		
D121913CCVA	D121913CCVA	ORG	95-50-1	1,2-Dichlorobenzene	50		ug/L	2	0.26	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1429	50	100%		
D121913CCVA	D121913CCVA	ORG	104-51-8	n-Butylbenzene	53		ug/L	5	0.28	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1429	50	106%		
D121913CCVA	D121913CCVA	ORG	96-12-8	1,2-Dibromo-3-chloropropane	53		ug/L	5	1.59	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1429	50	106%		
D121913CCVA	D121913CCVA	ORG	87-68-3	Hexachlorobutadiene	52		ug/L	5	0.65	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1429	50	104%		
D121913CCVA	D121913CCVA	ORG	120-82-1	1,2,4-Trichlorobenzene	54		ug/L	5	0.28	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1429	50	108%		
D121913CCVA	D121913CCVA	ORG	91-20-3	Naphthalene	51		ug/L	5	0.56	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1429	50	102%		
D121913CCVA	D121913CCVA	ORG	87-61-6	1,2,3-Trichlorobenzene	49		ug/L	5	0.23	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1429	50	98%		
D121913CCVA	D121913CCVA	STD	1868-53-7	Dibromofluoromethane	53		ng			NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1429	50	106%		
D121913CCVA	D121913CCVA	STD	17060-07-0	1,2-Dichloroethane d4	48		ng			NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1429	50	96%		
D121913CCVA	D121913CCVA	STD	2037-26-5	Toluene d8	48		ng			NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1429	50	96%		
D121913CCVA	D121913CCVA	STD	460-00-4	Bromofluorobenzene	45		ng			NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1429	50	90%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D121913MBKA	D121913MBKA	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	5	0.29	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1431				
D121913MBKA	D121913MBKA	ORG	74-87-3	Chloromethane		U	ug/L	5	0.43	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1431				
D121913MBKA	D121913MBKA	ORG	75-01-4	Vinyl chloride		U	ug/L	2	0.32	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1431				
D121913MBKA	D121913MBKA	ORG	74-83-9	Bromomethane		U	ug/L	5	0.50	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1431				
D121913MBKA	D121913MBKA	ORG	75-00-3	Chloroethane		U	ug/L	5	0.56	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1431				
D121913MBKA	D121913MBKA	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	5	0.20	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1431				
D121913MBKA	D121913MBKA	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	1	0.47	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1431				
D121913MBKA	D121913MBKA	ORG	75-09-2	Methylene chloride		U	ug/L	5	0.26	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1431				
D121913MBKA	D121913MBKA	ORG	67-64-1	Acetone		U	ug/L	10	1.56	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1431				
D121913MBKA	D121913MBKA	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	1	0.56	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1431				
D121913MBKA	D121913MBKA	ORG	1634-04-4	MTBE		U	ug/L	5	0.61	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1431				
D121913MBKA	D121913MBKA	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	1	0.53	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1431				
D121913MBKA	D121913MBKA	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	1	0.32	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1431				
D121913MBKA	D121913MBKA	ORG	74-97-5	Bromochloromethane		U	ug/L	10	0.41	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1431				
D121913MBKA	D121913MBKA	ORG	67-66-3	Chloroform		U	ug/L	2	0.16	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1431				
D121913MBKA	D121913MBKA	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	1	0.17	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1431				
D121913MBKA	D121913MBKA	ORG	78-93-3	2-Butanone		U	ug/L	1	0.81	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1431				
D121913MBKA	D121913MBKA	ORG	56-23-5	Carbon tetrachloride		U	ug/L	1	0.28	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1431				
D121913MBKA	D121913MBKA	ORG	71-43-2	Benzene		U	ug/L	1	0.14	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1431				
D121913MBKA	D121913MBKA	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	1	0.20	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1431				
D121913MBKA	D121913MBKA	ORG	79-01-6	Trichloroethene		U	ug/L	1	0.36	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1431				
D121913MBKA	D121913MBKA	ORG	74-95-3	Dibromomethane		U	ug/L	2	0.32	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1431				
D121913MBKA	D121913MBKA	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	1	0.18	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1431				
D121913MBKA	D121913MBKA	ORG	75-27-4	Bromodichloromethane		U	ug/L	2	0.12	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1431				
D121913MBKA	D121913MBKA	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	1	0.25	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1431				
D121913MBKA	D121913MBKA	ORG	108-88-3	Toluene		U	ug/L	1	0.21	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1431				
D121913MBKA	D121913MBKA	ORG	108-10-1	4-Methyl-2-pentanone		U	ug/L	5	0.74	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1431				
D121913MBKA	D121913MBKA	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	1	0.31	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1431				
D121913MBKA	D121913MBKA	ORG	127-18-4	Tetrachloroethene		U	ug/L	1	0.49	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1431				
D121913MBKA	D121913MBKA	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	1	0.34	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1431				
D121913MBKA	D121913MBKA	ORG	124-48-1	Dibromochloromethane		U	ug/L	5	0.30	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1431				
D121913MBKA	D121913MBKA	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	2	0.26	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1431				
D121913MBKA	D121913MBKA	ORG	591-78-6	2-Hexanone		U	ug/L	2	0.69	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1431				
D121913MBKA	D121913MBKA	ORG	100-41-4	Ethylbenzene		U	ug/L	1	0.25	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1431				
D121913MBKA	D121913MBKA	ORG	108-90-7	Chlorobenzene		U	ug/L	1	0.28	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1431				
D121913MBKA	D121913MBKA	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	2	0.19	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1431				
D121913MBKA	D121913MBKA	ORG	XYLMP	p&m-Xylene		U	ug/L	2	0.26	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1431				
D121913MBKA	D121913MBKA	ORG	95-47-6	o-Xylene		U	ug/L	1	0.13	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1431				
D121913MBKA	D121913MBKA	ORG	100-42-5	Styrene		U	ug/L	1	0.20	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1431				
D121913MBKA	D121913MBKA	ORG	75-25-2	Bromoform		U	ug/L	2	0.47	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1431				
D121913MBKA	D121913MBKA	ORG	98-82-8	Isopropylbenzene		U	ug/L	2	0.20	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1431				
D121913MBKA	D121913MBKA	ORG	103-65-1	n-Propylbenzene		U	ug/L	2	0.27	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1431				
D121913MBKA	D121913MBKA	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	2	0.29	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1431				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D121913MBKA	D121913MBKA	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	2	0.29	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1431				
D121913MBKA	D121913MBKA	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	2	0.20	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1431				
D121913MBKA	D121913MBKA	ORG	98-06-6	tert-Butylbenzene		U	ug/L	2	0.33	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1431				
D121913MBKA	D121913MBKA	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	2	0.20	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1431				
D121913MBKA	D121913MBKA	ORG	135-98-8	sec-Butylbenzene		U	ug/L	2	0.32	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1431				
D121913MBKA	D121913MBKA	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	2	0.22	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1431				
D121913MBKA	D121913MBKA	ORG	99-87-6	p-Isopropltoluene		U	ug/L	2	0.25	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1431				
D121913MBKA	D121913MBKA	ORG	106-46-7	1,4-Dichlorobenzene		U	ug/L	2	0.33	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1431				
D121913MBKA	D121913MBKA	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	2	0.26	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1431				
D121913MBKA	D121913MBKA	ORG	104-51-8	n-Butylbenzene		U	ug/L	5	0.28	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1431				
D121913MBKA	D121913MBKA	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	5	1.59	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1431				
D121913MBKA	D121913MBKA	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	5	0.65	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1431				
D121913MBKA	D121913MBKA	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	5	0.28	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1431				
D121913MBKA	D121913MBKA	ORG	91-20-3	Naphthalene		U	ug/L	5	0.56	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1431				
D121913MBKA	D121913MBKA	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	5	0.23	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1431				
D121913MBKA	D121913MBKA	STD	1868-53-7	Dibromofluoromethane	51		ng			NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1431	50	102%		
D121913MBKA	D121913MBKA	STD	17060-07-0	1,2-Dichloroethane d4	53		ng			NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1431	50	106%		
D121913MBKA	D121913MBKA	STD	2037-26-5	Toluene d8	52		ng			NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1431	50	104%		
D121913MBKA	D121913MBKA	STD	460-00-4	Bromofluorobenzene	47		ng			NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1431	50	94%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D121913ALCS	D121913ALCS	ORG	75-71-8	Dichlorodifluoromethane	30		ug/L	5	0.29	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1430	50	60%		
D121913ALCS	D121913ALCS	ORG	74-87-3	Chloromethane	41		ug/L	5	0.43	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1430	50	82%		
D121913ALCS	D121913ALCS	ORG	75-01-4	Vinyl chloride	45		ug/L	2	0.32	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1430	50	90%		
D121913ALCS	D121913ALCS	ORG	74-83-9	Bromomethane	60		ug/L	5	0.50	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1430	50	120%		
D121913ALCS	D121913ALCS	ORG	75-00-3	Chloroethane	56		ug/L	5	0.56	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1430	50	112%		
D121913ALCS	D121913ALCS	ORG	75-69-4	Trichlorofluoromethane	330		ug/L	5	0.20	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1430	50	660%		
D121913ALCS	D121913ALCS	ORG	75-35-4	1,1-Dichloroethene	45		ug/L	1	0.47	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1430	50	90%		
D121913ALCS	D121913ALCS	ORG	75-09-2	Methylene chloride	41		ug/L	5	0.26	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1430	50	82%		
D121913ALCS	D121913ALCS	ORG	67-64-1	Acetone	55		ug/L	10	1.56	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1430	50	110%		
D121913ALCS	D121913ALCS	ORG	156-60-5	trans-1,2-Dichloroethene	46		ug/L	1	0.56	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1430	50	92%		
D121913ALCS	D121913ALCS	ORG	1634-04-4	MTBE	50		ug/L	5	0.61	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1430	50	100%		
D121913ALCS	D121913ALCS	ORG	75-34-3	1,1-Dichloroethane	45		ug/L	1	0.53	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1430	50	90%		
D121913ALCS	D121913ALCS	ORG	156-59-2	cis-1,2-Dichloroethene	47		ug/L	1	0.32	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1430	50	94%		
D121913ALCS	D121913ALCS	ORG	74-97-5	Bromochloromethane	46		ug/L	10	0.41	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1430	50	92%		
D121913ALCS	D121913ALCS	ORG	67-66-3	Chloroform	47		ug/L	2	0.16	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1430	50	94%		
D121913ALCS	D121913ALCS	ORG	71-55-6	1,1,1-Trichloroethane	47		ug/L	1	0.17	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1430	50	94%		
D121913ALCS	D121913ALCS	ORG	78-93-3	2-Butanone	50		ug/L	1	0.81	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1430	50	100%		
D121913ALCS	D121913ALCS	ORG	56-23-5	Carbon tetrachloride	48		ug/L	1	0.28	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1430	50	96%		
D121913ALCS	D121913ALCS	ORG	71-43-2	Benzene	47		ug/L	1	0.14	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1430	50	94%		
D121913ALCS	D121913ALCS	ORG	107-06-2	1,2-Dichloroethane	48		ug/L	1	0.20	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1430	50	96%		
D121913ALCS	D121913ALCS	ORG	79-01-6	Trichloroethene	47		ug/L	1	0.36	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1430	50	94%		
D121913ALCS	D121913ALCS	ORG	74-95-3	Dibromomethane	51		ug/L	2	0.32	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1430	50	102%		
D121913ALCS	D121913ALCS	ORG	78-87-5	1,2-Dichloropropane	49		ug/L	1	0.18	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1430	50	98%		
D121913ALCS	D121913ALCS	ORG	75-27-4	Bromodichloromethane	50		ug/L	2	0.12	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1430	50	100%		
D121913ALCS	D121913ALCS	ORG	10061-01-5	cis-1,3-Dichloropropene	54		ug/L	1	0.25	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1430	50	108%		
D121913ALCS	D121913ALCS	ORG	108-88-3	Toluene	48		ug/L	1	0.21	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1430	50	96%		
D121913ALCS	D121913ALCS	ORG	108-10-1	4-Methyl-2-pentanone	65		ug/L	5	0.74	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1430	50	130%		
D121913ALCS	D121913ALCS	ORG	10061-02-6	trans-1,3-Dichloropropene	59		ug/L	1	0.31	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1430	50	118%		
D121913ALCS	D121913ALCS	ORG	127-18-4	Tetrachloroethene	44		ug/L	1	0.49	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1430	50	88%		
D121913ALCS	D121913ALCS	ORG	79-00-5	1,1,2-Trichloroethane	49		ug/L	1	0.34	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1430	50	98%		
D121913ALCS	D121913ALCS	ORG	124-48-1	Dibromochloromethane	56		ug/L	5	0.30	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1430	50	112%		
D121913ALCS	D121913ALCS	ORG	106-93-4	1,2-Dibromoethane	52		ug/L	2	0.26	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1430	50	104%		
D121913ALCS	D121913ALCS	ORG	591-78-6	2-Hexanone	58		ug/L	2	0.69	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1430	50	116%		
D121913ALCS	D121913ALCS	ORG	100-41-4	Ethylbenzene	49		ug/L	1	0.25	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1430	50	98%		
D121913ALCS	D121913ALCS	ORG	108-90-7	Chlorobenzene	49		ug/L	1	0.28	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1430	50	98%		
D121913ALCS	D121913ALCS	ORG	630-20-6	1,1,1,2-Tetrachloroethane	51		ug/L	2	0.19	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1430	50	102%		
D121913ALCS	D121913ALCS	ORG	XYLMP	p&m-Xylene	99		ug/L	2	0.26	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1430	100	99%		
D121913ALCS	D121913ALCS	ORG	95-47-6	o-Xylene	49		ug/L	1	0.13	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1430	50	98%		
D121913ALCS	D121913ALCS	ORG	100-42-5	Styrene	53		ug/L	1	0.20	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1430	50	106%		
D121913ALCS	D121913ALCS	ORG	75-25-2	Bromoform	62		ug/L	2	0.47	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1430	50	124%		
D121913ALCS	D121913ALCS	ORG	98-82-8	Isopropylbenzene	51		ug/L	2	0.20	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1430	50	102%		
D121913ALCS	D121913ALCS	ORG	103-65-1	n-Propylbenzene	52		ug/L	2	0.27	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1430	50	104%		
D121913ALCS	D121913ALCS	ORG	79-34-5	1,1,2,2-Tetrachloroethane	52		ug/L	2	0.29	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1430	50	104%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D121913ALCS	D121913ALCS	ORG	96-18-4	1,2,3-Trichloropropane	51		ug/L	2	0.29	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1430	50	102%		
D121913ALCS	D121913ALCS	ORG	108-67-8	1,3,5-Trimethylbenzene	51		ug/L	2	0.20	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1430	50	102%		
D121913ALCS	D121913ALCS	ORG	98-06-6	tert-Butylbenzene	54		ug/L	2	0.33	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1430	50	108%		
D121913ALCS	D121913ALCS	ORG	95-63-6	1,2,4-Trimethylbenzene	51		ug/L	2	0.20	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1430	50	102%		
D121913ALCS	D121913ALCS	ORG	135-98-8	sec-Butylbenzene	52		ug/L	2	0.32	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1430	50	104%		
D121913ALCS	D121913ALCS	ORG	541-73-1	1,3-Dichlorobenzene	50		ug/L	2	0.22	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1430	50	100%		
D121913ALCS	D121913ALCS	ORG	99-87-6	p-Isopropltoluene	52		ug/L	2	0.25	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1430	50	104%		
D121913ALCS	D121913ALCS	ORG	106-46-7	1,4-Dichlorobenzene	51		ug/L	2	0.33	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1430	50	102%		
D121913ALCS	D121913ALCS	ORG	95-50-1	1,2-Dichlorobenzene	50		ug/L	2	0.26	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1430	50	100%		
D121913ALCS	D121913ALCS	ORG	104-51-8	n-Butylbenzene	51		ug/L	5	0.28	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1430	50	102%		
D121913ALCS	D121913ALCS	ORG	96-12-8	1,2-Dibromo-3-chloropropane	56		ug/L	5	1.59	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1430	50	112%		
D121913ALCS	D121913ALCS	ORG	87-68-3	Hexachlorobutadiene	49		ug/L	5	0.65	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1430	50	98%		
D121913ALCS	D121913ALCS	ORG	120-82-1	1,2,4-Trichlorobenzene	54		ug/L	5	0.28	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1430	50	108%		
D121913ALCS	D121913ALCS	ORG	91-20-3	Naphthalene	54		ug/L	5	0.56	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1430	50	108%		
D121913ALCS	D121913ALCS	ORG	87-61-6	1,2,3-Trichlorobenzene	51		ug/L	5	0.23	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1430	50	102%		
D121913ALCS	D121913ALCS	STD	1868-53-7	Dibromofluoromethane	51		ng			NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1430	50	102%		
D121913ALCS	D121913ALCS	STD	17060-07-0	1,2-Dichloroethane d4	49		ng			NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1430	50	98%		
D121913ALCS	D121913ALCS	STD	2037-26-5	Toluene d8	49		ng			NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1430	50	98%		
D121913ALCS	D121913ALCS	STD	460-00-4	Bromofluorobenzene	46		ng			NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1430	50	92%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D121913ALCD	D121913ALCD	ORG	75-71-8	Dichlorodifluoromethane	28		ug/L	5	0.29	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1434	50	56%	7%	
D121913ALCD	D121913ALCD	ORG	74-87-3	Chloromethane	41		ug/L	5	0.43	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1434	50	82%	0%	
D121913ALCD	D121913ALCD	ORG	75-01-4	Vinyl chloride	46		ug/L	2	0.32	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1434	50	92%	2%	
D121913ALCD	D121913ALCD	ORG	74-83-9	Bromomethane	57		ug/L	5	0.50	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1434	50	114%	5%	
D121913ALCD	D121913ALCD	ORG	75-00-3	Chloroethane	65		ug/L	5	0.56	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1434	50	130%	15%	
D121913ALCD	D121913ALCD	ORG	75-69-4	Trichlorofluoromethane	270		ug/L	5	0.20	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1434	50	540%	20%	
D121913ALCD	D121913ALCD	ORG	75-35-4	1,1-Dichloroethene	42		ug/L	1	0.47	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1434	50	84%	7%	
D121913ALCD	D121913ALCD	ORG	75-09-2	Methylene chloride	44		ug/L	5	0.26	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1434	50	88%	7%	
D121913ALCD	D121913ALCD	ORG	67-64-1	Acetone	46		ug/L	10	1.56	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1434	50	92%	18%	
D121913ALCD	D121913ALCD	ORG	156-60-5	trans-1,2-Dichloroethene	38		ug/L	1	0.56	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1434	50	76%	19%	
D121913ALCD	D121913ALCD	ORG	1634-04-4	MTBE	51		ug/L	5	0.61	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1434	50	102%	2%	
D121913ALCD	D121913ALCD	ORG	75-34-3	1,1-Dichloroethane	45		ug/L	1	0.53	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1434	50	90%	0%	
D121913ALCD	D121913ALCD	ORG	156-59-2	cis-1,2-Dichloroethene	46		ug/L	1	0.32	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1434	50	92%	2%	
D121913ALCD	D121913ALCD	ORG	74-97-5	Bromochloromethane	48		ug/L	10	0.41	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1434	50	96%	4%	
D121913ALCD	D121913ALCD	ORG	67-66-3	Chloroform	47		ug/L	2	0.16	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1434	50	94%	0%	
D121913ALCD	D121913ALCD	ORG	71-55-6	1,1,1-Trichloroethane	47		ug/L	1	0.17	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1434	50	94%	0%	
D121913ALCD	D121913ALCD	ORG	78-93-3	2-Butanone	54		ug/L	1	0.81	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1434	50	108%	8%	
D121913ALCD	D121913ALCD	ORG	56-23-5	Carbon tetrachloride	48		ug/L	1	0.28	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1434	50	96%	0%	
D121913ALCD	D121913ALCD	ORG	71-43-2	Benzene	48		ug/L	1	0.14	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1434	50	96%	2%	
D121913ALCD	D121913ALCD	ORG	107-06-2	1,2-Dichloroethane	48		ug/L	1	0.20	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1434	50	96%	0%	
D121913ALCD	D121913ALCD	ORG	79-01-6	Trichloroethene	47		ug/L	1	0.36	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1434	50	94%	0%	
D121913ALCD	D121913ALCD	ORG	74-95-3	Dibromomethane	51		ug/L	2	0.32	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1434	50	102%	0%	
D121913ALCD	D121913ALCD	ORG	78-87-5	1,2-Dichloropropane	49		ug/L	1	0.18	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1434	50	98%	0%	
D121913ALCD	D121913ALCD	ORG	75-27-4	Bromodichloromethane	50		ug/L	2	0.12	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1434	50	100%	0%	
D121913ALCD	D121913ALCD	ORG	10061-01-5	cis-1,3-Dichloropropene	54		ug/L	1	0.25	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1434	50	108%	0%	
D121913ALCD	D121913ALCD	ORG	108-88-3	Toluene	48		ug/L	1	0.21	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1434	50	96%	0%	
D121913ALCD	D121913ALCD	ORG	108-10-1	4-Methyl-2-pentanone	63		ug/L	5	0.74	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1434	50	126%	3%	
D121913ALCD	D121913ALCD	ORG	10061-02-6	trans-1,3-Dichloropropene	60		ug/L	1	0.31	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1434	50	120%	2%	
D121913ALCD	D121913ALCD	ORG	127-18-4	Tetrachloroethene	45		ug/L	1	0.49	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1434	50	90%	2%	
D121913ALCD	D121913ALCD	ORG	79-00-5	1,1,2-Trichloroethane	52		ug/L	1	0.34	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1434	50	104%	6%	
D121913ALCD	D121913ALCD	ORG	124-48-1	Dibromochloromethane	56		ug/L	5	0.30	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1434	50	112%	0%	
D121913ALCD	D121913ALCD	ORG	106-93-4	1,2-Dibromoethane	52		ug/L	2	0.26	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1434	50	104%	0%	
D121913ALCD	D121913ALCD	ORG	591-78-6	2-Hexanone	45		ug/L	2	0.69	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1434	50	90%	25%	
D121913ALCD	D121913ALCD	ORG	100-41-4	Ethylbenzene	50		ug/L	1	0.25	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1434	50	100%	2%	
D121913ALCD	D121913ALCD	ORG	108-90-7	Chlorobenzene	49		ug/L	1	0.28	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1434	50	98%	0%	
D121913ALCD	D121913ALCD	ORG	630-20-6	1,1,1,2-Tetrachloroethane	51		ug/L	2	0.19	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1434	50	102%	0%	
D121913ALCD	D121913ALCD	ORG	XYLMP	p&m-Xylene	100		ug/L	2	0.26	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1434	100	100%	1%	
D121913ALCD	D121913ALCD	ORG	95-47-6	o-Xylene	50		ug/L	1	0.13	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1434	50	100%	2%	
D121913ALCD	D121913ALCD	ORG	100-42-5	Styrene	53		ug/L	1	0.20	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1434	50	106%	0%	
D121913ALCD	D121913ALCD	ORG	75-25-2	Bromoform	62		ug/L	2	0.47	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1434	50	124%	0%	
D121913ALCD	D121913ALCD	ORG	98-82-8	Isopropylbenzene	51		ug/L	2	0.20	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1434	50	102%	0%	
D121913ALCD	D121913ALCD	ORG	103-65-1	n-Propylbenzene	53		ug/L	2	0.27	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1434	50	106%	2%	
D121913ALCD	D121913ALCD	ORG	79-34-5	1,1,2,2-Tetrachloroethane	55		ug/L	2	0.29	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1434	50	110%	6%	

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
D121913ALCD	D121913ALCD	ORG	96-18-4	1,2,3-Trichloropropane	53		ug/L	2	0.29	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1434	50	106%	4%	
D121913ALCD	D121913ALCD	ORG	108-67-8	1,3,5-Trimethylbenzene	52		ug/L	2	0.20	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1434	50	104%	2%	
D121913ALCD	D121913ALCD	ORG	98-06-6	tert-Butylbenzene	55		ug/L	2	0.33	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1434	50	110%	2%	
D121913ALCD	D121913ALCD	ORG	95-63-6	1,2,4-Trimethylbenzene	51		ug/L	2	0.20	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1434	50	102%	0%	
D121913ALCD	D121913ALCD	ORG	135-98-8	sec-Butylbenzene	53		ug/L	2	0.32	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1434	50	106%	2%	
D121913ALCD	D121913ALCD	ORG	541-73-1	1,3-Dichlorobenzene	51		ug/L	2	0.22	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1434	50	102%	2%	
D121913ALCD	D121913ALCD	ORG	99-87-6	p-Isopropltoluene	53		ug/L	2	0.25	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1434	50	106%	2%	
D121913ALCD	D121913ALCD	ORG	106-46-7	1,4-Dichlorobenzene	51		ug/L	2	0.33	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1434	50	102%	0%	
D121913ALCD	D121913ALCD	ORG	95-50-1	1,2-Dichlorobenzene	51		ug/L	2	0.26	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1434	50	102%	2%	
D121913ALCD	D121913ALCD	ORG	104-51-8	n-Butylbenzene	52		ug/L	5	0.28	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1434	50	104%	2%	
D121913ALCD	D121913ALCD	ORG	96-12-8	1,2-Dibromo-3-chloropropane	56		ug/L	5	1.59	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1434	50	112%	0%	
D121913ALCD	D121913ALCD	ORG	87-68-3	Hexachlorobutadiene	45		ug/L	5	0.65	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1434	50	90%	9%	
D121913ALCD	D121913ALCD	ORG	120-82-1	1,2,4-Trichlorobenzene	50		ug/L	5	0.28	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1434	50	100%	8%	
D121913ALCD	D121913ALCD	ORG	91-20-3	Naphthalene	52		ug/L	5	0.56	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1434	50	104%	4%	
D121913ALCD	D121913ALCD	ORG	87-61-6	1,2,3-Trichlorobenzene	49		ug/L	5	0.23	NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1434	50	98%	4%	
D121913ALCD	D121913ALCD	STD	1868-53-7	Dibromofluoromethane	51		ng			NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1434	50	102%	0%	
D121913ALCD	D121913ALCD	STD	17060-07-0	1,2-Dichloroethane d4	49		ng			NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1434	50	98%	0%	
D121913ALCD	D121913ALCD	STD	2037-26-5	Toluene d8	48		ng			NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1434	50	96%	2%	
D121913ALCD	D121913ALCD	STD	460-00-4	Bromofluorobenzene	46		ng			NA	12/19/2013	12/19/2013	WQ	1	NA	5.0	NA	SW8260B	NALD1434	50	92%	0%	

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-852MS	316-170	ORG	75-71-8	Dichlorodifluoromethane	2900		ug/L	500	29.28	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1435	5000	58%		
NAL13026-852MS	316-170	ORG	74-87-3	Chloromethane	4000		ug/L	500	43.07	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1435	5000	80%		
NAL13026-852MS	316-170	ORG	75-01-4	Vinyl chloride	4400		ug/L	200	31.86	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1435	5000	88%		
NAL13026-852MS	316-170	ORG	74-83-9	Bromomethane	5200		ug/L	500	50.04	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1435	5000	104%		
NAL13026-852MS	316-170	ORG	75-00-3	Chloroethane	5200		ug/L	500	55.61	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1435	5000	104%		
NAL13026-852MS	316-170	ORG	75-69-4	Trichlorofluoromethane	30000		ug/L	500	19.65	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1435	5000	600%		
NAL13026-852MS	316-170	ORG	75-35-4	1,1-Dichloroethene	4500		ug/L	100	47.11	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1435	5000	90%		
NAL13026-852MS	316-170	ORG	75-09-2	Methylene chloride	4700		ug/L	500	26.46	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1435	5000	94%		
NAL13026-852MS	316-170	ORG	67-64-1	Acetone	320000		ug/L	1000	155.61	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1435	5000	-4400%		540000
NAL13026-852MS	316-170	ORG	156-60-5	trans-1,2-Dichloroethene	4300		ug/L	100	55.61	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1435	5000	86%		
NAL13026-852MS	316-170	ORG	1634-04-4	MTBE	5000		ug/L	500	61.18	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1435	5000	100%		
NAL13026-852MS	316-170	ORG	75-34-3	1,1-Dichloroethane	4400		ug/L	100	52.66	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1435	5000	88%		
NAL13026-852MS	316-170	ORG	156-59-2	cis-1,2-Dichloroethene	4600		ug/L	100	32.11	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1435	5000	92%		
NAL13026-852MS	316-170	ORG	74-97-5	Bromochloromethane	4500		ug/L	1000	41.37	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1435	5000	90%		
NAL13026-852MS	316-170	ORG	67-66-3	Chloroform	4500		ug/L	200	15.73	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1435	5000	90%		
NAL13026-852MS	316-170	ORG	71-55-6	1,1,1-Trichloroethane	4600		ug/L	100	16.65	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1435	5000	92%		
NAL13026-852MS	316-170	ORG	78-93-3	2-Butanone	49000		ug/L	100	81.18	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1435	5000	120%		43000
NAL13026-852MS	316-170	ORG	56-23-5	Carbon tetrachloride	4600		ug/L	100	27.64	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1435	5000	92%		
NAL13026-852MS	316-170	ORG	71-43-2	Benzene	4600		ug/L	100	13.53	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1435	5000	91%		33
NAL13026-852MS	316-170	ORG	107-06-2	1,2-Dichloroethane	4600		ug/L	100	20.01	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1435	5000	92%		
NAL13026-852MS	316-170	ORG	79-01-6	Trichloroethene	4700		ug/L	100	36.33	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1435	5000	94%		
NAL13026-852MS	316-170	ORG	74-95-3	Dibromomethane	5100		ug/L	200	32.20	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1435	5000	102%		
NAL13026-852MS	316-170	ORG	78-87-5	1,2-Dichloropropane	4800		ug/L	100	18.17	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1435	5000	96%		
NAL13026-852MS	316-170	ORG	75-27-4	Bromodichloromethane	4800		ug/L	200	11.58	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1435	5000	96%		
NAL13026-852MS	316-170	ORG	10061-01-5	cis-1,3-Dichloropropene	5200		ug/L	100	25.01	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1435	5000	104%		
NAL13026-852MS	316-170	ORG	108-88-3	Toluene	4600		ug/L	100	20.96	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1435	5000	91%		32
NAL13026-852MS	316-170	ORG	108-10-1	4-Methyl-2-pentanone	8700		ug/L	500	74.00	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1435	5000	130%		2200
NAL13026-852MS	316-170	ORG	10061-02-6	trans-1,3-Dichloropropene	5900		ug/L	100	31.15	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1435	5000	118%		
NAL13026-852MS	316-170	ORG	127-18-4	Tetrachloroethene	4300		ug/L	100	48.56	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1435	5000	86%		
NAL13026-852MS	316-170	ORG	79-00-5	1,1,2-Trichloroethane	5000		ug/L	100	34.28	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1435	5000	100%		
NAL13026-852MS	316-170	ORG	124-48-1	Dibromochloromethane	5600		ug/L	500	29.90	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1435	5000	112%		
NAL13026-852MS	316-170	ORG	106-93-4	1,2-Dibromoethane	5100		ug/L	200	26.49	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1435	5000	102%		
NAL13026-852MS	316-170	ORG	591-78-6	2-Hexanone	11000		ug/L	200	68.90	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1435	5000	78%		7100
NAL13026-852MS	316-170	ORG	100-41-4	Ethylbenzene	4700		ug/L	100	25.38	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1435	5000	92%		78
NAL13026-852MS	316-170	ORG	108-90-7	Chlorobenzene	4600		ug/L	100	27.52	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1435	5000	92%		
NAL13026-852MS	316-170	ORG	630-20-6	1,1,1,2-Tetrachloroethane	4900		ug/L	200	19.28	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1435	5000	98%		
NAL13026-852MS	316-170	ORG	XYLMP	p&m-Xylene	9900		ug/L	200	26.14	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1435	10000	97%		180
NAL13026-852MS	316-170	ORG	95-47-6	o-Xylene	5100		ug/L	100	12.90	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1435	5000	99%		140
NAL13026-852MS	316-170	ORG	100-42-5	Styrene	5200		ug/L	100	20.23	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1435	5000	104%		
NAL13026-852MS	316-170	ORG	75-25-2	Bromoform	6000		ug/L	200	46.83	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1435	5000	120%		
NAL13026-852MS	316-170	ORG	98-82-8	Isopropylbenzene	5200		ug/L	200	20.48	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1435	5000	104%		
NAL13026-852MS	316-170	ORG	103-65-1	n-Propylbenzene	5100		ug/L	200	27.00	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1435	5000	101%		74
NAL13026-852MS	316-170	ORG	79-34-5	1,1,2,2-Tetrachloroethane	5200		ug/L	200	29.16	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1435	5000	104%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-852MS	316-170	ORG	96-18-4	1,2,3-Trichloropropane	4900		ug/L	200	29.47	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1435	5000	98%		
NAL13026-852MS	316-170	ORG	108-67-8	1,3,5-Trimethylbenzene	5200		ug/L	200	20.03	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1435	5000	100%		190
NAL13026-852MS	316-170	ORG	98-06-6	tert-Butylbenzene	5400		ug/L	200	32.61	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1435	5000	108%		
NAL13026-852MS	316-170	ORG	95-63-6	1,2,4-Trimethylbenzene	5900		ug/L	200	20.03	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1435	5000	99%		960
NAL13026-852MS	316-170	ORG	135-98-8	sec-Butylbenzene	5300		ug/L	200	32.34	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1435	5000	106%		
NAL13026-852MS	316-170	ORG	541-73-1	1,3-Dichlorobenzene	4800		ug/L	200	22.21	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1435	5000	96%		
NAL13026-852MS	316-170	ORG	99-87-6	p-Isopropltoluene	8500		ug/L	200	25.48	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1435	5000	94%		3800
NAL13026-852MS	316-170	ORG	106-46-7	1,4-Dichlorobenzene	5900		ug/L	200	33.03	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1435	5000	94%		1200
NAL13026-852MS	316-170	ORG	95-50-1	1,2-Dichlorobenzene	4900		ug/L	200	26.38	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1435	5000	98%		
NAL13026-852MS	316-170	ORG	104-51-8	n-Butylbenzene	5300		ug/L	500	27.81	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1435	5000	104%		99
NAL13026-852MS	316-170	ORG	96-12-8	1,2-Dibromo-3-chloropropane	6400		ug/L	500	159.11	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1435	5000	128%		
NAL13026-852MS	316-170	ORG	87-68-3	Hexachlorobutadiene	4700		ug/L	500	65.42	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1435	5000	94%		
NAL13026-852MS	316-170	ORG	120-82-1	1,2,4-Trichlorobenzene	5400		ug/L	500	27.63	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1435	5000	108%		
NAL13026-852MS	316-170	ORG	91-20-3	Naphthalene	7300		ug/L	500	56.04	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1435	5000	114%		1600
NAL13026-852MS	316-170	ORG	87-61-6	1,2,3-Trichlorobenzene	5200		ug/L	500	23.28	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1435	5000	104%		
NAL13026-852MS	316-170	STD	1868-53-7	Dibromofluoromethane	50		ng			12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1435	50	100%		
NAL13026-852MS	316-170	STD	17060-07-0	1,2-Dichloroethane d4	47		ng			12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1435	50	94%		
NAL13026-852MS	316-170	STD	2037-26-5	Toluene d8	47		ng			12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1435	50	94%		
NAL13026-852MS	316-170	STD	460-00-4	Bromofluorobenzene	45		ng			12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1435	50	90%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-852MSD	316-170	ORG	75-71-8	Dichlorodifluoromethane	3000		ug/L	500	29.28	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1436	5000	60%	3%	0
NAL13026-852MSD	316-170	ORG	74-87-3	Chloromethane	4200		ug/L	500	43.07	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1436	5000	84%	5%	0
NAL13026-852MSD	316-170	ORG	75-01-4	Vinyl chloride	4700		ug/L	200	31.86	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1436	5000	94%	7%	0
NAL13026-852MSD	316-170	ORG	74-83-9	Bromomethane	6500		ug/L	500	50.04	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1436	5000	130%	22%	0
NAL13026-852MSD	316-170	ORG	75-00-3	Chloroethane	5400		ug/L	500	55.61	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1436	5000	108%	4%	0
NAL13026-852MSD	316-170	ORG	75-69-4	Trichlorofluoromethane	90000		ug/L	500	19.65	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1436	5000	1800%	100%	0
NAL13026-852MSD	316-170	ORG	75-35-4	1,1-Dichloroethene	4400		ug/L	100	47.11	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1436	5000	88%	2%	0
NAL13026-852MSD	316-170	ORG	75-09-2	Methylene chloride	8000		ug/L	500	26.46	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1436	5000	160%	52%	0
NAL13026-852MSD	316-170	ORG	67-64-1	Acetone	310000		ug/L	1000	155.61	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1436	5000	-4600%	3%	540000
NAL13026-852MSD	316-170	ORG	156-60-5	trans-1,2-Dichloroethene	4500		ug/L	100	55.61	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1436	5000	90%	5%	0
NAL13026-852MSD	316-170	ORG	1634-04-4	MTBE	4900		ug/L	500	61.18	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1436	5000	98%	2%	0
NAL13026-852MSD	316-170	ORG	75-34-3	1,1-Dichloroethane	4500		ug/L	100	52.66	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1436	5000	90%	2%	0
NAL13026-852MSD	316-170	ORG	156-59-2	cis-1,2-Dichloroethene	4800		ug/L	100	32.11	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1436	5000	96%	4%	0
NAL13026-852MSD	316-170	ORG	74-97-5	Bromochloromethane	4600		ug/L	1000	41.37	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1436	5000	92%	2%	0
NAL13026-852MSD	316-170	ORG	67-66-3	Chloroform	4800		ug/L	200	15.73	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1436	5000	96%	6%	0
NAL13026-852MSD	316-170	ORG	71-55-6	1,1,1-Trichloroethane	4800		ug/L	100	16.65	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1436	5000	96%	4%	0
NAL13026-852MSD	316-170	ORG	78-93-3	2-Butanone	47000		ug/L	100	81.18	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1436	5000	80%	4%	43000
NAL13026-852MSD	316-170	ORG	56-23-5	Carbon tetrachloride	5000		ug/L	100	27.64	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1436	5000	100%	8%	0
NAL13026-852MSD	316-170	ORG	71-43-2	Benzene	4900		ug/L	100	13.53	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1436	5000	97%	6%	33
NAL13026-852MSD	316-170	ORG	107-06-2	1,2-Dichloroethane	4700		ug/L	100	20.01	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1436	5000	94%	2%	0
NAL13026-852MSD	316-170	ORG	79-01-6	Trichloroethene	5000		ug/L	100	36.33	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1436	5000	100%	6%	0
NAL13026-852MSD	316-170	ORG	74-95-3	Dibromomethane	5100		ug/L	200	32.20	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1436	5000	102%	0%	0
NAL13026-852MSD	316-170	ORG	78-87-5	1,2-Dichloropropane	5000		ug/L	100	18.17	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1436	5000	100%	4%	0
NAL13026-852MSD	316-170	ORG	75-27-4	Bromodichloromethane	5200		ug/L	200	11.58	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1436	5000	104%	8%	0
NAL13026-852MSD	316-170	ORG	10061-01-5	cis-1,3-Dichloropropene	5400		ug/L	100	25.01	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1436	5000	108%	4%	0
NAL13026-852MSD	316-170	ORG	108-88-3	Toluene	4900		ug/L	100	20.96	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1436	5000	97%	6%	32
NAL13026-852MSD	316-170	ORG	108-10-1	4-Methyl-2-pentanone	8400		ug/L	500	74.00	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1436	5000	124%	4%	2200
NAL13026-852MSD	316-170	ORG	10061-02-6	trans-1,3-Dichloropropene	6200		ug/L	100	31.15	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1436	5000	124%	5%	0
NAL13026-852MSD	316-170	ORG	127-18-4	Tetrachloroethene	4600		ug/L	100	48.56	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1436	5000	92%	7%	0
NAL13026-852MSD	316-170	ORG	79-00-5	1,1,2-Trichloroethane	5300		ug/L	100	34.28	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1436	5000	106%	6%	0
NAL13026-852MSD	316-170	ORG	124-48-1	Dibromochloromethane	5800		ug/L	500	29.90	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1436	5000	116%	4%	0
NAL13026-852MSD	316-170	ORG	106-93-4	1,2-Dibromoethane	5400		ug/L	200	26.49	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1436	5000	108%	6%	0
NAL13026-852MSD	316-170	ORG	591-78-6	2-Hexanone	12000		ug/L	200	68.90	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1436	5000	98%	9%	7100
NAL13026-852MSD	316-170	ORG	100-41-4	Ethylbenzene	5200		ug/L	100	25.38	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1436	5000	102%	10%	78
NAL13026-852MSD	316-170	ORG	108-90-7	Chlorobenzene	5000		ug/L	100	27.52	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1436	5000	100%	8%	0
NAL13026-852MSD	316-170	ORG	630-20-6	1,1,1,2-Tetrachloroethane	5400		ug/L	200	19.28	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1436	5000	108%	10%	0
NAL13026-852MSD	316-170	ORG	XYLMP	p&m-Xylene	11000		ug/L	200	26.14	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1436	10000	108%	11%	180
NAL13026-852MSD	316-170	ORG	95-47-6	o-Xylene	5400		ug/L	100	12.90	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1436	5000	105%	6%	140
NAL13026-852MSD	316-170	ORG	100-42-5	Styrene	5500		ug/L	100	20.23	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1436	5000	110%	6%	0
NAL13026-852MSD	316-170	ORG	75-25-2	Bromoform	6300		ug/L	200	46.83	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1436	5000	126%	5%	0
NAL13026-852MSD	316-170	ORG	98-82-8	Isopropylbenzene	5600		ug/L	200	20.48	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1436	5000	112%	7%	0
NAL13026-852MSD	316-170	ORG	103-65-1	n-Propylbenzene	5500		ug/L	200	27.00	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1436	5000	109%	8%	74
NAL13026-852MSD	316-170	ORG	79-34-5	1,1,2,2-Tetrachloroethane	5300		ug/L	200	29.16	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1436	5000	106%	2%	0

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-852MSD	316-170	ORG	96-18-4	1,2,3-Trichloropropane	5000		ug/L	200	29.47	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1436	5000	100%	2%	0
NAL13026-852MSD	316-170	ORG	108-67-8	1,3,5-Trimethylbenzene	5600		ug/L	200	20.03	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1436	5000	108%	7%	190
NAL13026-852MSD	316-170	ORG	98-06-6	tert-Butylbenzene	5800		ug/L	200	32.61	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1436	5000	116%	7%	0
NAL13026-852MSD	316-170	ORG	95-63-6	1,2,4-Trimethylbenzene	6300		ug/L	200	20.03	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1436	5000	107%	7%	960
NAL13026-852MSD	316-170	ORG	135-98-8	sec-Butylbenzene	5700		ug/L	200	32.34	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1436	5000	114%	7%	0
NAL13026-852MSD	316-170	ORG	541-73-1	1,3-Dichlorobenzene	5200		ug/L	200	22.21	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1436	5000	104%	8%	0
NAL13026-852MSD	316-170	ORG	99-87-6	p-Isopropltoluene	8900		ug/L	200	25.48	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1436	5000	102%	5%	3800
NAL13026-852MSD	316-170	ORG	106-46-7	1,4-Dichlorobenzene	6300		ug/L	200	33.03	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1436	5000	102%	7%	1200
NAL13026-852MSD	316-170	ORG	95-50-1	1,2-Dichlorobenzene	5200		ug/L	200	26.38	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1436	5000	104%	6%	0
NAL13026-852MSD	316-170	ORG	104-51-8	n-Butylbenzene	5500		ug/L	500	27.81	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1436	5000	108%	4%	99
NAL13026-852MSD	316-170	ORG	96-12-8	1,2-Dibromo-3-chloropropane	6100		ug/L	500	159.11	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1436	5000	122%	5%	0
NAL13026-852MSD	316-170	ORG	87-68-3	Hexachlorobutadiene	5100		ug/L	500	65.42	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1436	5000	102%	8%	0
NAL13026-852MSD	316-170	ORG	120-82-1	1,2,4-Trichlorobenzene	5600		ug/L	500	27.63	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1436	5000	112%	4%	0
NAL13026-852MSD	316-170	ORG	91-20-3	Naphthalene	7500		ug/L	500	56.04	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1436	5000	118%	3%	1600
NAL13026-852MSD	316-170	ORG	87-61-6	1,2,3-Trichlorobenzene	5500		ug/L	500	23.28	12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1436	5000	110%	6%	0
NAL13026-852MSD	316-170	STD	1868-53-7	Dibromofluoromethane	50		ng			12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1436	50	100%	0%	0
NAL13026-852MSD	316-170	STD	17060-07-0	1,2-Dichloroethane d4	47		ng			12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1436	50	94%	0%	0
NAL13026-852MSD	316-170	STD	2037-26-5	Toluene d8	48		ng			12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1436	50	96%	2%	0
NAL13026-852MSD	316-170	STD	460-00-4	Bromofluorobenzene	47		ng			12/19/2013	12/19/2013	12/19/2013	WG	100	NA	5.0	NA	SW8260B	NALD1436	50	94%	4%	0

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-854	316-171	ORG	75-71-8	Dichlorodifluoromethane		UX-	ug/L	500	29.28	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0951				
NAL13026-854	316-171	ORG	74-87-3	Chloromethane		U	ug/L	500	43.07	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0951				
NAL13026-854	316-171	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0951				
NAL13026-854	316-171	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0951				
NAL13026-854	316-171	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0951				
NAL13026-854	316-171	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0951				
NAL13026-854	316-171	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0951				
NAL13026-854	316-171	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0951				
NAL13026-854	316-171	ORG	67-64-1	Acetone	110000	D	ug/L	10000	1556.07	12/20/2013	12/20/2013	12/20/2013	WG	1000	NA	5.0	NA	SW8260B	NALC0952				
NAL13026-854	316-171	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0951				
NAL13026-854	316-171	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0951				
NAL13026-854	316-171	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0951				
NAL13026-854	316-171	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0951				
NAL13026-854	316-171	ORG	74-97-5	Bromochloromethane		U	ug/L	200	41.37	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0951				
NAL13026-854	316-171	ORG	67-66-3	Chloroform		U	ug/L	100	15.73	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0951				
NAL13026-854	316-171	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	16.65	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0951				
NAL13026-854	316-171	ORG	78-93-3	2-Butanone	51000	D	ug/L	10000	811.80	12/20/2013	12/20/2013	12/20/2013	WG	1000	NA	5.0	NA	SW8260B	NALC0952				
NAL13026-854	316-171	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0951				
NAL13026-854	316-171	ORG	71-43-2	Benzene	44	J	ug/L	100	13.53	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0951				
NAL13026-854	316-171	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0951				
NAL13026-854	316-171	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0951				
NAL13026-854	316-171	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0951				
NAL13026-854	316-171	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0951				
NAL13026-854	316-171	ORG	75-27-4	Bromodichloromethane		UX-	ug/L	200	11.58	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0951				
NAL13026-854	316-171	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0951				
NAL13026-854	316-171	ORG	108-88-3	Toluene	32	J	ug/L	100	20.96	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0951				
NAL13026-854	316-171	ORG	108-10-1	4-Methyl-2-pentanone	1200		ug/L	500	74.00	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0951				
NAL13026-854	316-171	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0951				
NAL13026-854	316-171	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0951				
NAL13026-854	316-171	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0951				
NAL13026-854	316-171	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	29.90	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0951				
NAL13026-854	316-171	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	26.49	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0951				
NAL13026-854	316-171	ORG	591-78-6	2-Hexanone	3700		ug/L	500	68.90	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0951				
NAL13026-854	316-171	ORG	100-41-4	Ethylbenzene	38	JX-	ug/L	100	25.38	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0951				
NAL13026-854	316-171	ORG	108-90-7	Chlorobenzene		UX-	ug/L	100	27.52	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0951				
NAL13026-854	316-171	ORG	630-20-6	1,1,1,2-Tetrachloroethane		UX-	ug/L	200	19.28	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0951				
NAL13026-854	316-171	ORG	XYLMP	p&m-Xylene	88	J	ug/L	200	26.14	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0951				
NAL13026-854	316-171	ORG	95-47-6	o-Xylene	62	J	ug/L	100	12.90	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0951				
NAL13026-854	316-171	ORG	100-42-5	Styrene		U	ug/L	100	20.23	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0951				
NAL13026-854	316-171	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0951				
NAL13026-854	316-171	ORG	98-82-8	Isopropylbenzene	49	J	ug/L	200	20.48	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0951				
NAL13026-854	316-171	ORG	103-65-1	n-Propylbenzene	54	J	ug/L	200	27.00	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0951				
NAL13026-854	316-171	ORG	79-34-5	1,1,2,2-Tetrachloroethane		UX-	ug/L	200	29.16	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0951				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-854	316-171	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0951				
NAL13026-854	316-171	ORG	108-67-8	1,3,5-Trimethylbenzene	120	J	ug/L	200	20.03	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0951				
NAL13026-854	316-171	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0951				
NAL13026-854	316-171	ORG	95-63-6	1,2,4-Trimethylbenzene	600		ug/L	200	20.03	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0951				
NAL13026-854	316-171	ORG	135-98-8	sec-Butylbenzene	49	J	ug/L	200	32.34	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0951				
NAL13026-854	316-171	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0951				
NAL13026-854	316-171	ORG	99-87-6	p-Isopropltoluene	2900		ug/L	200	25.48	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0951				
NAL13026-854	316-171	ORG	106-46-7	1,4-Dichlorobenzene	900		ug/L	200	33.03	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0951				
NAL13026-854	316-171	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0951				
NAL13026-854	316-171	ORG	104-51-8	n-Butylbenzene	93	J	ug/L	500	27.81	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0951				
NAL13026-854	316-171	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0951				
NAL13026-854	316-171	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0951				
NAL13026-854	316-171	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0951				
NAL13026-854	316-171	ORG	91-20-3	Naphthalene	1500		ug/L	500	56.04	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0951				
NAL13026-854	316-171	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0951				
NAL13026-854	316-171	STD	1868-53-7	Dibromofluoromethane	53		ng			12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0951	50	106%		
NAL13026-854	316-171	STD	17060-07-0	1,2-Dichloroethane d4	52		ng			12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0951	50	104%		
NAL13026-854	316-171	STD	2037-26-5	Toluene d8	42		ng			12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0951	50	84%		
NAL13026-854	316-171	STD	460-00-4	Bromofluorobenzene	46		ng			12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0951	50	92%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-855	96-SW01c	ORG	75-71-8	Dichlorodifluoromethane		UX-	ug/L	500	29.28	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0953				
NAL13026-855	96-SW01c	ORG	74-87-3	Chloromethane		U	ug/L	500	43.07	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0953				
NAL13026-855	96-SW01c	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0953				
NAL13026-855	96-SW01c	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0953				
NAL13026-855	96-SW01c	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0953				
NAL13026-855	96-SW01c	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0953				
NAL13026-855	96-SW01c	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0953				
NAL13026-855	96-SW01c	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0953				
NAL13026-855	96-SW01c	ORG	67-64-1	Acetone	3500		ug/L	1000	155.61	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0953				
NAL13026-855	96-SW01c	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0953				
NAL13026-855	96-SW01c	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0953				
NAL13026-855	96-SW01c	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0953				
NAL13026-855	96-SW01c	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0953				
NAL13026-855	96-SW01c	ORG	74-97-5	Bromochloromethane		U	ug/L	200	41.37	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0953				
NAL13026-855	96-SW01c	ORG	67-66-3	Chloroform		U	ug/L	100	15.73	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0953				
NAL13026-855	96-SW01c	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	16.65	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0953				
NAL13026-855	96-SW01c	ORG	78-93-3	2-Butanone	1900		ug/L	1000	81.18	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0953				
NAL13026-855	96-SW01c	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0953				
NAL13026-855	96-SW01c	ORG	71-43-2	Benzene	17	J	ug/L	100	13.53	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0953				
NAL13026-855	96-SW01c	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0953				
NAL13026-855	96-SW01c	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0953				
NAL13026-855	96-SW01c	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0953				
NAL13026-855	96-SW01c	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0953				
NAL13026-855	96-SW01c	ORG	75-27-4	Bromodichloromethane		UX-	ug/L	200	11.58	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0953				
NAL13026-855	96-SW01c	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0953				
NAL13026-855	96-SW01c	ORG	108-88-3	Toluene		U	ug/L	100	20.96	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0953				
NAL13026-855	96-SW01c	ORG	108-10-1	4-Methyl-2-pentanone		U	ug/L	500	74.00	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0953				
NAL13026-855	96-SW01c	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0953				
NAL13026-855	96-SW01c	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0953				
NAL13026-855	96-SW01c	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0953				
NAL13026-855	96-SW01c	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	29.90	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0953				
NAL13026-855	96-SW01c	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	26.49	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0953				
NAL13026-855	96-SW01c	ORG	591-78-6	2-Hexanone		U	ug/L	500	68.90	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0953				
NAL13026-855	96-SW01c	ORG	100-41-4	Ethylbenzene		UX-	ug/L	100	25.38	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0953				
NAL13026-855	96-SW01c	ORG	108-90-7	Chlorobenzene		UX-	ug/L	100	27.52	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0953				
NAL13026-855	96-SW01c	ORG	630-20-6	1,1,1,2-Tetrachloroethane		UX-	ug/L	200	19.28	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0953				
NAL13026-855	96-SW01c	ORG	XYLMP	p&m-Xylene		U	ug/L	200	26.14	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0953				
NAL13026-855	96-SW01c	ORG	95-47-6	o-Xylene		U	ug/L	100	12.90	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0953				
NAL13026-855	96-SW01c	ORG	100-42-5	Styrene		U	ug/L	100	20.23	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0953				
NAL13026-855	96-SW01c	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0953				
NAL13026-855	96-SW01c	ORG	98-82-8	Isopropylbenzene		U	ug/L	200	20.48	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0953				
NAL13026-855	96-SW01c	ORG	103-65-1	n-Propylbenzene		U	ug/L	200	27.00	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0953				
NAL13026-855	96-SW01c	ORG	79-34-5	1,1,2,2-Tetrachloroethane		UX-	ug/L	200	29.16	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0953				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-855	96-SW01c	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0953				
NAL13026-855	96-SW01c	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	200	20.03	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0953				
NAL13026-855	96-SW01c	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0953				
NAL13026-855	96-SW01c	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	200	20.03	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0953				
NAL13026-855	96-SW01c	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0953				
NAL13026-855	96-SW01c	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0953				
NAL13026-855	96-SW01c	ORG	99-87-6	p-Isopropltoluene	38	J	ug/L	200	25.48	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0953				
NAL13026-855	96-SW01c	ORG	106-46-7	1,4-Dichlorobenzene	45	J	ug/L	200	33.03	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0953				
NAL13026-855	96-SW01c	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0953				
NAL13026-855	96-SW01c	ORG	104-51-8	n-Butylbenzene		U	ug/L	500	27.81	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0953				
NAL13026-855	96-SW01c	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0953				
NAL13026-855	96-SW01c	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0953				
NAL13026-855	96-SW01c	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0953				
NAL13026-855	96-SW01c	ORG	91-20-3	Naphthalene	69	J	ug/L	500	56.04	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0953				
NAL13026-855	96-SW01c	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0953				
NAL13026-855	96-SW01c	STD	1868-53-7	Dibromofluoromethane	51		ng			12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0953	50	102%		
NAL13026-855	96-SW01c	STD	17060-07-0	1,2-Dichloroethane d4	53		ng			12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0953	50	106%		
NAL13026-855	96-SW01c	STD	2037-26-5	Toluene d8	45		ng			12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0953	50	90%		
NAL13026-855	96-SW01c	STD	460-00-4	Bromofluorobenzene	49		ng			12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0953	50	98%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C122013CCVA	C122013CCVA	ORG	75-71-8	Dichlorodifluoromethane	32		ug/L	5	0.29	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0948	50	64%		
C122013CCVA	C122013CCVA	ORG	74-87-3	Chloromethane	45		ug/L	5	0.43	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0948	50	90%		
C122013CCVA	C122013CCVA	ORG	75-01-4	Vinyl chloride	45		ug/L	2	0.32	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0948	50	90%		
C122013CCVA	C122013CCVA	ORG	74-83-9	Bromomethane	63		ug/L	5	0.50	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0948	50	126%		
C122013CCVA	C122013CCVA	ORG	75-00-3	Chloroethane	58		ug/L	5	0.56	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0948	50	116%		
C122013CCVA	C122013CCVA	ORG	75-69-4	Trichlorofluoromethane	140		ug/L	5	0.20	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0948	50	280%		
C122013CCVA	C122013CCVA	ORG	75-35-4	1,1-Dichloroethene	44		ug/L	1	0.47	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0948	50	88%		
C122013CCVA	C122013CCVA	ORG	75-09-2	Methylene chloride	49		ug/L	5	0.26	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0948	50	98%		
C122013CCVA	C122013CCVA	ORG	67-64-1	Acetone	56		ug/L	10	1.56	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0948	50	112%		
C122013CCVA	C122013CCVA	ORG	156-60-5	trans-1,2-Dichloroethene	46		ug/L	1	0.56	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0948	50	92%		
C122013CCVA	C122013CCVA	ORG	1634-04-4	MTBE	56		ug/L	5	0.61	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0948	50	112%		
C122013CCVA	C122013CCVA	ORG	75-34-3	1,1-Dichloroethane	46		ug/L	1	0.53	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0948	50	92%		
C122013CCVA	C122013CCVA	ORG	156-59-2	cis-1,2-Dichloroethene	44		ug/L	1	0.32	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0948	50	88%		
C122013CCVA	C122013CCVA	ORG	74-97-5	Bromochloromethane	49		ug/L	10	0.41	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0948	50	98%		
C122013CCVA	C122013CCVA	ORG	67-66-3	Chloroform	46		ug/L	2	0.16	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0948	50	92%		
C122013CCVA	C122013CCVA	ORG	71-55-6	1,1,1-Trichloroethane	48		ug/L	1	0.17	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0948	50	96%		
C122013CCVA	C122013CCVA	ORG	78-93-3	2-Butanone	51		ug/L	1	0.81	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0948	50	102%		
C122013CCVA	C122013CCVA	ORG	56-23-5	Carbon tetrachloride	46		ug/L	1	0.28	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0948	50	92%		
C122013CCVA	C122013CCVA	ORG	71-43-2	Benzene	44		ug/L	1	0.14	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0948	50	88%		
C122013CCVA	C122013CCVA	ORG	107-06-2	1,2-Dichloroethane	47		ug/L	1	0.20	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0948	50	94%		
C122013CCVA	C122013CCVA	ORG	79-01-6	Trichloroethene	44		ug/L	1	0.36	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0948	50	88%		
C122013CCVA	C122013CCVA	ORG	74-95-3	Dibromomethane	40		ug/L	2	0.32	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0948	50	80%		
C122013CCVA	C122013CCVA	ORG	78-87-5	1,2-Dichloropropane	41		ug/L	1	0.18	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0948	50	82%		
C122013CCVA	C122013CCVA	ORG	75-27-4	Bromodichloromethane	39		ug/L	2	0.12	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0948	50	78%		
C122013CCVA	C122013CCVA	ORG	10061-01-5	cis-1,3-Dichloropropene	49		ug/L	1	0.25	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0948	50	98%		
C122013CCVA	C122013CCVA	ORG	108-88-3	Toluene	40		ug/L	1	0.21	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0948	50	80%		
C122013CCVA	C122013CCVA	ORG	108-10-1	4-Methyl-2-pentanone	50		ug/L	5	0.74	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0948	50	100%		
C122013CCVA	C122013CCVA	ORG	10061-02-6	trans-1,3-Dichloropropene	51		ug/L	1	0.31	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0948	50	102%		
C122013CCVA	C122013CCVA	ORG	127-18-4	Tetrachloroethene	40		ug/L	1	0.49	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0948	50	80%		
C122013CCVA	C122013CCVA	ORG	79-00-5	1,1,2-Trichloroethane	45		ug/L	1	0.34	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0948	50	90%		
C122013CCVA	C122013CCVA	ORG	124-48-1	Dibromochloromethane	47		ug/L	5	0.30	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0948	50	94%		
C122013CCVA	C122013CCVA	ORG	106-93-4	1,2-Dibromoethane	47		ug/L	2	0.26	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0948	50	94%		
C122013CCVA	C122013CCVA	ORG	591-78-6	2-Hexanone	52		ug/L	2	0.69	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0948	50	104%		
C122013CCVA	C122013CCVA	ORG	100-41-4	Ethylbenzene	37		ug/L	1	0.25	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0948	50	74%		
C122013CCVA	C122013CCVA	ORG	108-90-7	Chlorobenzene	36		ug/L	1	0.28	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0948	50	72%		
C122013CCVA	C122013CCVA	ORG	630-20-6	1,1,1,2-Tetrachloroethane	39		ug/L	2	0.19	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0948	50	78%		
C122013CCVA	C122013CCVA	ORG	XYLMP	p&m-Xylene	80		ug/L	2	0.26	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0948	100	80%		
C122013CCVA	C122013CCVA	ORG	95-47-6	o-Xylene	40		ug/L	1	0.13	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0948	50	80%		
C122013CCVA	C122013CCVA	ORG	100-42-5	Styrene	42		ug/L	1	0.20	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0948	50	84%		
C122013CCVA	C122013CCVA	ORG	75-25-2	Bromoform	44		ug/L	2	0.47	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0948	50	88%		
C122013CCVA	C122013CCVA	ORG	98-82-8	Isopropylbenzene	42		ug/L	2	0.20	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0948	50	84%		
C122013CCVA	C122013CCVA	ORG	103-65-1	n-Propylbenzene	42		ug/L	2	0.27	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0948	50	84%		
C122013CCVA	C122013CCVA	ORG	79-34-5	1,1,2,2-Tetrachloroethane	38		ug/L	2	0.29	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0948	50	76%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C122013CCVA	C122013CCVA	ORG	96-18-4	1,2,3-Trichloropropane	42		ug/L	2	0.29	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0948	50	84%		
C122013CCVA	C122013CCVA	ORG	108-67-8	1,3,5-Trimethylbenzene	44		ug/L	2	0.20	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0948	50	88%		
C122013CCVA	C122013CCVA	ORG	98-06-6	tert-Butylbenzene	48		ug/L	2	0.33	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0948	50	96%		
C122013CCVA	C122013CCVA	ORG	95-63-6	1,2,4-Trimethylbenzene	46		ug/L	2	0.20	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0948	50	92%		
C122013CCVA	C122013CCVA	ORG	135-98-8	sec-Butylbenzene	46		ug/L	2	0.32	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0948	50	92%		
C122013CCVA	C122013CCVA	ORG	541-73-1	1,3-Dichlorobenzene	47		ug/L	2	0.22	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0948	50	94%		
C122013CCVA	C122013CCVA	ORG	99-87-6	p-Isopropltoluene	48		ug/L	2	0.25	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0948	50	96%		
C122013CCVA	C122013CCVA	ORG	106-46-7	1,4-Dichlorobenzene	45		ug/L	2	0.33	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0948	50	90%		
C122013CCVA	C122013CCVA	ORG	95-50-1	1,2-Dichlorobenzene	48		ug/L	2	0.26	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0948	50	96%		
C122013CCVA	C122013CCVA	ORG	104-51-8	n-Butylbenzene	47		ug/L	5	0.28	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0948	50	94%		
C122013CCVA	C122013CCVA	ORG	96-12-8	1,2-Dibromo-3-chloropropane	54		ug/L	5	1.59	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0948	50	108%		
C122013CCVA	C122013CCVA	ORG	87-68-3	Hexachlorobutadiene	58		ug/L	5	0.65	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0948	50	116%		
C122013CCVA	C122013CCVA	ORG	120-82-1	1,2,4-Trichlorobenzene	57		ug/L	5	0.28	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0948	50	114%		
C122013CCVA	C122013CCVA	ORG	91-20-3	Naphthalene	55		ug/L	5	0.56	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0948	50	110%		
C122013CCVA	C122013CCVA	ORG	87-61-6	1,2,3-Trichlorobenzene	57		ug/L	5	0.23	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0948	50	114%		
C122013CCVA	C122013CCVA	STD	1868-53-7	Dibromofluoromethane	52		ng			NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0948	50	104%		
C122013CCVA	C122013CCVA	STD	17060-07-0	1,2-Dichloroethane d4	52		ng			NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0948	50	104%		
C122013CCVA	C122013CCVA	STD	2037-26-5	Toluene d8	42		ng			NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0948	50	84%		
C122013CCVA	C122013CCVA	STD	460-00-4	Bromofluorobenzene	42		ng			NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0948	50	84%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C122013MBKA	C122013MBKA	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	5	0.29	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0950				
C122013MBKA	C122013MBKA	ORG	74-87-3	Chloromethane		U	ug/L	5	0.43	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0950				
C122013MBKA	C122013MBKA	ORG	75-01-4	Vinyl chloride		U	ug/L	2	0.32	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0950				
C122013MBKA	C122013MBKA	ORG	74-83-9	Bromomethane		U	ug/L	5	0.50	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0950				
C122013MBKA	C122013MBKA	ORG	75-00-3	Chloroethane		U	ug/L	5	0.56	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0950				
C122013MBKA	C122013MBKA	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	5	0.20	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0950				
C122013MBKA	C122013MBKA	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	1	0.47	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0950				
C122013MBKA	C122013MBKA	ORG	75-09-2	Methylene chloride		U	ug/L	5	0.26	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0950				
C122013MBKA	C122013MBKA	ORG	67-64-1	Acetone		U	ug/L	10	1.56	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0950				
C122013MBKA	C122013MBKA	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	1	0.56	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0950				
C122013MBKA	C122013MBKA	ORG	1634-04-4	MTBE		U	ug/L	5	0.61	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0950				
C122013MBKA	C122013MBKA	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	1	0.53	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0950				
C122013MBKA	C122013MBKA	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	1	0.32	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0950				
C122013MBKA	C122013MBKA	ORG	74-97-5	Bromochloromethane		U	ug/L	10	0.41	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0950				
C122013MBKA	C122013MBKA	ORG	67-66-3	Chloroform		U	ug/L	2	0.16	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0950				
C122013MBKA	C122013MBKA	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	1	0.17	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0950				
C122013MBKA	C122013MBKA	ORG	78-93-3	2-Butanone		U	ug/L	1	0.81	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0950				
C122013MBKA	C122013MBKA	ORG	56-23-5	Carbon tetrachloride		U	ug/L	1	0.28	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0950				
C122013MBKA	C122013MBKA	ORG	71-43-2	Benzene		U	ug/L	1	0.14	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0950				
C122013MBKA	C122013MBKA	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	1	0.20	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0950				
C122013MBKA	C122013MBKA	ORG	79-01-6	Trichloroethene		U	ug/L	1	0.36	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0950				
C122013MBKA	C122013MBKA	ORG	74-95-3	Dibromomethane		U	ug/L	2	0.32	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0950				
C122013MBKA	C122013MBKA	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	1	0.18	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0950				
C122013MBKA	C122013MBKA	ORG	75-27-4	Bromodichloromethane		U	ug/L	2	0.12	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0950				
C122013MBKA	C122013MBKA	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	1	0.25	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0950				
C122013MBKA	C122013MBKA	ORG	108-88-3	Toluene		U	ug/L	1	0.21	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0950				
C122013MBKA	C122013MBKA	ORG	108-10-1	4-Methyl-2-pentanone		U	ug/L	5	0.74	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0950				
C122013MBKA	C122013MBKA	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	1	0.31	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0950				
C122013MBKA	C122013MBKA	ORG	127-18-4	Tetrachloroethene		U	ug/L	1	0.49	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0950				
C122013MBKA	C122013MBKA	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	1	0.34	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0950				
C122013MBKA	C122013MBKA	ORG	124-48-1	Dibromochloromethane		U	ug/L	5	0.30	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0950				
C122013MBKA	C122013MBKA	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	2	0.26	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0950				
C122013MBKA	C122013MBKA	ORG	591-78-6	2-Hexanone		U	ug/L	2	0.69	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0950				
C122013MBKA	C122013MBKA	ORG	100-41-4	Ethylbenzene		U	ug/L	1	0.25	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0950				
C122013MBKA	C122013MBKA	ORG	108-90-7	Chlorobenzene		U	ug/L	1	0.28	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0950				
C122013MBKA	C122013MBKA	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	2	0.19	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0950				
C122013MBKA	C122013MBKA	ORG	XYLMP	p&m-Xylene		U	ug/L	2	0.26	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0950				
C122013MBKA	C122013MBKA	ORG	95-47-6	o-Xylene		U	ug/L	1	0.13	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0950				
C122013MBKA	C122013MBKA	ORG	100-42-5	Styrene		U	ug/L	1	0.20	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0950				
C122013MBKA	C122013MBKA	ORG	75-25-2	Bromoform		U	ug/L	2	0.47	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0950				
C122013MBKA	C122013MBKA	ORG	98-82-8	Isopropylbenzene		U	ug/L	2	0.20	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0950				
C122013MBKA	C122013MBKA	ORG	103-65-1	n-Propylbenzene		U	ug/L	2	0.27	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0950				
C122013MBKA	C122013MBKA	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	2	0.29	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0950				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C122013MBKA	C122013MBKA	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	2	0.29	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0950				
C122013MBKA	C122013MBKA	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	2	0.20	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0950				
C122013MBKA	C122013MBKA	ORG	98-06-6	tert-Butylbenzene		U	ug/L	2	0.33	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0950				
C122013MBKA	C122013MBKA	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	2	0.20	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0950				
C122013MBKA	C122013MBKA	ORG	135-98-8	sec-Butylbenzene		U	ug/L	2	0.32	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0950				
C122013MBKA	C122013MBKA	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	2	0.22	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0950				
C122013MBKA	C122013MBKA	ORG	99-87-6	p-Isopropltoluene		U	ug/L	2	0.25	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0950				
C122013MBKA	C122013MBKA	ORG	106-46-7	1,4-Dichlorobenzene		U	ug/L	2	0.33	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0950				
C122013MBKA	C122013MBKA	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	2	0.26	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0950				
C122013MBKA	C122013MBKA	ORG	104-51-8	n-Butylbenzene		U	ug/L	5	0.28	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0950				
C122013MBKA	C122013MBKA	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	5	1.59	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0950				
C122013MBKA	C122013MBKA	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	5	0.65	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0950				
C122013MBKA	C122013MBKA	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	5	0.28	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0950				
C122013MBKA	C122013MBKA	ORG	91-20-3	Naphthalene		U	ug/L	5	0.56	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0950				
C122013MBKA	C122013MBKA	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	5	0.23	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0950				
C122013MBKA	C122013MBKA	STD	1868-53-7	Dibromofluoromethane	53		ng			NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0950	50	106%		
C122013MBKA	C122013MBKA	STD	17060-07-0	1,2-Dichloroethane d4	52		ng			NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0950	50	104%		
C122013MBKA	C122013MBKA	STD	2037-26-5	Toluene d8	49		ng			NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0950	50	98%		
C122013MBKA	C122013MBKA	STD	460-00-4	Bromofluorobenzene	45		ng			NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0950	50	90%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C122013ALCS	C122013ALCS	ORG	75-71-8	Dichlorodifluoromethane	40		ug/L	5	0.29	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0949	50	80%		
C122013ALCS	C122013ALCS	ORG	74-87-3	Chloromethane	53		ug/L	5	0.43	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0949	50	106%		
C122013ALCS	C122013ALCS	ORG	75-01-4	Vinyl chloride	57		ug/L	2	0.32	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0949	50	114%		
C122013ALCS	C122013ALCS	ORG	74-83-9	Bromomethane	75		ug/L	5	0.50	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0949	50	150%		
C122013ALCS	C122013ALCS	ORG	75-00-3	Chloroethane	63		ug/L	5	0.56	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0949	50	126%		
C122013ALCS	C122013ALCS	ORG	75-69-4	Trichlorofluoromethane	130		ug/L	5	0.20	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0949	50	260%		
C122013ALCS	C122013ALCS	ORG	75-35-4	1,1-Dichloroethene	52		ug/L	1	0.47	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0949	50	104%		
C122013ALCS	C122013ALCS	ORG	75-09-2	Methylene chloride	55		ug/L	5	0.26	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0949	50	110%		
C122013ALCS	C122013ALCS	ORG	67-64-1	Acetone	71		ug/L	10	1.56	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0949	50	142%		
C122013ALCS	C122013ALCS	ORG	156-60-5	trans-1,2-Dichloroethene	52		ug/L	1	0.56	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0949	50	104%		
C122013ALCS	C122013ALCS	ORG	1634-04-4	MTBE	67		ug/L	5	0.61	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0949	50	134%		
C122013ALCS	C122013ALCS	ORG	75-34-3	1,1-Dichloroethane	51		ug/L	1	0.53	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0949	50	102%		
C122013ALCS	C122013ALCS	ORG	156-59-2	cis-1,2-Dichloroethene	49		ug/L	1	0.32	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0949	50	98%		
C122013ALCS	C122013ALCS	ORG	74-97-5	Bromochloromethane	52		ug/L	10	0.41	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0949	50	104%		
C122013ALCS	C122013ALCS	ORG	67-66-3	Chloroform	49		ug/L	2	0.16	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0949	50	98%		
C122013ALCS	C122013ALCS	ORG	71-55-6	1,1,1-Trichloroethane	51		ug/L	1	0.17	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0949	50	102%		
C122013ALCS	C122013ALCS	ORG	78-93-3	2-Butanone	59		ug/L	1	0.81	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0949	50	118%		
C122013ALCS	C122013ALCS	ORG	56-23-5	Carbon tetrachloride	49		ug/L	1	0.28	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0949	50	98%		
C122013ALCS	C122013ALCS	ORG	71-43-2	Benzene	46		ug/L	1	0.14	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0949	50	92%		
C122013ALCS	C122013ALCS	ORG	107-06-2	1,2-Dichloroethane	47		ug/L	1	0.20	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0949	50	94%		
C122013ALCS	C122013ALCS	ORG	79-01-6	Trichloroethene	43		ug/L	1	0.36	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0949	50	86%		
C122013ALCS	C122013ALCS	ORG	74-95-3	Dibromomethane	39		ug/L	2	0.32	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0949	50	78%		
C122013ALCS	C122013ALCS	ORG	78-87-5	1,2-Dichloropropane	41		ug/L	1	0.18	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0949	50	82%		
C122013ALCS	C122013ALCS	ORG	75-27-4	Bromodichloromethane	42		ug/L	2	0.12	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0949	50	84%		
C122013ALCS	C122013ALCS	ORG	10061-01-5	cis-1,3-Dichloropropene	40		ug/L	1	0.25	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0949	50	80%		
C122013ALCS	C122013ALCS	ORG	108-88-3	Toluene	43		ug/L	1	0.21	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0949	50	86%		
C122013ALCS	C122013ALCS	ORG	108-10-1	4-Methyl-2-pentanone	55		ug/L	5	0.74	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0949	50	110%		
C122013ALCS	C122013ALCS	ORG	10061-02-6	trans-1,3-Dichloropropene	54		ug/L	1	0.31	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0949	50	108%		
C122013ALCS	C122013ALCS	ORG	127-18-4	Tetrachloroethene	44		ug/L	1	0.49	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0949	50	88%		
C122013ALCS	C122013ALCS	ORG	79-00-5	1,1,2-Trichloroethane	47		ug/L	1	0.34	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0949	50	94%		
C122013ALCS	C122013ALCS	ORG	124-48-1	Dibromochloromethane	50		ug/L	5	0.30	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0949	50	100%		
C122013ALCS	C122013ALCS	ORG	106-93-4	1,2-Dibromoethane	48		ug/L	2	0.26	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0949	50	96%		
C122013ALCS	C122013ALCS	ORG	591-78-6	2-Hexanone	59		ug/L	2	0.69	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0949	50	118%		
C122013ALCS	C122013ALCS	ORG	100-41-4	Ethylbenzene	38		ug/L	1	0.25	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0949	50	76%		
C122013ALCS	C122013ALCS	ORG	108-90-7	Chlorobenzene	37		ug/L	1	0.28	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0949	50	74%		
C122013ALCS	C122013ALCS	ORG	630-20-6	1,1,1,2-Tetrachloroethane	40		ug/L	2	0.19	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0949	50	80%		
C122013ALCS	C122013ALCS	ORG	XYLMP	p&m-Xylene	82		ug/L	2	0.26	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0949	100	82%		
C122013ALCS	C122013ALCS	ORG	95-47-6	o-Xylene	39		ug/L	1	0.13	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0949	50	78%		
C122013ALCS	C122013ALCS	ORG	100-42-5	Styrene	43		ug/L	1	0.20	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0949	50	86%		
C122013ALCS	C122013ALCS	ORG	75-25-2	Bromoform	47		ug/L	2	0.47	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0949	50	94%		
C122013ALCS	C122013ALCS	ORG	98-82-8	Isopropylbenzene	43		ug/L	2	0.20	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0949	50	86%		
C122013ALCS	C122013ALCS	ORG	103-65-1	n-Propylbenzene	44		ug/L	2	0.27	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0949	50	88%		
C122013ALCS	C122013ALCS	ORG	79-34-5	1,1,2,2-Tetrachloroethane	41		ug/L	2	0.29	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0949	50	82%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C122013ALCS	C122013ALCS	ORG	96-18-4	1,2,3-Trichloropropane	46		ug/L	2	0.29	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0949	50	92%		
C122013ALCS	C122013ALCS	ORG	108-67-8	1,3,5-Trimethylbenzene	46		ug/L	2	0.20	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0949	50	92%		
C122013ALCS	C122013ALCS	ORG	98-06-6	tert-Butylbenzene	48		ug/L	2	0.33	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0949	50	96%		
C122013ALCS	C122013ALCS	ORG	95-63-6	1,2,4-Trimethylbenzene	48		ug/L	2	0.20	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0949	50	96%		
C122013ALCS	C122013ALCS	ORG	135-98-8	sec-Butylbenzene	48		ug/L	2	0.32	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0949	50	96%		
C122013ALCS	C122013ALCS	ORG	541-73-1	1,3-Dichlorobenzene	49		ug/L	2	0.22	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0949	50	98%		
C122013ALCS	C122013ALCS	ORG	99-87-6	p-Isopropltoluene	49		ug/L	2	0.25	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0949	50	98%		
C122013ALCS	C122013ALCS	ORG	106-46-7	1,4-Dichlorobenzene	47		ug/L	2	0.33	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0949	50	94%		
C122013ALCS	C122013ALCS	ORG	95-50-1	1,2-Dichlorobenzene	49		ug/L	2	0.26	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0949	50	98%		
C122013ALCS	C122013ALCS	ORG	104-51-8	n-Butylbenzene	49		ug/L	5	0.28	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0949	50	98%		
C122013ALCS	C122013ALCS	ORG	96-12-8	1,2-Dibromo-3-chloropropane	56		ug/L	5	1.59	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0949	50	112%		
C122013ALCS	C122013ALCS	ORG	87-68-3	Hexachlorobutadiene	57		ug/L	5	0.65	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0949	50	114%		
C122013ALCS	C122013ALCS	ORG	120-82-1	1,2,4-Trichlorobenzene	55		ug/L	5	0.28	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0949	50	110%		
C122013ALCS	C122013ALCS	ORG	91-20-3	Naphthalene	57		ug/L	5	0.56	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0949	50	114%		
C122013ALCS	C122013ALCS	ORG	87-61-6	1,2,3-Trichlorobenzene	56		ug/L	5	0.23	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0949	50	112%		
C122013ALCS	C122013ALCS	STD	1868-53-7	Dibromofluoromethane	53		ng			NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0949	50	106%		
C122013ALCS	C122013ALCS	STD	17060-07-0	1,2-Dichloroethane d4	52		ng			NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0949	50	104%		
C122013ALCS	C122013ALCS	STD	2037-26-5	Toluene d8	43		ng			NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0949	50	86%		
C122013ALCS	C122013ALCS	STD	460-00-4	Bromofluorobenzene	39		ng			NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0949	50	78%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C122013ALCD	C122013ALCD	ORG	75-71-8	Dichlorodifluoromethane	30		ug/L	5	0.29	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0954	50	60%	29%	
C122013ALCD	C122013ALCD	ORG	74-87-3	Chloromethane	43		ug/L	5	0.43	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0954	50	86%	21%	
C122013ALCD	C122013ALCD	ORG	75-01-4	Vinyl chloride	42		ug/L	2	0.32	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0954	50	84%	30%	
C122013ALCD	C122013ALCD	ORG	74-83-9	Bromomethane	66		ug/L	5	0.50	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0954	50	132%	13%	
C122013ALCD	C122013ALCD	ORG	75-00-3	Chloroethane	69		ug/L	5	0.56	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0954	50	138%	9%	
C122013ALCD	C122013ALCD	ORG	75-69-4	Trichlorofluoromethane	150		ug/L	5	0.20	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0954	50	300%	14%	
C122013ALCD	C122013ALCD	ORG	75-35-4	1,1-Dichloroethene	44		ug/L	1	0.47	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0954	50	88%	17%	
C122013ALCD	C122013ALCD	ORG	75-09-2	Methylene chloride	49		ug/L	5	0.26	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0954	50	98%	12%	
C122013ALCD	C122013ALCD	ORG	67-64-1	Acetone	56		ug/L	10	1.56	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0954	50	112%	24%	
C122013ALCD	C122013ALCD	ORG	156-60-5	trans-1,2-Dichloroethene	46		ug/L	1	0.56	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0954	50	92%	12%	
C122013ALCD	C122013ALCD	ORG	1634-04-4	MTBE	54		ug/L	5	0.61	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0954	50	108%	21%	
C122013ALCD	C122013ALCD	ORG	75-34-3	1,1-Dichloroethane	47		ug/L	1	0.53	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0954	50	94%	8%	
C122013ALCD	C122013ALCD	ORG	156-59-2	cis-1,2-Dichloroethene	46		ug/L	1	0.32	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0954	50	92%	6%	
C122013ALCD	C122013ALCD	ORG	74-97-5	Bromochloromethane	48		ug/L	10	0.41	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0954	50	96%	8%	
C122013ALCD	C122013ALCD	ORG	67-66-3	Chloroform	47		ug/L	2	0.16	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0954	50	94%	4%	
C122013ALCD	C122013ALCD	ORG	71-55-6	1,1,1-Trichloroethane	48		ug/L	1	0.17	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0954	50	96%	6%	
C122013ALCD	C122013ALCD	ORG	78-93-3	2-Butanone	51		ug/L	1	0.81	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0954	50	102%	15%	
C122013ALCD	C122013ALCD	ORG	56-23-5	Carbon tetrachloride	47		ug/L	1	0.28	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0954	50	94%	4%	
C122013ALCD	C122013ALCD	ORG	71-43-2	Benzene	45		ug/L	1	0.14	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0954	50	90%	2%	
C122013ALCD	C122013ALCD	ORG	107-06-2	1,2-Dichloroethane	46		ug/L	1	0.20	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0954	50	92%	2%	
C122013ALCD	C122013ALCD	ORG	79-01-6	Trichloroethene	44		ug/L	1	0.36	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0954	50	88%	2%	
C122013ALCD	C122013ALCD	ORG	74-95-3	Dibromomethane	39		ug/L	2	0.32	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0954	50	78%	0%	
C122013ALCD	C122013ALCD	ORG	78-87-5	1,2-Dichloropropane	39		ug/L	1	0.18	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0954	50	78%	5%	
C122013ALCD	C122013ALCD	ORG	75-27-4	Bromodichloromethane	41		ug/L	2	0.12	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0954	50	82%	2%	
C122013ALCD	C122013ALCD	ORG	10061-01-5	cis-1,3-Dichloropropene	38		ug/L	1	0.25	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0954	50	76%	5%	
C122013ALCD	C122013ALCD	ORG	108-88-3	Toluene	42		ug/L	1	0.21	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0954	50	84%	2%	
C122013ALCD	C122013ALCD	ORG	108-10-1	4-Methyl-2-pentanone	45		ug/L	5	0.74	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0954	50	90%	20%	
C122013ALCD	C122013ALCD	ORG	10061-02-6	trans-1,3-Dichloropropene	53		ug/L	1	0.31	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0954	50	106%	2%	
C122013ALCD	C122013ALCD	ORG	127-18-4	Tetrachloroethene	53		ug/L	1	0.49	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0954	50	106%	19%	
C122013ALCD	C122013ALCD	ORG	79-00-5	1,1,2-Trichloroethane	48		ug/L	1	0.34	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0954	50	96%	2%	
C122013ALCD	C122013ALCD	ORG	124-48-1	Dibromochloromethane	49		ug/L	5	0.30	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0954	50	98%	2%	
C122013ALCD	C122013ALCD	ORG	106-93-4	1,2-Dibromoethane	47		ug/L	2	0.26	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0954	50	94%	2%	
C122013ALCD	C122013ALCD	ORG	591-78-6	2-Hexanone	45		ug/L	2	0.69	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0954	50	90%	27%	
C122013ALCD	C122013ALCD	ORG	100-41-4	Ethylbenzene	38		ug/L	1	0.25	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0954	50	76%	0%	
C122013ALCD	C122013ALCD	ORG	108-90-7	Chlorobenzene	37		ug/L	1	0.28	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0954	50	74%	0%	
C122013ALCD	C122013ALCD	ORG	630-20-6	1,1,1,2-Tetrachloroethane	41		ug/L	2	0.19	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0954	50	82%	2%	
C122013ALCD	C122013ALCD	ORG	XYLMP	p&m-Xylene	82		ug/L	2	0.26	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0954	100	82%	0%	
C122013ALCD	C122013ALCD	ORG	95-47-6	o-Xylene	39		ug/L	1	0.13	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0954	50	78%	0%	
C122013ALCD	C122013ALCD	ORG	100-42-5	Styrene	43		ug/L	1	0.20	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0954	50	86%	0%	
C122013ALCD	C122013ALCD	ORG	75-25-2	Bromoform	49		ug/L	2	0.47	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0954	50	98%	4%	
C122013ALCD	C122013ALCD	ORG	98-82-8	Isopropylbenzene	42		ug/L	2	0.20	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0954	50	84%	2%	
C122013ALCD	C122013ALCD	ORG	103-65-1	n-Propylbenzene	43		ug/L	2	0.27	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0954	50	86%	2%	
C122013ALCD	C122013ALCD	ORG	79-34-5	1,1,2,2-Tetrachloroethane	40		ug/L	2	0.29	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0954	50	80%	2%	

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C122013ALCD	C122013ALCD	ORG	96-18-4	1,2,3-Trichloropropane	47		ug/L	2	0.29	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0954	50	94%	2%	
C122013ALCD	C122013ALCD	ORG	108-67-8	1,3,5-Trimethylbenzene	45		ug/L	2	0.20	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0954	50	90%	2%	
C122013ALCD	C122013ALCD	ORG	98-06-6	tert-Butylbenzene	45		ug/L	2	0.33	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0954	50	90%	6%	
C122013ALCD	C122013ALCD	ORG	95-63-6	1,2,4-Trimethylbenzene	47		ug/L	2	0.20	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0954	50	94%	2%	
C122013ALCD	C122013ALCD	ORG	135-98-8	sec-Butylbenzene	47		ug/L	2	0.32	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0954	50	94%	2%	
C122013ALCD	C122013ALCD	ORG	541-73-1	1,3-Dichlorobenzene	47		ug/L	2	0.22	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0954	50	94%	4%	
C122013ALCD	C122013ALCD	ORG	99-87-6	p-Isopropltoluene	48		ug/L	2	0.25	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0954	50	96%	2%	
C122013ALCD	C122013ALCD	ORG	106-46-7	1,4-Dichlorobenzene	47		ug/L	2	0.33	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0954	50	94%	0%	
C122013ALCD	C122013ALCD	ORG	95-50-1	1,2-Dichlorobenzene	48		ug/L	2	0.26	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0954	50	96%	2%	
C122013ALCD	C122013ALCD	ORG	104-51-8	n-Butylbenzene	47		ug/L	5	0.28	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0954	50	94%	4%	
C122013ALCD	C122013ALCD	ORG	96-12-8	1,2-Dibromo-3-chloropropane	51		ug/L	5	1.59	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0954	50	102%	9%	
C122013ALCD	C122013ALCD	ORG	87-68-3	Hexachlorobutadiene	52		ug/L	5	0.65	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0954	50	104%	9%	
C122013ALCD	C122013ALCD	ORG	120-82-1	1,2,4-Trichlorobenzene	50		ug/L	5	0.28	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0954	50	100%	10%	
C122013ALCD	C122013ALCD	ORG	91-20-3	Naphthalene	48		ug/L	5	0.56	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0954	50	96%	17%	
C122013ALCD	C122013ALCD	ORG	87-61-6	1,2,3-Trichlorobenzene	50		ug/L	5	0.23	NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0954	50	100%	11%	
C122013ALCD	C122013ALCD	STD	1868-53-7	Dibromofluoromethane	53		ng			NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0954	50	106%	0%	
C122013ALCD	C122013ALCD	STD	17060-07-0	1,2-Dichloroethane d4	52		ng			NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0954	50	104%	0%	
C122013ALCD	C122013ALCD	STD	2037-26-5	Toluene d8	43		ng			NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0954	50	86%	0%	
C122013ALCD	C122013ALCD	STD	460-00-4	Bromofluorobenzene	40		ng			NA	12/20/2013	12/20/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0954	50	80%	3%	

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-854MS	316-171	ORG	75-71-8	Dichlorodifluoromethane	3000		ug/L	500	29.28	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0955	5000	60%		
NAL13026-854MS	316-171	ORG	74-87-3	Chloromethane	4600		ug/L	500	43.07	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0955	5000	92%		
NAL13026-854MS	316-171	ORG	75-01-4	Vinyl chloride	4700		ug/L	200	31.86	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0955	5000	94%		
NAL13026-854MS	316-171	ORG	74-83-9	Bromomethane	7000		ug/L	500	50.04	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0955	5000	140%		
NAL13026-854MS	316-171	ORG	75-00-3	Chloroethane	6900		ug/L	500	55.61	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0955	5000	138%		
NAL13026-854MS	316-171	ORG	75-69-4	Trichlorofluoromethane	14000		ug/L	500	19.65	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0955	5000	280%		
NAL13026-854MS	316-171	ORG	75-35-4	1,1-Dichloroethene	4700		ug/L	100	47.11	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0955	5000	94%		
NAL13026-854MS	316-171	ORG	75-09-2	Methylene chloride	5000		ug/L	500	26.46	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0955	5000	100%		
NAL13026-854MS	316-171	ORG	67-64-1	Acetone	97000		ug/L	1000	155.61	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0955	5000	-260%		110000
NAL13026-854MS	316-171	ORG	156-60-5	trans-1,2-Dichloroethene	4800		ug/L	100	55.61	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0955	5000	96%		
NAL13026-854MS	316-171	ORG	1634-04-4	MTBE	5800		ug/L	500	61.18	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0955	5000	116%		
NAL13026-854MS	316-171	ORG	75-34-3	1,1-Dichloroethane	4800		ug/L	100	52.66	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0955	5000	96%		
NAL13026-854MS	316-171	ORG	156-59-2	cis-1,2-Dichloroethene	4800		ug/L	100	32.11	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0955	5000	96%		
NAL13026-854MS	316-171	ORG	74-97-5	Bromochloromethane	5000		ug/L	1000	41.37	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0955	5000	100%		
NAL13026-854MS	316-171	ORG	67-66-3	Chloroform	4800		ug/L	200	15.73	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0955	5000	96%		
NAL13026-854MS	316-171	ORG	71-55-6	1,1,1-Trichloroethane	5000		ug/L	100	16.65	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0955	5000	100%		
NAL13026-854MS	316-171	ORG	78-93-3	2-Butanone	51000		ug/L	100	81.18	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0955	5000	0%		51000
NAL13026-854MS	316-171	ORG	56-23-5	Carbon tetrachloride	4800		ug/L	100	27.64	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0955	5000	96%		
NAL13026-854MS	316-171	ORG	71-43-2	Benzene	4700		ug/L	100	13.53	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0955	5000	93%		44
NAL13026-854MS	316-171	ORG	107-06-2	1,2-Dichloroethane	4800		ug/L	100	20.01	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0955	5000	96%		
NAL13026-854MS	316-171	ORG	79-01-6	Trichloroethene	3700		ug/L	100	36.33	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0955	5000	74%		
NAL13026-854MS	316-171	ORG	74-95-3	Dibromomethane	4800		ug/L	200	32.20	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0955	5000	96%		
NAL13026-854MS	316-171	ORG	78-87-5	1,2-Dichloropropane	4400		ug/L	100	18.17	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0955	5000	88%		
NAL13026-854MS	316-171	ORG	75-27-4	Bromodichloromethane	4000		ug/L	200	11.58	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0955	5000	80%		
NAL13026-854MS	316-171	ORG	10061-01-5	cis-1,3-Dichloropropene	4100		ug/L	100	25.01	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0955	5000	82%		
NAL13026-854MS	316-171	ORG	108-88-3	Toluene	4200		ug/L	100	20.96	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0955	5000	83%		32
NAL13026-854MS	316-171	ORG	108-10-1	4-Methyl-2-pentanone	5500		ug/L	500	74.00	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0955	5000	86%		1200
NAL13026-854MS	316-171	ORG	10061-02-6	trans-1,3-Dichloropropene	5200		ug/L	100	31.15	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0955	5000	104%		
NAL13026-854MS	316-171	ORG	127-18-4	Tetrachloroethene	4200		ug/L	100	48.56	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0955	5000	84%		
NAL13026-854MS	316-171	ORG	79-00-5	1,1,2-Trichloroethane	4900		ug/L	100	34.28	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0955	5000	98%		
NAL13026-854MS	316-171	ORG	124-48-1	Dibromochloromethane	5100		ug/L	500	29.90	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0955	5000	102%		
NAL13026-854MS	316-171	ORG	106-93-4	1,2-Dibromoethane	4900		ug/L	200	26.49	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0955	5000	98%		
NAL13026-854MS	316-171	ORG	591-78-6	2-Hexanone	8200		ug/L	200	68.90	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0955	5000	90%		3700
NAL13026-854MS	316-171	ORG	100-41-4	Ethylbenzene	3800		ug/L	100	25.38	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0955	5000	75%		38
NAL13026-854MS	316-171	ORG	108-90-7	Chlorobenzene	3700		ug/L	100	27.52	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0955	5000	74%		
NAL13026-854MS	316-171	ORG	630-20-6	1,1,1,2-Tetrachloroethane	3900		ug/L	200	19.28	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0955	5000	78%		
NAL13026-854MS	316-171	ORG	XYLMP	p&m-Xylene	8200		ug/L	200	26.14	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0955	10000	81%		88
NAL13026-854MS	316-171	ORG	95-47-6	o-Xylene	4000		ug/L	100	12.90	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0955	5000	79%		62
NAL13026-854MS	316-171	ORG	100-42-5	Styrene	4400		ug/L	100	20.23	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0955	5000	88%		
NAL13026-854MS	316-171	ORG	75-25-2	Bromoform	4700		ug/L	200	46.83	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0955	5000	94%		
NAL13026-854MS	316-171	ORG	98-82-8	Isopropylbenzene	4600		ug/L	200	20.48	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0955	5000	91%		49
NAL13026-854MS	316-171	ORG	103-65-1	n-Propylbenzene	4500		ug/L	200	27.00	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0955	5000	89%		54
NAL13026-854MS	316-171	ORG	79-34-5	1,1,2,2-Tetrachloroethane	4100		ug/L	200	29.16	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0955	5000	82%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-854MS	316-171	ORG	96-18-4	1,2,3-Trichloropropane	4700		ug/L	200	29.47	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0955	5000	94%		
NAL13026-854MS	316-171	ORG	108-67-8	1,3,5-Trimethylbenzene	4600		ug/L	200	20.03	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0955	5000	90%		120
NAL13026-854MS	316-171	ORG	98-06-6	tert-Butylbenzene	5000		ug/L	200	32.61	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0955	5000	100%		
NAL13026-854MS	316-171	ORG	95-63-6	1,2,4-Trimethylbenzene	5600		ug/L	200	20.03	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0955	5000	100%		600
NAL13026-854MS	316-171	ORG	135-98-8	sec-Butylbenzene	5400		ug/L	200	32.34	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0955	5000	107%		49
NAL13026-854MS	316-171	ORG	541-73-1	1,3-Dichlorobenzene	4900		ug/L	200	22.21	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0955	5000	98%		
NAL13026-854MS	316-171	ORG	99-87-6	p-Isopropltoluene	7800		ug/L	200	25.48	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0955	5000	98%		2900
NAL13026-854MS	316-171	ORG	106-46-7	1,4-Dichlorobenzene	5500		ug/L	200	33.03	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0955	5000	92%		900
NAL13026-854MS	316-171	ORG	95-50-1	1,2-Dichlorobenzene	5300		ug/L	200	26.38	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0955	5000	106%		
NAL13026-854MS	316-171	ORG	104-51-8	n-Butylbenzene	5200		ug/L	500	27.81	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0955	5000	102%		93
NAL13026-854MS	316-171	ORG	96-12-8	1,2-Dibromo-3-chloropropane	6100		ug/L	500	159.11	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0955	5000	122%		
NAL13026-854MS	316-171	ORG	87-68-3	Hexachlorobutadiene	6400		ug/L	500	65.42	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0955	5000	128%		
NAL13026-854MS	316-171	ORG	120-82-1	1,2,4-Trichlorobenzene	6500		ug/L	500	27.63	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0955	5000	130%		
NAL13026-854MS	316-171	ORG	91-20-3	Naphthalene	8500		ug/L	500	56.04	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0955	5000	140%		1500
NAL13026-854MS	316-171	ORG	87-61-6	1,2,3-Trichlorobenzene	6600		ug/L	500	23.28	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0955	5000	132%		
NAL13026-854MS	316-171	STD	1868-53-7	Dibromofluoromethane	53		ng			12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0955	50	106%		
NAL13026-854MS	316-171	STD	17060-07-0	1,2-Dichloroethane d4	50		ng			12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0955	50	100%		
NAL13026-854MS	316-171	STD	2037-26-5	Toluene d8	41		ng			12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0955	50	82%		
NAL13026-854MS	316-171	STD	460-00-4	Bromofluorobenzene	43		ng			12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0955	50	86%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-854MSD	316-171	ORG	75-71-8	Dichlorodifluoromethane	3400		ug/L	500	29.28	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0956	5000	68%	13%	
NAL13026-854MSD	316-171	ORG	74-87-3	Chloromethane	5000		ug/L	500	43.07	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0956	5000	100%	8%	
NAL13026-854MSD	316-171	ORG	75-01-4	Vinyl chloride	5300		ug/L	200	31.86	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0956	5000	106%	12%	
NAL13026-854MSD	316-171	ORG	74-83-9	Bromomethane	7300		ug/L	500	50.04	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0956	5000	146%	4%	
NAL13026-854MSD	316-171	ORG	75-00-3	Chloroethane	6700		ug/L	500	55.61	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0956	5000	134%	3%	
NAL13026-854MSD	316-171	ORG	75-69-4	Trichlorofluoromethane	14000		ug/L	500	19.65	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0956	5000	280%	0%	
NAL13026-854MSD	316-171	ORG	75-35-4	1,1-Dichloroethene	5000		ug/L	100	47.11	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0956	5000	100%	6%	
NAL13026-854MSD	316-171	ORG	75-09-2	Methylene chloride	5400		ug/L	500	26.46	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0956	5000	108%	8%	
NAL13026-854MSD	316-171	ORG	67-64-1	Acetone	100000		ug/L	1000	155.61	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0956	5000	-200%	3%	110000
NAL13026-854MSD	316-171	ORG	156-60-5	trans-1,2-Dichloroethene	5100		ug/L	100	55.61	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0956	5000	102%	6%	
NAL13026-854MSD	316-171	ORG	1634-04-4	MTBE	6300		ug/L	500	61.18	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0956	5000	126%	8%	
NAL13026-854MSD	316-171	ORG	75-34-3	1,1-Dichloroethane	5100		ug/L	100	52.66	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0956	5000	102%	6%	
NAL13026-854MSD	316-171	ORG	156-59-2	cis-1,2-Dichloroethene	4800		ug/L	100	32.11	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0956	5000	96%	0%	
NAL13026-854MSD	316-171	ORG	74-97-5	Bromochloromethane	5000		ug/L	1000	41.37	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0956	5000	100%	0%	
NAL13026-854MSD	316-171	ORG	67-66-3	Chloroform	4700		ug/L	200	15.73	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0956	5000	94%	2%	
NAL13026-854MSD	316-171	ORG	71-55-6	1,1,1-Trichloroethane	5000		ug/L	100	16.65	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0956	5000	100%	0%	
NAL13026-854MSD	316-171	ORG	78-93-3	2-Butanone	50000		ug/L	100	81.18	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0956	5000	-20%	2%	51000
NAL13026-854MSD	316-171	ORG	56-23-5	Carbon tetrachloride	4800		ug/L	100	27.64	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0956	5000	96%	0%	
NAL13026-854MSD	316-171	ORG	71-43-2	Benzene	4600		ug/L	100	13.53	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0956	5000	91%	2%	44
NAL13026-854MSD	316-171	ORG	107-06-2	1,2-Dichloroethane	4600		ug/L	100	20.01	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0956	5000	92%	4%	
NAL13026-854MSD	316-171	ORG	79-01-6	Trichloroethene	4200		ug/L	100	36.33	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0956	5000	84%	13%	
NAL13026-854MSD	316-171	ORG	74-95-3	Dibromomethane	4300		ug/L	200	32.20	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0956	5000	86%	11%	
NAL13026-854MSD	316-171	ORG	78-87-5	1,2-Dichloropropane	4300		ug/L	100	18.17	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0956	5000	86%	2%	
NAL13026-854MSD	316-171	ORG	75-27-4	Bromodichloromethane	3800		ug/L	200	11.58	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0956	5000	76%	5%	
NAL13026-854MSD	316-171	ORG	10061-01-5	cis-1,3-Dichloropropene	3900		ug/L	100	25.01	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0956	5000	78%	5%	
NAL13026-854MSD	316-171	ORG	108-88-3	Toluene	4000		ug/L	100	20.96	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0956	5000	79%	5%	32
NAL13026-854MSD	316-171	ORG	108-10-1	4-Methyl-2-pentanone	5100		ug/L	500	74.00	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0956	5000	78%	8%	1200
NAL13026-854MSD	316-171	ORG	10061-02-6	trans-1,3-Dichloropropene	4900		ug/L	100	31.15	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0956	5000	98%	6%	
NAL13026-854MSD	316-171	ORG	127-18-4	Tetrachloroethene	3900		ug/L	100	48.56	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0956	5000	78%	7%	
NAL13026-854MSD	316-171	ORG	79-00-5	1,1,2-Trichloroethane	4500		ug/L	100	34.28	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0956	5000	90%	9%	
NAL13026-854MSD	316-171	ORG	124-48-1	Dibromochloromethane	4700		ug/L	500	29.90	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0956	5000	94%	8%	
NAL13026-854MSD	316-171	ORG	106-93-4	1,2-Dibromoethane	4600		ug/L	200	26.49	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0956	5000	92%	6%	
NAL13026-854MSD	316-171	ORG	591-78-6	2-Hexanone	7400		ug/L	200	68.90	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0956	5000	74%	10%	3700
NAL13026-854MSD	316-171	ORG	100-41-4	Ethylbenzene	3600		ug/L	100	25.38	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0956	5000	71%	5%	38
NAL13026-854MSD	316-171	ORG	108-90-7	Chlorobenzene	3400		ug/L	100	27.52	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0956	5000	68%	8%	
NAL13026-854MSD	316-171	ORG	630-20-6	1,1,1,2-Tetrachloroethane	3600		ug/L	200	19.28	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0956	5000	72%	8%	
NAL13026-854MSD	316-171	ORG	XYLMP	p&m-Xylene	7700		ug/L	200	26.14	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0956	10000	76%	6%	88
NAL13026-854MSD	316-171	ORG	95-47-6	o-Xylene	3800		ug/L	100	12.90	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0956	5000	75%	5%	62
NAL13026-854MSD	316-171	ORG	100-42-5	Styrene	4200		ug/L	100	20.23	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0956	5000	84%	5%	
NAL13026-854MSD	316-171	ORG	75-25-2	Bromoform	4200		ug/L	200	46.83	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0956	5000	84%	11%	
NAL13026-854MSD	316-171	ORG	98-82-8	Isopropylbenzene	4400		ug/L	200	20.48	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0956	5000	87%	4%	49
NAL13026-854MSD	316-171	ORG	103-65-1	n-Propylbenzene	4200		ug/L	200	27.00	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0956	5000	83%	7%	54
NAL13026-854MSD	316-171	ORG	79-34-5	1,1,2,2-Tetrachloroethane	3700		ug/L	200	29.16	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0956	5000	74%	10%	

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-854MSD	316-171	ORG	96-18-4	1,2,3-Trichloropropane	4000		ug/L	200	29.47	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0956	5000	80%	16%	
NAL13026-854MSD	316-171	ORG	108-67-8	1,3,5-Trimethylbenzene	4400		ug/L	200	20.03	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0956	5000	86%	4%	120
NAL13026-854MSD	316-171	ORG	98-06-6	tert-Butylbenzene	4700		ug/L	200	32.61	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0956	5000	94%	6%	
NAL13026-854MSD	316-171	ORG	95-63-6	1,2,4-Trimethylbenzene	5200		ug/L	200	20.03	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0956	5000	92%	7%	600
NAL13026-854MSD	316-171	ORG	135-98-8	sec-Butylbenzene	5100		ug/L	200	32.34	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0956	5000	101%	6%	49
NAL13026-854MSD	316-171	ORG	541-73-1	1,3-Dichlorobenzene	4700		ug/L	200	22.21	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0956	5000	94%	4%	
NAL13026-854MSD	316-171	ORG	99-87-6	p-Isopropltoluene	7500		ug/L	200	25.48	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0956	5000	92%	4%	2900
NAL13026-854MSD	316-171	ORG	106-46-7	1,4-Dichlorobenzene	5300		ug/L	200	33.03	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0956	5000	88%	4%	900
NAL13026-854MSD	316-171	ORG	95-50-1	1,2-Dichlorobenzene	4900		ug/L	200	26.38	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0956	5000	98%	8%	
NAL13026-854MSD	316-171	ORG	104-51-8	n-Butylbenzene	4900		ug/L	500	27.81	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0956	5000	96%	6%	93
NAL13026-854MSD	316-171	ORG	96-12-8	1,2-Dibromo-3-chloropropane	5400		ug/L	500	159.11	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0956	5000	108%	12%	
NAL13026-854MSD	316-171	ORG	87-68-3	Hexachlorobutadiene	6200		ug/L	500	65.42	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0956	5000	124%	3%	
NAL13026-854MSD	316-171	ORG	120-82-1	1,2,4-Trichlorobenzene	6000		ug/L	500	27.63	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0956	5000	120%	8%	
NAL13026-854MSD	316-171	ORG	91-20-3	Naphthalene	7800		ug/L	500	56.04	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0956	5000	126%	9%	1500
NAL13026-854MSD	316-171	ORG	87-61-6	1,2,3-Trichlorobenzene	6000		ug/L	500	23.28	12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0956	5000	120%	10%	
NAL13026-854MSD	316-171	STD	1868-53-7	Dibromofluoromethane	54		ng			12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0956	50	108%	2%	
NAL13026-854MSD	316-171	STD	17060-07-0	1,2-Dichloroethane d4	52		ng			12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0956	50	104%	4%	
NAL13026-854MSD	316-171	STD	2037-26-5	Toluene d8	42		ng			12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0956	50	84%	2%	
NAL13026-854MSD	316-171	STD	460-00-4	Bromofluorobenzene	42		ng			12/20/2013	12/20/2013	12/20/2013	WG	100	NA	5.0	NA	SW8260B	NALC0956	50	84%	2%	

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-856	316-172	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0974				
NAL13026-856	316-172	ORG	74-87-3	Chloromethane		U	ug/L	500	43.07	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0974				
NAL13026-856	316-172	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0974				
NAL13026-856	316-172	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0974				
NAL13026-856	316-172	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0974				
NAL13026-856	316-172	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0974				
NAL13026-856	316-172	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0974				
NAL13026-856	316-172	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0974				
NAL13026-856	316-172	ORG	67-64-1	Acetone	85000	D	ug/L	10000	1556.07	12/21/2013	12/21/2013	12/21/2013	WG	1000	NA	5.0	NA	SW8260B	NALC0975				
NAL13026-856	316-172	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0974				
NAL13026-856	316-172	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0974				
NAL13026-856	316-172	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0974				
NAL13026-856	316-172	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0974				
NAL13026-856	316-172	ORG	74-97-5	Bromochloromethane		U	ug/L	200	41.37	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0974				
NAL13026-856	316-172	ORG	67-66-3	Chloroform		U	ug/L	100	15.73	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0974				
NAL13026-856	316-172	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	16.65	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0974				
NAL13026-856	316-172	ORG	78-93-3	2-Butanone	41000	D	ug/L	10000	811.80	12/21/2013	12/21/2013	12/21/2013	WG	1000	NA	5.0	NA	SW8260B	NALC0975				
NAL13026-856	316-172	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0974				
NAL13026-856	316-172	ORG	71-43-2	Benzene	110		ug/L	100	13.53	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0974				
NAL13026-856	316-172	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0974				
NAL13026-856	316-172	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0974				
NAL13026-856	316-172	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0974				
NAL13026-856	316-172	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0974				
NAL13026-856	316-172	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0974				
NAL13026-856	316-172	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0974				
NAL13026-856	316-172	ORG	108-88-3	Toluene	110		ug/L	100	20.96	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0974				
NAL13026-856	316-172	ORG	108-10-1	4-Methyl-2-pentanone	1600		ug/L	500	74.00	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0974				
NAL13026-856	316-172	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0974				
NAL13026-856	316-172	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0974				
NAL13026-856	316-172	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0974				
NAL13026-856	316-172	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	29.90	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0974				
NAL13026-856	316-172	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	26.49	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0974				
NAL13026-856	316-172	ORG	591-78-6	2-Hexanone	7000		ug/L	500	68.90	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0974				
NAL13026-856	316-172	ORG	100-41-4	Ethylbenzene	400		ug/L	100	25.38	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0974				
NAL13026-856	316-172	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0974				
NAL13026-856	316-172	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0974				
NAL13026-856	316-172	ORG	XYLMP	p&m-Xylene	1500		ug/L	200	26.14	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0974				
NAL13026-856	316-172	ORG	95-47-6	o-Xylene	1100		ug/L	100	12.90	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0974				
NAL13026-856	316-172	ORG	100-42-5	Styrene	430		ug/L	100	20.23	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0974				
NAL13026-856	316-172	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0974				
NAL13026-856	316-172	ORG	98-82-8	Isopropylbenzene	880		ug/L	200	20.48	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0974				
NAL13026-856	316-172	ORG	103-65-1	n-Propylbenzene	370		ug/L	200	27.00	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0974				
NAL13026-856	316-172	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0974				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-856	316-172	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0974				
NAL13026-856	316-172	ORG	108-67-8	1,3,5-Trimethylbenzene	1000		ug/L	200	20.03	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0974				
NAL13026-856	316-172	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0974				
NAL13026-856	316-172	ORG	95-63-6	1,2,4-Trimethylbenzene	3600		ug/L	200	20.03	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0974				
NAL13026-856	316-172	ORG	135-98-8	sec-Butylbenzene	550		ug/L	200	32.34	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0974				
NAL13026-856	316-172	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0974				
NAL13026-856	316-172	ORG	99-87-6	p-Isopropltoluene	14000		ug/L	200	25.48	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0974				
NAL13026-856	316-172	ORG	106-46-7	1,4-Dichlorobenzene	3300		ug/L	200	33.03	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0974				
NAL13026-856	316-172	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0974				
NAL13026-856	316-172	ORG	104-51-8	n-Butylbenzene	700		ug/L	500	27.81	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0974				
NAL13026-856	316-172	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0974				
NAL13026-856	316-172	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0974				
NAL13026-856	316-172	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0974				
NAL13026-856	316-172	ORG	91-20-3	Naphthalene	3500		ug/L	500	56.04	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0974				
NAL13026-856	316-172	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0974				
NAL13026-856	316-172	STD	1868-53-7	Dibromofluoromethane	50		ng			12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0974	50	100%		
NAL13026-856	316-172	STD	17060-07-0	1,2-Dichloroethane d4	49		ng			12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0974	50	98%		
NAL13026-856	316-172	STD	2037-26-5	Toluene d8	46		ng			12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0974	50	92%		
NAL13026-856	316-172	STD	460-00-4	Bromofluorobenzene	57		ng			12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0974	50	114%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-857	316-172R	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0976				
NAL13026-857	316-172R	ORG	74-87-3	Chloromethane		U	ug/L	500	43.07	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0976				
NAL13026-857	316-172R	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0976				
NAL13026-857	316-172R	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0976				
NAL13026-857	316-172R	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0976				
NAL13026-857	316-172R	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0976				
NAL13026-857	316-172R	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0976				
NAL13026-857	316-172R	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0976				
NAL13026-857	316-172R	ORG	67-64-1	Acetone	93000	D	ug/L	10000	1556.07	12/21/2013	12/21/2013	12/21/2013	WG	1000	NA	5.0	NA	SW8260B	NALC0977				
NAL13026-857	316-172R	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0976				
NAL13026-857	316-172R	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0976				
NAL13026-857	316-172R	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0976				
NAL13026-857	316-172R	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0976				
NAL13026-857	316-172R	ORG	74-97-5	Bromochloromethane		U	ug/L	200	41.37	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0976				
NAL13026-857	316-172R	ORG	67-66-3	Chloroform		U	ug/L	100	15.73	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0976				
NAL13026-857	316-172R	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	16.65	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0976				
NAL13026-857	316-172R	ORG	78-93-3	2-Butanone	47000	D	ug/L	10000	811.80	12/21/2013	12/21/2013	12/21/2013	WG	1000	NA	5.0	NA	SW8260B	NALC0977				
NAL13026-857	316-172R	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0976				
NAL13026-857	316-172R	ORG	71-43-2	Benzene	87	J	ug/L	100	13.53	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0976				
NAL13026-857	316-172R	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0976				
NAL13026-857	316-172R	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0976				
NAL13026-857	316-172R	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0976				
NAL13026-857	316-172R	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0976				
NAL13026-857	316-172R	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0976				
NAL13026-857	316-172R	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0976				
NAL13026-857	316-172R	ORG	108-88-3	Toluene	96	J	ug/L	100	20.96	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0976				
NAL13026-857	316-172R	ORG	108-10-1	4-Methyl-2-pentanone	1700		ug/L	500	74.00	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0976				
NAL13026-857	316-172R	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0976				
NAL13026-857	316-172R	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0976				
NAL13026-857	316-172R	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0976				
NAL13026-857	316-172R	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	29.90	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0976				
NAL13026-857	316-172R	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	26.49	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0976				
NAL13026-857	316-172R	ORG	591-78-6	2-Hexanone	7700		ug/L	500	68.90	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0976				
NAL13026-857	316-172R	ORG	100-41-4	Ethylbenzene	390		ug/L	100	25.38	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0976				
NAL13026-857	316-172R	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0976				
NAL13026-857	316-172R	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0976				
NAL13026-857	316-172R	ORG	XYLMP	p&m-Xylene	1600		ug/L	200	26.14	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0976				
NAL13026-857	316-172R	ORG	95-47-6	o-Xylene	1100		ug/L	100	12.90	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0976				
NAL13026-857	316-172R	ORG	100-42-5	Styrene	440		ug/L	100	20.23	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0976				
NAL13026-857	316-172R	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0976				
NAL13026-857	316-172R	ORG	98-82-8	Isopropylbenzene	890		ug/L	200	20.48	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0976				
NAL13026-857	316-172R	ORG	103-65-1	n-Propylbenzene	390		ug/L	200	27.00	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0976				
NAL13026-857	316-172R	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0976				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-857	316-172R	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0976				
NAL13026-857	316-172R	ORG	108-67-8	1,3,5-Trimethylbenzene	1000		ug/L	200	20.03	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0976				
NAL13026-857	316-172R	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0976				
NAL13026-857	316-172R	ORG	95-63-6	1,2,4-Trimethylbenzene	3900		ug/L	200	20.03	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0976				
NAL13026-857	316-172R	ORG	135-98-8	sec-Butylbenzene	530		ug/L	200	32.34	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0976				
NAL13026-857	316-172R	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0976				
NAL13026-857	316-172R	ORG	99-87-6	p-Isopropltoluene	15000		ug/L	200	25.48	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0976				
NAL13026-857	316-172R	ORG	106-46-7	1,4-Dichlorobenzene	3700		ug/L	200	33.03	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0976				
NAL13026-857	316-172R	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0976				
NAL13026-857	316-172R	ORG	104-51-8	n-Butylbenzene	710		ug/L	500	27.81	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0976				
NAL13026-857	316-172R	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0976				
NAL13026-857	316-172R	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0976				
NAL13026-857	316-172R	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0976				
NAL13026-857	316-172R	ORG	91-20-3	Naphthalene	3800		ug/L	500	56.04	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0976				
NAL13026-857	316-172R	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0976				
NAL13026-857	316-172R	STD	1868-53-7	Dibromofluoromethane	50		ng			12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0976	50	100%		
NAL13026-857	316-172R	STD	17060-07-0	1,2-Dichloroethane d4	49		ng			12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0976	50	98%		
NAL13026-857	316-172R	STD	2037-26-5	Toluene d8	46		ng			12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0976	50	92%		
NAL13026-857	316-172R	STD	460-00-4	Bromofluorobenzene	59		ng			12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0976	50	118%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-858	96-SW02	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0983				
NAL13026-858	96-SW02	ORG	74-87-3	Chloromethane		U	ug/L	500	43.07	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0983				
NAL13026-858	96-SW02	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0983				
NAL13026-858	96-SW02	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0983				
NAL13026-858	96-SW02	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0983				
NAL13026-858	96-SW02	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0983				
NAL13026-858	96-SW02	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0983				
NAL13026-858	96-SW02	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0983				
NAL13026-858	96-SW02	ORG	67-64-1	Acetone	2100		ug/L	1000	155.61	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0983				
NAL13026-858	96-SW02	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0983				
NAL13026-858	96-SW02	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0983				
NAL13026-858	96-SW02	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0983				
NAL13026-858	96-SW02	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0983				
NAL13026-858	96-SW02	ORG	74-97-5	Bromochloromethane		U	ug/L	200	41.37	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0983				
NAL13026-858	96-SW02	ORG	67-66-3	Chloroform		U	ug/L	100	15.73	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0983				
NAL13026-858	96-SW02	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	16.65	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0983				
NAL13026-858	96-SW02	ORG	78-93-3	2-Butanone	1300		ug/L	1000	81.18	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0983				
NAL13026-858	96-SW02	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0983				
NAL13026-858	96-SW02	ORG	71-43-2	Benzene	130		ug/L	100	13.53	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0983				
NAL13026-858	96-SW02	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0983				
NAL13026-858	96-SW02	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0983				
NAL13026-858	96-SW02	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0983				
NAL13026-858	96-SW02	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0983				
NAL13026-858	96-SW02	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0983				
NAL13026-858	96-SW02	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0983				
NAL13026-858	96-SW02	ORG	108-88-3	Toluene	50	J	ug/L	100	20.96	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0983				
NAL13026-858	96-SW02	ORG	108-10-1	4-Methyl-2-pentanone		U	ug/L	500	74.00	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0983				
NAL13026-858	96-SW02	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0983				
NAL13026-858	96-SW02	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0983				
NAL13026-858	96-SW02	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0983				
NAL13026-858	96-SW02	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	29.90	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0983				
NAL13026-858	96-SW02	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	26.49	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0983				
NAL13026-858	96-SW02	ORG	591-78-6	2-Hexanone		U	ug/L	500	68.90	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0983				
NAL13026-858	96-SW02	ORG	100-41-4	Ethylbenzene		U	ug/L	100	25.38	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0983				
NAL13026-858	96-SW02	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0983				
NAL13026-858	96-SW02	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0983				
NAL13026-858	96-SW02	ORG	XYLMP	p&m-Xylene		U	ug/L	200	26.14	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0983				
NAL13026-858	96-SW02	ORG	95-47-6	o-Xylene		U	ug/L	100	12.90	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0983				
NAL13026-858	96-SW02	ORG	100-42-5	Styrene		U	ug/L	100	20.23	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0983				
NAL13026-858	96-SW02	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0983				
NAL13026-858	96-SW02	ORG	98-82-8	Isopropylbenzene		U	ug/L	200	20.48	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0983				
NAL13026-858	96-SW02	ORG	103-65-1	n-Propylbenzene		U	ug/L	200	27.00	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0983				
NAL13026-858	96-SW02	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0983				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-858	96-SW02	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0983				
NAL13026-858	96-SW02	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	200	20.03	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0983				
NAL13026-858	96-SW02	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0983				
NAL13026-858	96-SW02	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	200	20.03	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0983				
NAL13026-858	96-SW02	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0983				
NAL13026-858	96-SW02	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0983				
NAL13026-858	96-SW02	ORG	99-87-6	p-Isopropltoluene	530		ug/L	200	25.48	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0983				
NAL13026-858	96-SW02	ORG	106-46-7	1,4-Dichlorobenzene	54	J	ug/L	200	33.03	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0983				
NAL13026-858	96-SW02	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0983				
NAL13026-858	96-SW02	ORG	104-51-8	n-Butylbenzene		U	ug/L	500	27.81	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0983				
NAL13026-858	96-SW02	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0983				
NAL13026-858	96-SW02	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0983				
NAL13026-858	96-SW02	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0983				
NAL13026-858	96-SW02	ORG	91-20-3	Naphthalene	850		ug/L	500	56.04	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0983				
NAL13026-858	96-SW02	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0983				
NAL13026-858	96-SW02	STD	1868-53-7	Dibromofluoromethane	50		ng			12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0983	50	100%		
NAL13026-858	96-SW02	STD	17060-07-0	1,2-Dichloroethane d4	49		ng			12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0983	50	98%		
NAL13026-858	96-SW02	STD	2037-26-5	Toluene d8	49		ng			12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0983	50	98%		
NAL13026-858	96-SW02	STD	460-00-4	Bromofluorobenzene	63		ng			12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC0983	50	126%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C122013ICVB	C122013ICVB	ORG	75-71-8	Dichlorodifluoromethane	72		ug/L	5	0.29	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0972	50	144%		
C122013ICVB	C122013ICVB	ORG	74-87-3	Chloromethane	50		ug/L	5	0.43	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0972	50	100%		
C122013ICVB	C122013ICVB	ORG	75-01-4	Vinyl chloride	56		ug/L	2	0.32	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0972	50	112%		
C122013ICVB	C122013ICVB	ORG	74-83-9	Bromomethane	46		ug/L	5	0.50	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0972	50	92%		
C122013ICVB	C122013ICVB	ORG	75-00-3	Chloroethane	56		ug/L	5	0.56	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0972	50	112%		
C122013ICVB	C122013ICVB	ORG	75-69-4	Trichlorofluoromethane	83		ug/L	5	0.20	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0972	50	166%		
C122013ICVB	C122013ICVB	ORG	75-35-4	1,1-Dichloroethene	46		ug/L	1	0.47	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0972	50	92%		
C122013ICVB	C122013ICVB	ORG	75-09-2	Methylene chloride	50		ug/L	5	0.26	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0972	50	100%		
C122013ICVB	C122013ICVB	ORG	67-64-1	Acetone	51		ug/L	10	1.56	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0972	50	102%		
C122013ICVB	C122013ICVB	ORG	156-60-5	trans-1,2-Dichloroethene	52		ug/L	1	0.56	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0972	50	104%		
C122013ICVB	C122013ICVB	ORG	1634-04-4	MTBE	49		ug/L	5	0.61	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0972	50	98%		
C122013ICVB	C122013ICVB	ORG	75-34-3	1,1-Dichloroethane	50		ug/L	1	0.53	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0972	50	100%		
C122013ICVB	C122013ICVB	ORG	156-59-2	cis-1,2-Dichloroethene	50		ug/L	1	0.32	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0972	50	100%		
C122013ICVB	C122013ICVB	ORG	74-97-5	Bromochloromethane	52		ug/L	10	0.41	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0972	50	104%		
C122013ICVB	C122013ICVB	ORG	67-66-3	Chloroform	50		ug/L	2	0.16	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0972	50	100%		
C122013ICVB	C122013ICVB	ORG	71-55-6	1,1,1-Trichloroethane	51		ug/L	1	0.17	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0972	50	102%		
C122013ICVB	C122013ICVB	ORG	78-93-3	2-Butanone	54		ug/L	1	0.81	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0972	50	108%		
C122013ICVB	C122013ICVB	ORG	56-23-5	Carbon tetrachloride	49		ug/L	1	0.28	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0972	50	98%		
C122013ICVB	C122013ICVB	ORG	71-43-2	Benzene	50		ug/L	1	0.14	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0972	50	100%		
C122013ICVB	C122013ICVB	ORG	107-06-2	1,2-Dichloroethane	48		ug/L	1	0.20	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0972	50	96%		
C122013ICVB	C122013ICVB	ORG	79-01-6	Trichloroethene	51		ug/L	1	0.36	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0972	50	102%		
C122013ICVB	C122013ICVB	ORG	74-95-3	Dibromomethane	50		ug/L	2	0.32	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0972	50	100%		
C122013ICVB	C122013ICVB	ORG	78-87-5	1,2-Dichloropropane	52		ug/L	1	0.18	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0972	50	104%		
C122013ICVB	C122013ICVB	ORG	75-27-4	Bromodichloromethane	53		ug/L	2	0.12	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0972	50	106%		
C122013ICVB	C122013ICVB	ORG	10061-01-5	cis-1,3-Dichloropropene	55		ug/L	1	0.25	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0972	50	110%		
C122013ICVB	C122013ICVB	ORG	108-88-3	Toluene	52		ug/L	1	0.21	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0972	50	104%		
C122013ICVB	C122013ICVB	ORG	108-10-1	4-Methyl-2-pentanone	55		ug/L	5	0.74	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0972	50	110%		
C122013ICVB	C122013ICVB	ORG	10061-02-6	trans-1,3-Dichloropropene	53		ug/L	1	0.31	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0972	50	106%		
C122013ICVB	C122013ICVB	ORG	127-18-4	Tetrachloroethene	63		ug/L	1	0.49	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0972	50	126%		
C122013ICVB	C122013ICVB	ORG	79-00-5	1,1,2-Trichloroethane	55		ug/L	1	0.34	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0972	50	110%		
C122013ICVB	C122013ICVB	ORG	124-48-1	Dibromochloromethane	49		ug/L	5	0.30	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0972	50	98%		
C122013ICVB	C122013ICVB	ORG	106-93-4	1,2-Dibromoethane	49		ug/L	2	0.26	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0972	50	98%		
C122013ICVB	C122013ICVB	ORG	591-78-6	2-Hexanone	56		ug/L	2	0.69	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0972	50	112%		
C122013ICVB	C122013ICVB	ORG	100-41-4	Ethylbenzene	56		ug/L	1	0.25	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0972	50	112%		
C122013ICVB	C122013ICVB	ORG	108-90-7	Chlorobenzene	52		ug/L	1	0.28	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0972	50	104%		
C122013ICVB	C122013ICVB	ORG	630-20-6	1,1,1,2-Tetrachloroethane	50		ug/L	2	0.19	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0972	50	100%		
C122013ICVB	C122013ICVB	ORG	XYLMP	p&m-Xylene	100		ug/L	2	0.26	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0972	100	100%		
C122013ICVB	C122013ICVB	ORG	95-47-6	o-Xylene	48		ug/L	1	0.13	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0972	50	96%		
C122013ICVB	C122013ICVB	ORG	100-42-5	Styrene	57		ug/L	1	0.20	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0972	50	114%		
C122013ICVB	C122013ICVB	ORG	75-25-2	Bromoform	48		ug/L	2	0.47	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0972	50	96%		
C122013ICVB	C122013ICVB	ORG	98-82-8	Isopropylbenzene	49		ug/L	2	0.20	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0972	50	98%		
C122013ICVB	C122013ICVB	ORG	103-65-1	n-Propylbenzene	56		ug/L	2	0.27	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0972	50	112%		
C122013ICVB	C122013ICVB	ORG	79-34-5	1,1,2,2-Tetrachloroethane	52		ug/L	2	0.29	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0972	50	104%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C122013ICVB	C122013ICVB	ORG	96-18-4	1,2,3-Trichloropropane	52		ug/L	2	0.29	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0972	50	104%		
C122013ICVB	C122013ICVB	ORG	108-67-8	1,3,5-Trimethylbenzene	55		ug/L	2	0.20	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0972	50	110%		
C122013ICVB	C122013ICVB	ORG	98-06-6	tert-Butylbenzene	48		ug/L	2	0.33	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0972	50	96%		
C122013ICVB	C122013ICVB	ORG	95-63-6	1,2,4-Trimethylbenzene	54		ug/L	2	0.20	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0972	50	108%		
C122013ICVB	C122013ICVB	ORG	135-98-8	sec-Butylbenzene	48		ug/L	2	0.32	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0972	50	96%		
C122013ICVB	C122013ICVB	ORG	541-73-1	1,3-Dichlorobenzene	50		ug/L	2	0.22	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0972	50	100%		
C122013ICVB	C122013ICVB	ORG	99-87-6	p-Isopropltoluene	50		ug/L	2	0.25	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0972	50	100%		
C122013ICVB	C122013ICVB	ORG	106-46-7	1,4-Dichlorobenzene	50		ug/L	2	0.33	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0972	50	100%		
C122013ICVB	C122013ICVB	ORG	95-50-1	1,2-Dichlorobenzene	49		ug/L	2	0.26	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0972	50	98%		
C122013ICVB	C122013ICVB	ORG	104-51-8	n-Butylbenzene	54		ug/L	5	0.28	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0972	50	108%		
C122013ICVB	C122013ICVB	ORG	96-12-8	1,2-Dibromo-3-chloropropane	46		ug/L	5	1.59	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0972	50	92%		
C122013ICVB	C122013ICVB	ORG	87-68-3	Hexachlorobutadiene	55		ug/L	5	0.65	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0972	50	110%		
C122013ICVB	C122013ICVB	ORG	120-82-1	1,2,4-Trichlorobenzene	50		ug/L	5	0.28	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0972	50	100%		
C122013ICVB	C122013ICVB	ORG	91-20-3	Naphthalene	49		ug/L	5	0.56	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0972	50	98%		
C122013ICVB	C122013ICVB	ORG	87-61-6	1,2,3-Trichlorobenzene	55		ug/L	5	0.23	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0972	50	110%		
C122013ICVB	C122013ICVB	STD	1868-53-7	Dibromofluoromethane	49		ng			NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0972	50	98%		
C122013ICVB	C122013ICVB	STD	17060-07-0	1,2-Dichloroethane d4	48		ng			NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0972	50	96%		
C122013ICVB	C122013ICVB	STD	2037-26-5	Toluene d8	49		ng			NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0972	50	98%		
C122013ICVB	C122013ICVB	STD	460-00-4	Bromofluorobenzene	50		ng			NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0972	50	100%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C122013MBKA	C122013MBKA	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	5	0.29	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0973				
C122013MBKA	C122013MBKA	ORG	74-87-3	Chloromethane		U	ug/L	5	0.43	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0973				
C122013MBKA	C122013MBKA	ORG	75-01-4	Vinyl chloride		U	ug/L	2	0.32	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0973				
C122013MBKA	C122013MBKA	ORG	74-83-9	Bromomethane		U	ug/L	5	0.50	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0973				
C122013MBKA	C122013MBKA	ORG	75-00-3	Chloroethane		U	ug/L	5	0.56	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0973				
C122013MBKA	C122013MBKA	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	5	0.20	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0973				
C122013MBKA	C122013MBKA	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	1	0.47	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0973				
C122013MBKA	C122013MBKA	ORG	75-09-2	Methylene chloride		U	ug/L	5	0.26	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0973				
C122013MBKA	C122013MBKA	ORG	67-64-1	Acetone		U	ug/L	10	1.56	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0973				
C122013MBKA	C122013MBKA	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	1	0.56	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0973				
C122013MBKA	C122013MBKA	ORG	1634-04-4	MTBE		U	ug/L	5	0.61	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0973				
C122013MBKA	C122013MBKA	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	1	0.53	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0973				
C122013MBKA	C122013MBKA	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	1	0.32	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0973				
C122013MBKA	C122013MBKA	ORG	74-97-5	Bromochloromethane		U	ug/L	10	0.41	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0973				
C122013MBKA	C122013MBKA	ORG	67-66-3	Chloroform		U	ug/L	2	0.16	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0973				
C122013MBKA	C122013MBKA	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	1	0.17	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0973				
C122013MBKA	C122013MBKA	ORG	78-93-3	2-Butanone		U	ug/L	1	0.81	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0973				
C122013MBKA	C122013MBKA	ORG	56-23-5	Carbon tetrachloride		U	ug/L	1	0.28	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0973				
C122013MBKA	C122013MBKA	ORG	71-43-2	Benzene		U	ug/L	1	0.14	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0973				
C122013MBKA	C122013MBKA	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	1	0.20	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0973				
C122013MBKA	C122013MBKA	ORG	79-01-6	Trichloroethene		U	ug/L	1	0.36	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0973				
C122013MBKA	C122013MBKA	ORG	74-95-3	Dibromomethane		U	ug/L	2	0.32	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0973				
C122013MBKA	C122013MBKA	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	1	0.18	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0973				
C122013MBKA	C122013MBKA	ORG	75-27-4	Bromodichloromethane		U	ug/L	2	0.12	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0973				
C122013MBKA	C122013MBKA	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	1	0.25	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0973				
C122013MBKA	C122013MBKA	ORG	108-88-3	Toluene		U	ug/L	1	0.21	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0973				
C122013MBKA	C122013MBKA	ORG	108-10-1	4-Methyl-2-pentanone		U	ug/L	5	0.74	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0973				
C122013MBKA	C122013MBKA	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	1	0.31	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0973				
C122013MBKA	C122013MBKA	ORG	127-18-4	Tetrachloroethene		U	ug/L	1	0.49	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0973				
C122013MBKA	C122013MBKA	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	1	0.34	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0973				
C122013MBKA	C122013MBKA	ORG	124-48-1	Dibromochloromethane		U	ug/L	5	0.30	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0973				
C122013MBKA	C122013MBKA	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	2	0.26	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0973				
C122013MBKA	C122013MBKA	ORG	591-78-6	2-Hexanone		U	ug/L	2	0.69	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0973				
C122013MBKA	C122013MBKA	ORG	100-41-4	Ethylbenzene		U	ug/L	1	0.25	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0973				
C122013MBKA	C122013MBKA	ORG	108-90-7	Chlorobenzene		U	ug/L	1	0.28	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0973				
C122013MBKA	C122013MBKA	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	2	0.19	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0973				
C122013MBKA	C122013MBKA	ORG	XYLMP	p&m-Xylene		U	ug/L	2	0.26	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0973				
C122013MBKA	C122013MBKA	ORG	95-47-6	o-Xylene		U	ug/L	1	0.13	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0973				
C122013MBKA	C122013MBKA	ORG	100-42-5	Styrene		U	ug/L	1	0.20	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0973				
C122013MBKA	C122013MBKA	ORG	75-25-2	Bromoform		U	ug/L	2	0.47	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0973				
C122013MBKA	C122013MBKA	ORG	98-82-8	Isopropylbenzene		U	ug/L	2	0.20	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0973				
C122013MBKA	C122013MBKA	ORG	103-65-1	n-Propylbenzene		U	ug/L	2	0.27	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0973				
C122013MBKA	C122013MBKA	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	2	0.29	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0973				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C122013MBKA	C122013MBKA	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	2	0.29	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0973				
C122013MBKA	C122013MBKA	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	2	0.20	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0973				
C122013MBKA	C122013MBKA	ORG	98-06-6	tert-Butylbenzene		U	ug/L	2	0.33	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0973				
C122013MBKA	C122013MBKA	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	2	0.20	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0973				
C122013MBKA	C122013MBKA	ORG	135-98-8	sec-Butylbenzene		U	ug/L	2	0.32	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0973				
C122013MBKA	C122013MBKA	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	2	0.22	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0973				
C122013MBKA	C122013MBKA	ORG	99-87-6	p-Isopropltoluene		U	ug/L	2	0.25	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0973				
C122013MBKA	C122013MBKA	ORG	106-46-7	1,4-Dichlorobenzene		U	ug/L	2	0.33	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0973				
C122013MBKA	C122013MBKA	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	2	0.26	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0973				
C122013MBKA	C122013MBKA	ORG	104-51-8	n-Butylbenzene		U	ug/L	5	0.28	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0973				
C122013MBKA	C122013MBKA	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	5	1.59	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0973				
C122013MBKA	C122013MBKA	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	5	0.65	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0973				
C122013MBKA	C122013MBKA	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	5	0.28	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0973				
C122013MBKA	C122013MBKA	ORG	91-20-3	Naphthalene		U	ug/L	5	0.56	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0973				
C122013MBKA	C122013MBKA	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	5	0.23	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0973				
C122013MBKA	C122013MBKA	STD	1868-53-7	Dibromofluoromethane	48		ng			NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0973	50	96%		
C122013MBKA	C122013MBKA	STD	17060-07-0	1,2-Dichloroethane d4	50		ng			NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0973	50	100%		
C122013MBKA	C122013MBKA	STD	2037-26-5	Toluene d8	58		ng			NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0973	50	116%		
C122013MBKA	C122013MBKA	STD	460-00-4	Bromofluorobenzene	63		ng			NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0973	50	126%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C122113ALCS	C122113ALCS	ORG	75-71-8	Dichlorodifluoromethane	49		ug/L	5	0.29	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC978	50	98%		
C122113ALCS	C122113ALCS	ORG	74-87-3	Chloromethane	50		ug/L	5	0.43	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC978	50	100%		
C122113ALCS	C122113ALCS	ORG	75-01-4	Vinyl chloride	53		ug/L	2	0.32	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC978	50	106%		
C122113ALCS	C122113ALCS	ORG	74-83-9	Bromomethane	50		ug/L	5	0.50	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC978	50	100%		
C122113ALCS	C122113ALCS	ORG	75-00-3	Chloroethane	47		ug/L	5	0.56	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC978	50	94%		
C122113ALCS	C122113ALCS	ORG	75-69-4	Trichlorofluoromethane	74		ug/L	5	0.20	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC978	50	148%		
C122113ALCS	C122113ALCS	ORG	75-35-4	1,1-Dichloroethene	52		ug/L	1	0.47	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC978	50	104%		
C122113ALCS	C122113ALCS	ORG	75-09-2	Methylene chloride	52		ug/L	5	0.26	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC978	50	104%		
C122113ALCS	C122113ALCS	ORG	67-64-1	Acetone	51		ug/L	10	1.56	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC978	50	102%		
C122113ALCS	C122113ALCS	ORG	156-60-5	trans-1,2-Dichloroethene	54		ug/L	1	0.56	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC978	50	108%		
C122113ALCS	C122113ALCS	ORG	1634-04-4	MTBE	50		ug/L	5	0.61	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC978	50	100%		
C122113ALCS	C122113ALCS	ORG	75-34-3	1,1-Dichloroethane	53		ug/L	1	0.53	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC978	50	106%		
C122113ALCS	C122113ALCS	ORG	156-59-2	cis-1,2-Dichloroethene	54		ug/L	1	0.32	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC978	50	108%		
C122113ALCS	C122113ALCS	ORG	74-97-5	Bromochloromethane	54		ug/L	10	0.41	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC978	50	108%		
C122113ALCS	C122113ALCS	ORG	67-66-3	Chloroform	51		ug/L	2	0.16	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC978	50	102%		
C122113ALCS	C122113ALCS	ORG	71-55-6	1,1,1-Trichloroethane	52		ug/L	1	0.17	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC978	50	104%		
C122113ALCS	C122113ALCS	ORG	78-93-3	2-Butanone	51		ug/L	1	0.81	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC978	50	102%		
C122113ALCS	C122113ALCS	ORG	56-23-5	Carbon tetrachloride	51		ug/L	1	0.28	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC978	50	102%		
C122113ALCS	C122113ALCS	ORG	71-43-2	Benzene	51		ug/L	1	0.14	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC978	50	102%		
C122113ALCS	C122113ALCS	ORG	107-06-2	1,2-Dichloroethane	48		ug/L	1	0.20	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC978	50	96%		
C122113ALCS	C122113ALCS	ORG	79-01-6	Trichloroethene	51		ug/L	1	0.36	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC978	50	102%		
C122113ALCS	C122113ALCS	ORG	74-95-3	Dibromomethane	49		ug/L	2	0.32	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC978	50	98%		
C122113ALCS	C122113ALCS	ORG	78-87-5	1,2-Dichloropropane	52		ug/L	1	0.18	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC978	50	104%		
C122113ALCS	C122113ALCS	ORG	75-27-4	Bromodichloromethane	51		ug/L	2	0.12	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC978	50	102%		
C122113ALCS	C122113ALCS	ORG	10061-01-5	cis-1,3-Dichloropropene	55		ug/L	1	0.25	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC978	50	110%		
C122113ALCS	C122113ALCS	ORG	108-88-3	Toluene	53		ug/L	1	0.21	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC978	50	106%		
C122113ALCS	C122113ALCS	ORG	108-10-1	4-Methyl-2-pentanone	47		ug/L	5	0.74	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC978	50	94%		
C122113ALCS	C122113ALCS	ORG	10061-02-6	trans-1,3-Dichloropropene	57		ug/L	1	0.31	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC978	50	114%		
C122113ALCS	C122113ALCS	ORG	127-18-4	Tetrachloroethene	57		ug/L	1	0.49	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC978	50	114%		
C122113ALCS	C122113ALCS	ORG	79-00-5	1,1,2-Trichloroethane	54		ug/L	1	0.34	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC978	50	108%		
C122113ALCS	C122113ALCS	ORG	124-48-1	Dibromochloromethane	49		ug/L	5	0.30	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC978	50	98%		
C122113ALCS	C122113ALCS	ORG	106-93-4	1,2-Dibromoethane	51		ug/L	2	0.26	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC978	50	102%		
C122113ALCS	C122113ALCS	ORG	591-78-6	2-Hexanone	42		ug/L	2	0.69	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC978	50	84%		
C122113ALCS	C122113ALCS	ORG	100-41-4	Ethylbenzene	58		ug/L	1	0.25	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC978	50	116%		
C122113ALCS	C122113ALCS	ORG	108-90-7	Chlorobenzene	57		ug/L	1	0.28	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC978	50	114%		
C122113ALCS	C122113ALCS	ORG	630-20-6	1,1,1,2-Tetrachloroethane	51		ug/L	2	0.19	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC978	50	102%		
C122113ALCS	C122113ALCS	ORG	XYLMP	p&m-Xylene	110		ug/L	2	0.26	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC978	100	110%		
C122113ALCS	C122113ALCS	ORG	95-47-6	o-Xylene	53		ug/L	1	0.13	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC978	50	106%		
C122113ALCS	C122113ALCS	ORG	100-42-5	Styrene	54		ug/L	1	0.20	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC978	50	108%		
C122113ALCS	C122113ALCS	ORG	75-25-2	Bromoform	49		ug/L	2	0.47	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC978	50	98%		
C122113ALCS	C122113ALCS	ORG	98-82-8	Isopropylbenzene	55		ug/L	2	0.20	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC978	50	110%		
C122113ALCS	C122113ALCS	ORG	103-65-1	n-Propylbenzene	62		ug/L	2	0.27	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC978	50	124%		
C122113ALCS	C122113ALCS	ORG	79-34-5	1,1,2,2-Tetrachloroethane	54		ug/L	2	0.29	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC978	50	108%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C122113ALCS	C122113ALCS	ORG	96-18-4	1,2,3-Trichloropropane	54		ug/L	2	0.29	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC978	50	108%		
C122113ALCS	C122113ALCS	ORG	108-67-8	1,3,5-Trimethylbenzene	54		ug/L	2	0.20	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC978	50	108%		
C122113ALCS	C122113ALCS	ORG	98-06-6	tert-Butylbenzene	53		ug/L	2	0.33	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC978	50	106%		
C122113ALCS	C122113ALCS	ORG	95-63-6	1,2,4-Trimethylbenzene	53		ug/L	2	0.20	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC978	50	106%		
C122113ALCS	C122113ALCS	ORG	135-98-8	sec-Butylbenzene	53		ug/L	2	0.32	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC978	50	106%		
C122113ALCS	C122113ALCS	ORG	541-73-1	1,3-Dichlorobenzene	55		ug/L	2	0.22	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC978	50	110%		
C122113ALCS	C122113ALCS	ORG	99-87-6	p-Isopropltoluene	53		ug/L	2	0.25	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC978	50	106%		
C122113ALCS	C122113ALCS	ORG	106-46-7	1,4-Dichlorobenzene	51		ug/L	2	0.33	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC978	50	102%		
C122113ALCS	C122113ALCS	ORG	95-50-1	1,2-Dichlorobenzene	54		ug/L	2	0.26	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC978	50	108%		
C122113ALCS	C122113ALCS	ORG	104-51-8	n-Butylbenzene	54		ug/L	5	0.28	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC978	50	108%		
C122113ALCS	C122113ALCS	ORG	96-12-8	1,2-Dibromo-3-chloropropane	51		ug/L	5	1.59	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC978	50	102%		
C122113ALCS	C122113ALCS	ORG	87-68-3	Hexachlorobutadiene	55		ug/L	5	0.65	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC978	50	110%		
C122113ALCS	C122113ALCS	ORG	120-82-1	1,2,4-Trichlorobenzene	53		ug/L	5	0.28	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC978	50	106%		
C122113ALCS	C122113ALCS	ORG	91-20-3	Naphthalene	49		ug/L	5	0.56	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC978	50	98%		
C122113ALCS	C122113ALCS	ORG	87-61-6	1,2,3-Trichlorobenzene	57		ug/L	5	0.23	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC978	50	114%		
C122113ALCS	C122113ALCS	STD	1868-53-7	Dibromofluoromethane	51		ng			NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC978	50	102%		
C122113ALCS	C122113ALCS	STD	17060-07-0	1,2-Dichloroethane d4	47		ng			NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC978	50	94%		
C122113ALCS	C122113ALCS	STD	2037-26-5	Toluene d8	50		ng			NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC978	50	100%		
C122113ALCS	C122113ALCS	STD	460-00-4	Bromofluorobenzene	51		ng			NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC978	50	102%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C122113ALCD	C122113ALCD	ORG	75-71-8	Dichlorodifluoromethane	46		ug/L	5	0.29	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC979	50	92%	6%	
C122113ALCD	C122113ALCD	ORG	74-87-3	Chloromethane	47		ug/L	5	0.43	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC979	50	94%	6%	
C122113ALCD	C122113ALCD	ORG	75-01-4	Vinyl chloride	52		ug/L	2	0.32	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC979	50	104%	2%	
C122113ALCD	C122113ALCD	ORG	74-83-9	Bromomethane	48		ug/L	5	0.50	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC979	50	96%	4%	
C122113ALCD	C122113ALCD	ORG	75-00-3	Chloroethane	51		ug/L	5	0.56	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC979	50	102%	8%	
C122113ALCD	C122113ALCD	ORG	75-69-4	Trichlorofluoromethane	75		ug/L	5	0.20	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC979	50	150%	1%	
C122113ALCD	C122113ALCD	ORG	75-35-4	1,1-Dichloroethene	47		ug/L	1	0.47	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC979	50	94%	10%	
C122113ALCD	C122113ALCD	ORG	75-09-2	Methylene chloride	50		ug/L	5	0.26	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC979	50	100%	4%	
C122113ALCD	C122113ALCD	ORG	67-64-1	Acetone	48		ug/L	10	1.56	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC979	50	96%	6%	
C122113ALCD	C122113ALCD	ORG	156-60-5	trans-1,2-Dichloroethene	49		ug/L	1	0.56	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC979	50	98%	10%	
C122113ALCD	C122113ALCD	ORG	1634-04-4	MTBE	49		ug/L	5	0.61	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC979	50	98%	2%	
C122113ALCD	C122113ALCD	ORG	75-34-3	1,1-Dichloroethane	48		ug/L	1	0.53	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC979	50	96%	10%	
C122113ALCD	C122113ALCD	ORG	156-59-2	cis-1,2-Dichloroethene	49		ug/L	1	0.32	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC979	50	98%	10%	
C122113ALCD	C122113ALCD	ORG	74-97-5	Bromochloromethane	51		ug/L	10	0.41	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC979	50	102%	6%	
C122113ALCD	C122113ALCD	ORG	67-66-3	Chloroform	48		ug/L	2	0.16	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC979	50	96%	6%	
C122113ALCD	C122113ALCD	ORG	71-55-6	1,1,1-Trichloroethane	48		ug/L	1	0.17	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC979	50	96%	8%	
C122113ALCD	C122113ALCD	ORG	78-93-3	2-Butanone	49		ug/L	1	0.81	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC979	50	98%	4%	
C122113ALCD	C122113ALCD	ORG	56-23-5	Carbon tetrachloride	47		ug/L	1	0.28	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC979	50	94%	8%	
C122113ALCD	C122113ALCD	ORG	71-43-2	Benzene	48		ug/L	1	0.14	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC979	50	96%	6%	
C122113ALCD	C122113ALCD	ORG	107-06-2	1,2-Dichloroethane	46		ug/L	1	0.20	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC979	50	92%	4%	
C122113ALCD	C122113ALCD	ORG	79-01-6	Trichloroethene	47		ug/L	1	0.36	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC979	50	94%	8%	
C122113ALCD	C122113ALCD	ORG	74-95-3	Dibromomethane	47		ug/L	2	0.32	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC979	50	94%	4%	
C122113ALCD	C122113ALCD	ORG	78-87-5	1,2-Dichloropropane	50		ug/L	1	0.18	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC979	50	100%	4%	
C122113ALCD	C122113ALCD	ORG	75-27-4	Bromodichloromethane	48		ug/L	2	0.12	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC979	50	96%	6%	
C122113ALCD	C122113ALCD	ORG	10061-01-5	cis-1,3-Dichloropropene	53		ug/L	1	0.25	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC979	50	106%	4%	
C122113ALCD	C122113ALCD	ORG	108-88-3	Toluene	50		ug/L	1	0.21	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC979	50	100%	6%	
C122113ALCD	C122113ALCD	ORG	108-10-1	4-Methyl-2-pentanone	48		ug/L	5	0.74	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC979	50	96%	2%	
C122113ALCD	C122113ALCD	ORG	10061-02-6	trans-1,3-Dichloropropene	54		ug/L	1	0.31	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC979	50	108%	5%	
C122113ALCD	C122113ALCD	ORG	127-18-4	Tetrachloroethene	55		ug/L	1	0.49	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC979	50	110%	4%	
C122113ALCD	C122113ALCD	ORG	79-00-5	1,1,2-Trichloroethane	52		ug/L	1	0.34	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC979	50	104%	4%	
C122113ALCD	C122113ALCD	ORG	124-48-1	Dibromochloromethane	47		ug/L	5	0.30	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC979	50	94%	4%	
C122113ALCD	C122113ALCD	ORG	106-93-4	1,2-Dibromoethane	48		ug/L	2	0.26	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC979	50	96%	6%	
C122113ALCD	C122113ALCD	ORG	591-78-6	2-Hexanone	44		ug/L	2	0.69	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC979	50	88%	5%	
C122113ALCD	C122113ALCD	ORG	100-41-4	Ethylbenzene	53		ug/L	1	0.25	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC979	50	106%	9%	
C122113ALCD	C122113ALCD	ORG	108-90-7	Chlorobenzene	53		ug/L	1	0.28	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC979	50	106%	7%	
C122113ALCD	C122113ALCD	ORG	630-20-6	1,1,1,2-Tetrachloroethane	47		ug/L	2	0.19	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC979	50	94%	8%	
C122113ALCD	C122113ALCD	ORG	XYLMP	p&m-Xylene	100		ug/L	2	0.26	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC979	100	100%	10%	
C122113ALCD	C122113ALCD	ORG	95-47-6	o-Xylene	50		ug/L	1	0.13	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC979	50	100%	6%	
C122113ALCD	C122113ALCD	ORG	100-42-5	Styrene	52		ug/L	1	0.20	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC979	50	104%	4%	
C122113ALCD	C122113ALCD	ORG	75-25-2	Bromoform	47		ug/L	2	0.47	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC979	50	94%	4%	
C122113ALCD	C122113ALCD	ORG	98-82-8	Isopropylbenzene	51		ug/L	2	0.20	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC979	50	102%	8%	
C122113ALCD	C122113ALCD	ORG	103-65-1	n-Propylbenzene	57		ug/L	2	0.27	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC979	50	114%	8%	
C122113ALCD	C122113ALCD	ORG	79-34-5	1,1,2,2-Tetrachloroethane	52		ug/L	2	0.29	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC979	50	104%	4%	

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C122113ALCD	C122113ALCD	ORG	96-18-4	1,2,3-Trichloropropane	50		ug/L	2	0.29	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC979	50	100%	8%	
C122113ALCD	C122113ALCD	ORG	108-67-8	1,3,5-Trimethylbenzene	50		ug/L	2	0.20	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC979	50	100%	8%	
C122113ALCD	C122113ALCD	ORG	98-06-6	tert-Butylbenzene	50		ug/L	2	0.33	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC979	50	100%	6%	
C122113ALCD	C122113ALCD	ORG	95-63-6	1,2,4-Trimethylbenzene	50		ug/L	2	0.20	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC979	50	100%	6%	
C122113ALCD	C122113ALCD	ORG	135-98-8	sec-Butylbenzene	50		ug/L	2	0.32	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC979	50	100%	6%	
C122113ALCD	C122113ALCD	ORG	541-73-1	1,3-Dichlorobenzene	53		ug/L	2	0.22	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC979	50	106%	4%	
C122113ALCD	C122113ALCD	ORG	99-87-6	p-Isopropltoluene	49		ug/L	2	0.25	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC979	50	98%	8%	
C122113ALCD	C122113ALCD	ORG	106-46-7	1,4-Dichlorobenzene	49		ug/L	2	0.33	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC979	50	98%	4%	
C122113ALCD	C122113ALCD	ORG	95-50-1	1,2-Dichlorobenzene	51		ug/L	2	0.26	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC979	50	102%	6%	
C122113ALCD	C122113ALCD	ORG	104-51-8	n-Butylbenzene	50		ug/L	5	0.28	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC979	50	100%	8%	
C122113ALCD	C122113ALCD	ORG	96-12-8	1,2-Dibromo-3-chloropropane	47		ug/L	5	1.59	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC979	50	94%	8%	
C122113ALCD	C122113ALCD	ORG	87-68-3	Hexachlorobutadiene	52		ug/L	5	0.65	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC979	50	104%	6%	
C122113ALCD	C122113ALCD	ORG	120-82-1	1,2,4-Trichlorobenzene	48		ug/L	5	0.28	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC979	50	96%	10%	
C122113ALCD	C122113ALCD	ORG	91-20-3	Naphthalene	47		ug/L	5	0.56	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC979	50	94%	4%	
C122113ALCD	C122113ALCD	ORG	87-61-6	1,2,3-Trichlorobenzene	52		ug/L	5	0.23	NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC979	50	104%	9%	
C122113ALCD	C122113ALCD	STD	1868-53-7	Dibromofluoromethane	49		ng			NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC979	50	98%	4%	
C122113ALCD	C122113ALCD	STD	17060-07-0	1,2-Dichloroethane d4	48		ng			NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC979	50	96%	2%	
C122113ALCD	C122113ALCD	STD	2037-26-5	Toluene d8	49		ng			NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC979	50	98%	2%	
C122113ALCD	C122113ALCD	STD	460-00-4	Bromofluorobenzene	49		ng			NA	12/21/2013	12/21/2013	WQ	1	NA	5.0	NA	SW8260B	NALC979	50	98%	4%	

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-857MS	316-172R	ORG	75-71-8	Dichlorodifluoromethane	4500		ug/L	500	29.28	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC980	5000	90%		
NAL13026-857MS	316-172R	ORG	74-87-3	Chloromethane	4600		ug/L	500	43.07	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC980	5000	92%		
NAL13026-857MS	316-172R	ORG	75-01-4	Vinyl chloride	5000		ug/L	200	31.86	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC980	5000	100%		
NAL13026-857MS	316-172R	ORG	74-83-9	Bromomethane	4700		ug/L	500	50.04	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC980	5000	94%		
NAL13026-857MS	316-172R	ORG	75-00-3	Chloroethane	4700		ug/L	500	55.61	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC980	5000	94%		
NAL13026-857MS	316-172R	ORG	75-69-4	Trichlorofluoromethane	7400		ug/L	500	19.65	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC980	5000	148%		
NAL13026-857MS	316-172R	ORG	75-35-4	1,1-Dichloroethene	4800		ug/L	100	47.11	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC980	5000	96%		
NAL13026-857MS	316-172R	ORG	75-09-2	Methylene chloride	4800		ug/L	500	26.46	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC980	5000	96%		
NAL13026-857MS	316-172R	ORG	67-64-1	Acetone	78000		ug/L	1000	155.61	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC980	5000	-300%		93000
NAL13026-857MS	316-172R	ORG	156-60-5	trans-1,2-Dichloroethene	4900		ug/L	100	55.61	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC980	5000	98%		
NAL13026-857MS	316-172R	ORG	1634-04-4	MTBE	4500		ug/L	500	61.18	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC980	5000	90%		
NAL13026-857MS	316-172R	ORG	75-34-3	1,1-Dichloroethane	4800		ug/L	100	52.66	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC980	5000	96%		
NAL13026-857MS	316-172R	ORG	156-59-2	cis-1,2-Dichloroethene	4800		ug/L	100	32.11	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC980	5000	96%		
NAL13026-857MS	316-172R	ORG	74-97-5	Bromochloromethane	4800		ug/L	1000	41.37	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC980	5000	96%		
NAL13026-857MS	316-172R	ORG	67-66-3	Chloroform	4700		ug/L	200	15.73	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC980	5000	94%		
NAL13026-857MS	316-172R	ORG	71-55-6	1,1,1-Trichloroethane	4800		ug/L	100	16.65	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC980	5000	96%		
NAL13026-857MS	316-172R	ORG	78-93-3	2-Butanone	48000		ug/L	100	81.18	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC980	5000	20%		47000
NAL13026-857MS	316-172R	ORG	56-23-5	Carbon tetrachloride	4800		ug/L	100	27.64	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC980	5000	96%		
NAL13026-857MS	316-172R	ORG	71-43-2	Benzene	5000		ug/L	100	13.53	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC980	5000	98%		87
NAL13026-857MS	316-172R	ORG	107-06-2	1,2-Dichloroethane	4700		ug/L	100	20.01	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC980	5000	94%		
NAL13026-857MS	316-172R	ORG	79-01-6	Trichloroethene	4800		ug/L	100	36.33	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC980	5000	96%		
NAL13026-857MS	316-172R	ORG	74-95-3	Dibromomethane	4900		ug/L	200	32.20	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC980	5000	98%		
NAL13026-857MS	316-172R	ORG	78-87-5	1,2-Dichloropropane	4600		ug/L	100	18.17	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC980	5000	92%		
NAL13026-857MS	316-172R	ORG	75-27-4	Bromodichloromethane	3800		ug/L	200	11.58	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC980	5000	76%		
NAL13026-857MS	316-172R	ORG	10061-01-5	cis-1,3-Dichloropropene	5000		ug/L	100	25.01	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC980	5000	100%		
NAL13026-857MS	316-172R	ORG	108-88-3	Toluene	4500		ug/L	100	20.96	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC980	5000	88%		96
NAL13026-857MS	316-172R	ORG	108-10-1	4-Methyl-2-pentanone	6100		ug/L	500	74.00	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC980	5000	88%		1700
NAL13026-857MS	316-172R	ORG	10061-02-6	trans-1,3-Dichloropropene	4600		ug/L	100	31.15	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC980	5000	92%		
NAL13026-857MS	316-172R	ORG	127-18-4	Tetrachloroethene	4200		ug/L	100	48.56	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC980	5000	84%		
NAL13026-857MS	316-172R	ORG	79-00-5	1,1,2-Trichloroethane	4800		ug/L	100	34.28	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC980	5000	96%		
NAL13026-857MS	316-172R	ORG	124-48-1	Dibromochloromethane	4200		ug/L	500	29.90	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC980	5000	84%		
NAL13026-857MS	316-172R	ORG	106-93-4	1,2-Dibromoethane	4500		ug/L	200	26.49	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC980	5000	90%		
NAL13026-857MS	316-172R	ORG	591-78-6	2-Hexanone	12000		ug/L	200	68.90	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC980	5000	86%		7700
NAL13026-857MS	316-172R	ORG	100-41-4	Ethylbenzene	5000		ug/L	100	25.38	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC980	5000	92%		390
NAL13026-857MS	316-172R	ORG	108-90-7	Chlorobenzene	4700		ug/L	100	27.52	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC980	5000	94%		
NAL13026-857MS	316-172R	ORG	630-20-6	1,1,1,2-Tetrachloroethane	4100		ug/L	200	19.28	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC980	5000	82%		
NAL13026-857MS	316-172R	ORG	XYLMP	p&m-Xylene	10000		ug/L	200	26.14	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC980	10000	84%		1600
NAL13026-857MS	316-172R	ORG	95-47-6	o-Xylene	5400		ug/L	100	12.90	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC980	5000	86%		1100
NAL13026-857MS	316-172R	ORG	100-42-5	Styrene	4700		ug/L	100	20.23	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC980	5000	85%		440
NAL13026-857MS	316-172R	ORG	75-25-2	Bromoform	3900		ug/L	200	46.83	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC980	5000	78%		
NAL13026-857MS	316-172R	ORG	98-82-8	Isopropylbenzene	5300		ug/L	200	20.48	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC980	5000	88%		890
NAL13026-857MS	316-172R	ORG	103-65-1	n-Propylbenzene	5600		ug/L	200	27.00	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC980	5000	104%		390
NAL13026-857MS	316-172R	ORG	79-34-5	1,1,2,2-Tetrachloroethane	4500		ug/L	200	29.16	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC980	5000	90%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-857MS	316-172R	ORG	96-18-4	1,2,3-Trichloropropane	4300		ug/L	200	29.47	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC980	5000	86%		
NAL13026-857MS	316-172R	ORG	108-67-8	1,3,5-Trimethylbenzene	5300		ug/L	200	20.03	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC980	5000	86%		1000
NAL13026-857MS	316-172R	ORG	98-06-6	tert-Butylbenzene	5000		ug/L	200	32.61	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC980	5000	100%		
NAL13026-857MS	316-172R	ORG	95-63-6	1,2,4-Trimethylbenzene	7600		ug/L	200	20.03	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC980	5000	74%		3900
NAL13026-857MS	316-172R	ORG	135-98-8	sec-Butylbenzene	5500		ug/L	200	32.34	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC980	5000	99%		530
NAL13026-857MS	316-172R	ORG	541-73-1	1,3-Dichlorobenzene	5000		ug/L	200	22.21	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC980	5000	100%		
NAL13026-857MS	316-172R	ORG	99-87-6	p-Isopropltoluene	16000		ug/L	200	25.48	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC980	5000	20%		15000
NAL13026-857MS	316-172R	ORG	106-46-7	1,4-Dichlorobenzene	7400		ug/L	200	33.03	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC980	5000	74%		3700
NAL13026-857MS	316-172R	ORG	95-50-1	1,2-Dichlorobenzene	5100		ug/L	200	26.38	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC980	5000	102%		
NAL13026-857MS	316-172R	ORG	104-51-8	n-Butylbenzene	5400		ug/L	500	27.81	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC980	5000	94%		710
NAL13026-857MS	316-172R	ORG	96-12-8	1,2-Dibromo-3-chloropropane	5300		ug/L	500	159.11	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC980	5000	106%		
NAL13026-857MS	316-172R	ORG	87-68-3	Hexachlorobutadiene	6000		ug/L	500	65.42	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC980	5000	120%		
NAL13026-857MS	316-172R	ORG	120-82-1	1,2,4-Trichlorobenzene	6000		ug/L	500	27.63	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC980	5000	120%		
NAL13026-857MS	316-172R	ORG	91-20-3	Naphthalene	8300		ug/L	500	56.04	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC980	5000	90%		3800
NAL13026-857MS	316-172R	ORG	87-61-6	1,2,3-Trichlorobenzene	6200		ug/L	500	23.28	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC980	5000	124%		
NAL13026-857MS	316-172R	STD	1868-53-7	Dibromofluoromethane	49		ng			12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC980	50	98%		
NAL13026-857MS	316-172R	STD	17060-07-0	1,2-Dichloroethane d4	48		ng			12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC980	50	96%		
NAL13026-857MS	316-172R	STD	2037-26-5	Toluene d8	45		ng			12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC980	50	90%		
NAL13026-857MS	316-172R	STD	460-00-4	Bromofluorobenzene	55		ng			12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC980	50	110%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-857MSD	316-172R	ORG	75-71-8	Dichlorodifluoromethane	5100		ug/L	500	29.28	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC981	5000	102%	13%	0
NAL13026-857MSD	316-172R	ORG	74-87-3	Chloromethane	5300		ug/L	500	43.07	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC981	5000	106%	14%	0
NAL13026-857MSD	316-172R	ORG	75-01-4	Vinyl chloride	5700		ug/L	200	31.86	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC981	5000	114%	13%	0
NAL13026-857MSD	316-172R	ORG	74-83-9	Bromomethane	4800		ug/L	500	50.04	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC981	5000	96%	2%	0
NAL13026-857MSD	316-172R	ORG	75-00-3	Chloroethane	4300		ug/L	500	55.61	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC981	5000	86%	9%	0
NAL13026-857MSD	316-172R	ORG	75-69-4	Trichlorofluoromethane	6900		ug/L	500	19.65	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC981	5000	138%	7%	0
NAL13026-857MSD	316-172R	ORG	75-35-4	1,1-Dichloroethene	5500		ug/L	100	47.11	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC981	5000	110%	14%	0
NAL13026-857MSD	316-172R	ORG	75-09-2	Methylene chloride	5500		ug/L	500	26.46	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC981	5000	110%	14%	0
NAL13026-857MSD	316-172R	ORG	67-64-1	Acetone	84000		ug/L	1000	155.61	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC981	5000	-180%	7%	93000
NAL13026-857MSD	316-172R	ORG	156-60-5	trans-1,2-Dichloroethene	5600		ug/L	100	55.61	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC981	5000	112%	13%	0
NAL13026-857MSD	316-172R	ORG	1634-04-4	MTBE	5500		ug/L	500	61.18	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC981	5000	110%	20%	0
NAL13026-857MSD	316-172R	ORG	75-34-3	1,1-Dichloroethane	5400		ug/L	100	52.66	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC981	5000	108%	12%	0
NAL13026-857MSD	316-172R	ORG	156-59-2	cis-1,2-Dichloroethene	5400		ug/L	100	32.11	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC981	5000	108%	12%	0
NAL13026-857MSD	316-172R	ORG	74-97-5	Bromochloromethane	5400		ug/L	1000	41.37	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC981	5000	108%	12%	0
NAL13026-857MSD	316-172R	ORG	67-66-3	Chloroform	5000		ug/L	200	15.73	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC981	5000	100%	6%	0
NAL13026-857MSD	316-172R	ORG	71-55-6	1,1,1-Trichloroethane	5100		ug/L	100	16.65	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC981	5000	102%	6%	0
NAL13026-857MSD	316-172R	ORG	78-93-3	2-Butanone	48000		ug/L	100	81.18	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC981	5000	20%	0%	47000
NAL13026-857MSD	316-172R	ORG	56-23-5	Carbon tetrachloride	5100		ug/L	100	27.64	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC981	5000	102%	6%	0
NAL13026-857MSD	316-172R	ORG	71-43-2	Benzene	5100		ug/L	100	13.53	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC981	5000	100%	2%	87
NAL13026-857MSD	316-172R	ORG	107-06-2	1,2-Dichloroethane	4600		ug/L	100	20.01	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC981	5000	92%	2%	0
NAL13026-857MSD	316-172R	ORG	79-01-6	Trichloroethene	4900		ug/L	100	36.33	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC981	5000	98%	2%	0
NAL13026-857MSD	316-172R	ORG	74-95-3	Dibromomethane	4400		ug/L	200	32.20	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC981	5000	88%	11%	0
NAL13026-857MSD	316-172R	ORG	78-87-5	1,2-Dichloropropane	4700		ug/L	100	18.17	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC981	5000	94%	2%	0
NAL13026-857MSD	316-172R	ORG	75-27-4	Bromodichloromethane	4000		ug/L	200	11.58	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC981	5000	80%	5%	0
NAL13026-857MSD	316-172R	ORG	10061-01-5	cis-1,3-Dichloropropene	5200		ug/L	100	25.01	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC981	5000	104%	4%	0
NAL13026-857MSD	316-172R	ORG	108-88-3	Toluene	4600		ug/L	100	20.96	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC981	5000	90%	2%	96
NAL13026-857MSD	316-172R	ORG	108-10-1	4-Methyl-2-pentanone	5700		ug/L	500	74.00	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC981	5000	80%	7%	1700
NAL13026-857MSD	316-172R	ORG	10061-02-6	trans-1,3-Dichloropropene	4600		ug/L	100	31.15	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC981	5000	92%	0%	0
NAL13026-857MSD	316-172R	ORG	127-18-4	Tetrachloroethene	4300		ug/L	100	48.56	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC981	5000	86%	2%	0
NAL13026-857MSD	316-172R	ORG	79-00-5	1,1,2-Trichloroethane	4600		ug/L	100	34.28	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC981	5000	92%	4%	0
NAL13026-857MSD	316-172R	ORG	124-48-1	Dibromochloromethane	4200		ug/L	500	29.90	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC981	5000	84%	0%	0
NAL13026-857MSD	316-172R	ORG	106-93-4	1,2-Dibromoethane	4400		ug/L	200	26.49	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC981	5000	88%	2%	0
NAL13026-857MSD	316-172R	ORG	591-78-6	2-Hexanone	12000		ug/L	200	68.90	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC981	5000	86%	0%	7700
NAL13026-857MSD	316-172R	ORG	100-41-4	Ethylbenzene	5500		ug/L	100	25.38	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC981	5000	102%	10%	390
NAL13026-857MSD	316-172R	ORG	108-90-7	Chlorobenzene	5100		ug/L	100	27.52	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC981	5000	102%	8%	0
NAL13026-857MSD	316-172R	ORG	630-20-6	1,1,1,2-Tetrachloroethane	4400		ug/L	200	19.28	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC981	5000	88%	7%	0
NAL13026-857MSD	316-172R	ORG	XYLMP	p&m-Xylene	11000		ug/L	200	26.14	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC981	10000	94%	10%	1600
NAL13026-857MSD	316-172R	ORG	95-47-6	o-Xylene	5800		ug/L	100	12.90	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC981	5000	94%	7%	1100
NAL13026-857MSD	316-172R	ORG	100-42-5	Styrene	5100		ug/L	100	20.23	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC981	5000	93%	8%	440
NAL13026-857MSD	316-172R	ORG	75-25-2	Bromoform	4000		ug/L	200	46.83	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC981	5000	80%	3%	0
NAL13026-857MSD	316-172R	ORG	98-82-8	Isopropylbenzene	5600		ug/L	200	20.48	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC981	5000	94%	6%	890
NAL13026-857MSD	316-172R	ORG	103-65-1	n-Propylbenzene	5900		ug/L	200	27.00	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC981	5000	110%	5%	390
NAL13026-857MSD	316-172R	ORG	79-34-5	1,1,2,2-Tetrachloroethane	4300		ug/L	200	29.16	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC981	5000	86%	5%	0

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-857MSD	316-172R	ORG	96-18-4	1,2,3-Trichloropropane	4300		ug/L	200	29.47	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC981	5000	86%	0%	0
NAL13026-857MSD	316-172R	ORG	108-67-8	1,3,5-Trimethylbenzene	5500		ug/L	200	20.03	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC981	5000	90%	4%	1000
NAL13026-857MSD	316-172R	ORG	98-06-6	tert-Butylbenzene	5200		ug/L	200	32.61	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC981	5000	104%	4%	0
NAL13026-857MSD	316-172R	ORG	95-63-6	1,2,4-Trimethylbenzene	7700		ug/L	200	20.03	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC981	5000	76%	1%	3900
NAL13026-857MSD	316-172R	ORG	135-98-8	sec-Butylbenzene	5700		ug/L	200	32.34	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC981	5000	103%	4%	530
NAL13026-857MSD	316-172R	ORG	541-73-1	1,3-Dichlorobenzene	5200		ug/L	200	22.21	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC981	5000	104%	4%	0
NAL13026-857MSD	316-172R	ORG	99-87-6	p-Isopropltoluene	16000		ug/L	200	25.48	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC981	5000	20%	0%	15000
NAL13026-857MSD	316-172R	ORG	106-46-7	1,4-Dichlorobenzene	7500		ug/L	200	33.03	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC981	5000	76%	1%	3700
NAL13026-857MSD	316-172R	ORG	95-50-1	1,2-Dichlorobenzene	5200		ug/L	200	26.38	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC981	5000	104%	2%	0
NAL13026-857MSD	316-172R	ORG	104-51-8	n-Butylbenzene	5500		ug/L	500	27.81	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC981	5000	96%	2%	710
NAL13026-857MSD	316-172R	ORG	96-12-8	1,2-Dibromo-3-chloropropane	5100		ug/L	500	159.11	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC981	5000	102%	4%	0
NAL13026-857MSD	316-172R	ORG	87-68-3	Hexachlorobutadiene	5900		ug/L	500	65.42	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC981	5000	118%	2%	0
NAL13026-857MSD	316-172R	ORG	120-82-1	1,2,4-Trichlorobenzene	6000		ug/L	500	27.63	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC981	5000	120%	0%	0
NAL13026-857MSD	316-172R	ORG	91-20-3	Naphthalene	8100		ug/L	500	56.04	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC981	5000	86%	2%	3800
NAL13026-857MSD	316-172R	ORG	87-61-6	1,2,3-Trichlorobenzene	6400		ug/L	500	23.28	12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC981	5000	128%	3%	0
NAL13026-857MSD	316-172R	STD	1868-53-7	Dibromofluoromethane	51		ng			12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC981	50	102%	4%	0
NAL13026-857MSD	316-172R	STD	17060-07-0	1,2-Dichloroethane d4	48		ng			12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC981	50	96%	0%	0
NAL13026-857MSD	316-172R	STD	2037-26-5	Toluene d8	46		ng			12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC981	50	92%	2%	0
NAL13026-857MSD	316-172R	STD	460-00-4	Bromofluorobenzene	57		ng			12/21/2013	12/21/2013	12/21/2013	WG	100	NA	5.0	NA	SW8260B	NALC981	50	114%	4%	0

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-859	316-173	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0989				
NAL13026-859	316-173	ORG	74-87-3	Chloromethane		U	ug/L	500	43.07	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0989				
NAL13026-859	316-173	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0989				
NAL13026-859	316-173	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0989				
NAL13026-859	316-173	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0989				
NAL13026-859	316-173	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0989				
NAL13026-859	316-173	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0989				
NAL13026-859	316-173	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0989				
NAL13026-859	316-173	ORG	67-64-1	Acetone	100000	D	ug/L	10000	1556.07	12/22/2013	12/22/2013	12/22/2013	WG	1000	NA	5.0	NA	SW8260B	NALC0990				
NAL13026-859	316-173	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0989				
NAL13026-859	316-173	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0989				
NAL13026-859	316-173	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0989				
NAL13026-859	316-173	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0989				
NAL13026-859	316-173	ORG	74-97-5	Bromochloromethane		U	ug/L	200	41.37	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0989				
NAL13026-859	316-173	ORG	67-66-3	Chloroform		U	ug/L	100	15.73	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0989				
NAL13026-859	316-173	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	16.65	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0989				
NAL13026-859	316-173	ORG	78-93-3	2-Butanone	49000	D	ug/L	10000	811.80	12/22/2013	12/22/2013	12/22/2013	WG	1000	NA	5.0	NA	SW8260B	NALC0990				
NAL13026-859	316-173	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0989				
NAL13026-859	316-173	ORG	71-43-2	Benzene	160		ug/L	100	13.53	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0989				
NAL13026-859	316-173	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0989				
NAL13026-859	316-173	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0989				
NAL13026-859	316-173	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0989				
NAL13026-859	316-173	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0989				
NAL13026-859	316-173	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0989				
NAL13026-859	316-173	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0989				
NAL13026-859	316-173	ORG	108-88-3	Toluene	160		ug/L	100	20.96	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0989				
NAL13026-859	316-173	ORG	108-10-1	4-Methyl-2-pentanone	1400		ug/L	500	74.00	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0989				
NAL13026-859	316-173	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0989				
NAL13026-859	316-173	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0989				
NAL13026-859	316-173	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0989				
NAL13026-859	316-173	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	29.90	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0989				
NAL13026-859	316-173	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	26.49	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0989				
NAL13026-859	316-173	ORG	591-78-6	2-Hexanone	7300		ug/L	500	68.90	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0989				
NAL13026-859	316-173	ORG	100-41-4	Ethylbenzene	490		ug/L	100	25.38	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0989				
NAL13026-859	316-173	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0989				
NAL13026-859	316-173	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0989				
NAL13026-859	316-173	ORG	XYLMP	p&m-Xylene	1700		ug/L	200	26.14	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0989				
NAL13026-859	316-173	ORG	95-47-6	o-Xylene	1200		ug/L	100	12.90	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0989				
NAL13026-859	316-173	ORG	100-42-5	Styrene	440		ug/L	100	20.23	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0989				
NAL13026-859	316-173	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0989				
NAL13026-859	316-173	ORG	98-82-8	Isopropylbenzene	940		ug/L	200	20.48	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0989				
NAL13026-859	316-173	ORG	103-65-1	n-Propylbenzene	450		ug/L	200	27.00	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0989				
NAL13026-859	316-173	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0989				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-859	316-173	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0989				
NAL13026-859	316-173	ORG	108-67-8	1,3,5-Trimethylbenzene	1000		ug/L	200	20.03	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0989				
NAL13026-859	316-173	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0989				
NAL13026-859	316-173	ORG	95-63-6	1,2,4-Trimethylbenzene	3900		ug/L	200	20.03	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0989				
NAL13026-859	316-173	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0989				
NAL13026-859	316-173	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0989				
NAL13026-859	316-173	ORG	99-87-6	p-Isopropltoluene	16000		ug/L	200	25.48	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0989				
NAL13026-859	316-173	ORG	106-46-7	1,4-Dichlorobenzene	3600		ug/L	200	33.03	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0989				
NAL13026-859	316-173	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0989				
NAL13026-859	316-173	ORG	104-51-8	n-Butylbenzene	730		ug/L	500	27.81	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0989				
NAL13026-859	316-173	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0989				
NAL13026-859	316-173	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0989				
NAL13026-859	316-173	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0989				
NAL13026-859	316-173	ORG	91-20-3	Naphthalene	3800		ug/L	500	56.04	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0989				
NAL13026-859	316-173	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0989				
NAL13026-859	316-173	STD	1868-53-7	Dibromofluoromethane	50		ng			12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0989	50	100%		
NAL13026-859	316-173	STD	17060-07-0	1,2-Dichloroethane d4	48		ng			12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0989	50	96%		
NAL13026-859	316-173	STD	2037-26-5	Toluene d8	45		ng			12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0989	50	90%		
NAL13026-859	316-173	STD	460-00-4	Bromofluorobenzene	54		ng			12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0989	50	108%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-860	96-SW02b	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0991				
NAL13026-860	96-SW02b	ORG	74-87-3	Chloromethane		U	ug/L	500	43.07	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0991				
NAL13026-860	96-SW02b	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0991				
NAL13026-860	96-SW02b	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0991				
NAL13026-860	96-SW02b	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0991				
NAL13026-860	96-SW02b	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0991				
NAL13026-860	96-SW02b	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0991				
NAL13026-860	96-SW02b	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0991				
NAL13026-860	96-SW02b	ORG	67-64-1	Acetone	1300		ug/L	1000	155.61	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0991				
NAL13026-860	96-SW02b	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0991				
NAL13026-860	96-SW02b	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0991				
NAL13026-860	96-SW02b	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0991				
NAL13026-860	96-SW02b	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0991				
NAL13026-860	96-SW02b	ORG	74-97-5	Bromochloromethane		U	ug/L	200	41.37	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0991				
NAL13026-860	96-SW02b	ORG	67-66-3	Chloroform		U	ug/L	100	15.73	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0991				
NAL13026-860	96-SW02b	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	16.65	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0991				
NAL13026-860	96-SW02b	ORG	78-93-3	2-Butanone	660	J	ug/L	1000	81.18	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0991				
NAL13026-860	96-SW02b	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0991				
NAL13026-860	96-SW02b	ORG	71-43-2	Benzene		U	ug/L	100	13.53	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0991				
NAL13026-860	96-SW02b	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0991				
NAL13026-860	96-SW02b	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0991				
NAL13026-860	96-SW02b	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0991				
NAL13026-860	96-SW02b	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0991				
NAL13026-860	96-SW02b	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0991				
NAL13026-860	96-SW02b	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0991				
NAL13026-860	96-SW02b	ORG	108-88-3	Toluene		U	ug/L	100	20.96	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0991				
NAL13026-860	96-SW02b	ORG	108-10-1	4-Methyl-2-pentanone		U	ug/L	500	74.00	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0991				
NAL13026-860	96-SW02b	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0991				
NAL13026-860	96-SW02b	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0991				
NAL13026-860	96-SW02b	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0991				
NAL13026-860	96-SW02b	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	29.90	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0991				
NAL13026-860	96-SW02b	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	26.49	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0991				
NAL13026-860	96-SW02b	ORG	591-78-6	2-Hexanone		U	ug/L	500	68.90	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0991				
NAL13026-860	96-SW02b	ORG	100-41-4	Ethylbenzene		U	ug/L	100	25.38	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0991				
NAL13026-860	96-SW02b	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0991				
NAL13026-860	96-SW02b	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0991				
NAL13026-860	96-SW02b	ORG	XYLMP	p&m-Xylene		U	ug/L	200	26.14	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0991				
NAL13026-860	96-SW02b	ORG	95-47-6	o-Xylene		U	ug/L	100	12.90	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0991				
NAL13026-860	96-SW02b	ORG	100-42-5	Styrene		U	ug/L	100	20.23	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0991				
NAL13026-860	96-SW02b	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0991				
NAL13026-860	96-SW02b	ORG	98-82-8	Isopropylbenzene		U	ug/L	200	20.48	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0991				
NAL13026-860	96-SW02b	ORG	103-65-1	n-Propylbenzene		U	ug/L	200	27.00	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0991				
NAL13026-860	96-SW02b	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0991				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-860	96-SW02b	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0991				
NAL13026-860	96-SW02b	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	200	20.03	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0991				
NAL13026-860	96-SW02b	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0991				
NAL13026-860	96-SW02b	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	200	20.03	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0991				
NAL13026-860	96-SW02b	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0991				
NAL13026-860	96-SW02b	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0991				
NAL13026-860	96-SW02b	ORG	99-87-6	p-Isopropltoluene	500		ug/L	200	25.48	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0991				
NAL13026-860	96-SW02b	ORG	106-46-7	1,4-Dichlorobenzene	51	J	ug/L	200	33.03	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0991				
NAL13026-860	96-SW02b	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0991				
NAL13026-860	96-SW02b	ORG	104-51-8	n-Butylbenzene		U	ug/L	500	27.81	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0991				
NAL13026-860	96-SW02b	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0991				
NAL13026-860	96-SW02b	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0991				
NAL13026-860	96-SW02b	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0991				
NAL13026-860	96-SW02b	ORG	91-20-3	Naphthalene	820		ug/L	500	56.04	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0991				
NAL13026-860	96-SW02b	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0991				
NAL13026-860	96-SW02b	STD	1868-53-7	Dibromofluoromethane	50		ng			12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0991	50	100%		
NAL13026-860	96-SW02b	STD	17060-07-0	1,2-Dichloroethane d4	50		ng			12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0991	50	100%		
NAL13026-860	96-SW02b	STD	2037-26-5	Toluene d8	55		ng			12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0991	50	110%		
NAL13026-860	96-SW02b	STD	460-00-4	Bromofluorobenzene	57		ng			12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0991	50	114%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-861	316-173R	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0992				
NAL13026-861	316-173R	ORG	74-87-3	Chloromethane		U	ug/L	500	43.07	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0992				
NAL13026-861	316-173R	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0992				
NAL13026-861	316-173R	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0992				
NAL13026-861	316-173R	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0992				
NAL13026-861	316-173R	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0992				
NAL13026-861	316-173R	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0992				
NAL13026-861	316-173R	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0992				
NAL13026-861	316-173R	ORG	67-64-1	Acetone	92000	D	ug/L	10000	1556.07	12/22/2013	12/22/2013	12/22/2013	WG	1000	NA	5.0	NA	SW8260B	NALC0993				
NAL13026-861	316-173R	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0992				
NAL13026-861	316-173R	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0992				
NAL13026-861	316-173R	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0992				
NAL13026-861	316-173R	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0992				
NAL13026-861	316-173R	ORG	74-97-5	Bromochloromethane		U	ug/L	200	41.37	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0992				
NAL13026-861	316-173R	ORG	67-66-3	Chloroform		U	ug/L	100	15.73	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0992				
NAL13026-861	316-173R	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	16.65	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0992				
NAL13026-861	316-173R	ORG	78-93-3	2-Butanone	45000	D	ug/L	10000	811.80	12/22/2013	12/22/2013	12/22/2013	WG	1000	NA	5.0	NA	SW8260B	NALC0993				
NAL13026-861	316-173R	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0992				
NAL13026-861	316-173R	ORG	71-43-2	Benzene	100	J	ug/L	100	13.53	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0992				
NAL13026-861	316-173R	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0992				
NAL13026-861	316-173R	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0992				
NAL13026-861	316-173R	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0992				
NAL13026-861	316-173R	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0992				
NAL13026-861	316-173R	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0992				
NAL13026-861	316-173R	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0992				
NAL13026-861	316-173R	ORG	108-88-3	Toluene	120		ug/L	100	20.96	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0992				
NAL13026-861	316-173R	ORG	108-10-1	4-Methyl-2-pentanone	1400		ug/L	500	74.00	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0992				
NAL13026-861	316-173R	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0992				
NAL13026-861	316-173R	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0992				
NAL13026-861	316-173R	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0992				
NAL13026-861	316-173R	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	29.90	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0992				
NAL13026-861	316-173R	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	26.49	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0992				
NAL13026-861	316-173R	ORG	591-78-6	2-Hexanone	7400		ug/L	500	68.90	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0992				
NAL13026-861	316-173R	ORG	100-41-4	Ethylbenzene	380		ug/L	100	25.38	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0992				
NAL13026-861	316-173R	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0992				
NAL13026-861	316-173R	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0992				
NAL13026-861	316-173R	ORG	XYLMP	p&m-Xylene	1500		ug/L	200	26.14	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0992				
NAL13026-861	316-173R	ORG	95-47-6	o-Xylene	1100		ug/L	100	12.90	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0992				
NAL13026-861	316-173R	ORG	100-42-5	Styrene	430		ug/L	100	20.23	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0992				
NAL13026-861	316-173R	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0992				
NAL13026-861	316-173R	ORG	98-82-8	Isopropylbenzene	880		ug/L	200	20.48	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0992				
NAL13026-861	316-173R	ORG	103-65-1	n-Propylbenzene	400		ug/L	200	27.00	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0992				
NAL13026-861	316-173R	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0992				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-861	316-173R	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0992				
NAL13026-861	316-173R	ORG	108-67-8	1,3,5-Trimethylbenzene	1000		ug/L	200	20.03	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0992				
NAL13026-861	316-173R	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0992				
NAL13026-861	316-173R	ORG	95-63-6	1,2,4-Trimethylbenzene	3700		ug/L	200	20.03	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0992				
NAL13026-861	316-173R	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0992				
NAL13026-861	316-173R	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0992				
NAL13026-861	316-173R	ORG	99-87-6	p-Isopropltoluene	15000		ug/L	200	25.48	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0992				
NAL13026-861	316-173R	ORG	106-46-7	1,4-Dichlorobenzene	3500		ug/L	200	33.03	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0992				
NAL13026-861	316-173R	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0992				
NAL13026-861	316-173R	ORG	104-51-8	n-Butylbenzene		U	ug/L	500	27.81	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0992				
NAL13026-861	316-173R	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0992				
NAL13026-861	316-173R	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0992				
NAL13026-861	316-173R	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0992				
NAL13026-861	316-173R	ORG	91-20-3	Naphthalene	3700		ug/L	500	56.04	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0992				
NAL13026-861	316-173R	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0992				
NAL13026-861	316-173R	STD	1868-53-7	Dibromofluoromethane	51		ng			12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0992	50	102%		
NAL13026-861	316-173R	STD	17060-07-0	1,2-Dichloroethane d4	48		ng			12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0992	50	96%		
NAL13026-861	316-173R	STD	2037-26-5	Toluene d8	43		ng			12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0992	50	86%		
NAL13026-861	316-173R	STD	460-00-4	Bromofluorobenzene	53		ng			12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0992	50	106%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C122213CCVA	C122213CCVA	ORG	75-71-8	Dichlorodifluoromethane	44		ug/L	5	0.29	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0987	50	88%		
C122213CCVA	C122213CCVA	ORG	74-87-3	Chloromethane	46		ug/L	5	0.43	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0987	50	92%		
C122213CCVA	C122213CCVA	ORG	75-01-4	Vinyl chloride	51		ug/L	2	0.32	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0987	50	102%		
C122213CCVA	C122213CCVA	ORG	74-83-9	Bromomethane	46		ug/L	5	0.50	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0987	50	92%		
C122213CCVA	C122213CCVA	ORG	75-00-3	Chloroethane	42		ug/L	5	0.56	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0987	50	84%		
C122213CCVA	C122213CCVA	ORG	75-69-4	Trichlorofluoromethane	70		ug/L	5	0.20	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0987	50	140%		
C122213CCVA	C122213CCVA	ORG	75-35-4	1,1-Dichloroethene	48		ug/L	1	0.47	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0987	50	96%		
C122213CCVA	C122213CCVA	ORG	75-09-2	Methylene chloride	49		ug/L	5	0.26	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0987	50	98%		
C122213CCVA	C122213CCVA	ORG	67-64-1	Acetone	47		ug/L	10	1.56	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0987	50	94%		
C122213CCVA	C122213CCVA	ORG	156-60-5	trans-1,2-Dichloroethene	50		ug/L	1	0.56	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0987	50	100%		
C122213CCVA	C122213CCVA	ORG	1634-04-4	MTBE	48		ug/L	5	0.61	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0987	50	96%		
C122213CCVA	C122213CCVA	ORG	75-34-3	1,1-Dichloroethane	48		ug/L	1	0.53	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0987	50	96%		
C122213CCVA	C122213CCVA	ORG	156-59-2	cis-1,2-Dichloroethene	49		ug/L	1	0.32	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0987	50	98%		
C122213CCVA	C122213CCVA	ORG	74-97-5	Bromochloromethane	51		ug/L	10	0.41	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0987	50	102%		
C122213CCVA	C122213CCVA	ORG	67-66-3	Chloroform	47		ug/L	2	0.16	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0987	50	94%		
C122213CCVA	C122213CCVA	ORG	71-55-6	1,1,1-Trichloroethane	48		ug/L	1	0.17	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0987	50	96%		
C122213CCVA	C122213CCVA	ORG	78-93-3	2-Butanone	49		ug/L	1	0.81	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0987	50	98%		
C122213CCVA	C122213CCVA	ORG	56-23-5	Carbon tetrachloride	47		ug/L	1	0.28	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0987	50	94%		
C122213CCVA	C122213CCVA	ORG	71-43-2	Benzene	48		ug/L	1	0.14	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0987	50	96%		
C122213CCVA	C122213CCVA	ORG	107-06-2	1,2-Dichloroethane	46		ug/L	1	0.20	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0987	50	92%		
C122213CCVA	C122213CCVA	ORG	79-01-6	Trichloroethene	47		ug/L	1	0.36	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0987	50	94%		
C122213CCVA	C122213CCVA	ORG	74-95-3	Dibromomethane	41		ug/L	2	0.32	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0987	50	82%		
C122213CCVA	C122213CCVA	ORG	78-87-5	1,2-Dichloropropane	43		ug/L	1	0.18	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0987	50	86%		
C122213CCVA	C122213CCVA	ORG	75-27-4	Bromodichloromethane	46		ug/L	2	0.12	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0987	50	92%		
C122213CCVA	C122213CCVA	ORG	10061-01-5	cis-1,3-Dichloropropene	53		ug/L	1	0.25	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0987	50	106%		
C122213CCVA	C122213CCVA	ORG	108-88-3	Toluene	50		ug/L	1	0.21	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0987	50	100%		
C122213CCVA	C122213CCVA	ORG	108-10-1	4-Methyl-2-pentanone	44		ug/L	5	0.74	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0987	50	88%		
C122213CCVA	C122213CCVA	ORG	10061-02-6	trans-1,3-Dichloropropene	53		ug/L	1	0.31	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0987	50	106%		
C122213CCVA	C122213CCVA	ORG	127-18-4	Tetrachloroethene	48		ug/L	1	0.49	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0987	50	96%		
C122213CCVA	C122213CCVA	ORG	79-00-5	1,1,2-Trichloroethane	51		ug/L	1	0.34	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0987	50	102%		
C122213CCVA	C122213CCVA	ORG	124-48-1	Dibromochloromethane	45		ug/L	5	0.30	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0987	50	90%		
C122213CCVA	C122213CCVA	ORG	106-93-4	1,2-Dibromoethane	47		ug/L	2	0.26	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0987	50	94%		
C122213CCVA	C122213CCVA	ORG	591-78-6	2-Hexanone	42		ug/L	2	0.69	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0987	50	84%		
C122213CCVA	C122213CCVA	ORG	100-41-4	Ethylbenzene	52		ug/L	1	0.25	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0987	50	104%		
C122213CCVA	C122213CCVA	ORG	108-90-7	Chlorobenzene	53		ug/L	1	0.28	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0987	50	106%		
C122213CCVA	C122213CCVA	ORG	630-20-6	1,1,1,2-Tetrachloroethane	48		ug/L	2	0.19	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0987	50	96%		
C122213CCVA	C122213CCVA	ORG	XYLMP	p&m-Xylene	100		ug/L	2	0.26	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0987	100	100%		
C122213CCVA	C122213CCVA	ORG	95-47-6	o-Xylene	49		ug/L	1	0.13	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0987	50	98%		
C122213CCVA	C122213CCVA	ORG	100-42-5	Styrene	50		ug/L	1	0.20	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0987	50	100%		
C122213CCVA	C122213CCVA	ORG	75-25-2	Bromoform	46		ug/L	2	0.47	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0987	50	92%		
C122213CCVA	C122213CCVA	ORG	98-82-8	Isopropylbenzene	50		ug/L	2	0.20	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0987	50	100%		
C122213CCVA	C122213CCVA	ORG	103-65-1	n-Propylbenzene	56		ug/L	2	0.27	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0987	50	112%		
C122213CCVA	C122213CCVA	ORG	79-34-5	1,1,2,2-Tetrachloroethane	48		ug/L	2	0.29	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0987	50	96%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C122213CCVA	C122213CCVA	ORG	96-18-4	1,2,3-Trichloropropane	48		ug/L	2	0.29	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0987	50	96%		
C122213CCVA	C122213CCVA	ORG	108-67-8	1,3,5-Trimethylbenzene	49		ug/L	2	0.20	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0987	50	98%		
C122213CCVA	C122213CCVA	ORG	98-06-6	tert-Butylbenzene	49		ug/L	2	0.33	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0987	50	98%		
C122213CCVA	C122213CCVA	ORG	95-63-6	1,2,4-Trimethylbenzene	49		ug/L	2	0.20	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0987	50	98%		
C122213CCVA	C122213CCVA	ORG	135-98-8	sec-Butylbenzene	47		ug/L	2	0.32	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0987	50	94%		
C122213CCVA	C122213CCVA	ORG	541-73-1	1,3-Dichlorobenzene	51		ug/L	2	0.22	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0987	50	102%		
C122213CCVA	C122213CCVA	ORG	99-87-6	p-Isopropltoluene	48		ug/L	2	0.25	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0987	50	96%		
C122213CCVA	C122213CCVA	ORG	106-46-7	1,4-Dichlorobenzene	48		ug/L	2	0.33	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0987	50	96%		
C122213CCVA	C122213CCVA	ORG	95-50-1	1,2-Dichlorobenzene	49		ug/L	2	0.26	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0987	50	98%		
C122213CCVA	C122213CCVA	ORG	104-51-8	n-Butylbenzene	49		ug/L	5	0.28	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0987	50	98%		
C122213CCVA	C122213CCVA	ORG	96-12-8	1,2-Dibromo-3-chloropropane	44		ug/L	5	1.59	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0987	50	88%		
C122213CCVA	C122213CCVA	ORG	87-68-3	Hexachlorobutadiene	51		ug/L	5	0.65	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0987	50	102%		
C122213CCVA	C122213CCVA	ORG	120-82-1	1,2,4-Trichlorobenzene	49		ug/L	5	0.28	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0987	50	98%		
C122213CCVA	C122213CCVA	ORG	91-20-3	Naphthalene	48		ug/L	5	0.56	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0987	50	96%		
C122213CCVA	C122213CCVA	ORG	87-61-6	1,2,3-Trichlorobenzene	52		ug/L	5	0.23	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0987	50	104%		
C122213CCVA	C122213CCVA	STD	1868-53-7	Dibromofluoromethane	49		ng			NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0987	50	98%		
C122213CCVA	C122213CCVA	STD	17060-07-0	1,2-Dichloroethane d4	48		ng			NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0987	50	96%		
C122213CCVA	C122213CCVA	STD	2037-26-5	Toluene d8	50		ng			NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0987	50	100%		
C122213CCVA	C122213CCVA	STD	460-00-4	Bromofluorobenzene	49		ng			NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0987	50	98%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C122213MBKA	C122213MBKA	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	5	0.29	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0988				
C122213MBKA	C122213MBKA	ORG	74-87-3	Chloromethane		U	ug/L	5	0.43	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0988				
C122213MBKA	C122213MBKA	ORG	75-01-4	Vinyl chloride		U	ug/L	2	0.32	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0988				
C122213MBKA	C122213MBKA	ORG	74-83-9	Bromomethane		U	ug/L	5	0.50	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0988				
C122213MBKA	C122213MBKA	ORG	75-00-3	Chloroethane		U	ug/L	5	0.56	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0988				
C122213MBKA	C122213MBKA	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	5	0.20	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0988				
C122213MBKA	C122213MBKA	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	1	0.47	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0988				
C122213MBKA	C122213MBKA	ORG	75-09-2	Methylene chloride		U	ug/L	5	0.26	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0988				
C122213MBKA	C122213MBKA	ORG	67-64-1	Acetone		U	ug/L	10	1.56	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0988				
C122213MBKA	C122213MBKA	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	1	0.56	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0988				
C122213MBKA	C122213MBKA	ORG	1634-04-4	MTBE		U	ug/L	5	0.61	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0988				
C122213MBKA	C122213MBKA	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	1	0.53	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0988				
C122213MBKA	C122213MBKA	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	1	0.32	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0988				
C122213MBKA	C122213MBKA	ORG	74-97-5	Bromochloromethane		U	ug/L	10	0.41	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0988				
C122213MBKA	C122213MBKA	ORG	67-66-3	Chloroform		U	ug/L	2	0.16	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0988				
C122213MBKA	C122213MBKA	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	1	0.17	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0988				
C122213MBKA	C122213MBKA	ORG	78-93-3	2-Butanone		U	ug/L	1	0.81	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0988				
C122213MBKA	C122213MBKA	ORG	56-23-5	Carbon tetrachloride		U	ug/L	1	0.28	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0988				
C122213MBKA	C122213MBKA	ORG	71-43-2	Benzene		U	ug/L	1	0.14	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0988				
C122213MBKA	C122213MBKA	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	1	0.20	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0988				
C122213MBKA	C122213MBKA	ORG	79-01-6	Trichloroethene		U	ug/L	1	0.36	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0988				
C122213MBKA	C122213MBKA	ORG	74-95-3	Dibromomethane		U	ug/L	2	0.32	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0988				
C122213MBKA	C122213MBKA	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	1	0.18	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0988				
C122213MBKA	C122213MBKA	ORG	75-27-4	Bromodichloromethane		U	ug/L	2	0.12	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0988				
C122213MBKA	C122213MBKA	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	1	0.25	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0988				
C122213MBKA	C122213MBKA	ORG	108-88-3	Toluene		U	ug/L	1	0.21	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0988				
C122213MBKA	C122213MBKA	ORG	108-10-1	4-Methyl-2-pentanone		U	ug/L	5	0.74	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0988				
C122213MBKA	C122213MBKA	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	1	0.31	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0988				
C122213MBKA	C122213MBKA	ORG	127-18-4	Tetrachloroethene		U	ug/L	1	0.49	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0988				
C122213MBKA	C122213MBKA	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	1	0.34	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0988				
C122213MBKA	C122213MBKA	ORG	124-48-1	Dibromochloromethane		U	ug/L	5	0.30	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0988				
C122213MBKA	C122213MBKA	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	2	0.26	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0988				
C122213MBKA	C122213MBKA	ORG	591-78-6	2-Hexanone		U	ug/L	2	0.69	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0988				
C122213MBKA	C122213MBKA	ORG	100-41-4	Ethylbenzene		U	ug/L	1	0.25	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0988				
C122213MBKA	C122213MBKA	ORG	108-90-7	Chlorobenzene		U	ug/L	1	0.28	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0988				
C122213MBKA	C122213MBKA	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	2	0.19	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0988				
C122213MBKA	C122213MBKA	ORG	XYLMP	p&m-Xylene		U	ug/L	2	0.26	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0988				
C122213MBKA	C122213MBKA	ORG	95-47-6	o-Xylene		U	ug/L	1	0.13	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0988				
C122213MBKA	C122213MBKA	ORG	100-42-5	Styrene		U	ug/L	1	0.20	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0988				
C122213MBKA	C122213MBKA	ORG	75-25-2	Bromoform		U	ug/L	2	0.47	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0988				
C122213MBKA	C122213MBKA	ORG	98-82-8	Isopropylbenzene		U	ug/L	2	0.20	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0988				
C122213MBKA	C122213MBKA	ORG	103-65-1	n-Propylbenzene		U	ug/L	2	0.27	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0988				
C122213MBKA	C122213MBKA	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	2	0.29	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0988				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C122213MBKA	C122213MBKA	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	2	0.29	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0988				
C122213MBKA	C122213MBKA	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	2	0.20	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0988				
C122213MBKA	C122213MBKA	ORG	98-06-6	tert-Butylbenzene		U	ug/L	2	0.33	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0988				
C122213MBKA	C122213MBKA	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	2	0.20	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0988				
C122213MBKA	C122213MBKA	ORG	135-98-8	sec-Butylbenzene		U	ug/L	2	0.32	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0988				
C122213MBKA	C122213MBKA	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	2	0.22	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0988				
C122213MBKA	C122213MBKA	ORG	99-87-6	p-Isopropltoluene		U	ug/L	2	0.25	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0988				
C122213MBKA	C122213MBKA	ORG	106-46-7	1,4-Dichlorobenzene		U	ug/L	2	0.33	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0988				
C122213MBKA	C122213MBKA	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	2	0.26	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0988				
C122213MBKA	C122213MBKA	ORG	104-51-8	n-Butylbenzene		U	ug/L	5	0.28	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0988				
C122213MBKA	C122213MBKA	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	5	1.59	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0988				
C122213MBKA	C122213MBKA	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	5	0.65	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0988				
C122213MBKA	C122213MBKA	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	5	0.28	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0988				
C122213MBKA	C122213MBKA	ORG	91-20-3	Naphthalene		U	ug/L	5	0.56	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0988				
C122213MBKA	C122213MBKA	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	5	0.23	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0988				
C122213MBKA	C122213MBKA	STD	1868-53-7	Dibromofluoromethane	49		ng			NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0988	50	98%		
C122213MBKA	C122213MBKA	STD	17060-07-0	1,2-Dichloroethane d4	49		ng			NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0988	50	98%		
C122213MBKA	C122213MBKA	STD	2037-26-5	Toluene d8	57		ng			NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0988	50	114%		
C122213MBKA	C122213MBKA	STD	460-00-4	Bromofluorobenzene	57		ng			NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0988	50	114%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C122213ALCS	C122213ALCS	ORG	75-71-8	Dichlorodifluoromethane	46		ug/L	5	0.29	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0994	50	92%		
C122213ALCS	C122213ALCS	ORG	74-87-3	Chloromethane	47		ug/L	5	0.43	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0994	50	94%		
C122213ALCS	C122213ALCS	ORG	75-01-4	Vinyl chloride	51		ug/L	2	0.32	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0994	50	102%		
C122213ALCS	C122213ALCS	ORG	74-83-9	Bromomethane	48		ug/L	5	0.50	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0994	50	96%		
C122213ALCS	C122213ALCS	ORG	75-00-3	Chloroethane	47		ug/L	5	0.56	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0994	50	94%		
C122213ALCS	C122213ALCS	ORG	75-69-4	Trichlorofluoromethane	69		ug/L	5	0.20	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0994	50	138%		
C122213ALCS	C122213ALCS	ORG	75-35-4	1,1-Dichloroethene	50		ug/L	1	0.47	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0994	50	100%		
C122213ALCS	C122213ALCS	ORG	75-09-2	Methylene chloride	52		ug/L	5	0.26	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0994	50	104%		
C122213ALCS	C122213ALCS	ORG	67-64-1	Acetone	55		ug/L	10	1.56	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0994	50	110%		
C122213ALCS	C122213ALCS	ORG	156-60-5	trans-1,2-Dichloroethene	52		ug/L	1	0.56	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0994	50	104%		
C122213ALCS	C122213ALCS	ORG	1634-04-4	MTBE	48		ug/L	5	0.61	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0994	50	96%		
C122213ALCS	C122213ALCS	ORG	75-34-3	1,1-Dichloroethane	50		ug/L	1	0.53	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0994	50	100%		
C122213ALCS	C122213ALCS	ORG	156-59-2	cis-1,2-Dichloroethene	50		ug/L	1	0.32	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0994	50	100%		
C122213ALCS	C122213ALCS	ORG	74-97-5	Bromochloromethane	52		ug/L	10	0.41	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0994	50	104%		
C122213ALCS	C122213ALCS	ORG	67-66-3	Chloroform	50		ug/L	2	0.16	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0994	50	100%		
C122213ALCS	C122213ALCS	ORG	71-55-6	1,1,1-Trichloroethane	48		ug/L	1	0.17	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0994	50	96%		
C122213ALCS	C122213ALCS	ORG	78-93-3	2-Butanone	51		ug/L	1	0.81	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0994	50	102%		
C122213ALCS	C122213ALCS	ORG	56-23-5	Carbon tetrachloride	48		ug/L	1	0.28	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0994	50	96%		
C122213ALCS	C122213ALCS	ORG	71-43-2	Benzene	48		ug/L	1	0.14	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0994	50	96%		
C122213ALCS	C122213ALCS	ORG	107-06-2	1,2-Dichloroethane	46		ug/L	1	0.20	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0994	50	92%		
C122213ALCS	C122213ALCS	ORG	79-01-6	Trichloroethene	49		ug/L	1	0.36	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0994	50	98%		
C122213ALCS	C122213ALCS	ORG	74-95-3	Dibromomethane	47		ug/L	2	0.32	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0994	50	94%		
C122213ALCS	C122213ALCS	ORG	78-87-5	1,2-Dichloropropane	47		ug/L	1	0.18	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0994	50	94%		
C122213ALCS	C122213ALCS	ORG	75-27-4	Bromodichloromethane	47		ug/L	2	0.12	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0994	50	94%		
C122213ALCS	C122213ALCS	ORG	10061-01-5	cis-1,3-Dichloropropene	51		ug/L	1	0.25	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0994	50	102%		
C122213ALCS	C122213ALCS	ORG	108-88-3	Toluene	51		ug/L	1	0.21	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0994	50	102%		
C122213ALCS	C122213ALCS	ORG	108-10-1	4-Methyl-2-pentanone	45		ug/L	5	0.74	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0994	50	90%		
C122213ALCS	C122213ALCS	ORG	10061-02-6	trans-1,3-Dichloropropene	54		ug/L	1	0.31	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0994	50	108%		
C122213ALCS	C122213ALCS	ORG	127-18-4	Tetrachloroethene	55		ug/L	1	0.49	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0994	50	110%		
C122213ALCS	C122213ALCS	ORG	79-00-5	1,1,2-Trichloroethane	51		ug/L	1	0.34	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0994	50	102%		
C122213ALCS	C122213ALCS	ORG	124-48-1	Dibromochloromethane	48		ug/L	5	0.30	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0994	50	96%		
C122213ALCS	C122213ALCS	ORG	106-93-4	1,2-Dibromoethane	47		ug/L	2	0.26	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0994	50	94%		
C122213ALCS	C122213ALCS	ORG	591-78-6	2-Hexanone	45		ug/L	2	0.69	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0994	50	90%		
C122213ALCS	C122213ALCS	ORG	100-41-4	Ethylbenzene	51		ug/L	1	0.25	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0994	50	102%		
C122213ALCS	C122213ALCS	ORG	108-90-7	Chlorobenzene	50		ug/L	1	0.28	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0994	50	100%		
C122213ALCS	C122213ALCS	ORG	630-20-6	1,1,1,2-Tetrachloroethane	46		ug/L	2	0.19	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0994	50	92%		
C122213ALCS	C122213ALCS	ORG	XYLMP	p&m-Xylene	102		ug/L	2	0.26	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0994	100	102%		
C122213ALCS	C122213ALCS	ORG	95-47-6	o-Xylene	49		ug/L	1	0.13	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0994	50	98%		
C122213ALCS	C122213ALCS	ORG	100-42-5	Styrene	50		ug/L	1	0.20	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0994	50	100%		
C122213ALCS	C122213ALCS	ORG	75-25-2	Bromoform	45		ug/L	2	0.47	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0994	50	90%		
C122213ALCS	C122213ALCS	ORG	98-82-8	Isopropylbenzene	50		ug/L	2	0.20	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0994	50	100%		
C122213ALCS	C122213ALCS	ORG	103-65-1	n-Propylbenzene	57		ug/L	2	0.27	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0994	50	114%		
C122213ALCS	C122213ALCS	ORG	79-34-5	1,1,2,2-Tetrachloroethane	52		ug/L	2	0.29	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0994	50	104%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C122213ALCS	C122213ALCS	ORG	96-18-4	1,2,3-Trichloropropane	50		ug/L	2	0.29	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0994	50	100%		
C122213ALCS	C122213ALCS	ORG	108-67-8	1,3,5-Trimethylbenzene	50		ug/L	2	0.20	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0994	50	100%		
C122213ALCS	C122213ALCS	ORG	98-06-6	tert-Butylbenzene	49		ug/L	2	0.33	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0994	50	98%		
C122213ALCS	C122213ALCS	ORG	95-63-6	1,2,4-Trimethylbenzene	50		ug/L	2	0.20	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0994	50	100%		
C122213ALCS	C122213ALCS	ORG	135-98-8	sec-Butylbenzene	50		ug/L	2	0.32	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0994	50	100%		
C122213ALCS	C122213ALCS	ORG	541-73-1	1,3-Dichlorobenzene	52		ug/L	2	0.22	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0994	50	104%		
C122213ALCS	C122213ALCS	ORG	99-87-6	p-Isopropltoluene	50		ug/L	2	0.25	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0994	50	100%		
C122213ALCS	C122213ALCS	ORG	106-46-7	1,4-Dichlorobenzene	49		ug/L	2	0.33	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0994	50	98%		
C122213ALCS	C122213ALCS	ORG	95-50-1	1,2-Dichlorobenzene	51		ug/L	2	0.26	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0994	50	102%		
C122213ALCS	C122213ALCS	ORG	104-51-8	n-Butylbenzene	50		ug/L	5	0.28	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0994	50	100%		
C122213ALCS	C122213ALCS	ORG	96-12-8	1,2-Dibromo-3-chloropropane	47		ug/L	5	1.59	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0994	50	94%		
C122213ALCS	C122213ALCS	ORG	87-68-3	Hexachlorobutadiene	52		ug/L	5	0.65	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0994	50	104%		
C122213ALCS	C122213ALCS	ORG	120-82-1	1,2,4-Trichlorobenzene	50		ug/L	5	0.28	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0994	50	100%		
C122213ALCS	C122213ALCS	ORG	91-20-3	Naphthalene	46		ug/L	5	0.56	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0994	50	92%		
C122213ALCS	C122213ALCS	ORG	87-61-6	1,2,3-Trichlorobenzene	52		ug/L	5	0.23	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0994	50	104%		
C122213ALCS	C122213ALCS	STD	1868-53-7	Dibromofluoromethane	50		ng			NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0994	50	100%		
C122213ALCS	C122213ALCS	STD	17060-07-0	1,2-Dichloroethane d4	48		ng			NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0994	50	96%		
C122213ALCS	C122213ALCS	STD	2037-26-5	Toluene d8	49		ng			NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0994	50	98%		
C122213ALCS	C122213ALCS	STD	460-00-4	Bromofluorobenzene	50		ng			NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0994	50	100%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C122213ALCD	C122213ALCD	ORG	75-71-8	Dichlorodifluoromethane	43		ug/L	5	0.29	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0995	50	86%	7%	
C122213ALCD	C122213ALCD	ORG	74-87-3	Chloromethane	45		ug/L	5	0.43	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0995	50	90%	4%	
C122213ALCD	C122213ALCD	ORG	75-01-4	Vinyl chloride	48		ug/L	2	0.32	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0995	50	96%	6%	
C122213ALCD	C122213ALCD	ORG	74-83-9	Bromomethane	48		ug/L	5	0.50	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0995	50	96%	0%	
C122213ALCD	C122213ALCD	ORG	75-00-3	Chloroethane	46		ug/L	5	0.56	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0995	50	92%	2%	
C122213ALCD	C122213ALCD	ORG	75-69-4	Trichlorofluoromethane	71		ug/L	5	0.20	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0995	50	142%	3%	
C122213ALCD	C122213ALCD	ORG	75-35-4	1,1-Dichloroethene	48		ug/L	1	0.47	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0995	50	96%	4%	
C122213ALCD	C122213ALCD	ORG	75-09-2	Methylene chloride	49		ug/L	5	0.26	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0995	50	98%	6%	
C122213ALCD	C122213ALCD	ORG	67-64-1	Acetone	53		ug/L	10	1.56	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0995	50	106%	4%	
C122213ALCD	C122213ALCD	ORG	156-60-5	trans-1,2-Dichloroethene	49		ug/L	1	0.56	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0995	50	98%	6%	
C122213ALCD	C122213ALCD	ORG	1634-04-4	MTBE	49		ug/L	5	0.61	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0995	50	98%	2%	
C122213ALCD	C122213ALCD	ORG	75-34-3	1,1-Dichloroethane	49		ug/L	1	0.53	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0995	50	98%	2%	
C122213ALCD	C122213ALCD	ORG	156-59-2	cis-1,2-Dichloroethene	49		ug/L	1	0.32	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0995	50	98%	2%	
C122213ALCD	C122213ALCD	ORG	74-97-5	Bromochloromethane	52		ug/L	10	0.41	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0995	50	104%	0%	
C122213ALCD	C122213ALCD	ORG	67-66-3	Chloroform	47		ug/L	2	0.16	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0995	50	94%	6%	
C122213ALCD	C122213ALCD	ORG	71-55-6	1,1,1-Trichloroethane	49		ug/L	1	0.17	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0995	50	98%	2%	
C122213ALCD	C122213ALCD	ORG	78-93-3	2-Butanone	52		ug/L	1	0.81	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0995	50	104%	2%	
C122213ALCD	C122213ALCD	ORG	56-23-5	Carbon tetrachloride	48		ug/L	1	0.28	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0995	50	96%	0%	
C122213ALCD	C122213ALCD	ORG	71-43-2	Benzene	48		ug/L	1	0.14	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0995	50	96%	0%	
C122213ALCD	C122213ALCD	ORG	107-06-2	1,2-Dichloroethane	47		ug/L	1	0.20	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0995	50	94%	2%	
C122213ALCD	C122213ALCD	ORG	79-01-6	Trichloroethene	48		ug/L	1	0.36	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0995	50	96%	2%	
C122213ALCD	C122213ALCD	ORG	74-95-3	Dibromomethane	44		ug/L	2	0.32	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0995	50	88%	7%	
C122213ALCD	C122213ALCD	ORG	78-87-5	1,2-Dichloropropane	44		ug/L	1	0.18	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0995	50	88%	7%	
C122213ALCD	C122213ALCD	ORG	75-27-4	Bromodichloromethane	47		ug/L	2	0.12	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0995	50	94%	0%	
C122213ALCD	C122213ALCD	ORG	10061-01-5	cis-1,3-Dichloropropene	50		ug/L	1	0.25	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0995	50	100%	2%	
C122213ALCD	C122213ALCD	ORG	108-88-3	Toluene	49		ug/L	1	0.21	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0995	50	98%	4%	
C122213ALCD	C122213ALCD	ORG	108-10-1	4-Methyl-2-pentanone	47		ug/L	5	0.74	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0995	50	94%	4%	
C122213ALCD	C122213ALCD	ORG	10061-02-6	trans-1,3-Dichloropropene	54		ug/L	1	0.31	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0995	50	108%	0%	
C122213ALCD	C122213ALCD	ORG	127-18-4	Tetrachloroethene	54		ug/L	1	0.49	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0995	50	108%	2%	
C122213ALCD	C122213ALCD	ORG	79-00-5	1,1,2-Trichloroethane	52		ug/L	1	0.34	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0995	50	104%	2%	
C122213ALCD	C122213ALCD	ORG	124-48-1	Dibromochloromethane	49		ug/L	5	0.30	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0995	50	98%	2%	
C122213ALCD	C122213ALCD	ORG	106-93-4	1,2-Dibromoethane	49		ug/L	2	0.26	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0995	50	98%	4%	
C122213ALCD	C122213ALCD	ORG	591-78-6	2-Hexanone	46		ug/L	2	0.69	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0995	50	92%	2%	
C122213ALCD	C122213ALCD	ORG	100-41-4	Ethylbenzene	51		ug/L	1	0.25	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0995	50	102%	0%	
C122213ALCD	C122213ALCD	ORG	108-90-7	Chlorobenzene	51		ug/L	1	0.28	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0995	50	102%	2%	
C122213ALCD	C122213ALCD	ORG	630-20-6	1,1,1,2-Tetrachloroethane	47		ug/L	2	0.19	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0995	50	94%	2%	
C122213ALCD	C122213ALCD	ORG	XYLMP	p&m-Xylene	99		ug/L	2	0.26	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0995	100	99%	3%	
C122213ALCD	C122213ALCD	ORG	95-47-6	o-Xylene	47		ug/L	1	0.13	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0995	50	94%	4%	
C122213ALCD	C122213ALCD	ORG	100-42-5	Styrene	49		ug/L	1	0.20	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0995	50	98%	2%	
C122213ALCD	C122213ALCD	ORG	75-25-2	Bromoform	48		ug/L	2	0.47	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0995	50	96%	6%	
C122213ALCD	C122213ALCD	ORG	98-82-8	Isopropylbenzene	48		ug/L	2	0.20	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0995	50	96%	4%	
C122213ALCD	C122213ALCD	ORG	103-65-1	n-Propylbenzene	55		ug/L	2	0.27	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0995	50	110%	4%	
C122213ALCD	C122213ALCD	ORG	79-34-5	1,1,2,2-Tetrachloroethane	53		ug/L	2	0.29	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0995	50	106%	2%	

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C122213ALCD	C122213ALCD	ORG	96-18-4	1,2,3-Trichloropropane	53		ug/L	2	0.29	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0995	50	106%	6%	
C122213ALCD	C122213ALCD	ORG	108-67-8	1,3,5-Trimethylbenzene	49		ug/L	2	0.20	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0995	50	98%	2%	
C122213ALCD	C122213ALCD	ORG	98-06-6	tert-Butylbenzene	47		ug/L	2	0.33	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0995	50	94%	4%	
C122213ALCD	C122213ALCD	ORG	95-63-6	1,2,4-Trimethylbenzene	48		ug/L	2	0.20	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0995	50	96%	4%	
C122213ALCD	C122213ALCD	ORG	135-98-8	sec-Butylbenzene	47		ug/L	2	0.32	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0995	50	94%	6%	
C122213ALCD	C122213ALCD	ORG	541-73-1	1,3-Dichlorobenzene	51		ug/L	2	0.22	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0995	50	102%	2%	
C122213ALCD	C122213ALCD	ORG	99-87-6	p-Isopropltoluene	46		ug/L	2	0.25	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0995	50	92%	8%	
C122213ALCD	C122213ALCD	ORG	106-46-7	1,4-Dichlorobenzene	47		ug/L	2	0.33	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0995	50	94%	4%	
C122213ALCD	C122213ALCD	ORG	95-50-1	1,2-Dichlorobenzene	49		ug/L	2	0.26	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0995	50	98%	4%	
C122213ALCD	C122213ALCD	ORG	104-51-8	n-Butylbenzene	47		ug/L	5	0.28	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0995	50	94%	6%	
C122213ALCD	C122213ALCD	ORG	96-12-8	1,2-Dibromo-3-chloropropane	51		ug/L	5	1.59	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0995	50	102%	8%	
C122213ALCD	C122213ALCD	ORG	87-68-3	Hexachlorobutadiene	48		ug/L	5	0.65	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0995	50	96%	8%	
C122213ALCD	C122213ALCD	ORG	120-82-1	1,2,4-Trichlorobenzene	47		ug/L	5	0.28	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0995	50	94%	6%	
C122213ALCD	C122213ALCD	ORG	91-20-3	Naphthalene	48		ug/L	5	0.56	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0995	50	96%	4%	
C122213ALCD	C122213ALCD	ORG	87-61-6	1,2,3-Trichlorobenzene	52		ug/L	5	0.23	NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0995	50	104%	0%	
C122213ALCD	C122213ALCD	STD	1868-53-7	Dibromofluoromethane	51		ng			NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0995	50	102%	2%	
C122213ALCD	C122213ALCD	STD	17060-07-0	1,2-Dichloroethane d4	50		ng			NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0995	50	100%	4%	
C122213ALCD	C122213ALCD	STD	2037-26-5	Toluene d8	49		ng			NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0995	50	98%	0%	
C122213ALCD	C122213ALCD	STD	460-00-4	Bromofluorobenzene	48		ng			NA	12/22/2013	12/22/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0995	50	96%	4%	

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-861MS	316-173R	ORG	75-71-8	Dichlorodifluoromethane	4100		ug/L	500	29.28	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0996	5000	82%		
NAL13026-861MS	316-173R	ORG	74-87-3	Chloromethane	4400		ug/L	500	43.07	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0996	5000	88%		
NAL13026-861MS	316-173R	ORG	75-01-4	Vinyl chloride	4700		ug/L	200	31.86	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0996	5000	94%		
NAL13026-861MS	316-173R	ORG	74-83-9	Bromomethane	4600		ug/L	500	50.04	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0996	5000	92%		
NAL13026-861MS	316-173R	ORG	75-00-3	Chloroethane	4600		ug/L	500	55.61	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0996	5000	92%		
NAL13026-861MS	316-173R	ORG	75-69-4	Trichlorofluoromethane	6800		ug/L	500	19.65	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0996	5000	136%		
NAL13026-861MS	316-173R	ORG	75-35-4	1,1-Dichloroethene	4800		ug/L	100	47.11	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0996	5000	96%		
NAL13026-861MS	316-173R	ORG	75-09-2	Methylene chloride	4800		ug/L	500	26.46	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0996	5000	96%		
NAL13026-861MS	316-173R	ORG	67-64-1	Acetone	83000		ug/L	1000	155.61	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0996	5000	-180%		92000
NAL13026-861MS	316-173R	ORG	156-60-5	trans-1,2-Dichloroethene	4900		ug/L	100	55.61	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0996	5000	98%		
NAL13026-861MS	316-173R	ORG	1634-04-4	MTBE	4500		ug/L	500	61.18	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0996	5000	90%		
NAL13026-861MS	316-173R	ORG	75-34-3	1,1-Dichloroethane	4800		ug/L	100	52.66	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0996	5000	96%		
NAL13026-861MS	316-173R	ORG	156-59-2	cis-1,2-Dichloroethene	4900		ug/L	100	32.11	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0996	5000	98%		
NAL13026-861MS	316-173R	ORG	74-97-5	Bromochloromethane	5000		ug/L	1000	41.37	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0996	5000	100%		
NAL13026-861MS	316-173R	ORG	67-66-3	Chloroform	4700		ug/L	200	15.73	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0996	5000	94%		
NAL13026-861MS	316-173R	ORG	71-55-6	1,1,1-Trichloroethane	4800		ug/L	100	16.65	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0996	5000	96%		
NAL13026-861MS	316-173R	ORG	78-93-3	2-Butanone	51000		ug/L	100	81.18	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0996	5000	120%		45000
NAL13026-861MS	316-173R	ORG	56-23-5	Carbon tetrachloride	4700		ug/L	100	27.64	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0996	5000	94%		
NAL13026-861MS	316-173R	ORG	71-43-2	Benzene	4900		ug/L	100	13.53	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0996	5000	96%		100
NAL13026-861MS	316-173R	ORG	107-06-2	1,2-Dichloroethane	4700		ug/L	100	20.01	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0996	5000	94%		
NAL13026-861MS	316-173R	ORG	79-01-6	Trichloroethene	4800		ug/L	100	36.33	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0996	5000	96%		
NAL13026-861MS	316-173R	ORG	74-95-3	Dibromomethane	4400		ug/L	200	32.20	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0996	5000	88%		
NAL13026-861MS	316-173R	ORG	78-87-5	1,2-Dichloropropane	4500		ug/L	100	18.17	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0996	5000	90%		
NAL13026-861MS	316-173R	ORG	75-27-4	Bromodichloromethane	3700		ug/L	200	11.58	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0996	5000	74%		
NAL13026-861MS	316-173R	ORG	10061-01-5	cis-1,3-Dichloropropene	4800		ug/L	100	25.01	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0996	5000	96%		
NAL13026-861MS	316-173R	ORG	108-88-3	Toluene	4300		ug/L	100	20.96	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0996	5000	84%		120
NAL13026-861MS	316-173R	ORG	108-10-1	4-Methyl-2-pentanone	5800		ug/L	500	74.00	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0996	5000	88%		1400
NAL13026-861MS	316-173R	ORG	10061-02-6	trans-1,3-Dichloropropene	4500		ug/L	100	31.15	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0996	5000	90%		
NAL13026-861MS	316-173R	ORG	127-18-4	Tetrachloroethene	4100		ug/L	100	48.56	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0996	5000	82%		
NAL13026-861MS	316-173R	ORG	79-00-5	1,1,2-Trichloroethane	4900		ug/L	100	34.28	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0996	5000	98%		
NAL13026-861MS	316-173R	ORG	124-48-1	Dibromochloromethane	4100		ug/L	500	29.90	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0996	5000	82%		
NAL13026-861MS	316-173R	ORG	106-93-4	1,2-Dibromoethane	4400		ug/L	200	26.49	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0996	5000	88%		
NAL13026-861MS	316-173R	ORG	591-78-6	2-Hexanone	12000		ug/L	200	68.90	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0996	5000	92%		7400
NAL13026-861MS	316-173R	ORG	100-41-4	Ethylbenzene	4900		ug/L	100	25.38	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0996	5000	90%		380
NAL13026-861MS	316-173R	ORG	108-90-7	Chlorobenzene	4600		ug/L	100	27.52	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0996	5000	92%		
NAL13026-861MS	316-173R	ORG	630-20-6	1,1,1,2-Tetrachloroethane	3900		ug/L	200	19.28	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0996	5000	78%		
NAL13026-861MS	316-173R	ORG	XYLMP	p&m-Xylene	10000		ug/L	200	26.14	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0996	10000	85%		1500
NAL13026-861MS	316-173R	ORG	95-47-6	o-Xylene	5300		ug/L	100	12.90	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0996	5000	84%		1100
NAL13026-861MS	316-173R	ORG	100-42-5	Styrene	4700		ug/L	100	20.23	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0996	5000	85%		430
NAL13026-861MS	316-173R	ORG	75-25-2	Bromoform	3900		ug/L	200	46.83	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0996	5000	78%		
NAL13026-861MS	316-173R	ORG	98-82-8	Isopropylbenzene	5300		ug/L	200	20.48	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0996	5000	88%		880
NAL13026-861MS	316-173R	ORG	103-65-1	n-Propylbenzene	5600		ug/L	200	27.00	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0996	5000	104%		400
NAL13026-861MS	316-173R	ORG	79-34-5	1,1,2,2-Tetrachloroethane	4800		ug/L	200	29.16	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0996	5000	96%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-861MS	316-173R	ORG	96-18-4	1,2,3-Trichloropropane	4400		ug/L	200	29.47	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0996	5000	88%		
NAL13026-861MS	316-173R	ORG	108-67-8	1,3,5-Trimethylbenzene	5200		ug/L	200	20.03	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0996	5000	84%		1000
NAL13026-861MS	316-173R	ORG	98-06-6	tert-Butylbenzene	4900		ug/L	200	32.61	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0996	5000	98%		
NAL13026-861MS	316-173R	ORG	95-63-6	1,2,4-Trimethylbenzene	7900		ug/L	200	20.03	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0996	5000	84%		3700
NAL13026-861MS	316-173R	ORG	135-98-8	sec-Butylbenzene	5400		ug/L	200	32.34	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0996	5000	108%		
NAL13026-861MS	316-173R	ORG	541-73-1	1,3-Dichlorobenzene	5000		ug/L	200	22.21	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0996	5000	100%		
NAL13026-861MS	316-173R	ORG	99-87-6	p-Isopropltoluene	17000		ug/L	200	25.48	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0996	5000	40%		15000
NAL13026-861MS	316-173R	ORG	106-46-7	1,4-Dichlorobenzene	7600		ug/L	200	33.03	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0996	5000	82%		3500
NAL13026-861MS	316-173R	ORG	95-50-1	1,2-Dichlorobenzene	5200		ug/L	200	26.38	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0996	5000	104%		
NAL13026-861MS	316-173R	ORG	104-51-8	n-Butylbenzene	5400		ug/L	500	27.81	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0996	5000	108%		
NAL13026-861MS	316-173R	ORG	96-12-8	1,2-Dibromo-3-chloropropane	5400		ug/L	500	159.11	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0996	5000	108%		
NAL13026-861MS	316-173R	ORG	87-68-3	Hexachlorobutadiene	6100		ug/L	500	65.42	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0996	5000	122%		
NAL13026-861MS	316-173R	ORG	120-82-1	1,2,4-Trichlorobenzene	6200		ug/L	500	27.63	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0996	5000	124%		
NAL13026-861MS	316-173R	ORG	91-20-3	Naphthalene	9400		ug/L	500	56.04	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0996	5000	114%		3700
NAL13026-861MS	316-173R	ORG	87-61-6	1,2,3-Trichlorobenzene	6600		ug/L	500	23.28	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0996	5000	132%		
NAL13026-861MS	316-173R	STD	1868-53-7	Dibromofluoromethane	50		ng			12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0996	50	100%		
NAL13026-861MS	316-173R	STD	17060-07-0	1,2-Dichloroethane d4	49		ng			12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0996	50	98%		
NAL13026-861MS	316-173R	STD	2037-26-5	Toluene d8	43		ng			12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0996	50	86%		
NAL13026-861MS	316-173R	STD	460-00-4	Bromofluorobenzene	54		ng			12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0996	50	108%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-861MSD	316-173R	ORG	75-71-8	Dichlorodifluoromethane	4300		ug/L	500	29.28	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0997	5000	86%	5%	0
NAL13026-861MSD	316-173R	ORG	74-87-3	Chloromethane	4800		ug/L	500	43.07	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0997	5000	96%	9%	0
NAL13026-861MSD	316-173R	ORG	75-01-4	Vinyl chloride	5300		ug/L	200	31.86	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0997	5000	106%	12%	0
NAL13026-861MSD	316-173R	ORG	74-83-9	Bromomethane	4200		ug/L	500	50.04	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0997	5000	84%	9%	0
NAL13026-861MSD	316-173R	ORG	75-00-3	Chloroethane	3700		ug/L	500	55.61	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0997	5000	74%	22%	0
NAL13026-861MSD	316-173R	ORG	75-69-4	Trichlorofluoromethane	6100		ug/L	500	19.65	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0997	5000	122%	11%	0
NAL13026-861MSD	316-173R	ORG	75-35-4	1,1-Dichloroethene	5100		ug/L	100	47.11	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0997	5000	102%	6%	0
NAL13026-861MSD	316-173R	ORG	75-09-2	Methylene chloride	5100		ug/L	500	26.46	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0997	5000	102%	6%	0
NAL13026-861MSD	316-173R	ORG	67-64-1	Acetone	82000		ug/L	1000	155.61	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0997	5000	-200%	1%	92000
NAL13026-861MSD	316-173R	ORG	156-60-5	trans-1,2-Dichloroethene	5300		ug/L	100	55.61	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0997	5000	106%	8%	0
NAL13026-861MSD	316-173R	ORG	1634-04-4	MTBE	5100		ug/L	500	61.18	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0997	5000	102%	13%	0
NAL13026-861MSD	316-173R	ORG	75-34-3	1,1-Dichloroethane	5100		ug/L	100	52.66	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0997	5000	102%	6%	0
NAL13026-861MSD	316-173R	ORG	156-59-2	cis-1,2-Dichloroethene	5300		ug/L	100	32.11	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0997	5000	106%	8%	0
NAL13026-861MSD	316-173R	ORG	74-97-5	Bromochloromethane	5200		ug/L	1000	41.37	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0997	5000	104%	4%	0
NAL13026-861MSD	316-173R	ORG	67-66-3	Chloroform	5000		ug/L	200	15.73	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0997	5000	100%	6%	0
NAL13026-861MSD	316-173R	ORG	71-55-6	1,1,1-Trichloroethane	5100		ug/L	100	16.65	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0997	5000	102%	6%	0
NAL13026-861MSD	316-173R	ORG	78-93-3	2-Butanone	47000		ug/L	100	81.18	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0997	5000	40%	8%	45000
NAL13026-861MSD	316-173R	ORG	56-23-5	Carbon tetrachloride	4900		ug/L	100	27.64	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0997	5000	98%	4%	0
NAL13026-861MSD	316-173R	ORG	71-43-2	Benzene	5000		ug/L	100	13.53	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0997	5000	98%	2%	100
NAL13026-861MSD	316-173R	ORG	107-06-2	1,2-Dichloroethane	4600		ug/L	100	20.01	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0997	5000	92%	2%	0
NAL13026-861MSD	316-173R	ORG	79-01-6	Trichloroethene	4800		ug/L	100	36.33	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0997	5000	96%	0%	0
NAL13026-861MSD	316-173R	ORG	74-95-3	Dibromomethane	4000		ug/L	200	32.20	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0997	5000	80%	10%	0
NAL13026-861MSD	316-173R	ORG	78-87-5	1,2-Dichloropropane	4200		ug/L	100	18.17	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0997	5000	84%	7%	0
NAL13026-861MSD	316-173R	ORG	75-27-4	Bromodichloromethane	3800		ug/L	200	11.58	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0997	5000	76%	3%	0
NAL13026-861MSD	316-173R	ORG	10061-01-5	cis-1,3-Dichloropropene	5000		ug/L	100	25.01	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0997	5000	100%	4%	0
NAL13026-861MSD	316-173R	ORG	108-88-3	Toluene	4500		ug/L	100	20.96	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0997	5000	88%	5%	120
NAL13026-861MSD	316-173R	ORG	108-10-1	4-Methyl-2-pentanone	5700		ug/L	500	74.00	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0997	5000	86%	2%	1400
NAL13026-861MSD	316-173R	ORG	10061-02-6	trans-1,3-Dichloropropene	4400		ug/L	100	31.15	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0997	5000	88%	2%	0
NAL13026-861MSD	316-173R	ORG	127-18-4	Tetrachloroethene	4100		ug/L	100	48.56	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0997	5000	82%	0%	0
NAL13026-861MSD	316-173R	ORG	79-00-5	1,1,2-Trichloroethane	4500		ug/L	100	34.28	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0997	5000	90%	9%	0
NAL13026-861MSD	316-173R	ORG	124-48-1	Dibromochloromethane	4000		ug/L	500	29.90	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0997	5000	80%	2%	0
NAL13026-861MSD	316-173R	ORG	106-93-4	1,2-Dibromoethane	4300		ug/L	200	26.49	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0997	5000	86%	2%	0
NAL13026-861MSD	316-173R	ORG	591-78-6	2-Hexanone	11000		ug/L	200	68.90	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0997	5000	72%	9%	7400
NAL13026-861MSD	316-173R	ORG	100-41-4	Ethylbenzene	5200		ug/L	100	25.38	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0997	5000	96%	6%	380
NAL13026-861MSD	316-173R	ORG	108-90-7	Chlorobenzene	4900		ug/L	100	27.52	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0997	5000	98%	6%	0
NAL13026-861MSD	316-173R	ORG	630-20-6	1,1,1,2-Tetrachloroethane	4200		ug/L	200	19.28	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0997	5000	84%	7%	0
NAL13026-861MSD	316-173R	ORG	XYLMP	p&m-Xylene	11000		ug/L	200	26.14	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0997	10000	95%	10%	1500
NAL13026-861MSD	316-173R	ORG	95-47-6	o-Xylene	5700		ug/L	100	12.90	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0997	5000	92%	7%	1100
NAL13026-861MSD	316-173R	ORG	100-42-5	Styrene	4800		ug/L	100	20.23	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0997	5000	87%	2%	430
NAL13026-861MSD	316-173R	ORG	75-25-2	Bromoform	3900		ug/L	200	46.83	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0997	5000	78%	0%	0
NAL13026-861MSD	316-173R	ORG	98-82-8	Isopropylbenzene	5500		ug/L	200	20.48	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0997	5000	92%	4%	880
NAL13026-861MSD	316-173R	ORG	103-65-1	n-Propylbenzene	5800		ug/L	200	27.00	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0997	5000	108%	4%	400
NAL13026-861MSD	316-173R	ORG	79-34-5	1,1,2,2-Tetrachloroethane	4300		ug/L	200	29.16	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0997	5000	86%	11%	0

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-861MSD	316-173R	ORG	96-18-4	1,2,3-Trichloropropane	4200		ug/L	200	29.47	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0997	5000	84%	5%	0
NAL13026-861MSD	316-173R	ORG	108-67-8	1,3,5-Trimethylbenzene	5400		ug/L	200	20.03	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0997	5000	88%	4%	1000
NAL13026-861MSD	316-173R	ORG	98-06-6	tert-Butylbenzene	5000		ug/L	200	32.61	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0997	5000	100%	2%	0
NAL13026-861MSD	316-173R	ORG	95-63-6	1,2,4-Trimethylbenzene	8000		ug/L	200	20.03	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0997	5000	86%	1%	3700
NAL13026-861MSD	316-173R	ORG	135-98-8	sec-Butylbenzene	5600		ug/L	200	32.34	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0997	5000	112%	4%	0
NAL13026-861MSD	316-173R	ORG	541-73-1	1,3-Dichlorobenzene	4900		ug/L	200	22.21	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0997	5000	98%	2%	0
NAL13026-861MSD	316-173R	ORG	99-87-6	p-Isopropltoluene	18000		ug/L	200	25.48	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0997	5000	60%	6%	15000
NAL13026-861MSD	316-173R	ORG	106-46-7	1,4-Dichlorobenzene	7500		ug/L	200	33.03	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0997	5000	80%	1%	3500
NAL13026-861MSD	316-173R	ORG	95-50-1	1,2-Dichlorobenzene	5000		ug/L	200	26.38	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0997	5000	100%	4%	0
NAL13026-861MSD	316-173R	ORG	104-51-8	n-Butylbenzene	5400		ug/L	500	27.81	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0997	5000	108%	0%	0
NAL13026-861MSD	316-173R	ORG	96-12-8	1,2-Dibromo-3-chloropropane	5200		ug/L	500	159.11	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0997	5000	104%	4%	0
NAL13026-861MSD	316-173R	ORG	87-68-3	Hexachlorobutadiene	6000		ug/L	500	65.42	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0997	5000	120%	2%	0
NAL13026-861MSD	316-173R	ORG	120-82-1	1,2,4-Trichlorobenzene	5800		ug/L	500	27.63	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0997	5000	116%	7%	0
NAL13026-861MSD	316-173R	ORG	91-20-3	Naphthalene	8500		ug/L	500	56.04	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0997	5000	96%	10%	3700
NAL13026-861MSD	316-173R	ORG	87-61-6	1,2,3-Trichlorobenzene	6200		ug/L	500	23.28	12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0997	5000	124%	6%	0
NAL13026-861MSD	316-173R	STD	1868-53-7	Dibromofluoromethane	52		ng			12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0997	50	104%	4%	0
NAL13026-861MSD	316-173R	STD	17060-07-0	1,2-Dichloroethane d4	48		ng			12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0997	50	96%	2%	0
NAL13026-861MSD	316-173R	STD	2037-26-5	Toluene d8	46		ng			12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0997	50	92%	7%	0
NAL13026-861MSD	316-173R	STD	460-00-4	Bromofluorobenzene	57		ng			12/22/2013	12/22/2013	12/22/2013	WG	100	NA	5.0	NA	SW8260B	NALC0997	50	114%	5%	0

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-862	316-174	ORG	75-71-8	Dichlorodifluoromethane		UX-	ug/L	500	29.28	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1002				
NAL13026-862	316-174	ORG	74-87-3	Chloromethane		U	ug/L	500	43.07	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1002				
NAL13026-862	316-174	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1002				
NAL13026-862	316-174	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1002				
NAL13026-862	316-174	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1002				
NAL13026-862	316-174	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1002				
NAL13026-862	316-174	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1002				
NAL13026-862	316-174	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1002				
NAL13026-862	316-174	ORG	67-64-1	Acetone	91000	D	ug/L	10000	1556.07	12/23/2013	12/23/2013	12/23/2013	WG	1000	NA	5.0	NA	SW8260B	NALC1003				
NAL13026-862	316-174	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1002				
NAL13026-862	316-174	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1002				
NAL13026-862	316-174	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1002				
NAL13026-862	316-174	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1002				
NAL13026-862	316-174	ORG	74-97-5	Bromochloromethane		U	ug/L	200	41.37	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1002				
NAL13026-862	316-174	ORG	67-66-3	Chloroform		U	ug/L	100	15.73	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1002				
NAL13026-862	316-174	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	16.65	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1002				
NAL13026-862	316-174	ORG	78-93-3	2-Butanone	42000	D	ug/L	10000	811.80	12/23/2013	12/23/2013	12/23/2013	WG	1000	NA	5.0	NA	SW8260B	NALC1003				
NAL13026-862	316-174	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1002				
NAL13026-862	316-174	ORG	71-43-2	Benzene	82	J	ug/L	100	13.53	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1002				
NAL13026-862	316-174	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1002				
NAL13026-862	316-174	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1002				
NAL13026-862	316-174	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1002				
NAL13026-862	316-174	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1002				
NAL13026-862	316-174	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1002				
NAL13026-862	316-174	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1002				
NAL13026-862	316-174	ORG	108-88-3	Toluene	94	J	ug/L	100	20.96	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1002				
NAL13026-862	316-174	ORG	108-10-1	4-Methyl-2-pentanone	1200		ug/L	500	74.00	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1002				
NAL13026-862	316-174	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1002				
NAL13026-862	316-174	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1002				
NAL13026-862	316-174	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1002				
NAL13026-862	316-174	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	29.90	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1002				
NAL13026-862	316-174	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	26.49	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1002				
NAL13026-862	316-174	ORG	591-78-6	2-Hexanone	5900		ug/L	500	68.90	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1002				
NAL13026-862	316-174	ORG	100-41-4	Ethylbenzene	250		ug/L	100	25.38	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1002				
NAL13026-862	316-174	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1002				
NAL13026-862	316-174	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1002				
NAL13026-862	316-174	ORG	XYLMP	p&m-Xylene	1200		ug/L	200	26.14	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1002				
NAL13026-862	316-174	ORG	95-47-6	o-Xylene	860		ug/L	100	12.90	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1002				
NAL13026-862	316-174	ORG	100-42-5	Styrene	400		ug/L	100	20.23	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1002				
NAL13026-862	316-174	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1002				
NAL13026-862	316-174	ORG	98-82-8	Isopropylbenzene	760		ug/L	200	20.48	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1002				
NAL13026-862	316-174	ORG	103-65-1	n-Propylbenzene	260		ug/L	200	27.00	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1002				
NAL13026-862	316-174	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1002				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-862	316-174	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1002				
NAL13026-862	316-174	ORG	108-67-8	1,3,5-Trimethylbenzene	770		ug/L	200	20.03	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1002				
NAL13026-862	316-174	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1002				
NAL13026-862	316-174	ORG	95-63-6	1,2,4-Trimethylbenzene	2600		ug/L	200	20.03	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1002				
NAL13026-862	316-174	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1002				
NAL13026-862	316-174	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1002				
NAL13026-862	316-174	ORG	99-87-6	p-Isopropltoluene	10000		ug/L	200	25.48	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1002				
NAL13026-862	316-174	ORG	106-46-7	1,4-Dichlorobenzene	2500		ug/L	200	33.03	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1002				
NAL13026-862	316-174	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1002				
NAL13026-862	316-174	ORG	104-51-8	n-Butylbenzene		U	ug/L	500	27.81	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1002				
NAL13026-862	316-174	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1002				
NAL13026-862	316-174	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1002				
NAL13026-862	316-174	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1002				
NAL13026-862	316-174	ORG	91-20-3	Naphthalene	3000		ug/L	500	56.04	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1002				
NAL13026-862	316-174	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1002				
NAL13026-862	316-174	STD	1868-53-7	Dibromofluoromethane	50		ng			12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1002	50	100%		
NAL13026-862	316-174	STD	17060-07-0	1,2-Dichloroethane d4	47		ng			12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1002	50	94%		
NAL13026-862	316-174	STD	2037-26-5	Toluene d8	45		ng			12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1002	50	90%		
NAL13026-862	316-174	STD	460-00-4	Bromofluorobenzene	57		ng			12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1002	50	114%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-863	96-SW03	ORG	75-71-8	Dichlorodifluoromethane		UX-	ug/L	500	29.28	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1008				
NAL13026-863	96-SW03	ORG	74-87-3	Chloromethane		U	ug/L	500	43.07	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1008				
NAL13026-863	96-SW03	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1008				
NAL13026-863	96-SW03	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1008				
NAL13026-863	96-SW03	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1008				
NAL13026-863	96-SW03	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1008				
NAL13026-863	96-SW03	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1008				
NAL13026-863	96-SW03	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1008				
NAL13026-863	96-SW03	ORG	67-64-1	Acetone	3700		ug/L	1000	155.61	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1008				
NAL13026-863	96-SW03	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1008				
NAL13026-863	96-SW03	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1008				
NAL13026-863	96-SW03	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1008				
NAL13026-863	96-SW03	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1008				
NAL13026-863	96-SW03	ORG	74-97-5	Bromochloromethane		U	ug/L	200	41.37	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1008				
NAL13026-863	96-SW03	ORG	67-66-3	Chloroform		U	ug/L	100	15.73	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1008				
NAL13026-863	96-SW03	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	16.65	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1008				
NAL13026-863	96-SW03	ORG	78-93-3	2-Butanone	1800		ug/L	1000	81.18	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1008				
NAL13026-863	96-SW03	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1008				
NAL13026-863	96-SW03	ORG	71-43-2	Benzene		U	ug/L	100	13.53	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1008				
NAL13026-863	96-SW03	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1008				
NAL13026-863	96-SW03	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1008				
NAL13026-863	96-SW03	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1008				
NAL13026-863	96-SW03	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1008				
NAL13026-863	96-SW03	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1008				
NAL13026-863	96-SW03	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1008				
NAL13026-863	96-SW03	ORG	108-88-3	Toluene		U	ug/L	100	20.96	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1008				
NAL13026-863	96-SW03	ORG	108-10-1	4-Methyl-2-pentanone		U	ug/L	500	74.00	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1008				
NAL13026-863	96-SW03	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1008				
NAL13026-863	96-SW03	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1008				
NAL13026-863	96-SW03	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1008				
NAL13026-863	96-SW03	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	29.90	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1008				
NAL13026-863	96-SW03	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	26.49	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1008				
NAL13026-863	96-SW03	ORG	591-78-6	2-Hexanone	130	J	ug/L	500	68.90	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1008				
NAL13026-863	96-SW03	ORG	100-41-4	Ethylbenzene		U	ug/L	100	25.38	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1008				
NAL13026-863	96-SW03	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1008				
NAL13026-863	96-SW03	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1008				
NAL13026-863	96-SW03	ORG	XYLMP	p&m-Xylene		U	ug/L	200	26.14	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1008				
NAL13026-863	96-SW03	ORG	95-47-6	o-Xylene		U	ug/L	100	12.90	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1008				
NAL13026-863	96-SW03	ORG	100-42-5	Styrene		U	ug/L	100	20.23	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1008				
NAL13026-863	96-SW03	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1008				
NAL13026-863	96-SW03	ORG	98-82-8	Isopropylbenzene		U	ug/L	200	20.48	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1008				
NAL13026-863	96-SW03	ORG	103-65-1	n-Propylbenzene		U	ug/L	200	27.00	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1008				
NAL13026-863	96-SW03	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1008				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-863	96-SW03	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1008				
NAL13026-863	96-SW03	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	200	20.03	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1008				
NAL13026-863	96-SW03	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1008				
NAL13026-863	96-SW03	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	200	20.03	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1008				
NAL13026-863	96-SW03	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1008				
NAL13026-863	96-SW03	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1008				
NAL13026-863	96-SW03	ORG	99-87-6	p-Isopropltoluene	500		ug/L	200	25.48	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1008				
NAL13026-863	96-SW03	ORG	106-46-7	1,4-Dichlorobenzene	42	J	ug/L	200	33.03	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1008				
NAL13026-863	96-SW03	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1008				
NAL13026-863	96-SW03	ORG	104-51-8	n-Butylbenzene		U	ug/L	500	27.81	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1008				
NAL13026-863	96-SW03	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1008				
NAL13026-863	96-SW03	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1008				
NAL13026-863	96-SW03	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1008				
NAL13026-863	96-SW03	ORG	91-20-3	Naphthalene	900		ug/L	500	56.04	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1008				
NAL13026-863	96-SW03	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1008				
NAL13026-863	96-SW03	STD	1868-53-7	Dibromofluoromethane	50		ng			12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1008	50	100%		
NAL13026-863	96-SW03	STD	17060-07-0	1,2-Dichloroethane d4	49		ng			12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1008	50	98%		
NAL13026-863	96-SW03	STD	2037-26-5	Toluene d8	50		ng			12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1008	50	100%		
NAL13026-863	96-SW03	STD	460-00-4	Bromofluorobenzene	62		ng			12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1008	50	124%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C122313CCVA	C122313CCVA	ORG	75-71-8	Dichlorodifluoromethane	38		ug/L	5	0.29	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0999	50	76%		
C122313CCVA	C122313CCVA	ORG	74-87-3	Chloromethane	45		ug/L	5	0.43	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0999	50	90%		
C122313CCVA	C122313CCVA	ORG	75-01-4	Vinyl chloride	47		ug/L	2	0.32	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0999	50	94%		
C122313CCVA	C122313CCVA	ORG	74-83-9	Bromomethane	46		ug/L	5	0.50	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0999	50	92%		
C122313CCVA	C122313CCVA	ORG	75-00-3	Chloroethane	44		ug/L	5	0.56	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0999	50	88%		
C122313CCVA	C122313CCVA	ORG	75-69-4	Trichlorofluoromethane	71		ug/L	5	0.20	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0999	50	142%		
C122313CCVA	C122313CCVA	ORG	75-35-4	1,1-Dichloroethene	46		ug/L	1	0.47	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0999	50	92%		
C122313CCVA	C122313CCVA	ORG	75-09-2	Methylene chloride	46		ug/L	5	0.26	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0999	50	92%		
C122313CCVA	C122313CCVA	ORG	67-64-1	Acetone	48		ug/L	10	1.56	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0999	50	96%		
C122313CCVA	C122313CCVA	ORG	156-60-5	trans-1,2-Dichloroethene	47		ug/L	1	0.56	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0999	50	94%		
C122313CCVA	C122313CCVA	ORG	1634-04-4	MTBE	44		ug/L	5	0.61	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0999	50	88%		
C122313CCVA	C122313CCVA	ORG	75-34-3	1,1-Dichloroethane	48		ug/L	1	0.53	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0999	50	96%		
C122313CCVA	C122313CCVA	ORG	156-59-2	cis-1,2-Dichloroethene	47		ug/L	1	0.32	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0999	50	94%		
C122313CCVA	C122313CCVA	ORG	74-97-5	Bromochloromethane	48		ug/L	10	0.41	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0999	50	96%		
C122313CCVA	C122313CCVA	ORG	67-66-3	Chloroform	47		ug/L	2	0.16	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0999	50	94%		
C122313CCVA	C122313CCVA	ORG	71-55-6	1,1,1-Trichloroethane	49		ug/L	1	0.17	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0999	50	98%		
C122313CCVA	C122313CCVA	ORG	78-93-3	2-Butanone	47		ug/L	1	0.81	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0999	50	94%		
C122313CCVA	C122313CCVA	ORG	56-23-5	Carbon tetrachloride	47		ug/L	1	0.28	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0999	50	94%		
C122313CCVA	C122313CCVA	ORG	71-43-2	Benzene	47		ug/L	1	0.14	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0999	50	94%		
C122313CCVA	C122313CCVA	ORG	107-06-2	1,2-Dichloroethane	45		ug/L	1	0.20	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0999	50	90%		
C122313CCVA	C122313CCVA	ORG	79-01-6	Trichloroethene	47		ug/L	1	0.36	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0999	50	94%		
C122313CCVA	C122313CCVA	ORG	74-95-3	Dibromomethane	47		ug/L	2	0.32	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0999	50	94%		
C122313CCVA	C122313CCVA	ORG	78-87-5	1,2-Dichloropropane	49		ug/L	1	0.18	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0999	50	98%		
C122313CCVA	C122313CCVA	ORG	75-27-4	Bromodichloromethane	46		ug/L	2	0.12	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0999	50	92%		
C122313CCVA	C122313CCVA	ORG	10061-01-5	cis-1,3-Dichloropropene	49		ug/L	1	0.25	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0999	50	98%		
C122313CCVA	C122313CCVA	ORG	108-88-3	Toluene	45		ug/L	1	0.21	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0999	50	90%		
C122313CCVA	C122313CCVA	ORG	108-10-1	4-Methyl-2-pentanone	48		ug/L	5	0.74	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0999	50	96%		
C122313CCVA	C122313CCVA	ORG	10061-02-6	trans-1,3-Dichloropropene	50		ug/L	1	0.31	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0999	50	100%		
C122313CCVA	C122313CCVA	ORG	127-18-4	Tetrachloroethene	43		ug/L	1	0.49	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0999	50	86%		
C122313CCVA	C122313CCVA	ORG	79-00-5	1,1,2-Trichloroethane	47		ug/L	1	0.34	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0999	50	94%		
C122313CCVA	C122313CCVA	ORG	124-48-1	Dibromochloromethane	43		ug/L	5	0.30	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0999	50	86%		
C122313CCVA	C122313CCVA	ORG	106-93-4	1,2-Dibromoethane	44		ug/L	2	0.26	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0999	50	88%		
C122313CCVA	C122313CCVA	ORG	591-78-6	2-Hexanone	49		ug/L	2	0.69	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0999	50	98%		
C122313CCVA	C122313CCVA	ORG	100-41-4	Ethylbenzene	49		ug/L	1	0.25	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0999	50	98%		
C122313CCVA	C122313CCVA	ORG	108-90-7	Chlorobenzene	49		ug/L	1	0.28	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0999	50	98%		
C122313CCVA	C122313CCVA	ORG	630-20-6	1,1,1,2-Tetrachloroethane	46		ug/L	2	0.19	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0999	50	92%		
C122313CCVA	C122313CCVA	ORG	XYLMP	p&m-Xylene	97		ug/L	2	0.26	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0999	100	97%		
C122313CCVA	C122313CCVA	ORG	95-47-6	o-Xylene	49		ug/L	1	0.13	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0999	50	98%		
C122313CCVA	C122313CCVA	ORG	100-42-5	Styrene	48		ug/L	1	0.20	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0999	50	96%		
C122313CCVA	C122313CCVA	ORG	75-25-2	Bromoform	43		ug/L	2	0.47	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0999	50	86%		
C122313CCVA	C122313CCVA	ORG	98-82-8	Isopropylbenzene	49		ug/L	2	0.20	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0999	50	98%		
C122313CCVA	C122313CCVA	ORG	103-65-1	n-Propylbenzene	54		ug/L	2	0.27	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0999	50	108%		
C122313CCVA	C122313CCVA	ORG	79-34-5	1,1,2,2-Tetrachloroethane	46		ug/L	2	0.29	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0999	50	92%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C122313CCVA	C122313CCVA	ORG	96-18-4	1,2,3-Trichloropropane	45		ug/L	2	0.29	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0999	50	90%		
C122313CCVA	C122313CCVA	ORG	108-67-8	1,3,5-Trimethylbenzene	47		ug/L	2	0.20	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0999	50	94%		
C122313CCVA	C122313CCVA	ORG	98-06-6	tert-Butylbenzene	50		ug/L	2	0.33	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0999	50	100%		
C122313CCVA	C122313CCVA	ORG	95-63-6	1,2,4-Trimethylbenzene	48		ug/L	2	0.20	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0999	50	96%		
C122313CCVA	C122313CCVA	ORG	135-98-8	sec-Butylbenzene	48		ug/L	2	0.32	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0999	50	96%		
C122313CCVA	C122313CCVA	ORG	541-73-1	1,3-Dichlorobenzene	50		ug/L	2	0.22	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0999	50	100%		
C122313CCVA	C122313CCVA	ORG	99-87-6	p-Isopropltoluene	48		ug/L	2	0.25	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0999	50	96%		
C122313CCVA	C122313CCVA	ORG	106-46-7	1,4-Dichlorobenzene	46		ug/L	2	0.33	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0999	50	92%		
C122313CCVA	C122313CCVA	ORG	95-50-1	1,2-Dichlorobenzene	49		ug/L	2	0.26	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0999	50	98%		
C122313CCVA	C122313CCVA	ORG	104-51-8	n-Butylbenzene	50		ug/L	5	0.28	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0999	50	100%		
C122313CCVA	C122313CCVA	ORG	96-12-8	1,2-Dibromo-3-chloropropane	51		ug/L	5	1.59	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0999	50	102%		
C122313CCVA	C122313CCVA	ORG	87-68-3	Hexachlorobutadiene	60		ug/L	5	0.65	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0999	50	120%		
C122313CCVA	C122313CCVA	ORG	120-82-1	1,2,4-Trichlorobenzene	56		ug/L	5	0.28	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0999	50	112%		
C122313CCVA	C122313CCVA	ORG	91-20-3	Naphthalene	53		ug/L	5	0.56	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0999	50	106%		
C122313CCVA	C122313CCVA	ORG	87-61-6	1,2,3-Trichlorobenzene	60		ug/L	5	0.23	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0999	50	120%		
C122313CCVA	C122313CCVA	STD	1868-53-7	Dibromofluoromethane	51		ng			NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0999	50	102%		
C122313CCVA	C122313CCVA	STD	17060-07-0	1,2-Dichloroethane d4	49		ng			NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0999	50	98%		
C122313CCVA	C122313CCVA	STD	2037-26-5	Toluene d8	46		ng			NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0999	50	92%		
C122313CCVA	C122313CCVA	STD	460-00-4	Bromofluorobenzene	53		ng			NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC0999	50	106%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C122313MBKA	C122313MBKA	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	5	0.29	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1001				
C122313MBKA	C122313MBKA	ORG	74-87-3	Chloromethane		U	ug/L	5	0.43	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1001				
C122313MBKA	C122313MBKA	ORG	75-01-4	Vinyl chloride		U	ug/L	2	0.32	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1001				
C122313MBKA	C122313MBKA	ORG	74-83-9	Bromomethane		U	ug/L	5	0.50	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1001				
C122313MBKA	C122313MBKA	ORG	75-00-3	Chloroethane		U	ug/L	5	0.56	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1001				
C122313MBKA	C122313MBKA	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	5	0.20	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1001				
C122313MBKA	C122313MBKA	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	1	0.47	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1001				
C122313MBKA	C122313MBKA	ORG	75-09-2	Methylene chloride		U	ug/L	5	0.26	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1001				
C122313MBKA	C122313MBKA	ORG	67-64-1	Acetone		U	ug/L	10	1.56	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1001				
C122313MBKA	C122313MBKA	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	1	0.56	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1001				
C122313MBKA	C122313MBKA	ORG	1634-04-4	MTBE		U	ug/L	5	0.61	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1001				
C122313MBKA	C122313MBKA	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	1	0.53	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1001				
C122313MBKA	C122313MBKA	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	1	0.32	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1001				
C122313MBKA	C122313MBKA	ORG	74-97-5	Bromochloromethane		U	ug/L	10	0.41	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1001				
C122313MBKA	C122313MBKA	ORG	67-66-3	Chloroform		U	ug/L	2	0.16	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1001				
C122313MBKA	C122313MBKA	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	1	0.17	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1001				
C122313MBKA	C122313MBKA	ORG	78-93-3	2-Butanone		U	ug/L	1	0.81	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1001				
C122313MBKA	C122313MBKA	ORG	56-23-5	Carbon tetrachloride		U	ug/L	1	0.28	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1001				
C122313MBKA	C122313MBKA	ORG	71-43-2	Benzene		U	ug/L	1	0.14	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1001				
C122313MBKA	C122313MBKA	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	1	0.20	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1001				
C122313MBKA	C122313MBKA	ORG	79-01-6	Trichloroethene		U	ug/L	1	0.36	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1001				
C122313MBKA	C122313MBKA	ORG	74-95-3	Dibromomethane		U	ug/L	2	0.32	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1001				
C122313MBKA	C122313MBKA	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	1	0.18	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1001				
C122313MBKA	C122313MBKA	ORG	75-27-4	Bromodichloromethane		U	ug/L	2	0.12	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1001				
C122313MBKA	C122313MBKA	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	1	0.25	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1001				
C122313MBKA	C122313MBKA	ORG	108-88-3	Toluene		U	ug/L	1	0.21	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1001				
C122313MBKA	C122313MBKA	ORG	108-10-1	4-Methyl-2-pentanone		U	ug/L	5	0.74	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1001				
C122313MBKA	C122313MBKA	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	1	0.31	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1001				
C122313MBKA	C122313MBKA	ORG	127-18-4	Tetrachloroethene		U	ug/L	1	0.49	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1001				
C122313MBKA	C122313MBKA	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	1	0.34	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1001				
C122313MBKA	C122313MBKA	ORG	124-48-1	Dibromochloromethane		U	ug/L	5	0.30	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1001				
C122313MBKA	C122313MBKA	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	2	0.26	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1001				
C122313MBKA	C122313MBKA	ORG	591-78-6	2-Hexanone		U	ug/L	2	0.69	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1001				
C122313MBKA	C122313MBKA	ORG	100-41-4	Ethylbenzene		U	ug/L	1	0.25	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1001				
C122313MBKA	C122313MBKA	ORG	108-90-7	Chlorobenzene		U	ug/L	1	0.28	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1001				
C122313MBKA	C122313MBKA	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	2	0.19	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1001				
C122313MBKA	C122313MBKA	ORG	XYLMP	p&m-Xylene		U	ug/L	2	0.26	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1001				
C122313MBKA	C122313MBKA	ORG	95-47-6	o-Xylene		U	ug/L	1	0.13	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1001				
C122313MBKA	C122313MBKA	ORG	100-42-5	Styrene		U	ug/L	1	0.20	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1001				
C122313MBKA	C122313MBKA	ORG	75-25-2	Bromoform		U	ug/L	2	0.47	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1001				
C122313MBKA	C122313MBKA	ORG	98-82-8	Isopropylbenzene		U	ug/L	2	0.20	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1001				
C122313MBKA	C122313MBKA	ORG	103-65-1	n-Propylbenzene		U	ug/L	2	0.27	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1001				
C122313MBKA	C122313MBKA	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	2	0.29	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1001				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C122313MBKA	C122313MBKA	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	2	0.29	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1001				
C122313MBKA	C122313MBKA	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	2	0.20	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1001				
C122313MBKA	C122313MBKA	ORG	98-06-6	tert-Butylbenzene		U	ug/L	2	0.33	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1001				
C122313MBKA	C122313MBKA	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	2	0.20	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1001				
C122313MBKA	C122313MBKA	ORG	135-98-8	sec-Butylbenzene		U	ug/L	2	0.32	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1001				
C122313MBKA	C122313MBKA	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	2	0.22	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1001				
C122313MBKA	C122313MBKA	ORG	99-87-6	p-Isopropltoluene		U	ug/L	2	0.25	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1001				
C122313MBKA	C122313MBKA	ORG	106-46-7	1,4-Dichlorobenzene		U	ug/L	2	0.33	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1001				
C122313MBKA	C122313MBKA	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	2	0.26	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1001				
C122313MBKA	C122313MBKA	ORG	104-51-8	n-Butylbenzene		U	ug/L	5	0.28	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1001				
C122313MBKA	C122313MBKA	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	5	1.59	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1001				
C122313MBKA	C122313MBKA	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	5	0.65	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1001				
C122313MBKA	C122313MBKA	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	5	0.28	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1001				
C122313MBKA	C122313MBKA	ORG	91-20-3	Naphthalene		U	ug/L	5	0.56	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1001				
C122313MBKA	C122313MBKA	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	5	0.23	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1001				
C122313MBKA	C122313MBKA	STD	1868-53-7	Dibromofluoromethane	49		ng			NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1001	50	98%		
C122313MBKA	C122313MBKA	STD	17060-07-0	1,2-Dichloroethane d4	49		ng			NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1001	50	98%		
C122313MBKA	C122313MBKA	STD	2037-26-5	Toluene d8	57		ng			NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1001	50	114%		
C122313MBKA	C122313MBKA	STD	460-00-4	Bromofluorobenzene	58		ng			NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1001	50	116%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C122313ALCS	C122313ALCS	ORG	75-71-8	Dichlorodifluoromethane	45		ug/L	5	0.29	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1000	50	90%		
C122313ALCS	C122313ALCS	ORG	74-87-3	Chloromethane	49		ug/L	5	0.43	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1000	50	98%		
C122313ALCS	C122313ALCS	ORG	75-01-4	Vinyl chloride	54		ug/L	2	0.32	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1000	50	108%		
C122313ALCS	C122313ALCS	ORG	74-83-9	Bromomethane	48		ug/L	5	0.50	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1000	50	96%		
C122313ALCS	C122313ALCS	ORG	75-00-3	Chloroethane	42		ug/L	5	0.56	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1000	50	84%		
C122313ALCS	C122313ALCS	ORG	75-69-4	Trichlorofluoromethane	67		ug/L	5	0.20	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1000	50	134%		
C122313ALCS	C122313ALCS	ORG	75-35-4	1,1-Dichloroethene	51		ug/L	1	0.47	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1000	50	102%		
C122313ALCS	C122313ALCS	ORG	75-09-2	Methylene chloride	50		ug/L	5	0.26	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1000	50	100%		
C122313ALCS	C122313ALCS	ORG	67-64-1	Acetone	51		ug/L	10	1.56	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1000	50	102%		
C122313ALCS	C122313ALCS	ORG	156-60-5	trans-1,2-Dichloroethene	51		ug/L	1	0.56	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1000	50	102%		
C122313ALCS	C122313ALCS	ORG	1634-04-4	MTBE	50		ug/L	5	0.61	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1000	50	100%		
C122313ALCS	C122313ALCS	ORG	75-34-3	1,1-Dichloroethane	50		ug/L	1	0.53	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1000	50	100%		
C122313ALCS	C122313ALCS	ORG	156-59-2	cis-1,2-Dichloroethene	50		ug/L	1	0.32	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1000	50	100%		
C122313ALCS	C122313ALCS	ORG	74-97-5	Bromochloromethane	50		ug/L	10	0.41	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1000	50	100%		
C122313ALCS	C122313ALCS	ORG	67-66-3	Chloroform	47		ug/L	2	0.16	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1000	50	94%		
C122313ALCS	C122313ALCS	ORG	71-55-6	1,1,1-Trichloroethane	48		ug/L	1	0.17	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1000	50	96%		
C122313ALCS	C122313ALCS	ORG	78-93-3	2-Butanone	48		ug/L	1	0.81	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1000	50	96%		
C122313ALCS	C122313ALCS	ORG	56-23-5	Carbon tetrachloride	46		ug/L	1	0.28	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1000	50	92%		
C122313ALCS	C122313ALCS	ORG	71-43-2	Benzene	47		ug/L	1	0.14	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1000	50	94%		
C122313ALCS	C122313ALCS	ORG	107-06-2	1,2-Dichloroethane	45		ug/L	1	0.20	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1000	50	90%		
C122313ALCS	C122313ALCS	ORG	79-01-6	Trichloroethene	47		ug/L	1	0.36	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1000	50	94%		
C122313ALCS	C122313ALCS	ORG	74-95-3	Dibromomethane	45		ug/L	2	0.32	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1000	50	90%		
C122313ALCS	C122313ALCS	ORG	78-87-5	1,2-Dichloropropane	45		ug/L	1	0.18	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1000	50	90%		
C122313ALCS	C122313ALCS	ORG	75-27-4	Bromodichloromethane	47		ug/L	2	0.12	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1000	50	94%		
C122313ALCS	C122313ALCS	ORG	10061-01-5	cis-1,3-Dichloropropene	54		ug/L	1	0.25	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1000	50	108%		
C122313ALCS	C122313ALCS	ORG	108-88-3	Toluene	49		ug/L	1	0.21	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1000	50	98%		
C122313ALCS	C122313ALCS	ORG	108-10-1	4-Methyl-2-pentanone	46		ug/L	5	0.74	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1000	50	92%		
C122313ALCS	C122313ALCS	ORG	10061-02-6	trans-1,3-Dichloropropene	54		ug/L	1	0.31	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1000	50	108%		
C122313ALCS	C122313ALCS	ORG	127-18-4	Tetrachloroethene	49		ug/L	1	0.49	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1000	50	98%		
C122313ALCS	C122313ALCS	ORG	79-00-5	1,1,2-Trichloroethane	50		ug/L	1	0.34	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1000	50	100%		
C122313ALCS	C122313ALCS	ORG	124-48-1	Dibromochloromethane	46		ug/L	5	0.30	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1000	50	92%		
C122313ALCS	C122313ALCS	ORG	106-93-4	1,2-Dibromoethane	46		ug/L	2	0.26	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1000	50	92%		
C122313ALCS	C122313ALCS	ORG	591-78-6	2-Hexanone	43		ug/L	2	0.69	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1000	50	86%		
C122313ALCS	C122313ALCS	ORG	100-41-4	Ethylbenzene	52		ug/L	1	0.25	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1000	50	104%		
C122313ALCS	C122313ALCS	ORG	108-90-7	Chlorobenzene	52		ug/L	1	0.28	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1000	50	104%		
C122313ALCS	C122313ALCS	ORG	630-20-6	1,1,1,2-Tetrachloroethane	46		ug/L	2	0.19	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1000	50	92%		
C122313ALCS	C122313ALCS	ORG	XYLMP	p&m-Xylene	100		ug/L	2	0.26	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1000	100	100%		
C122313ALCS	C122313ALCS	ORG	95-47-6	o-Xylene	48		ug/L	1	0.13	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1000	50	96%		
C122313ALCS	C122313ALCS	ORG	100-42-5	Styrene	49		ug/L	1	0.20	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1000	50	98%		
C122313ALCS	C122313ALCS	ORG	75-25-2	Bromoform	44		ug/L	2	0.47	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1000	50	88%		
C122313ALCS	C122313ALCS	ORG	98-82-8	Isopropylbenzene	49		ug/L	2	0.20	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1000	50	98%		
C122313ALCS	C122313ALCS	ORG	103-65-1	n-Propylbenzene	55		ug/L	2	0.27	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1000	50	110%		
C122313ALCS	C122313ALCS	ORG	79-34-5	1,1,2,2-Tetrachloroethane	48		ug/L	2	0.29	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1000	50	96%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C122313ALCS	C122313ALCS	ORG	96-18-4	1,2,3-Trichloropropane	47		ug/L	2	0.29	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1000	50	94%		
C122313ALCS	C122313ALCS	ORG	108-67-8	1,3,5-Trimethylbenzene	49		ug/L	2	0.20	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1000	50	98%		
C122313ALCS	C122313ALCS	ORG	98-06-6	tert-Butylbenzene	49		ug/L	2	0.33	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1000	50	98%		
C122313ALCS	C122313ALCS	ORG	95-63-6	1,2,4-Trimethylbenzene	48		ug/L	2	0.20	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1000	50	96%		
C122313ALCS	C122313ALCS	ORG	135-98-8	sec-Butylbenzene	48		ug/L	2	0.32	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1000	50	96%		
C122313ALCS	C122313ALCS	ORG	541-73-1	1,3-Dichlorobenzene	50		ug/L	2	0.22	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1000	50	100%		
C122313ALCS	C122313ALCS	ORG	99-87-6	p-Isopropltoluene	48		ug/L	2	0.25	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1000	50	96%		
C122313ALCS	C122313ALCS	ORG	106-46-7	1,4-Dichlorobenzene	46		ug/L	2	0.33	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1000	50	92%		
C122313ALCS	C122313ALCS	ORG	95-50-1	1,2-Dichlorobenzene	48		ug/L	2	0.26	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1000	50	96%		
C122313ALCS	C122313ALCS	ORG	104-51-8	n-Butylbenzene	49		ug/L	5	0.28	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1000	50	98%		
C122313ALCS	C122313ALCS	ORG	96-12-8	1,2-Dibromo-3-chloropropane	46		ug/L	5	1.59	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1000	50	92%		
C122313ALCS	C122313ALCS	ORG	87-68-3	Hexachlorobutadiene	55		ug/L	5	0.65	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1000	50	110%		
C122313ALCS	C122313ALCS	ORG	120-82-1	1,2,4-Trichlorobenzene	51		ug/L	5	0.28	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1000	50	102%		
C122313ALCS	C122313ALCS	ORG	91-20-3	Naphthalene	50		ug/L	5	0.56	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1000	50	100%		
C122313ALCS	C122313ALCS	ORG	87-61-6	1,2,3-Trichlorobenzene	55		ug/L	5	0.23	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1000	50	110%		
C122313ALCS	C122313ALCS	STD	1868-53-7	Dibromofluoromethane	50		ng			NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1000	50	100%		
C122313ALCS	C122313ALCS	STD	17060-07-0	1,2-Dichloroethane d4	48		ng			NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1000	50	96%		
C122313ALCS	C122313ALCS	STD	2037-26-5	Toluene d8	52		ng			NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1000	50	104%		
C122313ALCS	C122313ALCS	STD	460-00-4	Bromofluorobenzene	51		ng			NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1000	50	102%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C122313ALCD	C122313ALCD	ORG	75-71-8	Dichlorodifluoromethane	38		ug/L	5	0.29	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1004	50	76%	17%	
C122313ALCD	C122313ALCD	ORG	74-87-3	Chloromethane	44		ug/L	5	0.43	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1004	50	88%	11%	
C122313ALCD	C122313ALCD	ORG	75-01-4	Vinyl chloride	48		ug/L	2	0.32	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1004	50	96%	12%	
C122313ALCD	C122313ALCD	ORG	74-83-9	Bromomethane	46		ug/L	5	0.50	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1004	50	92%	4%	
C122313ALCD	C122313ALCD	ORG	75-00-3	Chloroethane	43		ug/L	5	0.56	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1004	50	86%	2%	
C122313ALCD	C122313ALCD	ORG	75-69-4	Trichlorofluoromethane	73		ug/L	5	0.20	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1004	50	146%	9%	
C122313ALCD	C122313ALCD	ORG	75-35-4	1,1-Dichloroethene	47		ug/L	1	0.47	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1004	50	94%	8%	
C122313ALCD	C122313ALCD	ORG	75-09-2	Methylene chloride	47		ug/L	5	0.26	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1004	50	94%	6%	
C122313ALCD	C122313ALCD	ORG	67-64-1	Acetone	51		ug/L	10	1.56	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1004	50	102%	0%	
C122313ALCD	C122313ALCD	ORG	156-60-5	trans-1,2-Dichloroethene	49		ug/L	1	0.56	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1004	50	98%	4%	
C122313ALCD	C122313ALCD	ORG	1634-04-4	MTBE	44		ug/L	5	0.61	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1004	50	88%	13%	
C122313ALCD	C122313ALCD	ORG	75-34-3	1,1-Dichloroethane	48		ug/L	1	0.53	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1004	50	96%	4%	
C122313ALCD	C122313ALCD	ORG	156-59-2	cis-1,2-Dichloroethene	48		ug/L	1	0.32	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1004	50	96%	4%	
C122313ALCD	C122313ALCD	ORG	74-97-5	Bromochloromethane	48		ug/L	10	0.41	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1004	50	96%	4%	
C122313ALCD	C122313ALCD	ORG	67-66-3	Chloroform	46		ug/L	2	0.16	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1004	50	92%	2%	
C122313ALCD	C122313ALCD	ORG	71-55-6	1,1,1-Trichloroethane	47		ug/L	1	0.17	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1004	50	94%	2%	
C122313ALCD	C122313ALCD	ORG	78-93-3	2-Butanone	50		ug/L	1	0.81	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1004	50	100%	4%	
C122313ALCD	C122313ALCD	ORG	56-23-5	Carbon tetrachloride	46		ug/L	1	0.28	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1004	50	92%	0%	
C122313ALCD	C122313ALCD	ORG	71-43-2	Benzene	47		ug/L	1	0.14	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1004	50	94%	0%	
C122313ALCD	C122313ALCD	ORG	107-06-2	1,2-Dichloroethane	45		ug/L	1	0.20	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1004	50	90%	0%	
C122313ALCD	C122313ALCD	ORG	79-01-6	Trichloroethene	47		ug/L	1	0.36	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1004	50	94%	0%	
C122313ALCD	C122313ALCD	ORG	74-95-3	Dibromomethane	45		ug/L	2	0.32	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1004	50	90%	0%	
C122313ALCD	C122313ALCD	ORG	78-87-5	1,2-Dichloropropane	49		ug/L	1	0.18	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1004	50	98%	9%	
C122313ALCD	C122313ALCD	ORG	75-27-4	Bromodichloromethane	46		ug/L	2	0.12	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1004	50	92%	2%	
C122313ALCD	C122313ALCD	ORG	10061-01-5	cis-1,3-Dichloropropene	52		ug/L	1	0.25	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1004	50	104%	4%	
C122313ALCD	C122313ALCD	ORG	108-88-3	Toluene	50		ug/L	1	0.21	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1004	50	100%	2%	
C122313ALCD	C122313ALCD	ORG	108-10-1	4-Methyl-2-pentanone	41		ug/L	5	0.74	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1004	50	82%	11%	
C122313ALCD	C122313ALCD	ORG	10061-02-6	trans-1,3-Dichloropropene	52		ug/L	1	0.31	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1004	50	104%	4%	
C122313ALCD	C122313ALCD	ORG	127-18-4	Tetrachloroethene	46		ug/L	1	0.49	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1004	50	92%	6%	
C122313ALCD	C122313ALCD	ORG	79-00-5	1,1,2-Trichloroethane	49		ug/L	1	0.34	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1004	50	98%	2%	
C122313ALCD	C122313ALCD	ORG	124-48-1	Dibromochloromethane	45		ug/L	5	0.30	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1004	50	90%	2%	
C122313ALCD	C122313ALCD	ORG	106-93-4	1,2-Dibromoethane	45		ug/L	2	0.26	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1004	50	90%	2%	
C122313ALCD	C122313ALCD	ORG	591-78-6	2-Hexanone	38		ug/L	2	0.69	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1004	50	76%	12%	
C122313ALCD	C122313ALCD	ORG	100-41-4	Ethylbenzene	53		ug/L	1	0.25	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1004	50	106%	2%	
C122313ALCD	C122313ALCD	ORG	108-90-7	Chlorobenzene	53		ug/L	1	0.28	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1004	50	106%	2%	
C122313ALCD	C122313ALCD	ORG	630-20-6	1,1,1,2-Tetrachloroethane	47		ug/L	2	0.19	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1004	50	94%	2%	
C122313ALCD	C122313ALCD	ORG	XYLMP	p&m-Xylene	101		ug/L	2	0.26	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1004	100	101%	1%	
C122313ALCD	C122313ALCD	ORG	95-47-6	o-Xylene	48		ug/L	1	0.13	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1004	50	96%	0%	
C122313ALCD	C122313ALCD	ORG	100-42-5	Styrene	49		ug/L	1	0.20	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1004	50	98%	0%	
C122313ALCD	C122313ALCD	ORG	75-25-2	Bromoform	44		ug/L	2	0.47	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1004	50	88%	0%	
C122313ALCD	C122313ALCD	ORG	98-82-8	Isopropylbenzene	50		ug/L	2	0.20	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1004	50	100%	2%	
C122313ALCD	C122313ALCD	ORG	103-65-1	n-Propylbenzene	56		ug/L	2	0.27	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1004	50	112%	2%	
C122313ALCD	C122313ALCD	ORG	79-34-5	1,1,2,2-Tetrachloroethane	48		ug/L	2	0.29	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1004	50	96%	0%	

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C122313ALCD	C122313ALCD	ORG	96-18-4	1,2,3-Trichloropropane	46		ug/L	2	0.29	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1004	50	92%	2%	
C122313ALCD	C122313ALCD	ORG	108-67-8	1,3,5-Trimethylbenzene	49		ug/L	2	0.20	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1004	50	98%	0%	
C122313ALCD	C122313ALCD	ORG	98-06-6	tert-Butylbenzene	50		ug/L	2	0.33	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1004	50	100%	2%	
C122313ALCD	C122313ALCD	ORG	95-63-6	1,2,4-Trimethylbenzene	49		ug/L	2	0.20	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1004	50	98%	2%	
C122313ALCD	C122313ALCD	ORG	135-98-8	sec-Butylbenzene	50		ug/L	2	0.32	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1004	50	100%	4%	
C122313ALCD	C122313ALCD	ORG	541-73-1	1,3-Dichlorobenzene	51		ug/L	2	0.22	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1004	50	102%	2%	
C122313ALCD	C122313ALCD	ORG	99-87-6	p-Isopropltoluene	49		ug/L	2	0.25	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1004	50	98%	2%	
C122313ALCD	C122313ALCD	ORG	106-46-7	1,4-Dichlorobenzene	48		ug/L	2	0.33	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1004	50	96%	4%	
C122313ALCD	C122313ALCD	ORG	95-50-1	1,2-Dichlorobenzene	48		ug/L	2	0.26	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1004	50	96%	0%	
C122313ALCD	C122313ALCD	ORG	104-51-8	n-Butylbenzene	50		ug/L	5	0.28	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1004	50	100%	2%	
C122313ALCD	C122313ALCD	ORG	96-12-8	1,2-Dibromo-3-chloropropane	46		ug/L	5	1.59	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1004	50	92%	0%	
C122313ALCD	C122313ALCD	ORG	87-68-3	Hexachlorobutadiene	53		ug/L	5	0.65	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1004	50	106%	4%	
C122313ALCD	C122313ALCD	ORG	120-82-1	1,2,4-Trichlorobenzene	49		ug/L	5	0.28	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1004	50	98%	4%	
C122313ALCD	C122313ALCD	ORG	91-20-3	Naphthalene	44		ug/L	5	0.56	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1004	50	88%	13%	
C122313ALCD	C122313ALCD	ORG	87-61-6	1,2,3-Trichlorobenzene	52		ug/L	5	0.23	NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1004	50	104%	6%	
C122313ALCD	C122313ALCD	STD	1868-53-7	Dibromofluoromethane	49		ng			NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1004	50	98%	2%	
C122313ALCD	C122313ALCD	STD	17060-07-0	1,2-Dichloroethane d4	47		ng			NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1004	50	94%	2%	
C122313ALCD	C122313ALCD	STD	2037-26-5	Toluene d8	50		ng			NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1004	50	100%	4%	
C122313ALCD	C122313ALCD	STD	460-00-4	Bromofluorobenzene	51		ng			NA	12/23/2013	12/23/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1004	50	102%	0%	

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-862MS	316-174	ORG	75-71-8	Dichlorodifluoromethane	3700		ug/L	500	29.28	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1005	5000	74%		
NAL13026-862MS	316-174	ORG	74-87-3	Chloromethane	4200		ug/L	500	43.07	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1005	5000	84%		
NAL13026-862MS	316-174	ORG	75-01-4	Vinyl chloride	4600		ug/L	200	31.86	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1005	5000	92%		
NAL13026-862MS	316-174	ORG	74-83-9	Bromomethane	4500		ug/L	500	50.04	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1005	5000	90%		
NAL13026-862MS	316-174	ORG	75-00-3	Chloroethane	4200		ug/L	500	55.61	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1005	5000	84%		
NAL13026-862MS	316-174	ORG	75-69-4	Trichlorofluoromethane	6700		ug/L	500	19.65	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1005	5000	134%		
NAL13026-862MS	316-174	ORG	75-35-4	1,1-Dichloroethene	4600		ug/L	100	47.11	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1005	5000	92%		
NAL13026-862MS	316-174	ORG	75-09-2	Methylene chloride	4800		ug/L	500	26.46	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1005	5000	96%		
NAL13026-862MS	316-174	ORG	67-64-1	Acetone	78000		ug/L	1000	155.61	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1005	5000	-260%		91000
NAL13026-862MS	316-174	ORG	156-60-5	trans-1,2-Dichloroethene	4900		ug/L	100	55.61	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1005	5000	98%		
NAL13026-862MS	316-174	ORG	1634-04-4	MTBE	4500		ug/L	500	61.18	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1005	5000	90%		
NAL13026-862MS	316-174	ORG	75-34-3	1,1-Dichloroethane	4700		ug/L	100	52.66	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1005	5000	94%		
NAL13026-862MS	316-174	ORG	156-59-2	cis-1,2-Dichloroethene	4700		ug/L	100	32.11	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1005	5000	94%		
NAL13026-862MS	316-174	ORG	74-97-5	Bromochloromethane	4900		ug/L	1000	41.37	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1005	5000	98%		
NAL13026-862MS	316-174	ORG	67-66-3	Chloroform	4700		ug/L	200	15.73	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1005	5000	94%		
NAL13026-862MS	316-174	ORG	71-55-6	1,1,1-Trichloroethane	4800		ug/L	100	16.65	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1005	5000	96%		
NAL13026-862MS	316-174	ORG	78-93-3	2-Butanone	46000		ug/L	100	81.18	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1005	5000	80%		42000
NAL13026-862MS	316-174	ORG	56-23-5	Carbon tetrachloride	4600		ug/L	100	27.64	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1005	5000	92%		
NAL13026-862MS	316-174	ORG	71-43-2	Benzene	4900		ug/L	100	13.53	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1005	5000	96%		82
NAL13026-862MS	316-174	ORG	107-06-2	1,2-Dichloroethane	4600		ug/L	100	20.01	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1005	5000	92%		
NAL13026-862MS	316-174	ORG	79-01-6	Trichloroethene	4700		ug/L	100	36.33	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1005	5000	94%		
NAL13026-862MS	316-174	ORG	74-95-3	Dibromomethane	4400		ug/L	200	32.20	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1005	5000	88%		
NAL13026-862MS	316-174	ORG	78-87-5	1,2-Dichloropropane	4500		ug/L	100	18.17	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1005	5000	90%		
NAL13026-862MS	316-174	ORG	75-27-4	Bromodichloromethane	3800		ug/L	200	11.58	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1005	5000	76%		
NAL13026-862MS	316-174	ORG	10061-01-5	cis-1,3-Dichloropropene	5000		ug/L	100	25.01	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1005	5000	100%		
NAL13026-862MS	316-174	ORG	108-88-3	Toluene	4300		ug/L	100	20.96	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1005	5000	84%		94
NAL13026-862MS	316-174	ORG	108-10-1	4-Methyl-2-pentanone	5500		ug/L	500	74.00	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1005	5000	86%		1200
NAL13026-862MS	316-174	ORG	10061-02-6	trans-1,3-Dichloropropene	4500		ug/L	100	31.15	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1005	5000	90%		
NAL13026-862MS	316-174	ORG	127-18-4	Tetrachloroethene	4100		ug/L	100	48.56	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1005	5000	82%		
NAL13026-862MS	316-174	ORG	79-00-5	1,1,2-Trichloroethane	4600		ug/L	100	34.28	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1005	5000	92%		
NAL13026-862MS	316-174	ORG	124-48-1	Dibromochloromethane	4200		ug/L	500	29.90	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1005	5000	84%		
NAL13026-862MS	316-174	ORG	106-93-4	1,2-Dibromoethane	4400		ug/L	200	26.49	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1005	5000	88%		
NAL13026-862MS	316-174	ORG	591-78-6	2-Hexanone	11000		ug/L	200	68.90	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1005	5000	102%		5900
NAL13026-862MS	316-174	ORG	100-41-4	Ethylbenzene	4800		ug/L	100	25.38	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1005	5000	91%		250
NAL13026-862MS	316-174	ORG	108-90-7	Chlorobenzene	4700		ug/L	100	27.52	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1005	5000	94%		
NAL13026-862MS	316-174	ORG	630-20-6	1,1,1,2-Tetrachloroethane	4000		ug/L	200	19.28	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1005	5000	80%		
NAL13026-862MS	316-174	ORG	XYLMP	p&m-Xylene	9600		ug/L	200	26.14	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1005	10000	84%		1200
NAL13026-862MS	316-174	ORG	95-47-6	o-Xylene	5100		ug/L	100	12.90	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1005	5000	85%		860
NAL13026-862MS	316-174	ORG	100-42-5	Styrene	4600		ug/L	100	20.23	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1005	5000	84%		400
NAL13026-862MS	316-174	ORG	75-25-2	Bromoform	3800		ug/L	200	46.83	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1005	5000	76%		
NAL13026-862MS	316-174	ORG	98-82-8	Isopropylbenzene	5200		ug/L	200	20.48	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1005	5000	89%		760
NAL13026-862MS	316-174	ORG	103-65-1	n-Propylbenzene	5300		ug/L	200	27.00	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1005	5000	101%		260
NAL13026-862MS	316-174	ORG	79-34-5	1,1,2,2-Tetrachloroethane	4200		ug/L	200	29.16	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1005	5000	84%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-862MS	316-174	ORG	96-18-4	1,2,3-Trichloropropane	4100		ug/L	200	29.47	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1005	5000	82%		
NAL13026-862MS	316-174	ORG	108-67-8	1,3,5-Trimethylbenzene	5000		ug/L	200	20.03	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1005	5000	85%		770
NAL13026-862MS	316-174	ORG	98-06-6	tert-Butylbenzene	4800		ug/L	200	32.61	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1005	5000	96%		
NAL13026-862MS	316-174	ORG	95-63-6	1,2,4-Trimethylbenzene	6900		ug/L	200	20.03	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1005	5000	86%		2600
NAL13026-862MS	316-174	ORG	135-98-8	sec-Butylbenzene	5400		ug/L	200	32.34	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1005	5000	108%		
NAL13026-862MS	316-174	ORG	541-73-1	1,3-Dichlorobenzene	4800		ug/L	200	22.21	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1005	5000	96%		
NAL13026-862MS	316-174	ORG	99-87-6	p-Isopropltoluene	14000		ug/L	200	25.48	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1005	5000	80%		10000
NAL13026-862MS	316-174	ORG	106-46-7	1,4-Dichlorobenzene	6800		ug/L	200	33.03	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1005	5000	86%		2500
NAL13026-862MS	316-174	ORG	95-50-1	1,2-Dichlorobenzene	4900		ug/L	200	26.38	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1005	5000	98%		
NAL13026-862MS	316-174	ORG	104-51-8	n-Butylbenzene	5300		ug/L	500	27.81	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1005	5000	106%		
NAL13026-862MS	316-174	ORG	96-12-8	1,2-Dibromo-3-chloropropane	5200		ug/L	500	159.11	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1005	5000	104%		
NAL13026-862MS	316-174	ORG	87-68-3	Hexachlorobutadiene	5900		ug/L	500	65.42	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1005	5000	118%		
NAL13026-862MS	316-174	ORG	120-82-1	1,2,4-Trichlorobenzene	5900		ug/L	500	27.63	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1005	5000	118%		
NAL13026-862MS	316-174	ORG	91-20-3	Naphthalene	7900		ug/L	500	56.04	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1005	5000	98%		3000
NAL13026-862MS	316-174	ORG	87-61-6	1,2,3-Trichlorobenzene	6300		ug/L	500	23.28	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1005	5000	126%		
NAL13026-862MS	316-174	STD	1868-53-7	Dibromofluoromethane	50		ng			12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1005	50	100%		
NAL13026-862MS	316-174	STD	17060-07-0	1,2-Dichloroethane d4	47		ng			12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1005	50	94%		
NAL13026-862MS	316-174	STD	2037-26-5	Toluene d8	45		ng			12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1005	50	90%		
NAL13026-862MS	316-174	STD	460-00-4	Bromofluorobenzene	54		ng			12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1005	50	108%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-862MSD	316-174	ORG	75-71-8	Dichlorodifluoromethane	3900		ug/L	500	29.28	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1006	5000	78%	5%	0
NAL13026-862MSD	316-174	ORG	74-87-3	Chloromethane	4400		ug/L	500	43.07	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1006	5000	88%	5%	0
NAL13026-862MSD	316-174	ORG	75-01-4	Vinyl chloride	5100		ug/L	200	31.86	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1006	5000	102%	10%	0
NAL13026-862MSD	316-174	ORG	74-83-9	Bromomethane	4200		ug/L	500	50.04	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1006	5000	84%	7%	0
NAL13026-862MSD	316-174	ORG	75-00-3	Chloroethane	3500		ug/L	500	55.61	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1006	5000	70%	18%	0
NAL13026-862MSD	316-174	ORG	75-69-4	Trichlorofluoromethane	5700		ug/L	500	19.65	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1006	5000	114%	16%	0
NAL13026-862MSD	316-174	ORG	75-35-4	1,1-Dichloroethene	4900		ug/L	100	47.11	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1006	5000	98%	6%	0
NAL13026-862MSD	316-174	ORG	75-09-2	Methylene chloride	5000		ug/L	500	26.46	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1006	5000	100%	4%	0
NAL13026-862MSD	316-174	ORG	67-64-1	Acetone	80000		ug/L	1000	155.61	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1006	5000	-220%	3%	91000
NAL13026-862MSD	316-174	ORG	156-60-5	trans-1,2-Dichloroethene	5200		ug/L	100	55.61	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1006	5000	104%	6%	0
NAL13026-862MSD	316-174	ORG	1634-04-4	MTBE	5000		ug/L	500	61.18	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1006	5000	100%	11%	0
NAL13026-862MSD	316-174	ORG	75-34-3	1,1-Dichloroethane	5100		ug/L	100	52.66	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1006	5000	102%	8%	0
NAL13026-862MSD	316-174	ORG	156-59-2	cis-1,2-Dichloroethene	5100		ug/L	100	32.11	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1006	5000	102%	8%	0
NAL13026-862MSD	316-174	ORG	74-97-5	Bromochloromethane	5000		ug/L	1000	41.37	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1006	5000	100%	2%	0
NAL13026-862MSD	316-174	ORG	67-66-3	Chloroform	4800		ug/L	200	15.73	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1006	5000	96%	2%	0
NAL13026-862MSD	316-174	ORG	71-55-6	1,1,1-Trichloroethane	4900		ug/L	100	16.65	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1006	5000	98%	2%	0
NAL13026-862MSD	316-174	ORG	78-93-3	2-Butanone	45000		ug/L	100	81.18	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1006	5000	60%	2%	42000
NAL13026-862MSD	316-174	ORG	56-23-5	Carbon tetrachloride	4700		ug/L	100	27.64	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1006	5000	94%	2%	0
NAL13026-862MSD	316-174	ORG	71-43-2	Benzene	4800		ug/L	100	13.53	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1006	5000	94%	2%	82
NAL13026-862MSD	316-174	ORG	107-06-2	1,2-Dichloroethane	4500		ug/L	100	20.01	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1006	5000	90%	2%	0
NAL13026-862MSD	316-174	ORG	79-01-6	Trichloroethene	4600		ug/L	100	36.33	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1006	5000	92%	2%	0
NAL13026-862MSD	316-174	ORG	74-95-3	Dibromomethane	4500		ug/L	200	32.20	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1006	5000	90%	2%	0
NAL13026-862MSD	316-174	ORG	78-87-5	1,2-Dichloropropane	4700		ug/L	100	18.17	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1006	5000	94%	4%	0
NAL13026-862MSD	316-174	ORG	75-27-4	Bromodichloromethane	3900		ug/L	200	11.58	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1006	5000	78%	3%	0
NAL13026-862MSD	316-174	ORG	10061-01-5	cis-1,3-Dichloropropene	5000		ug/L	100	25.01	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1006	5000	100%	0%	0
NAL13026-862MSD	316-174	ORG	108-88-3	Toluene	4300		ug/L	100	20.96	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1006	5000	84%	0%	94
NAL13026-862MSD	316-174	ORG	108-10-1	4-Methyl-2-pentanone	5300		ug/L	500	74.00	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1006	5000	82%	4%	1200
NAL13026-862MSD	316-174	ORG	10061-02-6	trans-1,3-Dichloropropene	4600		ug/L	100	31.15	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1006	5000	92%	2%	0
NAL13026-862MSD	316-174	ORG	127-18-4	Tetrachloroethene	4200		ug/L	100	48.56	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1006	5000	84%	2%	0
NAL13026-862MSD	316-174	ORG	79-00-5	1,1,2-Trichloroethane	4500		ug/L	100	34.28	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1006	5000	90%	2%	0
NAL13026-862MSD	316-174	ORG	124-48-1	Dibromochloromethane	4000		ug/L	500	29.90	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1006	5000	80%	5%	0
NAL13026-862MSD	316-174	ORG	106-93-4	1,2-Dibromoethane	4200		ug/L	200	26.49	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1006	5000	84%	5%	0
NAL13026-862MSD	316-174	ORG	591-78-6	2-Hexanone	10000		ug/L	200	68.90	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1006	5000	82%	10%	5900
NAL13026-862MSD	316-174	ORG	100-41-4	Ethylbenzene	5100		ug/L	100	25.38	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1006	5000	97%	6%	250
NAL13026-862MSD	316-174	ORG	108-90-7	Chlorobenzene	4900		ug/L	100	27.52	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1006	5000	98%	4%	0
NAL13026-862MSD	316-174	ORG	630-20-6	1,1,1,2-Tetrachloroethane	4200		ug/L	200	19.28	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1006	5000	84%	5%	0
NAL13026-862MSD	316-174	ORG	XYLMP	p&m-Xylene	10000		ug/L	200	26.14	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1006	10000	88%	4%	1200
NAL13026-862MSD	316-174	ORG	95-47-6	o-Xylene	5400		ug/L	100	12.90	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1006	5000	91%	6%	860
NAL13026-862MSD	316-174	ORG	100-42-5	Styrene	4800		ug/L	100	20.23	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1006	5000	88%	4%	400
NAL13026-862MSD	316-174	ORG	75-25-2	Bromoform	3900		ug/L	200	46.83	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1006	5000	78%	3%	0
NAL13026-862MSD	316-174	ORG	98-82-8	Isopropylbenzene	5300		ug/L	200	20.48	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1006	5000	91%	2%	760
NAL13026-862MSD	316-174	ORG	103-65-1	n-Propylbenzene	5600		ug/L	200	27.00	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1006	5000	107%	6%	260
NAL13026-862MSD	316-174	ORG	79-34-5	1,1,2,2-Tetrachloroethane	4300		ug/L	200	29.16	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1006	5000	86%	2%	0

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-862MSD	316-174	ORG	96-18-4	1,2,3-Trichloropropane	4200		ug/L	200	29.47	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1006	5000	84%	2%	0
NAL13026-862MSD	316-174	ORG	108-67-8	1,3,5-Trimethylbenzene	5100		ug/L	200	20.03	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1006	5000	87%	2%	770
NAL13026-862MSD	316-174	ORG	98-06-6	tert-Butylbenzene	4900		ug/L	200	32.61	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1006	5000	98%	2%	0
NAL13026-862MSD	316-174	ORG	95-63-6	1,2,4-Trimethylbenzene	7200		ug/L	200	20.03	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1006	5000	92%	4%	2600
NAL13026-862MSD	316-174	ORG	135-98-8	sec-Butylbenzene	5500		ug/L	200	32.34	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1006	5000	110%	2%	0
NAL13026-862MSD	316-174	ORG	541-73-1	1,3-Dichlorobenzene	5000		ug/L	200	22.21	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1006	5000	100%	4%	0
NAL13026-862MSD	316-174	ORG	99-87-6	p-Isopropltoluene	15000		ug/L	200	25.48	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1006	5000	100%	7%	10000
NAL13026-862MSD	316-174	ORG	106-46-7	1,4-Dichlorobenzene	7000		ug/L	200	33.03	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1006	5000	90%	3%	2500
NAL13026-862MSD	316-174	ORG	95-50-1	1,2-Dichlorobenzene	4900		ug/L	200	26.38	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1006	5000	98%	0%	0
NAL13026-862MSD	316-174	ORG	104-51-8	n-Butylbenzene	5400		ug/L	500	27.81	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1006	5000	108%	2%	0
NAL13026-862MSD	316-174	ORG	96-12-8	1,2-Dibromo-3-chloropropane	4900		ug/L	500	159.11	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1006	5000	98%	6%	0
NAL13026-862MSD	316-174	ORG	87-68-3	Hexachlorobutadiene	6100		ug/L	500	65.42	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1006	5000	122%	3%	0
NAL13026-862MSD	316-174	ORG	120-82-1	1,2,4-Trichlorobenzene	6000		ug/L	500	27.63	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1006	5000	120%	2%	0
NAL13026-862MSD	316-174	ORG	91-20-3	Naphthalene	8300		ug/L	500	56.04	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1006	5000	106%	5%	3000
NAL13026-862MSD	316-174	ORG	87-61-6	1,2,3-Trichlorobenzene	6300		ug/L	500	23.28	12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1006	5000	126%	0%	0
NAL13026-862MSD	316-174	STD	1868-53-7	Dibromofluoromethane	50		ng			12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1006	50	100%	0%	0
NAL13026-862MSD	316-174	STD	17060-07-0	1,2-Dichloroethane d4	48		ng			12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1006	50	96%	2%	0
NAL13026-862MSD	316-174	STD	2037-26-5	Toluene d8	46		ng			12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1006	50	92%	2%	0
NAL13026-862MSD	316-174	STD	460-00-4	Bromofluorobenzene	57		ng			12/23/2013	12/23/2013	12/23/2013	WG	100	NA	5.0	NA	SW8260B	NALC1006	50	114%	5%	0

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-864	316-175	ORG	75-71-8	Dichlorodifluoromethane		UX-	ug/L	500	29.28	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1015				
NAL13026-864	316-175	ORG	74-87-3	Chloromethane		U	ug/L	500	43.07	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1015				
NAL13026-864	316-175	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1015				
NAL13026-864	316-175	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1015				
NAL13026-864	316-175	ORG	75-00-3	Chloroethane		UX-	ug/L	500	55.61	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1015				
NAL13026-864	316-175	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1015				
NAL13026-864	316-175	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1015				
NAL13026-864	316-175	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1015				
NAL13026-864	316-175	ORG	67-64-1	Acetone	71000	D	ug/L	10000	1556.07	12/24/2013	12/24/2013	12/24/2013	WG	1000	NA	5.0	NA	SW8260B	NALC1016				
NAL13026-864	316-175	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1015				
NAL13026-864	316-175	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1015				
NAL13026-864	316-175	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1015				
NAL13026-864	316-175	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1015				
NAL13026-864	316-175	ORG	74-97-5	Bromochloromethane		U	ug/L	200	41.37	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1015				
NAL13026-864	316-175	ORG	67-66-3	Chloroform		U	ug/L	100	15.73	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1015				
NAL13026-864	316-175	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	16.65	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1015				
NAL13026-864	316-175	ORG	78-93-3	2-Butanone	43000	D	ug/L	10000	811.80	12/24/2013	12/24/2013	12/24/2013	WG	1000	NA	5.0	NA	SW8260B	NALC1016				
NAL13026-864	316-175	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1015				
NAL13026-864	316-175	ORG	71-43-2	Benzene	100	J	ug/L	100	13.53	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1015				
NAL13026-864	316-175	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1015				
NAL13026-864	316-175	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1015				
NAL13026-864	316-175	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1015				
NAL13026-864	316-175	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1015				
NAL13026-864	316-175	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1015				
NAL13026-864	316-175	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1015				
NAL13026-864	316-175	ORG	108-88-3	Toluene	74	J	ug/L	100	20.96	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1015				
NAL13026-864	316-175	ORG	108-10-1	4-Methyl-2-pentanone	1200		ug/L	500	74.00	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1015				
NAL13026-864	316-175	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1015				
NAL13026-864	316-175	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1015				
NAL13026-864	316-175	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1015				
NAL13026-864	316-175	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	29.90	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1015				
NAL13026-864	316-175	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	26.49	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1015				
NAL13026-864	316-175	ORG	591-78-6	2-Hexanone	5800		ug/L	500	68.90	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1015				
NAL13026-864	316-175	ORG	100-41-4	Ethylbenzene	250		ug/L	100	25.38	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1015				
NAL13026-864	316-175	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1015				
NAL13026-864	316-175	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1015				
NAL13026-864	316-175	ORG	XYLMP	p&m-Xylene	1200		ug/L	200	26.14	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1015				
NAL13026-864	316-175	ORG	95-47-6	o-Xylene	850		ug/L	100	12.90	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1015				
NAL13026-864	316-175	ORG	100-42-5	Styrene	400		ug/L	100	20.23	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1015				
NAL13026-864	316-175	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1015				
NAL13026-864	316-175	ORG	98-82-8	Isopropylbenzene	760		ug/L	200	20.48	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1015				
NAL13026-864	316-175	ORG	103-65-1	n-Propylbenzene	280		ug/L	200	27.00	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1015				
NAL13026-864	316-175	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1015				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-864	316-175	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1015				
NAL13026-864	316-175	ORG	108-67-8	1,3,5-Trimethylbenzene	780		ug/L	200	20.03	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1015				
NAL13026-864	316-175	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1015				
NAL13026-864	316-175	ORG	95-63-6	1,2,4-Trimethylbenzene	2600		ug/L	200	20.03	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1015				
NAL13026-864	316-175	ORG	135-98-8	sec-Butylbenzene	440		ug/L	200	32.34	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1015				
NAL13026-864	316-175	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1015				
NAL13026-864	316-175	ORG	99-87-6	p-Isopropltoluene	11000		ug/L	200	25.48	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1015				
NAL13026-864	316-175	ORG	106-46-7	1,4-Dichlorobenzene	2500		ug/L	200	33.03	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1015				
NAL13026-864	316-175	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1015				
NAL13026-864	316-175	ORG	104-51-8	n-Butylbenzene		U	ug/L	500	27.81	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1015				
NAL13026-864	316-175	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1015				
NAL13026-864	316-175	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1015				
NAL13026-864	316-175	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1015				
NAL13026-864	316-175	ORG	91-20-3	Naphthalene	2900		ug/L	500	56.04	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1015				
NAL13026-864	316-175	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1015				
NAL13026-864	316-175	STD	1868-53-7	Dibromofluoromethane	50		ng			12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1015	50	100%		
NAL13026-864	316-175	STD	17060-07-0	1,2-Dichloroethane d4	47		ng			12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1015	50	94%		
NAL13026-864	316-175	STD	2037-26-5	Toluene d8	44		ng			12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1015	50	88%		
NAL13026-864	316-175	STD	460-00-4	Bromofluorobenzene	53		ng			12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1015	50	106%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-865	96-SW04	ORG	75-71-8	Dichlorodifluoromethane		UX-	ug/L	500	29.28	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1022				
NAL13026-865	96-SW04	ORG	74-87-3	Chloromethane		U	ug/L	500	43.07	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1022				
NAL13026-865	96-SW04	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1022				
NAL13026-865	96-SW04	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1022				
NAL13026-865	96-SW04	ORG	75-00-3	Chloroethane		UX-	ug/L	500	55.61	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1022				
NAL13026-865	96-SW04	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1022				
NAL13026-865	96-SW04	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1022				
NAL13026-865	96-SW04	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1022				
NAL13026-865	96-SW04	ORG	67-64-1	Acetone	2700		ug/L	1000	155.61	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1022				
NAL13026-865	96-SW04	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1022				
NAL13026-865	96-SW04	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1022				
NAL13026-865	96-SW04	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1022				
NAL13026-865	96-SW04	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1022				
NAL13026-865	96-SW04	ORG	74-97-5	Bromochloromethane		U	ug/L	200	41.37	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1022				
NAL13026-865	96-SW04	ORG	67-66-3	Chloroform		U	ug/L	100	15.73	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1022				
NAL13026-865	96-SW04	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	16.65	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1022				
NAL13026-865	96-SW04	ORG	78-93-3	2-Butanone	1200		ug/L	1000	81.18	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1022				
NAL13026-865	96-SW04	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1022				
NAL13026-865	96-SW04	ORG	71-43-2	Benzene		U	ug/L	100	13.53	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1022				
NAL13026-865	96-SW04	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1022				
NAL13026-865	96-SW04	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1022				
NAL13026-865	96-SW04	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1022				
NAL13026-865	96-SW04	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1022				
NAL13026-865	96-SW04	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1022				
NAL13026-865	96-SW04	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1022				
NAL13026-865	96-SW04	ORG	108-88-3	Toluene		U	ug/L	100	20.96	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1022				
NAL13026-865	96-SW04	ORG	108-10-1	4-Methyl-2-pentanone		U	ug/L	500	74.00	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1022				
NAL13026-865	96-SW04	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1022				
NAL13026-865	96-SW04	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1022				
NAL13026-865	96-SW04	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1022				
NAL13026-865	96-SW04	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	29.90	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1022				
NAL13026-865	96-SW04	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	26.49	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1022				
NAL13026-865	96-SW04	ORG	591-78-6	2-Hexanone		U	ug/L	500	68.90	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1022				
NAL13026-865	96-SW04	ORG	100-41-4	Ethylbenzene		U	ug/L	100	25.38	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1022				
NAL13026-865	96-SW04	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1022				
NAL13026-865	96-SW04	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1022				
NAL13026-865	96-SW04	ORG	XYLMP	p&m-Xylene		U	ug/L	200	26.14	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1022				
NAL13026-865	96-SW04	ORG	95-47-6	o-Xylene		U	ug/L	100	12.90	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1022				
NAL13026-865	96-SW04	ORG	100-42-5	Styrene		U	ug/L	100	20.23	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1022				
NAL13026-865	96-SW04	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1022				
NAL13026-865	96-SW04	ORG	98-82-8	Isopropylbenzene		U	ug/L	200	20.48	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1022				
NAL13026-865	96-SW04	ORG	103-65-1	n-Propylbenzene		U	ug/L	200	27.00	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1022				
NAL13026-865	96-SW04	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1022				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-865	96-SW04	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1022				
NAL13026-865	96-SW04	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	200	20.03	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1022				
NAL13026-865	96-SW04	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1022				
NAL13026-865	96-SW04	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	200	20.03	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1022				
NAL13026-865	96-SW04	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1022				
NAL13026-865	96-SW04	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1022				
NAL13026-865	96-SW04	ORG	99-87-6	p-Isopropltoluene	40	J	ug/L	200	25.48	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1022				
NAL13026-865	96-SW04	ORG	106-46-7	1,4-Dichlorobenzene		U	ug/L	200	33.03	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1022				
NAL13026-865	96-SW04	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1022				
NAL13026-865	96-SW04	ORG	104-51-8	n-Butylbenzene		U	ug/L	500	27.81	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1022				
NAL13026-865	96-SW04	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1022				
NAL13026-865	96-SW04	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1022				
NAL13026-865	96-SW04	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1022				
NAL13026-865	96-SW04	ORG	91-20-3	Naphthalene	900		ug/L	500	56.04	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1022				
NAL13026-865	96-SW04	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1022				
NAL13026-865	96-SW04	STD	1868-53-7	Dibromofluoromethane	50		ng			12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1022	50	100%		
NAL13026-865	96-SW04	STD	17060-07-0	1,2-Dichloroethane d4	48		ng			12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1022	50	96%		
NAL13026-865	96-SW04	STD	2037-26-5	Toluene d8	49		ng			12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1022	50	98%		
NAL13026-865	96-SW04	STD	460-00-4	Bromofluorobenzene	61		ng			12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1022	50	122%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C122413CCVA	C122413CCVA	ORG	75-71-8	Dichlorodifluoromethane	35		ug/L	5	0.29	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1013	50	70%		
C122413CCVA	C122413CCVA	ORG	74-87-3	Chloromethane	42		ug/L	5	0.43	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1013	50	84%		
C122413CCVA	C122413CCVA	ORG	75-01-4	Vinyl chloride	47		ug/L	2	0.32	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1013	50	94%		
C122413CCVA	C122413CCVA	ORG	74-83-9	Bromomethane	46		ug/L	5	0.50	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1013	50	92%		
C122413CCVA	C122413CCVA	ORG	75-00-3	Chloroethane	37		ug/L	5	0.56	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1013	50	74%		
C122413CCVA	C122413CCVA	ORG	75-69-4	Trichlorofluoromethane	66		ug/L	5	0.20	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1013	50	132%		
C122413CCVA	C122413CCVA	ORG	75-35-4	1,1-Dichloroethene	46		ug/L	1	0.47	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1013	50	92%		
C122413CCVA	C122413CCVA	ORG	75-09-2	Methylene chloride	49		ug/L	5	0.26	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1013	50	98%		
C122413CCVA	C122413CCVA	ORG	67-64-1	Acetone	48		ug/L	10	1.56	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1013	50	96%		
C122413CCVA	C122413CCVA	ORG	156-60-5	trans-1,2-Dichloroethene	49		ug/L	1	0.56	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1013	50	98%		
C122413CCVA	C122413CCVA	ORG	1634-04-4	MTBE	47		ug/L	5	0.61	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1013	50	94%		
C122413CCVA	C122413CCVA	ORG	75-34-3	1,1-Dichloroethane	49		ug/L	1	0.53	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1013	50	98%		
C122413CCVA	C122413CCVA	ORG	156-59-2	cis-1,2-Dichloroethene	49		ug/L	1	0.32	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1013	50	98%		
C122413CCVA	C122413CCVA	ORG	74-97-5	Bromochloromethane	50		ug/L	10	0.41	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1013	50	100%		
C122413CCVA	C122413CCVA	ORG	67-66-3	Chloroform	47		ug/L	2	0.16	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1013	50	94%		
C122413CCVA	C122413CCVA	ORG	71-55-6	1,1,1-Trichloroethane	48		ug/L	1	0.17	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1013	50	96%		
C122413CCVA	C122413CCVA	ORG	78-93-3	2-Butanone	48		ug/L	1	0.81	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1013	50	96%		
C122413CCVA	C122413CCVA	ORG	56-23-5	Carbon tetrachloride	46		ug/L	1	0.28	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1013	50	92%		
C122413CCVA	C122413CCVA	ORG	71-43-2	Benzene	48		ug/L	1	0.14	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1013	50	96%		
C122413CCVA	C122413CCVA	ORG	107-06-2	1,2-Dichloroethane	46		ug/L	1	0.20	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1013	50	92%		
C122413CCVA	C122413CCVA	ORG	79-01-6	Trichloroethene	47		ug/L	1	0.36	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1013	50	94%		
C122413CCVA	C122413CCVA	ORG	74-95-3	Dibromomethane	40		ug/L	2	0.32	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1013	50	80%		
C122413CCVA	C122413CCVA	ORG	78-87-5	1,2-Dichloropropane	43		ug/L	1	0.18	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1013	50	86%		
C122413CCVA	C122413CCVA	ORG	75-27-4	Bromodichloromethane	46		ug/L	2	0.12	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1013	50	92%		
C122413CCVA	C122413CCVA	ORG	10061-01-5	cis-1,3-Dichloropropene	52		ug/L	1	0.25	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1013	50	104%		
C122413CCVA	C122413CCVA	ORG	108-88-3	Toluene	50		ug/L	1	0.21	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1013	50	100%		
C122413CCVA	C122413CCVA	ORG	108-10-1	4-Methyl-2-pentanone	42		ug/L	5	0.74	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1013	50	84%		
C122413CCVA	C122413CCVA	ORG	10061-02-6	trans-1,3-Dichloropropene	52		ug/L	1	0.31	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1013	50	104%		
C122413CCVA	C122413CCVA	ORG	127-18-4	Tetrachloroethene	48		ug/L	1	0.49	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1013	50	96%		
C122413CCVA	C122413CCVA	ORG	79-00-5	1,1,2-Trichloroethane	49		ug/L	1	0.34	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1013	50	98%		
C122413CCVA	C122413CCVA	ORG	124-48-1	Dibromochloromethane	46		ug/L	5	0.30	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1013	50	92%		
C122413CCVA	C122413CCVA	ORG	106-93-4	1,2-Dibromoethane	46		ug/L	2	0.26	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1013	50	92%		
C122413CCVA	C122413CCVA	ORG	591-78-6	2-Hexanone	40		ug/L	2	0.69	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1013	50	80%		
C122413CCVA	C122413CCVA	ORG	100-41-4	Ethylbenzene	52		ug/L	1	0.25	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1013	50	104%		
C122413CCVA	C122413CCVA	ORG	108-90-7	Chlorobenzene	53		ug/L	1	0.28	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1013	50	106%		
C122413CCVA	C122413CCVA	ORG	630-20-6	1,1,1,2-Tetrachloroethane	48		ug/L	2	0.19	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1013	50	96%		
C122413CCVA	C122413CCVA	ORG	XYLMP	p&m-Xylene	100		ug/L	2	0.26	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1013	100	100%		
C122413CCVA	C122413CCVA	ORG	95-47-6	o-Xylene	48		ug/L	1	0.13	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1013	50	96%		
C122413CCVA	C122413CCVA	ORG	100-42-5	Styrene	50		ug/L	1	0.20	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1013	50	100%		
C122413CCVA	C122413CCVA	ORG	75-25-2	Bromoform	45		ug/L	2	0.47	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1013	50	90%		
C122413CCVA	C122413CCVA	ORG	98-82-8	Isopropylbenzene	49		ug/L	2	0.20	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1013	50	98%		
C122413CCVA	C122413CCVA	ORG	103-65-1	n-Propylbenzene	55		ug/L	2	0.27	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1013	50	110%		
C122413CCVA	C122413CCVA	ORG	79-34-5	1,1,2,2-Tetrachloroethane	48		ug/L	2	0.29	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1013	50	96%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C122413CCVA	C122413CCVA	ORG	96-18-4	1,2,3-Trichloropropane	47		ug/L	2	0.29	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1013	50	94%		
C122413CCVA	C122413CCVA	ORG	108-67-8	1,3,5-Trimethylbenzene	49		ug/L	2	0.20	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1013	50	98%		
C122413CCVA	C122413CCVA	ORG	98-06-6	tert-Butylbenzene	50		ug/L	2	0.33	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1013	50	100%		
C122413CCVA	C122413CCVA	ORG	95-63-6	1,2,4-Trimethylbenzene	49		ug/L	2	0.20	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1013	50	98%		
C122413CCVA	C122413CCVA	ORG	135-98-8	sec-Butylbenzene	48		ug/L	2	0.32	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1013	50	96%		
C122413CCVA	C122413CCVA	ORG	541-73-1	1,3-Dichlorobenzene	51		ug/L	2	0.22	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1013	50	102%		
C122413CCVA	C122413CCVA	ORG	99-87-6	p-Isopropltoluene	48		ug/L	2	0.25	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1013	50	96%		
C122413CCVA	C122413CCVA	ORG	106-46-7	1,4-Dichlorobenzene	47		ug/L	2	0.33	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1013	50	94%		
C122413CCVA	C122413CCVA	ORG	95-50-1	1,2-Dichlorobenzene	48		ug/L	2	0.26	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1013	50	96%		
C122413CCVA	C122413CCVA	ORG	104-51-8	n-Butylbenzene	49		ug/L	5	0.28	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1013	50	98%		
C122413CCVA	C122413CCVA	ORG	96-12-8	1,2-Dibromo-3-chloropropane	43		ug/L	5	1.59	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1013	50	86%		
C122413CCVA	C122413CCVA	ORG	87-68-3	Hexachlorobutadiene	52		ug/L	5	0.65	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1013	50	104%		
C122413CCVA	C122413CCVA	ORG	120-82-1	1,2,4-Trichlorobenzene	48		ug/L	5	0.28	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1013	50	96%		
C122413CCVA	C122413CCVA	ORG	91-20-3	Naphthalene	46		ug/L	5	0.56	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1013	50	92%		
C122413CCVA	C122413CCVA	ORG	87-61-6	1,2,3-Trichlorobenzene	52		ug/L	5	0.23	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1013	50	104%		
C122413CCVA	C122413CCVA	STD	1868-53-7	Dibromofluoromethane	50		ng			NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1013	50	100%		
C122413CCVA	C122413CCVA	STD	17060-07-0	1,2-Dichloroethane d4	48		ng			NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1013	50	96%		
C122413CCVA	C122413CCVA	STD	2037-26-5	Toluene d8	51		ng			NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1013	50	102%		
C122413CCVA	C122413CCVA	STD	460-00-4	Bromofluorobenzene	50		ng			NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1013	50	100%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C122413MBKA	C122413MBKA	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	5	0.29	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1014				
C122413MBKA	C122413MBKA	ORG	74-87-3	Chloromethane		U	ug/L	5	0.43	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1014				
C122413MBKA	C122413MBKA	ORG	75-01-4	Vinyl chloride		U	ug/L	2	0.32	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1014				
C122413MBKA	C122413MBKA	ORG	74-83-9	Bromomethane		U	ug/L	5	0.50	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1014				
C122413MBKA	C122413MBKA	ORG	75-00-3	Chloroethane		U	ug/L	5	0.56	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1014				
C122413MBKA	C122413MBKA	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	5	0.20	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1014				
C122413MBKA	C122413MBKA	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	1	0.47	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1014				
C122413MBKA	C122413MBKA	ORG	75-09-2	Methylene chloride		U	ug/L	5	0.26	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1014				
C122413MBKA	C122413MBKA	ORG	67-64-1	Acetone		U	ug/L	10	1.56	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1014				
C122413MBKA	C122413MBKA	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	1	0.56	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1014				
C122413MBKA	C122413MBKA	ORG	1634-04-4	MTBE		U	ug/L	5	0.61	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1014				
C122413MBKA	C122413MBKA	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	1	0.53	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1014				
C122413MBKA	C122413MBKA	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	1	0.32	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1014				
C122413MBKA	C122413MBKA	ORG	74-97-5	Bromochloromethane		U	ug/L	10	0.41	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1014				
C122413MBKA	C122413MBKA	ORG	67-66-3	Chloroform		U	ug/L	2	0.16	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1014				
C122413MBKA	C122413MBKA	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	1	0.17	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1014				
C122413MBKA	C122413MBKA	ORG	78-93-3	2-Butanone		U	ug/L	1	0.81	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1014				
C122413MBKA	C122413MBKA	ORG	56-23-5	Carbon tetrachloride		U	ug/L	1	0.28	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1014				
C122413MBKA	C122413MBKA	ORG	71-43-2	Benzene		U	ug/L	1	0.14	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1014				
C122413MBKA	C122413MBKA	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	1	0.20	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1014				
C122413MBKA	C122413MBKA	ORG	79-01-6	Trichloroethene		U	ug/L	1	0.36	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1014				
C122413MBKA	C122413MBKA	ORG	74-95-3	Dibromomethane		U	ug/L	2	0.32	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1014				
C122413MBKA	C122413MBKA	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	1	0.18	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1014				
C122413MBKA	C122413MBKA	ORG	75-27-4	Bromodichloromethane		U	ug/L	2	0.12	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1014				
C122413MBKA	C122413MBKA	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	1	0.25	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1014				
C122413MBKA	C122413MBKA	ORG	108-88-3	Toluene		U	ug/L	1	0.21	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1014				
C122413MBKA	C122413MBKA	ORG	108-10-1	4-Methyl-2-pentanone		U	ug/L	5	0.74	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1014				
C122413MBKA	C122413MBKA	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	1	0.31	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1014				
C122413MBKA	C122413MBKA	ORG	127-18-4	Tetrachloroethene		U	ug/L	1	0.49	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1014				
C122413MBKA	C122413MBKA	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	1	0.34	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1014				
C122413MBKA	C122413MBKA	ORG	124-48-1	Dibromochloromethane		U	ug/L	5	0.30	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1014				
C122413MBKA	C122413MBKA	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	2	0.26	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1014				
C122413MBKA	C122413MBKA	ORG	591-78-6	2-Hexanone		U	ug/L	2	0.69	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1014				
C122413MBKA	C122413MBKA	ORG	100-41-4	Ethylbenzene		U	ug/L	1	0.25	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1014				
C122413MBKA	C122413MBKA	ORG	108-90-7	Chlorobenzene		U	ug/L	1	0.28	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1014				
C122413MBKA	C122413MBKA	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	2	0.19	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1014				
C122413MBKA	C122413MBKA	ORG	XYLMP	p&m-Xylene		U	ug/L	2	0.26	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1014				
C122413MBKA	C122413MBKA	ORG	95-47-6	o-Xylene		U	ug/L	1	0.13	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1014				
C122413MBKA	C122413MBKA	ORG	100-42-5	Styrene		U	ug/L	1	0.20	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1014				
C122413MBKA	C122413MBKA	ORG	75-25-2	Bromoform		U	ug/L	2	0.47	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1014				
C122413MBKA	C122413MBKA	ORG	98-82-8	Isopropylbenzene		U	ug/L	2	0.20	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1014				
C122413MBKA	C122413MBKA	ORG	103-65-1	n-Propylbenzene		U	ug/L	2	0.27	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1014				
C122413MBKA	C122413MBKA	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	2	0.29	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1014				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C122413MBKA	C122413MBKA	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	2	0.29	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1014				
C122413MBKA	C122413MBKA	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	2	0.20	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1014				
C122413MBKA	C122413MBKA	ORG	98-06-6	tert-Butylbenzene		U	ug/L	2	0.33	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1014				
C122413MBKA	C122413MBKA	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	2	0.20	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1014				
C122413MBKA	C122413MBKA	ORG	135-98-8	sec-Butylbenzene		U	ug/L	2	0.32	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1014				
C122413MBKA	C122413MBKA	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	2	0.22	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1014				
C122413MBKA	C122413MBKA	ORG	99-87-6	p-Isopropltoluene		U	ug/L	2	0.25	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1014				
C122413MBKA	C122413MBKA	ORG	106-46-7	1,4-Dichlorobenzene		U	ug/L	2	0.33	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1014				
C122413MBKA	C122413MBKA	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	2	0.26	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1014				
C122413MBKA	C122413MBKA	ORG	104-51-8	n-Butylbenzene		U	ug/L	5	0.28	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1014				
C122413MBKA	C122413MBKA	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	5	1.59	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1014				
C122413MBKA	C122413MBKA	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	5	0.65	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1014				
C122413MBKA	C122413MBKA	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	5	0.28	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1014				
C122413MBKA	C122413MBKA	ORG	91-20-3	Naphthalene		U	ug/L	5	0.56	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1014				
C122413MBKA	C122413MBKA	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	5	0.23	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1014				
C122413MBKA	C122413MBKA	STD	1868-53-7	Dibromofluoromethane	50		ng			NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1014	50	100%		
C122413MBKA	C122413MBKA	STD	17060-07-0	1,2-Dichloroethane d4	51		ng			NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1014	50	102%		
C122413MBKA	C122413MBKA	STD	2037-26-5	Toluene d8	56		ng			NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1014	50	112%		
C122413MBKA	C122413MBKA	STD	460-00-4	Bromofluorobenzene	59		ng			NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1014	50	118%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C122413ALCS	C122413ALCS	ORG	75-71-8	Dichlorodifluoromethane	33		ug/L	5	0.29	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1017	50	66%		
C122413ALCS	C122413ALCS	ORG	74-87-3	Chloromethane	42		ug/L	5	0.43	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1017	50	84%		
C122413ALCS	C122413ALCS	ORG	75-01-4	Vinyl chloride	45		ug/L	2	0.32	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1017	50	90%		
C122413ALCS	C122413ALCS	ORG	74-83-9	Bromomethane	45		ug/L	5	0.50	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1017	50	90%		
C122413ALCS	C122413ALCS	ORG	75-00-3	Chloroethane	42		ug/L	5	0.56	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1017	50	84%		
C122413ALCS	C122413ALCS	ORG	75-69-4	Trichlorofluoromethane	75		ug/L	5	0.20	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1017	50	150%		
C122413ALCS	C122413ALCS	ORG	75-35-4	1,1-Dichloroethene	53		ug/L	1	0.47	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1017	50	106%		
C122413ALCS	C122413ALCS	ORG	75-09-2	Methylene chloride	49		ug/L	5	0.26	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1017	50	98%		
C122413ALCS	C122413ALCS	ORG	67-64-1	Acetone	35		ug/L	10	1.56	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1017	50	70%		
C122413ALCS	C122413ALCS	ORG	156-60-5	trans-1,2-Dichloroethene	52		ug/L	1	0.56	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1017	50	104%		
C122413ALCS	C122413ALCS	ORG	1634-04-4	MTBE	47		ug/L	5	0.61	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1017	50	94%		
C122413ALCS	C122413ALCS	ORG	75-34-3	1,1-Dichloroethane	49		ug/L	1	0.53	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1017	50	98%		
C122413ALCS	C122413ALCS	ORG	156-59-2	cis-1,2-Dichloroethene	49		ug/L	1	0.32	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1017	50	98%		
C122413ALCS	C122413ALCS	ORG	74-97-5	Bromochloromethane	49		ug/L	10	0.41	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1017	50	98%		
C122413ALCS	C122413ALCS	ORG	67-66-3	Chloroform	47		ug/L	2	0.16	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1017	50	94%		
C122413ALCS	C122413ALCS	ORG	71-55-6	1,1,1-Trichloroethane	48		ug/L	1	0.17	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1017	50	96%		
C122413ALCS	C122413ALCS	ORG	78-93-3	2-Butanone	41		ug/L	1	0.81	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1017	50	82%		
C122413ALCS	C122413ALCS	ORG	56-23-5	Carbon tetrachloride	47		ug/L	1	0.28	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1017	50	94%		
C122413ALCS	C122413ALCS	ORG	71-43-2	Benzene	47		ug/L	1	0.14	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1017	50	94%		
C122413ALCS	C122413ALCS	ORG	107-06-2	1,2-Dichloroethane	45		ug/L	1	0.20	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1017	50	90%		
C122413ALCS	C122413ALCS	ORG	79-01-6	Trichloroethene	48		ug/L	1	0.36	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1017	50	96%		
C122413ALCS	C122413ALCS	ORG	74-95-3	Dibromomethane	44		ug/L	2	0.32	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1017	50	88%		
C122413ALCS	C122413ALCS	ORG	78-87-5	1,2-Dichloropropane	47		ug/L	1	0.18	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1017	50	94%		
C122413ALCS	C122413ALCS	ORG	75-27-4	Bromodichloromethane	46		ug/L	2	0.12	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1017	50	92%		
C122413ALCS	C122413ALCS	ORG	10061-01-5	cis-1,3-Dichloropropene	49		ug/L	1	0.25	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1017	50	98%		
C122413ALCS	C122413ALCS	ORG	108-88-3	Toluene	48		ug/L	1	0.21	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1017	50	96%		
C122413ALCS	C122413ALCS	ORG	108-10-1	4-Methyl-2-pentanone	37		ug/L	5	0.74	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1017	50	74%		
C122413ALCS	C122413ALCS	ORG	10061-02-6	trans-1,3-Dichloropropene	52		ug/L	1	0.31	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1017	50	104%		
C122413ALCS	C122413ALCS	ORG	127-18-4	Tetrachloroethene	50		ug/L	1	0.49	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1017	50	100%		
C122413ALCS	C122413ALCS	ORG	79-00-5	1,1,2-Trichloroethane	48		ug/L	1	0.34	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1017	50	96%		
C122413ALCS	C122413ALCS	ORG	124-48-1	Dibromochloromethane	45		ug/L	5	0.30	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1017	50	90%		
C122413ALCS	C122413ALCS	ORG	106-93-4	1,2-Dibromoethane	43		ug/L	2	0.26	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1017	50	86%		
C122413ALCS	C122413ALCS	ORG	591-78-6	2-Hexanone	37		ug/L	2	0.69	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1017	50	74%		
C122413ALCS	C122413ALCS	ORG	100-41-4	Ethylbenzene	51		ug/L	1	0.25	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1017	50	102%		
C122413ALCS	C122413ALCS	ORG	108-90-7	Chlorobenzene	51		ug/L	1	0.28	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1017	50	102%		
C122413ALCS	C122413ALCS	ORG	630-20-6	1,1,1,2-Tetrachloroethane	46		ug/L	2	0.19	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1017	50	92%		
C122413ALCS	C122413ALCS	ORG	XYLMP	p&m-Xylene	98		ug/L	2	0.26	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1017	100	98%		
C122413ALCS	C122413ALCS	ORG	95-47-6	o-Xylene	47		ug/L	1	0.13	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1017	50	94%		
C122413ALCS	C122413ALCS	ORG	100-42-5	Styrene	48		ug/L	1	0.20	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1017	50	96%		
C122413ALCS	C122413ALCS	ORG	75-25-2	Bromoform	42		ug/L	2	0.47	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1017	50	84%		
C122413ALCS	C122413ALCS	ORG	98-82-8	Isopropylbenzene	48		ug/L	2	0.20	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1017	50	96%		
C122413ALCS	C122413ALCS	ORG	103-65-1	n-Propylbenzene	56		ug/L	2	0.27	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1017	50	112%		
C122413ALCS	C122413ALCS	ORG	79-34-5	1,1,2,2-Tetrachloroethane	44		ug/L	2	0.29	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1017	50	88%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C122413ALCS	C122413ALCS	ORG	96-18-4	1,2,3-Trichloropropane	44		ug/L	2	0.29	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1017	50	88%		
C122413ALCS	C122413ALCS	ORG	108-67-8	1,3,5-Trimethylbenzene	49		ug/L	2	0.20	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1017	50	98%		
C122413ALCS	C122413ALCS	ORG	98-06-6	tert-Butylbenzene	49		ug/L	2	0.33	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1017	50	98%		
C122413ALCS	C122413ALCS	ORG	95-63-6	1,2,4-Trimethylbenzene	49		ug/L	2	0.20	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1017	50	98%		
C122413ALCS	C122413ALCS	ORG	135-98-8	sec-Butylbenzene	49		ug/L	2	0.32	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1017	50	98%		
C122413ALCS	C122413ALCS	ORG	541-73-1	1,3-Dichlorobenzene	51		ug/L	2	0.22	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1017	50	102%		
C122413ALCS	C122413ALCS	ORG	99-87-6	p-Isopropltoluene	48		ug/L	2	0.25	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1017	50	96%		
C122413ALCS	C122413ALCS	ORG	106-46-7	1,4-Dichlorobenzene	46		ug/L	2	0.33	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1017	50	92%		
C122413ALCS	C122413ALCS	ORG	95-50-1	1,2-Dichlorobenzene	48		ug/L	2	0.26	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1017	50	96%		
C122413ALCS	C122413ALCS	ORG	104-51-8	n-Butylbenzene	50		ug/L	5	0.28	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1017	50	100%		
C122413ALCS	C122413ALCS	ORG	96-12-8	1,2-Dibromo-3-chloropropane	40		ug/L	5	1.59	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1017	50	80%		
C122413ALCS	C122413ALCS	ORG	87-68-3	Hexachlorobutadiene	53		ug/L	5	0.65	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1017	50	106%		
C122413ALCS	C122413ALCS	ORG	120-82-1	1,2,4-Trichlorobenzene	48		ug/L	5	0.28	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1017	50	96%		
C122413ALCS	C122413ALCS	ORG	91-20-3	Naphthalene	41		ug/L	5	0.56	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1017	50	82%		
C122413ALCS	C122413ALCS	ORG	87-61-6	1,2,3-Trichlorobenzene	50		ug/L	5	0.23	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1017	50	100%		
C122413ALCS	C122413ALCS	STD	1868-53-7	Dibromofluoromethane	50		ng			NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1017	50	100%		
C122413ALCS	C122413ALCS	STD	17060-07-0	1,2-Dichloroethane d4	47		ng			NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1017	50	94%		
C122413ALCS	C122413ALCS	STD	2037-26-5	Toluene d8	50		ng			NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1017	50	100%		
C122413ALCS	C122413ALCS	STD	460-00-4	Bromofluorobenzene	49		ng			NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1017	50	98%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C122413ALCD	C122413ALCD	ORG	75-71-8	Dichlorodifluoromethane	33		ug/L	5	0.29	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1018	50	66%	0%	
C122413ALCD	C122413ALCD	ORG	74-87-3	Chloromethane	41		ug/L	5	0.43	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1018	50	82%	2%	
C122413ALCD	C122413ALCD	ORG	75-01-4	Vinyl chloride	45		ug/L	2	0.32	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1018	50	90%	0%	
C122413ALCD	C122413ALCD	ORG	74-83-9	Bromomethane	45		ug/L	5	0.50	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1018	50	90%	0%	
C122413ALCD	C122413ALCD	ORG	75-00-3	Chloroethane	42		ug/L	5	0.56	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1018	50	84%	0%	
C122413ALCD	C122413ALCD	ORG	75-69-4	Trichlorofluoromethane	70		ug/L	5	0.20	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1018	50	140%	7%	
C122413ALCD	C122413ALCD	ORG	75-35-4	1,1-Dichloroethene	45		ug/L	1	0.47	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1018	50	90%	16%	
C122413ALCD	C122413ALCD	ORG	75-09-2	Methylene chloride	49		ug/L	5	0.26	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1018	50	98%	0%	
C122413ALCD	C122413ALCD	ORG	67-64-1	Acetone	47		ug/L	10	1.56	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1018	50	94%	29%	
C122413ALCD	C122413ALCD	ORG	156-60-5	trans-1,2-Dichloroethene	49		ug/L	1	0.56	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1018	50	98%	6%	
C122413ALCD	C122413ALCD	ORG	1634-04-4	MTBE	45		ug/L	5	0.61	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1018	50	90%	4%	
C122413ALCD	C122413ALCD	ORG	75-34-3	1,1-Dichloroethane	48		ug/L	1	0.53	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1018	50	96%	2%	
C122413ALCD	C122413ALCD	ORG	156-59-2	cis-1,2-Dichloroethene	47		ug/L	1	0.32	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1018	50	94%	4%	
C122413ALCD	C122413ALCD	ORG	74-97-5	Bromochloromethane	48		ug/L	10	0.41	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1018	50	96%	2%	
C122413ALCD	C122413ALCD	ORG	67-66-3	Chloroform	46		ug/L	2	0.16	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1018	50	92%	2%	
C122413ALCD	C122413ALCD	ORG	71-55-6	1,1,1-Trichloroethane	46		ug/L	1	0.17	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1018	50	92%	4%	
C122413ALCD	C122413ALCD	ORG	78-93-3	2-Butanone	48		ug/L	1	0.81	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1018	50	96%	16%	
C122413ALCD	C122413ALCD	ORG	56-23-5	Carbon tetrachloride	45		ug/L	1	0.28	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1018	50	90%	4%	
C122413ALCD	C122413ALCD	ORG	71-43-2	Benzene	47		ug/L	1	0.14	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1018	50	94%	0%	
C122413ALCD	C122413ALCD	ORG	107-06-2	1,2-Dichloroethane	45		ug/L	1	0.20	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1018	50	90%	0%	
C122413ALCD	C122413ALCD	ORG	79-01-6	Trichloroethene	46		ug/L	1	0.36	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1018	50	92%	4%	
C122413ALCD	C122413ALCD	ORG	74-95-3	Dibromomethane	40		ug/L	2	0.32	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1018	50	80%	10%	
C122413ALCD	C122413ALCD	ORG	78-87-5	1,2-Dichloropropane	43		ug/L	1	0.18	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1018	50	86%	9%	
C122413ALCD	C122413ALCD	ORG	75-27-4	Bromodichloromethane	45		ug/L	2	0.12	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1018	50	90%	2%	
C122413ALCD	C122413ALCD	ORG	10061-01-5	cis-1,3-Dichloropropene	49		ug/L	1	0.25	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1018	50	98%	0%	
C122413ALCD	C122413ALCD	ORG	108-88-3	Toluene	49		ug/L	1	0.21	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1018	50	98%	2%	
C122413ALCD	C122413ALCD	ORG	108-10-1	4-Methyl-2-pentanone	42		ug/L	5	0.74	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1018	50	84%	13%	
C122413ALCD	C122413ALCD	ORG	10061-02-6	trans-1,3-Dichloropropene	52		ug/L	1	0.31	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1018	50	104%	0%	
C122413ALCD	C122413ALCD	ORG	127-18-4	Tetrachloroethene	47		ug/L	1	0.49	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1018	50	94%	6%	
C122413ALCD	C122413ALCD	ORG	79-00-5	1,1,2-Trichloroethane	51		ug/L	1	0.34	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1018	50	102%	6%	
C122413ALCD	C122413ALCD	ORG	124-48-1	Dibromochloromethane	46		ug/L	5	0.30	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1018	50	92%	2%	
C122413ALCD	C122413ALCD	ORG	106-93-4	1,2-Dibromoethane	45		ug/L	2	0.26	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1018	50	90%	5%	
C122413ALCD	C122413ALCD	ORG	591-78-6	2-Hexanone	40		ug/L	2	0.69	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1018	50	80%	8%	
C122413ALCD	C122413ALCD	ORG	100-41-4	Ethylbenzene	51		ug/L	1	0.25	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1018	50	102%	0%	
C122413ALCD	C122413ALCD	ORG	108-90-7	Chlorobenzene	51		ug/L	1	0.28	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1018	50	102%	0%	
C122413ALCD	C122413ALCD	ORG	630-20-6	1,1,1,2-Tetrachloroethane	47		ug/L	2	0.19	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1018	50	94%	2%	
C122413ALCD	C122413ALCD	ORG	XYLMP	p&m-Xylene	99		ug/L	2	0.26	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1018	100	99%	1%	
C122413ALCD	C122413ALCD	ORG	95-47-6	o-Xylene	45		ug/L	1	0.13	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1018	50	90%	4%	
C122413ALCD	C122413ALCD	ORG	100-42-5	Styrene	48		ug/L	1	0.20	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1018	50	96%	0%	
C122413ALCD	C122413ALCD	ORG	75-25-2	Bromoform	44		ug/L	2	0.47	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1018	50	88%	5%	
C122413ALCD	C122413ALCD	ORG	98-82-8	Isopropylbenzene	48		ug/L	2	0.20	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1018	50	96%	0%	
C122413ALCD	C122413ALCD	ORG	103-65-1	n-Propylbenzene	54		ug/L	2	0.27	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1018	50	108%	4%	
C122413ALCD	C122413ALCD	ORG	79-34-5	1,1,2,2-Tetrachloroethane	47		ug/L	2	0.29	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1018	50	94%	7%	

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C122413ALCD	C122413ALCD	ORG	96-18-4	1,2,3-Trichloropropane	47		ug/L	2	0.29	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1018	50	94%	7%	
C122413ALCD	C122413ALCD	ORG	108-67-8	1,3,5-Trimethylbenzene	48		ug/L	2	0.20	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1018	50	96%	2%	
C122413ALCD	C122413ALCD	ORG	98-06-6	tert-Butylbenzene	48		ug/L	2	0.33	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1018	50	96%	2%	
C122413ALCD	C122413ALCD	ORG	95-63-6	1,2,4-Trimethylbenzene	48		ug/L	2	0.20	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1018	50	96%	2%	
C122413ALCD	C122413ALCD	ORG	135-98-8	sec-Butylbenzene	48		ug/L	2	0.32	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1018	50	96%	2%	
C122413ALCD	C122413ALCD	ORG	541-73-1	1,3-Dichlorobenzene	50		ug/L	2	0.22	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1018	50	100%	2%	
C122413ALCD	C122413ALCD	ORG	99-87-6	p-Isopropltoluene	47		ug/L	2	0.25	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1018	50	94%	2%	
C122413ALCD	C122413ALCD	ORG	106-46-7	1,4-Dichlorobenzene	46		ug/L	2	0.33	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1018	50	92%	0%	
C122413ALCD	C122413ALCD	ORG	95-50-1	1,2-Dichlorobenzene	48		ug/L	2	0.26	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1018	50	96%	0%	
C122413ALCD	C122413ALCD	ORG	104-51-8	n-Butylbenzene	48		ug/L	5	0.28	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1018	50	96%	4%	
C122413ALCD	C122413ALCD	ORG	96-12-8	1,2-Dibromo-3-chloropropane	42		ug/L	5	1.59	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1018	50	84%	5%	
C122413ALCD	C122413ALCD	ORG	87-68-3	Hexachlorobutadiene	50		ug/L	5	0.65	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1018	50	100%	6%	
C122413ALCD	C122413ALCD	ORG	120-82-1	1,2,4-Trichlorobenzene	47		ug/L	5	0.28	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1018	50	94%	2%	
C122413ALCD	C122413ALCD	ORG	91-20-3	Naphthalene	42		ug/L	5	0.56	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1018	50	84%	2%	
C122413ALCD	C122413ALCD	ORG	87-61-6	1,2,3-Trichlorobenzene	50		ug/L	5	0.23	NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1018	50	100%	0%	
C122413ALCD	C122413ALCD	STD	1868-53-7	Dibromofluoromethane	50		ng			NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1018	50	100%	0%	
C122413ALCD	C122413ALCD	STD	17060-07-0	1,2-Dichloroethane d4	47		ng			NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1018	50	94%	0%	
C122413ALCD	C122413ALCD	STD	2037-26-5	Toluene d8	50		ng			NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1018	50	100%	0%	
C122413ALCD	C122413ALCD	STD	460-00-4	Bromofluorobenzene	49		ng			NA	12/24/2013	12/24/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1018	50	98%	0%	

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-864MS	316-175	ORG	75-71-8	Dichlorodifluoromethane	3000		ug/L	500	29.28	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1019	5000	60%		
NAL13026-864MS	316-175	ORG	74-87-3	Chloromethane	3800		ug/L	500	43.07	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1019	5000	76%		
NAL13026-864MS	316-175	ORG	75-01-4	Vinyl chloride	4200		ug/L	200	31.86	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1019	5000	84%		
NAL13026-864MS	316-175	ORG	74-83-9	Bromomethane	4200		ug/L	500	50.04	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1019	5000	84%		
NAL13026-864MS	316-175	ORG	75-00-3	Chloroethane	4100		ug/L	500	55.61	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1019	5000	82%		
NAL13026-864MS	316-175	ORG	75-69-4	Trichlorofluoromethane	6800		ug/L	500	19.65	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1019	5000	136%		
NAL13026-864MS	316-175	ORG	75-35-4	1,1-Dichloroethene	4600		ug/L	100	47.11	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1019	5000	92%		
NAL13026-864MS	316-175	ORG	75-09-2	Methylene chloride	4800		ug/L	500	26.46	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1019	5000	96%		
NAL13026-864MS	316-175	ORG	67-64-1	Acetone	82000		ug/L	1000	155.61	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1019	5000	220%		71000
NAL13026-864MS	316-175	ORG	156-60-5	trans-1,2-Dichloroethene	4800		ug/L	100	55.61	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1019	5000	96%		
NAL13026-864MS	316-175	ORG	1634-04-4	MTBE	4300		ug/L	500	61.18	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1019	5000	86%		
NAL13026-864MS	316-175	ORG	75-34-3	1,1-Dichloroethane	4800		ug/L	100	52.66	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1019	5000	96%		
NAL13026-864MS	316-175	ORG	156-59-2	cis-1,2-Dichloroethene	4900		ug/L	100	32.11	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1019	5000	98%		
NAL13026-864MS	316-175	ORG	74-97-5	Bromochloromethane	5000		ug/L	1000	41.37	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1019	5000	100%		
NAL13026-864MS	316-175	ORG	67-66-3	Chloroform	4800		ug/L	200	15.73	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1019	5000	96%		
NAL13026-864MS	316-175	ORG	71-55-6	1,1,1-Trichloroethane	4800		ug/L	100	16.65	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1019	5000	96%		
NAL13026-864MS	316-175	ORG	78-93-3	2-Butanone	50000		ug/L	100	81.18	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1019	5000	140%		43000
NAL13026-864MS	316-175	ORG	56-23-5	Carbon tetrachloride	4700		ug/L	100	27.64	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1019	5000	94%		
NAL13026-864MS	316-175	ORG	71-43-2	Benzene	4900		ug/L	100	13.53	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1019	5000	96%		100
NAL13026-864MS	316-175	ORG	107-06-2	1,2-Dichloroethane	4700		ug/L	100	20.01	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1019	5000	94%		
NAL13026-864MS	316-175	ORG	79-01-6	Trichloroethene	4800		ug/L	100	36.33	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1019	5000	96%		
NAL13026-864MS	316-175	ORG	74-95-3	Dibromomethane	4500		ug/L	200	32.20	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1019	5000	90%		
NAL13026-864MS	316-175	ORG	78-87-5	1,2-Dichloropropane	4700		ug/L	100	18.17	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1019	5000	94%		
NAL13026-864MS	316-175	ORG	75-27-4	Bromodichloromethane	3900		ug/L	200	11.58	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1019	5000	78%		
NAL13026-864MS	316-175	ORG	10061-01-5	cis-1,3-Dichloropropene	4900		ug/L	100	25.01	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1019	5000	98%		
NAL13026-864MS	316-175	ORG	108-88-3	Toluene	4400		ug/L	100	20.96	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1019	5000	87%		74
NAL13026-864MS	316-175	ORG	108-10-1	4-Methyl-2-pentanone	5300		ug/L	500	74.00	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1019	5000	82%		1200
NAL13026-864MS	316-175	ORG	10061-02-6	trans-1,3-Dichloropropene	4500		ug/L	100	31.15	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1019	5000	90%		
NAL13026-864MS	316-175	ORG	127-18-4	Tetrachloroethene	4100		ug/L	100	48.56	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1019	5000	82%		
NAL13026-864MS	316-175	ORG	79-00-5	1,1,2-Trichloroethane	4600		ug/L	100	34.28	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1019	5000	92%		
NAL13026-864MS	316-175	ORG	124-48-1	Dibromochloromethane	4200		ug/L	500	29.90	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1019	5000	84%		
NAL13026-864MS	316-175	ORG	106-93-4	1,2-Dibromoethane	4300		ug/L	200	26.49	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1019	5000	86%		
NAL13026-864MS	316-175	ORG	591-78-6	2-Hexanone	10000		ug/L	200	68.90	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1019	5000	84%		5800
NAL13026-864MS	316-175	ORG	100-41-4	Ethylbenzene	5000		ug/L	100	25.38	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1019	5000	95%		250
NAL13026-864MS	316-175	ORG	108-90-7	Chlorobenzene	4700		ug/L	100	27.52	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1019	5000	94%		
NAL13026-864MS	316-175	ORG	630-20-6	1,1,1,2-Tetrachloroethane	4100		ug/L	200	19.28	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1019	5000	82%		
NAL13026-864MS	316-175	ORG	XYLMP	p&m-Xylene	9900		ug/L	200	26.14	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1019	10000	87%		1200
NAL13026-864MS	316-175	ORG	95-47-6	o-Xylene	5300		ug/L	100	12.90	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1019	5000	89%		850
NAL13026-864MS	316-175	ORG	100-42-5	Styrene	4700		ug/L	100	20.23	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1019	5000	86%		400
NAL13026-864MS	316-175	ORG	75-25-2	Bromoform	3800		ug/L	200	46.83	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1019	5000	76%		
NAL13026-864MS	316-175	ORG	98-82-8	Isopropylbenzene	5300		ug/L	200	20.48	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1019	5000	91%		760
NAL13026-864MS	316-175	ORG	103-65-1	n-Propylbenzene	5500		ug/L	200	27.00	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1019	5000	104%		280
NAL13026-864MS	316-175	ORG	79-34-5	1,1,2,2-Tetrachloroethane	4300		ug/L	200	29.16	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1019	5000	86%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-864MS	316-175	ORG	96-18-4	1,2,3-Trichloropropane	4200		ug/L	200	29.47	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1019	5000	84%		
NAL13026-864MS	316-175	ORG	108-67-8	1,3,5-Trimethylbenzene	5100		ug/L	200	20.03	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1019	5000	86%		780
NAL13026-864MS	316-175	ORG	98-06-6	tert-Butylbenzene	4900		ug/L	200	32.61	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1019	5000	98%		
NAL13026-864MS	316-175	ORG	95-63-6	1,2,4-Trimethylbenzene	7200		ug/L	200	20.03	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1019	5000	92%		2600
NAL13026-864MS	316-175	ORG	135-98-8	sec-Butylbenzene	5600		ug/L	200	32.34	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1019	5000	103%		440
NAL13026-864MS	316-175	ORG	541-73-1	1,3-Dichlorobenzene	4900		ug/L	200	22.21	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1019	5000	98%		
NAL13026-864MS	316-175	ORG	99-87-6	p-Isopropltoluene	15000		ug/L	200	25.48	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1019	5000	80%		11000
NAL13026-864MS	316-175	ORG	106-46-7	1,4-Dichlorobenzene	7000		ug/L	200	33.03	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1019	5000	90%		2500
NAL13026-864MS	316-175	ORG	95-50-1	1,2-Dichlorobenzene	5100		ug/L	200	26.38	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1019	5000	102%		
NAL13026-864MS	316-175	ORG	104-51-8	n-Butylbenzene	5400		ug/L	500	27.81	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1019	5000	108%		
NAL13026-864MS	316-175	ORG	96-12-8	1,2-Dibromo-3-chloropropane	5400		ug/L	500	159.11	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1019	5000	108%		
NAL13026-864MS	316-175	ORG	87-68-3	Hexachlorobutadiene	6300		ug/L	500	65.42	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1019	5000	126%		
NAL13026-864MS	316-175	ORG	120-82-1	1,2,4-Trichlorobenzene	6100		ug/L	500	27.63	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1019	5000	122%		
NAL13026-864MS	316-175	ORG	91-20-3	Naphthalene	8400		ug/L	500	56.04	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1019	5000	110%		2900
NAL13026-864MS	316-175	ORG	87-61-6	1,2,3-Trichlorobenzene	6400		ug/L	500	23.28	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1019	5000	128%		
NAL13026-864MS	316-175	STD	1868-53-7	Dibromofluoromethane	49		ng			12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1019	50	98%		
NAL13026-864MS	316-175	STD	17060-07-0	1,2-Dichloroethane d4	48		ng			12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1019	50	96%		
NAL13026-864MS	316-175	STD	2037-26-5	Toluene d8	45		ng			12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1019	50	90%		
NAL13026-864MS	316-175	STD	460-00-4	Bromofluorobenzene	55		ng			12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1019	50	110%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-864MSD	316-175	ORG	75-71-8	Dichlorodifluoromethane	3500		ug/L	500	29.28	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1020	5000	70%	15%	0
NAL13026-864MSD	316-175	ORG	74-87-3	Chloromethane	4500		ug/L	500	43.07	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1020	5000	90%	17%	0
NAL13026-864MSD	316-175	ORG	75-01-4	Vinyl chloride	5200		ug/L	200	31.86	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1020	5000	104%	21%	0
NAL13026-864MSD	316-175	ORG	74-83-9	Bromomethane	4300		ug/L	500	50.04	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1020	5000	86%	2%	0
NAL13026-864MSD	316-175	ORG	75-00-3	Chloroethane	3500		ug/L	500	55.61	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1020	5000	70%	16%	0
NAL13026-864MSD	316-175	ORG	75-69-4	Trichlorofluoromethane	6300		ug/L	500	19.65	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1020	5000	126%	8%	0
NAL13026-864MSD	316-175	ORG	75-35-4	1,1-Dichloroethene	5000		ug/L	100	47.11	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1020	5000	100%	8%	0
NAL13026-864MSD	316-175	ORG	75-09-2	Methylene chloride	5300		ug/L	500	26.46	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1020	5000	106%	10%	0
NAL13026-864MSD	316-175	ORG	67-64-1	Acetone	83000		ug/L	1000	155.61	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1020	5000	240%	1%	71000
NAL13026-864MSD	316-175	ORG	156-60-5	trans-1,2-Dichloroethene	5500		ug/L	100	55.61	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1020	5000	110%	14%	0
NAL13026-864MSD	316-175	ORG	1634-04-4	MTBE	4900		ug/L	500	61.18	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1020	5000	98%	13%	0
NAL13026-864MSD	316-175	ORG	75-34-3	1,1-Dichloroethane	5400		ug/L	100	52.66	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1020	5000	108%	12%	0
NAL13026-864MSD	316-175	ORG	156-59-2	cis-1,2-Dichloroethene	5400		ug/L	100	32.11	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1020	5000	108%	10%	0
NAL13026-864MSD	316-175	ORG	74-97-5	Bromochloromethane	5200		ug/L	1000	41.37	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1020	5000	104%	4%	0
NAL13026-864MSD	316-175	ORG	67-66-3	Chloroform	5100		ug/L	200	15.73	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1020	5000	102%	6%	0
NAL13026-864MSD	316-175	ORG	71-55-6	1,1,1-Trichloroethane	5200		ug/L	100	16.65	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1020	5000	104%	8%	0
NAL13026-864MSD	316-175	ORG	78-93-3	2-Butanone	46000		ug/L	100	81.18	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1020	5000	60%	8%	43000
NAL13026-864MSD	316-175	ORG	56-23-5	Carbon tetrachloride	5100		ug/L	100	27.64	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1020	5000	102%	8%	0
NAL13026-864MSD	316-175	ORG	71-43-2	Benzene	5100		ug/L	100	13.53	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1020	5000	100%	4%	100
NAL13026-864MSD	316-175	ORG	107-06-2	1,2-Dichloroethane	4700		ug/L	100	20.01	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1020	5000	94%	0%	0
NAL13026-864MSD	316-175	ORG	79-01-6	Trichloroethene	4800		ug/L	100	36.33	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1020	5000	96%	0%	0
NAL13026-864MSD	316-175	ORG	74-95-3	Dibromomethane	4100		ug/L	200	32.20	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1020	5000	82%	9%	0
NAL13026-864MSD	316-175	ORG	78-87-5	1,2-Dichloropropane	4500		ug/L	100	18.17	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1020	5000	90%	4%	0
NAL13026-864MSD	316-175	ORG	75-27-4	Bromodichloromethane	3900		ug/L	200	11.58	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1020	5000	78%	0%	0
NAL13026-864MSD	316-175	ORG	10061-01-5	cis-1,3-Dichloropropene	5100		ug/L	100	25.01	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1020	5000	102%	4%	0
NAL13026-864MSD	316-175	ORG	108-88-3	Toluene	4500		ug/L	100	20.96	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1020	5000	89%	2%	74
NAL13026-864MSD	316-175	ORG	108-10-1	4-Methyl-2-pentanone	4800		ug/L	500	74.00	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1020	5000	72%	10%	1200
NAL13026-864MSD	316-175	ORG	10061-02-6	trans-1,3-Dichloropropene	4400		ug/L	100	31.15	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1020	5000	88%	2%	0
NAL13026-864MSD	316-175	ORG	127-18-4	Tetrachloroethene	4400		ug/L	100	48.56	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1020	5000	88%	7%	0
NAL13026-864MSD	316-175	ORG	79-00-5	1,1,2-Trichloroethane	4400		ug/L	100	34.28	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1020	5000	88%	4%	0
NAL13026-864MSD	316-175	ORG	124-48-1	Dibromochloromethane	3900		ug/L	500	29.90	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1020	5000	78%	7%	0
NAL13026-864MSD	316-175	ORG	106-93-4	1,2-Dibromoethane	4100		ug/L	200	26.49	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1020	5000	82%	5%	0
NAL13026-864MSD	316-175	ORG	591-78-6	2-Hexanone	9000		ug/L	200	68.90	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1020	5000	64%	11%	5800
NAL13026-864MSD	316-175	ORG	100-41-4	Ethylbenzene	5500		ug/L	100	25.38	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1020	5000	105%	10%	250
NAL13026-864MSD	316-175	ORG	108-90-7	Chlorobenzene	5400		ug/L	100	27.52	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1020	5000	108%	14%	0
NAL13026-864MSD	316-175	ORG	630-20-6	1,1,1,2-Tetrachloroethane	4600		ug/L	200	19.28	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1020	5000	92%	11%	0
NAL13026-864MSD	316-175	ORG	XYLMP	p&m-Xylene	11000		ug/L	200	26.14	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1020	10000	98%	11%	1200
NAL13026-864MSD	316-175	ORG	95-47-6	o-Xylene	5800		ug/L	100	12.90	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1020	5000	99%	9%	850
NAL13026-864MSD	316-175	ORG	100-42-5	Styrene	5100		ug/L	100	20.23	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1020	5000	94%	8%	400
NAL13026-864MSD	316-175	ORG	75-25-2	Bromoform	4000		ug/L	200	46.83	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1020	5000	80%	5%	0
NAL13026-864MSD	316-175	ORG	98-82-8	Isopropylbenzene	5600		ug/L	200	20.48	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1020	5000	97%	6%	760
NAL13026-864MSD	316-175	ORG	103-65-1	n-Propylbenzene	5900		ug/L	200	27.00	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1020	5000	112%	7%	280
NAL13026-864MSD	316-175	ORG	79-34-5	1,1,2,2-Tetrachloroethane	4400		ug/L	200	29.16	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1020	5000	88%	2%	0

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-864MSD	316-175	ORG	96-18-4	1,2,3-Trichloropropane	4200		ug/L	200	29.47	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1020	5000	84%	0%	0
NAL13026-864MSD	316-175	ORG	108-67-8	1,3,5-Trimethylbenzene	5400		ug/L	200	20.03	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1020	5000	92%	6%	780
NAL13026-864MSD	316-175	ORG	98-06-6	tert-Butylbenzene	5100		ug/L	200	32.61	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1020	5000	102%	4%	0
NAL13026-864MSD	316-175	ORG	95-63-6	1,2,4-Trimethylbenzene	7500		ug/L	200	20.03	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1020	5000	98%	4%	2600
NAL13026-864MSD	316-175	ORG	135-98-8	sec-Butylbenzene	5600		ug/L	200	32.34	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1020	5000	103%	0%	440
NAL13026-864MSD	316-175	ORG	541-73-1	1,3-Dichlorobenzene	5100		ug/L	200	22.21	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1020	5000	102%	4%	0
NAL13026-864MSD	316-175	ORG	99-87-6	p-Isopropltoluene	15000		ug/L	200	25.48	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1020	5000	80%	0%	11000
NAL13026-864MSD	316-175	ORG	106-46-7	1,4-Dichlorobenzene	7000		ug/L	200	33.03	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1020	5000	90%	0%	2500
NAL13026-864MSD	316-175	ORG	95-50-1	1,2-Dichlorobenzene	5000		ug/L	200	26.38	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1020	5000	100%	2%	0
NAL13026-864MSD	316-175	ORG	104-51-8	n-Butylbenzene	5500		ug/L	500	27.81	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1020	5000	110%	2%	0
NAL13026-864MSD	316-175	ORG	96-12-8	1,2-Dibromo-3-chloropropane	4900		ug/L	500	159.11	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1020	5000	98%	10%	0
NAL13026-864MSD	316-175	ORG	87-68-3	Hexachlorobutadiene	5800		ug/L	500	65.42	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1020	5000	116%	8%	0
NAL13026-864MSD	316-175	ORG	120-82-1	1,2,4-Trichlorobenzene	5600		ug/L	500	27.63	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1020	5000	112%	9%	0
NAL13026-864MSD	316-175	ORG	91-20-3	Naphthalene	7500		ug/L	500	56.04	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1020	5000	92%	11%	2900
NAL13026-864MSD	316-175	ORG	87-61-6	1,2,3-Trichlorobenzene	5700		ug/L	500	23.28	12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1020	5000	114%	12%	0
NAL13026-864MSD	316-175	STD	1868-53-7	Dibromofluoromethane	52		ng			12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1020	50	104%	6%	0
NAL13026-864MSD	316-175	STD	17060-07-0	1,2-Dichloroethane d4	47		ng			12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1020	50	94%	2%	0
NAL13026-864MSD	316-175	STD	2037-26-5	Toluene d8	46		ng			12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1020	50	92%	2%	0
NAL13026-864MSD	316-175	STD	460-00-4	Bromofluorobenzene	56		ng			12/24/2013	12/24/2013	12/24/2013	WG	100	NA	5.0	NA	SW8260B	NALC1020	50	112%	2%	0

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-866	316-176	ORG	75-71-8	Dichlorodifluoromethane		UX-	ug/L	500	29.28	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1027				
NAL13026-866	316-176	ORG	74-87-3	Chloromethane		U	ug/L	500	43.07	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1027				
NAL13026-866	316-176	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1027				
NAL13026-866	316-176	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1027				
NAL13026-866	316-176	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1027				
NAL13026-866	316-176	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1027				
NAL13026-866	316-176	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1027				
NAL13026-866	316-176	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1027				
NAL13026-866	316-176	ORG	67-64-1	Acetone	120000	D	ug/L	10000	1556.07	12/25/2013	12/25/2013	12/25/2013	WG	1000	NA	5.0	NA	SW8260B	NALC1028				
NAL13026-866	316-176	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1027				
NAL13026-866	316-176	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1027				
NAL13026-866	316-176	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1027				
NAL13026-866	316-176	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1027				
NAL13026-866	316-176	ORG	74-97-5	Bromochloromethane		U	ug/L	200	41.37	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1027				
NAL13026-866	316-176	ORG	67-66-3	Chloroform		U	ug/L	100	15.73	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1027				
NAL13026-866	316-176	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	16.65	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1027				
NAL13026-866	316-176	ORG	78-93-3	2-Butanone	58000	D	ug/L	10000	811.80	12/25/2013	12/25/2013	12/25/2013	WG	1000	NA	5.0	NA	SW8260B	NALC1028				
NAL13026-866	316-176	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1027				
NAL13026-866	316-176	ORG	71-43-2	Benzene	240		ug/L	100	13.53	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1027				
NAL13026-866	316-176	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1027				
NAL13026-866	316-176	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1027				
NAL13026-866	316-176	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1027				
NAL13026-866	316-176	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1027				
NAL13026-866	316-176	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1027				
NAL13026-866	316-176	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1027				
NAL13026-866	316-176	ORG	108-88-3	Toluene	160		ug/L	100	20.96	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1027				
NAL13026-866	316-176	ORG	108-10-1	4-Methyl-2-pentanone	1300		ug/L	500	74.00	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1027				
NAL13026-866	316-176	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1027				
NAL13026-866	316-176	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1027				
NAL13026-866	316-176	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1027				
NAL13026-866	316-176	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	29.90	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1027				
NAL13026-866	316-176	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	26.49	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1027				
NAL13026-866	316-176	ORG	591-78-6	2-Hexanone	6200		ug/L	500	68.90	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1027				
NAL13026-866	316-176	ORG	100-41-4	Ethylbenzene	470		ug/L	100	25.38	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1027				
NAL13026-866	316-176	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1027				
NAL13026-866	316-176	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1027				
NAL13026-866	316-176	ORG	XYLMP	p&m-Xylene	1700		ug/L	200	26.14	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1027				
NAL13026-866	316-176	ORG	95-47-6	o-Xylene	1100		ug/L	100	12.90	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1027				
NAL13026-866	316-176	ORG	100-42-5	Styrene	430		ug/L	100	20.23	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1027				
NAL13026-866	316-176	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1027				
NAL13026-866	316-176	ORG	98-82-8	Isopropylbenzene	910		ug/L	200	20.48	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1027				
NAL13026-866	316-176	ORG	103-65-1	n-Propylbenzene	380		ug/L	200	27.00	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1027				
NAL13026-866	316-176	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1027				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-866	316-176	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1027				
NAL13026-866	316-176	ORG	108-67-8	1,3,5-Trimethylbenzene	970		ug/L	200	20.03	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1027				
NAL13026-866	316-176	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1027				
NAL13026-866	316-176	ORG	95-63-6	1,2,4-Trimethylbenzene	3500		ug/L	200	20.03	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1027				
NAL13026-866	316-176	ORG	135-98-8	sec-Butylbenzene	530		ug/L	200	32.34	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1027				
NAL13026-866	316-176	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1027				
NAL13026-866	316-176	ORG	99-87-6	p-IsopropItoluene	14000		ug/L	200	25.48	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1027				
NAL13026-866	316-176	ORG	106-46-7	1,4-Dichlorobenzene	3200		ug/L	200	33.03	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1027				
NAL13026-866	316-176	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1027				
NAL13026-866	316-176	ORG	104-51-8	n-Butylbenzene	810		ug/L	500	27.81	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1027				
NAL13026-866	316-176	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1027				
NAL13026-866	316-176	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1027				
NAL13026-866	316-176	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1027				
NAL13026-866	316-176	ORG	91-20-3	Naphthalene	3400		ug/L	500	56.04	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1027				
NAL13026-866	316-176	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1027				
NAL13026-866	316-176	STD	1868-53-7	Dibromofluoromethane	52		ng			12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1027	50	104%		
NAL13026-866	316-176	STD	17060-07-0	1,2-Dichloroethane d4	49		ng			12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1027	50	98%		
NAL13026-866	316-176	STD	2037-26-5	Toluene d8	45		ng			12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1027	50	90%		
NAL13026-866	316-176	STD	460-00-4	Bromofluorobenzene	54		ng			12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1027	50	108%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-867	316-176R	ORG	75-71-8	Dichlorodifluoromethane		UX-	ug/L	500	29.28	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1029				
NAL13026-867	316-176R	ORG	74-87-3	Chloromethane		U	ug/L	500	43.07	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1029				
NAL13026-867	316-176R	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1029				
NAL13026-867	316-176R	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1029				
NAL13026-867	316-176R	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1029				
NAL13026-867	316-176R	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1029				
NAL13026-867	316-176R	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1029				
NAL13026-867	316-176R	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1029				
NAL13026-867	316-176R	ORG	67-64-1	Acetone	110000	D	ug/L	10000	1556.07	12/25/2013	12/25/2013	12/25/2013	WG	1000	NA	5.0	NA	SW8260B	NALC1030				
NAL13026-867	316-176R	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1029				
NAL13026-867	316-176R	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1029				
NAL13026-867	316-176R	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1029				
NAL13026-867	316-176R	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1029				
NAL13026-867	316-176R	ORG	74-97-5	Bromochloromethane		U	ug/L	200	41.37	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1029				
NAL13026-867	316-176R	ORG	67-66-3	Chloroform		U	ug/L	100	15.73	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1029				
NAL13026-867	316-176R	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	16.65	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1029				
NAL13026-867	316-176R	ORG	78-93-3	2-Butanone	57000	D	ug/L	10000	811.80	12/25/2013	12/25/2013	12/25/2013	WG	1000	NA	5.0	NA	SW8260B	NALC1030				
NAL13026-867	316-176R	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1029				
NAL13026-867	316-176R	ORG	71-43-2	Benzene	150		ug/L	100	13.53	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1029				
NAL13026-867	316-176R	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1029				
NAL13026-867	316-176R	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1029				
NAL13026-867	316-176R	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1029				
NAL13026-867	316-176R	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1029				
NAL13026-867	316-176R	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1029				
NAL13026-867	316-176R	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1029				
NAL13026-867	316-176R	ORG	108-88-3	Toluene	130		ug/L	100	20.96	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1029				
NAL13026-867	316-176R	ORG	108-10-1	4-Methyl-2-pentanone	1300		ug/L	500	74.00	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1029				
NAL13026-867	316-176R	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1029				
NAL13026-867	316-176R	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1029				
NAL13026-867	316-176R	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1029				
NAL13026-867	316-176R	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	29.90	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1029				
NAL13026-867	316-176R	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	26.49	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1029				
NAL13026-867	316-176R	ORG	591-78-6	2-Hexanone	6200		ug/L	500	68.90	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1029				
NAL13026-867	316-176R	ORG	100-41-4	Ethylbenzene	390		ug/L	100	25.38	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1029				
NAL13026-867	316-176R	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1029				
NAL13026-867	316-176R	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1029				
NAL13026-867	316-176R	ORG	XYLMP	p&m-Xylene	1500		ug/L	200	26.14	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1029				
NAL13026-867	316-176R	ORG	95-47-6	o-Xylene	1000		ug/L	100	12.90	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1029				
NAL13026-867	316-176R	ORG	100-42-5	Styrene	420		ug/L	100	20.23	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1029				
NAL13026-867	316-176R	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1029				
NAL13026-867	316-176R	ORG	98-82-8	Isopropylbenzene	860		ug/L	200	20.48	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1029				
NAL13026-867	316-176R	ORG	103-65-1	n-Propylbenzene	350		ug/L	200	27.00	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1029				
NAL13026-867	316-176R	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1029				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-867	316-176R	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1029				
NAL13026-867	316-176R	ORG	108-67-8	1,3,5-Trimethylbenzene	930		ug/L	200	20.03	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1029				
NAL13026-867	316-176R	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1029				
NAL13026-867	316-176R	ORG	95-63-6	1,2,4-Trimethylbenzene	3300		ug/L	200	20.03	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1029				
NAL13026-867	316-176R	ORG	135-98-8	sec-Butylbenzene	500		ug/L	200	32.34	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1029				
NAL13026-867	316-176R	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1029				
NAL13026-867	316-176R	ORG	99-87-6	p-IsopropItoluene	13000		ug/L	200	25.48	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1029				
NAL13026-867	316-176R	ORG	106-46-7	1,4-Dichlorobenzene	3000		ug/L	200	33.03	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1029				
NAL13026-867	316-176R	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1029				
NAL13026-867	316-176R	ORG	104-51-8	n-Butylbenzene	670		ug/L	500	27.81	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1029				
NAL13026-867	316-176R	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1029				
NAL13026-867	316-176R	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1029				
NAL13026-867	316-176R	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1029				
NAL13026-867	316-176R	ORG	91-20-3	Naphthalene	3200		ug/L	500	56.04	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1029				
NAL13026-867	316-176R	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1029				
NAL13026-867	316-176R	STD	1868-53-7	Dibromofluoromethane	49		ng			12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1029	50	98%		
NAL13026-867	316-176R	STD	17060-07-0	1,2-Dichloroethane d4	49		ng			12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1029	50	98%		
NAL13026-867	316-176R	STD	2037-26-5	Toluene d8	46		ng			12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1029	50	92%		
NAL13026-867	316-176R	STD	460-00-4	Bromofluorobenzene	55		ng			12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1029	50	110%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-868	96-SW05	ORG	75-71-8	Dichlorodifluoromethane		UX-	ug/L	500	29.28	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1033				
NAL13026-868	96-SW05	ORG	74-87-3	Chloromethane		U	ug/L	500	43.07	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1033				
NAL13026-868	96-SW05	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1033				
NAL13026-868	96-SW05	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1033				
NAL13026-868	96-SW05	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1033				
NAL13026-868	96-SW05	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1033				
NAL13026-868	96-SW05	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1033				
NAL13026-868	96-SW05	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1033				
NAL13026-868	96-SW05	ORG	67-64-1	Acetone	1200		ug/L	1000	155.61	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1033				
NAL13026-868	96-SW05	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1033				
NAL13026-868	96-SW05	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1033				
NAL13026-868	96-SW05	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1033				
NAL13026-868	96-SW05	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1033				
NAL13026-868	96-SW05	ORG	74-97-5	Bromochloromethane		U	ug/L	200	41.37	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1033				
NAL13026-868	96-SW05	ORG	67-66-3	Chloroform		U	ug/L	100	15.73	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1033				
NAL13026-868	96-SW05	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	16.65	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1033				
NAL13026-868	96-SW05	ORG	78-93-3	2-Butanone	510	J	ug/L	1000	81.18	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1033				
NAL13026-868	96-SW05	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1033				
NAL13026-868	96-SW05	ORG	71-43-2	Benzene		U	ug/L	100	13.53	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1033				
NAL13026-868	96-SW05	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1033				
NAL13026-868	96-SW05	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1033				
NAL13026-868	96-SW05	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1033				
NAL13026-868	96-SW05	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1033				
NAL13026-868	96-SW05	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1033				
NAL13026-868	96-SW05	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1033				
NAL13026-868	96-SW05	ORG	108-88-3	Toluene		U	ug/L	100	20.96	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1033				
NAL13026-868	96-SW05	ORG	108-10-1	4-Methyl-2-pentanone		U	ug/L	500	74.00	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1033				
NAL13026-868	96-SW05	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1033				
NAL13026-868	96-SW05	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1033				
NAL13026-868	96-SW05	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1033				
NAL13026-868	96-SW05	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	29.90	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1033				
NAL13026-868	96-SW05	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	26.49	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1033				
NAL13026-868	96-SW05	ORG	591-78-6	2-Hexanone		U	ug/L	500	68.90	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1033				
NAL13026-868	96-SW05	ORG	100-41-4	Ethylbenzene		U	ug/L	100	25.38	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1033				
NAL13026-868	96-SW05	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1033				
NAL13026-868	96-SW05	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1033				
NAL13026-868	96-SW05	ORG	XYLMP	p&m-Xylene		U	ug/L	200	26.14	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1033				
NAL13026-868	96-SW05	ORG	95-47-6	o-Xylene		U	ug/L	100	12.90	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1033				
NAL13026-868	96-SW05	ORG	100-42-5	Styrene		U	ug/L	100	20.23	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1033				
NAL13026-868	96-SW05	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1033				
NAL13026-868	96-SW05	ORG	98-82-8	Isopropylbenzene		U	ug/L	200	20.48	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1033				
NAL13026-868	96-SW05	ORG	103-65-1	n-Propylbenzene		U	ug/L	200	27.00	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1033				
NAL13026-868	96-SW05	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1033				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-868	96-SW05	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1033				
NAL13026-868	96-SW05	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	200	20.03	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1033				
NAL13026-868	96-SW05	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1033				
NAL13026-868	96-SW05	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	200	20.03	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1033				
NAL13026-868	96-SW05	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1033				
NAL13026-868	96-SW05	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1033				
NAL13026-868	96-SW05	ORG	99-87-6	p-IsopropItoluene		U	ug/L	200	25.48	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1033				
NAL13026-868	96-SW05	ORG	106-46-7	1,4-Dichlorobenzene		U	ug/L	200	33.03	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1033				
NAL13026-868	96-SW05	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1033				
NAL13026-868	96-SW05	ORG	104-51-8	n-Butylbenzene		U	ug/L	500	27.81	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1033				
NAL13026-868	96-SW05	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1033				
NAL13026-868	96-SW05	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1033				
NAL13026-868	96-SW05	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1033				
NAL13026-868	96-SW05	ORG	91-20-3	Naphthalene		U	ug/L	500	56.04	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1033				
NAL13026-868	96-SW05	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1033				
NAL13026-868	96-SW05	STD	1868-53-7	Dibromofluoromethane	51		ng			12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1033	50	102%		
NAL13026-868	96-SW05	STD	17060-07-0	1,2-Dichloroethane d4	50		ng			12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1033	50	100%		
NAL13026-868	96-SW05	STD	2037-26-5	Toluene d8	57		ng			12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1033	50	114%		
NAL13026-868	96-SW05	STD	460-00-4	Bromofluorobenzene	56		ng			12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1033	50	112%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-869	316-176RR	ORG	75-71-8	Dichlorodifluoromethane		UX-	ug/L	500	29.28	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1031				
NAL13026-869	316-176RR	ORG	74-87-3	Chloromethane		U	ug/L	500	43.07	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1031				
NAL13026-869	316-176RR	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1031				
NAL13026-869	316-176RR	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1031				
NAL13026-869	316-176RR	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1031				
NAL13026-869	316-176RR	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1031				
NAL13026-869	316-176RR	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1031				
NAL13026-869	316-176RR	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1031				
NAL13026-869	316-176RR	ORG	67-64-1	Acetone	120000	D	ug/L	10000	1556.07	12/25/2013	12/25/2013	12/25/2013	WG	1000	NA	5.0	NA	SW8260B	NALC1032				
NAL13026-869	316-176RR	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1031				
NAL13026-869	316-176RR	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1031				
NAL13026-869	316-176RR	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1031				
NAL13026-869	316-176RR	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1031				
NAL13026-869	316-176RR	ORG	74-97-5	Bromochloromethane		U	ug/L	200	41.37	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1031				
NAL13026-869	316-176RR	ORG	67-66-3	Chloroform		U	ug/L	100	15.73	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1031				
NAL13026-869	316-176RR	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	16.65	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1031				
NAL13026-869	316-176RR	ORG	78-93-3	2-Butanone	57000	D	ug/L	10000	811.80	12/25/2013	12/25/2013	12/25/2013	WG	1000	NA	5.0	NA	SW8260B	NALC1032				
NAL13026-869	316-176RR	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1031				
NAL13026-869	316-176RR	ORG	71-43-2	Benzene	130		ug/L	100	13.53	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1031				
NAL13026-869	316-176RR	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1031				
NAL13026-869	316-176RR	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1031				
NAL13026-869	316-176RR	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1031				
NAL13026-869	316-176RR	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1031				
NAL13026-869	316-176RR	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1031				
NAL13026-869	316-176RR	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1031				
NAL13026-869	316-176RR	ORG	108-88-3	Toluene	96	J	ug/L	100	20.96	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1031				
NAL13026-869	316-176RR	ORG	108-10-1	4-Methyl-2-pentanone	1200		ug/L	500	74.00	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1031				
NAL13026-869	316-176RR	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1031				
NAL13026-869	316-176RR	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1031				
NAL13026-869	316-176RR	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1031				
NAL13026-869	316-176RR	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	29.90	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1031				
NAL13026-869	316-176RR	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	26.49	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1031				
NAL13026-869	316-176RR	ORG	591-78-6	2-Hexanone	5900		ug/L	500	68.90	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1031				
NAL13026-869	316-176RR	ORG	100-41-4	Ethylbenzene	340		ug/L	100	25.38	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1031				
NAL13026-869	316-176RR	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1031				
NAL13026-869	316-176RR	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1031				
NAL13026-869	316-176RR	ORG	XYLMP	p&m-Xylene	1400		ug/L	200	26.14	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1031				
NAL13026-869	316-176RR	ORG	95-47-6	o-Xylene	950		ug/L	100	12.90	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1031				
NAL13026-869	316-176RR	ORG	100-42-5	Styrene	420		ug/L	100	20.23	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1031				
NAL13026-869	316-176RR	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1031				
NAL13026-869	316-176RR	ORG	98-82-8	Isopropylbenzene	820		ug/L	200	20.48	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1031				
NAL13026-869	316-176RR	ORG	103-65-1	n-Propylbenzene	320		ug/L	200	27.00	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1031				
NAL13026-869	316-176RR	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1031				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-869	316-176RR	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1031				
NAL13026-869	316-176RR	ORG	108-67-8	1,3,5-Trimethylbenzene	860		ug/L	200	20.03	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1031				
NAL13026-869	316-176RR	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1031				
NAL13026-869	316-176RR	ORG	95-63-6	1,2,4-Trimethylbenzene	3100		ug/L	200	20.03	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1031				
NAL13026-869	316-176RR	ORG	135-98-8	sec-Butylbenzene	500		ug/L	200	32.34	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1031				
NAL13026-869	316-176RR	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1031				
NAL13026-869	316-176RR	ORG	99-87-6	p-IsopropItoluene	12000		ug/L	200	25.48	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1031				
NAL13026-869	316-176RR	ORG	106-46-7	1,4-Dichlorobenzene	2900		ug/L	200	33.03	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1031				
NAL13026-869	316-176RR	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1031				
NAL13026-869	316-176RR	ORG	104-51-8	n-Butylbenzene	770		ug/L	500	27.81	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1031				
NAL13026-869	316-176RR	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1031				
NAL13026-869	316-176RR	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1031				
NAL13026-869	316-176RR	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1031				
NAL13026-869	316-176RR	ORG	91-20-3	Naphthalene	3000		ug/L	500	56.04	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1031				
NAL13026-869	316-176RR	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1031				
NAL13026-869	316-176RR	STD	1868-53-7	Dibromofluoromethane	50		ng			12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1031	50	100%		
NAL13026-869	316-176RR	STD	17060-07-0	1,2-Dichloroethane d4	48		ng			12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1031	50	96%		
NAL13026-869	316-176RR	STD	2037-26-5	Toluene d8	45		ng			12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1031	50	90%		
NAL13026-869	316-176RR	STD	460-00-4	Bromofluorobenzene	57		ng			12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1031	50	114%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C122513CCVA	C122513CCVA	ORG	75-71-8	Dichlorodifluoromethane	30		ug/L	5	0.29	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1024	50	60%		
C122513CCVA	C122513CCVA	ORG	74-87-3	Chloromethane	40		ug/L	5	0.43	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1024	50	80%		
C122513CCVA	C122513CCVA	ORG	75-01-4	Vinyl chloride	45		ug/L	2	0.32	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1024	50	90%		
C122513CCVA	C122513CCVA	ORG	74-83-9	Bromomethane	43		ug/L	5	0.50	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1024	50	86%		
C122513CCVA	C122513CCVA	ORG	75-00-3	Chloroethane	41		ug/L	5	0.56	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1024	50	82%		
C122513CCVA	C122513CCVA	ORG	75-69-4	Trichlorofluoromethane	73		ug/L	5	0.20	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1024	50	146%		
C122513CCVA	C122513CCVA	ORG	75-35-4	1,1-Dichloroethene	46		ug/L	1	0.47	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1024	50	92%		
C122513CCVA	C122513CCVA	ORG	75-09-2	Methylene chloride	48		ug/L	5	0.26	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1024	50	96%		
C122513CCVA	C122513CCVA	ORG	67-64-1	Acetone	50		ug/L	10	1.56	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1024	50	100%		
C122513CCVA	C122513CCVA	ORG	156-60-5	trans-1,2-Dichloroethene	49		ug/L	1	0.56	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1024	50	98%		
C122513CCVA	C122513CCVA	ORG	1634-04-4	MTBE	45		ug/L	5	0.61	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1024	50	90%		
C122513CCVA	C122513CCVA	ORG	75-34-3	1,1-Dichloroethane	50		ug/L	1	0.53	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1024	50	100%		
C122513CCVA	C122513CCVA	ORG	156-59-2	cis-1,2-Dichloroethene	51		ug/L	1	0.32	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1024	50	102%		
C122513CCVA	C122513CCVA	ORG	74-97-5	Bromochloromethane	52		ug/L	10	0.41	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1024	50	104%		
C122513CCVA	C122513CCVA	ORG	67-66-3	Chloroform	51		ug/L	2	0.16	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1024	50	102%		
C122513CCVA	C122513CCVA	ORG	71-55-6	1,1,1-Trichloroethane	52		ug/L	1	0.17	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1024	50	104%		
C122513CCVA	C122513CCVA	ORG	78-93-3	2-Butanone	48		ug/L	1	0.81	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1024	50	96%		
C122513CCVA	C122513CCVA	ORG	56-23-5	Carbon tetrachloride	49		ug/L	1	0.28	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1024	50	98%		
C122513CCVA	C122513CCVA	ORG	71-43-2	Benzene	50		ug/L	1	0.14	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1024	50	100%		
C122513CCVA	C122513CCVA	ORG	107-06-2	1,2-Dichloroethane	48		ug/L	1	0.20	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1024	50	96%		
C122513CCVA	C122513CCVA	ORG	79-01-6	Trichloroethene	51		ug/L	1	0.36	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1024	50	102%		
C122513CCVA	C122513CCVA	ORG	74-95-3	Dibromomethane	48		ug/L	2	0.32	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1024	50	96%		
C122513CCVA	C122513CCVA	ORG	78-87-5	1,2-Dichloropropane	53		ug/L	1	0.18	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1024	50	106%		
C122513CCVA	C122513CCVA	ORG	75-27-4	Bromodichloromethane	50		ug/L	2	0.12	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1024	50	100%		
C122513CCVA	C122513CCVA	ORG	10061-01-5	cis-1,3-Dichloropropene	51		ug/L	1	0.25	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1024	50	102%		
C122513CCVA	C122513CCVA	ORG	108-88-3	Toluene	48		ug/L	1	0.21	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1024	50	96%		
C122513CCVA	C122513CCVA	ORG	108-10-1	4-Methyl-2-pentanone	44		ug/L	5	0.74	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1024	50	88%		
C122513CCVA	C122513CCVA	ORG	10061-02-6	trans-1,3-Dichloropropene	53		ug/L	1	0.31	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1024	50	106%		
C122513CCVA	C122513CCVA	ORG	127-18-4	Tetrachloroethene	47		ug/L	1	0.49	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1024	50	94%		
C122513CCVA	C122513CCVA	ORG	79-00-5	1,1,2-Trichloroethane	49		ug/L	1	0.34	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1024	50	98%		
C122513CCVA	C122513CCVA	ORG	124-48-1	Dibromochloromethane	46		ug/L	5	0.30	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1024	50	92%		
C122513CCVA	C122513CCVA	ORG	106-93-4	1,2-Dibromoethane	46		ug/L	2	0.26	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1024	50	92%		
C122513CCVA	C122513CCVA	ORG	591-78-6	2-Hexanone	44		ug/L	2	0.69	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1024	50	88%		
C122513CCVA	C122513CCVA	ORG	100-41-4	Ethylbenzene	54		ug/L	1	0.25	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1024	50	108%		
C122513CCVA	C122513CCVA	ORG	108-90-7	Chlorobenzene	54		ug/L	1	0.28	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1024	50	108%		
C122513CCVA	C122513CCVA	ORG	630-20-6	1,1,1,2-Tetrachloroethane	49		ug/L	2	0.19	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1024	50	98%		
C122513CCVA	C122513CCVA	ORG	XYLMP	p&m-Xylene	100		ug/L	2	0.26	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1024	100	100%		
C122513CCVA	C122513CCVA	ORG	95-47-6	o-Xylene	53		ug/L	1	0.13	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1024	50	106%		
C122513CCVA	C122513CCVA	ORG	100-42-5	Styrene	51		ug/L	1	0.20	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1024	50	102%		
C122513CCVA	C122513CCVA	ORG	75-25-2	Bromoform	44		ug/L	2	0.47	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1024	50	88%		
C122513CCVA	C122513CCVA	ORG	98-82-8	Isopropylbenzene	53		ug/L	2	0.20	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1024	50	106%		
C122513CCVA	C122513CCVA	ORG	103-65-1	n-Propylbenzene	57		ug/L	2	0.27	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1024	50	114%		
C122513CCVA	C122513CCVA	ORG	79-34-5	1,1,2,2-Tetrachloroethane	49		ug/L	2	0.29	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1024	50	98%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C122513CCVA	C122513CCVA	ORG	96-18-4	1,2,3-Trichloropropane	47		ug/L	2	0.29	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1024	50	94%		
C122513CCVA	C122513CCVA	ORG	108-67-8	1,3,5-Trimethylbenzene	51		ug/L	2	0.20	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1024	50	102%		
C122513CCVA	C122513CCVA	ORG	98-06-6	tert-Butylbenzene	52		ug/L	2	0.33	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1024	50	104%		
C122513CCVA	C122513CCVA	ORG	95-63-6	1,2,4-Trimethylbenzene	50		ug/L	2	0.20	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1024	50	100%		
C122513CCVA	C122513CCVA	ORG	135-98-8	sec-Butylbenzene	51		ug/L	2	0.32	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1024	50	102%		
C122513CCVA	C122513CCVA	ORG	541-73-1	1,3-Dichlorobenzene	54		ug/L	2	0.22	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1024	50	108%		
C122513CCVA	C122513CCVA	ORG	99-87-6	p-Isopropltoluene	51		ug/L	2	0.25	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1024	50	102%		
C122513CCVA	C122513CCVA	ORG	106-46-7	1,4-Dichlorobenzene	49		ug/L	2	0.33	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1024	50	98%		
C122513CCVA	C122513CCVA	ORG	95-50-1	1,2-Dichlorobenzene	53		ug/L	2	0.26	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1024	50	106%		
C122513CCVA	C122513CCVA	ORG	104-51-8	n-Butylbenzene	54		ug/L	5	0.28	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1024	50	108%		
C122513CCVA	C122513CCVA	ORG	96-12-8	1,2-Dibromo-3-chloropropane	50		ug/L	5	1.59	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1024	50	100%		
C122513CCVA	C122513CCVA	ORG	87-68-3	Hexachlorobutadiene	65		ug/L	5	0.65	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1024	50	130%		
C122513CCVA	C122513CCVA	ORG	120-82-1	1,2,4-Trichlorobenzene	59		ug/L	5	0.28	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1024	50	118%		
C122513CCVA	C122513CCVA	ORG	91-20-3	Naphthalene	53		ug/L	5	0.56	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1024	50	106%		
C122513CCVA	C122513CCVA	ORG	87-61-6	1,2,3-Trichlorobenzene	62		ug/L	5	0.23	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1024	50	124%		
C122513CCVA	C122513CCVA	STD	1868-53-7	Dibromofluoromethane	50		ng			NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1024	50	100%		
C122513CCVA	C122513CCVA	STD	17060-07-0	1,2-Dichloroethane d4	48		ng			NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1024	50	96%		
C122513CCVA	C122513CCVA	STD	2037-26-5	Toluene d8	46		ng			NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1024	50	92%		
C122513CCVA	C122513CCVA	STD	460-00-4	Bromofluorobenzene	53		ng			NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1024	50	106%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C122513MBKA	C122513MBKA	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	5	0.29	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1026				
C122513MBKA	C122513MBKA	ORG	74-87-3	Chloromethane		U	ug/L	5	0.43	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1026				
C122513MBKA	C122513MBKA	ORG	75-01-4	Vinyl chloride		U	ug/L	2	0.32	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1026				
C122513MBKA	C122513MBKA	ORG	74-83-9	Bromomethane		U	ug/L	5	0.50	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1026				
C122513MBKA	C122513MBKA	ORG	75-00-3	Chloroethane		U	ug/L	5	0.56	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1026				
C122513MBKA	C122513MBKA	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	5	0.20	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1026				
C122513MBKA	C122513MBKA	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	1	0.47	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1026				
C122513MBKA	C122513MBKA	ORG	75-09-2	Methylene chloride		U	ug/L	5	0.26	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1026				
C122513MBKA	C122513MBKA	ORG	67-64-1	Acetone		U	ug/L	10	1.56	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1026				
C122513MBKA	C122513MBKA	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	1	0.56	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1026				
C122513MBKA	C122513MBKA	ORG	1634-04-4	MTBE		U	ug/L	5	0.61	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1026				
C122513MBKA	C122513MBKA	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	1	0.53	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1026				
C122513MBKA	C122513MBKA	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	1	0.32	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1026				
C122513MBKA	C122513MBKA	ORG	74-97-5	Bromochloromethane		U	ug/L	10	0.41	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1026				
C122513MBKA	C122513MBKA	ORG	67-66-3	Chloroform		U	ug/L	2	0.16	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1026				
C122513MBKA	C122513MBKA	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	1	0.17	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1026				
C122513MBKA	C122513MBKA	ORG	78-93-3	2-Butanone		U	ug/L	1	0.81	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1026				
C122513MBKA	C122513MBKA	ORG	56-23-5	Carbon tetrachloride		U	ug/L	1	0.28	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1026				
C122513MBKA	C122513MBKA	ORG	71-43-2	Benzene		U	ug/L	1	0.14	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1026				
C122513MBKA	C122513MBKA	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	1	0.20	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1026				
C122513MBKA	C122513MBKA	ORG	79-01-6	Trichloroethene		U	ug/L	1	0.36	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1026				
C122513MBKA	C122513MBKA	ORG	74-95-3	Dibromomethane		U	ug/L	2	0.32	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1026				
C122513MBKA	C122513MBKA	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	1	0.18	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1026				
C122513MBKA	C122513MBKA	ORG	75-27-4	Bromodichloromethane		U	ug/L	2	0.12	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1026				
C122513MBKA	C122513MBKA	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	1	0.25	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1026				
C122513MBKA	C122513MBKA	ORG	108-88-3	Toluene		U	ug/L	1	0.21	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1026				
C122513MBKA	C122513MBKA	ORG	108-10-1	4-Methyl-2-pentanone		U	ug/L	5	0.74	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1026				
C122513MBKA	C122513MBKA	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	1	0.31	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1026				
C122513MBKA	C122513MBKA	ORG	127-18-4	Tetrachloroethene		U	ug/L	1	0.49	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1026				
C122513MBKA	C122513MBKA	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	1	0.34	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1026				
C122513MBKA	C122513MBKA	ORG	124-48-1	Dibromochloromethane		U	ug/L	5	0.30	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1026				
C122513MBKA	C122513MBKA	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	2	0.26	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1026				
C122513MBKA	C122513MBKA	ORG	591-78-6	2-Hexanone		U	ug/L	2	0.69	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1026				
C122513MBKA	C122513MBKA	ORG	100-41-4	Ethylbenzene		U	ug/L	1	0.25	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1026				
C122513MBKA	C122513MBKA	ORG	108-90-7	Chlorobenzene		U	ug/L	1	0.28	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1026				
C122513MBKA	C122513MBKA	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	2	0.19	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1026				
C122513MBKA	C122513MBKA	ORG	XYLMP	p&m-Xylene		U	ug/L	2	0.26	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1026				
C122513MBKA	C122513MBKA	ORG	95-47-6	o-Xylene		U	ug/L	1	0.13	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1026				
C122513MBKA	C122513MBKA	ORG	100-42-5	Styrene		U	ug/L	1	0.20	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1026				
C122513MBKA	C122513MBKA	ORG	75-25-2	Bromoform		U	ug/L	2	0.47	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1026				
C122513MBKA	C122513MBKA	ORG	98-82-8	Isopropylbenzene		U	ug/L	2	0.20	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1026				
C122513MBKA	C122513MBKA	ORG	103-65-1	n-Propylbenzene		U	ug/L	2	0.27	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1026				
C122513MBKA	C122513MBKA	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	2	0.29	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1026				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C122513MBKA	C122513MBKA	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	2	0.29	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1026				
C122513MBKA	C122513MBKA	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	2	0.20	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1026				
C122513MBKA	C122513MBKA	ORG	98-06-6	tert-Butylbenzene		U	ug/L	2	0.33	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1026				
C122513MBKA	C122513MBKA	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	2	0.20	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1026				
C122513MBKA	C122513MBKA	ORG	135-98-8	sec-Butylbenzene		U	ug/L	2	0.32	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1026				
C122513MBKA	C122513MBKA	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	2	0.22	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1026				
C122513MBKA	C122513MBKA	ORG	99-87-6	p-Isopropltoluene		U	ug/L	2	0.25	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1026				
C122513MBKA	C122513MBKA	ORG	106-46-7	1,4-Dichlorobenzene		U	ug/L	2	0.33	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1026				
C122513MBKA	C122513MBKA	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	2	0.26	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1026				
C122513MBKA	C122513MBKA	ORG	104-51-8	n-Butylbenzene		U	ug/L	5	0.28	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1026				
C122513MBKA	C122513MBKA	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	5	1.59	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1026				
C122513MBKA	C122513MBKA	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	5	0.65	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1026				
C122513MBKA	C122513MBKA	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	5	0.28	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1026				
C122513MBKA	C122513MBKA	ORG	91-20-3	Naphthalene		U	ug/L	5	0.56	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1026				
C122513MBKA	C122513MBKA	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	5	0.23	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1026				
C122513MBKA	C122513MBKA	STD	1868-53-7	Dibromofluoromethane	50		ng			NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1026	50	100%		
C122513MBKA	C122513MBKA	STD	17060-07-0	1,2-Dichloroethane d4	48		ng			NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1026	50	96%		
C122513MBKA	C122513MBKA	STD	2037-26-5	Toluene d8	55		ng			NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1026	50	110%		
C122513MBKA	C122513MBKA	STD	460-00-4	Bromofluorobenzene	59		ng			NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1026	50	118%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C122513ALCS	C122513ALCS	ORG	75-71-8	Dichlorodifluoromethane	34		ug/L	5	0.29	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1025	50	68%		
C122513ALCS	C122513ALCS	ORG	74-87-3	Chloromethane	44		ug/L	5	0.43	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1025	50	88%		
C122513ALCS	C122513ALCS	ORG	75-01-4	Vinyl chloride	50		ug/L	2	0.32	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1025	50	100%		
C122513ALCS	C122513ALCS	ORG	74-83-9	Bromomethane	46		ug/L	5	0.50	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1025	50	92%		
C122513ALCS	C122513ALCS	ORG	75-00-3	Chloroethane	38		ug/L	5	0.56	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1025	50	76%		
C122513ALCS	C122513ALCS	ORG	75-69-4	Trichlorofluoromethane	66		ug/L	5	0.20	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1025	50	132%		
C122513ALCS	C122513ALCS	ORG	75-35-4	1,1-Dichloroethene	49		ug/L	1	0.47	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1025	50	98%		
C122513ALCS	C122513ALCS	ORG	75-09-2	Methylene chloride	50		ug/L	5	0.26	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1025	50	100%		
C122513ALCS	C122513ALCS	ORG	67-64-1	Acetone	53		ug/L	10	1.56	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1025	50	106%		
C122513ALCS	C122513ALCS	ORG	156-60-5	trans-1,2-Dichloroethene	52		ug/L	1	0.56	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1025	50	104%		
C122513ALCS	C122513ALCS	ORG	1634-04-4	MTBE	51		ug/L	5	0.61	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1025	50	102%		
C122513ALCS	C122513ALCS	ORG	75-34-3	1,1-Dichloroethane	51		ug/L	1	0.53	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1025	50	102%		
C122513ALCS	C122513ALCS	ORG	156-59-2	cis-1,2-Dichloroethene	49		ug/L	1	0.32	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1025	50	98%		
C122513ALCS	C122513ALCS	ORG	74-97-5	Bromochloromethane	51		ug/L	10	0.41	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1025	50	102%		
C122513ALCS	C122513ALCS	ORG	67-66-3	Chloroform	49		ug/L	2	0.16	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1025	50	98%		
C122513ALCS	C122513ALCS	ORG	71-55-6	1,1,1-Trichloroethane	49		ug/L	1	0.17	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1025	50	98%		
C122513ALCS	C122513ALCS	ORG	78-93-3	2-Butanone	51		ug/L	1	0.81	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1025	50	102%		
C122513ALCS	C122513ALCS	ORG	56-23-5	Carbon tetrachloride	47		ug/L	1	0.28	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1025	50	94%		
C122513ALCS	C122513ALCS	ORG	71-43-2	Benzene	48		ug/L	1	0.14	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1025	50	96%		
C122513ALCS	C122513ALCS	ORG	107-06-2	1,2-Dichloroethane	48		ug/L	1	0.20	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1025	50	96%		
C122513ALCS	C122513ALCS	ORG	79-01-6	Trichloroethene	48		ug/L	1	0.36	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1025	50	96%		
C122513ALCS	C122513ALCS	ORG	74-95-3	Dibromomethane	47		ug/L	2	0.32	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1025	50	94%		
C122513ALCS	C122513ALCS	ORG	78-87-5	1,2-Dichloropropane	50		ug/L	1	0.18	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1025	50	100%		
C122513ALCS	C122513ALCS	ORG	75-27-4	Bromodichloromethane	52		ug/L	2	0.12	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1025	50	104%		
C122513ALCS	C122513ALCS	ORG	10061-01-5	cis-1,3-Dichloropropene	53		ug/L	1	0.25	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1025	50	106%		
C122513ALCS	C122513ALCS	ORG	108-88-3	Toluene	50		ug/L	1	0.21	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1025	50	100%		
C122513ALCS	C122513ALCS	ORG	108-10-1	4-Methyl-2-pentanone	46		ug/L	5	0.74	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1025	50	92%		
C122513ALCS	C122513ALCS	ORG	10061-02-6	trans-1,3-Dichloropropene	55		ug/L	1	0.31	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1025	50	110%		
C122513ALCS	C122513ALCS	ORG	127-18-4	Tetrachloroethene	52		ug/L	1	0.49	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1025	50	104%		
C122513ALCS	C122513ALCS	ORG	79-00-5	1,1,2-Trichloroethane	51		ug/L	1	0.34	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1025	50	102%		
C122513ALCS	C122513ALCS	ORG	124-48-1	Dibromochloromethane	48		ug/L	5	0.30	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1025	50	96%		
C122513ALCS	C122513ALCS	ORG	106-93-4	1,2-Dibromoethane	48		ug/L	2	0.26	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1025	50	96%		
C122513ALCS	C122513ALCS	ORG	591-78-6	2-Hexanone	45		ug/L	2	0.69	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1025	50	90%		
C122513ALCS	C122513ALCS	ORG	100-41-4	Ethylbenzene	53		ug/L	1	0.25	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1025	50	106%		
C122513ALCS	C122513ALCS	ORG	108-90-7	Chlorobenzene	53		ug/L	1	0.28	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1025	50	106%		
C122513ALCS	C122513ALCS	ORG	630-20-6	1,1,1,2-Tetrachloroethane	49		ug/L	2	0.19	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1025	50	98%		
C122513ALCS	C122513ALCS	ORG	XYLMP	p&m-Xylene	100		ug/L	2	0.26	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1025	100	100%		
C122513ALCS	C122513ALCS	ORG	95-47-6	o-Xylene	49		ug/L	1	0.13	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1025	50	98%		
C122513ALCS	C122513ALCS	ORG	100-42-5	Styrene	51		ug/L	1	0.20	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1025	50	102%		
C122513ALCS	C122513ALCS	ORG	75-25-2	Bromoform	47		ug/L	2	0.47	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1025	50	94%		
C122513ALCS	C122513ALCS	ORG	98-82-8	Isopropylbenzene	50		ug/L	2	0.20	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1025	50	100%		
C122513ALCS	C122513ALCS	ORG	103-65-1	n-Propylbenzene	57		ug/L	2	0.27	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1025	50	114%		
C122513ALCS	C122513ALCS	ORG	79-34-5	1,1,2,2-Tetrachloroethane	51		ug/L	2	0.29	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1025	50	102%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C122513ALCS	C122513ALCS	ORG	96-18-4	1,2,3-Trichloropropane	49		ug/L	2	0.29	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1025	50	98%		
C122513ALCS	C122513ALCS	ORG	108-67-8	1,3,5-Trimethylbenzene	50		ug/L	2	0.20	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1025	50	100%		
C122513ALCS	C122513ALCS	ORG	98-06-6	tert-Butylbenzene	51		ug/L	2	0.33	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1025	50	102%		
C122513ALCS	C122513ALCS	ORG	95-63-6	1,2,4-Trimethylbenzene	50		ug/L	2	0.20	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1025	50	100%		
C122513ALCS	C122513ALCS	ORG	135-98-8	sec-Butylbenzene	51		ug/L	2	0.32	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1025	50	102%		
C122513ALCS	C122513ALCS	ORG	541-73-1	1,3-Dichlorobenzene	52		ug/L	2	0.22	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1025	50	104%		
C122513ALCS	C122513ALCS	ORG	99-87-6	p-IsopropItoluene	50		ug/L	2	0.25	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1025	50	100%		
C122513ALCS	C122513ALCS	ORG	106-46-7	1,4-Dichlorobenzene	48		ug/L	2	0.33	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1025	50	96%		
C122513ALCS	C122513ALCS	ORG	95-50-1	1,2-Dichlorobenzene	51		ug/L	2	0.26	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1025	50	102%		
C122513ALCS	C122513ALCS	ORG	104-51-8	n-Butylbenzene	51		ug/L	5	0.28	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1025	50	102%		
C122513ALCS	C122513ALCS	ORG	96-12-8	1,2-Dibromo-3-chloropropane	48		ug/L	5	1.59	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1025	50	96%		
C122513ALCS	C122513ALCS	ORG	87-68-3	Hexachlorobutadiene	58		ug/L	5	0.65	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1025	50	116%		
C122513ALCS	C122513ALCS	ORG	120-82-1	1,2,4-Trichlorobenzene	53		ug/L	5	0.28	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1025	50	106%		
C122513ALCS	C122513ALCS	ORG	91-20-3	Naphthalene	51		ug/L	5	0.56	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1025	50	102%		
C122513ALCS	C122513ALCS	ORG	87-61-6	1,2,3-Trichlorobenzene	57		ug/L	5	0.23	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1025	50	114%		
C122513ALCS	C122513ALCS	STD	1868-53-7	Dibromofluoromethane	50		ng			NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1025	50	100%		
C122513ALCS	C122513ALCS	STD	17060-07-0	1,2-Dichloroethane d4	49		ng			NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1025	50	98%		
C122513ALCS	C122513ALCS	STD	2037-26-5	Toluene d8	50		ng			NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1025	50	100%		
C122513ALCS	C122513ALCS	STD	460-00-4	Bromofluorobenzene	50		ng			NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1025	50	100%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C122713ALCD	C122713ALCD	ORG	75-71-8	Dichlorodifluoromethane	28		ug/L	5	0.29	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1034	50	56%	19%	
C122713ALCD	C122713ALCD	ORG	74-87-3	Chloromethane	37		ug/L	5	0.43	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1034	50	74%	17%	
C122713ALCD	C122713ALCD	ORG	75-01-4	Vinyl chloride	41		ug/L	2	0.32	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1034	50	82%	20%	
C122713ALCD	C122713ALCD	ORG	74-83-9	Bromomethane	42		ug/L	5	0.50	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1034	50	84%	9%	
C122713ALCD	C122713ALCD	ORG	75-00-3	Chloroethane	46		ug/L	5	0.56	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1034	50	92%	19%	
C122713ALCD	C122713ALCD	ORG	75-69-4	Trichlorofluoromethane	74		ug/L	5	0.20	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1034	50	148%	11%	
C122713ALCD	C122713ALCD	ORG	75-35-4	1,1-Dichloroethene	45		ug/L	1	0.47	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1034	50	90%	9%	
C122713ALCD	C122713ALCD	ORG	75-09-2	Methylene chloride	50		ug/L	5	0.26	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1034	50	100%	0%	
C122713ALCD	C122713ALCD	ORG	67-64-1	Acetone	50		ug/L	10	1.56	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1034	50	100%	6%	
C122713ALCD	C122713ALCD	ORG	156-60-5	trans-1,2-Dichloroethene	48		ug/L	1	0.56	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1034	50	96%	8%	
C122713ALCD	C122713ALCD	ORG	1634-04-4	MTBE	45		ug/L	5	0.61	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1034	50	90%	13%	
C122713ALCD	C122713ALCD	ORG	75-34-3	1,1-Dichloroethane	50		ug/L	1	0.53	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1034	50	100%	2%	
C122713ALCD	C122713ALCD	ORG	156-59-2	cis-1,2-Dichloroethene	50		ug/L	1	0.32	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1034	50	100%	2%	
C122713ALCD	C122713ALCD	ORG	74-97-5	Bromochloromethane	53		ug/L	10	0.41	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1034	50	106%	4%	
C122713ALCD	C122713ALCD	ORG	67-66-3	Chloroform	50		ug/L	2	0.16	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1034	50	100%	2%	
C122713ALCD	C122713ALCD	ORG	71-55-6	1,1,1-Trichloroethane	50		ug/L	1	0.17	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1034	50	100%	2%	
C122713ALCD	C122713ALCD	ORG	78-93-3	2-Butanone	51		ug/L	1	0.81	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1034	50	102%	0%	
C122713ALCD	C122713ALCD	ORG	56-23-5	Carbon tetrachloride	49		ug/L	1	0.28	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1034	50	98%	4%	
C122713ALCD	C122713ALCD	ORG	71-43-2	Benzene	50		ug/L	1	0.14	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1034	50	100%	4%	
C122713ALCD	C122713ALCD	ORG	107-06-2	1,2-Dichloroethane	48		ug/L	1	0.20	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1034	50	96%	0%	
C122713ALCD	C122713ALCD	ORG	79-01-6	Trichloroethene	49		ug/L	1	0.36	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1034	50	98%	2%	
C122713ALCD	C122713ALCD	ORG	74-95-3	Dibromomethane	42		ug/L	2	0.32	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1034	50	84%	11%	
C122713ALCD	C122713ALCD	ORG	78-87-5	1,2-Dichloropropane	44		ug/L	1	0.18	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1034	50	88%	13%	
C122713ALCD	C122713ALCD	ORG	75-27-4	Bromodichloromethane	48		ug/L	2	0.12	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1034	50	96%	8%	
C122713ALCD	C122713ALCD	ORG	10061-01-5	cis-1,3-Dichloropropene	49		ug/L	1	0.25	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1034	50	98%	8%	
C122713ALCD	C122713ALCD	ORG	108-88-3	Toluene	52		ug/L	1	0.21	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1034	50	104%	4%	
C122713ALCD	C122713ALCD	ORG	108-10-1	4-Methyl-2-pentanone	45		ug/L	5	0.74	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1034	50	90%	2%	
C122713ALCD	C122713ALCD	ORG	10061-02-6	trans-1,3-Dichloropropene	55		ug/L	1	0.31	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1034	50	110%	0%	
C122713ALCD	C122713ALCD	ORG	127-18-4	Tetrachloroethene	62		ug/L	1	0.49	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1034	50	124%	18%	
C122713ALCD	C122713ALCD	ORG	79-00-5	1,1,2-Trichloroethane	54		ug/L	1	0.34	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1034	50	108%	6%	
C122713ALCD	C122713ALCD	ORG	124-48-1	Dibromochloromethane	49		ug/L	5	0.30	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1034	50	98%	2%	
C122713ALCD	C122713ALCD	ORG	106-93-4	1,2-Dibromoethane	50		ug/L	2	0.26	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1034	50	100%	4%	
C122713ALCD	C122713ALCD	ORG	591-78-6	2-Hexanone	42		ug/L	2	0.69	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1034	50	84%	7%	
C122713ALCD	C122713ALCD	ORG	100-41-4	Ethylbenzene	55		ug/L	1	0.25	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1034	50	110%	4%	
C122713ALCD	C122713ALCD	ORG	108-90-7	Chlorobenzene	55		ug/L	1	0.28	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1034	50	110%	4%	
C122713ALCD	C122713ALCD	ORG	630-20-6	1,1,1,2-Tetrachloroethane	50		ug/L	2	0.19	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1034	50	100%	2%	
C122713ALCD	C122713ALCD	ORG	XYLMP	p&m-Xylene	110		ug/L	2	0.26	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1034	100	110%	10%	
C122713ALCD	C122713ALCD	ORG	95-47-6	o-Xylene	49		ug/L	1	0.13	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1034	50	98%	0%	
C122713ALCD	C122713ALCD	ORG	100-42-5	Styrene	52		ug/L	1	0.20	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1034	50	104%	2%	
C122713ALCD	C122713ALCD	ORG	75-25-2	Bromoform	48		ug/L	2	0.47	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1034	50	96%	2%	
C122713ALCD	C122713ALCD	ORG	98-82-8	Isopropylbenzene	52		ug/L	2	0.20	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1034	50	104%	4%	
C122713ALCD	C122713ALCD	ORG	103-65-1	n-Propylbenzene	59		ug/L	2	0.27	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1034	50	118%	3%	
C122713ALCD	C122713ALCD	ORG	79-34-5	1,1,2,2-Tetrachloroethane	52		ug/L	2	0.29	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1034	50	104%	2%	

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C122713ALCD	C122713ALCD	ORG	96-18-4	1,2,3-Trichloropropane	53		ug/L	2	0.29	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1034	50	106%	8%	
C122713ALCD	C122713ALCD	ORG	108-67-8	1,3,5-Trimethylbenzene	52		ug/L	2	0.20	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1034	50	104%	4%	
C122713ALCD	C122713ALCD	ORG	98-06-6	tert-Butylbenzene	49		ug/L	2	0.33	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1034	50	98%	4%	
C122713ALCD	C122713ALCD	ORG	95-63-6	1,2,4-Trimethylbenzene	51		ug/L	2	0.20	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1034	50	102%	2%	
C122713ALCD	C122713ALCD	ORG	135-98-8	sec-Butylbenzene	52		ug/L	2	0.32	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1034	50	104%	2%	
C122713ALCD	C122713ALCD	ORG	541-73-1	1,3-Dichlorobenzene	54		ug/L	2	0.22	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1034	50	108%	4%	
C122713ALCD	C122713ALCD	ORG	99-87-6	p-IsopropItoluene	51		ug/L	2	0.25	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1034	50	102%	2%	
C122713ALCD	C122713ALCD	ORG	106-46-7	1,4-Dichlorobenzene	50		ug/L	2	0.33	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1034	50	100%	4%	
C122713ALCD	C122713ALCD	ORG	95-50-1	1,2-Dichlorobenzene	51		ug/L	2	0.26	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1034	50	102%	0%	
C122713ALCD	C122713ALCD	ORG	104-51-8	n-Butylbenzene	51		ug/L	5	0.28	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1034	50	102%	0%	
C122713ALCD	C122713ALCD	ORG	96-12-8	1,2-Dibromo-3-chloropropane	49		ug/L	5	1.59	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1034	50	98%	2%	
C122713ALCD	C122713ALCD	ORG	87-68-3	Hexachlorobutadiene	53		ug/L	5	0.65	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1034	50	106%	9%	
C122713ALCD	C122713ALCD	ORG	120-82-1	1,2,4-Trichlorobenzene	49		ug/L	5	0.28	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1034	50	98%	8%	
C122713ALCD	C122713ALCD	ORG	91-20-3	Naphthalene	44		ug/L	5	0.56	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1034	50	88%	15%	
C122713ALCD	C122713ALCD	ORG	87-61-6	1,2,3-Trichlorobenzene	55		ug/L	5	0.23	NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1034	50	110%	4%	
C122713ALCD	C122713ALCD	STD	1868-53-7	Dibromofluoromethane	50		ng			NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1034	50	100%	0%	
C122713ALCD	C122713ALCD	STD	17060-07-0	1,2-Dichloroethane d4	49		ng			NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1034	50	98%	0%	
C122713ALCD	C122713ALCD	STD	2037-26-5	Toluene d8	50		ng			NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1034	50	100%	0%	
C122713ALCD	C122713ALCD	STD	460-00-4	Bromofluorobenzene	48		ng			NA	12/25/2013	12/25/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1034	50	96%	4%	

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-869MS	316-176RR	ORG	75-71-8	Dichlorodifluoromethane	3200		ug/L	500	29.28	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1035	5000	64%		
NAL13026-869MS	316-176RR	ORG	74-87-3	Chloromethane	4200		ug/L	500	43.07	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1035	5000	84%		
NAL13026-869MS	316-176RR	ORG	75-01-4	Vinyl chloride	4700		ug/L	200	31.86	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1035	5000	94%		
NAL13026-869MS	316-176RR	ORG	74-83-9	Bromomethane	4700		ug/L	500	50.04	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1035	5000	94%		
NAL13026-869MS	316-176RR	ORG	75-00-3	Chloroethane	4500		ug/L	500	55.61	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1035	5000	90%		
NAL13026-869MS	316-176RR	ORG	75-69-4	Trichlorofluoromethane	7500		ug/L	500	19.65	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1035	5000	150%		
NAL13026-869MS	316-176RR	ORG	75-35-4	1,1-Dichloroethene	4700		ug/L	100	47.11	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1035	5000	94%		
NAL13026-869MS	316-176RR	ORG	75-09-2	Methylene chloride	5000		ug/L	500	26.46	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1035	5000	100%		
NAL13026-869MS	316-176RR	ORG	67-64-1	Acetone	100000		ug/L	1000	155.61	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1035	5000	-400%		120000
NAL13026-869MS	316-176RR	ORG	156-60-5	trans-1,2-Dichloroethene	4900		ug/L	100	55.61	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1035	5000	98%		
NAL13026-869MS	316-176RR	ORG	1634-04-4	MTBE	4700		ug/L	500	61.18	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1035	5000	94%		
NAL13026-869MS	316-176RR	ORG	75-34-3	1,1-Dichloroethane	5000		ug/L	100	52.66	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1035	5000	100%		
NAL13026-869MS	316-176RR	ORG	156-59-2	cis-1,2-Dichloroethene	5000		ug/L	100	32.11	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1035	5000	100%		
NAL13026-869MS	316-176RR	ORG	74-97-5	Bromochloromethane	5200		ug/L	1000	41.37	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1035	5000	104%		
NAL13026-869MS	316-176RR	ORG	67-66-3	Chloroform	5000		ug/L	200	15.73	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1035	5000	100%		
NAL13026-869MS	316-176RR	ORG	71-55-6	1,1,1-Trichloroethane	5000		ug/L	100	16.65	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1035	5000	100%		
NAL13026-869MS	316-176RR	ORG	78-93-3	2-Butanone	63000		ug/L	100	81.18	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1035	5000	120%		57000
NAL13026-869MS	316-176RR	ORG	56-23-5	Carbon tetrachloride	4800		ug/L	100	27.64	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1035	5000	96%		
NAL13026-869MS	316-176RR	ORG	71-43-2	Benzene	5100		ug/L	100	13.53	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1035	5000	99%		130
NAL13026-869MS	316-176RR	ORG	107-06-2	1,2-Dichloroethane	4800		ug/L	100	20.01	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1035	5000	96%		
NAL13026-869MS	316-176RR	ORG	79-01-6	Trichloroethene	4900		ug/L	100	36.33	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1035	5000	98%		
NAL13026-869MS	316-176RR	ORG	74-95-3	Dibromomethane	5000		ug/L	200	32.20	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1035	5000	100%		
NAL13026-869MS	316-176RR	ORG	78-87-5	1,2-Dichloropropane	4900		ug/L	100	18.17	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1035	5000	98%		
NAL13026-869MS	316-176RR	ORG	75-27-4	Bromodichloromethane	3800		ug/L	200	11.58	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1035	5000	76%		
NAL13026-869MS	316-176RR	ORG	10061-01-5	cis-1,3-Dichloropropene	4800		ug/L	100	25.01	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1035	5000	96%		
NAL13026-869MS	316-176RR	ORG	108-88-3	Toluene	4400		ug/L	100	20.96	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1035	5000	86%		96
NAL13026-869MS	316-176RR	ORG	108-10-1	4-Methyl-2-pentanone	5900		ug/L	500	74.00	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1035	5000	94%		1200
NAL13026-869MS	316-176RR	ORG	10061-02-6	trans-1,3-Dichloropropene	4600		ug/L	100	31.15	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1035	5000	92%		
NAL13026-869MS	316-176RR	ORG	127-18-4	Tetrachloroethene	4100		ug/L	100	48.56	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1035	5000	82%		
NAL13026-869MS	316-176RR	ORG	79-00-5	1,1,2-Trichloroethane	4800		ug/L	100	34.28	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1035	5000	96%		
NAL13026-869MS	316-176RR	ORG	124-48-1	Dibromochloromethane	4200		ug/L	500	29.90	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1035	5000	84%		
NAL13026-869MS	316-176RR	ORG	106-93-4	1,2-Dibromoethane	4300		ug/L	200	26.49	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1035	5000	86%		
NAL13026-869MS	316-176RR	ORG	591-78-6	2-Hexanone	12000		ug/L	200	68.90	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1035	5000	122%		5900
NAL13026-869MS	316-176RR	ORG	100-41-4	Ethylbenzene	5000		ug/L	100	25.38	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1035	5000	93%		340
NAL13026-869MS	316-176RR	ORG	108-90-7	Chlorobenzene	4800		ug/L	100	27.52	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1035	5000	96%		
NAL13026-869MS	316-176RR	ORG	630-20-6	1,1,1,2-Tetrachloroethane	4100		ug/L	200	19.28	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1035	5000	82%		
NAL13026-869MS	316-176RR	ORG	XYLMP	p&m-Xylene	10000		ug/L	200	26.14	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1035	10000	86%		1400
NAL13026-869MS	316-176RR	ORG	95-47-6	o-Xylene	5500		ug/L	100	12.90	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1035	5000	91%		950
NAL13026-869MS	316-176RR	ORG	100-42-5	Styrene	4800		ug/L	100	20.23	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1035	5000	88%		420
NAL13026-869MS	316-176RR	ORG	75-25-2	Bromoform	4000		ug/L	200	46.83	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1035	5000	80%		
NAL13026-869MS	316-176RR	ORG	98-82-8	Isopropylbenzene	5400		ug/L	200	20.48	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1035	5000	92%		820
NAL13026-869MS	316-176RR	ORG	103-65-1	n-Propylbenzene	5700		ug/L	200	27.00	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1035	5000	108%		320
NAL13026-869MS	316-176RR	ORG	79-34-5	1,1,2,2-Tetrachloroethane	4800		ug/L	200	29.16	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1035	5000	96%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-869MS	316-176RR	ORG	96-18-4	1,2,3-Trichloropropane	4400		ug/L	200	29.47	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1035	5000	88%		
NAL13026-869MS	316-176RR	ORG	108-67-8	1,3,5-Trimethylbenzene	5300		ug/L	200	20.03	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1035	5000	89%		860
NAL13026-869MS	316-176RR	ORG	98-06-6	tert-Butylbenzene	5100		ug/L	200	32.61	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1035	5000	102%		
NAL13026-869MS	316-176RR	ORG	95-63-6	1,2,4-Trimethylbenzene	7800		ug/L	200	20.03	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1035	5000	94%		3100
NAL13026-869MS	316-176RR	ORG	135-98-8	sec-Butylbenzene	5700		ug/L	200	32.34	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1035	5000	104%		500
NAL13026-869MS	316-176RR	ORG	541-73-1	1,3-Dichlorobenzene	5200		ug/L	200	22.21	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1035	5000	104%		
NAL13026-869MS	316-176RR	ORG	99-87-6	p-Isopropltoluene	17000		ug/L	200	25.48	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1035	5000	100%		12000
NAL13026-869MS	316-176RR	ORG	106-46-7	1,4-Dichlorobenzene	7500		ug/L	200	33.03	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1035	5000	92%		2900
NAL13026-869MS	316-176RR	ORG	95-50-1	1,2-Dichlorobenzene	5300		ug/L	200	26.38	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1035	5000	106%		
NAL13026-869MS	316-176RR	ORG	104-51-8	n-Butylbenzene	5700		ug/L	500	27.81	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1035	5000	99%		770
NAL13026-869MS	316-176RR	ORG	96-12-8	1,2-Dibromo-3-chloropropane	5700		ug/L	500	159.11	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1035	5000	114%		
NAL13026-869MS	316-176RR	ORG	87-68-3	Hexachlorobutadiene	6300		ug/L	500	65.42	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1035	5000	126%		
NAL13026-869MS	316-176RR	ORG	120-82-1	1,2,4-Trichlorobenzene	6400		ug/L	500	27.63	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1035	5000	128%		
NAL13026-869MS	316-176RR	ORG	91-20-3	Naphthalene	9100		ug/L	500	56.04	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1035	5000	122%		3000
NAL13026-869MS	316-176RR	ORG	87-61-6	1,2,3-Trichlorobenzene	6900		ug/L	500	23.28	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1035	5000	138%		
NAL13026-869MS	316-176RR	STD	1868-53-7	Dibromofluoromethane	51		ng			12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1035	50	102%		
NAL13026-869MS	316-176RR	STD	17060-07-0	1,2-Dichloroethane d4	49		ng			12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1035	50	98%		
NAL13026-869MS	316-176RR	STD	2037-26-5	Toluene d8	42		ng			12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1035	50	84%		
NAL13026-869MS	316-176RR	STD	460-00-4	Bromofluorobenzene	56		ng			12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1035	50	112%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-869MSD	316-176RR	ORG	75-71-8	Dichlorodifluoromethane	3300		ug/L	500	29.28	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1036	5000	66%	3%	0
NAL13026-869MSD	316-176RR	ORG	74-87-3	Chloromethane	4300		ug/L	500	43.07	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1036	5000	86%	2%	0
NAL13026-869MSD	316-176RR	ORG	75-01-4	Vinyl chloride	5100		ug/L	200	31.86	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1036	5000	102%	8%	0
NAL13026-869MSD	316-176RR	ORG	74-83-9	Bromomethane	4200		ug/L	500	50.04	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1036	5000	84%	11%	0
NAL13026-869MSD	316-176RR	ORG	75-00-3	Chloroethane	3600		ug/L	500	55.61	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1036	5000	72%	22%	0
NAL13026-869MSD	316-176RR	ORG	75-69-4	Trichlorofluoromethane	6200		ug/L	500	19.65	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1036	5000	124%	19%	0
NAL13026-869MSD	316-176RR	ORG	75-35-4	1,1-Dichloroethene	5000		ug/L	100	47.11	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1036	5000	100%	6%	0
NAL13026-869MSD	316-176RR	ORG	75-09-2	Methylene chloride	5300		ug/L	500	26.46	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1036	5000	106%	6%	0
NAL13026-869MSD	316-176RR	ORG	67-64-1	Acetone	100000		ug/L	1000	155.61	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1036	5000	-400%	0%	120000
NAL13026-869MSD	316-176RR	ORG	156-60-5	trans-1,2-Dichloroethene	5400		ug/L	100	55.61	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1036	5000	108%	10%	0
NAL13026-869MSD	316-176RR	ORG	1634-04-4	MTBE	5300		ug/L	500	61.18	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1036	5000	106%	12%	0
NAL13026-869MSD	316-176RR	ORG	75-34-3	1,1-Dichloroethane	5400		ug/L	100	52.66	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1036	5000	108%	8%	0
NAL13026-869MSD	316-176RR	ORG	156-59-2	cis-1,2-Dichloroethene	5400		ug/L	100	32.11	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1036	5000	108%	8%	0
NAL13026-869MSD	316-176RR	ORG	74-97-5	Bromochloromethane	5300		ug/L	1000	41.37	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1036	5000	106%	2%	0
NAL13026-869MSD	316-176RR	ORG	67-66-3	Chloroform	5100		ug/L	200	15.73	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1036	5000	102%	2%	0
NAL13026-869MSD	316-176RR	ORG	71-55-6	1,1,1-Trichloroethane	5200		ug/L	100	16.65	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1036	5000	104%	4%	0
NAL13026-869MSD	316-176RR	ORG	78-93-3	2-Butanone	58000		ug/L	100	81.18	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1036	5000	20%	8%	57000
NAL13026-869MSD	316-176RR	ORG	56-23-5	Carbon tetrachloride	5100		ug/L	100	27.64	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1036	5000	102%	6%	0
NAL13026-869MSD	316-176RR	ORG	71-43-2	Benzene	5100		ug/L	100	13.53	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1036	5000	99%	0%	130
NAL13026-869MSD	316-176RR	ORG	107-06-2	1,2-Dichloroethane	4700		ug/L	100	20.01	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1036	5000	94%	2%	0
NAL13026-869MSD	316-176RR	ORG	79-01-6	Trichloroethene	4800		ug/L	100	36.33	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1036	5000	96%	2%	0
NAL13026-869MSD	316-176RR	ORG	74-95-3	Dibromomethane	4300		ug/L	200	32.20	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1036	5000	86%	15%	0
NAL13026-869MSD	316-176RR	ORG	78-87-5	1,2-Dichloropropane	4500		ug/L	100	18.17	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1036	5000	90%	9%	0
NAL13026-869MSD	316-176RR	ORG	75-27-4	Bromodichloromethane	3900		ug/L	200	11.58	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1036	5000	78%	3%	0
NAL13026-869MSD	316-176RR	ORG	10061-01-5	cis-1,3-Dichloropropene	4900		ug/L	100	25.01	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1036	5000	98%	2%	0
NAL13026-869MSD	316-176RR	ORG	108-88-3	Toluene	4400		ug/L	100	20.96	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1036	5000	86%	0%	96
NAL13026-869MSD	316-176RR	ORG	108-10-1	4-Methyl-2-pentanone	5300		ug/L	500	74.00	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1036	5000	82%	11%	1200
NAL13026-869MSD	316-176RR	ORG	10061-02-6	trans-1,3-Dichloropropene	4500		ug/L	100	31.15	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1036	5000	90%	2%	0
NAL13026-869MSD	316-176RR	ORG	127-18-4	Tetrachloroethene	4100		ug/L	100	48.56	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1036	5000	82%	0%	0
NAL13026-869MSD	316-176RR	ORG	79-00-5	1,1,2-Trichloroethane	4600		ug/L	100	34.28	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1036	5000	92%	4%	0
NAL13026-869MSD	316-176RR	ORG	124-48-1	Dibromochloromethane	4100		ug/L	500	29.90	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1036	5000	82%	2%	0
NAL13026-869MSD	316-176RR	ORG	106-93-4	1,2-Dibromoethane	4300		ug/L	200	26.49	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1036	5000	86%	0%	0
NAL13026-869MSD	316-176RR	ORG	591-78-6	2-Hexanone	11000		ug/L	200	68.90	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1036	5000	102%	9%	5900
NAL13026-869MSD	316-176RR	ORG	100-41-4	Ethylbenzene	5300		ug/L	100	25.38	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1036	5000	99%	6%	340
NAL13026-869MSD	316-176RR	ORG	108-90-7	Chlorobenzene	5000		ug/L	100	27.52	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1036	5000	100%	4%	0
NAL13026-869MSD	316-176RR	ORG	630-20-6	1,1,1,2-Tetrachloroethane	4200		ug/L	200	19.28	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1036	5000	84%	2%	0
NAL13026-869MSD	316-176RR	ORG	XYLMP	p&m-Xylene	10000		ug/L	200	26.14	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1036	10000	86%	0%	1400
NAL13026-869MSD	316-176RR	ORG	95-47-6	o-Xylene	5700		ug/L	100	12.90	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1036	5000	95%	4%	950
NAL13026-869MSD	316-176RR	ORG	100-42-5	Styrene	4900		ug/L	100	20.23	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1036	5000	90%	2%	420
NAL13026-869MSD	316-176RR	ORG	75-25-2	Bromoform	4000		ug/L	200	46.83	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1036	5000	80%	0%	0
NAL13026-869MSD	316-176RR	ORG	98-82-8	Isopropylbenzene	5500		ug/L	200	20.48	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1036	5000	94%	2%	820
NAL13026-869MSD	316-176RR	ORG	103-65-1	n-Propylbenzene	5800		ug/L	200	27.00	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1036	5000	110%	2%	320
NAL13026-869MSD	316-176RR	ORG	79-34-5	1,1,2,2-Tetrachloroethane	4200		ug/L	200	29.16	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1036	5000	84%	13%	0

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-869MSD	316-176RR	ORG	96-18-4	1,2,3-Trichloropropane	4200		ug/L	200	29.47	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1036	5000	84%	5%	0
NAL13026-869MSD	316-176RR	ORG	108-67-8	1,3,5-Trimethylbenzene	5300		ug/L	200	20.03	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1036	5000	89%	0%	860
NAL13026-869MSD	316-176RR	ORG	98-06-6	tert-Butylbenzene	5000		ug/L	200	32.61	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1036	5000	100%	2%	0
NAL13026-869MSD	316-176RR	ORG	95-63-6	1,2,4-Trimethylbenzene	7600		ug/L	200	20.03	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1036	5000	90%	3%	3100
NAL13026-869MSD	316-176RR	ORG	135-98-8	sec-Butylbenzene	5600		ug/L	200	32.34	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1036	5000	102%	2%	500
NAL13026-869MSD	316-176RR	ORG	541-73-1	1,3-Dichlorobenzene	5000		ug/L	200	22.21	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1036	5000	100%	4%	0
NAL13026-869MSD	316-176RR	ORG	99-87-6	p-IsopropItoluene	16000		ug/L	200	25.48	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1036	5000	80%	6%	12000
NAL13026-869MSD	316-176RR	ORG	106-46-7	1,4-Dichlorobenzene	7300		ug/L	200	33.03	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1036	5000	88%	3%	2900
NAL13026-869MSD	316-176RR	ORG	95-50-1	1,2-Dichlorobenzene	5100		ug/L	200	26.38	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1036	5000	102%	4%	0
NAL13026-869MSD	316-176RR	ORG	104-51-8	n-Butylbenzene	5400		ug/L	500	27.81	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1036	5000	93%	5%	770
NAL13026-869MSD	316-176RR	ORG	96-12-8	1,2-Dibromo-3-chloropropane	5000		ug/L	500	159.11	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1036	5000	100%	13%	0
NAL13026-869MSD	316-176RR	ORG	87-68-3	Hexachlorobutadiene	6000		ug/L	500	65.42	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1036	5000	120%	5%	0
NAL13026-869MSD	316-176RR	ORG	120-82-1	1,2,4-Trichlorobenzene	6000		ug/L	500	27.63	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1036	5000	120%	6%	0
NAL13026-869MSD	316-176RR	ORG	91-20-3	Naphthalene	8400		ug/L	500	56.04	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1036	5000	108%	8%	3000
NAL13026-869MSD	316-176RR	ORG	87-61-6	1,2,3-Trichlorobenzene	6300		ug/L	500	23.28	12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1036	5000	126%	9%	0
NAL13026-869MSD	316-176RR	STD	1868-53-7	Dibromofluoromethane	53		ng			12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1036	50	106%	4%	0
NAL13026-869MSD	316-176RR	STD	17060-07-0	1,2-Dichloroethane d4	48		ng			12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1036	50	96%	2%	0
NAL13026-869MSD	316-176RR	STD	2037-26-5	Toluene d8	45		ng			12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1036	50	90%	7%	0
NAL13026-869MSD	316-176RR	STD	460-00-4	Bromofluorobenzene	57		ng			12/25/2013	12/25/2013	12/25/2013	WG	100	NA	5.0	NA	SW8260B	NALC1036	50	114%	2%	0

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-870	316-177	ORG	75-71-8	Dichlorodifluoromethane		UX-	ug/L	500	29.28	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1041				
NAL13026-870	316-177	ORG	74-87-3	Chloromethane		U	ug/L	500	43.07	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1041				
NAL13026-870	316-177	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1041				
NAL13026-870	316-177	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1041				
NAL13026-870	316-177	ORG	75-00-3	Chloroethane		UX-	ug/L	500	55.61	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1041				
NAL13026-870	316-177	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1041				
NAL13026-870	316-177	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1041				
NAL13026-870	316-177	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1041				
NAL13026-870	316-177	ORG	67-64-1	Acetone	110000	D	ug/L	10000	1556.07	12/26/2013	12/26/2013	12/26/2013	WG	1000	NA	5.0	NA	SW8260B	NALC1042				
NAL13026-870	316-177	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1041				
NAL13026-870	316-177	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1041				
NAL13026-870	316-177	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1041				
NAL13026-870	316-177	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1041				
NAL13026-870	316-177	ORG	74-97-5	Bromochloromethane		U	ug/L	200	41.37	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1041				
NAL13026-870	316-177	ORG	67-66-3	Chloroform		U	ug/L	100	15.73	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1041				
NAL13026-870	316-177	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	16.65	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1041				
NAL13026-870	316-177	ORG	78-93-3	2-Butanone	51000	D	ug/L	10000	811.80	12/26/2013	12/26/2013	12/26/2013	WG	1000	NA	5.0	NA	SW8260B	NALC1042				
NAL13026-870	316-177	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1041				
NAL13026-870	316-177	ORG	71-43-2	Benzene	73	J	ug/L	100	13.53	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1041				
NAL13026-870	316-177	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1041				
NAL13026-870	316-177	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1041				
NAL13026-870	316-177	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1041				
NAL13026-870	316-177	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1041				
NAL13026-870	316-177	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1041				
NAL13026-870	316-177	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1041				
NAL13026-870	316-177	ORG	108-88-3	Toluene	65	J	ug/L	100	20.96	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1041				
NAL13026-870	316-177	ORG	108-10-1	4-Methyl-2-pentanone	1100		ug/L	500	74.00	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1041				
NAL13026-870	316-177	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1041				
NAL13026-870	316-177	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1041				
NAL13026-870	316-177	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1041				
NAL13026-870	316-177	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	29.90	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1041				
NAL13026-870	316-177	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	26.49	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1041				
NAL13026-870	316-177	ORG	591-78-6	2-Hexanone	5200		ug/L	500	68.90	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1041				
NAL13026-870	316-177	ORG	100-41-4	Ethylbenzene	250		ug/L	100	25.38	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1041				
NAL13026-870	316-177	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1041				
NAL13026-870	316-177	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1041				
NAL13026-870	316-177	ORG	XYLMP	p&m-Xylene	1100		ug/L	200	26.14	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1041				
NAL13026-870	316-177	ORG	95-47-6	o-Xylene	850		ug/L	100	12.90	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1041				
NAL13026-870	316-177	ORG	100-42-5	Styrene	400		ug/L	100	20.23	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1041				
NAL13026-870	316-177	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1041				
NAL13026-870	316-177	ORG	98-82-8	Isopropylbenzene	780		ug/L	200	20.48	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1041				
NAL13026-870	316-177	ORG	103-65-1	n-Propylbenzene	260		ug/L	200	27.00	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1041				
NAL13026-870	316-177	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1041				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-870	316-177	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1041				
NAL13026-870	316-177	ORG	108-67-8	1,3,5-Trimethylbenzene	820		ug/L	200	20.03	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1041				
NAL13026-870	316-177	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1041				
NAL13026-870	316-177	ORG	95-63-6	1,2,4-Trimethylbenzene	2800		ug/L	200	20.03	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1041				
NAL13026-870	316-177	ORG	135-98-8	sec-Butylbenzene	500		ug/L	200	32.34	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1041				
NAL13026-870	316-177	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1041				
NAL13026-870	316-177	ORG	99-87-6	p-Isopropltoluene	12000		ug/L	200	25.48	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1041				
NAL13026-870	316-177	ORG	106-46-7	1,4-Dichlorobenzene	2700		ug/L	200	33.03	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1041				
NAL13026-870	316-177	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1041				
NAL13026-870	316-177	ORG	104-51-8	n-Butylbenzene	660		ug/L	500	27.81	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1041				
NAL13026-870	316-177	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1041				
NAL13026-870	316-177	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1041				
NAL13026-870	316-177	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1041				
NAL13026-870	316-177	ORG	91-20-3	Naphthalene	3500		ug/L	500	56.04	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1041				
NAL13026-870	316-177	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1041				
NAL13026-870	316-177	STD	1868-53-7	Dibromofluoromethane	48		ng			12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1041	50	96%		
NAL13026-870	316-177	STD	17060-07-0	1,2-Dichloroethane d4	50		ng			12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1041	50	100%		
NAL13026-870	316-177	STD	2037-26-5	Toluene d8	44		ng			12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1041	50	88%		
NAL13026-870	316-177	STD	460-00-4	Bromofluorobenzene	55		ng			12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1041	50	110%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-871	96-090	ORG	75-71-8	Dichlorodifluoromethane		UX-	ug/L	500	29.28	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1048				
NAL13026-871	96-090	ORG	74-87-3	Chloromethane		U	ug/L	500	43.07	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1048				
NAL13026-871	96-090	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1048				
NAL13026-871	96-090	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1048				
NAL13026-871	96-090	ORG	75-00-3	Chloroethane		UX-	ug/L	500	55.61	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1048				
NAL13026-871	96-090	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1048				
NAL13026-871	96-090	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1048				
NAL13026-871	96-090	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1048				
NAL13026-871	96-090	ORG	67-64-1	Acetone	91000	D	ug/L	10000	1556.07	12/26/2013	12/26/2013	12/26/2013	WG	1000	NA	5.0	NA	SW8260B	NALC1049				
NAL13026-871	96-090	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1048				
NAL13026-871	96-090	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1048				
NAL13026-871	96-090	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1048				
NAL13026-871	96-090	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1048				
NAL13026-871	96-090	ORG	74-97-5	Bromochloromethane		U	ug/L	200	41.37	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1048				
NAL13026-871	96-090	ORG	67-66-3	Chloroform		U	ug/L	100	15.73	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1048				
NAL13026-871	96-090	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	16.65	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1048				
NAL13026-871	96-090	ORG	78-93-3	2-Butanone	45000	D	ug/L	10000	811.80	12/26/2013	12/26/2013	12/26/2013	WG	1000	NA	5.0	NA	SW8260B	NALC1049				
NAL13026-871	96-090	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1048				
NAL13026-871	96-090	ORG	71-43-2	Benzene	25	J	ug/L	100	13.53	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1048				
NAL13026-871	96-090	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1048				
NAL13026-871	96-090	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1048				
NAL13026-871	96-090	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1048				
NAL13026-871	96-090	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1048				
NAL13026-871	96-090	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1048				
NAL13026-871	96-090	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1048				
NAL13026-871	96-090	ORG	108-88-3	Toluene		U	ug/L	100	20.96	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1048				
NAL13026-871	96-090	ORG	108-10-1	4-Methyl-2-pentanone	1000		ug/L	500	74.00	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1048				
NAL13026-871	96-090	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1048				
NAL13026-871	96-090	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1048				
NAL13026-871	96-090	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1048				
NAL13026-871	96-090	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	29.90	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1048				
NAL13026-871	96-090	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	26.49	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1048				
NAL13026-871	96-090	ORG	591-78-6	2-Hexanone	4500		ug/L	500	68.90	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1048				
NAL13026-871	96-090	ORG	100-41-4	Ethylbenzene	100		ug/L	100	25.38	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1048				
NAL13026-871	96-090	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1048				
NAL13026-871	96-090	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1048				
NAL13026-871	96-090	ORG	XYLMP	p&m-Xylene	800		ug/L	200	26.14	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1048				
NAL13026-871	96-090	ORG	95-47-6	o-Xylene	660		ug/L	100	12.90	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1048				
NAL13026-871	96-090	ORG	100-42-5	Styrene	380		ug/L	100	20.23	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1048				
NAL13026-871	96-090	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1048				
NAL13026-871	96-090	ORG	98-82-8	Isopropylbenzene	680		ug/L	200	20.48	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1048				
NAL13026-871	96-090	ORG	103-65-1	n-Propylbenzene	180	J	ug/L	200	27.00	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1048				
NAL13026-871	96-090	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1048				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-871	96-090	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1048				
NAL13026-871	96-090	ORG	108-67-8	1,3,5-Trimethylbenzene	670		ug/L	200	20.03	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1048				
NAL13026-871	96-090	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1048				
NAL13026-871	96-090	ORG	95-63-6	1,2,4-Trimethylbenzene	2000		ug/L	200	20.03	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1048				
NAL13026-871	96-090	ORG	135-98-8	sec-Butylbenzene	470		ug/L	200	32.34	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1048				
NAL13026-871	96-090	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1048				
NAL13026-871	96-090	ORG	99-87-6	p-Isopropltoluene	8700		ug/L	200	25.48	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1048				
NAL13026-871	96-090	ORG	106-46-7	1,4-Dichlorobenzene	1900		ug/L	200	33.03	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1048				
NAL13026-871	96-090	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1048				
NAL13026-871	96-090	ORG	104-51-8	n-Butylbenzene	650		ug/L	500	27.81	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1048				
NAL13026-871	96-090	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1048				
NAL13026-871	96-090	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1048				
NAL13026-871	96-090	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1048				
NAL13026-871	96-090	ORG	91-20-3	Naphthalene	2900		ug/L	500	56.04	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1048				
NAL13026-871	96-090	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1048				
NAL13026-871	96-090	STD	1868-53-7	Dibromofluoromethane	49		ng			12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1048	50	98%		
NAL13026-871	96-090	STD	17060-07-0	1,2-Dichloroethane d4	49		ng			12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1048	50	98%		
NAL13026-871	96-090	STD	2037-26-5	Toluene d8	45		ng			12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1048	50	90%		
NAL13026-871	96-090	STD	460-00-4	Bromofluorobenzene	57		ng			12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1048	50	114%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C122613CCVA	C122613CCVA	ORG	75-71-8	Dichlorodifluoromethane	34		ug/L	5	0.29	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1039	50	68%		
C122613CCVA	C122613CCVA	ORG	74-87-3	Chloromethane	44		ug/L	5	0.43	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1039	50	88%		
C122613CCVA	C122613CCVA	ORG	75-01-4	Vinyl chloride	51		ug/L	2	0.32	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1039	50	102%		
C122613CCVA	C122613CCVA	ORG	74-83-9	Bromomethane	46		ug/L	5	0.50	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1039	50	92%		
C122613CCVA	C122613CCVA	ORG	75-00-3	Chloroethane	35		ug/L	5	0.56	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1039	50	70%		
C122613CCVA	C122613CCVA	ORG	75-69-4	Trichlorofluoromethane	65		ug/L	5	0.20	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1039	50	130%		
C122613CCVA	C122613CCVA	ORG	75-35-4	1,1-Dichloroethene	50		ug/L	1	0.47	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1039	50	100%		
C122613CCVA	C122613CCVA	ORG	75-09-2	Methylene chloride	53		ug/L	5	0.26	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1039	50	106%		
C122613CCVA	C122613CCVA	ORG	67-64-1	Acetone	55		ug/L	10	1.56	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1039	50	110%		
C122613CCVA	C122613CCVA	ORG	156-60-5	trans-1,2-Dichloroethene	54		ug/L	1	0.56	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1039	50	108%		
C122613CCVA	C122613CCVA	ORG	1634-04-4	MTBE	53		ug/L	5	0.61	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1039	50	106%		
C122613CCVA	C122613CCVA	ORG	75-34-3	1,1-Dichloroethane	53		ug/L	1	0.53	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1039	50	106%		
C122613CCVA	C122613CCVA	ORG	156-59-2	cis-1,2-Dichloroethene	52		ug/L	1	0.32	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1039	50	104%		
C122613CCVA	C122613CCVA	ORG	74-97-5	Bromochloromethane	52		ug/L	10	0.41	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1039	50	104%		
C122613CCVA	C122613CCVA	ORG	67-66-3	Chloroform	50		ug/L	2	0.16	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1039	50	100%		
C122613CCVA	C122613CCVA	ORG	71-55-6	1,1,1-Trichloroethane	51		ug/L	1	0.17	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1039	50	102%		
C122613CCVA	C122613CCVA	ORG	78-93-3	2-Butanone	52		ug/L	1	0.81	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1039	50	104%		
C122613CCVA	C122613CCVA	ORG	56-23-5	Carbon tetrachloride	49		ug/L	1	0.28	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1039	50	98%		
C122613CCVA	C122613CCVA	ORG	71-43-2	Benzene	49		ug/L	1	0.14	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1039	50	98%		
C122613CCVA	C122613CCVA	ORG	107-06-2	1,2-Dichloroethane	48		ug/L	1	0.20	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1039	50	96%		
C122613CCVA	C122613CCVA	ORG	79-01-6	Trichloroethene	49		ug/L	1	0.36	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1039	50	98%		
C122613CCVA	C122613CCVA	ORG	74-95-3	Dibromomethane	47		ug/L	2	0.32	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1039	50	94%		
C122613CCVA	C122613CCVA	ORG	78-87-5	1,2-Dichloropropane	51		ug/L	1	0.18	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1039	50	102%		
C122613CCVA	C122613CCVA	ORG	75-27-4	Bromodichloromethane	48		ug/L	2	0.12	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1039	50	96%		
C122613CCVA	C122613CCVA	ORG	10061-01-5	cis-1,3-Dichloropropene	54		ug/L	1	0.25	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1039	50	108%		
C122613CCVA	C122613CCVA	ORG	108-88-3	Toluene	50		ug/L	1	0.21	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1039	50	100%		
C122613CCVA	C122613CCVA	ORG	108-10-1	4-Methyl-2-pentanone	44		ug/L	5	0.74	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1039	50	88%		
C122613CCVA	C122613CCVA	ORG	10061-02-6	trans-1,3-Dichloropropene	54		ug/L	1	0.31	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1039	50	108%		
C122613CCVA	C122613CCVA	ORG	127-18-4	Tetrachloroethene	47		ug/L	1	0.49	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1039	50	94%		
C122613CCVA	C122613CCVA	ORG	79-00-5	1,1,2-Trichloroethane	50		ug/L	1	0.34	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1039	50	100%		
C122613CCVA	C122613CCVA	ORG	124-48-1	Dibromochloromethane	47		ug/L	5	0.30	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1039	50	94%		
C122613CCVA	C122613CCVA	ORG	106-93-4	1,2-Dibromoethane	48		ug/L	2	0.26	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1039	50	96%		
C122613CCVA	C122613CCVA	ORG	591-78-6	2-Hexanone	44		ug/L	2	0.69	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1039	50	88%		
C122613CCVA	C122613CCVA	ORG	100-41-4	Ethylbenzene	54		ug/L	1	0.25	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1039	50	108%		
C122613CCVA	C122613CCVA	ORG	108-90-7	Chlorobenzene	54		ug/L	1	0.28	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1039	50	108%		
C122613CCVA	C122613CCVA	ORG	630-20-6	1,1,1,2-Tetrachloroethane	48		ug/L	2	0.19	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1039	50	96%		
C122613CCVA	C122613CCVA	ORG	XYLMP	p&m-Xylene	110		ug/L	2	0.26	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1039	100	110%		
C122613CCVA	C122613CCVA	ORG	95-47-6	o-Xylene	50		ug/L	1	0.13	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1039	50	100%		
C122613CCVA	C122613CCVA	ORG	100-42-5	Styrene	51		ug/L	1	0.20	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1039	50	102%		
C122613CCVA	C122613CCVA	ORG	75-25-2	Bromoform	47		ug/L	2	0.47	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1039	50	94%		
C122613CCVA	C122613CCVA	ORG	98-82-8	Isopropylbenzene	51		ug/L	2	0.20	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1039	50	102%		
C122613CCVA	C122613CCVA	ORG	103-65-1	n-Propylbenzene	57		ug/L	2	0.27	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1039	50	114%		
C122613CCVA	C122613CCVA	ORG	79-34-5	1,1,2,2-Tetrachloroethane	50		ug/L	2	0.29	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1039	50	100%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C122613CCVA	C122613CCVA	ORG	96-18-4	1,2,3-Trichloropropane	49		ug/L	2	0.29	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1039	50	98%		
C122613CCVA	C122613CCVA	ORG	108-67-8	1,3,5-Trimethylbenzene	51		ug/L	2	0.20	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1039	50	102%		
C122613CCVA	C122613CCVA	ORG	98-06-6	tert-Butylbenzene	51		ug/L	2	0.33	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1039	50	102%		
C122613CCVA	C122613CCVA	ORG	95-63-6	1,2,4-Trimethylbenzene	50		ug/L	2	0.20	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1039	50	100%		
C122613CCVA	C122613CCVA	ORG	135-98-8	sec-Butylbenzene	50		ug/L	2	0.32	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1039	50	100%		
C122613CCVA	C122613CCVA	ORG	541-73-1	1,3-Dichlorobenzene	52		ug/L	2	0.22	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1039	50	104%		
C122613CCVA	C122613CCVA	ORG	99-87-6	p-Isopropltoluene	50		ug/L	2	0.25	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1039	50	100%		
C122613CCVA	C122613CCVA	ORG	106-46-7	1,4-Dichlorobenzene	48		ug/L	2	0.33	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1039	50	96%		
C122613CCVA	C122613CCVA	ORG	95-50-1	1,2-Dichlorobenzene	50		ug/L	2	0.26	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1039	50	100%		
C122613CCVA	C122613CCVA	ORG	104-51-8	n-Butylbenzene	50		ug/L	5	0.28	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1039	50	100%		
C122613CCVA	C122613CCVA	ORG	96-12-8	1,2-Dibromo-3-chloropropane	47		ug/L	5	1.59	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1039	50	94%		
C122613CCVA	C122613CCVA	ORG	87-68-3	Hexachlorobutadiene	57		ug/L	5	0.65	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1039	50	114%		
C122613CCVA	C122613CCVA	ORG	120-82-1	1,2,4-Trichlorobenzene	53		ug/L	5	0.28	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1039	50	106%		
C122613CCVA	C122613CCVA	ORG	91-20-3	Naphthalene	50		ug/L	5	0.56	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1039	50	100%		
C122613CCVA	C122613CCVA	ORG	87-61-6	1,2,3-Trichlorobenzene	57		ug/L	5	0.23	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1039	50	114%		
C122613CCVA	C122613CCVA	STD	1868-53-7	Dibromofluoromethane	50		ng			NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1039	50	100%		
C122613CCVA	C122613CCVA	STD	17060-07-0	1,2-Dichloroethane d4	47		ng			NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1039	50	94%		
C122613CCVA	C122613CCVA	STD	2037-26-5	Toluene d8	49		ng			NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1039	50	98%		
C122613CCVA	C122613CCVA	STD	460-00-4	Bromofluorobenzene	50		ng			NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1039	50	100%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C122613MBKA	C122613MBKA	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	5	0.29	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1040				
C122613MBKA	C122613MBKA	ORG	74-87-3	Chloromethane		U	ug/L	5	0.43	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1040				
C122613MBKA	C122613MBKA	ORG	75-01-4	Vinyl chloride		U	ug/L	2	0.32	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1040				
C122613MBKA	C122613MBKA	ORG	74-83-9	Bromomethane		U	ug/L	5	0.50	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1040				
C122613MBKA	C122613MBKA	ORG	75-00-3	Chloroethane		U	ug/L	5	0.56	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1040				
C122613MBKA	C122613MBKA	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	5	0.20	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1040				
C122613MBKA	C122613MBKA	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	1	0.47	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1040				
C122613MBKA	C122613MBKA	ORG	75-09-2	Methylene chloride		U	ug/L	5	0.26	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1040				
C122613MBKA	C122613MBKA	ORG	67-64-1	Acetone		U	ug/L	10	1.56	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1040				
C122613MBKA	C122613MBKA	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	1	0.56	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1040				
C122613MBKA	C122613MBKA	ORG	1634-04-4	MTBE		U	ug/L	5	0.61	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1040				
C122613MBKA	C122613MBKA	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	1	0.53	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1040				
C122613MBKA	C122613MBKA	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	1	0.32	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1040				
C122613MBKA	C122613MBKA	ORG	74-97-5	Bromochloromethane		U	ug/L	10	0.41	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1040				
C122613MBKA	C122613MBKA	ORG	67-66-3	Chloroform		U	ug/L	2	0.16	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1040				
C122613MBKA	C122613MBKA	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	1	0.17	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1040				
C122613MBKA	C122613MBKA	ORG	78-93-3	2-Butanone		U	ug/L	1	0.81	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1040				
C122613MBKA	C122613MBKA	ORG	56-23-5	Carbon tetrachloride		U	ug/L	1	0.28	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1040				
C122613MBKA	C122613MBKA	ORG	71-43-2	Benzene		U	ug/L	1	0.14	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1040				
C122613MBKA	C122613MBKA	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	1	0.20	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1040				
C122613MBKA	C122613MBKA	ORG	79-01-6	Trichloroethene		U	ug/L	1	0.36	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1040				
C122613MBKA	C122613MBKA	ORG	74-95-3	Dibromomethane		U	ug/L	2	0.32	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1040				
C122613MBKA	C122613MBKA	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	1	0.18	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1040				
C122613MBKA	C122613MBKA	ORG	75-27-4	Bromodichloromethane		U	ug/L	2	0.12	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1040				
C122613MBKA	C122613MBKA	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	1	0.25	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1040				
C122613MBKA	C122613MBKA	ORG	108-88-3	Toluene		U	ug/L	1	0.21	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1040				
C122613MBKA	C122613MBKA	ORG	108-10-1	4-Methyl-2-pentanone		U	ug/L	5	0.74	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1040				
C122613MBKA	C122613MBKA	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	1	0.31	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1040				
C122613MBKA	C122613MBKA	ORG	127-18-4	Tetrachloroethene		U	ug/L	1	0.49	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1040				
C122613MBKA	C122613MBKA	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	1	0.34	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1040				
C122613MBKA	C122613MBKA	ORG	124-48-1	Dibromochloromethane		U	ug/L	5	0.30	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1040				
C122613MBKA	C122613MBKA	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	2	0.26	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1040				
C122613MBKA	C122613MBKA	ORG	591-78-6	2-Hexanone		U	ug/L	2	0.69	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1040				
C122613MBKA	C122613MBKA	ORG	100-41-4	Ethylbenzene		U	ug/L	1	0.25	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1040				
C122613MBKA	C122613MBKA	ORG	108-90-7	Chlorobenzene		U	ug/L	1	0.28	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1040				
C122613MBKA	C122613MBKA	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	2	0.19	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1040				
C122613MBKA	C122613MBKA	ORG	XYLMP	p&m-Xylene		U	ug/L	2	0.26	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1040				
C122613MBKA	C122613MBKA	ORG	95-47-6	o-Xylene		U	ug/L	1	0.13	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1040				
C122613MBKA	C122613MBKA	ORG	100-42-5	Styrene		U	ug/L	1	0.20	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1040				
C122613MBKA	C122613MBKA	ORG	75-25-2	Bromoform		U	ug/L	2	0.47	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1040				
C122613MBKA	C122613MBKA	ORG	98-82-8	Isopropylbenzene		U	ug/L	2	0.20	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1040				
C122613MBKA	C122613MBKA	ORG	103-65-1	n-Propylbenzene		U	ug/L	2	0.27	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1040				
C122613MBKA	C122613MBKA	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	2	0.29	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1040				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C122613MBKA	C122613MBKA	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	2	0.29	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1040				
C122613MBKA	C122613MBKA	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	2	0.20	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1040				
C122613MBKA	C122613MBKA	ORG	98-06-6	tert-Butylbenzene		U	ug/L	2	0.33	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1040				
C122613MBKA	C122613MBKA	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	2	0.20	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1040				
C122613MBKA	C122613MBKA	ORG	135-98-8	sec-Butylbenzene		U	ug/L	2	0.32	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1040				
C122613MBKA	C122613MBKA	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	2	0.22	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1040				
C122613MBKA	C122613MBKA	ORG	99-87-6	p-Isopropltoluene		U	ug/L	2	0.25	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1040				
C122613MBKA	C122613MBKA	ORG	106-46-7	1,4-Dichlorobenzene		U	ug/L	2	0.33	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1040				
C122613MBKA	C122613MBKA	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	2	0.26	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1040				
C122613MBKA	C122613MBKA	ORG	104-51-8	n-Butylbenzene		U	ug/L	5	0.28	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1040				
C122613MBKA	C122613MBKA	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	5	1.59	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1040				
C122613MBKA	C122613MBKA	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	5	0.65	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1040				
C122613MBKA	C122613MBKA	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	5	0.28	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1040				
C122613MBKA	C122613MBKA	ORG	91-20-3	Naphthalene		U	ug/L	5	0.56	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1040				
C122613MBKA	C122613MBKA	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	5	0.23	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1040				
C122613MBKA	C122613MBKA	STD	1868-53-7	Dibromofluoromethane	49		ng			NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1040	50	98%		
C122613MBKA	C122613MBKA	STD	17060-07-0	1,2-Dichloroethane d4	50		ng			NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1040	50	100%		
C122613MBKA	C122613MBKA	STD	2037-26-5	Toluene d8	56		ng			NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1040	50	112%		
C122613MBKA	C122613MBKA	STD	460-00-4	Bromofluorobenzene	58		ng			NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1040	50	116%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C122613ALCS	C122613ALCS	ORG	75-71-8	Dichlorodifluoromethane	30		ug/L	5	0.29	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1043	50	60%		
C122613ALCS	C122613ALCS	ORG	74-87-3	Chloromethane	41		ug/L	5	0.43	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1043	50	82%		
C122613ALCS	C122613ALCS	ORG	75-01-4	Vinyl chloride	47		ug/L	2	0.32	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1043	50	94%		
C122613ALCS	C122613ALCS	ORG	74-83-9	Bromomethane	46		ug/L	5	0.50	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1043	50	92%		
C122613ALCS	C122613ALCS	ORG	75-00-3	Chloroethane	41		ug/L	5	0.56	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1043	50	82%		
C122613ALCS	C122613ALCS	ORG	75-69-4	Trichlorofluoromethane	73		ug/L	5	0.20	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1043	50	146%		
C122613ALCS	C122613ALCS	ORG	75-35-4	1,1-Dichloroethene	45		ug/L	1	0.47	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1043	50	90%		
C122613ALCS	C122613ALCS	ORG	75-09-2	Methylene chloride	49		ug/L	5	0.26	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1043	50	98%		
C122613ALCS	C122613ALCS	ORG	67-64-1	Acetone	51		ug/L	10	1.56	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1043	50	102%		
C122613ALCS	C122613ALCS	ORG	156-60-5	trans-1,2-Dichloroethene	50		ug/L	1	0.56	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1043	50	100%		
C122613ALCS	C122613ALCS	ORG	1634-04-4	MTBE	49		ug/L	5	0.61	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1043	50	98%		
C122613ALCS	C122613ALCS	ORG	75-34-3	1,1-Dichloroethane	50		ug/L	1	0.53	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1043	50	100%		
C122613ALCS	C122613ALCS	ORG	156-59-2	cis-1,2-Dichloroethene	51		ug/L	1	0.32	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1043	50	102%		
C122613ALCS	C122613ALCS	ORG	74-97-5	Bromochloromethane	50		ug/L	10	0.41	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1043	50	100%		
C122613ALCS	C122613ALCS	ORG	67-66-3	Chloroform	48		ug/L	2	0.16	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1043	50	96%		
C122613ALCS	C122613ALCS	ORG	71-55-6	1,1,1-Trichloroethane	48		ug/L	1	0.17	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1043	50	96%		
C122613ALCS	C122613ALCS	ORG	78-93-3	2-Butanone	49		ug/L	1	0.81	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1043	50	98%		
C122613ALCS	C122613ALCS	ORG	56-23-5	Carbon tetrachloride	47		ug/L	1	0.28	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1043	50	94%		
C122613ALCS	C122613ALCS	ORG	71-43-2	Benzene	48		ug/L	1	0.14	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1043	50	96%		
C122613ALCS	C122613ALCS	ORG	107-06-2	1,2-Dichloroethane	46		ug/L	1	0.20	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1043	50	92%		
C122613ALCS	C122613ALCS	ORG	79-01-6	Trichloroethene	49		ug/L	1	0.36	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1043	50	98%		
C122613ALCS	C122613ALCS	ORG	74-95-3	Dibromomethane	40		ug/L	2	0.32	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1043	50	80%		
C122613ALCS	C122613ALCS	ORG	78-87-5	1,2-Dichloropropane	43		ug/L	1	0.18	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1043	50	86%		
C122613ALCS	C122613ALCS	ORG	75-27-4	Bromodichloromethane	47		ug/L	2	0.12	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1043	50	94%		
C122613ALCS	C122613ALCS	ORG	10061-01-5	cis-1,3-Dichloropropene	51		ug/L	1	0.25	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1043	50	102%		
C122613ALCS	C122613ALCS	ORG	108-88-3	Toluene	51		ug/L	1	0.21	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1043	50	102%		
C122613ALCS	C122613ALCS	ORG	108-10-1	4-Methyl-2-pentanone	43		ug/L	5	0.74	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1043	50	86%		
C122613ALCS	C122613ALCS	ORG	10061-02-6	trans-1,3-Dichloropropene	54		ug/L	1	0.31	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1043	50	108%		
C122613ALCS	C122613ALCS	ORG	127-18-4	Tetrachloroethene	51		ug/L	1	0.49	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1043	50	102%		
C122613ALCS	C122613ALCS	ORG	79-00-5	1,1,2-Trichloroethane	51		ug/L	1	0.34	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1043	50	102%		
C122613ALCS	C122613ALCS	ORG	124-48-1	Dibromochloromethane	47		ug/L	5	0.30	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1043	50	94%		
C122613ALCS	C122613ALCS	ORG	106-93-4	1,2-Dibromoethane	48		ug/L	2	0.26	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1043	50	96%		
C122613ALCS	C122613ALCS	ORG	591-78-6	2-Hexanone	39		ug/L	2	0.69	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1043	50	78%		
C122613ALCS	C122613ALCS	ORG	100-41-4	Ethylbenzene	54		ug/L	1	0.25	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1043	50	108%		
C122613ALCS	C122613ALCS	ORG	108-90-7	Chlorobenzene	54		ug/L	1	0.28	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1043	50	108%		
C122613ALCS	C122613ALCS	ORG	630-20-6	1,1,1,2-Tetrachloroethane	49		ug/L	2	0.19	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1043	50	98%		
C122613ALCS	C122613ALCS	ORG	XYLMP	p&m-Xylene	100		ug/L	2	0.26	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1043	100	100%		
C122613ALCS	C122613ALCS	ORG	95-47-6	o-Xylene	48		ug/L	1	0.13	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1043	50	96%		
C122613ALCS	C122613ALCS	ORG	100-42-5	Styrene	50		ug/L	1	0.20	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1043	50	100%		
C122613ALCS	C122613ALCS	ORG	75-25-2	Bromoform	45		ug/L	2	0.47	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1043	50	90%		
C122613ALCS	C122613ALCS	ORG	98-82-8	Isopropylbenzene	50		ug/L	2	0.20	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1043	50	100%		
C122613ALCS	C122613ALCS	ORG	103-65-1	n-Propylbenzene	56		ug/L	2	0.27	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1043	50	112%		
C122613ALCS	C122613ALCS	ORG	79-34-5	1,1,2,2-Tetrachloroethane	49		ug/L	2	0.29	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1043	50	98%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C122613ALCS	C122613ALCS	ORG	96-18-4	1,2,3-Trichloropropane	48		ug/L	2	0.29	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1043	50	96%		
C122613ALCS	C122613ALCS	ORG	108-67-8	1,3,5-Trimethylbenzene	50		ug/L	2	0.20	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1043	50	100%		
C122613ALCS	C122613ALCS	ORG	98-06-6	tert-Butylbenzene	49		ug/L	2	0.33	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1043	50	98%		
C122613ALCS	C122613ALCS	ORG	95-63-6	1,2,4-Trimethylbenzene	49		ug/L	2	0.20	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1043	50	98%		
C122613ALCS	C122613ALCS	ORG	135-98-8	sec-Butylbenzene	49		ug/L	2	0.32	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1043	50	98%		
C122613ALCS	C122613ALCS	ORG	541-73-1	1,3-Dichlorobenzene	51		ug/L	2	0.22	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1043	50	102%		
C122613ALCS	C122613ALCS	ORG	99-87-6	p-Isopropltoluene	48		ug/L	2	0.25	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1043	50	96%		
C122613ALCS	C122613ALCS	ORG	106-46-7	1,4-Dichlorobenzene	48		ug/L	2	0.33	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1043	50	96%		
C122613ALCS	C122613ALCS	ORG	95-50-1	1,2-Dichlorobenzene	49		ug/L	2	0.26	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1043	50	98%		
C122613ALCS	C122613ALCS	ORG	104-51-8	n-Butylbenzene	49		ug/L	5	0.28	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1043	50	98%		
C122613ALCS	C122613ALCS	ORG	96-12-8	1,2-Dibromo-3-chloropropane	43		ug/L	5	1.59	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1043	50	86%		
C122613ALCS	C122613ALCS	ORG	87-68-3	Hexachlorobutadiene	51		ug/L	5	0.65	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1043	50	102%		
C122613ALCS	C122613ALCS	ORG	120-82-1	1,2,4-Trichlorobenzene	47		ug/L	5	0.28	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1043	50	94%		
C122613ALCS	C122613ALCS	ORG	91-20-3	Naphthalene	43		ug/L	5	0.56	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1043	50	86%		
C122613ALCS	C122613ALCS	ORG	87-61-6	1,2,3-Trichlorobenzene	51		ug/L	5	0.23	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1043	50	102%		
C122613ALCS	C122613ALCS	STD	1868-53-7	Dibromofluoromethane	50		ng			NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1043	50	100%		
C122613ALCS	C122613ALCS	STD	17060-07-0	1,2-Dichloroethane d4	47		ng			NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1043	50	94%		
C122613ALCS	C122613ALCS	STD	2037-26-5	Toluene d8	51		ng			NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1043	50	102%		
C122613ALCS	C122613ALCS	STD	460-00-4	Bromofluorobenzene	50		ng			NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1043	50	100%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C122613ALCD	C122613ALCD	ORG	75-71-8	Dichlorodifluoromethane	30		ug/L	5	0.29	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1044	50	60%	0%	
C122613ALCD	C122613ALCD	ORG	74-87-3	Chloromethane	40		ug/L	5	0.43	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1044	50	80%	2%	
C122613ALCD	C122613ALCD	ORG	75-01-4	Vinyl chloride	45		ug/L	2	0.32	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1044	50	90%	4%	
C122613ALCD	C122613ALCD	ORG	74-83-9	Bromomethane	46		ug/L	5	0.50	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1044	50	92%	0%	
C122613ALCD	C122613ALCD	ORG	75-00-3	Chloroethane	43		ug/L	5	0.56	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1044	50	86%	5%	
C122613ALCD	C122613ALCD	ORG	75-69-4	Trichlorofluoromethane	72		ug/L	5	0.20	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1044	50	144%	1%	
C122613ALCD	C122613ALCD	ORG	75-35-4	1,1-Dichloroethene	45		ug/L	1	0.47	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1044	50	90%	0%	
C122613ALCD	C122613ALCD	ORG	75-09-2	Methylene chloride	50		ug/L	5	0.26	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1044	50	100%	2%	
C122613ALCD	C122613ALCD	ORG	67-64-1	Acetone	49		ug/L	10	1.56	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1044	50	98%	4%	
C122613ALCD	C122613ALCD	ORG	156-60-5	trans-1,2-Dichloroethene	50		ug/L	1	0.56	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1044	50	100%	0%	
C122613ALCD	C122613ALCD	ORG	1634-04-4	MTBE	48		ug/L	5	0.61	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1044	50	96%	2%	
C122613ALCD	C122613ALCD	ORG	75-34-3	1,1-Dichloroethane	51		ug/L	1	0.53	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1044	50	102%	2%	
C122613ALCD	C122613ALCD	ORG	156-59-2	cis-1,2-Dichloroethene	49		ug/L	1	0.32	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1044	50	98%	4%	
C122613ALCD	C122613ALCD	ORG	74-97-5	Bromochloromethane	52		ug/L	10	0.41	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1044	50	104%	4%	
C122613ALCD	C122613ALCD	ORG	67-66-3	Chloroform	49		ug/L	2	0.16	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1044	50	98%	2%	
C122613ALCD	C122613ALCD	ORG	71-55-6	1,1,1-Trichloroethane	48		ug/L	1	0.17	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1044	50	96%	0%	
C122613ALCD	C122613ALCD	ORG	78-93-3	2-Butanone	49		ug/L	1	0.81	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1044	50	98%	0%	
C122613ALCD	C122613ALCD	ORG	56-23-5	Carbon tetrachloride	48		ug/L	1	0.28	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1044	50	96%	2%	
C122613ALCD	C122613ALCD	ORG	71-43-2	Benzene	49		ug/L	1	0.14	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1044	50	98%	2%	
C122613ALCD	C122613ALCD	ORG	107-06-2	1,2-Dichloroethane	49		ug/L	1	0.20	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1044	50	98%	6%	
C122613ALCD	C122613ALCD	ORG	79-01-6	Trichloroethene	48		ug/L	1	0.36	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1044	50	96%	2%	
C122613ALCD	C122613ALCD	ORG	74-95-3	Dibromomethane	41		ug/L	2	0.32	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1044	50	82%	2%	
C122613ALCD	C122613ALCD	ORG	78-87-5	1,2-Dichloropropane	44		ug/L	1	0.18	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1044	50	88%	2%	
C122613ALCD	C122613ALCD	ORG	75-27-4	Bromodichloromethane	48		ug/L	2	0.12	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1044	50	96%	2%	
C122613ALCD	C122613ALCD	ORG	10061-01-5	cis-1,3-Dichloropropene	51		ug/L	1	0.25	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1044	50	102%	0%	
C122613ALCD	C122613ALCD	ORG	108-88-3	Toluene	51		ug/L	1	0.21	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1044	50	102%	0%	
C122613ALCD	C122613ALCD	ORG	108-10-1	4-Methyl-2-pentanone	43		ug/L	5	0.74	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1044	50	86%	0%	
C122613ALCD	C122613ALCD	ORG	10061-02-6	trans-1,3-Dichloropropene	55		ug/L	1	0.31	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1044	50	110%	2%	
C122613ALCD	C122613ALCD	ORG	127-18-4	Tetrachloroethene	56		ug/L	1	0.49	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1044	50	112%	9%	
C122613ALCD	C122613ALCD	ORG	79-00-5	1,1,2-Trichloroethane	55		ug/L	1	0.34	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1044	50	110%	8%	
C122613ALCD	C122613ALCD	ORG	124-48-1	Dibromochloromethane	48		ug/L	5	0.30	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1044	50	96%	2%	
C122613ALCD	C122613ALCD	ORG	106-93-4	1,2-Dibromoethane	49		ug/L	2	0.26	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1044	50	98%	2%	
C122613ALCD	C122613ALCD	ORG	591-78-6	2-Hexanone	41		ug/L	2	0.69	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1044	50	82%	5%	
C122613ALCD	C122613ALCD	ORG	100-41-4	Ethylbenzene	54		ug/L	1	0.25	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1044	50	108%	0%	
C122613ALCD	C122613ALCD	ORG	108-90-7	Chlorobenzene	54		ug/L	1	0.28	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1044	50	108%	0%	
C122613ALCD	C122613ALCD	ORG	630-20-6	1,1,1,2-Tetrachloroethane	50		ug/L	2	0.19	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1044	50	100%	2%	
C122613ALCD	C122613ALCD	ORG	XYLMP	p&m-Xylene	100		ug/L	2	0.26	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1044	100	100%	0%	
C122613ALCD	C122613ALCD	ORG	95-47-6	o-Xylene	48		ug/L	1	0.13	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1044	50	96%	0%	
C122613ALCD	C122613ALCD	ORG	100-42-5	Styrene	50		ug/L	1	0.20	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1044	50	100%	0%	
C122613ALCD	C122613ALCD	ORG	75-25-2	Bromoform	48		ug/L	2	0.47	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1044	50	96%	6%	
C122613ALCD	C122613ALCD	ORG	98-82-8	Isopropylbenzene	50		ug/L	2	0.20	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1044	50	100%	0%	
C122613ALCD	C122613ALCD	ORG	103-65-1	n-Propylbenzene	57		ug/L	2	0.27	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1044	50	114%	2%	
C122613ALCD	C122613ALCD	ORG	79-34-5	1,1,2,2-Tetrachloroethane	51		ug/L	2	0.29	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1044	50	102%	4%	

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C122613ALCD	C122613ALCD	ORG	96-18-4	1,2,3-Trichloropropane	52		ug/L	2	0.29	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1044	50	104%	8%	
C122613ALCD	C122613ALCD	ORG	108-67-8	1,3,5-Trimethylbenzene	51		ug/L	2	0.20	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1044	50	102%	2%	
C122613ALCD	C122613ALCD	ORG	98-06-6	tert-Butylbenzene	49		ug/L	2	0.33	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1044	50	98%	0%	
C122613ALCD	C122613ALCD	ORG	95-63-6	1,2,4-Trimethylbenzene	50		ug/L	2	0.20	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1044	50	100%	2%	
C122613ALCD	C122613ALCD	ORG	135-98-8	sec-Butylbenzene	50		ug/L	2	0.32	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1044	50	100%	2%	
C122613ALCD	C122613ALCD	ORG	541-73-1	1,3-Dichlorobenzene	52		ug/L	2	0.22	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1044	50	104%	2%	
C122613ALCD	C122613ALCD	ORG	99-87-6	p-Isopropltoluene	49		ug/L	2	0.25	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1044	50	98%	2%	
C122613ALCD	C122613ALCD	ORG	106-46-7	1,4-Dichlorobenzene	48		ug/L	2	0.33	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1044	50	96%	0%	
C122613ALCD	C122613ALCD	ORG	95-50-1	1,2-Dichlorobenzene	50		ug/L	2	0.26	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1044	50	100%	2%	
C122613ALCD	C122613ALCD	ORG	104-51-8	n-Butylbenzene	49		ug/L	5	0.28	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1044	50	98%	0%	
C122613ALCD	C122613ALCD	ORG	96-12-8	1,2-Dibromo-3-chloropropane	47		ug/L	5	1.59	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1044	50	94%	9%	
C122613ALCD	C122613ALCD	ORG	87-68-3	Hexachlorobutadiene	53		ug/L	5	0.65	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1044	50	106%	4%	
C122613ALCD	C122613ALCD	ORG	120-82-1	1,2,4-Trichlorobenzene	48		ug/L	5	0.28	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1044	50	96%	2%	
C122613ALCD	C122613ALCD	ORG	91-20-3	Naphthalene	46		ug/L	5	0.56	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1044	50	92%	7%	
C122613ALCD	C122613ALCD	ORG	87-61-6	1,2,3-Trichlorobenzene	53		ug/L	5	0.23	NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1044	50	106%	4%	
C122613ALCD	C122613ALCD	STD	1868-53-7	Dibromofluoromethane	51		ng			NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1044	50	102%	2%	
C122613ALCD	C122613ALCD	STD	17060-07-0	1,2-Dichloroethane d4	51		ng			NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1044	50	102%	8%	
C122613ALCD	C122613ALCD	STD	2037-26-5	Toluene d8	50		ng			NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1044	50	100%	2%	
C122613ALCD	C122613ALCD	STD	460-00-4	Bromofluorobenzene	49		ng			NA	12/26/2013	12/26/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1044	50	98%	2%	

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-870MS	316-177	ORG	75-71-8	Dichlorodifluoromethane	2800		ug/L	500	29.28	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1045	5000	56%		
NAL13026-870MS	316-177	ORG	74-87-3	Chloromethane	3700		ug/L	500	43.07	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1045	5000	74%		
NAL13026-870MS	316-177	ORG	75-01-4	Vinyl chloride	4400		ug/L	200	31.86	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1045	5000	88%		
NAL13026-870MS	316-177	ORG	74-83-9	Bromomethane	4300		ug/L	500	50.04	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1045	5000	86%		
NAL13026-870MS	316-177	ORG	75-00-3	Chloroethane	4100		ug/L	500	55.61	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1045	5000	82%		
NAL13026-870MS	316-177	ORG	75-69-4	Trichlorofluoromethane	6900		ug/L	500	19.65	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1045	5000	138%		
NAL13026-870MS	316-177	ORG	75-35-4	1,1-Dichloroethene	4300		ug/L	100	47.11	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1045	5000	86%		
NAL13026-870MS	316-177	ORG	75-09-2	Methylene chloride	4700		ug/L	500	26.46	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1045	5000	94%		
NAL13026-870MS	316-177	ORG	67-64-1	Acetone	92000		ug/L	1000	155.61	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1045	5000	-360%		110000
NAL13026-870MS	316-177	ORG	156-60-5	trans-1,2-Dichloroethene	4600		ug/L	100	55.61	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1045	5000	92%		
NAL13026-870MS	316-177	ORG	1634-04-4	MTBE	4300		ug/L	500	61.18	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1045	5000	86%		
NAL13026-870MS	316-177	ORG	75-34-3	1,1-Dichloroethane	4700		ug/L	100	52.66	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1045	5000	94%		
NAL13026-870MS	316-177	ORG	156-59-2	cis-1,2-Dichloroethene	4700		ug/L	100	32.11	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1045	5000	94%		
NAL13026-870MS	316-177	ORG	74-97-5	Bromochloromethane	4800		ug/L	1000	41.37	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1045	5000	96%		
NAL13026-870MS	316-177	ORG	67-66-3	Chloroform	4600		ug/L	200	15.73	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1045	5000	92%		
NAL13026-870MS	316-177	ORG	71-55-6	1,1,1-Trichloroethane	4700		ug/L	100	16.65	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1045	5000	94%		
NAL13026-870MS	316-177	ORG	78-93-3	2-Butanone	53000		ug/L	100	81.18	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1045	5000	40%		51000
NAL13026-870MS	316-177	ORG	56-23-5	Carbon tetrachloride	4500		ug/L	100	27.64	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1045	5000	90%		
NAL13026-870MS	316-177	ORG	71-43-2	Benzene	4700		ug/L	100	13.53	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1045	5000	93%		73
NAL13026-870MS	316-177	ORG	107-06-2	1,2-Dichloroethane	4500		ug/L	100	20.01	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1045	5000	90%		
NAL13026-870MS	316-177	ORG	79-01-6	Trichloroethene	4700		ug/L	100	36.33	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1045	5000	94%		
NAL13026-870MS	316-177	ORG	74-95-3	Dibromomethane	4500		ug/L	200	32.20	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1045	5000	90%		
NAL13026-870MS	316-177	ORG	78-87-5	1,2-Dichloropropane	4300		ug/L	100	18.17	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1045	5000	86%		
NAL13026-870MS	316-177	ORG	75-27-4	Bromodichloromethane	3700		ug/L	200	11.58	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1045	5000	74%		
NAL13026-870MS	316-177	ORG	10061-01-5	cis-1,3-Dichloropropene	4600		ug/L	100	25.01	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1045	5000	92%		
NAL13026-870MS	316-177	ORG	108-88-3	Toluene	4200		ug/L	100	20.96	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1045	5000	83%		65
NAL13026-870MS	316-177	ORG	108-10-1	4-Methyl-2-pentanone	5300		ug/L	500	74.00	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1045	5000	84%		1100
NAL13026-870MS	316-177	ORG	10061-02-6	trans-1,3-Dichloropropene	4600		ug/L	100	31.15	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1045	5000	92%		
NAL13026-870MS	316-177	ORG	127-18-4	Tetrachloroethene	3900		ug/L	100	48.56	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1045	5000	78%		
NAL13026-870MS	316-177	ORG	79-00-5	1,1,2-Trichloroethane	4500		ug/L	100	34.28	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1045	5000	90%		
NAL13026-870MS	316-177	ORG	124-48-1	Dibromochloromethane	4000		ug/L	500	29.90	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1045	5000	80%		
NAL13026-870MS	316-177	ORG	106-93-4	1,2-Dibromoethane	4200		ug/L	200	26.49	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1045	5000	84%		
NAL13026-870MS	316-177	ORG	591-78-6	2-Hexanone	9800		ug/L	200	68.90	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1045	5000	92%		5200
NAL13026-870MS	316-177	ORG	100-41-4	Ethylbenzene	4600		ug/L	100	25.38	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1045	5000	87%		250
NAL13026-870MS	316-177	ORG	108-90-7	Chlorobenzene	4500		ug/L	100	27.52	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1045	5000	90%		
NAL13026-870MS	316-177	ORG	630-20-6	1,1,1,2-Tetrachloroethane	3900		ug/L	200	19.28	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1045	5000	78%		
NAL13026-870MS	316-177	ORG	XYLMP	p&m-Xylene	9400		ug/L	200	26.14	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1045	10000	83%		1100
NAL13026-870MS	316-177	ORG	95-47-6	o-Xylene	5000		ug/L	100	12.90	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1045	5000	83%		850
NAL13026-870MS	316-177	ORG	100-42-5	Styrene	4500		ug/L	100	20.23	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1045	5000	82%		400
NAL13026-870MS	316-177	ORG	75-25-2	Bromoform	3600		ug/L	200	46.83	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1045	5000	72%		
NAL13026-870MS	316-177	ORG	98-82-8	Isopropylbenzene	5100		ug/L	200	20.48	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1045	5000	86%		780
NAL13026-870MS	316-177	ORG	103-65-1	n-Propylbenzene	5400		ug/L	200	27.00	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1045	5000	103%		260
NAL13026-870MS	316-177	ORG	79-34-5	1,1,2,2-Tetrachloroethane	4200		ug/L	200	29.16	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1045	5000	84%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-870MS	316-177	ORG	96-18-4	1,2,3-Trichloropropane	4200		ug/L	200	29.47	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1045	5000	84%		
NAL13026-870MS	316-177	ORG	108-67-8	1,3,5-Trimethylbenzene	5000		ug/L	200	20.03	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1045	5000	84%		820
NAL13026-870MS	316-177	ORG	98-06-6	tert-Butylbenzene	4700		ug/L	200	32.61	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1045	5000	94%		
NAL13026-870MS	316-177	ORG	95-63-6	1,2,4-Trimethylbenzene	7200		ug/L	200	20.03	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1045	5000	88%		2800
NAL13026-870MS	316-177	ORG	135-98-8	sec-Butylbenzene	5300		ug/L	200	32.34	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1045	5000	96%		500
NAL13026-870MS	316-177	ORG	541-73-1	1,3-Dichlorobenzene	4900		ug/L	200	22.21	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1045	5000	98%		
NAL13026-870MS	316-177	ORG	99-87-6	p-Isopropltoluene	16000		ug/L	200	25.48	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1045	5000	80%		12000
NAL13026-870MS	316-177	ORG	106-46-7	1,4-Dichlorobenzene	7100		ug/L	200	33.03	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1045	5000	88%		2700
NAL13026-870MS	316-177	ORG	95-50-1	1,2-Dichlorobenzene	5000		ug/L	200	26.38	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1045	5000	100%		
NAL13026-870MS	316-177	ORG	104-51-8	n-Butylbenzene	5400		ug/L	500	27.81	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1045	5000	95%		660
NAL13026-870MS	316-177	ORG	96-12-8	1,2-Dibromo-3-chloropropane	5200		ug/L	500	159.11	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1045	5000	104%		
NAL13026-870MS	316-177	ORG	87-68-3	Hexachlorobutadiene	6000		ug/L	500	65.42	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1045	5000	120%		
NAL13026-870MS	316-177	ORG	120-82-1	1,2,4-Trichlorobenzene	6100		ug/L	500	27.63	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1045	5000	122%		
NAL13026-870MS	316-177	ORG	91-20-3	Naphthalene	9000		ug/L	500	56.04	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1045	5000	110%		3500
NAL13026-870MS	316-177	ORG	87-61-6	1,2,3-Trichlorobenzene	6500		ug/L	500	23.28	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1045	5000	130%		
NAL13026-870MS	316-177	STD	1868-53-7	Dibromofluoromethane	50		ng			12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1045	50	100%		
NAL13026-870MS	316-177	STD	17060-07-0	1,2-Dichloroethane d4	49		ng			12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1045	50	98%		
NAL13026-870MS	316-177	STD	2037-26-5	Toluene d8	44		ng			12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1045	50	88%		
NAL13026-870MS	316-177	STD	460-00-4	Bromofluorobenzene	53		ng			12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1045	50	106%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-870MSD	316-177	ORG	75-71-8	Dichlorodifluoromethane	2900		ug/L	500	29.28	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1046	5000	58%	4%	0
NAL13026-870MSD	316-177	ORG	74-87-3	Chloromethane	4100		ug/L	500	43.07	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1046	5000	82%	10%	0
NAL13026-870MSD	316-177	ORG	75-01-4	Vinyl chloride	4800		ug/L	200	31.86	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1046	5000	96%	9%	0
NAL13026-870MSD	316-177	ORG	74-83-9	Bromomethane	4000		ug/L	500	50.04	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1046	5000	80%	7%	0
NAL13026-870MSD	316-177	ORG	75-00-3	Chloroethane	3100		ug/L	500	55.61	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1046	5000	62%	28%	0
NAL13026-870MSD	316-177	ORG	75-69-4	Trichlorofluoromethane	5700		ug/L	500	19.65	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1046	5000	114%	19%	0
NAL13026-870MSD	316-177	ORG	75-35-4	1,1-Dichloroethene	4700		ug/L	100	47.11	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1046	5000	94%	9%	0
NAL13026-870MSD	316-177	ORG	75-09-2	Methylene chloride	5100		ug/L	500	26.46	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1046	5000	102%	8%	0
NAL13026-870MSD	316-177	ORG	67-64-1	Acetone	94000		ug/L	1000	155.61	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1046	5000	-320%	2%	110000
NAL13026-870MSD	316-177	ORG	156-60-5	trans-1,2-Dichloroethene	5100		ug/L	100	55.61	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1046	5000	102%	10%	0
NAL13026-870MSD	316-177	ORG	1634-04-4	MTBE	5000		ug/L	500	61.18	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1046	5000	100%	15%	0
NAL13026-870MSD	316-177	ORG	75-34-3	1,1-Dichloroethane	5200		ug/L	100	52.66	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1046	5000	104%	10%	0
NAL13026-870MSD	316-177	ORG	156-59-2	cis-1,2-Dichloroethene	5200		ug/L	100	32.11	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1046	5000	104%	10%	0
NAL13026-870MSD	316-177	ORG	74-97-5	Bromochloromethane	5200		ug/L	1000	41.37	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1046	5000	104%	8%	0
NAL13026-870MSD	316-177	ORG	67-66-3	Chloroform	5000		ug/L	200	15.73	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1046	5000	100%	8%	0
NAL13026-870MSD	316-177	ORG	71-55-6	1,1,1-Trichloroethane	5000		ug/L	100	16.65	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1046	5000	100%	6%	0
NAL13026-870MSD	316-177	ORG	78-93-3	2-Butanone	54000		ug/L	100	81.18	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1046	5000	60%	2%	51000
NAL13026-870MSD	316-177	ORG	56-23-5	Carbon tetrachloride	4800		ug/L	100	27.64	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1046	5000	96%	6%	0
NAL13026-870MSD	316-177	ORG	71-43-2	Benzene	4900		ug/L	100	13.53	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1046	5000	97%	4%	73
NAL13026-870MSD	316-177	ORG	107-06-2	1,2-Dichloroethane	4600		ug/L	100	20.01	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1046	5000	92%	2%	0
NAL13026-870MSD	316-177	ORG	79-01-6	Trichloroethene	4700		ug/L	100	36.33	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1046	5000	94%	0%	0
NAL13026-870MSD	316-177	ORG	74-95-3	Dibromomethane	4400		ug/L	200	32.20	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1046	5000	88%	2%	0
NAL13026-870MSD	316-177	ORG	78-87-5	1,2-Dichloropropane	4400		ug/L	100	18.17	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1046	5000	88%	2%	0
NAL13026-870MSD	316-177	ORG	75-27-4	Bromodichloromethane	4000		ug/L	200	11.58	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1046	5000	80%	8%	0
NAL13026-870MSD	316-177	ORG	10061-01-5	cis-1,3-Dichloropropene	5100		ug/L	100	25.01	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1046	5000	102%	10%	0
NAL13026-870MSD	316-177	ORG	108-88-3	Toluene	4400		ug/L	100	20.96	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1046	5000	87%	5%	65
NAL13026-870MSD	316-177	ORG	108-10-1	4-Methyl-2-pentanone	5100		ug/L	500	74.00	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1046	5000	80%	4%	1100
NAL13026-870MSD	316-177	ORG	10061-02-6	trans-1,3-Dichloropropene	4600		ug/L	100	31.15	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1046	5000	92%	0%	0
NAL13026-870MSD	316-177	ORG	127-18-4	Tetrachloroethene	4300		ug/L	100	48.56	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1046	5000	86%	10%	0
NAL13026-870MSD	316-177	ORG	79-00-5	1,1,2-Trichloroethane	4600		ug/L	100	34.28	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1046	5000	92%	2%	0
NAL13026-870MSD	316-177	ORG	124-48-1	Dibromochloromethane	4200		ug/L	500	29.90	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1046	5000	84%	5%	0
NAL13026-870MSD	316-177	ORG	106-93-4	1,2-Dibromoethane	4300		ug/L	200	26.49	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1046	5000	86%	2%	0
NAL13026-870MSD	316-177	ORG	591-78-6	2-Hexanone	9300		ug/L	200	68.90	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1046	5000	82%	5%	5200
NAL13026-870MSD	316-177	ORG	100-41-4	Ethylbenzene	5200		ug/L	100	25.38	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1046	5000	99%	12%	250
NAL13026-870MSD	316-177	ORG	108-90-7	Chlorobenzene	5100		ug/L	100	27.52	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1046	5000	102%	13%	0
NAL13026-870MSD	316-177	ORG	630-20-6	1,1,1,2-Tetrachloroethane	4400		ug/L	200	19.28	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1046	5000	88%	12%	0
NAL13026-870MSD	316-177	ORG	XYLMP	p&m-Xylene	10000		ug/L	200	26.14	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1046	10000	89%	6%	1100
NAL13026-870MSD	316-177	ORG	95-47-6	o-Xylene	5400		ug/L	100	12.90	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1046	5000	91%	8%	850
NAL13026-870MSD	316-177	ORG	100-42-5	Styrene	4900		ug/L	100	20.23	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1046	5000	90%	9%	400
NAL13026-870MSD	316-177	ORG	75-25-2	Bromoform	4100		ug/L	200	46.83	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1046	5000	82%	13%	0
NAL13026-870MSD	316-177	ORG	98-82-8	Isopropylbenzene	5400		ug/L	200	20.48	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1046	5000	92%	6%	780
NAL13026-870MSD	316-177	ORG	103-65-1	n-Propylbenzene	5800		ug/L	200	27.00	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1046	5000	111%	7%	260
NAL13026-870MSD	316-177	ORG	79-34-5	1,1,2,2-Tetrachloroethane	4500		ug/L	200	29.16	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1046	5000	90%	7%	0

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.

B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-870MSD	316-177	ORG	96-18-4	1,2,3-Trichloropropane	4300		ug/L	200	29.47	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1046	5000	86%	2%	0
NAL13026-870MSD	316-177	ORG	108-67-8	1,3,5-Trimethylbenzene	5300		ug/L	200	20.03	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1046	5000	90%	6%	820
NAL13026-870MSD	316-177	ORG	98-06-6	tert-Butylbenzene	5000		ug/L	200	32.61	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1046	5000	100%	6%	0
NAL13026-870MSD	316-177	ORG	95-63-6	1,2,4-Trimethylbenzene	7400		ug/L	200	20.03	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1046	5000	92%	3%	2800
NAL13026-870MSD	316-177	ORG	135-98-8	sec-Butylbenzene	5700		ug/L	200	32.34	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1046	5000	104%	7%	500
NAL13026-870MSD	316-177	ORG	541-73-1	1,3-Dichlorobenzene	5100		ug/L	200	22.21	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1046	5000	102%	4%	0
NAL13026-870MSD	316-177	ORG	99-87-6	p-Isopropltoluene	16000		ug/L	200	25.48	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1046	5000	80%	0%	12000
NAL13026-870MSD	316-177	ORG	106-46-7	1,4-Dichlorobenzene	7200		ug/L	200	33.03	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1046	5000	90%	1%	2700
NAL13026-870MSD	316-177	ORG	95-50-1	1,2-Dichlorobenzene	5200		ug/L	200	26.38	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1046	5000	104%	4%	0
NAL13026-870MSD	316-177	ORG	104-51-8	n-Butylbenzene	5600		ug/L	500	27.81	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1046	5000	99%	4%	660
NAL13026-870MSD	316-177	ORG	96-12-8	1,2-Dibromo-3-chloropropane	5300		ug/L	500	159.11	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1046	5000	106%	2%	0
NAL13026-870MSD	316-177	ORG	87-68-3	Hexachlorobutadiene	6200		ug/L	500	65.42	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1046	5000	124%	3%	0
NAL13026-870MSD	316-177	ORG	120-82-1	1,2,4-Trichlorobenzene	6300		ug/L	500	27.63	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1046	5000	126%	3%	0
NAL13026-870MSD	316-177	ORG	91-20-3	Naphthalene	8700		ug/L	500	56.04	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1046	5000	104%	3%	3500
NAL13026-870MSD	316-177	ORG	87-61-6	1,2,3-Trichlorobenzene	6500		ug/L	500	23.28	12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1046	5000	130%	0%	0
NAL13026-870MSD	316-177	STD	1868-53-7	Dibromofluoromethane	51		ng			12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1046	50	102%	2%	0
NAL13026-870MSD	316-177	STD	17060-07-0	1,2-Dichloroethane d4	48		ng			12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1046	50	96%	2%	0
NAL13026-870MSD	316-177	STD	2037-26-5	Toluene d8	45		ng			12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1046	50	90%	2%	0
NAL13026-870MSD	316-177	STD	460-00-4	Bromofluorobenzene	56		ng			12/26/2013	12/26/2013	12/26/2013	WG	100	NA	5.0	NA	SW8260B	NALC1046	50	112%	6%	0

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-872	316-178	ORG	75-71-8	Dichlorodifluoromethane		UX-	ug/L	500	29.28	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1054				
NAL13026-872	316-178	ORG	74-87-3	Chloromethane		U	ug/L	500	43.07	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1054				
NAL13026-872	316-178	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1054				
NAL13026-872	316-178	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1054				
NAL13026-872	316-178	ORG	75-00-3	Chloroethane		UX-	ug/L	500	55.61	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1054				
NAL13026-872	316-178	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1054				
NAL13026-872	316-178	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1054				
NAL13026-872	316-178	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1054				
NAL13026-872	316-178	ORG	67-64-1	Acetone	100000	D	ug/L	10000	1556.07	12/27/2013	12/27/2013	12/27/2013	WG	1000	NA	5.0	NA	SW8260B	NALC1055				
NAL13026-872	316-178	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1054				
NAL13026-872	316-178	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1054				
NAL13026-872	316-178	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1054				
NAL13026-872	316-178	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1054				
NAL13026-872	316-178	ORG	74-97-5	Bromochloromethane		U	ug/L	200	41.37	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1054				
NAL13026-872	316-178	ORG	67-66-3	Chloroform		U	ug/L	100	15.73	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1054				
NAL13026-872	316-178	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	16.65	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1054				
NAL13026-872	316-178	ORG	78-93-3	2-Butanone	47000	D	ug/L	10000	811.80	12/27/2013	12/27/2013	12/27/2013	WG	1000	NA	5.0	NA	SW8260B	NALC1055				
NAL13026-872	316-178	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1054				
NAL13026-872	316-178	ORG	71-43-2	Benzene	48	J	ug/L	100	13.53	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1054				
NAL13026-872	316-178	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1054				
NAL13026-872	316-178	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1054				
NAL13026-872	316-178	ORG	74-95-3	Dibromomethane		UX-	ug/L	200	32.20	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1054				
NAL13026-872	316-178	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1054				
NAL13026-872	316-178	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1054				
NAL13026-872	316-178	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1054				
NAL13026-872	316-178	ORG	108-88-3	Toluene	37	J	ug/L	100	20.96	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1054				
NAL13026-872	316-178	ORG	108-10-1	4-Methyl-2-pentanone	1000		ug/L	500	74.00	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1054				
NAL13026-872	316-178	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1054				
NAL13026-872	316-178	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1054				
NAL13026-872	316-178	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1054				
NAL13026-872	316-178	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	29.90	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1054				
NAL13026-872	316-178	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	26.49	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1054				
NAL13026-872	316-178	ORG	591-78-6	2-Hexanone	4500		ug/L	500	68.90	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1054				
NAL13026-872	316-178	ORG	100-41-4	Ethylbenzene	110		ug/L	100	25.38	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1054				
NAL13026-872	316-178	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1054				
NAL13026-872	316-178	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1054				
NAL13026-872	316-178	ORG	XYLMP	p&m-Xylene	780		ug/L	200	26.14	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1054				
NAL13026-872	316-178	ORG	95-47-6	o-Xylene	640		ug/L	100	12.90	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1054				
NAL13026-872	316-178	ORG	100-42-5	Styrene	380		ug/L	100	20.23	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1054				
NAL13026-872	316-178	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1054				
NAL13026-872	316-178	ORG	98-82-8	Isopropylbenzene	650		ug/L	200	20.48	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1054				
NAL13026-872	316-178	ORG	103-65-1	n-Propylbenzene	130	J	ug/L	200	27.00	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1054				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-872	316-178	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1054				
NAL13026-872	316-178	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1054				
NAL13026-872	316-178	ORG	108-67-8	1,3,5-Trimethylbenzene	580		ug/L	200	20.03	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1054				
NAL13026-872	316-178	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1054				
NAL13026-872	316-178	ORG	95-63-6	1,2,4-Trimethylbenzene	1500		ug/L	200	20.03	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1054				
NAL13026-872	316-178	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1054				
NAL13026-872	316-178	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1054				
NAL13026-872	316-178	ORG	99-87-6	p-Isopropltoluene	5900		ug/L	200	25.48	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1054				
NAL13026-872	316-178	ORG	106-46-7	1,4-Dichlorobenzene	1500		ug/L	200	33.03	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1054				
NAL13026-872	316-178	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1054				
NAL13026-872	316-178	ORG	104-51-8	n-Butylbenzene	590		ug/L	500	27.81	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1054				
NAL13026-872	316-178	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1054				
NAL13026-872	316-178	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1054				
NAL13026-872	316-178	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1054				
NAL13026-872	316-178	ORG	91-20-3	Naphthalene	2400		ug/L	500	56.04	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1054				
NAL13026-872	316-178	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1054				
NAL13026-872	316-178	STD	1868-53-7	Dibromofluoromethane	50		ng			12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1054	50	100%		
NAL13026-872	316-178	STD	17060-07-0	1,2-Dichloroethane d4	48		ng			12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1054	50	96%		
NAL13026-872	316-178	STD	2037-26-5	Toluene d8	45		ng			12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1054	50	90%		
NAL13026-872	316-178	STD	460-00-4	Bromofluorobenzene	57		ng			12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1054	50	114%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-873	96-091	ORG	75-71-8	Dichlorodifluoromethane		UX-	ug/L	500	29.28	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1061				
NAL13026-873	96-091	ORG	74-87-3	Chloromethane		U	ug/L	500	43.07	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1061				
NAL13026-873	96-091	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1061				
NAL13026-873	96-091	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1061				
NAL13026-873	96-091	ORG	75-00-3	Chloroethane		UX-	ug/L	500	55.61	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1061				
NAL13026-873	96-091	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1061				
NAL13026-873	96-091	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1061				
NAL13026-873	96-091	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1061				
NAL13026-873	96-091	ORG	67-64-1	Acetone	99000	D	ug/L	10000	1556.07	12/27/2013	12/27/2013	12/27/2013	WG	1000	NA	5.0	NA	SW8260B	NALC1062				
NAL13026-873	96-091	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1061				
NAL13026-873	96-091	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1061				
NAL13026-873	96-091	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1061				
NAL13026-873	96-091	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1061				
NAL13026-873	96-091	ORG	74-97-5	Bromochloromethane		U	ug/L	200	41.37	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1061				
NAL13026-873	96-091	ORG	67-66-3	Chloroform		U	ug/L	100	15.73	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1061				
NAL13026-873	96-091	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	16.65	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1061				
NAL13026-873	96-091	ORG	78-93-3	2-Butanone	48000	D	ug/L	10000	811.80	12/27/2013	12/27/2013	12/27/2013	WG	1000	NA	5.0	NA	SW8260B	NALC1062				
NAL13026-873	96-091	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1061				
NAL13026-873	96-091	ORG	71-43-2	Benzene	54	J	ug/L	100	13.53	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1061				
NAL13026-873	96-091	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1061				
NAL13026-873	96-091	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1061				
NAL13026-873	96-091	ORG	74-95-3	Dibromomethane		UX-	ug/L	200	32.20	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1061				
NAL13026-873	96-091	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1061				
NAL13026-873	96-091	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1061				
NAL13026-873	96-091	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1061				
NAL13026-873	96-091	ORG	108-88-3	Toluene		U	ug/L	100	20.96	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1061				
NAL13026-873	96-091	ORG	108-10-1	4-Methyl-2-pentanone	910		ug/L	500	74.00	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1061				
NAL13026-873	96-091	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1061				
NAL13026-873	96-091	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1061				
NAL13026-873	96-091	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1061				
NAL13026-873	96-091	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	29.90	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1061				
NAL13026-873	96-091	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	26.49	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1061				
NAL13026-873	96-091	ORG	591-78-6	2-Hexanone	4400		ug/L	500	68.90	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1061				
NAL13026-873	96-091	ORG	100-41-4	Ethylbenzene	60	J	ug/L	100	25.38	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1061				
NAL13026-873	96-091	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1061				
NAL13026-873	96-091	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1061				
NAL13026-873	96-091	ORG	XYLMP	p&m-Xylene	700		ug/L	200	26.14	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1061				
NAL13026-873	96-091	ORG	95-47-6	o-Xylene	580		ug/L	100	12.90	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1061				
NAL13026-873	96-091	ORG	100-42-5	Styrene	370		ug/L	100	20.23	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1061				
NAL13026-873	96-091	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1061				
NAL13026-873	96-091	ORG	98-82-8	Isopropylbenzene	630		ug/L	200	20.48	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1061				
NAL13026-873	96-091	ORG	103-65-1	n-Propylbenzene	160	J	ug/L	200	27.00	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1061				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-873	96-091	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1061				
NAL13026-873	96-091	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1061				
NAL13026-873	96-091	ORG	108-67-8	1,3,5-Trimethylbenzene	610		ug/L	200	20.03	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1061				
NAL13026-873	96-091	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1061				
NAL13026-873	96-091	ORG	95-63-6	1,2,4-Trimethylbenzene	1800		ug/L	200	20.03	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1061				
NAL13026-873	96-091	ORG	135-98-8	sec-Butylbenzene	460		ug/L	200	32.34	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1061				
NAL13026-873	96-091	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1061				
NAL13026-873	96-091	ORG	99-87-6	p-Isopropltoluene	7900		ug/L	200	25.48	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1061				
NAL13026-873	96-091	ORG	106-46-7	1,4-Dichlorobenzene	1700		ug/L	200	33.03	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1061				
NAL13026-873	96-091	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1061				
NAL13026-873	96-091	ORG	104-51-8	n-Butylbenzene	620		ug/L	500	27.81	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1061				
NAL13026-873	96-091	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1061				
NAL13026-873	96-091	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1061				
NAL13026-873	96-091	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1061				
NAL13026-873	96-091	ORG	91-20-3	Naphthalene	3000		ug/L	500	56.04	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1061				
NAL13026-873	96-091	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1061				
NAL13026-873	96-091	STD	1868-53-7	Dibromofluoromethane	51		ng			12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1061	50	102%		
NAL13026-873	96-091	STD	17060-07-0	1,2-Dichloroethane d4	50		ng			12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1061	50	100%		
NAL13026-873	96-091	STD	2037-26-5	Toluene d8	43		ng			12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1061	50	86%		
NAL13026-873	96-091	STD	460-00-4	Bromofluorobenzene	53		ng			12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1061	50	106%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C122713CCVA	C122713CCVA	ORG	75-71-8	Dichlorodifluoromethane	31		ug/L	5	0.29	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1052	50	62%		
C122713CCVA	C122713CCVA	ORG	74-87-3	Chloromethane	42		ug/L	5	0.43	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1052	50	84%		
C122713CCVA	C122713CCVA	ORG	75-01-4	Vinyl chloride	49		ug/L	2	0.32	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1052	50	98%		
C122713CCVA	C122713CCVA	ORG	74-83-9	Bromomethane	45		ug/L	5	0.50	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1052	50	90%		
C122713CCVA	C122713CCVA	ORG	75-00-3	Chloroethane	36		ug/L	5	0.56	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1052	50	72%		
C122713CCVA	C122713CCVA	ORG	75-69-4	Trichlorofluoromethane	63		ug/L	5	0.20	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1052	50	126%		
C122713CCVA	C122713CCVA	ORG	75-35-4	1,1-Dichloroethene	45		ug/L	1	0.47	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1052	50	90%		
C122713CCVA	C122713CCVA	ORG	75-09-2	Methylene chloride	48		ug/L	5	0.26	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1052	50	96%		
C122713CCVA	C122713CCVA	ORG	67-64-1	Acetone	53		ug/L	10	1.56	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1052	50	106%		
C122713CCVA	C122713CCVA	ORG	156-60-5	trans-1,2-Dichloroethene	48		ug/L	1	0.56	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1052	50	96%		
C122713CCVA	C122713CCVA	ORG	1634-04-4	MTBE	50		ug/L	5	0.61	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1052	50	100%		
C122713CCVA	C122713CCVA	ORG	75-34-3	1,1-Dichloroethane	48		ug/L	1	0.53	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1052	50	96%		
C122713CCVA	C122713CCVA	ORG	156-59-2	cis-1,2-Dichloroethene	48		ug/L	1	0.32	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1052	50	96%		
C122713CCVA	C122713CCVA	ORG	74-97-5	Bromochloromethane	49		ug/L	10	0.41	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1052	50	98%		
C122713CCVA	C122713CCVA	ORG	67-66-3	Chloroform	47		ug/L	2	0.16	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1052	50	94%		
C122713CCVA	C122713CCVA	ORG	71-55-6	1,1,1-Trichloroethane	47		ug/L	1	0.17	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1052	50	94%		
C122713CCVA	C122713CCVA	ORG	78-93-3	2-Butanone	49		ug/L	1	0.81	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1052	50	98%		
C122713CCVA	C122713CCVA	ORG	56-23-5	Carbon tetrachloride	45		ug/L	1	0.28	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1052	50	90%		
C122713CCVA	C122713CCVA	ORG	71-43-2	Benzene	45		ug/L	1	0.14	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1052	50	90%		
C122713CCVA	C122713CCVA	ORG	107-06-2	1,2-Dichloroethane	43		ug/L	1	0.20	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1052	50	86%		
C122713CCVA	C122713CCVA	ORG	79-01-6	Trichloroethene	45		ug/L	1	0.36	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1052	50	90%		
C122713CCVA	C122713CCVA	ORG	74-95-3	Dibromomethane	38		ug/L	2	0.32	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1052	50	76%		
C122713CCVA	C122713CCVA	ORG	78-87-5	1,2-Dichloropropane	41		ug/L	1	0.18	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1052	50	82%		
C122713CCVA	C122713CCVA	ORG	75-27-4	Bromodichloromethane	45		ug/L	2	0.12	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1052	50	90%		
C122713CCVA	C122713CCVA	ORG	10061-01-5	cis-1,3-Dichloropropene	49		ug/L	1	0.25	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1052	50	98%		
C122713CCVA	C122713CCVA	ORG	108-88-3	Toluene	47		ug/L	1	0.21	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1052	50	94%		
C122713CCVA	C122713CCVA	ORG	108-10-1	4-Methyl-2-pentanone	42		ug/L	5	0.74	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1052	50	84%		
C122713CCVA	C122713CCVA	ORG	10061-02-6	trans-1,3-Dichloropropene	51		ug/L	1	0.31	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1052	50	102%		
C122713CCVA	C122713CCVA	ORG	127-18-4	Tetrachloroethene	47		ug/L	1	0.49	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1052	50	94%		
C122713CCVA	C122713CCVA	ORG	79-00-5	1,1,2-Trichloroethane	50		ug/L	1	0.34	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1052	50	100%		
C122713CCVA	C122713CCVA	ORG	124-48-1	Dibromochloromethane	45		ug/L	5	0.30	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1052	50	90%		
C122713CCVA	C122713CCVA	ORG	106-93-4	1,2-Dibromoethane	46		ug/L	2	0.26	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1052	50	92%		
C122713CCVA	C122713CCVA	ORG	591-78-6	2-Hexanone	41		ug/L	2	0.69	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1052	50	82%		
C122713CCVA	C122713CCVA	ORG	100-41-4	Ethylbenzene	50		ug/L	1	0.25	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1052	50	100%		
C122713CCVA	C122713CCVA	ORG	108-90-7	Chlorobenzene	51		ug/L	1	0.28	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1052	50	102%		
C122713CCVA	C122713CCVA	ORG	630-20-6	1,1,1,2-Tetrachloroethane	46		ug/L	2	0.19	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1052	50	92%		
C122713CCVA	C122713CCVA	ORG	XYLMP	p&m-Xylene	97		ug/L	2	0.26	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1052	100	97%		
C122713CCVA	C122713CCVA	ORG	95-47-6	o-Xylene	46		ug/L	1	0.13	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1052	50	92%		
C122713CCVA	C122713CCVA	ORG	100-42-5	Styrene	48		ug/L	1	0.20	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1052	50	96%		
C122713CCVA	C122713CCVA	ORG	75-25-2	Bromoform	44		ug/L	2	0.47	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1052	50	88%		
C122713CCVA	C122713CCVA	ORG	98-82-8	Isopropylbenzene	47		ug/L	2	0.20	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1052	50	94%		
C122713CCVA	C122713CCVA	ORG	103-65-1	n-Propylbenzene	53		ug/L	2	0.27	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1052	50	106%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C122713CCVA	C122713CCVA	ORG	79-34-5	1,1,2,2-Tetrachloroethane	47		ug/L	2	0.29	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1052	50	94%		
C122713CCVA	C122713CCVA	ORG	96-18-4	1,2,3-Trichloropropane	47		ug/L	2	0.29	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1052	50	94%		
C122713CCVA	C122713CCVA	ORG	108-67-8	1,3,5-Trimethylbenzene	48		ug/L	2	0.20	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1052	50	96%		
C122713CCVA	C122713CCVA	ORG	98-06-6	tert-Butylbenzene	48		ug/L	2	0.33	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1052	50	96%		
C122713CCVA	C122713CCVA	ORG	95-63-6	1,2,4-Trimethylbenzene	47		ug/L	2	0.20	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1052	50	94%		
C122713CCVA	C122713CCVA	ORG	135-98-8	sec-Butylbenzene	46		ug/L	2	0.32	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1052	50	92%		
C122713CCVA	C122713CCVA	ORG	541-73-1	1,3-Dichlorobenzene	49		ug/L	2	0.22	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1052	50	98%		
C122713CCVA	C122713CCVA	ORG	99-87-6	p-Isopropltoluene	46		ug/L	2	0.25	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1052	50	92%		
C122713CCVA	C122713CCVA	ORG	106-46-7	1,4-Dichlorobenzene	45		ug/L	2	0.33	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1052	50	90%		
C122713CCVA	C122713CCVA	ORG	95-50-1	1,2-Dichlorobenzene	47		ug/L	2	0.26	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1052	50	94%		
C122713CCVA	C122713CCVA	ORG	104-51-8	n-Butylbenzene	47		ug/L	5	0.28	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1052	50	94%		
C122713CCVA	C122713CCVA	ORG	96-12-8	1,2-Dibromo-3-chloropropane	44		ug/L	5	1.59	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1052	50	88%		
C122713CCVA	C122713CCVA	ORG	87-68-3	Hexachlorobutadiene	52		ug/L	5	0.65	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1052	50	104%		
C122713CCVA	C122713CCVA	ORG	120-82-1	1,2,4-Trichlorobenzene	50		ug/L	5	0.28	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1052	50	100%		
C122713CCVA	C122713CCVA	ORG	91-20-3	Naphthalene	47		ug/L	5	0.56	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1052	50	94%		
C122713CCVA	C122713CCVA	ORG	87-61-6	1,2,3-Trichlorobenzene	52		ug/L	5	0.23	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1052	50	104%		
C122713CCVA	C122713CCVA	STD	1868-53-7	Dibromofluoromethane	51		ng			NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1052	50	102%		
C122713CCVA	C122713CCVA	STD	17060-07-0	1,2-Dichloroethane d4	48		ng			NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1052	50	96%		
C122713CCVA	C122713CCVA	STD	2037-26-5	Toluene d8	51		ng			NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1052	50	102%		
C122713CCVA	C122713CCVA	STD	460-00-4	Bromofluorobenzene	51		ng			NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1052	50	102%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C122713MBKA	C122713MBKA	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	5	0.29	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1053				
C122713MBKA	C122713MBKA	ORG	74-87-3	Chloromethane		U	ug/L	5	0.43	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1053				
C122713MBKA	C122713MBKA	ORG	75-01-4	Vinyl chloride		U	ug/L	2	0.32	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1053				
C122713MBKA	C122713MBKA	ORG	74-83-9	Bromomethane		U	ug/L	5	0.50	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1053				
C122713MBKA	C122713MBKA	ORG	75-00-3	Chloroethane		U	ug/L	5	0.56	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1053				
C122713MBKA	C122713MBKA	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	5	0.20	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1053				
C122713MBKA	C122713MBKA	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	1	0.47	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1053				
C122713MBKA	C122713MBKA	ORG	75-09-2	Methylene chloride		U	ug/L	5	0.26	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1053				
C122713MBKA	C122713MBKA	ORG	67-64-1	Acetone		U	ug/L	10	1.56	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1053				
C122713MBKA	C122713MBKA	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	1	0.56	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1053				
C122713MBKA	C122713MBKA	ORG	1634-04-4	MTBE		U	ug/L	5	0.61	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1053				
C122713MBKA	C122713MBKA	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	1	0.53	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1053				
C122713MBKA	C122713MBKA	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	1	0.32	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1053				
C122713MBKA	C122713MBKA	ORG	74-97-5	Bromochloromethane		U	ug/L	10	0.41	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1053				
C122713MBKA	C122713MBKA	ORG	67-66-3	Chloroform		U	ug/L	2	0.16	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1053				
C122713MBKA	C122713MBKA	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	1	0.17	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1053				
C122713MBKA	C122713MBKA	ORG	78-93-3	2-Butanone		U	ug/L	1	0.81	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1053				
C122713MBKA	C122713MBKA	ORG	56-23-5	Carbon tetrachloride		U	ug/L	1	0.28	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1053				
C122713MBKA	C122713MBKA	ORG	71-43-2	Benzene		U	ug/L	1	0.14	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1053				
C122713MBKA	C122713MBKA	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	1	0.20	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1053				
C122713MBKA	C122713MBKA	ORG	79-01-6	Trichloroethene		U	ug/L	1	0.36	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1053				
C122713MBKA	C122713MBKA	ORG	74-95-3	Dibromomethane		U	ug/L	2	0.32	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1053				
C122713MBKA	C122713MBKA	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	1	0.18	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1053				
C122713MBKA	C122713MBKA	ORG	75-27-4	Bromodichloromethane		U	ug/L	2	0.12	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1053				
C122713MBKA	C122713MBKA	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	1	0.25	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1053				
C122713MBKA	C122713MBKA	ORG	108-88-3	Toluene		U	ug/L	1	0.21	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1053				
C122713MBKA	C122713MBKA	ORG	108-10-1	4-Methyl-2-pentanone		U	ug/L	5	0.74	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1053				
C122713MBKA	C122713MBKA	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	1	0.31	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1053				
C122713MBKA	C122713MBKA	ORG	127-18-4	Tetrachloroethene		U	ug/L	1	0.49	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1053				
C122713MBKA	C122713MBKA	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	1	0.34	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1053				
C122713MBKA	C122713MBKA	ORG	124-48-1	Dibromochloromethane		U	ug/L	5	0.30	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1053				
C122713MBKA	C122713MBKA	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	2	0.26	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1053				
C122713MBKA	C122713MBKA	ORG	591-78-6	2-Hexanone		U	ug/L	2	0.69	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1053				
C122713MBKA	C122713MBKA	ORG	100-41-4	Ethylbenzene		U	ug/L	1	0.25	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1053				
C122713MBKA	C122713MBKA	ORG	108-90-7	Chlorobenzene		U	ug/L	1	0.28	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1053				
C122713MBKA	C122713MBKA	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	2	0.19	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1053				
C122713MBKA	C122713MBKA	ORG	XYLMP	p&m-Xylene		U	ug/L	2	0.26	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1053				
C122713MBKA	C122713MBKA	ORG	95-47-6	o-Xylene		U	ug/L	1	0.13	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1053				
C122713MBKA	C122713MBKA	ORG	100-42-5	Styrene		U	ug/L	1	0.20	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1053				
C122713MBKA	C122713MBKA	ORG	75-25-2	Bromoform		U	ug/L	2	0.47	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1053				
C122713MBKA	C122713MBKA	ORG	98-82-8	Isopropylbenzene		U	ug/L	2	0.20	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1053				
C122713MBKA	C122713MBKA	ORG	103-65-1	n-Propylbenzene		U	ug/L	2	0.27	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1053				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C122713MBKA	C122713MBKA	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	2	0.29	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1053				
C122713MBKA	C122713MBKA	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	2	0.29	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1053				
C122713MBKA	C122713MBKA	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	2	0.20	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1053				
C122713MBKA	C122713MBKA	ORG	98-06-6	tert-Butylbenzene		U	ug/L	2	0.33	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1053				
C122713MBKA	C122713MBKA	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	2	0.20	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1053				
C122713MBKA	C122713MBKA	ORG	135-98-8	sec-Butylbenzene		U	ug/L	2	0.32	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1053				
C122713MBKA	C122713MBKA	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	2	0.22	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1053				
C122713MBKA	C122713MBKA	ORG	99-87-6	p-Isopropltoluene		U	ug/L	2	0.25	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1053				
C122713MBKA	C122713MBKA	ORG	106-46-7	1,4-Dichlorobenzene		U	ug/L	2	0.33	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1053				
C122713MBKA	C122713MBKA	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	2	0.26	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1053				
C122713MBKA	C122713MBKA	ORG	104-51-8	n-Butylbenzene		U	ug/L	5	0.28	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1053				
C122713MBKA	C122713MBKA	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	5	1.59	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1053				
C122713MBKA	C122713MBKA	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	5	0.65	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1053				
C122713MBKA	C122713MBKA	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	5	0.28	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1053				
C122713MBKA	C122713MBKA	ORG	91-20-3	Naphthalene		U	ug/L	5	0.56	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1053				
C122713MBKA	C122713MBKA	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	5	0.23	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1053				
C122713MBKA	C122713MBKA	STD	1868-53-7	Dibromofluoromethane	50		ng			NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1053	50	100%		
C122713MBKA	C122713MBKA	STD	17060-07-0	1,2-Dichloroethane d4	50		ng			NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1053	50	100%		
C122713MBKA	C122713MBKA	STD	2037-26-5	Toluene d8	57		ng			NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1053	50	114%		
C122713MBKA	C122713MBKA	STD	460-00-4	Bromofluorobenzene	57		ng			NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1053	50	114%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C122713ALCS	C122713ALCS	ORG	75-71-8	Dichlorodifluoromethane	26		ug/L	5	0.29	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1056	50	52%		
C122713ALCS	C122713ALCS	ORG	74-87-3	Chloromethane	37		ug/L	5	0.43	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1056	50	74%		
C122713ALCS	C122713ALCS	ORG	75-01-4	Vinyl chloride	41		ug/L	2	0.32	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1056	50	82%		
C122713ALCS	C122713ALCS	ORG	74-83-9	Bromomethane	41		ug/L	5	0.50	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1056	50	82%		
C122713ALCS	C122713ALCS	ORG	75-00-3	Chloroethane	37		ug/L	5	0.56	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1056	50	74%		
C122713ALCS	C122713ALCS	ORG	75-69-4	Trichlorofluoromethane	70		ug/L	5	0.20	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1056	50	140%		
C122713ALCS	C122713ALCS	ORG	75-35-4	1,1-Dichloroethene	42		ug/L	1	0.47	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1056	50	84%		
C122713ALCS	C122713ALCS	ORG	75-09-2	Methylene chloride	47		ug/L	5	0.26	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1056	50	94%		
C122713ALCS	C122713ALCS	ORG	67-64-1	Acetone	47		ug/L	10	1.56	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1056	50	94%		
C122713ALCS	C122713ALCS	ORG	156-60-5	trans-1,2-Dichloroethene	45		ug/L	1	0.56	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1056	50	90%		
C122713ALCS	C122713ALCS	ORG	1634-04-4	MTBE	42		ug/L	5	0.61	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1056	50	84%		
C122713ALCS	C122713ALCS	ORG	75-34-3	1,1-Dichloroethane	48		ug/L	1	0.53	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1056	50	96%		
C122713ALCS	C122713ALCS	ORG	156-59-2	cis-1,2-Dichloroethene	47		ug/L	1	0.32	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1056	50	94%		
C122713ALCS	C122713ALCS	ORG	74-97-5	Bromochloromethane	48		ug/L	10	0.41	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1056	50	96%		
C122713ALCS	C122713ALCS	ORG	67-66-3	Chloroform	47		ug/L	2	0.16	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1056	50	94%		
C122713ALCS	C122713ALCS	ORG	71-55-6	1,1,1-Trichloroethane	47		ug/L	1	0.17	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1056	50	94%		
C122713ALCS	C122713ALCS	ORG	78-93-3	2-Butanone	48		ug/L	1	0.81	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1056	50	96%		
C122713ALCS	C122713ALCS	ORG	56-23-5	Carbon tetrachloride	45		ug/L	1	0.28	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1056	50	90%		
C122713ALCS	C122713ALCS	ORG	71-43-2	Benzene	46		ug/L	1	0.14	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1056	50	92%		
C122713ALCS	C122713ALCS	ORG	107-06-2	1,2-Dichloroethane	45		ug/L	1	0.20	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1056	50	90%		
C122713ALCS	C122713ALCS	ORG	79-01-6	Trichloroethene	46		ug/L	1	0.36	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1056	50	92%		
C122713ALCS	C122713ALCS	ORG	74-95-3	Dibromomethane	40		ug/L	2	0.32	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1056	50	80%		
C122713ALCS	C122713ALCS	ORG	78-87-5	1,2-Dichloropropane	42		ug/L	1	0.18	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1056	50	84%		
C122713ALCS	C122713ALCS	ORG	75-27-4	Bromodichloromethane	45		ug/L	2	0.12	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1056	50	90%		
C122713ALCS	C122713ALCS	ORG	10061-01-5	cis-1,3-Dichloropropene	49		ug/L	1	0.25	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1056	50	98%		
C122713ALCS	C122713ALCS	ORG	108-88-3	Toluene	49		ug/L	1	0.21	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1056	50	98%		
C122713ALCS	C122713ALCS	ORG	108-10-1	4-Methyl-2-pentanone	42		ug/L	5	0.74	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1056	50	84%		
C122713ALCS	C122713ALCS	ORG	10061-02-6	trans-1,3-Dichloropropene	54		ug/L	1	0.31	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1056	50	108%		
C122713ALCS	C122713ALCS	ORG	127-18-4	Tetrachloroethene	48		ug/L	1	0.49	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1056	50	96%		
C122713ALCS	C122713ALCS	ORG	79-00-5	1,1,2-Trichloroethane	51		ug/L	1	0.34	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1056	50	102%		
C122713ALCS	C122713ALCS	ORG	124-48-1	Dibromochloromethane	46		ug/L	5	0.30	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1056	50	92%		
C122713ALCS	C122713ALCS	ORG	106-93-4	1,2-Dibromoethane	47		ug/L	2	0.26	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1056	50	94%		
C122713ALCS	C122713ALCS	ORG	591-78-6	2-Hexanone	39		ug/L	2	0.69	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1056	50	78%		
C122713ALCS	C122713ALCS	ORG	100-41-4	Ethylbenzene	52		ug/L	1	0.25	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1056	50	104%		
C122713ALCS	C122713ALCS	ORG	108-90-7	Chlorobenzene	52		ug/L	1	0.28	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1056	50	104%		
C122713ALCS	C122713ALCS	ORG	630-20-6	1,1,1,2-Tetrachloroethane	47		ug/L	2	0.19	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1056	50	94%		
C122713ALCS	C122713ALCS	ORG	XYLMP	p&m-Xylene	100		ug/L	2	0.26	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1056	100	100%		
C122713ALCS	C122713ALCS	ORG	95-47-6	o-Xylene	47		ug/L	1	0.13	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1056	50	94%		
C122713ALCS	C122713ALCS	ORG	100-42-5	Styrene	49		ug/L	1	0.20	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1056	50	98%		
C122713ALCS	C122713ALCS	ORG	75-25-2	Bromoform	45		ug/L	2	0.47	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1056	50	90%		
C122713ALCS	C122713ALCS	ORG	98-82-8	Isopropylbenzene	49		ug/L	2	0.20	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1056	50	98%		
C122713ALCS	C122713ALCS	ORG	103-65-1	n-Propylbenzene	56		ug/L	2	0.27	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1056	50	112%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C122713ALCS	C122713ALCS	ORG	79-34-5	1,1,2,2-Tetrachloroethane	49		ug/L	2	0.29	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1056	50	98%		
C122713ALCS	C122713ALCS	ORG	96-18-4	1,2,3-Trichloropropane	49		ug/L	2	0.29	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1056	50	98%		
C122713ALCS	C122713ALCS	ORG	108-67-8	1,3,5-Trimethylbenzene	49		ug/L	2	0.20	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1056	50	98%		
C122713ALCS	C122713ALCS	ORG	98-06-6	tert-Butylbenzene	49		ug/L	2	0.33	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1056	50	98%		
C122713ALCS	C122713ALCS	ORG	95-63-6	1,2,4-Trimethylbenzene	48		ug/L	2	0.20	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1056	50	96%		
C122713ALCS	C122713ALCS	ORG	135-98-8	sec-Butylbenzene	49		ug/L	2	0.32	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1056	50	98%		
C122713ALCS	C122713ALCS	ORG	541-73-1	1,3-Dichlorobenzene	50		ug/L	2	0.22	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1056	50	100%		
C122713ALCS	C122713ALCS	ORG	99-87-6	p-Isopropltoluene	47		ug/L	2	0.25	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1056	50	94%		
C122713ALCS	C122713ALCS	ORG	106-46-7	1,4-Dichlorobenzene	47		ug/L	2	0.33	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1056	50	94%		
C122713ALCS	C122713ALCS	ORG	95-50-1	1,2-Dichlorobenzene	49		ug/L	2	0.26	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1056	50	98%		
C122713ALCS	C122713ALCS	ORG	104-51-8	n-Butylbenzene	48		ug/L	5	0.28	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1056	50	96%		
C122713ALCS	C122713ALCS	ORG	96-12-8	1,2-Dibromo-3-chloropropane	42		ug/L	5	1.59	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1056	50	84%		
C122713ALCS	C122713ALCS	ORG	87-68-3	Hexachlorobutadiene	50		ug/L	5	0.65	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1056	50	100%		
C122713ALCS	C122713ALCS	ORG	120-82-1	1,2,4-Trichlorobenzene	47		ug/L	5	0.28	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1056	50	94%		
C122713ALCS	C122713ALCS	ORG	91-20-3	Naphthalene	41		ug/L	5	0.56	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1056	50	82%		
C122713ALCS	C122713ALCS	ORG	87-61-6	1,2,3-Trichlorobenzene	49		ug/L	5	0.23	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1056	50	98%		
C122713ALCS	C122713ALCS	STD	1868-53-7	Dibromofluoromethane	51		ng			NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1056	50	102%		
C122713ALCS	C122713ALCS	STD	17060-07-0	1,2-Dichloroethane d4	48		ng			NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1056	50	96%		
C122713ALCS	C122713ALCS	STD	2037-26-5	Toluene d8	49		ng			NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1056	50	98%		
C122713ALCS	C122713ALCS	STD	460-00-4	Bromofluorobenzene	50		ng			NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1056	50	100%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C122713ALCD	C122713ALCD	ORG	75-71-8	Dichlorodifluoromethane	25		ug/L	5	0.29	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1057	50	50%	4%	
C122713ALCD	C122713ALCD	ORG	74-87-3	Chloromethane	35		ug/L	5	0.43	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1057	50	70%	6%	
C122713ALCD	C122713ALCD	ORG	75-01-4	Vinyl chloride	41		ug/L	2	0.32	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1057	50	82%	0%	
C122713ALCD	C122713ALCD	ORG	74-83-9	Bromomethane	42		ug/L	5	0.50	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1057	50	84%	2%	
C122713ALCD	C122713ALCD	ORG	75-00-3	Chloroethane	36		ug/L	5	0.56	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1057	50	72%	3%	
C122713ALCD	C122713ALCD	ORG	75-69-4	Trichlorofluoromethane	64		ug/L	5	0.20	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1057	50	128%	9%	
C122713ALCD	C122713ALCD	ORG	75-35-4	1,1-Dichloroethene	40		ug/L	1	0.47	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1057	50	80%	5%	
C122713ALCD	C122713ALCD	ORG	75-09-2	Methylene chloride	46		ug/L	5	0.26	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1057	50	92%	2%	
C122713ALCD	C122713ALCD	ORG	67-64-1	Acetone	47		ug/L	10	1.56	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1057	50	94%	0%	
C122713ALCD	C122713ALCD	ORG	156-60-5	trans-1,2-Dichloroethene	43		ug/L	1	0.56	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1057	50	86%	5%	
C122713ALCD	C122713ALCD	ORG	1634-04-4	MTBE	43		ug/L	5	0.61	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1057	50	86%	2%	
C122713ALCD	C122713ALCD	ORG	75-34-3	1,1-Dichloroethane	45		ug/L	1	0.53	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1057	50	90%	6%	
C122713ALCD	C122713ALCD	ORG	156-59-2	cis-1,2-Dichloroethene	46		ug/L	1	0.32	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1057	50	92%	2%	
C122713ALCD	C122713ALCD	ORG	74-97-5	Bromochloromethane	48		ug/L	10	0.41	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1057	50	96%	0%	
C122713ALCD	C122713ALCD	ORG	67-66-3	Chloroform	45		ug/L	2	0.16	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1057	50	90%	4%	
C122713ALCD	C122713ALCD	ORG	71-55-6	1,1,1-Trichloroethane	45		ug/L	1	0.17	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1057	50	90%	4%	
C122713ALCD	C122713ALCD	ORG	78-93-3	2-Butanone	46		ug/L	1	0.81	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1057	50	92%	4%	
C122713ALCD	C122713ALCD	ORG	56-23-5	Carbon tetrachloride	44		ug/L	1	0.28	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1057	50	88%	2%	
C122713ALCD	C122713ALCD	ORG	71-43-2	Benzene	44		ug/L	1	0.14	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1057	50	88%	4%	
C122713ALCD	C122713ALCD	ORG	107-06-2	1,2-Dichloroethane	43		ug/L	1	0.20	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1057	50	86%	5%	
C122713ALCD	C122713ALCD	ORG	79-01-6	Trichloroethene	44		ug/L	1	0.36	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1057	50	88%	4%	
C122713ALCD	C122713ALCD	ORG	74-95-3	Dibromomethane	36		ug/L	2	0.32	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1057	50	72%	11%	
C122713ALCD	C122713ALCD	ORG	78-87-5	1,2-Dichloropropane	39		ug/L	1	0.18	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1057	50	78%	7%	
C122713ALCD	C122713ALCD	ORG	75-27-4	Bromodichloromethane	42		ug/L	2	0.12	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1057	50	84%	7%	
C122713ALCD	C122713ALCD	ORG	10061-01-5	cis-1,3-Dichloropropene	44		ug/L	1	0.25	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1057	50	88%	11%	
C122713ALCD	C122713ALCD	ORG	108-88-3	Toluene	46		ug/L	1	0.21	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1057	50	92%	6%	
C122713ALCD	C122713ALCD	ORG	108-10-1	4-Methyl-2-pentanone	41		ug/L	5	0.74	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1057	50	82%	2%	
C122713ALCD	C122713ALCD	ORG	10061-02-6	trans-1,3-Dichloropropene	49		ug/L	1	0.31	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1057	50	98%	10%	
C122713ALCD	C122713ALCD	ORG	127-18-4	Tetrachloroethene	47		ug/L	1	0.49	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1057	50	94%	2%	
C122713ALCD	C122713ALCD	ORG	79-00-5	1,1,2-Trichloroethane	48		ug/L	1	0.34	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1057	50	96%	6%	
C122713ALCD	C122713ALCD	ORG	124-48-1	Dibromochloromethane	43		ug/L	5	0.30	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1057	50	86%	7%	
C122713ALCD	C122713ALCD	ORG	106-93-4	1,2-Dibromoethane	44		ug/L	2	0.26	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1057	50	88%	7%	
C122713ALCD	C122713ALCD	ORG	591-78-6	2-Hexanone	39		ug/L	2	0.69	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1057	50	78%	0%	
C122713ALCD	C122713ALCD	ORG	100-41-4	Ethylbenzene	48		ug/L	1	0.25	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1057	50	96%	8%	
C122713ALCD	C122713ALCD	ORG	108-90-7	Chlorobenzene	49		ug/L	1	0.28	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1057	50	98%	6%	
C122713ALCD	C122713ALCD	ORG	630-20-6	1,1,1,2-Tetrachloroethane	44		ug/L	2	0.19	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1057	50	88%	7%	
C122713ALCD	C122713ALCD	ORG	XYLMP	p&m-Xylene	96		ug/L	2	0.26	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1057	100	96%	4%	
C122713ALCD	C122713ALCD	ORG	95-47-6	o-Xylene	44		ug/L	1	0.13	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1057	50	88%	7%	
C122713ALCD	C122713ALCD	ORG	100-42-5	Styrene	46		ug/L	1	0.20	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1057	50	92%	6%	
C122713ALCD	C122713ALCD	ORG	75-25-2	Bromoform	43		ug/L	2	0.47	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1057	50	86%	5%	
C122713ALCD	C122713ALCD	ORG	98-82-8	Isopropylbenzene	46		ug/L	2	0.20	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1057	50	92%	6%	
C122713ALCD	C122713ALCD	ORG	103-65-1	n-Propylbenzene	52		ug/L	2	0.27	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1057	50	104%	7%	

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C122713ALCD	C122713ALCD	ORG	79-34-5	1,1,2,2-Tetrachloroethane	47		ug/L	2	0.29	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1057	50	94%	4%	
C122713ALCD	C122713ALCD	ORG	96-18-4	1,2,3-Trichloropropane	47		ug/L	2	0.29	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1057	50	94%	4%	
C122713ALCD	C122713ALCD	ORG	108-67-8	1,3,5-Trimethylbenzene	46		ug/L	2	0.20	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1057	50	92%	6%	
C122713ALCD	C122713ALCD	ORG	98-06-6	tert-Butylbenzene	46		ug/L	2	0.33	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1057	50	92%	6%	
C122713ALCD	C122713ALCD	ORG	95-63-6	1,2,4-Trimethylbenzene	46		ug/L	2	0.20	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1057	50	92%	4%	
C122713ALCD	C122713ALCD	ORG	135-98-8	sec-Butylbenzene	45		ug/L	2	0.32	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1057	50	90%	9%	
C122713ALCD	C122713ALCD	ORG	541-73-1	1,3-Dichlorobenzene	48		ug/L	2	0.22	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1057	50	96%	4%	
C122713ALCD	C122713ALCD	ORG	99-87-6	p-Isopropltoluene	45		ug/L	2	0.25	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1057	50	90%	4%	
C122713ALCD	C122713ALCD	ORG	106-46-7	1,4-Dichlorobenzene	45		ug/L	2	0.33	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1057	50	90%	4%	
C122713ALCD	C122713ALCD	ORG	95-50-1	1,2-Dichlorobenzene	46		ug/L	2	0.26	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1057	50	92%	6%	
C122713ALCD	C122713ALCD	ORG	104-51-8	n-Butylbenzene	46		ug/L	5	0.28	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1057	50	92%	4%	
C122713ALCD	C122713ALCD	ORG	96-12-8	1,2-Dibromo-3-chloropropane	42		ug/L	5	1.59	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1057	50	84%	0%	
C122713ALCD	C122713ALCD	ORG	87-68-3	Hexachlorobutadiene	47		ug/L	5	0.65	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1057	50	94%	6%	
C122713ALCD	C122713ALCD	ORG	120-82-1	1,2,4-Trichlorobenzene	44		ug/L	5	0.28	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1057	50	88%	7%	
C122713ALCD	C122713ALCD	ORG	91-20-3	Naphthalene	41		ug/L	5	0.56	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1057	50	82%	0%	
C122713ALCD	C122713ALCD	ORG	87-61-6	1,2,3-Trichlorobenzene	47		ug/L	5	0.23	NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1057	50	94%	4%	
C122713ALCD	C122713ALCD	STD	1868-53-7	Dibromofluoromethane	51		ng			NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1057	50	102%	0%	
C122713ALCD	C122713ALCD	STD	17060-07-0	1,2-Dichloroethane d4	48		ng			NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1057	50	96%	0%	
C122713ALCD	C122713ALCD	STD	2037-26-5	Toluene d8	50		ng			NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1057	50	100%	2%	
C122713ALCD	C122713ALCD	STD	460-00-4	Bromofluorobenzene	50		ng			NA	12/27/2013	12/27/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1057	50	100%	0%	

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-872MS	316-178	ORG	75-71-8	Dichlorodifluoromethane	2300		ug/L	500	29.28	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1058	5000	46%		
NAL13026-872MS	316-178	ORG	74-87-3	Chloromethane	3500		ug/L	500	43.07	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1058	5000	70%		
NAL13026-872MS	316-178	ORG	75-01-4	Vinyl chloride	3700		ug/L	200	31.86	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1058	5000	74%		
NAL13026-872MS	316-178	ORG	74-83-9	Bromomethane	4000		ug/L	500	50.04	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1058	5000	80%		
NAL13026-872MS	316-178	ORG	75-00-3	Chloroethane	4500		ug/L	500	55.61	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1058	5000	90%		
NAL13026-872MS	316-178	ORG	75-69-4	Trichlorofluoromethane	7400		ug/L	500	19.65	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1058	5000	148%		
NAL13026-872MS	316-178	ORG	75-35-4	1,1-Dichloroethene	4000		ug/L	100	47.11	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1058	5000	80%		
NAL13026-872MS	316-178	ORG	75-09-2	Methylene chloride	4500		ug/L	500	26.46	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1058	5000	90%		
NAL13026-872MS	316-178	ORG	67-64-1	Acetone	82000		ug/L	1000	155.61	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1058	5000	-360%		100000
NAL13026-872MS	316-178	ORG	156-60-5	trans-1,2-Dichloroethene	4400		ug/L	100	55.61	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1058	5000	88%		
NAL13026-872MS	316-178	ORG	1634-04-4	MTBE	4100		ug/L	500	61.18	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1058	5000	82%		
NAL13026-872MS	316-178	ORG	75-34-3	1,1-Dichloroethane	4600		ug/L	100	52.66	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1058	5000	92%		
NAL13026-872MS	316-178	ORG	156-59-2	cis-1,2-Dichloroethene	4600		ug/L	100	32.11	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1058	5000	92%		
NAL13026-872MS	316-178	ORG	74-97-5	Bromochloromethane	4800		ug/L	1000	41.37	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1058	5000	96%		
NAL13026-872MS	316-178	ORG	67-66-3	Chloroform	4800		ug/L	200	15.73	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1058	5000	96%		
NAL13026-872MS	316-178	ORG	71-55-6	1,1,1-Trichloroethane	4800		ug/L	100	16.65	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1058	5000	96%		
NAL13026-872MS	316-178	ORG	78-93-3	2-Butanone	51000		ug/L	100	81.18	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1058	5000	80%		47000
NAL13026-872MS	316-178	ORG	56-23-5	Carbon tetrachloride	4400		ug/L	100	27.64	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1058	5000	88%		
NAL13026-872MS	316-178	ORG	71-43-2	Benzene	4700		ug/L	100	13.53	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1058	5000	93%		48
NAL13026-872MS	316-178	ORG	107-06-2	1,2-Dichloroethane	4600		ug/L	100	20.01	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1058	5000	92%		
NAL13026-872MS	316-178	ORG	79-01-6	Trichloroethene	4700		ug/L	100	36.33	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1058	5000	94%		
NAL13026-872MS	316-178	ORG	74-95-3	Dibromomethane	4500		ug/L	200	32.20	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1058	5000	90%		
NAL13026-872MS	316-178	ORG	78-87-5	1,2-Dichloropropane	4500		ug/L	100	18.17	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1058	5000	90%		
NAL13026-872MS	316-178	ORG	75-27-4	Bromodichloromethane	3900		ug/L	200	11.58	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1058	5000	78%		
NAL13026-872MS	316-178	ORG	10061-01-5	cis-1,3-Dichloropropene	4800		ug/L	100	25.01	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1058	5000	96%		
NAL13026-872MS	316-178	ORG	108-88-3	Toluene	4400		ug/L	100	20.96	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1058	5000	87%		37
NAL13026-872MS	316-178	ORG	108-10-1	4-Methyl-2-pentanone	5300		ug/L	500	74.00	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1058	5000	86%		1000
NAL13026-872MS	316-178	ORG	10061-02-6	trans-1,3-Dichloropropene	4700		ug/L	100	31.15	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1058	5000	94%		
NAL13026-872MS	316-178	ORG	127-18-4	Tetrachloroethene	4200		ug/L	100	48.56	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1058	5000	84%		
NAL13026-872MS	316-178	ORG	79-00-5	1,1,2-Trichloroethane	4700		ug/L	100	34.28	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1058	5000	94%		
NAL13026-872MS	316-178	ORG	124-48-1	Dibromochloromethane	4300		ug/L	500	29.90	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1058	5000	86%		
NAL13026-872MS	316-178	ORG	106-93-4	1,2-Dibromoethane	4400		ug/L	200	26.49	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1058	5000	88%		
NAL13026-872MS	316-178	ORG	591-78-6	2-Hexanone	9400		ug/L	200	68.90	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1058	5000	98%		4500
NAL13026-872MS	316-178	ORG	100-41-4	Ethylbenzene	4900		ug/L	100	25.38	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1058	5000	96%		110
NAL13026-872MS	316-178	ORG	108-90-7	Chlorobenzene	5000		ug/L	100	27.52	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1058	5000	100%		
NAL13026-872MS	316-178	ORG	630-20-6	1,1,1,2-Tetrachloroethane	4300		ug/L	200	19.28	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1058	5000	86%		
NAL13026-872MS	316-178	ORG	XYLMP	p&m-Xylene	9700		ug/L	200	26.14	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1058	10000	89%		780
NAL13026-872MS	316-178	ORG	95-47-6	o-Xylene	4900		ug/L	100	12.90	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1058	5000	85%		640
NAL13026-872MS	316-178	ORG	100-42-5	Styrene	4800		ug/L	100	20.23	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1058	5000	88%		380
NAL13026-872MS	316-178	ORG	75-25-2	Bromoform	4000		ug/L	200	46.83	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1058	5000	80%		
NAL13026-872MS	316-178	ORG	98-82-8	Isopropylbenzene	5200		ug/L	200	20.48	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1058	5000	91%		650
NAL13026-872MS	316-178	ORG	103-65-1	n-Propylbenzene	5500		ug/L	200	27.00	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1058	5000	107%		130

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-872MS	316-178	ORG	79-34-5	1,1,2,2-Tetrachloroethane	4300		ug/L	200	29.16	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1058	5000	86%		
NAL13026-872MS	316-178	ORG	96-18-4	1,2,3-Trichloropropane	4400		ug/L	200	29.47	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1058	5000	88%		
NAL13026-872MS	316-178	ORG	108-67-8	1,3,5-Trimethylbenzene	4900		ug/L	200	20.03	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1058	5000	86%		580
NAL13026-872MS	316-178	ORG	98-06-6	tert-Butylbenzene	4900		ug/L	200	32.61	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1058	5000	98%		
NAL13026-872MS	316-178	ORG	95-63-6	1,2,4-Trimethylbenzene	5800		ug/L	200	20.03	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1058	5000	86%		1500
NAL13026-872MS	316-178	ORG	135-98-8	sec-Butylbenzene	5400		ug/L	200	32.34	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1058	5000	108%		
NAL13026-872MS	316-178	ORG	541-73-1	1,3-Dichlorobenzene	5000		ug/L	200	22.21	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1058	5000	100%		
NAL13026-872MS	316-178	ORG	99-87-6	p-Isopropltoluene	8900		ug/L	200	25.48	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1058	5000	60%		5900
NAL13026-872MS	316-178	ORG	106-46-7	1,4-Dichlorobenzene	5800		ug/L	200	33.03	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1058	5000	86%		1500
NAL13026-872MS	316-178	ORG	95-50-1	1,2-Dichlorobenzene	5100		ug/L	200	26.38	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1058	5000	102%		
NAL13026-872MS	316-178	ORG	104-51-8	n-Butylbenzene	5100		ug/L	500	27.81	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1058	5000	90%		590
NAL13026-872MS	316-178	ORG	96-12-8	1,2-Dibromo-3-chloropropane	4700		ug/L	500	159.11	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1058	5000	94%		
NAL13026-872MS	316-178	ORG	87-68-3	Hexachlorobutadiene	6000		ug/L	500	65.42	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1058	5000	120%		
NAL13026-872MS	316-178	ORG	120-82-1	1,2,4-Trichlorobenzene	5800		ug/L	500	27.63	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1058	5000	116%		
NAL13026-872MS	316-178	ORG	91-20-3	Naphthalene	6700		ug/L	500	56.04	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1058	5000	86%		2400
NAL13026-872MS	316-178	ORG	87-61-6	1,2,3-Trichlorobenzene	6100		ug/L	500	23.28	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1058	5000	122%		
NAL13026-872MS	316-178	STD	1868-53-7	Dibromofluoromethane	50		ng			12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1058	50	100%		
NAL13026-872MS	316-178	STD	17060-07-0	1,2-Dichloroethane d4	49		ng			12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1058	50	98%		
NAL13026-872MS	316-178	STD	2037-26-5	Toluene d8	44		ng			12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1058	50	88%		
NAL13026-872MS	316-178	STD	460-00-4	Bromofluorobenzene	55		ng			12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1058	50	110%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-872MSD	316-178	ORG	75-71-8	Dichlorodifluoromethane	3100		ug/L	500	29.28	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1059	5000	62%	30%	0
NAL13026-872MSD	316-178	ORG	74-87-3	Chloromethane	4300		ug/L	500	43.07	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1059	5000	86%	21%	0
NAL13026-872MSD	316-178	ORG	75-01-4	Vinyl chloride	5100		ug/L	200	31.86	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1059	5000	102%	32%	0
NAL13026-872MSD	316-178	ORG	74-83-9	Bromomethane	4600		ug/L	500	50.04	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1059	5000	92%	14%	0
NAL13026-872MSD	316-178	ORG	75-00-3	Chloroethane	3800		ug/L	500	55.61	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1059	5000	76%	17%	0
NAL13026-872MSD	316-178	ORG	75-69-4	Trichlorofluoromethane	6800		ug/L	500	19.65	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1059	5000	136%	8%	0
NAL13026-872MSD	316-178	ORG	75-35-4	1,1-Dichloroethene	4900		ug/L	100	47.11	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1059	5000	98%	20%	0
NAL13026-872MSD	316-178	ORG	75-09-2	Methylene chloride	5400		ug/L	500	26.46	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1059	5000	108%	18%	0
NAL13026-872MSD	316-178	ORG	67-64-1	Acetone	100000		ug/L	1000	155.61	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1059	5000	0%	20%	100000
NAL13026-872MSD	316-178	ORG	156-60-5	trans-1,2-Dichloroethene	5300		ug/L	100	55.61	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1059	5000	106%	19%	0
NAL13026-872MSD	316-178	ORG	1634-04-4	MTBE	5200		ug/L	500	61.18	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1059	5000	104%	24%	0
NAL13026-872MSD	316-178	ORG	75-34-3	1,1-Dichloroethane	5500		ug/L	100	52.66	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1059	5000	110%	18%	0
NAL13026-872MSD	316-178	ORG	156-59-2	cis-1,2-Dichloroethene	5400		ug/L	100	32.11	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1059	5000	108%	16%	0
NAL13026-872MSD	316-178	ORG	74-97-5	Bromochloromethane	5400		ug/L	1000	41.37	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1059	5000	108%	12%	0
NAL13026-872MSD	316-178	ORG	67-66-3	Chloroform	5100		ug/L	200	15.73	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1059	5000	102%	6%	0
NAL13026-872MSD	316-178	ORG	71-55-6	1,1,1-Trichloroethane	5200		ug/L	100	16.65	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1059	5000	104%	8%	0
NAL13026-872MSD	316-178	ORG	78-93-3	2-Butanone	56000		ug/L	100	81.18	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1059	5000	180%	9%	47000
NAL13026-872MSD	316-178	ORG	56-23-5	Carbon tetrachloride	5000		ug/L	100	27.64	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1059	5000	100%	13%	0
NAL13026-872MSD	316-178	ORG	71-43-2	Benzene	4900		ug/L	100	13.53	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1059	5000	97%	4%	48
NAL13026-872MSD	316-178	ORG	107-06-2	1,2-Dichloroethane	4700		ug/L	100	20.01	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1059	5000	94%	2%	0
NAL13026-872MSD	316-178	ORG	79-01-6	Trichloroethene	4800		ug/L	100	36.33	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1059	5000	96%	2%	0
NAL13026-872MSD	316-178	ORG	74-95-3	Dibromomethane	4200		ug/L	200	32.20	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1059	5000	84%	7%	0
NAL13026-872MSD	316-178	ORG	78-87-5	1,2-Dichloropropane	4500		ug/L	100	18.17	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1059	5000	90%	0%	0
NAL13026-872MSD	316-178	ORG	75-27-4	Bromodichloromethane	4100		ug/L	200	11.58	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1059	5000	82%	5%	0
NAL13026-872MSD	316-178	ORG	10061-01-5	cis-1,3-Dichloropropene	5000		ug/L	100	25.01	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1059	5000	100%	4%	0
NAL13026-872MSD	316-178	ORG	108-88-3	Toluene	4600		ug/L	100	20.96	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1059	5000	91%	4%	37
NAL13026-872MSD	316-178	ORG	108-10-1	4-Methyl-2-pentanone	5600		ug/L	500	74.00	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1059	5000	92%	6%	1000
NAL13026-872MSD	316-178	ORG	10061-02-6	trans-1,3-Dichloropropene	4900		ug/L	100	31.15	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1059	5000	98%	4%	0
NAL13026-872MSD	316-178	ORG	127-18-4	Tetrachloroethene	4300		ug/L	100	48.56	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1059	5000	86%	2%	0
NAL13026-872MSD	316-178	ORG	79-00-5	1,1,2-Trichloroethane	4900		ug/L	100	34.28	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1059	5000	98%	4%	0
NAL13026-872MSD	316-178	ORG	124-48-1	Dibromochloromethane	4400		ug/L	500	29.90	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1059	5000	88%	2%	0
NAL13026-872MSD	316-178	ORG	106-93-4	1,2-Dibromoethane	4600		ug/L	200	26.49	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1059	5000	92%	4%	0
NAL13026-872MSD	316-178	ORG	591-78-6	2-Hexanone	10000		ug/L	200	68.90	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1059	5000	110%	6%	4500
NAL13026-872MSD	316-178	ORG	100-41-4	Ethylbenzene	4900		ug/L	100	25.38	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1059	5000	96%	0%	110
NAL13026-872MSD	316-178	ORG	108-90-7	Chlorobenzene	4900		ug/L	100	27.52	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1059	5000	98%	2%	0
NAL13026-872MSD	316-178	ORG	630-20-6	1,1,1,2-Tetrachloroethane	4200		ug/L	200	19.28	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1059	5000	84%	2%	0
NAL13026-872MSD	316-178	ORG	XYLMP	p&m-Xylene	9600		ug/L	200	26.14	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1059	10000	88%	1%	780
NAL13026-872MSD	316-178	ORG	95-47-6	o-Xylene	4900		ug/L	100	12.90	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1059	5000	85%	0%	640
NAL13026-872MSD	316-178	ORG	100-42-5	Styrene	4900		ug/L	100	20.23	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1059	5000	90%	2%	380
NAL13026-872MSD	316-178	ORG	75-25-2	Bromoform	4100		ug/L	200	46.83	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1059	5000	82%	2%	0
NAL13026-872MSD	316-178	ORG	98-82-8	Isopropylbenzene	5100		ug/L	200	20.48	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1059	5000	89%	2%	650
NAL13026-872MSD	316-178	ORG	103-65-1	n-Propylbenzene	5400		ug/L	200	27.00	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1059	5000	105%	2%	130

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-872MSD	316-178	ORG	79-34-5	1,1,2,2-Tetrachloroethane	4500		ug/L	200	29.16	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1059	5000	90%	5%	0
NAL13026-872MSD	316-178	ORG	96-18-4	1,2,3-Trichloropropane	4300		ug/L	200	29.47	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1059	5000	86%	2%	0
NAL13026-872MSD	316-178	ORG	108-67-8	1,3,5-Trimethylbenzene	4900		ug/L	200	20.03	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1059	5000	86%	0%	580
NAL13026-872MSD	316-178	ORG	98-06-6	tert-Butylbenzene	4900		ug/L	200	32.61	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1059	5000	98%	0%	0
NAL13026-872MSD	316-178	ORG	95-63-6	1,2,4-Trimethylbenzene	5800		ug/L	200	20.03	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1059	5000	86%	0%	1500
NAL13026-872MSD	316-178	ORG	135-98-8	sec-Butylbenzene	5400		ug/L	200	32.34	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1059	5000	108%	0%	0
NAL13026-872MSD	316-178	ORG	541-73-1	1,3-Dichlorobenzene	5000		ug/L	200	22.21	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1059	5000	100%	0%	0
NAL13026-872MSD	316-178	ORG	99-87-6	p-Isopropltoluene	9100		ug/L	200	25.48	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1059	5000	64%	2%	5900
NAL13026-872MSD	316-178	ORG	106-46-7	1,4-Dichlorobenzene	5900		ug/L	200	33.03	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1059	5000	88%	2%	1500
NAL13026-872MSD	316-178	ORG	95-50-1	1,2-Dichlorobenzene	5200		ug/L	200	26.38	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1059	5000	104%	2%	0
NAL13026-872MSD	316-178	ORG	104-51-8	n-Butylbenzene	5100		ug/L	500	27.81	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1059	5000	90%	0%	590
NAL13026-872MSD	316-178	ORG	96-12-8	1,2-Dibromo-3-chloropropane	5100		ug/L	500	159.11	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1059	5000	102%	8%	0
NAL13026-872MSD	316-178	ORG	87-68-3	Hexachlorobutadiene	6000		ug/L	500	65.42	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1059	5000	120%	0%	0
NAL13026-872MSD	316-178	ORG	120-82-1	1,2,4-Trichlorobenzene	5900		ug/L	500	27.63	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1059	5000	118%	2%	0
NAL13026-872MSD	316-178	ORG	91-20-3	Naphthalene	7200		ug/L	500	56.04	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1059	5000	96%	7%	2400
NAL13026-872MSD	316-178	ORG	87-61-6	1,2,3-Trichlorobenzene	6300		ug/L	500	23.28	12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1059	5000	126%	3%	0
NAL13026-872MSD	316-178	STD	1868-53-7	Dibromofluoromethane	52		ng			12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1059	50	104%	4%	0
NAL13026-872MSD	316-178	STD	17060-07-0	1,2-Dichloroethane d4	50		ng			12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1059	50	100%	2%	0
NAL13026-872MSD	316-178	STD	2037-26-5	Toluene d8	45		ng			12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1059	50	90%	2%	0
NAL13026-872MSD	316-178	STD	460-00-4	Bromofluorobenzene	55		ng			12/27/2013	12/27/2013	12/27/2013	WG	100	NA	5.0	NA	SW8260B	NALC1059	50	110%	0%	0

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-874	316-179	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1067				
NAL13026-874	316-179	ORG	74-87-3	Chloromethane		U	ug/L	500	43.07	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1067				
NAL13026-874	316-179	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1067				
NAL13026-874	316-179	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1067				
NAL13026-874	316-179	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1067				
NAL13026-874	316-179	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1067				
NAL13026-874	316-179	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1067				
NAL13026-874	316-179	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1067				
NAL13026-874	316-179	ORG	67-64-1	Acetone	110000	D	ug/L	10000	1556.07	12/28/2013	12/28/2013	12/28/2013	WG	1000	NA	5.0	NA	SW8260B	NALC1068				
NAL13026-874	316-179	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1067				
NAL13026-874	316-179	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1067				
NAL13026-874	316-179	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1067				
NAL13026-874	316-179	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1067				
NAL13026-874	316-179	ORG	74-97-5	Bromochloromethane		U	ug/L	200	41.37	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1067				
NAL13026-874	316-179	ORG	67-66-3	Chloroform		U	ug/L	100	15.73	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1067				
NAL13026-874	316-179	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	16.65	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1067				
NAL13026-874	316-179	ORG	78-93-3	2-Butanone	54000	D	ug/L	10000	811.80	12/28/2013	12/28/2013	12/28/2013	WG	1000	NA	5.0	NA	SW8260B	NALC1068				
NAL13026-874	316-179	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1067				
NAL13026-874	316-179	ORG	71-43-2	Benzene	56	J	ug/L	100	13.53	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1067				
NAL13026-874	316-179	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1067				
NAL13026-874	316-179	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1067				
NAL13026-874	316-179	ORG	74-95-3	Dibromomethane		UX-	ug/L	200	32.20	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1067				
NAL13026-874	316-179	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1067				
NAL13026-874	316-179	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1067				
NAL13026-874	316-179	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1067				
NAL13026-874	316-179	ORG	108-88-3	Toluene	47	J	ug/L	100	20.96	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1067				
NAL13026-874	316-179	ORG	108-10-1	4-Methyl-2-pentanone	1000		ug/L	500	74.00	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1067				
NAL13026-874	316-179	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1067				
NAL13026-874	316-179	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1067				
NAL13026-874	316-179	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1067				
NAL13026-874	316-179	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	29.90	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1067				
NAL13026-874	316-179	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	26.49	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1067				
NAL13026-874	316-179	ORG	591-78-6	2-Hexanone	4900		ug/L	500	68.90	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1067				
NAL13026-874	316-179	ORG	100-41-4	Ethylbenzene	140		ug/L	100	25.38	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1067				
NAL13026-874	316-179	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1067				
NAL13026-874	316-179	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1067				
NAL13026-874	316-179	ORG	XYLMP	p&m-Xylene	880		ug/L	200	26.14	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1067				
NAL13026-874	316-179	ORG	95-47-6	o-Xylene	690		ug/L	100	12.90	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1067				
NAL13026-874	316-179	ORG	100-42-5	Styrene	390		ug/L	100	20.23	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1067				
NAL13026-874	316-179	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1067				
NAL13026-874	316-179	ORG	98-82-8	Isopropylbenzene	690		ug/L	200	20.48	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1067				
NAL13026-874	316-179	ORG	103-65-1	n-Propylbenzene	200	J	ug/L	200	27.00	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1067				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-874	316-179	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1067				
NAL13026-874	316-179	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1067				
NAL13026-874	316-179	ORG	108-67-8	1,3,5-Trimethylbenzene	660		ug/L	200	20.03	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1067				
NAL13026-874	316-179	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1067				
NAL13026-874	316-179	ORG	95-63-6	1,2,4-Trimethylbenzene	2100		ug/L	200	20.03	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1067				
NAL13026-874	316-179	ORG	135-98-8	sec-Butylbenzene	470		ug/L	200	32.34	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1067				
NAL13026-874	316-179	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1067				
NAL13026-874	316-179	ORG	99-87-6	p-Isopropltoluene	8600		ug/L	200	25.48	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1067				
NAL13026-874	316-179	ORG	106-46-7	1,4-Dichlorobenzene	2000		ug/L	200	33.03	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1067				
NAL13026-874	316-179	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1067				
NAL13026-874	316-179	ORG	104-51-8	n-Butylbenzene	630		ug/L	500	27.81	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1067				
NAL13026-874	316-179	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1067				
NAL13026-874	316-179	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1067				
NAL13026-874	316-179	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1067				
NAL13026-874	316-179	ORG	91-20-3	Naphthalene	2800		ug/L	500	56.04	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1067				
NAL13026-874	316-179	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1067				
NAL13026-874	316-179	STD	1868-53-7	Dibromofluoromethane	52		ng			12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1067	50	104%		
NAL13026-874	316-179	STD	17060-07-0	1,2-Dichloroethane d4	50		ng			12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1067	50	100%		
NAL13026-874	316-179	STD	2037-26-5	Toluene d8	45		ng			12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1067	50	90%		
NAL13026-874	316-179	STD	460-00-4	Bromofluorobenzene	54		ng			12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1067	50	108%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-875	96-092	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1074				
NAL13026-875	96-092	ORG	74-87-3	Chloromethane		U	ug/L	500	43.07	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1074				
NAL13026-875	96-092	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1074				
NAL13026-875	96-092	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1074				
NAL13026-875	96-092	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1074				
NAL13026-875	96-092	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1074				
NAL13026-875	96-092	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1074				
NAL13026-875	96-092	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1074				
NAL13026-875	96-092	ORG	67-64-1	Acetone	100000	D	ug/L	10000	1556.07	12/28/2013	12/28/2013	12/28/2013	WG	1000	NA	5.0	NA	SW8260B	NALC1075				
NAL13026-875	96-092	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1074				
NAL13026-875	96-092	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1074				
NAL13026-875	96-092	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1074				
NAL13026-875	96-092	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1074				
NAL13026-875	96-092	ORG	74-97-5	Bromochloromethane		U	ug/L	200	41.37	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1074				
NAL13026-875	96-092	ORG	67-66-3	Chloroform		U	ug/L	100	15.73	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1074				
NAL13026-875	96-092	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	16.65	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1074				
NAL13026-875	96-092	ORG	78-93-3	2-Butanone	47000	D	ug/L	10000	811.80	12/28/2013	12/28/2013	12/28/2013	WG	1000	NA	5.0	NA	SW8260B	NALC1075				
NAL13026-875	96-092	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1074				
NAL13026-875	96-092	ORG	71-43-2	Benzene	26	J	ug/L	100	13.53	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1074				
NAL13026-875	96-092	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1074				
NAL13026-875	96-092	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1074				
NAL13026-875	96-092	ORG	74-95-3	Dibromomethane		UX-	ug/L	200	32.20	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1074				
NAL13026-875	96-092	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1074				
NAL13026-875	96-092	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1074				
NAL13026-875	96-092	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1074				
NAL13026-875	96-092	ORG	108-88-3	Toluene		U	ug/L	100	20.96	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1074				
NAL13026-875	96-092	ORG	108-10-1	4-Methyl-2-pentanone	930		ug/L	500	74.00	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1074				
NAL13026-875	96-092	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1074				
NAL13026-875	96-092	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1074				
NAL13026-875	96-092	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1074				
NAL13026-875	96-092	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	29.90	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1074				
NAL13026-875	96-092	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	26.49	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1074				
NAL13026-875	96-092	ORG	591-78-6	2-Hexanone	4300		ug/L	500	68.90	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1074				
NAL13026-875	96-092	ORG	100-41-4	Ethylbenzene	41	J	ug/L	100	25.38	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1074				
NAL13026-875	96-092	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1074				
NAL13026-875	96-092	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1074				
NAL13026-875	96-092	ORG	XYLMP	p&m-Xylene	660		ug/L	200	26.14	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1074				
NAL13026-875	96-092	ORG	95-47-6	o-Xylene	560		ug/L	100	12.90	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1074				
NAL13026-875	96-092	ORG	100-42-5	Styrene	370		ug/L	100	20.23	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1074				
NAL13026-875	96-092	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1074				
NAL13026-875	96-092	ORG	98-82-8	Isopropylbenzene	620		ug/L	200	20.48	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1074				
NAL13026-875	96-092	ORG	103-65-1	n-Propylbenzene	130	J	ug/L	200	27.00	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1074				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-875	96-092	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1074				
NAL13026-875	96-092	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1074				
NAL13026-875	96-092	ORG	108-67-8	1,3,5-Trimethylbenzene	580		ug/L	200	20.03	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1074				
NAL13026-875	96-092	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1074				
NAL13026-875	96-092	ORG	95-63-6	1,2,4-Trimethylbenzene	1700		ug/L	200	20.03	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1074				
NAL13026-875	96-092	ORG	135-98-8	sec-Butylbenzene	480		ug/L	200	32.34	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1074				
NAL13026-875	96-092	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1074				
NAL13026-875	96-092	ORG	99-87-6	p-Isopropltoluene	7300		ug/L	200	25.48	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1074				
NAL13026-875	96-092	ORG	106-46-7	1,4-Dichlorobenzene	1600		ug/L	200	33.03	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1074				
NAL13026-875	96-092	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1074				
NAL13026-875	96-092	ORG	104-51-8	n-Butylbenzene	620		ug/L	500	27.81	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1074				
NAL13026-875	96-092	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1074				
NAL13026-875	96-092	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1074				
NAL13026-875	96-092	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1074				
NAL13026-875	96-092	ORG	91-20-3	Naphthalene	3000		ug/L	500	56.04	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1074				
NAL13026-875	96-092	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1074				
NAL13026-875	96-092	STD	1868-53-7	Dibromofluoromethane	51		ng			12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1074	50	102%		
NAL13026-875	96-092	STD	17060-07-0	1,2-Dichloroethane d4	51		ng			12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1074	50	102%		
NAL13026-875	96-092	STD	2037-26-5	Toluene d8	43		ng			12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1074	50	86%		
NAL13026-875	96-092	STD	460-00-4	Bromofluorobenzene	53		ng			12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1074	50	106%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C122813CCVA	C122813CCVA	ORG	75-71-8	Dichlorodifluoromethane	89		ug/L	5	0.29	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1065	50	178%		
C122813CCVA	C122813CCVA	ORG	74-87-3	Chloromethane	70		ug/L	5	0.43	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1065	50	140%		
C122813CCVA	C122813CCVA	ORG	75-01-4	Vinyl chloride	73		ug/L	2	0.32	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1065	50	146%		
C122813CCVA	C122813CCVA	ORG	74-83-9	Bromomethane	57		ug/L	5	0.50	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1065	50	114%		
C122813CCVA	C122813CCVA	ORG	75-00-3	Chloroethane	44		ug/L	5	0.56	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1065	50	88%		
C122813CCVA	C122813CCVA	ORG	75-69-4	Trichlorofluoromethane	75		ug/L	5	0.20	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1065	50	150%		
C122813CCVA	C122813CCVA	ORG	75-35-4	1,1-Dichloroethene	57		ug/L	1	0.47	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1065	50	114%		
C122813CCVA	C122813CCVA	ORG	75-09-2	Methylene chloride	55		ug/L	5	0.26	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1065	50	110%		
C122813CCVA	C122813CCVA	ORG	67-64-1	Acetone	55		ug/L	10	1.56	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1065	50	110%		
C122813CCVA	C122813CCVA	ORG	156-60-5	trans-1,2-Dichloroethene	57		ug/L	1	0.56	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1065	50	114%		
C122813CCVA	C122813CCVA	ORG	1634-04-4	MTBE	53		ug/L	5	0.61	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1065	50	106%		
C122813CCVA	C122813CCVA	ORG	75-34-3	1,1-Dichloroethane	55		ug/L	1	0.53	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1065	50	110%		
C122813CCVA	C122813CCVA	ORG	156-59-2	cis-1,2-Dichloroethene	53		ug/L	1	0.32	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1065	50	106%		
C122813CCVA	C122813CCVA	ORG	74-97-5	Bromochloromethane	54		ug/L	10	0.41	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1065	50	108%		
C122813CCVA	C122813CCVA	ORG	67-66-3	Chloroform	51		ug/L	2	0.16	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1065	50	102%		
C122813CCVA	C122813CCVA	ORG	71-55-6	1,1,1-Trichloroethane	52		ug/L	1	0.17	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1065	50	104%		
C122813CCVA	C122813CCVA	ORG	78-93-3	2-Butanone	53		ug/L	1	0.81	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1065	50	106%		
C122813CCVA	C122813CCVA	ORG	56-23-5	Carbon tetrachloride	51		ug/L	1	0.28	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1065	50	102%		
C122813CCVA	C122813CCVA	ORG	71-43-2	Benzene	50		ug/L	1	0.14	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1065	50	100%		
C122813CCVA	C122813CCVA	ORG	107-06-2	1,2-Dichloroethane	47		ug/L	1	0.20	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1065	50	94%		
C122813CCVA	C122813CCVA	ORG	79-01-6	Trichloroethene	48		ug/L	1	0.36	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1065	50	96%		
C122813CCVA	C122813CCVA	ORG	74-95-3	Dibromomethane	46		ug/L	2	0.32	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1065	50	92%		
C122813CCVA	C122813CCVA	ORG	78-87-5	1,2-Dichloropropane	47		ug/L	1	0.18	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1065	50	94%		
C122813CCVA	C122813CCVA	ORG	75-27-4	Bromodichloromethane	49		ug/L	2	0.12	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1065	50	98%		
C122813CCVA	C122813CCVA	ORG	10061-01-5	cis-1,3-Dichloropropene	54		ug/L	1	0.25	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1065	50	108%		
C122813CCVA	C122813CCVA	ORG	108-88-3	Toluene	52		ug/L	1	0.21	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1065	50	104%		
C122813CCVA	C122813CCVA	ORG	108-10-1	4-Methyl-2-pentanone	46		ug/L	5	0.74	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1065	50	92%		
C122813CCVA	C122813CCVA	ORG	10061-02-6	trans-1,3-Dichloropropene	55		ug/L	1	0.31	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1065	50	110%		
C122813CCVA	C122813CCVA	ORG	127-18-4	Tetrachloroethene	52		ug/L	1	0.49	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1065	50	104%		
C122813CCVA	C122813CCVA	ORG	79-00-5	1,1,2-Trichloroethane	52		ug/L	1	0.34	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1065	50	104%		
C122813CCVA	C122813CCVA	ORG	124-48-1	Dibromochloromethane	47		ug/L	5	0.30	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1065	50	94%		
C122813CCVA	C122813CCVA	ORG	106-93-4	1,2-Dibromoethane	48		ug/L	2	0.26	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1065	50	96%		
C122813CCVA	C122813CCVA	ORG	591-78-6	2-Hexanone	45		ug/L	2	0.69	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1065	50	90%		
C122813CCVA	C122813CCVA	ORG	100-41-4	Ethylbenzene	56		ug/L	1	0.25	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1065	50	112%		
C122813CCVA	C122813CCVA	ORG	108-90-7	Chlorobenzene	56		ug/L	1	0.28	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1065	50	112%		
C122813CCVA	C122813CCVA	ORG	630-20-6	1,1,1,2-Tetrachloroethane	50		ug/L	2	0.19	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1065	50	100%		
C122813CCVA	C122813CCVA	ORG	XYLMP	p&m-Xylene	110		ug/L	2	0.26	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1065	100	110%		
C122813CCVA	C122813CCVA	ORG	95-47-6	o-Xylene	50		ug/L	1	0.13	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1065	50	100%		
C122813CCVA	C122813CCVA	ORG	100-42-5	Styrene	52		ug/L	1	0.20	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1065	50	104%		
C122813CCVA	C122813CCVA	ORG	75-25-2	Bromoform	47		ug/L	2	0.47	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1065	50	94%		
C122813CCVA	C122813CCVA	ORG	98-82-8	Isopropylbenzene	51		ug/L	2	0.20	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1065	50	102%		
C122813CCVA	C122813CCVA	ORG	103-65-1	n-Propylbenzene	59		ug/L	2	0.27	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1065	50	118%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C122813CCVA	C122813CCVA	ORG	79-34-5	1,1,2,2-Tetrachloroethane	50		ug/L	2	0.29	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1065	50	100%		
C122813CCVA	C122813CCVA	ORG	96-18-4	1,2,3-Trichloropropane	50		ug/L	2	0.29	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1065	50	100%		
C122813CCVA	C122813CCVA	ORG	108-67-8	1,3,5-Trimethylbenzene	52		ug/L	2	0.20	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1065	50	104%		
C122813CCVA	C122813CCVA	ORG	98-06-6	tert-Butylbenzene	52		ug/L	2	0.33	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1065	50	104%		
C122813CCVA	C122813CCVA	ORG	95-63-6	1,2,4-Trimethylbenzene	52		ug/L	2	0.20	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1065	50	104%		
C122813CCVA	C122813CCVA	ORG	135-98-8	sec-Butylbenzene	51		ug/L	2	0.32	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1065	50	102%		
C122813CCVA	C122813CCVA	ORG	541-73-1	1,3-Dichlorobenzene	54		ug/L	2	0.22	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1065	50	108%		
C122813CCVA	C122813CCVA	ORG	99-87-6	p-Isopropltoluene	51		ug/L	2	0.25	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1065	50	102%		
C122813CCVA	C122813CCVA	ORG	106-46-7	1,4-Dichlorobenzene	50		ug/L	2	0.33	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1065	50	100%		
C122813CCVA	C122813CCVA	ORG	95-50-1	1,2-Dichlorobenzene	52		ug/L	2	0.26	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1065	50	104%		
C122813CCVA	C122813CCVA	ORG	104-51-8	n-Butylbenzene	52		ug/L	5	0.28	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1065	50	104%		
C122813CCVA	C122813CCVA	ORG	96-12-8	1,2-Dibromo-3-chloropropane	47		ug/L	5	1.59	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1065	50	94%		
C122813CCVA	C122813CCVA	ORG	87-68-3	Hexachlorobutadiene	60		ug/L	5	0.65	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1065	50	120%		
C122813CCVA	C122813CCVA	ORG	120-82-1	1,2,4-Trichlorobenzene	55		ug/L	5	0.28	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1065	50	110%		
C122813CCVA	C122813CCVA	ORG	91-20-3	Naphthalene	51		ug/L	5	0.56	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1065	50	102%		
C122813CCVA	C122813CCVA	ORG	87-61-6	1,2,3-Trichlorobenzene	58		ug/L	5	0.23	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1065	50	116%		
C122813CCVA	C122813CCVA	STD	1868-53-7	Dibromofluoromethane	51		ng			NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1065	50	102%		
C122813CCVA	C122813CCVA	STD	17060-07-0	1,2-Dichloroethane d4	49		ng			NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1065	50	98%		
C122813CCVA	C122813CCVA	STD	2037-26-5	Toluene d8	50		ng			NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1065	50	100%		
C122813CCVA	C122813CCVA	STD	460-00-4	Bromofluorobenzene	49		ng			NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1065	50	98%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C122813MBKA	C122813MBKA	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	5	0.29	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1066				
C122813MBKA	C122813MBKA	ORG	74-87-3	Chloromethane		U	ug/L	5	0.43	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1066				
C122813MBKA	C122813MBKA	ORG	75-01-4	Vinyl chloride		U	ug/L	2	0.32	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1066				
C122813MBKA	C122813MBKA	ORG	74-83-9	Bromomethane		U	ug/L	5	0.50	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1066				
C122813MBKA	C122813MBKA	ORG	75-00-3	Chloroethane		U	ug/L	5	0.56	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1066				
C122813MBKA	C122813MBKA	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	5	0.20	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1066				
C122813MBKA	C122813MBKA	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	1	0.47	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1066				
C122813MBKA	C122813MBKA	ORG	75-09-2	Methylene chloride		U	ug/L	5	0.26	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1066				
C122813MBKA	C122813MBKA	ORG	67-64-1	Acetone		U	ug/L	10	1.56	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1066				
C122813MBKA	C122813MBKA	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	1	0.56	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1066				
C122813MBKA	C122813MBKA	ORG	1634-04-4	MTBE		U	ug/L	5	0.61	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1066				
C122813MBKA	C122813MBKA	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	1	0.53	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1066				
C122813MBKA	C122813MBKA	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	1	0.32	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1066				
C122813MBKA	C122813MBKA	ORG	74-97-5	Bromochloromethane		U	ug/L	10	0.41	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1066				
C122813MBKA	C122813MBKA	ORG	67-66-3	Chloroform		U	ug/L	2	0.16	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1066				
C122813MBKA	C122813MBKA	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	1	0.17	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1066				
C122813MBKA	C122813MBKA	ORG	78-93-3	2-Butanone		U	ug/L	1	0.81	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1066				
C122813MBKA	C122813MBKA	ORG	56-23-5	Carbon tetrachloride		U	ug/L	1	0.28	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1066				
C122813MBKA	C122813MBKA	ORG	71-43-2	Benzene		U	ug/L	1	0.14	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1066				
C122813MBKA	C122813MBKA	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	1	0.20	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1066				
C122813MBKA	C122813MBKA	ORG	79-01-6	Trichloroethene		U	ug/L	1	0.36	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1066				
C122813MBKA	C122813MBKA	ORG	74-95-3	Dibromomethane		U	ug/L	2	0.32	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1066				
C122813MBKA	C122813MBKA	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	1	0.18	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1066				
C122813MBKA	C122813MBKA	ORG	75-27-4	Bromodichloromethane		U	ug/L	2	0.12	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1066				
C122813MBKA	C122813MBKA	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	1	0.25	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1066				
C122813MBKA	C122813MBKA	ORG	108-88-3	Toluene		U	ug/L	1	0.21	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1066				
C122813MBKA	C122813MBKA	ORG	108-10-1	4-Methyl-2-pentanone		U	ug/L	5	0.74	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1066				
C122813MBKA	C122813MBKA	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	1	0.31	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1066				
C122813MBKA	C122813MBKA	ORG	127-18-4	Tetrachloroethene		U	ug/L	1	0.49	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1066				
C122813MBKA	C122813MBKA	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	1	0.34	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1066				
C122813MBKA	C122813MBKA	ORG	124-48-1	Dibromochloromethane		U	ug/L	5	0.30	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1066				
C122813MBKA	C122813MBKA	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	2	0.26	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1066				
C122813MBKA	C122813MBKA	ORG	591-78-6	2-Hexanone		U	ug/L	2	0.69	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1066				
C122813MBKA	C122813MBKA	ORG	100-41-4	Ethylbenzene		U	ug/L	1	0.25	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1066				
C122813MBKA	C122813MBKA	ORG	108-90-7	Chlorobenzene		U	ug/L	1	0.28	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1066				
C122813MBKA	C122813MBKA	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	2	0.19	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1066				
C122813MBKA	C122813MBKA	ORG	XYLMP	p&m-Xylene		U	ug/L	2	0.26	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1066				
C122813MBKA	C122813MBKA	ORG	95-47-6	o-Xylene		U	ug/L	1	0.13	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1066				
C122813MBKA	C122813MBKA	ORG	100-42-5	Styrene		U	ug/L	1	0.20	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1066				
C122813MBKA	C122813MBKA	ORG	75-25-2	Bromoform		U	ug/L	2	0.47	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1066				
C122813MBKA	C122813MBKA	ORG	98-82-8	Isopropylbenzene		U	ug/L	2	0.20	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1066				
C122813MBKA	C122813MBKA	ORG	103-65-1	n-Propylbenzene		U	ug/L	2	0.27	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1066				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C122813MBKA	C122813MBKA	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	2	0.29	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1066				
C122813MBKA	C122813MBKA	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	2	0.29	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1066				
C122813MBKA	C122813MBKA	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	2	0.20	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1066				
C122813MBKA	C122813MBKA	ORG	98-06-6	tert-Butylbenzene		U	ug/L	2	0.33	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1066				
C122813MBKA	C122813MBKA	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	2	0.20	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1066				
C122813MBKA	C122813MBKA	ORG	135-98-8	sec-Butylbenzene		U	ug/L	2	0.32	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1066				
C122813MBKA	C122813MBKA	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	2	0.22	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1066				
C122813MBKA	C122813MBKA	ORG	99-87-6	p-Isopropltoluene		U	ug/L	2	0.25	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1066				
C122813MBKA	C122813MBKA	ORG	106-46-7	1,4-Dichlorobenzene		U	ug/L	2	0.33	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1066				
C122813MBKA	C122813MBKA	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	2	0.26	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1066				
C122813MBKA	C122813MBKA	ORG	104-51-8	n-Butylbenzene		U	ug/L	5	0.28	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1066				
C122813MBKA	C122813MBKA	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	5	1.59	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1066				
C122813MBKA	C122813MBKA	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	5	0.65	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1066				
C122813MBKA	C122813MBKA	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	5	0.28	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1066				
C122813MBKA	C122813MBKA	ORG	91-20-3	Naphthalene		U	ug/L	5	0.56	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1066				
C122813MBKA	C122813MBKA	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	5	0.23	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1066				
C122813MBKA	C122813MBKA	STD	1868-53-7	Dibromofluoromethane	49		ng			NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1066	50	98%		
C122813MBKA	C122813MBKA	STD	17060-07-0	1,2-Dichloroethane d4	50		ng			NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1066	50	100%		
C122813MBKA	C122813MBKA	STD	2037-26-5	Toluene d8	56		ng			NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1066	50	112%		
C122813MBKA	C122813MBKA	STD	460-00-4	Bromofluorobenzene	58		ng			NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1066	50	116%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C122813ALCS	C122813ALCS	ORG	75-71-8	Dichlorodifluoromethane	83		ug/L	5	0.29	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1069	50	166%		
C122813ALCS	C122813ALCS	ORG	74-87-3	Chloromethane	63		ug/L	5	0.43	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1069	50	126%		
C122813ALCS	C122813ALCS	ORG	75-01-4	Vinyl chloride	66		ug/L	2	0.32	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1069	50	132%		
C122813ALCS	C122813ALCS	ORG	74-83-9	Bromomethane	55		ug/L	5	0.50	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1069	50	110%		
C122813ALCS	C122813ALCS	ORG	75-00-3	Chloroethane	48		ug/L	5	0.56	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1069	50	96%		
C122813ALCS	C122813ALCS	ORG	75-69-4	Trichlorofluoromethane	76		ug/L	5	0.20	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1069	50	152%		
C122813ALCS	C122813ALCS	ORG	75-35-4	1,1-Dichloroethene	50		ug/L	1	0.47	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1069	50	100%		
C122813ALCS	C122813ALCS	ORG	75-09-2	Methylene chloride	52		ug/L	5	0.26	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1069	50	104%		
C122813ALCS	C122813ALCS	ORG	67-64-1	Acetone	55		ug/L	10	1.56	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1069	50	110%		
C122813ALCS	C122813ALCS	ORG	156-60-5	trans-1,2-Dichloroethene	51		ug/L	1	0.56	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1069	50	102%		
C122813ALCS	C122813ALCS	ORG	1634-04-4	MTBE	48		ug/L	5	0.61	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1069	50	96%		
C122813ALCS	C122813ALCS	ORG	75-34-3	1,1-Dichloroethane	49		ug/L	1	0.53	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1069	50	98%		
C122813ALCS	C122813ALCS	ORG	156-59-2	cis-1,2-Dichloroethene	49		ug/L	1	0.32	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1069	50	98%		
C122813ALCS	C122813ALCS	ORG	74-97-5	Bromochloromethane	48		ug/L	10	0.41	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1069	50	96%		
C122813ALCS	C122813ALCS	ORG	67-66-3	Chloroform	47		ug/L	2	0.16	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1069	50	94%		
C122813ALCS	C122813ALCS	ORG	71-55-6	1,1,1-Trichloroethane	49		ug/L	1	0.17	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1069	50	98%		
C122813ALCS	C122813ALCS	ORG	78-93-3	2-Butanone	52		ug/L	1	0.81	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1069	50	104%		
C122813ALCS	C122813ALCS	ORG	56-23-5	Carbon tetrachloride	47		ug/L	1	0.28	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1069	50	94%		
C122813ALCS	C122813ALCS	ORG	71-43-2	Benzene	48		ug/L	1	0.14	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1069	50	96%		
C122813ALCS	C122813ALCS	ORG	107-06-2	1,2-Dichloroethane	47		ug/L	1	0.20	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1069	50	94%		
C122813ALCS	C122813ALCS	ORG	79-01-6	Trichloroethene	47		ug/L	1	0.36	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1069	50	94%		
C122813ALCS	C122813ALCS	ORG	74-95-3	Dibromomethane	39		ug/L	2	0.32	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1069	50	78%		
C122813ALCS	C122813ALCS	ORG	78-87-5	1,2-Dichloropropane	41		ug/L	1	0.18	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1069	50	82%		
C122813ALCS	C122813ALCS	ORG	75-27-4	Bromodichloromethane	43		ug/L	2	0.12	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1069	50	86%		
C122813ALCS	C122813ALCS	ORG	10061-01-5	cis-1,3-Dichloropropene	45		ug/L	1	0.25	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1069	50	90%		
C122813ALCS	C122813ALCS	ORG	108-88-3	Toluene	48		ug/L	1	0.21	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1069	50	96%		
C122813ALCS	C122813ALCS	ORG	108-10-1	4-Methyl-2-pentanone	45		ug/L	5	0.74	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1069	50	90%		
C122813ALCS	C122813ALCS	ORG	10061-02-6	trans-1,3-Dichloropropene	51		ug/L	1	0.31	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1069	50	102%		
C122813ALCS	C122813ALCS	ORG	127-18-4	Tetrachloroethene	50		ug/L	1	0.49	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1069	50	100%		
C122813ALCS	C122813ALCS	ORG	79-00-5	1,1,2-Trichloroethane	51		ug/L	1	0.34	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1069	50	102%		
C122813ALCS	C122813ALCS	ORG	124-48-1	Dibromochloromethane	45		ug/L	5	0.30	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1069	50	90%		
C122813ALCS	C122813ALCS	ORG	106-93-4	1,2-Dibromoethane	46		ug/L	2	0.26	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1069	50	92%		
C122813ALCS	C122813ALCS	ORG	591-78-6	2-Hexanone	45		ug/L	2	0.69	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1069	50	90%		
C122813ALCS	C122813ALCS	ORG	100-41-4	Ethylbenzene	50		ug/L	1	0.25	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1069	50	100%		
C122813ALCS	C122813ALCS	ORG	108-90-7	Chlorobenzene	49		ug/L	1	0.28	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1069	50	98%		
C122813ALCS	C122813ALCS	ORG	630-20-6	1,1,1,2-Tetrachloroethane	44		ug/L	2	0.19	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1069	50	88%		
C122813ALCS	C122813ALCS	ORG	XYLMP	p&m-Xylene	97		ug/L	2	0.26	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1069	100	97%		
C122813ALCS	C122813ALCS	ORG	95-47-6	o-Xylene	45		ug/L	1	0.13	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1069	50	90%		
C122813ALCS	C122813ALCS	ORG	100-42-5	Styrene	47		ug/L	1	0.20	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1069	50	94%		
C122813ALCS	C122813ALCS	ORG	75-25-2	Bromoform	45		ug/L	2	0.47	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1069	50	90%		
C122813ALCS	C122813ALCS	ORG	98-82-8	Isopropylbenzene	47		ug/L	2	0.20	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1069	50	94%		
C122813ALCS	C122813ALCS	ORG	103-65-1	n-Propylbenzene	54		ug/L	2	0.27	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1069	50	108%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C122813ALCS	C122813ALCS	ORG	79-34-5	1,1,2,2-Tetrachloroethane	49		ug/L	2	0.29	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1069	50	98%		
C122813ALCS	C122813ALCS	ORG	96-18-4	1,2,3-Trichloropropane	49		ug/L	2	0.29	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1069	50	98%		
C122813ALCS	C122813ALCS	ORG	108-67-8	1,3,5-Trimethylbenzene	49		ug/L	2	0.20	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1069	50	98%		
C122813ALCS	C122813ALCS	ORG	98-06-6	tert-Butylbenzene	48		ug/L	2	0.33	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1069	50	96%		
C122813ALCS	C122813ALCS	ORG	95-63-6	1,2,4-Trimethylbenzene	48		ug/L	2	0.20	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1069	50	96%		
C122813ALCS	C122813ALCS	ORG	135-98-8	sec-Butylbenzene	47		ug/L	2	0.32	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1069	50	94%		
C122813ALCS	C122813ALCS	ORG	541-73-1	1,3-Dichlorobenzene	51		ug/L	2	0.22	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1069	50	102%		
C122813ALCS	C122813ALCS	ORG	99-87-6	p-Isopropltoluene	48		ug/L	2	0.25	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1069	50	96%		
C122813ALCS	C122813ALCS	ORG	106-46-7	1,4-Dichlorobenzene	47		ug/L	2	0.33	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1069	50	94%		
C122813ALCS	C122813ALCS	ORG	95-50-1	1,2-Dichlorobenzene	48		ug/L	2	0.26	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1069	50	96%		
C122813ALCS	C122813ALCS	ORG	104-51-8	n-Butylbenzene	48		ug/L	5	0.28	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1069	50	96%		
C122813ALCS	C122813ALCS	ORG	96-12-8	1,2-Dibromo-3-chloropropane	44		ug/L	5	1.59	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1069	50	88%		
C122813ALCS	C122813ALCS	ORG	87-68-3	Hexachlorobutadiene	51		ug/L	5	0.65	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1069	50	102%		
C122813ALCS	C122813ALCS	ORG	120-82-1	1,2,4-Trichlorobenzene	49		ug/L	5	0.28	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1069	50	98%		
C122813ALCS	C122813ALCS	ORG	91-20-3	Naphthalene	45		ug/L	5	0.56	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1069	50	90%		
C122813ALCS	C122813ALCS	ORG	87-61-6	1,2,3-Trichlorobenzene	51		ug/L	5	0.23	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1069	50	102%		
C122813ALCS	C122813ALCS	STD	1868-53-7	Dibromofluoromethane	50		ng			NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1069	50	100%		
C122813ALCS	C122813ALCS	STD	17060-07-0	1,2-Dichloroethane d4	50		ng			NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1069	50	100%		
C122813ALCS	C122813ALCS	STD	2037-26-5	Toluene d8	48		ng			NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1069	50	96%		
C122813ALCS	C122813ALCS	STD	460-00-4	Bromofluorobenzene	47		ng			NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1069	50	94%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C122813ALCD	C122813ALCD	ORG	75-71-8	Dichlorodifluoromethane	76		ug/L	5	0.29	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1070	50	152%	9%	
C122813ALCD	C122813ALCD	ORG	74-87-3	Chloromethane	58		ug/L	5	0.43	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1070	50	116%	8%	
C122813ALCD	C122813ALCD	ORG	75-01-4	Vinyl chloride	61		ug/L	2	0.32	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1070	50	122%	8%	
C122813ALCD	C122813ALCD	ORG	74-83-9	Bromomethane	52		ug/L	5	0.50	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1070	50	104%	6%	
C122813ALCD	C122813ALCD	ORG	75-00-3	Chloroethane	45		ug/L	5	0.56	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1070	50	90%	6%	
C122813ALCD	C122813ALCD	ORG	75-69-4	Trichlorofluoromethane	71		ug/L	5	0.20	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1070	50	142%	7%	
C122813ALCD	C122813ALCD	ORG	75-35-4	1,1-Dichloroethene	51		ug/L	1	0.47	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1070	50	102%	2%	
C122813ALCD	C122813ALCD	ORG	75-09-2	Methylene chloride	50		ug/L	5	0.26	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1070	50	100%	4%	
C122813ALCD	C122813ALCD	ORG	67-64-1	Acetone	52		ug/L	10	1.56	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1070	50	104%	6%	
C122813ALCD	C122813ALCD	ORG	156-60-5	trans-1,2-Dichloroethene	50		ug/L	1	0.56	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1070	50	100%	2%	
C122813ALCD	C122813ALCD	ORG	1634-04-4	MTBE	47		ug/L	5	0.61	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1070	50	94%	2%	
C122813ALCD	C122813ALCD	ORG	75-34-3	1,1-Dichloroethane	50		ug/L	1	0.53	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1070	50	100%	2%	
C122813ALCD	C122813ALCD	ORG	156-59-2	cis-1,2-Dichloroethene	49		ug/L	1	0.32	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1070	50	98%	0%	
C122813ALCD	C122813ALCD	ORG	74-97-5	Bromochloromethane	51		ug/L	10	0.41	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1070	50	102%	6%	
C122813ALCD	C122813ALCD	ORG	67-66-3	Chloroform	48		ug/L	2	0.16	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1070	50	96%	2%	
C122813ALCD	C122813ALCD	ORG	71-55-6	1,1,1-Trichloroethane	49		ug/L	1	0.17	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1070	50	98%	0%	
C122813ALCD	C122813ALCD	ORG	78-93-3	2-Butanone	51		ug/L	1	0.81	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1070	50	102%	2%	
C122813ALCD	C122813ALCD	ORG	56-23-5	Carbon tetrachloride	49		ug/L	1	0.28	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1070	50	98%	4%	
C122813ALCD	C122813ALCD	ORG	71-43-2	Benzene	48		ug/L	1	0.14	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1070	50	96%	0%	
C122813ALCD	C122813ALCD	ORG	107-06-2	1,2-Dichloroethane	46		ug/L	1	0.20	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1070	50	92%	2%	
C122813ALCD	C122813ALCD	ORG	79-01-6	Trichloroethene	48		ug/L	1	0.36	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1070	50	96%	2%	
C122813ALCD	C122813ALCD	ORG	74-95-3	Dibromomethane	47		ug/L	2	0.32	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1070	50	94%	19%	
C122813ALCD	C122813ALCD	ORG	78-87-5	1,2-Dichloropropane	49		ug/L	1	0.18	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1070	50	98%	18%	
C122813ALCD	C122813ALCD	ORG	75-27-4	Bromodichloromethane	52		ug/L	2	0.12	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1070	50	104%	19%	
C122813ALCD	C122813ALCD	ORG	10061-01-5	cis-1,3-Dichloropropene	48		ug/L	1	0.25	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1070	50	96%	6%	
C122813ALCD	C122813ALCD	ORG	108-88-3	Toluene	49		ug/L	1	0.21	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1070	50	98%	2%	
C122813ALCD	C122813ALCD	ORG	108-10-1	4-Methyl-2-pentanone	47		ug/L	5	0.74	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1070	50	94%	4%	
C122813ALCD	C122813ALCD	ORG	10061-02-6	trans-1,3-Dichloropropene	53		ug/L	1	0.31	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1070	50	106%	4%	
C122813ALCD	C122813ALCD	ORG	127-18-4	Tetrachloroethene	52		ug/L	1	0.49	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1070	50	104%	4%	
C122813ALCD	C122813ALCD	ORG	79-00-5	1,1,2-Trichloroethane	50		ug/L	1	0.34	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1070	50	100%	2%	
C122813ALCD	C122813ALCD	ORG	124-48-1	Dibromochloromethane	46		ug/L	5	0.30	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1070	50	92%	2%	
C122813ALCD	C122813ALCD	ORG	106-93-4	1,2-Dibromoethane	47		ug/L	2	0.26	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1070	50	94%	2%	
C122813ALCD	C122813ALCD	ORG	591-78-6	2-Hexanone	45		ug/L	2	0.69	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1070	50	90%	0%	
C122813ALCD	C122813ALCD	ORG	100-41-4	Ethylbenzene	51		ug/L	1	0.25	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1070	50	102%	2%	
C122813ALCD	C122813ALCD	ORG	108-90-7	Chlorobenzene	51		ug/L	1	0.28	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1070	50	102%	4%	
C122813ALCD	C122813ALCD	ORG	630-20-6	1,1,1,2-Tetrachloroethane	45		ug/L	2	0.19	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1070	50	90%	2%	
C122813ALCD	C122813ALCD	ORG	XYLMP	p&m-Xylene	99		ug/L	2	0.26	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1070	100	99%	2%	
C122813ALCD	C122813ALCD	ORG	95-47-6	o-Xylene	46		ug/L	1	0.13	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1070	50	92%	2%	
C122813ALCD	C122813ALCD	ORG	100-42-5	Styrene	49		ug/L	1	0.20	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1070	50	98%	4%	
C122813ALCD	C122813ALCD	ORG	75-25-2	Bromoform	46		ug/L	2	0.47	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1070	50	92%	2%	
C122813ALCD	C122813ALCD	ORG	98-82-8	Isopropylbenzene	48		ug/L	2	0.20	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1070	50	96%	2%	
C122813ALCD	C122813ALCD	ORG	103-65-1	n-Propylbenzene	55		ug/L	2	0.27	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1070	50	110%	2%	

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C122813ALCD	C122813ALCD	ORG	79-34-5	1,1,2,2-Tetrachloroethane	50		ug/L	2	0.29	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1070	50	100%	2%	
C122813ALCD	C122813ALCD	ORG	96-18-4	1,2,3-Trichloropropane	50		ug/L	2	0.29	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1070	50	100%	2%	
C122813ALCD	C122813ALCD	ORG	108-67-8	1,3,5-Trimethylbenzene	49		ug/L	2	0.20	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1070	50	98%	0%	
C122813ALCD	C122813ALCD	ORG	98-06-6	tert-Butylbenzene	47		ug/L	2	0.33	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1070	50	94%	2%	
C122813ALCD	C122813ALCD	ORG	95-63-6	1,2,4-Trimethylbenzene	50		ug/L	2	0.20	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1070	50	100%	4%	
C122813ALCD	C122813ALCD	ORG	135-98-8	sec-Butylbenzene	48		ug/L	2	0.32	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1070	50	96%	2%	
C122813ALCD	C122813ALCD	ORG	541-73-1	1,3-Dichlorobenzene	51		ug/L	2	0.22	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1070	50	102%	0%	
C122813ALCD	C122813ALCD	ORG	99-87-6	p-Isopropltoluene	47		ug/L	2	0.25	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1070	50	94%	2%	
C122813ALCD	C122813ALCD	ORG	106-46-7	1,4-Dichlorobenzene	48		ug/L	2	0.33	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1070	50	96%	2%	
C122813ALCD	C122813ALCD	ORG	95-50-1	1,2-Dichlorobenzene	49		ug/L	2	0.26	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1070	50	98%	2%	
C122813ALCD	C122813ALCD	ORG	104-51-8	n-Butylbenzene	49		ug/L	5	0.28	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1070	50	98%	2%	
C122813ALCD	C122813ALCD	ORG	96-12-8	1,2-Dibromo-3-chloropropane	45		ug/L	5	1.59	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1070	50	90%	2%	
C122813ALCD	C122813ALCD	ORG	87-68-3	Hexachlorobutadiene	53		ug/L	5	0.65	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1070	50	106%	4%	
C122813ALCD	C122813ALCD	ORG	120-82-1	1,2,4-Trichlorobenzene	49		ug/L	5	0.28	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1070	50	98%	0%	
C122813ALCD	C122813ALCD	ORG	91-20-3	Naphthalene	46		ug/L	5	0.56	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1070	50	92%	2%	
C122813ALCD	C122813ALCD	ORG	87-61-6	1,2,3-Trichlorobenzene	52		ug/L	5	0.23	NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1070	50	104%	2%	
C122813ALCD	C122813ALCD	STD	1868-53-7	Dibromofluoromethane	50		ng			NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1070	50	100%	0%	
C122813ALCD	C122813ALCD	STD	17060-07-0	1,2-Dichloroethane d4	48		ng			NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1070	50	96%	4%	
C122813ALCD	C122813ALCD	STD	2037-26-5	Toluene d8	49		ng			NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1070	50	98%	2%	
C122813ALCD	C122813ALCD	STD	460-00-4	Bromofluorobenzene	48		ng			NA	12/28/2013	12/28/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1070	50	96%	2%	

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-874MS	316-179	ORG	75-71-8	Dichlorodifluoromethane	8200		ug/L	500	29.28	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1071	5000	164%		
NAL13026-874MS	316-179	ORG	74-87-3	Chloromethane	6300		ug/L	500	43.07	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1071	5000	126%		
NAL13026-874MS	316-179	ORG	75-01-4	Vinyl chloride	6500		ug/L	200	31.86	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1071	5000	130%		
NAL13026-874MS	316-179	ORG	74-83-9	Bromomethane	5600		ug/L	500	50.04	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1071	5000	112%		
NAL13026-874MS	316-179	ORG	75-00-3	Chloroethane	4900		ug/L	500	55.61	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1071	5000	98%		
NAL13026-874MS	316-179	ORG	75-69-4	Trichlorofluoromethane	7500		ug/L	500	19.65	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1071	5000	150%		
NAL13026-874MS	316-179	ORG	75-35-4	1,1-Dichloroethene	5200		ug/L	100	47.11	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1071	5000	104%		
NAL13026-874MS	316-179	ORG	75-09-2	Methylene chloride	5300		ug/L	500	26.46	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1071	5000	106%		
NAL13026-874MS	316-179	ORG	67-64-1	Acetone	99000		ug/L	1000	155.61	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1071	5000	-220%		110000
NAL13026-874MS	316-179	ORG	156-60-5	trans-1,2-Dichloroethene	5300		ug/L	100	55.61	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1071	5000	106%		
NAL13026-874MS	316-179	ORG	1634-04-4	MTBE	4900		ug/L	500	61.18	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1071	5000	98%		
NAL13026-874MS	316-179	ORG	75-34-3	1,1-Dichloroethane	5300		ug/L	100	52.66	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1071	5000	106%		
NAL13026-874MS	316-179	ORG	156-59-2	cis-1,2-Dichloroethene	5100		ug/L	100	32.11	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1071	5000	102%		
NAL13026-874MS	316-179	ORG	74-97-5	Bromochloromethane	5200		ug/L	1000	41.37	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1071	5000	104%		
NAL13026-874MS	316-179	ORG	67-66-3	Chloroform	5000		ug/L	200	15.73	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1071	5000	100%		
NAL13026-874MS	316-179	ORG	71-55-6	1,1,1-Trichloroethane	5100		ug/L	100	16.65	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1071	5000	102%		
NAL13026-874MS	316-179	ORG	78-93-3	2-Butanone	59000		ug/L	100	81.18	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1071	5000	100%		54000
NAL13026-874MS	316-179	ORG	56-23-5	Carbon tetrachloride	5000		ug/L	100	27.64	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1071	5000	100%		
NAL13026-874MS	316-179	ORG	71-43-2	Benzene	5000		ug/L	100	13.53	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1071	5000	99%		56
NAL13026-874MS	316-179	ORG	107-06-2	1,2-Dichloroethane	4800		ug/L	100	20.01	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1071	5000	96%		
NAL13026-874MS	316-179	ORG	79-01-6	Trichloroethene	4900		ug/L	100	36.33	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1071	5000	98%		
NAL13026-874MS	316-179	ORG	74-95-3	Dibromomethane	4600		ug/L	200	32.20	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1071	5000	92%		
NAL13026-874MS	316-179	ORG	78-87-5	1,2-Dichloropropane	4700		ug/L	100	18.17	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1071	5000	94%		
NAL13026-874MS	316-179	ORG	75-27-4	Bromodichloromethane	3800		ug/L	200	11.58	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1071	5000	76%		
NAL13026-874MS	316-179	ORG	10061-01-5	cis-1,3-Dichloropropene	4800		ug/L	100	25.01	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1071	5000	96%		
NAL13026-874MS	316-179	ORG	108-88-3	Toluene	4400		ug/L	100	20.96	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1071	5000	87%		47
NAL13026-874MS	316-179	ORG	108-10-1	4-Methyl-2-pentanone	5800		ug/L	500	74.00	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1071	5000	96%		1000
NAL13026-874MS	316-179	ORG	10061-02-6	trans-1,3-Dichloropropene	4800		ug/L	100	31.15	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1071	5000	96%		
NAL13026-874MS	316-179	ORG	127-18-4	Tetrachloroethene	4200		ug/L	100	48.56	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1071	5000	84%		
NAL13026-874MS	316-179	ORG	79-00-5	1,1,2-Trichloroethane	4900		ug/L	100	34.28	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1071	5000	98%		
NAL13026-874MS	316-179	ORG	124-48-1	Dibromochloromethane	4300		ug/L	500	29.90	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1071	5000	86%		
NAL13026-874MS	316-179	ORG	106-93-4	1,2-Dibromoethane	4400		ug/L	200	26.49	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1071	5000	88%		
NAL13026-874MS	316-179	ORG	591-78-6	2-Hexanone	11000		ug/L	200	68.90	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1071	5000	122%		4900
NAL13026-874MS	316-179	ORG	100-41-4	Ethylbenzene	4900		ug/L	100	25.38	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1071	5000	95%		140
NAL13026-874MS	316-179	ORG	108-90-7	Chlorobenzene	4900		ug/L	100	27.52	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1071	5000	98%		
NAL13026-874MS	316-179	ORG	630-20-6	1,1,1,2-Tetrachloroethane	4200		ug/L	200	19.28	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1071	5000	84%		
NAL13026-874MS	316-179	ORG	XYLMP	p&m-Xylene	9700		ug/L	200	26.14	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1071	10000	88%		880
NAL13026-874MS	316-179	ORG	95-47-6	o-Xylene	5100		ug/L	100	12.90	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1071	5000	88%		690
NAL13026-874MS	316-179	ORG	100-42-5	Styrene	4800		ug/L	100	20.23	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1071	5000	88%		390
NAL13026-874MS	316-179	ORG	75-25-2	Bromoform	4100		ug/L	200	46.83	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1071	5000	82%		
NAL13026-874MS	316-179	ORG	98-82-8	Isopropylbenzene	5300		ug/L	200	20.48	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1071	5000	92%		690
NAL13026-874MS	316-179	ORG	103-65-1	n-Propylbenzene	5500		ug/L	200	27.00	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1071	5000	106%		200

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-874MS	316-179	ORG	79-34-5	1,1,2,2-Tetrachloroethane	4900		ug/L	200	29.16	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1071	5000	98%		
NAL13026-874MS	316-179	ORG	96-18-4	1,2,3-Trichloropropane	4600		ug/L	200	29.47	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1071	5000	92%		
NAL13026-874MS	316-179	ORG	108-67-8	1,3,5-Trimethylbenzene	5100		ug/L	200	20.03	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1071	5000	89%		660
NAL13026-874MS	316-179	ORG	98-06-6	tert-Butylbenzene	5000		ug/L	200	32.61	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1071	5000	100%		
NAL13026-874MS	316-179	ORG	95-63-6	1,2,4-Trimethylbenzene	6700		ug/L	200	20.03	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1071	5000	92%		2100
NAL13026-874MS	316-179	ORG	135-98-8	sec-Butylbenzene	5500		ug/L	200	32.34	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1071	5000	101%		470
NAL13026-874MS	316-179	ORG	541-73-1	1,3-Dichlorobenzene	5200		ug/L	200	22.21	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1071	5000	104%		
NAL13026-874MS	316-179	ORG	99-87-6	p-Isopropltoluene	13000		ug/L	200	25.48	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1071	5000	88%		8600
NAL13026-874MS	316-179	ORG	106-46-7	1,4-Dichlorobenzene	6600		ug/L	200	33.03	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1071	5000	92%		2000
NAL13026-874MS	316-179	ORG	95-50-1	1,2-Dichlorobenzene	5300		ug/L	200	26.38	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1071	5000	106%		
NAL13026-874MS	316-179	ORG	104-51-8	n-Butylbenzene	5400		ug/L	500	27.81	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1071	5000	95%		630
NAL13026-874MS	316-179	ORG	96-12-8	1,2-Dibromo-3-chloropropane	5600		ug/L	500	159.11	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1071	5000	112%		
NAL13026-874MS	316-179	ORG	87-68-3	Hexachlorobutadiene	6500		ug/L	500	65.42	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1071	5000	130%		
NAL13026-874MS	316-179	ORG	120-82-1	1,2,4-Trichlorobenzene	6400		ug/L	500	27.63	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1071	5000	128%		
NAL13026-874MS	316-179	ORG	91-20-3	Naphthalene	8900		ug/L	500	56.04	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1071	5000	122%		2800
NAL13026-874MS	316-179	ORG	87-61-6	1,2,3-Trichlorobenzene	7000		ug/L	500	23.28	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1071	5000	140%		
NAL13026-874MS	316-179	STD	1868-53-7	Dibromofluoromethane	51		ng			12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1071	50	102%		
NAL13026-874MS	316-179	STD	17060-07-0	1,2-Dichloroethane d4	49		ng			12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1071	50	98%		
NAL13026-874MS	316-179	STD	2037-26-5	Toluene d8	42		ng			12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1071	50	84%		
NAL13026-874MS	316-179	STD	460-00-4	Bromofluorobenzene	54		ng			12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1071	50	108%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-874MSD	316-179	ORG	75-71-8	Dichlorodifluoromethane	8600		ug/L	500	29.28	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1072	5000	172%	5%	0
NAL13026-874MSD	316-179	ORG	74-87-3	Chloromethane	6900		ug/L	500	43.07	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1072	5000	138%	9%	0
NAL13026-874MSD	316-179	ORG	75-01-4	Vinyl chloride	7300		ug/L	200	31.86	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1072	5000	146%	12%	0
NAL13026-874MSD	316-179	ORG	74-83-9	Bromomethane	5100		ug/L	500	50.04	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1072	5000	102%	9%	0
NAL13026-874MSD	316-179	ORG	75-00-3	Chloroethane	3900		ug/L	500	55.61	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1072	5000	78%	23%	0
NAL13026-874MSD	316-179	ORG	75-69-4	Trichlorofluoromethane	6700		ug/L	500	19.65	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1072	5000	134%	11%	0
NAL13026-874MSD	316-179	ORG	75-35-4	1,1-Dichloroethene	5700		ug/L	100	47.11	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1072	5000	114%	9%	0
NAL13026-874MSD	316-179	ORG	75-09-2	Methylene chloride	5700		ug/L	500	26.46	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1072	5000	114%	7%	0
NAL13026-874MSD	316-179	ORG	67-64-1	Acetone	100000		ug/L	1000	155.61	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1072	5000	-200%	1%	110000
NAL13026-874MSD	316-179	ORG	156-60-5	trans-1,2-Dichloroethene	5900		ug/L	100	55.61	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1072	5000	118%	11%	0
NAL13026-874MSD	316-179	ORG	1634-04-4	MTBE	5700		ug/L	500	61.18	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1072	5000	114%	15%	0
NAL13026-874MSD	316-179	ORG	75-34-3	1,1-Dichloroethane	5800		ug/L	100	52.66	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1072	5000	116%	9%	0
NAL13026-874MSD	316-179	ORG	156-59-2	cis-1,2-Dichloroethene	5700		ug/L	100	32.11	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1072	5000	114%	11%	0
NAL13026-874MSD	316-179	ORG	74-97-5	Bromochloromethane	5600		ug/L	1000	41.37	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1072	5000	112%	7%	0
NAL13026-874MSD	316-179	ORG	67-66-3	Chloroform	5300		ug/L	200	15.73	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1072	5000	106%	6%	0
NAL13026-874MSD	316-179	ORG	71-55-6	1,1,1-Trichloroethane	5500		ug/L	100	16.65	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1072	5000	110%	8%	0
NAL13026-874MSD	316-179	ORG	78-93-3	2-Butanone	57000		ug/L	100	81.18	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1072	5000	60%	3%	54000
NAL13026-874MSD	316-179	ORG	56-23-5	Carbon tetrachloride	5400		ug/L	100	27.64	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1072	5000	108%	8%	0
NAL13026-874MSD	316-179	ORG	71-43-2	Benzene	5400		ug/L	100	13.53	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1072	5000	107%	8%	56
NAL13026-874MSD	316-179	ORG	107-06-2	1,2-Dichloroethane	4900		ug/L	100	20.01	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1072	5000	98%	2%	0
NAL13026-874MSD	316-179	ORG	79-01-6	Trichloroethene	4900		ug/L	100	36.33	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1072	5000	98%	0%	0
NAL13026-874MSD	316-179	ORG	74-95-3	Dibromomethane	4600		ug/L	200	32.20	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1072	5000	92%	0%	0
NAL13026-874MSD	316-179	ORG	78-87-5	1,2-Dichloropropane	4400		ug/L	100	18.17	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1072	5000	88%	7%	0
NAL13026-874MSD	316-179	ORG	75-27-4	Bromodichloromethane	4100		ug/L	200	11.58	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1072	5000	82%	8%	0
NAL13026-874MSD	316-179	ORG	10061-01-5	cis-1,3-Dichloropropene	5100		ug/L	100	25.01	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1072	5000	102%	6%	0
NAL13026-874MSD	316-179	ORG	108-88-3	Toluene	4600		ug/L	100	20.96	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1072	5000	91%	4%	47
NAL13026-874MSD	316-179	ORG	108-10-1	4-Methyl-2-pentanone	5600		ug/L	500	74.00	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1072	5000	92%	4%	1000
NAL13026-874MSD	316-179	ORG	10061-02-6	trans-1,3-Dichloropropene	4800		ug/L	100	31.15	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1072	5000	96%	0%	0
NAL13026-874MSD	316-179	ORG	127-18-4	Tetrachloroethene	4500		ug/L	100	48.56	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1072	5000	90%	7%	0
NAL13026-874MSD	316-179	ORG	79-00-5	1,1,2-Trichloroethane	4800		ug/L	100	34.28	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1072	5000	96%	2%	0
NAL13026-874MSD	316-179	ORG	124-48-1	Dibromochloromethane	4300		ug/L	500	29.90	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1072	5000	86%	0%	0
NAL13026-874MSD	316-179	ORG	106-93-4	1,2-Dibromoethane	4500		ug/L	200	26.49	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1072	5000	90%	2%	0
NAL13026-874MSD	316-179	ORG	591-78-6	2-Hexanone	9600		ug/L	200	68.90	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1072	5000	94%	14%	4900
NAL13026-874MSD	316-179	ORG	100-41-4	Ethylbenzene	5200		ug/L	100	25.38	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1072	5000	101%	6%	140
NAL13026-874MSD	316-179	ORG	108-90-7	Chlorobenzene	5200		ug/L	100	27.52	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1072	5000	104%	6%	0
NAL13026-874MSD	316-179	ORG	630-20-6	1,1,1,2-Tetrachloroethane	4400		ug/L	200	19.28	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1072	5000	88%	5%	0
NAL13026-874MSD	316-179	ORG	XYLMP	p&m-Xylene	10000		ug/L	200	26.14	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1072	10000	91%	3%	880
NAL13026-874MSD	316-179	ORG	95-47-6	o-Xylene	5400		ug/L	100	12.90	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1072	5000	94%	6%	690
NAL13026-874MSD	316-179	ORG	100-42-5	Styrene	5000		ug/L	100	20.23	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1072	5000	92%	4%	390
NAL13026-874MSD	316-179	ORG	75-25-2	Bromoform	4200		ug/L	200	46.83	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1072	5000	84%	2%	0
NAL13026-874MSD	316-179	ORG	98-82-8	Isopropylbenzene	5500		ug/L	200	20.48	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1072	5000	96%	4%	690
NAL13026-874MSD	316-179	ORG	103-65-1	n-Propylbenzene	5900		ug/L	200	27.00	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1072	5000	114%	7%	200

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-874MSD	316-179	ORG	79-34-5	1,1,2,2-Tetrachloroethane	4500		ug/L	200	29.16	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1072	5000	90%	9%	0
NAL13026-874MSD	316-179	ORG	96-18-4	1,2,3-Trichloropropane	4600		ug/L	200	29.47	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1072	5000	92%	0%	0
NAL13026-874MSD	316-179	ORG	108-67-8	1,3,5-Trimethylbenzene	5400		ug/L	200	20.03	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1072	5000	95%	6%	660
NAL13026-874MSD	316-179	ORG	98-06-6	tert-Butylbenzene	5200		ug/L	200	32.61	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1072	5000	104%	4%	0
NAL13026-874MSD	316-179	ORG	95-63-6	1,2,4-Trimethylbenzene	7000		ug/L	200	20.03	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1072	5000	98%	4%	2100
NAL13026-874MSD	316-179	ORG	135-98-8	sec-Butylbenzene	5700		ug/L	200	32.34	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1072	5000	105%	4%	470
NAL13026-874MSD	316-179	ORG	541-73-1	1,3-Dichlorobenzene	5200		ug/L	200	22.21	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1072	5000	104%	0%	0
NAL13026-874MSD	316-179	ORG	99-87-6	p-Isopropltoluene	13000		ug/L	200	25.48	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1072	5000	88%	0%	8600
NAL13026-874MSD	316-179	ORG	106-46-7	1,4-Dichlorobenzene	6800		ug/L	200	33.03	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1072	5000	96%	3%	2000
NAL13026-874MSD	316-179	ORG	95-50-1	1,2-Dichlorobenzene	5300		ug/L	200	26.38	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1072	5000	106%	0%	0
NAL13026-874MSD	316-179	ORG	104-51-8	n-Butylbenzene	5600		ug/L	500	27.81	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1072	5000	99%	4%	630
NAL13026-874MSD	316-179	ORG	96-12-8	1,2-Dibromo-3-chloropropane	5700		ug/L	500	159.11	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1072	5000	114%	2%	0
NAL13026-874MSD	316-179	ORG	87-68-3	Hexachlorobutadiene	6800		ug/L	500	65.42	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1072	5000	136%	5%	0
NAL13026-874MSD	316-179	ORG	120-82-1	1,2,4-Trichlorobenzene	6400		ug/L	500	27.63	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1072	5000	128%	0%	0
NAL13026-874MSD	316-179	ORG	91-20-3	Naphthalene	8600		ug/L	500	56.04	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1072	5000	116%	3%	2800
NAL13026-874MSD	316-179	ORG	87-61-6	1,2,3-Trichlorobenzene	6900		ug/L	500	23.28	12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1072	5000	138%	1%	0
NAL13026-874MSD	316-179	STD	1868-53-7	Dibromofluoromethane	51		ng			12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1072	50	102%	0%	0
NAL13026-874MSD	316-179	STD	17060-07-0	1,2-Dichloroethane d4	49		ng			12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1072	50	98%	0%	0
NAL13026-874MSD	316-179	STD	2037-26-5	Toluene d8	45		ng			12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1072	50	90%	7%	0
NAL13026-874MSD	316-179	STD	460-00-4	Bromofluorobenzene	57		ng			12/28/2013	12/28/2013	12/28/2013	WG	100	NA	5.0	NA	SW8260B	NALC1072	50	114%	5%	0

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-876	316-180	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1081				
NAL13026-876	316-180	ORG	74-87-3	Chloromethane		U	ug/L	500	43.07	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1081				
NAL13026-876	316-180	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1081				
NAL13026-876	316-180	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1081				
NAL13026-876	316-180	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1081				
NAL13026-876	316-180	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1081				
NAL13026-876	316-180	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1081				
NAL13026-876	316-180	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1081				
NAL13026-876	316-180	ORG	67-64-1	Acetone	110000	D	ug/L	10000	1556.07	12/29/2013	12/29/2013	12/29/2013	WG	1000	NA	5.0	NA	SW8260B	NALC1082				
NAL13026-876	316-180	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1081				
NAL13026-876	316-180	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1081				
NAL13026-876	316-180	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1081				
NAL13026-876	316-180	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1081				
NAL13026-876	316-180	ORG	74-97-5	Bromochloromethane		U	ug/L	200	41.37	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1081				
NAL13026-876	316-180	ORG	67-66-3	Chloroform		U	ug/L	100	15.73	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1081				
NAL13026-876	316-180	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	16.65	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1081				
NAL13026-876	316-180	ORG	78-93-3	2-Butanone	51000	D	ug/L	10000	811.80	12/29/2013	12/29/2013	12/29/2013	WG	1000	NA	5.0	NA	SW8260B	NALC1082				
NAL13026-876	316-180	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1081				
NAL13026-876	316-180	ORG	71-43-2	Benzene	67	J	ug/L	100	13.53	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1081				
NAL13026-876	316-180	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1081				
NAL13026-876	316-180	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1081				
NAL13026-876	316-180	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1081				
NAL13026-876	316-180	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1081				
NAL13026-876	316-180	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1081				
NAL13026-876	316-180	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1081				
NAL13026-876	316-180	ORG	108-88-3	Toluene	54	J	ug/L	100	20.96	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1081				
NAL13026-876	316-180	ORG	108-10-1	4-Methyl-2-pentanone	1200		ug/L	500	74.00	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1081				
NAL13026-876	316-180	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1081				
NAL13026-876	316-180	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1081				
NAL13026-876	316-180	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1081				
NAL13026-876	316-180	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	29.90	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1081				
NAL13026-876	316-180	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	26.49	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1081				
NAL13026-876	316-180	ORG	591-78-6	2-Hexanone	5800		ug/L	500	68.90	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1081				
NAL13026-876	316-180	ORG	100-41-4	Ethylbenzene	180		ug/L	100	25.38	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1081				
NAL13026-876	316-180	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1081				
NAL13026-876	316-180	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1081				
NAL13026-876	316-180	ORG	XYLMP	p&m-Xylene	980		ug/L	200	26.14	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1081				
NAL13026-876	316-180	ORG	95-47-6	o-Xylene	750		ug/L	100	12.90	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1081				
NAL13026-876	316-180	ORG	100-42-5	Styrene	400		ug/L	100	20.23	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1081				
NAL13026-876	316-180	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1081				
NAL13026-876	316-180	ORG	98-82-8	Isopropylbenzene	720		ug/L	200	20.48	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1081				
NAL13026-876	316-180	ORG	103-65-1	n-Propylbenzene	240		ug/L	200	27.00	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1081				
NAL13026-876	316-180	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1081				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-876	316-180	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1081				
NAL13026-876	316-180	ORG	108-67-8	1,3,5-Trimethylbenzene	730		ug/L	200	20.03	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1081				
NAL13026-876	316-180	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1081				
NAL13026-876	316-180	ORG	95-63-6	1,2,4-Trimethylbenzene	2400		ug/L	200	20.03	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1081				
NAL13026-876	316-180	ORG	135-98-8	sec-Butylbenzene	500		ug/L	200	32.34	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1081				
NAL13026-876	316-180	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1081				
NAL13026-876	316-180	ORG	99-87-6	p-Isopropltoluene	9900		ug/L	200	25.48	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1081				
NAL13026-876	316-180	ORG	106-46-7	1,4-Dichlorobenzene	2500		ug/L	200	33.03	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1081				
NAL13026-876	316-180	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1081				
NAL13026-876	316-180	ORG	104-51-8	n-Butylbenzene	650		ug/L	500	27.81	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1081				
NAL13026-876	316-180	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1081				
NAL13026-876	316-180	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1081				
NAL13026-876	316-180	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1081				
NAL13026-876	316-180	ORG	91-20-3	Naphthalene	3300		ug/L	500	56.04	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1081				
NAL13026-876	316-180	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1081				
NAL13026-876	316-180	STD	1868-53-7	Dibromofluoromethane	51		ng			12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1081	50	102%		
NAL13026-876	316-180	STD	17060-07-0	1,2-Dichloroethane d4	50		ng			12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1081	50	100%		
NAL13026-876	316-180	STD	2037-26-5	Toluene d8	42		ng			12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1081	50	84%		
NAL13026-876	316-180	STD	460-00-4	Bromofluorobenzene	53		ng			12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1081	50	106%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-877	96-093	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1087				
NAL13026-877	96-093	ORG	74-87-3	Chloromethane		U	ug/L	500	43.07	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1087				
NAL13026-877	96-093	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1087				
NAL13026-877	96-093	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1087				
NAL13026-877	96-093	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1087				
NAL13026-877	96-093	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1087				
NAL13026-877	96-093	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1087				
NAL13026-877	96-093	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1087				
NAL13026-877	96-093	ORG	67-64-1	Acetone	95000	D	ug/L	10000	1556.07	12/29/2013	12/29/2013	12/29/2013	WG	1000	NA	5.0	NA	SW8260B	NALC1088				
NAL13026-877	96-093	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1087				
NAL13026-877	96-093	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1087				
NAL13026-877	96-093	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1087				
NAL13026-877	96-093	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1087				
NAL13026-877	96-093	ORG	74-97-5	Bromochloromethane		U	ug/L	200	41.37	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1087				
NAL13026-877	96-093	ORG	67-66-3	Chloroform		U	ug/L	100	15.73	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1087				
NAL13026-877	96-093	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	16.65	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1087				
NAL13026-877	96-093	ORG	78-93-3	2-Butanone	43000	D	ug/L	10000	811.80	12/29/2013	12/29/2013	12/29/2013	WG	1000	NA	5.0	NA	SW8260B	NALC1088				
NAL13026-877	96-093	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1087				
NAL13026-877	96-093	ORG	71-43-2	Benzene		U	ug/L	100	13.53	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1087				
NAL13026-877	96-093	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1087				
NAL13026-877	96-093	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1087				
NAL13026-877	96-093	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1087				
NAL13026-877	96-093	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1087				
NAL13026-877	96-093	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1087				
NAL13026-877	96-093	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1087				
NAL13026-877	96-093	ORG	108-88-3	Toluene		U	ug/L	100	20.96	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1087				
NAL13026-877	96-093	ORG	108-10-1	4-Methyl-2-pentanone	920		ug/L	500	74.00	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1087				
NAL13026-877	96-093	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1087				
NAL13026-877	96-093	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1087				
NAL13026-877	96-093	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1087				
NAL13026-877	96-093	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	29.90	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1087				
NAL13026-877	96-093	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	26.49	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1087				
NAL13026-877	96-093	ORG	591-78-6	2-Hexanone	3700		ug/L	500	68.90	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1087				
NAL13026-877	96-093	ORG	100-41-4	Ethylbenzene	33	J	ug/L	100	25.38	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1087				
NAL13026-877	96-093	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1087				
NAL13026-877	96-093	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1087				
NAL13026-877	96-093	ORG	XYLMP	p&m-Xylene	640		ug/L	200	26.14	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1087				
NAL13026-877	96-093	ORG	95-47-6	o-Xylene	550		ug/L	100	12.90	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1087				
NAL13026-877	96-093	ORG	100-42-5	Styrene		U	ug/L	100	20.23	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1087				
NAL13026-877	96-093	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1087				
NAL13026-877	96-093	ORG	98-82-8	Isopropylbenzene	610		ug/L	200	20.48	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1087				
NAL13026-877	96-093	ORG	103-65-1	n-Propylbenzene	120	J	ug/L	200	27.00	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1087				
NAL13026-877	96-093	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1087				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-877	96-093	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1087				
NAL13026-877	96-093	ORG	108-67-8	1,3,5-Trimethylbenzene	550		ug/L	200	20.03	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1087				
NAL13026-877	96-093	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1087				
NAL13026-877	96-093	ORG	95-63-6	1,2,4-Trimethylbenzene	1500		ug/L	200	20.03	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1087				
NAL13026-877	96-093	ORG	135-98-8	sec-Butylbenzene	500		ug/L	200	32.34	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1087				
NAL13026-877	96-093	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1087				
NAL13026-877	96-093	ORG	99-87-6	p-Isopropltoluene	6700		ug/L	200	25.48	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1087				
NAL13026-877	96-093	ORG	106-46-7	1,4-Dichlorobenzene	1400		ug/L	200	33.03	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1087				
NAL13026-877	96-093	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1087				
NAL13026-877	96-093	ORG	104-51-8	n-Butylbenzene	990		ug/L	500	27.81	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1087				
NAL13026-877	96-093	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1087				
NAL13026-877	96-093	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1087				
NAL13026-877	96-093	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1087				
NAL13026-877	96-093	ORG	91-20-3	Naphthalene	2700		ug/L	500	56.04	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1087				
NAL13026-877	96-093	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1087				
NAL13026-877	96-093	STD	1868-53-7	Dibromofluoromethane	51		ng			12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1087	50	102%		
NAL13026-877	96-093	STD	17060-07-0	1,2-Dichloroethane d4	51		ng			12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1087	50	102%		
NAL13026-877	96-093	STD	2037-26-5	Toluene d8	44		ng			12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1087	50	88%		
NAL13026-877	96-093	STD	460-00-4	Bromofluorobenzene	55		ng			12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1087	50	110%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C122913CCVA	C122913CCVA	ORG	75-71-8	Dichlorodifluoromethane	76		ug/L	5	0.29	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1077	50	152%		
C122913CCVA	C122913CCVA	ORG	74-87-3	Chloromethane	62		ug/L	5	0.43	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1077	50	124%		
C122913CCVA	C122913CCVA	ORG	75-01-4	Vinyl chloride	65		ug/L	2	0.32	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1077	50	130%		
C122913CCVA	C122913CCVA	ORG	74-83-9	Bromomethane	51		ug/L	5	0.50	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1077	50	102%		
C122913CCVA	C122913CCVA	ORG	75-00-3	Chloroethane	42		ug/L	5	0.56	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1077	50	84%		
C122913CCVA	C122913CCVA	ORG	75-69-4	Trichlorofluoromethane	73		ug/L	5	0.20	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1077	50	146%		
C122913CCVA	C122913CCVA	ORG	75-35-4	1,1-Dichloroethene	50		ug/L	1	0.47	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1077	50	100%		
C122913CCVA	C122913CCVA	ORG	75-09-2	Methylene chloride	52		ug/L	5	0.26	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1077	50	104%		
C122913CCVA	C122913CCVA	ORG	67-64-1	Acetone	58		ug/L	10	1.56	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1077	50	116%		
C122913CCVA	C122913CCVA	ORG	156-60-5	trans-1,2-Dichloroethene	51		ug/L	1	0.56	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1077	50	102%		
C122913CCVA	C122913CCVA	ORG	1634-04-4	MTBE	47		ug/L	5	0.61	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1077	50	94%		
C122913CCVA	C122913CCVA	ORG	75-34-3	1,1-Dichloroethane	51		ug/L	1	0.53	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1077	50	102%		
C122913CCVA	C122913CCVA	ORG	156-59-2	cis-1,2-Dichloroethene	50		ug/L	1	0.32	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1077	50	100%		
C122913CCVA	C122913CCVA	ORG	74-97-5	Bromochloromethane	52		ug/L	10	0.41	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1077	50	104%		
C122913CCVA	C122913CCVA	ORG	67-66-3	Chloroform	50		ug/L	2	0.16	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1077	50	100%		
C122913CCVA	C122913CCVA	ORG	71-55-6	1,1,1-Trichloroethane	51		ug/L	1	0.17	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1077	50	102%		
C122913CCVA	C122913CCVA	ORG	78-93-3	2-Butanone	52		ug/L	1	0.81	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1077	50	104%		
C122913CCVA	C122913CCVA	ORG	56-23-5	Carbon tetrachloride	49		ug/L	1	0.28	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1077	50	98%		
C122913CCVA	C122913CCVA	ORG	71-43-2	Benzene	50		ug/L	1	0.14	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1077	50	100%		
C122913CCVA	C122913CCVA	ORG	107-06-2	1,2-Dichloroethane	48		ug/L	1	0.20	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1077	50	96%		
C122913CCVA	C122913CCVA	ORG	79-01-6	Trichloroethene	49		ug/L	1	0.36	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1077	50	98%		
C122913CCVA	C122913CCVA	ORG	74-95-3	Dibromomethane	43		ug/L	2	0.32	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1077	50	86%		
C122913CCVA	C122913CCVA	ORG	78-87-5	1,2-Dichloropropane	45		ug/L	1	0.18	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1077	50	90%		
C122913CCVA	C122913CCVA	ORG	75-27-4	Bromodichloromethane	41		ug/L	2	0.12	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1077	50	82%		
C122913CCVA	C122913CCVA	ORG	10061-01-5	cis-1,3-Dichloropropene	49		ug/L	1	0.25	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1077	50	98%		
C122913CCVA	C122913CCVA	ORG	108-88-3	Toluene	46		ug/L	1	0.21	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1077	50	92%		
C122913CCVA	C122913CCVA	ORG	108-10-1	4-Methyl-2-pentanone	46		ug/L	5	0.74	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1077	50	92%		
C122913CCVA	C122913CCVA	ORG	10061-02-6	trans-1,3-Dichloropropene	51		ug/L	1	0.31	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1077	50	102%		
C122913CCVA	C122913CCVA	ORG	127-18-4	Tetrachloroethene	45		ug/L	1	0.49	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1077	50	90%		
C122913CCVA	C122913CCVA	ORG	79-00-5	1,1,2-Trichloroethane	48		ug/L	1	0.34	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1077	50	96%		
C122913CCVA	C122913CCVA	ORG	124-48-1	Dibromochloromethane	45		ug/L	5	0.30	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1077	50	90%		
C122913CCVA	C122913CCVA	ORG	106-93-4	1,2-Dibromoethane	47		ug/L	2	0.26	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1077	50	94%		
C122913CCVA	C122913CCVA	ORG	591-78-6	2-Hexanone	49		ug/L	2	0.69	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1077	50	98%		
C122913CCVA	C122913CCVA	ORG	100-41-4	Ethylbenzene	51		ug/L	1	0.25	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1077	50	102%		
C122913CCVA	C122913CCVA	ORG	108-90-7	Chlorobenzene	52		ug/L	1	0.28	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1077	50	104%		
C122913CCVA	C122913CCVA	ORG	630-20-6	1,1,1,2-Tetrachloroethane	46		ug/L	2	0.19	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1077	50	92%		
C122913CCVA	C122913CCVA	ORG	XYLMP	p&m-Xylene	100		ug/L	2	0.26	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1077	100	100%		
C122913CCVA	C122913CCVA	ORG	95-47-6	o-Xylene	51		ug/L	1	0.13	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1077	50	102%		
C122913CCVA	C122913CCVA	ORG	100-42-5	Styrene	49		ug/L	1	0.20	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1077	50	98%		
C122913CCVA	C122913CCVA	ORG	75-25-2	Bromoform	46		ug/L	2	0.47	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1077	50	92%		
C122913CCVA	C122913CCVA	ORG	98-82-8	Isopropylbenzene	50		ug/L	2	0.20	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1077	50	100%		
C122913CCVA	C122913CCVA	ORG	103-65-1	n-Propylbenzene	55		ug/L	2	0.27	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1077	50	110%		
C122913CCVA	C122913CCVA	ORG	79-34-5	1,1,2,2-Tetrachloroethane	50		ug/L	2	0.29	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1077	50	100%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C122913CCVA	C122913CCVA	ORG	96-18-4	1,2,3-Trichloropropane	49		ug/L	2	0.29	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1077	50	98%		
C122913CCVA	C122913CCVA	ORG	108-67-8	1,3,5-Trimethylbenzene	49		ug/L	2	0.20	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1077	50	98%		
C122913CCVA	C122913CCVA	ORG	98-06-6	tert-Butylbenzene	51		ug/L	2	0.33	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1077	50	102%		
C122913CCVA	C122913CCVA	ORG	95-63-6	1,2,4-Trimethylbenzene	49		ug/L	2	0.20	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1077	50	98%		
C122913CCVA	C122913CCVA	ORG	135-98-8	sec-Butylbenzene	49		ug/L	2	0.32	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1077	50	98%		
C122913CCVA	C122913CCVA	ORG	541-73-1	1,3-Dichlorobenzene	51		ug/L	2	0.22	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1077	50	102%		
C122913CCVA	C122913CCVA	ORG	99-87-6	p-Isopropltoluene	49		ug/L	2	0.25	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1077	50	98%		
C122913CCVA	C122913CCVA	ORG	106-46-7	1,4-Dichlorobenzene	48		ug/L	2	0.33	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1077	50	96%		
C122913CCVA	C122913CCVA	ORG	95-50-1	1,2-Dichlorobenzene	52		ug/L	2	0.26	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1077	50	104%		
C122913CCVA	C122913CCVA	ORG	104-51-8	n-Butylbenzene	51		ug/L	5	0.28	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1077	50	102%		
C122913CCVA	C122913CCVA	ORG	96-12-8	1,2-Dibromo-3-chloropropane	54		ug/L	5	1.59	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1077	50	108%		
C122913CCVA	C122913CCVA	ORG	87-68-3	Hexachlorobutadiene	63		ug/L	5	0.65	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1077	50	126%		
C122913CCVA	C122913CCVA	ORG	120-82-1	1,2,4-Trichlorobenzene	59		ug/L	5	0.28	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1077	50	118%		
C122913CCVA	C122913CCVA	ORG	91-20-3	Naphthalene	56		ug/L	5	0.56	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1077	50	112%		
C122913CCVA	C122913CCVA	ORG	87-61-6	1,2,3-Trichlorobenzene	64		ug/L	5	0.23	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1077	50	128%		
C122913CCVA	C122913CCVA	STD	1868-53-7	Dibromofluoromethane	50		ng			NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1077	50	100%		
C122913CCVA	C122913CCVA	STD	17060-07-0	1,2-Dichloroethane d4	50		ng			NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1077	50	100%		
C122913CCVA	C122913CCVA	STD	2037-26-5	Toluene d8	46		ng			NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1077	50	92%		
C122913CCVA	C122913CCVA	STD	460-00-4	Bromofluorobenzene	53		ng			NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1077	50	106%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C122913MBKA	C122913MBKA	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	5	0.29	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1079				
C122913MBKA	C122913MBKA	ORG	74-87-3	Chloromethane		U	ug/L	5	0.43	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1079				
C122913MBKA	C122913MBKA	ORG	75-01-4	Vinyl chloride		U	ug/L	2	0.32	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1079				
C122913MBKA	C122913MBKA	ORG	74-83-9	Bromomethane		U	ug/L	5	0.50	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1079				
C122913MBKA	C122913MBKA	ORG	75-00-3	Chloroethane		U	ug/L	5	0.56	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1079				
C122913MBKA	C122913MBKA	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	5	0.20	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1079				
C122913MBKA	C122913MBKA	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	1	0.47	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1079				
C122913MBKA	C122913MBKA	ORG	75-09-2	Methylene chloride		U	ug/L	5	0.26	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1079				
C122913MBKA	C122913MBKA	ORG	67-64-1	Acetone		U	ug/L	10	1.56	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1079				
C122913MBKA	C122913MBKA	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	1	0.56	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1079				
C122913MBKA	C122913MBKA	ORG	1634-04-4	MTBE		U	ug/L	5	0.61	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1079				
C122913MBKA	C122913MBKA	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	1	0.53	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1079				
C122913MBKA	C122913MBKA	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	1	0.32	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1079				
C122913MBKA	C122913MBKA	ORG	74-97-5	Bromochloromethane		U	ug/L	10	0.41	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1079				
C122913MBKA	C122913MBKA	ORG	67-66-3	Chloroform		U	ug/L	2	0.16	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1079				
C122913MBKA	C122913MBKA	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	1	0.17	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1079				
C122913MBKA	C122913MBKA	ORG	78-93-3	2-Butanone		U	ug/L	1	0.81	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1079				
C122913MBKA	C122913MBKA	ORG	56-23-5	Carbon tetrachloride		U	ug/L	1	0.28	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1079				
C122913MBKA	C122913MBKA	ORG	71-43-2	Benzene		U	ug/L	1	0.14	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1079				
C122913MBKA	C122913MBKA	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	1	0.20	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1079				
C122913MBKA	C122913MBKA	ORG	79-01-6	Trichloroethene		U	ug/L	1	0.36	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1079				
C122913MBKA	C122913MBKA	ORG	74-95-3	Dibromomethane		U	ug/L	2	0.32	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1079				
C122913MBKA	C122913MBKA	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	1	0.18	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1079				
C122913MBKA	C122913MBKA	ORG	75-27-4	Bromodichloromethane		U	ug/L	2	0.12	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1079				
C122913MBKA	C122913MBKA	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	1	0.25	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1079				
C122913MBKA	C122913MBKA	ORG	108-88-3	Toluene		U	ug/L	1	0.21	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1079				
C122913MBKA	C122913MBKA	ORG	108-10-1	4-Methyl-2-pentanone		U	ug/L	5	0.74	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1079				
C122913MBKA	C122913MBKA	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	1	0.31	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1079				
C122913MBKA	C122913MBKA	ORG	127-18-4	Tetrachloroethene		U	ug/L	1	0.49	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1079				
C122913MBKA	C122913MBKA	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	1	0.34	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1079				
C122913MBKA	C122913MBKA	ORG	124-48-1	Dibromochloromethane		U	ug/L	5	0.30	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1079				
C122913MBKA	C122913MBKA	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	2	0.26	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1079				
C122913MBKA	C122913MBKA	ORG	591-78-6	2-Hexanone		U	ug/L	2	0.69	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1079				
C122913MBKA	C122913MBKA	ORG	100-41-4	Ethylbenzene		U	ug/L	1	0.25	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1079				
C122913MBKA	C122913MBKA	ORG	108-90-7	Chlorobenzene		U	ug/L	1	0.28	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1079				
C122913MBKA	C122913MBKA	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	2	0.19	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1079				
C122913MBKA	C122913MBKA	ORG	XYLMP	p&m-Xylene		U	ug/L	2	0.26	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1079				
C122913MBKA	C122913MBKA	ORG	95-47-6	o-Xylene		U	ug/L	1	0.13	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1079				
C122913MBKA	C122913MBKA	ORG	100-42-5	Styrene		U	ug/L	1	0.20	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1079				
C122913MBKA	C122913MBKA	ORG	75-25-2	Bromoform		U	ug/L	2	0.47	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1079				
C122913MBKA	C122913MBKA	ORG	98-82-8	Isopropylbenzene		U	ug/L	2	0.20	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1079				
C122913MBKA	C122913MBKA	ORG	103-65-1	n-Propylbenzene		U	ug/L	2	0.27	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1079				
C122913MBKA	C122913MBKA	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	2	0.29	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1079				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C122913MBKA	C122913MBKA	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	2	0.29	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1079				
C122913MBKA	C122913MBKA	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	2	0.20	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1079				
C122913MBKA	C122913MBKA	ORG	98-06-6	tert-Butylbenzene		U	ug/L	2	0.33	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1079				
C122913MBKA	C122913MBKA	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	2	0.20	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1079				
C122913MBKA	C122913MBKA	ORG	135-98-8	sec-Butylbenzene		U	ug/L	2	0.32	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1079				
C122913MBKA	C122913MBKA	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	2	0.22	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1079				
C122913MBKA	C122913MBKA	ORG	99-87-6	p-Isopropltoluene		U	ug/L	2	0.25	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1079				
C122913MBKA	C122913MBKA	ORG	106-46-7	1,4-Dichlorobenzene		U	ug/L	2	0.33	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1079				
C122913MBKA	C122913MBKA	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	2	0.26	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1079				
C122913MBKA	C122913MBKA	ORG	104-51-8	n-Butylbenzene		U	ug/L	5	0.28	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1079				
C122913MBKA	C122913MBKA	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	5	1.59	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1079				
C122913MBKA	C122913MBKA	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	5	0.65	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1079				
C122913MBKA	C122913MBKA	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	5	0.28	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1079				
C122913MBKA	C122913MBKA	ORG	91-20-3	Naphthalene		U	ug/L	5	0.56	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1079				
C122913MBKA	C122913MBKA	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	5	0.23	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1079				
C122913MBKA	C122913MBKA	STD	1868-53-7	Dibromofluoromethane	49		ng			NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1079	50	98%		
C122913MBKA	C122913MBKA	STD	17060-07-0	1,2-Dichloroethane d4	50		ng			NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1079	50	100%		
C122913MBKA	C122913MBKA	STD	2037-26-5	Toluene d8	57		ng			NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1079	50	114%		
C122913MBKA	C122913MBKA	STD	460-00-4	Bromofluorobenzene	56		ng			NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1079	50	112%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C122913ALCS	C122913ALCS	ORG	75-71-8	Dichlorodifluoromethane	91		ug/L	5	0.29	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1078	50	182%		
C122913ALCS	C122913ALCS	ORG	74-87-3	Chloromethane	72		ug/L	5	0.43	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1078	50	144%		
C122913ALCS	C122913ALCS	ORG	75-01-4	Vinyl chloride	75		ug/L	2	0.32	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1078	50	150%		
C122913ALCS	C122913ALCS	ORG	74-83-9	Bromomethane	57		ug/L	5	0.50	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1078	50	114%		
C122913ALCS	C122913ALCS	ORG	75-00-3	Chloroethane	44		ug/L	5	0.56	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1078	50	88%		
C122913ALCS	C122913ALCS	ORG	75-69-4	Trichlorofluoromethane	66		ug/L	5	0.20	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1078	50	132%		
C122913ALCS	C122913ALCS	ORG	75-35-4	1,1-Dichloroethene	61		ug/L	1	0.47	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1078	50	122%		
C122913ALCS	C122913ALCS	ORG	75-09-2	Methylene chloride	59		ug/L	5	0.26	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1078	50	118%		
C122913ALCS	C122913ALCS	ORG	67-64-1	Acetone	67		ug/L	10	1.56	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1078	50	134%		
C122913ALCS	C122913ALCS	ORG	156-60-5	trans-1,2-Dichloroethene	59		ug/L	1	0.56	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1078	50	118%		
C122913ALCS	C122913ALCS	ORG	1634-04-4	MTBE	59		ug/L	5	0.61	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1078	50	118%		
C122913ALCS	C122913ALCS	ORG	75-34-3	1,1-Dichloroethane	57		ug/L	1	0.53	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1078	50	114%		
C122913ALCS	C122913ALCS	ORG	156-59-2	cis-1,2-Dichloroethene	55		ug/L	1	0.32	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1078	50	110%		
C122913ALCS	C122913ALCS	ORG	74-97-5	Bromochloromethane	55		ug/L	10	0.41	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1078	50	110%		
C122913ALCS	C122913ALCS	ORG	67-66-3	Chloroform	52		ug/L	2	0.16	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1078	50	104%		
C122913ALCS	C122913ALCS	ORG	71-55-6	1,1,1-Trichloroethane	53		ug/L	1	0.17	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1078	50	106%		
C122913ALCS	C122913ALCS	ORG	78-93-3	2-Butanone	59		ug/L	1	0.81	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1078	50	118%		
C122913ALCS	C122913ALCS	ORG	56-23-5	Carbon tetrachloride	51		ug/L	1	0.28	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1078	50	102%		
C122913ALCS	C122913ALCS	ORG	71-43-2	Benzene	52		ug/L	1	0.14	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1078	50	104%		
C122913ALCS	C122913ALCS	ORG	107-06-2	1,2-Dichloroethane	49		ug/L	1	0.20	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1078	50	98%		
C122913ALCS	C122913ALCS	ORG	79-01-6	Trichloroethene	50		ug/L	1	0.36	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1078	50	100%		
C122913ALCS	C122913ALCS	ORG	74-95-3	Dibromomethane	41		ug/L	2	0.32	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1078	50	82%		
C122913ALCS	C122913ALCS	ORG	78-87-5	1,2-Dichloropropane	44		ug/L	1	0.18	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1078	50	88%		
C122913ALCS	C122913ALCS	ORG	75-27-4	Bromodichloromethane	46		ug/L	2	0.12	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1078	50	92%		
C122913ALCS	C122913ALCS	ORG	10061-01-5	cis-1,3-Dichloropropene	53		ug/L	1	0.25	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1078	50	106%		
C122913ALCS	C122913ALCS	ORG	108-88-3	Toluene	51		ug/L	1	0.21	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1078	50	102%		
C122913ALCS	C122913ALCS	ORG	108-10-1	4-Methyl-2-pentanone	49		ug/L	5	0.74	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1078	50	98%		
C122913ALCS	C122913ALCS	ORG	10061-02-6	trans-1,3-Dichloropropene	55		ug/L	1	0.31	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1078	50	110%		
C122913ALCS	C122913ALCS	ORG	127-18-4	Tetrachloroethene	52		ug/L	1	0.49	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1078	50	104%		
C122913ALCS	C122913ALCS	ORG	79-00-5	1,1,2-Trichloroethane	53		ug/L	1	0.34	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1078	50	106%		
C122913ALCS	C122913ALCS	ORG	124-48-1	Dibromochloromethane	48		ug/L	5	0.30	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1078	50	96%		
C122913ALCS	C122913ALCS	ORG	106-93-4	1,2-Dibromoethane	50		ug/L	2	0.26	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1078	50	100%		
C122913ALCS	C122913ALCS	ORG	591-78-6	2-Hexanone	50		ug/L	2	0.69	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1078	50	100%		
C122913ALCS	C122913ALCS	ORG	100-41-4	Ethylbenzene	54		ug/L	1	0.25	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1078	50	108%		
C122913ALCS	C122913ALCS	ORG	108-90-7	Chlorobenzene	54		ug/L	1	0.28	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1078	50	108%		
C122913ALCS	C122913ALCS	ORG	630-20-6	1,1,1,2-Tetrachloroethane	48		ug/L	2	0.19	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1078	50	96%		
C122913ALCS	C122913ALCS	ORG	XYLMP	p&m-Xylene	110		ug/L	2	0.26	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1078	100	110%		
C122913ALCS	C122913ALCS	ORG	95-47-6	o-Xylene	50		ug/L	1	0.13	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1078	50	100%		
C122913ALCS	C122913ALCS	ORG	100-42-5	Styrene	51		ug/L	1	0.20	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1078	50	102%		
C122913ALCS	C122913ALCS	ORG	75-25-2	Bromoform	48		ug/L	2	0.47	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1078	50	96%		
C122913ALCS	C122913ALCS	ORG	98-82-8	Isopropylbenzene	51		ug/L	2	0.20	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1078	50	102%		
C122913ALCS	C122913ALCS	ORG	103-65-1	n-Propylbenzene	58		ug/L	2	0.27	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1078	50	116%		
C122913ALCS	C122913ALCS	ORG	79-34-5	1,1,2,2-Tetrachloroethane	53		ug/L	2	0.29	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1078	50	106%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C122913ALCS	C122913ALCS	ORG	96-18-4	1,2,3-Trichloropropane	53		ug/L	2	0.29	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1078	50	106%		
C122913ALCS	C122913ALCS	ORG	108-67-8	1,3,5-Trimethylbenzene	52		ug/L	2	0.20	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1078	50	104%		
C122913ALCS	C122913ALCS	ORG	98-06-6	tert-Butylbenzene	51		ug/L	2	0.33	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1078	50	102%		
C122913ALCS	C122913ALCS	ORG	95-63-6	1,2,4-Trimethylbenzene	52		ug/L	2	0.20	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1078	50	104%		
C122913ALCS	C122913ALCS	ORG	135-98-8	sec-Butylbenzene	51		ug/L	2	0.32	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1078	50	102%		
C122913ALCS	C122913ALCS	ORG	541-73-1	1,3-Dichlorobenzene	53		ug/L	2	0.22	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1078	50	106%		
C122913ALCS	C122913ALCS	ORG	99-87-6	p-Isopropltoluene	51		ug/L	2	0.25	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1078	50	102%		
C122913ALCS	C122913ALCS	ORG	106-46-7	1,4-Dichlorobenzene	51		ug/L	2	0.33	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1078	50	102%		
C122913ALCS	C122913ALCS	ORG	95-50-1	1,2-Dichlorobenzene	53		ug/L	2	0.26	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1078	50	106%		
C122913ALCS	C122913ALCS	ORG	104-51-8	n-Butylbenzene	52		ug/L	5	0.28	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1078	50	104%		
C122913ALCS	C122913ALCS	ORG	96-12-8	1,2-Dibromo-3-chloropropane	52		ug/L	5	1.59	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1078	50	104%		
C122913ALCS	C122913ALCS	ORG	87-68-3	Hexachlorobutadiene	60		ug/L	5	0.65	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1078	50	120%		
C122913ALCS	C122913ALCS	ORG	120-82-1	1,2,4-Trichlorobenzene	56		ug/L	5	0.28	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1078	50	112%		
C122913ALCS	C122913ALCS	ORG	91-20-3	Naphthalene	53		ug/L	5	0.56	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1078	50	106%		
C122913ALCS	C122913ALCS	ORG	87-61-6	1,2,3-Trichlorobenzene	60		ug/L	5	0.23	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1078	50	120%		
C122913ALCS	C122913ALCS	STD	1868-53-7	Dibromofluoromethane	51		ng			NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1078	50	102%		
C122913ALCS	C122913ALCS	STD	17060-07-0	1,2-Dichloroethane d4	51		ng			NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1078	50	102%		
C122913ALCS	C122913ALCS	STD	2037-26-5	Toluene d8	49		ng			NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1078	50	98%		
C122913ALCS	C122913ALCS	STD	460-00-4	Bromofluorobenzene	49		ng			NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1078	50	98%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C122913ALCD	C122913ALCD	ORG	75-71-8	Dichlorodifluoromethane	81		ug/L	5	0.29	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1083	50	162%	12%	
C122913ALCD	C122913ALCD	ORG	74-87-3	Chloromethane	63		ug/L	5	0.43	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1083	50	126%	13%	
C122913ALCD	C122913ALCD	ORG	75-01-4	Vinyl chloride	66		ug/L	2	0.32	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1083	50	132%	13%	
C122913ALCD	C122913ALCD	ORG	74-83-9	Bromomethane	57		ug/L	5	0.50	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1083	50	114%	0%	
C122913ALCD	C122913ALCD	ORG	75-00-3	Chloroethane	47		ug/L	5	0.56	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1083	50	94%	7%	
C122913ALCD	C122913ALCD	ORG	75-69-4	Trichlorofluoromethane	78		ug/L	5	0.20	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1083	50	156%	17%	
C122913ALCD	C122913ALCD	ORG	75-35-4	1,1-Dichloroethene	54		ug/L	1	0.47	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1083	50	108%	12%	
C122913ALCD	C122913ALCD	ORG	75-09-2	Methylene chloride	54		ug/L	5	0.26	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1083	50	108%	9%	
C122913ALCD	C122913ALCD	ORG	67-64-1	Acetone	59		ug/L	10	1.56	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1083	50	118%	13%	
C122913ALCD	C122913ALCD	ORG	156-60-5	trans-1,2-Dichloroethene	54		ug/L	1	0.56	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1083	50	108%	9%	
C122913ALCD	C122913ALCD	ORG	1634-04-4	MTBE	50		ug/L	5	0.61	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1083	50	100%	17%	
C122913ALCD	C122913ALCD	ORG	75-34-3	1,1-Dichloroethane	53		ug/L	1	0.53	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1083	50	106%	7%	
C122913ALCD	C122913ALCD	ORG	156-59-2	cis-1,2-Dichloroethene	52		ug/L	1	0.32	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1083	50	104%	6%	
C122913ALCD	C122913ALCD	ORG	74-97-5	Bromochloromethane	52		ug/L	10	0.41	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1083	50	104%	6%	
C122913ALCD	C122913ALCD	ORG	67-66-3	Chloroform	51		ug/L	2	0.16	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1083	50	102%	2%	
C122913ALCD	C122913ALCD	ORG	71-55-6	1,1,1-Trichloroethane	51		ug/L	1	0.17	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1083	50	102%	4%	
C122913ALCD	C122913ALCD	ORG	78-93-3	2-Butanone	53		ug/L	1	0.81	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1083	50	106%	11%	
C122913ALCD	C122913ALCD	ORG	56-23-5	Carbon tetrachloride	50		ug/L	1	0.28	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1083	50	100%	2%	
C122913ALCD	C122913ALCD	ORG	71-43-2	Benzene	51		ug/L	1	0.14	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1083	50	102%	2%	
C122913ALCD	C122913ALCD	ORG	107-06-2	1,2-Dichloroethane	48		ug/L	1	0.20	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1083	50	96%	2%	
C122913ALCD	C122913ALCD	ORG	79-01-6	Trichloroethene	50		ug/L	1	0.36	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1083	50	100%	0%	
C122913ALCD	C122913ALCD	ORG	74-95-3	Dibromomethane	42		ug/L	2	0.32	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1083	50	84%	2%	
C122913ALCD	C122913ALCD	ORG	78-87-5	1,2-Dichloropropane	44		ug/L	1	0.18	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1083	50	88%	0%	
C122913ALCD	C122913ALCD	ORG	75-27-4	Bromodichloromethane	46		ug/L	2	0.12	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1083	50	92%	0%	
C122913ALCD	C122913ALCD	ORG	10061-01-5	cis-1,3-Dichloropropene	50		ug/L	1	0.25	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1083	50	100%	6%	
C122913ALCD	C122913ALCD	ORG	108-88-3	Toluene	52		ug/L	1	0.21	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1083	50	104%	2%	
C122913ALCD	C122913ALCD	ORG	108-10-1	4-Methyl-2-pentanone	45		ug/L	5	0.74	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1083	50	90%	9%	
C122913ALCD	C122913ALCD	ORG	10061-02-6	trans-1,3-Dichloropropene	55		ug/L	1	0.31	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1083	50	110%	0%	
C122913ALCD	C122913ALCD	ORG	127-18-4	Tetrachloroethene	56		ug/L	1	0.49	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1083	50	112%	7%	
C122913ALCD	C122913ALCD	ORG	79-00-5	1,1,2-Trichloroethane	53		ug/L	1	0.34	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1083	50	106%	0%	
C122913ALCD	C122913ALCD	ORG	124-48-1	Dibromochloromethane	47		ug/L	5	0.30	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1083	50	94%	2%	
C122913ALCD	C122913ALCD	ORG	106-93-4	1,2-Dibromoethane	48		ug/L	2	0.26	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1083	50	96%	4%	
C122913ALCD	C122913ALCD	ORG	591-78-6	2-Hexanone	44		ug/L	2	0.69	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1083	50	88%	13%	
C122913ALCD	C122913ALCD	ORG	100-41-4	Ethylbenzene	54		ug/L	1	0.25	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1083	50	108%	0%	
C122913ALCD	C122913ALCD	ORG	108-90-7	Chlorobenzene	55		ug/L	1	0.28	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1083	50	110%	2%	
C122913ALCD	C122913ALCD	ORG	630-20-6	1,1,1,2-Tetrachloroethane	49		ug/L	2	0.19	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1083	50	98%	2%	
C122913ALCD	C122913ALCD	ORG	XYLMP	p&m-Xylene	110		ug/L	2	0.26	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1083	100	110%	0%	
C122913ALCD	C122913ALCD	ORG	95-47-6	o-Xylene	49		ug/L	1	0.13	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1083	50	98%	2%	
C122913ALCD	C122913ALCD	ORG	100-42-5	Styrene	51		ug/L	1	0.20	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1083	50	102%	0%	
C122913ALCD	C122913ALCD	ORG	75-25-2	Bromoform	48		ug/L	2	0.47	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1083	50	96%	0%	
C122913ALCD	C122913ALCD	ORG	98-82-8	Isopropylbenzene	50		ug/L	2	0.20	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1083	50	100%	2%	
C122913ALCD	C122913ALCD	ORG	103-65-1	n-Propylbenzene	58		ug/L	2	0.27	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1083	50	116%	0%	
C122913ALCD	C122913ALCD	ORG	79-34-5	1,1,2,2-Tetrachloroethane	52		ug/L	2	0.29	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1083	50	104%	2%	

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C122913ALCD	C122913ALCD	ORG	96-18-4	1,2,3-Trichloropropane	53		ug/L	2	0.29	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1083	50	106%	0%	
C122913ALCD	C122913ALCD	ORG	108-67-8	1,3,5-Trimethylbenzene	52		ug/L	2	0.20	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1083	50	104%	0%	
C122913ALCD	C122913ALCD	ORG	98-06-6	tert-Butylbenzene	50		ug/L	2	0.33	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1083	50	100%	2%	
C122913ALCD	C122913ALCD	ORG	95-63-6	1,2,4-Trimethylbenzene	52		ug/L	2	0.20	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1083	50	104%	0%	
C122913ALCD	C122913ALCD	ORG	135-98-8	sec-Butylbenzene	51		ug/L	2	0.32	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1083	50	102%	0%	
C122913ALCD	C122913ALCD	ORG	541-73-1	1,3-Dichlorobenzene	53		ug/L	2	0.22	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1083	50	106%	0%	
C122913ALCD	C122913ALCD	ORG	99-87-6	p-Isopropltoluene	50		ug/L	2	0.25	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1083	50	100%	2%	
C122913ALCD	C122913ALCD	ORG	106-46-7	1,4-Dichlorobenzene	50		ug/L	2	0.33	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1083	50	100%	2%	
C122913ALCD	C122913ALCD	ORG	95-50-1	1,2-Dichlorobenzene	51		ug/L	2	0.26	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1083	50	102%	4%	
C122913ALCD	C122913ALCD	ORG	104-51-8	n-Butylbenzene	51		ug/L	5	0.28	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1083	50	102%	2%	
C122913ALCD	C122913ALCD	ORG	96-12-8	1,2-Dibromo-3-chloropropane	48		ug/L	5	1.59	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1083	50	96%	8%	
C122913ALCD	C122913ALCD	ORG	87-68-3	Hexachlorobutadiene	54		ug/L	5	0.65	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1083	50	108%	11%	
C122913ALCD	C122913ALCD	ORG	120-82-1	1,2,4-Trichlorobenzene	50		ug/L	5	0.28	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1083	50	100%	11%	
C122913ALCD	C122913ALCD	ORG	91-20-3	Naphthalene	46		ug/L	5	0.56	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1083	50	92%	14%	
C122913ALCD	C122913ALCD	ORG	87-61-6	1,2,3-Trichlorobenzene	53		ug/L	5	0.23	NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1083	50	106%	12%	
C122913ALCD	C122913ALCD	STD	1868-53-7	Dibromofluoromethane	51		ng			NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1083	50	102%	0%	
C122913ALCD	C122913ALCD	STD	17060-07-0	1,2-Dichloroethane d4	49		ng			NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1083	50	98%	4%	
C122913ALCD	C122913ALCD	STD	2037-26-5	Toluene d8	49		ng			NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1083	50	98%	0%	
C122913ALCD	C122913ALCD	STD	460-00-4	Bromofluorobenzene	48		ng			NA	12/29/2013	12/29/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1083	50	96%	2%	

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-876MS	316-180	ORG	75-71-8	Dichlorodifluoromethane	7800		ug/L	500	29.28	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1084	5000	156%		
NAL13026-876MS	316-180	ORG	74-87-3	Chloromethane	6100		ug/L	500	43.07	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1084	5000	122%		
NAL13026-876MS	316-180	ORG	75-01-4	Vinyl chloride	6500		ug/L	200	31.86	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1084	5000	130%		
NAL13026-876MS	316-180	ORG	74-83-9	Bromomethane	5500		ug/L	500	50.04	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1084	5000	110%		
NAL13026-876MS	316-180	ORG	75-00-3	Chloroethane	4700		ug/L	500	55.61	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1084	5000	94%		
NAL13026-876MS	316-180	ORG	75-69-4	Trichlorofluoromethane	7600		ug/L	500	19.65	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1084	5000	152%		
NAL13026-876MS	316-180	ORG	75-35-4	1,1-Dichloroethene	5300		ug/L	100	47.11	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1084	5000	106%		
NAL13026-876MS	316-180	ORG	75-09-2	Methylene chloride	5200		ug/L	500	26.46	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1084	5000	104%		
NAL13026-876MS	316-180	ORG	67-64-1	Acetone	97000		ug/L	1000	155.61	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1084	5000	-260%		110000
NAL13026-876MS	316-180	ORG	156-60-5	trans-1,2-Dichloroethene	5200		ug/L	100	55.61	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1084	5000	104%		
NAL13026-876MS	316-180	ORG	1634-04-4	MTBE	4700		ug/L	500	61.18	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1084	5000	94%		
NAL13026-876MS	316-180	ORG	75-34-3	1,1-Dichloroethane	5200		ug/L	100	52.66	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1084	5000	104%		
NAL13026-876MS	316-180	ORG	156-59-2	cis-1,2-Dichloroethene	5100		ug/L	100	32.11	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1084	5000	102%		
NAL13026-876MS	316-180	ORG	74-97-5	Bromochloromethane	5100		ug/L	1000	41.37	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1084	5000	102%		
NAL13026-876MS	316-180	ORG	67-66-3	Chloroform	4900		ug/L	200	15.73	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1084	5000	98%		
NAL13026-876MS	316-180	ORG	71-55-6	1,1,1-Trichloroethane	5000		ug/L	100	16.65	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1084	5000	100%		
NAL13026-876MS	316-180	ORG	78-93-3	2-Butanone	55000		ug/L	100	81.18	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1084	5000	80%		51000
NAL13026-876MS	316-180	ORG	56-23-5	Carbon tetrachloride	4900		ug/L	100	27.64	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1084	5000	98%		
NAL13026-876MS	316-180	ORG	71-43-2	Benzene	5100		ug/L	100	13.53	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1084	5000	101%		67
NAL13026-876MS	316-180	ORG	107-06-2	1,2-Dichloroethane	4700		ug/L	100	20.01	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1084	5000	94%		
NAL13026-876MS	316-180	ORG	79-01-6	Trichloroethene	5000		ug/L	100	36.33	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1084	5000	100%		
NAL13026-876MS	316-180	ORG	74-95-3	Dibromomethane	4700		ug/L	200	32.20	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1084	5000	94%		
NAL13026-876MS	316-180	ORG	78-87-5	1,2-Dichloropropane	4600		ug/L	100	18.17	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1084	5000	92%		
NAL13026-876MS	316-180	ORG	75-27-4	Bromodichloromethane	3900		ug/L	200	11.58	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1084	5000	78%		
NAL13026-876MS	316-180	ORG	10061-01-5	cis-1,3-Dichloropropene	4900		ug/L	100	25.01	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1084	5000	98%		
NAL13026-876MS	316-180	ORG	108-88-3	Toluene	4500		ug/L	100	20.96	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1084	5000	89%		54
NAL13026-876MS	316-180	ORG	108-10-1	4-Methyl-2-pentanone	5700		ug/L	500	74.00	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1084	5000	90%		1200
NAL13026-876MS	316-180	ORG	10061-02-6	trans-1,3-Dichloropropene	4700		ug/L	100	31.15	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1084	5000	94%		
NAL13026-876MS	316-180	ORG	127-18-4	Tetrachloroethene	4200		ug/L	100	48.56	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1084	5000	84%		
NAL13026-876MS	316-180	ORG	79-00-5	1,1,2-Trichloroethane	5000		ug/L	100	34.28	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1084	5000	100%		
NAL13026-876MS	316-180	ORG	124-48-1	Dibromochloromethane	4300		ug/L	500	29.90	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1084	5000	86%		
NAL13026-876MS	316-180	ORG	106-93-4	1,2-Dibromoethane	4600		ug/L	200	26.49	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1084	5000	92%		
NAL13026-876MS	316-180	ORG	591-78-6	2-Hexanone	11000		ug/L	200	68.90	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1084	5000	104%		5800
NAL13026-876MS	316-180	ORG	100-41-4	Ethylbenzene	5000		ug/L	100	25.38	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1084	5000	96%		180
NAL13026-876MS	316-180	ORG	108-90-7	Chlorobenzene	4900		ug/L	100	27.52	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1084	5000	98%		
NAL13026-876MS	316-180	ORG	630-20-6	1,1,1,2-Tetrachloroethane	4200		ug/L	200	19.28	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1084	5000	84%		
NAL13026-876MS	316-180	ORG	XYLMP	p&m-Xylene	9900		ug/L	200	26.14	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1084	10000	89%		980
NAL13026-876MS	316-180	ORG	95-47-6	o-Xylene	5200		ug/L	100	12.90	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1084	5000	89%		750
NAL13026-876MS	316-180	ORG	100-42-5	Styrene	4800		ug/L	100	20.23	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1084	5000	88%		400
NAL13026-876MS	316-180	ORG	75-25-2	Bromoform	4000		ug/L	200	46.83	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1084	5000	80%		
NAL13026-876MS	316-180	ORG	98-82-8	Isopropylbenzene	5300		ug/L	200	20.48	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1084	5000	92%		720
NAL13026-876MS	316-180	ORG	103-65-1	n-Propylbenzene	5700		ug/L	200	27.00	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1084	5000	109%		240
NAL13026-876MS	316-180	ORG	79-34-5	1,1,2,2-Tetrachloroethane	4800		ug/L	200	29.16	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1084	5000	96%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-876MS	316-180	ORG	96-18-4	1,2,3-Trichloropropane	4600		ug/L	200	29.47	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1084	5000	92%		
NAL13026-876MS	316-180	ORG	108-67-8	1,3,5-Trimethylbenzene	5300		ug/L	200	20.03	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1084	5000	91%		730
NAL13026-876MS	316-180	ORG	98-06-6	tert-Butylbenzene	5000		ug/L	200	32.61	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1084	5000	100%		
NAL13026-876MS	316-180	ORG	95-63-6	1,2,4-Trimethylbenzene	7100		ug/L	200	20.03	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1084	5000	94%		2400
NAL13026-876MS	316-180	ORG	135-98-8	sec-Butylbenzene	5700		ug/L	200	32.34	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1084	5000	104%		500
NAL13026-876MS	316-180	ORG	541-73-1	1,3-Dichlorobenzene	5100		ug/L	200	22.21	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1084	5000	102%		
NAL13026-876MS	316-180	ORG	99-87-6	p-Isopropltoluene	14000		ug/L	200	25.48	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1084	5000	82%		9900
NAL13026-876MS	316-180	ORG	106-46-7	1,4-Dichlorobenzene	7100		ug/L	200	33.03	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1084	5000	92%		2500
NAL13026-876MS	316-180	ORG	95-50-1	1,2-Dichlorobenzene	5300		ug/L	200	26.38	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1084	5000	106%		
NAL13026-876MS	316-180	ORG	104-51-8	n-Butylbenzene	5500		ug/L	500	27.81	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1084	5000	97%		650
NAL13026-876MS	316-180	ORG	96-12-8	1,2-Dibromo-3-chloropropane	5700		ug/L	500	159.11	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1084	5000	114%		
NAL13026-876MS	316-180	ORG	87-68-3	Hexachlorobutadiene	6400		ug/L	500	65.42	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1084	5000	128%		
NAL13026-876MS	316-180	ORG	120-82-1	1,2,4-Trichlorobenzene	6400		ug/L	500	27.63	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1084	5000	128%		
NAL13026-876MS	316-180	ORG	91-20-3	Naphthalene	9100		ug/L	500	56.04	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1084	5000	116%		3300
NAL13026-876MS	316-180	ORG	87-61-6	1,2,3-Trichlorobenzene	6900		ug/L	500	23.28	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1084	5000	138%		
NAL13026-876MS	316-180	STD	1868-53-7	Dibromofluoromethane	50		ng			12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1084	50	100%		
NAL13026-876MS	316-180	STD	17060-07-0	1,2-Dichloroethane d4	48		ng			12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1084	50	96%		
NAL13026-876MS	316-180	STD	2037-26-5	Toluene d8	42		ng			12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1084	50	84%		
NAL13026-876MS	316-180	STD	460-00-4	Bromofluorobenzene	54		ng			12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1084	50	108%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-876MSD	316-180	ORG	75-71-8	Dichlorodifluoromethane	8500		ug/L	500	29.28	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1085	5000	170%	9%	0
NAL13026-876MSD	316-180	ORG	74-87-3	Chloromethane	7100		ug/L	500	43.07	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1085	5000	142%	15%	0
NAL13026-876MSD	316-180	ORG	75-01-4	Vinyl chloride	7300		ug/L	200	31.86	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1085	5000	146%	12%	0
NAL13026-876MSD	316-180	ORG	74-83-9	Bromomethane	5200		ug/L	500	50.04	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1085	5000	104%	6%	0
NAL13026-876MSD	316-180	ORG	75-00-3	Chloroethane	4000		ug/L	500	55.61	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1085	5000	80%	16%	0
NAL13026-876MSD	316-180	ORG	75-69-4	Trichlorofluoromethane	6800		ug/L	500	19.65	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1085	5000	136%	11%	0
NAL13026-876MSD	316-180	ORG	75-35-4	1,1-Dichloroethene	5600		ug/L	100	47.11	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1085	5000	112%	6%	0
NAL13026-876MSD	316-180	ORG	75-09-2	Methylene chloride	5500		ug/L	500	26.46	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1085	5000	110%	6%	0
NAL13026-876MSD	316-180	ORG	67-64-1	Acetone	97000		ug/L	1000	155.61	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1085	5000	-260%	0%	110000
NAL13026-876MSD	316-180	ORG	156-60-5	trans-1,2-Dichloroethene	5700		ug/L	100	55.61	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1085	5000	114%	9%	0
NAL13026-876MSD	316-180	ORG	1634-04-4	MTBE	5600		ug/L	500	61.18	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1085	5000	112%	17%	0
NAL13026-876MSD	316-180	ORG	75-34-3	1,1-Dichloroethane	5600		ug/L	100	52.66	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1085	5000	112%	7%	0
NAL13026-876MSD	316-180	ORG	156-59-2	cis-1,2-Dichloroethene	5400		ug/L	100	32.11	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1085	5000	108%	6%	0
NAL13026-876MSD	316-180	ORG	74-97-5	Bromochloromethane	5200		ug/L	1000	41.37	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1085	5000	104%	2%	0
NAL13026-876MSD	316-180	ORG	67-66-3	Chloroform	5100		ug/L	200	15.73	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1085	5000	102%	4%	0
NAL13026-876MSD	316-180	ORG	71-55-6	1,1,1-Trichloroethane	5300		ug/L	100	16.65	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1085	5000	106%	6%	0
NAL13026-876MSD	316-180	ORG	78-93-3	2-Butanone	53000		ug/L	100	81.18	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1085	5000	40%	4%	51000
NAL13026-876MSD	316-180	ORG	56-23-5	Carbon tetrachloride	5100		ug/L	100	27.64	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1085	5000	102%	4%	0
NAL13026-876MSD	316-180	ORG	71-43-2	Benzene	5100		ug/L	100	13.53	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1085	5000	101%	0%	67
NAL13026-876MSD	316-180	ORG	107-06-2	1,2-Dichloroethane	4700		ug/L	100	20.01	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1085	5000	94%	0%	0
NAL13026-876MSD	316-180	ORG	79-01-6	Trichloroethene	4100		ug/L	100	36.33	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1085	5000	82%	20%	0
NAL13026-876MSD	316-180	ORG	74-95-3	Dibromomethane	4300		ug/L	200	32.20	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1085	5000	86%	9%	0
NAL13026-876MSD	316-180	ORG	78-87-5	1,2-Dichloropropane	4500		ug/L	100	18.17	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1085	5000	90%	2%	0
NAL13026-876MSD	316-180	ORG	75-27-4	Bromodichloromethane	3800		ug/L	200	11.58	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1085	5000	76%	3%	0
NAL13026-876MSD	316-180	ORG	10061-01-5	cis-1,3-Dichloropropene	4800		ug/L	100	25.01	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1085	5000	96%	2%	0
NAL13026-876MSD	316-180	ORG	108-88-3	Toluene	4400		ug/L	100	20.96	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1085	5000	87%	2%	54
NAL13026-876MSD	316-180	ORG	108-10-1	4-Methyl-2-pentanone	5200		ug/L	500	74.00	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1085	5000	80%	9%	1200
NAL13026-876MSD	316-180	ORG	10061-02-6	trans-1,3-Dichloropropene	4500		ug/L	100	31.15	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1085	5000	90%	4%	0
NAL13026-876MSD	316-180	ORG	127-18-4	Tetrachloroethene	4300		ug/L	100	48.56	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1085	5000	86%	2%	0
NAL13026-876MSD	316-180	ORG	79-00-5	1,1,2-Trichloroethane	4400		ug/L	100	34.28	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1085	5000	88%	13%	0
NAL13026-876MSD	316-180	ORG	124-48-1	Dibromochloromethane	4000		ug/L	500	29.90	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1085	5000	80%	7%	0
NAL13026-876MSD	316-180	ORG	106-93-4	1,2-Dibromoethane	4200		ug/L	200	26.49	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1085	5000	84%	9%	0
NAL13026-876MSD	316-180	ORG	591-78-6	2-Hexanone	9800		ug/L	200	68.90	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1085	5000	80%	12%	5800
NAL13026-876MSD	316-180	ORG	100-41-4	Ethylbenzene	5100		ug/L	100	25.38	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1085	5000	98%	2%	180
NAL13026-876MSD	316-180	ORG	108-90-7	Chlorobenzene	5000		ug/L	100	27.52	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1085	5000	100%	2%	0
NAL13026-876MSD	316-180	ORG	630-20-6	1,1,1,2-Tetrachloroethane	4200		ug/L	200	19.28	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1085	5000	84%	0%	0
NAL13026-876MSD	316-180	ORG	XYLMP	p&m-Xylene	10000		ug/L	200	26.14	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1085	10000	90%	1%	980
NAL13026-876MSD	316-180	ORG	95-47-6	o-Xylene	5300		ug/L	100	12.90	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1085	5000	91%	2%	750
NAL13026-876MSD	316-180	ORG	100-42-5	Styrene	4800		ug/L	100	20.23	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1085	5000	88%	0%	400
NAL13026-876MSD	316-180	ORG	75-25-2	Bromoform	4100		ug/L	200	46.83	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1085	5000	82%	2%	0
NAL13026-876MSD	316-180	ORG	98-82-8	Isopropylbenzene	5400		ug/L	200	20.48	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1085	5000	94%	2%	720
NAL13026-876MSD	316-180	ORG	103-65-1	n-Propylbenzene	5700		ug/L	200	27.00	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1085	5000	109%	0%	240
NAL13026-876MSD	316-180	ORG	79-34-5	1,1,2,2-Tetrachloroethane	4200		ug/L	200	29.16	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1085	5000	84%	13%	0

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-876MSD	316-180	ORG	96-18-4	1,2,3-Trichloropropane	4100		ug/L	200	29.47	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1085	5000	82%	11%	0
NAL13026-876MSD	316-180	ORG	108-67-8	1,3,5-Trimethylbenzene	5200		ug/L	200	20.03	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1085	5000	89%	2%	730
NAL13026-876MSD	316-180	ORG	98-06-6	tert-Butylbenzene	5000		ug/L	200	32.61	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1085	5000	100%	0%	0
NAL13026-876MSD	316-180	ORG	95-63-6	1,2,4-Trimethylbenzene	7000		ug/L	200	20.03	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1085	5000	92%	1%	2400
NAL13026-876MSD	316-180	ORG	135-98-8	sec-Butylbenzene	5600		ug/L	200	32.34	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1085	5000	102%	2%	500
NAL13026-876MSD	316-180	ORG	541-73-1	1,3-Dichlorobenzene	5000		ug/L	200	22.21	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1085	5000	100%	2%	0
NAL13026-876MSD	316-180	ORG	99-87-6	p-Isopropltoluene	14000		ug/L	200	25.48	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1085	5000	82%	0%	9900
NAL13026-876MSD	316-180	ORG	106-46-7	1,4-Dichlorobenzene	6900		ug/L	200	33.03	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1085	5000	88%	3%	2500
NAL13026-876MSD	316-180	ORG	95-50-1	1,2-Dichlorobenzene	5100		ug/L	200	26.38	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1085	5000	102%	4%	0
NAL13026-876MSD	316-180	ORG	104-51-8	n-Butylbenzene	5400		ug/L	500	27.81	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1085	5000	95%	2%	650
NAL13026-876MSD	316-180	ORG	96-12-8	1,2-Dibromo-3-chloropropane	5200		ug/L	500	159.11	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1085	5000	104%	9%	0
NAL13026-876MSD	316-180	ORG	87-68-3	Hexachlorobutadiene	6200		ug/L	500	65.42	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1085	5000	124%	3%	0
NAL13026-876MSD	316-180	ORG	120-82-1	1,2,4-Trichlorobenzene	6100		ug/L	500	27.63	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1085	5000	122%	5%	0
NAL13026-876MSD	316-180	ORG	91-20-3	Naphthalene	8100		ug/L	500	56.04	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1085	5000	96%	12%	3300
NAL13026-876MSD	316-180	ORG	87-61-6	1,2,3-Trichlorobenzene	6400		ug/L	500	23.28	12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1085	5000	128%	8%	0
NAL13026-876MSD	316-180	STD	1868-53-7	Dibromofluoromethane	52		ng			12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1085	50	104%	4%	0
NAL13026-876MSD	316-180	STD	17060-07-0	1,2-Dichloroethane d4	50		ng			12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1085	50	100%	4%	0
NAL13026-876MSD	316-180	STD	2037-26-5	Toluene d8	44		ng			12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1085	50	88%	5%	0
NAL13026-876MSD	316-180	STD	460-00-4	Bromofluorobenzene	56		ng			12/29/2013	12/29/2013	12/29/2013	WG	100	NA	5.0	NA	SW8260B	NALC1085	50	112%	4%	0

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-878	316-181	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1093				
NAL13026-878	316-181	ORG	74-87-3	Chloromethane		U	ug/L	500	43.07	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1093				
NAL13026-878	316-181	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1093				
NAL13026-878	316-181	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1093				
NAL13026-878	316-181	ORG	75-00-3	Chloroethane		UX-	ug/L	500	55.61	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1093				
NAL13026-878	316-181	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1093				
NAL13026-878	316-181	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1093				
NAL13026-878	316-181	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1093				
NAL13026-878	316-181	ORG	67-64-1	Acetone	110000	D	ug/L	10000	1556.07	12/30/2013	12/30/2013	12/30/2013	WG	1000	NA	5.0	NA	SW8260B	NALC1094				
NAL13026-878	316-181	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1093				
NAL13026-878	316-181	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1093				
NAL13026-878	316-181	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1093				
NAL13026-878	316-181	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1093				
NAL13026-878	316-181	ORG	74-97-5	Bromochloromethane		U	ug/L	200	41.37	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1093				
NAL13026-878	316-181	ORG	67-66-3	Chloroform		U	ug/L	100	15.73	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1093				
NAL13026-878	316-181	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	16.65	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1093				
NAL13026-878	316-181	ORG	78-93-3	2-Butanone	47000	D	ug/L	10000	811.80	12/30/2013	12/30/2013	12/30/2013	WG	1000	NA	5.0	NA	SW8260B	NALC1094				
NAL13026-878	316-181	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1093				
NAL13026-878	316-181	ORG	71-43-2	Benzene	79	J	ug/L	100	13.53	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1093				
NAL13026-878	316-181	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1093				
NAL13026-878	316-181	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1093				
NAL13026-878	316-181	ORG	74-95-3	Dibromomethane		UX-	ug/L	200	32.20	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1093				
NAL13026-878	316-181	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1093				
NAL13026-878	316-181	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1093				
NAL13026-878	316-181	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1093				
NAL13026-878	316-181	ORG	108-88-3	Toluene	48	J	ug/L	100	20.96	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1093				
NAL13026-878	316-181	ORG	108-10-1	4-Methyl-2-pentanone	860		ug/L	500	74.00	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1093				
NAL13026-878	316-181	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1093				
NAL13026-878	316-181	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1093				
NAL13026-878	316-181	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1093				
NAL13026-878	316-181	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	29.90	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1093				
NAL13026-878	316-181	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	26.49	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1093				
NAL13026-878	316-181	ORG	591-78-6	2-Hexanone	5200		ug/L	500	68.90	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1093				
NAL13026-878	316-181	ORG	100-41-4	Ethylbenzene	140		ug/L	100	25.38	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1093				
NAL13026-878	316-181	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1093				
NAL13026-878	316-181	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1093				
NAL13026-878	316-181	ORG	XYLMP	p&m-Xylene	880		ug/L	200	26.14	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1093				
NAL13026-878	316-181	ORG	95-47-6	o-Xylene	680		ug/L	100	12.90	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1093				
NAL13026-878	316-181	ORG	100-42-5	Styrene	400		ug/L	100	20.23	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1093				
NAL13026-878	316-181	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1093				
NAL13026-878	316-181	ORG	98-82-8	Isopropylbenzene	690		ug/L	200	20.48	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1093				
NAL13026-878	316-181	ORG	103-65-1	n-Propylbenzene	190	J	ug/L	200	27.00	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1093				
NAL13026-878	316-181	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1093				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-878	316-181	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1093				
NAL13026-878	316-181	ORG	108-67-8	1,3,5-Trimethylbenzene	650		ug/L	200	20.03	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1093				
NAL13026-878	316-181	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1093				
NAL13026-878	316-181	ORG	95-63-6	1,2,4-Trimethylbenzene	2000		ug/L	200	20.03	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1093				
NAL13026-878	316-181	ORG	135-98-8	sec-Butylbenzene	470		ug/L	200	32.34	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1093				
NAL13026-878	316-181	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1093				
NAL13026-878	316-181	ORG	99-87-6	p-Isopropltoluene	7900		ug/L	200	25.48	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1093				
NAL13026-878	316-181	ORG	106-46-7	1,4-Dichlorobenzene	2100		ug/L	200	33.03	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1093				
NAL13026-878	316-181	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1093				
NAL13026-878	316-181	ORG	104-51-8	n-Butylbenzene	630		ug/L	500	27.81	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1093				
NAL13026-878	316-181	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1093				
NAL13026-878	316-181	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1093				
NAL13026-878	316-181	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1093				
NAL13026-878	316-181	ORG	91-20-3	Naphthalene	3000		ug/L	500	56.04	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1093				
NAL13026-878	316-181	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1093				
NAL13026-878	316-181	STD	1868-53-7	Dibromofluoromethane	60		ng			12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1093	50	120%		
NAL13026-878	316-181	STD	17060-07-0	1,2-Dichloroethane d4	60		ng			12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1093	50	120%		
NAL13026-878	316-181	STD	2037-26-5	Toluene d8	45		ng			12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1093	50	90%		
NAL13026-878	316-181	STD	460-00-4	Bromofluorobenzene	55		ng			12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1093	50	110%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-879	96-094	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1100				
NAL13026-879	96-094	ORG	74-87-3	Chloromethane		U	ug/L	500	43.07	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1100				
NAL13026-879	96-094	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1100				
NAL13026-879	96-094	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1100				
NAL13026-879	96-094	ORG	75-00-3	Chloroethane		UX-	ug/L	500	55.61	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1100				
NAL13026-879	96-094	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1100				
NAL13026-879	96-094	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1100				
NAL13026-879	96-094	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1100				
NAL13026-879	96-094	ORG	67-64-1	Acetone	89000	D	ug/L	10000	1556.07	12/30/2013	12/30/2013	12/30/2013	WG	1000	NA	5.0	NA	SW8260B	NALC1101				
NAL13026-879	96-094	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1100				
NAL13026-879	96-094	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1100				
NAL13026-879	96-094	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1100				
NAL13026-879	96-094	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1100				
NAL13026-879	96-094	ORG	74-97-5	Bromochloromethane		U	ug/L	200	41.37	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1100				
NAL13026-879	96-094	ORG	67-66-3	Chloroform		U	ug/L	100	15.73	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1100				
NAL13026-879	96-094	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	16.65	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1100				
NAL13026-879	96-094	ORG	78-93-3	2-Butanone	39000	D	ug/L	10000	811.80	12/30/2013	12/30/2013	12/30/2013	WG	1000	NA	5.0	NA	SW8260B	NALC1101				
NAL13026-879	96-094	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1100				
NAL13026-879	96-094	ORG	71-43-2	Benzene	63	J	ug/L	100	13.53	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1100				
NAL13026-879	96-094	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1100				
NAL13026-879	96-094	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1100				
NAL13026-879	96-094	ORG	74-95-3	Dibromomethane		UX-	ug/L	200	32.20	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1100				
NAL13026-879	96-094	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1100				
NAL13026-879	96-094	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1100				
NAL13026-879	96-094	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1100				
NAL13026-879	96-094	ORG	108-88-3	Toluene		U	ug/L	100	20.96	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1100				
NAL13026-879	96-094	ORG	108-10-1	4-Methyl-2-pentanone	730		ug/L	500	74.00	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1100				
NAL13026-879	96-094	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1100				
NAL13026-879	96-094	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1100				
NAL13026-879	96-094	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1100				
NAL13026-879	96-094	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	29.90	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1100				
NAL13026-879	96-094	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	26.49	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1100				
NAL13026-879	96-094	ORG	591-78-6	2-Hexanone	3300		ug/L	500	68.90	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1100				
NAL13026-879	96-094	ORG	100-41-4	Ethylbenzene		U	ug/L	100	25.38	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1100				
NAL13026-879	96-094	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1100				
NAL13026-879	96-094	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1100				
NAL13026-879	96-094	ORG	XYLMP	p&m-Xylene	610		ug/L	200	26.14	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1100				
NAL13026-879	96-094	ORG	95-47-6	o-Xylene	510		ug/L	100	12.90	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1100				
NAL13026-879	96-094	ORG	100-42-5	Styrene		U	ug/L	100	20.23	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1100				
NAL13026-879	96-094	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1100				
NAL13026-879	96-094	ORG	98-82-8	Isopropylbenzene	590		ug/L	200	20.48	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1100				
NAL13026-879	96-094	ORG	103-65-1	n-Propylbenzene	110	J	ug/L	200	27.00	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1100				
NAL13026-879	96-094	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1100				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-879	96-094	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1100				
NAL13026-879	96-094	ORG	108-67-8	1,3,5-Trimethylbenzene	520		ug/L	200	20.03	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1100				
NAL13026-879	96-094	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1100				
NAL13026-879	96-094	ORG	95-63-6	1,2,4-Trimethylbenzene	1300		ug/L	200	20.03	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1100				
NAL13026-879	96-094	ORG	135-98-8	sec-Butylbenzene	460		ug/L	200	32.34	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1100				
NAL13026-879	96-094	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1100				
NAL13026-879	96-094	ORG	99-87-6	p-Isopropltoluene	6200		ug/L	200	25.48	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1100				
NAL13026-879	96-094	ORG	106-46-7	1,4-Dichlorobenzene	1300		ug/L	200	33.03	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1100				
NAL13026-879	96-094	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1100				
NAL13026-879	96-094	ORG	104-51-8	n-Butylbenzene	600		ug/L	500	27.81	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1100				
NAL13026-879	96-094	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1100				
NAL13026-879	96-094	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1100				
NAL13026-879	96-094	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1100				
NAL13026-879	96-094	ORG	91-20-3	Naphthalene	2700		ug/L	500	56.04	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1100				
NAL13026-879	96-094	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1100				
NAL13026-879	96-094	STD	1868-53-7	Dibromofluoromethane	50		ng			12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1100	50	100%		
NAL13026-879	96-094	STD	17060-07-0	1,2-Dichloroethane d4	49		ng			12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1100	50	98%		
NAL13026-879	96-094	STD	2037-26-5	Toluene d8	43		ng			12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1100	50	86%		
NAL13026-879	96-094	STD	460-00-4	Bromofluorobenzene	53		ng			12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1100	50	106%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C123013CCVA	C123013CCVA	ORG	75-71-8	Dichlorodifluoromethane	80		ug/L	5	0.29	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1091	50	160%		
C123013CCVA	C123013CCVA	ORG	74-87-3	Chloromethane	64		ug/L	5	0.43	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1091	50	128%		
C123013CCVA	C123013CCVA	ORG	75-01-4	Vinyl chloride	69		ug/L	2	0.32	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1091	50	138%		
C123013CCVA	C123013CCVA	ORG	74-83-9	Bromomethane	54		ug/L	5	0.50	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1091	50	108%		
C123013CCVA	C123013CCVA	ORG	75-00-3	Chloroethane	38		ug/L	5	0.56	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1091	50	76%		
C123013CCVA	C123013CCVA	ORG	75-69-4	Trichlorofluoromethane	69		ug/L	5	0.20	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1091	50	138%		
C123013CCVA	C123013CCVA	ORG	75-35-4	1,1-Dichloroethene	55		ug/L	1	0.47	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1091	50	110%		
C123013CCVA	C123013CCVA	ORG	75-09-2	Methylene chloride	53		ug/L	5	0.26	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1091	50	106%		
C123013CCVA	C123013CCVA	ORG	67-64-1	Acetone	54		ug/L	10	1.56	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1091	50	108%		
C123013CCVA	C123013CCVA	ORG	156-60-5	trans-1,2-Dichloroethene	53		ug/L	1	0.56	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1091	50	106%		
C123013CCVA	C123013CCVA	ORG	1634-04-4	MTBE	51		ug/L	5	0.61	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1091	50	102%		
C123013CCVA	C123013CCVA	ORG	75-34-3	1,1-Dichloroethane	52		ug/L	1	0.53	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1091	50	104%		
C123013CCVA	C123013CCVA	ORG	156-59-2	cis-1,2-Dichloroethene	51		ug/L	1	0.32	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1091	50	102%		
C123013CCVA	C123013CCVA	ORG	74-97-5	Bromochloromethane	51		ug/L	10	0.41	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1091	50	102%		
C123013CCVA	C123013CCVA	ORG	67-66-3	Chloroform	48		ug/L	2	0.16	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1091	50	96%		
C123013CCVA	C123013CCVA	ORG	71-55-6	1,1,1-Trichloroethane	49		ug/L	1	0.17	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1091	50	98%		
C123013CCVA	C123013CCVA	ORG	78-93-3	2-Butanone	49		ug/L	1	0.81	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1091	50	98%		
C123013CCVA	C123013CCVA	ORG	56-23-5	Carbon tetrachloride	47		ug/L	1	0.28	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1091	50	94%		
C123013CCVA	C123013CCVA	ORG	71-43-2	Benzene	48		ug/L	1	0.14	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1091	50	96%		
C123013CCVA	C123013CCVA	ORG	107-06-2	1,2-Dichloroethane	46		ug/L	1	0.20	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1091	50	92%		
C123013CCVA	C123013CCVA	ORG	79-01-6	Trichloroethene	47		ug/L	1	0.36	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1091	50	94%		
C123013CCVA	C123013CCVA	ORG	74-95-3	Dibromomethane	39		ug/L	2	0.32	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1091	50	78%		
C123013CCVA	C123013CCVA	ORG	78-87-5	1,2-Dichloropropane	43		ug/L	1	0.18	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1091	50	86%		
C123013CCVA	C123013CCVA	ORG	75-27-4	Bromodichloromethane	45		ug/L	2	0.12	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1091	50	90%		
C123013CCVA	C123013CCVA	ORG	10061-01-5	cis-1,3-Dichloropropene	49		ug/L	1	0.25	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1091	50	98%		
C123013CCVA	C123013CCVA	ORG	108-88-3	Toluene	49		ug/L	1	0.21	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1091	50	98%		
C123013CCVA	C123013CCVA	ORG	108-10-1	4-Methyl-2-pentanone	41		ug/L	5	0.74	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1091	50	82%		
C123013CCVA	C123013CCVA	ORG	10061-02-6	trans-1,3-Dichloropropene	51		ug/L	1	0.31	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1091	50	102%		
C123013CCVA	C123013CCVA	ORG	127-18-4	Tetrachloroethene	46		ug/L	1	0.49	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1091	50	92%		
C123013CCVA	C123013CCVA	ORG	79-00-5	1,1,2-Trichloroethane	50		ug/L	1	0.34	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1091	50	100%		
C123013CCVA	C123013CCVA	ORG	124-48-1	Dibromochloromethane	46		ug/L	5	0.30	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1091	50	92%		
C123013CCVA	C123013CCVA	ORG	106-93-4	1,2-Dibromoethane	46		ug/L	2	0.26	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1091	50	92%		
C123013CCVA	C123013CCVA	ORG	591-78-6	2-Hexanone	41		ug/L	2	0.69	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1091	50	82%		
C123013CCVA	C123013CCVA	ORG	100-41-4	Ethylbenzene	52		ug/L	1	0.25	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1091	50	104%		
C123013CCVA	C123013CCVA	ORG	108-90-7	Chlorobenzene	52		ug/L	1	0.28	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1091	50	104%		
C123013CCVA	C123013CCVA	ORG	630-20-6	1,1,1,2-Tetrachloroethane	47		ug/L	2	0.19	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1091	50	94%		
C123013CCVA	C123013CCVA	ORG	XYLMP	p&m-Xylene	100		ug/L	2	0.26	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1091	100	100%		
C123013CCVA	C123013CCVA	ORG	95-47-6	o-Xylene	47		ug/L	1	0.13	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1091	50	94%		
C123013CCVA	C123013CCVA	ORG	100-42-5	Styrene	48		ug/L	1	0.20	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1091	50	96%		
C123013CCVA	C123013CCVA	ORG	75-25-2	Bromoform	45		ug/L	2	0.47	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1091	50	90%		
C123013CCVA	C123013CCVA	ORG	98-82-8	Isopropylbenzene	48		ug/L	2	0.20	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1091	50	96%		
C123013CCVA	C123013CCVA	ORG	103-65-1	n-Propylbenzene	55		ug/L	2	0.27	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1091	50	110%		
C123013CCVA	C123013CCVA	ORG	79-34-5	1,1,2,2-Tetrachloroethane	48		ug/L	2	0.29	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1091	50	96%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C123013CCVA	C123013CCVA	ORG	96-18-4	1,2,3-Trichloropropane	47		ug/L	2	0.29	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1091	50	94%		
C123013CCVA	C123013CCVA	ORG	108-67-8	1,3,5-Trimethylbenzene	49		ug/L	2	0.20	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1091	50	98%		
C123013CCVA	C123013CCVA	ORG	98-06-6	tert-Butylbenzene	49		ug/L	2	0.33	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1091	50	98%		
C123013CCVA	C123013CCVA	ORG	95-63-6	1,2,4-Trimethylbenzene	49		ug/L	2	0.20	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1091	50	98%		
C123013CCVA	C123013CCVA	ORG	135-98-8	sec-Butylbenzene	48		ug/L	2	0.32	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1091	50	96%		
C123013CCVA	C123013CCVA	ORG	541-73-1	1,3-Dichlorobenzene	51		ug/L	2	0.22	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1091	50	102%		
C123013CCVA	C123013CCVA	ORG	99-87-6	p-Isopropltoluene	48		ug/L	2	0.25	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1091	50	96%		
C123013CCVA	C123013CCVA	ORG	106-46-7	1,4-Dichlorobenzene	47		ug/L	2	0.33	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1091	50	94%		
C123013CCVA	C123013CCVA	ORG	95-50-1	1,2-Dichlorobenzene	49		ug/L	2	0.26	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1091	50	98%		
C123013CCVA	C123013CCVA	ORG	104-51-8	n-Butylbenzene	49		ug/L	5	0.28	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1091	50	98%		
C123013CCVA	C123013CCVA	ORG	96-12-8	1,2-Dibromo-3-chloropropane	45		ug/L	5	1.59	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1091	50	90%		
C123013CCVA	C123013CCVA	ORG	87-68-3	Hexachlorobutadiene	56		ug/L	5	0.65	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1091	50	112%		
C123013CCVA	C123013CCVA	ORG	120-82-1	1,2,4-Trichlorobenzene	52		ug/L	5	0.28	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1091	50	104%		
C123013CCVA	C123013CCVA	ORG	91-20-3	Naphthalene	49		ug/L	5	0.56	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1091	50	98%		
C123013CCVA	C123013CCVA	ORG	87-61-6	1,2,3-Trichlorobenzene	54		ug/L	5	0.23	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1091	50	108%		
C123013CCVA	C123013CCVA	STD	1868-53-7	Dibromofluoromethane	49		ng			NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1091	50	98%		
C123013CCVA	C123013CCVA	STD	17060-07-0	1,2-Dichloroethane d4	48		ng			NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1091	50	96%		
C123013CCVA	C123013CCVA	STD	2037-26-5	Toluene d8	50		ng			NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1091	50	100%		
C123013CCVA	C123013CCVA	STD	460-00-4	Bromofluorobenzene	49		ng			NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1091	50	98%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C123013MBKA	C123013MBKA	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	5	0.29	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1092				
C123013MBKA	C123013MBKA	ORG	74-87-3	Chloromethane		U	ug/L	5	0.43	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1092				
C123013MBKA	C123013MBKA	ORG	75-01-4	Vinyl chloride		U	ug/L	2	0.32	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1092				
C123013MBKA	C123013MBKA	ORG	74-83-9	Bromomethane		U	ug/L	5	0.50	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1092				
C123013MBKA	C123013MBKA	ORG	75-00-3	Chloroethane		U	ug/L	5	0.56	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1092				
C123013MBKA	C123013MBKA	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	5	0.20	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1092				
C123013MBKA	C123013MBKA	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	1	0.47	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1092				
C123013MBKA	C123013MBKA	ORG	75-09-2	Methylene chloride		U	ug/L	5	0.26	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1092				
C123013MBKA	C123013MBKA	ORG	67-64-1	Acetone		U	ug/L	10	1.56	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1092				
C123013MBKA	C123013MBKA	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	1	0.56	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1092				
C123013MBKA	C123013MBKA	ORG	1634-04-4	MTBE		U	ug/L	5	0.61	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1092				
C123013MBKA	C123013MBKA	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	1	0.53	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1092				
C123013MBKA	C123013MBKA	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	1	0.32	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1092				
C123013MBKA	C123013MBKA	ORG	74-97-5	Bromochloromethane		U	ug/L	10	0.41	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1092				
C123013MBKA	C123013MBKA	ORG	67-66-3	Chloroform		U	ug/L	2	0.16	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1092				
C123013MBKA	C123013MBKA	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	1	0.17	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1092				
C123013MBKA	C123013MBKA	ORG	78-93-3	2-Butanone		U	ug/L	1	0.81	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1092				
C123013MBKA	C123013MBKA	ORG	56-23-5	Carbon tetrachloride		U	ug/L	1	0.28	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1092				
C123013MBKA	C123013MBKA	ORG	71-43-2	Benzene		U	ug/L	1	0.14	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1092				
C123013MBKA	C123013MBKA	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	1	0.20	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1092				
C123013MBKA	C123013MBKA	ORG	79-01-6	Trichloroethene		U	ug/L	1	0.36	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1092				
C123013MBKA	C123013MBKA	ORG	74-95-3	Dibromomethane		U	ug/L	2	0.32	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1092				
C123013MBKA	C123013MBKA	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	1	0.18	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1092				
C123013MBKA	C123013MBKA	ORG	75-27-4	Bromodichloromethane		U	ug/L	2	0.12	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1092				
C123013MBKA	C123013MBKA	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	1	0.25	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1092				
C123013MBKA	C123013MBKA	ORG	108-88-3	Toluene		U	ug/L	1	0.21	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1092				
C123013MBKA	C123013MBKA	ORG	108-10-1	4-Methyl-2-pentanone		U	ug/L	5	0.74	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1092				
C123013MBKA	C123013MBKA	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	1	0.31	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1092				
C123013MBKA	C123013MBKA	ORG	127-18-4	Tetrachloroethene		U	ug/L	1	0.49	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1092				
C123013MBKA	C123013MBKA	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	1	0.34	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1092				
C123013MBKA	C123013MBKA	ORG	124-48-1	Dibromochloromethane		U	ug/L	5	0.30	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1092				
C123013MBKA	C123013MBKA	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	2	0.26	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1092				
C123013MBKA	C123013MBKA	ORG	591-78-6	2-Hexanone		U	ug/L	2	0.69	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1092				
C123013MBKA	C123013MBKA	ORG	100-41-4	Ethylbenzene		U	ug/L	1	0.25	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1092				
C123013MBKA	C123013MBKA	ORG	108-90-7	Chlorobenzene		U	ug/L	1	0.28	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1092				
C123013MBKA	C123013MBKA	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	2	0.19	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1092				
C123013MBKA	C123013MBKA	ORG	XYLMP	p&m-Xylene		U	ug/L	2	0.26	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1092				
C123013MBKA	C123013MBKA	ORG	95-47-6	o-Xylene		U	ug/L	1	0.13	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1092				
C123013MBKA	C123013MBKA	ORG	100-42-5	Styrene		U	ug/L	1	0.20	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1092				
C123013MBKA	C123013MBKA	ORG	75-25-2	Bromoform		U	ug/L	2	0.47	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1092				
C123013MBKA	C123013MBKA	ORG	98-82-8	Isopropylbenzene		U	ug/L	2	0.20	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1092				
C123013MBKA	C123013MBKA	ORG	103-65-1	n-Propylbenzene		U	ug/L	2	0.27	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1092				
C123013MBKA	C123013MBKA	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	2	0.29	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1092				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C123013MBKA	C123013MBKA	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	2	0.29	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1092				
C123013MBKA	C123013MBKA	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	2	0.20	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1092				
C123013MBKA	C123013MBKA	ORG	98-06-6	tert-Butylbenzene		U	ug/L	2	0.33	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1092				
C123013MBKA	C123013MBKA	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	2	0.20	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1092				
C123013MBKA	C123013MBKA	ORG	135-98-8	sec-Butylbenzene		U	ug/L	2	0.32	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1092				
C123013MBKA	C123013MBKA	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	2	0.22	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1092				
C123013MBKA	C123013MBKA	ORG	99-87-6	p-Isopropltoluene		U	ug/L	2	0.25	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1092				
C123013MBKA	C123013MBKA	ORG	106-46-7	1,4-Dichlorobenzene		U	ug/L	2	0.33	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1092				
C123013MBKA	C123013MBKA	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	2	0.26	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1092				
C123013MBKA	C123013MBKA	ORG	104-51-8	n-Butylbenzene		U	ug/L	5	0.28	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1092				
C123013MBKA	C123013MBKA	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	5	1.59	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1092				
C123013MBKA	C123013MBKA	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	5	0.65	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1092				
C123013MBKA	C123013MBKA	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	5	0.28	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1092				
C123013MBKA	C123013MBKA	ORG	91-20-3	Naphthalene		U	ug/L	5	0.56	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1092				
C123013MBKA	C123013MBKA	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	5	0.23	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1092				
C123013MBKA	C123013MBKA	STD	1868-53-7	Dibromofluoromethane	59		ng			NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1092	50	118%		
C123013MBKA	C123013MBKA	STD	17060-07-0	1,2-Dichloroethane d4	57		ng			NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1092	50	114%		
C123013MBKA	C123013MBKA	STD	2037-26-5	Toluene d8	56		ng			NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1092	50	112%		
C123013MBKA	C123013MBKA	STD	460-00-4	Bromofluorobenzene	58		ng			NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1092	50	116%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C123013ALCS	C123013ALCS	ORG	75-71-8	Dichlorodifluoromethane	78		ug/L	5	0.29	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1095	50	156%		
C123013ALCS	C123013ALCS	ORG	74-87-3	Chloromethane	64		ug/L	5	0.43	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1095	50	128%		
C123013ALCS	C123013ALCS	ORG	75-01-4	Vinyl chloride	67		ug/L	2	0.32	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1095	50	134%		
C123013ALCS	C123013ALCS	ORG	74-83-9	Bromomethane	56		ug/L	5	0.50	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1095	50	112%		
C123013ALCS	C123013ALCS	ORG	75-00-3	Chloroethane	49		ug/L	5	0.56	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1095	50	98%		
C123013ALCS	C123013ALCS	ORG	75-69-4	Trichlorofluoromethane	80		ug/L	5	0.20	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1095	50	160%		
C123013ALCS	C123013ALCS	ORG	75-35-4	1,1-Dichloroethene	50		ug/L	1	0.47	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1095	50	100%		
C123013ALCS	C123013ALCS	ORG	75-09-2	Methylene chloride	52		ug/L	5	0.26	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1095	50	104%		
C123013ALCS	C123013ALCS	ORG	67-64-1	Acetone	53		ug/L	10	1.56	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1095	50	106%		
C123013ALCS	C123013ALCS	ORG	156-60-5	trans-1,2-Dichloroethene	51		ug/L	1	0.56	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1095	50	102%		
C123013ALCS	C123013ALCS	ORG	1634-04-4	MTBE	48		ug/L	5	0.61	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1095	50	96%		
C123013ALCS	C123013ALCS	ORG	75-34-3	1,1-Dichloroethane	51		ug/L	1	0.53	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1095	50	102%		
C123013ALCS	C123013ALCS	ORG	156-59-2	cis-1,2-Dichloroethene	49		ug/L	1	0.32	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1095	50	98%		
C123013ALCS	C123013ALCS	ORG	74-97-5	Bromochloromethane	51		ug/L	10	0.41	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1095	50	102%		
C123013ALCS	C123013ALCS	ORG	67-66-3	Chloroform	48		ug/L	2	0.16	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1095	50	96%		
C123013ALCS	C123013ALCS	ORG	71-55-6	1,1,1-Trichloroethane	49		ug/L	1	0.17	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1095	50	98%		
C123013ALCS	C123013ALCS	ORG	78-93-3	2-Butanone	51		ug/L	1	0.81	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1095	50	102%		
C123013ALCS	C123013ALCS	ORG	56-23-5	Carbon tetrachloride	48		ug/L	1	0.28	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1095	50	96%		
C123013ALCS	C123013ALCS	ORG	71-43-2	Benzene	49		ug/L	1	0.14	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1095	50	98%		
C123013ALCS	C123013ALCS	ORG	107-06-2	1,2-Dichloroethane	46		ug/L	1	0.20	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1095	50	92%		
C123013ALCS	C123013ALCS	ORG	79-01-6	Trichloroethene	47		ug/L	1	0.36	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1095	50	94%		
C123013ALCS	C123013ALCS	ORG	74-95-3	Dibromomethane	38		ug/L	2	0.32	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1095	50	76%		
C123013ALCS	C123013ALCS	ORG	78-87-5	1,2-Dichloropropane	42		ug/L	1	0.18	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1095	50	84%		
C123013ALCS	C123013ALCS	ORG	75-27-4	Bromodichloromethane	44		ug/L	2	0.12	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1095	50	88%		
C123013ALCS	C123013ALCS	ORG	10061-01-5	cis-1,3-Dichloropropene	45		ug/L	1	0.25	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1095	50	90%		
C123013ALCS	C123013ALCS	ORG	108-88-3	Toluene	49		ug/L	1	0.21	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1095	50	98%		
C123013ALCS	C123013ALCS	ORG	108-10-1	4-Methyl-2-pentanone	43		ug/L	5	0.74	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1095	50	86%		
C123013ALCS	C123013ALCS	ORG	10061-02-6	trans-1,3-Dichloropropene	51		ug/L	1	0.31	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1095	50	102%		
C123013ALCS	C123013ALCS	ORG	127-18-4	Tetrachloroethene	49		ug/L	1	0.49	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1095	50	98%		
C123013ALCS	C123013ALCS	ORG	79-00-5	1,1,2-Trichloroethane	51		ug/L	1	0.34	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1095	50	102%		
C123013ALCS	C123013ALCS	ORG	124-48-1	Dibromochloromethane	46		ug/L	5	0.30	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1095	50	92%		
C123013ALCS	C123013ALCS	ORG	106-93-4	1,2-Dibromoethane	46		ug/L	2	0.26	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1095	50	92%		
C123013ALCS	C123013ALCS	ORG	591-78-6	2-Hexanone	41		ug/L	2	0.69	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1095	50	82%		
C123013ALCS	C123013ALCS	ORG	100-41-4	Ethylbenzene	50		ug/L	1	0.25	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1095	50	100%		
C123013ALCS	C123013ALCS	ORG	108-90-7	Chlorobenzene	50		ug/L	1	0.28	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1095	50	100%		
C123013ALCS	C123013ALCS	ORG	630-20-6	1,1,1,2-Tetrachloroethane	45		ug/L	2	0.19	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1095	50	90%		
C123013ALCS	C123013ALCS	ORG	XYLMP	p&m-Xylene	98		ug/L	2	0.26	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1095	100	98%		
C123013ALCS	C123013ALCS	ORG	95-47-6	o-Xylene	45		ug/L	1	0.13	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1095	50	90%		
C123013ALCS	C123013ALCS	ORG	100-42-5	Styrene	48		ug/L	1	0.20	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1095	50	96%		
C123013ALCS	C123013ALCS	ORG	75-25-2	Bromoform	44		ug/L	2	0.47	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1095	50	88%		
C123013ALCS	C123013ALCS	ORG	98-82-8	Isopropylbenzene	47		ug/L	2	0.20	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1095	50	94%		
C123013ALCS	C123013ALCS	ORG	103-65-1	n-Propylbenzene	56		ug/L	2	0.27	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1095	50	112%		
C123013ALCS	C123013ALCS	ORG	79-34-5	1,1,2,2-Tetrachloroethane	49		ug/L	2	0.29	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1095	50	98%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C123013ALCS	C123013ALCS	ORG	96-18-4	1,2,3-Trichloropropane	49		ug/L	2	0.29	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1095	50	98%		
C123013ALCS	C123013ALCS	ORG	108-67-8	1,3,5-Trimethylbenzene	50		ug/L	2	0.20	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1095	50	100%		
C123013ALCS	C123013ALCS	ORG	98-06-6	tert-Butylbenzene	49		ug/L	2	0.33	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1095	50	98%		
C123013ALCS	C123013ALCS	ORG	95-63-6	1,2,4-Trimethylbenzene	50		ug/L	2	0.20	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1095	50	100%		
C123013ALCS	C123013ALCS	ORG	135-98-8	sec-Butylbenzene	50		ug/L	2	0.32	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1095	50	100%		
C123013ALCS	C123013ALCS	ORG	541-73-1	1,3-Dichlorobenzene	52		ug/L	2	0.22	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1095	50	104%		
C123013ALCS	C123013ALCS	ORG	99-87-6	p-Isopropltoluene	49		ug/L	2	0.25	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1095	50	98%		
C123013ALCS	C123013ALCS	ORG	106-46-7	1,4-Dichlorobenzene	49		ug/L	2	0.33	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1095	50	98%		
C123013ALCS	C123013ALCS	ORG	95-50-1	1,2-Dichlorobenzene	50		ug/L	2	0.26	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1095	50	100%		
C123013ALCS	C123013ALCS	ORG	104-51-8	n-Butylbenzene	51		ug/L	5	0.28	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1095	50	102%		
C123013ALCS	C123013ALCS	ORG	96-12-8	1,2-Dibromo-3-chloropropane	45		ug/L	5	1.59	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1095	50	90%		
C123013ALCS	C123013ALCS	ORG	87-68-3	Hexachlorobutadiene	60		ug/L	5	0.65	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1095	50	120%		
C123013ALCS	C123013ALCS	ORG	120-82-1	1,2,4-Trichlorobenzene	51		ug/L	5	0.28	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1095	50	102%		
C123013ALCS	C123013ALCS	ORG	91-20-3	Naphthalene	43		ug/L	5	0.56	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1095	50	86%		
C123013ALCS	C123013ALCS	ORG	87-61-6	1,2,3-Trichlorobenzene	54		ug/L	5	0.23	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1095	50	108%		
C123013ALCS	C123013ALCS	STD	1868-53-7	Dibromofluoromethane	49		ng			NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1095	50	98%		
C123013ALCS	C123013ALCS	STD	17060-07-0	1,2-Dichloroethane d4	49		ng			NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1095	50	98%		
C123013ALCS	C123013ALCS	STD	2037-26-5	Toluene d8	48		ng			NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1095	50	96%		
C123013ALCS	C123013ALCS	STD	460-00-4	Bromofluorobenzene	46		ng			NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1095	50	92%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C123013ALCD	C123013ALCD	ORG	75-71-8	Dichlorodifluoromethane	79		ug/L	5	0.29	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1096	50	158%	1%	
C123013ALCD	C123013ALCD	ORG	74-87-3	Chloromethane	64		ug/L	5	0.43	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1096	50	128%	0%	
C123013ALCD	C123013ALCD	ORG	75-01-4	Vinyl chloride	67		ug/L	2	0.32	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1096	50	134%	0%	
C123013ALCD	C123013ALCD	ORG	74-83-9	Bromomethane	59		ug/L	5	0.50	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1096	50	118%	5%	
C123013ALCD	C123013ALCD	ORG	75-00-3	Chloroethane	52		ug/L	5	0.56	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1096	50	104%	6%	
C123013ALCD	C123013ALCD	ORG	75-69-4	Trichlorofluoromethane	82		ug/L	5	0.20	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1096	50	164%	2%	
C123013ALCD	C123013ALCD	ORG	75-35-4	1,1-Dichloroethene	56		ug/L	1	0.47	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1096	50	112%	11%	
C123013ALCD	C123013ALCD	ORG	75-09-2	Methylene chloride	56		ug/L	5	0.26	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1096	50	112%	7%	
C123013ALCD	C123013ALCD	ORG	67-64-1	Acetone	52		ug/L	10	1.56	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1096	50	104%	2%	
C123013ALCD	C123013ALCD	ORG	156-60-5	trans-1,2-Dichloroethene	54		ug/L	1	0.56	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1096	50	108%	6%	
C123013ALCD	C123013ALCD	ORG	1634-04-4	MTBE	49		ug/L	5	0.61	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1096	50	98%	2%	
C123013ALCD	C123013ALCD	ORG	75-34-3	1,1-Dichloroethane	55		ug/L	1	0.53	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1096	50	110%	8%	
C123013ALCD	C123013ALCD	ORG	156-59-2	cis-1,2-Dichloroethene	55		ug/L	1	0.32	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1096	50	110%	12%	
C123013ALCD	C123013ALCD	ORG	74-97-5	Bromochloromethane	56		ug/L	10	0.41	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1096	50	112%	9%	
C123013ALCD	C123013ALCD	ORG	67-66-3	Chloroform	53		ug/L	2	0.16	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1096	50	106%	10%	
C123013ALCD	C123013ALCD	ORG	71-55-6	1,1,1-Trichloroethane	53		ug/L	1	0.17	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1096	50	106%	8%	
C123013ALCD	C123013ALCD	ORG	78-93-3	2-Butanone	54		ug/L	1	0.81	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1096	50	108%	6%	
C123013ALCD	C123013ALCD	ORG	56-23-5	Carbon tetrachloride	51		ug/L	1	0.28	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1096	50	102%	6%	
C123013ALCD	C123013ALCD	ORG	71-43-2	Benzene	53		ug/L	1	0.14	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1096	50	106%	8%	
C123013ALCD	C123013ALCD	ORG	107-06-2	1,2-Dichloroethane	51		ug/L	1	0.20	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1096	50	102%	10%	
C123013ALCD	C123013ALCD	ORG	79-01-6	Trichloroethene	52		ug/L	1	0.36	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1096	50	104%	10%	
C123013ALCD	C123013ALCD	ORG	74-95-3	Dibromomethane	43		ug/L	2	0.32	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1096	50	86%	12%	
C123013ALCD	C123013ALCD	ORG	78-87-5	1,2-Dichloropropane	47		ug/L	1	0.18	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1096	50	94%	11%	
C123013ALCD	C123013ALCD	ORG	75-27-4	Bromodichloromethane	48		ug/L	2	0.12	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1096	50	96%	9%	
C123013ALCD	C123013ALCD	ORG	10061-01-5	cis-1,3-Dichloropropene	53		ug/L	1	0.25	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1096	50	106%	16%	
C123013ALCD	C123013ALCD	ORG	108-88-3	Toluene	54		ug/L	1	0.21	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1096	50	108%	10%	
C123013ALCD	C123013ALCD	ORG	108-10-1	4-Methyl-2-pentanone	45		ug/L	5	0.74	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1096	50	90%	5%	
C123013ALCD	C123013ALCD	ORG	10061-02-6	trans-1,3-Dichloropropene	57		ug/L	1	0.31	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1096	50	114%	11%	
C123013ALCD	C123013ALCD	ORG	127-18-4	Tetrachloroethene	53		ug/L	1	0.49	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1096	50	106%	8%	
C123013ALCD	C123013ALCD	ORG	79-00-5	1,1,2-Trichloroethane	56		ug/L	1	0.34	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1096	50	112%	9%	
C123013ALCD	C123013ALCD	ORG	124-48-1	Dibromochloromethane	51		ug/L	5	0.30	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1096	50	102%	10%	
C123013ALCD	C123013ALCD	ORG	106-93-4	1,2-Dibromoethane	51		ug/L	2	0.26	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1096	50	102%	10%	
C123013ALCD	C123013ALCD	ORG	591-78-6	2-Hexanone	42		ug/L	2	0.69	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1096	50	84%	2%	
C123013ALCD	C123013ALCD	ORG	100-41-4	Ethylbenzene	56		ug/L	1	0.25	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1096	50	112%	11%	
C123013ALCD	C123013ALCD	ORG	108-90-7	Chlorobenzene	56		ug/L	1	0.28	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1096	50	112%	11%	
C123013ALCD	C123013ALCD	ORG	630-20-6	1,1,1,2-Tetrachloroethane	50		ug/L	2	0.19	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1096	50	100%	11%	
C123013ALCD	C123013ALCD	ORG	XYLMP	p&m-Xylene	110		ug/L	2	0.26	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1096	100	110%	12%	
C123013ALCD	C123013ALCD	ORG	95-47-6	o-Xylene	50		ug/L	1	0.13	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1096	50	100%	11%	
C123013ALCD	C123013ALCD	ORG	100-42-5	Styrene	53		ug/L	1	0.20	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1096	50	106%	10%	
C123013ALCD	C123013ALCD	ORG	75-25-2	Bromoform	50		ug/L	2	0.47	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1096	50	100%	13%	
C123013ALCD	C123013ALCD	ORG	98-82-8	Isopropylbenzene	52		ug/L	2	0.20	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1096	50	104%	10%	
C123013ALCD	C123013ALCD	ORG	103-65-1	n-Propylbenzene	60		ug/L	2	0.27	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1096	50	120%	7%	
C123013ALCD	C123013ALCD	ORG	79-34-5	1,1,2,2-Tetrachloroethane	54		ug/L	2	0.29	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1096	50	108%	10%	

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C123013ALCD	C123013ALCD	ORG	96-18-4	1,2,3-Trichloropropane	54		ug/L	2	0.29	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1096	50	108%	10%	
C123013ALCD	C123013ALCD	ORG	108-67-8	1,3,5-Trimethylbenzene	53		ug/L	2	0.20	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1096	50	106%	6%	
C123013ALCD	C123013ALCD	ORG	98-06-6	tert-Butylbenzene	53		ug/L	2	0.33	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1096	50	106%	8%	
C123013ALCD	C123013ALCD	ORG	95-63-6	1,2,4-Trimethylbenzene	53		ug/L	2	0.20	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1096	50	106%	6%	
C123013ALCD	C123013ALCD	ORG	135-98-8	sec-Butylbenzene	53		ug/L	2	0.32	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1096	50	106%	6%	
C123013ALCD	C123013ALCD	ORG	541-73-1	1,3-Dichlorobenzene	55		ug/L	2	0.22	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1096	50	110%	6%	
C123013ALCD	C123013ALCD	ORG	99-87-6	p-Isopropltoluene	52		ug/L	2	0.25	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1096	50	104%	6%	
C123013ALCD	C123013ALCD	ORG	106-46-7	1,4-Dichlorobenzene	53		ug/L	2	0.33	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1096	50	106%	8%	
C123013ALCD	C123013ALCD	ORG	95-50-1	1,2-Dichlorobenzene	53		ug/L	2	0.26	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1096	50	106%	6%	
C123013ALCD	C123013ALCD	ORG	104-51-8	n-Butylbenzene	52		ug/L	5	0.28	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1096	50	104%	2%	
C123013ALCD	C123013ALCD	ORG	96-12-8	1,2-Dibromo-3-chloropropane	48		ug/L	5	1.59	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1096	50	96%	6%	
C123013ALCD	C123013ALCD	ORG	87-68-3	Hexachlorobutadiene	56		ug/L	5	0.65	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1096	50	112%	7%	
C123013ALCD	C123013ALCD	ORG	120-82-1	1,2,4-Trichlorobenzene	51		ug/L	5	0.28	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1096	50	102%	0%	
C123013ALCD	C123013ALCD	ORG	91-20-3	Naphthalene	48		ug/L	5	0.56	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1096	50	96%	11%	
C123013ALCD	C123013ALCD	ORG	87-61-6	1,2,3-Trichlorobenzene	56		ug/L	5	0.23	NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1096	50	112%	4%	
C123013ALCD	C123013ALCD	STD	1868-53-7	Dibromofluoromethane	51		ng			NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1096	50	102%	4%	
C123013ALCD	C123013ALCD	STD	17060-07-0	1,2-Dichloroethane d4	49		ng			NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1096	50	98%	0%	
C123013ALCD	C123013ALCD	STD	2037-26-5	Toluene d8	49		ng			NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1096	50	98%	2%	
C123013ALCD	C123013ALCD	STD	460-00-4	Bromofluorobenzene	47		ng			NA	12/30/2013	12/30/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1096	50	94%	2%	

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-878MS	316-181	ORG	75-71-8	Dichlorodifluoromethane	7500		ug/L	500	29.28	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1097	5000	150%		
NAL13026-878MS	316-181	ORG	74-87-3	Chloromethane	6200		ug/L	500	43.07	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1097	5000	124%		
NAL13026-878MS	316-181	ORG	75-01-4	Vinyl chloride	5400		ug/L	200	31.86	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1097	5000	108%		
NAL13026-878MS	316-181	ORG	74-83-9	Bromomethane	5500		ug/L	500	50.04	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1097	5000	110%		
NAL13026-878MS	316-181	ORG	75-00-3	Chloroethane	4400		ug/L	500	55.61	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1097	5000	88%		
NAL13026-878MS	316-181	ORG	75-69-4	Trichlorofluoromethane	7900		ug/L	500	19.65	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1097	5000	158%		
NAL13026-878MS	316-181	ORG	75-35-4	1,1-Dichloroethene	5300		ug/L	100	47.11	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1097	5000	106%		
NAL13026-878MS	316-181	ORG	75-09-2	Methylene chloride	5300		ug/L	500	26.46	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1097	5000	106%		
NAL13026-878MS	316-181	ORG	67-64-1	Acetone	85000		ug/L	1000	155.61	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1097	5000	-500%		110000
NAL13026-878MS	316-181	ORG	156-60-5	trans-1,2-Dichloroethene	5200		ug/L	100	55.61	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1097	5000	104%		
NAL13026-878MS	316-181	ORG	1634-04-4	MTBE	4600		ug/L	500	61.18	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1097	5000	92%		
NAL13026-878MS	316-181	ORG	75-34-3	1,1-Dichloroethane	5300		ug/L	100	52.66	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1097	5000	106%		
NAL13026-878MS	316-181	ORG	156-59-2	cis-1,2-Dichloroethene	5200		ug/L	100	32.11	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1097	5000	104%		
NAL13026-878MS	316-181	ORG	74-97-5	Bromochloromethane	5200		ug/L	1000	41.37	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1097	5000	104%		
NAL13026-878MS	316-181	ORG	67-66-3	Chloroform	5100		ug/L	200	15.73	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1097	5000	102%		
NAL13026-878MS	316-181	ORG	71-55-6	1,1,1-Trichloroethane	5200		ug/L	100	16.65	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1097	5000	104%		
NAL13026-878MS	316-181	ORG	78-93-3	2-Butanone	49000		ug/L	100	81.18	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1097	5000	40%		47000
NAL13026-878MS	316-181	ORG	56-23-5	Carbon tetrachloride	5000		ug/L	100	27.64	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1097	5000	100%		
NAL13026-878MS	316-181	ORG	71-43-2	Benzene	5200		ug/L	100	13.53	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1097	5000	102%		79
NAL13026-878MS	316-181	ORG	107-06-2	1,2-Dichloroethane	4900		ug/L	100	20.01	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1097	5000	98%		
NAL13026-878MS	316-181	ORG	79-01-6	Trichloroethene	5000		ug/L	100	36.33	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1097	5000	100%		
NAL13026-878MS	316-181	ORG	74-95-3	Dibromomethane	4800		ug/L	200	32.20	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1097	5000	96%		
NAL13026-878MS	316-181	ORG	78-87-5	1,2-Dichloropropane	4900		ug/L	100	18.17	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1097	5000	98%		
NAL13026-878MS	316-181	ORG	75-27-4	Bromodichloromethane	4000		ug/L	200	11.58	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1097	5000	80%		
NAL13026-878MS	316-181	ORG	10061-01-5	cis-1,3-Dichloropropene	5000		ug/L	100	25.01	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1097	5000	100%		
NAL13026-878MS	316-181	ORG	108-88-3	Toluene	4600		ug/L	100	20.96	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1097	5000	91%		48
NAL13026-878MS	316-181	ORG	108-10-1	4-Methyl-2-pentanone	5100		ug/L	500	74.00	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1097	5000	85%		860
NAL13026-878MS	316-181	ORG	10061-02-6	trans-1,3-Dichloropropene	4800		ug/L	100	31.15	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1097	5000	96%		
NAL13026-878MS	316-181	ORG	127-18-4	Tetrachloroethene	4400		ug/L	100	48.56	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1097	5000	88%		
NAL13026-878MS	316-181	ORG	79-00-5	1,1,2-Trichloroethane	4800		ug/L	100	34.28	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1097	5000	96%		
NAL13026-878MS	316-181	ORG	124-48-1	Dibromochloromethane	4400		ug/L	500	29.90	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1097	5000	88%		
NAL13026-878MS	316-181	ORG	106-93-4	1,2-Dibromoethane	4600		ug/L	200	26.49	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1097	5000	92%		
NAL13026-878MS	316-181	ORG	591-78-6	2-Hexanone	9700		ug/L	200	68.90	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1097	5000	90%		5200
NAL13026-878MS	316-181	ORG	100-41-4	Ethylbenzene	5100		ug/L	100	25.38	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1097	5000	99%		140
NAL13026-878MS	316-181	ORG	108-90-7	Chlorobenzene	5000		ug/L	100	27.52	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1097	5000	100%		
NAL13026-878MS	316-181	ORG	630-20-6	1,1,1,2-Tetrachloroethane	4300		ug/L	200	19.28	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1097	5000	86%		
NAL13026-878MS	316-181	ORG	XYLMP	p&m-Xylene	10000		ug/L	200	26.14	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1097	10000	91%		880
NAL13026-878MS	316-181	ORG	95-47-6	o-Xylene	5200		ug/L	100	12.90	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1097	5000	90%		680
NAL13026-878MS	316-181	ORG	100-42-5	Styrene	4900		ug/L	100	20.23	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1097	5000	90%		400
NAL13026-878MS	316-181	ORG	75-25-2	Bromoform	4100		ug/L	200	46.83	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1097	5000	82%		
NAL13026-878MS	316-181	ORG	98-82-8	Isopropylbenzene	5500		ug/L	200	20.48	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1097	5000	96%		690
NAL13026-878MS	316-181	ORG	103-65-1	n-Propylbenzene	5700		ug/L	200	27.00	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1097	5000	110%		190
NAL13026-878MS	316-181	ORG	79-34-5	1,1,2,2-Tetrachloroethane	4600		ug/L	200	29.16	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1097	5000	92%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-878MS	316-181	ORG	96-18-4	1,2,3-Trichloropropane	4400		ug/L	200	29.47	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1097	5000	88%		
NAL13026-878MS	316-181	ORG	108-67-8	1,3,5-Trimethylbenzene	5200		ug/L	200	20.03	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1097	5000	91%		650
NAL13026-878MS	316-181	ORG	98-06-6	tert-Butylbenzene	5100		ug/L	200	32.61	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1097	5000	102%		
NAL13026-878MS	316-181	ORG	95-63-6	1,2,4-Trimethylbenzene	6900		ug/L	200	20.03	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1097	5000	98%		2000
NAL13026-878MS	316-181	ORG	135-98-8	sec-Butylbenzene	5700		ug/L	200	32.34	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1097	5000	105%		470
NAL13026-878MS	316-181	ORG	541-73-1	1,3-Dichlorobenzene	5300		ug/L	200	22.21	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1097	5000	106%		
NAL13026-878MS	316-181	ORG	99-87-6	p-Isopropltoluene	13000		ug/L	200	25.48	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1097	5000	102%		7900
NAL13026-878MS	316-181	ORG	106-46-7	1,4-Dichlorobenzene	6800		ug/L	200	33.03	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1097	5000	94%		2100
NAL13026-878MS	316-181	ORG	95-50-1	1,2-Dichlorobenzene	5400		ug/L	200	26.38	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1097	5000	108%		
NAL13026-878MS	316-181	ORG	104-51-8	n-Butylbenzene	5600		ug/L	500	27.81	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1097	5000	99%		630
NAL13026-878MS	316-181	ORG	96-12-8	1,2-Dibromo-3-chloropropane	5300		ug/L	500	159.11	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1097	5000	106%		
NAL13026-878MS	316-181	ORG	87-68-3	Hexachlorobutadiene	6700		ug/L	500	65.42	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1097	5000	134%		
NAL13026-878MS	316-181	ORG	120-82-1	1,2,4-Trichlorobenzene	6500		ug/L	500	27.63	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1097	5000	130%		
NAL13026-878MS	316-181	ORG	91-20-3	Naphthalene	8600		ug/L	500	56.04	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1097	5000	112%		3000
NAL13026-878MS	316-181	ORG	87-61-6	1,2,3-Trichlorobenzene	6900		ug/L	500	23.28	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1097	5000	138%		
NAL13026-878MS	316-181	STD	1868-53-7	Dibromofluoromethane	50		ng			12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1097	50	100%		
NAL13026-878MS	316-181	STD	17060-07-0	1,2-Dichloroethane d4	49		ng			12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1097	50	98%		
NAL13026-878MS	316-181	STD	2037-26-5	Toluene d8	44		ng			12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1097	50	88%		
NAL13026-878MS	316-181	STD	460-00-4	Bromofluorobenzene	54		ng			12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1097	50	108%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-878MSD	316-181	ORG	75-71-8	Dichlorodifluoromethane	7800		ug/L	500	29.28	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1098	5000	156%	4%	0
NAL13026-878MSD	316-181	ORG	74-87-3	Chloromethane	6600		ug/L	500	43.07	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1098	5000	132%	6%	0
NAL13026-878MSD	316-181	ORG	75-01-4	Vinyl chloride	6900		ug/L	200	31.86	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1098	5000	138%	24%	0
NAL13026-878MSD	316-181	ORG	74-83-9	Bromomethane	4900		ug/L	500	50.04	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1098	5000	98%	12%	0
NAL13026-878MSD	316-181	ORG	75-00-3	Chloroethane	3800		ug/L	500	55.61	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1098	5000	76%	15%	0
NAL13026-878MSD	316-181	ORG	75-69-4	Trichlorofluoromethane	6500		ug/L	500	19.65	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1098	5000	130%	19%	0
NAL13026-878MSD	316-181	ORG	75-35-4	1,1-Dichloroethene	5600		ug/L	100	47.11	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1098	5000	112%	6%	0
NAL13026-878MSD	316-181	ORG	75-09-2	Methylene chloride	5600		ug/L	500	26.46	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1098	5000	112%	6%	0
NAL13026-878MSD	316-181	ORG	67-64-1	Acetone	89000		ug/L	1000	155.61	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1098	5000	-420%	5%	110000
NAL13026-878MSD	316-181	ORG	156-60-5	trans-1,2-Dichloroethene	5700		ug/L	100	55.61	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1098	5000	114%	9%	0
NAL13026-878MSD	316-181	ORG	1634-04-4	MTBE	5300		ug/L	500	61.18	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1098	5000	106%	14%	0
NAL13026-878MSD	316-181	ORG	75-34-3	1,1-Dichloroethane	5700		ug/L	100	52.66	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1098	5000	114%	7%	0
NAL13026-878MSD	316-181	ORG	156-59-2	cis-1,2-Dichloroethene	5500		ug/L	100	32.11	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1098	5000	110%	6%	0
NAL13026-878MSD	316-181	ORG	74-97-5	Bromochloromethane	5400		ug/L	1000	41.37	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1098	5000	108%	4%	0
NAL13026-878MSD	316-181	ORG	67-66-3	Chloroform	5200		ug/L	200	15.73	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1098	5000	104%	2%	0
NAL13026-878MSD	316-181	ORG	71-55-6	1,1,1-Trichloroethane	5300		ug/L	100	16.65	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1098	5000	106%	2%	0
NAL13026-878MSD	316-181	ORG	78-93-3	2-Butanone	49000		ug/L	100	81.18	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1098	5000	40%	0%	47000
NAL13026-878MSD	316-181	ORG	56-23-5	Carbon tetrachloride	5100		ug/L	100	27.64	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1098	5000	102%	2%	0
NAL13026-878MSD	316-181	ORG	71-43-2	Benzene	5200		ug/L	100	13.53	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1098	5000	102%	0%	79
NAL13026-878MSD	316-181	ORG	107-06-2	1,2-Dichloroethane	4800		ug/L	100	20.01	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1098	5000	96%	2%	0
NAL13026-878MSD	316-181	ORG	79-01-6	Trichloroethene	4800		ug/L	100	36.33	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1098	5000	96%	4%	0
NAL13026-878MSD	316-181	ORG	74-95-3	Dibromomethane	4400		ug/L	200	32.20	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1098	5000	88%	9%	0
NAL13026-878MSD	316-181	ORG	78-87-5	1,2-Dichloropropane	4600		ug/L	100	18.17	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1098	5000	92%	6%	0
NAL13026-878MSD	316-181	ORG	75-27-4	Bromodichloromethane	3900		ug/L	200	11.58	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1098	5000	78%	3%	0
NAL13026-878MSD	316-181	ORG	10061-01-5	cis-1,3-Dichloropropene	5100		ug/L	100	25.01	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1098	5000	102%	2%	0
NAL13026-878MSD	316-181	ORG	108-88-3	Toluene	4600		ug/L	100	20.96	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1098	5000	91%	0%	48
NAL13026-878MSD	316-181	ORG	108-10-1	4-Methyl-2-pentanone	4900		ug/L	500	74.00	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1098	5000	81%	4%	860
NAL13026-878MSD	316-181	ORG	10061-02-6	trans-1,3-Dichloropropene	4600		ug/L	100	31.15	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1098	5000	92%	4%	0
NAL13026-878MSD	316-181	ORG	127-18-4	Tetrachloroethene	4400		ug/L	100	48.56	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1098	5000	88%	0%	0
NAL13026-878MSD	316-181	ORG	79-00-5	1,1,2-Trichloroethane	4600		ug/L	100	34.28	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1098	5000	92%	4%	0
NAL13026-878MSD	316-181	ORG	124-48-1	Dibromochloromethane	4200		ug/L	500	29.90	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1098	5000	84%	5%	0
NAL13026-878MSD	316-181	ORG	106-93-4	1,2-Dibromoethane	4300		ug/L	200	26.49	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1098	5000	86%	7%	0
NAL13026-878MSD	316-181	ORG	591-78-6	2-Hexanone	9200		ug/L	200	68.90	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1098	5000	80%	5%	5200
NAL13026-878MSD	316-181	ORG	100-41-4	Ethylbenzene	5300		ug/L	100	25.38	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1098	5000	103%	4%	140
NAL13026-878MSD	316-181	ORG	108-90-7	Chlorobenzene	5300		ug/L	100	27.52	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1098	5000	106%	6%	0
NAL13026-878MSD	316-181	ORG	630-20-6	1,1,1,2-Tetrachloroethane	4500		ug/L	200	19.28	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1098	5000	90%	5%	0
NAL13026-878MSD	316-181	ORG	XYLMP	p&m-Xylene	10000		ug/L	200	26.14	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1098	10000	91%	0%	880
NAL13026-878MSD	316-181	ORG	95-47-6	o-Xylene	5500		ug/L	100	12.90	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1098	5000	96%	6%	680
NAL13026-878MSD	316-181	ORG	100-42-5	Styrene	5000		ug/L	100	20.23	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1098	5000	92%	2%	400
NAL13026-878MSD	316-181	ORG	75-25-2	Bromoform	4200		ug/L	200	46.83	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1098	5000	84%	2%	0
NAL13026-878MSD	316-181	ORG	98-82-8	Isopropylbenzene	5500		ug/L	200	20.48	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1098	5000	96%	0%	690
NAL13026-878MSD	316-181	ORG	103-65-1	n-Propylbenzene	5800		ug/L	200	27.00	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1098	5000	112%	2%	190
NAL13026-878MSD	316-181	ORG	79-34-5	1,1,2,2-Tetrachloroethane	4300		ug/L	200	29.16	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1098	5000	86%	7%	0

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-878MSD	316-181	ORG	96-18-4	1,2,3-Trichloropropane	4400		ug/L	200	29.47	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1098	5000	88%	0%	0
NAL13026-878MSD	316-181	ORG	108-67-8	1,3,5-Trimethylbenzene	5300		ug/L	200	20.03	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1098	5000	93%	2%	650
NAL13026-878MSD	316-181	ORG	98-06-6	tert-Butylbenzene	5200		ug/L	200	32.61	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1098	5000	104%	2%	0
NAL13026-878MSD	316-181	ORG	95-63-6	1,2,4-Trimethylbenzene	6900		ug/L	200	20.03	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1098	5000	98%	0%	2000
NAL13026-878MSD	316-181	ORG	135-98-8	sec-Butylbenzene	5700		ug/L	200	32.34	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1098	5000	105%	0%	470
NAL13026-878MSD	316-181	ORG	541-73-1	1,3-Dichlorobenzene	5100		ug/L	200	22.21	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1098	5000	102%	4%	0
NAL13026-878MSD	316-181	ORG	99-87-6	p-Isopropltoluene	13000		ug/L	200	25.48	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1098	5000	102%	0%	7900
NAL13026-878MSD	316-181	ORG	106-46-7	1,4-Dichlorobenzene	6800		ug/L	200	33.03	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1098	5000	94%	0%	2100
NAL13026-878MSD	316-181	ORG	95-50-1	1,2-Dichlorobenzene	5100		ug/L	200	26.38	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1098	5000	102%	6%	0
NAL13026-878MSD	316-181	ORG	104-51-8	n-Butylbenzene	5500		ug/L	500	27.81	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1098	5000	97%	2%	630
NAL13026-878MSD	316-181	ORG	96-12-8	1,2-Dibromo-3-chloropropane	5200		ug/L	500	159.11	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1098	5000	104%	2%	0
NAL13026-878MSD	316-181	ORG	87-68-3	Hexachlorobutadiene	6600		ug/L	500	65.42	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1098	5000	132%	2%	0
NAL13026-878MSD	316-181	ORG	120-82-1	1,2,4-Trichlorobenzene	6200		ug/L	500	27.63	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1098	5000	124%	5%	0
NAL13026-878MSD	316-181	ORG	91-20-3	Naphthalene	8100		ug/L	500	56.04	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1098	5000	102%	6%	3000
NAL13026-878MSD	316-181	ORG	87-61-6	1,2,3-Trichlorobenzene	6600		ug/L	500	23.28	12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1098	5000	132%	4%	0
NAL13026-878MSD	316-181	STD	1868-53-7	Dibromofluoromethane	51		ng			12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1098	50	102%	2%	0
NAL13026-878MSD	316-181	STD	17060-07-0	1,2-Dichloroethane d4	48		ng			12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1098	50	96%	2%	0
NAL13026-878MSD	316-181	STD	2037-26-5	Toluene d8	45		ng			12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1098	50	90%	2%	0
NAL13026-878MSD	316-181	STD	460-00-4	Bromofluorobenzene	57		ng			12/30/2013	12/30/2013	12/30/2013	WG	100	NA	5.0	NA	SW8260B	NALC1098	50	114%	5%	0

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-880	316-182	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1107				
NAL13026-880	316-182	ORG	74-87-3	Chloromethane		U	ug/L	500	43.07	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1107				
NAL13026-880	316-182	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1107				
NAL13026-880	316-182	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1107				
NAL13026-880	316-182	ORG	75-00-3	Chloroethane		UX-	ug/L	500	55.61	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1107				
NAL13026-880	316-182	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1107				
NAL13026-880	316-182	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1107				
NAL13026-880	316-182	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1107				
NAL13026-880	316-182	ORG	67-64-1	Acetone	110000	D	ug/L	10000	1556.07	12/31/2013	12/31/2013	12/31/2013	WG	1000	NA	5.0	NA	SW8260B	NALC1108				
NAL13026-880	316-182	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1107				
NAL13026-880	316-182	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1107				
NAL13026-880	316-182	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1107				
NAL13026-880	316-182	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1107				
NAL13026-880	316-182	ORG	74-97-5	Bromochloromethane		U	ug/L	200	41.37	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1107				
NAL13026-880	316-182	ORG	67-66-3	Chloroform		U	ug/L	100	15.73	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1107				
NAL13026-880	316-182	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	16.65	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1107				
NAL13026-880	316-182	ORG	78-93-3	2-Butanone	52000	D	ug/L	10000	811.80	12/31/2013	12/31/2013	12/31/2013	WG	1000	NA	5.0	NA	SW8260B	NALC1108				
NAL13026-880	316-182	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1107				
NAL13026-880	316-182	ORG	71-43-2	Benzene	120		ug/L	100	13.53	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1107				
NAL13026-880	316-182	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1107				
NAL13026-880	316-182	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1107				
NAL13026-880	316-182	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1107				
NAL13026-880	316-182	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1107				
NAL13026-880	316-182	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1107				
NAL13026-880	316-182	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1107				
NAL13026-880	316-182	ORG	108-88-3	Toluene	100	J	ug/L	100	20.96	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1107				
NAL13026-880	316-182	ORG	108-10-1	4-Methyl-2-pentanone	1200	X-	ug/L	500	74.00	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1107				
NAL13026-880	316-182	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1107				
NAL13026-880	316-182	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1107				
NAL13026-880	316-182	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1107				
NAL13026-880	316-182	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	29.90	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1107				
NAL13026-880	316-182	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	26.49	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1107				
NAL13026-880	316-182	ORG	591-78-6	2-Hexanone	6200	X-	ug/L	500	68.90	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1107				
NAL13026-880	316-182	ORG	100-41-4	Ethylbenzene	340		ug/L	100	25.38	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1107				
NAL13026-880	316-182	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1107				
NAL13026-880	316-182	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1107				
NAL13026-880	316-182	ORG	XYLMP	p&m-Xylene	1400		ug/L	200	26.14	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1107				
NAL13026-880	316-182	ORG	95-47-6	o-Xylene	990		ug/L	100	12.90	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1107				
NAL13026-880	316-182	ORG	100-42-5	Styrene	420		ug/L	100	20.23	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1107				
NAL13026-880	316-182	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1107				
NAL13026-880	316-182	ORG	98-82-8	Isopropylbenzene	830		ug/L	200	20.48	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1107				
NAL13026-880	316-182	ORG	103-65-1	n-Propylbenzene	360		ug/L	200	27.00	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1107				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-880	316-182	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1107				
NAL13026-880	316-182	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1107				
NAL13026-880	316-182	ORG	108-67-8	1,3,5-Trimethylbenzene	920		ug/L	200	20.03	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1107				
NAL13026-880	316-182	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1107				
NAL13026-880	316-182	ORG	95-63-6	1,2,4-Trimethylbenzene	3300		ug/L	200	20.03	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1107				
NAL13026-880	316-182	ORG	135-98-8	sec-Butylbenzene	450		ug/L	200	32.34	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1107				
NAL13026-880	316-182	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1107				
NAL13026-880	316-182	ORG	99-87-6	p-Isopropltoluene	14000		ug/L	200	25.48	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1107				
NAL13026-880	316-182	ORG	106-46-7	1,4-Dichlorobenzene	3100		ug/L	200	33.03	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1107				
NAL13026-880	316-182	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1107				
NAL13026-880	316-182	ORG	104-51-8	n-Butylbenzene	800		ug/L	500	27.81	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1107				
NAL13026-880	316-182	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1107				
NAL13026-880	316-182	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1107				
NAL13026-880	316-182	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1107				
NAL13026-880	316-182	ORG	91-20-3	Naphthalene	3700		ug/L	500	56.04	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1107				
NAL13026-880	316-182	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1107				
NAL13026-880	316-182	STD	1868-53-7	Dibromofluoromethane	51		ng			12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1107	50	102%		
NAL13026-880	316-182	STD	17060-07-0	1,2-Dichloroethane d4	51		ng			12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1107	50	102%		
NAL13026-880	316-182	STD	2037-26-5	Toluene d8	43		ng			12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1107	50	86%		
NAL13026-880	316-182	STD	460-00-4	Bromofluorobenzene	55		ng			12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1107	50	110%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-881	316-182R	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1109				
NAL13026-881	316-182R	ORG	74-87-3	Chloromethane		U	ug/L	500	43.07	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1109				
NAL13026-881	316-182R	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1109				
NAL13026-881	316-182R	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1109				
NAL13026-881	316-182R	ORG	75-00-3	Chloroethane		UX-	ug/L	500	55.61	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1109				
NAL13026-881	316-182R	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1109				
NAL13026-881	316-182R	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1109				
NAL13026-881	316-182R	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1109				
NAL13026-881	316-182R	ORG	67-64-1	Acetone	120000	D	ug/L	10000	1556.07	12/31/2013	12/31/2013	12/31/2013	WG	1000	NA	5.0	NA	SW8260B	NALC1110				
NAL13026-881	316-182R	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1109				
NAL13026-881	316-182R	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1109				
NAL13026-881	316-182R	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1109				
NAL13026-881	316-182R	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1109				
NAL13026-881	316-182R	ORG	74-97-5	Bromochloromethane		U	ug/L	200	41.37	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1109				
NAL13026-881	316-182R	ORG	67-66-3	Chloroform		U	ug/L	100	15.73	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1109				
NAL13026-881	316-182R	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	16.65	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1109				
NAL13026-881	316-182R	ORG	78-93-3	2-Butanone	56000	D	ug/L	10000	811.80	12/31/2013	12/31/2013	12/31/2013	WG	1000	NA	5.0	NA	SW8260B	NALC1110				
NAL13026-881	316-182R	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1109				
NAL13026-881	316-182R	ORG	71-43-2	Benzene	96	J	ug/L	100	13.53	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1109				
NAL13026-881	316-182R	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1109				
NAL13026-881	316-182R	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1109				
NAL13026-881	316-182R	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1109				
NAL13026-881	316-182R	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1109				
NAL13026-881	316-182R	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1109				
NAL13026-881	316-182R	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1109				
NAL13026-881	316-182R	ORG	108-88-3	Toluene	91	J	ug/L	100	20.96	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1109				
NAL13026-881	316-182R	ORG	108-10-1	4-Methyl-2-pentanone	1300	X-	ug/L	500	74.00	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1109				
NAL13026-881	316-182R	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1109				
NAL13026-881	316-182R	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1109				
NAL13026-881	316-182R	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1109				
NAL13026-881	316-182R	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	29.90	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1109				
NAL13026-881	316-182R	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	26.49	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1109				
NAL13026-881	316-182R	ORG	591-78-6	2-Hexanone	7000	X-	ug/L	500	68.90	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1109				
NAL13026-881	316-182R	ORG	100-41-4	Ethylbenzene	360		ug/L	100	25.38	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1109				
NAL13026-881	316-182R	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1109				
NAL13026-881	316-182R	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1109				
NAL13026-881	316-182R	ORG	XYLMP	p&m-Xylene	1400		ug/L	200	26.14	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1109				
NAL13026-881	316-182R	ORG	95-47-6	o-Xylene	990		ug/L	100	12.90	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1109				
NAL13026-881	316-182R	ORG	100-42-5	Styrene	420		ug/L	100	20.23	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1109				
NAL13026-881	316-182R	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1109				
NAL13026-881	316-182R	ORG	98-82-8	Isopropylbenzene	850		ug/L	200	20.48	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1109				
NAL13026-881	316-182R	ORG	103-65-1	n-Propylbenzene	370		ug/L	200	27.00	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1109				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-881	316-182R	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1109				
NAL13026-881	316-182R	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1109				
NAL13026-881	316-182R	ORG	108-67-8	1,3,5-Trimethylbenzene	950		ug/L	200	20.03	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1109				
NAL13026-881	316-182R	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1109				
NAL13026-881	316-182R	ORG	95-63-6	1,2,4-Trimethylbenzene	3600		ug/L	200	20.03	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1109				
NAL13026-881	316-182R	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1109				
NAL13026-881	316-182R	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1109				
NAL13026-881	316-182R	ORG	99-87-6	p-Isopropltoluene	15000		ug/L	200	25.48	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1109				
NAL13026-881	316-182R	ORG	106-46-7	1,4-Dichlorobenzene	3300		ug/L	200	33.03	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1109				
NAL13026-881	316-182R	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1109				
NAL13026-881	316-182R	ORG	104-51-8	n-Butylbenzene		U	ug/L	500	27.81	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1109				
NAL13026-881	316-182R	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1109				
NAL13026-881	316-182R	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1109				
NAL13026-881	316-182R	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1109				
NAL13026-881	316-182R	ORG	91-20-3	Naphthalene	4100		ug/L	500	56.04	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1109				
NAL13026-881	316-182R	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1109				
NAL13026-881	316-182R	STD	1868-53-7	Dibromofluoromethane	51		ng			12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1109	50	102%		
NAL13026-881	316-182R	STD	17060-07-0	1,2-Dichloroethane d4	50		ng			12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1109	50	100%		
NAL13026-881	316-182R	STD	2037-26-5	Toluene d8	45		ng			12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1109	50	90%		
NAL13026-881	316-182R	STD	460-00-4	Bromofluorobenzene	57		ng			12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1109	50	114%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-882	96-095	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1116				
NAL13026-882	96-095	ORG	74-87-3	Chloromethane		U	ug/L	500	43.07	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1116				
NAL13026-882	96-095	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1116				
NAL13026-882	96-095	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1116				
NAL13026-882	96-095	ORG	75-00-3	Chloroethane		UX-	ug/L	500	55.61	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1116				
NAL13026-882	96-095	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1116				
NAL13026-882	96-095	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1116				
NAL13026-882	96-095	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1116				
NAL13026-882	96-095	ORG	67-64-1	Acetone	90000	D	ug/L	10000	1556.07	12/31/2013	12/31/2013	12/31/2013	WG	1000	NA	5.0	NA	SW8260B	NALC1117				
NAL13026-882	96-095	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1116				
NAL13026-882	96-095	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1116				
NAL13026-882	96-095	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1116				
NAL13026-882	96-095	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1116				
NAL13026-882	96-095	ORG	74-97-5	Bromochloromethane		U	ug/L	200	41.37	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1116				
NAL13026-882	96-095	ORG	67-66-3	Chloroform		U	ug/L	100	15.73	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1116				
NAL13026-882	96-095	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	16.65	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1116				
NAL13026-882	96-095	ORG	78-93-3	2-Butanone	43000	D	ug/L	10000	811.80	12/31/2013	12/31/2013	12/31/2013	WG	1000	NA	5.0	NA	SW8260B	NALC1117				
NAL13026-882	96-095	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1116				
NAL13026-882	96-095	ORG	71-43-2	Benzene	37	J	ug/L	100	13.53	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1116				
NAL13026-882	96-095	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1116				
NAL13026-882	96-095	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1116				
NAL13026-882	96-095	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1116				
NAL13026-882	96-095	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1116				
NAL13026-882	96-095	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1116				
NAL13026-882	96-095	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1116				
NAL13026-882	96-095	ORG	108-88-3	Toluene		U	ug/L	100	20.96	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1116				
NAL13026-882	96-095	ORG	108-10-1	4-Methyl-2-pentanone	890	X-	ug/L	500	74.00	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1116				
NAL13026-882	96-095	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1116				
NAL13026-882	96-095	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1116				
NAL13026-882	96-095	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1116				
NAL13026-882	96-095	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	29.90	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1116				
NAL13026-882	96-095	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	26.49	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1116				
NAL13026-882	96-095	ORG	591-78-6	2-Hexanone	3600	X-	ug/L	500	68.90	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1116				
NAL13026-882	96-095	ORG	100-41-4	Ethylbenzene		U	ug/L	100	25.38	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1116				
NAL13026-882	96-095	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1116				
NAL13026-882	96-095	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1116				
NAL13026-882	96-095	ORG	XYLMP	p&m-Xylene	600		ug/L	200	26.14	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1116				
NAL13026-882	96-095	ORG	95-47-6	o-Xylene	560		ug/L	100	12.90	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1116				
NAL13026-882	96-095	ORG	100-42-5	Styrene		U	ug/L	100	20.23	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1116				
NAL13026-882	96-095	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1116				
NAL13026-882	96-095	ORG	98-82-8	Isopropylbenzene	570		ug/L	200	20.48	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1116				
NAL13026-882	96-095	ORG	103-65-1	n-Propylbenzene	80	J	ug/L	200	27.00	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1116				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-882	96-095	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1116				
NAL13026-882	96-095	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1116				
NAL13026-882	96-095	ORG	108-67-8	1,3,5-Trimethylbenzene	480		ug/L	200	20.03	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1116				
NAL13026-882	96-095	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1116				
NAL13026-882	96-095	ORG	95-63-6	1,2,4-Trimethylbenzene	1100		ug/L	200	20.03	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1116				
NAL13026-882	96-095	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1116				
NAL13026-882	96-095	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1116				
NAL13026-882	96-095	ORG	99-87-6	p-Isopropltoluene	5400		ug/L	200	25.48	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1116				
NAL13026-882	96-095	ORG	106-46-7	1,4-Dichlorobenzene	1100		ug/L	200	33.03	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1116				
NAL13026-882	96-095	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1116				
NAL13026-882	96-095	ORG	104-51-8	n-Butylbenzene		U	ug/L	500	27.81	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1116				
NAL13026-882	96-095	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1116				
NAL13026-882	96-095	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1116				
NAL13026-882	96-095	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1116				
NAL13026-882	96-095	ORG	91-20-3	Naphthalene	2700		ug/L	500	56.04	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1116				
NAL13026-882	96-095	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1116				
NAL13026-882	96-095	STD	1868-53-7	Dibromofluoromethane	52		ng			12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1116	50	104%		
NAL13026-882	96-095	STD	17060-07-0	1,2-Dichloroethane d4	52		ng			12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1116	50	104%		
NAL13026-882	96-095	STD	2037-26-5	Toluene d8	43		ng			12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1116	50	86%		
NAL13026-882	96-095	STD	460-00-4	Bromofluorobenzene	54		ng			12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1116	50	108%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C123113CCVA	C123113CCVA	ORG	75-71-8	Dichlorodifluoromethane	71		ug/L	5	0.29	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1105	50	142%		
C123113CCVA	C123113CCVA	ORG	74-87-3	Chloromethane	58		ug/L	5	0.43	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1105	50	116%		
C123113CCVA	C123113CCVA	ORG	75-01-4	Vinyl chloride	63		ug/L	2	0.32	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1105	50	126%		
C123113CCVA	C123113CCVA	ORG	74-83-9	Bromomethane	52		ug/L	5	0.50	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1105	50	104%		
C123113CCVA	C123113CCVA	ORG	75-00-3	Chloroethane	37		ug/L	5	0.56	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1105	50	74%		
C123113CCVA	C123113CCVA	ORG	75-69-4	Trichlorofluoromethane	72		ug/L	5	0.20	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1105	50	144%		
C123113CCVA	C123113CCVA	ORG	75-35-4	1,1-Dichloroethene	51		ug/L	1	0.47	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1105	50	102%		
C123113CCVA	C123113CCVA	ORG	75-09-2	Methylene chloride	51		ug/L	5	0.26	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1105	50	102%		
C123113CCVA	C123113CCVA	ORG	67-64-1	Acetone	48		ug/L	10	1.56	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1105	50	96%		
C123113CCVA	C123113CCVA	ORG	156-60-5	trans-1,2-Dichloroethene	52		ug/L	1	0.56	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1105	50	104%		
C123113CCVA	C123113CCVA	ORG	1634-04-4	MTBE	49		ug/L	5	0.61	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1105	50	98%		
C123113CCVA	C123113CCVA	ORG	75-34-3	1,1-Dichloroethane	52		ug/L	1	0.53	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1105	50	104%		
C123113CCVA	C123113CCVA	ORG	156-59-2	cis-1,2-Dichloroethene	50		ug/L	1	0.32	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1105	50	100%		
C123113CCVA	C123113CCVA	ORG	74-97-5	Bromochloromethane	51		ug/L	10	0.41	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1105	50	102%		
C123113CCVA	C123113CCVA	ORG	67-66-3	Chloroform	49		ug/L	2	0.16	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1105	50	98%		
C123113CCVA	C123113CCVA	ORG	71-55-6	1,1,1-Trichloroethane	50		ug/L	1	0.17	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1105	50	100%		
C123113CCVA	C123113CCVA	ORG	78-93-3	2-Butanone	48		ug/L	1	0.81	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1105	50	96%		
C123113CCVA	C123113CCVA	ORG	56-23-5	Carbon tetrachloride	48		ug/L	1	0.28	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1105	50	96%		
C123113CCVA	C123113CCVA	ORG	71-43-2	Benzene	49		ug/L	1	0.14	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1105	50	98%		
C123113CCVA	C123113CCVA	ORG	107-06-2	1,2-Dichloroethane	47		ug/L	1	0.20	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1105	50	94%		
C123113CCVA	C123113CCVA	ORG	79-01-6	Trichloroethene	48		ug/L	1	0.36	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1105	50	96%		
C123113CCVA	C123113CCVA	ORG	74-95-3	Dibromomethane	40		ug/L	2	0.32	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1105	50	80%		
C123113CCVA	C123113CCVA	ORG	78-87-5	1,2-Dichloropropane	43		ug/L	1	0.18	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1105	50	86%		
C123113CCVA	C123113CCVA	ORG	75-27-4	Bromodichloromethane	44		ug/L	2	0.12	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1105	50	88%		
C123113CCVA	C123113CCVA	ORG	10061-01-5	cis-1,3-Dichloropropene	50		ug/L	1	0.25	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1105	50	100%		
C123113CCVA	C123113CCVA	ORG	108-88-3	Toluene	49		ug/L	1	0.21	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1105	50	98%		
C123113CCVA	C123113CCVA	ORG	108-10-1	4-Methyl-2-pentanone	39		ug/L	5	0.74	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1105	50	78%		
C123113CCVA	C123113CCVA	ORG	10061-02-6	trans-1,3-Dichloropropene	52		ug/L	1	0.31	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1105	50	104%		
C123113CCVA	C123113CCVA	ORG	127-18-4	Tetrachloroethene	48		ug/L	1	0.49	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1105	50	96%		
C123113CCVA	C123113CCVA	ORG	79-00-5	1,1,2-Trichloroethane	49		ug/L	1	0.34	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1105	50	98%		
C123113CCVA	C123113CCVA	ORG	124-48-1	Dibromochloromethane	46		ug/L	5	0.30	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1105	50	92%		
C123113CCVA	C123113CCVA	ORG	106-93-4	1,2-Dibromoethane	46		ug/L	2	0.26	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1105	50	92%		
C123113CCVA	C123113CCVA	ORG	591-78-6	2-Hexanone	37		ug/L	2	0.69	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1105	50	74%		
C123113CCVA	C123113CCVA	ORG	100-41-4	Ethylbenzene	52		ug/L	1	0.25	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1105	50	104%		
C123113CCVA	C123113CCVA	ORG	108-90-7	Chlorobenzene	52		ug/L	1	0.28	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1105	50	104%		
C123113CCVA	C123113CCVA	ORG	630-20-6	1,1,1,2-Tetrachloroethane	47		ug/L	2	0.19	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1105	50	94%		
C123113CCVA	C123113CCVA	ORG	XYLMP	p&m-Xylene	100		ug/L	2	0.26	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1105	100	100%		
C123113CCVA	C123113CCVA	ORG	95-47-6	o-Xylene	48		ug/L	1	0.13	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1105	50	96%		
C123113CCVA	C123113CCVA	ORG	100-42-5	Styrene	49		ug/L	1	0.20	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1105	50	98%		
C123113CCVA	C123113CCVA	ORG	75-25-2	Bromoform	45		ug/L	2	0.47	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1105	50	90%		
C123113CCVA	C123113CCVA	ORG	98-82-8	Isopropylbenzene	49		ug/L	2	0.20	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1105	50	98%		
C123113CCVA	C123113CCVA	ORG	103-65-1	n-Propylbenzene	55		ug/L	2	0.27	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1105	50	110%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C123113CCVA	C123113CCVA	ORG	79-34-5	1,1,2,2-Tetrachloroethane	46		ug/L	2	0.29	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1105	50	92%		
C123113CCVA	C123113CCVA	ORG	96-18-4	1,2,3-Trichloropropane	46		ug/L	2	0.29	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1105	50	92%		
C123113CCVA	C123113CCVA	ORG	108-67-8	1,3,5-Trimethylbenzene	49		ug/L	2	0.20	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1105	50	98%		
C123113CCVA	C123113CCVA	ORG	98-06-6	tert-Butylbenzene	49		ug/L	2	0.33	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1105	50	98%		
C123113CCVA	C123113CCVA	ORG	95-63-6	1,2,4-Trimethylbenzene	48		ug/L	2	0.20	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1105	50	96%		
C123113CCVA	C123113CCVA	ORG	135-98-8	sec-Butylbenzene	48		ug/L	2	0.32	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1105	50	96%		
C123113CCVA	C123113CCVA	ORG	541-73-1	1,3-Dichlorobenzene	51		ug/L	2	0.22	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1105	50	102%		
C123113CCVA	C123113CCVA	ORG	99-87-6	p-Isopropltoluene	48		ug/L	2	0.25	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1105	50	96%		
C123113CCVA	C123113CCVA	ORG	106-46-7	1,4-Dichlorobenzene	48		ug/L	2	0.33	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1105	50	96%		
C123113CCVA	C123113CCVA	ORG	95-50-1	1,2-Dichlorobenzene	49		ug/L	2	0.26	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1105	50	98%		
C123113CCVA	C123113CCVA	ORG	104-51-8	n-Butylbenzene	48		ug/L	5	0.28	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1105	50	96%		
C123113CCVA	C123113CCVA	ORG	96-12-8	1,2-Dibromo-3-chloropropane	41		ug/L	5	1.59	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1105	50	82%		
C123113CCVA	C123113CCVA	ORG	87-68-3	Hexachlorobutadiene	55		ug/L	5	0.65	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1105	50	110%		
C123113CCVA	C123113CCVA	ORG	120-82-1	1,2,4-Trichlorobenzene	50		ug/L	5	0.28	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1105	50	100%		
C123113CCVA	C123113CCVA	ORG	91-20-3	Naphthalene	44		ug/L	5	0.56	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1105	50	88%		
C123113CCVA	C123113CCVA	ORG	87-61-6	1,2,3-Trichlorobenzene	52		ug/L	5	0.23	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1105	50	104%		
C123113CCVA	C123113CCVA	STD	1868-53-7	Dibromofluoromethane	50		ng			NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1105	50	100%		
C123113CCVA	C123113CCVA	STD	17060-07-0	1,2-Dichloroethane d4	49		ng			NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1105	50	98%		
C123113CCVA	C123113CCVA	STD	2037-26-5	Toluene d8	49		ng			NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1105	50	98%		
C123113CCVA	C123113CCVA	STD	460-00-4	Bromofluorobenzene	49		ng			NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1105	50	98%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C123113MBKA	C123113MBKA	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	5	0.29	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1106				
C123113MBKA	C123113MBKA	ORG	74-87-3	Chloromethane		U	ug/L	5	0.43	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1106				
C123113MBKA	C123113MBKA	ORG	75-01-4	Vinyl chloride		U	ug/L	2	0.32	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1106				
C123113MBKA	C123113MBKA	ORG	74-83-9	Bromomethane		U	ug/L	5	0.50	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1106				
C123113MBKA	C123113MBKA	ORG	75-00-3	Chloroethane		U	ug/L	5	0.56	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1106				
C123113MBKA	C123113MBKA	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	5	0.20	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1106				
C123113MBKA	C123113MBKA	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	1	0.47	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1106				
C123113MBKA	C123113MBKA	ORG	75-09-2	Methylene chloride		U	ug/L	5	0.26	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1106				
C123113MBKA	C123113MBKA	ORG	67-64-1	Acetone		U	ug/L	10	1.56	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1106				
C123113MBKA	C123113MBKA	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	1	0.56	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1106				
C123113MBKA	C123113MBKA	ORG	1634-04-4	MTBE		U	ug/L	5	0.61	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1106				
C123113MBKA	C123113MBKA	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	1	0.53	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1106				
C123113MBKA	C123113MBKA	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	1	0.32	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1106				
C123113MBKA	C123113MBKA	ORG	74-97-5	Bromochloromethane		U	ug/L	10	0.41	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1106				
C123113MBKA	C123113MBKA	ORG	67-66-3	Chloroform		U	ug/L	2	0.16	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1106				
C123113MBKA	C123113MBKA	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	1	0.17	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1106				
C123113MBKA	C123113MBKA	ORG	78-93-3	2-Butanone		U	ug/L	1	0.81	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1106				
C123113MBKA	C123113MBKA	ORG	56-23-5	Carbon tetrachloride		U	ug/L	1	0.28	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1106				
C123113MBKA	C123113MBKA	ORG	71-43-2	Benzene		U	ug/L	1	0.14	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1106				
C123113MBKA	C123113MBKA	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	1	0.20	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1106				
C123113MBKA	C123113MBKA	ORG	79-01-6	Trichloroethene		U	ug/L	1	0.36	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1106				
C123113MBKA	C123113MBKA	ORG	74-95-3	Dibromomethane		U	ug/L	2	0.32	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1106				
C123113MBKA	C123113MBKA	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	1	0.18	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1106				
C123113MBKA	C123113MBKA	ORG	75-27-4	Bromodichloromethane		U	ug/L	2	0.12	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1106				
C123113MBKA	C123113MBKA	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	1	0.25	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1106				
C123113MBKA	C123113MBKA	ORG	108-88-3	Toluene		U	ug/L	1	0.21	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1106				
C123113MBKA	C123113MBKA	ORG	108-10-1	4-Methyl-2-pentanone		U	ug/L	5	0.74	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1106				
C123113MBKA	C123113MBKA	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	1	0.31	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1106				
C123113MBKA	C123113MBKA	ORG	127-18-4	Tetrachloroethene		U	ug/L	1	0.49	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1106				
C123113MBKA	C123113MBKA	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	1	0.34	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1106				
C123113MBKA	C123113MBKA	ORG	124-48-1	Dibromochloromethane		U	ug/L	5	0.30	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1106				
C123113MBKA	C123113MBKA	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	2	0.26	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1106				
C123113MBKA	C123113MBKA	ORG	591-78-6	2-Hexanone		U	ug/L	2	0.69	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1106				
C123113MBKA	C123113MBKA	ORG	100-41-4	Ethylbenzene		U	ug/L	1	0.25	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1106				
C123113MBKA	C123113MBKA	ORG	108-90-7	Chlorobenzene		U	ug/L	1	0.28	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1106				
C123113MBKA	C123113MBKA	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	2	0.19	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1106				
C123113MBKA	C123113MBKA	ORG	XYLMP	p&m-Xylene		U	ug/L	2	0.26	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1106				
C123113MBKA	C123113MBKA	ORG	95-47-6	o-Xylene		U	ug/L	1	0.13	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1106				
C123113MBKA	C123113MBKA	ORG	100-42-5	Styrene		U	ug/L	1	0.20	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1106				
C123113MBKA	C123113MBKA	ORG	75-25-2	Bromoform		U	ug/L	2	0.47	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1106				
C123113MBKA	C123113MBKA	ORG	98-82-8	Isopropylbenzene		U	ug/L	2	0.20	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1106				
C123113MBKA	C123113MBKA	ORG	103-65-1	n-Propylbenzene		U	ug/L	2	0.27	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1106				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C123113MBKA	C123113MBKA	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	2	0.29	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1106				
C123113MBKA	C123113MBKA	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	2	0.29	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1106				
C123113MBKA	C123113MBKA	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	2	0.20	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1106				
C123113MBKA	C123113MBKA	ORG	98-06-6	tert-Butylbenzene		U	ug/L	2	0.33	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1106				
C123113MBKA	C123113MBKA	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	2	0.20	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1106				
C123113MBKA	C123113MBKA	ORG	135-98-8	sec-Butylbenzene		U	ug/L	2	0.32	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1106				
C123113MBKA	C123113MBKA	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	2	0.22	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1106				
C123113MBKA	C123113MBKA	ORG	99-87-6	p-Isopropltoluene		U	ug/L	2	0.25	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1106				
C123113MBKA	C123113MBKA	ORG	106-46-7	1,4-Dichlorobenzene		U	ug/L	2	0.33	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1106				
C123113MBKA	C123113MBKA	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	2	0.26	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1106				
C123113MBKA	C123113MBKA	ORG	104-51-8	n-Butylbenzene		U	ug/L	5	0.28	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1106				
C123113MBKA	C123113MBKA	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	5	1.59	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1106				
C123113MBKA	C123113MBKA	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	5	0.65	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1106				
C123113MBKA	C123113MBKA	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	5	0.28	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1106				
C123113MBKA	C123113MBKA	ORG	91-20-3	Naphthalene		U	ug/L	5	0.56	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1106				
C123113MBKA	C123113MBKA	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	5	0.23	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1106				
C123113MBKA	C123113MBKA	STD	1868-53-7	Dibromofluoromethane	50		ng			NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1106	50	100%		
C123113MBKA	C123113MBKA	STD	17060-07-0	1,2-Dichloroethane d4	51		ng			NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1106	50	102%		
C123113MBKA	C123113MBKA	STD	2037-26-5	Toluene d8	56		ng			NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1106	50	112%		
C123113MBKA	C123113MBKA	STD	460-00-4	Bromofluorobenzene	57		ng			NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1106	50	114%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C123113ALCS	C123113ALCS	ORG	75-71-8	Dichlorodifluoromethane	76		ug/L	5	0.29	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1111	50	152%		
C123113ALCS	C123113ALCS	ORG	74-87-3	Chloromethane	65		ug/L	5	0.43	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1111	50	130%		
C123113ALCS	C123113ALCS	ORG	75-01-4	Vinyl chloride	69		ug/L	2	0.32	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1111	50	138%		
C123113ALCS	C123113ALCS	ORG	74-83-9	Bromomethane	53		ug/L	5	0.50	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1111	50	106%		
C123113ALCS	C123113ALCS	ORG	75-00-3	Chloroethane	40		ug/L	5	0.56	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1111	50	80%		
C123113ALCS	C123113ALCS	ORG	75-69-4	Trichlorofluoromethane	69		ug/L	5	0.20	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1111	50	138%		
C123113ALCS	C123113ALCS	ORG	75-35-4	1,1-Dichloroethene	55		ug/L	1	0.47	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1111	50	110%		
C123113ALCS	C123113ALCS	ORG	75-09-2	Methylene chloride	55		ug/L	5	0.26	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1111	50	110%		
C123113ALCS	C123113ALCS	ORG	67-64-1	Acetone	62		ug/L	10	1.56	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1111	50	124%		
C123113ALCS	C123113ALCS	ORG	156-60-5	trans-1,2-Dichloroethene	55		ug/L	1	0.56	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1111	50	110%		
C123113ALCS	C123113ALCS	ORG	1634-04-4	MTBE	54		ug/L	5	0.61	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1111	50	108%		
C123113ALCS	C123113ALCS	ORG	75-34-3	1,1-Dichloroethane	55		ug/L	1	0.53	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1111	50	110%		
C123113ALCS	C123113ALCS	ORG	156-59-2	cis-1,2-Dichloroethene	52		ug/L	1	0.32	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1111	50	104%		
C123113ALCS	C123113ALCS	ORG	74-97-5	Bromochloromethane	52		ug/L	10	0.41	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1111	50	104%		
C123113ALCS	C123113ALCS	ORG	67-66-3	Chloroform	50		ug/L	2	0.16	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1111	50	100%		
C123113ALCS	C123113ALCS	ORG	71-55-6	1,1,1-Trichloroethane	51		ug/L	1	0.17	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1111	50	102%		
C123113ALCS	C123113ALCS	ORG	78-93-3	2-Butanone	53		ug/L	1	0.81	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1111	50	106%		
C123113ALCS	C123113ALCS	ORG	56-23-5	Carbon tetrachloride	51		ug/L	1	0.28	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1111	50	102%		
C123113ALCS	C123113ALCS	ORG	71-43-2	Benzene	50		ug/L	1	0.14	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1111	50	100%		
C123113ALCS	C123113ALCS	ORG	107-06-2	1,2-Dichloroethane	47		ug/L	1	0.20	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1111	50	94%		
C123113ALCS	C123113ALCS	ORG	79-01-6	Trichloroethene	37		ug/L	1	0.36	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1111	50	74%		
C123113ALCS	C123113ALCS	ORG	74-95-3	Dibromomethane	37		ug/L	2	0.32	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1111	50	74%		
C123113ALCS	C123113ALCS	ORG	78-87-5	1,2-Dichloropropane	42		ug/L	1	0.18	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1111	50	84%		
C123113ALCS	C123113ALCS	ORG	75-27-4	Bromodichloromethane	44		ug/L	2	0.12	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1111	50	88%		
C123113ALCS	C123113ALCS	ORG	10061-01-5	cis-1,3-Dichloropropene	48		ug/L	1	0.25	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1111	50	96%		
C123113ALCS	C123113ALCS	ORG	108-88-3	Toluene	49		ug/L	1	0.21	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1111	50	98%		
C123113ALCS	C123113ALCS	ORG	108-10-1	4-Methyl-2-pentanone	43		ug/L	5	0.74	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1111	50	86%		
C123113ALCS	C123113ALCS	ORG	10061-02-6	trans-1,3-Dichloropropene	52		ug/L	1	0.31	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1111	50	104%		
C123113ALCS	C123113ALCS	ORG	127-18-4	Tetrachloroethene	48		ug/L	1	0.49	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1111	50	96%		
C123113ALCS	C123113ALCS	ORG	79-00-5	1,1,2-Trichloroethane	50		ug/L	1	0.34	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1111	50	100%		
C123113ALCS	C123113ALCS	ORG	124-48-1	Dibromochloromethane	44		ug/L	5	0.30	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1111	50	88%		
C123113ALCS	C123113ALCS	ORG	106-93-4	1,2-Dibromoethane	46		ug/L	2	0.26	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1111	50	92%		
C123113ALCS	C123113ALCS	ORG	591-78-6	2-Hexanone	41		ug/L	2	0.69	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1111	50	82%		
C123113ALCS	C123113ALCS	ORG	100-41-4	Ethylbenzene	52		ug/L	1	0.25	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1111	50	104%		
C123113ALCS	C123113ALCS	ORG	108-90-7	Chlorobenzene	52		ug/L	1	0.28	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1111	50	104%		
C123113ALCS	C123113ALCS	ORG	630-20-6	1,1,1,2-Tetrachloroethane	47		ug/L	2	0.19	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1111	50	94%		
C123113ALCS	C123113ALCS	ORG	XYLMP	p&m-Xylene	101		ug/L	2	0.26	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1111	100	101%		
C123113ALCS	C123113ALCS	ORG	95-47-6	o-Xylene	46		ug/L	1	0.13	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1111	50	92%		
C123113ALCS	C123113ALCS	ORG	100-42-5	Styrene	49		ug/L	1	0.20	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1111	50	98%		
C123113ALCS	C123113ALCS	ORG	75-25-2	Bromoform	46		ug/L	2	0.47	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1111	50	92%		
C123113ALCS	C123113ALCS	ORG	98-82-8	Isopropylbenzene	48		ug/L	2	0.20	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1111	50	96%		
C123113ALCS	C123113ALCS	ORG	103-65-1	n-Propylbenzene	56		ug/L	2	0.27	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1111	50	112%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C123113ALCS	C123113ALCS	ORG	79-34-5	1,1,2,2-Tetrachloroethane	49		ug/L	2	0.29	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1111	50	98%		
C123113ALCS	C123113ALCS	ORG	96-18-4	1,2,3-Trichloropropane	48		ug/L	2	0.29	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1111	50	96%		
C123113ALCS	C123113ALCS	ORG	108-67-8	1,3,5-Trimethylbenzene	49		ug/L	2	0.20	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1111	50	98%		
C123113ALCS	C123113ALCS	ORG	98-06-6	tert-Butylbenzene	48		ug/L	2	0.33	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1111	50	96%		
C123113ALCS	C123113ALCS	ORG	95-63-6	1,2,4-Trimethylbenzene	48		ug/L	2	0.20	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1111	50	96%		
C123113ALCS	C123113ALCS	ORG	135-98-8	sec-Butylbenzene	48		ug/L	2	0.32	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1111	50	96%		
C123113ALCS	C123113ALCS	ORG	541-73-1	1,3-Dichlorobenzene	50		ug/L	2	0.22	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1111	50	100%		
C123113ALCS	C123113ALCS	ORG	99-87-6	p-Isopropltoluene	48		ug/L	2	0.25	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1111	50	96%		
C123113ALCS	C123113ALCS	ORG	106-46-7	1,4-Dichlorobenzene	48		ug/L	2	0.33	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1111	50	96%		
C123113ALCS	C123113ALCS	ORG	95-50-1	1,2-Dichlorobenzene	48		ug/L	2	0.26	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1111	50	96%		
C123113ALCS	C123113ALCS	ORG	104-51-8	n-Butylbenzene	48		ug/L	5	0.28	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1111	50	96%		
C123113ALCS	C123113ALCS	ORG	96-12-8	1,2-Dibromo-3-chloropropane	44		ug/L	5	1.59	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1111	50	88%		
C123113ALCS	C123113ALCS	ORG	87-68-3	Hexachlorobutadiene	52		ug/L	5	0.65	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1111	50	104%		
C123113ALCS	C123113ALCS	ORG	120-82-1	1,2,4-Trichlorobenzene	47		ug/L	5	0.28	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1111	50	94%		
C123113ALCS	C123113ALCS	ORG	91-20-3	Naphthalene	44		ug/L	5	0.56	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1111	50	88%		
C123113ALCS	C123113ALCS	ORG	87-61-6	1,2,3-Trichlorobenzene	50		ug/L	5	0.23	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1111	50	100%		
C123113ALCS	C123113ALCS	STD	1868-53-7	Dibromofluoromethane	52		ng			NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1111	50	104%		
C123113ALCS	C123113ALCS	STD	17060-07-0	1,2-Dichloroethane d4	50		ng			NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1111	50	100%		
C123113ALCS	C123113ALCS	STD	2037-26-5	Toluene d8	51		ng			NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1111	50	102%		
C123113ALCS	C123113ALCS	STD	460-00-4	Bromofluorobenzene	50		ng			NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1111	50	100%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C123113ALCD	C123113ALCD	ORG	75-71-8	Dichlorodifluoromethane	71		ug/L	5	0.29	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1112	50	142%	7%	
C123113ALCD	C123113ALCD	ORG	74-87-3	Chloromethane	59		ug/L	5	0.43	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1112	50	118%	10%	
C123113ALCD	C123113ALCD	ORG	75-01-4	Vinyl chloride	62		ug/L	2	0.32	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1112	50	124%	11%	
C123113ALCD	C123113ALCD	ORG	74-83-9	Bromomethane	54		ug/L	5	0.50	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1112	50	108%	2%	
C123113ALCD	C123113ALCD	ORG	75-00-3	Chloroethane	44		ug/L	5	0.56	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1112	50	88%	10%	
C123113ALCD	C123113ALCD	ORG	75-69-4	Trichlorofluoromethane	68		ug/L	5	0.20	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1112	50	136%	1%	
C123113ALCD	C123113ALCD	ORG	75-35-4	1,1-Dichloroethene	52		ug/L	1	0.47	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1112	50	104%	6%	
C123113ALCD	C123113ALCD	ORG	75-09-2	Methylene chloride	53		ug/L	5	0.26	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1112	50	106%	4%	
C123113ALCD	C123113ALCD	ORG	67-64-1	Acetone	57		ug/L	10	1.56	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1112	50	114%	8%	
C123113ALCD	C123113ALCD	ORG	156-60-5	trans-1,2-Dichloroethene	52		ug/L	1	0.56	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1112	50	104%	6%	
C123113ALCD	C123113ALCD	ORG	1634-04-4	MTBE	51		ug/L	5	0.61	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1112	50	102%	6%	
C123113ALCD	C123113ALCD	ORG	75-34-3	1,1-Dichloroethane	53		ug/L	1	0.53	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1112	50	106%	4%	
C123113ALCD	C123113ALCD	ORG	156-59-2	cis-1,2-Dichloroethene	51		ug/L	1	0.32	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1112	50	102%	2%	
C123113ALCD	C123113ALCD	ORG	74-97-5	Bromochloromethane	53		ug/L	10	0.41	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1112	50	106%	2%	
C123113ALCD	C123113ALCD	ORG	67-66-3	Chloroform	50		ug/L	2	0.16	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1112	50	100%	0%	
C123113ALCD	C123113ALCD	ORG	71-55-6	1,1,1-Trichloroethane	49		ug/L	1	0.17	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1112	50	98%	4%	
C123113ALCD	C123113ALCD	ORG	78-93-3	2-Butanone	54		ug/L	1	0.81	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1112	50	108%	2%	
C123113ALCD	C123113ALCD	ORG	56-23-5	Carbon tetrachloride	50		ug/L	1	0.28	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1112	50	100%	2%	
C123113ALCD	C123113ALCD	ORG	71-43-2	Benzene	50		ug/L	1	0.14	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1112	50	100%	0%	
C123113ALCD	C123113ALCD	ORG	107-06-2	1,2-Dichloroethane	48		ug/L	1	0.20	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1112	50	96%	2%	
C123113ALCD	C123113ALCD	ORG	79-01-6	Trichloroethene	39		ug/L	1	0.36	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1112	50	78%	5%	
C123113ALCD	C123113ALCD	ORG	74-95-3	Dibromomethane	40		ug/L	2	0.32	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1112	50	80%	8%	
C123113ALCD	C123113ALCD	ORG	78-87-5	1,2-Dichloropropane	42		ug/L	1	0.18	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1112	50	84%	0%	
C123113ALCD	C123113ALCD	ORG	75-27-4	Bromodichloromethane	44		ug/L	2	0.12	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1112	50	88%	0%	
C123113ALCD	C123113ALCD	ORG	10061-01-5	cis-1,3-Dichloropropene	46		ug/L	1	0.25	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1112	50	92%	4%	
C123113ALCD	C123113ALCD	ORG	108-88-3	Toluene	48		ug/L	1	0.21	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1112	50	96%	2%	
C123113ALCD	C123113ALCD	ORG	108-10-1	4-Methyl-2-pentanone	45		ug/L	5	0.74	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1112	50	90%	5%	
C123113ALCD	C123113ALCD	ORG	10061-02-6	trans-1,3-Dichloropropene	52		ug/L	1	0.31	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1112	50	104%	0%	
C123113ALCD	C123113ALCD	ORG	127-18-4	Tetrachloroethene	49		ug/L	1	0.49	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1112	50	98%	2%	
C123113ALCD	C123113ALCD	ORG	79-00-5	1,1,2-Trichloroethane	52		ug/L	1	0.34	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1112	50	104%	4%	
C123113ALCD	C123113ALCD	ORG	124-48-1	Dibromochloromethane	46		ug/L	5	0.30	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1112	50	92%	4%	
C123113ALCD	C123113ALCD	ORG	106-93-4	1,2-Dibromoethane	47		ug/L	2	0.26	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1112	50	94%	2%	
C123113ALCD	C123113ALCD	ORG	591-78-6	2-Hexanone	45		ug/L	2	0.69	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1112	50	90%	9%	
C123113ALCD	C123113ALCD	ORG	100-41-4	Ethylbenzene	50		ug/L	1	0.25	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1112	50	100%	4%	
C123113ALCD	C123113ALCD	ORG	108-90-7	Chlorobenzene	50		ug/L	1	0.28	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1112	50	100%	4%	
C123113ALCD	C123113ALCD	ORG	630-20-6	1,1,1,2-Tetrachloroethane	46		ug/L	2	0.19	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1112	50	92%	2%	
C123113ALCD	C123113ALCD	ORG	XYLMP	p&m-Xylene	97		ug/L	2	0.26	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1112	100	97%	4%	
C123113ALCD	C123113ALCD	ORG	95-47-6	o-Xylene	45		ug/L	1	0.13	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1112	50	90%	2%	
C123113ALCD	C123113ALCD	ORG	100-42-5	Styrene	48		ug/L	1	0.20	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1112	50	96%	2%	
C123113ALCD	C123113ALCD	ORG	75-25-2	Bromoform	46		ug/L	2	0.47	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1112	50	92%	0%	
C123113ALCD	C123113ALCD	ORG	98-82-8	Isopropylbenzene	47		ug/L	2	0.20	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1112	50	94%	2%	
C123113ALCD	C123113ALCD	ORG	103-65-1	n-Propylbenzene	54		ug/L	2	0.27	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1112	50	108%	4%	

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C123113ALCD	C123113ALCD	ORG	79-34-5	1,1,2,2-Tetrachloroethane	52		ug/L	2	0.29	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1112	50	104%	6%	
C123113ALCD	C123113ALCD	ORG	96-18-4	1,2,3-Trichloropropane	52		ug/L	2	0.29	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1112	50	104%	8%	
C123113ALCD	C123113ALCD	ORG	108-67-8	1,3,5-Trimethylbenzene	48		ug/L	2	0.20	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1112	50	96%	2%	
C123113ALCD	C123113ALCD	ORG	98-06-6	tert-Butylbenzene	47		ug/L	2	0.33	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1112	50	94%	2%	
C123113ALCD	C123113ALCD	ORG	95-63-6	1,2,4-Trimethylbenzene	49		ug/L	2	0.20	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1112	50	98%	2%	
C123113ALCD	C123113ALCD	ORG	135-98-8	sec-Butylbenzene	47		ug/L	2	0.32	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1112	50	94%	2%	
C123113ALCD	C123113ALCD	ORG	541-73-1	1,3-Dichlorobenzene	51		ug/L	2	0.22	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1112	50	102%	2%	
C123113ALCD	C123113ALCD	ORG	99-87-6	p-Isopropltoluene	47		ug/L	2	0.25	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1112	50	94%	2%	
C123113ALCD	C123113ALCD	ORG	106-46-7	1,4-Dichlorobenzene	47		ug/L	2	0.33	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1112	50	94%	2%	
C123113ALCD	C123113ALCD	ORG	95-50-1	1,2-Dichlorobenzene	49		ug/L	2	0.26	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1112	50	98%	2%	
C123113ALCD	C123113ALCD	ORG	104-51-8	n-Butylbenzene	48		ug/L	5	0.28	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1112	50	96%	0%	
C123113ALCD	C123113ALCD	ORG	96-12-8	1,2-Dibromo-3-chloropropane	49		ug/L	5	1.59	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1112	50	98%	11%	
C123113ALCD	C123113ALCD	ORG	87-68-3	Hexachlorobutadiene	53		ug/L	5	0.65	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1112	50	106%	2%	
C123113ALCD	C123113ALCD	ORG	120-82-1	1,2,4-Trichlorobenzene	49		ug/L	5	0.28	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1112	50	98%	4%	
C123113ALCD	C123113ALCD	ORG	91-20-3	Naphthalene	47		ug/L	5	0.56	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1112	50	94%	7%	
C123113ALCD	C123113ALCD	ORG	87-61-6	1,2,3-Trichlorobenzene	55		ug/L	5	0.23	NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1112	50	110%	10%	
C123113ALCD	C123113ALCD	STD	1868-53-7	Dibromofluoromethane	52		ng			NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1112	50	104%	0%	
C123113ALCD	C123113ALCD	STD	17060-07-0	1,2-Dichloroethane d4	51		ng			NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1112	50	102%	2%	
C123113ALCD	C123113ALCD	STD	2037-26-5	Toluene d8	48		ng			NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1112	50	96%	6%	
C123113ALCD	C123113ALCD	STD	460-00-4	Bromofluorobenzene	48		ng			NA	12/31/2013	12/31/2013	WQ	1	NA	5.0	NA	SW8260B	NALC1112	50	96%	4%	

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-881MS	316-182R	ORG	75-71-8	Dichlorodifluoromethane	6500		ug/L	500	29.28	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1113	5000	130%		
NAL13026-881MS	316-182R	ORG	74-87-3	Chloromethane	5600		ug/L	500	43.07	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1113	5000	112%		
NAL13026-881MS	316-182R	ORG	75-01-4	Vinyl chloride	6000		ug/L	200	31.86	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1113	5000	120%		
NAL13026-881MS	316-182R	ORG	74-83-9	Bromomethane	5100		ug/L	500	50.04	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1113	5000	102%		
NAL13026-881MS	316-182R	ORG	75-00-3	Chloroethane	4100		ug/L	500	55.61	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1113	5000	82%		
NAL13026-881MS	316-182R	ORG	75-69-4	Trichlorofluoromethane	6600		ug/L	500	19.65	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1113	5000	132%		
NAL13026-881MS	316-182R	ORG	75-35-4	1,1-Dichloroethene	5000		ug/L	100	47.11	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1113	5000	100%		
NAL13026-881MS	316-182R	ORG	75-09-2	Methylene chloride	5100		ug/L	500	26.46	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1113	5000	102%		
NAL13026-881MS	316-182R	ORG	67-64-1	Acetone	110000		ug/L	1000	155.61	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1113	5000	-200%		120000
NAL13026-881MS	316-182R	ORG	156-60-5	trans-1,2-Dichloroethene	5100		ug/L	100	55.61	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1113	5000	102%		
NAL13026-881MS	316-182R	ORG	1634-04-4	MTBE	4800		ug/L	500	61.18	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1113	5000	96%		
NAL13026-881MS	316-182R	ORG	75-34-3	1,1-Dichloroethane	5000		ug/L	100	52.66	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1113	5000	100%		
NAL13026-881MS	316-182R	ORG	156-59-2	cis-1,2-Dichloroethene	4900		ug/L	100	32.11	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1113	5000	98%		
NAL13026-881MS	316-182R	ORG	74-97-5	Bromochloromethane	5000		ug/L	1000	41.37	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1113	5000	100%		
NAL13026-881MS	316-182R	ORG	67-66-3	Chloroform	4900		ug/L	200	15.73	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1113	5000	98%		
NAL13026-881MS	316-182R	ORG	71-55-6	1,1,1-Trichloroethane	5000		ug/L	100	16.65	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1113	5000	100%		
NAL13026-881MS	316-182R	ORG	78-93-3	2-Butanone	63000		ug/L	100	81.18	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1113	5000	140%		56000
NAL13026-881MS	316-182R	ORG	56-23-5	Carbon tetrachloride	4800		ug/L	100	27.64	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1113	5000	96%		
NAL13026-881MS	316-182R	ORG	71-43-2	Benzene	5000		ug/L	100	13.53	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1113	5000	98%		96
NAL13026-881MS	316-182R	ORG	107-06-2	1,2-Dichloroethane	4800		ug/L	100	20.01	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1113	5000	96%		
NAL13026-881MS	316-182R	ORG	79-01-6	Trichloroethene	4700		ug/L	100	36.33	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1113	5000	94%		
NAL13026-881MS	316-182R	ORG	74-95-3	Dibromomethane	4800		ug/L	200	32.20	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1113	5000	96%		
NAL13026-881MS	316-182R	ORG	78-87-5	1,2-Dichloropropane	4700		ug/L	100	18.17	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1113	5000	94%		
NAL13026-881MS	316-182R	ORG	75-27-4	Bromodichloromethane	3500		ug/L	200	11.58	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1113	5000	70%		
NAL13026-881MS	316-182R	ORG	10061-01-5	cis-1,3-Dichloropropene	4500		ug/L	100	25.01	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1113	5000	90%		
NAL13026-881MS	316-182R	ORG	108-88-3	Toluene	4100		ug/L	100	20.96	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1113	5000	80%		91
NAL13026-881MS	316-182R	ORG	108-10-1	4-Methyl-2-pentanone	5500		ug/L	500	74.00	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1113	5000	84%		1300
NAL13026-881MS	316-182R	ORG	10061-02-6	trans-1,3-Dichloropropene	4300		ug/L	100	31.15	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1113	5000	86%		
NAL13026-881MS	316-182R	ORG	127-18-4	Tetrachloroethene	4000		ug/L	100	48.56	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1113	5000	80%		
NAL13026-881MS	316-182R	ORG	79-00-5	1,1,2-Trichloroethane	4700		ug/L	100	34.28	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1113	5000	94%		
NAL13026-881MS	316-182R	ORG	124-48-1	Dibromochloromethane	3900		ug/L	500	29.90	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1113	5000	78%		
NAL13026-881MS	316-182R	ORG	106-93-4	1,2-Dibromoethane	4300		ug/L	200	26.49	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1113	5000	86%		
NAL13026-881MS	316-182R	ORG	591-78-6	2-Hexanone	11000		ug/L	200	68.90	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1113	5000	80%		7000
NAL13026-881MS	316-182R	ORG	100-41-4	Ethylbenzene	4800		ug/L	100	25.38	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1113	5000	89%		360
NAL13026-881MS	316-182R	ORG	108-90-7	Chlorobenzene	4600		ug/L	100	27.52	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1113	5000	92%		
NAL13026-881MS	316-182R	ORG	630-20-6	1,1,1,2-Tetrachloroethane	3900		ug/L	200	19.28	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1113	5000	78%		
NAL13026-881MS	316-182R	ORG	XYLMP	p&m-Xylene	9800		ug/L	200	26.14	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1113	10000	84%		1400
NAL13026-881MS	316-182R	ORG	95-47-6	o-Xylene	5300		ug/L	100	12.90	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1113	5000	86%		990
NAL13026-881MS	316-182R	ORG	100-42-5	Styrene	4600		ug/L	100	20.23	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1113	5000	84%		420
NAL13026-881MS	316-182R	ORG	75-25-2	Bromoform	4100		ug/L	200	46.83	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1113	5000	82%		
NAL13026-881MS	316-182R	ORG	98-82-8	Isopropylbenzene	5200		ug/L	200	20.48	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1113	5000	87%		850
NAL13026-881MS	316-182R	ORG	103-65-1	n-Propylbenzene	5500		ug/L	200	27.00	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1113	5000	103%		370

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-881MS	316-182R	ORG	79-34-5	1,1,2,2-Tetrachloroethane	4700		ug/L	200	29.16	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1113	5000	94%		
NAL13026-881MS	316-182R	ORG	96-18-4	1,2,3-Trichloropropane	4400		ug/L	200	29.47	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1113	5000	88%		
NAL13026-881MS	316-182R	ORG	108-67-8	1,3,5-Trimethylbenzene	5200		ug/L	200	20.03	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1113	5000	85%		950
NAL13026-881MS	316-182R	ORG	98-06-6	tert-Butylbenzene	4800		ug/L	200	32.61	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1113	5000	96%		
NAL13026-881MS	316-182R	ORG	95-63-6	1,2,4-Trimethylbenzene	8000		ug/L	200	20.03	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1113	5000	88%		3600
NAL13026-881MS	316-182R	ORG	135-98-8	sec-Butylbenzene	5500		ug/L	200	32.34	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1113	5000	110%		
NAL13026-881MS	316-182R	ORG	541-73-1	1,3-Dichlorobenzene	4800		ug/L	200	22.21	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1113	5000	96%		
NAL13026-881MS	316-182R	ORG	99-87-6	p-Isopropltoluene	19000		ug/L	200	25.48	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1113	5000	80%		15000
NAL13026-881MS	316-182R	ORG	106-46-7	1,4-Dichlorobenzene	7700		ug/L	200	33.03	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1113	5000	88%		3300
NAL13026-881MS	316-182R	ORG	95-50-1	1,2-Dichlorobenzene	5000		ug/L	200	26.38	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1113	5000	100%		
NAL13026-881MS	316-182R	ORG	104-51-8	n-Butylbenzene	5400		ug/L	500	27.81	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1113	5000	108%		
NAL13026-881MS	316-182R	ORG	96-12-8	1,2-Dibromo-3-chloropropane	6200		ug/L	500	159.11	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1113	5000	124%		
NAL13026-881MS	316-182R	ORG	87-68-3	Hexachlorobutadiene	6300		ug/L	500	65.42	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1113	5000	126%		
NAL13026-881MS	316-182R	ORG	120-82-1	1,2,4-Trichlorobenzene	6300		ug/L	500	27.63	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1113	5000	126%		
NAL13026-881MS	316-182R	ORG	91-20-3	Naphthalene	9900		ug/L	500	56.04	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1113	5000	116%		4100
NAL13026-881MS	316-182R	ORG	87-61-6	1,2,3-Trichlorobenzene	6900		ug/L	500	23.28	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1113	5000	138%		
NAL13026-881MS	316-182R	STD	1868-53-7	Dibromofluoromethane	51		ng			12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1113	50	102%		
NAL13026-881MS	316-182R	STD	17060-07-0	1,2-Dichloroethane d4	51		ng			12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1113	50	102%		
NAL13026-881MS	316-182R	STD	2037-26-5	Toluene d8	42		ng			12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1113	50	84%		
NAL13026-881MS	316-182R	STD	460-00-4	Bromofluorobenzene	55		ng			12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1113	50	110%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-881MSD	316-182R	ORG	75-71-8	Dichlorodifluoromethane	7200		ug/L	500	29.28	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1114	5000	144%	10%	0
NAL13026-881MSD	316-182R	ORG	74-87-3	Chloromethane	6600		ug/L	500	43.07	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1114	5000	132%	16%	0
NAL13026-881MSD	316-182R	ORG	75-01-4	Vinyl chloride	6900		ug/L	200	31.86	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1114	5000	138%	14%	0
NAL13026-881MSD	316-182R	ORG	74-83-9	Bromomethane	4600		ug/L	500	50.04	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1114	5000	92%	10%	0
NAL13026-881MSD	316-182R	ORG	75-00-3	Chloroethane	3300		ug/L	500	55.61	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1114	5000	66%	22%	0
NAL13026-881MSD	316-182R	ORG	75-69-4	Trichlorofluoromethane	5900		ug/L	500	19.65	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1114	5000	118%	11%	0
NAL13026-881MSD	316-182R	ORG	75-35-4	1,1-Dichloroethene	5200		ug/L	100	47.11	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1114	5000	104%	4%	0
NAL13026-881MSD	316-182R	ORG	75-09-2	Methylene chloride	5300		ug/L	500	26.46	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1114	5000	106%	4%	0
NAL13026-881MSD	316-182R	ORG	67-64-1	Acetone	110000		ug/L	1000	155.61	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1114	5000	-200%	0%	120000
NAL13026-881MSD	316-182R	ORG	156-60-5	trans-1,2-Dichloroethene	5400		ug/L	100	55.61	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1114	5000	108%	6%	0
NAL13026-881MSD	316-182R	ORG	1634-04-4	MTBE	5400		ug/L	500	61.18	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1114	5000	108%	12%	0
NAL13026-881MSD	316-182R	ORG	75-34-3	1,1-Dichloroethane	5400		ug/L	100	52.66	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1114	5000	108%	8%	0
NAL13026-881MSD	316-182R	ORG	156-59-2	cis-1,2-Dichloroethene	5200		ug/L	100	32.11	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1114	5000	104%	6%	0
NAL13026-881MSD	316-182R	ORG	74-97-5	Bromochloromethane	5300		ug/L	1000	41.37	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1114	5000	106%	6%	0
NAL13026-881MSD	316-182R	ORG	67-66-3	Chloroform	5000		ug/L	200	15.73	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1114	5000	100%	2%	0
NAL13026-881MSD	316-182R	ORG	71-55-6	1,1,1-Trichloroethane	5200		ug/L	100	16.65	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1114	5000	104%	4%	0
NAL13026-881MSD	316-182R	ORG	78-93-3	2-Butanone	62000		ug/L	100	81.18	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1114	5000	120%	2%	56000
NAL13026-881MSD	316-182R	ORG	56-23-5	Carbon tetrachloride	5300		ug/L	100	27.64	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1114	5000	106%	10%	0
NAL13026-881MSD	316-182R	ORG	71-43-2	Benzene	5100		ug/L	100	13.53	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1114	5000	100%	2%	96
NAL13026-881MSD	316-182R	ORG	107-06-2	1,2-Dichloroethane	4800		ug/L	100	20.01	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1114	5000	96%	0%	0
NAL13026-881MSD	316-182R	ORG	79-01-6	Trichloroethene	4800		ug/L	100	36.33	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1114	5000	96%	2%	0
NAL13026-881MSD	316-182R	ORG	74-95-3	Dibromomethane	4300		ug/L	200	32.20	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1114	5000	86%	11%	0
NAL13026-881MSD	316-182R	ORG	78-87-5	1,2-Dichloropropane	4400		ug/L	100	18.17	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1114	5000	88%	7%	0
NAL13026-881MSD	316-182R	ORG	75-27-4	Bromodichloromethane	3800		ug/L	200	11.58	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1114	5000	76%	8%	0
NAL13026-881MSD	316-182R	ORG	10061-01-5	cis-1,3-Dichloropropene	4800		ug/L	100	25.01	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1114	5000	96%	6%	0
NAL13026-881MSD	316-182R	ORG	108-88-3	Toluene	4400		ug/L	100	20.96	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1114	5000	86%	7%	91
NAL13026-881MSD	316-182R	ORG	108-10-1	4-Methyl-2-pentanone	5800		ug/L	500	74.00	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1114	5000	90%	5%	1300
NAL13026-881MSD	316-182R	ORG	10061-02-6	trans-1,3-Dichloropropene	4500		ug/L	100	31.15	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1114	5000	90%	5%	0
NAL13026-881MSD	316-182R	ORG	127-18-4	Tetrachloroethene	4300		ug/L	100	48.56	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1114	5000	86%	7%	0
NAL13026-881MSD	316-182R	ORG	79-00-5	1,1,2-Trichloroethane	4700		ug/L	100	34.28	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1114	5000	94%	0%	0
NAL13026-881MSD	316-182R	ORG	124-48-1	Dibromochloromethane	4000		ug/L	500	29.90	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1114	5000	80%	3%	0
NAL13026-881MSD	316-182R	ORG	106-93-4	1,2-Dibromoethane	4300		ug/L	200	26.49	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1114	5000	86%	0%	0
NAL13026-881MSD	316-182R	ORG	591-78-6	2-Hexanone	11000		ug/L	200	68.90	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1114	5000	80%	0%	7000
NAL13026-881MSD	316-182R	ORG	100-41-4	Ethylbenzene	5300		ug/L	100	25.38	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1114	5000	99%	10%	360
NAL13026-881MSD	316-182R	ORG	108-90-7	Chlorobenzene	5000		ug/L	100	27.52	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1114	5000	100%	8%	0
NAL13026-881MSD	316-182R	ORG	630-20-6	1,1,1,2-Tetrachloroethane	4200		ug/L	200	19.28	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1114	5000	84%	7%	0
NAL13026-881MSD	316-182R	ORG	XYLMP	p&m-Xylene	11000		ug/L	200	26.14	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1114	10000	96%	12%	1400
NAL13026-881MSD	316-182R	ORG	95-47-6	o-Xylene	5700		ug/L	100	12.90	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1114	5000	94%	7%	990
NAL13026-881MSD	316-182R	ORG	100-42-5	Styrene	4800		ug/L	100	20.23	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1114	5000	88%	4%	420
NAL13026-881MSD	316-182R	ORG	75-25-2	Bromoform	4100		ug/L	200	46.83	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1114	5000	82%	0%	0
NAL13026-881MSD	316-182R	ORG	98-82-8	Isopropylbenzene	5500		ug/L	200	20.48	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1114	5000	93%	6%	850
NAL13026-881MSD	316-182R	ORG	103-65-1	n-Propylbenzene	5800		ug/L	200	27.00	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1114	5000	109%	5%	370

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-881MSD	316-182R	ORG	79-34-5	1,1,2,2-Tetrachloroethane	4600		ug/L	200	29.16	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1114	5000	92%	2%	0
NAL13026-881MSD	316-182R	ORG	96-18-4	1,2,3-Trichloropropane	4400		ug/L	200	29.47	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1114	5000	88%	0%	0
NAL13026-881MSD	316-182R	ORG	108-67-8	1,3,5-Trimethylbenzene	5500		ug/L	200	20.03	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1114	5000	91%	6%	950
NAL13026-881MSD	316-182R	ORG	98-06-6	tert-Butylbenzene	5000		ug/L	200	32.61	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1114	5000	100%	4%	0
NAL13026-881MSD	316-182R	ORG	95-63-6	1,2,4-Trimethylbenzene	8400		ug/L	200	20.03	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1114	5000	96%	5%	3600
NAL13026-881MSD	316-182R	ORG	135-98-8	sec-Butylbenzene	5800		ug/L	200	32.34	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1114	5000	116%	5%	0
NAL13026-881MSD	316-182R	ORG	541-73-1	1,3-Dichlorobenzene	4900		ug/L	200	22.21	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1114	5000	98%	2%	0
NAL13026-881MSD	316-182R	ORG	99-87-6	p-Isopropltoluene	19000		ug/L	200	25.48	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1114	5000	80%	0%	15000
NAL13026-881MSD	316-182R	ORG	106-46-7	1,4-Dichlorobenzene	7900		ug/L	200	33.03	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1114	5000	92%	3%	3300
NAL13026-881MSD	316-182R	ORG	95-50-1	1,2-Dichlorobenzene	5100		ug/L	200	26.38	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1114	5000	102%	2%	0
NAL13026-881MSD	316-182R	ORG	104-51-8	n-Butylbenzene	5500		ug/L	500	27.81	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1114	5000	110%	2%	0
NAL13026-881MSD	316-182R	ORG	96-12-8	1,2-Dibromo-3-chloropropane	5700		ug/L	500	159.11	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1114	5000	114%	8%	0
NAL13026-881MSD	316-182R	ORG	87-68-3	Hexachlorobutadiene	6500		ug/L	500	65.42	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1114	5000	130%	3%	0
NAL13026-881MSD	316-182R	ORG	120-82-1	1,2,4-Trichlorobenzene	6100		ug/L	500	27.63	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1114	5000	122%	3%	0
NAL13026-881MSD	316-182R	ORG	91-20-3	Naphthalene	9400		ug/L	500	56.04	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1114	5000	106%	5%	4100
NAL13026-881MSD	316-182R	ORG	87-61-6	1,2,3-Trichlorobenzene	6600		ug/L	500	23.28	12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1114	5000	132%	4%	0
NAL13026-881MSD	316-182R	STD	1868-53-7	Dibromofluoromethane	51		ng			12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1114	50	102%	0%	0
NAL13026-881MSD	316-182R	STD	17060-07-0	1,2-Dichloroethane d4	50		ng			12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1114	50	100%	2%	0
NAL13026-881MSD	316-182R	STD	2037-26-5	Toluene d8	45		ng			12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1114	50	90%	7%	0
NAL13026-881MSD	316-182R	STD	460-00-4	Bromofluorobenzene	58		ng			12/31/2013	12/31/2013	12/31/2013	WG	100	NA	5.0	NA	SW8260B	NALC1114	50	116%	5%	0

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-883	316-183	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1122				
NAL13026-883	316-183	ORG	74-87-3	Chloromethane		U	ug/L	500	43.07	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1122				
NAL13026-883	316-183	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1122				
NAL13026-883	316-183	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1122				
NAL13026-883	316-183	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1122				
NAL13026-883	316-183	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1122				
NAL13026-883	316-183	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1122				
NAL13026-883	316-183	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1122				
NAL13026-883	316-183	ORG	67-64-1	Acetone	120000	DX+	ug/L	10000	1556.07	1/1/2014	1/1/2014	1/1/2014	WG	1000	NA	5.0	NA	SW8260B	NALC1123				
NAL13026-883	316-183	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1122				
NAL13026-883	316-183	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1122				
NAL13026-883	316-183	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1122				
NAL13026-883	316-183	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1122				
NAL13026-883	316-183	ORG	74-97-5	Bromochloromethane		U	ug/L	200	41.37	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1122				
NAL13026-883	316-183	ORG	67-66-3	Chloroform		U	ug/L	100	15.73	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1122				
NAL13026-883	316-183	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	16.65	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1122				
NAL13026-883	316-183	ORG	78-93-3	2-Butanone	62000	D	ug/L	10000	811.80	1/1/2014	1/1/2014	1/1/2014	WG	1000	NA	5.0	NA	SW8260B	NALC1123				
NAL13026-883	316-183	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1122				
NAL13026-883	316-183	ORG	71-43-2	Benzene	230		ug/L	100	13.53	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1122				
NAL13026-883	316-183	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1122				
NAL13026-883	316-183	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1122				
NAL13026-883	316-183	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1122				
NAL13026-883	316-183	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1122				
NAL13026-883	316-183	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1122				
NAL13026-883	316-183	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1122				
NAL13026-883	316-183	ORG	108-88-3	Toluene	290		ug/L	100	20.96	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1122				
NAL13026-883	316-183	ORG	108-10-1	4-Methyl-2-pentanone	1400		ug/L	500	74.00	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1122				
NAL13026-883	316-183	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1122				
NAL13026-883	316-183	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1122				
NAL13026-883	316-183	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1122				
NAL13026-883	316-183	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	29.90	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1122				
NAL13026-883	316-183	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	26.49	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1122				
NAL13026-883	316-183	ORG	591-78-6	2-Hexanone	8300		ug/L	500	68.90	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1122				
NAL13026-883	316-183	ORG	100-41-4	Ethylbenzene	850		ug/L	100	25.38	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1122				
NAL13026-883	316-183	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1122				
NAL13026-883	316-183	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1122				
NAL13026-883	316-183	ORG	XYLMP	p&m-Xylene	2700		ug/L	200	26.14	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1122				
NAL13026-883	316-183	ORG	95-47-6	o-Xylene	1600		ug/L	100	12.90	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1122				
NAL13026-883	316-183	ORG	100-42-5	Styrene	480		ug/L	100	20.23	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1122				
NAL13026-883	316-183	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1122				
NAL13026-883	316-183	ORG	98-82-8	Isopropylbenzene	1200		ug/L	200	20.48	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1122				
NAL13026-883	316-183	ORG	103-65-1	n-Propylbenzene	670		ug/L	200	27.00	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1122				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-883	316-183	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1122				
NAL13026-883	316-183	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1122				
NAL13026-883	316-183	ORG	108-67-8	1,3,5-Trimethylbenzene	1400		ug/L	200	20.03	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1122				
NAL13026-883	316-183	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1122				
NAL13026-883	316-183	ORG	95-63-6	1,2,4-Trimethylbenzene	5600		ug/L	200	20.03	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1122				
NAL13026-883	316-183	ORG	135-98-8	sec-Butylbenzene	560		ug/L	200	32.34	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1122				
NAL13026-883	316-183	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1122				
NAL13026-883	316-183	ORG	99-87-6	p-Isopropltoluene	23000	D	ug/L	200	25.48	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1123				
NAL13026-883	316-183	ORG	106-46-7	1,4-Dichlorobenzene	5100		ug/L	200	33.03	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1122				
NAL13026-883	316-183	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1122				
NAL13026-883	316-183	ORG	104-51-8	n-Butylbenzene		U	ug/L	500	27.81	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1122				
NAL13026-883	316-183	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1122				
NAL13026-883	316-183	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1122				
NAL13026-883	316-183	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1122				
NAL13026-883	316-183	ORG	91-20-3	Naphthalene	4700		ug/L	500	56.04	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1122				
NAL13026-883	316-183	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1122				
NAL13026-883	316-183	STD	1868-53-7	Dibromofluoromethane	51		ng			1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1122	50	102%		
NAL13026-883	316-183	STD	17060-07-0	1,2-Dichloroethane d4	50		ng			1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1122	50	100%		
NAL13026-883	316-183	STD	2037-26-5	Toluene d8	44		ng			1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1122	50	88%		
NAL13026-883	316-183	STD	460-00-4	Bromofluorobenzene	56		ng			1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1122	50	112%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-884	316-183R	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1124				
NAL13026-884	316-183R	ORG	74-87-3	Chloromethane		U	ug/L	500	43.07	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1124				
NAL13026-884	316-183R	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1124				
NAL13026-884	316-183R	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1124				
NAL13026-884	316-183R	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1124				
NAL13026-884	316-183R	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1124				
NAL13026-884	316-183R	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1124				
NAL13026-884	316-183R	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1124				
NAL13026-884	316-183R	ORG	67-64-1	Acetone	110000	DX+	ug/L	10000	1556.07	1/1/2014	1/1/2014	1/1/2014	WG	1000	NA	5.0	NA	SW8260B	NALC1125				
NAL13026-884	316-183R	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1124				
NAL13026-884	316-183R	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1124				
NAL13026-884	316-183R	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1124				
NAL13026-884	316-183R	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1124				
NAL13026-884	316-183R	ORG	74-97-5	Bromochloromethane		U	ug/L	200	41.37	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1124				
NAL13026-884	316-183R	ORG	67-66-3	Chloroform		U	ug/L	100	15.73	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1124				
NAL13026-884	316-183R	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	16.65	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1124				
NAL13026-884	316-183R	ORG	78-93-3	2-Butanone	60000	D	ug/L	10000	811.80	1/1/2014	1/1/2014	1/1/2014	WG	1000	NA	5.0	NA	SW8260B	NALC1125				
NAL13026-884	316-183R	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1124				
NAL13026-884	316-183R	ORG	71-43-2	Benzene	180		ug/L	100	13.53	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1124				
NAL13026-884	316-183R	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1124				
NAL13026-884	316-183R	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1124				
NAL13026-884	316-183R	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1124				
NAL13026-884	316-183R	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1124				
NAL13026-884	316-183R	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1124				
NAL13026-884	316-183R	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1124				
NAL13026-884	316-183R	ORG	108-88-3	Toluene	240		ug/L	100	20.96	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1124				
NAL13026-884	316-183R	ORG	108-10-1	4-Methyl-2-pentanone	1500		ug/L	500	74.00	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1124				
NAL13026-884	316-183R	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1124				
NAL13026-884	316-183R	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1124				
NAL13026-884	316-183R	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1124				
NAL13026-884	316-183R	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	29.90	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1124				
NAL13026-884	316-183R	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	26.49	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1124				
NAL13026-884	316-183R	ORG	591-78-6	2-Hexanone	8700		ug/L	500	68.90	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1124				
NAL13026-884	316-183R	ORG	100-41-4	Ethylbenzene	740		ug/L	100	25.38	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1124				
NAL13026-884	316-183R	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1124				
NAL13026-884	316-183R	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1124				
NAL13026-884	316-183R	ORG	XYLMP	p&m-Xylene	2400		ug/L	200	26.14	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1124				
NAL13026-884	316-183R	ORG	95-47-6	o-Xylene	1500		ug/L	100	12.90	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1124				
NAL13026-884	316-183R	ORG	100-42-5	Styrene	470		ug/L	100	20.23	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1124				
NAL13026-884	316-183R	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1124				
NAL13026-884	316-183R	ORG	98-82-8	Isopropylbenzene	1100		ug/L	200	20.48	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1124				
NAL13026-884	316-183R	ORG	103-65-1	n-Propylbenzene	620		ug/L	200	27.00	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1124				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-884	316-183R	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1124				
NAL13026-884	316-183R	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1124				
NAL13026-884	316-183R	ORG	108-67-8	1,3,5-Trimethylbenzene	1300		ug/L	200	20.03	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1124				
NAL13026-884	316-183R	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1124				
NAL13026-884	316-183R	ORG	95-63-6	1,2,4-Trimethylbenzene	5200		ug/L	200	20.03	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1124				
NAL13026-884	316-183R	ORG	135-98-8	sec-Butylbenzene	570		ug/L	200	32.34	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1124				
NAL13026-884	316-183R	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1124				
NAL13026-884	316-183R	ORG	99-87-6	p-Isopropltoluene	21000	D	ug/L	200	25.48	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1125				
NAL13026-884	316-183R	ORG	106-46-7	1,4-Dichlorobenzene	4900		ug/L	200	33.03	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1124				
NAL13026-884	316-183R	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1124				
NAL13026-884	316-183R	ORG	104-51-8	n-Butylbenzene		U	ug/L	500	27.81	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1124				
NAL13026-884	316-183R	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1124				
NAL13026-884	316-183R	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1124				
NAL13026-884	316-183R	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1124				
NAL13026-884	316-183R	ORG	91-20-3	Naphthalene	4500		ug/L	500	56.04	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1124				
NAL13026-884	316-183R	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1124				
NAL13026-884	316-183R	STD	1868-53-7	Dibromofluoromethane	52		ng			1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1124	50	104%		
NAL13026-884	316-183R	STD	17060-07-0	1,2-Dichloroethane d4	50		ng			1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1124	50	100%		
NAL13026-884	316-183R	STD	2037-26-5	Toluene d8	44		ng			1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1124	50	88%		
NAL13026-884	316-183R	STD	460-00-4	Bromofluorobenzene	56		ng			1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1124	50	112%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-885	316-183RR	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1126				
NAL13026-885	316-183RR	ORG	74-87-3	Chloromethane		U	ug/L	500	43.07	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1126				
NAL13026-885	316-183RR	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1126				
NAL13026-885	316-183RR	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1126				
NAL13026-885	316-183RR	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1126				
NAL13026-885	316-183RR	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1126				
NAL13026-885	316-183RR	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1126				
NAL13026-885	316-183RR	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1126				
NAL13026-885	316-183RR	ORG	67-64-1	Acetone	110000	DX+	ug/L	10000	1556.07	1/1/2014	1/1/2014	1/1/2014	WG	1000	NA	5.0	NA	SW8260B	NALC1127				
NAL13026-885	316-183RR	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1126				
NAL13026-885	316-183RR	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1126				
NAL13026-885	316-183RR	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1126				
NAL13026-885	316-183RR	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1126				
NAL13026-885	316-183RR	ORG	74-97-5	Bromochloromethane		U	ug/L	200	41.37	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1126				
NAL13026-885	316-183RR	ORG	67-66-3	Chloroform		U	ug/L	100	15.73	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1126				
NAL13026-885	316-183RR	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	16.65	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1126				
NAL13026-885	316-183RR	ORG	78-93-3	2-Butanone	60000	D	ug/L	10000	811.80	1/1/2014	1/1/2014	1/1/2014	WG	1000	NA	5.0	NA	SW8260B	NALC1127				
NAL13026-885	316-183RR	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1126				
NAL13026-885	316-183RR	ORG	71-43-2	Benzene	120		ug/L	100	13.53	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1126				
NAL13026-885	316-183RR	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1126				
NAL13026-885	316-183RR	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1126				
NAL13026-885	316-183RR	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1126				
NAL13026-885	316-183RR	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1126				
NAL13026-885	316-183RR	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1126				
NAL13026-885	316-183RR	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1126				
NAL13026-885	316-183RR	ORG	108-88-3	Toluene	210		ug/L	100	20.96	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1126				
NAL13026-885	316-183RR	ORG	108-10-1	4-Methyl-2-pentanone	1500		ug/L	500	74.00	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1126				
NAL13026-885	316-183RR	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1126				
NAL13026-885	316-183RR	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1126				
NAL13026-885	316-183RR	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1126				
NAL13026-885	316-183RR	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	29.90	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1126				
NAL13026-885	316-183RR	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	26.49	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1126				
NAL13026-885	316-183RR	ORG	591-78-6	2-Hexanone	8800		ug/L	500	68.90	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1126				
NAL13026-885	316-183RR	ORG	100-41-4	Ethylbenzene	720		ug/L	100	25.38	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1126				
NAL13026-885	316-183RR	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1126				
NAL13026-885	316-183RR	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1126				
NAL13026-885	316-183RR	ORG	XYLMP	p&m-Xylene	2400		ug/L	200	26.14	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1126				
NAL13026-885	316-183RR	ORG	95-47-6	o-Xylene	1500		ug/L	100	12.90	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1126				
NAL13026-885	316-183RR	ORG	100-42-5	Styrene	470		ug/L	100	20.23	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1126				
NAL13026-885	316-183RR	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1126				
NAL13026-885	316-183RR	ORG	98-82-8	Isopropylbenzene	1100		ug/L	200	20.48	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1126				
NAL13026-885	316-183RR	ORG	103-65-1	n-Propylbenzene	620		ug/L	200	27.00	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1126				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-885	316-183RR	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1126				
NAL13026-885	316-183RR	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1126				
NAL13026-885	316-183RR	ORG	108-67-8	1,3,5-Trimethylbenzene	1400		ug/L	200	20.03	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1126				
NAL13026-885	316-183RR	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1126				
NAL13026-885	316-183RR	ORG	95-63-6	1,2,4-Trimethylbenzene	5400		ug/L	200	20.03	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1126				
NAL13026-885	316-183RR	ORG	135-98-8	sec-Butylbenzene	550		ug/L	200	32.34	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1126				
NAL13026-885	316-183RR	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1126				
NAL13026-885	316-183RR	ORG	99-87-6	p-Isopropltoluene	21000	D	ug/L	200	25.48	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1127				
NAL13026-885	316-183RR	ORG	106-46-7	1,4-Dichlorobenzene	5000		ug/L	200	33.03	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1126				
NAL13026-885	316-183RR	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1126				
NAL13026-885	316-183RR	ORG	104-51-8	n-Butylbenzene	800		ug/L	500	27.81	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1126				
NAL13026-885	316-183RR	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1126				
NAL13026-885	316-183RR	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1126				
NAL13026-885	316-183RR	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1126				
NAL13026-885	316-183RR	ORG	91-20-3	Naphthalene	4700		ug/L	500	56.04	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1126				
NAL13026-885	316-183RR	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1126				
NAL13026-885	316-183RR	STD	1868-53-7	Dibromofluoromethane	51		ng			1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1126	50	102%		
NAL13026-885	316-183RR	STD	17060-07-0	1,2-Dichloroethane d4	50		ng			1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1126	50	100%		
NAL13026-885	316-183RR	STD	2037-26-5	Toluene d8	45		ng			1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1126	50	90%		
NAL13026-885	316-183RR	STD	460-00-4	Bromofluorobenzene	57		ng			1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1126	50	114%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-886	316-183RRR	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1128				
NAL13026-886	316-183RRR	ORG	74-87-3	Chloromethane		U	ug/L	500	43.07	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1128				
NAL13026-886	316-183RRR	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1128				
NAL13026-886	316-183RRR	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1128				
NAL13026-886	316-183RRR	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1128				
NAL13026-886	316-183RRR	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1128				
NAL13026-886	316-183RRR	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1128				
NAL13026-886	316-183RRR	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1128				
NAL13026-886	316-183RRR	ORG	67-64-1	Acetone	100000	DX+	ug/L	10000	1556.07	1/1/2014	1/1/2014	1/1/2014	WG	1000	NA	5.0	NA	SW8260B	NALC1129				
NAL13026-886	316-183RRR	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1128				
NAL13026-886	316-183RRR	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1128				
NAL13026-886	316-183RRR	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1128				
NAL13026-886	316-183RRR	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1128				
NAL13026-886	316-183RRR	ORG	74-97-5	Bromochloromethane		U	ug/L	200	41.37	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1128				
NAL13026-886	316-183RRR	ORG	67-66-3	Chloroform		U	ug/L	100	15.73	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1128				
NAL13026-886	316-183RRR	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	16.65	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1128				
NAL13026-886	316-183RRR	ORG	78-93-3	2-Butanone	53000	D	ug/L	10000	811.80	1/1/2014	1/1/2014	1/1/2014	WG	1000	NA	5.0	NA	SW8260B	NALC1129				
NAL13026-886	316-183RRR	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1128				
NAL13026-886	316-183RRR	ORG	71-43-2	Benzene	100	J	ug/L	100	13.53	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1128				
NAL13026-886	316-183RRR	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1128				
NAL13026-886	316-183RRR	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1128				
NAL13026-886	316-183RRR	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1128				
NAL13026-886	316-183RRR	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1128				
NAL13026-886	316-183RRR	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1128				
NAL13026-886	316-183RRR	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1128				
NAL13026-886	316-183RRR	ORG	108-88-3	Toluene	170		ug/L	100	20.96	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1128				
NAL13026-886	316-183RRR	ORG	108-10-1	4-Methyl-2-pentanone	1600		ug/L	500	74.00	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1128				
NAL13026-886	316-183RRR	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1128				
NAL13026-886	316-183RRR	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1128				
NAL13026-886	316-183RRR	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1128				
NAL13026-886	316-183RRR	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	29.90	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1128				
NAL13026-886	316-183RRR	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	26.49	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1128				
NAL13026-886	316-183RRR	ORG	591-78-6	2-Hexanone	9000		ug/L	500	68.90	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1128				
NAL13026-886	316-183RRR	ORG	100-41-4	Ethylbenzene	630		ug/L	100	25.38	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1128				
NAL13026-886	316-183RRR	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1128				
NAL13026-886	316-183RRR	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1128				
NAL13026-886	316-183RRR	ORG	XYLMP	p&m-Xylene	2200		ug/L	200	26.14	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1128				
NAL13026-886	316-183RRR	ORG	95-47-6	o-Xylene	1400		ug/L	100	12.90	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1128				
NAL13026-886	316-183RRR	ORG	100-42-5	Styrene	460		ug/L	100	20.23	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1128				
NAL13026-886	316-183RRR	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1128				
NAL13026-886	316-183RRR	ORG	98-82-8	Isopropylbenzene	1100		ug/L	200	20.48	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1128				
NAL13026-886	316-183RRR	ORG	103-65-1	n-Propylbenzene	590		ug/L	200	27.00	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1128				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-886	316-183RRR	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1128				
NAL13026-886	316-183RRR	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1128				
NAL13026-886	316-183RRR	ORG	108-67-8	1,3,5-Trimethylbenzene	1300		ug/L	200	20.03	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1128				
NAL13026-886	316-183RRR	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1128				
NAL13026-886	316-183RRR	ORG	95-63-6	1,2,4-Trimethylbenzene	5200		ug/L	200	20.03	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1128				
NAL13026-886	316-183RRR	ORG	135-98-8	sec-Butylbenzene	540		ug/L	200	32.34	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1128				
NAL13026-886	316-183RRR	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1128				
NAL13026-886	316-183RRR	ORG	99-87-6	p-Isopropltoluene	21000	D	ug/L	200	25.48	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1129				
NAL13026-886	316-183RRR	ORG	106-46-7	1,4-Dichlorobenzene	4700		ug/L	200	33.03	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1128				
NAL13026-886	316-183RRR	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1128				
NAL13026-886	316-183RRR	ORG	104-51-8	n-Butylbenzene	800		ug/L	500	27.81	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1128				
NAL13026-886	316-183RRR	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1128				
NAL13026-886	316-183RRR	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1128				
NAL13026-886	316-183RRR	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1128				
NAL13026-886	316-183RRR	ORG	91-20-3	Naphthalene	4800		ug/L	500	56.04	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1128				
NAL13026-886	316-183RRR	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1128				
NAL13026-886	316-183RRR	STD	1868-53-7	Dibromofluoromethane	51		ng			1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1128	50	102%		
NAL13026-886	316-183RRR	STD	17060-07-0	1,2-Dichloroethane d4	51		ng			1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1128	50	102%		
NAL13026-886	316-183RRR	STD	2037-26-5	Toluene d8	44		ng			1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1128	50	88%		
NAL13026-886	316-183RRR	STD	460-00-4	Bromofluorobenzene	56		ng			1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1128	50	112%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-887	96-096	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1134				
NAL13026-887	96-096	ORG	74-87-3	Chloromethane		U	ug/L	500	43.07	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1134				
NAL13026-887	96-096	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1134				
NAL13026-887	96-096	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1134				
NAL13026-887	96-096	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1134				
NAL13026-887	96-096	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1134				
NAL13026-887	96-096	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1134				
NAL13026-887	96-096	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1134				
NAL13026-887	96-096	ORG	67-64-1	Acetone	130000	DX+	ug/L	10000	1556.07	1/1/2014	1/1/2014	1/1/2014	WG	1000	NA	5.0	NA	SW8260B	NALC1135				
NAL13026-887	96-096	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1134				
NAL13026-887	96-096	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1134				
NAL13026-887	96-096	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1134				
NAL13026-887	96-096	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1134				
NAL13026-887	96-096	ORG	74-97-5	Bromochloromethane		U	ug/L	200	41.37	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1134				
NAL13026-887	96-096	ORG	67-66-3	Chloroform		U	ug/L	100	15.73	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1134				
NAL13026-887	96-096	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	16.65	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1134				
NAL13026-887	96-096	ORG	78-93-3	2-Butanone	65000	D	ug/L	10000	811.80	1/1/2014	1/1/2014	1/1/2014	WG	1000	NA	5.0	NA	SW8260B	NALC1135				
NAL13026-887	96-096	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1134				
NAL13026-887	96-096	ORG	71-43-2	Benzene	17	J	ug/L	100	13.53	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1134				
NAL13026-887	96-096	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1134				
NAL13026-887	96-096	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1134				
NAL13026-887	96-096	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1134				
NAL13026-887	96-096	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1134				
NAL13026-887	96-096	ORG	75-27-4	Bromodichloromethane		U	ug/L	200	11.58	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1134				
NAL13026-887	96-096	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1134				
NAL13026-887	96-096	ORG	108-88-3	Toluene		U	ug/L	100	20.96	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1134				
NAL13026-887	96-096	ORG	108-10-1	4-Methyl-2-pentanone	780		ug/L	500	74.00	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1134				
NAL13026-887	96-096	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1134				
NAL13026-887	96-096	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1134				
NAL13026-887	96-096	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1134				
NAL13026-887	96-096	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	29.90	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1134				
NAL13026-887	96-096	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	26.49	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1134				
NAL13026-887	96-096	ORG	591-78-6	2-Hexanone	3100		ug/L	500	68.90	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1134				
NAL13026-887	96-096	ORG	100-41-4	Ethylbenzene	36	J	ug/L	100	25.38	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1134				
NAL13026-887	96-096	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1134				
NAL13026-887	96-096	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1134				
NAL13026-887	96-096	ORG	XYLMP	p&m-Xylene	630		ug/L	200	26.14	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1134				
NAL13026-887	96-096	ORG	95-47-6	o-Xylene	520		ug/L	100	12.90	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1134				
NAL13026-887	96-096	ORG	100-42-5	Styrene		U	ug/L	100	20.23	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1134				
NAL13026-887	96-096	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1134				
NAL13026-887	96-096	ORG	98-82-8	Isopropylbenzene	580		ug/L	200	20.48	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1134				
NAL13026-887	96-096	ORG	103-65-1	n-Propylbenzene	100	J	ug/L	200	27.00	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1134				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-887	96-096	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1134				
NAL13026-887	96-096	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1134				
NAL13026-887	96-096	ORG	108-67-8	1,3,5-Trimethylbenzene	500		ug/L	200	20.03	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1134				
NAL13026-887	96-096	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1134				
NAL13026-887	96-096	ORG	95-63-6	1,2,4-Trimethylbenzene	1300		ug/L	200	20.03	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1134				
NAL13026-887	96-096	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1134				
NAL13026-887	96-096	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1134				
NAL13026-887	96-096	ORG	99-87-6	p-Isopropltoluene	6300		ug/L	200	25.48	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1134				
NAL13026-887	96-096	ORG	106-46-7	1,4-Dichlorobenzene	1200		ug/L	200	33.03	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1134				
NAL13026-887	96-096	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1134				
NAL13026-887	96-096	ORG	104-51-8	n-Butylbenzene		U	ug/L	500	27.81	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1134				
NAL13026-887	96-096	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1134				
NAL13026-887	96-096	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1134				
NAL13026-887	96-096	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1134				
NAL13026-887	96-096	ORG	91-20-3	Naphthalene	3100		ug/L	500	56.04	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1134				
NAL13026-887	96-096	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1134				
NAL13026-887	96-096	STD	1868-53-7	Dibromofluoromethane	53		ng			1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1134	50	106%		
NAL13026-887	96-096	STD	17060-07-0	1,2-Dichloroethane d4	53		ng			1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1134	50	106%		
NAL13026-887	96-096	STD	2037-26-5	Toluene d8	43		ng			1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1134	50	86%		
NAL13026-887	96-096	STD	460-00-4	Bromofluorobenzene	53		ng			1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1134	50	106%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C010114CCVA	C010114CCVA	ORG	75-71-8	Dichlorodifluoromethane	54		ug/L	5	0.29	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1119	50	108%		
C010114CCVA	C010114CCVA	ORG	74-87-3	Chloromethane	54		ug/L	5	0.43	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1119	50	108%		
C010114CCVA	C010114CCVA	ORG	75-01-4	Vinyl chloride	59		ug/L	2	0.32	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1119	50	118%		
C010114CCVA	C010114CCVA	ORG	74-83-9	Bromomethane	51		ug/L	5	0.50	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1119	50	102%		
C010114CCVA	C010114CCVA	ORG	75-00-3	Chloroethane	41		ug/L	5	0.56	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1119	50	82%		
C010114CCVA	C010114CCVA	ORG	75-69-4	Trichlorofluoromethane	75		ug/L	5	0.20	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1119	50	150%		
C010114CCVA	C010114CCVA	ORG	75-35-4	1,1-Dichloroethene	50		ug/L	1	0.47	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1119	50	100%		
C010114CCVA	C010114CCVA	ORG	75-09-2	Methylene chloride	52		ug/L	5	0.26	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1119	50	104%		
C010114CCVA	C010114CCVA	ORG	67-64-1	Acetone	62		ug/L	10	1.56	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1119	50	124%		
C010114CCVA	C010114CCVA	ORG	156-60-5	trans-1,2-Dichloroethene	52		ug/L	1	0.56	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1119	50	104%		
C010114CCVA	C010114CCVA	ORG	1634-04-4	MTBE	48		ug/L	5	0.61	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1119	50	96%		
C010114CCVA	C010114CCVA	ORG	75-34-3	1,1-Dichloroethane	53		ug/L	1	0.53	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1119	50	106%		
C010114CCVA	C010114CCVA	ORG	156-59-2	cis-1,2-Dichloroethene	51		ug/L	1	0.32	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1119	50	102%		
C010114CCVA	C010114CCVA	ORG	74-97-5	Bromochloromethane	53		ug/L	10	0.41	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1119	50	106%		
C010114CCVA	C010114CCVA	ORG	67-66-3	Chloroform	50		ug/L	2	0.16	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1119	50	100%		
C010114CCVA	C010114CCVA	ORG	71-55-6	1,1,1-Trichloroethane	52		ug/L	1	0.17	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1119	50	104%		
C010114CCVA	C010114CCVA	ORG	78-93-3	2-Butanone	52		ug/L	1	0.81	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1119	50	104%		
C010114CCVA	C010114CCVA	ORG	56-23-5	Carbon tetrachloride	50		ug/L	1	0.28	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1119	50	100%		
C010114CCVA	C010114CCVA	ORG	71-43-2	Benzene	51		ug/L	1	0.14	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1119	50	102%		
C010114CCVA	C010114CCVA	ORG	107-06-2	1,2-Dichloroethane	49		ug/L	1	0.20	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1119	50	98%		
C010114CCVA	C010114CCVA	ORG	79-01-6	Trichloroethene	46		ug/L	1	0.36	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1119	50	92%		
C010114CCVA	C010114CCVA	ORG	74-95-3	Dibromomethane	41		ug/L	2	0.32	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1119	50	82%		
C010114CCVA	C010114CCVA	ORG	78-87-5	1,2-Dichloropropane	46		ug/L	1	0.18	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1119	50	92%		
C010114CCVA	C010114CCVA	ORG	75-27-4	Bromodichloromethane	40		ug/L	2	0.12	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1119	50	80%		
C010114CCVA	C010114CCVA	ORG	10061-01-5	cis-1,3-Dichloropropene	48		ug/L	1	0.25	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1119	50	96%		
C010114CCVA	C010114CCVA	ORG	108-88-3	Toluene	46		ug/L	1	0.21	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1119	50	92%		
C010114CCVA	C010114CCVA	ORG	108-10-1	4-Methyl-2-pentanone	41		ug/L	5	0.74	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1119	50	82%		
C010114CCVA	C010114CCVA	ORG	10061-02-6	trans-1,3-Dichloropropene	49		ug/L	1	0.31	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1119	50	98%		
C010114CCVA	C010114CCVA	ORG	127-18-4	Tetrachloroethene	45		ug/L	1	0.49	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1119	50	90%		
C010114CCVA	C010114CCVA	ORG	79-00-5	1,1,2-Trichloroethane	48		ug/L	1	0.34	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1119	50	96%		
C010114CCVA	C010114CCVA	ORG	124-48-1	Dibromochloromethane	43		ug/L	5	0.30	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1119	50	86%		
C010114CCVA	C010114CCVA	ORG	106-93-4	1,2-Dibromoethane	45		ug/L	2	0.26	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1119	50	90%		
C010114CCVA	C010114CCVA	ORG	591-78-6	2-Hexanone	45		ug/L	2	0.69	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1119	50	90%		
C010114CCVA	C010114CCVA	ORG	100-41-4	Ethylbenzene	49		ug/L	1	0.25	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1119	50	98%		
C010114CCVA	C010114CCVA	ORG	108-90-7	Chlorobenzene	50		ug/L	1	0.28	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1119	50	100%		
C010114CCVA	C010114CCVA	ORG	630-20-6	1,1,1,2-Tetrachloroethane	45		ug/L	2	0.19	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1119	50	90%		
C010114CCVA	C010114CCVA	ORG	XYLMP	p&m-Xylene	97		ug/L	2	0.26	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1119	100	97%		
C010114CCVA	C010114CCVA	ORG	95-47-6	o-Xylene	50		ug/L	1	0.13	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1119	50	100%		
C010114CCVA	C010114CCVA	ORG	100-42-5	Styrene	48		ug/L	1	0.20	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1119	50	96%		
C010114CCVA	C010114CCVA	ORG	75-25-2	Bromoform	43		ug/L	2	0.47	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1119	50	86%		
C010114CCVA	C010114CCVA	ORG	98-82-8	Isopropylbenzene	49		ug/L	2	0.20	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1119	50	98%		
C010114CCVA	C010114CCVA	ORG	103-65-1	n-Propylbenzene	54		ug/L	2	0.27	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1119	50	108%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C010114CCVA	C010114CCVA	ORG	79-34-5	1,1,2,2-Tetrachloroethane	47		ug/L	2	0.29	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1119	50	94%		
C010114CCVA	C010114CCVA	ORG	96-18-4	1,2,3-Trichloropropane	47		ug/L	2	0.29	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1119	50	94%		
C010114CCVA	C010114CCVA	ORG	108-67-8	1,3,5-Trimethylbenzene	48		ug/L	2	0.20	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1119	50	96%		
C010114CCVA	C010114CCVA	ORG	98-06-6	tert-Butylbenzene	50		ug/L	2	0.33	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1119	50	100%		
C010114CCVA	C010114CCVA	ORG	95-63-6	1,2,4-Trimethylbenzene	49		ug/L	2	0.20	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1119	50	98%		
C010114CCVA	C010114CCVA	ORG	135-98-8	sec-Butylbenzene	49		ug/L	2	0.32	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1119	50	98%		
C010114CCVA	C010114CCVA	ORG	541-73-1	1,3-Dichlorobenzene	50		ug/L	2	0.22	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1119	50	100%		
C010114CCVA	C010114CCVA	ORG	99-87-6	p-Isopropltoluene	49		ug/L	2	0.25	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1119	50	98%		
C010114CCVA	C010114CCVA	ORG	106-46-7	1,4-Dichlorobenzene	47		ug/L	2	0.33	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1119	50	94%		
C010114CCVA	C010114CCVA	ORG	95-50-1	1,2-Dichlorobenzene	50		ug/L	2	0.26	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1119	50	100%		
C010114CCVA	C010114CCVA	ORG	104-51-8	n-Butylbenzene	51		ug/L	5	0.28	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1119	50	102%		
C010114CCVA	C010114CCVA	ORG	96-12-8	1,2-Dibromo-3-chloropropane	52		ug/L	5	1.59	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1119	50	104%		
C010114CCVA	C010114CCVA	ORG	87-68-3	Hexachlorobutadiene	62		ug/L	5	0.65	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1119	50	124%		
C010114CCVA	C010114CCVA	ORG	120-82-1	1,2,4-Trichlorobenzene	58		ug/L	5	0.28	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1119	50	116%		
C010114CCVA	C010114CCVA	ORG	91-20-3	Naphthalene	55		ug/L	5	0.56	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1119	50	110%		
C010114CCVA	C010114CCVA	ORG	87-61-6	1,2,3-Trichlorobenzene	61		ug/L	5	0.23	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1119	50	122%		
C010114CCVA	C010114CCVA	STD	1868-53-7	Dibromofluoromethane	52		ng			NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1119	50	104%		
C010114CCVA	C010114CCVA	STD	17060-07-0	1,2-Dichloroethane d4	51		ng			NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1119	50	102%		
C010114CCVA	C010114CCVA	STD	2037-26-5	Toluene d8	45		ng			NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1119	50	90%		
C010114CCVA	C010114CCVA	STD	460-00-4	Bromofluorobenzene	53		ng			NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1119	50	106%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C010114MBKA	C010114MBKA	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	5	0.29	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1121				
C010114MBKA	C010114MBKA	ORG	74-87-3	Chloromethane		U	ug/L	5	0.43	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1121				
C010114MBKA	C010114MBKA	ORG	75-01-4	Vinyl chloride		U	ug/L	2	0.32	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1121				
C010114MBKA	C010114MBKA	ORG	74-83-9	Bromomethane		U	ug/L	5	0.50	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1121				
C010114MBKA	C010114MBKA	ORG	75-00-3	Chloroethane		U	ug/L	5	0.56	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1121				
C010114MBKA	C010114MBKA	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	5	0.20	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1121				
C010114MBKA	C010114MBKA	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	1	0.47	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1121				
C010114MBKA	C010114MBKA	ORG	75-09-2	Methylene chloride		U	ug/L	5	0.26	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1121				
C010114MBKA	C010114MBKA	ORG	67-64-1	Acetone		U	ug/L	10	1.56	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1121				
C010114MBKA	C010114MBKA	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	1	0.56	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1121				
C010114MBKA	C010114MBKA	ORG	1634-04-4	MTBE		U	ug/L	5	0.61	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1121				
C010114MBKA	C010114MBKA	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	1	0.53	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1121				
C010114MBKA	C010114MBKA	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	1	0.32	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1121				
C010114MBKA	C010114MBKA	ORG	74-97-5	Bromochloromethane		U	ug/L	10	0.41	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1121				
C010114MBKA	C010114MBKA	ORG	67-66-3	Chloroform		U	ug/L	2	0.16	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1121				
C010114MBKA	C010114MBKA	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	1	0.17	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1121				
C010114MBKA	C010114MBKA	ORG	78-93-3	2-Butanone		U	ug/L	1	0.81	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1121				
C010114MBKA	C010114MBKA	ORG	56-23-5	Carbon tetrachloride		U	ug/L	1	0.28	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1121				
C010114MBKA	C010114MBKA	ORG	71-43-2	Benzene		U	ug/L	1	0.14	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1121				
C010114MBKA	C010114MBKA	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	1	0.20	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1121				
C010114MBKA	C010114MBKA	ORG	79-01-6	Trichloroethene		U	ug/L	1	0.36	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1121				
C010114MBKA	C010114MBKA	ORG	74-95-3	Dibromomethane		U	ug/L	2	0.32	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1121				
C010114MBKA	C010114MBKA	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	1	0.18	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1121				
C010114MBKA	C010114MBKA	ORG	75-27-4	Bromodichloromethane		U	ug/L	2	0.12	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1121				
C010114MBKA	C010114MBKA	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	1	0.25	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1121				
C010114MBKA	C010114MBKA	ORG	108-88-3	Toluene		U	ug/L	1	0.21	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1121				
C010114MBKA	C010114MBKA	ORG	108-10-1	4-Methyl-2-pentanone		U	ug/L	5	0.74	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1121				
C010114MBKA	C010114MBKA	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	1	0.31	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1121				
C010114MBKA	C010114MBKA	ORG	127-18-4	Tetrachloroethene		U	ug/L	1	0.49	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1121				
C010114MBKA	C010114MBKA	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	1	0.34	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1121				
C010114MBKA	C010114MBKA	ORG	124-48-1	Dibromochloromethane		U	ug/L	5	0.30	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1121				
C010114MBKA	C010114MBKA	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	2	0.26	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1121				
C010114MBKA	C010114MBKA	ORG	591-78-6	2-Hexanone		U	ug/L	2	0.69	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1121				
C010114MBKA	C010114MBKA	ORG	100-41-4	Ethylbenzene		U	ug/L	1	0.25	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1121				
C010114MBKA	C010114MBKA	ORG	108-90-7	Chlorobenzene		U	ug/L	1	0.28	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1121				
C010114MBKA	C010114MBKA	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	2	0.19	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1121				
C010114MBKA	C010114MBKA	ORG	XYLMP	p&m-Xylene		U	ug/L	2	0.26	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1121				
C010114MBKA	C010114MBKA	ORG	95-47-6	o-Xylene		U	ug/L	1	0.13	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1121				
C010114MBKA	C010114MBKA	ORG	100-42-5	Styrene		U	ug/L	1	0.20	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1121				
C010114MBKA	C010114MBKA	ORG	75-25-2	Bromoform		U	ug/L	2	0.47	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1121				
C010114MBKA	C010114MBKA	ORG	98-82-8	Isopropylbenzene		U	ug/L	2	0.20	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1121				
C010114MBKA	C010114MBKA	ORG	103-65-1	n-Propylbenzene		U	ug/L	2	0.27	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1121				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C010114MBKA	C010114MBKA	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	2	0.29	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1121				
C010114MBKA	C010114MBKA	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	2	0.29	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1121				
C010114MBKA	C010114MBKA	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	2	0.20	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1121				
C010114MBKA	C010114MBKA	ORG	98-06-6	tert-Butylbenzene		U	ug/L	2	0.33	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1121				
C010114MBKA	C010114MBKA	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	2	0.20	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1121				
C010114MBKA	C010114MBKA	ORG	135-98-8	sec-Butylbenzene		U	ug/L	2	0.32	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1121				
C010114MBKA	C010114MBKA	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	2	0.22	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1121				
C010114MBKA	C010114MBKA	ORG	99-87-6	p-Isopropltoluene		U	ug/L	2	0.25	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1121				
C010114MBKA	C010114MBKA	ORG	106-46-7	1,4-Dichlorobenzene		U	ug/L	2	0.33	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1121				
C010114MBKA	C010114MBKA	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	2	0.26	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1121				
C010114MBKA	C010114MBKA	ORG	104-51-8	n-Butylbenzene		U	ug/L	5	0.28	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1121				
C010114MBKA	C010114MBKA	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	5	1.59	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1121				
C010114MBKA	C010114MBKA	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	5	0.65	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1121				
C010114MBKA	C010114MBKA	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	5	0.28	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1121				
C010114MBKA	C010114MBKA	ORG	91-20-3	Naphthalene		U	ug/L	5	0.56	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1121				
C010114MBKA	C010114MBKA	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	5	0.23	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1121				
C010114MBKA	C010114MBKA	STD	1868-53-7	Dibromofluoromethane	50		ng			NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1121	50	100%		
C010114MBKA	C010114MBKA	STD	17060-07-0	1,2-Dichloroethane d4	51		ng			NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1121	50	102%		
C010114MBKA	C010114MBKA	STD	2037-26-5	Toluene d8	56		ng			NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1121	50	112%		
C010114MBKA	C010114MBKA	STD	460-00-4	Bromofluorobenzene	58		ng			NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1121	50	116%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C010114ALCS	C010114ALCS	ORG	75-71-8	Dichlorodifluoromethane	60		ug/L	5	0.29	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1120	50	120%		
C010114ALCS	C010114ALCS	ORG	74-87-3	Chloromethane	60		ug/L	5	0.43	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1120	50	120%		
C010114ALCS	C010114ALCS	ORG	75-01-4	Vinyl chloride	65		ug/L	2	0.32	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1120	50	130%		
C010114ALCS	C010114ALCS	ORG	74-83-9	Bromomethane	52		ug/L	5	0.50	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1120	50	104%		
C010114ALCS	C010114ALCS	ORG	75-00-3	Chloroethane	35		ug/L	5	0.56	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1120	50	70%		
C010114ALCS	C010114ALCS	ORG	75-69-4	Trichlorofluoromethane	59		ug/L	5	0.20	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1120	50	118%		
C010114ALCS	C010114ALCS	ORG	75-35-4	1,1-Dichloroethene	57		ug/L	1	0.47	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1120	50	114%		
C010114ALCS	C010114ALCS	ORG	75-09-2	Methylene chloride	58		ug/L	5	0.26	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1120	50	116%		
C010114ALCS	C010114ALCS	ORG	67-64-1	Acetone	67		ug/L	10	1.56	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1120	50	134%		
C010114ALCS	C010114ALCS	ORG	156-60-5	trans-1,2-Dichloroethene	57		ug/L	1	0.56	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1120	50	114%		
C010114ALCS	C010114ALCS	ORG	1634-04-4	MTBE	58		ug/L	5	0.61	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1120	50	116%		
C010114ALCS	C010114ALCS	ORG	75-34-3	1,1-Dichloroethane	57		ug/L	1	0.53	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1120	50	114%		
C010114ALCS	C010114ALCS	ORG	156-59-2	cis-1,2-Dichloroethene	54		ug/L	1	0.32	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1120	50	108%		
C010114ALCS	C010114ALCS	ORG	74-97-5	Bromochloromethane	54		ug/L	10	0.41	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1120	50	108%		
C010114ALCS	C010114ALCS	ORG	67-66-3	Chloroform	51		ug/L	2	0.16	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1120	50	102%		
C010114ALCS	C010114ALCS	ORG	71-55-6	1,1,1-Trichloroethane	52		ug/L	1	0.17	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1120	50	104%		
C010114ALCS	C010114ALCS	ORG	78-93-3	2-Butanone	58		ug/L	1	0.81	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1120	50	116%		
C010114ALCS	C010114ALCS	ORG	56-23-5	Carbon tetrachloride	50		ug/L	1	0.28	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1120	50	100%		
C010114ALCS	C010114ALCS	ORG	71-43-2	Benzene	50		ug/L	1	0.14	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1120	50	100%		
C010114ALCS	C010114ALCS	ORG	107-06-2	1,2-Dichloroethane	48		ug/L	1	0.20	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1120	50	96%		
C010114ALCS	C010114ALCS	ORG	79-01-6	Trichloroethene	48		ug/L	1	0.36	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1120	50	96%		
C010114ALCS	C010114ALCS	ORG	74-95-3	Dibromomethane	40		ug/L	2	0.32	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1120	50	80%		
C010114ALCS	C010114ALCS	ORG	78-87-5	1,2-Dichloropropane	43		ug/L	1	0.18	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1120	50	86%		
C010114ALCS	C010114ALCS	ORG	75-27-4	Bromodichloromethane	45		ug/L	2	0.12	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1120	50	90%		
C010114ALCS	C010114ALCS	ORG	10061-01-5	cis-1,3-Dichloropropene	51		ug/L	1	0.25	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1120	50	102%		
C010114ALCS	C010114ALCS	ORG	108-88-3	Toluene	50		ug/L	1	0.21	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1120	50	100%		
C010114ALCS	C010114ALCS	ORG	108-10-1	4-Methyl-2-pentanone	44		ug/L	5	0.74	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1120	50	88%		
C010114ALCS	C010114ALCS	ORG	10061-02-6	trans-1,3-Dichloropropene	53		ug/L	1	0.31	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1120	50	106%		
C010114ALCS	C010114ALCS	ORG	127-18-4	Tetrachloroethene	51		ug/L	1	0.49	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1120	50	102%		
C010114ALCS	C010114ALCS	ORG	79-00-5	1,1,2-Trichloroethane	51		ug/L	1	0.34	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1120	50	102%		
C010114ALCS	C010114ALCS	ORG	124-48-1	Dibromochloromethane	46		ug/L	5	0.30	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1120	50	92%		
C010114ALCS	C010114ALCS	ORG	106-93-4	1,2-Dibromoethane	47		ug/L	2	0.26	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1120	50	94%		
C010114ALCS	C010114ALCS	ORG	591-78-6	2-Hexanone	46		ug/L	2	0.69	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1120	50	92%		
C010114ALCS	C010114ALCS	ORG	100-41-4	Ethylbenzene	50		ug/L	1	0.25	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1120	50	100%		
C010114ALCS	C010114ALCS	ORG	108-90-7	Chlorobenzene	51		ug/L	1	0.28	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1120	50	102%		
C010114ALCS	C010114ALCS	ORG	630-20-6	1,1,1,2-Tetrachloroethane	46		ug/L	2	0.19	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1120	50	92%		
C010114ALCS	C010114ALCS	ORG	XYLMP	p&m-Xylene	98		ug/L	2	0.26	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1120	100	98%		
C010114ALCS	C010114ALCS	ORG	95-47-6	o-Xylene	46		ug/L	1	0.13	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1120	50	92%		
C010114ALCS	C010114ALCS	ORG	100-42-5	Styrene	48		ug/L	1	0.20	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1120	50	96%		
C010114ALCS	C010114ALCS	ORG	75-25-2	Bromoform	45		ug/L	2	0.47	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1120	50	90%		
C010114ALCS	C010114ALCS	ORG	98-82-8	Isopropylbenzene	48		ug/L	2	0.20	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1120	50	96%		
C010114ALCS	C010114ALCS	ORG	103-65-1	n-Propylbenzene	54		ug/L	2	0.27	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1120	50	108%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C010114ALCS	C010114ALCS	ORG	79-34-5	1,1,2,2-Tetrachloroethane	48		ug/L	2	0.29	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1120	50	96%		
C010114ALCS	C010114ALCS	ORG	96-18-4	1,2,3-Trichloropropane	48		ug/L	2	0.29	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1120	50	96%		
C010114ALCS	C010114ALCS	ORG	108-67-8	1,3,5-Trimethylbenzene	49		ug/L	2	0.20	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1120	50	98%		
C010114ALCS	C010114ALCS	ORG	98-06-6	tert-Butylbenzene	48		ug/L	2	0.33	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1120	50	96%		
C010114ALCS	C010114ALCS	ORG	95-63-6	1,2,4-Trimethylbenzene	49		ug/L	2	0.20	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1120	50	98%		
C010114ALCS	C010114ALCS	ORG	135-98-8	sec-Butylbenzene	48		ug/L	2	0.32	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1120	50	96%		
C010114ALCS	C010114ALCS	ORG	541-73-1	1,3-Dichlorobenzene	50		ug/L	2	0.22	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1120	50	100%		
C010114ALCS	C010114ALCS	ORG	99-87-6	p-Isopropltoluene	48		ug/L	2	0.25	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1120	50	96%		
C010114ALCS	C010114ALCS	ORG	106-46-7	1,4-Dichlorobenzene	47		ug/L	2	0.33	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1120	50	94%		
C010114ALCS	C010114ALCS	ORG	95-50-1	1,2-Dichlorobenzene	50		ug/L	2	0.26	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1120	50	100%		
C010114ALCS	C010114ALCS	ORG	104-51-8	n-Butylbenzene	49		ug/L	5	0.28	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1120	50	98%		
C010114ALCS	C010114ALCS	ORG	96-12-8	1,2-Dibromo-3-chloropropane	46		ug/L	5	1.59	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1120	50	92%		
C010114ALCS	C010114ALCS	ORG	87-68-3	Hexachlorobutadiene	58		ug/L	5	0.65	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1120	50	116%		
C010114ALCS	C010114ALCS	ORG	120-82-1	1,2,4-Trichlorobenzene	53		ug/L	5	0.28	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1120	50	106%		
C010114ALCS	C010114ALCS	ORG	91-20-3	Naphthalene	50		ug/L	5	0.56	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1120	50	100%		
C010114ALCS	C010114ALCS	ORG	87-61-6	1,2,3-Trichlorobenzene	57		ug/L	5	0.23	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1120	50	114%		
C010114ALCS	C010114ALCS	STD	1868-53-7	Dibromofluoromethane	51		ng			NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1120	50	102%		
C010114ALCS	C010114ALCS	STD	17060-07-0	1,2-Dichloroethane d4	50		ng			NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1120	50	100%		
C010114ALCS	C010114ALCS	STD	2037-26-5	Toluene d8	49		ng			NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1120	50	98%		
C010114ALCS	C010114ALCS	STD	460-00-4	Bromofluorobenzene	48		ng			NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1120	50	96%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C010114ALCD	C010114ALCD	ORG	75-71-8	Dichlorodifluoromethane	55		ug/L	5	0.29	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1130	50	110%	9%	
C010114ALCD	C010114ALCD	ORG	74-87-3	Chloromethane	57		ug/L	5	0.43	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1130	50	114%	5%	
C010114ALCD	C010114ALCD	ORG	75-01-4	Vinyl chloride	60		ug/L	2	0.32	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1130	50	120%	8%	
C010114ALCD	C010114ALCD	ORG	74-83-9	Bromomethane	46		ug/L	5	0.50	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1130	50	92%	12%	
C010114ALCD	C010114ALCD	ORG	75-00-3	Chloroethane	32		ug/L	5	0.56	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1130	50	64%	9%	
C010114ALCD	C010114ALCD	ORG	75-69-4	Trichlorofluoromethane	58		ug/L	5	0.20	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1130	50	116%	2%	
C010114ALCD	C010114ALCD	ORG	75-35-4	1,1-Dichloroethene	54		ug/L	1	0.47	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1130	50	108%	5%	
C010114ALCD	C010114ALCD	ORG	75-09-2	Methylene chloride	55		ug/L	5	0.26	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1130	50	110%	5%	
C010114ALCD	C010114ALCD	ORG	67-64-1	Acetone	65		ug/L	10	1.56	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1130	50	130%	3%	
C010114ALCD	C010114ALCD	ORG	156-60-5	trans-1,2-Dichloroethene	56		ug/L	1	0.56	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1130	50	112%	2%	
C010114ALCD	C010114ALCD	ORG	1634-04-4	MTBE	55		ug/L	5	0.61	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1130	50	110%	5%	
C010114ALCD	C010114ALCD	ORG	75-34-3	1,1-Dichloroethane	57		ug/L	1	0.53	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1130	50	114%	0%	
C010114ALCD	C010114ALCD	ORG	156-59-2	cis-1,2-Dichloroethene	54		ug/L	1	0.32	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1130	50	108%	0%	
C010114ALCD	C010114ALCD	ORG	74-97-5	Bromochloromethane	54		ug/L	10	0.41	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1130	50	108%	0%	
C010114ALCD	C010114ALCD	ORG	67-66-3	Chloroform	52		ug/L	2	0.16	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1130	50	104%	2%	
C010114ALCD	C010114ALCD	ORG	71-55-6	1,1,1-Trichloroethane	54		ug/L	1	0.17	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1130	50	108%	4%	
C010114ALCD	C010114ALCD	ORG	78-93-3	2-Butanone	56		ug/L	1	0.81	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1130	50	112%	4%	
C010114ALCD	C010114ALCD	ORG	56-23-5	Carbon tetrachloride	52		ug/L	1	0.28	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1130	50	104%	4%	
C010114ALCD	C010114ALCD	ORG	71-43-2	Benzene	51		ug/L	1	0.14	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1130	50	102%	2%	
C010114ALCD	C010114ALCD	ORG	107-06-2	1,2-Dichloroethane	50		ug/L	1	0.20	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1130	50	100%	4%	
C010114ALCD	C010114ALCD	ORG	79-01-6	Trichloroethene	50		ug/L	1	0.36	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1130	50	100%	4%	
C010114ALCD	C010114ALCD	ORG	74-95-3	Dibromomethane	39		ug/L	2	0.32	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1130	50	78%	3%	
C010114ALCD	C010114ALCD	ORG	78-87-5	1,2-Dichloropropane	43		ug/L	1	0.18	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1130	50	86%	0%	
C010114ALCD	C010114ALCD	ORG	75-27-4	Bromodichloromethane	44		ug/L	2	0.12	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1130	50	88%	2%	
C010114ALCD	C010114ALCD	ORG	10061-01-5	cis-1,3-Dichloropropene	48		ug/L	1	0.25	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1130	50	96%	6%	
C010114ALCD	C010114ALCD	ORG	108-88-3	Toluene	50		ug/L	1	0.21	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1130	50	100%	0%	
C010114ALCD	C010114ALCD	ORG	108-10-1	4-Methyl-2-pentanone	42		ug/L	5	0.74	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1130	50	84%	5%	
C010114ALCD	C010114ALCD	ORG	10061-02-6	trans-1,3-Dichloropropene	53		ug/L	1	0.31	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1130	50	106%	0%	
C010114ALCD	C010114ALCD	ORG	127-18-4	Tetrachloroethene	54		ug/L	1	0.49	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1130	50	108%	6%	
C010114ALCD	C010114ALCD	ORG	79-00-5	1,1,2-Trichloroethane	50		ug/L	1	0.34	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1130	50	100%	2%	
C010114ALCD	C010114ALCD	ORG	124-48-1	Dibromochloromethane	45		ug/L	5	0.30	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1130	50	90%	2%	
C010114ALCD	C010114ALCD	ORG	106-93-4	1,2-Dibromoethane	46		ug/L	2	0.26	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1130	50	92%	2%	
C010114ALCD	C010114ALCD	ORG	591-78-6	2-Hexanone	41		ug/L	2	0.69	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1130	50	82%	11%	
C010114ALCD	C010114ALCD	ORG	100-41-4	Ethylbenzene	52		ug/L	1	0.25	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1130	50	104%	4%	
C010114ALCD	C010114ALCD	ORG	108-90-7	Chlorobenzene	52		ug/L	1	0.28	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1130	50	104%	2%	
C010114ALCD	C010114ALCD	ORG	630-20-6	1,1,1,2-Tetrachloroethane	47		ug/L	2	0.19	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1130	50	94%	2%	
C010114ALCD	C010114ALCD	ORG	XYLMP	p&m-Xylene	101		ug/L	2	0.26	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1130	100	101%	3%	
C010114ALCD	C010114ALCD	ORG	95-47-6	o-Xylene	47		ug/L	1	0.13	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1130	50	94%	2%	
C010114ALCD	C010114ALCD	ORG	100-42-5	Styrene	49		ug/L	1	0.20	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1130	50	98%	2%	
C010114ALCD	C010114ALCD	ORG	75-25-2	Bromoform	46		ug/L	2	0.47	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1130	50	92%	2%	
C010114ALCD	C010114ALCD	ORG	98-82-8	Isopropylbenzene	49		ug/L	2	0.20	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1130	50	98%	2%	
C010114ALCD	C010114ALCD	ORG	103-65-1	n-Propylbenzene	56		ug/L	2	0.27	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1130	50	112%	4%	

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C010114ALCD	C010114ALCD	ORG	79-34-5	1,1,2,2-Tetrachloroethane	49		ug/L	2	0.29	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1130	50	98%	2%	
C010114ALCD	C010114ALCD	ORG	96-18-4	1,2,3-Trichloropropane	51		ug/L	2	0.29	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1130	50	102%	6%	
C010114ALCD	C010114ALCD	ORG	108-67-8	1,3,5-Trimethylbenzene	49		ug/L	2	0.20	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1130	50	98%	0%	
C010114ALCD	C010114ALCD	ORG	98-06-6	tert-Butylbenzene	47		ug/L	2	0.33	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1130	50	94%	2%	
C010114ALCD	C010114ALCD	ORG	95-63-6	1,2,4-Trimethylbenzene	49		ug/L	2	0.20	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1130	50	98%	0%	
C010114ALCD	C010114ALCD	ORG	135-98-8	sec-Butylbenzene	50		ug/L	2	0.32	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1130	50	100%	4%	
C010114ALCD	C010114ALCD	ORG	541-73-1	1,3-Dichlorobenzene	51		ug/L	2	0.22	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1130	50	102%	2%	
C010114ALCD	C010114ALCD	ORG	99-87-6	p-Isopropltoluene	48		ug/L	2	0.25	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1130	50	96%	0%	
C010114ALCD	C010114ALCD	ORG	106-46-7	1,4-Dichlorobenzene	48		ug/L	2	0.33	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1130	50	96%	2%	
C010114ALCD	C010114ALCD	ORG	95-50-1	1,2-Dichlorobenzene	49		ug/L	2	0.26	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1130	50	98%	2%	
C010114ALCD	C010114ALCD	ORG	104-51-8	n-Butylbenzene	49		ug/L	5	0.28	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1130	50	98%	0%	
C010114ALCD	C010114ALCD	ORG	96-12-8	1,2-Dibromo-3-chloropropane	45		ug/L	5	1.59	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1130	50	90%	2%	
C010114ALCD	C010114ALCD	ORG	87-68-3	Hexachlorobutadiene	53		ug/L	5	0.65	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1130	50	106%	9%	
C010114ALCD	C010114ALCD	ORG	120-82-1	1,2,4-Trichlorobenzene	50		ug/L	5	0.28	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1130	50	100%	6%	
C010114ALCD	C010114ALCD	ORG	91-20-3	Naphthalene	46		ug/L	5	0.56	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1130	50	92%	8%	
C010114ALCD	C010114ALCD	ORG	87-61-6	1,2,3-Trichlorobenzene	54		ug/L	5	0.23	NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1130	50	108%	5%	
C010114ALCD	C010114ALCD	STD	1868-53-7	Dibromofluoromethane	52		ng			NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1130	50	104%	2%	
C010114ALCD	C010114ALCD	STD	17060-07-0	1,2-Dichloroethane d4	51		ng			NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1130	50	102%	2%	
C010114ALCD	C010114ALCD	STD	2037-26-5	Toluene d8	49		ng			NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1130	50	98%	0%	
C010114ALCD	C010114ALCD	STD	460-00-4	Bromofluorobenzene	49		ng			NA	1/1/2014	1/1/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1130	50	98%	2%	

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-886MS	316-883RRR	ORG	75-71-8	Dichlorodifluoromethane	5000		ug/L	500	29.28	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1131	5000	100%		
NAL13026-886MS	316-883RRR	ORG	74-87-3	Chloromethane	5000		ug/L	500	43.07	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1131	5000	100%		
NAL13026-886MS	316-883RRR	ORG	75-01-4	Vinyl chloride	5400		ug/L	200	31.86	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1131	5000	108%		
NAL13026-886MS	316-883RRR	ORG	74-83-9	Bromomethane	4700		ug/L	500	50.04	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1131	5000	94%		
NAL13026-886MS	316-883RRR	ORG	75-00-3	Chloroethane	3500		ug/L	500	55.61	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1131	5000	70%		
NAL13026-886MS	316-883RRR	ORG	75-69-4	Trichlorofluoromethane	5600		ug/L	500	19.65	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1131	5000	112%		
NAL13026-886MS	316-883RRR	ORG	75-35-4	1,1-Dichloroethene	5000		ug/L	100	47.11	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1131	5000	100%		
NAL13026-886MS	316-883RRR	ORG	75-09-2	Methylene chloride	5100		ug/L	500	26.46	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1131	5000	102%		
NAL13026-886MS	316-883RRR	ORG	67-64-1	Acetone	110000		ug/L	1000	155.61	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1131	5000	200%		100000
NAL13026-886MS	316-883RRR	ORG	156-60-5	trans-1,2-Dichloroethene	5200		ug/L	100	55.61	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1131	5000	104%		
NAL13026-886MS	316-883RRR	ORG	1634-04-4	MTBE	5000		ug/L	500	61.18	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1131	5000	100%		
NAL13026-886MS	316-883RRR	ORG	75-34-3	1,1-Dichloroethane	5200		ug/L	100	52.66	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1131	5000	104%		
NAL13026-886MS	316-883RRR	ORG	156-59-2	cis-1,2-Dichloroethene	5100		ug/L	100	32.11	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1131	5000	102%		
NAL13026-886MS	316-883RRR	ORG	74-97-5	Bromochloromethane	5200		ug/L	1000	41.37	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1131	5000	104%		
NAL13026-886MS	316-883RRR	ORG	67-66-3	Chloroform	4900		ug/L	200	15.73	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1131	5000	98%		
NAL13026-886MS	316-883RRR	ORG	71-55-6	1,1,1-Trichloroethane	5100		ug/L	100	16.65	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1131	5000	102%		
NAL13026-886MS	316-883RRR	ORG	78-93-3	2-Butanone	61000		ug/L	100	81.18	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1131	5000	160%		53000
NAL13026-886MS	316-883RRR	ORG	56-23-5	Carbon tetrachloride	4800		ug/L	100	27.64	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1131	5000	96%		
NAL13026-886MS	316-883RRR	ORG	71-43-2	Benzene	5000		ug/L	100	13.53	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1131	5000	98%		100
NAL13026-886MS	316-883RRR	ORG	107-06-2	1,2-Dichloroethane	4800		ug/L	100	20.01	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1131	5000	96%		
NAL13026-886MS	316-883RRR	ORG	79-01-6	Trichloroethene	4800		ug/L	100	36.33	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1131	5000	96%		
NAL13026-886MS	316-883RRR	ORG	74-95-3	Dibromomethane	4600		ug/L	200	32.20	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1131	5000	92%		
NAL13026-886MS	316-883RRR	ORG	78-87-5	1,2-Dichloropropane	4600		ug/L	100	18.17	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1131	5000	92%		
NAL13026-886MS	316-883RRR	ORG	75-27-4	Bromodichloromethane	3500		ug/L	200	11.58	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1131	5000	70%		
NAL13026-886MS	316-883RRR	ORG	10061-01-5	cis-1,3-Dichloropropene	4400		ug/L	100	25.01	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1131	5000	88%		
NAL13026-886MS	316-883RRR	ORG	108-88-3	Toluene	4200		ug/L	100	20.96	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1131	5000	81%		170
NAL13026-886MS	316-883RRR	ORG	108-10-1	4-Methyl-2-pentanone	5900		ug/L	500	74.00	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1131	5000	86%		1600
NAL13026-886MS	316-883RRR	ORG	10061-02-6	trans-1,3-Dichloropropene	4200		ug/L	100	31.15	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1131	5000	84%		
NAL13026-886MS	316-883RRR	ORG	127-18-4	Tetrachloroethene	3800		ug/L	100	48.56	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1131	5000	76%		
NAL13026-886MS	316-883RRR	ORG	79-00-5	1,1,2-Trichloroethane	4600		ug/L	100	34.28	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1131	5000	92%		
NAL13026-886MS	316-883RRR	ORG	124-48-1	Dibromochloromethane	3900		ug/L	500	29.90	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1131	5000	78%		
NAL13026-886MS	316-883RRR	ORG	106-93-4	1,2-Dibromoethane	4200		ug/L	200	26.49	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1131	5000	84%		
NAL13026-886MS	316-883RRR	ORG	591-78-6	2-Hexanone	13000		ug/L	200	68.90	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1131	5000	80%		9000
NAL13026-886MS	316-883RRR	ORG	100-41-4	Ethylbenzene	5000		ug/L	100	25.38	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1131	5000	87%		630
NAL13026-886MS	316-883RRR	ORG	108-90-7	Chlorobenzene	4500		ug/L	100	27.52	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1131	5000	90%		
NAL13026-886MS	316-883RRR	ORG	630-20-6	1,1,1,2-Tetrachloroethane	3800		ug/L	200	19.28	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1131	5000	76%		
NAL13026-886MS	316-883RRR	ORG	XYLMP	p&m-Xylene	10000		ug/L	200	26.14	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1131	10000	78%		2200
NAL13026-886MS	316-883RRR	ORG	95-47-6	o-Xylene	5700		ug/L	100	12.90	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1131	5000	86%		1400
NAL13026-886MS	316-883RRR	ORG	100-42-5	Styrene	4600		ug/L	100	20.23	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1131	5000	83%		460
NAL13026-886MS	316-883RRR	ORG	75-25-2	Bromoform	3900		ug/L	200	46.83	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1131	5000	78%		
NAL13026-886MS	316-883RRR	ORG	98-82-8	Isopropylbenzene	5300		ug/L	200	20.48	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1131	5000	84%		1100
NAL13026-886MS	316-883RRR	ORG	103-65-1	n-Propylbenzene	5700		ug/L	200	27.00	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1131	5000	102%		590

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-886MS	316-883RRR	ORG	79-34-5	1,1,2,2-Tetrachloroethane	4300		ug/L	200	29.16	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1131	5000	86%		
NAL13026-886MS	316-883RRR	ORG	96-18-4	1,2,3-Trichloropropane	4400		ug/L	200	29.47	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1131	5000	88%		
NAL13026-886MS	316-883RRR	ORG	108-67-8	1,3,5-Trimethylbenzene	5600		ug/L	200	20.03	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1131	5000	86%		1300
NAL13026-886MS	316-883RRR	ORG	98-06-6	tert-Butylbenzene	4800		ug/L	200	32.61	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1131	5000	96%		
NAL13026-886MS	316-883RRR	ORG	95-63-6	1,2,4-Trimethylbenzene	9500		ug/L	200	20.03	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1131	5000	86%		5200
NAL13026-886MS	316-883RRR	ORG	135-98-8	sec-Butylbenzene	5900		ug/L	200	32.34	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1131	5000	107%		540
NAL13026-886MS	316-883RRR	ORG	541-73-1	1,3-Dichlorobenzene	4800		ug/L	200	22.21	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1131	5000	96%		
NAL13026-886MS	316-883RRR	ORG	99-87-6	p-Isopropltoluene	24000		ug/L	200	25.48	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1131	5000	60%		21000
NAL13026-886MS	316-883RRR	ORG	106-46-7	1,4-Dichlorobenzene	8900		ug/L	200	33.03	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1131	5000	84%		4700
NAL13026-886MS	316-883RRR	ORG	95-50-1	1,2-Dichlorobenzene	5000		ug/L	200	26.38	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1131	5000	100%		
NAL13026-886MS	316-883RRR	ORG	104-51-8	n-Butylbenzene	5600		ug/L	500	27.81	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1131	5000	96%		800
NAL13026-886MS	316-883RRR	ORG	96-12-8	1,2-Dibromo-3-chloropropane	6300		ug/L	500	159.11	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1131	5000	126%		
NAL13026-886MS	316-883RRR	ORG	87-68-3	Hexachlorobutadiene	6600		ug/L	500	65.42	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1131	5000	132%		
NAL13026-886MS	316-883RRR	ORG	120-82-1	1,2,4-Trichlorobenzene	6400		ug/L	500	27.63	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1131	5000	128%		
NAL13026-886MS	316-883RRR	ORG	91-20-3	Naphthalene	10000		ug/L	500	56.04	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1131	5000	104%		4800
NAL13026-886MS	316-883RRR	ORG	87-61-6	1,2,3-Trichlorobenzene	6800		ug/L	500	23.28	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1131	5000	136%		
NAL13026-886MS	316-883RRR	STD	1868-53-7	Dibromofluoromethane	51		ng			1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1131	50	102%		
NAL13026-886MS	316-883RRR	STD	17060-07-0	1,2-Dichloroethane d4	50		ng			1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1131	50	100%		
NAL13026-886MS	316-883RRR	STD	2037-26-5	Toluene d8	42		ng			1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1131	50	84%		
NAL13026-886MS	316-883RRR	STD	460-00-4	Bromofluorobenzene	56		ng			1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1131	50	112%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-886MSD	316-883RRR	ORG	75-71-8	Dichlorodifluoromethane	5500		ug/L	500	29.28	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1132	5000	110%	10%	0
NAL13026-886MSD	316-883RRR	ORG	74-87-3	Chloromethane	5700		ug/L	500	43.07	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1132	5000	114%	13%	0
NAL13026-886MSD	316-883RRR	ORG	75-01-4	Vinyl chloride	6300		ug/L	200	31.86	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1132	5000	126%	15%	0
NAL13026-886MSD	316-883RRR	ORG	74-83-9	Bromomethane	4200		ug/L	500	50.04	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1132	5000	84%	11%	0
NAL13026-886MSD	316-883RRR	ORG	75-00-3	Chloroethane	2900		ug/L	500	55.61	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1132	5000	58%	19%	0
NAL13026-886MSD	316-883RRR	ORG	75-69-4	Trichlorofluoromethane	4700		ug/L	500	19.65	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1132	5000	94%	17%	0
NAL13026-886MSD	316-883RRR	ORG	75-35-4	1,1-Dichloroethene	4900		ug/L	100	47.11	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1132	5000	98%	2%	0
NAL13026-886MSD	316-883RRR	ORG	75-09-2	Methylene chloride	5200		ug/L	500	26.46	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1132	5000	104%	2%	0
NAL13026-886MSD	316-883RRR	ORG	67-64-1	Acetone	110000		ug/L	1000	155.61	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1132	5000	200%	0%	100000
NAL13026-886MSD	316-883RRR	ORG	156-60-5	trans-1,2-Dichloroethene	5200		ug/L	100	55.61	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1132	5000	104%	0%	0
NAL13026-886MSD	316-883RRR	ORG	1634-04-4	MTBE	5600		ug/L	500	61.18	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1132	5000	112%	11%	0
NAL13026-886MSD	316-883RRR	ORG	75-34-3	1,1-Dichloroethane	5100		ug/L	100	52.66	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1132	5000	102%	2%	0
NAL13026-886MSD	316-883RRR	ORG	156-59-2	cis-1,2-Dichloroethene	5200		ug/L	100	32.11	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1132	5000	104%	2%	0
NAL13026-886MSD	316-883RRR	ORG	74-97-5	Bromochloromethane	5200		ug/L	1000	41.37	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1132	5000	104%	0%	0
NAL13026-886MSD	316-883RRR	ORG	67-66-3	Chloroform	5000		ug/L	200	15.73	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1132	5000	100%	2%	0
NAL13026-886MSD	316-883RRR	ORG	71-55-6	1,1,1-Trichloroethane	5100		ug/L	100	16.65	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1132	5000	102%	0%	0
NAL13026-886MSD	316-883RRR	ORG	78-93-3	2-Butanone	64000		ug/L	100	81.18	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1132	5000	220%	5%	53000
NAL13026-886MSD	316-883RRR	ORG	56-23-5	Carbon tetrachloride	5000		ug/L	100	27.64	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1132	5000	100%	4%	0
NAL13026-886MSD	316-883RRR	ORG	71-43-2	Benzene	5100		ug/L	100	13.53	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1132	5000	100%	2%	100
NAL13026-886MSD	316-883RRR	ORG	107-06-2	1,2-Dichloroethane	5000		ug/L	100	20.01	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1132	5000	100%	4%	0
NAL13026-886MSD	316-883RRR	ORG	79-01-6	Trichloroethene	4800		ug/L	100	36.33	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1132	5000	96%	0%	0
NAL13026-886MSD	316-883RRR	ORG	74-95-3	Dibromomethane	4500		ug/L	200	32.20	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1132	5000	90%	2%	0
NAL13026-886MSD	316-883RRR	ORG	78-87-5	1,2-Dichloropropane	4600		ug/L	100	18.17	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1132	5000	92%	0%	0
NAL13026-886MSD	316-883RRR	ORG	75-27-4	Bromodichloromethane	3600		ug/L	200	11.58	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1132	5000	72%	3%	0
NAL13026-886MSD	316-883RRR	ORG	10061-01-5	cis-1,3-Dichloropropene	4700		ug/L	100	25.01	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1132	5000	94%	7%	0
NAL13026-886MSD	316-883RRR	ORG	108-88-3	Toluene	4300		ug/L	100	20.96	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1132	5000	83%	2%	170
NAL13026-886MSD	316-883RRR	ORG	108-10-1	4-Methyl-2-pentanone	6600		ug/L	500	74.00	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1132	5000	100%	11%	1600
NAL13026-886MSD	316-883RRR	ORG	10061-02-6	trans-1,3-Dichloropropene	4400		ug/L	100	31.15	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1132	5000	88%	5%	0
NAL13026-886MSD	316-883RRR	ORG	127-18-4	Tetrachloroethene	4200		ug/L	100	48.56	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1132	5000	84%	10%	0
NAL13026-886MSD	316-883RRR	ORG	79-00-5	1,1,2-Trichloroethane	4600		ug/L	100	34.28	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1132	5000	92%	0%	0
NAL13026-886MSD	316-883RRR	ORG	124-48-1	Dibromochloromethane	4000		ug/L	500	29.90	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1132	5000	80%	3%	0
NAL13026-886MSD	316-883RRR	ORG	106-93-4	1,2-Dibromoethane	4400		ug/L	200	26.49	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1132	5000	88%	5%	0
NAL13026-886MSD	316-883RRR	ORG	591-78-6	2-Hexanone	14000		ug/L	200	68.90	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1132	5000	100%	7%	9000
NAL13026-886MSD	316-883RRR	ORG	100-41-4	Ethylbenzene	5600		ug/L	100	25.38	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1132	5000	99%	11%	630
NAL13026-886MSD	316-883RRR	ORG	108-90-7	Chlorobenzene	5000		ug/L	100	27.52	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1132	5000	100%	11%	0
NAL13026-886MSD	316-883RRR	ORG	630-20-6	1,1,1,2-Tetrachloroethane	4200		ug/L	200	19.28	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1132	5000	84%	10%	0
NAL13026-886MSD	316-883RRR	ORG	XYLMP	p&m-Xylene	11000		ug/L	200	26.14	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1132	10000	88%	10%	2200
NAL13026-886MSD	316-883RRR	ORG	95-47-6	o-Xylene	6200		ug/L	100	12.90	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1132	5000	96%	8%	1400
NAL13026-886MSD	316-883RRR	ORG	100-42-5	Styrene	4900		ug/L	100	20.23	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1132	5000	89%	6%	460
NAL13026-886MSD	316-883RRR	ORG	75-25-2	Bromoform	4200		ug/L	200	46.83	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1132	5000	84%	7%	0
NAL13026-886MSD	316-883RRR	ORG	98-82-8	Isopropylbenzene	5700		ug/L	200	20.48	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1132	5000	92%	7%	1100
NAL13026-886MSD	316-883RRR	ORG	103-65-1	n-Propylbenzene	6000		ug/L	200	27.00	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1132	5000	108%	5%	590

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-886MSD	316-883RRR	ORG	79-34-5	1,1,2,2-Tetrachloroethane	4900		ug/L	200	29.16	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1132	5000	98%	13%	0
NAL13026-886MSD	316-883RRR	ORG	96-18-4	1,2,3-Trichloropropane	4800		ug/L	200	29.47	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1132	5000	96%	9%	0
NAL13026-886MSD	316-883RRR	ORG	108-67-8	1,3,5-Trimethylbenzene	5800		ug/L	200	20.03	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1132	5000	90%	4%	1300
NAL13026-886MSD	316-883RRR	ORG	98-06-6	tert-Butylbenzene	5000		ug/L	200	32.61	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1132	5000	100%	4%	0
NAL13026-886MSD	316-883RRR	ORG	95-63-6	1,2,4-Trimethylbenzene	9900		ug/L	200	20.03	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1132	5000	94%	4%	5200
NAL13026-886MSD	316-883RRR	ORG	135-98-8	sec-Butylbenzene	6000		ug/L	200	32.34	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1132	5000	109%	2%	540
NAL13026-886MSD	316-883RRR	ORG	541-73-1	1,3-Dichlorobenzene	4900		ug/L	200	22.21	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1132	5000	98%	2%	0
NAL13026-886MSD	316-883RRR	ORG	99-87-6	p-Isopropltoluene	24000		ug/L	200	25.48	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1132	5000	60%	0%	21000
NAL13026-886MSD	316-883RRR	ORG	106-46-7	1,4-Dichlorobenzene	9200		ug/L	200	33.03	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1132	5000	90%	3%	4700
NAL13026-886MSD	316-883RRR	ORG	95-50-1	1,2-Dichlorobenzene	5100		ug/L	200	26.38	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1132	5000	102%	2%	0
NAL13026-886MSD	316-883RRR	ORG	104-51-8	n-Butylbenzene	5700		ug/L	500	27.81	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1132	5000	98%	2%	800
NAL13026-886MSD	316-883RRR	ORG	96-12-8	1,2-Dibromo-3-chloropropane	6600		ug/L	500	159.11	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1132	5000	132%	5%	0
NAL13026-886MSD	316-883RRR	ORG	87-68-3	Hexachlorobutadiene	6500		ug/L	500	65.42	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1132	5000	130%	2%	0
NAL13026-886MSD	316-883RRR	ORG	120-82-1	1,2,4-Trichlorobenzene	6200		ug/L	500	27.63	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1132	5000	124%	3%	0
NAL13026-886MSD	316-883RRR	ORG	91-20-3	Naphthalene	10000		ug/L	500	56.04	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1132	5000	104%	0%	4800
NAL13026-886MSD	316-883RRR	ORG	87-61-6	1,2,3-Trichlorobenzene	6600		ug/L	500	23.28	1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1132	5000	132%	3%	0
NAL13026-886MSD	316-883RRR	STD	1868-53-7	Dibromofluoromethane	51		ng			1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1132	50	102%	0%	0
NAL13026-886MSD	316-883RRR	STD	17060-07-0	1,2-Dichloroethane d4	51		ng			1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1132	50	102%	2%	0
NAL13026-886MSD	316-883RRR	STD	2037-26-5	Toluene d8	44		ng			1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1132	50	88%	5%	0
NAL13026-886MSD	316-883RRR	STD	460-00-4	Bromofluorobenzene	59		ng			1/1/2014	1/1/2014	1/1/2014	WG	100	NA	5.0	NA	SW8260B	NALC1132	50	118%	5%	0

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-888	316-184	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	500	29.28	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1140				
NAL13026-888	316-184	ORG	74-87-3	Chloromethane		U	ug/L	500	43.07	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1140				
NAL13026-888	316-184	ORG	75-01-4	Vinyl chloride		U	ug/L	200	31.86	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1140				
NAL13026-888	316-184	ORG	74-83-9	Bromomethane		U	ug/L	500	50.04	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1140				
NAL13026-888	316-184	ORG	75-00-3	Chloroethane		U	ug/L	500	55.61	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1140				
NAL13026-888	316-184	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	500	19.65	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1140				
NAL13026-888	316-184	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	100	47.11	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1140				
NAL13026-888	316-184	ORG	75-09-2	Methylene chloride		U	ug/L	500	26.46	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1140				
NAL13026-888	316-184	ORG	67-64-1	Acetone	120000	D	ug/L	10000	1556.07	1/2/2014	1/2/2014	1/2/2014	WG	1000	NA	5.0	NA	SW8260B	NALC1140				
NAL13026-888	316-184	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	100	55.61	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1140				
NAL13026-888	316-184	ORG	1634-04-4	MTBE		U	ug/L	500	61.18	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1140				
NAL13026-888	316-184	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	100	52.66	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1140				
NAL13026-888	316-184	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	100	32.11	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1140				
NAL13026-888	316-184	ORG	74-97-5	Bromochloromethane		U	ug/L	200	41.37	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1140				
NAL13026-888	316-184	ORG	67-66-3	Chloroform		U	ug/L	100	15.73	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1140				
NAL13026-888	316-184	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	100	16.65	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1140				
NAL13026-888	316-184	ORG	78-93-3	2-Butanone	60000	D	ug/L	10000	811.80	1/2/2014	1/2/2014	1/2/2014	WG	1000	NA	5.0	NA	SW8260B	NALC1140				
NAL13026-888	316-184	ORG	56-23-5	Carbon tetrachloride		U	ug/L	100	27.64	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1140				
NAL13026-888	316-184	ORG	71-43-2	Benzene	62	J	ug/L	100	13.53	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1140				
NAL13026-888	316-184	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	100	20.01	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1140				
NAL13026-888	316-184	ORG	79-01-6	Trichloroethene		U	ug/L	100	36.33	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1140				
NAL13026-888	316-184	ORG	74-95-3	Dibromomethane		U	ug/L	200	32.20	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1140				
NAL13026-888	316-184	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	100	18.17	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1140				
NAL13026-888	316-184	ORG	75-27-4	Bromodichloromethane		UX-	ug/L	200	11.58	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1140				
NAL13026-888	316-184	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	100	25.01	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1140				
NAL13026-888	316-184	ORG	108-88-3	Toluene	77	J	ug/L	100	20.96	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1140				
NAL13026-888	316-184	ORG	108-10-1	4-Methyl-2-pentanone	1100	X-	ug/L	500	74.00	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1140				
NAL13026-888	316-184	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	100	31.15	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1140				
NAL13026-888	316-184	ORG	127-18-4	Tetrachloroethene		U	ug/L	100	48.56	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1140				
NAL13026-888	316-184	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	100	34.28	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1140				
NAL13026-888	316-184	ORG	124-48-1	Dibromochloromethane		U	ug/L	200	29.90	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1140				
NAL13026-888	316-184	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	200	26.49	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1140				
NAL13026-888	316-184	ORG	591-78-6	2-Hexanone	6100	X-	ug/L	500	68.90	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1140				
NAL13026-888	316-184	ORG	100-41-4	Ethylbenzene	280		ug/L	100	25.38	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1140				
NAL13026-888	316-184	ORG	108-90-7	Chlorobenzene		U	ug/L	100	27.52	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1140				
NAL13026-888	316-184	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	200	19.28	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1140				
NAL13026-888	316-184	ORG	XYLMP	p&m-Xylene	1300		ug/L	200	26.14	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1140				
NAL13026-888	316-184	ORG	95-47-6	o-Xylene	940		ug/L	100	12.90	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1140				
NAL13026-888	316-184	ORG	100-42-5	Styrene	420		ug/L	100	20.23	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1140				
NAL13026-888	316-184	ORG	75-25-2	Bromoform		U	ug/L	200	46.83	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1140				
NAL13026-888	316-184	ORG	98-82-8	Isopropylbenzene	850		ug/L	200	20.48	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1140				
NAL13026-888	316-184	ORG	103-65-1	n-Propylbenzene	370		ug/L	200	27.00	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1140				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-888	316-184	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	200	29.16	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1140				
NAL13026-888	316-184	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	200	29.47	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1140				
NAL13026-888	316-184	ORG	108-67-8	1,3,5-Trimethylbenzene	1000		ug/L	200	20.03	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1140				
NAL13026-888	316-184	ORG	98-06-6	tert-Butylbenzene		U	ug/L	200	32.61	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1140				
NAL13026-888	316-184	ORG	95-63-6	1,2,4-Trimethylbenzene	3700		ug/L	200	20.03	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1140				
NAL13026-888	316-184	ORG	135-98-8	sec-Butylbenzene		U	ug/L	200	32.34	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1140				
NAL13026-888	316-184	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	200	22.21	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1140				
NAL13026-888	316-184	ORG	99-87-6	p-Isopropltoluene	16000	D	ug/L	200	25.48	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1140				
NAL13026-888	316-184	ORG	106-46-7	1,4-Dichlorobenzene	3700		ug/L	200	33.03	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1140				
NAL13026-888	316-184	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	200	26.38	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1140				
NAL13026-888	316-184	ORG	104-51-8	n-Butylbenzene	730		ug/L	500	27.81	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1140				
NAL13026-888	316-184	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	500	159.11	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1140				
NAL13026-888	316-184	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	500	65.42	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1140				
NAL13026-888	316-184	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	500	27.63	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1140				
NAL13026-888	316-184	ORG	91-20-3	Naphthalene	4200		ug/L	500	56.04	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1140				
NAL13026-888	316-184	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	500	23.28	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1140				
NAL13026-888	316-184	STD	1868-53-7	Dibromofluoromethane	59		ng			1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1140	50	118%		
NAL13026-888	316-184	STD	17060-07-0	1,2-Dichloroethane d4	60		ng			1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1140	50	120%		
NAL13026-888	316-184	STD	2037-26-5	Toluene d8	44		ng			1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1140	50	88%		
NAL13026-888	316-184	STD	460-00-4	Bromofluorobenzene	55		ng			1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1140	50	110%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C010214CCVA	C010214CCVA	ORG	75-71-8	Dichlorodifluoromethane	55		ug/L	5	0.29	1/2/2014	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1137	50	110%		
C010214CCVA	C010214CCVA	ORG	74-87-3	Chloromethane	58		ug/L	5	0.43	1/2/2014	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1137	50	116%		
C010214CCVA	C010214CCVA	ORG	75-01-4	Vinyl chloride	63		ug/L	2	0.32	1/2/2014	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1137	50	126%		
C010214CCVA	C010214CCVA	ORG	74-83-9	Bromomethane	55		ug/L	5	0.50	1/2/2014	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1137	50	110%		
C010214CCVA	C010214CCVA	ORG	75-00-3	Chloroethane	45		ug/L	5	0.56	1/2/2014	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1137	50	90%		
C010214CCVA	C010214CCVA	ORG	75-69-4	Trichlorofluoromethane	84		ug/L	5	0.20	1/2/2014	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1137	50	168%		
C010214CCVA	C010214CCVA	ORG	75-35-4	1,1-Dichloroethene	55		ug/L	1	0.47	1/2/2014	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1137	50	110%		
C010214CCVA	C010214CCVA	ORG	75-09-2	Methylene chloride	58		ug/L	5	0.26	1/2/2014	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1137	50	116%		
C010214CCVA	C010214CCVA	ORG	67-64-1	Acetone	57		ug/L	10	1.56	1/2/2014	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1137	50	114%		
C010214CCVA	C010214CCVA	ORG	156-60-5	trans-1,2-Dichloroethene	57		ug/L	1	0.56	1/2/2014	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1137	50	114%		
C010214CCVA	C010214CCVA	ORG	1634-04-4	MTBE	51		ug/L	5	0.61	1/2/2014	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1137	50	102%		
C010214CCVA	C010214CCVA	ORG	75-34-3	1,1-Dichloroethane	60		ug/L	1	0.53	1/2/2014	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1137	50	120%		
C010214CCVA	C010214CCVA	ORG	156-59-2	cis-1,2-Dichloroethene	58		ug/L	1	0.32	1/2/2014	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1137	50	116%		
C010214CCVA	C010214CCVA	ORG	74-97-5	Bromochloromethane	58		ug/L	10	0.41	1/2/2014	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1137	50	116%		
C010214CCVA	C010214CCVA	ORG	67-66-3	Chloroform	57		ug/L	2	0.16	1/2/2014	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1137	50	114%		
C010214CCVA	C010214CCVA	ORG	71-55-6	1,1,1-Trichloroethane	58		ug/L	1	0.17	1/2/2014	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1137	50	116%		
C010214CCVA	C010214CCVA	ORG	78-93-3	2-Butanone	53		ug/L	1	0.81	1/2/2014	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1137	50	106%		
C010214CCVA	C010214CCVA	ORG	56-23-5	Carbon tetrachloride	57		ug/L	1	0.28	1/2/2014	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1137	50	114%		
C010214CCVA	C010214CCVA	ORG	71-43-2	Benzene	57		ug/L	1	0.14	1/2/2014	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1137	50	114%		
C010214CCVA	C010214CCVA	ORG	107-06-2	1,2-Dichloroethane	55		ug/L	1	0.20	1/2/2014	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1137	50	110%		
C010214CCVA	C010214CCVA	ORG	79-01-6	Trichloroethene	44		ug/L	1	0.36	1/2/2014	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1137	50	88%		
C010214CCVA	C010214CCVA	ORG	74-95-3	Dibromomethane	46		ug/L	2	0.32	1/2/2014	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1137	50	92%		
C010214CCVA	C010214CCVA	ORG	78-87-5	1,2-Dichloropropane	52		ug/L	1	0.18	1/2/2014	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1137	50	104%		
C010214CCVA	C010214CCVA	ORG	75-27-4	Bromodichloromethane	39		ug/L	2	0.12	1/2/2014	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1137	50	78%		
C010214CCVA	C010214CCVA	ORG	10061-01-5	cis-1,3-Dichloropropene	47		ug/L	1	0.25	1/2/2014	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1137	50	94%		
C010214CCVA	C010214CCVA	ORG	108-88-3	Toluene	44		ug/L	1	0.21	1/2/2014	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1137	50	88%		
C010214CCVA	C010214CCVA	ORG	108-10-1	4-Methyl-2-pentanone	35		ug/L	5	0.74	1/2/2014	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1137	50	70%		
C010214CCVA	C010214CCVA	ORG	10061-02-6	trans-1,3-Dichloropropene	46		ug/L	1	0.31	1/2/2014	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1137	50	92%		
C010214CCVA	C010214CCVA	ORG	127-18-4	Tetrachloroethene	42		ug/L	1	0.49	1/2/2014	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1137	50	84%		
C010214CCVA	C010214CCVA	ORG	79-00-5	1,1,2-Trichloroethane	44		ug/L	1	0.34	1/2/2014	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1137	50	88%		
C010214CCVA	C010214CCVA	ORG	124-48-1	Dibromochloromethane	41		ug/L	5	0.30	1/2/2014	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1137	50	82%		
C010214CCVA	C010214CCVA	ORG	106-93-4	1,2-Dibromoethane	42		ug/L	2	0.26	1/2/2014	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1137	50	84%		
C010214CCVA	C010214CCVA	ORG	591-78-6	2-Hexanone	38		ug/L	2	0.69	1/2/2014	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1137	50	76%		
C010214CCVA	C010214CCVA	ORG	100-41-4	Ethylbenzene	48		ug/L	1	0.25	1/2/2014	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1137	50	96%		
C010214CCVA	C010214CCVA	ORG	108-90-7	Chlorobenzene	48		ug/L	1	0.28	1/2/2014	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1137	50	96%		
C010214CCVA	C010214CCVA	ORG	630-20-6	1,1,1,2-Tetrachloroethane	42		ug/L	2	0.19	1/2/2014	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1137	50	84%		
C010214CCVA	C010214CCVA	ORG	XYLMP	p&m-Xylene	94		ug/L	2	0.26	1/2/2014	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1137	100	94%		
C010214CCVA	C010214CCVA	ORG	95-47-6	o-Xylene	48		ug/L	1	0.13	1/2/2014	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1137	50	96%		
C010214CCVA	C010214CCVA	ORG	100-42-5	Styrene	46		ug/L	1	0.20	1/2/2014	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1137	50	92%		
C010214CCVA	C010214CCVA	ORG	75-25-2	Bromoform	41		ug/L	2	0.47	1/2/2014	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1137	50	82%		
C010214CCVA	C010214CCVA	ORG	98-82-8	Isopropylbenzene	48		ug/L	2	0.20	1/2/2014	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1137	50	96%		
C010214CCVA	C010214CCVA	ORG	103-65-1	n-Propylbenzene	52		ug/L	2	0.27	1/2/2014	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1137	50	104%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C010214CCVA	C010214CCVA	ORG	79-34-5	1,1,2,2-Tetrachloroethane	43		ug/L	2	0.29	1/2/2014	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1137	50	86%		
C010214CCVA	C010214CCVA	ORG	96-18-4	1,2,3-Trichloropropane	42		ug/L	2	0.29	1/2/2014	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1137	50	84%		
C010214CCVA	C010214CCVA	ORG	108-67-8	1,3,5-Trimethylbenzene	46		ug/L	2	0.20	1/2/2014	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1137	50	92%		
C010214CCVA	C010214CCVA	ORG	98-06-6	tert-Butylbenzene	48		ug/L	2	0.33	1/2/2014	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1137	50	96%		
C010214CCVA	C010214CCVA	ORG	95-63-6	1,2,4-Trimethylbenzene	46		ug/L	2	0.20	1/2/2014	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1137	50	92%		
C010214CCVA	C010214CCVA	ORG	135-98-8	sec-Butylbenzene	45		ug/L	2	0.32	1/2/2014	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1137	50	90%		
C010214CCVA	C010214CCVA	ORG	541-73-1	1,3-Dichlorobenzene	48		ug/L	2	0.22	1/2/2014	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1137	50	96%		
C010214CCVA	C010214CCVA	ORG	99-87-6	p-Isopropltoluene	47		ug/L	2	0.25	1/2/2014	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1137	50	94%		
C010214CCVA	C010214CCVA	ORG	106-46-7	1,4-Dichlorobenzene	45		ug/L	2	0.33	1/2/2014	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1137	50	90%		
C010214CCVA	C010214CCVA	ORG	95-50-1	1,2-Dichlorobenzene	48		ug/L	2	0.26	1/2/2014	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1137	50	96%		
C010214CCVA	C010214CCVA	ORG	104-51-8	n-Butylbenzene	49		ug/L	5	0.28	1/2/2014	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1137	50	98%		
C010214CCVA	C010214CCVA	ORG	96-12-8	1,2-Dibromo-3-chloropropane	46		ug/L	5	1.59	1/2/2014	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1137	50	92%		
C010214CCVA	C010214CCVA	ORG	87-68-3	Hexachlorobutadiene	59		ug/L	5	0.65	1/2/2014	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1137	50	118%		
C010214CCVA	C010214CCVA	ORG	120-82-1	1,2,4-Trichlorobenzene	56		ug/L	5	0.28	1/2/2014	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1137	50	112%		
C010214CCVA	C010214CCVA	ORG	91-20-3	Naphthalene	49		ug/L	5	0.56	1/2/2014	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1137	50	98%		
C010214CCVA	C010214CCVA	ORG	87-61-6	1,2,3-Trichlorobenzene	58		ug/L	5	0.23	1/2/2014	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1137	50	116%		
C010214CCVA	C010214CCVA	STD	1868-53-7	Dibromofluoromethane	61		ng			1/2/2014	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1137	50	122%		
C010214CCVA	C010214CCVA	STD	17060-07-0	1,2-Dichloroethane d4	60		ng			1/2/2014	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1137	50	120%		
C010214CCVA	C010214CCVA	STD	2037-26-5	Toluene d8	47		ng			1/2/2014	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1137	50	94%		
C010214CCVA	C010214CCVA	STD	460-00-4	Bromofluorobenzene	53		ng			1/2/2014	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1137	50	106%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C010214MBKA	C010214MBKA	ORG	75-71-8	Dichlorodifluoromethane		U	ug/L	5	0.29	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1139				
C010214MBKA	C010214MBKA	ORG	74-87-3	Chloromethane		U	ug/L	5	0.43	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1139				
C010214MBKA	C010214MBKA	ORG	75-01-4	Vinyl chloride		U	ug/L	2	0.32	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1139				
C010214MBKA	C010214MBKA	ORG	74-83-9	Bromomethane		U	ug/L	5	0.50	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1139				
C010214MBKA	C010214MBKA	ORG	75-00-3	Chloroethane		U	ug/L	5	0.56	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1139				
C010214MBKA	C010214MBKA	ORG	75-69-4	Trichlorofluoromethane		U	ug/L	5	0.20	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1139				
C010214MBKA	C010214MBKA	ORG	75-35-4	1,1-Dichloroethene		U	ug/L	1	0.47	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1139				
C010214MBKA	C010214MBKA	ORG	75-09-2	Methylene chloride		U	ug/L	5	0.26	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1139				
C010214MBKA	C010214MBKA	ORG	67-64-1	Acetone		U	ug/L	10	1.56	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1139				
C010214MBKA	C010214MBKA	ORG	156-60-5	trans-1,2-Dichloroethene		U	ug/L	1	0.56	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1139				
C010214MBKA	C010214MBKA	ORG	1634-04-4	MTBE		U	ug/L	5	0.61	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1139				
C010214MBKA	C010214MBKA	ORG	75-34-3	1,1-Dichloroethane		U	ug/L	1	0.53	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1139				
C010214MBKA	C010214MBKA	ORG	156-59-2	cis-1,2-Dichloroethene		U	ug/L	1	0.32	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1139				
C010214MBKA	C010214MBKA	ORG	74-97-5	Bromochloromethane		U	ug/L	10	0.41	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1139				
C010214MBKA	C010214MBKA	ORG	67-66-3	Chloroform		U	ug/L	2	0.16	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1139				
C010214MBKA	C010214MBKA	ORG	71-55-6	1,1,1-Trichloroethane		U	ug/L	1	0.17	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1139				
C010214MBKA	C010214MBKA	ORG	78-93-3	2-Butanone		U	ug/L	1	0.81	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1139				
C010214MBKA	C010214MBKA	ORG	56-23-5	Carbon tetrachloride		U	ug/L	1	0.28	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1139				
C010214MBKA	C010214MBKA	ORG	71-43-2	Benzene		U	ug/L	1	0.14	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1139				
C010214MBKA	C010214MBKA	ORG	107-06-2	1,2-Dichloroethane		U	ug/L	1	0.20	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1139				
C010214MBKA	C010214MBKA	ORG	79-01-6	Trichloroethene		U	ug/L	1	0.36	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1139				
C010214MBKA	C010214MBKA	ORG	74-95-3	Dibromomethane		U	ug/L	2	0.32	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1139				
C010214MBKA	C010214MBKA	ORG	78-87-5	1,2-Dichloropropane		U	ug/L	1	0.18	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1139				
C010214MBKA	C010214MBKA	ORG	75-27-4	Bromodichloromethane		U	ug/L	2	0.12	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1139				
C010214MBKA	C010214MBKA	ORG	10061-01-5	cis-1,3-Dichloropropene		U	ug/L	1	0.25	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1139				
C010214MBKA	C010214MBKA	ORG	108-88-3	Toluene		U	ug/L	1	0.21	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1139				
C010214MBKA	C010214MBKA	ORG	108-10-1	4-Methyl-2-pentanone		U	ug/L	5	0.74	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1139				
C010214MBKA	C010214MBKA	ORG	10061-02-6	trans-1,3-Dichloropropene		U	ug/L	1	0.31	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1139				
C010214MBKA	C010214MBKA	ORG	127-18-4	Tetrachloroethene		U	ug/L	1	0.49	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1139				
C010214MBKA	C010214MBKA	ORG	79-00-5	1,1,2-Trichloroethane		U	ug/L	1	0.34	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1139				
C010214MBKA	C010214MBKA	ORG	124-48-1	Dibromochloromethane		U	ug/L	5	0.30	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1139				
C010214MBKA	C010214MBKA	ORG	106-93-4	1,2-Dibromoethane		U	ug/L	2	0.26	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1139				
C010214MBKA	C010214MBKA	ORG	591-78-6	2-Hexanone		U	ug/L	2	0.69	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1139				
C010214MBKA	C010214MBKA	ORG	100-41-4	Ethylbenzene		U	ug/L	1	0.25	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1139				
C010214MBKA	C010214MBKA	ORG	108-90-7	Chlorobenzene		U	ug/L	1	0.28	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1139				
C010214MBKA	C010214MBKA	ORG	630-20-6	1,1,1,2-Tetrachloroethane		U	ug/L	2	0.19	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1139				
C010214MBKA	C010214MBKA	ORG	XYLMP	p&m-Xylene		U	ug/L	2	0.26	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1139				
C010214MBKA	C010214MBKA	ORG	95-47-6	o-Xylene		U	ug/L	1	0.13	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1139				
C010214MBKA	C010214MBKA	ORG	100-42-5	Styrene		U	ug/L	1	0.20	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1139				
C010214MBKA	C010214MBKA	ORG	75-25-2	Bromoform		U	ug/L	2	0.47	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1139				
C010214MBKA	C010214MBKA	ORG	98-82-8	Isopropylbenzene		U	ug/L	2	0.20	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1139				
C010214MBKA	C010214MBKA	ORG	103-65-1	n-Propylbenzene		U	ug/L	2	0.27	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1139				

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C010214MBKA	C010214MBKA	ORG	79-34-5	1,1,2,2-Tetrachloroethane		U	ug/L	2	0.29	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1139				
C010214MBKA	C010214MBKA	ORG	96-18-4	1,2,3-Trichloropropane		U	ug/L	2	0.29	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1139				
C010214MBKA	C010214MBKA	ORG	108-67-8	1,3,5-Trimethylbenzene		U	ug/L	2	0.20	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1139				
C010214MBKA	C010214MBKA	ORG	98-06-6	tert-Butylbenzene		U	ug/L	2	0.33	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1139				
C010214MBKA	C010214MBKA	ORG	95-63-6	1,2,4-Trimethylbenzene		U	ug/L	2	0.20	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1139				
C010214MBKA	C010214MBKA	ORG	135-98-8	sec-Butylbenzene		U	ug/L	2	0.32	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1139				
C010214MBKA	C010214MBKA	ORG	541-73-1	1,3-Dichlorobenzene		U	ug/L	2	0.22	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1139				
C010214MBKA	C010214MBKA	ORG	99-87-6	p-Isopropltoluene		U	ug/L	2	0.25	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1139				
C010214MBKA	C010214MBKA	ORG	106-46-7	1,4-Dichlorobenzene		U	ug/L	2	0.33	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1139				
C010214MBKA	C010214MBKA	ORG	95-50-1	1,2-Dichlorobenzene		U	ug/L	2	0.26	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1139				
C010214MBKA	C010214MBKA	ORG	104-51-8	n-Butylbenzene		U	ug/L	5	0.28	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1139				
C010214MBKA	C010214MBKA	ORG	96-12-8	1,2-Dibromo-3-chloropropane		U	ug/L	5	1.59	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1139				
C010214MBKA	C010214MBKA	ORG	87-68-3	Hexachlorobutadiene		U	ug/L	5	0.65	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1139				
C010214MBKA	C010214MBKA	ORG	120-82-1	1,2,4-Trichlorobenzene		U	ug/L	5	0.28	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1139				
C010214MBKA	C010214MBKA	ORG	91-20-3	Naphthalene		U	ug/L	5	0.56	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1139				
C010214MBKA	C010214MBKA	ORG	87-61-6	1,2,3-Trichlorobenzene		U	ug/L	5	0.23	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1139				
C010214MBKA	C010214MBKA	STD	1868-53-7	Dibromofluoromethane	58		ng			NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1139	50	116%		
C010214MBKA	C010214MBKA	STD	17060-07-0	1,2-Dichloroethane d4	58		ng			NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1139	50	116%		
C010214MBKA	C010214MBKA	STD	2037-26-5	Toluene d8	57		ng			NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1139	50	114%		
C010214MBKA	C010214MBKA	STD	460-00-4	Bromofluorobenzene	58		ng			NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1139	50	116%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C010214ALCS	C010214ALCS	ORG	75-71-8	Dichlorodifluoromethane	60		ug/L	5	0.29	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1138	50	120%		
C010214ALCS	C010214ALCS	ORG	74-87-3	Chloromethane	65		ug/L	5	0.43	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1138	50	130%		
C010214ALCS	C010214ALCS	ORG	75-01-4	Vinyl chloride	70		ug/L	2	0.32	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1138	50	140%		
C010214ALCS	C010214ALCS	ORG	74-83-9	Bromomethane	55		ug/L	5	0.50	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1138	50	110%		
C010214ALCS	C010214ALCS	ORG	75-00-3	Chloroethane	36		ug/L	5	0.56	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1138	50	72%		
C010214ALCS	C010214ALCS	ORG	75-69-4	Trichlorofluoromethane	54		ug/L	5	0.20	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1138	50	108%		
C010214ALCS	C010214ALCS	ORG	75-35-4	1,1-Dichloroethene	61		ug/L	1	0.47	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1138	50	122%		
C010214ALCS	C010214ALCS	ORG	75-09-2	Methylene chloride	62		ug/L	5	0.26	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1138	50	124%		
C010214ALCS	C010214ALCS	ORG	67-64-1	Acetone	70		ug/L	10	1.56	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1138	50	140%		
C010214ALCS	C010214ALCS	ORG	156-60-5	trans-1,2-Dichloroethene	62		ug/L	1	0.56	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1138	50	124%		
C010214ALCS	C010214ALCS	ORG	1634-04-4	MTBE	64		ug/L	5	0.61	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1138	50	128%		
C010214ALCS	C010214ALCS	ORG	75-34-3	1,1-Dichloroethane	61		ug/L	1	0.53	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1138	50	122%		
C010214ALCS	C010214ALCS	ORG	156-59-2	cis-1,2-Dichloroethene	59		ug/L	1	0.32	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1138	50	118%		
C010214ALCS	C010214ALCS	ORG	74-97-5	Bromochloromethane	58		ug/L	10	0.41	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1138	50	116%		
C010214ALCS	C010214ALCS	ORG	67-66-3	Chloroform	55		ug/L	2	0.16	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1138	50	110%		
C010214ALCS	C010214ALCS	ORG	71-55-6	1,1,1-Trichloroethane	56		ug/L	1	0.17	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1138	50	112%		
C010214ALCS	C010214ALCS	ORG	78-93-3	2-Butanone	61		ug/L	1	0.81	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1138	50	122%		
C010214ALCS	C010214ALCS	ORG	56-23-5	Carbon tetrachloride	55		ug/L	1	0.28	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1138	50	110%		
C010214ALCS	C010214ALCS	ORG	71-43-2	Benzene	55		ug/L	1	0.14	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1138	50	110%		
C010214ALCS	C010214ALCS	ORG	107-06-2	1,2-Dichloroethane	52		ug/L	1	0.20	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1138	50	104%		
C010214ALCS	C010214ALCS	ORG	79-01-6	Trichloroethene	42		ug/L	1	0.36	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1138	50	84%		
C010214ALCS	C010214ALCS	ORG	74-95-3	Dibromomethane	44		ug/L	2	0.32	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1138	50	88%		
C010214ALCS	C010214ALCS	ORG	78-87-5	1,2-Dichloropropane	47		ug/L	1	0.18	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1138	50	94%		
C010214ALCS	C010214ALCS	ORG	75-27-4	Bromodichloromethane	43		ug/L	2	0.12	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1138	50	86%		
C010214ALCS	C010214ALCS	ORG	10061-01-5	cis-1,3-Dichloropropene	46		ug/L	1	0.25	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1138	50	92%		
C010214ALCS	C010214ALCS	ORG	108-88-3	Toluene	47		ug/L	1	0.21	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1138	50	94%		
C010214ALCS	C010214ALCS	ORG	108-10-1	4-Methyl-2-pentanone	41		ug/L	5	0.74	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1138	50	82%		
C010214ALCS	C010214ALCS	ORG	10061-02-6	trans-1,3-Dichloropropene	50		ug/L	1	0.31	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1138	50	100%		
C010214ALCS	C010214ALCS	ORG	127-18-4	Tetrachloroethene	45		ug/L	1	0.49	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1138	50	90%		
C010214ALCS	C010214ALCS	ORG	79-00-5	1,1,2-Trichloroethane	48		ug/L	1	0.34	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1138	50	96%		
C010214ALCS	C010214ALCS	ORG	124-48-1	Dibromochloromethane	44		ug/L	5	0.30	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1138	50	88%		
C010214ALCS	C010214ALCS	ORG	106-93-4	1,2-Dibromoethane	46		ug/L	2	0.26	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1138	50	92%		
C010214ALCS	C010214ALCS	ORG	591-78-6	2-Hexanone	42		ug/L	2	0.69	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1138	50	84%		
C010214ALCS	C010214ALCS	ORG	100-41-4	Ethylbenzene	49		ug/L	1	0.25	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1138	50	98%		
C010214ALCS	C010214ALCS	ORG	108-90-7	Chlorobenzene	49		ug/L	1	0.28	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1138	50	98%		
C010214ALCS	C010214ALCS	ORG	630-20-6	1,1,1,2-Tetrachloroethane	44		ug/L	2	0.19	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1138	50	88%		
C010214ALCS	C010214ALCS	ORG	XYLMP	p&m-Xylene	96		ug/L	2	0.26	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1138	100	96%		
C010214ALCS	C010214ALCS	ORG	95-47-6	o-Xylene	45		ug/L	1	0.13	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1138	50	90%		
C010214ALCS	C010214ALCS	ORG	100-42-5	Styrene	47		ug/L	1	0.20	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1138	50	94%		
C010214ALCS	C010214ALCS	ORG	75-25-2	Bromoform	42		ug/L	2	0.47	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1138	50	84%		
C010214ALCS	C010214ALCS	ORG	98-82-8	Isopropylbenzene	46		ug/L	2	0.20	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1138	50	92%		
C010214ALCS	C010214ALCS	ORG	103-65-1	n-Propylbenzene	52		ug/L	2	0.27	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1138	50	104%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C010214ALCS	C010214ALCS	ORG	79-34-5	1,1,2,2-Tetrachloroethane	47		ug/L	2	0.29	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1138	50	94%		
C010214ALCS	C010214ALCS	ORG	96-18-4	1,2,3-Trichloropropane	47		ug/L	2	0.29	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1138	50	94%		
C010214ALCS	C010214ALCS	ORG	108-67-8	1,3,5-Trimethylbenzene	48		ug/L	2	0.20	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1138	50	96%		
C010214ALCS	C010214ALCS	ORG	98-06-6	tert-Butylbenzene	48		ug/L	2	0.33	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1138	50	96%		
C010214ALCS	C010214ALCS	ORG	95-63-6	1,2,4-Trimethylbenzene	46		ug/L	2	0.20	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1138	50	92%		
C010214ALCS	C010214ALCS	ORG	135-98-8	sec-Butylbenzene	46		ug/L	2	0.32	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1138	50	92%		
C010214ALCS	C010214ALCS	ORG	541-73-1	1,3-Dichlorobenzene	48		ug/L	2	0.22	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1138	50	96%		
C010214ALCS	C010214ALCS	ORG	99-87-6	p-Isopropltoluene	46		ug/L	2	0.25	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1138	50	92%		
C010214ALCS	C010214ALCS	ORG	106-46-7	1,4-Dichlorobenzene	46		ug/L	2	0.33	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1138	50	92%		
C010214ALCS	C010214ALCS	ORG	95-50-1	1,2-Dichlorobenzene	47		ug/L	2	0.26	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1138	50	94%		
C010214ALCS	C010214ALCS	ORG	104-51-8	n-Butylbenzene	47		ug/L	5	0.28	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1138	50	94%		
C010214ALCS	C010214ALCS	ORG	96-12-8	1,2-Dibromo-3-chloropropane	45		ug/L	5	1.59	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1138	50	90%		
C010214ALCS	C010214ALCS	ORG	87-68-3	Hexachlorobutadiene	55		ug/L	5	0.65	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1138	50	110%		
C010214ALCS	C010214ALCS	ORG	120-82-1	1,2,4-Trichlorobenzene	50		ug/L	5	0.28	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1138	50	100%		
C010214ALCS	C010214ALCS	ORG	91-20-3	Naphthalene	48		ug/L	5	0.56	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1138	50	96%		
C010214ALCS	C010214ALCS	ORG	87-61-6	1,2,3-Trichlorobenzene	54		ug/L	5	0.23	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1138	50	108%		
C010214ALCS	C010214ALCS	STD	1868-53-7	Dibromofluoromethane	60		ng			NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1138	50	120%		
C010214ALCS	C010214ALCS	STD	17060-07-0	1,2-Dichloroethane d4	56		ng			NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1138	50	112%		
C010214ALCS	C010214ALCS	STD	2037-26-5	Toluene d8	50		ng			NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1138	50	100%		
C010214ALCS	C010214ALCS	STD	460-00-4	Bromofluorobenzene	49		ng			NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1138	50	98%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C010214ALCD	C010214ALCD	ORG	75-71-8	Dichlorodifluoromethane	52		ug/L	5	0.29	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1142	50	104%	14%	
C010214ALCD	C010214ALCD	ORG	74-87-3	Chloromethane	56		ug/L	5	0.43	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1142	50	112%	15%	
C010214ALCD	C010214ALCD	ORG	75-01-4	Vinyl chloride	60		ug/L	2	0.32	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1142	50	120%	15%	
C010214ALCD	C010214ALCD	ORG	74-83-9	Bromomethane	50		ug/L	5	0.50	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1142	50	100%	10%	
C010214ALCD	C010214ALCD	ORG	75-00-3	Chloroethane	38		ug/L	5	0.56	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1142	50	76%	5%	
C010214ALCD	C010214ALCD	ORG	75-69-4	Trichlorofluoromethane	63		ug/L	5	0.20	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1142	50	126%	15%	
C010214ALCD	C010214ALCD	ORG	75-35-4	1,1-Dichloroethene	55		ug/L	1	0.47	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1142	50	110%	10%	
C010214ALCD	C010214ALCD	ORG	75-09-2	Methylene chloride	56		ug/L	5	0.26	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1142	50	112%	10%	
C010214ALCD	C010214ALCD	ORG	67-64-1	Acetone	62		ug/L	10	1.56	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1142	50	124%	12%	
C010214ALCD	C010214ALCD	ORG	156-60-5	trans-1,2-Dichloroethene	56		ug/L	1	0.56	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1142	50	112%	10%	
C010214ALCD	C010214ALCD	ORG	1634-04-4	MTBE	55		ug/L	5	0.61	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1142	50	110%	15%	
C010214ALCD	C010214ALCD	ORG	75-34-3	1,1-Dichloroethane	56		ug/L	1	0.53	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1142	50	112%	9%	
C010214ALCD	C010214ALCD	ORG	156-59-2	cis-1,2-Dichloroethene	53		ug/L	1	0.32	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1142	50	106%	11%	
C010214ALCD	C010214ALCD	ORG	74-97-5	Bromochloromethane	53		ug/L	10	0.41	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1142	50	106%	9%	
C010214ALCD	C010214ALCD	ORG	67-66-3	Chloroform	52		ug/L	2	0.16	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1142	50	104%	6%	
C010214ALCD	C010214ALCD	ORG	71-55-6	1,1,1-Trichloroethane	53		ug/L	1	0.17	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1142	50	106%	6%	
C010214ALCD	C010214ALCD	ORG	78-93-3	2-Butanone	56		ug/L	1	0.81	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1142	50	112%	9%	
C010214ALCD	C010214ALCD	ORG	56-23-5	Carbon tetrachloride	52		ug/L	1	0.28	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1142	50	104%	6%	
C010214ALCD	C010214ALCD	ORG	71-43-2	Benzene	51		ug/L	1	0.14	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1142	50	102%	8%	
C010214ALCD	C010214ALCD	ORG	107-06-2	1,2-Dichloroethane	50		ug/L	1	0.20	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1142	50	100%	4%	
C010214ALCD	C010214ALCD	ORG	79-01-6	Trichloroethene	38		ug/L	1	0.36	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1142	50	76%	10%	
C010214ALCD	C010214ALCD	ORG	74-95-3	Dibromomethane	39		ug/L	2	0.32	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1142	50	78%	12%	
C010214ALCD	C010214ALCD	ORG	78-87-5	1,2-Dichloropropane	43		ug/L	1	0.18	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1142	50	86%	9%	
C010214ALCD	C010214ALCD	ORG	75-27-4	Bromodichloromethane	43		ug/L	2	0.12	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1142	50	86%	0%	
C010214ALCD	C010214ALCD	ORG	10061-01-5	cis-1,3-Dichloropropene	46		ug/L	1	0.25	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1142	50	92%	0%	
C010214ALCD	C010214ALCD	ORG	108-88-3	Toluene	48		ug/L	1	0.21	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1142	50	96%	2%	
C010214ALCD	C010214ALCD	ORG	108-10-1	4-Methyl-2-pentanone	42		ug/L	5	0.74	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1142	50	84%	2%	
C010214ALCD	C010214ALCD	ORG	10061-02-6	trans-1,3-Dichloropropene	50		ug/L	1	0.31	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1142	50	100%	0%	
C010214ALCD	C010214ALCD	ORG	127-18-4	Tetrachloroethene	46		ug/L	1	0.49	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1142	50	92%	2%	
C010214ALCD	C010214ALCD	ORG	79-00-5	1,1,2-Trichloroethane	47		ug/L	1	0.34	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1142	50	94%	2%	
C010214ALCD	C010214ALCD	ORG	124-48-1	Dibromochloromethane	44		ug/L	5	0.30	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1142	50	88%	0%	
C010214ALCD	C010214ALCD	ORG	106-93-4	1,2-Dibromoethane	45		ug/L	2	0.26	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1142	50	90%	2%	
C010214ALCD	C010214ALCD	ORG	591-78-6	2-Hexanone	39		ug/L	2	0.69	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1142	50	78%	7%	
C010214ALCD	C010214ALCD	ORG	100-41-4	Ethylbenzene	48		ug/L	1	0.25	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1142	50	96%	2%	
C010214ALCD	C010214ALCD	ORG	108-90-7	Chlorobenzene	49		ug/L	1	0.28	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1142	50	98%	0%	
C010214ALCD	C010214ALCD	ORG	630-20-6	1,1,1,2-Tetrachloroethane	43		ug/L	2	0.19	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1142	50	86%	2%	
C010214ALCD	C010214ALCD	ORG	XYLMP	p&m-Xylene	96		ug/L	2	0.26	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1142	100	96%	0%	
C010214ALCD	C010214ALCD	ORG	95-47-6	o-Xylene	44		ug/L	1	0.13	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1142	50	88%	2%	
C010214ALCD	C010214ALCD	ORG	100-42-5	Styrene	46		ug/L	1	0.20	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1142	50	92%	2%	
C010214ALCD	C010214ALCD	ORG	75-25-2	Bromoform	43		ug/L	2	0.47	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1142	50	86%	2%	
C010214ALCD	C010214ALCD	ORG	98-82-8	Isopropylbenzene	47		ug/L	2	0.20	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1142	50	94%	2%	
C010214ALCD	C010214ALCD	ORG	103-65-1	n-Propylbenzene	54		ug/L	2	0.27	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1142	50	108%	4%	

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
C010214ALCD	C010214ALCD	ORG	79-34-5	1,1,2,2-Tetrachloroethane	46		ug/L	2	0.29	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1142	50	92%	2%	
C010214ALCD	C010214ALCD	ORG	96-18-4	1,2,3-Trichloropropane	47		ug/L	2	0.29	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1142	50	94%	0%	
C010214ALCD	C010214ALCD	ORG	108-67-8	1,3,5-Trimethylbenzene	48		ug/L	2	0.20	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1142	50	96%	0%	
C010214ALCD	C010214ALCD	ORG	98-06-6	tert-Butylbenzene	48		ug/L	2	0.33	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1142	50	96%	0%	
C010214ALCD	C010214ALCD	ORG	95-63-6	1,2,4-Trimethylbenzene	48		ug/L	2	0.20	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1142	50	96%	4%	
C010214ALCD	C010214ALCD	ORG	135-98-8	sec-Butylbenzene	47		ug/L	2	0.32	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1142	50	94%	2%	
C010214ALCD	C010214ALCD	ORG	541-73-1	1,3-Dichlorobenzene	49		ug/L	2	0.22	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1142	50	98%	2%	
C010214ALCD	C010214ALCD	ORG	99-87-6	p-Isopropltoluene	46		ug/L	2	0.25	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1142	50	92%	0%	
C010214ALCD	C010214ALCD	ORG	106-46-7	1,4-Dichlorobenzene	46		ug/L	2	0.33	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1142	50	92%	0%	
C010214ALCD	C010214ALCD	ORG	95-50-1	1,2-Dichlorobenzene	47		ug/L	2	0.26	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1142	50	94%	0%	
C010214ALCD	C010214ALCD	ORG	104-51-8	n-Butylbenzene	47		ug/L	5	0.28	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1142	50	94%	0%	
C010214ALCD	C010214ALCD	ORG	96-12-8	1,2-Dibromo-3-chloropropane	45		ug/L	5	1.59	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1142	50	90%	0%	
C010214ALCD	C010214ALCD	ORG	87-68-3	Hexachlorobutadiene	53		ug/L	5	0.65	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1142	50	106%	4%	
C010214ALCD	C010214ALCD	ORG	120-82-1	1,2,4-Trichlorobenzene	47		ug/L	5	0.28	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1142	50	94%	6%	
C010214ALCD	C010214ALCD	ORG	91-20-3	Naphthalene	43		ug/L	5	0.56	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1142	50	86%	11%	
C010214ALCD	C010214ALCD	ORG	87-61-6	1,2,3-Trichlorobenzene	52		ug/L	5	0.23	NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1142	50	104%	4%	
C010214ALCD	C010214ALCD	STD	1868-53-7	Dibromofluoromethane	55		ng			NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1142	50	110%	9%	
C010214ALCD	C010214ALCD	STD	17060-07-0	1,2-Dichloroethane d4	54		ng			NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1142	50	108%	4%	
C010214ALCD	C010214ALCD	STD	2037-26-5	Toluene d8	50		ng			NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1142	50	100%	0%	
C010214ALCD	C010214ALCD	STD	460-00-4	Bromofluorobenzene	48		ng			NA	1/2/2014	1/2/2014	WQ	1	NA	5.0	NA	SW8260B	NALC1142	50	96%	2%	

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-888MS	316-184	ORG	75-71-8	Dichlorodifluoromethane	4400		ug/L	500	29.28	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1143	5000	88%		
NAL13026-888MS	316-184	ORG	74-87-3	Chloromethane	4700		ug/L	500	43.07	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1143	5000	94%		
NAL13026-888MS	316-184	ORG	75-01-4	Vinyl chloride	5200		ug/L	200	31.86	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1143	5000	104%		
NAL13026-888MS	316-184	ORG	74-83-9	Bromomethane	4600		ug/L	500	50.04	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1143	5000	92%		
NAL13026-888MS	316-184	ORG	75-00-3	Chloroethane	3600		ug/L	500	55.61	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1143	5000	72%		
NAL13026-888MS	316-184	ORG	75-69-4	Trichlorofluoromethane	5700		ug/L	500	19.65	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1143	5000	114%		
NAL13026-888MS	316-184	ORG	75-35-4	1,1-Dichloroethene	4800		ug/L	100	47.11	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1143	5000	96%		
NAL13026-888MS	316-184	ORG	75-09-2	Methylene chloride	4900		ug/L	500	26.46	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1143	5000	98%		
NAL13026-888MS	316-184	ORG	67-64-1	Acetone	93000		ug/L	1000	155.61	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1143	5000	-540%		120000
NAL13026-888MS	316-184	ORG	156-60-5	trans-1,2-Dichloroethene	4900		ug/L	100	55.61	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1143	5000	98%		
NAL13026-888MS	316-184	ORG	1634-04-4	MTBE	4700		ug/L	500	61.18	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1143	5000	94%		
NAL13026-888MS	316-184	ORG	75-34-3	1,1-Dichloroethane	5000		ug/L	100	52.66	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1143	5000	100%		
NAL13026-888MS	316-184	ORG	156-59-2	cis-1,2-Dichloroethene	4900		ug/L	100	32.11	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1143	5000	98%		
NAL13026-888MS	316-184	ORG	74-97-5	Bromochloromethane	4900		ug/L	1000	41.37	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1143	5000	98%		
NAL13026-888MS	316-184	ORG	67-66-3	Chloroform	4800		ug/L	200	15.73	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1143	5000	96%		
NAL13026-888MS	316-184	ORG	71-55-6	1,1,1-Trichloroethane	4900		ug/L	100	16.65	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1143	5000	98%		
NAL13026-888MS	316-184	ORG	78-93-3	2-Butanone	54000		ug/L	100	81.18	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1143	5000	-120%		60000
NAL13026-888MS	316-184	ORG	56-23-5	Carbon tetrachloride	4700		ug/L	100	27.64	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1143	5000	94%		
NAL13026-888MS	316-184	ORG	71-43-2	Benzene	4900		ug/L	100	13.53	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1143	5000	97%		62
NAL13026-888MS	316-184	ORG	107-06-2	1,2-Dichloroethane	4700		ug/L	100	20.01	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1143	5000	94%		
NAL13026-888MS	316-184	ORG	79-01-6	Trichloroethene	4000		ug/L	100	36.33	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1143	5000	80%		
NAL13026-888MS	316-184	ORG	74-95-3	Dibromomethane	4500		ug/L	200	32.20	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1143	5000	90%		
NAL13026-888MS	316-184	ORG	78-87-5	1,2-Dichloropropane	4600		ug/L	100	18.17	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1143	5000	92%		
NAL13026-888MS	316-184	ORG	75-27-4	Bromodichloromethane	3500		ug/L	200	11.58	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1143	5000	70%		
NAL13026-888MS	316-184	ORG	10061-01-5	cis-1,3-Dichloropropene	4500		ug/L	100	25.01	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1143	5000	90%		
NAL13026-888MS	316-184	ORG	108-88-3	Toluene	4100		ug/L	100	20.96	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1143	5000	80%		77
NAL13026-888MS	316-184	ORG	108-10-1	4-Methyl-2-pentanone	5400		ug/L	500	74.00	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1143	5000	86%		1100
NAL13026-888MS	316-184	ORG	10061-02-6	trans-1,3-Dichloropropene	4400		ug/L	100	31.15	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1143	5000	88%		
NAL13026-888MS	316-184	ORG	127-18-4	Tetrachloroethene	3900		ug/L	100	48.56	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1143	5000	78%		
NAL13026-888MS	316-184	ORG	79-00-5	1,1,2-Trichloroethane	4400		ug/L	100	34.28	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1143	5000	88%		
NAL13026-888MS	316-184	ORG	124-48-1	Dibromochloromethane	3800		ug/L	500	29.90	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1143	5000	76%		
NAL13026-888MS	316-184	ORG	106-93-4	1,2-Dibromoethane	4100		ug/L	200	26.49	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1143	5000	82%		
NAL13026-888MS	316-184	ORG	591-78-6	2-Hexanone	11000		ug/L	200	68.90	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1143	5000	98%		6100
NAL13026-888MS	316-184	ORG	100-41-4	Ethylbenzene	4700		ug/L	100	25.38	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1143	5000	88%		280
NAL13026-888MS	316-184	ORG	108-90-7	Chlorobenzene	4500		ug/L	100	27.52	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1143	5000	90%		
NAL13026-888MS	316-184	ORG	630-20-6	1,1,1,2-Tetrachloroethane	3800		ug/L	200	19.28	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1143	5000	76%		
NAL13026-888MS	316-184	ORG	XYLMP	p&m-Xylene	9500		ug/L	200	26.14	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1143	10000	82%		1300
NAL13026-888MS	316-184	ORG	95-47-6	o-Xylene	5200		ug/L	100	12.90	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1143	5000	85%		940
NAL13026-888MS	316-184	ORG	100-42-5	Styrene	4500		ug/L	100	20.23	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1143	5000	82%		420
NAL13026-888MS	316-184	ORG	75-25-2	Bromoform	3900		ug/L	200	46.83	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1143	5000	78%		
NAL13026-888MS	316-184	ORG	98-82-8	Isopropylbenzene	5100		ug/L	200	20.48	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1143	5000	85%		850
NAL13026-888MS	316-184	ORG	103-65-1	n-Propylbenzene	5500		ug/L	200	27.00	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1143	5000	103%		370

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-888MS	316-184	ORG	79-34-5	1,1,2,2-Tetrachloroethane	4400		ug/L	200	29.16	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1143	5000	88%		
NAL13026-888MS	316-184	ORG	96-18-4	1,2,3-Trichloropropane	4400		ug/L	200	29.47	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1143	5000	88%		
NAL13026-888MS	316-184	ORG	108-67-8	1,3,5-Trimethylbenzene	5300		ug/L	200	20.03	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1143	5000	86%		1000
NAL13026-888MS	316-184	ORG	98-06-6	tert-Butylbenzene	4800		ug/L	200	32.61	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1143	5000	96%		
NAL13026-888MS	316-184	ORG	95-63-6	1,2,4-Trimethylbenzene	8500		ug/L	200	20.03	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1143	5000	96%		3700
NAL13026-888MS	316-184	ORG	135-98-8	sec-Butylbenzene	5700		ug/L	200	32.34	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1143	5000	114%		
NAL13026-888MS	316-184	ORG	541-73-1	1,3-Dichlorobenzene	4800		ug/L	200	22.21	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1143	5000	96%		
NAL13026-888MS	316-184	ORG	99-87-6	p-Isopropltoluene	20000		ug/L	200	25.48	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1143	5000	80%		16000
NAL13026-888MS	316-184	ORG	106-46-7	1,4-Dichlorobenzene	8100		ug/L	200	33.03	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1143	5000	88%		3700
NAL13026-888MS	316-184	ORG	95-50-1	1,2-Dichlorobenzene	5000		ug/L	200	26.38	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1143	5000	100%		
NAL13026-888MS	316-184	ORG	104-51-8	n-Butylbenzene	5500		ug/L	500	27.81	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1143	5000	95%		730
NAL13026-888MS	316-184	ORG	96-12-8	1,2-Dibromo-3-chloropropane	5800		ug/L	500	159.11	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1143	5000	116%		
NAL13026-888MS	316-184	ORG	87-68-3	Hexachlorobutadiene	6400		ug/L	500	65.42	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1143	5000	128%		
NAL13026-888MS	316-184	ORG	120-82-1	1,2,4-Trichlorobenzene	6200		ug/L	500	27.63	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1143	5000	124%		
NAL13026-888MS	316-184	ORG	91-20-3	Naphthalene	10000		ug/L	500	56.04	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1143	5000	116%		4200
NAL13026-888MS	316-184	ORG	87-61-6	1,2,3-Trichlorobenzene	6800		ug/L	500	23.28	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1143	5000	136%		
NAL13026-888MS	316-184	STD	1868-53-7	Dibromofluoromethane	51		ng			1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1143	50	102%		
NAL13026-888MS	316-184	STD	17060-07-0	1,2-Dichloroethane d4	50		ng			1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1143	50	100%		
NAL13026-888MS	316-184	STD	2037-26-5	Toluene d8	43		ng			1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1143	50	86%		
NAL13026-888MS	316-184	STD	460-00-4	Bromofluorobenzene	56		ng			1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1143	50	112%		

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-888MSD	316-184	ORG	75-71-8	Dichlorodifluoromethane	4500		ug/L	500	29.28	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1144	5000	90%	2%	0
NAL13026-888MSD	316-184	ORG	74-87-3	Chloromethane	5200		ug/L	500	43.07	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1144	5000	104%	10%	0
NAL13026-888MSD	316-184	ORG	75-01-4	Vinyl chloride	5700		ug/L	200	31.86	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1144	5000	114%	9%	0
NAL13026-888MSD	316-184	ORG	74-83-9	Bromomethane	3900		ug/L	500	50.04	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1144	5000	78%	16%	0
NAL13026-888MSD	316-184	ORG	75-00-3	Chloroethane	2600		ug/L	500	55.61	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1144	5000	52%	32%	0
NAL13026-888MSD	316-184	ORG	75-69-4	Trichlorofluoromethane	4400		ug/L	500	19.65	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1144	5000	88%	26%	0
NAL13026-888MSD	316-184	ORG	75-35-4	1,1-Dichloroethene	4700		ug/L	100	47.11	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1144	5000	94%	2%	0
NAL13026-888MSD	316-184	ORG	75-09-2	Methylene chloride	4900		ug/L	500	26.46	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1144	5000	98%	0%	0
NAL13026-888MSD	316-184	ORG	67-64-1	Acetone	96000		ug/L	1000	155.61	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1144	5000	-480%	3%	120000
NAL13026-888MSD	316-184	ORG	156-60-5	trans-1,2-Dichloroethene	5000		ug/L	100	55.61	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1144	5000	100%	2%	0
NAL13026-888MSD	316-184	ORG	1634-04-4	MTBE	5400		ug/L	500	61.18	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1144	5000	108%	14%	0
NAL13026-888MSD	316-184	ORG	75-34-3	1,1-Dichloroethane	5000		ug/L	100	52.66	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1144	5000	100%	0%	0
NAL13026-888MSD	316-184	ORG	156-59-2	cis-1,2-Dichloroethene	4900		ug/L	100	32.11	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1144	5000	98%	0%	0
NAL13026-888MSD	316-184	ORG	74-97-5	Bromochloromethane	5000		ug/L	1000	41.37	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1144	5000	100%	2%	0
NAL13026-888MSD	316-184	ORG	67-66-3	Chloroform	4800		ug/L	200	15.73	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1144	5000	96%	0%	0
NAL13026-888MSD	316-184	ORG	71-55-6	1,1,1-Trichloroethane	4900		ug/L	100	16.65	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1144	5000	98%	0%	0
NAL13026-888MSD	316-184	ORG	78-93-3	2-Butanone	56000		ug/L	100	81.18	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1144	5000	-80%	4%	60000
NAL13026-888MSD	316-184	ORG	56-23-5	Carbon tetrachloride	4800		ug/L	100	27.64	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1144	5000	96%	2%	0
NAL13026-888MSD	316-184	ORG	71-43-2	Benzene	4800		ug/L	100	13.53	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1144	5000	95%	2%	62
NAL13026-888MSD	316-184	ORG	107-06-2	1,2-Dichloroethane	4700		ug/L	100	20.01	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1144	5000	94%	0%	0
NAL13026-888MSD	316-184	ORG	79-01-6	Trichloroethene	3600		ug/L	100	36.33	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1144	5000	72%	11%	0
NAL13026-888MSD	316-184	ORG	74-95-3	Dibromomethane	4400		ug/L	200	32.20	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1144	5000	88%	2%	0
NAL13026-888MSD	316-184	ORG	78-87-5	1,2-Dichloropropane	4400		ug/L	100	18.17	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1144	5000	88%	4%	0
NAL13026-888MSD	316-184	ORG	75-27-4	Bromodichloromethane	3600		ug/L	200	11.58	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1144	5000	72%	3%	0
NAL13026-888MSD	316-184	ORG	10061-01-5	cis-1,3-Dichloropropene	4600		ug/L	100	25.01	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1144	5000	92%	2%	0
NAL13026-888MSD	316-184	ORG	108-88-3	Toluene	4100		ug/L	100	20.96	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1144	5000	80%	0%	77
NAL13026-888MSD	316-184	ORG	108-10-1	4-Methyl-2-pentanone	6000		ug/L	500	74.00	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1144	5000	98%	11%	1100
NAL13026-888MSD	316-184	ORG	10061-02-6	trans-1,3-Dichloropropene	4400		ug/L	100	31.15	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1144	5000	88%	0%	0
NAL13026-888MSD	316-184	ORG	127-18-4	Tetrachloroethene	4000		ug/L	100	48.56	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1144	5000	80%	3%	0
NAL13026-888MSD	316-184	ORG	79-00-5	1,1,2-Trichloroethane	4400		ug/L	100	34.28	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1144	5000	88%	0%	0
NAL13026-888MSD	316-184	ORG	124-48-1	Dibromochloromethane	3900		ug/L	500	29.90	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1144	5000	78%	3%	0
NAL13026-888MSD	316-184	ORG	106-93-4	1,2-Dibromoethane	4200		ug/L	200	26.49	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1144	5000	84%	2%	0
NAL13026-888MSD	316-184	ORG	591-78-6	2-Hexanone	12000		ug/L	200	68.90	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1144	5000	118%	9%	6100
NAL13026-888MSD	316-184	ORG	100-41-4	Ethylbenzene	5000		ug/L	100	25.38	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1144	5000	94%	6%	280
NAL13026-888MSD	316-184	ORG	108-90-7	Chlorobenzene	4800		ug/L	100	27.52	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1144	5000	96%	6%	0
NAL13026-888MSD	316-184	ORG	630-20-6	1,1,1,2-Tetrachloroethane	4000		ug/L	200	19.28	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1144	5000	80%	5%	0
NAL13026-888MSD	316-184	ORG	XYLMP	p&m-Xylene	10000		ug/L	200	26.14	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1144	10000	87%	5%	1300
NAL13026-888MSD	316-184	ORG	95-47-6	o-Xylene	5400		ug/L	100	12.90	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1144	5000	89%	4%	940
NAL13026-888MSD	316-184	ORG	100-42-5	Styrene	4700		ug/L	100	20.23	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1144	5000	86%	4%	420
NAL13026-888MSD	316-184	ORG	75-25-2	Bromoform	4100		ug/L	200	46.83	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1144	5000	82%	5%	0
NAL13026-888MSD	316-184	ORG	98-82-8	Isopropylbenzene	5300		ug/L	200	20.48	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1144	5000	89%	4%	850
NAL13026-888MSD	316-184	ORG	103-65-1	n-Propylbenzene	5600		ug/L	200	27.00	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1144	5000	105%	2%	370

New Age/Landmark
Mobile Laboratory Services
160 Veterans Blvd. • South Haven, Michigan 49090
Tel: 888-685-1628 • mobilelabs@newagelandmark.com

FINAL ANALYTICAL REPORT

Republic Services
12976 St. Charles Rock Rd.
Bridgeton, MO 63044
ATTN: Craig Almanza

Project #: NAL13-026
Project Site: Bridgeton Landfill

Analytical results meet the requirements of NELAC Standards. The results reported apply solely to the sample analyzed and all results are reported on a dry weight basis unless stated otherwise. Any questions concerning this report should be directed to Scott D. Wall, President.
B = Analyte is found in the associated blank as well as in the sample.
D = Compound identified in an analysis at a secondary dilution factor.
E = Compound's concentration exceeds the calibration range of the instrument at this dilution.
X = Estimated value, some aspect of the test relative to this compound did not meet QC criteria. See batch narrative for explanation.
J = Estimated value, compound meets the identification criteria but the result is less than the limit of quantitation but greater than the MDL.
M = Matrix assesment, QC analyses parameter exceeded control limits.
U = Non-detect
***** NAL is not certified for these compound by NELAC.

Lab ID:	Sample ID:		CAS #	ANALYTES	Results	QC	Units	RDL	MDL	Sample Date	Prep. Date	Analysis Date	Matrix	Dil.	Weight(g)	Vol.(ml)	% Solid	Method	Data file	Spike	% Rec	% RPD	Parent
NAL13026-888MSD	316-184	ORG	79-34-5	1,1,2,2-Tetrachloroethane	4800		ug/L	200	29.16	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1144	5000	96%	9%	0
NAL13026-888MSD	316-184	ORG	96-18-4	1,2,3-Trichloropropane	4500		ug/L	200	29.47	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1144	5000	90%	2%	0
NAL13026-888MSD	316-184	ORG	108-67-8	1,3,5-Trimethylbenzene	5400		ug/L	200	20.03	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1144	5000	88%	2%	1000
NAL13026-888MSD	316-184	ORG	98-06-6	tert-Butylbenzene	4800		ug/L	200	32.61	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1144	5000	96%	0%	0
NAL13026-888MSD	316-184	ORG	95-63-6	1,2,4-Trimethylbenzene	8500		ug/L	200	20.03	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1144	5000	96%	0%	3700
NAL13026-888MSD	316-184	ORG	135-98-8	sec-Butylbenzene	5600		ug/L	200	32.34	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1144	5000	112%	2%	0
NAL13026-888MSD	316-184	ORG	541-73-1	1,3-Dichlorobenzene	4700		ug/L	200	22.21	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1144	5000	94%	2%	0
NAL13026-888MSD	316-184	ORG	99-87-6	p-Isopropltoluene	20000		ug/L	200	25.48	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1144	5000	80%	0%	16000
NAL13026-888MSD	316-184	ORG	106-46-7	1,4-Dichlorobenzene	8000		ug/L	200	33.03	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1144	5000	86%	1%	3700
NAL13026-888MSD	316-184	ORG	95-50-1	1,2-Dichlorobenzene	4900		ug/L	200	26.38	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1144	5000	98%	2%	0
NAL13026-888MSD	316-184	ORG	104-51-8	n-Butylbenzene	5500		ug/L	500	27.81	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1144	5000	95%	0%	730
NAL13026-888MSD	316-184	ORG	96-12-8	1,2-Dibromo-3-chloropropane	5700		ug/L	500	159.11	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1144	5000	114%	2%	0
NAL13026-888MSD	316-184	ORG	87-68-3	Hexachlorobutadiene	6500		ug/L	500	65.42	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1144	5000	130%	2%	0
NAL13026-888MSD	316-184	ORG	120-82-1	1,2,4-Trichlorobenzene	6200		ug/L	500	27.63	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1144	5000	124%	0%	0
NAL13026-888MSD	316-184	ORG	91-20-3	Naphthalene	10000		ug/L	500	56.04	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1144	5000	116%	0%	4200
NAL13026-888MSD	316-184	ORG	87-61-6	1,2,3-Trichlorobenzene	6700		ug/L	500	23.28	1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1144	5000	134%	1%	0
NAL13026-888MSD	316-184	STD	1868-53-7	Dibromofluoromethane	51		ng			1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1144	50	102%	0%	0
NAL13026-888MSD	316-184	STD	17060-07-0	1,2-Dichloroethane d4	52		ng			1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1144	50	104%	4%	0
NAL13026-888MSD	316-184	STD	2037-26-5	Toluene d8	45		ng			1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1144	50	90%	5%	0
NAL13026-888MSD	316-184	STD	460-00-4	Bromofluorobenzene	57		ng			1/2/2014	1/2/2014	1/2/2014	WG	100	NA	5.0	NA	SW8260B	NALC1144	50	114%	2%	0