

Daily Flare Monitoring Data - Bridgeton Landfill
7/1/2013 - 12/31/2013

Date	Device Flow (scfm)						Total Flow (scfm)
	Enclosed Flare	Callidus Flare	Candlestick Flare (FL-100)	Candlestick Flare (FL-140)	Candlestick Flare (FL-120)	E. Aux. Candlestick Flare	
8/7/2012	3,822	-	1,867				5,689
8/8/2012	3,916	-	1,886				5,802
8/9/2012	3,718	-	1,885				5,603
8/10/2012	3,782	-	1,897				5,679
8/11/2012	3,597	-	1,886				5,483
8/12/2012	3,000	-	1,770				4,770
8/13/2012	3,670	-	1,790				5,460
8/14/2012	3,850	-	1,800				5,650
8/15/2012	3,452	-	1,771				5,223
8/16/2012	4,094	-	1,766				5,860
8/17/2012	3,964	-	1,738				5,702
8/18/2012	3,896	-	1,791				5,687
8/19/2012	3,680	-	1,753				5,433
8/20/2012	3,750	-	1,731				5,481
8/21/2012	3,819	-	1,773				5,592
8/22/2012	3,647	-	1,835				5,482
8/23/2012	3,854	-	1,869				5,723
8/24/2012	4,022	-	1,976				5,998
8/25/2012	3,955	-	1,967				5,922
8/26/2012	3,925	-	2,009				5,934
8/27/2012	3,911	-	1,960				5,871
8/28/2012	3,997	-	1,993				5,990
8/29/2012	3,901	-	2,208				6,109
8/30/2012	3,902	-	2,192				6,094
8/31/2012	4,074	-	2,169				6,243
9/1/2012	4,051	-	2,209				6,260
9/2/2012	3,984	-	2,159				6,143
9/3/2012	4,150	-	2,144				6,294
9/4/2012	4,092	-	2,156				6,248
9/5/2012	3,975	-	2,174				6,149
9/6/2012	4,178	-	2,144				6,322
9/7/2012	4,357	-	2,170				6,527
9/8/2012	3,951	-	2,192				6,143
9/9/2012	4,135	-	2,178				6,313
9/10/2012	4,142	-	2,154				6,296
9/11/2012	3,999	-	2,203				6,202
9/12/2012	4,156	-	2,175				6,331
9/13/2012	3,639	-	2,199				5,838
9/14/2012	3,653	-	2,194				5,847
9/15/2012	4,650	-	2,093				6,743
9/16/2012	4,107	-	1,980				6,087
9/17/2012	4,450	-	1,934				6,384
9/18/2012	4,596	-	2,003				6,599
9/19/2012	4,435	-	1,902				6,337
9/20/2012	4,634	-	1,859				6,493
9/21/2012	4,003	-	2,139				6,142
9/22/2012	3,776	-	2,133				5,909
9/23/2012	3,572	-	2,167				5,739
9/24/2012	4,786	-	1,316				6,102
9/25/2012	4,751	-	2,217				6,968
9/26/2012	4,453	-	2,158				6,611
9/27/2012	4,305	-	2,194				6,499
9/28/2012	2,918	-	2,314				5,232
9/29/2012	4,200	-	2,306				6,506
9/30/2012	3,860	-	2,313				6,173

Daily Flare Monitoring Data - Bridgeton Landfill
7/1/2013 - 12/31/2013

Date	Device Flow (scfm)						Total Flow (scfm)
	Enclosed Flare	Callidus Flare	Candlestick Flare (FL-100)	Candlestick Flare (FL-140)	Candlestick Flare (FL-120)	E. Aux. Candlestick Flare	
10/1/2012	4,503	-	2,212				6,715
10/2/2012	3,973	-	2,242				6,215
10/3/2012	3,707	3,476	1,930				9,113
10/4/2012	2,611	2,741	1,890				7,242
10/5/2012	2,740	2,932	1,836				7,508
10/6/2012	2,525	3,046	1,729				7,300
10/7/2012	2,835	3,324	1,719				7,878
10/8/2012	2,342	3,386	1,625				7,353
10/9/2012	2,110	3,309	1,715				7,134
10/10/2012	2,364	1,963	1,516				5,843
10/11/2012	2,895	2,052	1,397				6,344
10/12/2012	3,101	2,246	1,324				6,671
10/13/2012	2,827	2,185	1,856				6,868
10/14/2012	2,239	1,800	2,102				6,141
10/15/2012	2,670	1,930	1,975				6,575
10/16/2012	2,900	1,940	2,040				6,880
10/17/2012	2,930	2,288	1,885				7,103
10/18/2012	1,668	1,489	1,892				5,049
10/19/2012	2,145	1,650	1,855				5,650
10/20/2012	3,160	1,800	1,785				6,745
10/21/2012	1,400	1,760	1,990				5,150
10/22/2012	1,804	1,225	1,337				4,366
10/23/2012	2,947	2,565	1,436				6,948
10/24/2012	1,960	1,725	1,310				4,995
10/25/2012	3,106	2,631	1,623				7,360
10/26/2012	2,701	2,411	1,334				6,446
10/27/2012	2,200	2,200	1,645				6,045
10/28/2012	2,197	2,250	1,472				5,919
10/29/2012	2,250	2,650	1,270				6,170
10/30/2012	2,372	2,820	1,460				6,652
10/31/2012	2,339	2,195	1,261				5,795
11/1/2012	2,400	2,145	1,071				5,616
11/2/2012	2,500	2,120	1,050				5,670
11/3/2012	2,862	1,971	988				5,821
11/4/2012	2,659	2,297	1,188				6,144
11/5/2012	2,209	2,168	1,147				5,524
11/6/2012	2,230	2,375	1,040				5,645
11/7/2012	2,230	2,260	1,200				5,690
11/8/2012	2,723	2,075	1,456				6,254
11/9/2012	2,724	2,084	1,547				6,355
11/10/2012	2,824	1,991	1,732				6,547
11/11/2012	3,084	1,852	1,483				6,419
11/12/2012	2,370	1,880	1,484				5,734
11/13/2012	2,195	2,288	1,601				6,084
11/14/2012	2,197	1,860	1,526				5,583
11/15/2012	2,155	2,018	1,576				5,749
11/16/2012	1,955	1,932	1,669				5,556
11/17/2012	2,013	1,925	1,735				5,673
11/18/2012	2,065	1,900	1,747				5,712
11/19/2012	2,088	1,920	1,705				5,713
11/20/2012	2,281	1,945	1,701				5,927
11/21/2012	2,500	2,020	1,685				6,205
11/22/2012	2,229	2,022	1,762				6,013
11/23/2012	1,950	1,951	1,655				5,556
11/24/2012	2,017	2,046	1,512				5,575
11/25/2012	2,088	1,900	1,312				5,300

Daily Flare Monitoring Data - Bridgeton Landfill
7/1/2013 - 12/31/2013

Date	Device Flow (scfm)						Total Flow (scfm)
	Enclosed Flare	Callidus Flare	Candlestick Flare (FL-100)	Candlestick Flare (FL-140)	Candlestick Flare (FL-120)	E. Aux. Candlestick Flare	
11/26/2012	1,851	1,766	1,289				4,906
11/27/2012	3,858	-	1,134				4,992
11/28/2012	1,834	1,840	1,185				4,859
11/29/2012	2,371	1,819	1,153				5,343
11/30/2012	2,442	1,818	1,240				5,500
12/1/2012	2,507	1,863	1,307				5,677
12/2/2012	2,616	1,849	1,323				5,788
12/3/2012	2,588	1,839	1,409				5,836
12/4/2012	2,156	1,980	1,478				5,614
12/5/2012	2,015	2,026	1,425				5,466
12/6/2012	2,829	1,964	1,118				5,911
12/7/2012	2,980	1,900	1,230				6,110
12/8/2012	3,000	1,700	1,220				5,920
12/9/2012	3,300	1,760	1,075				6,135
12/10/2012	2,429	1,670	1,308				5,407
12/11/2012	1,786	1,701	1,289				4,776
12/12/2012	3,546	1,933	1,440				6,919
12/13/2012	1,974	2,089	1,644				5,707
12/14/2012	2,217	1,417	1,620				5,254
12/15/2012	1,846	2,079	1,607				5,532
12/16/2012	1,980	1,882	1,451				5,313
12/17/2012	1,743	2,054	1,612				5,409
12/18/2012	1,871	1,642	1,597				5,110
12/19/2012	1,975	1,860	1,782				5,617
12/20/2012	2,177	1,817	1,602				5,596
12/21/2012	2,021	1,844	1,551				5,416
12/22/2012	2,066	1,850	1,550				5,466
12/23/2012	2,037	1,774	1,969				5,780
12/24/2012	1,822	1,750	2,059				5,631
12/25/2012	1,709	1,805	1,895				5,409
12/26/2012	1,481	1,882	1,956				5,319
12/27/2012	1,946	1,784	1,662				5,392
12/28/2012	1,873	1,891	1,543				5,307
12/29/2012	2,031	1,804	1,664				5,499
12/30/2012	2,114	1,839	1,523				5,476
12/31/2012	2,296	1,909	1,442				5,647
1/1/2013	2,011	1,822	1,418				5,251
1/2/2013	1,974	1,977	1,378				5,329
1/3/2013	2,130	1,980	1,468				5,578
1/4/2013	1,878	1,838	1,393				5,109
1/5/2013	1,908	1,860	1,321				5,089
1/6/2013	1,712	1,782	1,358				4,852
1/7/2013	1,734	1,761	1,265			1,211	5,971
1/8/2013	1,410	2,009	1,247			1,247	5,913
1/9/2013	1,902	2,090	1,203			1,234	6,429
1/10/2013	2,367	2,060	1,243			1,301	6,971
1/11/2013	1,765	1,646	1,302				4,713
1/12/2013	4,388						4,388
1/13/2013	1,569	2,672	1,221			1,474	6,936
1/14/2013		2,904	1,394			1,434	5,732
1/15/2013		3,245	1,401			1,422	6,068
1/16/2013		3,122	1,316			1,388	5,826
1/17/2013	4,639	3,163	1,514			1,484	10,800
1/18/2013		2,782	1,413			1,389	5,584
1/19/2013		4,064					4,064
1/20/2013		1,888					1,888

Daily Flare Monitoring Data - Bridgeton Landfill
7/1/2013 - 12/31/2013

Date	Device Flow (scfm)						Total Flow (scfm)
	Enclosed Flare	Callidus Flare	Candlestick Flare (FL-100)	Candlestick Flare (FL-140)	Candlestick Flare (FL-120)	E. Aux. Candlestick Flare	
1/21/2013	752		1,411			1,282	3,445
1/22/2013	4,660	2,735	1,894				9,289
1/23/2013	730	2,870	730				4,330
1/24/2013	671	2,735	1,271				4,677
1/25/2013	710	2,759	3,900				7,369
1/26/2013	625	2,875	3,901				7,401
1/27/2013	591	2,751	3,901				7,243
1/28/2013	971	2,843	3,900				7,714
1/29/2013	697		1,074				1,771
1/30/2013	697	2,862	806				4,365
1/31/2013	2,100	2,220	820				5,140
2/1/2013	1,573	2,399	1,452				5,424
2/2/2013	2,633	1,618	1,483				5,734
2/3/2013	2,880	2,130	868				5,878
2/4/2013	3,450	2,358	814				6,622
2/5/2013	2,960	2,220	820				6,000
2/6/2013	3,204	2,473	981				6,658
2/7/2013	2,856	2,258	1,089				6,203
2/8/2013	2,641	2,124	832				5,597
2/9/2013	2,794	2,366	994				6,154
2/10/2013	2,719	2,210	1,080				6,009
2/11/2013	3,404	2,216	920				6,540
2/12/2013	2,990	2,200	950				6,140
2/13/2013	2,915	2,141	965				6,021
2/14/2013	2,938	1,995	1,035				5,968
2/15/2013	2,824	2,130	941				5,895
2/16/2013	2,589	2,064	1,026				5,679
2/17/2013	2,760	2,048	1,090				5,898
2/18/2013	2,767	2,490	1,060				6,317
2/19/2013	2,450	2,233	950				5,633
2/20/2013	2,324	2,094	951				5,369
2/21/2013	2,435	2,092	1,021				5,548
2/22/2013	2,555	2,108	1,150				5,813
2/23/2013	2,461	2,024	1,011				5,496
2/24/2013	2,694	2,119	1,015				5,828
2/25/2013	2,650	1,987	1,080				5,717
2/26/2013	2,398	2,293	935				5,626
2/27/2013	1,811	1,804	818				4,433
2/28/2013	2,112	1,975	908				4,995
3/1/2013	2,192	1,926	848				4,966
3/2/2013	2,293	2,202	906				5,401
3/3/2013	2,533	2,357	874				5,764
3/4/2013	2,659	2,365	913				5,937
3/5/2013	2,709	2,313	976				5,998
3/6/2013	2,414	2,283	1,012				5,709
3/7/2013	2,542	2,340	879				5,761
3/8/2013	2,526	2,380	957				5,863
3/9/2013	2,711	2,389	915				6,015
3/10/2013	2,726	2,266	1,073				6,065
3/11/2013	3,134	2,027	1,178				6,339
3/12/2013	2,933	2,373	1,202				6,508
3/13/2013	2,873	2,207	1,332				6,412
3/14/2013	3,615	1,549	768				5,932
3/15/2013	3,321	2,237	1,284				6,842
3/16/2013	2,762	1,948	1,381				6,091
3/17/2013	2,690	1,836	1,842				6,368

Daily Flare Monitoring Data - Bridgeton Landfill
7/1/2013 - 12/31/2013

Date	Device Flow (scfm)						Total Flow (scfm)
	Enclosed Flare	Callidus Flare	Candlestick Flare (FL-100)	Candlestick Flare (FL-140)	Candlestick Flare (FL-120)	E. Aux. Candlestick Flare	
3/18/2013	2,316	2,171	2,009				6,496
3/19/2013	2,252	2,307	1,578				6,137
3/20/2013	2,883	2,251	1,167				6,301
3/21/2013	2,080	2,106	1,383				5,569
3/22/2013	2,216	2,664	1,339				6,219
3/23/2013	3,474	2,345	1,247				7,066
3/24/2013	2,869	2,248	1,099				6,216
3/25/2013	2,946	2,165	1,177				6,288
3/26/2013	3,255	2,243	1,112				6,610
3/27/2013	3,188	2,249	1,167				6,604
3/28/2013	3,237	2,314	1,322				6,873
3/29/2013	3,055	2,293	1,898				7,246
3/30/2013	2,975	2,349	1,238				6,562
3/31/2013	2,826	2,041	1,970				6,837
4/1/2013	2,755	2,284	1,994				7,033
4/2/2013	2,982	2,109	1,655				6,746
4/3/2013	3,138	2,246	1,728				7,112
4/4/2013	3,320	2,173	2,008				7,501
4/5/2013	3,001	2,034	2,196				7,231
4/6/2013	2,976	1,776	1,889				6,641
4/7/2013							
4/8/2013	3,122	2,154	1,877				7,153
4/9/2013	2,849	2,001	2,156				7,006
4/10/2013	3,001	1,614	1,279				5,894
4/11/2013	2,719	1,561	1,335				5,615
4/12/2013	2,645	1,417	1,441				5,503
4/13/2013	3,344	1,504	1,259				6,107
4/14/2013	2,369	1,617	2,558				6,544
4/15/2013	2,225	1,654	2,135				6,014
4/16/2013	1,874	1,472	2,005				5,351
4/17/2013	1,889	1,454	2,413				5,756
4/18/2013	2,536	1,610	1,808				5,954
4/19/2013	2,741	1,558	2,032				6,331
4/20/2013	2,963	1,613	1,753				6,329
4/21/2013	3,109	1,614	1,773				6,496
4/22/2013	3,630	1,564	2,011				7,205
4/23/2013	3,202	1,600	1,660				6,462
4/24/2013	3,049	1,610	1,675				6,334
4/25/2013	3,014	1,585	1,687				6,286
4/26/2013	2,832	1,590	1,620				6,042
4/27/2013	3,526	1,590	1,029				6,145
4/28/2013	3,628	1,615	1,345				6,588
4/29/2013	3,506	1,562	1,982				7,050
4/30/2013	3,550	1,604	2,124				7,278
5/1/2013	1,693	1,516	2,168				5,377
5/2/2013	1,562	1,583	1,752				4,897
5/3/2013	1,697	1,620	1,779				5,096
5/4/2013	1,540	1,606	1,810				4,956
5/5/2013	1,740	1,548	1,707				4,995
5/6/2013	1,755	1,603	1,730				5,088
5/7/2013	1,720	1,687	2,235				5,642
5/8/2013	1,656	1,620	2,176				5,452
5/9/2013	1,611	1,374	2,110				5,095
5/10/2013	1,648	1,582	1,527				4,757
5/11/2013	1,663	1,546	1,642				4,851
5/12/2013	1,621	1,607	1,900				5,128

Daily Flare Monitoring Data - Bridgeton Landfill
7/1/2013 - 12/31/2013

Date	Device Flow (scfm)						Total Flow (scfm)
	Enclosed Flare	Callidus Flare	Candlestick Flare (FL-100)	Candlestick Flare (FL-140)	Candlestick Flare (FL-120)	E. Aux. Candlestick Flare	
5/13/2013	1,643	1,564	1,810				5,017
5/14/2013	1,626	1,611	2,121				5,358
5/15/2013	1,640	1,598	1,920				5,158
5/16/2013	1,654	1,404	2,242				5,300
5/17/2013	1,648	1,582	2,121				5,351
5/18/2013	1,639	1,560	2,141				5,340
5/19/2013	1,666	1,595	2,375				5,636
5/20/2013	1,667	1,605	1,881				5,153
5/21/2013	1,649	1,596	2,112				5,357
5/22/2013	1,629	1,574	2,337				5,540
5/23/2013	1,662	1,577	2,214				5,453
5/24/2013	1,658	1,477	1,873				5,008
5/25/2013	1,673	1,539	2,007				5,219
5/26/2013	1,669	1,519	2,488				5,676
5/27/2013	1,676	1,510	2,601				5,787
5/28/2013	1,651	1,612	2,034				5,297
5/29/2013	1,614	1,610	2,321				5,545
5/30/2013	1,670	1,601	2,828				6,099
5/31/2013	1,591	1,596	2,741				5,928
6/1/2013	3,161	1,467	2,873				7,501
6/2/2013	3,642	1,544	2,245				7,431
6/3/2013	3,664	1,581	2,364				7,609
6/4/2013	3,451	1,490	2,713				7,654
6/5/2013	3,722	1,591	1,922			586	7,821
6/6/2013	3,696	1,592	1,918			529	7,735
6/7/2013	3,405	1,571	1,809			734	7,519
6/8/2013	3,544	1,553	2,592			596	8,285
6/9/2013	3,352	1,581	2,038			864	7,835
6/10/2013	3,691	1,623	1,589			1,079	7,982
6/11/2013	3,665	1,580	1,457			1,028	7,730
6/12/2013	3,651	1,546	2,110			1,056	8,363
6/13/2013	3,698	1,596	1,653			488	7,435
6/14/2013	3,558	1,620	1,214			1,119	7,511
6/15/2013	3,691	1,562	1,269			872	7,394
6/16/2013	3,502	1,608	2,105			745	7,960
6/17/2013	2,604	1,558	1,664			1,051	6,877
6/18/2013	3,401	1,605	1,496			1,141	7,643
6/19/2013	3,691	1,587	1,004			1,409	7,691
6/20/2013	3,769	1,608	1,196			1,184	7,757
6/21/2013	3,519	1,588	1,891			1,177	8,175
6/22/2013	3,864		2,301			1,380	7,545
6/23/2013	3,809		2,987			1,293	8,089
6/24/2013	3,497		3,046			1,443	7,986
6/25/2013	3,889		3,046			1,382	8,317
6/26/2013	3,803		2,725			1,391	7,919
6/27/2013	3,629		2,605			1,334	7,568
6/28/2013	3,853		2,817			1,326	7,996
6/29/2013	3,694		2,566			1,386	7,646
6/30/2013	3,694		2,911			1,432	8,037
7/1/2013	3,294		2,891			1,271	7,456
7/2/2013	3,309		2,708			1,514	7,531
7/3/2013	3,510		2,610				6,120
7/4/2013	3,496		2,901				6,397
7/5/2013	3,514		2,884			1,501	7,899
7/6/2013	3,891		2,544			1,535	7,970
7/7/2013	3,346		2,328			1,364	7,038

Daily Flare Monitoring Data - Bridgeton Landfill
7/1/2013 - 12/31/2013

Date	Device Flow (scfm)						Total Flow (scfm)
	Enclosed Flare	Callidus Flare	Candlestick Flare (FL-100)	Candlestick Flare (FL-140)	Candlestick Flare (FL-120)	E. Aux. Candlestick Flare	
7/8/2013	3,796		2,392			1,580	7,768
7/9/2013	3,981		2,279			1,504	7,764
7/10/2013	3,960		2,004			1,570	7,534
7/11/2013	3,987		2,041			1,398	7,426
7/12/2013	3,921		2,195			1,516	7,632
7/13/2013	3,635		2,701			1,265	7,601
7/14/2013	3,325		2,188			1,305	6,818
7/15/2013	3,954		2,027			1,204	7,185
7/16/2013	3,740		1,383				5,123
7/17/2013	3,988	3,303	1,416			1,023	9,730
7/18/2013	3,986	3,255	1,066			1,003	9,310
7/19/2013	3,987		1,142				5,129
7/20/2013	3,988	2,929	957			900	8,774
7/21/2013	3,988	2,801	1,343			833	8,965
7/22/2013	3,988	2,960	1,512			1,007	9,467
7/23/2013	3,987	2,625	1,597			1,102	9,311
7/24/2013	3,990	2,942	1,609			1,047	9,588
7/25/2013	3,989	3,241	1,551			805	9,586
7/26/2013	3,991	3,092	1,612			936	9,631
7/27/2013	3,992	2,898	1,177			759	8,826
7/28/2013	3,994	3,141	949			846	8,930
7/29/2013	3,995	3,341	1,241			894	9,471
7/30/2013	3,981	2,984	801			939	8,705
7/31/2013	3,993	3,033	1,052			935	9,013
8/1/2013	3,992	3,180	1,210			962	9,344
8/2/2013	3,996	2,850	1,184			1,017	9,047
8/3/2013	3,991	2,869	1,218			1,014	9,092
8/4/2013	3,990	2,946	1,148			975	9,059
8/5/2013	3,998	3,011	1,138			946	9,093
8/6/2013	3,993	3,999	1,266			928	10,186
8/7/2013	3,991	3,999	1,286			1,103	10,379
8/8/2013	3,993	3,691	1,381			990	10,055
8/9/2013	3,991	3,951	1,158			1,074	10,174
8/10/2013	3,991	3,957	1,348			1,043	10,339
8/11/2013	3,984	3,960	1,288			1,122	10,354
8/12/2013	3,991	3,833	1,201			1,080	10,105
8/13/2013	4,003	3,661	1,022			1,061	9,747
8/14/2013	3,997	3,038	1,101			1,174	9,310
8/15/2013	3,996	3,723	1,172			976	9,867
8/16/2013	4,001	3,601	1,141			845	9,588
8/17/2013	3,810	3,999	1,190			903	9,902
8/18/2013	4,004	3,970	1,318			902	10,194
8/19/2013	4,000	3,990	1,111			1,055	10,156
8/20/2013	4,080	3,711	1,346			1,043	10,180
8/21/2013	4,000	3,506	960			1,048	9,514
8/22/2013	4,150	3,527	1,372			888	9,937
8/23/2013	4,006	3,396	1,268			977	9,647
8/24/2013	4,020	3,222	1,272			1,083	9,597
8/25/2013	4,016	3,607	1,335			1,286	10,244
8/26/2013	4,061	3,295	1,302			1,080	9,738
8/27/2013	4,137	3,248	1,263			1,071	9,719
8/28/2013	4,016	2,965	1,230			1,089	9,300
8/29/2013	4,036	3,739	1,277			989	10,041
8/30/2013	4,028	3,294	1,071			947	9,340
8/31/2013	3,983	2,961	1,093			1,062	9,099

Daily Flare Monitoring Data - Bridgeton Landfill
7/1/2013 - 12/31/2013

Date	Device Flow (scfm)						Total Flow (scfm)
	Enclosed Flare	Callidus Flare	Candlestick Flare (FL-100)	Candlestick Flare (FL-140)	Candlestick Flare (FL-120)	E. Aux. Candlestick Flare	
9/1/2013	4,011	3,994	1,001			1,252	10,258
9/2/2013	3,992	3,992	975			1,205	10,164
9/3/2013	3,992	3,946	760			1,150	9,848
9/4/2013	3,994	3,750	615			1,211	9,570
9/5/2013	3,994	3,895	572			1,130	9,591
9/6/2013	3,990	3,550	700			1,055	9,295
9/7/2013	3,994	3,705	737			1,092	9,528
9/8/2013	3,993	3,522	772			1,065	9,352
9/9/2013	3,994	3,942	713			1,098	9,747
9/10/2013	3,993	3,335	855			1,060	9,243
9/11/2013	3,994	3,409	841			1,088	9,332
9/12/2013	3,998	3,819	749			1,110	9,676
9/13/2013	3,996	3,619	749			1,115	9,479
9/14/2013	4,003	3,261	741			1,123	9,128
9/15/2013	4,014	3,350	788			1,073	9,225
9/16/2013	4,017	3,010	749			1,122	8,898
9/17/2013	4,021	3,294	917			1,102	9,334
9/18/2013	4,006	3,423	801			1,082	9,312
9/19/2013	3,996	3,702	772			1,058	9,528
9/20/2013		3,251	821	3,561		1,135	8,768
9/21/2013		2,391	855	2,122		1,139	6,507
9/22/2013		1,800	705	3,790		1,140	7,435
9/23/2013		1,469	701	3,769		1,122	7,061
9/24/2013			637	3,997	1,742	1,485	7,861
9/25/2013			849	1,744	2,449	1,533	6,575
9/26/2013			1,724	2,171	1,224	1,573	6,692
9/27/2013			1,209	2,145	1,348	1,453	6,155
9/28/2013			1,327	1,939	1,283	1,427	5,976
9/29/2013			2,833	2,030	1,249	1,512	7,624
9/30/2013			1,270	1,841	1,427	1,471	6,009
10/1/2013			1,207	1,303	1,966	1,379	5,855
10/2/2013			1,025	1,530	2,137	1,242	5,934
10/3/2013			1,003	1,524	2,075	1,222	5,824
10/4/2013			1,004	1,535	2,110	1,320	5,969
10/5/2013			980	1,515	2,053	1,300	5,848
10/6/2013			971	1,344	1,990	1,296	5,601
10/7/2013			1,013	1,570	1,929	1,101	5,613
10/8/2013			1,081	1,307	2,196	922	5,506
10/9/2013			1,382	1,427	1,915	1,048	5,772
10/10/2013			966	1,688	1,591	901	5,146
10/11/2013			900	1,870	1,900	1,222	5,892
10/12/2013			851	1,981	1,684	1,046	5,562
10/13/2013			826	1,755	1,915	528	5,024
10/14/2013			1,005	1,744	1,651	594	4,994
10/15/2013			1,030	1,805	1,393	1,330	5,558
10/16/2013			1,045	1,781	910	1,407	5,143
10/17/2013			1,005	1,259	1,776	1,239	5,279
10/18/2013			950	1,705	1,816	1,274	5,745
10/19/2013			960	1,544	1,944	1,057	5,505
10/20/2013			950	1,620	1,796	544	4,910
10/21/2013			850	1,680	1,970	1,454	5,954
10/22/2013			760	1,780	1,720	1,066	5,326
10/23/2013			900	1,700	900	1,120	4,620
10/24/2013			900	1,720	1,850	952	5,422
10/25/2013			946	1,758	1,888	1,114	5,706
10/26/2013			949	1,884	1,150	1,092	5,075

Daily Flare Monitoring Data - Bridgeton Landfill
7/1/2013 - 12/31/2013

Date	Device Flow (scfm)						Total Flow (scfm)
	Enclosed Flare	Callidus Flare	Candlestick Flare (FL-100)	Candlestick Flare (FL-140)	Candlestick Flare (FL-120)	E. Aux. Candlestick Flare	
10/27/2013			1,007	1,735	1,702	1,092	5,536
10/28/2013			834	1,822	1,669	1,087	5,412
10/29/2013			1,004	1,722	1,865	854	5,445
10/30/2013			927	1,861	1,473	984	5,245
10/31/2013			970	1,741	1,941	998	5,650
11/1/2013			947	1,629	1,922	948	5,446
11/2/2013			964	1,642	1,890	971	5,467
11/3/2013			959	1,627	1,942	846	5,374
11/4/2013			848	1,731	1,780	1,170	5,529
11/5/2013			860	1,784	1,826	1,171	5,641
11/6/2013			1,440	2,110	1,987	770	6,307
11/7/2013			979	1,666	1,886	797	5,328
11/8/2013			1,337	1,764	1,808	662	5,571
11/9/2013			753	1,734	1,879	1,239	5,605
11/10/2013			751	1,724	1,861	1,218	5,554
11/11/2013			732	1,787	1,850	1,206	5,575
11/12/2013			731	1,567	1,756	1,224	5,278
11/13/2013			820	1,471	1,406	1,214	4,911
11/14/2013			870	1,637	1,712	1,201	5,420
11/15/2013			750	1,889	1,535	1,097	5,271
11/16/2013			931	1,941	1,761	1,031	5,664
11/17/2013			933	1,967	1,842	1,021	5,763
11/18/2013			800	1,995	1,342	1,074	5,211
11/19/2013			1,110	1,660	1,930	1,054	5,754
11/20/2013			1,040	1,670	1,580	1,030	5,320
11/21/2013			1,170	1,750	1,680	830	5,430
11/22/2013			1,103	1,684	1,532	766	5,085
11/23/2013			1,088	1,634	1,559	1,083	5,364
11/24/2013			1,017	1,522	1,587	1,068	5,194
11/25/2013			1,046	1,677	1,618	1,057	5,398
11/26/2013			706	1,256	2,460	1,024	5,446
11/27/2013			784	1,420	2,328	1,029	5,561
11/28/2013			660	1,601	2,423	934	5,618
11/29/2013			550	1,561	2,465	943	5,519
11/30/2013			665	1,614	2,389	1,069	5,737


Daily Flare Monitoring Data - Bridgeton Landfill
7/1/2013 - 12/31/2013

Date	Device Flow (scfm)						Total Flow (scfm)
	Enclosed Flare	Callidus Flare	Candlestick Flare (FL-100)	Candlestick Flare (FL-140)	Candlestick Flare (FL-120)	E. Aux. Candlestick Flare	
12/1/2013			1,030	1,730	1,125	918	4,803
12/2/2013			872	1,202	2,437	888	5,399
12/3/2013			991	1,857	1,433	812	5,093
12/4/2013			1,022	1,170	2,425	772	5,389
12/5/2013			862	1,052	2,549	771	5,234
12/6/2013			901	1,306	2,518	775	5,500
12/7/2013			1,175	1,765	1,980		4,920
12/8/2013			857	1,283	2,627	938	5,705
12/9/2013			1,025	1,478	2,025	933	5,461
12/10/2013			978	1,568	1,833	1,023	5,402
12/11/2013			829	1,422	2,460	949	5,660
12/12/2013			883	1,265	2,602	908	5,658
12/13/2013			894	1,301	2,707	841	5,743
12/14/2013			1,206	1,291	2,084	821	5,402
12/15/2013			1,040	1,262	2,364	1,168	5,834
12/16/2013			1,474	1,227	1,888	916	5,505
12/17/2013			1,126	1,174	2,427	868	5,595
12/18/2013			994	1,703	2,099	1,099	5,895
12/19/2013			1,727	1,938	852	977	5,494
12/20/2013			1,880	1,560	2,522	988	6,950
12/21/2013			1,968	1,088	2,541	1,061	6,658
12/22/2013			1,610	1,298	2,420	960	6,288
12/23/2013			1,116	1,662	2,553	871	6,202
12/24/2013			1,721	1,932	2,153	808	6,614
12/25/2013			1,063	1,604	1,725	808	5,200
12/26/2013			2,025	1,691	1,453	835	6,004
12/27/2013			1,228	1,261	2,149	851	5,489
12/28/2013			2,029	1,362	2,203	968	6,562
12/29/2013			1,755	1,425	2,302	919	6,401
12/30/2013			2,025	1,350	2,350	950	6,675
12/31/2013			2,100	1,300	2,156	932	6,488

September 2013 Notes:


1. The Enclosed Flare (John Zink) was decommissioned on September 24, 2013
2. The Callidus Flare was decommissioned on September 20, 2013
3. New Flare Station #3 came online on September 20, 2013
4. New Flare Station #1 came online on September 24, 2013
5. Existing Candlestick Flare is now designated as Flare Station #2

Inlet Gas and Temperature*




*Gas data collected from Laboratory Reports. Temperature data collected from GEM 2000 field readings.

Inlet Carbon Monoxide*




*Data collected from Laboratory Reports.

Total Combined Flow (scfm)*



*Combined flow is based on tabulated flow data


Enclosed Flare Flow (scfm)*



—x— Enclosed Flare Flow (scfm)*

*Flow is based on tabulated flow data collected daily.


Callidus Flare Flow (scfm)*



—x— Callidus Flare Flow (scfm)*

*Flow is based on tabulated flow data collected daily.


Candlestick Flare (FL-100) Flow (scfm)*



—*— Candlestick Flare (FL-100) Flow (scfm)*

*Flow is based on tabulated flow data collected daily.


Candlestick Flare (FL-120) Flow (scfm)*



—* Candlestick Flare (FL-120) Flow (scfm)*

*Flow is based on tabulated flow data collected daily.


Candlestick Flare (FL-140) Flow (scfm)*



—* Candlestick Flare (FL-140) Flow (scfm)*

*Flow is based on tabulated flow data collected daily.


East Auxillary Candlestick Flare Flow (scfm)*



—* East Auxillary Candlestick Flare Flow (scfm)*

*Flow is based on tabulated flow data collected daily.


Combined Inlet Methane (GEM 2000)*



— Combined Inlet Methane (GEM 2000)*

*Gas data collected from GEM 2000 field monitoring instrument.


Combined Inlet Oxygen (GEM 2000)*



— Combined Inlet Oxygen (GEM 2000)*


*Gas data collected from GEM 2000 field monitoring instrument.

Graph 7. Candlestick Oxygen (GEM 2000)*



*Gas data collected form GEM 2000 feild monitoring instrument.

Graph 5. Candlestick Methane (GEM 2000)*



— Methane (GEM)

*Gas data collected form GEM 2000 feild monitoring instrument.