

Daily Flare Monitoring Data - Bridgeton Landfill
June 2015

Date	Average Device Flow* (scfm)				Total Avg. Flow** (scfm)
	Utility Flare (FL-100)	Utility Flare (FL-120)	Utility Flare (FL-140)	E. Aux. Utility Flare	
7/1/2015	1,444	1,536	1,763		4,743
7/2/2015	1,448	1,497	1,770	295	5,010
7/3/2015	1,504	1,493	1,758	548	5,303
7/4/2015	1,519	1,519	1,749		4,787
7/5/2015	1,519	1,489	1,753		4,761
7/6/2015	1,513	1,471	1,765		4,750
7/7/2015	1,383	1,438	1,755		4,576
7/8/2015	1,336	1,459	1,765	773	5,334
7/9/2015	1,549	1,313	1,825	548	5,235
7/10/2015	1,485	1,523	1,800		4,807
7/11/2015	1,609	1,620	1,797		5,026
7/12/2015	1,636	1,619	1,787		5,041
7/13/2015	1,585	1,601	1,737		4,923
7/14/2015	1,570	1,538	1,643		4,751
7/15/2015	1,479	1,599	1,721		4,800
7/16/2015	1,547	1,546	1,741		4,835
7/17/2015	1,469	1,511	1,725		4,705
7/18/2015	1,595	1,194	1,786		4,574
7/19/2015	1,426	1,545	1,544		4,514
7/20/2015	1,087	1,589	1,547		4,224
7/21/2015	1,461	1,542	1,507		4,511
7/22/2015	1,473	1,538	1,531		4,542
7/23/2015	1,483	1,520	1,525		4,528
7/24/2015	1,454	1,482	1,505		4,442
7/25/2015	1,431	1,515	1,503		4,448
7/26/2015	1,392	1,462	1,505		4,359
7/27/2015	1,414	1,480	1,481		4,375
7/28/2015	1,405	1,462	1,471		4,337
7/29/2015	1,405	1,484	1,476		4,366
7/30/2015	1,411	1,470	1,486		4,366
7/31/2015	1,410	1,476	1,483		4,369
				Average	4,688

* Flows normalized to **Blower Outlet Flowmeter - EPA Method 2 measurement verified

Flare Station Lab Data

Date	CH4	CO2	O2	N2	H2	CO (ppm)
7/17/2014	10	42	6.7	27	13	2100
8/14/2014	11	45	5.7	24	13	2100
9/11/2014	10	44	6.3	26	13	1300
10/6/2014	9.7	40	7.2	29	12	1300
11/20/2014	7.4	32	10	39	11	1200
12/9/2014	6.5	27	12	46	8.3	1000
1/21/2015	8.3	33	9.8	38	11	1200
2/10/2015	8.2	36	9.3	36	9.5	1100
3/12/2015	8.2	33	9.7	37	11	1100
4/8/2015	7.9	32	10	39	11	920
5/5/2015	8.1	33	9.5	39	11	1300
6/2/2015	8.5	33	9.3	38	11	1200
7/1/2015	8.1	31	10	40	10	1400

Last Blower Inlet Data
 Flare Inlet Data
 Begin Blower Outlet Data

Date							Flare Sta #2 FL-100	Flare Sta #3 FL-120	Flare Sta #1 FL-140	Main Flare Station Total Utility Flare Flow	E. Aux Flow (scfm)	Total Flow
	CH4	CO2	O2	Bal.	Press./Vac.	Gas Inlet Temp (°F)	Flow (scfm)	Flow (scfm)	Flow (scfm)	Flow (scfm)	Flow (scfm)	scfm
7/1/2014	11.9	48.5	5.4	34.2	-44.6	103	1902	3617	3662	9,181		9181
7/2/2014	12.2	49.9	5.2	32.7	-43.9	104	1599	3406	3221	8,226		8226
7/3/2014	11.6	46.2	5.8	36.4	-43.6	91	1795	3538	3484	8,816		8816
7/4/2014							1933	3623	3611	9,167		9167
7/5/2014							1537	3229	3140	7,906		7906
7/6/2014							1960	3527	3497	8,985		8985
7/7/2014	11.8	48.3	5.5	34.4	-44.2	102	2042	3529	3552	9,123		9123
7/8/2014	12	47.1	5.7	35.2	-43	95	2083	3324	3096	8,503		8503
7/9/2014	12.2	51.9	4.7	31.2	-44.5	110	2114	2898	3432	8,444		8444
7/10/2014	12.7	51	4.4	31.9	-44.8	105	2103	2906	3474	8,483		8483
7/11/2014	11.4	46.3	6.4	35.9	-44	92	2292	2656	3085	8,033		8033
7/12/2014							2308	3229	3859	9,396		9396
7/13/2014							2253	3183	3818	9,254		9254
7/14/2014	12.8	50.4	4.8	32	-43.8	110	2059	3045	3509	8,613		8613
7/15/2014	11.6	45.8	6.3	36.3	-43.5	86	2057	2998	3377	8,432		8432
7/16/2014	10.7	42.5	7.1	39.7	-46.9	99	2190	3185	3743	9,118		9118
7/17/2014	11.4	46.4	5.9	36.3	-49.5	103	2232	3121	3601	8,953		8953
7/18/2014	11.3	44.6	6.3	37.8	-48.9	102	2294	3303	3853	9,450		9450
7/19/2014							2349	3116	3525	8,989		8989
7/20/2014							2375	3263	3875	9,514		9514
7/21/2014	12.1	47.8	5.6	34.5	-49	115	2384	3317	3877	9,578		9578
7/22/2014	11.3	44.5	6.3	37.9	-49.1	99	2440	3344	3913	9,697		9697
7/23/2014	10.8	43.6	6.8	38.8	-47.1	101	2290	3250	3845	9,385		9385
7/24/2014	11.4	43.5	6.5	38.6	-46.7	93	2184	3167	3718	9,069		9069
7/25/2014	11.4	43.8	6.7	38.2	-47.2	91	2128	3187	3659	8,975		8975
7/26/2014							2094	2848	3229	8,172	243	8415
7/27/2014							2354	3180	3304	8,838	576	9414
7/28/2014	12.6	47.3	5.6	34.5	-47	102	1981	3048	3377	8,407	222	8629
7/29/2014	10.3	41.4	7.6	40.7	-47	89	2103	3097	3637	8,837		8837
7/30/2014	10.5	42.2	7	40.3	-47	97	2197	3081	3723	9,001		9001
7/31/2014	12	48.3	5.3	34.4	-47.2	107	2200	3091	3663	8,954		8954
8/1/2014	11.5	48.2	5.5	34.8	-47	111	2121	3072	3620	8,814		8814
8/2/2014							2135	3103	3650	8,888		8888
8/3/2014							2235	2952	3484	8,671		8671
8/4/2014	10.9	48.8	5.5	34.8	-47	119	2272	3206	3806	9,284		9284
8/5/2014	11.8	44.4	6	37.8	-47.4	113	2241	3193	3748	9,182	32	9215
8/6/2014	11	44.5	6.8	37.7	-46.4	98	1925	2744	3206	7,875		7875
8/7/2014	10.6	44	7	38.4	-46.8	87	2040	3135	3496	8,671		8671
8/8/2014	10.7	43	6.9	39.4	-46.4	87	2128	3087	3615	8,830		8830
8/9/2014							2070	3039	3552	8,661		8661
8/10/2014							2128	3102	3652	8,882		8882
8/11/2014	12	45.2	5.7	37.2	-47.5	101	2153	3096	3674	8,923		8923
8/12/2014	11.9	47.8	6.2	34.1	-47.5	91	2065	3098	3588	8,751		8751
8/13/2014	11.4	46.9	6.6	35.1	-46.8	93	2147	3158	3691	8,996		8996
8/14/2014	11.4	49.4	5.6	33.6	-47.7	99	2240	3048	3588	8,877		8877
8/15/2014	17.8	55.7	4.5	22	-46.9	111	2229	3152	3759	9,140		9140
8/16/2014							2080	3095	3589	8,763		8763
8/17/2014							2081	3095	3596	8,772		8772
8/18/2014	16	49.4	5.5	29.1	-47.2	99	2149	3221	3656	9,026		9026

Date							Flare Sta #2 FL-100	Flare Sta #3 FL-120	Flare Sta #1 FL-140	Main Flare Station Total Utility Flare Flow	E. Aux Flow (scfm)	Total Flow
	CH4	CO2	O2	Bal.	Press./Vac.	Gas Inlet Temp (°F)	Flow (scfm)	Flow (scfm)	Flow (scfm)	Flow (scfm)	Flow (scfm)	scfm
8/19/2014	11.4	51.8	5.5	31.3	-50.2	111	2152	3420	3699	9,270		9270
8/20/2014	12.2	50.5	5.2	32.1	-47.2	119	2107	3340	3713	9,159		9159
8/21/2014	17.4	55	4	23.6	-46.3	120	2138	3319	3629	9,086		9086
8/22/2014	12.6	51	3.8	32.6	-46.9	124	2249	3397	3814	9,460		9460
8/23/2014							2359	3495	3905	9,759		9759
8/24/2014							2275	3256	3458	8,988		8988
8/25/2014	11.4	57.1	5.8	25.7	-47.1	125	2363	3496	3936	9,794		9794
8/26/2014	10.4	46.2	6.6	36.8	-47.8	108	2094	3061	3501	8,656		8656
8/27/2014	10.6	45.7	6.9	36.8	-47.7	102	2156	3325	3816	9,297		9297
8/28/2014	10.7	45	7.1	37.2	-47.6	102	2073	3170	3863	9,105		9105
8/29/2014	10.8	48.4	7	33.8	-47.5	113	2012	3200	3749	8,961		8961
8/30/2014							1966	3437	3474	8,877		8877
8/31/2014							2142	3464	3640	9,245		9245
9/1/2014							1954	3383	3154	8,491		8491
9/2/2014	12.6	48.6	6.8	32	-46.8	96	1670	3740	3136	8,546		8546
9/3/2014	10.6	46.5	6.8	36.1	-46.7	107	1739	3630	3479	8,848	34	8882
9/4/2014	10.4	43.6	6.4	39.6	-47.6	105	2298	3323	3381	9,002		9002
9/5/2014	9.3	39.4	7.9	43.4	-46	103	2320	3321	3467	9,108		9108
9/6/2014							2009	3271	3115	8,395		8395
9/7/2014							2102	3256	3212	8,569		8569
9/8/2014	12.6	51.1	4.8	31.5	-47.7	115	2080	3243	3204	8,526		8526
9/9/2014	11.7	52.3	5.3	30.7	-49.2	116	2037	2960	3526	8,523		8523
9/10/2014	11	49.1	6.6	33.3	-49.6	95	1916	2806	3721	8,443		8443
9/11/2014	10.8	44.8	7.5	36.9	-49.4	80	1799	2651	3450	7,900		7900
9/12/2014	10.8	44	7.9	37.3	-49.6	77	1720	2725	3374	7,819		7819
9/13/2014							1782	2740	3477	7,999		7999
9/14/2014							1877	2674	3618	8,169		8169
9/15/2014	11.7	48.2	6.1	34	-50.2	102	1928	2654	3595	8,176		8176
9/16/2014	11.1	45	7.2	36.7	-50.4	81	1935	2612	3576	8,123		8123
9/17/2014	11.3	44.9	7.3	36.5	-49.7	81	1927	2704	3503	8,134		8134
9/18/2014	10.5	43.8	7.6	38.1	-50	85	2058	2741	3716	8,515		8515
9/19/2014	10.4	43.4	7.3	38.9	-50.3	87	2111	2801	3769	8,681		8681
9/20/2014							2259	3125	3156	8,540		8540
9/21/2014							2119	3156	2785	8,060		8060
9/22/2014	11.5	43.5	7.7	37.3	-49.5	81	2177	3165	2978	8,320		8320
9/23/2014	9.9	43.3	8	38.8	-49.7	82	2210	3257	3008	8,476		8476
9/24/2014	10	42	7.3	40.7	-50.2	107	2214	3152	2970	8,336	415	8752
9/25/2014	9.5	41.2	8.2	41.1	-49.4	98	2215	3049	2981	8,244	721	8966
9/26/2014	10.5	51.6	6.1	31.8	-49.7	115	2375	3259	3139	8,772	231	9004
9/27/2014							2357	3341	3151	8,850		8850
9/28/2014							2409	3336	3164	8,909		8909
9/29/2014	10.6	44.2	7.4	37.8	-49.1	89	2244	3105	3025	8,374	467	8841
9/30/2014	10.1	40.3	8.2	41.4	-49.5	93	2332	3235	3044	8,611	233	8844
10/1/2014	10.6	44.3	7.3	37.8	-49.2	102	2322	3331	3027	8,680	49	8729
10/2/2014	10.6	44.4	7.2	37.8	-48.6	93	2167	3262	2859	8,288		8288
10/3/2014	10.4	43.5	7.9	38.2	-49.8	79	1983	3138	2690	7,810		7810
10/4/2014							1932	3078	2691	7,701		7701
10/5/2014							2042	3205	2772	8,020		8020
10/6/2014	11.7	39.4	7.2	41.7	-49.08	96.9	2148	3171	2829	8,148		8148

Date							Flare Sta #2 FL-100	Flare Sta #3 FL-120	Flare Sta #1 FL-140	Main Flare Station Total Utility Flare Flow	E. Aux Flow (scfm)	Total Flow
	CH4	CO2	O2	Bal.	Press./Vac.	Gas Inlet Temp (°F)	Flow (scfm)	Flow (scfm)	Flow (scfm)	Flow (scfm)	Flow (scfm)	scfm
10/7/2014	10.7	45.9	7.3	36.1	-49.9	87	2109	3206	2824	8,140		8140
10/8/2014	10.9	50.6	6.5	32	-49.3	104	2189	3126	2869	8,184		8184
10/9/2014	4.2	59.5	6	30.3	-49.7	83.6	2043	3124	2727	7,894		7894
10/10/2014							1953	3093	2625	7,671		7671
10/11/2014							1949	3073	2629	7,652		7652
10/12/2014							2020	3062	2647	7,729		7729
10/13/2014	6.7	53.9	6.4	33	-50.37	88.4	2023	3064	2580	7,666		7666
10/14/2014							1922	3063	2545	7,530		7530
10/15/2014	10.4	43.4	8.1	38.1	-49.7	74	1952	3035	2587	7,574		7574
10/16/2014	10.8	44.3	7.4	37.5	-49.7	79	2087	3102	2732	7,921		7921
10/17/2014	10.8	45.6	6.8	36.8	-50	91	2066	3099	2665	7,830		7830
10/18/2014							1961	3065	2585	7,612		7612
10/19/2014							1992	3061	2620	7,673		7673
10/20/2014	11.4	43.6	7.9	37.1	-49.9	77	1989	3183	2696	7,868	28	7896
10/21/2014	10.9	42.9	8.4	37.8	-49.6	74	2078	3091	2712	7,881		7881
10/22/2014	10.5	42.6	8.1	38.8	-49.9	78	2063	3109	2670	7,842		7842
10/23/2014	10.3	43.4	8.2	38.1	-49.6	75	2052	3095	2654	7,800		7800
10/24/2014	10.8	45.1	7.7	36.4	-49.5	80	2153	3139	2760	8,052		8052
10/25/2014							2288	3202	2840	8,330		8330
10/26/2014							2192	3218	2783	8,193		8193
10/27/2014	10.6	43.1	7.5	38.8	-49.7	88	2217	3219	2774	8,210		8210
10/28/2014	10.4	42.6	8	39	-49.6	81	2058	3108	2622	7,788		7788
10/29/2014	10.3	43.5	7.8	38.4	-49.4	74	2003	3076	2584	7,664	95	7759
10/30/2014	9.6	41.8	8.3	40.3	-50	94	1980	3037	2552	7,569	307	7877
10/31/2014	9.9	41.1	8.7	40.3	-49.3	74	1955	3079	2498	7,532		7532
11/1/2014							1959	3066	2555	7,579		7579
11/2/2014							1944	3135	2496	7,574		7574
11/3/2014	10.2	41.5	8.4	39.9	-49.7	88	2129	3201	2614	7,944	41	7984
11/4/2014	11.5	41.2	8	39.3	-49.5	77	2007	3213	2524	7,744		7744
11/5/2014	11	41.6	8.1	39.3	-49.9	75	2055	3157	2631	7,843		7843
11/6/2014	10.6	40.7	8.5	40.2	-49.7	73	1950	3148	2488	7,585		7585
11/7/2014	10.6	43.5	8	37.9	-49.7	73	2003	3147	2537	7,687		7687
11/8/2014							2008	3158	2513	7,680		7680
11/9/2014							2040	3172	2544	7,756		7756
11/10/2014	11.1	43.6	7.8	37.5	-49.7	77	2074	3151	2810	8,034		8034
11/11/2014	9.3	40.3	9.1	41.3	-50	67	1844	2929	2655	7,428		7428
11/12/2014	9.6	39.8	8.9	41.7	-49.6	61	1764	2905	2563	7,232		7232
11/13/2014							1741	2806	2657	7,204		7204
11/14/2014	9.5	40.2	8.5	41.8	-49.5	58	1969	2740	2539	7,247		7247
11/15/2014							2154	2728	2440	7,321		7321
11/16/2014							2090	2772	2419	7,280		7280
11/17/2014	9.1	35.8	9.6	45.5	-49.9	53	1374	2392	2226	5,992		5992
11/18/2014							1625	2741	2682	7,048		7048
11/19/2014	10.2	40.4	8.4	41	-51	59	1849	2472	2400	6,720	8	6729
11/20/2014	9.6	39.5	9.1	41.8	-50	63	1640	2968	2603	7,210	22	7232
11/21/2014							2080	2886	2734	7,700		7700
11/22/2014							2341	3025	2966	8,333		8333
11/23/2014							2133	2864	3147	8,145		8145
11/24/2014	9.8	40.1	9.5	40.6	-46.4	60	1821	2537	2859	7,217		7217

Date							Flare Sta #2 FL-100	Flare Sta #3 FL-120	Flare Sta #1 FL-140	Main Flare Station Total Utility Flare Flow	E. Aux Flow (scfm)	Total Flow
	CH4	CO2	O2	Bal.	Press./Vac.	Gas Inlet Temp (°F)	Flow (scfm)	Flow (scfm)	Flow (scfm)	Flow (scfm)	Flow (scfm)	scfm
11/25/2014	9.8	39.9	8.9	41.4	-46.8	74	1879	2437	2811	7,127		7127
11/26/2014	9.8	39.8	9.2	41.2	-46.6	62	1958	2474	2811	7,244		7244
11/27/2014							2050	2193	2733	6,976		6976
11/28/2014	9.4	39.6	9.2	41.8	-47.3	64	2354	2234	2838	7,426		7426
11/29/2014							2268	2312	2963	7,543		7543
11/30/2014							2313	2510	3077	7,901		7901
12/1/2014	7.5	37.7	10.9	43.9	-47.19	53.7	2179	2453	2896	7,528		7528
12/2/2014							1956	2411	2689	7,057		7057
12/3/2014	9.3	31.6	10.3	48.8	-44.09	57.9	1904	2225	2799	6,928	131	7059
12/4/2014	9.5	39.6	8.8	42.1	-48.8	57	1891	2151	2812	6,855	158	7012
12/5/2014	10.3	32.6	9.7	47.4	-51.04	64.4	2017	2463	2954	7,433		7433
12/6/2014							1951	2485	2877	7,312		7312
12/7/2014							2046	2613	3008	7,666		7666
12/8/2014	9.5	29.5	11	50	-49.33	66.6	2016	2719	2984	7,718	61	7780
12/9/2014	8.3	29.9	11.4	50.4	-51.22	62.2	2004	2626	2984	7,614	21	7636
12/10/2014	8.4	30.3	10.8	50.5	-49.82	66.4	2001	2507	2970	7,478	153	7631
12/11/2014							2055	2660	3192	7,907	184	8091
12/12/2014							2192	2688	3110	7,990	202	8192
12/13/2014							2338	2845	3352	8,535		8535
12/14/2014							2333	2783	3279	8,395		8395
12/15/2014	9.3	29.5	11	50.2	-50.24	74.8	2289	2857	3238	8,384		8384
12/16/2014	7.3	26.3	12.7	53.7	-49.7	57.3	2389	2714	3038	8,141		8141
12/17/2014							2350	2633	2841	7,824	187	8011
12/18/2014							2504	2575	2997	8,076		8076
12/19/2014							2326	2418	2745	7,489	48	7537
12/20/2014							2077	2804	2485	7,366		7366
12/21/2014							2131	2964	2510	7,606		7606
12/22/2014	9.9	39.2	9	41.9	-49.5	63	2008	2838	2440	7,286		7286
12/23/2014	8.8	38.1	9.3	43.8	-45	66	2286	2956	2519	7,762		7762
12/24/2014	9.1	38.3	10.3	42.3	-49.4	70	2279	3110	2660	8,049		8049
12/25/2014							2345	3145	2687	8,177		8177
12/26/2014	8.1	32.7	10.5	48.7	-48.9	67	2400	3102	2682	8,184		8184
12/27/2014							2255	3003	2585	7,843		7843
12/28/2014							2203	3033	2546	7,782		7782
12/29/2014	8	33.8	10.3	47.9	-49.9	64	2200	3025	2619	7,845		7845
12/30/2014	7.7	32.8	10.9	48.6	-49.2	61	2212	2871	2668	7,751		7751
12/31/2014	8	32.2	10.8	49	-50.5	50	2110	2827	2827	7,764		7764
1/1/2015							2181	2844	2607	7,631		7631
1/2/2015							2120	2678	2441	7,239	8	7247
1/3/2015							2127	2859	2511	7,498		7498
1/4/2015							1946	2718	2523	7,188		7188
1/5/2015							1729	2336	2421	6,486		6486
1/6/2015							1428	1893	1585	4,907	149	5055
1/7/2015							1548	2527	2752	6,827		6827
1/8/2015							1719	2894	2904	7,517		7517
1/9/2015							1429	2505	2810	6,744		6744
1/10/2015							1695	2837	2766	7,298		7298
1/11/2015							1787	2896	3083	7,766		7766
1/12/2015	10.2	32.4	11.4	46	23.05	70	1790	2987	2869	7,647		7647

Date							Flare Sta #2 FL-100	Flare Sta #3 FL-120	Flare Sta #1 FL-140	Main Flare Station Total Utility Flare Flow	E. Aux Flow (scfm)	Total Flow
	CH4	CO2	O2	Bal.	Press./Vac.	Gas Inlet Temp (°F)	Flow (scfm)	Flow (scfm)	Flow (scfm)	Flow (scfm)	Flow (scfm)	scfm
1/13/2015	9.3	33	12.1	45.6	23.41	60	1832	3031	2662	7,525		7525
1/14/2015							1702	2962	1559	6,223	413	6636
1/15/2015							1634	2578	2601	6,813	48	6861
1/16/2015							1723	2288	2880	6,890		6890
1/17/2015							2130	2085	3170	7,385		7385
1/18/2015							2025	1999	3198	7,223		7223
1/19/2015	9.9	42.9	7.8	39.4	-44.39	83.2	2069	1824	3246	7,139		7139
1/20/2015	9.1	35.9	11.4	43.6	-44.02	68.8	2032	1771	3173	6,977		6977
1/21/2015	10.3	37.3	8.6	43.8	-44.27	67.4	1815	1876	3121	6,812		6812
1/22/2015	8.4	31.6	10.8	49.2	-44.14	54	1616	2052	3129	6,796		6796
1/23/2015	10.8	33.8	8.7	46.7	-44.93	66.3	1790	1877	3123	6,790		6790
1/24/2015							1949	1661	3118	6,728	68	6797
1/25/2015							1728	1409	2868	6,005	220	6226
1/26/2015	9.2	27.7	11.7	51.4	-45.24	48.6	1472	1828	2924	6,224	399	6623
1/27/2015	10.7	36.2	9.3	43.8	-44.27	67.2	1775	2035	3004	6,813		6813
1/28/2015	9.6	35.9	8.5	46	-44.44	72	1779	2125	3054	6,958		6958
1/29/2015	8.1	30.6	11.9	49.4	-43.72	59.1	1787	2073	3059	6,918	403	7321
1/30/2015	10	36.3	9	44.7	-44.44	64.1	1594	1741	3167	6,502	130	6632
1/31/2015	10.6	36.7	8.4	44.3	-43.41	55.2	1460	1321	3033	5,814		5814
2/1/2015							1557	1398	3203	6,158	14	6172
2/2/2015	9.5	28.9	11.8	49.8	-43.6	48.5	1269	1660	3257	6,186	251	6438
2/3/2015	8.7	28	13.1	50.2	-44.45	44.1	1791	1432	2997	6,220	452	6672
2/4/2015	9.6	27.1	12.1	51.2	-44.88	54.4	1578	1665	2569	5,812	502	6314
2/5/2015	9.9	32.3	10.6	47.2	-43.72	57.8	2139	2070	2120	6,330	113	6443
2/6/2015	10.1	36.2	10.9	42.8	-44.27	46	1974	2126	2609	6,709	56	6765
2/7/2015							2174	2153	2734	7,061		7061
2/8/2015	9.4	37.2	10	43.4	-43.84	87.4	2317	2552	2786	7,655		7655
2/9/2015	7.1	28.1	13.2	51.6	-44.39	49.9	1904	2826	2717	7,447		7447
2/10/2015	8.3	28.4	11.9	51.4	-44.7	51.4	2356	2568	2466	7,390	6	7395
2/11/2015	9.3	30.3	11.5	48.9	-43.66	63.7	2544	2569	2363	7,476		7476
2/12/2015	8.1	25.7	12.7	53.5	-44.76	31.4	2245	2452	2181	6,877	165	7042
2/13/2015	7	23.4	11.7	57.9	-44.93	41.4	1771	1775	2517	6,064	363	6426
2/14/2015							1657	1955	2729	6,341	365	6706
2/15/2015							1500	2018	2613	6,131	374	6505
2/16/2015							2368	1261	3104	6,733	368	7101
2/17/2015							2158	2008	2624	6,790	457	7247
2/18/2015							2222	1924	2506	6,652	736	7387
2/19/2015							1301	2411	2304	6,016	799	6815
2/20/2015	7.8	24.1	12.2	55.9	-43.78	35.8	1597	2418	2653	6,669	787	7456
2/21/2015							1921	2162	2570	6,653	756	7409
2/22/2015							2021	2241	2523	6,784	744	7528
2/23/2015	7.2	24.3	11.7	56.8	-43.6	25.9	2066	2228	2418	6,712	772	7485
2/24/2015	8	26.6	12.4	53	-45.3	64.9	2067	1872	2714	6,653	807	7461
2/25/2015	6.8	25.7	12.3	55.2	-44.87	52.5	1649	2558	2221	6,428	741	7169
2/26/2015	7.5	21.4	12.4	58.7	-44.33	34.5	1773	2772	2274	6,819	684	7503
2/27/2015	7.4	24.9	12.7	55	-45.18	25	1788	2742	2190	6,721	733	7454
2/28/2015							1713	2662	2168	6,543	815	7358
3/1/2015							1622	2580	2171	6,373	826	7199
3/2/2015	8.4	26.3	12.2	53.1	-44.27	54.3	1706	2729	2343	6,778	616	7394


Date							Flare Sta #2 FL-100	Flare Sta #3 FL-120	Flare Sta #1 FL-140	Main Flare Station Total Utility Flare Flow	E. Aux Flow (scfm)	Total Flow
	CH4	CO2	O2	Bal.	Press./Vac.	Gas Inlet Temp (°F)	Flow (scfm)	Flow (scfm)	Flow (scfm)	Flow (scfm)	Flow (scfm)	scfm
3/3/2015	9.5	22.7	10.9	56.9	-43.96	52.4	1585	2569	2227	6,382	783	7165
3/4/2015	8.1	27.3	11.7	52.9	-43.89	38.9	1764	2797	2301	6,861	321	7182
3/5/2015	7.5	30.1	11.7	50.7	-34.62	51.6	1819	2833	2310	6,963		6963
3/6/2015	8.3	36.2	10.4	45.1	-34.62	72.4	1721	2760	2295	6,776		6776
3/7/2015							1732	2783	2480	6,995		6995
3/8/2015							1731	2777	2504	7,012		7012
3/9/2015	7.9	36.2	9.9	46	-33.7	62.2	1736	2670	2624	7,031		7031
3/10/2015	10	36.8	9.3	43.9	-34.21	81.4	1445	2561	2771	6,777		6777
3/11/2015	10.4	35.2	9.2	45.2	-33.66	99.7	1957	2222	2983	7,163	108	7271
3/12/2015	9.1	33.9	10.1	46.9	-35.9	74.8	1459	2627	3126	7,212	18	7230
3/13/2015	9.3	33.8	9.2	47.7	-33.66	64.9	1652	1943	3031	6,627		6627
3/14/2015							1882	1687	2843	6,413	376	6788
3/15/2015							1874	1322	2952	6,148	810	6958
3/16/2015	10.5	34	9.2	46.3	-34.19	101.1	1730	1649	3141	6,520	830	7350
3/17/2015	8.6	32.5	9.8	49.1	-34.55	78.2	1989	1687	3319	6,995	299	7294
3/18/2015	8.7	37.1	8.9	45.3	-34.13	67.2	1899	1625	3268	6,792	236	7028
3/19/2015	8.3	31.4	10.5	49.8	-39.8	74	2065	1651	3341	7,056	276	7332
3/20/2015	8.7	32.7	10.4	48.2	-39.99	82.9	2305	1753	3547	7,606		7606
3/21/2015							2472	1959	3426	7,856		7856
3/22/2015							2305	2218	3393	7,916		7916
3/23/2015	9	34.5	10.2	46.3	-39.19	82.7	1998	2095	2795	6,888		6888
3/24/2015	7.7	27.7	11.8	52.8	-39.62	49.6	1616	2171	2496	6,284		6284
3/25/2015	7.6	29.4	11.7	51.3	-39.56	68	1937	2259	2545	6,741		6741
3/26/2015	8.4	32.5	10.2	48.9	-40.48	75.8	1878	1921	2440	6,239		6239
3/27/2015	7.8	35.1	10.1	47	-40.54	67.5	1777	1836	2589	6,202		6202
3/28/2015							1811	1708	2644	6,163		6163
3/29/2015							1822	1586	2198	5,606		5606
3/30/2015	8	29.6	11.4	51	-40.48	88.9	2209	1458	2371	6,038	513	6551
3/31/2015	8.3	32.6	10	49.1	-39.68	100.7	2246	1531	2257	6,034	554	6588
4/1/2015	8.5	29.7	10.9	50.9	-39.8	79.9	2018	2496	2345	6,859	18	6877
4/2/2015	10.4	35	9.4	45.2	-40.48	96	2080	2422	2384	6,886		6886
4/3/2015	9.4	28.7	10.8	51.1	-39.88	76	1844	2356	2228	6,429		6429
4/4/2015							1785	2392	2226	6,403		6403
4/5/2015							1626	2049	2151	5,826	440	6266
4/6/2015	9.6	30.4	10.5	49.5	-39.74	81.7	1632	1651	2076	5,358	587	5945
4/7/2015	9.4	32.9	9.5	48.2	-39.32	79.1	1946	1787	2341	6,075	164	6238
4/8/2015	8.6	34.1	10	47.3	-39.5	93.9	1989	2322	2419	6,730		6730
4/9/2015	9.9	32.5	9.1	48.5	-39.57	100.6	1849	2380	2351	6,580		6580
4/10/2015	10.7	34.6	8.9	45.8	-39.99	87.4	1573	1700	2033	5,305	98	5403
4/11/2015							1712	2025	2189	5,926		5926
4/12/2015							1707	2227	2262	6,197		6197
4/13/2015	8.1	31.9	10.4	49.6	-40.05	82.4	1742	1948	2263	5,952	60	6012
4/14/2015	9.3	34.8	9	46.9	-40.05	85.3	1720	1989	2266	5,975	42	6017
4/15/2015	8.6	34.1	9.7	47.6	-40.54	91	1751	2232	2153	6,136		6136
4/16/2015	9.6	33.7	9.5	47.2	-39.94	102.5	1932	2305	2329	6,565		6565
4/17/2015	10.7	33.8	9.2	46.3	-39.5	110.2	1977	2329	2454	6,761		6761
4/18/2015							1934	2355	2412	6,700		6700
4/19/2015							1841	2249	2237	6,327		6327
4/20/2015	8.5	32.5	10	49	-39.56	83.6	1702	2208	2040	5,950		5950

Date							Flare Sta #2 FL-100	Flare Sta #3 FL-120	Flare Sta #1 FL-140	Main Flare Station Total Utility Flare Flow	E. Aux Flow (scfm)	Total Flow
	CH4	CO2	O2	Bal.	Press./Vac.	Gas Inlet Temp (°F)	Flow (scfm)	Flow (scfm)	Flow (scfm)	Flow (scfm)	Flow (scfm)	scfm
4/21/2015	9.4	33.9	10	46.7	-39.88	93.4	1750	2258	2088	6,096		6096
4/22/2015	9	32.3	9.5	49.2	-39.82	88	1736	2222	2034	5,992		5992
4/23/2015	9.4	33.8	10.2	46.6	-40.24	100.8	1781	2268	2155	6,204		6204
4/24/2015	9.5	33.9	10.3	46.3	-39.27	91.8	1766	2214	2041	6,021		6021
4/25/2015							1887	2159	1707	5,753		5753
4/26/2015							1737	2290	2041	6,068		6068
4/27/2015	9	32.9	10.2	47.9	-40.12	98	1766	2298	2119	6,183		6183
4/28/2015	9	34.2	9	47.8	-40.42	98.1	1798	2284	2007	6,089		6089
4/29/2015	16.1	32.7	9.6	41.6	-39.45	92.9	1774	2142	2269	6,185	180	6365
4/30/2015	9.9	34	10.2	45.9	-39.15	95.8	1690	2091	2408	6,189	264	6453
5/1/2015	9.1	34.3	8.8	47.8	-39.62	107.6	1362	1604	1653	4,619	392	5011
5/2/2015							1377	1585	1638	4,600	340	4939
5/3/2015							1360	1573	1648	4,581	307	4888
5/4/2015	9.1	31.7	9.7	49.5	-40	111.8	1267	1267	1522	4,055	328	4383
5/5/2015	11.1	34.6	8.7	45.6	-40.06	111.1	1233	1427	1488	4,149	288	4437
5/6/2015	9.6	33.6	8.7	48.1	-39.63	111.8	1216	1472	1566	4,255		4255
5/7/2015	9.4	35.5	8.6	46.5	-39.88	111.9	1137	1596	1740	4,473		4473
5/8/2015	9.1	32.2	9.9	48.8	-39.51	99.5	1231	1557	1815	4,603		4603
5/9/2015							1474	1522	1336	4,331		4331
5/10/2015							1296	1268	1630	4,194		4194
5/11/2015							1036	1758	1710	4,504		4504
5/12/2015	8.8	34.8	8.9	47.5	-39.8	102	1043	1708	1767	4,517		4517
5/13/2015	11.5	35.1	8.9	44.5	-39.13	105.5	1086	1703	1706	4,495		4495
5/14/2015	12	34.9	9.7	43.4	-38.9	102.4	1266	1424	1908	4,598		4598
5/15/2015	9.3	38.6	8.2	43.9	-39.5	114	1093	1821	1851	4,765		4765
5/16/2015							1050	1848	1915	4,813		4813
5/17/2015							1085	1701	1954	4,739		4739
5/18/2015	8.7	37.3	8.6	45.4	-39.26	109.7	1125	1651	1976	4,752		4752
5/19/2015	10.5	33.5	9	47	-40.42	102	1262	1264	2142	4,669	163	4832
5/20/2015	8.9	33.1	9.7	48.3	-39.5	82	959	1745	2012	4,716		4716
5/21/2015	8.7	38.6	8.9	43.8	-40.23	98.4	1087	1637	2031	4,755		4755
5/22/2015	7.4	29.8	11.3	51.5	-39.99	82.8	1168	1606	2042	4,815		4815
5/23/2015							1152	1572	2078	4,802		4802
5/24/2015							1250	1529	2034	4,813		4813
5/25/2015							1316	1509	1998	4,823		4823
5/26/2015	9.5	36.2	9	45.3	-39.88	111.2	1270	1522	2003	4,795		4795
5/27/2015	9.3	32.6	10	48.1	-39.39	91.9	1150	1497	1964	4,610		4610
5/28/2015	9.8	34.4	8.9	46.9	-39.15	107	1278	1468	1986	4,733		4733
5/29/2015	9.6	33.2	9.8	47.4	-40.37	104.2	1302	1459	1928	4,689		4689
5/30/2015							1293	1380	1945	4,619		4619
5/31/2015							1196	1466	1945	4,607		4607
6/1/2015	8.8	33.7	10.8	46.7	20.49	115	1197	1477	1925	4,599		4599
6/2/2015	9.6	35.4	10.2	44.8	20.3	120	1208	1425	1933	4,566	295	4861
6/3/2015	9	33.8	10.1	47.1	21.04	122	1253	1423	1909	4,584	548	5133
6/4/2015	8.8	35.6	9.2	46.4	21.7	125	1222	1222	1,895	4,340		4339
6/5/2015	8.8	34	10.5	46.7	20.18	119	1275	1411	1,902	4,588		4588
6/6/2015							1313	1398	1,905	4,617		4616
6/7/2015							1293	1417	1,899	4,609		4609
6/8/2015	8.8	35.7	9.4	46.1	19.1	122	1028	1405	1,893	4,327	773	5099

Date							Flare Sta #2 FL-100	Flare Sta #3 FL-120	Flare Sta #1 FL-140	Main Flare Station Total Utility Flare Flow	E. Aux Flow (scfm)	Total Flow
	CH4	CO2	O2	Bal.	Press./Vac.	Gas Inlet Temp (°F)	Flow (scfm)	Flow (scfm)	Flow (scfm)	Flow (scfm)	Flow (scfm)	scfm
6/9/2015	8.7	31.4	11.9	48	22.62	144	1342	1499	1,684	4,525	548	5073
6/10/2015	9	35	9.3	46.7	21.04	126	1562	1571	1,523	4,656		4656
6/11/2015	10.2	38.3	8	43.5	21.9	147	1545	1609	1,507	4,660		4661
6/12/2015	13.9	35.5	8.9	41.7	22.2	132	1491	1624	1,596	4,711		4711
6/13/2015							1477	1600	1,610	4,687		4687
6/14/2015							1421	1570	1,610	4,600		4601
6/15/2015	9.5	32.9	10.3	47.3	22.13	126	1495	1589	1,549	4,632		4633
6/16/2015	9.3	31.3	10.7	48.7	23.29	126	1433	1629	1,600	4,663		4662
6/17/2015	8.8	31	10.6	49.6	22.2	126	1405	1584	1,587	4,576		4576
6/18/2015	10.1	36.2	9.1	44.6	21.9	132	1429	1358	1,619	4,407		4406
6/19/2015	9.9	35.8	9.1	45.2	23.54	121	1325	1425	1,582	4,332		4332
6/20/2015							1406	1458	1,561	4,426		4425
6/21/2015							1407	1501	1,578	4,486		4486
6/22/2015	9.5	32.2	9.8	48.5	22.07	130	1456	1636	1,544	4,636		4636
6/23/2015	9.2	31.7	9.8	49.3	22.26	133	1428	1645	1,550	4,623		4623
6/24/2015	9.3	32.4	9.8	48.5	20.18	131	1340	1606	1,533	4,479		4479
6/25/2015	8.6	32.6	10.3	48.5	20.51	126	1261	1543	1,301	4,105		4105
6/26/2015	8.8	31	10.4	49.8	22.13	116	1327	1657	1,503	4,488		4487
6/27/2015							1294	1521	1,550	4,365		4365
6/28/2015							903	1128	1,091	3,122		3122
6/29/2015	9.5	34.1	9.5	46.9	23.99	157	1466	1705	1,380	4,551		4551
6/30/2015	9.4	32.2	10.2	48.2	22.62	142	1470	1665	1,554	4,688		4689
7/1/2015	8.6	31.6	10.5	49.3	20.12	134	1444	1536	1763	4,946		4743
7/2/2015	9.1	31.1	10.4	49.4	21.52	127	1448	1497	1770	4,913	295	5010
7/3/2015							1504	1493	1758	4,755	548	5303
7/4/2015							1519	1519	1749	4,787		4787
7/5/2015							1519	1489	1753	4,761		4761
7/6/2015	9.6	32.0	9.8	48.6	23.54	138	1513	1471	1765	4,960		4750
7/7/2015	10.0	32.9	8.8	48.3	21.10	132	1383	1438	1755	4,777		4576
7/8/2015	8.9	31.2	9.9	50.0	22.99	125	1336	1459	1765	4,758	773	5334
7/9/2015	8.3	30.1	10.9	50.7	23.54	127	1549	1313	1825	4,888	548	5235
7/10/2015	8.9	32.1	10.3	48.7	19.76	132	1485	1523	1800	5,008		4807
7/11/2015							1609	1620	1797	5,026		5026
7/12/2015							1636	1619	1787	5,041		5041
7/13/2015	8.5	31.5	10.6	49.4	22.59	144.0	1585	1601	1737	5,139		4923
7/14/2015	9.4	31.9	10.5	48.2	21.43	147.0	1570	1538	1643	4,968		4751
7/15/2015	8.3	30.4	10.8	50.5	20.12	145.0	1479	1599	1721	5,015		4800
7/16/2015	8.1	30.5	10.8	50.6	20.73	139.0	1547	1546	1741	5,045		4835
7/17/2015	8.7	31.9	10.1	49.3	22.44	143.0	1469	1511	1725	4,920		4705
7/18/2015							1595	1194	1786	4,574		4574
7/19/2015							1426	1545	1544	4,514		4514
7/20/2015	10.2	34.3	9.1	46.4	24.76	144	1087	1589	1547	4,439		4224
7/21/2015	10.2	30.8	9.9	49.1	20.37	138	1461	1542	1507	4,718		4511
7/22/2015	10.4	33.1	9.3	47.2	23.96	141	1473	1538	1531	4,754		4542
7/23/2015	10.4	33.8	9.1	46.7	20.61	137	1483	1520	1525	4,732		4528
7/24/2015	10.8	34.8	8.8	45.6	21.04	138	1454	1482	1505	4,646		4442
7/25/2015							1431	1515	1503	4,448		4448
7/26/2015							1392	1462	1505	4,359		4359
7/27/2015	11.0	36.5	8.2	44.3	20.24	144	1414	1480	1481	4,583		4375


Date							Flare Sta #2 FL-100	Flare Sta #3 FL-120	Flare Sta #1 FL-140	Main Flare Station Total Utility Flare Flow	E. Aux Flow (scfm)	Total Flow
	CH4	CO2	O2	Bal.	Press./Vac.	Gas Inlet Temp (°F)	Flow (scfm)	Flow (scfm)	Flow (scfm)	Flow (scfm)	Flow (scfm)	scfm
7/28/2015	11.1	38.0	7.9	43.0	22.95	142	1405	1462	1471	4,545		4337
7/29/2015	9.6	34.2	8.9	47.3	20.55	140	1405	1484	1476	4,573		4366
7/30/2015	9.6	36.0	8.7	45.7	19.54	150	1411	1470	1486	4,582		4366
7/31/2015	9.4	34.9	9.3	46.4	20.15	140	1410	1476	1483	4,575		4369

Inlet Gas and Temperature*



*Gas data collected from Laboratory Reports. Temperature data collected from GEM 2000 field readings.


Inlet Carbon Monoxide*



*Data collected from

*BRIDGETON
LANDFILL*

Total Combined Flow (scfm)*




— Total Combined Flow (scfm)*

*Combined flow is based on tabulated flow data

*BRIDGETON
LANDFILL*

Candlestick Flare (FL-100) Flow (scfm)*




— Candlestick Flare (FL-100) Flow (scfm)*

*Flow is based on tabulated flow data collected

*BRIDGETON
LANDFILL*

Candlestick Flare (FL-120) Flow (scfm)*




— Candlestick Flare (FL-120) Flow (scfm)*

*Flow is based on tabulated flow data collected

*BRIDGETON
LANDFILL*

Candlestick Flare (FL-140) Flow (scfm)*




— Candlestick Flare (FL-140) Flow (scfm)*

*Flow is based on tabulated flow data collected

*BRIDGETON
LANDFILL*

East Auxillary Candlestick Flare Flow (scfm)*




— East Auxillary Candlestick Flare Flow (scfm)*

*Flow is based on tabulated flow data collected

*BRIDGETON
LANDFILL*

Combined Inlet Methane (GEM 2000)*




— Combined Inlet Methane (GEM 2000)*

*Gas data collected from GEM 2000

*BRIDGETON
LANDFILL*

Combined Inlet Oxygen (GEM 2000)*



*Gas data collected from GEM 2000

*BRIDGETON
I AND FII I*