

Date	Enclosed Flare											Candlestick Flare FL-100 (Flare Sta 2)											Flare Sta #1 FL-140		Flare Sta #3 FL-120		Total Utility Flare Flow	East Side Flare		Total Flow	Inlet Lab Data							
	CH4	CO2	O2	Bal.	Press./Vac.	Gas Inlet Temp (°F)	Flow (scfm)	Flow Set Point	Enclosed Flare Temp	Callidus Flare Temp	Callidus Flow (scfm)	Total Flow (scfm)	CH4	CO2	O2	Bal.	Press./Vac.	Gas Inlet Temp (°F)	Flow (scfm)	Flare Temp.	Flow (scfm)	Flare Temp.	Flow (scfm)	Flare Temp.	Flow (scfm)	CH4	Flow (scfm)	scfm	Date	CH4	CO2	O2	N2	H2	CO (%)	CO (ppm)		
1/8/2013	10.9	60	2.6	26.5	-37.6	69	1410	1656	1650	2009	3419	16.4	52.7	4.1	26.8	-38.6	92	1247	1167			1,247	0	1246.603	5912.603472													
1/9/2013	11.2	55.4	4.3	29.1	-38.4	79	1902	1598	1628	2090	3992	14.4	55.3	4.1	26.2	-37.2	100	1203	1071			1,203	0	1234.34	6429.339583													
1/10/2013	11.2	56.3	4	28.5	-35.9	80	2367	1655	1647	2060	4427	15.8	53.3	4.6	26.3	-37.2	100	1243	1321			1,243	0	1301.011	6971.010965													
1/11/2013	11.4	59.7	2.9	26	-38.1	87	1765	1632	1640	1646	3411							1302	968			1,302	0		4713													
1/12/2013	12	60.5	2.3	25.2	-29.7	89	4388	1667			4388												0	0		4388												
1/13/2013	15.5	52.3	4.5	27.7	-22.9	80	1569	1679	1611	2672	4241							1221	1036			1,221	0	1473.771	6935.770774													
1/14/2013	16.2	51.5	4.5	27.8	-29.1				1765	2904	2904	16.2	51.5	4.5	27.8	-29.1	90	1394	1318			1,394	0	1433.537	5731.536607													
1/15/2013	17.5	57.2	3.3	22	-26.7				1550	3245	3245	17.5	57.2	3.3	22	-26.7	102	1401	1223			1,401	0	1421.91	6067.910417													
1/16/2013	17.4	53.8	3.7	25.1	-26.3				1584	3122	3122	17.4	53.8	3.7	25.1	-26.3	94	1316	1302			1,316	0	1388.153	5826.153472													
1/17/2013	12.6	61.4	2.4	23.6	-23.8	120	4639		1599	3163	7802	16.8	51.7	4.3	27.2	-21.4	80	1514	1280			1,514	0	1484.151	10800.15139													
1/18/2013	13.5	59.5	3.9	23.1	-21	110			1586	2782	2782	19	58.1	2.5	20.4	-21.2	105	1413	1136			1,413	0	1389.422	5584.422272													
1/19/2013	13.1	57.1	4.2	25.6	-39.5	80				4064	4064											0	0		4064													
1/20/2013	12.5	54.5	5	28	-40.2	70				1493	1888											0	0		1888													
1/21/2013	12.2	46.4	6.9	34.5	-22.5	72	752	1651			752	14.1	52.4	4.8	28.7	-27.4	76	1411	1089			1,411	0	1282	3445													
1/22/2013	12.5	53.7	4.9	28.9	-41.5	50	4660	1598	1593	2735	7395							1894	1028			1,894	0		9289													
1/23/2013	12.8	53.5	4.7	29	-41.4	60	730	1575	1686	2870	3600							730	1575			730	0		4330													
1/24/2013	11.9	50.8	5.3	32	-42.3	50	671	1553	1404	2735	3406	11.7	53	5.3	30	79.5	82	1271	894			1,271	0		4677													
1/25/2013	14.5	56.5	3.6	25.4	-37	68	710	1555	1412	2759	3469							3900	826			3,900	0		7369													
1/26/2013	13.2	55.8	3.8	27.2	-41.7	67	625	1513	1661	2875	3500							3901	896			3,901	0		7401													
1/27/2013	14.4	57.3	3.8	24.8	-38.6	62	591	1501	1673	2751	3342							3901	894			3,901	0		7243													
1/28/2013	14.5	60.2	2.3	23	-34.1	104	971	1579	1627	2843	3814							3900	1028			3,900	0		7714													
1/29/2013	12.1	59.6	3.3	25	-12.4	80	697	1591			697	12.5	60.2	3.1	24	111.6	105	1074	1152			1,074	0		1771													
1/30/2013	13.8	52.8	4.4	29	-41	72	697	1591	1640	2862	3559	14.2	55.7	3.9	26.2	74.4	103	806	1049			806	0		4365													
1/31/2013	14	55.1	4.4	26.5	-41.8	68	2100	1570	1603	2220	4320	14.3	58.8	3.2	23.7	49.3	80	820	902			820	0		5140													
2/1/2013	14.1	60.6	2.5	22.8	-32.5	73	1573	1589	1585	2399	3972	14.2	61.3	2.4	22.1	74.9	90	1452	974			1,452	0		5424													
2/2/2013	13.7	58.3	3.5	24.5	-42	75	2633	1612	1476	1618	4251	13.6	58.7	3.6	24.1	25.1	81	1483	1014			1,483	0		5734													
2/3/2013	12.4	55.5	4.2	27.9	-41.8	75	2880	1603	1590	2130	5010	12.7	56.4	4.2	26.7	40.2	80	868	1151			868	0		5878													
2/4/2013	14	59.8	2.8	23.4	-41.4	101	3450	1533	1590	2358	5838	14	61.5	2.7	21.8	46.2	100	814	958			814	0		6622													
2/5/2013	13.5	54.8	4.3	27.4	-42	75	2960	1595	1603	2220	5180	14.3	58.8	3.2	23.7	49.3	80	820	902			820	0		6000													
2/6/2013	12.2	53.1	5.3	29.4	-42.6	73	3204	1674	1587	2473	5677	12.8	55.2	4.6	27.4	75.1	110	981	800			981	0		6658													
2/7/2013	14	57.6	3.1	25.3	-36.5	90	2856	1714	1601	2258	5114							1089	836			1,089	0		6203													
2/8/2013	11.6	56.7	4.1	27.6	-34.3	50	2641	1675	1532	2124	4765	12	57.1	4.5	26.4	57.8	80	832	1053			832	0		5597													
2/9/2013	12	54.2	4.8	29	-43.8	70	2794	1592	1579	2366	5160	12.5	55.8	4.5	27.2	83.5	90	994	857			994	0		6154													
2/10/2013	12.7	57.6	3.1	26.6	-38.4	78	2719	1596	1605	2210	4929	13.2	60.6	2.6	23.6	89.6	90	1080	1265			1,080	0		6009													
2/11/2013	14.3	55.1	5.2	25.4	-46.5	80	3404	1619	1600	2216	5620	14.2	56.7	4.6	24.5	72.7	100	920	1023			920	0		6540													
2/12/2013	11.7	56.4	4.5	27.4	-47.8	50	2990	1595	1635	2200	5190	11.9	55.8	4.5	27.8	64.5	90	950	695			950	0		6140													
2/13/2013	11.2	52.8	5.5	30.5	-47.5	65	2915	1601	1589	2141	5056	12.3	57.4	4	26.3	78	92	965	860			965	0		6021													
2/14/2013	13.3	53.3	5	28.4	-43.6	70	2938	1604	1581	1995	4933							1035	977			1,035	0		5968													
2/15/2013	11.4	54.4	4.7	29.5	-47.3	70	2824	1597	1568	2130	4954							941	1123			941	0		5895													
2/16/2013	13.8	57	4	25.2	-47.5	50	2589	1589	1643	2064	4653	12.3	56.2	3.5	28	70.1	72	1026	966			1,026	0		5679													
2/17/2013	12.8	55.3	3.8	28.1	-46.2	60	2760	1592	1646	2048	4808	12.9	57.6	3	26.5	83.5	90	1090	1144			1,090	0		5898													
2/18/2013	14	58.1	3.1	24.8	-46.7	80	2767	1615	1578	2490	5257	14.6	60.1	2.7	22.6	68.3	100	1060	1130			1,060	0		6317													
2/19/2013	12.8	53.9	4.6	28.7	-46.9	65	2450	1604	1606	2233	4683	13	56.8	4.2	26	61.8	70	950	1217			950	0		5633													
2/20/2013	12.4	54.9	4.2	28.5	-46.3	43	2324	1595	1501	2094	4418	13	57.6	3.7	25.7	59.1	60	951	813			951	0		5369													
2/21/2013	13	57.9	4.1	25	-47.1	50	2435	1612	1621	2092	4527	13.1	62.8	3.5	20.6	65	60	1021	863			1,021	0		5548													
2/22/2013	13.5	58.8	3.8	23.9	-47.7	60	2555	1593	1595	2108	4663	13.3	62	3.7	21	70.4	80	1150	1088			1,150	0		5813													
2/23/2013	12.8	64.4	3.9	18.9	-46.8	60	2461	1601	1457	2024	4485	13.6	62.7	3.3	20.4	71.4	85	1011	891			1,011	0		5496													
2/24/2013	12.7	57.6	3.5	26.2	-44.4	75	2694	1605	1610	2119	4813	13.4	62.5	2.8	21.3	85.4	105	1015	1088			1,015	0		5828													
2/25/2013	12.8	58.6	3	25.6	-43.7	68	2650	1606	1611	1987	4637	13	60.5	2.6	23.9																							

Daily Flare Monitoring Data - Bridgeton Landfill
5/1/2013 - 10/31/2013

Date	Device Flow (scfm)						Total Flow (scfm)
	Enclosed Flare	Callidus Flare	Candlestick Flare (FL-100)	Candlestick Flare (FL-140)	Candlestick Flare (FL-120)	E. Aux. Candlestick Flare	
5/1/2013	1,693	1,516	2,168				5,377
5/2/2013	1,562	1,583	1,752				4,897
5/3/2013	1,697	1,620	1,779				5,096
5/4/2013	1,540	1,606	1,810				4,956
5/5/2013	1,740	1,548	1,707				4,995
5/6/2013	1,755	1,603	1,730				5,088
5/7/2013	1,720	1,687	2,235				5,642
5/8/2013	1,656	1,620	2,176				5,452
5/9/2013	1,611	1,374	2,110				5,095
5/10/2013	1,648	1,582	1,527				4,757
5/11/2013	1,663	1,546	1,642				4,851
5/12/2013	1,621	1,607	1,900				5,128
5/13/2013	1,643	1,564	1,810				5,017
5/14/2013	1,626	1,611	2,121				5,358
5/15/2013	1,640	1,598	1,920				5,158
5/16/2013	1,654	1,404	2,242				5,300
5/17/2013	1,648	1,582	2,121				5,351
5/18/2013	1,639	1,560	2,141				5,340
5/19/2013	1,666	1,595	2,375				5,636
5/20/2013	1,667	1,605	1,881				5,153
5/21/2013	1,649	1,596	2,112				5,357
5/22/2013	1,629	1,574	2,337				5,540
5/23/2013	1,662	1,577	2,214				5,453
5/24/2013	1,658	1,477	1,873				5,008
5/25/2013	1,673	1,539	2,007				5,219
5/26/2013	1,669	1,519	2,488				5,676
5/27/2013	1,676	1,510	2,601				5,787
5/28/2013	1,651	1,612	2,034				5,297
5/29/2013	1,614	1,610	2,321				5,545
5/30/2013	1,670	1,601	2,828				6,099
5/31/2013	1,591	1,596	2,741				5,928

Daily Flare Monitoring Data - Bridgeton Landfill
5/1/2013 - 10/31/2013

Date	Device Flow (scfm)						Total Flow (scfm)
	Enclosed Flare	Callidus Flare	Candlestick Flare (FL-100)	Candlestick Flare (FL-140)	Candlestick Flare (FL-120)	E. Aux. Candlestick Flare	
6/1/2013	3,161	1,467	2,873				7,501
6/2/2013	3,642	1,544	2,245				7,431
6/3/2013	3,664	1,581	2,364				7,609
6/4/2013	3,451	1,490	2,713				7,654
6/5/2013	3,722	1,591	1,922			586	7,821
6/6/2013	3,696	1,592	1,918			529	7,735
6/7/2013	3,405	1,571	1,809			734	7,519
6/8/2013	3,544	1,553	2,592			596	8,285
6/9/2013	3,352	1,581	2,038			864	7,835
6/10/2013	3,691	1,623	1,589			1,079	7,982
6/11/2013	3,665	1,580	1,457			1,028	7,730
6/12/2013	3,651	1,546	2,110			1,056	8,363
6/13/2013	3,698	1,596	1,653			488	7,435
6/14/2013	3,558	1,620	1,214			1,119	7,511
6/15/2013	3,691	1,562	1,269			872	7,394
6/16/2013	3,502	1,608	2,105			745	7,960
6/17/2013	2,604	1,558	1,664			1,051	6,877
6/18/2013	3,401	1,605	1,496			1,141	7,643
6/19/2013	3,691	1,587	1,004			1,409	7,691
6/20/2013	3,769	1,608	1,196			1,184	7,757
6/21/2013	3,519	1,588	1,891			1,177	8,175
6/22/2013	3,864		2,301			1,380	7,545
6/23/2013	3,809		2,987			1,293	8,089
6/24/2013	3,497		3,046			1,443	7,986
6/25/2013	3,889		3,046			1,382	8,317
6/26/2013	3,803		2,725			1,391	7,919
6/27/2013	3,629		2,605			1,334	7,568
6/28/2013	3,853		2,817			1,326	7,996
6/29/2013	3,694		2,566			1,386	7,646
6/30/2013	3,694		2,911			1,432	8,037

Daily Flare Monitoring Data - Bridgeton Landfill
5/1/2013 - 10/31/2013

Date	Device Flow (scfm)						Total Flow (scfm)
	Enclosed Flare	Callidus Flare	Candlestick Flare (FL-100)	Candlestick Flare (FL-140)	Candlestick Flare (FL-120)	E. Aux. Candlestick Flare	
7/1/2013	3,294		2,891			1,271	7,456
7/2/2013	3,309		2,708			1,514	7,531
7/3/2013	3,510		2,610				6,120
7/4/2013	3,496		2,901				6,397
7/5/2013	3,514		2,884			1,501	7,899
7/6/2013	3,891		2,544			1,535	7,970
7/7/2013	3,346		2,328			1,364	7,038
7/8/2013	3,796		2,392			1,580	7,768
7/9/2013	3,981		2,279			1,504	7,764
7/10/2013	3,960		2,004			1,570	7,534
7/11/2013	3,987		2,041			1,398	7,426
7/12/2013	3,921		2,195			1,516	7,632
7/13/2013	3,635		2,701			1,265	7,601
7/14/2013	3,325		2,188			1,305	6,818
7/15/2013	3,954		2,027			1,204	7,185
7/16/2013	3,740		1,383				5,123
7/17/2013	3,988	3,303	1,416			1,023	9,730
7/18/2013	3,986	3,255	1,066			1,003	9,310
7/19/2013	3,987		1,142				5,129
7/20/2013	3,988	2,929	957			900	8,774
7/21/2013	3,988	2,801	1,343			833	8,965
7/22/2013	3,988	2,960	1,512			1,007	9,467
7/23/2013	3,987	2,625	1,597			1,102	9,311
7/24/2013	3,990	2,942	1,609			1,047	9,588
7/25/2013	3,989	3,241	1,551			805	9,586
7/26/2013	3,991	3,092	1,612			936	9,631
7/27/2013	3,992	2,898	1,177			759	8,826
7/28/2013	3,994	3,141	949			846	8,930
7/29/2013	3,995	3,341	1,241			894	9,471
7/30/2013	3,981	2,984	801			939	8,705
7/31/2013	3,993	3,033	1,052			935	9,013

Daily Flare Monitoring Data - Bridgeton Landfill
5/1/2013 - 10/31/2013

Date	Device Flow (scfm)						Total Flow (scfm)
	Enclosed Flare	Callidus Flare	Candlestick Flare (FL-100)	Candlestick Flare (FL-140)	Candlestick Flare (FL-120)	E. Aux. Candlestick Flare	
8/1/2013	3,992	3,180	1,210			962	9,344
8/2/2013	3,996	2,850	1,184			1,017	9,047
8/3/2013	3,991	2,869	1,218			1,014	9,092
8/4/2013	3,990	2,946	1,148			975	9,059
8/5/2013	3,998	3,011	1,138			946	9,093
8/6/2013	3,993	3,999	1,266			928	10,186
8/7/2013	3,991	3,999	1,286			1,103	10,379
8/8/2013	3,993	3,691	1,381			990	10,055
8/9/2013	3,991	3,951	1,158			1,074	10,174
8/10/2013	3,991	3,957	1,348			1,043	10,339
8/11/2013	3,984	3,960	1,288			1,122	10,354
8/12/2013	3,991	3,833	1,201			1,080	10,105
8/13/2013	4,003	3,661	1,022			1,061	9,747
8/14/2013	3,997	3,038	1,101			1,174	9,310
8/15/2013	3,996	3,723	1,172			976	9,867
8/16/2013	4,001	3,601	1,141			845	9,588
8/17/2013	3,810	3,999	1,190			903	9,902
8/18/2013	4,004	3,970	1,318			902	10,194
8/19/2013	4,000	3,990	1,111			1,055	10,156
8/20/2013	4,080	3,711	1,346			1,043	10,180
8/21/2013	4,000	3,506	960			1,048	9,514
8/22/2013	4,150	3,527	1,372			888	9,937
8/23/2013	4,006	3,396	1,268			977	9,647
8/24/2013	4,020	3,222	1,272			1,083	9,597
8/25/2013	4,016	3,607	1,335			1,286	10,244
8/26/2013	4,061	3,295	1,302			1,080	9,738
8/27/2013	4,137	3,248	1,263			1,071	9,719
8/28/2013	4,016	2,965	1,230			1,089	9,300
8/29/2013	4,036	3,739	1,277			989	10,041
8/30/2013	4,028	3,294	1,071			947	9,340
8/31/2013	3,983	2,961	1,093			1,062	9,099

Daily Flare Monitoring Data - Bridgeton Landfill
5/1/2013 - 10/31/2013

Date	Device Flow (scfm)						Total Flow (scfm)
	Enclosed Flare	Callidus Flare	Candlestick Flare (FL-100)	Candlestick Flare (FL-140)	Candlestick Flare (FL-120)	E. Aux. Candlestick Flare	
9/1/2013	4,011	3,994	1,001			1,252	10,258
9/2/2013	3,992	3,992	975			1,205	10,164
9/3/2013	3,992	3,946	760			1,150	9,848
9/4/2013	3,994	3,750	615			1,211	9,570
9/5/2013	3,994	3,895	572			1,130	9,591
9/6/2013	3,990	3,550	700			1,055	9,295
9/7/2013	3,994	3,705	737			1,092	9,528
9/8/2013	3,993	3,522	772			1,065	9,352
9/9/2013	3,994	3,942	713			1,098	9,747
9/10/2013	3,993	3,335	855			1,060	9,243
9/11/2013	3,994	3,409	841			1,088	9,332
9/12/2013	3,998	3,819	749			1,110	9,676
9/13/2013	3,996	3,619	749			1,115	9,479
9/14/2013	4,003	3,261	741			1,123	9,128
9/15/2013	4,014	3,350	788			1,073	9,225
9/16/2013	4,017	3,010	749			1,122	8,898
9/17/2013	4,021	3,294	917			1,102	9,334
9/18/2013	4,006	3,423	801			1,082	9,312
9/19/2013	3,996	3,702	772			1,058	9,528
9/20/2013		3,251	821	3,561		1,135	8,768
9/21/2013		2,391	855	2,122		1,139	6,507
9/22/2013		1,800	705	3,790		1,140	7,435
9/23/2013		1,469	701	3,769		1,122	7,061
9/24/2013			637	3,997	1,742	1,485	7,861
9/25/2013			849	1,744	2,449	1,533	6,575
9/26/2013			1,724	2,171	1,224	1,573	6,692
9/27/2013			1,209	2,145	1,348	1,453	6,155
9/28/2013			1,327	1,939	1,283	1,427	5,976
9/29/2013			2,833	2,030	1,249	1,512	7,624
9/30/2013			1,270	1,841	1,427	1,471	6,009


Daily Flare Monitoring Data - Bridgeton Landfill
5/1/2013 - 10/31/2013

Date	Device Flow (scfm)						Total Flow (scfm)
	Enclosed Flare	Callidus Flare	Candlestick Flare (FL-100)	Candlestick Flare (FL-140)	Candlestick Flare (FL-120)	E. Aux. Candlestick Flare	
10/1/2013			1,207	1,303	1,966	1,379	5,855
10/2/2013			1,025	1,530	2,137	1,242	5,934
10/3/2013			1,003	1,524	2,075	1,222	5,824
10/4/2013			1,004	1,535	2,110	1,320	5,969
10/5/2013			980	1,515	2,053	1,300	5,848
10/6/2013			971	1,344	1,990	1,296	5,601
10/7/2013			1,013	1,570	1,929	1,101	5,613
10/8/2013			1,081	1,307	2,196	922	5,506
10/9/2013			1,382	1,427	1,915	1,048	5,772
10/10/2013			966	1,688	1,591	901	5,146
10/11/2013			900	1,870	1,900	1,222	5,892
10/12/2013			851	1,981	1,684	1,046	5,562
10/13/2013			826	1,755	1,915	528	5,024
10/14/2013			1,005	1,744	1,651	594	4,994
10/15/2013			1,030	1,805	1,393	1,330	5,558
10/16/2013			1,045	1,781	910	1,407	5,143
10/17/2013			1,005	1,259	1,776	1,239	5,279
10/18/2013			950	1,705	1,816	1,274	5,745
10/19/2013			960	1,544	1,944	1,057	5,505
10/20/2013			950	1,620	1,796	544	4,910
10/21/2013			850	1,680	1,970	1,454	5,954
10/22/2013			760	1,780	1,720	1,066	5,326
10/23/2013			900	1,700	900	1,120	4,620
10/24/2013			900	1,720	1,850	952	5,422
10/25/2013			946	1,758	1,888	1,114	5,706
10/26/2013			949	1,884	1,150	1,092	5,075
10/27/2013			1,007	1,735	1,702	1,092	5,536
10/28/2013			834	1,822	1,669	1,087	5,412
10/29/2013			1,004	1,722	1,865	854	5,445
10/30/2013			927	1,861	1,473	984	5,245
10/31/2013			970	1,741	1,941	998	5,650

September 2013 Notes:


1. The Enclosed Flare (John Zink) was decommissioned on September 24, 2013
2. The Callidus Flare was decommissioned on September 20, 2013
3. New Flare Station #3 came online on September 20, 2013
4. New Flare Station #1 came online on September 24, 2013
5. Existing Candlestick Flare is now designated as Flare Station #2

Inlet Gas and Temperature*




*Gas data collected from Laboratory Reports. Temperature data collected from GEM 2000 field readings.

Inlet Carbon Monoxide*



*Data collected from Laboratory Reports.

Total Combined Flow (scfm)*




—x— Total Combined Flow (scfm)*

*Combined flow is based on




Enclosed Flare Flow (scfm)*




*Flow is based on tabulated flow data collected daily.

Callidus Flare Flow (scfm)*



*Flow is based on tabulated flow data collected daily.


Candlestick Flare (FL-100) Flow (scfm)*



—*— Candlestick Flare (FL-100) Flow (scfm)*

*Flow is based on tabulated flow data collected daily.


Candlestick Flare (FL-120) Flow (scfm)*



—*— Candlestick Flare (FL-120) Flow (scfm)*

*Flow is based on tabulated flow data collected daily.


Candlestick Flare (FL-140) Flow (scfm)*



—*— Candlestick Flare (FL-140) Flow (scfm)*

*Flow is based on tabulated flow data collected daily.


East Auxillary Candlestick Flare Flow (scfm)*



—* East Auxillary Candlestick Flare Flow (scfm)*

*Flow is based on tabulated flow data collected daily.


Combined Inlet Methane (GEM 2000)*



— Combined Inlet Methane (GEM 2000)*

*Gas data collected from GEM 2000 field monitoring instrument.

Combined Inlet Oxygen (GEM 2000)*



— Combined Inlet Oxygen (GEM 2000)*

*Gas data collected from GEM 2000 field monitoring instrument.