


GIW-1 Wellhead Temperatures




GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-02	01/01/15							N/A	(HES Installed)
GIW-02	01/02/15	1.4	55.2	2	41.4	38.5	-8.49	N/A	(HES Installed)
GIW-02	01/05/15	0.8	56.2	0	43	35.3	7.88		(HES Installed)
GIW-02	01/06/15								(HES Installed)
GIW-02	01/07/15								(HES Installed)
GIW-02	01/08/15								(HES Installed)
GIW-02	01/09/15								(HES Installed)
GIW-02	01/12/15	2	56.9	5.8	35.3	36.4	-20.7	N/A	(HES Installed)
GIW-02	01/13/15							N/A	(HES Installed)
GIW-02	01/14/15							N/A	(HES Installed)
GIW-02	01/15/15							N/A	(HES Installed)
GIW-02	01/16/15	1.3	53.4	3	42.3	45.2	-19.9	N/A	(HES Installed)
GIW-02	01/19/15							N/A	(HES Installed)
GIW-02	01/20/15							N/A	(HES Installed)
GIW-02	01/21/15	1.3	59.7	0	39	52.5	8.79	N/A	(HES Installed)
GIW-02	01/22/15							N/A	(HES Installed)
GIW-02	01/23/15							N/A	(HES Installed)
GIW-02	01/26/15	1.7	61.2	0	37.1	35.5	-19.54	N/A	(HES Installed)
GIW-02	01/27/15							N/A	(HES Installed)
GIW-02	01/28/15	1.4	57.6	0.1	40.9	47.2	12.52	N/A	(HES Installed)
GIW-02	01/29/15							N/A	(HES Installed)
GIW-02	01/30/15							N/A	(HES Installed)
GIW-02	02/02/15							N/A	(HES Installed)
GIW-02	02/03/15							N/A	(HES Installed)
GIW-02	02/04/15							N/A	(HES Installed)
GIW-02	02/05/15							N/A	(HES Installed)
GIW-02	02/06/15	1.4	51.7	2.7	44.2	33.7	-10.81	N/A	(HES Installed)
GIW-02	02/09/15							N/A	(HES Installed)
GIW-02	02/10/15							N/A	(HES Installed)
GIW-02	02/11/15	1.3	62.1	2.1	34.5	43.4	-14.16	N/A	(HES Installed)
GIW-02	02/12/15							N/A	(HES Installed)
GIW-02	02/13/15							N/A	(HES Installed)
GIW-02	02/16/15							N/A	(HES Installed)
GIW-02	02/17/15							N/A	(HES Installed)
GIW-02	02/18/15							N/A	(HES Installed)
GIW-02	02/19/15							N/A	(HES Installed)
GIW-02	02/20/15	1.1	50.6	4.4	43.9	23.3	-9.28	N/A	(HES Installed)
GIW-02	02/23/15							N/A	(HES Installed)
GIW-02	02/24/15							N/A	(HES Installed)
GIW-02	02/25/15							N/A	(HES Installed)
GIW-02	02/26/15							N/A	(HES Installed)
GIW-02	02/27/15							N/A	(HES Installed)
GIW-02	02/28/15	1.5	43.6	10.2	44.7	25.5	-0.22	N/A	(HES Installed)
GIW-02	03/01/15							N/A	(HES Installed)
GIW-02	03/02/15							N/A	(HES Installed)
GIW-02	03/03/15							N/A	(HES Installed)
GIW-02	03/04/15	3	64.5	0	32.5	25	0.13	N/A	(HES Installed)
GIW-02	03/05/15							N/A	(HES Installed)
GIW-02	03/06/15	2.5	41.6	8.2	47.7	41.9	-0.08	N/A	(HES Installed)

GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-02	03/07/15							N/A	(HES Installed)
GIW-02	03/08/15							N/A	(HES Installed)
GIW-02	03/09/15							N/A	(HES Installed)
GIW-02	03/10/15	4.4	63.8	0.1	31.7	61.3	-0.08	N/A	(HES Installed)
GIW-02	03/11/15							N/A	(HES Installed)
GIW-02	03/12/15							N/A	(HES Installed)
GIW-02	03/13/15							N/A	(HES Installed)
GIW-02	03/14/15							N/A	(HES Installed)
GIW-02	03/15/15							N/A	(HES Installed)
GIW-02	03/16/15							N/A	(HES Installed)
GIW-02	03/17/15							N/A	(HES Installed)
GIW-02	03/18/15	0.9	57.8	2	39.3	50.6	-12.15	N/A	(HES Installed)
GIW-02	03/19/15							N/A	(HES Installed)
GIW-02	03/20/15	2	65.5	0	32.5	46.2	1.3	N/A	(HES Installed)
GIW-02	03/21/15							N/A	(HES Installed)
GIW-02	03/22/15							N/A	(HES Installed)
GIW-02	03/23/15							N/A	(HES Installed)
GIW-02	03/24/15	3.4	61.8	0	34.8	35.3	-0.14	N/A	(HES Installed)
GIW-02	03/25/15							N/A	(HES Installed)
GIW-02	03/26/15	4.6	62.8	0	32.6	40.3	-0.41	N/A	(HES Installed)
GIW-02	03/27/15							N/A	(HES Installed)
GIW-02	03/28/15							N/A	(HES Installed)
GIW-02	03/29/15							N/A	(HES Installed)
GIW-02	03/30/15							N/A	(HES Installed)
GIW-02	03/31/15	4.7	63.9	0	31.4	70.4	-0.49	N/A	(HES Installed)
GIW-02	04/01/15							N/A	(HES Installed)
GIW-02	04/02/15	4.2	59.8	0.1	35.9	67.2	-0.61	N/A	(HES Installed)
GIW-02	04/03/15							N/A	(HES Installed)
GIW-02	04/04/15							N/A	(HES Installed)
GIW-02	04/05/15							N/A	(HES Installed)
GIW-02	04/06/15							N/A	(HES Installed)
GIW-02	04/07/15							N/A	(HES Installed)
GIW-02	04/08/15							N/A	(HES Installed)
GIW-02	04/09/15							N/A	(HES Installed)
GIW-02	04/10/15	11.1	57.7	0.3	30.9	60.8	-1.69	N/A	(HES Installed)
GIW-02	04/11/15							N/A	(HES Installed)
GIW-02	04/12/15							N/A	(HES Installed)
GIW-02	04/13/15							N/A	(HES Installed)
GIW-02	04/14/15							N/A	(HES Installed)
GIW-02	04/15/15							N/A	(HES Installed)
GIW-02	04/16/15	9.9	59.3	0.4	30.4	85.9	-1.73	N/A	(HES Installed)
GIW-02	04/17/15							N/A	(HES Installed)
GIW-02	04/18/15							N/A	(HES Installed)
GIW-02	04/19/15							N/A	(HES Installed)
GIW-02	04/20/15							N/A	(HES Installed)
GIW-02	04/21/15	12.1	55.3	0.2	32.4	73.4	-4.05	N/A	(HES Installed)
GIW-02	04/22/15							N/A	(HES Installed)
GIW-02	04/23/15							N/A	(HES Installed)
GIW-02	04/24/15							N/A	(HES Installed)

GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-02	04/25/15							N/A	(HES Installed)
GIW-02	04/26/15							N/A	(HES Installed)
GIW-02	04/27/15							N/A	(HES Installed)
GIW-02	04/28/15							N/A	(HES Installed)
GIW-02	04/29/15							N/A	(HES Installed)
GIW-02	04/30/15	13.7	46.6	1.8	37.9	81	-2.96	N/A	(HES Installed)
GIW-02	05/01/15							N/A	(HES Installed)
GIW-02	05/02/15							N/A	(HES Installed)
GIW-02	05/03/15							N/A	(HES Installed)
GIW-02	05/04/15							N/A	(HES Installed)
GIW-02	05/05/15							N/A	(HES Installed)
GIW-02	05/06/15	16.8	42.8	2.9	37.5	92.5	-3.49	N/A	(HES Installed)
GIW-02	05/07/15							N/A	(HES Installed)
GIW-02	05/08/15							N/A	(HES Installed)
GIW-02	05/09/15							N/A	(HES Installed)
GIW-02	05/10/15							N/A	(HES Installed)
GIW-02	05/11/15							N/A	(HES Installed)
GIW-02	05/12/15							N/A	(HES Installed)
GIW-02	05/13/15							N/A	(HES Installed)
GIW-02	05/14/15	10.6	45.9	3.7	39.8	75	-2.8	N/A	(HES Installed)
GIW-02	05/15/15							N/A	(HES Installed)
GIW-02	05/16/15							N/A	(HES Installed)
GIW-02	05/17/15							N/A	(HES Installed)
GIW-02	05/18/15	12.1	45.4	3.9	38.6	91	-1	N/A	(HES Installed)
GIW-02	05/19/15							N/A	(HES Installed)
GIW-02	05/20/15							N/A	(HES Installed)
GIW-02	05/21/15							N/A	(HES Installed)
GIW-02	05/22/15							N/A	(HES Installed)

GIW-2 Wellhead Temperatures




GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Adj. Static Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-03	01/01/15							N/A	(HES Installed)
GIW-03	01/02/15	0.3	49.7	5.8	44.2	42.5	-4.71	N/A	(HES Installed)
GIW-03	01/05/15	0.4	47.4	6.4	45.8	38	-4.54		(HES Installed)
GIW-03	01/06/15								(HES Installed)
GIW-03	01/07/15								(HES Installed)
GIW-03	01/08/15								(HES Installed)
GIW-03	01/09/15								(HES Installed)
GIW-03	01/12/15	0.4	49.1	6	44.5	37.2	-3	N/A	(HES Installed)
GIW-03	01/13/15							N/A	(HES Installed)
GIW-03	01/14/15							N/A	(HES Installed)
GIW-03	01/15/15							N/A	(HES Installed)
GIW-03	01/16/15	0.3	55.6	3.9	40.2	40.9	-1.18	N/A	(HES Installed)
GIW-03	01/19/15							N/A	(HES Installed)
GIW-03	01/20/15							N/A	(HES Installed)
GIW-03	01/21/15	0.3	50.6	5.5	43.6	50.9	-1.47	N/A	(HES Installed)
GIW-03	01/22/15							N/A	(HES Installed)
GIW-03	01/23/15							N/A	(HES Installed)
GIW-03	01/26/15	0.4	52.5	3.9	43.2	34.9	-0.81	N/A	(HES Installed)
GIW-03	01/27/15							N/A	(HES Installed)
GIW-03	01/28/15	0.4	56.1	2.3	41.2	47.6	-0.29	N/A	(HES Installed)
GIW-03	01/29/15							N/A	(HES Installed)
GIW-03	01/30/15							N/A	(HES Installed)
GIW-03	02/02/15							N/A	(HES Installed)
GIW-03	02/03/15							N/A	(HES Installed)
GIW-03	02/04/15							N/A	(HES Installed)
GIW-03	02/05/15							N/A	(HES Installed)
GIW-03	02/06/15	0.4	57.9	1.6	40.1	34.3	-0.27	N/A	(HES Installed)
GIW-03	02/09/15							N/A	(HES Installed)
GIW-03	02/10/15	0.4	64.2	0.2	35.2	77.4	-0.07	N/A	(HES Installed)
GIW-03	02/11/15							N/A	(HES Installed)
GIW-03	02/12/15							N/A	(HES Installed)
GIW-03	02/13/15							N/A	(HES Installed)
GIW-03	02/16/15							N/A	(HES Installed)
GIW-03	02/17/15							N/A	(HES Installed)
GIW-03	02/18/15							N/A	(HES Installed)
GIW-03	02/19/15							N/A	(HES Installed)
GIW-03	02/20/15	0.4	64.1	0	35.5	24.1	0.21	N/A	(HES Installed)
GIW-03	02/23/15							N/A	(HES Installed)
GIW-03	02/24/15							N/A	(HES Installed)
GIW-03	02/25/15							N/A	(HES Installed)
GIW-03	02/26/15							N/A	(HES Installed)
GIW-03	02/27/15							N/A	(HES Installed)
GIW-03	02/28/15	0.3	49	9.9	40.8	28	-14.15	N/A	(HES Installed)
GIW-03	03/01/15							N/A	(HES Installed)
GIW-03	03/02/15							N/A	(HES Installed)
GIW-03	03/03/15							N/A	(HES Installed)
GIW-03	03/04/15	0.2	37.2	12	50.6	25.9	-13.13	N/A	(HES Installed)

GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Adj. Static Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-03	03/05/15							N/A	(HES Installed)
GIW-03	03/06/15	0	12.5	20.2	67.3	39.1	-5.43	N/A	(HES Installed)
GIW-03	03/07/15							N/A	(HES Installed)
GIW-03	03/08/15							N/A	(HES Installed)
GIW-03	03/09/15							N/A	(HES Installed)
GIW-03	03/10/15	0.4	37.7	9.5	52.4	60.5	-7.39	N/A	(HES Installed)
GIW-03	03/11/15							N/A	(HES Installed)
GIW-03	03/12/15							N/A	(HES Installed)
GIW-03	03/13/15							N/A	(HES Installed)
GIW-03	03/14/15							N/A	(HES Installed)
GIW-03	03/15/15							N/A	(HES Installed)
GIW-03	03/16/15							N/A	(HES Installed)
GIW-03	03/17/15							N/A	(HES Installed)
GIW-03	03/18/15	0.2	35.7	8.7	55.4	50.8	-4.65	N/A	(HES Installed)
GIW-03	03/19/15							N/A	(HES Installed)
GIW-03	03/20/15	0.3	43.5	8.5	47.7	44.1	-1.74	N/A	(HES Installed)
GIW-03	03/21/15							N/A	(HES Installed)
GIW-03	03/22/15							N/A	(HES Installed)
GIW-03	03/23/15							N/A	(HES Installed)
GIW-03	03/24/15	0.8	61.9	0.1	37.2	35.8	1.59	N/A	(HES Installed)
GIW-03	03/25/15							N/A	(HES Installed)
GIW-03	03/26/15	0.3	45.1	6.6	48	41.1	-1.14	N/A	(HES Installed)
GIW-03	03/27/15							N/A	(HES Installed)
GIW-03	03/28/15							N/A	(HES Installed)
GIW-03	03/29/15							N/A	(HES Installed)
GIW-03	03/30/15							N/A	(HES Installed)
GIW-03	03/31/15	0.5	55.8	2.4	41.3	69.2	-0.26	N/A	(HES Installed)
GIW-03	04/01/15							N/A	(HES Installed)
GIW-03	04/02/15	0.5	57.6	1.1	40.8	67	-0.22	N/A	(HES Installed)
GIW-03	04/03/15							N/A	(HES Installed)
GIW-03	04/04/15							N/A	(HES Installed)
GIW-03	04/05/15							N/A	(HES Installed)
GIW-03	04/06/15							N/A	(HES Installed)
GIW-03	04/07/15							N/A	(HES Installed)
GIW-03	04/08/15							N/A	(HES Installed)
GIW-03	04/09/15							N/A	(HES Installed)
GIW-03	04/10/15	0.5	62.5	0	37	60.6	-0.36	N/A	(HES Installed)
GIW-03	04/11/15							N/A	(HES Installed)
GIW-03	04/12/15							N/A	(HES Installed)
GIW-03	04/13/15							N/A	(HES Installed)
GIW-03	04/14/15							N/A	(HES Installed)
GIW-03	04/15/15							N/A	(HES Installed)
GIW-03	04/16/15	0.5	57.1	1.5	40.9	85.3	-0.17	N/A	(HES Installed)
GIW-03	04/17/15							N/A	(HES Installed)
GIW-03	04/18/15							N/A	(HES Installed)
GIW-03	04/19/15							N/A	(HES Installed)
GIW-03	04/20/15							N/A	(HES Installed)

GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Adj. Static Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-03	04/21/15	0.3	42.9	7.7	49.1	72.4	-0.93	N/A	(HES Installed)
GIW-03	04/22/15							N/A	(HES Installed)
GIW-03	04/23/15							N/A	(HES Installed)
GIW-03	04/24/15							N/A	(HES Installed)
GIW-03	04/25/15							N/A	(HES Installed)
GIW-03	04/26/15							N/A	(HES Installed)
GIW-03	04/27/15							N/A	(HES Installed)
GIW-03	04/28/15							N/A	(HES Installed)
GIW-03	04/29/15							N/A	(HES Installed)
GIW-03	04/30/15	0.9	43.5	7.5	48.1	81.9	-0.89	N/A	(HES Installed)
GIW-03	05/01/15							N/A	(HES Installed)
GIW-03	05/02/15							N/A	(HES Installed)
GIW-03	05/03/15							N/A	(HES Installed)
GIW-03	05/04/15							N/A	(HES Installed)
GIW-03	05/05/15							N/A	(HES Installed)
GIW-03	05/06/15	1.4	54.4	3.2	41	90.5	-0.42	N/A	(HES Installed)
GIW-03	05/07/15							N/A	(HES Installed)
GIW-03	05/08/15							N/A	(HES Installed)
GIW-03	05/09/15							N/A	(HES Installed)
GIW-03	05/10/15							N/A	(HES Installed)
GIW-03	05/11/15							N/A	(HES Installed)
GIW-03	05/12/15							N/A	(HES Installed)
GIW-03	05/13/15							N/A	(HES Installed)
GIW-03	05/14/15	0.6	68.9	0	30.5	73	0	N/A	(HES Installed)
GIW-03	05/15/15							N/A	(HES Installed)
GIW-03	05/16/15							N/A	(HES Installed)
GIW-03	05/17/15							N/A	(HES Installed)
GIW-03	05/18/15	0.5	50.3	5.9	43.3	86	-1.2	N/A	(HES Installed)
GIW-03	05/19/15							N/A	(HES Installed)
GIW-03	05/20/15							N/A	(HES Installed)
GIW-03	05/21/15							N/A	(HES Installed)
GIW-03	05/22/15							N/A	(HES Installed)

GIW-3 Wellhead Temperatures




GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-04	01/01/15							N/A	(HES Installed)
GIW-04	01/02/15	0.4	56.8	0.2	42.6	36.1	0.77	N/A	(HES Installed)
GIW-04	01/05/15	0.5	50.4	3.7	45.4	31.3	-13.13		(HES Installed)
GIW-04	01/06/15								(HES Installed)
GIW-04	01/07/15								(HES Installed)
GIW-04	01/08/15								(HES Installed)
GIW-04	01/09/15								(HES Installed)
GIW-04	01/12/15	0.5	61.1	0	38.4	39.5	-4.07	N/A	(HES Installed)
GIW-04	01/13/15							N/A	(HES Installed)
GIW-04	01/14/15							N/A	(HES Installed)
GIW-04	01/15/15							N/A	(HES Installed)
GIW-04	01/16/15	0.6	59.3	0	40.1	37.2	-0.26	N/A	(HES Installed)
GIW-04	01/19/15							N/A	(HES Installed)
GIW-04	01/20/15							N/A	(HES Installed)
GIW-04	01/21/15	0.4	53.2	0	46.4	50	-20.51	N/A	(HES Installed)
GIW-04	01/22/15							N/A	(HES Installed)
GIW-04	01/23/15							N/A	(HES Installed)
GIW-04	01/26/15	0.4	49.9	2.4	47.3	34.1	-19.35	N/A	(HES Installed)
GIW-04	01/27/15							N/A	(HES Installed)
GIW-04	01/28/15	0.5	52.1	3.6	43.8	46.6	-20.27	N/A	(HES Installed)
GIW-04	01/29/15							N/A	(HES Installed)
GIW-04	01/30/15							N/A	(HES Installed)
GIW-04	02/02/15							N/A	(HES Installed)
GIW-04	02/03/15							N/A	(HES Installed)
GIW-04	02/04/15							N/A	(HES Installed)
GIW-04	02/05/15							N/A	(HES Installed)
GIW-04	02/06/15	0.7	49.4	3.3	46.6	31	-11.29	N/A	(HES Installed)
GIW-04	02/09/15							N/A	(HES Installed)
GIW-04	02/10/15	0.4	55.1	2.2	42.3	51.8	-18.56	N/A	(HES Installed)
GIW-04	02/11/15							N/A	(HES Installed)
GIW-04	02/12/15							N/A	(HES Installed)
GIW-04	02/13/15							N/A	(HES Installed)
GIW-04	02/16/15							N/A	(HES Installed)
GIW-04	02/17/15							N/A	(HES Installed)
GIW-04	02/18/15							N/A	(HES Installed)
GIW-04	02/19/15							N/A	(HES Installed)
GIW-04	02/20/15	0.2	38.4	7.5	53.9	21.8	-11.66	N/A	(HES Installed)
GIW-04	02/23/15							N/A	(HES Installed)
GIW-04	02/24/15							N/A	(HES Installed)
GIW-04	02/25/15							N/A	(HES Installed)

GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-04	02/26/15							N/A	(HES Installed)
GIW-04	02/27/15							N/A	(HES Installed)
GIW-04	02/28/15	0.4	55	0	44.6	24.3	26.46	N/A	(HES Installed)
GIW-04	03/01/15							N/A	(HES Installed)
GIW-04	03/02/15							N/A	(HES Installed)
GIW-04	03/03/15							N/A	(HES Installed)
GIW-04	03/04/15	0.4	50.1	3.5	46	24.6	-15.38	N/A	(HES Installed)
GIW-04	03/05/15							N/A	(HES Installed)
GIW-04	03/06/15	1.3	45.7	14	39	38.8	-10.68	N/A	(HES Installed)
GIW-04	03/07/15							N/A	(HES Installed)
GIW-04	03/08/15							N/A	(HES Installed)
GIW-04	03/09/15							N/A	(HES Installed)
GIW-04	03/10/15	0.5	55.1	2	42.4	60.2	-18.01	N/A	(HES Installed)
GIW-04	03/11/15							N/A	(HES Installed)
GIW-04	03/12/15							N/A	(HES Installed)
GIW-04	03/13/15							N/A	(HES Installed)
GIW-04	03/14/15							N/A	(HES Installed)
GIW-04	03/15/15							N/A	(HES Installed)
GIW-04	03/16/15							N/A	(HES Installed)
GIW-04	03/17/15							N/A	(HES Installed)
GIW-04	03/18/15	0.9	47	2.3	49.8	49.2	-15.14	N/A	(HES Installed)
GIW-04	03/19/15							N/A	(HES Installed)
GIW-04	03/20/15	0.5	51.3	3.2	45	42.9	-21.67	N/A	(HES Installed)
GIW-04	03/21/15							N/A	(HES Installed)
GIW-04	03/22/15							N/A	(HES Installed)
GIW-04	03/23/15							N/A	(HES Installed)
GIW-04	03/24/15	0.5	55.7	0	43.8	35.2	4.4	N/A	(HES Installed)
GIW-04	03/25/15							N/A	(HES Installed)
GIW-04	03/26/15	0.4	50.6	4	45	39.9	-23.08	N/A	(HES Installed)
GIW-04	03/27/15							N/A	(HES Installed)
GIW-04	03/28/15							N/A	(HES Installed)
GIW-04	03/29/15							N/A	(HES Installed)
GIW-04	03/30/15							N/A	(HES Installed)
GIW-04	03/31/15	0.5	61.4	0	38.1	66.6	6.23	N/A	(HES Installed)
GIW-04	04/01/15							N/A	(HES Installed)
GIW-04	04/02/15	0.5	55.7	0	43.8	66.7	23.02	N/A	(HES Installed)
GIW-04	04/03/15							N/A	(HES Installed)
GIW-04	04/04/15							N/A	(HES Installed)
GIW-04	04/05/15							N/A	(HES Installed)
GIW-04	04/06/15							N/A	(HES Installed)

GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-04	04/07/15							N/A	(HES Installed)
GIW-04	04/08/15	0.8	52.4	2.3	44.5	79.2	-21.25	N/A	(HES Installed)
GIW-04	04/09/15							N/A	(HES Installed)
GIW-04	04/10/15							N/A	(HES Installed)
GIW-04	04/11/15							N/A	(HES Installed)
GIW-04	04/12/15							N/A	(HES Installed)
GIW-04	04/13/15							N/A	(HES Installed)
GIW-04	04/14/15							N/A	(HES Installed)
GIW-04	04/15/15							N/A	(HES Installed)
GIW-04	04/16/15	0.6	50	0.6	48.8	83.3	-2.43	N/A	(HES Installed)
GIW-04	04/17/15							N/A	(HES Installed)
GIW-04	04/18/15							N/A	(HES Installed)
GIW-04	04/19/15							N/A	(HES Installed)
GIW-04	04/20/15							N/A	(HES Installed)
GIW-04	04/21/15	0.1	15	17.5	67.4	71.1	-0.21	N/A	(HES Installed)
GIW-04	04/22/15							N/A	(HES Installed)
GIW-04	04/23/15							N/A	(HES Installed)
GIW-04	04/24/15							N/A	(HES Installed)
GIW-04	04/25/15							N/A	(HES Installed)
GIW-04	04/26/15							N/A	(HES Installed)
GIW-04	04/27/15							N/A	(HES Installed)
GIW-04	04/28/15							N/A	(HES Installed)
GIW-04	04/29/15							N/A	(HES Installed)
GIW-04	04/30/15	1.3	55.5	0	43.2	83.2	4.65	N/A	(HES Installed)
GIW-04	05/01/15							N/A	(HES Installed)
GIW-04	05/02/15							N/A	(HES Installed)
GIW-04	05/03/15							N/A	(HES Installed)
GIW-04	05/04/15							N/A	(HES Installed)
GIW-04	05/05/15							N/A	(HES Installed)
GIW-04	05/06/15	1.1	57.3	0	41.6	87.8	-2.41	N/A	(HES Installed)
GIW-04	05/07/15							N/A	(HES Installed)
GIW-04	05/08/15							N/A	(HES Installed)
GIW-04	05/09/15							N/A	(HES Installed)
GIW-04	05/10/15							N/A	(HES Installed)
GIW-04	05/11/15							N/A	(HES Installed)
GIW-04	05/12/15							N/A	(HES Installed)
GIW-04	05/13/15							N/A	(HES Installed)
GIW-04	05/14/15	0.4	62.6	1.2	35.8	62	-10.4	N/A	(HES Installed)
GIW-04	05/15/15							N/A	(HES Installed)
GIW-04	05/16/15							N/A	(HES Installed)

GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-04	05/17/15							N/A	(HES Installed)
GIW-04	05/18/15	0.6	63	0	36.4	86	1.9	N/A	(HES Installed)
GIW-04	05/19/15							N/A	(HES Installed)
GIW-04	05/20/15							N/A	(HES Installed)
GIW-04	05/21/15							N/A	(HES Installed)
GIW-04	05/22/15							N/A	(HES Installed)

GIW-4 Wellhead Temperatures




GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-05	01/01/15							N/A	(HES Installed)
GIW-05	01/02/15	1.4	57.4	0	41.2	35	-9.77	N/A	(HES Installed)
GIW-05	01/05/15	0.6	59.5	0	39.9	32.4	2.41		(HES Installed)
GIW-05	01/06/15								(HES Installed)
GIW-05	01/07/15								(HES Installed)
GIW-05	01/08/15								(HES Installed)
GIW-05	01/09/15								(HES Installed)
GIW-05	01/12/15							N/A	(HES Installed)
GIW-05	01/13/15							N/A	(HES Installed)
GIW-05	01/14/15							N/A	(HES Installed)
GIW-05	01/15/15							N/A	(HES Installed)
GIW-05	01/16/15	0.3	51.3	0.3	48.1	43.1	-19.96	N/A	(HES Installed)
GIW-05	01/19/15							N/A	(HES Installed)
GIW-05	01/20/15							N/A	(HES Installed)
GIW-05	01/21/15	0.6	63	0	36.4	48	1.82	N/A	(HES Installed)
GIW-05	01/22/15							N/A	(HES Installed)
GIW-05	01/23/15	0.8	57.3	0.1	41.8	53.2	-18.99	N/A	(HES Installed)
GIW-05	01/26/15	1.4	85.9	0	12.7	30.9	16.12	N/A	(HES Installed)
GIW-05	01/27/15							N/A	(HES Installed)
GIW-05	01/28/15	0.7	60.9	0.3	38.1	46.1	-20.82	N/A	(HES Installed)
GIW-05	01/29/15							N/A	(HES Installed)
GIW-05	01/30/15							N/A	(HES Installed)
GIW-05	02/02/15							N/A	(HES Installed)
GIW-05	02/03/15							N/A	(HES Installed)
GIW-05	02/04/15							N/A	(HES Installed)
GIW-05	02/05/15							N/A	(HES Installed)
GIW-05	02/06/15	0.6	55.5	0.1	43.8	36.9	-14.22	N/A	(HES Installed)
GIW-05	02/09/15							N/A	(HES Installed)
GIW-05	02/10/15							N/A	(HES Installed)
GIW-05	02/11/15	0.9	56.1	0.3	42.7	42	-17.7	N/A	(HES Installed)
GIW-05	02/12/15							N/A	(HES Installed)
GIW-05	02/13/15							N/A	(HES Installed)
GIW-05	02/16/15							N/A	(HES Installed)
GIW-05	02/17/15							N/A	(HES Installed)
GIW-05	02/18/15							N/A	(HES Installed)
GIW-05	02/19/15							N/A	(HES Installed)
GIW-05	02/20/15	1.4	43.3	10.6	44.7	25.5	-23.63	N/A	(HES Installed)
GIW-05	02/23/15							N/A	(HES Installed)
GIW-05	02/24/15							N/A	(HES Installed)
GIW-05	02/25/15							N/A	(HES Installed)
GIW-05	02/26/15							N/A	(HES Installed)
GIW-05	02/27/15							N/A	(HES Installed)
GIW-05	02/28/15	0.7	49.3	1.4	48.6	27.6	-8.54	N/A	(HES Installed)

GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-05	03/01/15							N/A	(HES Installed)
GIW-05	03/02/15							N/A	(HES Installed)
GIW-05	03/03/15							N/A	(HES Installed)
GIW-05	03/04/15	0.8	61.4	0	37.8	25.8	2.58	N/A	(HES Installed)
GIW-05	03/05/15							N/A	(HES Installed)
GIW-05	03/06/15	0.7	63.2	0	36.1	39.5	-3.99	N/A	(HES Installed)
GIW-05	03/07/15							N/A	(HES Installed)
GIW-05	03/08/15							N/A	(HES Installed)
GIW-05	03/09/15							N/A	(HES Installed)
GIW-05	03/10/15	0.6	62.6	0	36.8	52.1	2.97	N/A	(HES Installed)
GIW-05	03/11/15							N/A	(HES Installed)
GIW-05	03/12/15							N/A	(HES Installed)
GIW-05	03/13/15							N/A	(HES Installed)
GIW-05	03/14/15							N/A	(HES Installed)
GIW-05	03/15/15							N/A	(HES Installed)
GIW-05	03/16/15							N/A	(HES Installed)
GIW-05	03/17/15							N/A	(HES Installed)
GIW-05	03/18/15	0.9	63.7	0	35.4	49.9	1.73	N/A	(HES Installed)
GIW-05	03/19/15							N/A	(HES Installed)
GIW-05	03/20/15	0.9	54.6	0.5	44	43.7	-21.55	N/A	(HES Installed)
GIW-05	03/21/15							N/A	(HES Installed)
GIW-05	03/22/15							N/A	(HES Installed)
GIW-05	03/23/15							N/A	(HES Installed)
GIW-05	03/24/15	0.8	50.7	0.3	48.2	35.3	-17.09	N/A	(HES Installed)
GIW-05	03/25/15							N/A	(HES Installed)
GIW-05	03/26/15	0.9	55.8	0.8	42.5	39.8	-22.47	N/A	(HES Installed)
GIW-05	03/27/15							N/A	(HES Installed)
GIW-05	03/28/15							N/A	(HES Installed)
GIW-05	03/29/15							N/A	(HES Installed)
GIW-05	03/30/15							N/A	(HES Installed)
GIW-05	03/31/15	0.3	58.9	0	40.8	71.3	7.63	N/A	(HES Installed)
GIW-05	04/01/15							N/A	(HES Installed)
GIW-05	04/02/15	0.5	63.7	0	35.8	67.2	10.26	N/A	(HES Installed)
GIW-05	04/03/15							N/A	(HES Installed)
GIW-05	04/04/15							N/A	(HES Installed)
GIW-05	04/05/15							N/A	(HES Installed)
GIW-05	04/06/15							N/A	(HES Installed)
GIW-05	04/07/15							N/A	(HES Installed)
GIW-05	04/08/15							N/A	(HES Installed)
GIW-05	04/09/15							N/A	(HES Installed)
GIW-05	04/10/15	1	57.9	0.2	40.9	61.2	-19.88	N/A	(HES Installed)
GIW-05	04/11/15							N/A	(HES Installed)
GIW-05	04/12/15							N/A	(HES Installed)

GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-05	04/13/15							N/A	(HES Installed)
GIW-05	04/14/15							N/A	(HES Installed)
GIW-05	04/15/15							N/A	(HES Installed)
GIW-05	04/16/15	0.7	69.3	0	30	93	4.2	N/A	(HES Installed)
GIW-05	04/17/15							N/A	(HES Installed)
GIW-05	04/18/15							N/A	(HES Installed)
GIW-05	04/19/15							N/A	(HES Installed)
GIW-05	04/20/15							N/A	(HES Installed)
GIW-05	04/21/15	0.3	24.6	15.6	59.5	70	-16.06	N/A	(HES Installed)
GIW-05	04/22/15							N/A	(HES Installed)
GIW-05	04/23/15							N/A	(HES Installed)
GIW-05	04/24/15							N/A	(HES Installed)
GIW-05	04/25/15							N/A	(HES Installed)
GIW-05	04/26/15							N/A	(HES Installed)
GIW-05	04/27/15							N/A	(HES Installed)
GIW-05	04/28/15							N/A	(HES Installed)
GIW-05	04/29/15							N/A	(HES Installed)
GIW-05	04/30/15	2.8	59.8	0	37.4	79	7.2	N/A	(HES Installed)
GIW-05	05/01/15							N/A	(HES Installed)
GIW-05	05/02/15							N/A	(HES Installed)
GIW-05	05/03/15							N/A	(HES Installed)
GIW-05	05/04/15							N/A	(HES Installed)
GIW-05	05/05/15							N/A	(HES Installed)
GIW-05	05/06/15	2.5	59.2	0	38.3	93.4	-5.3	N/A	(HES Installed)
GIW-05	05/07/15							N/A	(HES Installed)
GIW-05	05/08/15							N/A	(HES Installed)
GIW-05	05/09/15							N/A	(HES Installed)
GIW-05	05/10/15							N/A	(HES Installed)
GIW-05	05/11/15							N/A	(HES Installed)
GIW-05	05/12/15							N/A	(HES Installed)
GIW-05	05/13/15							N/A	(HES Installed)
GIW-05	05/14/15	2.5	65.8	0.1	31.6	59	-8.2	N/A	(HES Installed)
GIW-05	05/15/15							N/A	(HES Installed)
GIW-05	05/16/15							N/A	(HES Installed)
GIW-05	05/17/15							N/A	(HES Installed)
GIW-05	05/18/15	3.5	66.5	0	30	87	3.2	N/A	(HES Installed)
GIW-05	05/19/15							N/A	(HES Installed)
GIW-05	05/20/15							N/A	(HES Installed)
GIW-05	05/21/15							N/A	(HES Installed)
GIW-05	05/22/15							N/A	(HES Installed)

GIW-5 Wellhead Temperatures




GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-06	01/01/15							N/A	(HES Installed)
GIW-06	01/02/15	0.6	60.9	0	38.5	34.7	-21.12	N/A	(HES Installed)
GIW-06	01/05/15	0.6	60.7	0.1	38.6	28.9	-24.85		(HES Installed)
GIW-06	01/06/15								(HES Installed)
GIW-06	01/07/15								(HES Installed)
GIW-06	01/08/15								(HES Installed)
GIW-06	01/09/15								(HES Installed)
GIW-06	01/12/15	0.5	53	0	46.5	38.8	2.42	N/A	(HES Installed)
GIW-06	01/13/15							N/A	(HES Installed)
GIW-06	01/14/15							N/A	(HES Installed)
GIW-06	01/15/15							N/A	(HES Installed)
GIW-06	01/16/15	0.7	65.3	0	34	36.9	-17.52	N/A	(HES Installed)
GIW-06	01/19/15							N/A	(HES Installed)
GIW-06	01/20/15							N/A	(HES Installed)
GIW-06	01/21/15	1.1	65.7	0	33.2	49.9	-0.8	N/A	(HES Installed)
GIW-06	01/22/15							N/A	(HES Installed)
GIW-06	01/23/15							N/A	(HES Installed)
GIW-06	01/26/15	1.3	61.2	0	37.5	32.2	-21.12	N/A	(HES Installed)
GIW-06	01/27/15							N/A	(HES Installed)
GIW-06	01/28/15	0.9	62.9	0.2	36	45.5	-19.84	N/A	(HES Installed)
GIW-06	01/29/15							N/A	(HES Installed)
GIW-06	01/30/15							N/A	(HES Installed)
GIW-06	02/02/15							N/A	(HES Installed)
GIW-06	02/03/15							N/A	(HES Installed)
GIW-06	02/04/15							N/A	(HES Installed)
GIW-06	02/05/15							N/A	(HES Installed)
GIW-06	02/06/15	1.9	59.5	0	38.6	30.9	-14.53	N/A	(HES Installed)
GIW-06	02/09/15							N/A	(HES Installed)
GIW-06	02/10/15							N/A	(HES Installed)
GIW-06	02/11/15	0.9	62.9	0.6	35.6	44.1	-20.45	N/A	(HES Installed)
GIW-06	02/12/15							N/A	(HES Installed)
GIW-06	02/13/15							N/A	(HES Installed)
GIW-06	02/16/15							N/A	(HES Installed)
GIW-06	02/17/15							N/A	(HES Installed)
GIW-06	02/18/15							N/A	(HES Installed)
GIW-06	02/19/15							N/A	(HES Installed)
GIW-06	02/20/15	1	59.5	0.4	39.1	19.3	-23.2	N/A	(HES Installed)
GIW-06	02/23/15							N/A	(HES Installed)
GIW-06	02/24/15							N/A	(HES Installed)
GIW-06	02/25/15							N/A	(HES Installed)
GIW-06	02/26/15							N/A	(HES Installed)
GIW-06	02/27/15							N/A	(HES Installed)
GIW-06	02/28/15	1.1	56.6	0.3	42	22.4	-22.93	N/A	(HES Installed)
GIW-06	03/01/15							N/A	(HES Installed)
GIW-06	03/02/15							N/A	(HES Installed)
GIW-06	03/03/15							N/A	(HES Installed)
GIW-06	03/04/15	1.1	60.8	0.8	37.3	24.5	-17.28	N/A	(HES Installed)
GIW-06	03/05/15							N/A	(HES Installed)

GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-06	03/06/15	0.4	37.9	9.6	52.1	57.3	-3.26	N/A	(HES Installed)
GIW-06	03/07/15							N/A	(HES Installed)
GIW-06	03/08/15							N/A	(HES Installed)
GIW-06	03/09/15							N/A	(HES Installed)
GIW-06	03/10/15	0.8	64	0	35.2	52.8	-3.57	N/A	(HES Installed)
GIW-06	03/11/15							N/A	(HES Installed)
GIW-06	03/12/15							N/A	(HES Installed)
GIW-06	03/13/15							N/A	(HES Installed)
GIW-06	03/14/15							N/A	(HES Installed)
GIW-06	03/15/15							N/A	(HES Installed)
GIW-06	03/16/15							N/A	(HES Installed)
GIW-06	03/17/15							N/A	(HES Installed)
GIW-06	03/18/15	0.9	60.5	0	38.6	50	22.95	N/A	(HES Installed)
GIW-06	03/19/15							N/A	(HES Installed)
GIW-06	03/20/15	1.4	58	1.8	38.8	43.6	-22.16	N/A	(HES Installed)
GIW-06	03/21/15							N/A	(HES Installed)
GIW-06	03/22/15							N/A	(HES Installed)
GIW-06	03/23/15							N/A	(HES Installed)
GIW-06	03/24/15	0.9	56.5	1.4	41.2	34.5	-15.2	N/A	(HES Installed)
GIW-06	03/25/15							N/A	(HES Installed)
GIW-06	03/26/15	1.3	61.8	0	36.9	39.9	0.71	N/A	(HES Installed)
GIW-06	03/27/15							N/A	(HES Installed)
GIW-06	03/28/15							N/A	(HES Installed)
GIW-06	03/29/15							N/A	(HES Installed)
GIW-06	03/30/15							N/A	(HES Installed)
GIW-06	03/31/15	0.8	61	0.1	38.1	77.6	-6.04	N/A	(HES Installed)
GIW-06	04/01/15							N/A	(HES Installed)
GIW-06	04/02/15	1.2	64.4	0	34.4	67	16.61	N/A	(HES Installed)
GIW-06	04/03/15							N/A	(HES Installed)
GIW-06	04/04/15							N/A	(HES Installed)
GIW-06	04/05/15							N/A	(HES Installed)
GIW-06	04/06/15							N/A	(HES Installed)
GIW-06	04/07/15							N/A	(HES Installed)
GIW-06	04/08/15	1	65.4	0	33.6	80.2	16.54	N/A	(HES Installed)
GIW-06	04/09/15							N/A	(HES Installed)
GIW-06	04/10/15							N/A	(HES Installed)
GIW-06	04/11/15							N/A	(HES Installed)
GIW-06	04/12/15							N/A	(HES Installed)
GIW-06	04/13/15							N/A	(HES Installed)
GIW-06	04/14/15							N/A	(HES Installed)
GIW-06	04/15/15							N/A	(HES Installed)
GIW-06	04/16/15	1.1	60.9	0.7	37.3	87.2	-22.34	N/A	(HES Installed)
GIW-06	04/17/15							N/A	(HES Installed)
GIW-06	04/18/15							N/A	(HES Installed)
GIW-06	04/19/15							N/A	(HES Installed)
GIW-06	04/20/15							N/A	(HES Installed)
GIW-06	04/21/15	1.2	62.4	0	36.4	73.1	-4.58	N/A	(HES Installed)
GIW-06	04/22/15							N/A	(HES Installed)

GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-06	04/23/15							N/A	(HES Installed)
GIW-06	04/24/15							N/A	(HES Installed)
GIW-06	04/25/15							N/A	(HES Installed)
GIW-06	04/26/15							N/A	(HES Installed)
GIW-06	04/27/15							N/A	(HES Installed)
GIW-06	04/28/15							N/A	(HES Installed)
GIW-06	04/29/15							N/A	(HES Installed)
GIW-06	04/30/15	1.4	61.7	0	36.9	81.1	25.79	N/A	(HES Installed)
GIW-06	05/01/15							N/A	(HES Installed)
GIW-06	05/02/15							N/A	(HES Installed)
GIW-06	05/03/15							N/A	(HES Installed)
GIW-06	05/04/15							N/A	(HES Installed)
GIW-06	05/05/15							N/A	(HES Installed)
GIW-06	05/06/15	1.1	62.8	0	36.1	85.3	31.16	N/A	(HES Installed)
GIW-06	05/07/15							N/A	(HES Installed)
GIW-06	05/08/15							N/A	(HES Installed)
GIW-06	05/09/15							N/A	(HES Installed)
GIW-06	05/10/15							N/A	(HES Installed)
GIW-06	05/11/15							N/A	(HES Installed)
GIW-06	05/12/15							N/A	(HES Installed)
GIW-06	05/13/15							N/A	(HES Installed)
GIW-06	05/14/15	0.9	71.9	0	27.2	61	26.9	N/A	(HES Installed)
GIW-06	05/15/15							N/A	(HES Installed)
GIW-06	05/16/15							N/A	(HES Installed)
GIW-06	05/17/15							N/A	(HES Installed)
GIW-06	05/18/15	1.1	70.9	0	28	86	-15.4	N/A	(HES Installed)
GIW-06	05/19/15							N/A	(HES Installed)
GIW-06	05/20/15							N/A	(HES Installed)
GIW-06	05/21/15							N/A	(HES Installed)
GIW-06	05/22/15							N/A	(HES Installed)

GIW-6 Wellhead Temperatures




GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-07	01/01/15							N/A	(HES Installed)
GIW-07	01/02/15	24.1	43.8	2.8	29.3	34.9	-7.81	N/A	(HES Installed)
GIW-07	01/05/15	27.1	54.1	0.8	18	36	-4.08		(HES Installed)
GIW-07	01/06/15								(HES Installed)
GIW-07	01/07/15								(HES Installed)
GIW-07	01/08/15								(HES Installed)
GIW-07	01/09/15								(HES Installed)
GIW-07	01/12/15	27.9	52.5	0.9	18.7	39.1	-4.8	N/A	(HES Installed)
GIW-07	01/13/15							N/A	(HES Installed)
GIW-07	01/14/15							N/A	(HES Installed)
GIW-07	01/15/15							N/A	(HES Installed)
GIW-07	01/16/15	30.3	52	0.6	17.1	37.8	-4.08	N/A	(HES Installed)
GIW-07	01/19/15							N/A	(HES Installed)
GIW-07	01/20/15							N/A	(HES Installed)
GIW-07	01/21/15	29.6	50.9	1.5	18	52.1	-4.96	N/A	(HES Installed)
GIW-07	01/22/15							N/A	(HES Installed)
GIW-07	01/23/15							N/A	(HES Installed)
GIW-07	01/26/15	30.6	54	0	15.4	33	-4.34	N/A	(HES Installed)
GIW-07	01/27/15							N/A	(HES Installed)
GIW-07	01/28/15	29.7	45.2	2.2	22.9	49.9	-3.33	N/A	(HES Installed)
GIW-07	01/29/15							N/A	(HES Installed)
GIW-07	01/30/15							N/A	(HES Installed)
GIW-07	02/02/15							N/A	(HES Installed)
GIW-07	02/03/15							N/A	(HES Installed)
GIW-07	02/04/15							N/A	(HES Installed)
GIW-07	02/05/15							N/A	(HES Installed)
GIW-07	02/06/15	24.2	55.6	0	20.2	29.7	1.77	N/A	(HES Installed)
GIW-07	02/09/15							N/A	(HES Installed)
GIW-07	02/10/15							N/A	(HES Installed)
GIW-07	02/11/15	21.8	52.7	2.8	22.7	42.8	-8.3	N/A	(HES Installed)
GIW-07	02/12/15							N/A	(HES Installed)
GIW-07	02/13/15							N/A	(HES Installed)
GIW-07	02/16/15							N/A	(HES Installed)
GIW-07	02/17/15							N/A	(HES Installed)
GIW-07	02/18/15							N/A	(HES Installed)
GIW-07	02/19/15							N/A	(HES Installed)
GIW-07	02/20/15	24	51.2	2.6	22.2	20.3	-9.34	N/A	(HES Installed)
GIW-07	02/23/15							N/A	(HES Installed)
GIW-07	02/24/15							N/A	(HES Installed)
GIW-07	02/25/15							N/A	(HES Installed)
GIW-07	02/26/15							N/A	(HES Installed)
GIW-07	02/27/15							N/A	(HES Installed)
GIW-07	02/28/15	25.8	58.9	0	15.3	24	0.49	N/A	(HES Installed)
GIW-07	03/01/15							N/A	(HES Installed)

GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-07	03/02/15							N/A	(HES Installed)
GIW-07	03/03/15							N/A	(HES Installed)
GIW-07	03/04/15	25.9	55.6	0.1	18.4	24.5	-0.13	N/A	(HES Installed)
GIW-07	03/05/15							N/A	(HES Installed)
GIW-07	03/06/15	25.2	55.3	0	19.5	56.4	-0.02	N/A	(HES Installed)
GIW-07	03/07/15							N/A	(HES Installed)
GIW-07	03/08/15							N/A	(HES Installed)
GIW-07	03/09/15							N/A	(HES Installed)
GIW-07	03/10/15	28.9	56.8	0	14.3	52.4	-0.08	N/A	(HES Installed)
GIW-07	03/11/15							N/A	(HES Installed)
GIW-07	03/12/15							N/A	(HES Installed)
GIW-07	03/13/15							N/A	(HES Installed)
GIW-07	03/14/15							N/A	(HES Installed)
GIW-07	03/15/15							N/A	(HES Installed)
GIW-07	03/16/15							N/A	(HES Installed)
GIW-07	03/17/15							N/A	(HES Installed)
GIW-07	03/18/15	33.7	52.7	0	13.6	49.9	-0.12	N/A	(HES Installed)
GIW-07	03/19/15							N/A	(HES Installed)
GIW-07	03/20/15	34.3	51.6	0.1	14	44.2	-0.24	N/A	(HES Installed)
GIW-07	03/21/15							N/A	(HES Installed)
GIW-07	03/22/15							N/A	(HES Installed)
GIW-07	03/23/15							N/A	(HES Installed)
GIW-07	03/24/15	30.6	50.2	0.2	19	34.9	-0.11	N/A	(HES Installed)
GIW-07	03/25/15							N/A	(HES Installed)
GIW-07	03/26/15	32.5	55.7	0	11.8	40.2	-0.13	N/A	(HES Installed)
GIW-07	03/27/15							N/A	(HES Installed)
GIW-07	03/28/15							N/A	(HES Installed)
GIW-07	03/29/15							N/A	(HES Installed)
GIW-07	03/30/15							N/A	(HES Installed)
GIW-07	03/31/15	29.6	61.8	0	8.6	70.2	-0.07	N/A	(HES Installed)
GIW-07	04/01/15							N/A	(HES Installed)
GIW-07	04/02/15	31	51.7	0.1	17.2	66.9	-0.07	N/A	(HES Installed)
GIW-07	04/03/15							N/A	(HES Installed)
GIW-07	04/04/15							N/A	(HES Installed)
GIW-07	04/05/15							N/A	(HES Installed)
GIW-07	04/06/15							N/A	(HES Installed)
GIW-07	04/07/15							N/A	(HES Installed)
GIW-07	04/08/15	30.1	61.1	0	8.8	79.5	-0.18	N/A	(HES Installed)
GIW-07	04/09/15							N/A	(HES Installed)
GIW-07	04/10/15							N/A	(HES Installed)
GIW-07	04/11/15							N/A	(HES Installed)
GIW-07	04/12/15							N/A	(HES Installed)
GIW-07	04/13/15							N/A	(HES Installed)
GIW-07	04/14/15							N/A	(HES Installed)


GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-07	04/15/15							N/A	(HES Installed)
GIW-07	04/16/15	28.9	59	0	12.1	87.2	-0.16	N/A	(HES Installed)
GIW-07	04/17/15							N/A	(HES Installed)
GIW-07	04/18/15							N/A	(HES Installed)
GIW-07	04/19/15							N/A	(HES Installed)
GIW-07	04/20/15							N/A	(HES Installed)
GIW-07	04/21/15	32.9	54.8	0	12.3	72.7	-0.18	N/A	(HES Installed)
GIW-07	04/22/15							N/A	(HES Installed)
GIW-07	04/23/15							N/A	(HES Installed)
GIW-07	04/24/15							N/A	(HES Installed)
GIW-07	04/25/15							N/A	(HES Installed)
GIW-07	04/26/15							N/A	(HES Installed)
GIW-07	04/27/15							N/A	(HES Installed)
GIW-07	04/28/15							N/A	(HES Installed)
GIW-07	04/29/15							N/A	(HES Installed)
GIW-07	04/30/15	31.7	56.4	0	11.9	79.3	-0.05	N/A	(HES Installed)
GIW-07	05/01/15							N/A	(HES Installed)
GIW-07	05/02/15							N/A	(HES Installed)
GIW-07	05/03/15							N/A	(HES Installed)
GIW-07	05/04/15							N/A	(HES Installed)
GIW-07	05/05/15							N/A	(HES Installed)
GIW-07	05/06/15	29.2	56	0	14.8	85.5	-0.18	N/A	(HES Installed)
GIW-07	05/07/15							N/A	(HES Installed)
GIW-07	05/08/15							N/A	(HES Installed)
GIW-07	05/09/15							N/A	(HES Installed)
GIW-07	05/10/15							N/A	(HES Installed)
GIW-07	05/11/15							N/A	(HES Installed)
GIW-07	05/12/15							N/A	(HES Installed)
GIW-07	05/13/15							N/A	(HES Installed)
GIW-07	05/14/15	32.5	64.3	0	3.2	61	-0.2	N/A	(HES Installed)
GIW-07	05/15/15							N/A	(HES Installed)
GIW-07	05/16/15							N/A	(HES Installed)
GIW-07	05/17/15							N/A	(HES Installed)
GIW-07	05/18/15	31.6	64	0	4.4	86	0	N/A	(HES Installed)
GIW-07	05/19/15							N/A	(HES Installed)
GIW-07	05/20/15							N/A	(HES Installed)
GIW-07	05/21/15							N/A	(HES Installed)
GIW-07	05/22/15							N/A	(HES Installed)

GIW-7 Wellhead Temperatures



GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-08	03/03/15							Y	
GIW-08	03/04/15	21.7	56	2.1	20.2	32.1	-22.47	Y	
GIW-08	03/05/15							Y	
GIW-08	03/06/15	3.4	30.6	17.2	48.8	73.1	-8.73	Y	
GIW-08	03/07/15							Y	
GIW-08	03/08/15							Y	
GIW-08	03/09/15							Y	
GIW-08	03/10/15	24.5	62.7	0.3	12.5	83.4	-7.26	N	(Replaced 1" rod seal - pump operational)
GIW-08	03/11/15							Y	
GIW-08	03/12/15							Y	
GIW-08	03/13/15							Y	
GIW-08	03/14/15							Y	
GIW-08	03/15/15							Y	
GIW-08	03/16/15							Y	
GIW-08	03/17/15							Y	
GIW-08	03/18/15	24.7	59.2	0.4	15.7	69.4	-10.01	Y	
GIW-08	03/19/15							Y	
GIW-08	03/20/15	19.2	63.3	1	16.5	60.7	-11.84	Y	
GIW-08	03/21/15							N	(Replaced 1" rod seal - pump operational)
GIW-08	03/22/15							Y	
GIW-08	03/23/15							Y	
GIW-08	03/24/15	28.8	52.9	1.1	17.2	50.6	-13.19	Y	
GIW-08	03/25/15							Y	
GIW-08	03/26/15	27.6	57.5	0.6	14.3	58	-9.22	Y	
GIW-08	03/27/15							Y	
GIW-08	03/28/15							Y	
GIW-08	03/29/15							Y	
GIW-08	03/30/15							Y	
GIW-08	03/31/15	25.3	58.6	0.9	15.2	92.7	-8.91	Y	
GIW-08	04/01/15							Y	
GIW-08	04/02/15	24.6	61.7	0.3	13.4	84.2	-6.35	Y	
GIW-08	04/03/15							Y	
GIW-08	04/04/15							Y	
GIW-08	04/05/15							Y	
GIW-08	04/06/15							Y	
GIW-08	04/07/15							Y	
GIW-08	04/08/15	25	61.5	0.2	13.3	99	-5.37	Y	
GIW-08	04/09/15							Y	
GIW-08	04/10/15							Y	
GIW-08	04/11/15							Y	
GIW-08	04/12/15							Y	
GIW-08	04/13/15							Y	
GIW-08	04/14/15							Y	
GIW-08	04/15/15							Y	
GIW-08	04/16/15	27.7	58.4	0.2	13.7	100.8	-4.7	Y	

GIW-8 Wellhead Temperatures




GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-09	01/01/15							N	(Well is Artesian, unable to service)
GIW-09	01/02/15	1.2	50.7	0.5	47.6	190.8	-4.64	N	(Well is Artesian, unable to service)
GIW-09	01/05/15	2.4	55.4	0.4	41.8	189.1	-4.75		(Well is Artesian, unable to service)
GIW-09	01/06/15								(Well is Artesian, unable to service)
GIW-09	01/07/15								(Well is Artesian, unable to service)
GIW-09	01/08/15								(Well is Artesian, unable to service)
GIW-09	01/09/15								(Well is Artesian, unable to service)
GIW-09	01/12/15	3.3	59.9	0	36.8	184.1	-0.13	N	(Well is Artesian, unable to service)
GIW-09	01/13/15							N	(Well is Artesian, unable to service)
GIW-09	01/14/15							N	(Well is Artesian, unable to service)
GIW-09	01/15/15							N	(Well is Artesian, unable to service)
GIW-09	01/16/15	1	64.9	0	34.1	190.4	-4.46	N	(Well is Artesian, unable to service)
GIW-09	01/19/15							N	(Well is Artesian, unable to service)
GIW-09	01/20/15							N	(Well is Artesian, unable to service)
GIW-09	01/21/15	0.6	65.4	0	34	185.7	-4.69	N	(Well is Artesian, unable to service)
GIW-09	01/22/15							N	(Well is Artesian, unable to service)
GIW-09	01/23/15							N	(Well is Artesian, unable to service)
GIW-09	01/26/15	0.7	63	0.1	36.2	186.7	-4.94	N	(Well is Artesian, unable to service)
GIW-09	01/27/15							N	(Well is Artesian, unable to service)
GIW-09	01/28/15	3.4	66.3	0.1	30.2	189.6	-3.92	N	(Well is Artesian, unable to service)
GIW-09	01/29/15							N	(Well is Artesian, unable to service)
GIW-09	01/30/15							N	(Well is Artesian, unable to service)
GIW-09	02/02/15							N/A	(Well is Artesian, unable to service)
GIW-09	02/03/15							N/A	(Well is Artesian, unable to service)
GIW-09	02/04/15							N/A	(Well is Artesian, unable to service)
GIW-09	02/05/15							N/A	(Well is Artesian, unable to service)
GIW-09	02/06/15	0.6	62	0	37.4	188	1.31	N/A	(Well is Artesian, unable to service)
GIW-09	02/09/15							N/A	(Well is Artesian, unable to service)
GIW-09	02/10/15							N/A	(Well is Artesian, unable to service)
GIW-09	02/11/15	2.1	60.5	0	37.4	183.3	-6.9	N/A	(Well is Artesian, unable to service)
GIW-09	02/12/15							N/A	(Well is Artesian, unable to service)
GIW-09	02/13/15							N/A	(Well is Artesian, unable to service)
GIW-09	02/16/15							N/A	(Well is Artesian, unable to service)
GIW-09	02/17/15							N/A	(Well is Artesian, unable to service)
GIW-09	02/18/15							N/A	(Well is Artesian, unable to service)
GIW-09	02/19/15							N/A	(Well is Artesian, unable to service)
GIW-09	02/20/15	2.5	64.5	0	33	180.3	-10.5	N/A	(Well is Artesian, unable to service)
GIW-09	02/23/15							N/A	(Well is Artesian, unable to service)
GIW-09	02/24/15							N/A	(Well is Artesian, unable to service)
GIW-09	02/25/15							N/A	(Well is Artesian, unable to service)
GIW-09	02/26/15							N/A	(Well is Artesian, unable to service)
GIW-09	02/27/15							N/A	(Well is Artesian, unable to service)
GIW-09	02/28/15	1	63.7	0	35.3	184.9	-7.74	N/A	(Well is Artesian, unable to service)
GIW-09	03/01/15							N/A	(Well is Artesian, unable to service)
GIW-09	03/02/15							N/A	(Well is Artesian, unable to service)
GIW-09	03/03/15							N/A	(Well is Artesian, unable to service)
GIW-09	03/04/15	1.1	65.7	0	33.2	185.2	-27.84	N/A	(Well is Artesian, unable to service)
GIW-09	03/05/15							N/A	(Well is Artesian, unable to service)
GIW-09	03/06/15	1.1	47.9	0.3	50.7	182	-19.23	N/A	(Well is Artesian, unable to service)
GIW-09	03/07/15							N/A	(Well is Artesian, unable to service)
GIW-09	03/08/15							N/A	(Well is Artesian, unable to service)

GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-09	03/09/15							N/A	(Well is Artesian, unable to service)
GIW-09	03/10/15	0.9	66.8	0.1	32.2	191.3	-13.19	N/A	(Well is Artesian, unable to service)
GIW-09	03/11/15							N/A	(Well is Artesian, unable to service)
GIW-09	03/12/15							N/A	(Well is Artesian, unable to service)
GIW-09	03/13/15							N/A	(Well is Artesian, unable to service)
GIW-09	03/14/15							N/A	(Well is Artesian, unable to service)
GIW-09	03/15/15							N/A	(Well is Artesian, unable to service)
GIW-09	03/16/15							N/A	(Well is Artesian, unable to service)
GIW-09	03/17/15							N/A	(Well is Artesian, unable to service)
GIW-09	03/18/15	1.5	66.1	0	32.4	192.8	-11.29	N/A	(Well is Artesian, unable to service)
GIW-09	03/19/15							N/A	(Well is Artesian, unable to service)
GIW-09	03/20/15	1.3	65.1	0	33.6	189.5	-15.32	N/A	(Well is Artesian, unable to service)
GIW-09	03/21/15							N/A	(Well is Artesian, unable to service)
GIW-09	03/22/15							N/A	(Well is Artesian, unable to service)
GIW-09	03/23/15							N/A	(Well is Artesian, unable to service)
GIW-09	03/24/15	2.8	66.1	0	31.1	184.6	-16.61	N/A	(Well is Artesian, unable to service)
GIW-09	03/25/15							N/A	(Well is Artesian, unable to service)
GIW-09	03/26/15	1.1	65.4	0	33.5	186.8	-13.68	N/A	(Well is Artesian, unable to service)
GIW-09	03/27/15							N/A	(Well is Artesian, unable to service)
GIW-09	03/28/15							N/A	(Well is Artesian, unable to service)
GIW-09	03/29/15							N/A	(Well is Artesian, unable to service)
GIW-09	03/30/15							N/A	(Well is Artesian, unable to service)
GIW-09	03/31/15	1.8	66.5	0	31.7	190.6	-15.81	N/A	(Well is Artesian, unable to service)
GIW-09	04/01/15							N/A	(Well is Artesian, unable to service)
GIW-09	04/02/15	1.3	65.9	0	32.8	188.9	-8.49	N/A	(Well is Artesian, unable to service)
GIW-09	04/03/15							N/A	(Well is Artesian, unable to service)
GIW-09	04/04/15							N/A	(Well is Artesian, unable to service)
GIW-09	04/05/15							N/A	(Well is Artesian, unable to service)
GIW-09	04/06/15							N/A	(Well is Artesian, unable to service)
GIW-09	04/07/15							N/A	(Well is Artesian, unable to service)
GIW-09	04/08/15	0.8	71.7	0	27.5	194.2	15.2	N/A	(Well is Artesian, unable to service)
GIW-09	04/09/15							N/A	(Well is Artesian, unable to service)
GIW-09	04/10/15							N/A	(Well is Artesian, unable to service)
GIW-09	04/11/15							N/A	(Well is Artesian, unable to service)
GIW-09	04/12/15							N/A	(Well is Artesian, unable to service)
GIW-09	04/13/15							N/A	(Well is Artesian, unable to service)
GIW-09	04/14/15							N/A	(Well is Artesian, unable to service)
GIW-09	04/15/15							N/A	(Well is Artesian, unable to service)
GIW-09	04/16/15	4.2	60.5	0	35.3	189.6	-7.02	N/A	(Well is Artesian, unable to service)
GIW-09	04/17/15							N/A	(Well is Artesian, unable to service)
GIW-09	04/18/15							N/A	(Well is Artesian, unable to service)
GIW-09	04/19/15							N/A	(Well is Artesian, unable to service)
GIW-09	04/20/15							N/A	(Well is Artesian, unable to service)
GIW-09	04/21/15	1.2	65.1	0	33.7	190.2	-4.88	N/A	(Well is Artesian, unable to service)
GIW-09	04/22/15							N/A	(Well is Artesian, unable to service)
GIW-09	04/23/15							N/A	(Well is Artesian, unable to service)
GIW-09	04/24/15							N/A	(Well is Artesian, unable to service)
GIW-09	04/25/15							N/A	(Well is Artesian, unable to service)
GIW-09	04/26/15							N/A	(Well is Artesian, unable to service)
GIW-09	04/27/15							N/A	(Well is Artesian, unable to service)
GIW-09	04/28/15							N/A	(Well is Artesian, unable to service)

GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-09	04/29/15							N/A	(Well is Artesian, unable to service)
GIW-09	04/30/15	1	66.9	0	32.1	193.7	-7.26	N/A	(Well is Artesian, unable to service)
GIW-09	05/01/15							N/A	(Well is Artesian, unable to service)
GIW-09	05/02/15							N/A	(Well is Artesian, unable to service)
GIW-09	05/03/15							N/A	(Well is Artesian, unable to service)
GIW-09	05/04/15							N/A	(Well is Artesian, unable to service)
GIW-09	05/05/15							N/A	(Well is Artesian, unable to service)
GIW-09	05/06/15	1	64.8	0	34.2	190.2	-11.77	N/A	(Well is Artesian, unable to service)
GIW-09	05/07/15							N/A	(Well is Artesian, unable to service)
GIW-09	05/08/15							N/A	(Well is Artesian, unable to service)
GIW-09	05/09/15							N/A	(Well is Artesian, unable to service)
GIW-09	05/10/15							N/A	(Well is Artesian, unable to service)
GIW-09	05/11/15							N/A	(Well is Artesian, unable to service)
GIW-09	05/12/15							N/A	(Well is Artesian, unable to service)
GIW-09	05/13/15							N/A	(Well is Artesian, unable to service)
GIW-09	05/14/15	0.6	79	0	20.4	189	-13.4	N/A	(Well is Artesian, unable to service)
GIW-09	05/15/15							N/A	(Well is Artesian, unable to service)
GIW-09	05/16/15							N/A	(Well is Artesian, unable to service)
GIW-09	05/17/15							N/A	(Well is Artesian, unable to service)
GIW-09	05/18/15	1.4	76.8	0	21.8	193	-14.9	N/A	(Well is Artesian, unable to service)
GIW-09	05/19/15							N/A	(Well is Artesian, unable to service)
GIW-09	05/20/15							N/A	(Well is Artesian, unable to service)
GIW-09	05/21/15							N/A	(Well is Artesian, unable to service)
GIW-09	05/22/15							N/A	(Well is Artesian, unable to service)

GIW-9 Wellhead Temperatures




GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-10	01/01/15							N/A	(HES Installed)
GIW-10	01/02/15	0.5	53.9	3.5	42.1	35.8	-10.99	N/A	(HES Installed)
GIW-10	01/05/15	0.4	51	3.5	45.1	32.5	-13.55		(HES Installed)
GIW-10	01/06/15								(HES Installed)
GIW-10	01/07/15								(HES Installed)
GIW-10	01/08/15								(HES Installed)
GIW-10	01/09/15								(HES Installed)
GIW-10	01/12/15	0.4	52.6	3.7	43.3	38	-13.13	N/A	(HES Installed)
GIW-10	01/13/15							N/A	(HES Installed)
GIW-10	01/14/15							N/A	(HES Installed)
GIW-10	01/15/15							N/A	(HES Installed)
GIW-10	01/16/15	0.4	52.5	3.2	43.9	40.5	-13.68		(HES Installed)
GIW-10	01/19/15							N/A	(HES Installed)
GIW-10	01/20/15							N/A	(HES Installed)
GIW-10	01/21/15	0.4	53.7	3	42.9	50.6	-13.92	N/A	(HES Installed)
GIW-10	01/22/15							N/A	(HES Installed)
GIW-10	01/23/15							N/A	(HES Installed)
GIW-10	01/26/15	0.4	48.5	4.7	46.4	34.1	-12.58	N/A	(HES Installed)
GIW-10	01/27/15							N/A	(HES Installed)
GIW-10	01/28/15	0.3	45.2	11.2	43.3	47.4	-9.52	N/A	(HES Installed)
GIW-10	01/29/15							N/A	(HES Installed)
GIW-10	01/30/15							N/A	(HES Installed)
GIW-10	02/02/15							N/A	(HES Installed)
GIW-10	02/03/15							N/A	(HES Installed)
GIW-10	02/04/15							N/A	(HES Installed)
GIW-10	02/05/15							N/A	(HES Installed)
GIW-10	02/06/15	0.4	53.5	2.9	43.2	30.7	-7.94	N/A	(HES Installed)
GIW-10	02/09/15							N/A	(HES Installed)
GIW-10	02/10/15							N/A	(HES Installed)
GIW-10	02/11/15	0.3	51.8	2.8	45.1	51.3	-10.93	N/A	(HES Installed)
GIW-10	02/12/15							N/A	(HES Installed)
GIW-10	02/13/15							N/A	(HES Installed)
GIW-10	02/16/15							N/A	(HES Installed)
GIW-10	02/17/15							N/A	(HES Installed)
GIW-10	02/18/15							N/A	(HES Installed)
GIW-10	02/19/15							N/A	(HES Installed)
GIW-10	02/20/15	0.3	59.6	0	40.1	23.9	10.87	N/A	(HES Installed)
GIW-10	02/23/15							N/A	(HES Installed)
GIW-10	02/24/15							N/A	(HES Installed)
GIW-10	02/25/15							N/A	(HES Installed)
GIW-10	02/26/15							N/A	(HES Installed)
GIW-10	02/27/15							N/A	(HES Installed)
GIW-10	02/28/15	0.3	57.1	0	42.6	26.7	6.83	N/A	(HES Installed)
GIW-10	03/01/15							N/A	(HES Installed)
GIW-10	03/02/15							N/A	(HES Installed)
GIW-10	03/03/15							N/A	(HES Installed)


GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-10	03/04/15	0.3	55.2	0.5	44	24.5	-22.95	N/A	(HES Installed)
GIW-10	03/05/15							N/A	(HES Installed)
GIW-10	03/06/15	0.3	48.4	3	48.3	55.2	-15.08	N/A	(HES Installed)
GIW-10	03/07/15							N/A	(HES Installed)
GIW-10	03/08/15							N/A	(HES Installed)
GIW-10	03/09/15							N/A	(HES Installed)
GIW-10	03/10/15	0.2	57.2	0.1	42.5	61.9	-14.65	N/A	(HES Installed)
GIW-10	03/11/15							N/A	(HES Installed)
GIW-10	03/12/15							N/A	(HES Installed)
GIW-10	03/13/15							N/A	(HES Installed)
GIW-10	03/14/15							N/A	(HES Installed)
GIW-10	03/15/15							N/A	(HES Installed)
GIW-10	03/16/15							N/A	(HES Installed)
GIW-10	03/17/15							N/A	(HES Installed)
GIW-10	03/18/15	1.7	54.5	0.1	43.7	51.8	-3.19	N/A	(HES Installed)
GIW-10	03/19/15							N/A	(HES Installed)
GIW-10	03/20/15	0.4	58.1	0	41.5	44.5	8.67	N/A	(HES Installed)
GIW-10	03/21/15							N/A	(HES Installed)
GIW-10	03/22/15							N/A	(HES Installed)
GIW-10	03/23/15							N/A	(HES Installed)
GIW-10	03/24/15	0.6	57.8	1.8	39.8	36.5	-20.51	N/A	(HES Installed)
GIW-10	03/25/15							N/A	(HES Installed)
GIW-10	03/26/15	0.3	50.7	1	48	40.6	-18.5	N/A	(HES Installed)
GIW-10	03/27/15							N/A	(HES Installed)
GIW-10	03/28/15							N/A	(HES Installed)
GIW-10	03/29/15							N/A	(HES Installed)
GIW-10	03/30/15							N/A	(HES Installed)
GIW-10	03/31/15	0.2	59.5	0	40.3	71.2	9.65	N/A	(HES Installed)
GIW-10	04/01/15							N/A	(HES Installed)
GIW-10	04/02/15	0.4	57	0.1	42.5	66.4	-3.53	N/A	(HES Installed)
GIW-10	04/03/15							N/A	(HES Installed)
GIW-10	04/04/15							N/A	(HES Installed)
GIW-10	04/05/15							N/A	(HES Installed)
GIW-10	04/06/15							N/A	(HES Installed)
GIW-10	04/07/15							N/A	(HES Installed)
GIW-10	04/08/15	0.6	57.1	0	42.3	80	3.97	N/A	(HES Installed)
GIW-10	04/09/15							N/A	(HES Installed)
GIW-10	04/10/15							N/A	(HES Installed)
GIW-10	04/11/15							N/A	(HES Installed)
GIW-10	04/12/15							N/A	(HES Installed)
GIW-10	04/13/15							N/A	(HES Installed)
GIW-10	04/14/15							N/A	(HES Installed)
GIW-10	04/15/15							N/A	(HES Installed)
GIW-10	04/16/15	2.4	57.7	0	39.9	86.3	-18.07	N/A	(HES Installed)
GIW-10	04/17/15							N/A	(HES Installed)
GIW-10	04/18/15							N/A	(HES Installed)

GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-10	04/19/15							N/A	(HES Installed)
GIW-10	04/20/15							N/A	(HES Installed)
GIW-10	04/21/15	3.7	59.6	0	36.7	73.4	-1.11	N/A	(HES Installed)
GIW-10	04/22/15							N/A	(HES Installed)
GIW-10	04/23/15							N/A	(HES Installed)
GIW-10	04/24/15							N/A	(HES Installed)
GIW-10	04/25/15							N/A	(HES Installed)
GIW-10	04/26/15							N/A	(HES Installed)
GIW-10	04/27/15							N/A	(HES Installed)
GIW-10	04/28/15							N/A	(HES Installed)
GIW-10	04/29/15							N/A	(HES Installed)
GIW-10	04/30/15	4.3	57.8	0	37.9	83.2	-1.29	N/A	(HES Installed)
GIW-10	05/01/15							N/A	(HES Installed)
GIW-10	05/02/15							N/A	(HES Installed)
GIW-10	05/03/15							N/A	(HES Installed)
GIW-10	05/04/15							N/A	(HES Installed)
GIW-10	05/05/15							N/A	(HES Installed)
GIW-10	05/06/15	4.9	53.1	0	42	90.5	-4.36	N/A	(HES Installed)
GIW-10	05/07/15							N/A	(HES Installed)
GIW-10	05/08/15							N/A	(HES Installed)
GIW-10	05/09/15							N/A	(HES Installed)
GIW-10	05/10/15							N/A	(HES Installed)
GIW-10	05/11/15							N/A	(HES Installed)
GIW-10	05/12/15							N/A	(HES Installed)
GIW-10	05/13/15							N/A	(HES Installed)
GIW-10	05/14/15	4.3	64.6	0	31.1	65	-5.3	N/A	(HES Installed)
GIW-10	05/15/15							N/A	(HES Installed)
GIW-10	05/16/15							N/A	(HES Installed)
GIW-10	05/17/15							N/A	(HES Installed)
GIW-10	05/18/15	4.6	61.1	0	34.3	86	-3.9	N/A	(HES Installed)
GIW-10	05/19/15							N/A	(HES Installed)
GIW-10	05/20/15							N/A	(HES Installed)
GIW-10	05/21/15							N/A	(HES Installed)
GIW-10	05/22/15							N/A	(HES Installed)

GIW-10 Wellhead Temperatures




GIW-11 Wellhead Temperatures



GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-12	01/01/15								
GIW-12	01/02/15	1.8	55.9	0	42.3	161	-0.17		
GIW-12	01/05/15	3.1	58.4	0	38.5	162.7	-0.15		
GIW-12	01/06/15								
GIW-12	01/07/15								
GIW-12	01/08/15								
GIW-12	01/09/15								
GIW-12	01/12/15	2.7	58.2	0.2	38.9	138	-0.31	Y	
GIW-12	01/13/15							Y	
GIW-12	01/14/15							Y	
GIW-12	01/15/15							Y	
GIW-12	01/16/15	2.1	62.5	0	35.4	164.1	-0.03	Y	(replaced 1" rod seal, pump operational)
GIW-12	01/19/15							Y	
GIW-12	01/20/15							N	(replaced 1" rod seal, pump operational)
GIW-12	01/21/15	2.9	56.8	2.4	37.9	162.4	-1.82	Y	
GIW-12	01/22/15							N	(Replaced the Rod assembly , cylinder cam and head, four way vavle, 1" rod seal and 1 1/4" cam lock - pump operational)
GIW-12	01/23/15	3.3	53	2.6	41.1	165.9	-1.72	Y	(replaced 1" rod seal, pump operational)
GIW-12	01/26/15	2.4	54.1	1.9	41.6	163.2	-0.77	Y	
GIW-12	01/27/15							Y	
GIW-12	01/28/15	3.2	53.2	1.9	41.7	162.2	-0.9	Y	
GIW-12	01/29/15							Y	
GIW-12	01/30/15							Y	
GIW-12	02/02/15							Y	
GIW-12	02/03/15							Y	
GIW-12	02/04/15							Y	
GIW-12	02/05/15							N	(Replaced bottom seal)
GIW-12	02/06/15	2.6	62.7	0	34.7	168.3	0.67	Y	
GIW-12	02/09/15							Y	
GIW-12	02/10/15							Y	
GIW-12	02/11/15	4.3	33.9	7.3	54.5	156.6	-7.39	Y	
GIW-12	02/12/15							Y	
GIW-12	02/13/15							Y	
GIW-12	02/16/15							Y	
GIW-12	02/17/15							Y	
GIW-12	02/18/15							Y	
GIW-12	02/19/15							Y	
GIW-12	02/20/15	2.2	41.3	8.4	48.1	147.7	-8.3	Y	
GIW-12	02/23/15							N	(Changed bottom seal and pump is moving liquid)
GIW-12	02/24/15							Y	
GIW-12	02/25/15							Y	
GIW-12	02/26/15							Y	
GIW-12	02/27/15							Y	
GIW-12	02/28/15	3.2	32	10.9	53.9	141.2	-6.59	Y	
GIW-12	03/01/15							Y	
GIW-12	03/02/15							Y	
GIW-12	03/03/15							Y	
GIW-12	03/04/15	2.8	28.9	12	56.3	137.6	-5.56	Y	

GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-12	03/05/15							Y	
GIW-12	03/06/15	3.5	17.7	12.3	66.5	141.1	-6.84	Y	
GIW-12	03/07/15							Y	
GIW-12	03/08/15							Y	
GIW-12	03/09/15							Y	
GIW-12	03/10/15	3.8	31.7	9.6	54.9	146.7	-2.92	Y	
GIW-12	03/11/15							Y	
GIW-12	03/12/15							N	Airbox replaced
GIW-12	03/13/15							Y	
GIW-12	03/14/15							Y	
GIW-12	03/15/15							Y	
GIW-12	03/16/15							Y	
GIW-12	03/17/15							Y	
GIW-12	03/18/15	2.4	39.5	7.6	50.5	142.4	-4.78	Y	
GIW-12	03/19/15							Y	
GIW-12	03/20/15	3.8	30.4	9.8	56	142.6	-5.31	Y	
GIW-12	03/21/15							Y	
GIW-12	03/22/15							Y	
GIW-12	03/23/15							Y	
GIW-12	03/24/15	2.8	40.3	8.8	48.1	145.8	-4.03	Y	
GIW-12	03/25/15							Y	
GIW-12	03/26/15	2.6	38.8	9.2	49.4	148.9	-3.59	Y	
GIW-12	03/27/15							Y	
GIW-12	03/28/15							Y	
GIW-12	03/29/15							Y	
GIW-12	03/30/15							Y	
GIW-12	03/31/15	3.8	38.5	8.4	49.3	155.8	-2.49	Y	
GIW-12	04/01/15							Y	
GIW-12	04/02/15	2.7	49.8	6.1	41.4	161	-0.97	Y	
GIW-12	04/03/15							Y	
GIW-12	04/04/15							Y	
GIW-12	04/05/15							Y	
GIW-12	04/06/15							Y	
GIW-12	04/07/15							Y	
GIW-12	04/08/15							N	Replaced bottom seal
GIW-12	04/09/15							Y	
GIW-12	04/10/15	2.4	58.1	3.1	36.4	174.6	-0.4	Y	
GIW-12	04/11/15							Y	
GIW-12	04/12/15							Y	
GIW-12	04/13/15							Y	
GIW-12	04/14/15							Y	
GIW-12	04/15/15							N	Replaced bottom seal
GIW-12	04/16/15	3	64.9	0.6	31.5	180.2	-0.24	Y	
GIW-12	04/17/15							Y	
GIW-12	04/18/15							Y	
GIW-12	04/19/15							Y	
GIW-12	04/20/15							Y	
GIW-12	04/21/15	3	51.3	3.9	41.8	177.2	-0.44	Y	

GIW-12 Wellhead Temperatures



GIW-13 Wellhead Temperatures

