


GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (°F)	Initial Static Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-01	04/12/15							Y	
GIW-01	04/13/15							Y	
GIW-01	04/14/15							Y	
GIW-01	04/15/15							Y	
GIW-01	04/16/15	3.2	73.9	0.0	22.9	193.0	-14.80	Y	
GIW-01	04/17/15							Y	
GIW-01	04/18/15							Y	
GIW-01	04/19/15							Y	
GIW-01	04/20/15							Y	
GIW-01	04/21/15	5.9	62.2	0.0	31.9	191.3	-8.18	Y	
GIW-01	04/22/15							Y	
GIW-01	04/23/15							Y	
GIW-01	04/24/15							Y	
GIW-01	04/25/15							Y	
GIW-01	04/26/15							Y	
GIW-01	04/27/15							Y	
GIW-01	04/28/15							Y	
GIW-01	04/29/15							Y	
GIW-01	04/30/15	5.8	65.0	0.0	29.2	190.2	-8.29	Y	
GIW-01	05/01/15							Y	
GIW-01	05/02/15							Y	
GIW-01	05/03/15							Y	
GIW-01	05/04/15							Y	
GIW-01	05/05/15							Y	
GIW-01	05/06/15	5.4	64.6	0.0	30.0	191.9	-4.08	Y	
GIW-01	05/07/15							Y	
GIW-01	05/08/15							Y	
GIW-01	05/09/15							Y	
GIW-01	05/10/15							Y	
GIW-01	05/11/15							Y	
GIW-01	05/12/15							Y	
GIW-01	05/13/15							Y	
GIW-01	05/14/15	5.8	75.2	0.0	19.0	193.0	-4.30	Y	
GIW-01	05/15/15							Y	
GIW-01	05/16/15							Y	
GIW-01	05/17/15							Y	
GIW-01	05/18/15	5.8	74.1	0.0	20.1	195.0	-1.10	Y	
GIW-01	05/19/15							Y	
GIW-01	05/20/15							Y	
GIW-01	05/21/15							Y	
GIW-01	05/22/15							Y	
GIW-01	05/23/15							Y	
GIW-01	05/24/15							Y	
GIW-01	05/25/15							Y	
GIW-01	05/26/15							Y	

GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (°F)	Initial Static Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-01	05/27/15							Y	
GIW-01	05/28/15							Y	
GIW-01	05/29/15	6.2	57.9	0.0	35.9	192.9	-6.77	Y	
GIW-01	05/30/15							Y	
GIW-01	05/31/15							Y	
GIW-01	06/01/15							Y	
GIW-01	06/02/15							Y	
GIW-01	06/03/15							Y	
GIW-01	06/04/15							Y	
GIW-01	06/05/15	5.9	72.5	0.0	21.6	193.0	-4.70	Y	
GIW-01	06/06/15							Y	
GIW-01	06/07/15							Y	
GIW-01	06/08/15							Y	
GIW-01	06/09/15							Y	
GIW-01	06/10/15							Y	
GIW-01	06/11/15	4.1	59.9	0.0	36.0	192.3	-4.95	Y	
GIW-01	06/12/15							Y	
GIW-01	06/13/15							Y	
GIW-01	06/14/15							Y	
GIW-01	06/15/15							Y	
GIW-01	06/16/15							Y	
GIW-01	06/17/15							Y	
GIW-01	06/18/15							Y	
GIW-01	06/19/15	3.8	74.4	0.0	21.8	192.0	-4.10	Y	
GIW-01	06/20/15							Y	
GIW-01	06/21/15							Y	
GIW-01	06/22/15							Y	
GIW-01	06/23/15	3.8	66.3	0.5	29.4	190.8	-3.88	Y	
GIW-01	06/24/15							Y	
GIW-01	06/25/15							Y	
GIW-01	06/26/15							Y	
GIW-01	06/27/15							Y	
GIW-01	06/28/15							Y	
GIW-01	06/29/15							Y	
GIW-01	06/30/15							Y	
GIW-01	07/01/15							Y	
GIW-01	07/02/15	2.3	65.2	0.0	32.5	176.4	-13.54	Y	
GIW-01	07/03/15							Y	
GIW-01	07/04/15							Y	
GIW-01	07/05/15							Y	
GIW-01	07/06/15							Y	
GIW-01	07/07/15	2.2	63.5	0.1	34.2	159.0	-10.85	Y	
GIW-01	07/08/15							Y	
GIW-01	07/09/15							Y	(Replaced bottom seal)
GIW-01	07/10/15							Y	

GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (°F)	Initial Static Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-01	07/11/15							Y	
GIW-01	07/12/15							Y	
GIW-01	07/13/15							Y	
GIW-01	07/14/15							Y	
GIW-01	07/15/15	2.0	66.8	0.7	30.5	176.2	-4.95	Y	
GIW-01	07/16/15							Y	
GIW-01	07/17/15							Y	
GIW-01	07/18/15							Y	
GIW-01	07/19/15							Y	
GIW-01	07/20/15							Y	
GIW-01	07/21/15							Y	
GIW-01	07/22/15							Y	
GIW-01	07/23/15							Y	
GIW-01	07/24/15	2.2	63.9	0.0	33.9	169.5	-7.32	Y	
GIW-01	07/25/15							Y	
GIW-01	07/26/15							Y	
GIW-01	07/27/15							Y	
GIW-01	07/28/15							Y	
GIW-01	07/29/15	2.5	65.9	0.0	31.6	171.2	-2.81	Y	
GIW-01	07/30/15							Y	
GIW-01	07/31/15							Y	
GIW-01	08/01/15							Y	
GIW-01	08/02/15							Y	
GIW-01	08/03/15							Y	
GIW-01	08/04/15							Y	
GIW-01	08/05/15							Y	
GIW-01	08/06/15	1.2	57.2	0.3	41.3	179.8	-4.83	Y	
GIW-01	08/07/15							Y	
GIW-01	08/08/15							Y	
GIW-01	08/09/15							Y	
GIW-01	08/10/15							Y	
GIW-01	08/11/15							Y	
GIW-01	08/12/15	3.8	60.2	0.0	36.0	188.8	-14.39	Y	
GIW-01	08/13/15							Y	
GIW-01	08/14/15							Y	
GIW-01	08/15/15							Y	

# GIW-1 Wellhead Temperatures




GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-02	04/12/15							N/A	(HES Installed)
GIW-02	04/13/15							N/A	(HES Installed)
GIW-02	04/14/15							N/A	(HES Installed)
GIW-02	04/15/15							N/A	(HES Installed)
GIW-02	04/16/15	9.9	59.3	0.4	30.4	85.9	-1.73	N/A	(HES Installed)
GIW-02	04/17/15							N/A	(HES Installed)
GIW-02	04/18/15							N/A	(HES Installed)
GIW-02	04/19/15							N/A	(HES Installed)
GIW-02	04/20/15							N/A	(HES Installed)
GIW-02	04/21/15	12.1	55.3	0.2	32.4	73.4	-4.05	N/A	(HES Installed)
GIW-02	04/22/15							N/A	(HES Installed)
GIW-02	04/23/15							N/A	(HES Installed)
GIW-02	04/24/15							N/A	(HES Installed)
GIW-02	04/25/15							N/A	(HES Installed)
GIW-02	04/26/15							N/A	(HES Installed)
GIW-02	04/27/15							N/A	(HES Installed)
GIW-02	04/28/15							N/A	(HES Installed)
GIW-02	04/29/15							N/A	(HES Installed)
GIW-02	04/30/15	13.7	46.6	1.8	37.9	81.0	-2.96	N/A	(HES Installed)
GIW-02	05/01/15							N/A	(HES Installed)
GIW-02	05/02/15							N/A	(HES Installed)
GIW-02	05/03/15							N/A	(HES Installed)
GIW-02	05/04/15							N/A	(HES Installed)
GIW-02	05/05/15							N/A	(HES Installed)
GIW-02	05/06/15	16.8	42.8	2.9	37.5	92.5	-3.49	N/A	(HES Installed)
GIW-02	05/07/15							N/A	(HES Installed)
GIW-02	05/08/15							N/A	(HES Installed)
GIW-02	05/09/15							N/A	(HES Installed)
GIW-02	05/10/15							N/A	(HES Installed)
GIW-02	05/11/15							N/A	(HES Installed)
GIW-02	05/12/15							N/A	(HES Installed)
GIW-02	05/13/15							N/A	(HES Installed)
GIW-02	05/14/15	10.6	45.9	3.7	39.8	75.0	-2.80	N/A	(HES Installed)
GIW-02	05/15/15							N/A	(HES Installed)
GIW-02	05/16/15							N/A	(HES Installed)
GIW-02	05/17/15							N/A	(HES Installed)
GIW-02	05/18/15	12.1	45.4	3.9	38.6	91.0	-1.00	N/A	(HES Installed)
GIW-02	05/19/15							N/A	(HES Installed)
GIW-02	05/20/15							N/A	(HES Installed)
GIW-02	05/21/15							N/A	(HES Installed)
GIW-02	05/22/15							N/A	(HES Installed)
GIW-02	05/23/15							N/A	(HES Installed)
GIW-02	05/24/15							N/A	(HES Installed)
GIW-02	05/25/15							N/A	(HES Installed)
GIW-02	05/26/15							N/A	(HES Installed)

GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-02	05/27/15							N/A	(HES Installed)
GIW-02	05/28/15							N/A	(HES Installed)
GIW-02	05/29/15	8.7	48.1	3.4	39.8	84.5	-0.55	N/A	(HES Installed)
GIW-02	05/30/15							N/A	(HES Installed)
GIW-02	05/31/15							N/A	(HES Installed)
GIW-02	06/01/15							N/A	(HES Installed)
GIW-02	06/02/15							N/A	(HES Installed)
GIW-02	06/03/15							N/A	(HES Installed)
GIW-02	06/04/15							N/A	(HES Installed)
GIW-02	06/05/15	6.2	56.9	2.6	34.3	79.0	-0.50	N/A	(HES Installed)
GIW-02	06/06/15							N/A	(HES Installed)
GIW-02	06/07/15							N/A	(HES Installed)
GIW-02	06/08/15							N/A	(HES Installed)
GIW-02	06/09/15							N/A	(HES Installed)
GIW-02	06/10/15							N/A	(HES Installed)
GIW-02	06/11/15	3.4	57.3	1.1	38.2	99.9	-0.30	N/A	(HES Installed)
GIW-02	06/12/15							N/A	(HES Installed)
GIW-02	06/13/15							N/A	(HES Installed)
GIW-02	06/14/15							N/A	(HES Installed)
GIW-02	06/15/15							N/A	(HES Installed)
GIW-02	06/16/15							N/A	(HES Installed)
GIW-02	06/17/15							N/A	(HES Installed)
GIW-02	06/18/15							N/A	(HES Installed)
GIW-02	06/19/15	3.7	64.1	0.8	31.4	76.0	-0.30	N/A	(HES Installed)
GIW-02	06/20/15							N/A	(HES Installed)
GIW-02	06/21/15							N/A	(HES Installed)
GIW-02	06/22/15							N/A	(HES Installed)
GIW-02	06/23/15	3.6	56.5	1.6	38.3	96.0	-0.29	N/A	(HES Installed)
GIW-02	06/24/15							N/A	(HES Installed)
GIW-02	06/25/15							N/A	(HES Installed)
GIW-02	06/26/15							N/A	(HES Installed)
GIW-02	06/27/15							N/A	(HES Installed)
GIW-02	06/28/15							N/A	(HES Installed)
GIW-02	06/29/15							N/A	(HES Installed)
GIW-02	06/30/15							N/A	(HES Installed)
GIW-02	07/01/15							N/A	(HES Installed)
GIW-02	07/02/15	0.7	63.3	0.2	35.8	73.6	-15.61	N/A	(HES Installed)
GIW-02	07/03/15							N/A	(HES Installed)
GIW-02	07/04/15							N/A	(HES Installed)
GIW-02	07/05/15							N/A	(HES Installed)
GIW-02	07/06/15							N/A	(HES Installed)
GIW-02	07/07/15	0.8	62.5	0.2	36.5	71.1	-16.40	N/A	(HES Installed)
GIW-02	07/08/15							N/A	(HES Installed)
GIW-02	07/09/15							N/A	(HES Installed)
GIW-02	07/10/15							N/A	(HES Installed)

GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-02	07/11/15							N/A	(HES Installed)
GIW-02	07/12/15							N/A	(HES Installed)
GIW-02	07/13/15							N/A	(HES Installed)
GIW-02	07/14/15							N/A	(HES Installed)
GIW-02	07/15/15	0.6	63.9	0.2	35.3	85.5	2.93	N/A	(HES Installed)
GIW-02	07/16/15							N/A	(HES Installed)
GIW-02	07/17/15							N/A	(HES Installed)
GIW-02	07/18/15							N/A	(HES Installed)
GIW-02	07/19/15							N/A	(HES Installed)
GIW-02	07/20/15							N/A	(HES Installed)
GIW-02	07/21/15							N/A	(HES Installed)
GIW-02	07/22/15							N/A	(HES Installed)
GIW-02	07/23/15							N/A	(HES Installed)
GIW-02	07/24/15	0.7	58.0	0.3	41.0	79.7	-16.52	N/A	(HES Installed)
GIW-02	07/25/15							N/A	(HES Installed)
GIW-02	07/26/15							N/A	(HES Installed)
GIW-02	07/27/15							N/A	(HES Installed)
GIW-02	07/28/15							N/A	(HES Installed)
GIW-02	07/29/15							N/A	(HES Installed)
GIW-02	07/30/15							N/A	(HES Installed)
GIW-02	07/31/15	4.0	65.0	0.4	30.6	101.3	-15.63	N/A	(HES Installed)
GIW-02	08/01/15							N/A	(HES Installed)
GIW-02	08/02/15							N/A	(HES Installed)
GIW-02	08/03/15							N/A	(HES Installed)
GIW-02	08/04/15							N/A	(HES Installed)
GIW-02	08/05/15							N/A	(HES Installed)
GIW-02	08/06/15	0.5	56.3	4.2	39.0	76.2	-13.92	N/A	(HES Installed)
GIW-02	08/07/15							N/A	(HES Installed)
GIW-02	08/08/15							N/A	(HES Installed)
GIW-02	08/09/15							N/A	(HES Installed)
GIW-02	08/10/15							N/A	(HES Installed)
GIW-02	08/11/15							N/A	(HES Installed)
GIW-02	08/12/15	0.6	49.8	1.4	48.2	89.9	-1.19	N/A	(HES Installed)
GIW-02	08/13/15							N/A	(HES Installed)
GIW-02	08/14/15							N/A	(HES Installed)
GIW-02	08/15/15							N/A	(HES Installed)

# GIW-2 Wellhead Temperatures






GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Adj. Static Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-03	04/12/15							N/A	(HES Installed)
GIW-03	04/13/15							N/A	(HES Installed)
GIW-03	04/14/15							N/A	(HES Installed)
GIW-03	04/15/15							N/A	(HES Installed)
GIW-03	04/16/15	0.5	57.1	1.5	40.9	85.3	-0.17	N/A	(HES Installed)
GIW-03	04/17/15							N/A	(HES Installed)
GIW-03	04/18/15							N/A	(HES Installed)
GIW-03	04/19/15							N/A	(HES Installed)
GIW-03	04/20/15							N/A	(HES Installed)
GIW-03	04/21/15	0.3	42.9	7.7	49.1	72.4	-0.93	N/A	(HES Installed)
GIW-03	04/22/15							N/A	(HES Installed)
GIW-03	04/23/15							N/A	(HES Installed)
GIW-03	04/24/15							N/A	(HES Installed)
GIW-03	04/25/15							N/A	(HES Installed)
GIW-03	04/26/15							N/A	(HES Installed)
GIW-03	04/27/15							N/A	(HES Installed)
GIW-03	04/28/15							N/A	(HES Installed)
GIW-03	04/29/15							N/A	(HES Installed)
GIW-03	04/30/15	0.9	43.5	7.5	48.1	81.9	-0.89	N/A	(HES Installed)
GIW-03	05/01/15							N/A	(HES Installed)
GIW-03	05/02/15							N/A	(HES Installed)
GIW-03	05/03/15							N/A	(HES Installed)
GIW-03	05/04/15							N/A	(HES Installed)
GIW-03	05/05/15							N/A	(HES Installed)
GIW-03	05/06/15	1.4	54.4	3.2	41.0	90.5	-0.42	N/A	(HES Installed)
GIW-03	05/07/15							N/A	(HES Installed)
GIW-03	05/08/15							N/A	(HES Installed)
GIW-03	05/09/15							N/A	(HES Installed)
GIW-03	05/10/15							N/A	(HES Installed)
GIW-03	05/11/15							N/A	(HES Installed)
GIW-03	05/12/15							N/A	(HES Installed)
GIW-03	05/13/15							N/A	(HES Installed)
GIW-03	05/14/15	0.6	68.9	0.0	30.5	73.0	0.00	N/A	(HES Installed)
GIW-03	05/15/15							N/A	(HES Installed)
GIW-03	05/16/15							N/A	(HES Installed)
GIW-03	05/17/15							N/A	(HES Installed)
GIW-03	05/18/15	0.5	50.3	5.9	43.3	86.0	-1.20	N/A	(HES Installed)
GIW-03	05/19/15							N/A	(HES Installed)
GIW-03	05/20/15							N/A	(HES Installed)
GIW-03	05/21/15							N/A	(HES Installed)
GIW-03	05/22/15							N/A	(HES Installed)
GIW-03	05/23/15							N/A	(HES Installed)
GIW-03	05/24/15							N/A	(HES Installed)
GIW-03	05/25/15							N/A	(HES Installed)
GIW-03	05/26/15							N/A	(HES Installed)

GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Adj. Static Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-03	05/27/15							N/A	(HES Installed)
GIW-03	05/28/15							N/A	(HES Installed)
GIW-03	05/29/15	0.6	48.1	5.4	45.9	87.5	-0.49	N/A	(HES Installed)
GIW-03	05/30/15							N/A	(HES Installed)
GIW-03	05/31/15							N/A	(HES Installed)
GIW-03	06/01/15							N/A	(HES Installed)
GIW-03	06/02/15							N/A	(HES Installed)
GIW-03	06/03/15							N/A	(HES Installed)
GIW-03	06/04/15							N/A	(HES Installed)
GIW-03	06/05/15	0.5	57.5	3.2	38.8	79.0	-0.30	N/A	(HES Installed)
GIW-03	06/06/15							N/A	(HES Installed)
GIW-03	06/06/15							N/A	(HES Installed)
GIW-03	06/07/15							N/A	(HES Installed)
GIW-03	06/08/15							N/A	(HES Installed)
GIW-03	06/09/15							N/A	(HES Installed)
GIW-03	06/10/15							N/A	(HES Installed)
GIW-03	06/11/15	0.3	50.1	4.5	45.1	97.5	-0.76	N/A	(HES Installed)
GIW-03	06/12/15							N/A	(HES Installed)
GIW-03	06/13/15							N/A	(HES Installed)
GIW-03	06/14/15							N/A	(HES Installed)
GIW-03	06/15/15							N/A	(HES Installed)
GIW-03	06/16/15							N/A	(HES Installed)
GIW-03	06/17/15	0.4	60.1	2.5	37.0	78.0	-0.30	N/A	(HES Installed)
GIW-03	06/18/15							N/A	(HES Installed)
GIW-03	06/19/15							N/A	(HES Installed)
GIW-03	06/20/15							N/A	(HES Installed)
GIW-03	06/21/15							N/A	(HES Installed)
GIW-03	06/22/15							N/A	(HES Installed)
GIW-03	06/23/15	0.6	60.2	1.4	37.8	95.0	-0.15	N/A	(HES Installed)
GIW-03	06/24/15							N/A	(HES Installed)
GIW-03	06/25/15							N/A	(HES Installed)
GIW-03	06/26/15							N/A	(HES Installed)
GIW-03	06/27/15							N/A	(HES Installed)
GIW-03	06/28/15							N/A	(HES Installed)
GIW-03	06/29/15							N/A	(HES Installed)
GIW-03	06/30/15							N/A	(HES Installed)
GIW-03	07/01/15							N/A	(HES Installed)
GIW-03	07/02/15	0.6	52.6	4.1	42.7	74.2	-0.44	N/A	(HES Installed)
GIW-03	07/03/15							N/A	(HES Installed)
GIW-03	07/04/15							N/A	(HES Installed)
GIW-03	07/05/15							N/A	(HES Installed)
GIW-03	07/06/15							N/A	(HES Installed)
GIW-03	07/07/15	0.5	40.6	8.3	50.6	71.8	-1.39	N/A	(HES Installed)
GIW-03	07/08/15							N/A	(HES Installed)
GIW-03	07/09/15							N/A	(HES Installed)

GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Adj. Static Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-03	07/10/15							N/A	(HES Installed)
GIW-03	07/11/15							N/A	(HES Installed)
GIW-03	07/12/15							N/A	(HES Installed)
GIW-03	07/13/15							N/A	(HES Installed)
GIW-03	07/14/15							N/A	(HES Installed)
GIW-03	07/15/15	0.5	47.1	9.2	43.2	87.4	-2.60	N/A	(HES Installed)
GIW-03	07/16/15							N/A	(HES Installed)
GIW-03	07/17/15							N/A	(HES Installed)
GIW-03	07/18/15							N/A	(HES Installed)
GIW-03	07/19/15							N/A	(HES Installed)
GIW-03	07/20/15							N/A	(HES Installed)
GIW-03	07/21/15							N/A	(HES Installed)
GIW-03	07/22/15							N/A	(HES Installed)
GIW-03	07/23/15							N/A	(HES Installed)
GIW-03	07/24/15	0.4	46.6	6.5	46.5	82.8	-0.76	N/A	(HES Installed)
GIW-03	07/25/15							N/A	(HES Installed)
GIW-03	07/26/15							N/A	(HES Installed)
GIW-03	07/27/15							N/A	(HES Installed)
GIW-03	07/28/15							N/A	(HES Installed)
GIW-03	07/29/15							N/A	(HES Installed)
GIW-03	07/30/15							N/A	(HES Installed)
GIW-03	07/31/15	3.3	47.7	6.3	42.7	102.5	-0.90	N/A	(HES Installed)
GIW-03	08/01/15							N/A	(HES Installed)
GIW-03	08/02/15							N/A	(HES Installed)
GIW-03	08/03/15							N/A	(HES Installed)
GIW-03	08/04/15							N/A	(HES Installed)
GIW-03	08/05/15							N/A	(HES Installed)
GIW-03	08/06/15	0.4	58.3	4.9	36.4	78.4	-0.23	N/A	(HES Installed)
GIW-03	08/07/15							N/A	(HES Installed)
GIW-03	08/08/15							N/A	(HES Installed)
GIW-03	08/09/15							N/A	(HES Installed)
GIW-03	08/10/15							N/A	(HES Installed)
GIW-03	08/11/15							N/A	(HES Installed)
GIW-03	08/12/15	0.3	57.8	2.2	39.7	91.3	-0.17	N/A	(HES Installed)
GIW-03	08/13/15							N/A	(HES Installed)
GIW-03	08/14/15							N/A	(HES Installed)
GIW-03	08/15/15							N/A	(HES Installed)

# GIW-3 Wellhead Temperatures




GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-04	04/12/15							N/A	(HES Installed)
GIW-04	04/13/15							N/A	(HES Installed)
GIW-04	04/14/15							N/A	(HES Installed)
GIW-04	04/15/15							N/A	(HES Installed)
GIW-04	04/16/15	0.6	50.0	0.6	48.8	83.3	-2.43	N/A	(HES Installed)
GIW-04	04/17/15							N/A	(HES Installed)
GIW-04	04/18/15							N/A	(HES Installed)
GIW-04	04/19/15							N/A	(HES Installed)
GIW-04	04/20/15							N/A	(HES Installed)
GIW-04	04/21/15	0.1	15.0	17.5	67.4	71.1	-0.21	N/A	(HES Installed)
GIW-04	04/22/15							N/A	(HES Installed)
GIW-04	04/23/15							N/A	(HES Installed)
GIW-04	04/24/15							N/A	(HES Installed)
GIW-04	04/25/15							N/A	(HES Installed)
GIW-04	04/26/15							N/A	(HES Installed)
GIW-04	04/27/15							N/A	(HES Installed)
GIW-04	04/28/15							N/A	(HES Installed)
GIW-04	04/29/15							N/A	(HES Installed)
GIW-04	04/30/15	1.3	55.5	0.0	43.2	83.2	4.65	N/A	(HES Installed)
GIW-04	05/01/15							N/A	(HES Installed)
GIW-04	05/02/15							N/A	(HES Installed)
GIW-04	05/03/15							N/A	(HES Installed)
GIW-04	05/04/15							N/A	(HES Installed)
GIW-04	05/05/15							N/A	(HES Installed)
GIW-04	05/06/15	1.1	57.3	0.0	41.6	87.8	-2.41	N/A	(HES Installed)
GIW-04	05/07/15							N/A	(HES Installed)
GIW-04	05/08/15							N/A	(HES Installed)
GIW-04	05/09/15							N/A	(HES Installed)
GIW-04	05/10/15							N/A	(HES Installed)
GIW-04	05/11/15							N/A	(HES Installed)
GIW-04	05/12/15							N/A	(HES Installed)
GIW-04	05/13/15							N/A	(HES Installed)
GIW-04	05/14/15	0.4	62.6	1.2	35.8	62.0	-10.40	N/A	(HES Installed)
GIW-04	05/15/15							N/A	(HES Installed)
GIW-04	05/16/15							N/A	(HES Installed)
GIW-04	05/17/15							N/A	(HES Installed)
GIW-04	05/18/15	0.6	63.0	0.0	36.4	86.0	1.90	N/A	(HES Installed)
GIW-04	05/19/15							N/A	(HES Installed)
GIW-04	05/20/15							N/A	(HES Installed)
GIW-04	05/21/15							N/A	(HES Installed)
GIW-04	05/22/15							N/A	(HES Installed)
GIW-04	05/23/15							N/A	(HES Installed)
GIW-04	05/24/15							N/A	(HES Installed)
GIW-04	05/25/15							N/A	(HES Installed)
GIW-04	05/26/15							N/A	(HES Installed)

GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-04	05/27/15							N/A	(HES Installed)
GIW-04	05/28/15							N/A	(HES Installed)
GIW-04	05/29/15	0.5	50.9	3.0	45.6	84.8	-15.43	N/A	(HES Installed)
GIW-04	05/30/15							N/A	(HES Installed)
GIW-04	05/31/15							N/A	(HES Installed)
GIW-04	06/01/15							N/A	(HES Installed)
GIW-04	06/02/15							N/A	(HES Installed)
GIW-04	06/03/15							N/A	(HES Installed)
GIW-04	06/04/15							N/A	(HES Installed)
GIW-04	06/05/15	0.5	59.9	0.4	39.2	78.0	-21.80	N/A	(HES Installed)
GIW-04	06/06/15							N/A	(HES Installed)
GIW-04	06/07/15							N/A	(HES Installed)
GIW-04	06/08/15							N/A	(HES Installed)
GIW-04	06/09/15							N/A	(HES Installed)
GIW-04	06/10/15							N/A	(HES Installed)
GIW-04	06/11/15	0.7	57.5	0.0	41.8	96.1	2.42	N/A	(HES Installed)
GIW-04	06/12/15							N/A	(HES Installed)
GIW-04	06/13/15							N/A	(HES Installed)
GIW-04	06/14/15							N/A	(HES Installed)
GIW-04	06/15/15							N/A	(HES Installed)
GIW-04	06/16/15							N/A	(HES Installed)
GIW-04	06/17/15	0.4	49.0	4.9	45.7	77.0	-11.90	N/A	(HES Installed)
GIW-04	06/18/15							N/A	(HES Installed)
GIW-04	06/19/15							N/A	(HES Installed)
GIW-04	06/20/15							N/A	(HES Installed)
GIW-04	06/21/15							N/A	(HES Installed)
GIW-04	06/22/15							N/A	(HES Installed)
GIW-04	06/23/15	0.6	53.4	0.3	45.7	94.4	10.20	N/A	(HES Installed)
GIW-04	06/24/15							N/A	(HES Installed)
GIW-04	06/25/15							N/A	(HES Installed)
GIW-04	06/26/15							N/A	(HES Installed)
GIW-04	06/27/15							N/A	(HES Installed)
GIW-04	06/28/15							N/A	(HES Installed)
GIW-04	06/29/15							N/A	(HES Installed)
GIW-04	06/30/15							N/A	(HES Installed)
GIW-04	07/01/15							N/A	(HES Installed)
GIW-04	07/02/15	0.7	53.9	0.5	44.9	73.2	-15.24	N/A	(HES Installed)
GIW-04	07/03/15							N/A	(HES Installed)
GIW-04	07/04/15							N/A	(HES Installed)
GIW-04	07/05/15							N/A	(HES Installed)
GIW-04	07/06/15							N/A	(HES Installed)
GIW-04	07/07/15	0.7	55.2	0.7	43.4	70.9	-16.59	N/A	(HES Installed)
GIW-04	07/08/15							N/A	(HES Installed)
GIW-04	07/09/15							N/A	(HES Installed)
GIW-04	07/10/15							N/A	(HES Installed)

GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-04	07/11/15							N/A	(HES Installed)
GIW-04	07/12/15							N/A	(HES Installed)
GIW-04	07/13/15							N/A	(HES Installed)
GIW-04	07/14/15							N/A	(HES Installed)
GIW-04	07/15/15	0.5	48.6	3.6	47.3	85.7	-5.37	N/A	(HES Installed)
GIW-04	07/16/15							N/A	(HES Installed)
GIW-04	07/17/15							N/A	(HES Installed)
GIW-04	07/18/15							N/A	(HES Installed)
GIW-04	07/19/15							N/A	(HES Installed)
GIW-04	07/20/15							N/A	(HES Installed)
GIW-04	07/21/15							N/A	(HES Installed)
GIW-04	07/22/15							N/A	(HES Installed)
GIW-04	07/23/15							N/A	(HES Installed)
GIW-04	07/24/15	0.7	52.5	0.1	46.7	80.7	-8.05	N/A	(HES Installed)
GIW-04	07/25/15							N/A	(HES Installed)
GIW-04	07/26/15							N/A	(HES Installed)
GIW-04	07/27/15							N/A	(HES Installed)
GIW-04	07/28/15							N/A	(HES Installed)
GIW-04	07/29/15							N/A	(HES Installed)
GIW-04	07/30/15							N/A	(HES Installed)
GIW-04	07/31/15	4.1	58.3	0.2	37.4	103.9	-0.81	N/A	(HES Installed)
GIW-04	08/01/15							N/A	(HES Installed)
GIW-04	08/02/15							N/A	(HES Installed)
GIW-04	08/03/15							N/A	(HES Installed)
GIW-04	08/04/15							N/A	(HES Installed)
GIW-04	08/05/15							N/A	(HES Installed)
GIW-04	08/06/15	0.9	50.2	1.1	47.8	76.2	-2.13	N/A	(HES Installed)
GIW-04	08/07/15							N/A	(HES Installed)
GIW-04	08/08/15							N/A	(HES Installed)
GIW-04	08/09/15							N/A	(HES Installed)
GIW-04	08/10/15							N/A	(HES Installed)
GIW-04	08/11/15							N/A	(HES Installed)
GIW-04	08/12/15	0.9	43.0	2.1	54.0	89.2	-4.02	N/A	(HES Installed)
GIW-04	08/13/15							N/A	(HES Installed)
GIW-04	08/14/15							N/A	(HES Installed)
GIW-04	08/15/15							N/A	(HES Installed)

# GIW-4 Wellhead Temperatures






GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-05	04/12/15							N/A	(HES Installed)
GIW-05	04/13/15							N/A	(HES Installed)
GIW-05	04/14/15							N/A	(HES Installed)
GIW-05	04/15/15							N/A	(HES Installed)
GIW-05	04/16/15	0.7	69.3	0.0	30.0	93.0	4.20	N/A	(HES Installed)
GIW-05	04/17/15							N/A	(HES Installed)
GIW-05	04/18/15							N/A	(HES Installed)
GIW-05	04/19/15							N/A	(HES Installed)
GIW-05	04/20/15							N/A	(HES Installed)
GIW-05	04/21/15	0.3	24.6	15.6	59.5	70.0	-16.06	N/A	(HES Installed)
GIW-05	04/22/15							N/A	(HES Installed)
GIW-05	04/23/15							N/A	(HES Installed)
GIW-05	04/24/15							N/A	(HES Installed)
GIW-05	04/25/15							N/A	(HES Installed)
GIW-05	04/26/15							N/A	(HES Installed)
GIW-05	04/27/15							N/A	(HES Installed)
GIW-05	04/28/15							N/A	(HES Installed)
GIW-05	04/29/15							N/A	(HES Installed)
GIW-05	04/30/15	2.8	59.8	0.0	37.4	79.0	7.20	N/A	(HES Installed)
GIW-05	05/01/15							N/A	(HES Installed)
GIW-05	05/02/15							N/A	(HES Installed)
GIW-05	05/03/15							N/A	(HES Installed)
GIW-05	05/04/15							N/A	(HES Installed)
GIW-05	05/05/15							N/A	(HES Installed)
GIW-05	05/06/15	2.5	59.2	0.0	38.3	93.4	-5.30	N/A	(HES Installed)
GIW-05	05/07/15							N/A	(HES Installed)
GIW-05	05/08/15							N/A	(HES Installed)
GIW-05	05/09/15							N/A	(HES Installed)
GIW-05	05/10/15							N/A	(HES Installed)
GIW-05	05/11/15							N/A	(HES Installed)
GIW-05	05/12/15							N/A	(HES Installed)
GIW-05	05/13/15							N/A	(HES Installed)
GIW-05	05/14/15	2.5	65.8	0.1	31.6	59.0	-8.20	N/A	(HES Installed)
GIW-05	05/15/15							N/A	(HES Installed)
GIW-05	05/16/15							N/A	(HES Installed)
GIW-05	05/17/15							N/A	(HES Installed)
GIW-05	05/18/15	3.5	66.5	0.0	30.0	87.0	3.20	N/A	(HES Installed)
GIW-05	05/19/15							N/A	(HES Installed)
GIW-05	05/20/15							N/A	(HES Installed)
GIW-05	05/21/15							N/A	(HES Installed)
GIW-05	05/22/15							N/A	(HES Installed)
GIW-05	05/23/15							N/A	(HES Installed)
GIW-05	05/24/15							N/A	(HES Installed)
GIW-05	05/25/15							N/A	(HES Installed)
GIW-05	05/26/15							N/A	(HES Installed)

GIW-05	05/27/15							N/A	(HES Installed)
GIW-05	05/28/15							N/A	(HES Installed)
GIW-05	05/29/15	3.5	54.2	1.2	41.1	88.4	-14.09	N/A	(HES Installed)
GIW-05	05/30/15							N/A	(HES Installed)
GIW-05	05/31/15							N/A	(HES Installed)
GIW-05	06/01/15							N/A	(HES Installed)
GIW-05	06/02/15							N/A	(HES Installed)
GIW-05	06/03/15							N/A	(HES Installed)
GIW-05	06/04/15							N/A	(HES Installed)
GIW-05	06/05/15	0.4	9.4	15.9	74.3	84.0	-9.30	N/A	(HES Installed)
GIW-05	06/06/15							N/A	(HES Installed)
GIW-05	06/07/15							N/A	(HES Installed)
GIW-05	06/08/15							N/A	(HES Installed)
GIW-05	06/09/15							N/A	(HES Installed)
GIW-05	06/10/15							N/A	(HES Installed)
GIW-05	06/11/15	3.8	52.6	0.0	43.6	94.8	1.86	N/A	(HES Installed)
GIW-05	06/12/15							N/A	(HES Installed)
GIW-05	06/13/15							N/A	(HES Installed)
GIW-05	06/14/15							N/A	(HES Installed)
GIW-05	06/15/15							N/A	(HES Installed)
GIW-05	06/16/15							N/A	(HES Installed)
GIW-05	06/17/15							N/A	(HES Installed)
GIW-05	06/18/15							N/A	(HES Installed)
GIW-05	06/19/15	0.2	20.8	15.2	63.8	77.0	-0.70	N/A	(HES Installed)
GIW-05	06/20/15							N/A	(HES Installed)
GIW-05	06/21/15							N/A	(HES Installed)
GIW-05	06/22/15							N/A	(HES Installed)
GIW-05	06/23/15	0.4	23.6	18.6	57.4	93.2	-4.70	N/A	(HES Installed)
GIW-05	06/24/15							N/A	(HES Installed)
GIW-05	06/25/15							N/A	(HES Installed)
GIW-05	06/26/15							N/A	(HES Installed)
GIW-05	06/27/15							N/A	(HES Installed)
GIW-05	06/28/15							N/A	(HES Installed)
GIW-05	06/29/15							N/A	(HES Installed)
GIW-05	06/30/15							N/A	(HES Installed)
GIW-05	07/01/15							N/A	(HES Installed)
GIW-05	07/02/15	3.9	57.4	0.1	38.6	70.6	0.16	N/A	(HES Installed)
GIW-05	07/03/15							N/A	(HES Installed)
GIW-05	07/04/15							N/A	(HES Installed)
GIW-05	07/05/15							N/A	(HES Installed)
GIW-05	07/06/15							N/A	(HES Installed)
GIW-05	07/07/15	3.5	49.2	3.2	44.1	71.3	-4.27	N/A	(HES Installed)
GIW-05	07/08/15							N/A	(HES Installed)
GIW-05	07/09/15							N/A	(HES Installed)
GIW-05	07/10/15							N/A	(HES Installed)
GIW-05	07/11/15							N/A	(HES Installed)
GIW-05	07/12/15							N/A	(HES Installed)
GIW-05	07/13/15							N/A	(HES Installed)

GIW-05	07/14/15							N/A	(HES Installed)
GIW-05	07/15/15	1.1	21.9	13.8	63.2	93.3	-2.08	N/A	(HES Installed)
GIW-05	07/16/15							N/A	(HES Installed)
GIW-05	07/17/15							N/A	(HES Installed)
GIW-05	07/18/15							N/A	(HES Installed)
GIW-05	07/19/15							N/A	(HES Installed)
GIW-05	07/20/15							N/A	(HES Installed)
GIW-05	07/21/15							N/A	(HES Installed)
GIW-05	07/22/15							N/A	(HES Installed)
GIW-05	07/23/15							N/A	(HES Installed)
GIW-05	07/24/15	3.7	56.6	0.0	39.7	89.3	1.29	N/A	(HES Installed)
GIW-05	07/25/15							N/A	(HES Installed)
GIW-05	07/26/15							N/A	(HES Installed)
GIW-05	07/27/15							N/A	(HES Installed)
GIW-05	07/28/15							N/A	(HES Installed)
GIW-05	07/29/15	3.7	59.4	0.0	36.9	95.4	0.15	N/A	(HES Installed)
GIW-05	07/30/15							N/A	(HES Installed)
GIW-05	07/31/15							N/A	(HES Installed)
GIW-05	08/01/15							N/A	(HES Installed)
GIW-05	08/02/15							N/A	(HES Installed)
GIW-05	08/03/15							N/A	(HES Installed)
GIW-05	08/04/15							N/A	(HES Installed)
GIW-05	08/05/15							N/A	(HES Installed)
GIW-05	08/06/15	3.1	59.7	0.3	36.9	78.8	19.54	N/A	(HES Installed)
GIW-05	08/07/15							N/A	(HES Installed)
GIW-05	08/08/15							N/A	(HES Installed)
GIW-05	08/09/15							N/A	(HES Installed)
GIW-05	08/10/15							N/A	(HES Installed)
GIW-05	08/11/15							N/A	(HES Installed)
GIW-05	08/12/15	2.6	51.5	2.7	43.2	91.9	-19.76	N/A	(HES Installed)
GIW-05	08/13/15							N/A	(HES Installed)
GIW-05	08/14/15							N/A	(HES Installed)
GIW-05	08/15/15							N/A	(HES Installed)

# GIW-5 Wellhead Temperatures




GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-06	04/12/15							N/A	(HES Installed)
GIW-06	04/13/15							N/A	(HES Installed)
GIW-06	04/14/15							N/A	(HES Installed)
GIW-06	04/15/15							N/A	(HES Installed)
GIW-06	04/16/15	1.1	60.9	0.7	37.3	87.2	-22.34	N/A	(HES Installed)
GIW-06	04/17/15							N/A	(HES Installed)
GIW-06	04/18/15							N/A	(HES Installed)
GIW-06	04/19/15							N/A	(HES Installed)
GIW-06	04/20/15							N/A	(HES Installed)
GIW-06	04/21/15	1.2	62.4	0.0	36.4	73.1	-4.58	N/A	(HES Installed)
GIW-06	04/22/15							N/A	(HES Installed)
GIW-06	04/23/15							N/A	(HES Installed)
GIW-06	04/24/15							N/A	(HES Installed)
GIW-06	04/25/15							N/A	(HES Installed)
GIW-06	04/26/15							N/A	(HES Installed)
GIW-06	04/27/15							N/A	(HES Installed)
GIW-06	04/28/15							N/A	(HES Installed)
GIW-06	04/29/15							N/A	(HES Installed)
GIW-06	04/30/15	1.4	61.7	0.0	36.9	81.1	25.79	N/A	(HES Installed)
GIW-06	05/01/15							N/A	(HES Installed)
GIW-06	05/02/15							N/A	(HES Installed)
GIW-06	05/03/15							N/A	(HES Installed)
GIW-06	05/04/15							N/A	(HES Installed)
GIW-06	05/05/15							N/A	(HES Installed)
GIW-06	05/06/15	1.1	62.8	0.0	36.1	85.3	31.16	N/A	(HES Installed)
GIW-06	05/07/15							N/A	(HES Installed)
GIW-06	05/08/15							N/A	(HES Installed)
GIW-06	05/09/15							N/A	(HES Installed)
GIW-06	05/10/15							N/A	(HES Installed)
GIW-06	05/11/15							N/A	(HES Installed)
GIW-06	05/12/15							N/A	(HES Installed)
GIW-06	05/13/15							N/A	(HES Installed)
GIW-06	05/14/15	0.9	71.9	0.0	27.2	61.0	26.90	N/A	(HES Installed)
GIW-06	05/15/15							N/A	(HES Installed)
GIW-06	05/16/15							N/A	(HES Installed)
GIW-06	05/17/15							N/A	(HES Installed)
GIW-06	05/18/15	1.1	70.9	0.0	28.0	86.0	-15.40	N/A	(HES Installed)
GIW-06	05/19/15							N/A	(HES Installed)
GIW-06	05/20/15							N/A	(HES Installed)
GIW-06	05/21/15							N/A	(HES Installed)
GIW-06	05/22/15							N/A	(HES Installed)
GIW-06	05/23/15							N/A	(HES Installed)
GIW-06	05/24/15							N/A	(HES Installed)
GIW-06	05/25/15							N/A	(HES Installed)
GIW-06	05/26/15							N/A	(HES Installed)

GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-06	05/27/15							N/A	(HES Installed)
GIW-06	05/28/15							N/A	(HES Installed)
GIW-06	05/29/15	0.9	62.6	0.0	36.5	83.3	25.12	N/A	(HES Installed)
GIW-06	05/30/15							N/A	(HES Installed)
GIW-06	05/31/15							N/A	(HES Installed)
GIW-06	06/01/15							N/A	(HES Installed)
GIW-06	06/02/15							N/A	(HES Installed)
GIW-06	06/03/15							N/A	(HES Installed)
GIW-06	06/04/15							N/A	(HES Installed)
GIW-06	06/05/15	0.6	50.7	5.1	43.6	76.0	-22.00	N/A	(HES Installed)
GIW-06	06/06/15							N/A	(HES Installed)
GIW-06	06/07/15							N/A	(HES Installed)
GIW-06	06/08/15							N/A	(HES Installed)
GIW-06	06/09/15							N/A	(HES Installed)
GIW-06	06/10/15							N/A	(HES Installed)
GIW-06	06/11/15	1.8	58.8	0.0	39.4	95.3	31.40	N/A	(HES Installed)
GIW-06	06/12/15							N/A	(HES Installed)
GIW-06	06/13/15							N/A	(HES Installed)
GIW-06	06/14/15							N/A	(HES Installed)
GIW-06	06/15/15							N/A	(HES Installed)
GIW-06	06/16/15							N/A	(HES Installed)
GIW-06	06/17/15	1.4	69.0	0.0	29.6	76.0	19.10	N/A	(HES Installed)
GIW-06	06/18/15							N/A	(HES Installed)
GIW-06	06/19/15							N/A	(HES Installed)
GIW-06	06/20/15							N/A	(HES Installed)
GIW-06	06/21/15							N/A	(HES Installed)
GIW-06	06/22/15							N/A	(HES Installed)
GIW-06	06/23/15	1.6	54.8	1.7	41.9	95.2	-17.09	N/A	(HES Installed)
GIW-06	06/24/15							N/A	(HES Installed)
GIW-06	06/25/15							N/A	(HES Installed)
GIW-06	06/26/15							N/A	(HES Installed)
GIW-06	06/27/15							N/A	(HES Installed)
GIW-06	06/28/15							N/A	(HES Installed)
GIW-06	06/29/15							N/A	(HES Installed)
GIW-06	06/30/15							N/A	(HES Installed)
GIW-06	07/01/15							N/A	(HES Installed)
GIW-06	07/02/15	1.1	62.7	0.0	36.2	72.0	41.46	N/A	(HES Installed)
GIW-06	07/03/15							N/A	(HES Installed)
GIW-06	07/04/15							N/A	(HES Installed)
GIW-06	07/05/15							N/A	(HES Installed)
GIW-06	07/06/15							N/A	(HES Installed)
GIW-06	07/07/15	1.2	58.5	0.0	40.3	70.7	40.00	N/A	(HES Installed)
GIW-06	07/08/15							N/A	(HES Installed)
GIW-06	07/09/15							N/A	(HES Installed)
GIW-06	07/10/15							N/A	(HES Installed)

GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-06	07/11/15							N/A	(HES Installed)
GIW-06	07/12/15							N/A	(HES Installed)
GIW-06	07/13/15							N/A	(HES Installed)
GIW-06	07/14/15							N/A	(HES Installed)
GIW-06	07/15/15	0.6	65.3	0.3	33.8	89.0	27.72	N/A	(HES Installed)
GIW-06	07/16/15							N/A	(HES Installed)
GIW-06	07/17/15							N/A	(HES Installed)
GIW-06	07/18/15							N/A	(HES Installed)
GIW-06	07/19/15							N/A	(HES Installed)
GIW-06	07/20/15							N/A	(HES Installed)
GIW-06	07/21/15							N/A	(HES Installed)
GIW-06	07/22/15							N/A	(HES Installed)
GIW-06	07/23/15							N/A	(HES Installed)
GIW-06	07/24/15	1.2	58.2	0.3	40.3	82.6	-18.23	N/A	(HES Installed)
GIW-06	07/25/15							N/A	(HES Installed)
GIW-06	07/26/15							N/A	(HES Installed)
GIW-06	07/27/15							N/A	(HES Installed)
GIW-06	07/28/15							N/A	(HES Installed)
GIW-06	07/29/15							N/A	(HES Installed)
GIW-06	07/30/15							N/A	(HES Installed)
GIW-06	07/31/15	6.5	62.2	0.1	31.2	99.6	51.77	N/A	(HES Installed)
GIW-06	08/01/15							N/A	(HES Installed)
GIW-06	08/02/15							N/A	(HES Installed)
GIW-06	08/03/15							N/A	(HES Installed)
GIW-06	08/04/15							N/A	(HES Installed)
GIW-06	08/05/15							N/A	(HES Installed)
GIW-06	08/06/15	1.2	59.4	1.0	38.4	74.9	-18.44	N/A	(HES Installed)
GIW-06	08/07/15							N/A	(HES Installed)
GIW-06	08/08/15							N/A	(HES Installed)
GIW-06	08/09/15							N/A	(HES Installed)
GIW-06	08/10/15							N/A	(HES Installed)
GIW-06	08/11/15							N/A	(HES Installed)
GIW-06	08/12/15	0.9	53.4	1.9	43.8	93.8	-19.27	N/A	(HES Installed)
GIW-06	08/13/15							N/A	(HES Installed)
GIW-06	08/14/15							N/A	(HES Installed)
GIW-06	08/15/15							N/A	(HES Installed)

# GIW-6 Wellhead Temperatures






GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-07	04/12/15							N/A	(HES Installed)
GIW-07	04/13/15							N/A	(HES Installed)
GIW-07	04/14/15							N/A	(HES Installed)
GIW-07	04/15/15							N/A	(HES Installed)
GIW-07	04/16/15	28.9	59.0	0.0	12.1	87.2	-0.16	N/A	(HES Installed)
GIW-07	04/17/15							N/A	(HES Installed)
GIW-07	04/18/15							N/A	(HES Installed)
GIW-07	04/19/15							N/A	(HES Installed)
GIW-07	04/20/15							N/A	(HES Installed)
GIW-07	04/21/15	32.9	54.8	0.0	12.3	72.7	-0.18	N/A	(HES Installed)
GIW-07	04/22/15							N/A	(HES Installed)
GIW-07	04/23/15							N/A	(HES Installed)
GIW-07	04/24/15							N/A	(HES Installed)
GIW-07	04/25/15							N/A	(HES Installed)
GIW-07	04/26/15							N/A	(HES Installed)
GIW-07	04/27/15							N/A	(HES Installed)
GIW-07	04/28/15							N/A	(HES Installed)
GIW-07	04/29/15							N/A	(HES Installed)
GIW-07	04/30/15	31.7	56.4	0.0	11.9	79.3	-0.05	N/A	(HES Installed)
GIW-07	05/01/15							N/A	(HES Installed)
GIW-07	05/02/15							N/A	(HES Installed)
GIW-07	05/03/15							N/A	(HES Installed)
GIW-07	05/04/15							N/A	(HES Installed)
GIW-07	05/05/15							N/A	(HES Installed)
GIW-07	05/06/15	29.2	56.0	0.0	14.8	85.5	-0.18	N/A	(HES Installed)
GIW-07	05/07/15							N/A	(HES Installed)
GIW-07	05/08/15							N/A	(HES Installed)
GIW-07	05/09/15							N/A	(HES Installed)
GIW-07	05/10/15							N/A	(HES Installed)
GIW-07	05/11/15							N/A	(HES Installed)
GIW-07	05/12/15							N/A	(HES Installed)
GIW-07	05/13/15							N/A	(HES Installed)
GIW-07	05/14/15	32.5	64.3	0.0	3.2	61.0	-0.20	N/A	(HES Installed)
GIW-07	05/15/15							N/A	(HES Installed)
GIW-07	05/16/15							N/A	(HES Installed)
GIW-07	05/17/15							N/A	(HES Installed)
GIW-07	05/18/15	31.6	64.0	0.0	4.4	86.0	0.00	N/A	(HES Installed)
GIW-07	05/19/15							N/A	(HES Installed)
GIW-07	05/20/15							N/A	(HES Installed)
GIW-07	05/21/15							N/A	(HES Installed)
GIW-07	05/22/15							N/A	(HES Installed)
GIW-07	05/23/15							N/A	(HES Installed)
GIW-07	05/24/15							N/A	(HES Installed)
GIW-07	05/25/15							N/A	(HES Installed)
GIW-07	05/26/15							N/A	(HES Installed)

GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-07	05/27/15							N/A	(HES Installed)
GIW-07	05/28/15							N/A	(HES Installed)
GIW-07	05/29/15	26.4	57.0	0.0	16.6	84.7	-0.10	N/A	(HES Installed)
GIW-07	05/30/15							N/A	(HES Installed)
GIW-07	05/31/15							N/A	(HES Installed)
GIW-07	06/01/15							N/A	(HES Installed)
GIW-07	06/02/15							N/A	(HES Installed)
GIW-07	06/03/15							N/A	(HES Installed)
GIW-07	06/04/15							N/A	(HES Installed)
GIW-07	06/05/15	27.6	65.5	0.0	6.9	77.0	0.00	N/A	(HES Installed)
GIW-07	06/06/15							N/A	(HES Installed)
GIW-07	06/07/15							N/A	(HES Installed)
GIW-07	06/08/15							N/A	(HES Installed)
GIW-07	06/09/15							N/A	(HES Installed)
GIW-07	06/10/15							N/A	(HES Installed)
GIW-07	06/11/15	27.2	58.8	0.0	14.0	92.5	-0.09	N/A	(HES Installed)
GIW-07	06/12/15							N/A	(HES Installed)
GIW-07	06/13/15							N/A	(HES Installed)
GIW-07	06/14/15							N/A	(HES Installed)
GIW-07	06/15/15							N/A	(HES Installed)
GIW-07	06/16/15							N/A	(HES Installed)
GIW-07	06/17/15	28.5	63.3	0.3	7.9	78.0	-0.20	N/A	(HES Installed)
GIW-07	06/18/15							N/A	(HES Installed)
GIW-07	06/19/15							N/A	(HES Installed)
GIW-07	06/20/15							N/A	(HES Installed)
GIW-07	06/21/15							N/A	(HES Installed)
GIW-07	06/22/15							N/A	(HES Installed)
GIW-07	06/23/15	26.7	53.1	0.6	19.6	93.2	-0.10	N/A	(HES Installed)
GIW-07	06/24/15							N/A	(HES Installed)
GIW-07	06/25/15							N/A	(HES Installed)
GIW-07	06/26/15							N/A	(HES Installed)
GIW-07	06/27/15							N/A	(HES Installed)
GIW-07	06/28/15							N/A	(HES Installed)
GIW-07	06/29/15							N/A	(HES Installed)
GIW-07	06/30/15							N/A	(HES Installed)
GIW-07	07/01/15							N/A	(HES Installed)
GIW-07	07/02/15	26.1	60.6	0.0	13.3	72.3	-0.11	N/A	(HES Installed)
GIW-07	07/03/15							N/A	(HES Installed)
GIW-07	07/04/15							N/A	(HES Installed)
GIW-07	07/05/15							N/A	(HES Installed)
GIW-07	07/06/15							N/A	(HES Installed)
GIW-07	07/07/15	25.2	61.2	0.0	13.6	71.6	-0.08	N/A	(HES Installed)
GIW-07	07/08/15							N/A	(HES Installed)
GIW-07	07/09/15							N/A	(HES Installed)
GIW-07	07/10/15							N/A	(HES Installed)

GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-07	07/11/15							N/A	(HES Installed)
GIW-07	07/12/15							N/A	(HES Installed)
GIW-07	07/13/15							N/A	(HES Installed)
GIW-07	07/14/15							N/A	(HES Installed)
GIW-07	07/15/15	22.2	64.9	0.5	12.4	89.1	-0.07	N/A	(HES Installed)
GIW-07	07/16/15							N/A	(HES Installed)
GIW-07	07/17/15							N/A	(HES Installed)
GIW-07	07/18/15							N/A	(HES Installed)
GIW-07	07/19/15							N/A	(HES Installed)
GIW-07	07/20/15							N/A	(HES Installed)
GIW-07	07/21/15							N/A	(HES Installed)
GIW-07	07/22/15							N/A	(HES Installed)
GIW-07	07/23/15							N/A	(HES Installed)
GIW-07	07/24/15	22.5	63.7	0.0	13.8	81.9	-0.15	N/A	(HES Installed)
GIW-07	07/25/15							N/A	(HES Installed)
GIW-07	07/26/15							N/A	(HES Installed)
GIW-07	07/27/15							N/A	(HES Installed)
GIW-07	07/28/15							N/A	(HES Installed)
GIW-07	07/29/15							N/A	(HES Installed)
GIW-07	07/30/15							N/A	(HES Installed)
GIW-07	07/31/15	38.7	61.1	0.2	0.0	98.7	-0.07	N/A	(HES Installed)
GIW-07	08/01/15							N/A	(HES Installed)
GIW-07	08/02/15							N/A	(HES Installed)
GIW-07	08/03/15							N/A	(HES Installed)
GIW-07	08/04/15							N/A	(HES Installed)
GIW-07	08/05/15							N/A	(HES Installed)
GIW-07	08/06/15	25.9	61.3	0.1	12.7	75.2	-0.14	N/A	(HES Installed)
GIW-07	08/07/15							N/A	(HES Installed)
GIW-07	08/08/15							N/A	(HES Installed)
GIW-07	08/09/15							N/A	(HES Installed)
GIW-07	08/10/15							N/A	(HES Installed)
GIW-07	08/11/15							N/A	(HES Installed)
GIW-07	08/12/15	22.3	58.9	0.0	18.8	92.7	-0.11	N/A	(HES Installed)
GIW-07	08/13/15							N/A	(HES Installed)
GIW-07	08/14/15							N/A	(HES Installed)
GIW-07	08/15/15							N/A	(HES Installed)

# GIW-7 Wellhead Temperatures




GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-08	04/12/15							Y	
GIW-08	04/13/15							Y	
GIW-08	04/14/15							Y	
GIW-08	04/15/15							Y	
GIW-08	04/16/15	27.7	58.4	0.2	13.7	100.8	-4.70	Y	
GIW-08	04/17/15							Y	
GIW-08	04/18/15							Y	
GIW-08	04/19/15							Y	
GIW-08	04/20/15							Y	
GIW-08	04/21/15	26.4	58.6	0.2	14.8	88.9	-6.35	Y	
GIW-08	04/22/15							Y	
GIW-08	04/23/15							Y	
GIW-08	04/24/15							Y	
GIW-08	04/25/15							Y	
GIW-08	04/26/15							Y	
GIW-08	04/27/15							Y	
GIW-08	04/28/15							Y	
GIW-08	04/29/15							Y	
GIW-08	04/30/15	24.1	64.5	0.0	11.4	98.5	-6.95	Y	
GIW-08	05/01/15							Y	
GIW-08	05/02/15							Y	
GIW-08	05/03/15							Y	
GIW-08	05/04/15							Y	
GIW-08	05/05/15							Y	
GIW-08	05/06/15	23.3	60.6	0.0	16.1	106.7	-4.27	Y	
GIW-08	05/07/15							Y	
GIW-08	05/08/15							Y	
GIW-08	05/09/15							Y	
GIW-08	05/10/15							Y	
GIW-08	05/11/15							Y	
GIW-08	05/12/15							Y	
GIW-08	05/13/15							Y	
GIW-08	05/14/15	24.5	72.2	0.0	3.3	86.0	-5.50	Y	
GIW-08	05/15/15							Y	
GIW-08	05/16/15							Y	
GIW-08	05/17/15							Y	
GIW-08	05/18/15	25.9	70.5	0.0	3.6	113.0	-7.70	Y	
GIW-08	05/19/15							Y	
GIW-08	05/20/15							Y	
GIW-08	05/21/15							Y	
GIW-08	05/22/15							Y	
GIW-08	05/23/15							Y	
GIW-08	05/24/15							Y	
GIW-08	05/25/15							Y	
GIW-08	05/26/15							Y	

GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-08	05/27/15							Y	
GIW-08	05/28/15							Y	
GIW-08	05/29/15	22.0	60.2	0.1	17.7	115.1	-3.81	Y	
GIW-08	05/30/15							Y	
GIW-08	05/31/15							Y	
GIW-08	06/01/15							Y	
GIW-08	06/02/15							Y	
GIW-08	06/03/15							Y	
GIW-08	06/04/15							Y	
GIW-08	06/05/15	23.4	71.7	0.0	4.9	107.0	-3.60	Y	
GIW-08	06/06/15							Y	
GIW-08	06/07/15							Y	
GIW-08	06/08/15							Y	
GIW-08	06/09/15							Y	
GIW-08	06/10/15							Y	
GIW-08	06/11/15	21.2	61.0	0.0	17.8	113.1	-1.37	Y	
GIW-08	06/12/15							Y	
GIW-08	06/13/15							Y	
GIW-08	06/14/15							Y	
GIW-08	06/15/15							N/A	(HES Installed)
GIW-08	06/16/15							N/A	(HES Installed)
GIW-08	06/17/15	25.0	69.4	0.0	5.6	102.0	-2.70	N/A	(HES Installed)
GIW-08	06/18/15							N/A	(HES Installed)
GIW-08	06/19/15							N/A	(HES Installed)
GIW-08	06/20/15							N/A	(HES Installed)
GIW-08	06/21/15							N/A	(HES Installed)
GIW-08	06/22/15							N/A	(HES Installed)
GIW-08	06/23/15	23.3	61.9	0.6	14.2	111.8	-3.95	N/A	(HES Installed)
GIW-08	06/24/15							N/A	(HES Installed)
GIW-08	06/25/15							N/A	(HES Installed)
GIW-08	06/26/15							N/A	(HES Installed)
GIW-08	06/27/15							N/A	(HES Installed)
GIW-08	06/28/15							N/A	(HES Installed)
GIW-08	06/29/15							N/A	(HES Installed)
GIW-08	06/30/15							N/A	(HES Installed)
GIW-08	07/01/15							N/A	(HES Installed)
GIW-08	07/02/15	18.0	45.4	3.8	32.8	69.2	-27.50	N/A	(HES Installed)
GIW-08	07/03/15							N/A	(HES Installed)
GIW-08	07/04/15							N/A	(HES Installed)
GIW-08	07/05/15							N/A	(HES Installed)
GIW-08	07/06/15							N/A	(HES Installed)
GIW-08	07/07/15	17.2	47.8	4.6	30.4	72.3	-26.46	N/A	(HES Installed)
GIW-08	07/08/15							N/A	(HES Installed)
GIW-08	07/09/15							N/A	(HES Installed)
GIW-08	07/10/15							N/A	(HES Installed)

GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-08	07/11/15							N/A	(HES Installed)
GIW-08	07/12/15							N/A	(HES Installed)
GIW-08	07/13/15							N/A	(HES Installed)
GIW-08	07/14/15							N/A	(HES Installed)
GIW-08	07/15/15	17.0	51.1	6.5	25.4	95.7	-27.35	N/A	(HES Installed)
GIW-08	07/16/15							N/A	(HES Installed)
GIW-08	07/17/15							N/A	(HES Installed)
GIW-08	07/18/15							N/A	(HES Installed)
GIW-08	07/19/15							N/A	(HES Installed)
GIW-08	07/20/15							N/A	(HES Installed)
GIW-08	07/21/15							N/A	(HES Installed)
GIW-08	07/22/15							N/A	(HES Installed)
GIW-08	07/23/15							N/A	(HES Installed)
GIW-08	07/24/15	Well not read due to moisture						N/A	(HES Installed)
GIW-08	07/25/15							N/A	(HES Installed)
GIW-08	07/26/15							N/A	(HES Installed)
GIW-08	07/27/15							N/A	(HES Installed)
GIW-08	07/28/15							N/A	(HES Installed)
GIW-08	07/29/15	17.0	46.1	6.4	30.5	98.1	-31.22	N/A	(HES Installed)
GIW-08	07/30/15							N/A	(HES Installed)
GIW-08	07/31/15							N/A	(HES Installed)
GIW-08	08/01/15							N/A	(HES Installed)
GIW-08	08/02/15							N/A	(HES Installed)
GIW-08	08/03/15							N/A	(HES Installed)
GIW-08	08/04/15							N/A	(HES Installed)
GIW-08	08/05/15							N/A	(HES Installed)
GIW-08	08/06/15	19.1	47.9	6.4	26.6	78.8	-26.62	N/A	(HES Installed)
GIW-08	08/07/15							N/A	(HES Installed)
GIW-08	08/08/15							N/A	(HES Installed)
GIW-08	08/09/15							N/A	(HES Installed)
GIW-08	08/10/15							N/A	(HES Installed)
GIW-08	08/11/15							N/A	(HES Installed)
GIW-08	08/12/15	12.6	40.0	8.7	38.7	91.1	-27.74	N/A	(HES Installed)
GIW-08	08/13/15							N/A	(HES Installed)
GIW-08	08/14/15							N/A	(HES Installed)
GIW-08	08/15/15							N/A	(HES Installed)

# GIW-8 Wellhead Temperatures






GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-09	04/12/15							N/A	(Well is Artesian, unable to service)
GIW-09	04/13/15							N/A	(Well is Artesian, unable to service)
GIW-09	04/14/15							N/A	(Well is Artesian, unable to service)
GIW-09	04/15/15							N/A	(Well is Artesian, unable to service)
GIW-09	04/16/15	4.2	60.5	0.0	35.3	189.6	-7.02	N/A	(Well is Artesian, unable to service)
GIW-09	04/17/15							N/A	(Well is Artesian, unable to service)
GIW-09	04/18/15							N/A	(Well is Artesian, unable to service)
GIW-09	04/19/15							N/A	(Well is Artesian, unable to service)
GIW-09	04/20/15							N/A	(Well is Artesian, unable to service)
GIW-09	04/21/15	1.2	65.1	0.0	33.7	190.2	-4.88	N/A	(Well is Artesian, unable to service)
GIW-09	04/22/15							N/A	(Well is Artesian, unable to service)
GIW-09	04/23/15							N/A	(Well is Artesian, unable to service)
GIW-09	04/24/15							N/A	(Well is Artesian, unable to service)
GIW-09	04/25/15							N/A	(Well is Artesian, unable to service)
GIW-09	04/26/15							N/A	(Well is Artesian, unable to service)
GIW-09	04/27/15							N/A	(Well is Artesian, unable to service)
GIW-09	04/28/15							N/A	(Well is Artesian, unable to service)
GIW-09	04/29/15							N/A	(Well is Artesian, unable to service)
GIW-09	04/30/15	1.0	66.9	0.0	32.1	193.7	-7.26	N/A	(Well is Artesian, unable to service)
GIW-09	05/01/15							N/A	(Well is Artesian, unable to service)
GIW-09	05/02/15							N/A	(Well is Artesian, unable to service)
GIW-09	05/03/15							N/A	(Well is Artesian, unable to service)
GIW-09	05/04/15							N/A	(Well is Artesian, unable to service)
GIW-09	05/05/15							N/A	(Well is Artesian, unable to service)
GIW-09	05/06/15	1.0	64.8	0.0	34.2	190.2	-11.77	N/A	(Well is Artesian, unable to service)
GIW-09	05/07/15							N/A	(Well is Artesian, unable to service)
GIW-09	05/08/15							N/A	(Well is Artesian, unable to service)
GIW-09	05/09/15							N/A	(Well is Artesian, unable to service)
GIW-09	05/10/15							N/A	(Well is Artesian, unable to service)
GIW-09	05/11/15							N/A	(Well is Artesian, unable to service)
GIW-09	05/12/15							N/A	(Well is Artesian, unable to service)
GIW-09	05/13/15							N/A	(Well is Artesian, unable to service)
GIW-09	05/14/15	0.6	79.0	0.0	20.4	189.0	-13.40	N/A	(Well is Artesian, unable to service)
GIW-09	05/15/15							N/A	(Well is Artesian, unable to service)
GIW-09	05/16/15							N/A	(Well is Artesian, unable to service)
GIW-09	05/17/15							N/A	(Well is Artesian, unable to service)
GIW-09	05/18/15	1.4	76.8	0.0	21.8	193.0	-14.90	N/A	(Well is Artesian, unable to service)
GIW-09	05/19/15							N/A	(Well is Artesian, unable to service)
GIW-09	05/20/15							N/A	(Well is Artesian, unable to service)
GIW-09	05/21/15							N/A	(Well is Artesian, unable to service)
GIW-09	05/22/15							N/A	(Well is Artesian, unable to service)
GIW-09	05/23/15							N/A	(Well is Artesian, unable to service)
GIW-09	05/24/15							N/A	(Well is Artesian, unable to service)
GIW-09	05/25/15							N/A	(Well is Artesian, unable to service)
GIW-09	05/26/15							N/A	(Well is Artesian, unable to service)

GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-09	05/27/15							N/A	(Well is Artesian, unable to service)
GIW-09	05/28/15							N/A	(Well is Artesian, unable to service)
GIW-09	05/29/15	0.9	64.5	0.1	34.5	191.7	-10.00	N/A	(Well is Artesian, unable to service)
GIW-09	05/30/15							N/A	(Well is Artesian, unable to service)
GIW-09	05/31/15							N/A	(Well is Artesian, unable to service)
GIW-09	06/01/15							N/A	(Well is Artesian, unable to service)
GIW-09	06/02/15							N/A	(Well is Artesian, unable to service)
GIW-09	06/03/15							N/A	(Well is Artesian, unable to service)
GIW-09	06/04/15							N/A	(Well is Artesian, unable to service)
GIW-09	06/05/15	0.7	76.6	0.0	22.7	192.0	-4.90	N/A	(Well is Artesian, unable to service)
GIW-09	06/06/15							N/A	(Well is Artesian, unable to service)
GIW-09	06/07/15							N/A	(Well is Artesian, unable to service)
GIW-09	06/08/15							N/A	(Well is Artesian, unable to service)
GIW-09	06/09/15							N/A	(Well is Artesian, unable to service)
GIW-09	06/10/15							N/A	(Well is Artesian, unable to service)
GIW-09	06/11/15	1.1	63.5	0.4	35.0	191.6	1.09	N/A	(Well is Artesian, unable to service)
GIW-09	06/12/15							N/A	(Well is Artesian, unable to service)
GIW-09	06/13/15							N/A	(Well is Artesian, unable to service)
GIW-09	06/14/15							N/A	(Well is Artesian, unable to service)
GIW-09	06/15/15							N/A	(Well is Artesian, unable to service)
GIW-09	06/16/15							N/A	(Well is Artesian, unable to service)
GIW-09	06/17/15	0.7	33.1	12.0	54.2	178.0	-7.80	N/A	(Well is Artesian, unable to service)
GIW-09	06/18/15							N/A	(Well is Artesian, unable to service)
GIW-09	06/19/15							N/A	(Well is Artesian, unable to service)
GIW-09	06/20/15							N/A	(Well is Artesian, unable to service)
GIW-09	06/21/15							N/A	(HES Installed)
GIW-09	06/22/15							N/A	(HES Installed)
GIW-09	06/23/15	2.3	37.8	11.2	48.7	185.7	-4.46	N/A	(HES Installed)
GIW-09	06/24/15							N/A	(HES Installed)
GIW-09	06/25/15							N/A	(HES Installed)
GIW-09	06/26/15							N/A	(HES Installed)
GIW-09	06/27/15							N/A	(HES Installed)
GIW-09	06/28/15							N/A	(HES Installed)
GIW-09	06/29/15							N/A	(HES Installed)
GIW-09	06/30/15							N/A	(HES Installed)
GIW-09	07/01/15							N/A	(HES Installed)
GIW-09	07/02/15	17.1	47.1	1.6	34.2	87.2	-28.05	N/A	(HES Installed)
GIW-09	07/03/15							N/A	(HES Installed)
GIW-09	07/04/15							N/A	(HES Installed)
GIW-09	07/05/15							N/A	(HES Installed)
GIW-09	07/06/15							N/A	(HES Installed)
GIW-09	07/07/15	18.5	46.2	1.7	33.6	82.5	-28.29	N/A	(HES Installed)
GIW-09	07/08/15							N/A	(HES Installed)
GIW-09	07/09/15							N/A	(HES Installed)
GIW-09	07/10/15							N/A	(HES Installed)

GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-09	07/11/15							N/A	(HES Installed)
GIW-09	07/12/15							N/A	(HES Installed)
GIW-09	07/13/15							N/A	(HES Installed)
GIW-09	07/14/15							N/A	(HES Installed)
GIW-09	07/15/15	12.2	46.5	3.1	38.2	96.0	-27.41	N/A	(HES Installed)
GIW-09	07/16/15							N/A	(HES Installed)
GIW-09	07/17/15							N/A	(HES Installed)
GIW-09	07/18/15							N/A	(HES Installed)
GIW-09	07/19/15							N/A	(HES Installed)
GIW-09	07/20/15							N/A	(HES Installed)
GIW-09	07/21/15							N/A	(HES Installed)
GIW-09	07/22/15							N/A	(HES Installed)
GIW-09	07/23/15							N/A	(HES Installed)
GIW-09	07/24/15	10.2	37.8	4.3	47.7	90.4	-29.27	N/A	(HES Installed)
GIW-09	07/25/15							N/A	(HES Installed)
GIW-09	07/26/15							N/A	(HES Installed)
GIW-09	07/27/15							N/A	(HES Installed)
GIW-09	07/28/15							N/A	(HES Installed)
GIW-09	07/29/15							N/A	(HES Installed)
GIW-09	07/30/15							N/A	(HES Installed)
GIW-09	07/31/15	27.0	35.6	4.0	33.4	102.6	-28.51	N/A	(HES Installed)
GIW-09	08/01/15							N/A	(HES Installed)
GIW-09	08/02/15							N/A	(HES Installed)
GIW-09	08/03/15							N/A	(HES Installed)
GIW-09	08/04/15							N/A	(HES Installed)
GIW-09	08/05/15							N/A	(HES Installed)
GIW-09	08/06/15	14.9	39.6	6.6	38.9	95.0	-26.92	N/A	(HES Installed)
GIW-09	08/07/15							N/A	(HES Installed)
GIW-09	08/08/15							N/A	(HES Installed)
GIW-09	08/09/15							N/A	(HES Installed)
GIW-09	08/10/15							N/A	(HES Installed)
GIW-09	08/11/15							N/A	(HES Installed)
GIW-09	08/12/15	8.9	42.1	6.0	43.0	94.9	-27.26	N/A	(HES Installed)
GIW-09	08/13/15							N/A	(HES Installed)
GIW-09	08/14/15							N/A	(HES Installed)
GIW-09	08/15/15							N/A	(HES Installed)

# GIW-9 Wellhead Temperatures




GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-10	04/12/15							N/A	(HES Installed)
GIW-10	04/13/15							N/A	(HES Installed)
GIW-10	04/14/15							N/A	(HES Installed)
GIW-10	04/15/15							N/A	(HES Installed)
GIW-10	04/16/15	2.4	57.7	0.0	39.9	86.3	-18.07	N/A	(HES Installed)
GIW-10	04/17/15							N/A	(HES Installed)
GIW-10	04/18/15							N/A	(HES Installed)
GIW-10	04/19/15							N/A	(HES Installed)
GIW-10	04/20/15							N/A	(HES Installed)
GIW-10	04/21/15	3.7	59.6	0.0	36.7	73.4	-1.11	N/A	(HES Installed)
GIW-10	04/22/15							N/A	(HES Installed)
GIW-10	04/23/15							N/A	(HES Installed)
GIW-10	04/24/15							N/A	(HES Installed)
GIW-10	04/25/15							N/A	(HES Installed)
GIW-10	04/26/15							N/A	(HES Installed)
GIW-10	04/27/15							N/A	(HES Installed)
GIW-10	04/28/15							N/A	(HES Installed)
GIW-10	04/29/15							N/A	(HES Installed)
GIW-10	04/30/15	4.3	57.8	0.0	37.9	83.2	-1.29	N/A	(HES Installed)
GIW-10	05/01/15							N/A	(HES Installed)
GIW-10	05/02/15							N/A	(HES Installed)
GIW-10	05/03/15							N/A	(HES Installed)
GIW-10	05/04/15							N/A	(HES Installed)
GIW-10	05/05/15							N/A	(HES Installed)
GIW-10	05/06/15	4.9	53.1	0.0	42.0	90.5	-4.36	N/A	(HES Installed)
GIW-10	05/07/15							N/A	(HES Installed)
GIW-10	05/08/15							N/A	(HES Installed)
GIW-10	05/09/15							N/A	(HES Installed)
GIW-10	05/10/15							N/A	(HES Installed)
GIW-10	05/11/15							N/A	(HES Installed)
GIW-10	05/12/15							N/A	(HES Installed)
GIW-10	05/13/15							N/A	(HES Installed)
GIW-10	05/14/15	4.3	64.6	0.0	31.1	65.0	-5.30	N/A	(HES Installed)
GIW-10	05/15/15							N/A	(HES Installed)
GIW-10	05/16/15							N/A	(HES Installed)
GIW-10	05/17/15							N/A	(HES Installed)
GIW-10	05/18/15	4.6	61.1	0.0	34.3	86.0	-3.90	N/A	(HES Installed)
GIW-10	05/19/15							N/A	(HES Installed)
GIW-10	05/20/15							N/A	(HES Installed)
GIW-10	05/21/15							N/A	(HES Installed)
GIW-10	05/22/15							N/A	(HES Installed)
GIW-10	05/23/15							N/A	(HES Installed)
GIW-10	05/24/15							N/A	(HES Installed)
GIW-10	05/25/15							N/A	(HES Installed)
GIW-10	05/26/15							N/A	(HES Installed)

GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-10	05/27/15							N/A	(HES Installed)
GIW-10	05/28/15							N/A	(HES Installed)
GIW-10	05/29/15	4.8	55.8	0.0	39.4	88.4	-5.73	N/A	(HES Installed)
GIW-10	05/30/15							N/A	(HES Installed)
GIW-10	05/31/15							N/A	(HES Installed)
GIW-10	06/01/15							N/A	(HES Installed)
GIW-10	06/02/15							N/A	(HES Installed)
GIW-10	06/03/15							N/A	(HES Installed)
GIW-10	06/04/15							N/A	(HES Installed)
GIW-10	06/05/15	4.4	62.5	0.0	33.1	78.0	-4.00	N/A	(HES Installed)
GIW-10	06/06/15							N/A	(HES Installed)
GIW-10	06/07/15							N/A	(HES Installed)
GIW-10	06/08/15							N/A	(HES Installed)
GIW-10	06/09/15							N/A	(HES Installed)
GIW-10	06/10/15							N/A	(HES Installed)
GIW-10	06/11/15	5.1	54.2	0.0	40.7	97.7	-3.94	N/A	(HES Installed)
GIW-10	06/12/15							N/A	(HES Installed)
GIW-10	06/13/15							N/A	(HES Installed)
GIW-10	06/14/15							N/A	(HES Installed)
GIW-10	06/15/15							N/A	(HES Installed)
GIW-10	06/16/15							N/A	(HES Installed)
GIW-10	06/17/15	5.5	60.7	0.0	33.8	79.0	-4.40	N/A	(HES Installed)
GIW-10	06/18/15							N/A	(HES Installed)
GIW-10	06/19/15							N/A	(HES Installed)
GIW-10	06/20/15							N/A	(HES Installed)
GIW-10	06/21/15							N/A	(HES Installed)
GIW-10	06/22/15							N/A	(HES Installed)
GIW-10	06/23/15	3.7	54.6	0.4	41.3	96.4	-11.97	N/A	(HES Installed)
GIW-10	06/24/15							N/A	(HES Installed)
GIW-10	06/25/15							N/A	(HES Installed)
GIW-10	06/26/15							N/A	(HES Installed)
GIW-10	06/27/15							N/A	(HES Installed)
GIW-10	06/28/15							N/A	(HES Installed)
GIW-10	06/29/15							N/A	(HES Installed)
GIW-10	06/30/15							N/A	(HES Installed)
GIW-10	07/01/15							N/A	(HES Installed)
GIW-10	07/02/15	0.9	53.3	0.1	45.7	73.4	-8.66	N/A	(HES Installed)
GIW-10	07/03/15							N/A	(HES Installed)
GIW-10	07/04/15							N/A	(HES Installed)
GIW-10	07/05/15							N/A	(HES Installed)
GIW-10	07/06/15							N/A	(HES Installed)
GIW-10	07/07/15	0.5	56.5	0.0	43.0	71.8	-12.68	N/A	(HES Installed)
GIW-10	07/08/15							N/A	(HES Installed)
GIW-10	07/09/15							N/A	(HES Installed)
GIW-10	07/10/15							N/A	(HES Installed)

GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-10	07/11/15							N/A	(HES Installed)
GIW-10	07/12/15							N/A	(HES Installed)
GIW-10	07/13/15							N/A	(HES Installed)
GIW-10	07/14/15							N/A	(HES Installed)
GIW-10	07/15/15	0.3	40.0	6.4	53.3	87.5	-20.57	N/A	(HES Installed)
GIW-10	07/16/15							N/A	(HES Installed)
GIW-10	07/17/15							N/A	(HES Installed)
GIW-10	07/18/15							N/A	(HES Installed)
GIW-10	07/19/15							N/A	(HES Installed)
GIW-10	07/20/15							N/A	(HES Installed)
GIW-10	07/21/15							N/A	(HES Installed)
GIW-10	07/22/15							N/A	(HES Installed)
GIW-10	07/23/15							N/A	(HES Installed)
GIW-10	07/24/15	0.6	47.5	2.2	49.7	81.9	-18.41	N/A	(HES Installed)
GIW-10	07/25/15							N/A	(HES Installed)
GIW-10	07/26/15							N/A	(HES Installed)
GIW-10	07/27/15							N/A	(HES Installed)
GIW-10	07/28/15							N/A	(HES Installed)
GIW-10	07/29/15							N/A	(HES Installed)
GIW-10	07/30/15							N/A	(HES Installed)
GIW-10	07/31/15	4.2	43.9	2.4	49.5	100.2	-16.61	N/A	(HES Installed)
GIW-10	08/01/15							N/A	(HES Installed)
GIW-10	08/02/15							N/A	(HES Installed)
GIW-10	08/03/15							N/A	(HES Installed)
GIW-10	08/04/15							N/A	(HES Installed)
GIW-10	08/05/15							N/A	(HES Installed)
GIW-10	08/06/15	0.6	37.7	6.8	54.9	75.0	-14.96	N/A	(HES Installed)
GIW-10	08/07/15							N/A	(HES Installed)
GIW-10	08/08/15							N/A	(HES Installed)
GIW-10	08/09/15							N/A	(HES Installed)
GIW-10	08/10/15							N/A	(HES Installed)
GIW-10	08/11/15							N/A	(HES Installed)
GIW-10	08/12/15							N/A	(HES Installed)
GIW-10	08/13/15							N/A	(HES Installed)
GIW-10	08/14/15							N/A	(HES Installed)
GIW-10	08/15/15							N/A	(HES Installed)

# GIW-10 Wellhead Temperatures






GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-11	04/12/15							Y	
GIW-11	04/13/15							Y	
GIW-11	04/14/15							N	Replaced bottom seal
GIW-11	04/15/15							Y	
GIW-11	04/16/15	1.7	69.5	0.0	28.8	175.0	1.20	Y	
GIW-11	04/17/15							Y	
GIW-11	04/18/15							Y	
GIW-11	04/19/15							Y	
GIW-11	04/20/15							Y	
GIW-11	04/21/15	2.7	62.7	2.0	32.6	166.3	-7.69	N	Replaced bottom seal
GIW-11	04/22/15							Y	
GIW-11	04/23/15							Y	
GIW-11	04/24/15							Y	
GIW-11	04/25/15							Y	
GIW-11	04/26/15							Y	
GIW-11	04/27/15							Y	
GIW-11	04/28/15							Y	
GIW-11	04/29/15							Y	
GIW-11	04/30/15	3.1	58.0	1.2	37.7	167.9	-1.84	Y	
GIW-11	05/01/15							Y	
GIW-11	05/02/15							Y	
GIW-11	05/03/15							Y	
GIW-11	05/04/15							Y	
GIW-11	05/05/15							Y	
GIW-11	05/06/15	3.0	56.0	1.8	39.2	168.5	-2.70	Y	
GIW-11	05/07/15							Y	
GIW-11	05/08/15							Y	
GIW-11	05/09/15							Y	
GIW-11	05/10/15							Y	
GIW-11	05/11/15							Y	
GIW-11	05/12/15							N	Replaced bottom seal
GIW-11	05/13/15							Y	
GIW-11	05/14/15	2.5	59.9	2.8	34.8	166.0	-2.90	Y	
GIW-11	05/15/15							Y	
GIW-11	05/16/15							Y	
GIW-11	05/17/15							Y	
GIW-11	05/18/15	2.9	68.6	0.9	27.6	163.0	-16.50	Y	
GIW-11	05/19/15							N	Replaced bottom seal
GIW-11	05/20/15							Y	
GIW-11	05/21/15							Y	
GIW-11	05/22/15							Y	
GIW-11	05/23/15							Y	
GIW-11	05/24/15							Y	
GIW-11	05/25/15							Y	
GIW-11	05/26/15							Y	

GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-11	05/27/15							Y	
GIW-11	05/28/15							Y	
GIW-11	05/29/15	2.6	53.4	2.7	41.3	165.2	-4.57	Y	
GIW-11	05/30/15							Y	
GIW-11	05/31/15							Y	
GIW-11	06/01/15							Y	
GIW-11	06/02/15							Y	
GIW-11	06/03/15							Y	
GIW-11	06/04/15							Y	
GIW-11	06/05/15	5.6	69.5	0.4	24.5	168.0	-3.90	Y	
GIW-11	06/06/15							Y	
GIW-11	06/07/15							Y	
GIW-11	06/08/15							Y	
GIW-11	06/09/15							Y	
GIW-11	06/10/15							Y	
GIW-11	06/11/15	2.5	50.9	3.6	43.0	166.8	-2.89	Y	
GIW-11	06/12/15							Y	
GIW-11	06/13/15							Y	
GIW-11	06/14/15							Y	
GIW-11	06/15/15							N/A	Pump removed to facilitate HES Installation
GIW-11	06/16/15							N/A	
GIW-11	06/17/15	1.8	73.2	0.3	24.7	164.0	-4.20	N/A	
GIW-11	06/18/15							N/A	
GIW-11	06/19/15							N/A	
GIW-11	06/20/15							N/A	
GIW-11	06/21/15							N/A	(HES Installed)
GIW-11	06/22/15							N/A	(HES Installed)
GIW-11	06/23/15	2.6	53.2	3.9	40.3	169.2	-3.76	N/A	(HES Installed)
GIW-11	06/24/15							N/A	(HES Installed)
GIW-11	06/25/15							N/A	(HES Installed)
GIW-11	06/26/15							N/A	(HES Installed)
GIW-11	06/27/15							N/A	(HES Installed)
GIW-11	06/28/15							N/A	(HES Installed)
GIW-11	06/29/15							N/A	(HES Installed)
GIW-11	06/30/15							N/A	(HES Installed)
GIW-11	07/01/15							N/A	(HES Installed)
GIW-11	07/02/15	2.6	38.6	7.0	51.8	100.8	-15.61	N/A	(HES Installed)
GIW-11	07/03/15							N/A	(HES Installed)
GIW-11	07/04/15							N/A	(HES Installed)
GIW-11	07/05/15							N/A	(HES Installed)
GIW-11	07/06/15							N/A	(HES Installed)
GIW-11	07/07/15	2.8	39.2	6.8	51.2	104.5	-17.93	N/A	(HES Installed)
GIW-11	07/08/15							N/A	(HES Installed)
GIW-11	07/09/15							N/A	(HES Installed)
GIW-11	07/10/15							N/A	(HES Installed)

GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-11	07/11/15							N/A	(HES Installed)
GIW-11	07/12/15							N/A	(HES Installed)
GIW-11	07/13/15							N/A	(HES Installed)
GIW-11	07/14/15							N/A	(HES Installed)
GIW-11	07/15/15	3.7	35.6	8.4	52.3	112.8	-15.14	N/A	(HES Installed)
GIW-11	07/16/15							N/A	(HES Installed)
GIW-11	07/17/15							N/A	(HES Installed)
GIW-11	07/18/15							N/A	(HES Installed)
GIW-11	07/19/15							N/A	(HES Installed)
GIW-11	07/20/15							N/A	(HES Installed)
GIW-11	07/21/15							N/A	(HES Installed)
GIW-11	07/22/15							N/A	(HES Installed)
GIW-11	07/23/15							N/A	(HES Installed)
GIW-11	07/24/15	3.4	42.7	6.4	47.5	106.0	-19.51	N/A	(HES Installed)
GIW-11	07/25/15							N/A	(HES Installed)
GIW-11	07/26/15							N/A	(HES Installed)
GIW-11	07/27/15							N/A	(HES Installed)
GIW-11	07/28/15							N/A	(HES Installed)
GIW-11	07/29/15	3.2	39.2	6.4	51.2	101.5	-17.80	N/A	(HES Installed)
GIW-11	07/30/15							N/A	(HES Installed)
GIW-11	07/31/15							N/A	(HES Installed)
GIW-11	08/01/15							N/A	(HES Installed)
GIW-11	08/02/15							N/A	(HES Installed)
GIW-11	08/03/15							N/A	(HES Installed)
GIW-11	08/04/15							N/A	(HES Installed)
GIW-11	08/05/15							N/A	(HES Installed)
GIW-11	08/06/15	2.1	55.1	2.8	40.0	91.6	-19.23	N/A	(HES Installed)
GIW-11	08/07/15							N/A	(HES Installed)
GIW-11	08/08/15							N/A	(HES Installed)
GIW-11	08/09/15							N/A	(HES Installed)
GIW-11	08/10/15							N/A	(HES Installed)
GIW-11	08/11/15							N/A	(HES Installed)
GIW-11	08/12/15	4.1	37.5	6.8	51.6	95.2	-20.24	N/A	(HES Installed)
GIW-11	08/13/15							N/A	(HES Installed)
GIW-11	08/14/15							N/A	(HES Installed)
GIW-11	08/15/15							N/A	(HES Installed)

# GIW-11 Wellhead Temperatures




GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-12	04/12/15							Y	
GIW-12	04/13/15							Y	
GIW-12	04/14/15							Y	
GIW-12	04/15/15							N	Replaced bottom seal
GIW-12	04/16/15	3.0	64.9	0.6	31.5	180.2	-0.24	Y	
GIW-12	04/17/15							Y	
GIW-12	04/18/15							Y	
GIW-12	04/19/15							Y	
GIW-12	04/20/15							Y	
GIW-12	04/21/15	3.0	51.3	3.9	41.8	177.2	-0.44	Y	
GIW-12	04/22/15							Y	
GIW-12	04/23/15							Y	
GIW-12	04/24/15							Y	
GIW-12	04/25/15							Y	
GIW-12	04/26/15							Y	
GIW-12	04/27/15							Y	
GIW-12	04/28/15							Y	
GIW-12	04/29/15							Y	
GIW-12	04/30/15	6.2	40.3	7.3	46.2	161.4	-0.92	Y	
GIW-12	05/01/15							Y	
GIW-12	05/02/15							Y	
GIW-12	05/03/15							Y	
GIW-12	05/04/15							Y	
GIW-12	05/05/15							Y	
GIW-12	05/06/15	5.9	57.0	1.5	35.6	179.8	-0.41	Y	
GIW-12	05/07/15							Y	
GIW-12	05/08/15							Y	
GIW-12	05/09/15							Y	
GIW-12	05/10/15							Y	
GIW-12	05/11/15							Y	
GIW-12	05/12/15							Y	
GIW-12	05/13/15							Y	
GIW-12	05/14/15	3.7	71.4	0.4	24.5	181.0	-0.20	Y	
GIW-12	05/15/15							Y	
GIW-12	05/16/15							Y	
GIW-12	05/17/15							Y	
GIW-12	05/18/15	5.1	64.7	1.5	28.7	178.0	-0.30	Y	
GIW-12	05/19/15							Y	
GIW-12	05/20/15							Y	
GIW-12	05/21/15							Y	
GIW-12	05/22/15							Y	
GIW-12	05/23/15							Y	
GIW-12	05/24/15							Y	
GIW-12	05/25/15							Y	
GIW-12	05/26/15							Y	

GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-12	05/27/15							Y	
GIW-12	05/28/15							Y	
GIW-12	05/29/15	6.2	35.1	7.7	51.0	158.5	-1.04	Y	
GIW-12	05/30/15							Y	
GIW-12	05/31/15							Y	
GIW-12	06/01/15							Y	
GIW-12	06/02/15							Y	
GIW-12	06/03/15							Y	
GIW-12	06/04/15							Y	
GIW-12	06/05/15	4.9	50.5	4.3	40.3	162.0	-0.40	Y	
GIW-12	06/06/15							Y	
GIW-12	06/07/15							Y	
GIW-12	06/08/15							Y	
GIW-12	06/09/15							Y	
GIW-12	06/10/15							Y	
GIW-12	06/11/15	6.5	46.8	5.0	41.7	161.6	-0.52	Y	
GIW-12	06/12/15							Y	
GIW-12	06/14/15							Y	
GIW-12	06/15/15							N/A	
GIW-12	06/16/15							N/A	Pump removed to facilitate HES Installation
GIW-12	06/17/15							N/A	
GIW-12	06/18/15							N/A	
GIW-12	06/19/15	5.2	53.2	4.2	37.4	160.0	-0.30	N/A	
GIW-12	06/20/15							N/A	
GIW-12	06/20/15							N/A	
GIW-12	06/21/15							N/A	(HES Installed)
GIW-12	06/22/15							N/A	(HES Installed)
GIW-12	06/23/15	4.3	55.3	3.6	36.8	166.9	-0.27	N/A	(HES Installed)
GIW-12	06/24/15							N/A	(HES Installed)
GIW-12	06/25/15							N/A	(HES Installed)
GIW-12	06/26/15							N/A	(HES Installed)
GIW-12	06/27/15							N/A	(HES Installed)
GIW-12	06/28/15							N/A	(HES Installed)
GIW-12	06/29/15							N/A	(HES Installed)
GIW-12	06/30/15							N/A	(HES Installed)
GIW-12	07/01/15							N/A	(HES Installed)
GIW-12	07/02/15	5.0	23.5	10.9	60.6	110.5	-15.67	N/A	(HES Installed)
GIW-12	07/03/15							N/A	(HES Installed)
GIW-12	07/04/15							N/A	(HES Installed)
GIW-12	07/05/15							N/A	(HES Installed)
GIW-12	07/06/15							N/A	(HES Installed)
GIW-12	07/07/15	5.1	23.4	10.4	61.1	110.7	-16.10	N/A	(HES Installed)
GIW-12	07/08/15							N/A	(HES Installed)
GIW-12	07/09/15							N/A	(HES Installed)
GIW-12	07/10/15							N/A	(HES Installed)

GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-12	07/11/15							N/A	(HES Installed)
GIW-12	07/12/15							N/A	(HES Installed)
GIW-12	07/13/15							N/A	(HES Installed)
GIW-12	07/14/15							N/A	(HES Installed)
GIW-12	07/15/15	5.5	20.9	10.8	62.8	111.6	-19.23	N/A	(HES Installed)
GIW-12	07/16/15							N/A	(HES Installed)
GIW-12	07/17/15							N/A	(HES Installed)
GIW-12	07/18/15							N/A	(HES Installed)
GIW-12	07/19/15							N/A	(HES Installed)
GIW-12	07/20/15							N/A	(HES Installed)
GIW-12	07/21/15							N/A	(HES Installed)
GIW-12	07/22/15							N/A	(HES Installed)
GIW-12	07/23/15							N/A	(HES Installed)
GIW-12	07/24/15	5.6	27.5	8.8	58.1	116.1	-18.41	N/A	(HES Installed)
GIW-12	07/25/15							N/A	(HES Installed)
GIW-12	07/26/15							N/A	(HES Installed)
GIW-12	07/27/15							N/A	(HES Installed)
GIW-12	07/28/15							N/A	(HES Installed)
GIW-12	07/29/15	7.3	27.4	7.0	58.3	114.3	-16.28	N/A	(HES Installed)
GIW-12	07/30/15							N/A	(HES Installed)
GIW-12	07/31/15							N/A	(HES Installed)
GIW-12	08/01/15							N/A	(HES Installed)
GIW-12	08/02/15							N/A	(HES Installed)
GIW-12	08/03/15							N/A	(HES Installed)
GIW-12	08/04/15							N/A	(HES Installed)
GIW-12	08/05/15							N/A	(HES Installed)
GIW-12	08/06/15	7.1	26.6	8.9	57.4	114.7	-17.77	N/A	(HES Installed)
GIW-12	08/07/15							N/A	(HES Installed)
GIW-12	08/08/15							N/A	(HES Installed)
GIW-12	08/09/15							N/A	(HES Installed)
GIW-12	08/10/15							N/A	(HES Installed)
GIW-12	08/11/15							N/A	(HES Installed)
GIW-12	08/12/15	7.6	14.2	8.9	69.3	108.3	-20.00	N/A	(HES Installed)
GIW-12	08/13/15							N/A	(HES Installed)
GIW-12	08/14/15							N/A	(HES Installed)
GIW-12	08/15/15							N/A	(HES Installed)

# GIW-12 Wellhead Temperatures





GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-13	04/12/15							Y	
GIW-13	04/13/15							Y	
GIW-13	04/14/15							Y	
GIW-13	04/15/15							Y	
GIW-13	04/16/15	3.1	61.5	0.0	35.4	171.4	-2.88	Y	
GIW-13	04/17/15							Y	
GIW-13	04/18/15							Y	
GIW-13	04/19/15							Y	
GIW-13	04/20/15							Y	
GIW-13	04/21/15	3.4	65.6	0.0	31.0	169.2	-0.49	Y	
GIW-13	04/22/15							Y	
GIW-13	04/23/15							Y	
GIW-13	04/24/15							Y	
GIW-13	04/25/15							Y	
GIW-13	04/26/15							Y	
GIW-13	04/27/15							Y	
GIW-13	04/28/15							Y	
GIW-13	04/29/15							Y	
GIW-13	04/30/15	5.4	59.1	0.0	35.5	166.4	-4.62	Y	
GIW-13	05/01/15							Y	
GIW-13	05/02/15							Y	
GIW-13	05/03/15							Y	
GIW-13	05/04/15							Y	
GIW-13	05/05/15							Y	
GIW-13	05/06/15	8.2	59.7	0.0	32.1	172.1	-4.67	Y	
GIW-13	05/07/15							Y	
GIW-13	05/08/15							Y	
GIW-13	05/09/15							Y	
GIW-13	05/10/15							Y	
GIW-13	05/11/15							Y	
GIW-13	05/12/15							Y	
GIW-13	05/13/15							Y	
GIW-13	05/14/15	7.5	66.9	0.0	25.6	158.0	-6.10	Y	
GIW-13	05/15/15							Y	
GIW-13	05/16/15							Y	
GIW-13	05/17/15							Y	
GIW-13	05/18/15	7.6	68.8	0.0	23.6	165.0	-4.10	Y	
GIW-13	05/19/15							Y	
GIW-13	05/20/15							Y	
GIW-13	05/21/15							Y	
GIW-13	05/22/15							Y	
GIW-13	05/23/15							Y	
GIW-13	05/24/15							Y	
GIW-13	05/25/15							Y	
GIW-13	05/26/15							Y	

GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-13	05/27/15							Y	
GIW-13	05/28/15							Y	
GIW-13	05/29/15	8.7	58.1	0.0	33.2	162.2	-6.59	Y	
GIW-13	05/30/15							Y	
GIW-13	05/31/15							Y	
GIW-13	06/01/15							Y	
GIW-13	06/02/15							Y	
GIW-13	06/03/15							Y	
GIW-13	06/04/15							Y	
GIW-13	06/05/15	8.0	65.9	0.0	26.1	157.0	-4.30	Y	
GIW-13	06/06/15							Y	
GIW-13	06/07/15							Y	
GIW-13	06/08/15							Y	
GIW-13	06/09/15							Y	
GIW-13	06/10/15							Y	
GIW-13	06/11/15	3.8	62.8	0.0	33.4	137.1	2.67	Y	
GIW-13	06/12/15							Y	
GIW-13	06/13/15							Y	
GIW-13	06/14/15							Y	
GIW-13	06/15/15							N/A	Pump removed to facilitate HES Installation
GIW-13	06/16/15							N/A	
GIW-13	06/17/15							N/A	
GIW-13	06/18/15							N/A	
GIW-13	06/19/15	3.6	70.3	0.0	26.1	147.0	-1.40	N/A	
GIW-13	06/20/15							N/A	
GIW-13	06/21/15							N/A	(HES Installed)
GIW-13	06/22/15							N/A	(HES Installed)
GIW-13	06/23/15	5.2	55.7	0.2	38.9	162.8	-1.62	N/A	(HES Installed)
GIW-13	06/24/15							N/A	(HES Installed)
GIW-13	06/25/15							N/A	(HES Installed)
GIW-13	06/26/15							N/A	(HES Installed)
GIW-13	06/27/15							N/A	(HES Installed)
GIW-13	06/28/15							N/A	(HES Installed)
GIW-13	06/29/15							N/A	(HES Installed)
GIW-13	06/30/15							N/A	(HES Installed)
GIW-13	07/01/15							N/A	(HES Installed)
GIW-13	07/02/15	1.8	58.7	0.0	39.5	70.7	3.94	N/A	(HES Installed)
GIW-13	07/03/15							N/A	(HES Installed)
GIW-13	07/04/15							N/A	(HES Installed)
GIW-13	07/05/15							N/A	(HES Installed)
GIW-13	07/06/15							N/A	(HES Installed)
GIW-13	07/07/15	1.7	61.0	0.0	37.3	71.6	2.79	N/A	(HES Installed)
GIW-13	07/08/15							N/A	(HES Installed)
GIW-13	07/09/15							N/A	(HES Installed)
GIW-13	07/10/15							N/A	(HES Installed)

GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-13	07/11/15							N/A	(HES Installed)
GIW-13	07/12/15							N/A	(HES Installed)
GIW-13	07/13/15							N/A	(HES Installed)
GIW-13	07/14/15							N/A	(HES Installed)
GIW-13	07/15/15	1.8	61.7	0.5	36.0	95.0	-0.87	N/A	(HES Installed)
GIW-13	07/16/15							N/A	(HES Installed)
GIW-13	07/17/15							N/A	(HES Installed)
GIW-13	07/18/15							N/A	(HES Installed)
GIW-13	07/19/15							N/A	(HES Installed)
GIW-13	07/20/15							N/A	(HES Installed)
GIW-13	07/21/15							N/A	(HES Installed)
GIW-13	07/22/15							N/A	(HES Installed)
GIW-13	07/23/15							N/A	(HES Installed)
GIW-13	07/24/15	4.1	59.6	0.0	36.3	83.3	-1.10	N/A	(HES Installed)
GIW-13	07/25/15							N/A	(HES Installed)
GIW-13	07/26/15							N/A	(HES Installed)
GIW-13	07/27/15							N/A	(HES Installed)
GIW-13	07/28/15							N/A	(HES Installed)
GIW-13	07/29/15	4.1	59.8	0.0	36.1	94.8	1.97	N/A	(HES Installed)
GIW-13	07/30/15							N/A	(HES Installed)
GIW-13	07/31/15							N/A	(HES Installed)
GIW-13	08/01/15							N/A	(HES Installed)
GIW-13	08/02/15							N/A	(HES Installed)
GIW-13	08/03/15							N/A	(HES Installed)
GIW-13	08/04/15							N/A	(HES Installed)
GIW-13	08/05/15							N/A	(HES Installed)
GIW-13	08/06/15	3.9	63.4	0.5	32.2	78.1	-0.15	N/A	(HES Installed)
GIW-13	08/07/15							N/A	(HES Installed)
GIW-13	08/08/15							N/A	(HES Installed)
GIW-13	08/09/15							N/A	(HES Installed)
GIW-13	08/10/15							N/A	(HES Installed)
GIW-13	08/11/15							N/A	(HES Installed)
GIW-13	08/12/15	6.5	29.8	1.0	62.7	124.9	-6.65	N/A	(HES Installed)
GIW-13	08/13/15							N/A	(HES Installed)
GIW-13	08/14/15							N/A	(HES Installed)
GIW-13	08/15/15							N/A	(HES Installed)

# GIW-13 Wellhead Temperatures

