


| GIW ID# | Reading Date | CH4 (% Vol.) | CO2 (% Vol.) | Oxygen (% Vol.) | Balance (% Vol.) | Wellhead Temp. (°F) | Initial Static Pressure (In W.C.) | Pump Operational (Y/N) | Comments |
|---------|--------------|--------------|--------------|-----------------|------------------|---------------------|-----------------------------------|------------------------|----------|
| GIW-01 | 05/03/15 | | | | | | | Y | |
| GIW-01 | 05/04/15 | | | | | | | Y | |
| GIW-01 | 05/05/15 | | | | | | | Y | |
| GIW-01 | 05/06/15 | 5.4 | 64.6 | 0.0 | 30.0 | 191.9 | -4.08 | Y | |
| GIW-01 | 05/07/15 | | | | | | | Y | |
| GIW-01 | 05/08/15 | | | | | | | Y | |
| GIW-01 | 05/09/15 | | | | | | | Y | |
| GIW-01 | 05/10/15 | | | | | | | Y | |
| GIW-01 | 05/11/15 | | | | | | | Y | |
| GIW-01 | 05/12/15 | | | | | | | Y | |
| GIW-01 | 05/13/15 | | | | | | | Y | |
| GIW-01 | 05/14/15 | 5.8 | 75.2 | 0.0 | 19.0 | 193.0 | -4.30 | Y | |
| GIW-01 | 05/15/15 | | | | | | | Y | |
| GIW-01 | 05/16/15 | | | | | | | Y | |
| GIW-01 | 05/17/15 | | | | | | | Y | |
| GIW-01 | 05/18/15 | 5.8 | 74.1 | 0.0 | 20.1 | 195.0 | -1.10 | Y | |
| GIW-01 | 05/19/15 | | | | | | | Y | |
| GIW-01 | 05/20/15 | | | | | | | Y | |
| GIW-01 | 05/21/15 | | | | | | | Y | |
| GIW-01 | 05/22/15 | | | | | | | Y | |
| GIW-01 | 05/23/15 | | | | | | | Y | |
| GIW-01 | 05/24/15 | | | | | | | Y | |
| GIW-01 | 05/25/15 | | | | | | | Y | |
| GIW-01 | 05/26/15 | | | | | | | Y | |
| GIW-01 | 05/27/15 | | | | | | | Y | |
| GIW-01 | 05/28/15 | | | | | | | Y | |
| GIW-01 | 05/29/15 | 6.2 | 57.9 | 0.0 | 35.9 | 192.9 | -6.77 | Y | |
| GIW-01 | 05/30/15 | | | | | | | Y | |
| GIW-01 | 05/31/15 | | | | | | | Y | |
| GIW-01 | 06/01/15 | | | | | | | Y | |
| GIW-01 | 06/02/15 | | | | | | | Y | |
| GIW-01 | 06/03/15 | | | | | | | Y | |
| GIW-01 | 06/04/15 | | | | | | | Y | |
| GIW-01 | 06/05/15 | 5.9 | 72.5 | 0.0 | 21.6 | 193.0 | -4.70 | Y | |
| GIW-01 | 06/06/15 | | | | | | | Y | |
| GIW-01 | 06/07/15 | | | | | | | Y | |
| GIW-01 | 06/08/15 | | | | | | | Y | |

| GIW ID# | Reading Date | CH4 (% Vol.) | CO2 (% Vol.) | Oxygen (% Vol.) | Balance (% Vol.) | Wellhead Temp. (°F) | Initial Static Pressure (In W.C.) | Pump Operational (Y/N) | Comments |
|---------|--------------|--------------|--------------|-----------------|------------------|---------------------|-----------------------------------|------------------------|------------------------|
| GIW-01 | 06/09/15 | | | | | | | Y | |
| GIW-01 | 06/10/15 | | | | | | | Y | |
| GIW-01 | 06/11/15 | 4.1 | 59.9 | 0.0 | 36.0 | 192.3 | -4.95 | Y | |
| GIW-01 | 06/12/15 | | | | | | | Y | |
| GIW-01 | 06/13/15 | | | | | | | Y | |
| GIW-01 | 06/14/15 | | | | | | | Y | |
| GIW-01 | 06/15/15 | | | | | | | Y | |
| GIW-01 | 06/16/15 | | | | | | | Y | |
| GIW-01 | 06/17/15 | | | | | | | Y | |
| GIW-01 | 06/18/15 | | | | | | | Y | |
| GIW-01 | 06/19/15 | 3.8 | 74.4 | 0.0 | 21.8 | 192.0 | -4.10 | Y | |
| GIW-01 | 06/20/15 | | | | | | | Y | |
| GIW-01 | 06/21/15 | | | | | | | Y | |
| GIW-01 | 06/22/15 | | | | | | | Y | |
| GIW-01 | 06/23/15 | 3.8 | 66.3 | 0.5 | 29.4 | 190.8 | -3.88 | Y | |
| GIW-01 | 06/24/15 | | | | | | | Y | |
| GIW-01 | 06/25/15 | | | | | | | Y | |
| GIW-01 | 06/26/15 | | | | | | | Y | |
| GIW-01 | 06/27/15 | | | | | | | Y | |
| GIW-01 | 06/28/15 | | | | | | | Y | |
| GIW-01 | 06/29/15 | | | | | | | Y | |
| GIW-01 | 06/30/15 | | | | | | | Y | |
| GIW-01 | 07/01/15 | | | | | | | Y | |
| GIW-01 | 07/02/15 | 2.3 | 65.2 | 0.0 | 32.5 | 176.4 | -13.54 | Y | |
| GIW-01 | 07/03/15 | | | | | | | Y | |
| GIW-01 | 07/04/15 | | | | | | | Y | |
| GIW-01 | 07/05/15 | | | | | | | Y | |
| GIW-01 | 07/06/15 | | | | | | | Y | |
| GIW-01 | 07/07/15 | 2.2 | 63.5 | 0.1 | 34.2 | 159.0 | -10.85 | Y | |
| GIW-01 | 07/08/15 | | | | | | | Y | |
| GIW-01 | 07/09/15 | | | | | | | Y | (Replaced bottom seal) |
| GIW-01 | 07/10/15 | | | | | | | Y | |
| GIW-01 | 07/11/15 | | | | | | | Y | |
| GIW-01 | 07/12/15 | | | | | | | Y | |
| GIW-01 | 07/13/15 | | | | | | | Y | |
| GIW-01 | 07/14/15 | | | | | | | Y | |
| GIW-01 | 07/15/15 | 2.0 | 66.8 | 0.7 | 30.5 | 176.2 | -4.95 | Y | |

| GIW ID# | Reading Date | CH4 (% Vol.) | CO2 (% Vol.) | Oxygen (% Vol.) | Balance (% Vol.) | Wellhead Temp. (°F) | Initial Static Pressure (In W.C.) | Pump Operational (Y/N) | Comments |
|---------|--------------|--------------|--------------|-----------------|------------------|---------------------|-----------------------------------|------------------------|----------|
| GIW-01 | 07/16/15 | | | | | | | Y | |
| GIW-01 | 07/17/15 | | | | | | | Y | |
| GIW-01 | 07/18/15 | | | | | | | Y | |
| GIW-01 | 07/19/15 | | | | | | | Y | |
| GIW-01 | 07/20/15 | | | | | | | Y | |
| GIW-01 | 07/21/15 | | | | | | | Y | |
| GIW-01 | 07/22/15 | | | | | | | Y | |
| GIW-01 | 07/23/15 | | | | | | | Y | |
| GIW-01 | 07/24/15 | 2.2 | 63.9 | 0.0 | 33.9 | 169.5 | -7.32 | Y | |
| GIW-01 | 07/25/15 | | | | | | | Y | |
| GIW-01 | 07/26/15 | | | | | | | Y | |
| GIW-01 | 07/27/15 | | | | | | | Y | |
| GIW-01 | 07/28/15 | | | | | | | Y | |
| GIW-01 | 07/29/15 | 2.5 | 65.9 | 0.0 | 31.6 | 171.2 | -2.81 | Y | |
| GIW-01 | 07/30/15 | | | | | | | Y | |
| GIW-01 | 07/31/15 | | | | | | | Y | |
| GIW-01 | 08/01/15 | | | | | | | Y | |
| GIW-01 | 08/02/15 | | | | | | | Y | |
| GIW-01 | 08/03/15 | | | | | | | Y | |
| GIW-01 | 08/04/15 | | | | | | | Y | |
| GIW-01 | 08/05/15 | | | | | | | Y | |
| GIW-01 | 08/06/15 | 1.2 | 57.2 | 0.3 | 41.3 | 179.8 | -4.83 | Y | |
| GIW-01 | 08/07/15 | | | | | | | Y | |
| GIW-01 | 08/08/15 | | | | | | | Y | |
| GIW-01 | 08/09/15 | | | | | | | Y | |
| GIW-01 | 08/10/15 | | | | | | | Y | |
| GIW-01 | 08/11/15 | | | | | | | Y | |
| GIW-01 | 08/12/15 | 3.8 | 60.2 | 0.0 | 36.0 | 188.8 | -14.39 | Y | |
| GIW-01 | 08/13/15 | | | | | | | Y | |
| GIW-01 | 08/14/15 | | | | | | | Y | |
| GIW-01 | 08/15/15 | | | | | | | Y | |
| GIW-01 | 08/16/15 | | | | | | | Y | |
| GIW-01 | 08/17/15 | | | | | | | Y | |
| GIW-01 | 08/18/15 | | | | | | | Y | |
| GIW-01 | 08/19/15 | | | | | | | Y | |
| GIW-01 | 08/20/15 | 4.8 | 68.4 | 0.0 | 26.8 | 189.1 | -11.36 | Y | |
| GIW-01 | 08/21/15 | | | | | | | Y | |

| GIW ID# | Reading Date | CH4 (% Vol.) | CO2 (% Vol.) | Oxygen (% Vol.) | Balance (% Vol.) | Wellhead Temp. (°F) | Initial Static Pressure (In W.C.) | Pump Operational (Y/N) | Comments |
|---------|--------------|--------------|--------------|-----------------|------------------|---------------------|-----------------------------------|------------------------|----------|
| GIW-01 | 08/22/15 | | | | | | | Y | |
| GIW-01 | 08/23/15 | | | | | | | Y | |
| GIW-01 | 08/24/15 | | | | | | | Y | |
| GIW-01 | 08/25/15 | | | | | | | Y | |
| GIW-01 | 08/26/15 | 2.9 | 63.0 | 0.0 | 34.1 | 177.5 | -15.30 | Y | |
| GIW-01 | 08/27/15 | | | | | | | Y | |
| GIW-01 | 08/28/15 | | | | | | | Y | |
| GIW-01 | 08/29/15 | | | | | | | Y | |
| GIW-01 | 08/30/15 | | | | | | | Y | |
| GIW-01 | 08/31/15 | | | | | | | Y | |
| GIW-01 | 09/01/15 | | | | | | | Y | |
| GIW-01 | 09/02/15 | | | | | | | Y | |
| GIW-01 | 09/03/15 | 4.6 | 65.3 | 0.1 | 30.0 | 188.5 | -11.46 | Y | |
| GIW-01 | 09/04/15 | | | | | | | Y | |

GIW-1 Wellhead Temperatures




| GIW ID# | Reading Date | CH4 (% Vol.) | CO2 (% Vol.) | Oxygen (% Vol.) | Balance (% Vol.) | Wellhead Temp. (F) | Pressure (In W.C.) | Pump Operational (Y/N) | Comments |
|---------|--------------|--------------|--------------|-----------------|------------------|--------------------|--------------------|------------------------|-----------------|
| GIW-02 | 05/03/15 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 05/04/15 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 05/05/15 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 05/06/15 | 16.8 | 42.8 | 2.9 | 37.5 | 92.5 | -3.49 | N/A | (HES Installed) |
| GIW-02 | 05/07/15 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 05/08/15 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 05/09/15 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 05/10/15 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 05/11/15 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 05/12/15 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 05/13/15 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 05/14/15 | 10.6 | 45.9 | 3.7 | 39.8 | 75.0 | -2.80 | N/A | (HES Installed) |
| GIW-02 | 05/15/15 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 05/16/15 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 05/17/15 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 05/18/15 | 12.1 | 45.4 | 3.9 | 38.6 | 91.0 | -1.00 | N/A | (HES Installed) |
| GIW-02 | 05/19/15 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 05/20/15 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 05/21/15 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 05/22/15 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 05/23/15 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 05/24/15 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 05/25/15 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 05/26/15 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 05/27/15 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 05/28/15 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 05/29/15 | 8.7 | 48.1 | 3.4 | 39.8 | 84.5 | -0.55 | N/A | (HES Installed) |
| GIW-02 | 05/30/15 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 05/31/15 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 06/01/15 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 06/02/15 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 06/03/15 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 06/04/15 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 06/05/15 | 6.2 | 56.9 | 2.6 | 34.3 | 79.0 | -0.50 | N/A | (HES Installed) |
| GIW-02 | 06/06/15 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 06/07/15 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 06/08/15 | | | | | | | N/A | (HES Installed) |

| GIW ID# | Reading Date | CH4 (% Vol.) | CO2 (% Vol.) | Oxygen (% Vol.) | Balance (% Vol.) | Wellhead Temp. (F) | Pressure (In W.C.) | Pump Operational (Y/N) | Comments |
|---------|--------------|--------------|--------------|-----------------|------------------|--------------------|--------------------|------------------------|-----------------|
| GIW-02 | 06/09/15 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 06/10/15 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 06/11/15 | 3.4 | 57.3 | 1.1 | 38.2 | 99.9 | -0.30 | N/A | (HES Installed) |
| GIW-02 | 06/12/15 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 06/13/15 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 06/14/15 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 06/15/15 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 06/16/15 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 06/17/15 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 06/18/15 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 06/19/15 | 3.7 | 64.1 | 0.8 | 31.4 | 76.0 | -0.30 | N/A | (HES Installed) |
| GIW-02 | 06/20/15 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 06/21/15 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 06/22/15 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 06/23/15 | 3.6 | 56.5 | 1.6 | 38.3 | 96.0 | -0.29 | N/A | (HES Installed) |
| GIW-02 | 06/24/15 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 06/25/15 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 06/26/15 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 06/27/15 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 06/28/15 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 06/29/15 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 06/30/15 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 07/01/15 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 07/02/15 | 0.7 | 63.3 | 0.2 | 35.8 | 73.6 | -15.61 | N/A | (HES Installed) |
| GIW-02 | 07/03/15 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 07/04/15 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 07/05/15 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 07/06/15 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 07/07/15 | 0.8 | 62.5 | 0.2 | 36.5 | 71.1 | -16.40 | N/A | (HES Installed) |
| GIW-02 | 07/08/15 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 07/09/15 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 07/10/15 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 07/11/15 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 07/12/15 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 07/13/15 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 07/14/15 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 07/15/15 | 0.6 | 63.9 | 0.2 | 35.3 | 85.5 | 2.93 | N/A | (HES Installed) |

| GIW ID# | Reading Date | CH4 (% Vol.) | CO2 (% Vol.) | Oxygen (% Vol.) | Balance (% Vol.) | Wellhead Temp. (F) | Pressure (In W.C.) | Pump Operational (Y/N) | Comments |
|---------|--------------|--------------|--------------|-----------------|------------------|--------------------|--------------------|------------------------|-----------------|
| GIW-02 | 07/16/15 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 07/17/15 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 07/18/15 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 07/19/15 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 07/20/15 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 07/21/15 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 07/22/15 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 07/23/15 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 07/24/15 | 0.7 | 58.0 | 0.3 | 41.0 | 79.7 | -16.52 | N/A | (HES Installed) |
| GIW-02 | 07/25/15 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 07/26/15 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 07/27/15 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 07/28/15 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 07/29/15 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 07/30/15 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 07/31/15 | 4.0 | 65.0 | 0.4 | 30.6 | 101.3 | -15.63 | N/A | (HES Installed) |
| GIW-02 | 08/01/15 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 08/02/15 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 08/03/15 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 08/04/15 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 08/05/15 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 08/06/15 | 0.5 | 56.3 | 4.2 | 39.0 | 76.2 | -13.92 | N/A | (HES Installed) |
| GIW-02 | 08/07/15 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 08/08/15 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 08/09/15 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 08/10/15 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 08/11/15 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 08/12/15 | 0.6 | 49.8 | 1.4 | 48.2 | 89.9 | -1.19 | N/A | (HES Installed) |
| GIW-02 | 08/13/15 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 08/14/15 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 08/15/15 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 08/16/15 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 08/17/15 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 08/18/15 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 08/19/15 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 08/20/15 | 1.4 | 64.2 | 0.3 | 34.1 | 81.3 | -1.15 | N/A | (HES Installed) |
| GIW-02 | 08/21/15 | | | | | | | N/A | (HES Installed) |

| GIW ID# | Reading Date | CH4 (% Vol.) | CO2 (% Vol.) | Oxygen (% Vol.) | Balance (% Vol.) | Wellhead Temp. (F) | Pressure (In W.C.) | Pump Operational (Y/N) | Comments |
|---------|--------------|--------------|--------------|-----------------|------------------|--------------------|--------------------|------------------------|-----------------|
| GIW-02 | 08/22/15 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 08/23/15 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 08/24/15 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 08/25/15 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 08/26/15 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 08/27/15 | 4.6 | 63.7 | 0.0 | 31.7 | 84.4 | -0.63 | N/A | (HES Installed) |
| GIW-02 | 08/28/15 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 08/29/15 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 08/30/15 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 08/31/15 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 09/01/15 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 09/02/15 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 09/03/15 | 4.2 | 63.2 | 0.0 | 32.6 | 100.4 | -0.70 | N/A | (HES Installed) |
| GIW-02 | 09/04/15 | | | | | | | N/A | (HES Installed) |

GIW-2 Wellhead Temperatures




| GIW ID# | Reading Date | CH4 (% Vol.) | CO2 (% Vol.) | Oxygen (% Vol.) | Balance (% Vol.) | Wellhead Temp. (F) | Adj. Static Pressure (In W.C.) | Pump Operational (Y/N) | Comments |
|---------|--------------|--------------|--------------|-----------------|------------------|--------------------|--------------------------------|------------------------|-----------------|
| GIW-03 | 05/03/15 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 05/04/15 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 05/05/15 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 05/06/15 | 1.4 | 54.4 | 3.2 | 41.0 | 90.5 | -0.42 | N/A | (HES Installed) |
| GIW-03 | 05/07/15 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 05/08/15 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 05/09/15 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 05/10/15 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 05/11/15 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 05/12/15 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 05/13/15 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 05/14/15 | 0.6 | 68.9 | 0.0 | 30.5 | 73.0 | 0.00 | N/A | (HES Installed) |
| GIW-03 | 05/15/15 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 05/16/15 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 05/17/15 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 05/18/15 | 0.5 | 50.3 | 5.9 | 43.3 | 86.0 | -1.20 | N/A | (HES Installed) |
| GIW-03 | 05/19/15 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 05/20/15 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 05/21/15 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 05/22/15 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 05/23/15 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 05/24/15 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 05/25/15 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 05/26/15 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 05/27/15 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 05/28/15 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 05/29/15 | 0.6 | 48.1 | 5.4 | 45.9 | 87.5 | -0.49 | N/A | (HES Installed) |
| GIW-03 | 05/30/15 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 05/31/15 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 06/01/15 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 06/02/15 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 06/03/15 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 06/04/15 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 06/05/15 | 0.5 | 57.5 | 3.2 | 38.8 | 79.0 | -0.30 | N/A | (HES Installed) |
| GIW-03 | 06/06/15 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 06/06/15 | | | | | | | N/A | (HES Installed) |

| GIW ID# | Reading Date | CH4 (% Vol.) | CO2 (% Vol.) | Oxygen (% Vol.) | Balance (% Vol.) | Wellhead Temp. (F) | Adj. Static Pressure (In W.C.) | Pump Operational (Y/N) | Comments |
|---------|--------------|--------------|--------------|-----------------|------------------|--------------------|--------------------------------|------------------------|-----------------|
| GIW-03 | 06/07/15 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 06/08/15 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 06/09/15 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 06/10/15 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 06/11/15 | 0.3 | 50.1 | 4.5 | 45.1 | 97.5 | -0.76 | N/A | (HES Installed) |
| GIW-03 | 06/12/15 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 06/13/15 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 06/14/15 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 06/15/15 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 06/16/15 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 06/17/15 | 0.4 | 60.1 | 2.5 | 37.0 | 78.0 | -0.30 | N/A | (HES Installed) |
| GIW-03 | 06/18/15 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 06/19/15 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 06/20/15 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 06/21/15 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 06/22/15 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 06/23/15 | 0.6 | 60.2 | 1.4 | 37.8 | 95.0 | -0.15 | N/A | (HES Installed) |
| GIW-03 | 06/24/15 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 06/25/15 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 06/26/15 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 06/27/15 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 06/28/15 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 06/29/15 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 06/30/15 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 07/01/15 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 07/02/15 | 0.6 | 52.6 | 4.1 | 42.7 | 74.2 | -0.44 | N/A | (HES Installed) |
| GIW-03 | 07/03/15 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 07/04/15 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 07/05/15 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 07/06/15 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 07/07/15 | 0.5 | 40.6 | 8.3 | 50.6 | 71.8 | -1.39 | N/A | (HES Installed) |
| GIW-03 | 07/08/15 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 07/09/15 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 07/10/15 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 07/11/15 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 07/12/15 | | | | | | | N/A | (HES Installed) |

| GIW ID# | Reading Date | CH4 (% Vol.) | CO2 (% Vol.) | Oxygen (% Vol.) | Balance (% Vol.) | Wellhead Temp. (F) | Adj. Static Pressure (In W.C.) | Pump Operational (Y/N) | Comments |
|---------|--------------|--------------|--------------|-----------------|------------------|--------------------|--------------------------------|------------------------|-----------------|
| GIW-03 | 07/13/15 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 07/14/15 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 07/15/15 | 0.5 | 47.1 | 9.2 | 43.2 | 87.4 | -2.60 | N/A | (HES Installed) |
| GIW-03 | 07/16/15 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 07/17/15 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 07/18/15 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 07/19/15 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 07/20/15 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 07/21/15 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 07/22/15 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 07/23/15 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 07/24/15 | 0.4 | 46.6 | 6.5 | 46.5 | 82.8 | -0.76 | N/A | (HES Installed) |
| GIW-03 | 07/25/15 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 07/26/15 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 07/27/15 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 07/28/15 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 07/29/15 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 07/30/15 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 07/31/15 | 3.3 | 47.7 | 6.3 | 42.7 | 102.5 | -0.90 | N/A | (HES Installed) |
| GIW-03 | 08/01/15 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 08/02/15 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 08/03/15 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 08/04/15 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 08/05/15 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 08/06/15 | 0.4 | 58.3 | 4.9 | 36.4 | 78.4 | -0.23 | N/A | (HES Installed) |
| GIW-03 | 08/07/15 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 08/08/15 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 08/09/15 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 08/10/15 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 08/11/15 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 08/12/15 | 0.3 | 57.8 | 2.2 | 39.7 | 91.3 | -0.17 | N/A | (HES Installed) |
| GIW-03 | 08/13/15 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 08/14/15 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 08/15/15 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 08/16/15 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 08/17/15 | | | | | | | N/A | (HES Installed) |

| GIW ID# | Reading Date | CH4 (% Vol.) | CO2 (% Vol.) | Oxygen (% Vol.) | Balance (% Vol.) | Wellhead Temp. (F) | Adj. Static Pressure (In W.C.) | Pump Operational (Y/N) | Comments |
|---------|--------------|--------------|--------------|-----------------|------------------|--------------------|--------------------------------|------------------------|-----------------|
| GIW-03 | 08/18/15 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 08/19/15 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 08/20/15 | 0.3 | 43.4 | 8.9 | 47.4 | 80.0 | -3.01 | N/A | (HES Installed) |
| GIW-03 | 08/21/15 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 08/22/15 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 08/23/15 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 08/24/15 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 08/25/15 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 08/26/15 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 08/27/15 | 0.5 | 61.6 | 0.0 | 37.9 | 84.0 | -0.34 | N/A | (HES Installed) |
| GIW-03 | 08/28/15 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 08/29/15 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 08/30/15 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 08/31/15 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 09/01/15 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 09/02/15 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 09/03/15 | 0.4 | 50.0 | 5.5 | 44.1 | 96.7 | -0.64 | N/A | (HES Installed) |
| GIW-03 | 09/04/15 | | | | | | | N/A | (HES Installed) |

GIW-3 Wellhead Temperatures




| GIW ID# | Reading Date | CH4 (% Vol.) | CO2 (% Vol.) | Oxygen (% Vol.) | Balance (% Vol.) | Wellhead Temp. (F) | Pressure (In W.C.) | Pump Operational (Y/N) | Comments |
|---------|--------------|--------------|--------------|-----------------|------------------|--------------------|--------------------|------------------------|-----------------|
| GIW-04 | 05/03/15 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 05/04/15 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 05/05/15 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 05/06/15 | 1.1 | 57.3 | 0.0 | 41.6 | 87.8 | -2.41 | N/A | (HES Installed) |
| GIW-04 | 05/07/15 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 05/08/15 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 05/09/15 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 05/10/15 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 05/11/15 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 05/12/15 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 05/13/15 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 05/14/15 | 0.4 | 62.6 | 1.2 | 35.8 | 62.0 | -10.40 | N/A | (HES Installed) |
| GIW-04 | 05/15/15 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 05/16/15 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 05/17/15 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 05/18/15 | 0.6 | 63.0 | 0.0 | 36.4 | 86.0 | 1.90 | N/A | (HES Installed) |
| GIW-04 | 05/19/15 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 05/20/15 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 05/21/15 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 05/22/15 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 05/23/15 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 05/24/15 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 05/25/15 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 05/26/15 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 05/27/15 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 05/28/15 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 05/29/15 | 0.5 | 50.9 | 3.0 | 45.6 | 84.8 | -15.43 | N/A | (HES Installed) |
| GIW-04 | 05/30/15 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 05/31/15 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 06/01/15 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 06/02/15 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 06/03/15 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 06/04/15 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 06/05/15 | 0.5 | 59.9 | 0.4 | 39.2 | 78.0 | -21.80 | N/A | (HES Installed) |
| GIW-04 | 06/06/15 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 06/07/15 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 06/08/15 | | | | | | | N/A | (HES Installed) |

| GIW ID# | Reading Date | CH4 (% Vol.) | CO2 (% Vol.) | Oxygen (% Vol.) | Balance (% Vol.) | Wellhead Temp. (F) | Pressure (In W.C.) | Pump Operational (Y/N) | Comments |
|---------|--------------|--------------|--------------|-----------------|------------------|--------------------|--------------------|------------------------|-----------------|
| GIW-04 | 06/09/15 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 06/10/15 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 06/11/15 | 0.7 | 57.5 | 0.0 | 41.8 | 96.1 | 2.42 | N/A | (HES Installed) |
| GIW-04 | 06/12/15 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 06/13/15 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 06/14/15 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 06/15/15 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 06/16/15 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 06/17/15 | 0.4 | 49.0 | 4.9 | 45.7 | 77.0 | -11.90 | N/A | (HES Installed) |
| GIW-04 | 06/18/15 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 06/19/15 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 06/20/15 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 06/21/15 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 06/22/15 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 06/23/15 | 0.6 | 53.4 | 0.3 | 45.7 | 94.4 | 10.20 | N/A | (HES Installed) |
| GIW-04 | 06/24/15 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 06/25/15 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 06/26/15 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 06/27/15 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 06/28/15 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 06/29/15 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 06/30/15 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 07/01/15 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 07/02/15 | 0.7 | 53.9 | 0.5 | 44.9 | 73.2 | -15.24 | N/A | (HES Installed) |
| GIW-04 | 07/03/15 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 07/04/15 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 07/05/15 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 07/06/15 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 07/07/15 | 0.7 | 55.2 | 0.7 | 43.4 | 70.9 | -16.59 | N/A | (HES Installed) |
| GIW-04 | 07/08/15 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 07/09/15 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 07/10/15 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 07/11/15 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 07/12/15 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 07/13/15 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 07/14/15 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 07/15/15 | 0.5 | 48.6 | 3.6 | 47.3 | 85.7 | -5.37 | N/A | (HES Installed) |

| GIW ID# | Reading Date | CH4 (% Vol.) | CO2 (% Vol.) | Oxygen (% Vol.) | Balance (% Vol.) | Wellhead Temp. (F) | Pressure (In W.C.) | Pump Operational (Y/N) | Comments |
|---------|--------------|--------------|--------------|-----------------|------------------|--------------------|--------------------|------------------------|-----------------|
| GIW-04 | 07/16/15 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 07/17/15 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 07/18/15 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 07/19/15 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 07/20/15 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 07/21/15 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 07/22/15 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 07/23/15 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 07/24/15 | 0.7 | 52.5 | 0.1 | 46.7 | 80.7 | -8.05 | N/A | (HES Installed) |
| GIW-04 | 07/25/15 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 07/26/15 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 07/27/15 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 07/28/15 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 07/29/15 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 07/30/15 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 07/31/15 | 4.1 | 58.3 | 0.2 | 37.4 | 103.9 | -0.81 | N/A | (HES Installed) |
| GIW-04 | 08/01/15 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 08/02/15 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 08/03/15 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 08/04/15 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 08/05/15 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 08/06/15 | 0.9 | 50.2 | 1.1 | 47.8 | 76.2 | -2.13 | N/A | (HES Installed) |
| GIW-04 | 08/07/15 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 08/08/15 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 08/09/15 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 08/10/15 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 08/11/15 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 08/12/15 | 0.9 | 43.0 | 2.1 | 54.0 | 89.2 | -4.02 | N/A | (HES Installed) |
| GIW-04 | 08/13/15 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 08/14/15 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 08/15/15 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 08/16/15 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 08/17/15 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 08/18/15 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 08/19/15 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 08/20/15 | 0.9 | 54.2 | 0.6 | 44.3 | 74.9 | -4.06 | N/A | (HES Installed) |
| GIW-04 | 08/21/15 | | | | | | | N/A | (HES Installed) |

| GIW ID# | Reading Date | CH4 (% Vol.) | CO2 (% Vol.) | Oxygen (% Vol.) | Balance (% Vol.) | Wellhead Temp. (F) | Pressure (In W.C.) | Pump Operational (Y/N) | Comments |
|---------|--------------|--------------|--------------|-----------------|------------------|--------------------|--------------------|------------------------|-----------------|
| GIW-04 | 08/22/15 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 08/23/15 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 08/24/15 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 08/25/15 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 08/26/15 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 08/27/15 | 1.0 | 55.0 | 0.0 | 44.0 | 78.6 | -1.96 | N/A | (HES Installed) |
| GIW-04 | 08/28/15 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 08/29/15 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 08/30/15 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 08/31/15 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 09/01/15 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 09/02/15 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 09/03/15 | 1.0 | 54.7 | 0.0 | 44.3 | 92.7 | -1.50 | N/A | (HES Installed) |
| GIW-04 | 09/04/15 | | | | | | | N/A | (HES Installed) |

GIW-4 Wellhead Temperatures




| GIW ID# | Reading Date | CH4 (% Vol.) | CO2 (% Vol.) | Oxygen (% Vol.) | Balance (% Vol.) | Wellhead Temp. (F) | Pressure (In W.C.) | Pump Operational (Y/N) | Comments |
|---------|--------------|--------------|--------------|-----------------|------------------|--------------------|--------------------|------------------------|-----------------|
| GIW-05 | 05/03/15 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 05/04/15 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 05/05/15 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 05/06/15 | 2.5 | 59.2 | 0.0 | 38.3 | 93.4 | -5.30 | N/A | (HES Installed) |
| GIW-05 | 05/07/15 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 05/08/15 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 05/09/15 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 05/10/15 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 05/11/15 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 05/12/15 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 05/13/15 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 05/14/15 | 2.5 | 65.8 | 0.1 | 31.6 | 59.0 | -8.20 | N/A | (HES Installed) |
| GIW-05 | 05/15/15 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 05/16/15 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 05/17/15 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 05/18/15 | 3.5 | 66.5 | 0.0 | 30.0 | 87.0 | 3.20 | N/A | (HES Installed) |
| GIW-05 | 05/19/15 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 05/20/15 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 05/21/15 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 05/22/15 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 05/23/15 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 05/24/15 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 05/25/15 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 05/26/15 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 05/27/15 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 05/28/15 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 05/29/15 | 3.5 | 54.2 | 1.2 | 41.1 | 88.4 | -14.09 | N/A | (HES Installed) |
| GIW-05 | 05/30/15 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 05/31/15 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 06/01/15 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 06/02/15 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 06/03/15 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 06/04/15 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 06/05/15 | 0.4 | 9.4 | 15.9 | 74.3 | 84.0 | -9.30 | N/A | (HES Installed) |
| GIW-05 | 06/06/15 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 06/07/15 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 06/08/15 | | | | | | | N/A | (HES Installed) |

| | | | | | | | | | |
|--------|----------|-----|------|------|------|------|-------|-----|-----------------|
| GIW-05 | 06/09/15 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 06/10/15 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 06/11/15 | 3.8 | 52.6 | 0.0 | 43.6 | 94.8 | 1.86 | N/A | (HES Installed) |
| GIW-05 | 06/12/15 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 06/13/15 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 06/14/15 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 06/15/15 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 06/16/15 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 06/17/15 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 06/18/15 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 06/19/15 | 0.2 | 20.8 | 15.2 | 63.8 | 77.0 | -0.70 | N/A | (HES Installed) |
| GIW-05 | 06/20/15 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 06/21/15 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 06/22/15 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 06/23/15 | 0.4 | 23.6 | 18.6 | 57.4 | 93.2 | -4.70 | N/A | (HES Installed) |
| GIW-05 | 06/24/15 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 06/25/15 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 06/26/15 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 06/27/15 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 06/28/15 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 06/29/15 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 06/30/15 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 07/01/15 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 07/02/15 | 3.9 | 57.4 | 0.1 | 38.6 | 70.6 | 0.16 | N/A | (HES Installed) |
| GIW-05 | 07/03/15 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 07/04/15 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 07/05/15 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 07/06/15 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 07/07/15 | 3.5 | 49.2 | 3.2 | 44.1 | 71.3 | -4.27 | N/A | (HES Installed) |
| GIW-05 | 07/08/15 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 07/09/15 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 07/10/15 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 07/11/15 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 07/12/15 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 07/13/15 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 07/14/15 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 07/15/15 | 1.1 | 21.9 | 13.8 | 63.2 | 93.3 | -2.08 | N/A | (HES Installed) |
| GIW-05 | 07/16/15 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 07/17/15 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 07/18/15 | | | | | | | N/A | (HES Installed) |

| | | | | | | | | | |
|--------|----------|-----|------|-----|------|------|--------|-----|-----------------|
| GIW-05 | 07/19/15 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 07/20/15 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 07/21/15 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 07/22/15 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 07/23/15 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 07/24/15 | 3.7 | 56.6 | 0.0 | 39.7 | 89.3 | 1.29 | N/A | (HES Installed) |
| GIW-05 | 07/25/15 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 07/26/15 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 07/27/15 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 07/28/15 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 07/29/15 | 3.7 | 59.4 | 0.0 | 36.9 | 95.4 | 0.15 | N/A | (HES Installed) |
| GIW-05 | 07/30/15 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 07/31/15 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 08/01/15 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 08/02/15 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 08/03/15 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 08/04/15 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 08/05/15 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 08/06/15 | 3.1 | 59.7 | 0.3 | 36.9 | 78.8 | 19.54 | N/A | (HES Installed) |
| GIW-05 | 08/07/15 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 08/08/15 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 08/09/15 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 08/10/15 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 08/11/15 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 08/12/15 | 2.6 | 51.5 | 2.7 | 43.2 | 91.9 | -19.76 | N/A | (HES Installed) |
| GIW-05 | 08/13/15 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 08/14/15 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 08/15/15 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 08/16/15 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 08/17/15 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 08/18/15 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 08/19/15 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 08/20/15 | 2.7 | 54.9 | 3.8 | 38.6 | 81.3 | -19.11 | N/A | (HES Installed) |
| GIW-05 | 08/21/15 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 08/22/15 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 08/23/15 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 08/24/15 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 08/25/15 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 08/26/15 | 3.3 | 53.1 | 1.9 | 41.7 | 89.4 | -17.07 | N/A | (HES Installed) |
| GIW-05 | 08/27/15 | | | | | | | N/A | (HES Installed) |

| | | | | | | | | | |
|--------|----------|-----|------|-----|------|------|--------|-----|-----------------|
| GIW-05 | 08/28/15 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 08/29/15 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 08/30/15 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 08/31/15 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 09/01/15 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 09/02/15 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 09/03/15 | 3.4 | 40.4 | 7.4 | 48.8 | 97.9 | -17.68 | N/A | (HES Installed) |
| GIW-05 | 09/04/15 | | | | | | | N/A | (HES Installed) |

GIW-5 Wellhead Temperatures




| GIW ID# | Reading Date | CH4 (% Vol.) | CO2 (% Vol.) | Oxygen (% Vol.) | Balance (% Vol.) | Wellhead Temp. (F) | Pressure (In W.C.) | Pump Operational (Y/N) | Comments |
|---------|--------------|--------------|--------------|-----------------|------------------|--------------------|--------------------|------------------------|-----------------|
| GIW-06 | 05/03/15 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 05/04/15 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 05/05/15 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 05/06/15 | 1.1 | 62.8 | 0.0 | 36.1 | 85.3 | 31.16 | N/A | (HES Installed) |
| GIW-06 | 05/07/15 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 05/08/15 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 05/09/15 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 05/10/15 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 05/11/15 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 05/12/15 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 05/13/15 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 05/14/15 | 0.9 | 71.9 | 0.0 | 27.2 | 61.0 | 26.90 | N/A | (HES Installed) |
| GIW-06 | 05/15/15 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 05/16/15 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 05/17/15 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 05/18/15 | 1.1 | 70.9 | 0.0 | 28.0 | 86.0 | -15.40 | N/A | (HES Installed) |
| GIW-06 | 05/19/15 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 05/20/15 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 05/21/15 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 05/22/15 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 05/23/15 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 05/24/15 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 05/25/15 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 05/26/15 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 05/27/15 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 05/28/15 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 05/29/15 | 0.9 | 62.6 | 0.0 | 36.5 | 83.3 | 25.12 | N/A | (HES Installed) |
| GIW-06 | 05/30/15 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 05/31/15 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 06/01/15 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 06/02/15 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 06/03/15 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 06/04/15 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 06/05/15 | 0.6 | 50.7 | 5.1 | 43.6 | 76.0 | -22.00 | N/A | (HES Installed) |
| GIW-06 | 06/06/15 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 06/07/15 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 06/08/15 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 06/09/15 | | | | | | | N/A | (HES Installed) |

| GIW ID# | Reading Date | CH4 (% Vol.) | CO2 (% Vol.) | Oxygen (% Vol.) | Balance (% Vol.) | Wellhead Temp. (F) | Pressure (In W.C.) | Pump Operational (Y/N) | Comments |
|---------|--------------|--------------|--------------|-----------------|------------------|--------------------|--------------------|------------------------|-----------------|
| GIW-06 | 06/10/15 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 06/11/15 | 1.8 | 58.8 | 0.0 | 39.4 | 95.3 | 31.40 | N/A | (HES Installed) |
| GIW-06 | 06/12/15 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 06/13/15 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 06/14/15 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 06/15/15 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 06/16/15 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 06/17/15 | 1.4 | 69.0 | 0.0 | 29.6 | 76.0 | 19.10 | N/A | (HES Installed) |
| GIW-06 | 06/18/15 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 06/19/15 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 06/20/15 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 06/21/15 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 06/22/15 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 06/23/15 | 1.6 | 54.8 | 1.7 | 41.9 | 95.2 | -17.09 | N/A | (HES Installed) |
| GIW-06 | 06/24/15 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 06/25/15 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 06/26/15 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 06/27/15 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 06/28/15 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 06/29/15 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 06/30/15 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 07/01/15 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 07/02/15 | 1.1 | 62.7 | 0.0 | 36.2 | 72.0 | 41.46 | N/A | (HES Installed) |
| GIW-06 | 07/03/15 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 07/04/15 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 07/05/15 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 07/06/15 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 07/07/15 | 1.2 | 58.5 | 0.0 | 40.3 | 70.7 | 40.00 | N/A | (HES Installed) |
| GIW-06 | 07/08/15 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 07/09/15 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 07/10/15 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 07/11/15 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 07/12/15 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 07/13/15 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 07/14/15 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 07/15/15 | 0.6 | 65.3 | 0.3 | 33.8 | 89.0 | 27.72 | N/A | (HES Installed) |
| GIW-06 | 07/16/15 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 07/17/15 | | | | | | | N/A | (HES Installed) |

| GIW ID# | Reading Date | CH4 (% Vol.) | CO2 (% Vol.) | Oxygen (% Vol.) | Balance (% Vol.) | Wellhead Temp. (F) | Pressure (In W.C.) | Pump Operational (Y/N) | Comments |
|---------|--------------|--------------|--------------|-----------------|------------------|--------------------|--------------------|------------------------|-----------------|
| GIW-06 | 07/18/15 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 07/19/15 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 07/20/15 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 07/21/15 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 07/22/15 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 07/23/15 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 07/24/15 | 1.2 | 58.2 | 0.3 | 40.3 | 82.6 | -18.23 | N/A | (HES Installed) |
| GIW-06 | 07/25/15 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 07/26/15 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 07/27/15 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 07/28/15 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 07/29/15 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 07/30/15 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 07/31/15 | 6.5 | 62.2 | 0.1 | 31.2 | 99.6 | 51.77 | N/A | (HES Installed) |
| GIW-06 | 08/01/15 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 08/02/15 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 08/03/15 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 08/04/15 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 08/05/15 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 08/06/15 | 1.2 | 59.4 | 1.0 | 38.4 | 74.9 | -18.44 | N/A | (HES Installed) |
| GIW-06 | 08/07/15 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 08/08/15 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 08/09/15 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 08/10/15 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 08/11/15 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 08/12/15 | 0.9 | 53.4 | 1.9 | 43.8 | 93.8 | -19.27 | N/A | (HES Installed) |
| GIW-06 | 08/13/15 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 08/14/15 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 08/15/15 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 08/16/15 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 08/17/15 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 08/18/15 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 08/19/15 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 08/20/15 | 1.2 | 65.3 | 0.0 | 33.5 | 81.5 | -5.98 | N/A | (HES Installed) |
| GIW-06 | 08/21/15 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 08/22/15 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 08/23/15 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 08/24/15 | | | | | | | N/A | (HES Installed) |

| GIW ID# | Reading Date | CH4 (% Vol.) | CO2 (% Vol.) | Oxygen (% Vol.) | Balance (% Vol.) | Wellhead Temp. (F) | Pressure (In W.C.) | Pump Operational (Y/N) | Comments |
|---------|--------------|--------------|--------------|-----------------|------------------|--------------------|--------------------|------------------------|-----------------|
| GIW-06 | 08/25/15 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 08/26/15 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 08/27/15 | 1.4 | 61.0 | 0.0 | 37.6 | 82.9 | -3.36 | N/A | (HES Installed) |
| GIW-06 | 08/28/15 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 08/29/15 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 08/30/15 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 08/31/15 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 09/01/15 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 09/02/15 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 09/03/15 | 1.3 | 61.2 | 0.0 | 37.5 | 95.2 | -3.15 | N/A | (HES Installed) |
| GIW-06 | 09/04/15 | | | | | | | N/A | (HES Installed) |

GIW-6 Wellhead Temperatures




| GIW ID# | Reading Date | CH4 (% Vol.) | CO2 (% Vol.) | Oxygen (% Vol.) | Balance (% Vol.) | Wellhead Temp. (F) | Pressure (In W.C.) | Pump Operational (Y/N) | Comments |
|---------|--------------|--------------|--------------|-----------------|------------------|--------------------|--------------------|------------------------|-----------------|
| GIW-07 | 05/03/15 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 05/04/15 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 05/05/15 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 05/06/15 | 29.2 | 56.0 | 0.0 | 14.8 | 85.5 | -0.18 | N/A | (HES Installed) |
| GIW-07 | 05/07/15 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 05/08/15 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 05/09/15 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 05/10/15 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 05/11/15 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 05/12/15 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 05/13/15 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 05/14/15 | 32.5 | 64.3 | 0.0 | 3.2 | 61.0 | -0.20 | N/A | (HES Installed) |
| GIW-07 | 05/15/15 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 05/16/15 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 05/17/15 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 05/18/15 | 31.6 | 64.0 | 0.0 | 4.4 | 86.0 | 0.00 | N/A | (HES Installed) |
| GIW-07 | 05/19/15 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 05/20/15 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 05/21/15 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 05/22/15 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 05/23/15 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 05/24/15 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 05/25/15 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 05/26/15 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 05/27/15 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 05/28/15 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 05/29/15 | 26.4 | 57.0 | 0.0 | 16.6 | 84.7 | -0.10 | N/A | (HES Installed) |
| GIW-07 | 05/30/15 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 05/31/15 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 06/01/15 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 06/02/15 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 06/03/15 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 06/04/15 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 06/05/15 | 27.6 | 65.5 | 0.0 | 6.9 | 77.0 | 0.00 | N/A | (HES Installed) |
| GIW-07 | 06/06/15 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 06/07/15 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 06/08/15 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 06/09/15 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 06/10/15 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 06/11/15 | 27.2 | 58.8 | 0.0 | 14.0 | 92.5 | -0.09 | N/A | (HES Installed) |
| GIW-07 | 06/12/15 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 06/13/15 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 06/14/15 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 06/15/15 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 06/16/15 | | | | | | | N/A | (HES Installed) |

| GIW ID# | Reading Date | CH4 (% Vol.) | CO2 (% Vol.) | Oxygen (% Vol.) | Balance (% Vol.) | Wellhead Temp. (F) | Pressure (In W.C.) | Pump Operational (Y/N) | Comments |
|---------|--------------|--------------|--------------|-----------------|------------------|--------------------|--------------------|------------------------|-----------------|
| GIW-07 | 06/17/15 | 28.5 | 63.3 | 0.3 | 7.9 | 78.0 | -0.20 | N/A | (HES Installed) |
| GIW-07 | 06/18/15 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 06/19/15 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 06/20/15 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 06/21/15 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 06/22/15 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 06/23/15 | 26.7 | 53.1 | 0.6 | 19.6 | 93.2 | -0.10 | N/A | (HES Installed) |
| GIW-07 | 06/24/15 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 06/25/15 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 06/26/15 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 06/27/15 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 06/28/15 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 06/29/15 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 06/30/15 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 07/01/15 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 07/02/15 | 26.1 | 60.6 | 0.0 | 13.3 | 72.3 | -0.11 | N/A | (HES Installed) |
| GIW-07 | 07/03/15 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 07/04/15 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 07/05/15 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 07/06/15 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 07/07/15 | 25.2 | 61.2 | 0.0 | 13.6 | 71.6 | -0.08 | N/A | (HES Installed) |
| GIW-07 | 07/08/15 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 07/09/15 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 07/10/15 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 07/11/15 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 07/12/15 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 07/13/15 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 07/14/15 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 07/15/15 | 22.2 | 64.9 | 0.5 | 12.4 | 89.1 | -0.07 | N/A | (HES Installed) |
| GIW-07 | 07/16/15 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 07/17/15 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 07/18/15 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 07/19/15 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 07/20/15 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 07/21/15 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 07/22/15 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 07/23/15 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 07/24/15 | 22.5 | 63.7 | 0.0 | 13.8 | 81.9 | -0.15 | N/A | (HES Installed) |
| GIW-07 | 07/25/15 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 07/26/15 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 07/27/15 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 07/28/15 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 07/29/15 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 07/30/15 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 07/31/15 | 38.7 | 61.1 | 0.2 | 0.0 | 98.7 | -0.07 | N/A | (HES Installed) |

| GIW ID# | Reading Date | CH4 (% Vol.) | CO2 (% Vol.) | Oxygen (% Vol.) | Balance (% Vol.) | Wellhead Temp. (F) | Pressure (In W.C.) | Pump Operational (Y/N) | Comments |
|---------|--------------|--------------|--------------|-----------------|------------------|--------------------|--------------------|------------------------|-----------------|
| GIW-07 | 08/01/15 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 08/02/15 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 08/03/15 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 08/04/15 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 08/05/15 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 08/06/15 | 25.9 | 61.3 | 0.1 | 12.7 | 75.2 | -0.14 | N/A | (HES Installed) |
| GIW-07 | 08/07/15 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 08/08/15 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 08/09/15 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 08/10/15 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 08/11/15 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 08/12/15 | 22.3 | 58.9 | 0.0 | 18.8 | 92.7 | -0.11 | N/A | (HES Installed) |
| GIW-07 | 08/13/15 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 08/14/15 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 08/15/15 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 08/16/15 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 08/17/15 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 08/18/15 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 08/19/15 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 08/20/15 | 19.9 | 64.3 | 0.1 | 15.7 | 75.5 | -0.18 | N/A | (HES Installed) |
| GIW-07 | 08/21/15 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 08/22/15 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 08/23/15 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 08/24/15 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 08/25/15 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 08/26/15 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 08/27/15 | 20.2 | 61.9 | 0.0 | 17.9 | 84.6 | -0.17 | N/A | (HES Installed) |
| GIW-07 | 08/28/15 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 08/29/15 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 08/30/15 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 08/31/15 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 09/01/15 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 09/02/15 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 09/03/15 | 20.4 | 63.4 | 0.1 | 16.1 | 95.0 | -0.21 | N/A | (HES Installed) |
| GIW-07 | 09/04/15 | | | | | | | N/A | (HES Installed) |

GIW-7 Wellhead Temperatures




| GIW ID# | Reading Date | CH4 (% Vol.) | CO2 (% Vol.) | Oxygen (% Vol.) | Balance (% Vol.) | Wellhead Temp. (F) | Pressure (In W.C.) | Pump Operational (Y/N) | Comments |
|---------|--------------|--------------|--------------|-----------------|------------------|--------------------|--------------------|------------------------|----------|
| GIW-08 | 05/03/15 | | | | | | | Y | |
| GIW-08 | 05/04/15 | | | | | | | Y | |
| GIW-08 | 05/05/15 | | | | | | | Y | |
| GIW-08 | 05/06/15 | 23.3 | 60.6 | 0.0 | 16.1 | 106.7 | -4.27 | Y | |
| GIW-08 | 05/07/15 | | | | | | | Y | |
| GIW-08 | 05/08/15 | | | | | | | Y | |
| GIW-08 | 05/09/15 | | | | | | | Y | |
| GIW-08 | 05/10/15 | | | | | | | Y | |
| GIW-08 | 05/11/15 | | | | | | | Y | |
| GIW-08 | 05/12/15 | | | | | | | Y | |
| GIW-08 | 05/13/15 | | | | | | | Y | |
| GIW-08 | 05/14/15 | 24.5 | 72.2 | 0.0 | 3.3 | 86.0 | -5.50 | Y | |
| GIW-08 | 05/15/15 | | | | | | | Y | |
| GIW-08 | 05/16/15 | | | | | | | Y | |
| GIW-08 | 05/17/15 | | | | | | | Y | |
| GIW-08 | 05/18/15 | 25.9 | 70.5 | 0.0 | 3.6 | 113.0 | -7.70 | Y | |
| GIW-08 | 05/19/15 | | | | | | | Y | |
| GIW-08 | 05/20/15 | | | | | | | Y | |
| GIW-08 | 05/21/15 | | | | | | | Y | |
| GIW-08 | 05/22/15 | | | | | | | Y | |
| GIW-08 | 05/23/15 | | | | | | | Y | |
| GIW-08 | 05/24/15 | | | | | | | Y | |
| GIW-08 | 05/25/15 | | | | | | | Y | |
| GIW-08 | 05/26/15 | | | | | | | Y | |
| GIW-08 | 05/27/15 | | | | | | | Y | |
| GIW-08 | 05/28/15 | | | | | | | Y | |
| GIW-08 | 05/29/15 | 22.0 | 60.2 | 0.1 | 17.7 | 115.1 | -3.81 | Y | |
| GIW-08 | 05/30/15 | | | | | | | Y | |
| GIW-08 | 05/31/15 | | | | | | | Y | |
| GIW-08 | 06/01/15 | | | | | | | Y | |
| GIW-08 | 06/02/15 | | | | | | | Y | |
| GIW-08 | 06/03/15 | | | | | | | Y | |
| GIW-08 | 06/04/15 | | | | | | | Y | |
| GIW-08 | 06/05/15 | 23.4 | 71.7 | 0.0 | 4.9 | 107.0 | -3.60 | Y | |
| GIW-08 | 06/06/15 | | | | | | | Y | |
| GIW-08 | 06/07/15 | | | | | | | Y | |
| GIW-08 | 06/08/15 | | | | | | | Y | |

| GIW ID# | Reading Date | CH4 (% Vol.) | CO2 (% Vol.) | Oxygen (% Vol.) | Balance (% Vol.) | Wellhead Temp. (F) | Pressure (In W.C.) | Pump Operational (Y/N) | Comments |
|---------|--------------|--------------|--------------|-----------------|------------------|--------------------|--------------------|------------------------|-----------------|
| GIW-08 | 06/09/15 | | | | | | | Y | |
| GIW-08 | 06/10/15 | | | | | | | Y | |
| GIW-08 | 06/11/15 | 21.2 | 61.0 | 0.0 | 17.8 | 113.1 | -1.37 | Y | |
| GIW-08 | 06/12/15 | | | | | | | Y | |
| GIW-08 | 06/13/15 | | | | | | | Y | |
| GIW-08 | 06/14/15 | | | | | | | Y | |
| GIW-08 | 06/15/15 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 06/16/15 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 06/17/15 | 25.0 | 69.4 | 0.0 | 5.6 | 102.0 | -2.70 | N/A | (HES Installed) |
| GIW-08 | 06/18/15 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 06/19/15 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 06/20/15 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 06/21/15 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 06/22/15 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 06/23/15 | 23.3 | 61.9 | 0.6 | 14.2 | 111.8 | -3.95 | N/A | (HES Installed) |
| GIW-08 | 06/24/15 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 06/25/15 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 06/26/15 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 06/27/15 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 06/28/15 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 06/29/15 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 06/30/15 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 07/01/15 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 07/02/15 | 18.0 | 45.4 | 3.8 | 32.8 | 69.2 | -27.50 | N/A | (HES Installed) |
| GIW-08 | 07/03/15 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 07/04/15 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 07/05/15 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 07/06/15 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 07/07/15 | 17.2 | 47.8 | 4.6 | 30.4 | 72.3 | -26.46 | N/A | (HES Installed) |
| GIW-08 | 07/08/15 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 07/09/15 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 07/10/15 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 07/11/15 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 07/12/15 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 07/13/15 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 07/14/15 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 07/15/15 | 17.0 | 51.1 | 6.5 | 25.4 | 95.7 | -27.35 | N/A | (HES Installed) |

| GIW ID# | Reading Date | CH4 (% Vol.) | CO2 (% Vol.) | Oxygen (% Vol.) | Balance (% Vol.) | Wellhead Temp. (F) | Pressure (In W.C.) | Pump Operational (Y/N) | Comments | |
|---------|--------------|-------------------------------|--------------|-----------------|------------------|--------------------|--------------------|------------------------|-----------------|-----------------|
| GIW-08 | 07/16/15 | | | | | | | N/A | (HES Installed) | |
| GIW-08 | 07/17/15 | | | | | | | N/A | (HES Installed) | |
| GIW-08 | 07/18/15 | | | | | | | N/A | (HES Installed) | |
| GIW-08 | 07/19/15 | | | | | | | N/A | (HES Installed) | |
| GIW-08 | 07/20/15 | | | | | | | N/A | (HES Installed) | |
| GIW-08 | 07/21/15 | | | | | | | N/A | (HES Installed) | |
| GIW-08 | 07/22/15 | | | | | | | N/A | (HES Installed) | |
| GIW-08 | 07/23/15 | | | | | | | N/A | (HES Installed) | |
| GIW-08 | 07/24/15 | Well not read due to moisture | | | | | | | N/A | (HES Installed) |
| GIW-08 | 07/25/15 | | | | | | | N/A | (HES Installed) | |
| GIW-08 | 07/26/15 | | | | | | | N/A | (HES Installed) | |
| GIW-08 | 07/27/15 | | | | | | | N/A | (HES Installed) | |
| GIW-08 | 07/28/15 | | | | | | | N/A | (HES Installed) | |
| GIW-08 | 07/29/15 | 17.0 | 46.1 | 6.4 | 30.5 | 98.1 | -31.22 | N/A | (HES Installed) | |
| GIW-08 | 07/30/15 | | | | | | | N/A | (HES Installed) | |
| GIW-08 | 07/31/15 | | | | | | | N/A | (HES Installed) | |
| GIW-08 | 08/01/15 | | | | | | | N/A | (HES Installed) | |
| GIW-08 | 08/02/15 | | | | | | | N/A | (HES Installed) | |
| GIW-08 | 08/03/15 | | | | | | | N/A | (HES Installed) | |
| GIW-08 | 08/04/15 | | | | | | | N/A | (HES Installed) | |
| GIW-08 | 08/05/15 | | | | | | | N/A | (HES Installed) | |
| GIW-08 | 08/06/15 | 19.1 | 47.9 | 6.4 | 26.6 | 78.8 | -26.62 | N/A | (HES Installed) | |
| GIW-08 | 08/07/15 | | | | | | | N/A | (HES Installed) | |
| GIW-08 | 08/08/15 | | | | | | | N/A | (HES Installed) | |
| GIW-08 | 08/09/15 | | | | | | | N/A | (HES Installed) | |
| GIW-08 | 08/10/15 | | | | | | | N/A | (HES Installed) | |
| GIW-08 | 08/11/15 | | | | | | | N/A | (HES Installed) | |
| GIW-08 | 08/12/15 | 12.6 | 40.0 | 8.7 | 38.7 | 91.1 | -27.74 | N/A | (HES Installed) | |
| GIW-08 | 08/13/15 | | | | | | | N/A | (HES Installed) | |
| GIW-08 | 08/14/15 | | | | | | | N/A | (HES Installed) | |
| GIW-08 | 08/15/15 | | | | | | | N/A | (HES Installed) | |
| GIW-08 | 08/16/15 | | | | | | | N/A | (HES Installed) | |
| GIW-08 | 08/17/15 | | | | | | | N/A | (HES Installed) | |
| GIW-08 | 08/18/15 | | | | | | | N/A | (HES Installed) | |
| GIW-08 | 08/19/15 | | | | | | | N/A | (HES Installed) | |
| GIW-08 | 08/20/15 | 15.4 | 47.5 | 6.8 | 30.3 | 82.8 | -25.03 | N/A | (HES Installed) | |
| GIW-08 | 08/21/15 | | | | | | | N/A | (HES Installed) | |

| GIW ID# | Reading Date | CH4 (% Vol.) | CO2 (% Vol.) | Oxygen (% Vol.) | Balance (% Vol.) | Wellhead Temp. (F) | Pressure (In W.C.) | Pump Operational (Y/N) | Comments |
|---------|--------------|--------------|--------------|-----------------|------------------|--------------------|--------------------|------------------------|-----------------|
| GIW-08 | 08/22/15 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 08/23/15 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 08/24/15 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 08/25/15 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 08/26/15 | 14.2 | 36.5 | 6.8 | 42.5 | 87.2 | -27.32 | N/A | (HES Installed) |
| GIW-08 | 08/27/15 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 08/28/15 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 08/29/15 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 08/30/15 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 08/31/15 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 09/01/15 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 09/02/15 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 09/03/15 | 17.7 | 44.8 | 3.5 | 34.0 | 99.1 | -27.20 | N/A | (HES Installed) |
| GIW-08 | 09/04/15 | | | | | | | N/A | (HES Installed) |

GIW-8 Wellhead Temperatures




| GIW ID# | Reading Date | CH4 (% Vol.) | CO2 (% Vol.) | Oxygen (% Vol.) | Balance (% Vol.) | Wellhead Temp. (F) | Pressure (In W.C.) | Pump Operational (Y/N) | Comments |
|---------|--------------|--------------|--------------|-----------------|------------------|--------------------|--------------------|------------------------|---------------------------------------|
| GIW-09 | 05/03/15 | | | | | | | N/A | (Well is Artesian, unable to service) |
| GIW-09 | 05/04/15 | | | | | | | N/A | (Well is Artesian, unable to service) |
| GIW-09 | 05/05/15 | | | | | | | N/A | (Well is Artesian, unable to service) |
| GIW-09 | 05/06/15 | 1.0 | 64.8 | 0.0 | 34.2 | 190.2 | -11.77 | N/A | (Well is Artesian, unable to service) |
| GIW-09 | 05/07/15 | | | | | | | N/A | (Well is Artesian, unable to service) |
| GIW-09 | 05/08/15 | | | | | | | N/A | (Well is Artesian, unable to service) |
| GIW-09 | 05/09/15 | | | | | | | N/A | (Well is Artesian, unable to service) |
| GIW-09 | 05/10/15 | | | | | | | N/A | (Well is Artesian, unable to service) |
| GIW-09 | 05/11/15 | | | | | | | N/A | (Well is Artesian, unable to service) |
| GIW-09 | 05/12/15 | | | | | | | N/A | (Well is Artesian, unable to service) |
| GIW-09 | 05/13/15 | | | | | | | N/A | (Well is Artesian, unable to service) |
| GIW-09 | 05/14/15 | 0.6 | 79.0 | 0.0 | 20.4 | 189.0 | -13.40 | N/A | (Well is Artesian, unable to service) |
| GIW-09 | 05/15/15 | | | | | | | N/A | (Well is Artesian, unable to service) |
| GIW-09 | 05/16/15 | | | | | | | N/A | (Well is Artesian, unable to service) |
| GIW-09 | 05/17/15 | | | | | | | N/A | (Well is Artesian, unable to service) |
| GIW-09 | 05/18/15 | 1.4 | 76.8 | 0.0 | 21.8 | 193.0 | -14.90 | N/A | (Well is Artesian, unable to service) |
| GIW-09 | 05/19/15 | | | | | | | N/A | (Well is Artesian, unable to service) |
| GIW-09 | 05/20/15 | | | | | | | N/A | (Well is Artesian, unable to service) |
| GIW-09 | 05/21/15 | | | | | | | N/A | (Well is Artesian, unable to service) |
| GIW-09 | 05/22/15 | | | | | | | N/A | (Well is Artesian, unable to service) |
| GIW-09 | 05/23/15 | | | | | | | N/A | (Well is Artesian, unable to service) |
| GIW-09 | 05/24/15 | | | | | | | N/A | (Well is Artesian, unable to service) |
| GIW-09 | 05/25/15 | | | | | | | N/A | (Well is Artesian, unable to service) |
| GIW-09 | 05/26/15 | | | | | | | N/A | (Well is Artesian, unable to service) |
| GIW-09 | 05/27/15 | | | | | | | N/A | (Well is Artesian, unable to service) |
| GIW-09 | 05/28/15 | | | | | | | N/A | (Well is Artesian, unable to service) |
| GIW-09 | 05/29/15 | 0.9 | 64.5 | 0.1 | 34.5 | 191.7 | -10.00 | N/A | (Well is Artesian, unable to service) |
| GIW-09 | 05/30/15 | | | | | | | N/A | (Well is Artesian, unable to service) |
| GIW-09 | 05/31/15 | | | | | | | N/A | (Well is Artesian, unable to service) |
| GIW-09 | 06/01/15 | | | | | | | N/A | (Well is Artesian, unable to service) |
| GIW-09 | 06/02/15 | | | | | | | N/A | (Well is Artesian, unable to service) |
| GIW-09 | 06/03/15 | | | | | | | N/A | (Well is Artesian, unable to service) |
| GIW-09 | 06/04/15 | | | | | | | N/A | (Well is Artesian, unable to service) |
| GIW-09 | 06/05/15 | 0.7 | 76.6 | 0.0 | 22.7 | 192.0 | -4.90 | N/A | (Well is Artesian, unable to service) |
| GIW-09 | 06/06/15 | | | | | | | N/A | (Well is Artesian, unable to service) |
| GIW-09 | 06/07/15 | | | | | | | N/A | (Well is Artesian, unable to service) |
| GIW-09 | 06/08/15 | | | | | | | N/A | (Well is Artesian, unable to service) |
| GIW-09 | 06/09/15 | | | | | | | N/A | (Well is Artesian, unable to service) |

| GIW ID# | Reading Date | CH4 (% Vol.) | CO2 (% Vol.) | Oxygen (% Vol.) | Balance (% Vol.) | Wellhead Temp. (F) | Pressure (In W.C.) | Pump Operational (Y/N) | Comments |
|---------|--------------|--------------|--------------|-----------------|------------------|--------------------|--------------------|------------------------|---------------------------------------|
| GIW-09 | 06/10/15 | | | | | | | N/A | (Well is Artesian, unable to service) |
| GIW-09 | 06/11/15 | 1.1 | 63.5 | 0.4 | 35.0 | 191.6 | 1.09 | N/A | (Well is Artesian, unable to service) |
| GIW-09 | 06/12/15 | | | | | | | N/A | (Well is Artesian, unable to service) |
| GIW-09 | 06/13/15 | | | | | | | N/A | (Well is Artesian, unable to service) |
| GIW-09 | 06/14/15 | | | | | | | N/A | (Well is Artesian, unable to service) |
| GIW-09 | 06/15/15 | | | | | | | N/A | (Well is Artesian, unable to service) |
| GIW-09 | 06/16/15 | | | | | | | N/A | (Well is Artesian, unable to service) |
| GIW-09 | 06/17/15 | 0.7 | 33.1 | 12.0 | 54.2 | 178.0 | -7.80 | N/A | (Well is Artesian, unable to service) |
| GIW-09 | 06/18/15 | | | | | | | N/A | (Well is Artesian, unable to service) |
| GIW-09 | 06/19/15 | | | | | | | N/A | (Well is Artesian, unable to service) |
| GIW-09 | 06/20/15 | | | | | | | N/A | (Well is Artesian, unable to service) |
| GIW-09 | 06/21/15 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 06/22/15 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 06/23/15 | 2.3 | 37.8 | 11.2 | 48.7 | 185.7 | -4.46 | N/A | (HES Installed) |
| GIW-09 | 06/24/15 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 06/25/15 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 06/26/15 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 06/27/15 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 06/28/15 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 06/29/15 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 06/30/15 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 07/01/15 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 07/02/15 | 17.1 | 47.1 | 1.6 | 34.2 | 87.2 | -28.05 | N/A | (HES Installed) |
| GIW-09 | 07/03/15 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 07/04/15 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 07/05/15 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 07/06/15 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 07/07/15 | 18.5 | 46.2 | 1.7 | 33.6 | 82.5 | -28.29 | N/A | (HES Installed) |
| GIW-09 | 07/08/15 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 07/09/15 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 07/10/15 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 07/11/15 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 07/12/15 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 07/13/15 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 07/14/15 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 07/15/15 | 12.2 | 46.5 | 3.1 | 38.2 | 96.0 | -27.41 | N/A | (HES Installed) |
| GIW-09 | 07/16/15 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 07/17/15 | | | | | | | N/A | (HES Installed) |

| GIW ID# | Reading Date | CH4 (% Vol.) | CO2 (% Vol.) | Oxygen (% Vol.) | Balance (% Vol.) | Wellhead Temp. (F) | Pressure (In W.C.) | Pump Operational (Y/N) | Comments |
|---------|--------------|--------------|--------------|-----------------|------------------|--------------------|--------------------|------------------------|-----------------|
| GIW-09 | 07/18/15 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 07/19/15 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 07/20/15 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 07/21/15 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 07/22/15 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 07/23/15 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 07/24/15 | 10.2 | 37.8 | 4.3 | 47.7 | 90.4 | -29.27 | N/A | (HES Installed) |
| GIW-09 | 07/25/15 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 07/26/15 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 07/27/15 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 07/28/15 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 07/29/15 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 07/30/15 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 07/31/15 | 27.0 | 35.6 | 4.0 | 33.4 | 102.6 | -28.51 | N/A | (HES Installed) |
| GIW-09 | 08/01/15 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 08/02/15 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 08/03/15 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 08/04/15 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 08/05/15 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 08/06/15 | 14.9 | 39.6 | 6.6 | 38.9 | 95.0 | -26.92 | N/A | (HES Installed) |
| GIW-09 | 08/07/15 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 08/08/15 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 08/09/15 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 08/10/15 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 08/11/15 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 08/12/15 | 8.9 | 42.1 | 6.0 | 43.0 | 94.9 | -27.26 | N/A | (HES Installed) |
| GIW-09 | 08/13/15 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 08/14/15 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 08/15/15 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 08/16/15 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 08/17/15 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 08/18/15 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 08/19/15 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 08/20/15 | 6.4 | 24.5 | 9.0 | 60.1 | 80.5 | -25.09 | N/A | (HES Installed) |
| GIW-09 | 08/21/15 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 08/22/15 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 08/23/15 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 08/24/15 | | | | | | | N/A | (HES Installed) |

| GIW ID# | Reading Date | CH4 (% Vol.) | CO2 (% Vol.) | Oxygen (% Vol.) | Balance (% Vol.) | Wellhead Temp. (F) | Pressure (In W.C.) | Pump Operational (Y/N) | Comments |
|---------|--------------|--------------|--------------|-----------------|------------------|--------------------|--------------------|------------------------|-----------------|
| GIW-09 | 08/25/15 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 08/26/15 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 08/27/15 | 3.9 | 16.7 | 11.3 | 68.1 | 90.3 | -20.85 | N/A | (HES Installed) |
| GIW-09 | 08/28/15 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 08/29/15 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 08/30/15 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 08/31/15 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 09/01/15 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 09/02/15 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 09/03/15 | 3.8 | 20.0 | 9.5 | 66.7 | 98.4 | -16.04 | N/A | (HES Installed) |
| GIW-09 | 09/04/15 | | | | | | | N/A | (HES Installed) |

GIW-9 Wellhead Temperatures




| GIW ID# | Reading Date | CH4 (% Vol.) | CO2 (% Vol.) | Oxygen (% Vol.) | Balance (% Vol.) | Wellhead Temp. (F) | Pressure (In W.C.) | Pump Operational (Y/N) | Comments |
|---------|--------------|--------------|--------------|-----------------|------------------|--------------------|--------------------|------------------------|-----------------|
| GIW-10 | 05/03/15 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 05/04/15 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 05/05/15 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 05/06/15 | 4.9 | 53.1 | 0.0 | 42.0 | 90.5 | -4.36 | N/A | (HES Installed) |
| GIW-10 | 05/07/15 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 05/08/15 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 05/09/15 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 05/10/15 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 05/11/15 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 05/12/15 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 05/13/15 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 05/14/15 | 4.3 | 64.6 | 0.0 | 31.1 | 65.0 | -5.30 | N/A | (HES Installed) |
| GIW-10 | 05/15/15 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 05/16/15 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 05/17/15 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 05/18/15 | 4.6 | 61.1 | 0.0 | 34.3 | 86.0 | -3.90 | N/A | (HES Installed) |
| GIW-10 | 05/19/15 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 05/20/15 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 05/21/15 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 05/22/15 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 05/23/15 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 05/24/15 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 05/25/15 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 05/26/15 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 05/27/15 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 05/28/15 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 05/29/15 | 4.8 | 55.8 | 0.0 | 39.4 | 88.4 | -5.73 | N/A | (HES Installed) |
| GIW-10 | 05/30/15 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 05/31/15 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 06/01/15 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 06/02/15 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 06/03/15 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 06/04/15 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 06/05/15 | 4.4 | 62.5 | 0.0 | 33.1 | 78.0 | -4.00 | N/A | (HES Installed) |
| GIW-10 | 06/06/15 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 06/07/15 | | | | | | | N/A | (HES Installed) |

| GIW ID# | Reading Date | CH4 (% Vol.) | CO2 (% Vol.) | Oxygen (% Vol.) | Balance (% Vol.) | Wellhead Temp. (F) | Pressure (In W.C.) | Pump Operational (Y/N) | Comments |
|---------|--------------|--------------|--------------|-----------------|------------------|--------------------|--------------------|------------------------|-----------------|
| GIW-10 | 06/08/15 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 06/09/15 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 06/10/15 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 06/11/15 | 5.1 | 54.2 | 0.0 | 40.7 | 97.7 | -3.94 | N/A | (HES Installed) |
| GIW-10 | 06/12/15 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 06/13/15 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 06/14/15 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 06/15/15 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 06/16/15 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 06/17/15 | 5.5 | 60.7 | 0.0 | 33.8 | 79.0 | -4.40 | N/A | (HES Installed) |
| GIW-10 | 06/18/15 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 06/19/15 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 06/20/15 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 06/21/15 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 06/22/15 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 06/23/15 | 3.7 | 54.6 | 0.4 | 41.3 | 96.4 | -11.97 | N/A | (HES Installed) |
| GIW-10 | 06/24/15 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 06/25/15 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 06/26/15 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 06/27/15 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 06/28/15 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 06/29/15 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 06/30/15 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 07/01/15 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 07/02/15 | 0.9 | 53.3 | 0.1 | 45.7 | 73.4 | -8.66 | N/A | (HES Installed) |
| GIW-10 | 07/03/15 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 07/04/15 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 07/05/15 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 07/06/15 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 07/07/15 | 0.5 | 56.5 | 0.0 | 43.0 | 71.8 | -12.68 | N/A | (HES Installed) |
| GIW-10 | 07/08/15 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 07/09/15 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 07/10/15 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 07/11/15 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 07/12/15 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 07/13/15 | | | | | | | N/A | (HES Installed) |

| GIW ID# | Reading Date | CH4 (% Vol.) | CO2 (% Vol.) | Oxygen (% Vol.) | Balance (% Vol.) | Wellhead Temp. (F) | Pressure (In W.C.) | Pump Operational (Y/N) | Comments |
|---------|--------------|--------------|--------------|-----------------|------------------|--------------------|--------------------|------------------------|-----------------|
| GIW-10 | 07/14/15 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 07/15/15 | 0.3 | 40.0 | 6.4 | 53.3 | 87.5 | -20.57 | N/A | (HES Installed) |
| GIW-10 | 07/16/15 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 07/17/15 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 07/18/15 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 07/19/15 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 07/20/15 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 07/21/15 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 07/22/15 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 07/23/15 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 07/24/15 | 0.6 | 47.5 | 2.2 | 49.7 | 81.9 | -18.41 | N/A | (HES Installed) |
| GIW-10 | 07/25/15 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 07/26/15 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 07/27/15 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 07/28/15 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 07/29/15 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 07/30/15 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 07/31/15 | 4.2 | 43.9 | 2.4 | 49.5 | 100.2 | -16.61 | N/A | (HES Installed) |
| GIW-10 | 08/01/15 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 08/02/15 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 08/03/15 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 08/04/15 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 08/05/15 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 08/06/15 | 0.6 | 37.7 | 6.8 | 54.9 | 75.0 | -14.96 | N/A | (HES Installed) |
| GIW-10 | 08/07/15 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 08/08/15 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 08/09/15 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 08/10/15 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 08/11/15 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 08/12/15 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 08/13/15 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 08/14/15 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 08/15/15 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 08/16/15 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 08/17/15 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 08/18/15 | | | | | | | N/A | (HES Installed) |

| GIW ID# | Reading Date | CH4 (% Vol.) | CO2 (% Vol.) | Oxygen (% Vol.) | Balance (% Vol.) | Wellhead Temp. (F) | Pressure (In W.C.) | Pump Operational (Y/N) | Comments |
|---------|--------------|--------------|--------------|-----------------|------------------|--------------------|--------------------|------------------------|-----------------|
| GIW-10 | 08/19/15 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 08/20/15 | 0.4 | 42.8 | 5.3 | 51.5 | 78.8 | -19.41 | N/A | (HES Installed) |
| GIW-10 | 08/21/15 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 08/22/15 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 08/23/15 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 08/24/15 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 08/25/15 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 08/26/15 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 08/27/15 | 0.4 | 46.9 | 1.8 | 50.9 | 83.6 | -18.23 | N/A | (HES Installed) |
| GIW-10 | 08/28/15 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 08/29/15 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 08/30/15 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 08/31/15 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 09/01/15 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 09/02/15 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 09/03/15 | 0.5 | 44.2 | 3.8 | 51.5 | 95.0 | -18.41 | N/A | (HES Installed) |
| GIW-10 | 09/04/15 | | | | | | | N/A | (HES Installed) |

GIW-10 Wellhead Temperatures




| GIW ID# | Reading Date | CH4 (% Vol.) | CO2 (% Vol.) | Oxygen (% Vol.) | Balance (% Vol.) | Wellhead Temp. (F) | Pressure (In W.C.) | Pump Operational (Y/N) | Comments |
|---------|--------------|--------------|--------------|-----------------|------------------|--------------------|--------------------|------------------------|----------------------|
| GIW-11 | 05/03/15 | | | | | | | Y | |
| GIW-11 | 05/04/15 | | | | | | | Y | |
| GIW-11 | 05/05/15 | | | | | | | Y | |
| GIW-11 | 05/06/15 | 3.0 | 56.0 | 1.8 | 39.2 | 168.5 | -2.70 | Y | |
| GIW-11 | 05/07/15 | | | | | | | Y | |
| GIW-11 | 05/08/15 | | | | | | | Y | |
| GIW-11 | 05/09/15 | | | | | | | Y | |
| GIW-11 | 05/10/15 | | | | | | | Y | |
| GIW-11 | 05/11/15 | | | | | | | Y | |
| GIW-11 | 05/12/15 | | | | | | | N | Replaced bottom seal |
| GIW-11 | 05/13/15 | | | | | | | Y | |
| GIW-11 | 05/14/15 | 2.5 | 59.9 | 2.8 | 34.8 | 166.0 | -2.90 | Y | |
| GIW-11 | 05/15/15 | | | | | | | Y | |
| GIW-11 | 05/16/15 | | | | | | | Y | |
| GIW-11 | 05/17/15 | | | | | | | Y | |
| GIW-11 | 05/18/15 | 2.9 | 68.6 | 0.9 | 27.6 | 163.0 | -16.50 | Y | |
| GIW-11 | 05/19/15 | | | | | | | N | Replaced bottom seal |
| GIW-11 | 05/20/15 | | | | | | | Y | |
| GIW-11 | 05/21/15 | | | | | | | Y | |
| GIW-11 | 05/22/15 | | | | | | | Y | |
| GIW-11 | 05/23/15 | | | | | | | Y | |
| GIW-11 | 05/24/15 | | | | | | | Y | |
| GIW-11 | 05/25/15 | | | | | | | Y | |
| GIW-11 | 05/26/15 | | | | | | | Y | |
| GIW-11 | 05/27/15 | | | | | | | Y | |
| GIW-11 | 05/28/15 | | | | | | | Y | |
| GIW-11 | 05/29/15 | 2.6 | 53.4 | 2.7 | 41.3 | 165.2 | -4.57 | Y | |
| GIW-11 | 05/30/15 | | | | | | | Y | |
| GIW-11 | 05/31/15 | | | | | | | Y | |
| GIW-11 | 06/01/15 | | | | | | | Y | |
| GIW-11 | 06/02/15 | | | | | | | Y | |
| GIW-11 | 06/03/15 | | | | | | | Y | |
| GIW-11 | 06/04/15 | | | | | | | Y | |
| GIW-11 | 06/05/15 | 5.6 | 69.5 | 0.4 | 24.5 | 168.0 | -3.90 | Y | |
| GIW-11 | 06/06/15 | | | | | | | Y | |
| GIW-11 | 06/07/15 | | | | | | | Y | |
| GIW-11 | 06/08/15 | | | | | | | Y | |
| GIW-11 | 06/09/15 | | | | | | | Y | |

| GIW ID# | Reading Date | CH4 (% Vol.) | CO2 (% Vol.) | Oxygen (% Vol.) | Balance (% Vol.) | Wellhead Temp. (F) | Pressure (In W.C.) | Pump Operational (Y/N) | Comments |
|---------|--------------|--------------|--------------|-----------------|------------------|--------------------|--------------------|------------------------|---|
| GIW-11 | 06/10/15 | | | | | | | Y | |
| GIW-11 | 06/11/15 | 2.5 | 50.9 | 3.6 | 43.0 | 166.8 | -2.89 | Y | |
| GIW-11 | 06/12/15 | | | | | | | Y | |
| GIW-11 | 06/13/15 | | | | | | | Y | |
| GIW-11 | 06/14/15 | | | | | | | Y | |
| GIW-11 | 06/15/15 | | | | | | | N/A | Pump removed to facilitate HES Installation |
| GIW-11 | 06/16/15 | | | | | | | N/A | |
| GIW-11 | 06/17/15 | 1.8 | 73.2 | 0.3 | 24.7 | 164.0 | -4.20 | N/A | |
| GIW-11 | 06/18/15 | | | | | | | N/A | |
| GIW-11 | 06/19/15 | | | | | | | N/A | |
| GIW-11 | 06/20/15 | | | | | | | N/A | |
| GIW-11 | 06/21/15 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 06/22/15 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 06/23/15 | 2.6 | 53.2 | 3.9 | 40.3 | 169.2 | -3.76 | N/A | (HES Installed) |
| GIW-11 | 06/24/15 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 06/25/15 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 06/26/15 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 06/27/15 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 06/28/15 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 06/29/15 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 06/30/15 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 07/01/15 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 07/02/15 | 2.6 | 38.6 | 7.0 | 51.8 | 100.8 | -15.61 | N/A | (HES Installed) |
| GIW-11 | 07/03/15 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 07/04/15 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 07/05/15 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 07/06/15 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 07/07/15 | 2.8 | 39.2 | 6.8 | 51.2 | 104.5 | -17.93 | N/A | (HES Installed) |
| GIW-11 | 07/08/15 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 07/09/15 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 07/10/15 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 07/11/15 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 07/12/15 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 07/13/15 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 07/14/15 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 07/15/15 | 3.7 | 35.6 | 8.4 | 52.3 | 112.8 | -15.14 | N/A | (HES Installed) |
| GIW-11 | 07/16/15 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 07/17/15 | | | | | | | N/A | (HES Installed) |

| GIW ID# | Reading Date | CH4 (% Vol.) | CO2 (% Vol.) | Oxygen (% Vol.) | Balance (% Vol.) | Wellhead Temp. (F) | Pressure (In W.C.) | Pump Operational (Y/N) | Comments |
|---------|--------------|--------------|--------------|-----------------|------------------|--------------------|--------------------|------------------------|-----------------|
| GIW-11 | 07/18/15 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 07/19/15 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 07/20/15 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 07/21/15 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 07/22/15 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 07/23/15 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 07/24/15 | 3.4 | 42.7 | 6.4 | 47.5 | 106.0 | -19.51 | N/A | (HES Installed) |
| GIW-11 | 07/25/15 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 07/26/15 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 07/27/15 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 07/28/15 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 07/29/15 | 3.2 | 39.2 | 6.4 | 51.2 | 101.5 | -17.80 | N/A | (HES Installed) |
| GIW-11 | 07/30/15 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 07/31/15 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 08/01/15 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 08/02/15 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 08/03/15 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 08/04/15 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 08/05/15 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 08/06/15 | 2.1 | 55.1 | 2.8 | 40.0 | 91.6 | -19.23 | N/A | (HES Installed) |
| GIW-11 | 08/07/15 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 08/08/15 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 08/09/15 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 08/10/15 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 08/11/15 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 08/12/15 | 4.1 | 37.5 | 6.8 | 51.6 | 95.2 | -20.24 | N/A | (HES Installed) |
| GIW-11 | 08/13/15 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 08/14/15 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 08/15/15 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 08/16/15 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 08/17/15 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 08/18/15 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 08/19/15 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 08/20/15 | 3.4 | 40.3 | 7.1 | 49.2 | 89.2 | -19.17 | N/A | (HES Installed) |
| GIW-11 | 08/21/15 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 08/22/15 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 08/23/15 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 08/24/15 | | | | | | | N/A | (HES Installed) |

| GIW ID# | Reading Date | CH4 (% Vol.) | CO2 (% Vol.) | Oxygen (% Vol.) | Balance (% Vol.) | Wellhead Temp. (F) | Pressure (In W.C.) | Pump Operational (Y/N) | Comments |
|---------|--------------|--------------|--------------|-----------------|------------------|--------------------|--------------------|------------------------|-----------------|
| GIW-11 | 08/25/15 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 08/26/15 | 4.2 | 37.2 | 7.2 | 51.4 | 97.2 | -13.60 | N/A | (HES Installed) |
| GIW-11 | 08/27/15 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 08/28/15 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 08/29/15 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 08/30/15 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 08/31/15 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 09/01/15 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 09/02/15 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 09/03/15 | 4.0 | 42.7 | 5.7 | 47.6 | 101.2 | -8.17 | N/A | (HES Installed) |
| GIW-11 | 09/04/15 | | | | | | | N/A | (HES Installed) |

GIW-11 Wellhead Temperatures




| GIW ID# | Reading Date | CH4 (% Vol.) | CO2 (% Vol.) | Oxygen (% Vol.) | Balance (% Vol.) | Wellhead Temp. (F) | Pressure (In W.C.) | Pump Operational (Y/N) | Comments |
|---------|--------------|--------------|--------------|-----------------|------------------|--------------------|--------------------|------------------------|----------|
| GIW-12 | 05/03/15 | | | | | | | Y | |
| GIW-12 | 05/04/15 | | | | | | | Y | |
| GIW-12 | 05/05/15 | | | | | | | Y | |
| GIW-12 | 05/06/15 | 5.9 | 57.0 | 1.5 | 35.6 | 179.8 | -0.41 | Y | |
| GIW-12 | 05/07/15 | | | | | | | Y | |
| GIW-12 | 05/08/15 | | | | | | | Y | |
| GIW-12 | 05/09/15 | | | | | | | Y | |
| GIW-12 | 05/10/15 | | | | | | | Y | |
| GIW-12 | 05/11/15 | | | | | | | Y | |
| GIW-12 | 05/12/15 | | | | | | | Y | |
| GIW-12 | 05/13/15 | | | | | | | Y | |
| GIW-12 | 05/14/15 | 3.7 | 71.4 | 0.4 | 24.5 | 181.0 | -0.20 | Y | |
| GIW-12 | 05/15/15 | | | | | | | Y | |
| GIW-12 | 05/16/15 | | | | | | | Y | |
| GIW-12 | 05/17/15 | | | | | | | Y | |
| GIW-12 | 05/18/15 | 5.1 | 64.7 | 1.5 | 28.7 | 178.0 | -0.30 | Y | |
| GIW-12 | 05/19/15 | | | | | | | Y | |
| GIW-12 | 05/20/15 | | | | | | | Y | |
| GIW-12 | 05/21/15 | | | | | | | Y | |
| GIW-12 | 05/22/15 | | | | | | | Y | |
| GIW-12 | 05/23/15 | | | | | | | Y | |
| GIW-12 | 05/24/15 | | | | | | | Y | |
| GIW-12 | 05/25/15 | | | | | | | Y | |
| GIW-12 | 05/26/15 | | | | | | | Y | |
| GIW-12 | 05/27/15 | | | | | | | Y | |
| GIW-12 | 05/28/15 | | | | | | | Y | |
| GIW-12 | 05/29/15 | 6.2 | 35.1 | 7.7 | 51.0 | 158.5 | -1.04 | Y | |
| GIW-12 | 05/30/15 | | | | | | | Y | |
| GIW-12 | 05/31/15 | | | | | | | Y | |
| GIW-12 | 06/01/15 | | | | | | | Y | |
| GIW-12 | 06/02/15 | | | | | | | Y | |
| GIW-12 | 06/03/15 | | | | | | | Y | |
| GIW-12 | 06/04/15 | | | | | | | Y | |
| GIW-12 | 06/05/15 | 4.9 | 50.5 | 4.3 | 40.3 | 162.0 | -0.40 | Y | |
| GIW-12 | 06/06/15 | | | | | | | Y | |
| GIW-12 | 06/07/15 | | | | | | | Y | |
| GIW-12 | 06/08/15 | | | | | | | Y | |
| GIW-12 | 06/09/15 | | | | | | | Y | |

| GIW ID# | Reading Date | CH4 (% Vol.) | CO2 (% Vol.) | Oxygen (% Vol.) | Balance (% Vol.) | Wellhead Temp. (F) | Pressure (In W.C.) | Pump Operational (Y/N) | Comments |
|---------|--------------|--------------|--------------|-----------------|------------------|--------------------|--------------------|------------------------|---|
| GIW-12 | 06/10/15 | | | | | | | Y | |
| GIW-12 | 06/11/15 | 6.5 | 46.8 | 5.0 | 41.7 | 161.6 | -0.52 | Y | |
| GIW-12 | 06/12/15 | | | | | | | Y | |
| GIW-12 | 06/14/15 | | | | | | | Y | |
| GIW-12 | 06/15/15 | | | | | | | N/A | |
| GIW-12 | 06/16/15 | | | | | | | N/A | Pump removed to facilitate HES Installation |
| GIW-12 | 06/17/15 | | | | | | | N/A | |
| GIW-12 | 06/18/15 | | | | | | | N/A | |
| GIW-12 | 06/19/15 | 5.2 | 53.2 | 4.2 | 37.4 | 160.0 | -0.30 | N/A | |
| GIW-12 | 06/20/15 | | | | | | | N/A | |
| GIW-12 | 06/20/15 | | | | | | | N/A | |
| GIW-12 | 06/21/15 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 06/22/15 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 06/23/15 | 4.3 | 55.3 | 3.6 | 36.8 | 166.9 | -0.27 | N/A | (HES Installed) |
| GIW-12 | 06/24/15 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 06/25/15 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 06/26/15 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 06/27/15 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 06/28/15 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 06/29/15 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 06/30/15 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 07/01/15 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 07/02/15 | 5.0 | 23.5 | 10.9 | 60.6 | 110.5 | -15.67 | N/A | (HES Installed) |
| GIW-12 | 07/03/15 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 07/04/15 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 07/05/15 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 07/06/15 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 07/07/15 | 5.1 | 23.4 | 10.4 | 61.1 | 110.7 | -16.10 | N/A | (HES Installed) |
| GIW-12 | 07/08/15 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 07/09/15 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 07/10/15 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 07/11/15 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 07/12/15 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 07/13/15 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 07/14/15 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 07/15/15 | 5.5 | 20.9 | 10.8 | 62.8 | 111.6 | -19.23 | N/A | (HES Installed) |
| GIW-12 | 07/16/15 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 07/17/15 | | | | | | | N/A | (HES Installed) |

| GIW ID# | Reading Date | CH4 (% Vol.) | CO2 (% Vol.) | Oxygen (% Vol.) | Balance (% Vol.) | Wellhead Temp. (F) | Pressure (In W.C.) | Pump Operational (Y/N) | Comments |
|---------|--------------|--------------|--------------|-----------------|------------------|--------------------|--------------------|------------------------|-----------------|
| GIW-12 | 07/18/15 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 07/19/15 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 07/20/15 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 07/21/15 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 07/22/15 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 07/23/15 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 07/24/15 | 5.6 | 27.5 | 8.8 | 58.1 | 116.1 | -18.41 | N/A | (HES Installed) |
| GIW-12 | 07/25/15 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 07/26/15 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 07/27/15 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 07/28/15 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 07/29/15 | 7.3 | 27.4 | 7.0 | 58.3 | 114.3 | -16.28 | N/A | (HES Installed) |
| GIW-12 | 07/30/15 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 07/31/15 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 08/01/15 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 08/02/15 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 08/03/15 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 08/04/15 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 08/05/15 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 08/06/15 | 7.1 | 26.6 | 8.9 | 57.4 | 114.7 | -17.77 | N/A | (HES Installed) |
| GIW-12 | 08/07/15 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 08/08/15 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 08/09/15 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 08/10/15 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 08/11/15 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 08/12/15 | 7.6 | 14.2 | 8.9 | 69.3 | 108.3 | -20.00 | N/A | (HES Installed) |
| GIW-12 | 08/13/15 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 08/14/15 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 08/15/15 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 08/16/15 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 08/17/15 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 08/18/15 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 08/19/15 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 08/20/15 | 6.6 | 20.7 | 10.8 | 61.9 | 104.7 | -19.05 | N/A | (HES Installed) |
| GIW-12 | 08/21/15 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 08/22/15 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 08/23/15 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 08/24/15 | | | | | | | N/A | (HES Installed) |

| GIW ID# | Reading Date | CH4 (% Vol.) | CO2 (% Vol.) | Oxygen (% Vol.) | Balance (% Vol.) | Wellhead Temp. (F) | Pressure (In W.C.) | Pump Operational (Y/N) | Comments |
|---------|--------------|--------------|--------------|-----------------|------------------|--------------------|--------------------|------------------------|-----------------|
| GIW-12 | 08/25/15 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 08/26/15 | 6.5 | 19.0 | 10.6 | 63.9 | 103.0 | -11.95 | N/A | (HES Installed) |
| GIW-12 | 08/27/15 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 08/28/15 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 08/29/15 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 08/30/15 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 08/31/15 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 09/01/15 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 09/02/15 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 09/03/15 | 8.4 | 22.6 | 9.1 | 59.9 | 106.0 | -8.35 | N/A | (HES Installed) |
| GIW-12 | 09/04/15 | | | | | | | N/A | (HES Installed) |

GIW-12 Wellhead Temperatures



| GIW ID# | Reading Date | CH4 (% Vol.) | CO2 (% Vol.) | Oxygen (% Vol.) | Balance (% Vol.) | Wellhead Temp. (F) | Pressure (In W.C.) | Pump Operational (Y/N) | Comments |
|---------|--------------|--------------|--------------|-----------------|------------------|--------------------|--------------------|------------------------|----------|
| GIW-13 | 05/03/15 | | | | | | | Y | |
| GIW-13 | 05/04/15 | | | | | | | Y | |
| GIW-13 | 05/05/15 | | | | | | | Y | |
| GIW-13 | 05/06/15 | 8.2 | 59.7 | 0.0 | 32.1 | 172.1 | -4.67 | Y | |
| GIW-13 | 05/07/15 | | | | | | | Y | |
| GIW-13 | 05/08/15 | | | | | | | Y | |
| GIW-13 | 05/09/15 | | | | | | | Y | |
| GIW-13 | 05/10/15 | | | | | | | Y | |
| GIW-13 | 05/11/15 | | | | | | | Y | |
| GIW-13 | 05/12/15 | | | | | | | Y | |
| GIW-13 | 05/13/15 | | | | | | | Y | |
| GIW-13 | 05/14/15 | 7.5 | 66.9 | 0.0 | 25.6 | 158.0 | -6.10 | Y | |
| GIW-13 | 05/15/15 | | | | | | | Y | |
| GIW-13 | 05/16/15 | | | | | | | Y | |
| GIW-13 | 05/17/15 | | | | | | | Y | |
| GIW-13 | 05/18/15 | 7.6 | 68.8 | 0.0 | 23.6 | 165.0 | -4.10 | Y | |
| GIW-13 | 05/19/15 | | | | | | | Y | |
| GIW-13 | 05/20/15 | | | | | | | Y | |
| GIW-13 | 05/21/15 | | | | | | | Y | |
| GIW-13 | 05/22/15 | | | | | | | Y | |
| GIW-13 | 05/23/15 | | | | | | | Y | |
| GIW-13 | 05/24/15 | | | | | | | Y | |
| GIW-13 | 05/25/15 | | | | | | | Y | |
| GIW-13 | 05/26/15 | | | | | | | Y | |
| GIW-13 | 05/27/15 | | | | | | | Y | |
| GIW-13 | 05/28/15 | | | | | | | Y | |
| GIW-13 | 05/29/15 | 8.7 | 58.1 | 0.0 | 33.2 | 162.2 | -6.59 | Y | |
| GIW-13 | 05/30/15 | | | | | | | Y | |
| GIW-13 | 05/31/15 | | | | | | | Y | |
| GIW-13 | 06/01/15 | | | | | | | Y | |
| GIW-13 | 06/02/15 | | | | | | | Y | |
| GIW-13 | 06/03/15 | | | | | | | Y | |
| GIW-13 | 06/04/15 | | | | | | | Y | |
| GIW-13 | 06/05/15 | 8.0 | 65.9 | 0.0 | 26.1 | 157.0 | -4.30 | Y | |
| GIW-13 | 06/06/15 | | | | | | | Y | |
| GIW-13 | 06/07/15 | | | | | | | Y | |
| GIW-13 | 06/08/15 | | | | | | | Y | |
| GIW-13 | 06/09/15 | | | | | | | Y | |

| GIW ID# | Reading Date | CH4 (% Vol.) | CO2 (% Vol.) | Oxygen (% Vol.) | Balance (% Vol.) | Wellhead Temp. (F) | Pressure (In W.C.) | Pump Operational (Y/N) | Comments |
|---------|--------------|--------------|--------------|-----------------|------------------|--------------------|--------------------|------------------------|---|
| GIW-13 | 06/10/15 | | | | | | | Y | |
| GIW-13 | 06/11/15 | 3.8 | 62.8 | 0.0 | 33.4 | 137.1 | 2.67 | Y | |
| GIW-13 | 06/12/15 | | | | | | | Y | |
| GIW-13 | 06/13/15 | | | | | | | Y | |
| GIW-13 | 06/14/15 | | | | | | | Y | |
| GIW-13 | 06/15/15 | | | | | | | N/A | Pump removed to facilitate HES Installation |
| GIW-13 | 06/16/15 | | | | | | | N/A | |
| GIW-13 | 06/17/15 | | | | | | | N/A | |
| GIW-13 | 06/18/15 | | | | | | | N/A | |
| GIW-13 | 06/19/15 | 3.6 | 70.3 | 0.0 | 26.1 | 147.0 | -1.40 | N/A | |
| GIW-13 | 06/20/15 | | | | | | | N/A | |
| GIW-13 | 06/21/15 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 06/22/15 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 06/23/15 | 5.2 | 55.7 | 0.2 | 38.9 | 162.8 | -1.62 | N/A | (HES Installed) |
| GIW-13 | 06/24/15 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 06/25/15 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 06/26/15 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 06/27/15 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 06/28/15 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 06/29/15 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 06/30/15 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 07/01/15 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 07/02/15 | 1.8 | 58.7 | 0.0 | 39.5 | 70.7 | 3.94 | N/A | (HES Installed) |
| GIW-13 | 07/03/15 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 07/04/15 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 07/05/15 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 07/06/15 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 07/07/15 | 1.7 | 61.0 | 0.0 | 37.3 | 71.6 | 2.79 | N/A | (HES Installed) |
| GIW-13 | 07/08/15 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 07/09/15 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 07/10/15 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 07/11/15 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 07/12/15 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 07/13/15 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 07/14/15 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 07/15/15 | 1.8 | 61.7 | 0.5 | 36.0 | 95.0 | -0.87 | N/A | (HES Installed) |
| GIW-13 | 07/16/15 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 07/17/15 | | | | | | | N/A | (HES Installed) |

| GIW ID# | Reading Date | CH4 (% Vol.) | CO2 (% Vol.) | Oxygen (% Vol.) | Balance (% Vol.) | Wellhead Temp. (F) | Pressure (In W.C.) | Pump Operational (Y/N) | Comments |
|---------|--------------|--------------|--------------|-----------------|------------------|--------------------|--------------------|------------------------|-----------------|
| GIW-13 | 07/18/15 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 07/19/15 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 07/20/15 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 07/21/15 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 07/22/15 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 07/23/15 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 07/24/15 | 4.1 | 59.6 | 0.0 | 36.3 | 83.3 | -1.10 | N/A | (HES Installed) |
| GIW-13 | 07/25/15 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 07/26/15 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 07/27/15 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 07/28/15 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 07/29/15 | 4.1 | 59.8 | 0.0 | 36.1 | 94.8 | 1.97 | N/A | (HES Installed) |
| GIW-13 | 07/30/15 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 07/31/15 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 08/01/15 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 08/02/15 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 08/03/15 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 08/04/15 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 08/05/15 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 08/06/15 | 3.9 | 63.4 | 0.5 | 32.2 | 78.1 | -0.15 | N/A | (HES Installed) |
| GIW-13 | 08/07/15 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 08/08/15 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 08/09/15 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 08/10/15 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 08/11/15 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 08/12/15 | 6.5 | 29.8 | 1.0 | 62.7 | 124.9 | -6.65 | N/A | (HES Installed) |
| GIW-13 | 08/13/15 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 08/14/15 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 08/15/15 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 08/16/15 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 08/17/15 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 08/18/15 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 08/19/15 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 08/20/15 | 7.2 | 61.2 | 0.3 | 31.3 | 95.8 | -4.46 | N/A | (HES Installed) |
| GIW-13 | 08/21/15 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 08/22/15 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 08/23/15 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 08/24/15 | | | | | | | N/A | (HES Installed) |

| GIW ID# | Reading Date | CH4 (% Vol.) | CO2 (% Vol.) | Oxygen (% Vol.) | Balance (% Vol.) | Wellhead Temp. (F) | Pressure (In W.C.) | Pump Operational (Y/N) | Comments |
|---------|--------------|--------------|--------------|-----------------|------------------|--------------------|--------------------|------------------------|-----------------|
| GIW-13 | 08/25/15 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 08/26/15 | 7.8 | 55.6 | 0.7 | 35.9 | 111.2 | -3.60 | N/A | (HES Installed) |
| GIW-13 | 08/27/15 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 08/28/15 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 08/29/15 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 08/30/15 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 08/31/15 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 09/01/15 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 09/02/15 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 09/03/15 | 11.6 | 59.4 | 0.6 | 28.4 | 143.3 | -6.46 | N/A | (HES Installed) |
| GIW-13 | 09/04/15 | | | | | | | N/A | (HES Installed) |

GIW-13 Wellhead Temperatures

