

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-19	4/10/2017	20	177.2	473	
TMP-19	4/10/2017	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	4/10/2017	60	233.8	433	
TMP-19	4/10/2017	80	241.0	413	
TMP-19	4/10/2017	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	4/17/2017	20	175.3	473	
TMP-19	4/17/2017	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	4/17/2017	60	232.6	433	
TMP-19	4/17/2017	80	239.7	413	
TMP-19	4/17/2017	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	4/24/2017	20	176.2	473	
TMP-19	4/24/2017	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	4/24/2017	60	233.1	433	
TMP-19	4/24/2017	80	240.2	413	
TMP-19	4/24/2017	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	5/2/2017	20	178.4	473	
TMP-19	5/2/2017	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	5/2/2017	60	234.3	433	
TMP-19	5/2/2017	80	241.5	413	
TMP-19	5/2/2017	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	5/8/2017	20	175.5	473	
TMP-19	5/8/2017	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	5/8/2017	60	231.7	433	
TMP-19	5/8/2017	80	239.0	413	
TMP-19	5/8/2017	140		353	[not reliable - connectivity test 06/12/2015]

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-20	4/10/2017	20	136.1	478	
TMP-20	4/10/2017	40	209.4	458	
TMP-20	4/10/2017	60	236.9	438	
TMP-20	4/10/2017	80	249.1	418	
TMP-20	4/10/2017	100	260.6	398	
TMP-20	4/10/2017	120	270.1	378	
TMP-20	4/10/2017	140	271.5	358	
TMP-20	4/17/2017	20	135.2	478	
TMP-20	4/17/2017	40	207.6	458	
TMP-20	4/17/2017	60	235.6	438	
TMP-20	4/17/2017	80	247.9	418	
TMP-20	4/17/2017	100	259.4	398	
TMP-20	4/17/2017	120	268.8	378	
TMP-20	4/17/2017	140	269.7	358	
TMP-20	4/24/2017	20	135.4	478	
TMP-20	4/24/2017	40	208.4	458	
TMP-20	4/24/2017	60	236.5	438	
TMP-20	4/24/2017	80	248.7	418	
TMP-20	4/24/2017	100	260.0	398	
TMP-20	4/24/2017	120	269.6	378	
TMP-20	4/24/2017	140	270.6	358	
TMP-20	5/2/2017	20	135.2	478	
TMP-20	5/2/2017	40	208.4	458	
TMP-20	5/2/2017	60	236.6	438	
TMP-20	5/2/2017	80	248.9	418	
TMP-20	5/2/2017	100	260.6	398	
TMP-20	5/2/2017	120	270.4	378	
TMP-20	5/2/2017	140	271.6	358	
TMP-20	5/8/2017	20	134.6	478	
TMP-20	5/8/2017	40	206.5	458	
TMP-20	5/8/2017	60	236.1	438	
TMP-20	5/8/2017	80	248.2	418	
TMP-20	5/8/2017	100	259.4	398	
TMP-20	5/8/2017	120	269.1	378	
TMP-20	5/8/2017	140	269.8	358	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-9N	4/10/2017	20	134.7	475	
TMP-10-9N	4/10/2017	40	153.6	455	
TMP-10-9N	4/10/2017	60	157.4	435	
TMP-10-9N	4/10/2017	80	157.4	415	
TMP-10-9N	4/10/2017	100	166.9	395	
TMP-10-9N	4/17/2017	20	132.6	475	
TMP-10-9N	4/17/2017	40	151.1	455	
TMP-10-9N	4/17/2017	60	154.7	435	
TMP-10-9N	4/17/2017	80	154.8	415	
TMP-10-9N	4/17/2017	100	164.2	395	
TMP-10-9N	4/24/2017	20	132.3	475	
TMP-10-9N	4/24/2017	40	151.7	455	
TMP-10-9N	4/24/2017	60	155.4	435	
TMP-10-9N	4/24/2017	80	156.1	415	
TMP-10-9N	4/24/2017	100	165.3	395	
TMP-10-9N	5/2/2017	20	133.4	475	
TMP-10-9N	5/2/2017	40	153.6	455	
TMP-10-9N	5/2/2017	60	157.5	435	
TMP-10-9N	5/2/2017	80	158.1	415	
TMP-10-9N	5/2/2017	100	167.1	395	
TMP-10-9N	5/8/2017	20	131.3	475	
TMP-10-9N	5/8/2017	40	151.2	455	
TMP-10-9N	5/8/2017	60	154.9	435	
TMP-10-9N	5/8/2017	80	155.4	415	
TMP-10-9N	5/8/2017	100	164.3	395	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-9S	4/10/2017	20	136.0	476	
TMP-10-9S	4/10/2017	40	186.9	456	
TMP-10-9S	4/10/2017	60	210.1	436	
TMP-10-9S	4/10/2017	80	214.0	416	
TMP-10-9S	4/10/2017	100	227.1	396	
TMP-10-9S	4/17/2017	20	133.6	476	
TMP-10-9S	4/17/2017	40	184.5	456	
TMP-10-9S	4/17/2017	60	207.8	436	
TMP-10-9S	4/17/2017	80	211.6	416	
TMP-10-9S	4/17/2017	100	224.9	396	
TMP-10-9S	4/24/2017	20	134.4	476	
TMP-10-9S	4/24/2017	40	185.4	456	
TMP-10-9S	4/24/2017	60	208.6	436	
TMP-10-9S	4/24/2017	80	212.7	416	
TMP-10-9S	4/24/2017	100	226.0	396	
TMP-10-9S	5/2/2017	20	135.7	476	
TMP-10-9S	5/2/2017	40	186.7	456	
TMP-10-9S	5/2/2017	60	209.7	436	
TMP-10-9S	5/2/2017	80	213.6	416	
TMP-10-9S	5/2/2017	100	227.0	396	
TMP-10-9S	5/8/2017	20	132.8	476	
TMP-10-9S	5/8/2017	40	183.7	456	
TMP-10-9S	5/8/2017	60	206.9	436	
TMP-10-9S	5/8/2017	80	211.1	416	
TMP-10-9S	5/8/2017	100	224.6	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-5N	4/10/2017	20	115.7	478	
TMP-10-5N	4/10/2017	40	118.0	458	
TMP-10-5N	4/10/2017	60	113.2	438	
TMP-10-5N	4/10/2017	80	103.3	418	
TMP-10-5N	4/10/2017	100	98.8	398	
TMP-10-5N	4/17/2017	20	112.8	478	
TMP-10-5N	4/17/2017	40	118.2	458	
TMP-10-5N	4/17/2017	60	114.0	438	
TMP-10-5N	4/17/2017	80	105.0	418	
TMP-10-5N	4/17/2017	100	99.8	398	
TMP-10-5N	4/24/2017	20	113.5	478	
TMP-10-5N	4/24/2017	40	118.2	458	
TMP-10-5N	4/24/2017	60	113.3	438	
TMP-10-5N	4/24/2017	80	103.1	418	
TMP-10-5N	4/24/2017	100	97.4	398	
TMP-10-5N	5/2/2017	20	115.3	478	
TMP-10-5N	5/2/2017	40	120.7	458	
TMP-10-5N	5/2/2017	60	116.0	438	
TMP-10-5N	5/2/2017	80	105.1	418	
TMP-10-5N	5/2/2017	100	100.1	398	
TMP-10-5N	5/8/2017	20	112.5	478	
TMP-10-5N	5/8/2017	40	118.5	458	
TMP-10-5N	5/8/2017	60	114.5	438	
TMP-10-5N	5/8/2017	80	106.5	418	
TMP-10-5N	5/8/2017	100	102.3	398	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-5S	4/10/2017	20	126.1	477	
TMP-10-5S	4/10/2017	40	166.8	457	
TMP-10-5S	4/10/2017	60	187.3	437	
TMP-10-5S	4/10/2017	80	197.3	417	
TMP-10-5S	4/10/2017	100	209.7	397	
TMP-10-5S	4/17/2017	20	124.5	477	
TMP-10-5S	4/17/2017	40	164.7	457	
TMP-10-5S	4/17/2017	60	185.1	437	
TMP-10-5S	4/17/2017	80	195.2	417	
TMP-10-5S	4/17/2017	100	207.6	397	
TMP-10-5S	4/24/2017	20	124.4	477	
TMP-10-5S	4/24/2017	40	165.1	457	
TMP-10-5S	4/24/2017	60	185.4	437	
TMP-10-5S	4/24/2017	80	195.6	417	
TMP-10-5S	4/24/2017	100	208.3	397	
TMP-10-5S	5/2/2017	20	125.3	477	
TMP-10-5S	5/2/2017	40	166.4	457	
TMP-10-5S	5/2/2017	60	186.6	437	
TMP-10-5S	5/2/2017	80	196.9	417	
TMP-10-5S	5/2/2017	100	209.7	397	
TMP-10-5S	5/8/2017	20	122.9	477	
TMP-10-5S	5/8/2017	40	164.1	457	
TMP-10-5S	5/8/2017	60	183.9	437	
TMP-10-5S	5/8/2017	80	194.1	417	
TMP-10-5S	5/8/2017	100	206.9	397	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-9N	4/10/2017	20	118.4	476	
TMP-5-9N	4/10/2017	40	157.2	456	
TMP-5-9N	4/10/2017	60	161.0	436	
TMP-5-9N	4/10/2017	80	254.2	416	
TMP-5-9N	4/10/2017	100	263.1	396	
TMP-5-9N	4/17/2017	20	117.0	476	
TMP-5-9N	4/17/2017	40	155.6	456	
TMP-5-9N	4/17/2017	60	160.1	436	
TMP-5-9N	4/17/2017	80	253.2	416	
TMP-5-9N	4/17/2017	100	261.9	396	
TMP-5-9N	4/24/2017	20	116.2	476	
TMP-5-9N	4/24/2017	40	155.6	456	
TMP-5-9N	4/24/2017	60	160.3	436	
TMP-5-9N	4/24/2017	80	253.4	416	
TMP-5-9N	4/24/2017	100	262.2	396	
TMP-5-9N	5/2/2017	20	116.3	476	
TMP-5-9N	5/2/2017	40	156.1	456	
TMP-5-9N	5/2/2017	60	161.3	436	
TMP-5-9N	5/2/2017	80	255.0	416	
TMP-5-9N	5/2/2017	100	263.7	396	
TMP-5-9N	5/8/2017	20	115.8	476	
TMP-5-9N	5/8/2017	40	154.9	456	
TMP-5-9N	5/8/2017	60	160.0	436	
TMP-5-9N	5/8/2017	80	253.8	416	
TMP-5-9N	5/8/2017	100	262.4	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-9S	4/10/2017	20	142.5	476	
TMP-5-9S	4/10/2017	40	217.4	456	
TMP-5-9S	4/10/2017	60	236.7	436	
TMP-5-9S	4/10/2017	80		416	No reliable reading able to be obtained
TMP-5-9S	4/10/2017	100	264.7	396	
TMP-5-9S	4/17/2017	20	140.5	476	
TMP-5-9S	4/17/2017	40	215.9	456	
TMP-5-9S	4/17/2017	60	235.4	436	
TMP-5-9S	4/17/2017	80		416	No reliable reading able to be obtained
TMP-5-9S	4/17/2017	100	263.4	396	
TMP-5-9S	4/24/2017	20	140.8	476	
TMP-5-9S	4/24/2017	40	216.5	456	
TMP-5-9S	4/24/2017	60	236.2	436	
TMP-5-9S	4/24/2017	80		416	No reliable reading able to be obtained
TMP-5-9S	4/24/2017	100	264.2	396	
TMP-5-9S	5/2/2017	20	142.9	476	
TMP-5-9S	5/2/2017	40	218.8	456	
TMP-5-9S	5/2/2017	60	238.8	436	
TMP-5-9S	5/2/2017	80		416	No reliable reading able to be obtained
TMP-5-9S	5/2/2017	100	266.5	396	
TMP-5-9S	5/8/2017	20	140.3	476	
TMP-5-9S	5/8/2017	40	216.7	456	
TMP-5-9S	5/8/2017	60	236.8	436	
TMP-5-9S	5/8/2017	100	264.4	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-5N	4/10/2017	20	107.3	475	
TMP-5-5N	4/10/2017	40	105.4	455	
TMP-5-5N	4/10/2017	60	97.7	435	
TMP-5-5N	4/10/2017	80	252.7	415	
TMP-5-5N	4/10/2017	100		395	No reliable reading able to be obtained
TMP-5-5N	4/10/2017	20	107.3	475	
TMP-5-5N	4/10/2017	40	105.4	455	
TMP-5-5N	4/10/2017	60	97.7	435	
TMP-5-5N	4/10/2017	80	252.7	415	
TMP-5-5N	4/17/2017	20	106.6	475	
TMP-5-5N	4/17/2017	40	106.8	455	
TMP-5-5N	4/17/2017	60	97.2	435	
TMP-5-5N	4/17/2017	80	251.4	415	
TMP-5-5N	4/10/2017	100		395	No reliable reading able to be obtained
TMP-5-5N	4/24/2017	20	105.9	475	
TMP-5-5N	4/24/2017	40	104.6	455	
TMP-5-5N	4/24/2017	60	95.9	435	
TMP-5-5N	4/24/2017	80	252.8	415	
TMP-5-5N	4/24/2017	100		395	No reliable reading able to be obtained
TMP-5-5N	5/2/2017	20	105.5	475	
TMP-5-5N	5/2/2017	40	105.9	455	
TMP-5-5N	5/2/2017	60	96.0	435	
TMP-5-5N	5/2/2017	80	253.7	415	
TMP-5-5N	5/2/2017	100		395	No reliable reading able to be obtained
TMP-5-5N	5/8/2017	20	103.3	475	
TMP-5-5N	5/8/2017	40	108.4	455	
TMP-5-5N	5/8/2017	60	100.8	435	
TMP-5-5N	5/8/2017	80	251.9	415	
TMP-5-5N	5/8/2017	100		395	No reliable reading able to be obtained

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-5S	4/10/2017	20	141.5	474	
TMP-5-5S	4/10/2017	40	207.4	454	
TMP-5-5S	4/10/2017	60	233.9	434	
TMP-5-5S	4/10/2017	80	253.5	414	
TMP-5-5S	4/10/2017	100	256.5	394	
TMP-5-5S	4/17/2017	20	140.2	474	
TMP-5-5S	4/17/2017	40	205.7	454	
TMP-5-5S	4/17/2017	60	232.7	434	
TMP-5-5S	4/17/2017	80	252.3	414	
TMP-5-5S	4/17/2017	100	255.3	394	
TMP-5-5S	4/24/2017	20	139.4	474	
TMP-5-5S	4/24/2017	40	205.9	454	
TMP-5-5S	4/24/2017	60	233.0	434	
TMP-5-5S	4/24/2017	80	252.8	414	
TMP-5-5S	4/24/2017	100	256.0	394	
TMP-5-5S	5/2/2017	20	140.0	474	
TMP-5-5S	5/2/2017	40	207.4	454	
TMP-5-5S	5/2/2017	60	235.3	434	
TMP-5-5S	5/2/2017	80	255.3	414	
TMP-5-5S	5/2/2017	100	258.5	394	
TMP-5-5S	5/8/2017	20	138.4	474	
TMP-5-5S	5/8/2017	40	205.2	454	
TMP-5-5S	5/8/2017	60	232.8	434	
TMP-5-5S	5/8/2017	80	252.8	414	
TMP-5-5S	5/8/2017	100	255.9	394	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-31	4/10/2017	20	202.5	474	
TMP-31	4/10/2017	40	229	454	
TMP-31	4/10/2017	60	244	434	
TMP-31	4/10/2017	80	260.2	414	
TMP-31	4/10/2017	100	269.2	394	
TMP-31	4/10/2017	120	276.4	374	
TMP-31	4/10/2017	140		354	previously no stable reading, current low resistivity, unreliable
TMP-31	4/17/2017	20	200.8	474	
TMP-31	4/17/2017	40	228.4	454	
TMP-31	4/17/2017	60	243.2	434	
TMP-31	4/17/2017	80	259.2	414	
TMP-31	4/17/2017	100	268.6	394	
TMP-31	4/17/2017	120	275.4	374	
TMP-31	4/17/2017	140		354	previously no stable reading, current low resistivity, unreliable
TMP-31	4/24/2017	20	201.3	474	
TMP-31	4/24/2017	40	229.4	454	
TMP-31	4/24/2017	60	244.1	434	
TMP-31	4/24/2017	80	260.1	414	
TMP-31	4/24/2017	100	269.5	394	
TMP-31	4/24/2017	120	276.6	374	
TMP-31	4/24/2017	140		354	previously no stable reading, current low resistivity, unreliable
TMP-31	5/2/2017	20	201.6	474	
TMP-31	5/2/2017	40	230.6	454	
TMP-31	5/2/2017	60	245.4	434	
TMP-31	5/2/2017	80	261.8	414	
TMP-31	5/2/2017	100	270.5	394	
TMP-31	5/2/2017	120	277.3	374	
TMP-31	5/2/2017	140		354	previously no stable reading, current low resistivity, unreliable
TMP-31	5/8/2017	20	200.3	474	
TMP-31	5/8/2017	40	229.4	454	
TMP-31	5/8/2017	60	244.1	434	
TMP-31	5/8/2017	80	259.9	414	
TMP-31	5/8/2017	100	269.1	394	
TMP-31	5/8/2017	120	276.1	374	
TMP-31	5/8/2017	140		354	previously no stable reading, current low resistivity, unreliable

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-32	4/10/2017	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	4/10/2017	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	4/10/2017	60	241.8	444	
TMP-32	4/10/2017	80	255.5	424	
TMP-32	4/10/2017	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	4/10/2017	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	4/10/2017	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	4/10/2017	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	4/10/2017	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	4/10/2017	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	4/17/2017	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	4/17/2017	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	4/17/2017	60	241.7	444	
TMP-32	4/17/2017	80	255.5	424	
TMP-32	4/17/2017	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	4/17/2017	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	4/17/2017	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	4/17/2017	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	4/17/2017	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	4/17/2017	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	4/24/2017	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	4/24/2017	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	4/24/2017	60	242.3	444	
TMP-32	4/24/2017	80	256.2	424	
TMP-32	4/24/2017	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	4/24/2017	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	4/24/2017	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	4/24/2017	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	4/24/2017	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	4/24/2017	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	5/2/2017	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	5/2/2017	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	5/2/2017	60	242.3	444	
TMP-32	5/2/2017	80	255.9	424	
TMP-32	5/2/2017	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	5/2/2017	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	5/2/2017	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	5/2/2017	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	5/2/2017	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	5/2/2017	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	5/8/2017	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	5/8/2017	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	5/8/2017	60	240.6	444	
TMP-32	5/8/2017	80	254.4	424	
TMP-32	5/8/2017	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	5/8/2017	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	5/8/2017	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	5/8/2017	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	5/8/2017	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	5/8/2017	200		304	[not reliable per connectivity test 04/14/2017]

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM1	4/10/2017	20	173.5	473	
TMP-SPM1	4/10/2017	40	199.7	453	
TMP-SPM1	4/10/2017	60	194.7	433	
TMP-SPM1	4/10/2017	80	193	413	
TMP-SPM1	4/10/2017	100	181.1	393	
TMP-SPM1	4/10/2017	120	168.6	373	
TMP-SPM1	4/10/2017	140	158.1	353	
TMP-SPM1	4/10/2017	160	142.3	333	
TMP-SPM1	4/10/2017	180	127.1	313	
TMP-SPM1	4/10/2017	200	105.8	293	
TMP-SPM1	4/10/2017	220	89.5	273	
TMP-SPM1	4/10/2017	240	86.4	253	
TMP-SPM1	4/17/2017	20	173.9	473	
TMP-SPM1	4/17/2017	40	200.4	453	
TMP-SPM1	4/17/2017	60	195.5	433	
TMP-SPM1	4/17/2017	80	193.8	413	
TMP-SPM1	4/17/2017	100	181.7	393	
TMP-SPM1	4/17/2017	120	169.2	373	
TMP-SPM1	4/17/2017	140	158.7	353	
TMP-SPM1	4/17/2017	160	142.9	333	
TMP-SPM1	4/17/2017	180	127.6	313	
TMP-SPM1	4/17/2017	200	106.3	293	
TMP-SPM1	4/17/2017	220	89.9	273	
TMP-SPM1	4/17/2017	240	86.8	253	
TMP-SPM1	4/24/2017	20	174.1	473	
TMP-SPM1	4/24/2017	40	200.9	453	
TMP-SPM1	4/24/2017	60	196.3	433	
TMP-SPM1	4/24/2017	80	194.5	413	
TMP-SPM1	4/24/2017	100	182.5	393	
TMP-SPM1	4/24/2017	120	170.1	373	
TMP-SPM1	4/24/2017	140	159.6	353	
TMP-SPM1	4/24/2017	160	143.6	333	
TMP-SPM1	4/24/2017	180	128.4	313	
TMP-SPM1	4/24/2017	200	107.1	293	
TMP-SPM1	4/24/2017	220	90.6	273	
TMP-SPM1	4/24/2017	240	87.4	253	
TMP-SPM1	5/2/2017	20	174.4	473	
TMP-SPM1	5/2/2017	40	201.7	453	
TMP-SPM1	5/2/2017	60	197.4	433	
TMP-SPM1	5/2/2017	80	195.5	413	
TMP-SPM1	5/2/2017	100	183.4	393	
TMP-SPM1	5/2/2017	120	171.0	373	
TMP-SPM1	5/2/2017	140	160.6	353	
TMP-SPM1	5/2/2017	160	144.7	333	
TMP-SPM1	5/2/2017	180	129.6	313	
TMP-SPM1	5/2/2017	200	108.4	293	
TMP-SPM1	5/2/2017	220	92.2	273	
TMP-SPM1	5/2/2017	240	88.9	253	
TMP-SPM1	5/8/2017	20	172.9	473	
TMP-SPM1	5/8/2017	40	200.1	453	
TMP-SPM1	5/8/2017	60	195.7	433	
TMP-SPM1	5/8/2017	80	193.6	413	
TMP-SPM1	5/8/2017	100	181.4	393	
TMP-SPM1	5/8/2017	120	168.9	373	
TMP-SPM1	5/8/2017	140	158.3	353	
TMP-SPM1	5/8/2017	160	142.2	333	
TMP-SPM1	5/8/2017	180	126.9	313	
TMP-SPM1	5/8/2017	200	105.5	293	
TMP-SPM1	5/8/2017	220	90.4	273	
TMP-SPM1	5/8/2017	240	85.9	253	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM2	4/10/2017	20	170.6	475	
TMP-SPM2	4/10/2017	40	205.6	455	
TMP-SPM2	4/10/2017	60	200.1	435	
TMP-SPM2	4/10/2017	80	178.9	415	
TMP-SPM2	4/10/2017	100	181.3	395	
TMP-SPM2	4/10/2017	120	178.2	375	
TMP-SPM2	4/10/2017	140	165.3	355	
TMP-SPM2	4/10/2017	160	149.8	335	
TMP-SPM2	4/10/2017	172	137.4	323	
TMP-SPM2	4/17/2017	20	171.0	475	
TMP-SPM2	4/17/2017	40	205.7	455	
TMP-SPM2	4/17/2017	60	200.2	435	
TMP-SPM2	4/17/2017	80	179.5	415	
TMP-SPM2	4/17/2017	100	182.1	395	
TMP-SPM2	4/17/2017	120	178.9	375	
TMP-SPM2	4/17/2017	140	166.0	355	
TMP-SPM2	4/17/2017	160	150.2	335	
TMP-SPM2	4/17/2017	172	137.8	323	
TMP-SPM2	4/24/2017	20	169.0	475	
TMP-SPM2	4/24/2017	40	203.8	455	
TMP-SPM2	4/24/2017	60	198.5	435	
TMP-SPM2	4/24/2017	80	178.1	415	
TMP-SPM2	4/24/2017	100	180.9	395	
TMP-SPM2	4/24/2017	120	177.6	375	
TMP-SPM2	4/24/2017	140	164.6	355	
TMP-SPM2	4/24/2017	160	148.5	335	
TMP-SPM2	4/24/2017	172	136.0	323	
TMP-SPM2	5/2/2017	20	169.5	475	
TMP-SPM2	5/2/2017	40	204.4	455	
TMP-SPM2	5/2/2017	60	199.2	435	
TMP-SPM2	5/2/2017	80	179.6	415	
TMP-SPM2	5/2/2017	100	182.9	395	
TMP-SPM2	5/2/2017	120	179.5	375	
TMP-SPM2	5/2/2017	140	166.3	355	
TMP-SPM2	5/2/2017	160	150.1	335	
TMP-SPM2	5/2/2017	172	137.6	323	
TMP-SPM2	5/8/2017	20	169.0	475	
TMP-SPM2	5/8/2017	40	203.8	455	
TMP-SPM2	5/8/2017	60	198.8	435	
TMP-SPM2	5/8/2017	80	179.6	415	
TMP-SPM2	5/8/2017	100	183.3	395	
TMP-SPM2	5/8/2017	120	180.1	375	
TMP-SPM2	5/8/2017	140	167.2	355	
TMP-SPM2	5/8/2017	160	151.2	335	
TMP-SPM2	5/8/2017	172	138.9	323	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM3	4/10/2017	20	138.6	478	
TMP-SPM3	4/10/2017	40	144.6	458	
TMP-SPM3	4/10/2017	60	136.7	438	
TMP-SPM3	4/10/2017	80	133.1	418	
TMP-SPM3	4/10/2017	85	132.4	413	
TMP-SPM3	4/17/2017	20	138.5	478	
TMP-SPM3	4/17/2017	40	144.5	458	
TMP-SPM3	4/17/2017	60	136.7	438	
TMP-SPM3	4/17/2017	80	133.3	418	
TMP-SPM3	4/17/2017	85	132.6	413	
TMP-SPM3	4/24/2017	20	136.1	478	
TMP-SPM3	4/24/2017	40	142.4	458	
TMP-SPM3	4/24/2017	60	134.5	438	
TMP-SPM3	4/24/2017	80	131.2	418	
TMP-SPM3	4/24/2017	85	130.7	413	
TMP-SPM3	5/2/2017	20	135.8	478	
TMP-SPM3	5/2/2017	40	142.8	458	
TMP-SPM3	5/2/2017	60	135.1	438	
TMP-SPM3	5/2/2017	80	132.2	418	
TMP-SPM3	5/2/2017	85	131.8	413	
TMP-SPM3	5/8/2017	20	134.7	478	
TMP-SPM3	5/8/2017	40	142.4	458	
TMP-SPM3	5/8/2017	60	134.7	438	
TMP-SPM3	5/8/2017	80	131.7	418	
TMP-SPM3	5/8/2017	85	131.3	413	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM4	4/10/17	20	140.4	475	
TMP-SPM4	4/10/17	40	164.5	455	
TMP-SPM4	4/10/17	60	169.1	435	
TMP-SPM4	4/10/17	80	173.0	415	
TMP-SPM4	4/10/17	100	169.4	395	
TMP-SPM4	4/10/17	120	160.1	375	
TMP-SPM4	4/10/17	140	151.8	355	
TMP-SPM4	4/10/17	160	142.8	335	
TMP-SPM4	4/10/17	180	132.2	315	
TMP-SPM4	4/10/17	200	115.5	295	
TMP-SPM4	4/10/17	220	97.5	275	
TMP-SPM4	4/10/17	240	89.9	255	
TMP-SPM4	4/17/17	20	140.4	475	
TMP-SPM4	4/17/17	40	164.5	455	
TMP-SPM4	4/17/17	60	169.1	435	
TMP-SPM4	4/17/17	80	173	415	
TMP-SPM4	4/17/17	100	169.4	395	
TMP-SPM4	4/17/17	120	160.1	375	
TMP-SPM4	4/17/17	140	151.8	355	
TMP-SPM4	4/17/17	160	142.9	335	
TMP-SPM4	4/17/17	180	132.3	315	
TMP-SPM4	4/17/17	200	115.8	295	
TMP-SPM4	4/17/17	220	97.7	275	
TMP-SPM4	4/17/17	240	90.1	255	
TMP-SPM4	4/24/17	20	140.8	475	
TMP-SPM4	4/24/17	40	164.9	455	
TMP-SPM4	4/24/17	60	169.7	435	
TMP-SPM4	4/24/17	80	173.6	415	
TMP-SPM4	4/24/17	100	170.1	395	
TMP-SPM4	4/24/17	120	160.8	375	
TMP-SPM4	4/24/17	140	152.5	355	
TMP-SPM4	4/24/17	160	143.5	335	
TMP-SPM4	4/24/17	180	132.8	315	
TMP-SPM4	4/24/17	200	116.4	295	
TMP-SPM4	4/24/17	220	98.2	275	
TMP-SPM4	4/24/17	240	90.5	255	
TMP-SPM4	5/2/17	20	141.1	475	
TMP-SPM4	5/2/17	40	165.5	455	
TMP-SPM4	5/2/17	60	170.2	435	
TMP-SPM4	5/2/17	80	174.0	415	
TMP-SPM4	5/2/17	100	170.6	395	
TMP-SPM4	5/2/17	120	161.3	375	
TMP-SPM4	5/2/17	140	153.1	355	
TMP-SPM4	5/2/17	160	144.3	335	
TMP-SPM4	5/2/17	180	133.8	315	
TMP-SPM4	5/2/17	200	117.5	295	
TMP-SPM4	5/2/17	220	99.3	275	
TMP-SPM4	5/2/17	240	91.6	255	
TMP-SPM4	5/8/17	20	140.4	475	
TMP-SPM4	5/8/17	40	164.5	455	
TMP-SPM4	5/8/17	60	169.3	435	
TMP-SPM4	5/8/17	80	172.8	415	
TMP-SPM4	5/8/17	100	169.5	395	
TMP-SPM4	5/8/17	120	160.1	375	
TMP-SPM4	5/8/17	140	151.9	355	
TMP-SPM4	5/8/17	160	143.1	335	
TMP-SPM4	5/8/17	180	132.6	315	
TMP-SPM4	5/8/17	200	116.5	295	
TMP-SPM4	5/8/17	220	98.5	275	
TMP-SPM4	5/8/17	240	90.9	255	