

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|---------|---------|-----------|-------|---------|-----------|------------|---|
| TMP-14R | 116 | 9/12/2014 | 20 | 151.6 | 479.499 | | TIMP EQUALIZING, RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-14R | 116 | 9/12/2014 | 40 | 178.1 | 459.499 | | TIMP EQUALIZING, RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-14R | 116 | 9/12/2014 | 60 | 163.4 | 439.499 | | TIMP EQUALIZING, RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-14R | 116 | 9/12/2014 | 80 | 167.3 | 419.499 | | TIMP EQUALIZING, RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-14R | 116 | 9/12/2014 | 100 | 158.7 | 399.499 | | TIMP EQUALIZING, RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-14R | 116 | 9/12/2014 | 120 | 161.5 | 379.499 | | TIMP EQUALIZING, RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-14R | 116 | 9/12/2014 | 140 | 153 | 359.499 | | TIMP EQUALIZING, RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-14R | 121 | 9/19/2014 | 20 | 167.3 | 479.499 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-14R | 121 | 9/19/2014 | 40 | 181.7 | 459.499 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-14R | 121 | 9/19/2014 | 60 | 168.5 | 439.499 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|---------|---------|-----------|-------|---------|-----------|------------|--|
| TMP-14R | 121 | 9/19/2014 | 80 | 166.3 | 419.499 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-14R | 121 | 9/19/2014 | 100 | 169.3 | 399.499 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-14R | 121 | 9/19/2014 | 120 | 166.9 | 379.499 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-14R | 121 | 9/19/2014 | 140 | 164.5 | 359.499 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-14R | 122 | 9/20/2014 | 20 | 165.8 | 479.499 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-14R | 122 | 9/20/2014 | 40 | 184 | 459.499 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-14R | 122 | 9/20/2014 | 60 | 170.8 | 439.499 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-14R | 122 | 9/20/2014 | 80 | 170 | 419.499 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-14R | 122 | 9/20/2014 | 100 | 169.7 | 399.499 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-14R | 122 | 9/20/2014 | 120 | 165.7 | 379.499 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-14R | 122 | 9/20/2014 | 140 | 159.8 | 359.499 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-14R | 124 | 9/21/2014 | 20 | 166.1 | 479.499 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|---------|---------|-----------|-------|---------|-----------|------------|--|
| TMP-14R | 124 | 9/21/2014 | 40 | 180.8 | 459.499 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-14R | 124 | 9/21/2014 | 60 | 167.5 | 439.499 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-14R | 124 | 9/21/2014 | 80 | 169.1 | 419.499 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-14R | 124 | 9/21/2014 | 100 | 170.1 | 399.499 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-14R | 124 | 9/21/2014 | 120 | 168.8 | 379.499 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-14R | 124 | 9/21/2014 | 140 | 162.9 | 359.499 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-14R | 125 | 9/22/2014 | 20 | 174.1 | 479.499 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-14R | 125 | 9/22/2014 | 40 | 174.9 | 459.499 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-14R | 125 | 9/22/2014 | 60 | 189.6 | 439.499 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-14R | 125 | 9/22/2014 | 80 | 172.2 | 419.499 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-14R | 125 | 9/22/2014 | 100 | 174.6 | 399.499 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-14R | 125 | 9/22/2014 | 120 | 171.2 | 379.499 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|---------|---------|-----------|-------|---------|-----------|------------|--|
| | | | | | | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-14R | 125 | 9/22/2014 | 140 | 160.7 | 359.499 | | |
| TMP-14R | 126 | 9/23/2014 | 20 | 168.8 | 479.499 | | |
| TMP-14R | 126 | 9/23/2014 | 40 | 185.5 | 459.499 | | |
| TMP-14R | 126 | 9/23/2014 | 60 | 170.9 | 439.499 | | |
| TMP-14R | 126 | 9/23/2014 | 80 | 170.3 | 419.499 | | |
| TMP-14R | 126 | 9/23/2014 | 100 | 169.9 | 399.499 | | |
| TMP-14R | 126 | 9/23/2014 | 120 | 166.9 | 379.499 | | |
| TMP-14R | 126 | 9/23/2014 | 140 | 160.9 | 359.499 | | |
| TMP-14R | 127 | 9/24/2014 | 20 | 168.7 | 479.499 | | |
| TMP-14R | 127 | 9/24/2014 | 40 | 185.5 | 459.499 | | |
| TMP-14R | 127 | 9/24/2014 | 60 | 170.8 | 439.499 | | |
| TMP-14R | 127 | 9/24/2014 | 80 | 170.3 | 419.499 | | |
| TMP-14R | 127 | 9/24/2014 | 100 | 170 | 399.499 | | |
| TMP-14R | 127 | 9/24/2014 | 120 | 167 | 379.499 | | |
| TMP-14R | 127 | 9/24/2014 | 140 | 161.1 | 359.499 | | |
| TMP-14R | 128 | 9/25/2014 | 20 | 168.4 | 479.499 | | |
| TMP-14R | 128 | 9/25/2014 | 40 | 185.3 | 459.499 | | |
| TMP-14R | 128 | 9/25/2014 | 60 | 170.3 | 439.499 | | |
| TMP-14R | 128 | 9/25/2014 | 80 | 169.6 | 419.499 | | |
| TMP-14R | 128 | 9/25/2014 | 100 | 169.4 | 399.499 | | |
| TMP-14R | 128 | 9/25/2014 | 120 | 166.5 | 379.499 | | |
| TMP-14R | 128 | 9/25/2014 | 140 | 160.7 | 359.499 | | |
| TMP-14R | 123 | 9/26/2014 | 20 | 168.4 | 479.499 | | |
| TMP-14R | 129 | 9/26/2014 | 20 | 168.4 | 479.499 | | |
| TMP-14R | 123 | 9/26/2014 | 40 | 185.3 | 459.499 | | |
| TMP-14R | 129 | 9/26/2014 | 40 | 185.3 | 459.499 | | |
| TMP-14R | 123 | 9/26/2014 | 60 | 170 | 439.499 | | |
| TMP-14R | 129 | 9/26/2014 | 60 | 170 | 439.499 | | |
| TMP-14R | 129 | 9/26/2014 | 80 | 169.3 | 419.499 | | |
| TMP-14R | 123 | 9/26/2014 | 80 | 169.3 | 419.499 | | |
| TMP-14R | 123 | 9/26/2014 | 100 | 169 | 399.499 | | |
| TMP-14R | 129 | 9/26/2014 | 100 | 169 | 399.499 | | |
| TMP-14R | 129 | 9/26/2014 | 120 | 165.8 | 379.499 | | |
| TMP-14R | 123 | 9/26/2014 | 120 | 165.8 | 379.499 | | |
| TMP-14R | 123 | 9/26/2014 | 140 | 159.7 | 359.499 | | |
| TMP-14R | 129 | 9/26/2014 | 140 | 159.7 | 359.499 | | |
| TMP-14R | 130 | 9/27/2014 | 20 | 170.6 | 479.499 | | |
| TMP-14R | 130 | 9/27/2014 | 40 | 186.1 | 459.499 | | |
| TMP-14R | 130 | 9/27/2014 | 60 | 170.8 | 439.499 | | |
| TMP-14R | 130 | 9/27/2014 | 80 | 170.1 | 419.499 | | |
| TMP-14R | 130 | 9/27/2014 | 100 | 170.1 | 399.499 | | |
| TMP-14R | 130 | 9/27/2014 | 120 | 166.9 | 379.499 | | |
| TMP-14R | 130 | 9/27/2014 | 140 | 161 | 359.499 | | |
| TMP-14R | 131 | 9/28/2014 | 20 | 169.8 | 479.499 | | |
| TMP-14R | 131 | 9/28/2014 | 40 | 186.6 | 459.499 | | |
| TMP-14R | 131 | 9/28/2014 | 60 | 171.1 | 439.499 | | |
| TMP-14R | 131 | 9/28/2014 | 80 | 170.4 | 419.499 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|---------|---------|-----------|-------|---------|-----------|------------|----------|
| TMP-14R | 131 | 9/28/2014 | 100 | 170 | 399.499 | | |
| TMP-14R | 131 | 9/28/2014 | 120 | 166.5 | 379.499 | | |
| TMP-14R | 131 | 9/28/2014 | 140 | 160.5 | 359.499 | | |
| TMP-14R | 132 | 9/29/2014 | 20 | 170.1 | 479.499 | | |
| TMP-14R | 132 | 9/29/2014 | 40 | 186.7 | 459.499 | | |
| TMP-14R | 132 | 9/29/2014 | 60 | 171.3 | 439.499 | | |
| TMP-14R | 132 | 9/29/2014 | 80 | 170.8 | 419.499 | | |
| TMP-14R | 132 | 9/29/2014 | 100 | 170.7 | 399.499 | | |
| TMP-14R | 132 | 9/29/2014 | 120 | 167.4 | 379.499 | | |
| TMP-14R | 132 | 9/29/2014 | 140 | 161.5 | 359.499 | | |
| TMP-14R | 133 | 9/30/2014 | 20 | 169.9 | 479.499 | | |
| TMP-14R | 133 | 9/30/2014 | 40 | 186.6 | 459.499 | | |
| TMP-14R | 133 | 9/30/2014 | 60 | 171 | 439.499 | | |
| TMP-14R | 133 | 9/30/2014 | 80 | 170.4 | 419.499 | | |
| TMP-14R | 133 | 9/30/2014 | 100 | 170.5 | 399.499 | | |
| TMP-14R | 133 | 9/30/2014 | 120 | 167.2 | 379.499 | | |
| TMP-14R | 133 | 9/30/2014 | 140 | 161.2 | 359.499 | | |
| TMP-14R | 134 | 10/1/2014 | 20 | 169.6 | 479.499 | | |
| TMP-14R | 134 | 10/1/2014 | 40 | 186.3 | 459.499 | | |
| TMP-14R | 134 | 10/1/2014 | 60 | 170.9 | 439.499 | | |
| TMP-14R | 134 | 10/1/2014 | 80 | 170.3 | 419.499 | | |
| TMP-14R | 134 | 10/1/2014 | 100 | 170.5 | 399.499 | | |
| TMP-14R | 134 | 10/1/2014 | 120 | 167.1 | 379.499 | | |
| TMP-14R | 134 | 10/1/2014 | 140 | 161 | 359.499 | | |
| TMP-14R | 135 | 10/2/2014 | 20 | 170.4 | 479.499 | | |
| TMP-14R | 135 | 10/2/2014 | 40 | 187.2 | 459.499 | | |
| TMP-14R | 135 | 10/2/2014 | 60 | 171.6 | 439.499 | | |
| TMP-14R | 135 | 10/2/2014 | 80 | 170.9 | 419.499 | | |
| TMP-14R | 135 | 10/2/2014 | 100 | 171.2 | 399.499 | | |
| TMP-14R | 135 | 10/2/2014 | 120 | 167.7 | 379.499 | | |
| TMP-14R | 135 | 10/2/2014 | 140 | 161.3 | 359.499 | | |
| TMP-14R | 138 | 10/4/2014 | 40 | 188.6 | 459.499 | | |
| TMP-14R | 138 | 10/4/2014 | 60 | 172.7 | 439.499 | | |
| TMP-14R | 138 | 10/4/2014 | 80 | 171.8 | 419.499 | | |
| TMP-14R | 138 | 10/4/2014 | 100 | 172.3 | 399.499 | | |
| TMP-14R | 138 | 10/4/2014 | 120 | 168.8 | 379.499 | | |
| TMP-14R | 138 | 10/4/2014 | 140 | 162.9 | 359.499 | | |
| TMP-14R | 139 | 10/5/2014 | 20 | 171.1 | 479.499 | | |
| TMP-14R | 139 | 10/5/2014 | 40 | 187.7 | 459.499 | | |
| TMP-14R | 139 | 10/5/2014 | 60 | 171.9 | 439.499 | | |
| TMP-14R | 139 | 10/5/2014 | 80 | 171 | 419.499 | | |
| TMP-14R | 139 | 10/5/2014 | 100 | 171.6 | 399.499 | | |
| TMP-14R | 139 | 10/5/2014 | 120 | 168.1 | 379.499 | | |
| TMP-14R | 139 | 10/5/2014 | 140 | 162.1 | 359.499 | | |
| TMP-14R | 140 | 10/6/2014 | 20 | 171.5 | 479.499 | | |
| TMP-14R | 140 | 10/6/2014 | 40 | 188.4 | 459.499 | | |
| TMP-14R | 140 | 10/6/2014 | 60 | 172.6 | 439.499 | | |
| TMP-14R | 140 | 10/6/2014 | 80 | 172 | 419.499 | | |
| TMP-14R | 140 | 10/6/2014 | 100 | 172.6 | 399.499 | | |
| TMP-14R | 140 | 10/6/2014 | 120 | 169.2 | 379.499 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|---------|---------|------------|-------|---------|-----------|------------|--|
| TMP-14R | 140 | 10/6/2014 | 140 | 163.4 | 359.499 | | |
| TMP-14R | 141 | 10/7/2014 | 20 | 170.3 | 479.499 | | |
| TMP-14R | 141 | 10/7/2014 | 40 | 187.4 | 459.499 | | |
| TMP-14R | 141 | 10/7/2014 | 60 | 171.6 | 439.499 | | |
| TMP-14R | 141 | 10/7/2014 | 80 | 171.1 | 419.499 | | |
| TMP-14R | 141 | 10/7/2014 | 100 | 171.8 | 399.499 | | |
| TMP-14R | 141 | 10/7/2014 | 120 | 168.3 | 379.499 | | |
| TMP-14R | 141 | 10/7/2014 | 140 | 162.6 | 359.499 | | |
| TMP-14R | 136 | 10/8/2014 | 20 | 172.3 | 479.499 | | |
| TMP-14R | 136 | 10/8/2014 | 40 | 188.7 | 459.499 | | |
| TMP-14R | 136 | 10/8/2014 | 60 | 172.7 | 439.499 | | |
| TMP-14R | 136 | 10/8/2014 | 80 | 172.1 | 419.499 | | |
| TMP-14R | 136 | 10/8/2014 | 100 | 172.7 | 399.499 | | |
| TMP-14R | 136 | 10/8/2014 | 120 | 169.1 | 379.499 | | |
| TMP-14R | 136 | 10/8/2014 | 140 | 163 | 359.499 | | |
| TMP-14R | 142 | 10/9/2014 | 20 | 172 | 479.499 | | Multimeter not working due to water damage |
| TMP-14R | 142 | 10/9/2014 | 40 | 188.8 | 459.499 | | Multimeter not working due to water damage |
| TMP-14R | 142 | 10/9/2014 | 60 | 172.7 | 439.499 | | Multimeter not working due to water damage |
| TMP-14R | 142 | 10/9/2014 | 80 | 171.8 | 419.499 | | Multimeter not working due to water damage |
| TMP-14R | 142 | 10/9/2014 | 100 | 172.5 | 399.499 | | Multimeter not working due to water damage |
| TMP-14R | 142 | 10/9/2014 | 120 | 168.9 | 379.499 | | Multimeter not working due to water damage |
| TMP-14R | 142 | 10/9/2014 | 140 | 163 | 359.499 | | Multimeter not working due to water damage |
| TMP-14R | 143 | 10/10/2014 | 20 | 174.6 | 479.499 | | |
| TMP-14R | 143 | 10/10/2014 | 40 | 191.1 | 459.499 | | |
| TMP-14R | 143 | 10/10/2014 | 60 | 174.9 | 439.499 | | |
| TMP-14R | 143 | 10/10/2014 | 80 | 174 | 419.499 | | |
| TMP-14R | 143 | 10/10/2014 | 100 | 174.6 | 399.499 | | |
| TMP-14R | 143 | 10/10/2014 | 120 | 171 | 379.499 | | |
| TMP-14R | 143 | 10/10/2014 | 140 | 165 | 359.499 | | |
| TMP-14R | 144 | 10/11/2014 | 20 | 172.1 | 479.499 | | |
| TMP-14R | 144 | 10/11/2014 | 40 | 188.7 | 459.499 | | |
| TMP-14R | 144 | 10/11/2014 | 60 | 172.5 | 439.499 | | |
| TMP-14R | 144 | 10/11/2014 | 80 | 171.6 | 419.499 | | |
| TMP-14R | 144 | 10/11/2014 | 100 | 172.4 | 399.499 | | |
| TMP-14R | 144 | 10/11/2014 | 120 | 168.7 | 379.499 | | |
| TMP-14R | 144 | 10/11/2014 | 140 | 162.7 | 359.499 | | |
| TMP-14R | 145 | 10/12/2014 | 20 | 172.3 | 479.499 | | |
| TMP-14R | 145 | 10/12/2014 | 40 | 188.9 | 459.499 | | |
| TMP-14R | 145 | 10/12/2014 | 60 | 172.7 | 439.499 | | |
| TMP-14R | 145 | 10/12/2014 | 80 | 171.9 | 419.499 | | |
| TMP-14R | 145 | 10/12/2014 | 100 | 172.7 | 399.499 | | |
| TMP-14R | 145 | 10/12/2014 | 120 | 168.9 | 379.499 | | |
| TMP-14R | 145 | 10/12/2014 | 140 | 163 | 359.499 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|---------|---------|------------|-------|---------|-----------|------------|----------|
| TMP-14R | 146 | 10/13/2014 | 20 | 174.2 | 479.499 | | |
| TMP-14R | 146 | 10/13/2014 | 40 | 190.9 | 459.499 | | |
| TMP-14R | 146 | 10/13/2014 | 60 | 174.7 | 439.499 | | |
| TMP-14R | 146 | 10/13/2014 | 80 | 173.8 | 419.499 | | |
| TMP-14R | 146 | 10/13/2014 | 100 | 174.6 | 399.499 | | |
| TMP-14R | 146 | 10/13/2014 | 120 | 170.8 | 379.499 | | |
| TMP-14R | 146 | 10/13/2014 | 140 | 164.1 | 359.499 | | |
| TMP-14R | 148 | 10/14/2014 | 20 | 173.1 | 479.499 | | |
| TMP-14R | 148 | 10/14/2014 | 40 | 189.3 | 459.499 | | |
| TMP-14R | 148 | 10/14/2014 | 60 | 173.1 | 439.499 | | |
| TMP-14R | 148 | 10/14/2014 | 80 | 172.2 | 419.499 | | |
| TMP-14R | 148 | 10/14/2014 | 100 | 173 | 399.499 | | |
| TMP-14R | 148 | 10/14/2014 | 120 | 169.3 | 379.499 | | |
| TMP-14R | 148 | 10/14/2014 | 140 | 163.3 | 359.499 | | |
| TMP-14R | 149 | 10/15/2014 | 20 | 173.4 | 479.499 | | |
| TMP-14R | 149 | 10/15/2014 | 40 | 189.7 | 459.499 | | |
| TMP-14R | 149 | 10/15/2014 | 60 | 173.5 | 439.499 | | |
| TMP-14R | 149 | 10/15/2014 | 80 | 172.6 | 419.499 | | |
| TMP-14R | 149 | 10/15/2014 | 100 | 173.5 | 399.499 | | |
| TMP-14R | 149 | 10/15/2014 | 120 | 169.7 | 379.499 | | |
| TMP-14R | 149 | 10/15/2014 | 140 | 163.8 | 359.499 | | |
| TMP-14R | 150 | 10/16/2014 | 20 | 174.7 | 479.499 | | |
| TMP-14R | 150 | 10/16/2014 | 40 | 190.3 | 459.499 | | |
| TMP-14R | 150 | 10/16/2014 | 60 | 174.2 | 439.499 | | |
| TMP-14R | 150 | 10/16/2014 | 80 | 173.5 | 419.499 | | |
| TMP-14R | 150 | 10/16/2014 | 100 | 174.4 | 399.499 | | |
| TMP-14R | 150 | 10/16/2014 | 120 | 170.7 | 379.499 | | |
| TMP-14R | 150 | 10/16/2014 | 140 | 165.6 | 359.499 | | |
| TMP-14R | 147 | 10/17/2014 | 20 | 174.7 | 479.499 | | |
| TMP-14R | 147 | 10/17/2014 | 40 | 190.3 | 459.499 | | |
| TMP-14R | 147 | 10/17/2014 | 60 | 174.2 | 439.499 | | |
| TMP-14R | 147 | 10/17/2014 | 80 | 173.5 | 419.499 | | |
| TMP-14R | 147 | 10/17/2014 | 100 | 174.4 | 399.499 | | |
| TMP-14R | 147 | 10/17/2014 | 120 | 170.7 | 379.499 | | |
| TMP-14R | 147 | 10/17/2014 | 140 | 165.5 | 359.499 | | |
| TMP-14R | 152 | 10/20/2014 | 20 | 176.1 | 479.499 | | |
| TMP-14R | 152 | 10/20/2014 | 40 | 190.1 | 459.499 | | |
| TMP-14R | 152 | 10/20/2014 | 60 | 174.3 | 439.499 | | |
| TMP-14R | 152 | 10/20/2014 | 80 | 173.7 | 419.499 | | |
| TMP-14R | 152 | 10/20/2014 | 100 | 174.6 | 399.499 | | |
| TMP-14R | 152 | 10/20/2014 | 120 | 170.9 | 379.499 | | |
| TMP-14R | 152 | 10/20/2014 | 140 | 164.8 | 359.499 | | |
| TMP-14R | 153 | 10/22/2014 | 20 | 176.8 | 479.499 | | |
| TMP-14R | 153 | 10/22/2014 | 40 | 189.3 | 459.499 | | |
| TMP-14R | 153 | 10/22/2014 | 60 | 173.2 | 439.499 | | |
| TMP-14R | 153 | 10/22/2014 | 80 | 172.6 | 419.499 | | |
| TMP-14R | 153 | 10/22/2014 | 100 | 173.5 | 399.499 | | |
| TMP-14R | 153 | 10/22/2014 | 120 | 169.7 | 379.499 | | |
| TMP-14R | 153 | 10/22/2014 | 140 | 164 | 359.499 | | |
| TMP-14R | 154 | 10/24/2014 | 20 | 178.2 | 479.499 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|---------|---------|------------|-------|---------|-----------|------------|----------|
| TMP-14R | 154 | 10/24/2014 | 40 | 189.8 | 459.499 | | |
| TMP-14R | 154 | 10/24/2014 | 60 | 174 | 439.499 | | |
| TMP-14R | 154 | 10/24/2014 | 80 | 173.1 | 419.499 | | |
| TMP-14R | 154 | 10/24/2014 | 100 | 174 | 399.499 | | |
| TMP-14R | 154 | 10/24/2014 | 120 | 170 | 379.499 | | |
| TMP-14R | 154 | 10/24/2014 | 140 | 163.8 | 359.499 | | |
| TMP-14R | 155 | 10/27/2014 | 20 | 179.6 | 479.499 | | |
| TMP-14R | 155 | 10/27/2014 | 40 | 189.4 | 459.499 | | |
| TMP-14R | 155 | 10/27/2014 | 60 | 173.5 | 439.499 | | |
| TMP-14R | 155 | 10/27/2014 | 80 | 172.6 | 419.499 | | |
| TMP-14R | 155 | 10/27/2014 | 100 | 173.5 | 399.499 | | |
| TMP-14R | 155 | 10/27/2014 | 120 | 169.5 | 379.499 | | |
| TMP-14R | 155 | 10/27/2014 | 140 | 163.3 | 359.499 | | |
| TMP-14R | 156 | 10/29/2014 | 20 | 181 | 479.499 | | |
| TMP-14R | 156 | 10/29/2014 | 40 | 189.9 | 459.499 | | |
| TMP-14R | 156 | 10/29/2014 | 60 | 174 | 439.499 | | |
| TMP-14R | 156 | 10/29/2014 | 80 | 173.1 | 419.499 | | |
| TMP-14R | 156 | 10/29/2014 | 100 | 174.1 | 399.499 | | |
| TMP-14R | 156 | 10/29/2014 | 120 | 170.3 | 379.499 | | |
| TMP-14R | 156 | 10/29/2014 | 140 | 164.3 | 359.499 | | |
| TMP-14R | 157 | 10/31/2014 | 20 | 182.6 | 479.499 | | |
| TMP-14R | 157 | 10/31/2014 | 40 | 190.7 | 459.499 | | |
| TMP-14R | 157 | 10/31/2014 | 60 | 174.8 | 439.499 | | |
| TMP-14R | 157 | 10/31/2014 | 80 | 173.1 | 419.499 | | |
| TMP-14R | 157 | 10/31/2014 | 100 | 175 | 399.499 | | |
| TMP-14R | 157 | 10/31/2014 | 120 | 171.2 | 379.499 | | |
| TMP-14R | 157 | 10/31/2014 | 140 | 165.5 | 359.499 | | |
| TMP-14R | 158 | 11/3/2014 | 20 | 182.8 | 479.499 | | |
| TMP-14R | 158 | 11/3/2014 | 40 | 190.5 | 459.499 | | |
| TMP-14R | 158 | 11/3/2014 | 60 | 174.7 | 439.499 | | |
| TMP-14R | 158 | 11/3/2014 | 80 | 173.9 | 419.499 | | |
| TMP-14R | 158 | 11/3/2014 | 100 | 174.9 | 399.499 | | |
| TMP-14R | 158 | 11/3/2014 | 120 | 171.1 | 379.499 | | |
| TMP-14R | 158 | 11/3/2014 | 140 | 165.3 | 359.499 | | |
| TMP-14R | 159 | 11/5/2014 | 20 | 184.4 | 479.499 | | |
| TMP-14R | 159 | 11/5/2014 | 40 | 191.5 | 459.499 | | |
| TMP-14R | 159 | 11/5/2014 | 60 | 175.6 | 439.499 | | |
| TMP-14R | 159 | 11/5/2014 | 80 | 174.5 | 419.499 | | |
| TMP-14R | 159 | 11/5/2014 | 100 | 175.5 | 399.499 | | |
| TMP-14R | 159 | 11/5/2014 | 120 | 171.6 | 379.499 | | |
| TMP-14R | 159 | 11/5/2014 | 140 | 165.3 | 359.499 | | |
| TMP-14R | 160 | 11/7/2014 | 20 | 184.4 | 479.499 | | |
| TMP-14R | 160 | 11/7/2014 | 40 | 190.6 | 459.499 | | |
| TMP-14R | 160 | 11/7/2014 | 60 | 174.5 | 439.499 | | |
| TMP-14R | 160 | 11/7/2014 | 80 | 173.4 | 419.499 | | |
| TMP-14R | 160 | 11/7/2014 | 100 | 174.4 | 399.499 | | |
| TMP-14R | 160 | 11/7/2014 | 120 | 170.2 | 379.499 | | |
| TMP-14R | 160 | 11/7/2014 | 140 | 164.1 | 359.499 | | |
| TMP-14R | 161 | 11/10/2014 | 20 | 180.1 | 479.499 | | |
| TMP-14R | 161 | 11/10/2014 | 40 | 185.6 | 459.499 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|---------|---------|------------|-------|---------|-----------|------------|----------|
| TMP-14R | 161 | 11/10/2014 | 60 | 170.8 | 439.499 | | |
| TMP-14R | 161 | 11/10/2014 | 80 | 169.9 | 419.499 | | |
| TMP-14R | 161 | 11/10/2014 | 100 | 170.9 | 399.499 | | |
| TMP-14R | 161 | 11/10/2014 | 120 | 167.1 | 379.499 | | |
| TMP-14R | 161 | 11/10/2014 | 140 | 161.3 | 359.499 | | |
| TMP-14R | 162 | 11/12/2014 | 20 | 181.3 | 479.499 | | |
| TMP-14R | 162 | 11/12/2014 | 40 | 186.3 | 459.499 | | |
| TMP-14R | 162 | 11/12/2014 | 60 | 171.5 | 439.499 | | |
| TMP-14R | 162 | 11/12/2014 | 80 | 170.3 | 419.499 | | |
| TMP-14R | 162 | 11/12/2014 | 100 | 171.4 | 399.499 | | |
| TMP-14R | 162 | 11/12/2014 | 120 | 167.5 | 379.499 | | |
| TMP-14R | 162 | 11/12/2014 | 140 | 161.5 | 359.499 | | |
| TMP-14R | 163 | 11/14/2014 | 20 | 182 | 479.499 | | |
| TMP-14R | 163 | 11/14/2014 | 40 | 187 | 459.499 | | |
| TMP-14R | 163 | 11/14/2014 | 60 | 172.3 | 439.499 | | |
| TMP-14R | 163 | 11/14/2014 | 80 | 171.2 | 419.499 | | |
| TMP-14R | 163 | 11/14/2014 | 100 | 172.3 | 399.499 | | |
| TMP-14R | 163 | 11/14/2014 | 120 | 168.4 | 379.499 | | |
| TMP-14R | 163 | 11/14/2014 | 140 | 162.5 | 359.499 | | |
| TMP-14R | 164 | 11/17/2014 | 20 | 182.1 | 479.499 | | |
| TMP-14R | 164 | 11/17/2014 | 40 | 186.7 | 459.499 | | |
| TMP-14R | 164 | 11/17/2014 | 60 | 171.7 | 439.499 | | |
| TMP-14R | 164 | 11/17/2014 | 80 | 170.5 | 419.499 | | |
| TMP-14R | 164 | 11/17/2014 | 100 | 171.7 | 399.499 | | |
| TMP-14R | 164 | 11/17/2014 | 120 | 167.8 | 379.499 | | |
| TMP-14R | 164 | 11/17/2014 | 140 | 162 | 359.499 | | |
| TMP-14R | 165 | 11/19/2014 | 20 | 182.5 | 479.499 | | |
| TMP-14R | 165 | 11/19/2014 | 40 | 186.9 | 459.499 | | |
| TMP-14R | 165 | 11/19/2014 | 60 | 171.9 | 439.499 | | |
| TMP-14R | 165 | 11/19/2014 | 80 | 170.9 | 419.499 | | |
| TMP-14R | 165 | 11/19/2014 | 100 | 172.1 | 399.499 | | |
| TMP-14R | 165 | 11/19/2014 | 120 | 168.4 | 379.499 | | |
| TMP-14R | 165 | 11/19/2014 | 140 | 163.1 | 359.499 | | |
| TMP-14R | 166 | 11/21/2014 | 20 | 183.1 | 479.499 | | |
| TMP-14R | 166 | 11/21/2014 | 40 | 187.3 | 459.499 | | |
| TMP-14R | 166 | 11/21/2014 | 60 | 172.2 | 439.499 | | |
| TMP-14R | 166 | 11/21/2014 | 80 | 171.1 | 419.499 | | |
| TMP-14R | 166 | 11/21/2014 | 100 | 172.2 | 399.499 | | |
| TMP-14R | 166 | 11/21/2014 | 120 | 168.6 | 379.499 | | |
| TMP-14R | 166 | 11/21/2014 | 140 | 163.6 | 359.499 | | |
| TMP-14R | 167 | 11/24/2014 | 20 | 184 | 479.499 | | |
| TMP-14R | 167 | 11/24/2014 | 40 | 188.5 | 459.499 | | |
| TMP-14R | 167 | 11/24/2014 | 60 | 173.4 | 439.499 | | |
| TMP-14R | 167 | 11/24/2014 | 80 | 172.2 | 419.499 | | |
| TMP-14R | 167 | 11/24/2014 | 100 | 173.3 | 399.499 | | |
| TMP-14R | 167 | 11/24/2014 | 120 | 169.5 | 379.499 | | |
| TMP-14R | 167 | 11/24/2014 | 140 | 163.6 | 359.499 | | |
| TMP-14R | 168 | 11/26/2014 | 20 | 184.4 | 479.499 | | |
| TMP-14R | 168 | 11/26/2014 | 40 | 188.3 | 459.499 | | |
| TMP-14R | 168 | 11/26/2014 | 60 | 173 | 439.499 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|---------|---------|------------|-------|---------|-----------|------------|----------|
| TMP-14R | 168 | 11/26/2014 | 80 | 171.6 | 419.499 | | |
| TMP-14R | 168 | 11/26/2014 | 100 | 172.7 | 399.499 | | |
| TMP-14R | 168 | 11/26/2014 | 120 | 168.8 | 379.499 | | |
| TMP-14R | 168 | 11/26/2014 | 140 | 162.8 | 359.499 | | |
| TMP-14R | 169 | 11/30/2014 | 20 | 181.2 | 479.499 | | |
| TMP-14R | 169 | 11/30/2014 | 40 | 185.7 | 459.499 | | |
| TMP-14R | 169 | 11/30/2014 | 60 | 170.4 | 439.499 | | |
| TMP-14R | 169 | 11/30/2014 | 80 | 169.4 | 419.499 | | |
| TMP-14R | 169 | 11/30/2014 | 100 | 170.4 | 399.499 | | |
| TMP-14R | 169 | 11/30/2014 | 120 | 166.4 | 379.499 | | |
| TMP-14R | 169 | 11/30/2014 | 140 | 160.5 | 359.499 | | |
| TMP-14R | 170 | 12/1/2014 | 20 | 185.2 | 479.499 | | |
| TMP-14R | 170 | 12/1/2014 | 40 | 190 | 459.499 | | |
| TMP-14R | 170 | 12/1/2014 | 60 | 174.7 | 439.499 | | |
| TMP-14R | 170 | 12/1/2014 | 80 | 173.5 | 419.499 | | |
| TMP-14R | 170 | 12/1/2014 | 100 | 174.6 | 399.499 | | |
| TMP-14R | 170 | 12/1/2014 | 120 | 170.9 | 379.499 | | |
| TMP-14R | 170 | 12/1/2014 | 140 | 165.1 | 359.499 | | |
| TMP-14R | 171 | 12/3/2014 | 20 | 183.7 | 479.499 | | |
| TMP-14R | 171 | 12/3/2014 | 40 | 188.8 | 459.499 | | |
| TMP-14R | 171 | 12/3/2014 | 60 | 173.5 | 439.499 | | |
| TMP-14R | 171 | 12/3/2014 | 80 | 172.5 | 419.499 | | |
| TMP-14R | 171 | 12/3/2014 | 100 | 173.6 | 399.499 | | |
| TMP-14R | 171 | 12/3/2014 | 120 | 169.5 | 379.499 | | |
| TMP-14R | 171 | 12/3/2014 | 140 | 163.6 | 359.499 | | |
| TMP-14R | 172 | 12/6/2014 | 20 | 182.5 | 479.499 | | |
| TMP-14R | 172 | 12/6/2014 | 40 | 187.6 | 459.499 | | |
| TMP-14R | 172 | 12/6/2014 | 60 | 172 | 439.499 | | |
| TMP-14R | 172 | 12/6/2014 | 80 | 170.7 | 419.499 | | |
| TMP-14R | 172 | 12/6/2014 | 100 | 171.7 | 399.499 | | |
| TMP-14R | 172 | 12/6/2014 | 120 | 167.6 | 379.499 | | |
| TMP-14R | 172 | 12/6/2014 | 140 | 161.6 | 359.499 | | |
| TMP-14R | 173 | 12/8/2014 | 20 | 183 | 479.499 | | |
| TMP-14R | 173 | 12/8/2014 | 40 | 188.1 | 459.499 | | |
| TMP-14R | 173 | 12/8/2014 | 60 | 172.4 | 439.499 | | |
| TMP-14R | 173 | 12/8/2014 | 80 | 171.1 | 419.499 | | |
| TMP-14R | 173 | 12/8/2014 | 100 | 172 | 399.499 | | |
| TMP-14R | 173 | 12/8/2014 | 120 | 167.9 | 379.499 | | |
| TMP-14R | 173 | 12/8/2014 | 140 | 161.9 | 359.499 | | |
| TMP-14R | 174 | 12/10/2014 | 20 | 182.7 | 479.499 | | |
| TMP-14R | 174 | 12/10/2014 | 40 | 188.1 | 459.499 | | |
| TMP-14R | 174 | 12/10/2014 | 60 | 172.3 | 439.499 | | |
| TMP-14R | 174 | 12/10/2014 | 80 | 171 | 419.499 | | |
| TMP-14R | 174 | 12/10/2014 | 100 | 171.9 | 399.499 | | |
| TMP-14R | 174 | 12/10/2014 | 120 | 167.8 | 379.499 | | |
| TMP-14R | 174 | 12/10/2014 | 140 | 161.7 | 359.499 | | |
| TMP-14R | 175 | 12/12/2014 | 20 | 182.7 | 479.499 | | |
| TMP-14R | 175 | 12/12/2014 | 40 | 188.3 | 459.499 | | |
| TMP-14R | 175 | 12/12/2014 | 60 | 172.5 | 439.499 | | |
| TMP-14R | 175 | 12/12/2014 | 80 | 171.2 | 419.499 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|---------|---------|------------|-------|---------|-----------|------------|----------|
| TMP-14R | 175 | 12/12/2014 | 100 | 172 | 399.499 | | |
| TMP-14R | 175 | 12/12/2014 | 120 | 168.1 | 379.499 | | |
| TMP-14R | 175 | 12/12/2014 | 140 | 162.3 | 359.499 | | |
| TMP-14R | 176 | 12/15/2014 | 20 | 184.1 | 479.499 | | |
| TMP-14R | 176 | 12/15/2014 | 40 | 190 | 459.499 | | |
| TMP-14R | 176 | 12/15/2014 | 60 | 174.2 | 439.499 | | |
| TMP-14R | 176 | 12/15/2014 | 80 | 172.8 | 419.499 | | |
| TMP-14R | 176 | 12/15/2014 | 100 | 173.6 | 399.499 | | |
| TMP-14R | 176 | 12/15/2014 | 120 | 169.4 | 379.499 | | |
| TMP-14R | 176 | 12/15/2014 | 140 | 163.6 | 359.499 | | |
| TMP-14R | 178 | 12/19/2014 | 20 | 184.5 | 479.499 | | |
| TMP-14R | 178 | 12/19/2014 | 40 | 190.8 | 459.499 | | |
| TMP-14R | 178 | 12/19/2014 | 60 | 174.8 | 439.499 | | |
| TMP-14R | 178 | 12/19/2014 | 80 | 173.2 | 419.499 | | |
| TMP-14R | 178 | 12/19/2014 | 100 | 173.9 | 399.499 | | |
| TMP-14R | 178 | 12/19/2014 | 120 | 169.6 | 379.499 | | |
| TMP-14R | 178 | 12/19/2014 | 140 | 163.5 | 359.499 | | |
| TMP-14R | 180 | 12/22/2014 | 20 | 182.7 | 479.499 | | |
| TMP-14R | 180 | 12/22/2014 | 40 | 189.4 | 459.499 | | |
| TMP-14R | 180 | 12/22/2014 | 60 | 173.4 | 439.499 | | |
| TMP-14R | 180 | 12/22/2014 | 80 | 171.9 | 419.499 | | |
| TMP-14R | 180 | 12/22/2014 | 100 | 172.6 | 399.499 | | |
| TMP-14R | 180 | 12/22/2014 | 120 | 168.3 | 379.499 | | |
| TMP-14R | 180 | 12/22/2014 | 140 | 162.2 | 359.499 | | |
| TMP-14R | 179 | 12/24/2014 | 20 | 182.5 | 479.499 | | |
| TMP-14R | 179 | 12/24/2014 | 40 | 189.4 | 459.499 | | |
| TMP-14R | 179 | 12/24/2014 | 60 | 173.3 | 439.499 | | |
| TMP-14R | 179 | 12/24/2014 | 80 | 171.8 | 419.499 | | |
| TMP-14R | 179 | 12/24/2014 | 100 | 172.5 | 399.499 | | |
| TMP-14R | 179 | 12/24/2014 | 120 | 168.2 | 379.499 | | |
| TMP-14R | 179 | 12/24/2014 | 140 | 162.2 | 359.499 | | |
| TMP-14R | 181 | 12/26/2014 | 20 | 181.1 | 479.499 | | |
| TMP-14R | 181 | 12/26/2014 | 40 | 188.4 | 459.499 | | |
| TMP-14R | 181 | 12/26/2014 | 60 | 172.3 | 439.499 | | |
| TMP-14R | 181 | 12/26/2014 | 80 | 170.8 | 419.499 | | |
| TMP-14R | 181 | 12/26/2014 | 100 | 171.6 | 399.499 | | |
| TMP-14R | 181 | 12/26/2014 | 120 | 167.5 | 379.499 | | |
| TMP-14R | 181 | 12/26/2014 | 140 | 161.9 | 359.499 | | |
| TMP-14R | 182 | 12/29/2014 | 20 | 183.3 | 479.499 | | |
| TMP-14R | 182 | 12/29/2014 | 40 | 190.7 | 459.499 | | |
| TMP-14R | 182 | 12/29/2014 | 60 | 174.5 | 439.499 | | |
| TMP-14R | 182 | 12/29/2014 | 80 | 172.9 | 419.499 | | |
| TMP-14R | 182 | 12/29/2014 | 100 | 173.7 | 399.499 | | |
| TMP-14R | 182 | 12/29/2014 | 120 | 169.3 | 379.499 | | |
| TMP-14R | 182 | 12/29/2014 | 140 | 163.6 | 359.499 | | |
| TMP-14R | 183 | 12/31/2014 | 20 | 183.3 | 479.499 | | |
| TMP-14R | 183 | 12/31/2014 | 40 | 191.1 | 459.499 | | |
| TMP-14R | 183 | 12/31/2014 | 60 | 175 | 439.499 | | |
| TMP-14R | 183 | 12/31/2014 | 80 | 173.4 | 419.499 | | |
| TMP-14R | 183 | 12/31/2014 | 100 | 174.1 | 399.499 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|---------|---------|------------|-------|---------|-----------|------------|----------|
| TMP-14R | 183 | 12/31/2014 | 120 | 169.8 | 379.499 | | |
| TMP-14R | 183 | 12/31/2014 | 140 | 163.8 | 359.499 | | |
| TMP-14R | 184 | 1/2/2015 | 20 | 182.1 | 479.499 | | |
| TMP-14R | 184 | 1/2/2015 | 40 | 190.1 | 459.499 | | |
| TMP-14R | 184 | 1/2/2015 | 60 | 173.7 | 439.499 | | |
| TMP-14R | 184 | 1/2/2015 | 80 | 172 | 419.499 | | |
| TMP-14R | 184 | 1/2/2015 | 100 | 172.6 | 399.499 | | |
| TMP-14R | 184 | 1/2/2015 | 120 | 168.3 | 379.499 | | |
| TMP-14R | 184 | 1/2/2015 | 140 | 162.2 | 359.499 | | |
| TMP-14R | 185 | 1/5/2015 | 20 | 181.5 | 479.499 | | |
| TMP-14R | 185 | 1/5/2015 | 40 | 189.4 | 459.499 | | |
| TMP-14R | 185 | 1/5/2015 | 60 | 172.7 | 439.499 | | |
| TMP-14R | 185 | 1/5/2015 | 80 | 171 | 419.499 | | |
| TMP-14R | 185 | 1/5/2015 | 100 | 171.6 | 399.499 | | |
| TMP-14R | 185 | 1/5/2015 | 120 | 167 | 379.499 | | |
| TMP-14R | 185 | 1/5/2015 | 140 | 160.8 | 359.499 | | |
| TMP-14R | 186 | 1/8/2015 | 20 | 184 | 479.499 | | |
| TMP-14R | 186 | 1/8/2015 | 40 | 192.6 | 459.499 | | |
| TMP-14R | 186 | 1/8/2015 | 60 | 175.9 | 439.499 | | |
| TMP-14R | 186 | 1/8/2015 | 80 | 174.1 | 419.499 | | |
| TMP-14R | 186 | 1/8/2015 | 100 | 174.8 | 399.499 | | |
| TMP-14R | 186 | 1/8/2015 | 120 | 170.3 | 379.499 | | |
| TMP-14R | 186 | 1/8/2015 | 140 | 164.2 | 359.499 | | |
| TMP-14R | 187 | 1/9/2015 | 20 | 182.9 | 479.499 | | |
| TMP-14R | 187 | 1/9/2015 | 40 | 191.7 | 459.499 | | |
| TMP-14R | 187 | 1/9/2015 | 60 | 175.1 | 439.499 | | |
| TMP-14R | 187 | 1/9/2015 | 80 | 173.4 | 419.499 | | |
| TMP-14R | 187 | 1/9/2015 | 100 | 174.2 | 399.499 | | |
| TMP-14R | 187 | 1/9/2015 | 120 | 169.8 | 379.499 | | |
| TMP-14R | 187 | 1/9/2015 | 140 | 163.9 | 359.499 | | |
| TMP-14R | 188 | 1/12/2015 | 20 | 182.6 | 479.499 | | |
| TMP-14R | 188 | 1/12/2015 | 40 | 191.4 | 459.499 | | |
| TMP-14R | 188 | 1/12/2015 | 60 | 174.5 | 439.499 | | |
| TMP-14R | 188 | 1/12/2015 | 80 | 172.7 | 419.499 | | |
| TMP-14R | 188 | 1/12/2015 | 100 | 173.3 | 399.499 | | |
| TMP-14R | 188 | 1/12/2015 | 120 | 168.8 | 379.499 | | |
| TMP-14R | 188 | 1/12/2015 | 140 | 162.7 | 359.499 | | |
| TMP-14R | 189 | 1/14/2015 | 20 | 183 | 479.499 | | |
| TMP-14R | 189 | 1/14/2015 | 40 | 192.2 | 459.499 | | |
| TMP-14R | 189 | 1/14/2015 | 60 | 175.3 | 439.499 | | |
| TMP-14R | 189 | 1/14/2015 | 80 | 173.5 | 419.499 | | |
| TMP-14R | 189 | 1/14/2015 | 100 | 173.9 | 399.499 | | |
| TMP-14R | 189 | 1/14/2015 | 120 | 169.4 | 379.499 | | |
| TMP-14R | 189 | 1/14/2015 | 140 | 163.2 | 359.499 | | |
| TMP-14R | 190 | 1/16/2015 | 20 | 182.3 | 479.499 | | |
| TMP-14R | 190 | 1/16/2015 | 40 | 191.8 | 459.499 | | |
| TMP-14R | 190 | 1/16/2015 | 60 | 175 | 439.499 | | |
| TMP-14R | 190 | 1/16/2015 | 80 | 173.5 | 419.499 | | |
| TMP-14R | 190 | 1/16/2015 | 100 | 174 | 399.499 | | |
| TMP-14R | 190 | 1/16/2015 | 120 | 169.6 | 379.499 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|---------|---------|-----------|-------|---------|-----------|------------|----------|
| TMP-14R | 190 | 1/16/2015 | 140 | 163.7 | 359.499 | | |
| TMP-14R | 191 | 1/19/2015 | 20 | 183.5 | 479.499 | | |
| TMP-14R | 191 | 1/19/2015 | 40 | 193.1 | 459.499 | | |
| TMP-14R | 191 | 1/19/2015 | 60 | 175.9 | 439.499 | | |
| TMP-14R | 191 | 1/19/2015 | 80 | 174 | 419.499 | | |
| TMP-14R | 191 | 1/19/2015 | 100 | 174.3 | 399.499 | | |
| TMP-14R | 191 | 1/19/2015 | 120 | 169.8 | 379.499 | | |
| TMP-14R | 191 | 1/19/2015 | 140 | 164 | 359.499 | | |
| TMP-14R | 192 | 1/21/2015 | 20 | 181.6 | 479.499 | | |
| TMP-14R | 192 | 1/21/2015 | 40 | 191.6 | 459.499 | | |
| TMP-14R | 192 | 1/21/2015 | 60 | 174.4 | 439.499 | | |
| TMP-14R | 192 | 1/21/2015 | 80 | 172.8 | 419.499 | | |
| TMP-14R | 192 | 1/21/2015 | 100 | 173.2 | 399.499 | | |
| TMP-14R | 192 | 1/21/2015 | 120 | 168.7 | 379.499 | | |
| TMP-14R | 192 | 1/21/2015 | 140 | 162.7 | 359.499 | | |
| TMP-14R | 193 | 1/23/2015 | 20 | 182.3 | 479.499 | | |
| TMP-14R | 193 | 1/23/2015 | 40 | 192.4 | 459.499 | | |
| TMP-14R | 193 | 1/23/2015 | 60 | 175.1 | 439.499 | | |
| TMP-14R | 193 | 1/23/2015 | 80 | 173.2 | 419.499 | | |
| TMP-14R | 193 | 1/23/2015 | 100 | 173.4 | 399.499 | | |
| TMP-14R | 193 | 1/23/2015 | 120 | 168.9 | 379.499 | | |
| TMP-14R | 193 | 1/23/2015 | 140 | 162.9 | 359.499 | | |
| TMP-14R | 194 | 1/26/2015 | 20 | 182.8 | 479.499 | | |
| TMP-14R | 194 | 1/26/2015 | 40 | 192.9 | 459.499 | | |
| TMP-14R | 194 | 1/26/2015 | 60 | 175.5 | 439.499 | | |
| TMP-14R | 194 | 1/26/2015 | 80 | 173.5 | 419.499 | | |
| TMP-14R | 194 | 1/26/2015 | 100 | 173.7 | 399.499 | | |
| TMP-14R | 194 | 1/26/2015 | 120 | 169.1 | 379.499 | | |
| TMP-14R | 194 | 1/26/2015 | 140 | 163 | 359.499 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|-----------|-------|---------|-----------|------------|---|
| TMP-19 | 116 | 9/12/2014 | 20 | 175.6 | 472.93 | | TIMP EQUALIZING, RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-19 | 116 | 9/12/2014 | 40 | 178.9 | 452.93 | | TIMP EQUALIZING, RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-19 | 116 | 9/12/2014 | 60 | 168.7 | 432.93 | | TIMP EQUALIZING, RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-19 | 116 | 9/12/2014 | 80 | 177.4 | 412.93 | | TIMP EQUALIZING, RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-19 | 116 | 9/12/2014 | 100 | 202 | 392.93 | | TIMP EQUALIZING, RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-19 | 116 | 9/12/2014 | 120 | 185 | 372.93 | | TIMP EQUALIZING, RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-19 | 116 | 9/12/2014 | 140 | 161.2 | 352.93 | | TIMP EQUALIZING, RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-19 | 121 | 9/19/2014 | 20 | 220.9 | 472.93 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-19 | 121 | 9/19/2014 | 40 | 221 | 452.93 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-19 | 121 | 9/19/2014 | 60 | 222.7 | 432.93 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|-----------|-------|---------|-----------|------------|--|
| TMP-19 | 121 | 9/19/2014 | 80 | 214.4 | 412.93 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-19 | 121 | 9/19/2014 | 100 | 221.5 | 392.93 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-19 | 121 | 9/19/2014 | 120 | 224.1 | 372.93 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-19 | 121 | 9/19/2014 | 140 | 185.2 | 352.93 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-19 | 122 | 9/20/2014 | 20 | 212.6 | 472.93 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-19 | 122 | 9/20/2014 | 40 | 212.3 | 452.93 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-19 | 122 | 9/20/2014 | 60 | 213.5 | 432.93 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-19 | 122 | 9/20/2014 | 80 | 209.1 | 412.93 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-19 | 122 | 9/20/2014 | 100 | 213.9 | 392.93 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-19 | 122 | 9/20/2014 | 120 | 220.8 | 372.93 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-19 | 122 | 9/20/2014 | 140 | 180.6 | 352.93 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-19 | 124 | 9/21/2014 | 20 | 218.6 | 472.93 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|-----------|-------|---------|-----------|------------|--|
| TMP-19 | 124 | 9/21/2014 | 40 | 219.1 | 452.93 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-19 | 124 | 9/21/2014 | 60 | 219.3 | 432.93 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-19 | 124 | 9/21/2014 | 80 | 210.9 | 412.93 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-19 | 124 | 9/21/2014 | 100 | 214.4 | 392.93 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-19 | 124 | 9/21/2014 | 120 | 217.4 | 372.93 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-19 | 124 | 9/21/2014 | 140 | 179.3 | 352.93 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-19 | 125 | 9/22/2014 | 20 | 214.7 | 472.93 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-19 | 125 | 9/22/2014 | 40 | 216.8 | 452.93 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-19 | 125 | 9/22/2014 | 60 | 218.8 | 432.93 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-19 | 125 | 9/22/2014 | 80 | 210.5 | 412.93 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-19 | 125 | 9/22/2014 | 100 | 213.5 | 392.93 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-19 | 125 | 9/22/2014 | 120 | 214.6 | 372.93 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|-----------|-------|---------|-----------|------------|--|
| | | | | | | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-19 | 125 | 9/22/2014 | 140 | 173.3 | 352.93 | | |
| TMP-19 | 126 | 9/23/2014 | 20 | 214.6 | 472.93 | | |
| TMP-19 | 126 | 9/23/2014 | 40 | 217.6 | 452.93 | | |
| TMP-19 | 126 | 9/23/2014 | 60 | 221.2 | 432.93 | | |
| TMP-19 | 126 | 9/23/2014 | 80 | 210.9 | 412.93 | | |
| TMP-19 | 126 | 9/23/2014 | 100 | 214.9 | 392.93 | | |
| TMP-19 | 126 | 9/23/2014 | 120 | 220.1 | 372.93 | | |
| TMP-19 | 126 | 9/23/2014 | 140 | 180.2 | 352.93 | | |
| TMP-19 | 127 | 9/24/2014 | 20 | 215.5 | 472.93 | | |
| TMP-19 | 127 | 9/24/2014 | 40 | 218.9 | 452.93 | | |
| TMP-19 | 127 | 9/24/2014 | 60 | 223 | 432.93 | | |
| TMP-19 | 127 | 9/24/2014 | 80 | 212 | 412.93 | | |
| TMP-19 | 127 | 9/24/2014 | 100 | 215.4 | 392.93 | | |
| TMP-19 | 127 | 9/24/2014 | 120 | 220.5 | 372.93 | | |
| TMP-19 | 127 | 9/24/2014 | 140 | 180.8 | 352.93 | | |
| TMP-19 | 128 | 9/25/2014 | 20 | 215.2 | 472.93 | | |
| TMP-19 | 128 | 9/25/2014 | 40 | 219.4 | 452.93 | | |
| TMP-19 | 128 | 9/25/2014 | 60 | 224.7 | 432.93 | | |
| TMP-19 | 128 | 9/25/2014 | 80 | 212.9 | 412.93 | | |
| TMP-19 | 128 | 9/25/2014 | 100 | 216.1 | 392.93 | | |
| TMP-19 | 128 | 9/25/2014 | 120 | 221.2 | 372.93 | | |
| TMP-19 | 128 | 9/25/2014 | 140 | 181.6 | 352.93 | | |
| TMP-19 | 129 | 9/26/2014 | 20 | 213.6 | 472.93 | | |
| TMP-19 | 123 | 9/26/2014 | 20 | 213.6 | 472.93 | | |
| TMP-19 | 123 | 9/26/2014 | 40 | 219.3 | 452.93 | | |
| TMP-19 | 129 | 9/26/2014 | 40 | 219.3 | 452.93 | | |
| TMP-19 | 129 | 9/26/2014 | 60 | 224.8 | 432.93 | | |
| TMP-19 | 123 | 9/26/2014 | 60 | 224.8 | 432.93 | | |
| TMP-19 | 129 | 9/26/2014 | 80 | 212.8 | 412.93 | | |
| TMP-19 | 123 | 9/26/2014 | 80 | 212.8 | 412.93 | | |
| TMP-19 | 129 | 9/26/2014 | 100 | 215.6 | 392.93 | | |
| TMP-19 | 123 | 9/26/2014 | 100 | 215.6 | 392.93 | | |
| TMP-19 | 123 | 9/26/2014 | 120 | 220.7 | 372.93 | | |
| TMP-19 | 129 | 9/26/2014 | 120 | 220.7 | 372.93 | | |
| TMP-19 | 123 | 9/26/2014 | 140 | 181.7 | 352.93 | | |
| TMP-19 | 129 | 9/26/2014 | 140 | 181.7 | 352.93 | | |
| TMP-19 | 130 | 9/27/2014 | 20 | 215 | 472.93 | | |
| TMP-19 | 130 | 9/27/2014 | 40 | 220.6 | 452.93 | | |
| TMP-19 | 130 | 9/27/2014 | 60 | 226.5 | 432.93 | | |
| TMP-19 | 130 | 9/27/2014 | 80 | 214.1 | 412.93 | | |
| TMP-19 | 130 | 9/27/2014 | 100 | 216.4 | 392.93 | | |
| TMP-19 | 130 | 9/27/2014 | 120 | 221.2 | 372.93 | | |
| TMP-19 | 130 | 9/27/2014 | 140 | 182.4 | 352.93 | | |
| TMP-19 | 131 | 9/28/2014 | 20 | 214.2 | 472.93 | | |
| TMP-19 | 131 | 9/28/2014 | 40 | 220.3 | 452.93 | | |
| TMP-19 | 131 | 9/28/2014 | 60 | 226.1 | 432.93 | | |
| TMP-19 | 131 | 9/28/2014 | 80 | 214 | 412.93 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|-----------|-------|---------|-----------|------------|----------------------------------|
| TMP-19 | 131 | 9/28/2014 | 100 | 216.1 | 392.93 | | |
| TMP-19 | 131 | 9/28/2014 | 120 | 220.9 | 372.93 | | |
| TMP-19 | 131 | 9/28/2014 | 140 | 182.3 | 352.93 | | |
| TMP-19 | 132 | 9/29/2014 | 20 | 215.2 | 472.93 | | |
| TMP-19 | 132 | 9/29/2014 | 40 | 221.6 | 452.93 | | |
| TMP-19 | 132 | 9/29/2014 | 60 | 227.7 | 432.93 | | |
| TMP-19 | 132 | 9/29/2014 | 80 | 215.5 | 412.93 | | |
| TMP-19 | 132 | 9/29/2014 | 100 | 217.2 | 392.93 | | |
| TMP-19 | 132 | 9/29/2014 | 120 | 222.1 | 372.93 | | |
| TMP-19 | 132 | 9/29/2014 | 140 | 185.5 | 352.93 | | |
| TMP-19 | 133 | 9/30/2014 | 20 | 215.3 | 472.93 | | |
| TMP-19 | 133 | 9/30/2014 | 40 | 221.8 | 452.93 | | |
| TMP-19 | 133 | 9/30/2014 | 60 | 228.1 | 432.93 | | |
| TMP-19 | 133 | 9/30/2014 | 80 | 216 | 412.93 | | |
| TMP-19 | 133 | 9/30/2014 | 100 | | 392.93 | 105 | Low resistivity, Low temperature |
| TMP-19 | 133 | 9/30/2014 | 120 | 222.3 | 372.93 | | |
| TMP-19 | 133 | 9/30/2014 | 140 | 183.8 | 352.93 | | |
| TMP-19 | 134 | 10/1/2014 | 20 | 215.1 | 472.93 | | |
| TMP-19 | 134 | 10/1/2014 | 40 | 221.8 | 452.93 | | |
| TMP-19 | 134 | 10/1/2014 | 60 | 228.1 | 432.93 | | |
| TMP-19 | 134 | 10/1/2014 | 80 | 216.1 | 412.93 | | |
| TMP-19 | 134 | 10/1/2014 | 100 | | 392.93 | 79 | Low resistivity, Low temperature |
| TMP-19 | 134 | 10/1/2014 | 120 | 222.3 | 372.93 | | |
| TMP-19 | 134 | 10/1/2014 | 140 | 183.8 | 352.93 | | |
| TMP-19 | 135 | 10/2/2014 | 20 | 215.8 | 472.93 | | |
| TMP-19 | 135 | 10/2/2014 | 40 | 222.5 | 452.93 | | |
| TMP-19 | 135 | 10/2/2014 | 60 | 229 | 432.93 | | |
| TMP-19 | 135 | 10/2/2014 | 80 | 217.2 | 412.93 | | |
| TMP-19 | 135 | 10/2/2014 | 100 | | 392.93 | 80.9 | Low resistivity, Low temperature |
| TMP-19 | 135 | 10/2/2014 | 120 | 222.9 | 372.93 | | |
| TMP-19 | 135 | 10/2/2014 | 140 | 184.3 | 352.93 | | |
| TMP-19 | 140 | 10/6/2014 | 20 | 216.2 | 472.93 | | |
| TMP-19 | 140 | 10/6/2014 | 40 | 223.5 | 452.93 | | |
| TMP-19 | 140 | 10/6/2014 | 60 | 230.1 | 432.93 | | |
| TMP-19 | 140 | 10/6/2014 | 80 | 219 | 412.93 | | |
| TMP-19 | 140 | 10/6/2014 | 100 | | 392.93 | 77 | Low resistivity, Low temperature |
| TMP-19 | 140 | 10/6/2014 | 120 | 224 | 372.93 | | |
| TMP-19 | 140 | 10/6/2014 | 140 | 186.1 | 352.93 | | |
| TMP-19 | 141 | 10/7/2014 | 20 | 216.7 | 472.93 | | |
| TMP-19 | 141 | 10/7/2014 | 40 | 224 | 452.93 | | |
| TMP-19 | 141 | 10/7/2014 | 60 | 230.4 | 432.93 | | |
| TMP-19 | 141 | 10/7/2014 | 80 | 219.3 | 412.93 | | |
| TMP-19 | 141 | 10/7/2014 | 100 | | 392.93 | 83.2 | Low resistivity, Low temperature |
| TMP-19 | 141 | 10/7/2014 | 120 | 223.7 | 372.93 | | |
| TMP-19 | 141 | 10/7/2014 | 140 | 185.6 | 352.93 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|------------|-------|---------|-----------|------------|--|
| TMP-19 | 136 | 10/8/2014 | 20 | 218.6 | 472.93 | | |
| TMP-19 | 136 | 10/8/2014 | 40 | 226.2 | 452.93 | | |
| TMP-19 | 136 | 10/8/2014 | 60 | 232.7 | 432.93 | | |
| TMP-19 | 136 | 10/8/2014 | 80 | 221.9 | 412.93 | | |
| TMP-19 | 136 | 10/8/2014 | 100 | | 392.93 | 86 | Low resistivity, Low temperature |
| TMP-19 | 136 | 10/8/2014 | 120 | 226.6 | 372.93 | | |
| TMP-19 | 136 | 10/8/2014 | 140 | 189.3 | 352.93 | | |
| TMP-19 | 142 | 10/9/2014 | 20 | 216.4 | 472.93 | | Multimeter not working due to water damage |
| TMP-19 | 142 | 10/9/2014 | 40 | 224.3 | 452.93 | | Multimeter not working due to water damage |
| TMP-19 | 142 | 10/9/2014 | 60 | 230.9 | 432.93 | | Multimeter not working due to water damage |
| TMP-19 | 142 | 10/9/2014 | 80 | 220 | 412.93 | | Multimeter not working due to water damage |
| TMP-19 | 142 | 10/9/2014 | 100 | | 392.93 | 63.1 | Multimeter not working due to water damage |
| TMP-19 | 142 | 10/9/2014 | 120 | 224.3 | 372.93 | | Multimeter not working due to water damage |
| TMP-19 | 142 | 10/9/2014 | 140 | 186.9 | 352.93 | | Multimeter not working due to water damage |
| TMP-19 | 143 | 10/10/2014 | 20 | 218.4 | 472.93 | | |
| TMP-19 | 143 | 10/10/2014 | 40 | 226.3 | 452.93 | | |
| TMP-19 | 143 | 10/10/2014 | 60 | 233.4 | 432.93 | | |
| TMP-19 | 143 | 10/10/2014 | 80 | 222.3 | 412.93 | | |
| TMP-19 | 143 | 10/10/2014 | 100 | | 392.93 | 56.1 | Low resistivity, Low temperature |
| TMP-19 | 143 | 10/10/2014 | 120 | 226.4 | 372.93 | | |
| TMP-19 | 143 | 10/10/2014 | 140 | 189.9 | 352.93 | | |
| TMP-19 | 144 | 10/11/2014 | 20 | 216.5 | 472.93 | | |
| TMP-19 | 144 | 10/11/2014 | 40 | 224.7 | 452.93 | | |
| TMP-19 | 144 | 10/11/2014 | 60 | 232.2 | 432.93 | | |
| TMP-19 | 144 | 10/11/2014 | 80 | 220.5 | 412.93 | | |
| TMP-19 | 144 | 10/11/2014 | 100 | | 392.93 | 58.5 | Low resistivity, Low temperature |
| TMP-19 | 144 | 10/11/2014 | 120 | 224.1 | 372.93 | | |
| TMP-19 | 144 | 10/11/2014 | 140 | 186.9 | 352.93 | | |
| TMP-19 | 145 | 10/12/2014 | 20 | 216.4 | 472.93 | | |
| TMP-19 | 145 | 10/12/2014 | 40 | 224.8 | 452.93 | | |
| TMP-19 | 145 | 10/12/2014 | 60 | 233 | 432.93 | | |
| TMP-19 | 145 | 10/12/2014 | 80 | 220.9 | 412.93 | | |
| TMP-19 | 145 | 10/12/2014 | 100 | | 392.93 | 61.3 | Low resistivity, Low temperature |
| TMP-19 | 145 | 10/12/2014 | 120 | 224.3 | 372.93 | | |
| TMP-19 | 145 | 10/12/2014 | 140 | 187.6 | 352.93 | | |
| TMP-19 | 146 | 10/13/2014 | 20 | 217.9 | 472.93 | | |
| TMP-19 | 146 | 10/13/2014 | 40 | 226.5 | 452.93 | | |
| TMP-19 | 146 | 10/13/2014 | 60 | 235.2 | 432.93 | | |
| TMP-19 | 146 | 10/13/2014 | 80 | 222.7 | 412.93 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|------------|-------|---------|-----------|------------|----------------------------------|
| TMP-19 | 146 | 10/13/2014 | 100 | | 392.93 | 67.7 | Low resistivity, Low temperature |
| TMP-19 | 146 | 10/13/2014 | 120 | 255.5 | 372.93 | | |
| TMP-19 | 146 | 10/13/2014 | 140 | 189.1 | 352.93 | | |
| TMP-19 | 148 | 10/14/2014 | 20 | 216.5 | 472.93 | | |
| TMP-19 | 148 | 10/14/2014 | 40 | 225.3 | 452.93 | | |
| TMP-19 | 148 | 10/14/2014 | 60 | 234.7 | 432.93 | | |
| TMP-19 | 148 | 10/14/2014 | 80 | 221.8 | 412.93 | | |
| TMP-19 | 148 | 10/14/2014 | 100 | | 392.93 | 57.3 | Low resistivity, Low temperature |
| TMP-19 | 148 | 10/14/2014 | 120 | 224.4 | 372.93 | | |
| TMP-19 | 148 | 10/14/2014 | 140 | 188.7 | 352.93 | | |
| TMP-19 | 149 | 10/15/2014 | 20 | 217 | 472.93 | | |
| TMP-19 | 149 | 10/15/2014 | 40 | 226.2 | 452.93 | | |
| TMP-19 | 149 | 10/15/2014 | 60 | 236 | 432.93 | | |
| TMP-19 | 149 | 10/15/2014 | 80 | 222.6 | 412.93 | | |
| TMP-19 | 149 | 10/15/2014 | 100 | | 392.93 | 59.7 | Low resistivity, Low temperature |
| TMP-19 | 149 | 10/15/2014 | 120 | 225.2 | 372.93 | | |
| TMP-19 | 149 | 10/15/2014 | 140 | 190 | 352.93 | | |
| TMP-19 | 150 | 10/16/2014 | 20 | 215.7 | 472.93 | | |
| TMP-19 | 150 | 10/16/2014 | 40 | 225.6 | 452.93 | | |
| TMP-19 | 150 | 10/16/2014 | 60 | 236.9 | 432.93 | | |
| TMP-19 | 150 | 10/16/2014 | 80 | 222.6 | 412.93 | | |
| TMP-19 | 150 | 10/16/2014 | 100 | | 392.93 | 73.7 | Low resistivity, Low temperature |
| TMP-19 | 150 | 10/16/2014 | 120 | 224.9 | 372.93 | | |
| TMP-19 | 150 | 10/16/2014 | 140 | 189.8 | 352.93 | | |
| TMP-19 | 147 | 10/17/2014 | 20 | 215.7 | 472.93 | | |
| TMP-19 | 147 | 10/17/2014 | 40 | 225.6 | 452.93 | | |
| TMP-19 | 147 | 10/17/2014 | 60 | 236.9 | 432.93 | | |
| TMP-19 | 147 | 10/17/2014 | 80 | 222.6 | 412.93 | | |
| TMP-19 | 147 | 10/17/2014 | 100 | | 392.93 | 73.7 | Low resistivity, Low temperature |
| TMP-19 | 147 | 10/17/2014 | 120 | 224.9 | 372.93 | | |
| TMP-19 | 147 | 10/17/2014 | 140 | 189.8 | 352.93 | | |
| TMP-19 | 152 | 10/20/2014 | 20 | 215 | 472.93 | | |
| TMP-19 | 152 | 10/20/2014 | 40 | 225.5 | 452.93 | | |
| TMP-19 | 152 | 10/20/2014 | 60 | 238.5 | 432.93 | | |
| TMP-19 | 152 | 10/20/2014 | 80 | 223 | 412.93 | | |
| TMP-19 | 152 | 10/20/2014 | 100 | | 392.93 | 83.8 | Low resistivity, Low temperature |
| TMP-19 | 152 | 10/20/2014 | 120 | 224.8 | 372.93 | | |
| TMP-19 | 152 | 10/20/2014 | 140 | 190.4 | 352.93 | | |
| TMP-19 | 153 | 10/22/2014 | 20 | 215.6 | 472.93 | | |
| TMP-19 | 153 | 10/22/2014 | 40 | 226.1 | 452.93 | | |
| TMP-19 | 153 | 10/22/2014 | 60 | 239.7 | 432.93 | | |
| TMP-19 | 153 | 10/22/2014 | 80 | 223.3 | 412.93 | | |
| TMP-19 | 153 | 10/22/2014 | 100 | | 392.93 | 56.3 | Low resistivity, Low temperature |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|------------|-------|---------|-----------|------------|----------------------------------|
| TMP-19 | 153 | 10/22/2014 | 120 | 224.8 | 372.93 | | |
| TMP-19 | 153 | 10/22/2014 | 140 | 190.6 | 352.93 | | |
| TMP-19 | 154 | 10/24/2014 | 20 | 216 | 472.93 | | |
| TMP-19 | 154 | 10/24/2014 | 40 | 227.3 | 452.93 | | |
| TMP-19 | 154 | 10/24/2014 | 60 | 242 | 432.93 | | |
| TMP-19 | 154 | 10/24/2014 | 80 | 225 | 412.93 | | |
| TMP-19 | 154 | 10/24/2014 | 100 | | 392.93 | 85.5 | Low resistivity, Low temperature |
| TMP-19 | 154 | 10/24/2014 | 120 | 226.3 | 372.93 | | |
| TMP-19 | 154 | 10/24/2014 | 140 | 192 | 352.93 | | |
| TMP-19 | 155 | 10/27/2014 | 20 | 214.5 | 472.93 | | |
| TMP-19 | 155 | 10/27/2014 | 40 | 226.4 | 452.93 | | |
| TMP-19 | 155 | 10/27/2014 | 60 | 242.3 | 432.93 | | |
| TMP-19 | 155 | 10/27/2014 | 80 | 224.4 | 412.93 | | |
| TMP-19 | 155 | 10/27/2014 | 100 | | 392.93 | 86.6 | Low resistivity, Low temperature |
| TMP-19 | 155 | 10/27/2014 | 120 | 226.1 | 372.93 | | |
| TMP-19 | 155 | 10/27/2014 | 140 | 192.3 | 352.93 | | |
| TMP-19 | 156 | 10/29/2014 | 20 | 215.6 | 472.93 | | |
| TMP-19 | 156 | 10/29/2014 | 40 | 227.5 | 452.93 | | |
| TMP-19 | 156 | 10/29/2014 | 60 | 244 | 432.93 | | |
| TMP-19 | 156 | 10/29/2014 | 80 | 225.5 | 412.93 | | |
| TMP-19 | 156 | 10/29/2014 | 100 | | 392.93 | 61.3 | Low resistivity, Low temperature |
| TMP-19 | 156 | 10/29/2014 | 120 | 227.8 | 372.93 | | |
| TMP-19 | 156 | 10/29/2014 | 140 | 193.5 | 352.93 | | |
| TMP-19 | 157 | 10/31/2014 | 20 | 214.8 | 472.93 | | |
| TMP-19 | 157 | 10/31/2014 | 40 | 227 | 452.93 | | |
| TMP-19 | 157 | 10/31/2014 | 60 | 244.2 | 432.93 | | |
| TMP-19 | 157 | 10/31/2014 | 80 | 225.2 | 412.93 | | |
| TMP-19 | 157 | 10/31/2014 | 100 | | 392.93 | 55.2 | Low resistivity, Low temperature |
| TMP-19 | 157 | 10/31/2014 | 120 | 228 | 372.93 | | |
| TMP-19 | 157 | 10/31/2014 | 140 | 193.2 | 352.93 | | |
| TMP-19 | 158 | 11/3/2014 | 20 | 214.9 | 472.93 | | |
| TMP-19 | 158 | 11/3/2014 | 40 | 227.6 | 452.93 | | |
| TMP-19 | 158 | 11/3/2014 | 60 | 245.7 | 432.93 | | |
| TMP-19 | 158 | 11/3/2014 | 80 | 226.2 | 412.93 | | |
| TMP-19 | 158 | 11/3/2014 | 100 | | 392.93 | 80.2 | Low resistivity, Low temperature |
| TMP-19 | 158 | 11/3/2014 | 120 | 228.7 | 372.93 | | |
| TMP-19 | 158 | 11/3/2014 | 140 | 194.5 | 352.93 | | |
| TMP-19 | 159 | 11/5/2014 | 20 | 215 | 472.93 | | |
| TMP-19 | 159 | 11/5/2014 | 40 | 228.2 | 452.93 | | |
| TMP-19 | 159 | 11/5/2014 | 60 | 246.9 | 432.93 | | |
| TMP-19 | 159 | 11/5/2014 | 80 | 227.1 | 412.93 | | |
| TMP-19 | 159 | 11/5/2014 | 100 | | 392.93 | 62.9 | Low resistivity, Low temperature |
| TMP-19 | 159 | 11/5/2014 | 120 | 229.3 | 372.93 | | |
| TMP-19 | 159 | 11/5/2014 | 140 | 196.1 | 352.93 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|------------|-------|---------|-----------|------------|----------------------------------|
| TMP-19 | 160 | 11/7/2014 | 20 | 214.9 | 472.93 | | |
| TMP-19 | 160 | 11/7/2014 | 40 | 228.3 | 452.93 | | |
| TMP-19 | 160 | 11/7/2014 | 60 | 247.4 | 432.93 | | |
| TMP-19 | 160 | 11/7/2014 | 80 | 227.2 | 412.93 | | |
| TMP-19 | 160 | 11/7/2014 | 100 | | 392.93 | 57 | Low resistivity, Low temperature |
| TMP-19 | 160 | 11/7/2014 | 120 | 229 | 372.93 | | |
| TMP-19 | 160 | 11/7/2014 | 140 | 196.5 | 352.93 | | |
| TMP-19 | 161 | 11/10/2014 | 20 | 206.3 | 472.93 | | |
| TMP-19 | 161 | 11/10/2014 | 40 | 218.6 | 452.93 | | |
| TMP-19 | 161 | 11/10/2014 | 60 | 235.7 | 432.93 | | |
| TMP-19 | 161 | 11/10/2014 | 80 | 218 | 412.93 | | |
| TMP-19 | 161 | 11/10/2014 | 100 | | 392.93 | 72 | Low resistivity, Low temperature |
| TMP-19 | 161 | 11/10/2014 | 120 | 218.8 | 372.93 | | |
| TMP-19 | 161 | 11/10/2014 | 140 | 189.9 | 352.93 | | |
| TMP-19 | 162 | 11/12/2014 | 20 | 206.2 | 472.93 | | |
| TMP-19 | 162 | 11/12/2014 | 40 | 218.6 | 452.93 | | |
| TMP-19 | 162 | 11/12/2014 | 60 | 236 | 432.93 | | |
| TMP-19 | 162 | 11/12/2014 | 80 | 218 | 412.93 | | |
| TMP-19 | 162 | 11/12/2014 | 100 | | 392.93 | 36.2 | Low resistivity, Low temperature |
| TMP-19 | 162 | 11/12/2014 | 120 | 218.5 | 372.93 | | |
| TMP-19 | 162 | 11/12/2014 | 140 | 190.6 | 352.93 | | |
| TMP-19 | 163 | 11/14/2014 | 20 | 206 | 472.93 | | |
| TMP-19 | 163 | 11/14/2014 | 40 | 218.9 | 452.93 | | |
| TMP-19 | 163 | 11/14/2014 | 60 | 236.4 | 432.93 | | |
| TMP-19 | 163 | 11/14/2014 | 80 | 218.2 | 412.93 | | |
| TMP-19 | 163 | 11/14/2014 | 100 | | 392.93 | 47.3 | Low resistivity, Low temperature |
| TMP-19 | 163 | 11/14/2014 | 120 | 218.3 | 372.93 | | |
| TMP-19 | 163 | 11/14/2014 | 140 | 190.7 | 352.93 | | |
| TMP-19 | 164 | 11/17/2014 | 20 | 206 | 472.93 | | |
| TMP-19 | 164 | 11/17/2014 | 40 | 219.4 | 452.93 | | |
| TMP-19 | 164 | 11/17/2014 | 60 | 237.3 | 432.93 | | |
| TMP-19 | 164 | 11/17/2014 | 80 | 219.1 | 412.93 | | |
| TMP-19 | 164 | 11/17/2014 | 100 | | 392.93 | 28.5 | Low resistivity, Low temperature |
| TMP-19 | 164 | 11/17/2014 | 120 | 218.2 | 372.93 | | |
| TMP-19 | 164 | 11/17/2014 | 140 | 191.1 | 352.93 | | |
| TMP-19 | 165 | 11/19/2014 | 20 | 206.9 | 472.93 | | |
| TMP-19 | 165 | 11/19/2014 | 40 | 220.4 | 452.93 | | |
| TMP-19 | 165 | 11/19/2014 | 60 | 238.5 | 432.93 | | |
| TMP-19 | 165 | 11/19/2014 | 80 | 220.4 | 412.93 | | |
| TMP-19 | 165 | 11/19/2014 | 100 | | 392.93 | 48.8 | Low resistivity, Low temperature |
| TMP-19 | 165 | 11/19/2014 | 120 | 219.5 | 372.93 | | |
| TMP-19 | 165 | 11/19/2014 | 140 | 195.7 | 352.93 | | |
| TMP-19 | 166 | 11/21/2014 | 20 | 206.9 | 472.93 | | |
| TMP-19 | 166 | 11/21/2014 | 40 | 220.9 | 452.93 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|------------|-------|---------|-----------|------------|----------------------------------|
| TMP-19 | 166 | 11/21/2014 | 60 | 239.1 | 432.93 | | |
| TMP-19 | 166 | 11/21/2014 | 80 | 221.1 | 412.93 | | |
| TMP-19 | 166 | 11/21/2014 | 100 | | 392.93 | 41.4 | Low resistivity, Low temperature |
| TMP-19 | 166 | 11/21/2014 | 120 | 220.3 | 372.93 | | |
| TMP-19 | 166 | 11/21/2014 | 140 | 197.1 | 352.93 | | |
| TMP-19 | 167 | 11/24/2014 | 20 | 206.5 | 472.93 | | |
| TMP-19 | 167 | 11/24/2014 | 40 | 221 | 452.93 | | |
| TMP-19 | 167 | 11/24/2014 | 60 | 239.6 | 432.93 | | |
| TMP-19 | 167 | 11/24/2014 | 80 | 221.8 | 412.93 | | |
| TMP-19 | 167 | 11/24/2014 | 100 | | 392.93 | 44.1 | Low resistivity, Low temperature |
| TMP-19 | 167 | 11/24/2014 | 120 | 220.2 | 372.93 | | |
| TMP-19 | 167 | 11/24/2014 | 140 | 196.3 | 352.93 | | |
| TMP-19 | 168 | 11/26/2014 | 20 | 206.1 | 472.93 | | |
| TMP-19 | 168 | 11/26/2014 | 40 | 220.6 | 452.93 | | |
| TMP-19 | 168 | 11/26/2014 | 60 | 239.2 | 432.93 | | |
| TMP-19 | 168 | 11/26/2014 | 80 | 221.3 | 412.93 | | |
| TMP-19 | 168 | 11/26/2014 | 100 | | 392.93 | 36.3 | Low resistivity, Low temperature |
| TMP-19 | 168 | 11/26/2014 | 120 | 219.8 | 372.93 | | |
| TMP-19 | 168 | 11/26/2014 | 140 | 195.3 | 352.93 | | |
| TMP-19 | 169 | 11/30/2014 | 20 | 203.1 | 472.93 | | |
| TMP-19 | 169 | 11/30/2014 | 40 | 218.7 | 452.93 | | |
| TMP-19 | 169 | 11/30/2014 | 60 | 237.7 | 432.93 | | |
| TMP-19 | 169 | 11/30/2014 | 80 | 220.5 | 412.93 | | |
| TMP-19 | 169 | 11/30/2014 | 100 | | 392.93 | 71.5 | Low resistivity, Low temperature |
| TMP-19 | 169 | 11/30/2014 | 120 | 221 | 372.93 | | |
| TMP-19 | 169 | 11/30/2014 | 140 | 196.3 | 352.93 | | |
| TMP-19 | 170 | 12/1/2014 | 20 | 206.6 | 472.93 | | |
| TMP-19 | 170 | 12/1/2014 | 40 | 222.2 | 452.93 | | |
| TMP-19 | 170 | 12/1/2014 | 60 | 241.1 | 432.93 | | |
| TMP-19 | 170 | 12/1/2014 | 80 | 223.9 | 412.93 | | |
| TMP-19 | 170 | 12/1/2014 | 100 | | 392.93 | 40.4 | Low resistivity, Low temperature |
| TMP-19 | 170 | 12/1/2014 | 120 | 224.6 | 372.93 | | |
| TMP-19 | 170 | 12/1/2014 | 140 | 200 | 352.93 | | |
| TMP-19 | 171 | 12/3/2014 | 20 | 203.5 | 472.93 | | |
| TMP-19 | 171 | 12/3/2014 | 40 | 219.6 | 452.93 | | |
| TMP-19 | 171 | 12/3/2014 | 60 | 238.9 | 432.93 | | |
| TMP-19 | 171 | 12/3/2014 | 80 | 221.8 | 412.93 | | |
| TMP-19 | 171 | 12/3/2014 | 100 | | 392.93 | 58.1 | Low resistivity, Low temperature |
| TMP-19 | 171 | 12/3/2014 | 120 | 222.3 | 372.93 | | |
| TMP-19 | 171 | 12/3/2014 | 140 | 197.8 | 352.93 | | |
| TMP-19 | 172 | 12/6/2014 | 20 | 203.9 | 472.93 | | |
| TMP-19 | 172 | 12/6/2014 | 40 | 220 | 452.93 | | |
| TMP-19 | 172 | 12/6/2014 | 60 | 239.1 | 432.93 | | |
| TMP-19 | 172 | 12/6/2014 | 80 | 221.9 | 412.93 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|------------|-------|---------|-----------|------------|----------------------------------|
| TMP-19 | 172 | 12/6/2014 | 100 | | 392.93 | 40.4 | Low resistivity, Low temperature |
| TMP-19 | 172 | 12/6/2014 | 120 | 222 | 372.93 | | |
| TMP-19 | 172 | 12/6/2014 | 140 | 196.7 | 352.93 | | |
| TMP-19 | 173 | 12/8/2014 | 20 | 204.2 | 472.93 | | |
| TMP-19 | 173 | 12/8/2014 | 40 | 220.3 | 452.93 | | |
| TMP-19 | 173 | 12/8/2014 | 60 | 239.3 | 432.93 | | |
| TMP-19 | 173 | 12/8/2014 | 80 | 222.4 | 412.93 | | |
| TMP-19 | 173 | 12/8/2014 | 100 | | 392.93 | 44.5 | Low resistivity, Low temperature |
| TMP-19 | 173 | 12/8/2014 | 120 | 222.3 | 372.93 | | |
| TMP-19 | 173 | 12/8/2014 | 140 | 197.3 | 352.93 | | |
| TMP-19 | 174 | 12/10/2014 | 20 | 205.5 | 472.93 | | |
| TMP-19 | 174 | 12/10/2014 | 40 | 220.1 | 452.93 | | |
| TMP-19 | 174 | 12/10/2014 | 60 | 239.6 | 432.93 | | |
| TMP-19 | 174 | 12/10/2014 | 80 | 222.9 | 412.93 | | |
| TMP-19 | 174 | 12/10/2014 | 100 | | 392.93 | 38 | Low resistivity, Low temperature |
| TMP-19 | 174 | 12/10/2014 | 120 | 222.4 | 372.93 | | |
| TMP-19 | 174 | 12/10/2014 | 140 | 198 | 352.93 | | |
| TMP-19 | 175 | 12/12/2014 | 20 | 207.1 | 472.93 | | |
| TMP-19 | 175 | 12/12/2014 | 40 | 215.5 | 452.93 | | |
| TMP-19 | 175 | 12/12/2014 | 60 | 239.6 | 432.93 | | |
| TMP-19 | 175 | 12/12/2014 | 80 | 223.2 | 412.93 | | |
| TMP-19 | 175 | 12/12/2014 | 100 | | 392.93 | 40.9 | Low resistivity, Low temperature |
| TMP-19 | 175 | 12/12/2014 | 120 | 222 | 372.93 | | |
| TMP-19 | 175 | 12/12/2014 | 140 | 198.5 | 352.93 | | |
| TMP-19 | 176 | 12/15/2014 | 20 | 205.3 | 472.93 | | |
| TMP-19 | 176 | 12/15/2014 | 40 | 217.2 | 452.93 | | |
| TMP-19 | 176 | 12/15/2014 | 60 | 240.7 | 432.93 | | |
| TMP-19 | 176 | 12/15/2014 | 80 | 224.5 | 412.93 | | |
| TMP-19 | 176 | 12/15/2014 | 100 | | 392.93 | 54.3 | Low resistivity, Low temperature |
| TMP-19 | 176 | 12/15/2014 | 120 | 222.6 | 372.93 | | |
| TMP-19 | 176 | 12/15/2014 | 140 | 200 | 352.93 | | |
| TMP-19 | 178 | 12/19/2014 | 20 | 205.5 | 472.93 | | |
| TMP-19 | 178 | 12/19/2014 | 40 | 218.5 | 452.93 | | |
| TMP-19 | 178 | 12/19/2014 | 60 | 241.1 | 432.93 | | |
| TMP-19 | 178 | 12/19/2014 | 80 | 225.8 | 412.93 | | |
| TMP-19 | 178 | 12/19/2014 | 100 | | 392.93 | 41.1 | Low resistivity, Low temperature |
| TMP-19 | 178 | 12/19/2014 | 120 | 223.2 | 372.93 | | |
| TMP-19 | 178 | 12/19/2014 | 140 | 202 | 352.93 | | |
| TMP-19 | 180 | 12/22/2014 | 20 | 204.1 | 472.93 | | |
| TMP-19 | 180 | 12/22/2014 | 40 | 217.2 | 452.93 | | |
| TMP-19 | 180 | 12/22/2014 | 60 | 239.8 | 432.93 | | |
| TMP-19 | 180 | 12/22/2014 | 80 | 225 | 412.93 | | |
| TMP-19 | 180 | 12/22/2014 | 100 | | 392.93 | 49.2 | Low resistivity, Low temperature |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|------------|-------|---------|-----------|------------|----------------------------------|
| TMP-19 | 180 | 12/22/2014 | 120 | 222.2 | 372.93 | | |
| TMP-19 | 180 | 12/22/2014 | 140 | 201.4 | 352.93 | | |
| TMP-19 | 179 | 12/24/2014 | 20 | 204 | 472.93 | | |
| TMP-19 | 179 | 12/24/2014 | 40 | 217.9 | 452.93 | | |
| TMP-19 | 179 | 12/24/2014 | 60 | 240.3 | 432.93 | | |
| TMP-19 | 179 | 12/24/2014 | 80 | 225.5 | 412.93 | | |
| TMP-19 | 179 | 12/24/2014 | 100 | | 392.93 | 41.7 | Low resistivity, Low temperature |
| TMP-19 | 179 | 12/24/2014 | 120 | 222.5 | 372.93 | | |
| TMP-19 | 179 | 12/24/2014 | 140 | 202.4 | 352.93 | | |
| TMP-19 | 181 | 12/26/2014 | 20 | 203.8 | 472.93 | | |
| TMP-19 | 181 | 12/26/2014 | 40 | 218.3 | 452.93 | | |
| TMP-19 | 181 | 12/26/2014 | 60 | 240.7 | 432.93 | | |
| TMP-19 | 181 | 12/26/2014 | 80 | 227 | 412.93 | | |
| TMP-19 | 181 | 12/26/2014 | 100 | | 392.93 | 58.9 | Low resistivity, Low temperature |
| TMP-19 | 181 | 12/26/2014 | 120 | 223.6 | 372.93 | | |
| TMP-19 | 181 | 12/26/2014 | 140 | 204.8 | 352.93 | | |
| TMP-19 | 182 | 12/29/2014 | 20 | 204 | 472.93 | | |
| TMP-19 | 182 | 12/29/2014 | 40 | 219.3 | 452.93 | | |
| TMP-19 | 182 | 12/29/2014 | 60 | 241.5 | 432.93 | | |
| TMP-19 | 182 | 12/29/2014 | 80 | 228.5 | 412.93 | | |
| TMP-19 | 182 | 12/29/2014 | 100 | | 392.93 | 55.9 | Low resistivity, Low temperature |
| TMP-19 | 182 | 12/29/2014 | 120 | 224.8 | 372.93 | | |
| TMP-19 | 182 | 12/29/2014 | 140 | 205.9 | 352.93 | | |
| TMP-19 | 183 | 12/31/2014 | 20 | 204.6 | 472.93 | | |
| TMP-19 | 183 | 12/31/2014 | 40 | 220.1 | 452.93 | | |
| TMP-19 | 183 | 12/31/2014 | 60 | 241.8 | 432.93 | | |
| TMP-19 | 183 | 12/31/2014 | 80 | 229 | 412.93 | | |
| TMP-19 | 183 | 12/31/2014 | 100 | | 392.93 | 37.5 | Low resistivity, Low temperature |
| TMP-19 | 183 | 12/31/2014 | 120 | 225.1 | 372.93 | | |
| TMP-19 | 183 | 12/31/2014 | 140 | 206.5 | 352.93 | | |
| TMP-19 | 184 | 1/2/2015 | 20 | 203.6 | 472.93 | | |
| TMP-19 | 184 | 1/2/2015 | 40 | 219.2 | 452.93 | | |
| TMP-19 | 184 | 1/2/2015 | 60 | 240.6 | 432.93 | | |
| TMP-19 | 184 | 1/2/2015 | 80 | 227.6 | 412.93 | | |
| TMP-19 | 184 | 1/2/2015 | 100 | | 392.93 | 45.5 | Low resistivity, Low temperature |
| TMP-19 | 184 | 1/2/2015 | 120 | 224 | 372.93 | | |
| TMP-19 | 184 | 1/2/2015 | 140 | 204.1 | 352.93 | | |
| TMP-19 | 185 | 1/5/2015 | 20 | 203.5 | 472.93 | | |
| TMP-19 | 185 | 1/5/2015 | 40 | 219.7 | 452.93 | | |
| TMP-19 | 185 | 1/5/2015 | 60 | 240.6 | 432.93 | | |
| TMP-19 | 185 | 1/5/2015 | 80 | 228.1 | 412.93 | | |
| TMP-19 | 185 | 1/5/2015 | 100 | | 392.93 | 31 | Low resistivity, Low temperature |
| TMP-19 | 185 | 1/5/2015 | 120 | 224.2 | 372.93 | | |
| TMP-19 | 185 | 1/5/2015 | 140 | 205.2 | 352.93 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|-----------|-------|---------|-----------|------------|----------------------------------|
| TMP-19 | 186 | 1/8/2015 | 20 | 205.7 | 472.93 | | |
| TMP-19 | 186 | 1/8/2015 | 40 | 222.3 | 452.93 | | |
| TMP-19 | 186 | 1/8/2015 | 60 | 242.7 | 432.93 | | |
| TMP-19 | 186 | 1/8/2015 | 80 | 230.6 | 412.93 | | |
| TMP-19 | 186 | 1/8/2015 | 100 | | 392.93 | 28.3 | Low resistivity, Low temperature |
| TMP-19 | 186 | 1/8/2015 | 120 | 226.5 | 372.93 | | |
| TMP-19 | 186 | 1/8/2015 | 140 | 208.4 | 352.93 | | |
| TMP-19 | 187 | 1/9/2015 | 20 | 203.1 | 472.93 | | |
| TMP-19 | 187 | 1/9/2015 | 40 | 219.8 | 452.93 | | |
| TMP-19 | 187 | 1/9/2015 | 60 | 240.2 | 432.93 | | |
| TMP-19 | 187 | 1/9/2015 | 80 | 228.3 | 412.93 | | |
| TMP-19 | 187 | 1/9/2015 | 100 | | 392.93 | 29.2 | Low resistivity, Low temperature |
| TMP-19 | 187 | 1/9/2015 | 120 | 224.4 | 372.93 | | |
| TMP-19 | 187 | 1/9/2015 | 140 | 206.3 | 352.93 | | |
| TMP-19 | 188 | 1/12/2015 | 20 | 204.1 | 472.93 | | |
| TMP-19 | 188 | 1/12/2015 | 40 | 221.1 | 452.93 | | |
| TMP-19 | 188 | 1/12/2015 | 60 | 241.1 | 432.93 | | |
| TMP-19 | 188 | 1/12/2015 | 80 | 229.6 | 412.93 | | |
| TMP-19 | 188 | 1/12/2015 | 100 | | 392.93 | 34.4 | Low resistivity, Low temperature |
| TMP-19 | 188 | 1/12/2015 | 120 | 225.2 | 372.93 | | |
| TMP-19 | 188 | 1/12/2015 | 140 | 207.5 | 352.93 | | |
| TMP-19 | 189 | 1/14/2015 | 20 | 203.3 | 472.93 | | |
| TMP-19 | 189 | 1/14/2015 | 40 | 220.5 | 452.93 | | |
| TMP-19 | 189 | 1/14/2015 | 60 | 240.3 | 432.93 | | |
| TMP-19 | 189 | 1/14/2015 | 80 | 229.1 | 412.93 | | |
| TMP-19 | 189 | 1/14/2015 | 100 | | 392.93 | 34.9 | Low resistivity, Low temperature |
| TMP-19 | 189 | 1/14/2015 | 120 | 224.7 | 372.93 | | |
| TMP-19 | 189 | 1/14/2015 | 140 | 207.2 | 352.93 | | |
| TMP-19 | 190 | 1/16/2015 | 20 | 203.5 | 472.93 | | |
| TMP-19 | 190 | 1/16/2015 | 40 | 221.5 | 452.93 | | |
| TMP-19 | 190 | 1/16/2015 | 60 | 241.3 | 432.93 | | |
| TMP-19 | 190 | 1/16/2015 | 80 | 230.7 | 412.93 | | |
| TMP-19 | 190 | 1/16/2015 | 100 | | 392.93 | 57.4 | Low resistivity, Low temperature |
| TMP-19 | 190 | 1/16/2015 | 120 | 227.2 | 372.93 | | |
| TMP-19 | 190 | 1/16/2015 | 140 | 211.1 | 352.93 | | |
| TMP-19 | 191 | 1/19/2015 | 20 | 203.4 | 472.93 | | |
| TMP-19 | 191 | 1/19/2015 | 40 | 221.3 | 452.93 | | |
| TMP-19 | 191 | 1/19/2015 | 60 | 240.5 | 432.93 | | |
| TMP-19 | 191 | 1/19/2015 | 80 | 230.4 | 412.93 | | |
| TMP-19 | 191 | 1/19/2015 | 100 | | 392.93 | 45.3 | Low resistivity, Low temperature |
| TMP-19 | 191 | 1/19/2015 | 120 | 225 | 372.93 | | |
| TMP-19 | 191 | 1/19/2015 | 140 | 209.6 | 352.93 | | |
| TMP-19 | 192 | 1/21/2015 | 20 | 203 | 472.93 | | |
| TMP-19 | 192 | 1/21/2015 | 40 | 221.5 | 452.93 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|-----------|-------|---------|-----------|------------|----------------------------------|
| TMP-19 | 192 | 1/21/2015 | 60 | 240.6 | 432.93 | | |
| TMP-19 | 192 | 1/21/2015 | 80 | 230.8 | 412.93 | | |
| TMP-19 | 192 | 1/21/2015 | 100 | | 392.93 | 47.7 | Low resistivity, Low temperature |
| TMP-19 | 192 | 1/21/2015 | 120 | 225.2 | 372.93 | | |
| TMP-19 | 192 | 1/21/2015 | 140 | 210.4 | 352.93 | | |
| TMP-19 | 193 | 1/23/2015 | 20 | 204.2 | 472.93 | | |
| TMP-19 | 193 | 1/23/2015 | 40 | 222.4 | 452.93 | | |
| TMP-19 | 193 | 1/23/2015 | 60 | 241.3 | 432.93 | | |
| TMP-19 | 193 | 1/23/2015 | 80 | 231.7 | 412.93 | | |
| TMP-19 | 193 | 1/23/2015 | 100 | | 392.93 | 37.2 | Low resistivity, Low temperature |
| TMP-19 | 193 | 1/23/2015 | 120 | 226.2 | 372.93 | | |
| TMP-19 | 193 | 1/23/2015 | 140 | 211.8 | 352.93 | | |
| TMP-19 | 194 | 1/26/2015 | 20 | 204.3 | 472.93 | | |
| TMP-19 | 194 | 1/26/2015 | 40 | 222.7 | 452.93 | | |
| TMP-19 | 194 | 1/26/2015 | 60 | 241.3 | 432.93 | | |
| TMP-19 | 194 | 1/26/2015 | 80 | 232.1 | 412.93 | | |
| TMP-19 | 194 | 1/26/2015 | 100 | | 392.93 | 34.5 | Low resistivity, Low temperature |
| TMP-19 | 194 | 1/26/2015 | 120 | 226.6 | 372.93 | | |
| TMP-19 | 194 | 1/26/2015 | 140 | 213.2 | 352.93 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|-----------|-------|---------|-----------|------------|--|
| TMP-20 | 121 | 9/19/2014 | 20 | 158.6 | 478.346 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-20 | 121 | 9/19/2014 | 40 | 222.6 | 458.346 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-20 | 121 | 9/19/2014 | 60 | 252.5 | 438.346 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-20 | 121 | 9/19/2014 | 80 | 269.9 | 418.346 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-20 | 121 | 9/19/2014 | 100 | 291.5 | 398.346 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-20 | 121 | 9/19/2014 | 120 | 295.4 | 378.346 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-20 | 121 | 9/19/2014 | 140 | 212.8 | 358.346 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-20 | 122 | 9/20/2014 | 20 | 153.6 | 478.346 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-20 | 122 | 9/20/2014 | 40 | 217.4 | 458.346 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-20 | 122 | 9/20/2014 | 60 | 244.2 | 438.346 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-20 | 122 | 9/20/2014 | 80 | 260.4 | 418.346 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-20 | 122 | 9/20/2014 | 100 | 280.5 | 398.346 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|-----------|-------|---------|-----------|------------|--|
| TMP-20 | 122 | 9/20/2014 | 120 | 292 | 378.346 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-20 | 122 | 9/20/2014 | 140 | 208.1 | 358.346 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-20 | 124 | 9/21/2014 | 20 | 146 | 478.346 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-20 | 124 | 9/21/2014 | 40 | 214.6 | 458.346 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-20 | 124 | 9/21/2014 | 60 | 241.9 | 438.346 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-20 | 124 | 9/21/2014 | 80 | 262 | 418.346 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-20 | 124 | 9/21/2014 | 100 | 283 | 398.346 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-20 | 124 | 9/21/2014 | 120 | 292.7 | 378.346 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-20 | 124 | 9/21/2014 | 140 | 208.3 | 358.346 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-20 | 125 | 9/22/2014 | 20 | 159 | 478.346 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-20 | 125 | 9/22/2014 | 40 | 225.6 | 458.346 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-20 | 125 | 9/22/2014 | 60 | 251.3 | 438.346 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|-----------|-------|---------|-----------|------------|--|
| TMP-20 | 125 | 9/22/2014 | 80 | 268.3 | 418.346 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-20 | 125 | 9/22/2014 | 100 | 288.6 | 398.346 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-20 | 125 | 9/22/2014 | 120 | 297.7 | 378.346 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-20 | 125 | 9/22/2014 | 140 | 214.8 | 358.346 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-20 | 126 | 9/23/2014 | 20 | 154.1 | 478.346 | | |
| TMP-20 | 126 | 9/23/2014 | 40 | 220.5 | 458.346 | | |
| TMP-20 | 126 | 9/23/2014 | 60 | 247 | 438.346 | | |
| TMP-20 | 126 | 9/23/2014 | 80 | 262.5 | 418.346 | | |
| TMP-20 | 126 | 9/23/2014 | 100 | 281.6 | 398.346 | | |
| TMP-20 | 126 | 9/23/2014 | 120 | 292.7 | 378.346 | | |
| TMP-20 | 126 | 9/23/2014 | 140 | 208.3 | 358.346 | | |
| TMP-20 | 127 | 9/24/2014 | 20 | 154.1 | 478.346 | | |
| TMP-20 | 127 | 9/24/2014 | 40 | 221.1 | 458.346 | | |
| TMP-20 | 127 | 9/24/2014 | 60 | 247.3 | 438.346 | | |
| TMP-20 | 127 | 9/24/2014 | 80 | 262.5 | 418.346 | | |
| TMP-20 | 127 | 9/24/2014 | 100 | 281.5 | 398.346 | | |
| TMP-20 | 127 | 9/24/2014 | 120 | 292.7 | 378.346 | | |
| TMP-20 | 127 | 9/24/2014 | 140 | 208.6 | 358.346 | | |
| TMP-20 | 128 | 9/25/2014 | 20 | 153.9 | 478.346 | | |
| TMP-20 | 128 | 9/25/2014 | 40 | 221.7 | 458.346 | | |
| TMP-20 | 128 | 9/25/2014 | 60 | 247.7 | 438.346 | | |
| TMP-20 | 128 | 9/25/2014 | 80 | 263 | 418.346 | | |
| TMP-20 | 128 | 9/25/2014 | 100 | 281.6 | 398.346 | | |
| TMP-20 | 128 | 9/25/2014 | 120 | 292.9 | 378.346 | | |
| TMP-20 | 128 | 9/25/2014 | 140 | 209.5 | 358.346 | | |
| TMP-20 | 129 | 9/26/2014 | 20 | 154.1 | 478.346 | | |
| TMP-20 | 123 | 9/26/2014 | 20 | 154.1 | 478.346 | | |
| TMP-20 | 123 | 9/26/2014 | 40 | 222.5 | 458.346 | | |
| TMP-20 | 129 | 9/26/2014 | 40 | 222.5 | 458.346 | | |
| TMP-20 | 123 | 9/26/2014 | 60 | 248 | 438.346 | | |
| TMP-20 | 129 | 9/26/2014 | 60 | 248 | 438.346 | | |
| TMP-20 | 123 | 9/26/2014 | 80 | 263.3 | 418.346 | | |
| TMP-20 | 129 | 9/26/2014 | 80 | 263.3 | 418.346 | | |
| TMP-20 | 129 | 9/26/2014 | 100 | 281.5 | 398.346 | | |
| TMP-20 | 123 | 9/26/2014 | 100 | 281.5 | 398.346 | | |
| TMP-20 | 123 | 9/26/2014 | 120 | 293.1 | 378.346 | | |
| TMP-20 | 129 | 9/26/2014 | 120 | 293.1 | 378.346 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|-----------|-------|---------|-----------|------------|----------|
| TMP-20 | 123 | 9/26/2014 | 140 | 209.7 | 358.346 | | |
| TMP-20 | 129 | 9/26/2014 | 140 | 209.7 | 358.346 | | |
| TMP-20 | 130 | 9/27/2014 | 20 | 154.3 | 478.346 | | |
| TMP-20 | 130 | 9/27/2014 | 40 | 223.5 | 458.346 | | |
| TMP-20 | 130 | 9/27/2014 | 60 | 248.2 | 438.346 | | |
| TMP-20 | 130 | 9/27/2014 | 80 | 263.5 | 418.346 | | |
| TMP-20 | 130 | 9/27/2014 | 100 | 281.6 | 398.346 | | |
| TMP-20 | 130 | 9/27/2014 | 120 | 293.2 | 378.346 | | |
| TMP-20 | 130 | 9/27/2014 | 140 | 210 | 358.346 | | |
| TMP-20 | 131 | 9/28/2014 | 20 | 154.9 | 478.346 | | |
| TMP-20 | 131 | 9/28/2014 | 40 | 224.5 | 458.346 | | |
| TMP-20 | 131 | 9/28/2014 | 60 | 248.9 | 438.346 | | |
| TMP-20 | 131 | 9/28/2014 | 80 | 264.3 | 418.346 | | |
| TMP-20 | 131 | 9/28/2014 | 100 | 282.2 | 398.346 | | |
| TMP-20 | 131 | 9/28/2014 | 120 | 293.9 | 378.346 | | |
| TMP-20 | 131 | 9/28/2014 | 140 | 210.8 | 358.346 | | |
| TMP-20 | 132 | 9/29/2014 | 20 | 154.9 | 478.346 | | |
| TMP-20 | 132 | 9/29/2014 | 40 | 225 | 458.346 | | |
| TMP-20 | 132 | 9/29/2014 | 60 | 249.1 | 438.346 | | |
| TMP-20 | 132 | 9/29/2014 | 80 | 264.7 | 418.346 | | |
| TMP-20 | 132 | 9/29/2014 | 100 | 282.1 | 398.346 | | |
| TMP-20 | 132 | 9/29/2014 | 120 | 294 | 378.346 | | |
| TMP-20 | 132 | 9/29/2014 | 140 | 211.3 | 358.346 | | |
| TMP-20 | 133 | 9/30/2014 | 20 | 152.5 | 478.346 | | |
| TMP-20 | 133 | 9/30/2014 | 40 | 226.9 | 458.346 | | |
| TMP-20 | 133 | 9/30/2014 | 60 | 248 | 438.346 | | |
| TMP-20 | 133 | 9/30/2014 | 80 | 265.2 | 418.346 | | |
| TMP-20 | 133 | 9/30/2014 | 100 | 282.1 | 398.346 | | |
| TMP-20 | 133 | 9/30/2014 | 120 | 293.5 | 378.346 | | |
| TMP-20 | 133 | 9/30/2014 | 140 | 211 | 358.346 | | |
| TMP-20 | 134 | 10/1/2014 | 20 | 149.6 | 478.346 | | |
| TMP-20 | 134 | 10/1/2014 | 40 | 227.4 | 458.346 | | |
| TMP-20 | 134 | 10/1/2014 | 60 | 249.3 | 438.346 | | |
| TMP-20 | 134 | 10/1/2014 | 80 | 265.8 | 418.346 | | |
| TMP-20 | 134 | 10/1/2014 | 100 | 282.6 | 398.346 | | |
| TMP-20 | 134 | 10/1/2014 | 120 | 294 | 378.346 | | |
| TMP-20 | 134 | 10/1/2014 | 140 | 212 | 358.346 | | |
| TMP-20 | 135 | 10/2/2014 | 20 | 147.4 | 478.346 | | |
| TMP-20 | 135 | 10/2/2014 | 40 | 228.2 | 458.346 | | |
| TMP-20 | 135 | 10/2/2014 | 60 | 249.7 | 438.346 | | |
| TMP-20 | 135 | 10/2/2014 | 80 | 266 | 418.346 | | |
| TMP-20 | 135 | 10/2/2014 | 100 | 283.1 | 398.346 | | |
| TMP-20 | 135 | 10/2/2014 | 120 | 294.3 | 378.346 | | |
| TMP-20 | 135 | 10/2/2014 | 140 | 212.4 | 358.346 | | |
| TMP-20 | 137 | 10/3/2014 | 20 | 147.7 | 478.346 | | |
| TMP-20 | 137 | 10/3/2014 | 40 | 228.5 | 458.346 | | |
| TMP-20 | 137 | 10/3/2014 | 60 | 250 | 438.346 | | |
| TMP-20 | 137 | 10/3/2014 | 80 | 266.2 | 418.346 | | |
| TMP-20 | 137 | 10/3/2014 | 100 | 283.5 | 398.346 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|-----------|-------|---------|-----------|------------|--|
| TMP-20 | 137 | 10/3/2014 | 120 | 294.7 | 378.346 | | |
| TMP-20 | 137 | 10/3/2014 | 140 | 213 | 358.346 | | |
| TMP-20 | 138 | 10/4/2014 | 20 | 147.1 | 478.346 | | |
| TMP-20 | 138 | 10/4/2014 | 40 | 228.1 | 458.346 | | |
| TMP-20 | 138 | 10/4/2014 | 60 | 249 | 438.346 | | |
| TMP-20 | 138 | 10/4/2014 | 80 | 264.7 | 418.346 | | |
| TMP-20 | 138 | 10/4/2014 | 100 | 282.6 | 398.346 | | |
| TMP-20 | 138 | 10/4/2014 | 120 | 293.6 | 378.346 | | |
| TMP-20 | 138 | 10/4/2014 | 140 | 211 | 358.346 | | |
| TMP-20 | 139 | 10/5/2014 | 20 | 147 | 478.346 | | |
| TMP-20 | 139 | 10/5/2014 | 40 | 228.6 | 458.346 | | |
| TMP-20 | 139 | 10/5/2014 | 60 | 249.6 | 438.346 | | |
| TMP-20 | 139 | 10/5/2014 | 80 | 266.1 | 418.346 | | |
| TMP-20 | 139 | 10/5/2014 | 100 | 283.2 | 398.346 | | |
| TMP-20 | 139 | 10/5/2014 | 120 | 294.1 | 378.346 | | |
| TMP-20 | 139 | 10/5/2014 | 140 | 212.7 | 358.346 | | |
| TMP-20 | 140 | 10/6/2014 | 20 | 147.5 | 478.346 | | |
| TMP-20 | 140 | 10/6/2014 | 40 | 229 | 458.346 | | |
| TMP-20 | 140 | 10/6/2014 | 60 | 249.8 | 438.346 | | |
| TMP-20 | 140 | 10/6/2014 | 80 | 266.2 | 418.346 | | |
| TMP-20 | 140 | 10/6/2014 | 100 | 282.9 | 398.346 | | |
| TMP-20 | 140 | 10/6/2014 | 120 | 294.3 | 378.346 | | |
| TMP-20 | 140 | 10/6/2014 | 140 | 213.4 | 358.346 | | |
| TMP-20 | 141 | 10/7/2014 | 20 | 149 | 478.346 | | |
| TMP-20 | 141 | 10/7/2014 | 40 | 229.3 | 458.346 | | |
| TMP-20 | 141 | 10/7/2014 | 60 | 250.4 | 438.346 | | |
| TMP-20 | 141 | 10/7/2014 | 80 | 266.6 | 418.346 | | |
| TMP-20 | 141 | 10/7/2014 | 100 | 283 | 398.346 | | |
| TMP-20 | 141 | 10/7/2014 | 120 | 294.7 | 378.346 | | |
| TMP-20 | 141 | 10/7/2014 | 140 | 214 | 358.346 | | |
| TMP-20 | 136 | 10/8/2014 | 20 | 150.9 | 478.346 | | |
| TMP-20 | 136 | 10/8/2014 | 40 | 230.6 | 458.346 | | |
| TMP-20 | 136 | 10/8/2014 | 60 | 251.6 | 438.346 | | |
| TMP-20 | 136 | 10/8/2014 | 80 | 267.7 | 418.346 | | |
| TMP-20 | 136 | 10/8/2014 | 100 | 284.2 | 398.346 | | |
| TMP-20 | 136 | 10/8/2014 | 120 | 295.6 | 378.346 | | |
| TMP-20 | 136 | 10/8/2014 | 140 | 215.1 | 358.346 | | |
| TMP-20 | 142 | 10/9/2014 | 20 | 150 | 478.346 | | Multimeter not working due to water damage |
| TMP-20 | 142 | 10/9/2014 | 40 | 230.4 | 458.346 | | Multimeter not working due to water damage |
| TMP-20 | 142 | 10/9/2014 | 60 | 250.9 | 438.346 | | Multimeter not working due to water damage |
| TMP-20 | 142 | 10/9/2014 | 80 | 267.2 | 418.346 | | Multimeter not working due to water damage |
| TMP-20 | 142 | 10/9/2014 | 100 | 284.1 | 398.346 | | Multimeter not working due to water damage |
| TMP-20 | 142 | 10/9/2014 | 120 | 295.7 | 378.346 | | Multimeter not working due to water damage |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|------------|-------|---------|-----------|------------|--|
| TMP-20 | 142 | 10/9/2014 | 140 | 215.3 | 358.346 | | Multimeter not working due to water damage |
| TMP-20 | 143 | 10/10/2014 | 20 | 151.3 | 478.346 | | |
| TMP-20 | 143 | 10/10/2014 | 40 | 231.6 | 458.346 | | |
| TMP-20 | 143 | 10/10/2014 | 60 | 251.8 | 438.346 | | |
| TMP-20 | 143 | 10/10/2014 | 80 | 268 | 418.346 | | |
| TMP-20 | 143 | 10/10/2014 | 100 | 284.8 | 398.346 | | |
| TMP-20 | 143 | 10/10/2014 | 120 | 296.2 | 378.346 | | |
| TMP-20 | 143 | 10/10/2014 | 140 | 216.1 | 358.346 | | |
| TMP-20 | 144 | 10/11/2014 | 20 | 151.4 | 478.346 | | |
| TMP-20 | 144 | 10/11/2014 | 40 | 231.2 | 458.346 | | |
| TMP-20 | 144 | 10/11/2014 | 60 | 251.4 | 438.346 | | |
| TMP-20 | 144 | 10/11/2014 | 80 | 267.5 | 418.346 | | |
| TMP-20 | 144 | 10/11/2014 | 100 | 284.5 | 398.346 | | |
| TMP-20 | 144 | 10/11/2014 | 120 | 296.5 | 378.346 | | |
| TMP-20 | 144 | 10/11/2014 | 140 | 216.4 | 358.346 | | |
| TMP-20 | 145 | 10/12/2014 | 20 | 151 | 478.346 | | |
| TMP-20 | 145 | 10/12/2014 | 40 | 231.4 | 458.346 | | |
| TMP-20 | 145 | 10/12/2014 | 60 | 251.6 | 438.346 | | |
| TMP-20 | 145 | 10/12/2014 | 80 | 267.9 | 418.346 | | |
| TMP-20 | 145 | 10/12/2014 | 100 | 284.5 | 398.346 | | |
| TMP-20 | 145 | 10/12/2014 | 120 | 295.5 | 378.346 | | |
| TMP-20 | 145 | 10/12/2014 | 140 | 216.2 | 358.346 | | |
| TMP-20 | 146 | 10/13/2014 | 20 | 150.8 | 478.346 | | |
| TMP-20 | 146 | 10/13/2014 | 40 | 231.5 | 458.346 | | |
| TMP-20 | 146 | 10/13/2014 | 60 | 251.6 | 438.346 | | |
| TMP-20 | 146 | 10/13/2014 | 80 | 267.9 | 418.346 | | |
| TMP-20 | 146 | 10/13/2014 | 100 | 284.5 | 398.346 | | |
| TMP-20 | 146 | 10/13/2014 | 120 | 296.4 | 378.346 | | |
| TMP-20 | 146 | 10/13/2014 | 140 | 216.8 | 358.346 | | |
| TMP-20 | 148 | 10/14/2014 | 20 | 151.2 | 478.346 | | |
| TMP-20 | 148 | 10/14/2014 | 40 | 232.1 | 458.346 | | |
| TMP-20 | 148 | 10/14/2014 | 60 | 252.3 | 438.346 | | |
| TMP-20 | 148 | 10/14/2014 | 80 | 268.6 | 418.346 | | |
| TMP-20 | 148 | 10/14/2014 | 100 | 285.1 | 398.346 | | |
| TMP-20 | 148 | 10/14/2014 | 120 | 296.6 | 378.346 | | |
| TMP-20 | 148 | 10/14/2014 | 140 | 217.3 | 358.346 | | |
| TMP-20 | 149 | 10/15/2014 | 20 | 151.5 | 478.346 | | |
| TMP-20 | 149 | 10/15/2014 | 40 | 231.9 | 458.346 | | |
| TMP-20 | 149 | 10/15/2014 | 60 | 251.8 | 438.346 | | |
| TMP-20 | 149 | 10/15/2014 | 80 | 268 | 418.346 | | |
| TMP-20 | 149 | 10/15/2014 | 100 | 284.4 | 398.346 | | |
| TMP-20 | 149 | 10/15/2014 | 120 | 296 | 378.346 | | |
| TMP-20 | 149 | 10/15/2014 | 140 | 216.6 | 358.346 | | |
| TMP-20 | 150 | 10/16/2014 | 20 | 152.9 | 478.346 | | |
| TMP-20 | 150 | 10/16/2014 | 40 | 233.3 | 458.346 | | |
| TMP-20 | 150 | 10/16/2014 | 60 | 253.2 | 438.346 | | |
| TMP-20 | 150 | 10/16/2014 | 80 | 269.4 | 418.346 | | |
| TMP-20 | 150 | 10/16/2014 | 100 | 285.7 | 398.346 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|------------|-------|---------|-----------|------------|----------|
| TMP-20 | 150 | 10/16/2014 | 120 | 298.7 | 378.346 | | |
| TMP-20 | 150 | 10/16/2014 | 140 | 219.7 | 358.346 | | |
| TMP-20 | 147 | 10/17/2014 | 20 | 152.9 | 478.346 | | |
| TMP-20 | 147 | 10/17/2014 | 40 | 233.3 | 458.346 | | |
| TMP-20 | 147 | 10/17/2014 | 60 | 253.2 | 438.346 | | |
| TMP-20 | 147 | 10/17/2014 | 80 | 269.4 | 418.346 | | |
| TMP-20 | 147 | 10/17/2014 | 100 | 285.7 | 398.346 | | |
| TMP-20 | 147 | 10/17/2014 | 120 | 298.7 | 378.346 | | |
| TMP-20 | 147 | 10/17/2014 | 140 | 219.7 | 358.346 | | |
| TMP-20 | 152 | 10/20/2014 | 20 | 151.1 | 478.346 | | |
| TMP-20 | 152 | 10/20/2014 | 40 | 231.6 | 458.346 | | |
| TMP-20 | 152 | 10/20/2014 | 60 | 251.4 | 438.346 | | |
| TMP-20 | 152 | 10/20/2014 | 80 | 268 | 418.346 | | |
| TMP-20 | 152 | 10/20/2014 | 100 | 284.8 | 398.346 | | |
| TMP-20 | 152 | 10/20/2014 | 120 | 299.7 | 378.346 | | |
| TMP-20 | 152 | 10/20/2014 | 140 | 221.2 | 358.346 | | |
| TMP-20 | 153 | 10/22/2014 | 20 | 155.2 | 478.346 | | |
| TMP-20 | 153 | 10/22/2014 | 40 | 234.9 | 458.346 | | |
| TMP-20 | 153 | 10/22/2014 | 60 | 254.2 | 438.346 | | |
| TMP-20 | 153 | 10/22/2014 | 80 | 270.7 | 418.346 | | |
| TMP-20 | 153 | 10/22/2014 | 100 | 287.2 | 398.346 | | |
| TMP-20 | 153 | 10/22/2014 | 120 | 299.1 | 378.346 | | |
| TMP-20 | 153 | 10/22/2014 | 140 | 220.7 | 358.346 | | |
| TMP-20 | 154 | 10/24/2014 | 20 | 150.8 | 478.346 | | |
| TMP-20 | 154 | 10/24/2014 | 40 | 232.4 | 458.346 | | |
| TMP-20 | 154 | 10/24/2014 | 60 | 251.8 | 438.346 | | |
| TMP-20 | 154 | 10/24/2014 | 80 | 269.2 | 418.346 | | |
| TMP-20 | 154 | 10/24/2014 | 100 | 288.7 | 398.346 | | |
| TMP-20 | 154 | 10/24/2014 | 120 | 300.4 | 378.346 | | |
| TMP-20 | 154 | 10/24/2014 | 140 | 221.7 | 358.346 | | |
| TMP-20 | 155 | 10/27/2014 | 20 | 152.3 | 478.346 | | |
| TMP-20 | 155 | 10/27/2014 | 40 | 233.4 | 458.346 | | |
| TMP-20 | 155 | 10/27/2014 | 60 | 252.8 | 438.346 | | |
| TMP-20 | 155 | 10/27/2014 | 80 | 269.7 | 418.346 | | |
| TMP-20 | 155 | 10/27/2014 | 100 | 288.2 | 398.346 | | |
| TMP-20 | 155 | 10/27/2014 | 120 | 299.9 | 378.346 | | |
| TMP-20 | 155 | 10/27/2014 | 140 | 221.6 | 358.346 | | |
| TMP-20 | 156 | 10/29/2014 | 20 | 154.3 | 478.346 | | |
| TMP-20 | 156 | 10/29/2014 | 40 | 236.5 | 458.346 | | |
| TMP-20 | 156 | 10/29/2014 | 60 | 255.1 | 438.346 | | |
| TMP-20 | 156 | 10/29/2014 | 80 | 271.9 | 418.346 | | |
| TMP-20 | 156 | 10/29/2014 | 100 | 289.5 | 398.346 | | |
| TMP-20 | 156 | 10/29/2014 | 120 | 299.7 | 378.346 | | |
| TMP-20 | 156 | 10/29/2014 | 140 | 223.7 | 358.346 | | |
| TMP-20 | 157 | 10/31/2014 | 20 | 156.2 | 478.346 | | |
| TMP-20 | 157 | 10/31/2014 | 40 | 236.6 | 458.346 | | |
| TMP-20 | 157 | 10/31/2014 | 60 | 255.1 | 438.346 | | |
| TMP-20 | 157 | 10/31/2014 | 80 | 271.6 | 418.346 | | |
| TMP-20 | 157 | 10/31/2014 | 100 | 288.7 | 398.346 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|------------|-------|---------|-----------|------------|----------|
| TMP-20 | 157 | 10/31/2014 | 120 | 299.6 | 378.346 | | |
| TMP-20 | 157 | 10/31/2014 | 140 | 223.5 | 358.346 | | |
| TMP-20 | 158 | 11/3/2014 | 20 | 154.4 | 478.346 | | |
| TMP-20 | 158 | 11/3/2014 | 40 | 234.7 | 458.346 | | |
| TMP-20 | 158 | 11/3/2014 | 60 | 253.5 | 438.346 | | |
| TMP-20 | 158 | 11/3/2014 | 80 | 271 | 418.346 | | |
| TMP-20 | 158 | 11/3/2014 | 100 | 290.3 | 398.346 | | |
| TMP-20 | 158 | 11/3/2014 | 120 | 300.1 | 378.346 | | |
| TMP-20 | 158 | 11/3/2014 | 140 | 223.2 | 358.346 | | |
| TMP-20 | 159 | 11/5/2014 | 20 | 158 | 478.346 | | |
| TMP-20 | 159 | 11/5/2014 | 40 | 238 | 458.346 | | |
| TMP-20 | 159 | 11/5/2014 | 60 | 256.4 | 438.346 | | |
| TMP-20 | 159 | 11/5/2014 | 80 | 273 | 418.346 | | |
| TMP-20 | 159 | 11/5/2014 | 100 | 289.8 | 398.346 | | |
| TMP-20 | 159 | 11/5/2014 | 120 | 300.3 | 378.346 | | |
| TMP-20 | 159 | 11/5/2014 | 140 | 224.4 | 358.346 | | |
| TMP-20 | 160 | 11/7/2014 | 20 | 155.8 | 478.346 | | |
| TMP-20 | 160 | 11/7/2014 | 40 | 236.1 | 458.346 | | |
| TMP-20 | 160 | 11/7/2014 | 60 | 254.4 | 438.346 | | |
| TMP-20 | 160 | 11/7/2014 | 80 | 271 | 418.346 | | |
| TMP-20 | 160 | 11/7/2014 | 100 | 288.3 | 398.346 | | |
| TMP-20 | 160 | 11/7/2014 | 120 | 298.3 | 378.346 | | |
| TMP-20 | 160 | 11/7/2014 | 140 | 222.1 | 358.346 | | |
| TMP-20 | 161 | 11/10/2014 | 20 | 151.8 | 478.346 | | |
| TMP-20 | 161 | 11/10/2014 | 40 | 224.6 | 458.346 | | |
| TMP-20 | 161 | 11/10/2014 | 60 | 240.6 | 438.346 | | |
| TMP-20 | 161 | 11/10/2014 | 80 | 254.8 | 418.346 | | |
| TMP-20 | 161 | 11/10/2014 | 100 | 268.7 | 398.346 | | |
| TMP-20 | 161 | 11/10/2014 | 120 | 277 | 378.346 | | |
| TMP-20 | 161 | 11/10/2014 | 140 | 213.8 | 358.346 | | |
| TMP-20 | 162 | 11/12/2014 | 20 | 153.4 | 478.346 | | |
| TMP-20 | 162 | 11/12/2014 | 40 | 225.7 | 458.346 | | |
| TMP-20 | 162 | 11/12/2014 | 60 | 241.3 | 438.346 | | |
| TMP-20 | 162 | 11/12/2014 | 80 | 255.3 | 418.346 | | |
| TMP-20 | 162 | 11/12/2014 | 100 | 269 | 398.346 | | |
| TMP-20 | 162 | 11/12/2014 | 120 | 277.3 | 378.346 | | |
| TMP-20 | 162 | 11/12/2014 | 140 | 214.3 | 358.346 | | |
| TMP-20 | 163 | 11/14/2014 | 20 | 152.3 | 478.346 | | |
| TMP-20 | 163 | 11/14/2014 | 40 | 224.7 | 458.346 | | |
| TMP-20 | 163 | 11/14/2014 | 60 | 240.6 | 438.346 | | |
| TMP-20 | 163 | 11/14/2014 | 80 | 255 | 418.346 | | |
| TMP-20 | 163 | 11/14/2014 | 100 | 269.2 | 398.346 | | |
| TMP-20 | 163 | 11/14/2014 | 120 | 278.1 | 378.346 | | |
| TMP-20 | 163 | 11/14/2014 | 140 | 214.4 | 358.346 | | |
| TMP-20 | 164 | 11/17/2014 | 20 | 153.2 | 478.346 | | |
| TMP-20 | 164 | 11/17/2014 | 40 | 225.6 | 458.346 | | |
| TMP-20 | 164 | 11/17/2014 | 60 | 240.7 | 438.346 | | |
| TMP-20 | 164 | 11/17/2014 | 80 | 255.2 | 418.346 | | |
| TMP-20 | 164 | 11/17/2014 | 100 | 268.8 | 398.346 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|------------|-------|---------|-----------|------------|----------|
| TMP-20 | 164 | 11/17/2014 | 120 | 277.9 | 378.346 | | |
| TMP-20 | 164 | 11/17/2014 | 140 | 215.3 | 358.346 | | |
| TMP-20 | 165 | 11/19/2014 | 20 | 150.9 | 478.346 | | |
| TMP-20 | 165 | 11/19/2014 | 40 | 225.3 | 458.346 | | |
| TMP-20 | 165 | 11/19/2014 | 60 | 241 | 438.346 | | |
| TMP-20 | 165 | 11/19/2014 | 80 | 255.3 | 418.346 | | |
| TMP-20 | 165 | 11/19/2014 | 100 | 269.4 | 398.346 | | |
| TMP-20 | 165 | 11/19/2014 | 120 | 278.5 | 378.346 | | |
| TMP-20 | 165 | 11/19/2014 | 140 | 216.1 | 358.346 | | |
| TMP-20 | 166 | 11/21/2014 | 20 | 150.8 | 478.346 | | |
| TMP-20 | 166 | 11/21/2014 | 40 | 225.5 | 458.346 | | |
| TMP-20 | 166 | 11/21/2014 | 60 | 241.6 | 438.346 | | |
| TMP-20 | 166 | 11/21/2014 | 80 | 254.9 | 418.346 | | |
| TMP-20 | 166 | 11/21/2014 | 100 | 268.9 | 398.346 | | |
| TMP-20 | 166 | 11/21/2014 | 120 | 277.6 | 378.346 | | |
| TMP-20 | 166 | 11/21/2014 | 140 | 214.7 | 358.346 | | |
| TMP-20 | 167 | 11/24/2014 | 20 | 149.4 | 478.346 | | |
| TMP-20 | 167 | 11/24/2014 | 40 | 225 | 458.346 | | |
| TMP-20 | 167 | 11/24/2014 | 60 | 241.3 | 438.346 | | |
| TMP-20 | 167 | 11/24/2014 | 80 | 254.7 | 418.346 | | |
| TMP-20 | 167 | 11/24/2014 | 100 | 268.4 | 398.346 | | |
| TMP-20 | 167 | 11/24/2014 | 120 | 277.4 | 378.346 | | |
| TMP-20 | 167 | 11/24/2014 | 140 | 216 | 358.346 | | |
| TMP-20 | 168 | 11/26/2014 | 20 | 151.3 | 478.346 | | |
| TMP-20 | 168 | 11/26/2014 | 40 | 226.3 | 458.346 | | |
| TMP-20 | 168 | 11/26/2014 | 60 | 242.5 | 438.346 | | |
| TMP-20 | 168 | 11/26/2014 | 80 | 255.8 | 418.346 | | |
| TMP-20 | 168 | 11/26/2014 | 100 | 269.2 | 398.346 | | |
| TMP-20 | 168 | 11/26/2014 | 120 | 278 | 378.346 | | |
| TMP-20 | 168 | 11/26/2014 | 140 | 216.7 | 358.346 | | |
| TMP-20 | 169 | 11/30/2014 | 20 | 149.6 | 478.346 | | |
| TMP-20 | 169 | 11/30/2014 | 40 | 225 | 458.346 | | |
| TMP-20 | 169 | 11/30/2014 | 60 | 241.5 | 438.346 | | |
| TMP-20 | 169 | 11/30/2014 | 80 | 255 | 418.346 | | |
| TMP-20 | 169 | 11/30/2014 | 100 | 269.2 | 398.346 | | |
| TMP-20 | 169 | 11/30/2014 | 120 | 277.8 | 378.346 | | |
| TMP-20 | 169 | 11/30/2014 | 140 | 216.9 | 358.346 | | |
| TMP-20 | 170 | 12/1/2014 | 20 | 151 | 478.346 | | |
| TMP-20 | 170 | 12/1/2014 | 40 | 226.1 | 458.346 | | |
| TMP-20 | 170 | 12/1/2014 | 60 | 242.5 | 438.346 | | |
| TMP-20 | 170 | 12/1/2014 | 80 | 256 | 418.346 | | |
| TMP-20 | 170 | 12/1/2014 | 100 | 270.3 | 398.346 | | |
| TMP-20 | 170 | 12/1/2014 | 120 | 279 | 378.346 | | |
| TMP-20 | 170 | 12/1/2014 | 140 | 217.8 | 358.346 | | |
| TMP-20 | 171 | 12/3/2014 | 20 | 150.9 | 478.346 | | |
| TMP-20 | 171 | 12/3/2014 | 40 | 225.2 | 458.346 | | |
| TMP-20 | 171 | 12/3/2014 | 60 | 241.6 | 438.346 | | |
| TMP-20 | 171 | 12/3/2014 | 80 | 255.4 | 418.346 | | |
| TMP-20 | 171 | 12/3/2014 | 100 | 270.2 | 398.346 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|------------|-------|---------|-----------|------------|----------|
| TMP-20 | 171 | 12/3/2014 | 120 | 279.4 | 378.346 | | |
| TMP-20 | 171 | 12/3/2014 | 140 | 219.1 | 358.346 | | |
| TMP-20 | 172 | 12/6/2014 | 20 | 151.9 | 478.346 | | |
| TMP-20 | 172 | 12/6/2014 | 40 | 224.8 | 458.346 | | |
| TMP-20 | 172 | 12/6/2014 | 60 | 240.6 | 438.346 | | |
| TMP-20 | 172 | 12/6/2014 | 80 | 254.3 | 418.346 | | |
| TMP-20 | 172 | 12/6/2014 | 100 | 267.8 | 398.346 | | |
| TMP-20 | 172 | 12/6/2014 | 120 | 276.3 | 378.346 | | |
| TMP-20 | 172 | 12/6/2014 | 140 | 216.6 | 358.346 | | |
| TMP-20 | 173 | 12/8/2014 | 20 | 154.1 | 478.346 | | |
| TMP-20 | 173 | 12/8/2014 | 40 | 225.8 | 458.346 | | |
| TMP-20 | 173 | 12/8/2014 | 60 | 241.7 | 438.346 | | |
| TMP-20 | 173 | 12/8/2014 | 80 | 255.4 | 418.346 | | |
| TMP-20 | 173 | 12/8/2014 | 100 | 258.8 | 398.346 | | |
| TMP-20 | 173 | 12/8/2014 | 120 | 277.3 | 378.346 | | |
| TMP-20 | 173 | 12/8/2014 | 140 | 217.8 | 358.346 | | |
| TMP-20 | 174 | 12/10/2014 | 20 | 150.4 | 478.346 | | |
| TMP-20 | 174 | 12/10/2014 | 40 | 225.9 | 458.346 | | |
| TMP-20 | 174 | 12/10/2014 | 60 | 241 | 438.346 | | |
| TMP-20 | 174 | 12/10/2014 | 80 | 254.4 | 418.346 | | |
| TMP-20 | 174 | 12/10/2014 | 100 | 268 | 398.346 | | |
| TMP-20 | 174 | 12/10/2014 | 120 | 276.4 | 378.346 | | |
| TMP-20 | 174 | 12/10/2014 | 140 | 217.1 | 358.346 | | |
| TMP-20 | 175 | 12/12/2014 | 20 | 150.9 | 478.346 | | |
| TMP-20 | 175 | 12/12/2014 | 40 | 226 | 458.346 | | |
| TMP-20 | 175 | 12/12/2014 | 60 | 240.9 | 438.346 | | |
| TMP-20 | 175 | 12/12/2014 | 80 | 254.5 | 418.346 | | |
| TMP-20 | 175 | 12/12/2014 | 100 | 267.8 | 398.346 | | |
| TMP-20 | 175 | 12/12/2014 | 120 | 276.1 | 378.346 | | |
| TMP-20 | 175 | 12/12/2014 | 140 | 217 | 358.346 | | |
| TMP-20 | 176 | 12/15/2014 | 20 | 149.8 | 478.346 | | |
| TMP-20 | 176 | 12/15/2014 | 40 | 225.5 | 458.346 | | |
| TMP-20 | 176 | 12/15/2014 | 60 | 242 | 438.346 | | |
| TMP-20 | 176 | 12/15/2014 | 80 | 255 | 418.346 | | |
| TMP-20 | 176 | 12/15/2014 | 100 | 268.3 | 398.346 | | |
| TMP-20 | 176 | 12/15/2014 | 120 | 276.7 | 378.346 | | |
| TMP-20 | 176 | 12/15/2014 | 140 | 218 | 358.346 | | |
| TMP-20 | 178 | 12/19/2014 | 20 | 153 | 478.346 | | |
| TMP-20 | 178 | 12/19/2014 | 40 | 228 | 458.346 | | |
| TMP-20 | 178 | 12/19/2014 | 60 | 243.7 | 438.346 | | |
| TMP-20 | 178 | 12/19/2014 | 80 | 257.2 | 418.346 | | |
| TMP-20 | 178 | 12/19/2014 | 100 | 270.7 | 398.346 | | |
| TMP-20 | 178 | 12/19/2014 | 120 | 279 | 378.346 | | |
| TMP-20 | 178 | 12/19/2014 | 140 | 221.1 | 358.346 | | |
| TMP-20 | 180 | 12/22/2014 | 20 | 149.6 | 478.346 | | |
| TMP-20 | 180 | 12/22/2014 | 40 | 225.5 | 458.346 | | |
| TMP-20 | 180 | 12/22/2014 | 60 | 241.3 | 438.346 | | |
| TMP-20 | 180 | 12/22/2014 | 80 | 254.6 | 418.346 | | |
| TMP-20 | 180 | 12/22/2014 | 100 | 268.1 | 398.346 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|------------|-------|---------|-----------|------------|----------|
| TMP-20 | 180 | 12/22/2014 | 120 | 276.3 | 378.346 | | |
| TMP-20 | 180 | 12/22/2014 | 140 | 218.7 | 358.346 | | |
| TMP-20 | 179 | 12/24/2014 | 20 | 150.7 | 478.346 | | |
| TMP-20 | 179 | 12/24/2014 | 40 | 226.5 | 458.346 | | |
| TMP-20 | 179 | 12/24/2014 | 60 | 241.7 | 438.346 | | |
| TMP-20 | 179 | 12/24/2014 | 80 | 255.3 | 418.346 | | |
| TMP-20 | 179 | 12/24/2014 | 100 | 268.8 | 398.346 | | |
| TMP-20 | 179 | 12/24/2014 | 120 | 277 | 378.346 | | |
| TMP-20 | 179 | 12/24/2014 | 140 | 219.5 | 358.346 | | |
| TMP-20 | 181 | 12/26/2014 | 20 | 151.1 | 478.346 | | |
| TMP-20 | 181 | 12/26/2014 | 40 | 226.9 | 458.346 | | |
| TMP-20 | 181 | 12/26/2014 | 60 | 242.9 | 438.346 | | |
| TMP-20 | 181 | 12/26/2014 | 80 | 256 | 418.346 | | |
| TMP-20 | 181 | 12/26/2014 | 100 | 269.6 | 398.346 | | |
| TMP-20 | 181 | 12/26/2014 | 120 | 277.8 | 378.346 | | |
| TMP-20 | 181 | 12/26/2014 | 140 | 220.5 | 358.346 | | |
| TMP-20 | 182 | 12/29/2014 | 20 | 151.8 | 478.346 | | |
| TMP-20 | 182 | 12/29/2014 | 40 | 227.4 | 458.346 | | |
| TMP-20 | 182 | 12/29/2014 | 60 | 244.1 | 438.346 | | |
| TMP-20 | 182 | 12/29/2014 | 80 | 256.6 | 418.346 | | |
| TMP-20 | 182 | 12/29/2014 | 100 | 270.7 | 398.346 | | |
| TMP-20 | 182 | 12/29/2014 | 120 | 278.5 | 378.346 | | |
| TMP-20 | 182 | 12/29/2014 | 140 | 221.6 | 358.346 | | |
| TMP-20 | 183 | 12/31/2014 | 20 | 151.1 | 478.346 | | |
| TMP-20 | 183 | 12/31/2014 | 40 | 226.9 | 458.346 | | |
| TMP-20 | 183 | 12/31/2014 | 60 | 242.7 | 438.346 | | |
| TMP-20 | 183 | 12/31/2014 | 80 | 255.8 | 418.346 | | |
| TMP-20 | 183 | 12/31/2014 | 100 | 269.4 | 398.346 | | |
| TMP-20 | 183 | 12/31/2014 | 120 | 277.3 | 378.346 | | |
| TMP-20 | 183 | 12/31/2014 | 140 | 220.7 | 358.346 | | |
| TMP-20 | 184 | 1/2/2015 | 20 | 150.3 | 478.346 | | |
| TMP-20 | 184 | 1/2/2015 | 40 | 226.1 | 458.346 | | |
| TMP-20 | 184 | 1/2/2015 | 60 | 241.3 | 438.346 | | |
| TMP-20 | 184 | 1/2/2015 | 80 | 254.8 | 418.346 | | |
| TMP-20 | 184 | 1/2/2015 | 100 | 268.2 | 398.346 | | |
| TMP-20 | 184 | 1/2/2015 | 120 | 276.2 | 378.346 | | |
| TMP-20 | 184 | 1/2/2015 | 140 | 204.1 | 358.346 | | |
| TMP-20 | 185 | 1/5/2015 | 20 | 152.3 | 478.346 | | |
| TMP-20 | 185 | 1/5/2015 | 40 | 227.9 | 458.346 | | |
| TMP-20 | 185 | 1/5/2015 | 60 | 243.7 | 438.346 | | |
| TMP-20 | 185 | 1/5/2015 | 80 | 256.8 | 418.346 | | |
| TMP-20 | 185 | 1/5/2015 | 100 | 270.1 | 398.346 | | |
| TMP-20 | 185 | 1/5/2015 | 120 | 277.9 | 378.346 | | |
| TMP-20 | 185 | 1/5/2015 | 140 | 221.9 | 358.346 | | |
| TMP-20 | 186 | 1/8/2015 | 20 | 152.9 | 478.346 | | |
| TMP-20 | 186 | 1/8/2015 | 40 | 228.2 | 458.346 | | |
| TMP-20 | 186 | 1/8/2015 | 60 | 243.6 | 438.346 | | |
| TMP-20 | 186 | 1/8/2015 | 80 | 257.2 | 418.346 | | |
| TMP-20 | 186 | 1/8/2015 | 100 | 271.1 | 398.346 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|-----------|-------|---------|-----------|------------|----------|
| TMP-20 | 186 | 1/8/2015 | 120 | 279 | 378.346 | | |
| TMP-20 | 186 | 1/8/2015 | 140 | 223.6 | 358.346 | | |
| TMP-20 | 187 | 1/9/2015 | 20 | 152.8 | 478.346 | | |
| TMP-20 | 187 | 1/9/2015 | 40 | 227.9 | 458.346 | | |
| TMP-20 | 187 | 1/9/2015 | 60 | 243.3 | 438.346 | | |
| TMP-20 | 187 | 1/9/2015 | 80 | 256.1 | 418.346 | | |
| TMP-20 | 187 | 1/9/2015 | 100 | 269.6 | 398.346 | | |
| TMP-20 | 187 | 1/9/2015 | 120 | 277.3 | 378.346 | | |
| TMP-20 | 187 | 1/9/2015 | 140 | 222 | 358.346 | | |
| TMP-20 | 188 | 1/12/2015 | 20 | 152.7 | 478.346 | | |
| TMP-20 | 188 | 1/12/2015 | 40 | 227.1 | 458.346 | | |
| TMP-20 | 188 | 1/12/2015 | 60 | 242.5 | 438.346 | | |
| TMP-20 | 188 | 1/12/2015 | 80 | 255.9 | 418.346 | | |
| TMP-20 | 188 | 1/12/2015 | 100 | 269.3 | 398.346 | | |
| TMP-20 | 188 | 1/12/2015 | 120 | 277.2 | 378.346 | | |
| TMP-20 | 188 | 1/12/2015 | 140 | 222.4 | 358.346 | | |
| TMP-20 | 189 | 1/14/2015 | 20 | 152.7 | 478.346 | | |
| TMP-20 | 189 | 1/14/2015 | 40 | 227 | 458.346 | | |
| TMP-20 | 189 | 1/14/2015 | 60 | 243.2 | 438.346 | | |
| TMP-20 | 189 | 1/14/2015 | 80 | 256.4 | 418.346 | | |
| TMP-20 | 189 | 1/14/2015 | 100 | 269.9 | 398.346 | | |
| TMP-20 | 189 | 1/14/2015 | 120 | 277.6 | 378.346 | | |
| TMP-20 | 189 | 1/14/2015 | 140 | 222.8 | 358.346 | | |
| TMP-20 | 190 | 1/16/2015 | 20 | 153.7 | 478.346 | | |
| TMP-20 | 190 | 1/16/2015 | 40 | 228.5 | 458.346 | | |
| TMP-20 | 190 | 1/16/2015 | 60 | 244.7 | 438.346 | | |
| TMP-20 | 190 | 1/16/2015 | 80 | 257.6 | 418.346 | | |
| TMP-20 | 190 | 1/16/2015 | 100 | 271 | 398.346 | | |
| TMP-20 | 190 | 1/16/2015 | 120 | 278.4 | 378.346 | | |
| TMP-20 | 190 | 1/16/2015 | 140 | 223.9 | 358.346 | | |
| TMP-20 | 191 | 1/19/2015 | 20 | 151.2 | 478.346 | | |
| TMP-20 | 191 | 1/19/2015 | 40 | 225.8 | 458.346 | | |
| TMP-20 | 191 | 1/19/2015 | 60 | 242 | 438.346 | | |
| TMP-20 | 191 | 1/19/2015 | 80 | 255.2 | 418.346 | | |
| TMP-20 | 191 | 1/19/2015 | 100 | 268.7 | 398.346 | | |
| TMP-20 | 191 | 1/19/2015 | 120 | 276.3 | 378.346 | | |
| TMP-20 | 191 | 1/19/2015 | 140 | 222.6 | 358.346 | | |
| TMP-20 | 192 | 1/21/2015 | 20 | 153 | 478.346 | | |
| TMP-20 | 192 | 1/21/2015 | 40 | 226.9 | 458.346 | | |
| TMP-20 | 192 | 1/21/2015 | 60 | 243.3 | 438.346 | | |
| TMP-20 | 192 | 1/21/2015 | 80 | 256.5 | 418.346 | | |
| TMP-20 | 192 | 1/21/2015 | 100 | 269.8 | 398.346 | | |
| TMP-20 | 192 | 1/21/2015 | 120 | 277 | 378.346 | | |
| TMP-20 | 192 | 1/21/2015 | 140 | 223.3 | 358.346 | | |
| TMP-20 | 193 | 1/23/2015 | 20 | 153 | 478.346 | | |
| TMP-20 | 193 | 1/23/2015 | 40 | 226.5 | 458.346 | | |
| TMP-20 | 193 | 1/23/2015 | 60 | 242.5 | 438.346 | | |
| TMP-20 | 193 | 1/23/2015 | 80 | 255.8 | 418.346 | | |
| TMP-20 | 193 | 1/23/2015 | 100 | 269.4 | 398.346 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|-----------|-------|---------|-----------|------------|----------|
| TMP-20 | 193 | 1/23/2015 | 120 | 276.6 | 378.346 | | |
| TMP-20 | 193 | 1/23/2015 | 140 | 223.4 | 358.346 | | |
| TMP-20 | 194 | 1/26/2015 | 20 | 156.4 | 478.346 | | |
| TMP-20 | 194 | 1/26/2015 | 40 | 224.9 | 458.346 | | |
| TMP-20 | 194 | 1/26/2015 | 60 | 242 | 438.346 | | |
| TMP-20 | 194 | 1/26/2015 | 80 | 255.3 | 418.346 | | |
| TMP-20 | 194 | 1/26/2015 | 100 | 268.8 | 398.346 | | |
| TMP-20 | 194 | 1/26/2015 | 120 | 275.6 | 378.346 | | |
| TMP-20 | 194 | 1/26/2015 | 140 | 223.1 | 358.346 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|-----------|---------|-----------|-------|---------|-----------|------------|---|
| TMP-10-9N | 117 | 9/15/2014 | 20 | 203.6 | 475.285 | | TIMP EQUALIZING, RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-10-9N | 117 | 9/15/2014 | 40 | 213.1 | 455.285 | | TIMP EQUALIZING, RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-10-9N | 117 | 9/15/2014 | 60 | 176 | 435.285 | | TIMP EQUALIZING, RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-10-9N | 117 | 9/15/2014 | 80 | 180.4 | 415.285 | | TIMP EQUALIZING, RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-10-9N | 117 | 9/15/2014 | 100 | 223.7 | 395.285 | | TIMP EQUALIZING, RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-10-9N | 121 | 9/19/2014 | 20 | 207.2 | 475.285 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-10-9N | 121 | 9/19/2014 | 40 | 224.3 | 455.285 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-10-9N | 121 | 9/19/2014 | 60 | 220.3 | 435.285 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-10-9N | 121 | 9/19/2014 | 80 | 205.2 | 415.285 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-10-9N | 121 | 9/19/2014 | 100 | 239.3 | 395.285 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-10-9N | 122 | 9/20/2014 | 20 | 206.4 | 475.285 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|-----------|---------|-----------|-------|---------|-----------|------------|---|
| TMP-10-9N | 122 | 9/20/2014 | 40 | 222.8 | 455.285 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-10-9N | 122 | 9/20/2014 | 60 | 222.1 | 435.285 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-10-9N | 122 | 9/20/2014 | 80 | 202.5 | 415.285 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-10-9N | 122 | 9/20/2014 | 100 | 234.3 | 395.285 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-10-9N | 124 | 9/21/2014 | 20 | 215.3 | 475.285 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-10-9N | 124 | 9/21/2014 | 40 | 229.6 | 455.285 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-10-9N | 124 | 9/21/2014 | 60 | 230.3 | 435.285 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-10-9N | 124 | 9/21/2014 | 80 | 209.7 | 415.285 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-10-9N | 124 | 9/21/2014 | 100 | 241.8 | 395.285 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-10-9N | 125 | 9/22/2014 | 20 | 206.4 | 475.285 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-10-9N | 125 | 9/22/2014 | 40 | 223.4 | 455.285 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-10-9N | 125 | 9/22/2014 | 60 | 229.1 | 435.285 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|-----------|---------|-----------|-------|---------|-----------|------------|---|
| TMP-10-9N | 125 | 9/22/2014 | 80 | 206 | 415.285 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-10-9N | 125 | 9/22/2014 | 100 | 237 | 395.285 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-10-9N | 126 | 9/23/2014 | 20 | 206.8 | 475.285 | | |
| TMP-10-9N | 126 | 9/23/2014 | 40 | 224.9 | 455.285 | | |
| TMP-10-9N | 126 | 9/23/2014 | 60 | 230.5 | 435.285 | | |
| TMP-10-9N | 126 | 9/23/2014 | 80 | 208.2 | 415.285 | | |
| TMP-10-9N | 126 | 9/23/2014 | 100 | 238.2 | 395.285 | | |
| TMP-10-9N | 127 | 9/24/2014 | 20 | 207.2 | 475.285 | | |
| TMP-10-9N | 127 | 9/24/2014 | 40 | 225 | 455.285 | | |
| TMP-10-9N | 127 | 9/24/2014 | 60 | 231.8 | 435.285 | | |
| TMP-10-9N | 127 | 9/24/2014 | 80 | 209 | 415.285 | | |
| TMP-10-9N | 127 | 9/24/2014 | 100 | 239 | 395.285 | | |
| TMP-10-9N | 128 | 9/25/2014 | 20 | 206.4 | 475.285 | | |
| TMP-10-9N | 128 | 9/25/2014 | 40 | 224.3 | 455.285 | | |
| TMP-10-9N | 128 | 9/25/2014 | 60 | 231.7 | 435.285 | | |
| TMP-10-9N | 128 | 9/25/2014 | 80 | 208.7 | 415.285 | | |
| TMP-10-9N | 128 | 9/25/2014 | 100 | 238.1 | 395.285 | | |
| TMP-10-9N | 129 | 9/26/2014 | 20 | 207.5 | 475.285 | | |
| TMP-10-9N | 123 | 9/26/2014 | 20 | 207.5 | 475.285 | | |
| TMP-10-9N | 123 | 9/26/2014 | 40 | 225.5 | 455.285 | | |
| TMP-10-9N | 129 | 9/26/2014 | 40 | 225.5 | 455.285 | | |
| TMP-10-9N | 129 | 9/26/2014 | 60 | 233.7 | 435.285 | | |
| TMP-10-9N | 123 | 9/26/2014 | 60 | 233.7 | 435.285 | | |
| TMP-10-9N | 129 | 9/26/2014 | 80 | 210.3 | 415.285 | | |
| TMP-10-9N | 123 | 9/26/2014 | 80 | 210.3 | 415.285 | | |
| TMP-10-9N | 123 | 9/26/2014 | 100 | 239.4 | 395.285 | | |
| TMP-10-9N | 129 | 9/26/2014 | 100 | 239.4 | 395.285 | | |
| TMP-10-9N | 130 | 9/27/2014 | 20 | 207.6 | 475.285 | | |
| TMP-10-9N | 130 | 9/27/2014 | 40 | 225.5 | 455.285 | | |
| TMP-10-9N | 130 | 9/27/2014 | 60 | 234.4 | 435.285 | | |
| TMP-10-9N | 130 | 9/27/2014 | 80 | 210.8 | 415.285 | | |
| TMP-10-9N | 130 | 9/27/2014 | 100 | 239.6 | 395.285 | | |
| TMP-10-9N | 131 | 9/28/2014 | 20 | 206.8 | 475.285 | | |
| TMP-10-9N | 131 | 9/28/2014 | 40 | 224.3 | 455.285 | | |
| TMP-10-9N | 131 | 9/28/2014 | 60 | 234 | 435.285 | | |
| TMP-10-9N | 131 | 9/28/2014 | 80 | 210.3 | 415.285 | | |
| TMP-10-9N | 131 | 9/28/2014 | 100 | 238.5 | 395.285 | | |
| TMP-10-9N | 132 | 9/29/2014 | 20 | 208.6 | 475.285 | | |
| TMP-10-9N | 132 | 9/29/2014 | 40 | 226.5 | 455.285 | | |
| TMP-10-9N | 132 | 9/29/2014 | 60 | 236.6 | 435.285 | | |
| TMP-10-9N | 132 | 9/29/2014 | 80 | 212.6 | 415.285 | | |
| TMP-10-9N | 132 | 9/29/2014 | 100 | 240.6 | 395.285 | | |
| TMP-10-9N | 133 | 9/30/2014 | 20 | 208.3 | 475.285 | | |
| TMP-10-9N | 133 | 9/30/2014 | 40 | 226.4 | 455.285 | | |
| TMP-10-9N | 133 | 9/30/2014 | 60 | 236.9 | 435.285 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|-----------|---------|-----------|-------|---------|-----------|------------|--|
| TMP-10-9N | 133 | 9/30/2014 | 80 | 212.7 | 415.285 | | |
| TMP-10-9N | 133 | 9/30/2014 | 100 | 240.8 | 395.285 | | |
| TMP-10-9N | 134 | 10/1/2014 | 20 | 207.3 | 475.285 | | |
| TMP-10-9N | 134 | 10/1/2014 | 40 | 225.1 | 455.285 | | |
| TMP-10-9N | 134 | 10/1/2014 | 60 | 236.3 | 435.285 | | |
| TMP-10-9N | 134 | 10/1/2014 | 80 | 211.8 | 415.285 | | |
| TMP-10-9N | 134 | 10/1/2014 | 100 | 239.7 | 395.285 | | |
| TMP-10-9N | 135 | 10/2/2014 | 20 | 208.6 | 475.285 | | |
| TMP-10-9N | 135 | 10/2/2014 | 40 | 226.2 | 455.285 | | |
| TMP-10-9N | 135 | 10/2/2014 | 60 | 238.2 | 435.285 | | |
| TMP-10-9N | 135 | 10/2/2014 | 80 | 215.7 | 415.285 | | |
| TMP-10-9N | 135 | 10/2/2014 | 100 | 241.2 | 395.285 | | |
| TMP-10-9N | 137 | 10/3/2014 | 20 | 211 | 475.285 | | |
| TMP-10-9N | 137 | 10/3/2014 | 40 | 229.2 | 455.285 | | |
| TMP-10-9N | 137 | 10/3/2014 | 60 | 240.7 | 435.285 | | |
| TMP-10-9N | 137 | 10/3/2014 | 80 | 216 | 415.285 | | |
| TMP-10-9N | 137 | 10/3/2014 | 100 | 243.6 | 395.285 | | |
| TMP-10-9N | 138 | 10/4/2014 | 20 | 208.7 | 475.285 | | |
| TMP-10-9N | 138 | 10/4/2014 | 40 | 227.1 | 455.285 | | |
| TMP-10-9N | 138 | 10/4/2014 | 60 | 239.5 | 435.285 | | |
| TMP-10-9N | 138 | 10/4/2014 | 80 | 214.7 | 415.285 | | |
| TMP-10-9N | 138 | 10/4/2014 | 100 | 242.3 | 395.285 | | |
| TMP-10-9N | 139 | 10/5/2014 | 20 | 208.3 | 475.285 | | |
| TMP-10-9N | 139 | 10/5/2014 | 40 | 226.8 | 455.285 | | |
| TMP-10-9N | 139 | 10/5/2014 | 60 | 238.8 | 435.285 | | |
| TMP-10-9N | 139 | 10/5/2014 | 80 | 214.1 | 415.285 | | |
| TMP-10-9N | 139 | 10/5/2014 | 100 | 241.6 | 395.285 | | |
| TMP-10-9N | 140 | 10/6/2014 | 20 | 207.9 | 475.285 | | |
| TMP-10-9N | 140 | 10/6/2014 | 40 | 226.9 | 455.285 | | |
| TMP-10-9N | 140 | 10/6/2014 | 60 | 239.5 | 435.285 | | |
| TMP-10-9N | 140 | 10/6/2014 | 80 | 214.9 | 415.285 | | |
| TMP-10-9N | 140 | 10/6/2014 | 100 | 242.1 | 395.285 | | |
| TMP-10-9N | 141 | 10/7/2014 | 20 | 206.4 | 475.285 | | |
| TMP-10-9N | 141 | 10/7/2014 | 40 | 226 | 455.285 | | |
| TMP-10-9N | 141 | 10/7/2014 | 60 | 238.7 | 435.285 | | |
| TMP-10-9N | 141 | 10/7/2014 | 80 | 214.2 | 415.285 | | |
| TMP-10-9N | 141 | 10/7/2014 | 100 | 241.4 | 395.285 | | |
| TMP-10-9N | 136 | 10/8/2014 | 20 | 210.6 | 475.285 | | |
| TMP-10-9N | 136 | 10/8/2014 | 40 | 229.2 | 455.285 | | |
| TMP-10-9N | 136 | 10/8/2014 | 60 | 242.1 | 435.285 | | |
| TMP-10-9N | 136 | 10/8/2014 | 80 | 217.5 | 415.285 | | |
| TMP-10-9N | 136 | 10/8/2014 | 100 | 244.5 | 395.285 | | |
| TMP-10-9N | 142 | 10/9/2014 | 20 | 209 | 475.285 | | Multimeter not working due to water damage |
| TMP-10-9N | 142 | 10/9/2014 | 40 | 227.8 | 455.285 | | Multimeter not working due to water damage |
| TMP-10-9N | 142 | 10/9/2014 | 60 | 240.7 | 435.285 | | Multimeter not working due to water damage |
| TMP-10-9N | 142 | 10/9/2014 | 80 | 216 | 415.285 | | Multimeter not working due to water damage |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|-----------|---------|------------|-------|---------|-----------|------------|--|
| TMP-10-9N | 142 | 10/9/2014 | 100 | 243 | 395.285 | | Multimeter not working due to water damage |
| TMP-10-9N | 143 | 10/10/2014 | 20 | 211.9 | 475.285 | | |
| TMP-10-9N | 143 | 10/10/2014 | 40 | 230.1 | 455.285 | | |
| TMP-10-9N | 143 | 10/10/2014 | 60 | 243 | 435.285 | | |
| TMP-10-9N | 143 | 10/10/2014 | 80 | 218.5 | 415.285 | | |
| TMP-10-9N | 143 | 10/10/2014 | 100 | 245.3 | 395.285 | | |
| TMP-10-9N | 144 | 10/11/2014 | 20 | 208.5 | 475.285 | | |
| TMP-10-9N | 144 | 10/11/2014 | 40 | 227.8 | 455.285 | | |
| TMP-10-9N | 144 | 10/11/2014 | 60 | 240.8 | 435.285 | | |
| TMP-10-9N | 144 | 10/11/2014 | 80 | 240.8 | 415.285 | | |
| TMP-10-9N | 144 | 10/11/2014 | 100 | 243.4 | 395.285 | | |
| TMP-10-9N | 145 | 10/12/2014 | 20 | 208.4 | 475.285 | | |
| TMP-10-9N | 145 | 10/12/2014 | 40 | 227.7 | 455.285 | | |
| TMP-10-9N | 145 | 10/12/2014 | 60 | 240.9 | 435.285 | | |
| TMP-10-9N | 145 | 10/12/2014 | 80 | 216.7 | 415.285 | | |
| TMP-10-9N | 145 | 10/12/2014 | 100 | 243.5 | 395.285 | | |
| TMP-10-9N | 146 | 10/13/2014 | 20 | 209.5 | 475.285 | | |
| TMP-10-9N | 146 | 10/13/2014 | 40 | 229.1 | 455.285 | | |
| TMP-10-9N | 146 | 10/13/2014 | 60 | 242.2 | 435.285 | | |
| TMP-10-9N | 146 | 10/13/2014 | 80 | 218.2 | 415.285 | | |
| TMP-10-9N | 146 | 10/13/2014 | 100 | 244.9 | 395.285 | | |
| TMP-10-9N | 148 | 10/14/2014 | 20 | 208.1 | 475.285 | | |
| TMP-10-9N | 148 | 10/14/2014 | 40 | 228.2 | 455.285 | | |
| TMP-10-9N | 148 | 10/14/2014 | 60 | 241.3 | 435.285 | | |
| TMP-10-9N | 148 | 10/14/2014 | 80 | 217.4 | 415.285 | | |
| TMP-10-9N | 148 | 10/14/2014 | 100 | 244.2 | 395.285 | | |
| TMP-10-9N | 149 | 10/15/2014 | 20 | 208.3 | 475.285 | | |
| TMP-10-9N | 149 | 10/15/2014 | 40 | 228.5 | 455.285 | | |
| TMP-10-9N | 149 | 10/15/2014 | 60 | 241.4 | 435.285 | | |
| TMP-10-9N | 149 | 10/15/2014 | 80 | 217.7 | 415.285 | | |
| TMP-10-9N | 149 | 10/15/2014 | 100 | 244.4 | 395.285 | | |
| TMP-10-9N | 150 | 10/16/2014 | 20 | 207.3 | 475.285 | | |
| TMP-10-9N | 150 | 10/16/2014 | 40 | 228.4 | 455.285 | | |
| TMP-10-9N | 150 | 10/16/2014 | 60 | 240.9 | 435.285 | | |
| TMP-10-9N | 150 | 10/16/2014 | 80 | 217.6 | 415.285 | | |
| TMP-10-9N | 150 | 10/16/2014 | 100 | 244.3 | 395.285 | | |
| TMP-10-9N | 147 | 10/17/2014 | 20 | 207.3 | 475.285 | | |
| TMP-10-9N | 147 | 10/17/2014 | 40 | 228.4 | 455.285 | | |
| TMP-10-9N | 147 | 10/17/2014 | 60 | 240.9 | 435.285 | | |
| TMP-10-9N | 147 | 10/17/2014 | 80 | 217.6 | 415.285 | | |
| TMP-10-9N | 147 | 10/17/2014 | 100 | 244.3 | 395.285 | | |
| TMP-10-9N | 152 | 10/20/2014 | 20 | 206.6 | 475.285 | | |
| TMP-10-9N | 152 | 10/20/2014 | 40 | 226.8 | 455.285 | | |
| TMP-10-9N | 152 | 10/20/2014 | 60 | 239 | 435.285 | | |
| TMP-10-9N | 152 | 10/20/2014 | 80 | 214.9 | 415.285 | | |
| TMP-10-9N | 152 | 10/20/2014 | 100 | 243.4 | 395.285 | | |
| TMP-10-9N | 153 | 10/22/2014 | 20 | 206.6 | 475.285 | | |
| TMP-10-9N | 153 | 10/22/2014 | 40 | 225.9 | 455.285 | | |
| TMP-10-9N | 153 | 10/22/2014 | 60 | 236.9 | 435.285 | | |
| TMP-10-9N | 153 | 10/22/2014 | 80 | 211.4 | 415.285 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|-----------|---------|------------|-------|---------|-----------|------------|----------|
| TMP-10-9N | 153 | 10/22/2014 | 100 | 241.8 | 395.285 | | |
| TMP-10-9N | 154 | 10/24/2014 | 20 | 203.8 | 475.285 | | |
| TMP-10-9N | 154 | 10/24/2014 | 40 | 224 | 455.285 | | |
| TMP-10-9N | 154 | 10/24/2014 | 60 | 234 | 435.285 | | |
| TMP-10-9N | 154 | 10/24/2014 | 80 | 208.8 | 415.285 | | |
| TMP-10-9N | 154 | 10/24/2014 | 100 | 240.7 | 395.285 | | |
| TMP-10-9N | 155 | 10/27/2014 | 20 | 204 | 475.285 | | |
| TMP-10-9N | 155 | 10/27/2014 | 40 | 224 | 455.285 | | |
| TMP-10-9N | 155 | 10/27/2014 | 60 | 232.2 | 435.285 | | |
| TMP-10-9N | 155 | 10/27/2014 | 80 | 207.2 | 415.285 | | |
| TMP-10-9N | 155 | 10/27/2014 | 100 | 239.8 | 395.285 | | |
| TMP-10-9N | 156 | 10/29/2014 | 20 | 204.7 | 475.285 | | |
| TMP-10-9N | 156 | 10/29/2014 | 40 | 223.6 | 455.285 | | |
| TMP-10-9N | 156 | 10/29/2014 | 60 | 231 | 435.285 | | |
| TMP-10-9N | 156 | 10/29/2014 | 80 | 206.1 | 415.285 | | |
| TMP-10-9N | 156 | 10/29/2014 | 100 | 239.4 | 395.285 | | |
| TMP-10-9N | 157 | 10/31/2014 | 20 | 205 | 475.285 | | |
| TMP-10-9N | 157 | 10/31/2014 | 40 | 223 | 455.285 | | |
| TMP-10-9N | 157 | 10/31/2014 | 60 | 229.3 | 435.285 | | |
| TMP-10-9N | 157 | 10/31/2014 | 80 | 204 | 415.285 | | |
| TMP-10-9N | 157 | 10/31/2014 | 100 | 238.4 | 395.285 | | |
| TMP-10-9N | 158 | 11/3/2014 | 20 | 204.1 | 475.285 | | |
| TMP-10-9N | 158 | 11/3/2014 | 40 | 220.8 | 455.285 | | |
| TMP-10-9N | 158 | 11/3/2014 | 60 | 225.8 | 435.285 | | |
| TMP-10-9N | 158 | 11/3/2014 | 80 | 199.5 | 415.285 | | |
| TMP-10-9N | 158 | 11/3/2014 | 100 | 235.9 | 395.285 | | |
| TMP-10-9N | 159 | 11/5/2014 | 20 | 205 | 475.285 | | |
| TMP-10-9N | 159 | 11/5/2014 | 40 | 220 | 455.285 | | |
| TMP-10-9N | 159 | 11/5/2014 | 60 | 223.9 | 435.285 | | |
| TMP-10-9N | 159 | 11/5/2014 | 80 | 196.8 | 415.285 | | |
| TMP-10-9N | 159 | 11/5/2014 | 100 | 234.6 | 395.285 | | |
| TMP-10-9N | 160 | 11/7/2014 | 20 | 202.6 | 475.285 | | |
| TMP-10-9N | 160 | 11/7/2014 | 40 | 216.6 | 455.285 | | |
| TMP-10-9N | 160 | 11/7/2014 | 60 | 219.4 | 435.285 | | |
| TMP-10-9N | 160 | 11/7/2014 | 80 | 191.7 | 415.285 | | |
| TMP-10-9N | 160 | 11/7/2014 | 100 | 230.8 | 395.285 | | |
| TMP-10-9N | 161 | 11/10/2014 | 20 | 194.9 | 475.285 | | |
| TMP-10-9N | 161 | 11/10/2014 | 40 | 206.3 | 455.285 | | |
| TMP-10-9N | 161 | 11/10/2014 | 60 | 207.6 | 435.285 | | |
| TMP-10-9N | 161 | 11/10/2014 | 80 | 182.4 | 415.285 | | |
| TMP-10-9N | 161 | 11/10/2014 | 100 | 218.4 | 395.285 | | |
| TMP-10-9N | 162 | 11/12/2014 | 20 | 196 | 475.285 | | |
| TMP-10-9N | 162 | 11/12/2014 | 40 | 206.1 | 455.285 | | |
| TMP-10-9N | 162 | 11/12/2014 | 60 | 206.7 | 435.285 | | |
| TMP-10-9N | 162 | 11/12/2014 | 80 | 181 | 415.285 | | |
| TMP-10-9N | 162 | 11/12/2014 | 100 | 217.8 | 395.285 | | |
| TMP-10-9N | 163 | 11/14/2014 | 20 | 195 | 475.285 | | |
| TMP-10-9N | 163 | 11/14/2014 | 40 | 204 | 455.285 | | |
| TMP-10-9N | 163 | 11/14/2014 | 60 | 204.1 | 435.285 | | |
| TMP-10-9N | 163 | 11/14/2014 | 80 | 178.1 | 415.285 | | |
| TMP-10-9N | 163 | 11/14/2014 | 100 | 215.7 | 395.285 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|-----------|---------|------------|-------|---------|-----------|------------|----------|
| TMP-10-9N | 164 | 11/17/2014 | 20 | 193.9 | 475.285 | | |
| TMP-10-9N | 164 | 11/17/2014 | 40 | 201.2 | 455.285 | | |
| TMP-10-9N | 164 | 11/17/2014 | 60 | 200.2 | 435.285 | | |
| TMP-10-9N | 164 | 11/17/2014 | 80 | 174.1 | 415.285 | | |
| TMP-10-9N | 164 | 11/17/2014 | 100 | 212.5 | 395.285 | | |
| TMP-10-9N | 165 | 11/19/2014 | 20 | 193.7 | 475.285 | | |
| TMP-10-9N | 165 | 11/19/2014 | 40 | 200.4 | 455.285 | | |
| TMP-10-9N | 165 | 11/19/2014 | 60 | 199 | 435.285 | | |
| TMP-10-9N | 165 | 11/19/2014 | 80 | 173.1 | 415.285 | | |
| TMP-10-9N | 165 | 11/19/2014 | 100 | 211.9 | 395.285 | | |
| TMP-10-9N | 166 | 11/21/2014 | 20 | 194 | 475.285 | | |
| TMP-10-9N | 166 | 11/21/2014 | 40 | 199.8 | 455.285 | | |
| TMP-10-9N | 166 | 11/21/2014 | 60 | 197.7 | 435.285 | | |
| TMP-10-9N | 166 | 11/21/2014 | 80 | 171.8 | 415.285 | | |
| TMP-10-9N | 166 | 11/21/2014 | 100 | 210.3 | 395.285 | | |
| TMP-10-9N | 167 | 11/24/2014 | 20 | 192.1 | 475.285 | | |
| TMP-10-9N | 167 | 11/24/2014 | 40 | 197.3 | 455.285 | | |
| TMP-10-9N | 167 | 11/24/2014 | 60 | 194.7 | 435.285 | | |
| TMP-10-9N | 167 | 11/24/2014 | 80 | 169.3 | 415.285 | | |
| TMP-10-9N | 167 | 11/24/2014 | 100 | 208.2 | 395.285 | | |
| TMP-10-9N | 168 | 11/26/2014 | 20 | 191.2 | 475.285 | | |
| TMP-10-9N | 168 | 11/26/2014 | 40 | 195.6 | 455.285 | | |
| TMP-10-9N | 168 | 11/26/2014 | 60 | 192.5 | 435.285 | | |
| TMP-10-9N | 168 | 11/26/2014 | 80 | 167.3 | 415.285 | | |
| TMP-10-9N | 168 | 11/26/2014 | 100 | 206.3 | 395.285 | | |
| TMP-10-9N | 169 | 11/30/2014 | 20 | 189.5 | 475.285 | | |
| TMP-10-9N | 169 | 11/30/2014 | 40 | 193.7 | 455.285 | | |
| TMP-10-9N | 169 | 11/30/2014 | 60 | 189.9 | 435.285 | | |
| TMP-10-9N | 169 | 11/30/2014 | 80 | 165.7 | 415.285 | | |
| TMP-10-9N | 169 | 11/30/2014 | 100 | 204.4 | 395.285 | | |
| TMP-10-9N | 170 | 12/1/2014 | 20 | 193 | 475.285 | | |
| TMP-10-9N | 170 | 12/1/2014 | 40 | 194.2 | 455.285 | | |
| TMP-10-9N | 170 | 12/1/2014 | 60 | 190.4 | 435.285 | | |
| TMP-10-9N | 170 | 12/1/2014 | 80 | 165.9 | 415.285 | | |
| TMP-10-9N | 170 | 12/1/2014 | 100 | 204.9 | 395.285 | | |
| TMP-10-9N | 171 | 12/3/2014 | 20 | 191.5 | 475.285 | | |
| TMP-10-9N | 171 | 12/3/2014 | 40 | 193.5 | 455.285 | | |
| TMP-10-9N | 171 | 12/3/2014 | 60 | 189.7 | 435.285 | | |
| TMP-10-9N | 171 | 12/3/2014 | 80 | 165.3 | 415.285 | | |
| TMP-10-9N | 171 | 12/3/2014 | 100 | 204 | 395.285 | | |
| TMP-10-9N | 172 | 12/6/2014 | 20 | 190.7 | 475.285 | | |
| TMP-10-9N | 172 | 12/6/2014 | 40 | 190.9 | 455.285 | | |
| TMP-10-9N | 172 | 12/6/2014 | 60 | 186.5 | 435.285 | | |
| TMP-10-9N | 172 | 12/6/2014 | 80 | 161.9 | 415.285 | | |
| TMP-10-9N | 172 | 12/6/2014 | 100 | 201 | 395.285 | | |
| TMP-10-9N | 173 | 12/8/2014 | 20 | 190.3 | 475.285 | | |
| TMP-10-9N | 173 | 12/8/2014 | 40 | 190.1 | 455.285 | | |
| TMP-10-9N | 173 | 12/8/2014 | 60 | 185.6 | 435.285 | | |
| TMP-10-9N | 173 | 12/8/2014 | 80 | 160.9 | 415.285 | | |
| TMP-10-9N | 173 | 12/8/2014 | 100 | 200.1 | 395.285 | | |
| TMP-10-9N | 174 | 12/10/2014 | 20 | 191.3 | 475.285 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|-----------|---------|------------|-------|---------|-----------|------------|----------|
| TMP-10-9N | 174 | 12/10/2014 | 40 | 189.4 | 455.285 | | |
| TMP-10-9N | 174 | 12/10/2014 | 60 | 184.8 | 435.285 | | |
| TMP-10-9N | 174 | 12/10/2014 | 80 | 160 | 415.285 | | |
| TMP-10-9N | 174 | 12/10/2014 | 100 | 199.3 | 395.285 | | |
| TMP-10-9N | 175 | 12/12/2014 | 20 | 191.2 | 475.285 | | |
| TMP-10-9N | 175 | 12/12/2014 | 40 | 188.1 | 455.285 | | |
| TMP-10-9N | 175 | 12/12/2014 | 60 | 183.5 | 435.285 | | |
| TMP-10-9N | 175 | 12/12/2014 | 80 | 158.6 | 415.285 | | |
| TMP-10-9N | 175 | 12/12/2014 | 100 | 198.2 | 395.285 | | |
| TMP-10-9N | 176 | 12/15/2014 | 20 | 190.5 | 475.285 | | |
| TMP-10-9N | 176 | 12/15/2014 | 40 | 187.4 | 455.285 | | |
| TMP-10-9N | 176 | 12/15/2014 | 60 | 182.6 | 435.285 | | |
| TMP-10-9N | 176 | 12/15/2014 | 80 | 157.9 | 415.285 | | |
| TMP-10-9N | 176 | 12/15/2014 | 100 | 197.5 | 395.285 | | |
| TMP-10-9N | 178 | 12/19/2014 | 20 | 187.1 | 475.285 | | |
| TMP-10-9N | 178 | 12/19/2014 | 40 | 185.2 | 455.285 | | |
| TMP-10-9N | 178 | 12/19/2014 | 60 | 179.9 | 435.285 | | |
| TMP-10-9N | 178 | 12/19/2014 | 80 | 155.3 | 415.285 | | |
| TMP-10-9N | 178 | 12/19/2014 | 100 | 195.4 | 395.285 | | |
| TMP-10-9N | 180 | 12/22/2014 | 20 | 188.9 | 475.285 | | |
| TMP-10-9N | 180 | 12/22/2014 | 40 | 183.3 | 455.285 | | |
| TMP-10-9N | 180 | 12/22/2014 | 60 | 177.8 | 435.285 | | |
| TMP-10-9N | 180 | 12/22/2014 | 80 | 153.3 | 415.285 | | |
| TMP-10-9N | 180 | 12/22/2014 | 100 | 193.7 | 395.285 | | |
| TMP-10-9N | 179 | 12/24/2014 | 20 | 190.2 | 475.285 | | |
| TMP-10-9N | 179 | 12/24/2014 | 40 | 183.3 | 455.285 | | |
| TMP-10-9N | 179 | 12/24/2014 | 60 | 177.5 | 435.285 | | |
| TMP-10-9N | 179 | 12/24/2014 | 80 | 153.1 | 415.285 | | |
| TMP-10-9N | 179 | 12/24/2014 | 100 | 193.6 | 395.285 | | |
| TMP-10-9N | 181 | 12/26/2014 | 20 | 185.3 | 475.285 | | |
| TMP-10-9N | 181 | 12/26/2014 | 40 | 182 | 455.285 | | |
| TMP-10-9N | 181 | 12/26/2014 | 60 | 175.9 | 435.285 | | |
| TMP-10-9N | 181 | 12/26/2014 | 80 | 151.8 | 415.285 | | |
| TMP-10-9N | 181 | 12/26/2014 | 100 | 192.5 | 395.285 | | |
| TMP-10-9N | 182 | 12/29/2014 | 20 | 184.7 | 475.285 | | |
| TMP-10-9N | 182 | 12/29/2014 | 40 | 181.3 | 455.285 | | |
| TMP-10-9N | 182 | 12/29/2014 | 60 | 175.1 | 435.285 | | |
| TMP-10-9N | 182 | 12/29/2014 | 80 | 151.2 | 415.285 | | |
| TMP-10-9N | 182 | 12/29/2014 | 100 | 192.2 | 395.285 | | |
| TMP-10-9N | 183 | 12/31/2014 | 20 | 184.7 | 475.285 | | |
| TMP-10-9N | 183 | 12/31/2014 | 40 | 181.1 | 455.285 | | |
| TMP-10-9N | 183 | 12/31/2014 | 60 | 174.6 | 435.285 | | |
| TMP-10-9N | 183 | 12/31/2014 | 80 | 150.7 | 415.285 | | |
| TMP-10-9N | 183 | 12/31/2014 | 100 | 191.5 | 395.285 | | |
| TMP-10-9N | 184 | 1/2/2015 | 20 | 184.3 | 475.285 | | |
| TMP-10-9N | 184 | 1/2/2015 | 40 | 179.8 | 455.285 | | |
| TMP-10-9N | 184 | 1/2/2015 | 60 | 173.2 | 435.285 | | |
| TMP-10-9N | 184 | 1/2/2015 | 80 | 149.4 | 415.285 | | |
| TMP-10-9N | 184 | 1/2/2015 | 100 | 190.2 | 395.285 | | |
| TMP-10-9N | 185 | 1/5/2015 | 20 | 183.2 | 475.285 | | |
| TMP-10-9N | 185 | 1/5/2015 | 40 | 178.4 | 455.285 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|-----------|---------|-----------|-------|---------|-----------|------------|----------|
| TMP-10-9N | 185 | 1/5/2015 | 60 | 171.6 | 435.285 | | |
| TMP-10-9N | 185 | 1/5/2015 | 80 | 147.9 | 415.285 | | |
| TMP-10-9N | 185 | 1/5/2015 | 100 | 189.2 | 395.285 | | |
| TMP-10-9N | 186 | 1/8/2015 | 20 | 158.6 | 475.285 | | |
| TMP-10-9N | 186 | 1/8/2015 | 40 | 179.9 | 455.285 | | |
| TMP-10-9N | 186 | 1/8/2015 | 60 | 172.5 | 435.285 | | |
| TMP-10-9N | 186 | 1/8/2015 | 80 | 148.8 | 415.285 | | |
| TMP-10-9N | 186 | 1/8/2015 | 100 | 189.8 | 395.285 | | |
| TMP-10-9N | 187 | 1/9/2015 | 20 | 184 | 475.285 | | |
| TMP-10-9N | 187 | 1/9/2015 | 40 | 178.5 | 455.285 | | |
| TMP-10-9N | 187 | 1/9/2015 | 60 | 171 | 435.285 | | |
| TMP-10-9N | 187 | 1/9/2015 | 80 | 147.5 | 415.285 | | |
| TMP-10-9N | 187 | 1/9/2015 | 100 | 188.6 | 395.285 | | |
| TMP-10-9N | 188 | 1/12/2015 | 20 | 183.6 | 475.285 | | |
| TMP-10-9N | 188 | 1/12/2015 | 40 | 178.1 | 455.285 | | |
| TMP-10-9N | 188 | 1/12/2015 | 60 | 169.8 | 435.285 | | |
| TMP-10-9N | 188 | 1/12/2015 | 80 | 146.7 | 415.285 | | |
| TMP-10-9N | 188 | 1/12/2015 | 100 | 187.8 | 395.285 | | |
| TMP-10-9N | 189 | 1/14/2015 | 20 | 182.9 | 475.285 | | |
| TMP-10-9N | 189 | 1/14/2015 | 40 | 177.4 | 455.285 | | |
| TMP-10-9N | 189 | 1/14/2015 | 60 | 168.7 | 435.285 | | |
| TMP-10-9N | 189 | 1/14/2015 | 80 | 146.1 | 415.285 | | |
| TMP-10-9N | 189 | 1/14/2015 | 100 | 187.2 | 395.285 | | |
| TMP-10-9N | 190 | 1/16/2015 | 20 | 184.7 | 475.285 | | |
| TMP-10-9N | 190 | 1/16/2015 | 40 | 176.9 | 455.285 | | |
| TMP-10-9N | 190 | 1/16/2015 | 60 | 167.9 | 435.285 | | |
| TMP-10-9N | 190 | 1/16/2015 | 80 | 146.1 | 415.285 | | |
| TMP-10-9N | 190 | 1/16/2015 | 100 | 187.1 | 395.285 | | |
| TMP-10-9N | 191 | 1/19/2015 | 20 | 187.5 | 475.285 | | |
| TMP-10-9N | 191 | 1/19/2015 | 40 | 177 | 455.285 | | |
| TMP-10-9N | 191 | 1/19/2015 | 60 | 167 | 435.285 | | |
| TMP-10-9N | 191 | 1/19/2015 | 80 | 144.9 | 415.285 | | |
| TMP-10-9N | 191 | 1/19/2015 | 100 | 185.8 | 395.285 | | |
| TMP-10-9N | 192 | 1/21/2015 | 20 | 186.6 | 475.285 | | |
| TMP-10-9N | 192 | 1/21/2015 | 40 | 176.1 | 455.285 | | |
| TMP-10-9N | 192 | 1/21/2015 | 60 | 165.9 | 435.285 | | |
| TMP-10-9N | 192 | 1/21/2015 | 80 | 144.2 | 415.285 | | |
| TMP-10-9N | 192 | 1/21/2015 | 100 | 185 | 395.285 | | |
| TMP-10-9N | 193 | 1/23/2015 | 20 | 187.9 | 475.285 | | |
| TMP-10-9N | 193 | 1/23/2015 | 40 | 176.7 | 455.285 | | |
| TMP-10-9N | 193 | 1/23/2015 | 60 | 166.6 | 435.285 | | |
| TMP-10-9N | 193 | 1/23/2015 | 80 | 145.3 | 415.285 | | |
| TMP-10-9N | 193 | 1/23/2015 | 100 | 185.7 | 395.285 | | |
| TMP-10-9N | 194 | 1/26/2015 | 20 | 188.8 | 475.285 | | |
| TMP-10-9N | 194 | 1/26/2015 | 40 | 176.4 | 455.285 | | |
| TMP-10-9N | 194 | 1/26/2015 | 60 | 166.1 | 435.285 | | |
| TMP-10-9N | 194 | 1/26/2015 | 80 | 145 | 415.285 | | |
| TMP-10-9N | 194 | 1/26/2015 | 100 | 185.2 | 395.285 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|-----------|---------|-----------|-------|---------|-----------|------------|---|
| TMP-10-9S | 117 | 9/15/2014 | 20 | 188.8 | 476.129 | | TIMP EQUALIZING, RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-10-9S | 117 | 9/15/2014 | 40 | 198 | 456.129 | | TIMP EQUALIZING, RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-10-9S | 117 | 9/15/2014 | 60 | 203.2 | 436.129 | | TIMP EQUALIZING, RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-10-9S | 117 | 9/15/2014 | 80 | 245.1 | 416.129 | | TIMP EQUALIZING, RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-10-9S | 117 | 9/15/2014 | 100 | 261.4 | 396.129 | | TIMP EQUALIZING, RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-10-9S | 121 | 9/19/2014 | 20 | 200.5 | 476.129 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-10-9S | 121 | 9/19/2014 | 40 | 221 | 456.129 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-10-9S | 121 | 9/19/2014 | 60 | 237.3 | 436.129 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-10-9S | 121 | 9/19/2014 | 80 | 261.9 | 416.129 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-10-9S | 121 | 9/19/2014 | 100 | 285.2 | 396.129 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-10-9S | 122 | 9/20/2014 | 20 | 198.5 | 476.129 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|-----------|---------|-----------|-------|---------|-----------|------------|---|
| TMP-10-9S | 122 | 9/20/2014 | 40 | 220.1 | 456.129 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-10-9S | 122 | 9/20/2014 | 60 | 235.4 | 436.129 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-10-9S | 122 | 9/20/2014 | 80 | 261.2 | 416.129 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-10-9S | 122 | 9/20/2014 | 100 | 282.3 | 396.129 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-10-9S | 124 | 9/21/2014 | 20 | 195 | 476.129 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-10-9S | 124 | 9/21/2014 | 40 | 216.1 | 456.129 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-10-9S | 124 | 9/21/2014 | 60 | 231 | 436.129 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-10-9S | 124 | 9/21/2014 | 80 | 253.4 | 416.129 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-10-9S | 124 | 9/21/2014 | 100 | 273 | 396.129 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-10-9S | 125 | 9/22/2014 | 20 | 197.1 | 476.129 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-10-9S | 125 | 9/22/2014 | 40 | 220.8 | 456.129 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-10-9S | 125 | 9/22/2014 | 60 | 239.2 | 436.129 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|-----------|---------|-----------|-------|---------|-----------|------------|---|
| TMP-10-9S | 125 | 9/22/2014 | 80 | 260.6 | 416.129 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-10-9S | 125 | 9/22/2014 | 100 | 281.5 | 396.129 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-10-9S | 126 | 9/23/2014 | 20 | 199.4 | 476.129 | | |
| TMP-10-9S | 126 | 9/23/2014 | 40 | 222.6 | 456.129 | | |
| TMP-10-9S | 126 | 9/23/2014 | 60 | 241.2 | 436.129 | | |
| TMP-10-9S | 126 | 9/23/2014 | 80 | 261.3 | 416.129 | | |
| TMP-10-9S | 126 | 9/23/2014 | 100 | 281.6 | 396.129 | | |
| TMP-10-9S | 127 | 9/24/2014 | 20 | 199 | 476.129 | | |
| TMP-10-9S | 127 | 9/24/2014 | 40 | 222.7 | 456.129 | | |
| TMP-10-9S | 127 | 9/24/2014 | 60 | 241.8 | 436.129 | | |
| TMP-10-9S | 127 | 9/24/2014 | 80 | 261.2 | 416.129 | | |
| TMP-10-9S | 127 | 9/24/2014 | 100 | 281.7 | 396.129 | | |
| TMP-10-9S | 128 | 9/25/2014 | 20 | 199.4 | 476.129 | | |
| TMP-10-9S | 128 | 9/25/2014 | 40 | 224 | 456.129 | | |
| TMP-10-9S | 128 | 9/25/2014 | 60 | 243.7 | 436.129 | | |
| TMP-10-9S | 128 | 9/25/2014 | 80 | 262.4 | 416.129 | | |
| TMP-10-9S | 128 | 9/25/2014 | 100 | 278.8 | 396.129 | | |
| TMP-10-9S | 129 | 9/26/2014 | 20 | 199.7 | 476.129 | | |
| TMP-10-9S | 123 | 9/26/2014 | 20 | 199.7 | 476.129 | | |
| TMP-10-9S | 123 | 9/26/2014 | 40 | 224.6 | 456.129 | | |
| TMP-10-9S | 129 | 9/26/2014 | 40 | 224.6 | 456.129 | | |
| TMP-10-9S | 129 | 9/26/2014 | 60 | 244.6 | 436.129 | | |
| TMP-10-9S | 123 | 9/26/2014 | 60 | 244.6 | 436.129 | | |
| TMP-10-9S | 129 | 9/26/2014 | 80 | 262.7 | 416.129 | | |
| TMP-10-9S | 123 | 9/26/2014 | 80 | 262.7 | 416.129 | | |
| TMP-10-9S | 129 | 9/26/2014 | 100 | 272.4 | 396.129 | | |
| TMP-10-9S | 123 | 9/26/2014 | 100 | 272.4 | 396.129 | | |
| TMP-10-9S | 130 | 9/27/2014 | 20 | 200.1 | 476.129 | | |
| TMP-10-9S | 130 | 9/27/2014 | 40 | 225.4 | 456.129 | | |
| TMP-10-9S | 130 | 9/27/2014 | 60 | 245.7 | 436.129 | | |
| TMP-10-9S | 130 | 9/27/2014 | 80 | 263.2 | 416.129 | | |
| TMP-10-9S | 130 | 9/27/2014 | 100 | 283 | 396.129 | | |
| TMP-10-9S | 131 | 9/28/2014 | 20 | 200.8 | 476.129 | | |
| TMP-10-9S | 131 | 9/28/2014 | 40 | 226.2 | 456.129 | | |
| TMP-10-9S | 131 | 9/28/2014 | 60 | 245.9 | 436.129 | | |
| TMP-10-9S | 131 | 9/28/2014 | 80 | 263.6 | 416.129 | | |
| TMP-10-9S | 131 | 9/28/2014 | 100 | 283.2 | 396.129 | | |
| TMP-10-9S | 132 | 9/29/2014 | 20 | 200 | 476.129 | | |
| TMP-10-9S | 132 | 9/29/2014 | 40 | 226.5 | 456.129 | | |
| TMP-10-9S | 132 | 9/29/2014 | 60 | 247 | 436.129 | | |
| TMP-10-9S | 132 | 9/29/2014 | 80 | 264 | 416.129 | | |
| TMP-10-9S | 132 | 9/29/2014 | 100 | 289.7 | 396.129 | | |
| TMP-10-9S | 133 | 9/30/2014 | 20 | 201 | 476.129 | | |
| TMP-10-9S | 133 | 9/30/2014 | 40 | 227.6 | 456.129 | | |
| TMP-10-9S | 133 | 9/30/2014 | 60 | 248.2 | 436.129 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|-----------|---------|-----------|-------|---------|-----------|------------|--|
| TMP-10-9S | 133 | 9/30/2014 | 80 | 264.7 | 416.129 | | |
| TMP-10-9S | 133 | 9/30/2014 | 100 | 284 | 396.129 | | |
| TMP-10-9S | 134 | 10/1/2014 | 20 | 200.7 | 476.129 | | |
| TMP-10-9S | 134 | 10/1/2014 | 40 | 227.6 | 456.129 | | |
| TMP-10-9S | 134 | 10/1/2014 | 60 | 248.2 | 436.129 | | |
| TMP-10-9S | 134 | 10/1/2014 | 80 | 264.5 | 416.129 | | |
| TMP-10-9S | 134 | 10/1/2014 | 100 | 283.6 | 396.129 | | |
| TMP-10-9S | 135 | 10/2/2014 | 20 | 201 | 476.129 | | |
| TMP-10-9S | 135 | 10/2/2014 | 40 | 228.6 | 456.129 | | |
| TMP-10-9S | 135 | 10/2/2014 | 60 | 249.3 | 436.129 | | |
| TMP-10-9S | 135 | 10/2/2014 | 80 | 265.1 | 416.129 | | |
| TMP-10-9S | 135 | 10/2/2014 | 100 | 284.4 | 396.129 | | |
| TMP-10-9S | 137 | 10/3/2014 | 20 | 202 | 476.129 | | |
| TMP-10-9S | 137 | 10/3/2014 | 40 | 230 | 456.129 | | |
| TMP-10-9S | 137 | 10/3/2014 | 60 | 250.6 | 436.129 | | |
| TMP-10-9S | 137 | 10/3/2014 | 80 | 266.4 | 416.129 | | |
| TMP-10-9S | 137 | 10/3/2014 | 100 | 285.5 | 396.129 | | |
| TMP-10-9S | 138 | 10/4/2014 | 20 | 201.9 | 476.129 | | |
| TMP-10-9S | 138 | 10/4/2014 | 40 | 229.9 | 456.129 | | |
| TMP-10-9S | 138 | 10/4/2014 | 60 | 250.4 | 436.129 | | |
| TMP-10-9S | 138 | 10/4/2014 | 80 | 265.8 | 416.129 | | |
| TMP-10-9S | 138 | 10/4/2014 | 100 | 285.1 | 396.129 | | |
| TMP-10-9S | 139 | 10/5/2014 | 20 | 201.8 | 476.129 | | |
| TMP-10-9S | 139 | 10/5/2014 | 40 | 229.6 | 456.129 | | |
| TMP-10-9S | 139 | 10/5/2014 | 60 | 250.2 | 436.129 | | |
| TMP-10-9S | 139 | 10/5/2014 | 80 | 265.5 | 416.129 | | |
| TMP-10-9S | 139 | 10/5/2014 | 100 | 284.7 | 396.129 | | |
| TMP-10-9S | 140 | 10/6/2014 | 20 | 202 | 476.129 | | |
| TMP-10-9S | 140 | 10/6/2014 | 40 | 231 | 456.129 | | |
| TMP-10-9S | 140 | 10/6/2014 | 60 | 251.5 | 436.129 | | |
| TMP-10-9S | 140 | 10/6/2014 | 80 | 266.6 | 416.129 | | |
| TMP-10-9S | 140 | 10/6/2014 | 100 | 285.6 | 396.129 | | |
| TMP-10-9S | 141 | 10/7/2014 | 20 | 201.6 | 476.129 | | |
| TMP-10-9S | 141 | 10/7/2014 | 40 | 230.8 | 456.129 | | |
| TMP-10-9S | 141 | 10/7/2014 | 60 | 251.3 | 436.129 | | |
| TMP-10-9S | 141 | 10/7/2014 | 80 | 266.4 | 416.129 | | |
| TMP-10-9S | 141 | 10/7/2014 | 100 | 285 | 396.129 | | |
| TMP-10-9S | 136 | 10/8/2014 | 20 | 204.4 | 476.129 | | |
| TMP-10-9S | 136 | 10/8/2014 | 40 | 233.7 | 456.129 | | |
| TMP-10-9S | 136 | 10/8/2014 | 60 | 254.2 | 436.129 | | |
| TMP-10-9S | 136 | 10/8/2014 | 80 | 269.4 | 416.129 | | |
| TMP-10-9S | 136 | 10/8/2014 | 100 | 288.6 | 396.129 | | |
| TMP-10-9S | 142 | 10/9/2014 | 20 | 202.3 | 476.129 | | Multimeter not working due to water damage |
| TMP-10-9S | 142 | 10/9/2014 | 40 | 231.3 | 456.129 | | Multimeter not working due to water damage |
| TMP-10-9S | 142 | 10/9/2014 | 60 | 251.7 | 436.129 | | Multimeter not working due to water damage |
| TMP-10-9S | 142 | 10/9/2014 | 80 | 266.6 | 416.129 | | Multimeter not working due to water damage |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|-----------|---------|------------|-------|---------|-----------|------------|--|
| TMP-10-9S | 142 | 10/9/2014 | 100 | 285.4 | 396.129 | | Multimeter not working due to water damage |
| TMP-10-9S | 143 | 10/10/2014 | 20 | 203.6 | 476.129 | | |
| TMP-10-9S | 143 | 10/10/2014 | 40 | 232.8 | 456.129 | | |
| TMP-10-9S | 143 | 10/10/2014 | 60 | 293.3 | 436.129 | | |
| TMP-10-9S | 143 | 10/10/2014 | 80 | 268.2 | 416.129 | | |
| TMP-10-9S | 143 | 10/10/2014 | 100 | 287.5 | 396.129 | | |
| TMP-10-9S | 144 | 10/11/2014 | 20 | 202 | 476.129 | | |
| TMP-10-9S | 144 | 10/11/2014 | 40 | 231.7 | 456.129 | | |
| TMP-10-9S | 144 | 10/11/2014 | 60 | 252.2 | 436.129 | | |
| TMP-10-9S | 144 | 10/11/2014 | 80 | 267 | 416.129 | | |
| TMP-10-9S | 144 | 10/11/2014 | 100 | 285.6 | 396.129 | | |
| TMP-10-9S | 145 | 10/12/2014 | 20 | 202.2 | 476.129 | | |
| TMP-10-9S | 145 | 10/12/2014 | 40 | 232 | 456.129 | | |
| TMP-10-9S | 145 | 10/12/2014 | 60 | 252.3 | 436.129 | | |
| TMP-10-9S | 145 | 10/12/2014 | 80 | 267.2 | 416.129 | | |
| TMP-10-9S | 145 | 10/12/2014 | 100 | 285.7 | 396.129 | | |
| TMP-10-9S | 146 | 10/13/2014 | 20 | 203.2 | 476.129 | | |
| TMP-10-9S | 146 | 10/13/2014 | 40 | 233.1 | 456.129 | | |
| TMP-10-9S | 146 | 10/13/2014 | 60 | 253.4 | 436.129 | | |
| TMP-10-9S | 146 | 10/13/2014 | 80 | 268.3 | 416.129 | | |
| TMP-10-9S | 146 | 10/13/2014 | 100 | 286.5 | 396.129 | | |
| TMP-10-9S | 148 | 10/14/2014 | 20 | 202.6 | 476.129 | | |
| TMP-10-9S | 148 | 10/14/2014 | 40 | 233 | 456.129 | | |
| TMP-10-9S | 148 | 10/14/2014 | 60 | 253.2 | 436.129 | | |
| TMP-10-9S | 148 | 10/14/2014 | 80 | 268 | 416.129 | | |
| TMP-10-9S | 148 | 10/14/2014 | 100 | 286.4 | 396.129 | | |
| TMP-10-9S | 149 | 10/15/2014 | 20 | 202.7 | 476.129 | | |
| TMP-10-9S | 149 | 10/15/2014 | 40 | 233.2 | 456.129 | | |
| TMP-10-9S | 149 | 10/15/2014 | 60 | 253.6 | 436.129 | | |
| TMP-10-9S | 149 | 10/15/2014 | 80 | 268.9 | 416.129 | | |
| TMP-10-9S | 149 | 10/15/2014 | 100 | 287.4 | 396.129 | | |
| TMP-10-9S | 150 | 10/16/2014 | 20 | 203.4 | 476.129 | | |
| TMP-10-9S | 150 | 10/16/2014 | 40 | 234.3 | 456.129 | | |
| TMP-10-9S | 150 | 10/16/2014 | 60 | 254.7 | 436.129 | | |
| TMP-10-9S | 150 | 10/16/2014 | 80 | 271.6 | 416.129 | | |
| TMP-10-9S | 150 | 10/16/2014 | 100 | 288.4 | 396.129 | | |
| TMP-10-9S | 147 | 10/17/2014 | 20 | 203.4 | 476.129 | | |
| TMP-10-9S | 147 | 10/17/2014 | 40 | 234.3 | 456.129 | | |
| TMP-10-9S | 147 | 10/17/2014 | 60 | 254.7 | 436.129 | | |
| TMP-10-9S | 147 | 10/17/2014 | 80 | 271.6 | 416.129 | | |
| TMP-10-9S | 147 | 10/17/2014 | 100 | 288.4 | 396.129 | | |
| TMP-10-9S | 152 | 10/20/2014 | 20 | 203 | 476.129 | | |
| TMP-10-9S | 152 | 10/20/2014 | 40 | 234.1 | 456.129 | | |
| TMP-10-9S | 152 | 10/20/2014 | 60 | 254.1 | 436.129 | | |
| TMP-10-9S | 152 | 10/20/2014 | 80 | 269 | 416.129 | | |
| TMP-10-9S | 152 | 10/20/2014 | 100 | 287 | 396.129 | | |
| TMP-10-9S | 153 | 10/22/2014 | 20 | 202 | 476.129 | | |
| TMP-10-9S | 153 | 10/22/2014 | 40 | 233.8 | 456.129 | | |
| TMP-10-9S | 153 | 10/22/2014 | 60 | 254 | 436.129 | | |
| TMP-10-9S | 153 | 10/22/2014 | 80 | 269.7 | 416.129 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|-----------|---------|------------|-------|---------|-----------|------------|----------|
| TMP-10-9S | 153 | 10/22/2014 | 100 | 287.6 | 396.129 | | |
| TMP-10-9S | 154 | 10/24/2014 | 20 | 202.2 | 476.129 | | |
| TMP-10-9S | 154 | 10/24/2014 | 40 | 235 | 456.129 | | |
| TMP-10-9S | 154 | 10/24/2014 | 60 | 254.3 | 436.129 | | |
| TMP-10-9S | 154 | 10/24/2014 | 80 | 269.6 | 416.129 | | |
| TMP-10-9S | 154 | 10/24/2014 | 100 | 287.9 | 396.129 | | |
| TMP-10-9S | 155 | 10/27/2014 | 20 | 201 | 476.129 | | |
| TMP-10-9S | 155 | 10/27/2014 | 40 | 234.9 | 456.129 | | |
| TMP-10-9S | 155 | 10/27/2014 | 60 | 254.4 | 436.129 | | |
| TMP-10-9S | 155 | 10/27/2014 | 80 | 269.2 | 416.129 | | |
| TMP-10-9S | 155 | 10/27/2014 | 100 | 287.4 | 396.129 | | |
| TMP-10-9S | 156 | 10/29/2014 | 20 | 202 | 476.129 | | |
| TMP-10-9S | 156 | 10/29/2014 | 40 | 236.4 | 456.129 | | |
| TMP-10-9S | 156 | 10/29/2014 | 60 | 255.7 | 436.129 | | |
| TMP-10-9S | 156 | 10/29/2014 | 80 | 270.1 | 416.129 | | |
| TMP-10-9S | 156 | 10/29/2014 | 100 | 288.2 | 396.129 | | |
| TMP-10-9S | 157 | 10/31/2014 | 20 | 201 | 476.129 | | |
| TMP-10-9S | 157 | 10/31/2014 | 40 | 235.9 | 456.129 | | |
| TMP-10-9S | 157 | 10/31/2014 | 60 | 255.2 | 436.129 | | |
| TMP-10-9S | 157 | 10/31/2014 | 80 | 269.7 | 416.129 | | |
| TMP-10-9S | 157 | 10/31/2014 | 100 | 288.3 | 396.129 | | |
| TMP-10-9S | 158 | 11/3/2014 | 20 | 199.9 | 476.129 | | |
| TMP-10-9S | 158 | 11/3/2014 | 40 | 235.5 | 456.129 | | |
| TMP-10-9S | 158 | 11/3/2014 | 60 | 254.4 | 436.129 | | |
| TMP-10-9S | 158 | 11/3/2014 | 80 | 269.4 | 416.129 | | |
| TMP-10-9S | 158 | 11/3/2014 | 100 | 287.9 | 396.129 | | |
| TMP-10-9S | 159 | 11/5/2014 | 20 | 201 | 476.129 | | |
| TMP-10-9S | 159 | 11/5/2014 | 40 | 237.3 | 456.129 | | |
| TMP-10-9S | 159 | 11/5/2014 | 60 | 256.4 | 436.129 | | |
| TMP-10-9S | 159 | 11/5/2014 | 80 | 271 | 416.129 | | |
| TMP-10-9S | 159 | 11/5/2014 | 100 | 290.1 | 396.129 | | |
| TMP-10-9S | 160 | 11/7/2014 | 20 | 199 | 476.129 | | |
| TMP-10-9S | 160 | 11/7/2014 | 40 | 236 | 456.129 | | |
| TMP-10-9S | 160 | 11/7/2014 | 60 | 254.7 | 436.129 | | |
| TMP-10-9S | 160 | 11/7/2014 | 80 | 269.1 | 416.129 | | |
| TMP-10-9S | 160 | 11/7/2014 | 100 | 287.8 | 396.129 | | |
| TMP-10-9S | 161 | 11/10/2014 | 20 | 192.2 | 476.129 | | |
| TMP-10-9S | 161 | 11/10/2014 | 40 | 226 | 456.129 | | |
| TMP-10-9S | 161 | 11/10/2014 | 60 | 242.1 | 436.129 | | |
| TMP-10-9S | 161 | 11/10/2014 | 80 | 254.2 | 416.129 | | |
| TMP-10-9S | 161 | 11/10/2014 | 100 | 269.8 | 396.129 | | |
| TMP-10-9S | 162 | 11/12/2014 | 20 | 192.4 | 476.129 | | |
| TMP-10-9S | 162 | 11/12/2014 | 40 | 225 | 456.129 | | |
| TMP-10-9S | 162 | 11/12/2014 | 60 | 242.3 | 436.129 | | |
| TMP-10-9S | 162 | 11/12/2014 | 80 | 254.2 | 416.129 | | |
| TMP-10-9S | 162 | 11/12/2014 | 100 | 270.3 | 396.129 | | |
| TMP-10-9S | 163 | 11/14/2014 | 20 | 194.3 | 476.129 | | |
| TMP-10-9S | 163 | 11/14/2014 | 40 | 228.1 | 456.129 | | |
| TMP-10-9S | 163 | 11/14/2014 | 60 | 244.1 | 436.129 | | |
| TMP-10-9S | 163 | 11/14/2014 | 80 | 255.7 | 416.129 | | |
| TMP-10-9S | 163 | 11/14/2014 | 100 | 271.5 | 396.129 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|-----------|---------|------------|-------|---------|-----------|------------|----------|
| TMP-10-9S | 164 | 11/17/2014 | 20 | 192.3 | 476.129 | | |
| TMP-10-9S | 164 | 11/17/2014 | 40 | 226.6 | 456.129 | | |
| TMP-10-9S | 164 | 11/17/2014 | 60 | 242.3 | 436.129 | | |
| TMP-10-9S | 164 | 11/17/2014 | 80 | 251.8 | 416.129 | | |
| TMP-10-9S | 164 | 11/17/2014 | 100 | 270 | 396.129 | | |
| TMP-10-9S | 165 | 11/19/2014 | 20 | 193.2 | 476.129 | | |
| TMP-10-9S | 165 | 11/19/2014 | 40 | 227.2 | 456.129 | | |
| TMP-10-9S | 165 | 11/19/2014 | 60 | 243.2 | 436.129 | | |
| TMP-10-9S | 165 | 11/19/2014 | 80 | 255.9 | 416.129 | | |
| TMP-10-9S | 165 | 11/19/2014 | 100 | 272 | 396.129 | | |
| TMP-10-9S | 166 | 11/21/2014 | 20 | 191.4 | 476.129 | | |
| TMP-10-9S | 166 | 11/21/2014 | 40 | 226.6 | 456.129 | | |
| TMP-10-9S | 166 | 11/21/2014 | 60 | 242.4 | 436.129 | | |
| TMP-10-9S | 166 | 11/21/2014 | 80 | 254.6 | 416.129 | | |
| TMP-10-9S | 166 | 11/21/2014 | 100 | 270.8 | 396.129 | | |
| TMP-10-9S | 167 | 11/24/2014 | 20 | 191.4 | 476.129 | | |
| TMP-10-9S | 167 | 11/24/2014 | 40 | 227.4 | 456.129 | | |
| TMP-10-9S | 167 | 11/24/2014 | 60 | 243.2 | 436.129 | | |
| TMP-10-9S | 167 | 11/24/2014 | 80 | 255 | 416.129 | | |
| TMP-10-9S | 167 | 11/24/2014 | 100 | 271.4 | 396.129 | | |
| TMP-10-9S | 168 | 11/26/2014 | 20 | 190 | 476.129 | | |
| TMP-10-9S | 168 | 11/26/2014 | 40 | 226.2 | 456.129 | | |
| TMP-10-9S | 168 | 11/26/2014 | 60 | 242.1 | 436.129 | | |
| TMP-10-9S | 168 | 11/26/2014 | 80 | 253.6 | 416.129 | | |
| TMP-10-9S | 168 | 11/26/2014 | 100 | 270 | 396.129 | | |
| TMP-10-9S | 169 | 11/30/2014 | 20 | 188.1 | 476.129 | | |
| TMP-10-9S | 169 | 11/30/2014 | 40 | 226 | 456.129 | | |
| TMP-10-9S | 169 | 11/30/2014 | 60 | 241.9 | 436.129 | | |
| TMP-10-9S | 169 | 11/30/2014 | 80 | 253.5 | 416.129 | | |
| TMP-10-9S | 169 | 11/30/2014 | 100 | 269.9 | 396.129 | | |
| TMP-10-9S | 170 | 12/1/2014 | 20 | 187.9 | 476.129 | | |
| TMP-10-9S | 170 | 12/1/2014 | 40 | 227.4 | 456.129 | | |
| TMP-10-9S | 170 | 12/1/2014 | 60 | 243.5 | 436.129 | | |
| TMP-10-9S | 170 | 12/1/2014 | 80 | 255 | 416.129 | | |
| TMP-10-9S | 170 | 12/1/2014 | 100 | 271.8 | 396.129 | | |
| TMP-10-9S | 171 | 12/3/2014 | 20 | 186.7 | 476.129 | | |
| TMP-10-9S | 171 | 12/3/2014 | 40 | 227.4 | 456.129 | | |
| TMP-10-9S | 171 | 12/3/2014 | 60 | 243.1 | 436.129 | | |
| TMP-10-9S | 171 | 12/3/2014 | 80 | 254.4 | 416.129 | | |
| TMP-10-9S | 171 | 12/3/2014 | 100 | 270.9 | 396.129 | | |
| TMP-10-9S | 172 | 12/6/2014 | 20 | 185.3 | 476.129 | | |
| TMP-10-9S | 172 | 12/6/2014 | 40 | 226.3 | 456.129 | | |
| TMP-10-9S | 172 | 12/6/2014 | 60 | 242.1 | 436.129 | | |
| TMP-10-9S | 172 | 12/6/2014 | 80 | 253.3 | 416.129 | | |
| TMP-10-9S | 172 | 12/6/2014 | 100 | 270.1 | 396.129 | | |
| TMP-10-9S | 173 | 12/8/2014 | 20 | 185 | 476.129 | | |
| TMP-10-9S | 173 | 12/8/2014 | 40 | 226.5 | 456.129 | | |
| TMP-10-9S | 173 | 12/8/2014 | 60 | 242.4 | 436.129 | | |
| TMP-10-9S | 173 | 12/8/2014 | 80 | 253.5 | 416.129 | | |
| TMP-10-9S | 173 | 12/8/2014 | 100 | 270.3 | 396.129 | | |
| TMP-10-9S | 174 | 12/10/2014 | 20 | 185.2 | 476.129 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|-----------|---------|------------|-------|---------|-----------|------------|----------|
| TMP-10-9S | 174 | 12/10/2014 | 40 | 226.4 | 456.129 | | |
| TMP-10-9S | 174 | 12/10/2014 | 60 | 242.4 | 436.129 | | |
| TMP-10-9S | 174 | 12/10/2014 | 80 | 253.3 | 416.129 | | |
| TMP-10-9S | 174 | 12/10/2014 | 100 | 270.6 | 396.129 | | |
| TMP-10-9S | 175 | 12/12/2014 | 20 | 184.8 | 476.129 | | |
| TMP-10-9S | 175 | 12/12/2014 | 40 | 226.5 | 456.129 | | |
| TMP-10-9S | 175 | 12/12/2014 | 60 | 242.4 | 436.129 | | |
| TMP-10-9S | 175 | 12/12/2014 | 80 | 252.9 | 416.129 | | |
| TMP-10-9S | 175 | 12/12/2014 | 100 | 270.2 | 396.129 | | |
| TMP-10-9S | 176 | 12/15/2014 | 20 | 184.4 | 476.129 | | |
| TMP-10-9S | 176 | 12/15/2014 | 40 | 226.4 | 456.129 | | |
| TMP-10-9S | 176 | 12/15/2014 | 60 | 242.4 | 436.129 | | |
| TMP-10-9S | 176 | 12/15/2014 | 80 | 253.1 | 416.129 | | |
| TMP-10-9S | 176 | 12/15/2014 | 100 | 270.6 | 396.129 | | |
| TMP-10-9S | 178 | 12/19/2014 | 20 | 183.7 | 476.129 | | |
| TMP-10-9S | 178 | 12/19/2014 | 40 | 226.4 | 456.129 | | |
| TMP-10-9S | 178 | 12/19/2014 | 60 | 242.4 | 436.129 | | |
| TMP-10-9S | 178 | 12/19/2014 | 80 | 252.6 | 416.129 | | |
| TMP-10-9S | 178 | 12/19/2014 | 100 | 270.3 | 396.129 | | |
| TMP-10-9S | 180 | 12/22/2014 | 20 | 182.1 | 476.129 | | |
| TMP-10-9S | 180 | 12/22/2014 | 40 | 225.6 | 456.129 | | |
| TMP-10-9S | 180 | 12/22/2014 | 60 | 241.7 | 436.129 | | |
| TMP-10-9S | 180 | 12/22/2014 | 80 | 251.9 | 416.129 | | |
| TMP-10-9S | 180 | 12/22/2014 | 100 | 269.7 | 396.129 | | |
| TMP-10-9S | 179 | 12/24/2014 | 20 | 183.3 | 476.129 | | |
| TMP-10-9S | 179 | 12/24/2014 | 40 | 226.4 | 456.129 | | |
| TMP-10-9S | 179 | 12/24/2014 | 60 | 242.6 | 436.129 | | |
| TMP-10-9S | 179 | 12/24/2014 | 80 | 252.7 | 416.129 | | |
| TMP-10-9S | 179 | 12/24/2014 | 100 | 270.7 | 396.129 | | |
| TMP-10-9S | 181 | 12/26/2014 | 20 | 183.4 | 476.129 | | |
| TMP-10-9S | 181 | 12/26/2014 | 40 | 226 | 456.129 | | |
| TMP-10-9S | 181 | 12/26/2014 | 60 | 242.2 | 436.129 | | |
| TMP-10-9S | 181 | 12/26/2014 | 80 | 252.4 | 416.129 | | |
| TMP-10-9S | 181 | 12/26/2014 | 100 | 270.4 | 396.129 | | |
| TMP-10-9S | 182 | 12/29/2014 | 20 | 183.7 | 476.129 | | |
| TMP-10-9S | 182 | 12/29/2014 | 40 | 226.6 | 456.129 | | |
| TMP-10-9S | 182 | 12/29/2014 | 60 | 243.1 | 436.129 | | |
| TMP-10-9S | 182 | 12/29/2014 | 80 | 253.2 | 416.129 | | |
| TMP-10-9S | 182 | 12/29/2014 | 100 | 271.5 | 396.129 | | |
| TMP-10-9S | 183 | 12/31/2014 | 20 | 184.2 | 476.129 | | |
| TMP-10-9S | 183 | 12/31/2014 | 40 | 226.8 | 456.129 | | |
| TMP-10-9S | 183 | 12/31/2014 | 60 | 243.1 | 436.129 | | |
| TMP-10-9S | 183 | 12/31/2014 | 80 | 253 | 416.129 | | |
| TMP-10-9S | 183 | 12/31/2014 | 100 | 271.5 | 396.129 | | |
| TMP-10-9S | 184 | 1/2/2015 | 20 | 182.8 | 476.129 | | |
| TMP-10-9S | 184 | 1/2/2015 | 40 | 225.8 | 456.129 | | |
| TMP-10-9S | 184 | 1/2/2015 | 60 | 242.2 | 436.129 | | |
| TMP-10-9S | 184 | 1/2/2015 | 80 | 251.7 | 416.129 | | |
| TMP-10-9S | 184 | 1/2/2015 | 100 | 270.4 | 396.129 | | |
| TMP-10-9S | 185 | 1/5/2015 | 20 | 183.4 | 476.129 | | |
| TMP-10-9S | 185 | 1/5/2015 | 40 | 226.1 | 456.129 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|-----------|---------|-----------|-------|---------|-----------|------------|----------|
| TMP-10-9S | 185 | 1/5/2015 | 60 | 242.4 | 436.129 | | |
| TMP-10-9S | 185 | 1/5/2015 | 80 | 251.9 | 416.129 | | |
| TMP-10-9S | 185 | 1/5/2015 | 100 | 270.7 | 396.129 | | |
| TMP-10-9S | 186 | 1/8/2015 | 20 | 184.9 | 476.129 | | |
| TMP-10-9S | 186 | 1/8/2015 | 40 | 227.9 | 456.129 | | |
| TMP-10-9S | 186 | 1/8/2015 | 60 | 244.2 | 436.129 | | |
| TMP-10-9S | 186 | 1/8/2015 | 80 | 253.4 | 416.129 | | |
| TMP-10-9S | 186 | 1/8/2015 | 100 | 272.4 | 396.129 | | |
| TMP-10-9S | 187 | 1/9/2015 | 20 | 184.6 | 476.129 | | |
| TMP-10-9S | 187 | 1/9/2015 | 40 | 226.8 | 456.129 | | |
| TMP-10-9S | 187 | 1/9/2015 | 60 | 243 | 436.129 | | |
| TMP-10-9S | 187 | 1/9/2015 | 80 | 252.1 | 416.129 | | |
| TMP-10-9S | 187 | 1/9/2015 | 100 | 271.5 | 396.129 | | |
| TMP-10-9S | 188 | 1/12/2015 | 20 | 184.4 | 476.129 | | |
| TMP-10-9S | 188 | 1/12/2015 | 40 | 226.2 | 456.129 | | |
| TMP-10-9S | 188 | 1/12/2015 | 60 | 242.3 | 436.129 | | |
| TMP-10-9S | 188 | 1/12/2015 | 80 | 251.1 | 416.129 | | |
| TMP-10-9S | 188 | 1/12/2015 | 100 | 270.5 | 396.129 | | |
| TMP-10-9S | 189 | 1/14/2015 | 20 | 189 | 476.129 | | |
| TMP-10-9S | 189 | 1/14/2015 | 40 | 225 | 456.129 | | |
| TMP-10-9S | 189 | 1/14/2015 | 60 | 242.3 | 436.129 | | |
| TMP-10-9S | 189 | 1/14/2015 | 80 | 251.3 | 416.129 | | |
| TMP-10-9S | 189 | 1/14/2015 | 100 | 270.8 | 396.129 | | |
| TMP-10-9S | 190 | 1/16/2015 | 20 | 183.9 | 476.129 | | |
| TMP-10-9S | 190 | 1/16/2015 | 40 | 226.2 | 456.129 | | |
| TMP-10-9S | 190 | 1/16/2015 | 60 | 242.9 | 436.129 | | |
| TMP-10-9S | 190 | 1/16/2015 | 80 | 251.8 | 416.129 | | |
| TMP-10-9S | 190 | 1/16/2015 | 100 | 271.5 | 396.129 | | |
| TMP-10-9S | 191 | 1/19/2015 | 20 | 183.3 | 476.129 | | |
| TMP-10-9S | 191 | 1/19/2015 | 40 | 225.7 | 456.129 | | |
| TMP-10-9S | 191 | 1/19/2015 | 60 | 242.1 | 436.129 | | |
| TMP-10-9S | 191 | 1/19/2015 | 80 | 250.7 | 416.129 | | |
| TMP-10-9S | 191 | 1/19/2015 | 100 | 270.5 | 396.129 | | |
| TMP-10-9S | 192 | 1/21/2015 | 20 | 184.4 | 476.129 | | |
| TMP-10-9S | 192 | 1/21/2015 | 40 | 225.1 | 456.129 | | |
| TMP-10-9S | 192 | 1/21/2015 | 60 | 241.4 | 436.129 | | |
| TMP-10-9S | 192 | 1/21/2015 | 80 | 249.9 | 416.129 | | |
| TMP-10-9S | 192 | 1/21/2015 | 100 | 269.9 | 396.129 | | |
| TMP-10-9S | 193 | 1/23/2015 | 20 | 185.5 | 476.129 | | |
| TMP-10-9S | 193 | 1/23/2015 | 40 | 225.5 | 456.129 | | |
| TMP-10-9S | 193 | 1/23/2015 | 60 | 241.9 | 436.129 | | |
| TMP-10-9S | 193 | 1/23/2015 | 80 | 250.3 | 416.129 | | |
| TMP-10-9S | 193 | 1/23/2015 | 100 | 270.2 | 396.129 | | |
| TMP-10-9S | 194 | 1/26/2015 | 20 | 184.8 | 476.129 | | |
| TMP-10-9S | 194 | 1/26/2015 | 40 | 225.5 | 456.129 | | |
| TMP-10-9S | 194 | 1/26/2015 | 60 | 241.9 | 436.129 | | |
| TMP-10-9S | 194 | 1/26/2015 | 80 | 250.3 | 416.129 | | |
| TMP-10-9S | 194 | 1/26/2015 | 100 | 270.3 | 396.129 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|-----------|---------|-----------|-------|---------|-----------|------------|---|
| TMP-10-5N | 117 | 9/15/2014 | 20 | 195.2 | 478.121 | | TIMP EQUALIZING, RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-10-5N | 117 | 9/15/2014 | 40 | 197.3 | 458.121 | | TIMP EQUALIZING, RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-10-5N | 117 | 9/15/2014 | 60 | 221.2 | 438.121 | | TIMP EQUALIZING, RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-10-5N | 117 | 9/15/2014 | 80 | 220.5 | 418.121 | | TIMP EQUALIZING, RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-10-5N | 117 | 9/15/2014 | 100 | 225 | 398.121 | | TIMP EQUALIZING, RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-10-5N | 121 | 9/19/2014 | 20 | 208.3 | 478.121 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-10-5N | 121 | 9/19/2014 | 40 | 211.9 | 458.121 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-10-5N | 121 | 9/19/2014 | 60 | 224.6 | 438.121 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-10-5N | 121 | 9/19/2014 | 80 | 221.9 | 418.121 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-10-5N | 121 | 9/19/2014 | 100 | 232.1 | 398.121 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-10-5N | 122 | 9/20/2014 | 20 | 205.7 | 478.121 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|-----------|---------|-----------|-------|---------|-----------|------------|---|
| TMP-10-5N | 122 | 9/20/2014 | 40 | 213.8 | 458.121 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-10-5N | 122 | 9/20/2014 | 60 | 226.9 | 438.121 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-10-5N | 122 | 9/20/2014 | 80 | 220.9 | 418.121 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-10-5N | 122 | 9/20/2014 | 100 | 236.2 | 398.121 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-10-5N | 124 | 9/21/2014 | 20 | 203.8 | 478.121 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-10-5N | 124 | 9/21/2014 | 40 | 208.4 | 458.121 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-10-5N | 124 | 9/21/2014 | 60 | 217.1 | 438.121 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-10-5N | 124 | 9/21/2014 | 80 | 214 | 418.121 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-10-5N | 124 | 9/21/2014 | 100 | 225.1 | 398.121 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-10-5N | 125 | 9/22/2014 | 20 | 204.5 | 478.121 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-10-5N | 125 | 9/22/2014 | 40 | 213.8 | 458.121 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-10-5N | 125 | 9/22/2014 | 60 | 221.7 | 438.121 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|-----------|---------|-----------|-------|---------|-----------|------------|---|
| TMP-10-5N | 125 | 9/22/2014 | 80 | 217.9 | 418.121 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-10-5N | 125 | 9/22/2014 | 100 | 229 | 398.121 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-10-5N | 126 | 9/23/2014 | 20 | 205.3 | 478.121 | | |
| TMP-10-5N | 126 | 9/23/2014 | 40 | 212.4 | 458.121 | | |
| TMP-10-5N | 126 | 9/23/2014 | 60 | 220.9 | 438.121 | | |
| TMP-10-5N | 126 | 9/23/2014 | 80 | 216.2 | 418.121 | | |
| TMP-10-5N | 126 | 9/23/2014 | 100 | 227 | 398.121 | | |
| TMP-10-5N | 127 | 9/24/2014 | 20 | 205.6 | 478.121 | | |
| TMP-10-5N | 127 | 9/24/2014 | 40 | 212.8 | 458.121 | | |
| TMP-10-5N | 127 | 9/24/2014 | 60 | 221.3 | 438.121 | | |
| TMP-10-5N | 127 | 9/24/2014 | 80 | 216.5 | 418.121 | | |
| TMP-10-5N | 127 | 9/24/2014 | 100 | 227 | 398.121 | | |
| TMP-10-5N | 128 | 9/25/2014 | 20 | 204.7 | 478.121 | | |
| TMP-10-5N | 128 | 9/25/2014 | 40 | 212.8 | 458.121 | | |
| TMP-10-5N | 128 | 9/25/2014 | 60 | 220.4 | 438.121 | | |
| TMP-10-5N | 128 | 9/25/2014 | 80 | 215.6 | 418.121 | | |
| TMP-10-5N | 128 | 9/25/2014 | 100 | 225.8 | 398.121 | | |
| TMP-10-5N | 129 | 9/26/2014 | 20 | 205.4 | 478.121 | | |
| TMP-10-5N | 123 | 9/26/2014 | 20 | 205.4 | 478.121 | | |
| TMP-10-5N | 123 | 9/26/2014 | 40 | 214 | 458.121 | | |
| TMP-10-5N | 129 | 9/26/2014 | 40 | 214 | 458.121 | | |
| TMP-10-5N | 129 | 9/26/2014 | 60 | 221.1 | 438.121 | | |
| TMP-10-5N | 123 | 9/26/2014 | 60 | 221.1 | 438.121 | | |
| TMP-10-5N | 129 | 9/26/2014 | 80 | 216.2 | 418.121 | | |
| TMP-10-5N | 123 | 9/26/2014 | 80 | 216.2 | 418.121 | | |
| TMP-10-5N | 123 | 9/26/2014 | 100 | 226.5 | 398.121 | | |
| TMP-10-5N | 129 | 9/26/2014 | 100 | 226.5 | 398.121 | | |
| TMP-10-5N | 130 | 9/27/2014 | 20 | 205 | 478.121 | | |
| TMP-10-5N | 130 | 9/27/2014 | 40 | 214 | 458.121 | | |
| TMP-10-5N | 130 | 9/27/2014 | 60 | 221.1 | 438.121 | | |
| TMP-10-5N | 130 | 9/27/2014 | 80 | 216.1 | 418.121 | | |
| TMP-10-5N | 130 | 9/27/2014 | 100 | 226.3 | 398.121 | | |
| TMP-10-5N | 131 | 9/28/2014 | 20 | 204.6 | 478.121 | | |
| TMP-10-5N | 131 | 9/28/2014 | 40 | 213.6 | 458.121 | | |
| TMP-10-5N | 131 | 9/28/2014 | 60 | 220.6 | 438.121 | | |
| TMP-10-5N | 131 | 9/28/2014 | 80 | 215.4 | 418.121 | | |
| TMP-10-5N | 131 | 9/28/2014 | 100 | 225.6 | 398.121 | | |
| TMP-10-5N | 132 | 9/29/2014 | 20 | 205.4 | 478.121 | | |
| TMP-10-5N | 132 | 9/29/2014 | 40 | 215.3 | 458.121 | | |
| TMP-10-5N | 132 | 9/29/2014 | 60 | 221.9 | 438.121 | | |
| TMP-10-5N | 132 | 9/29/2014 | 80 | 216.8 | 418.121 | | |
| TMP-10-5N | 132 | 9/29/2014 | 100 | 227 | 398.121 | | |
| TMP-10-5N | 133 | 9/30/2014 | 20 | 204.9 | 478.121 | | |
| TMP-10-5N | 133 | 9/30/2014 | 40 | 215.2 | 458.121 | | |
| TMP-10-5N | 133 | 9/30/2014 | 60 | 221.7 | 438.121 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|-----------|---------|-----------|-------|---------|-----------|------------|--|
| TMP-10-5N | 133 | 9/30/2014 | 80 | 216.5 | 418.121 | | |
| TMP-10-5N | 133 | 9/30/2014 | 100 | 226.6 | 398.121 | | |
| TMP-10-5N | 134 | 10/1/2014 | 20 | 204.1 | 478.121 | | |
| TMP-10-5N | 134 | 10/1/2014 | 40 | 214.5 | 458.121 | | |
| TMP-10-5N | 134 | 10/1/2014 | 60 | 220.7 | 438.121 | | |
| TMP-10-5N | 134 | 10/1/2014 | 80 | 215.3 | 418.121 | | |
| TMP-10-5N | 134 | 10/1/2014 | 100 | 225.5 | 398.121 | | |
| TMP-10-5N | 135 | 10/2/2014 | 20 | 205.4 | 478.121 | | |
| TMP-10-5N | 135 | 10/2/2014 | 40 | 216.2 | 458.121 | | |
| TMP-10-5N | 135 | 10/2/2014 | 60 | 222.2 | 438.121 | | |
| TMP-10-5N | 135 | 10/2/2014 | 80 | 216.7 | 418.121 | | |
| TMP-10-5N | 135 | 10/2/2014 | 100 | 226.4 | 398.121 | | |
| TMP-10-5N | 137 | 10/3/2014 | 20 | 207.7 | 478.121 | | |
| TMP-10-5N | 137 | 10/3/2014 | 40 | 218.4 | 458.121 | | |
| TMP-10-5N | 137 | 10/3/2014 | 60 | 224.2 | 438.121 | | |
| TMP-10-5N | 137 | 10/3/2014 | 80 | 218.4 | 418.121 | | |
| TMP-10-5N | 137 | 10/3/2014 | 100 | 228.6 | 398.121 | | |
| TMP-10-5N | 138 | 10/4/2014 | 20 | 206.2 | 478.121 | | |
| TMP-10-5N | 138 | 10/4/2014 | 40 | 217.2 | 458.121 | | |
| TMP-10-5N | 138 | 10/4/2014 | 60 | 222.9 | 438.121 | | |
| TMP-10-5N | 138 | 10/4/2014 | 80 | 217 | 418.121 | | |
| TMP-10-5N | 138 | 10/4/2014 | 100 | 227.4 | 398.121 | | |
| TMP-10-5N | 139 | 10/5/2014 | 20 | 205.4 | 478.121 | | |
| TMP-10-5N | 139 | 10/5/2014 | 40 | 216.5 | 458.121 | | |
| TMP-10-5N | 139 | 10/5/2014 | 60 | 222.3 | 438.121 | | |
| TMP-10-5N | 139 | 10/5/2014 | 80 | 216.5 | 418.121 | | |
| TMP-10-5N | 139 | 10/5/2014 | 100 | 226.8 | 398.121 | | |
| TMP-10-5N | 140 | 10/6/2014 | 20 | 205.5 | 478.121 | | |
| TMP-10-5N | 140 | 10/6/2014 | 40 | 216.7 | 458.121 | | |
| TMP-10-5N | 140 | 10/6/2014 | 60 | 222.4 | 438.121 | | |
| TMP-10-5N | 140 | 10/6/2014 | 80 | 216.7 | 418.121 | | |
| TMP-10-5N | 140 | 10/6/2014 | 100 | 226.9 | 398.121 | | |
| TMP-10-5N | 141 | 10/7/2014 | 20 | 204.4 | 478.121 | | |
| TMP-10-5N | 141 | 10/7/2014 | 40 | 216 | 458.121 | | |
| TMP-10-5N | 141 | 10/7/2014 | 60 | 221.6 | 438.121 | | |
| TMP-10-5N | 141 | 10/7/2014 | 80 | 215.8 | 418.121 | | |
| TMP-10-5N | 141 | 10/7/2014 | 100 | 226.1 | 398.121 | | |
| TMP-10-5N | 136 | 10/8/2014 | 20 | 207.8 | 478.121 | | |
| TMP-10-5N | 136 | 10/8/2014 | 40 | 219.1 | 458.121 | | |
| TMP-10-5N | 136 | 10/8/2014 | 60 | 224.6 | 438.121 | | |
| TMP-10-5N | 136 | 10/8/2014 | 80 | 218.8 | 418.121 | | |
| TMP-10-5N | 136 | 10/8/2014 | 100 | 229.3 | 398.121 | | |
| TMP-10-5N | 142 | 10/9/2014 | 20 | 206.7 | 478.121 | | Multimeter not working due to water damage |
| TMP-10-5N | 142 | 10/9/2014 | 40 | 217.7 | 458.121 | | Multimeter not working due to water damage |
| TMP-10-5N | 142 | 10/9/2014 | 60 | 223.3 | 438.121 | | Multimeter not working due to water damage |
| TMP-10-5N | 142 | 10/9/2014 | 80 | 217.4 | 418.121 | | Multimeter not working due to water damage |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|-----------|---------|------------|-------|---------|-----------|------------|--|
| TMP-10-5N | 142 | 10/9/2014 | 100 | 228.1 | 398.121 | | Multimeter not working due to water damage |
| TMP-10-5N | 143 | 10/10/2014 | 20 | 206.9 | 478.121 | | |
| TMP-10-5N | 143 | 10/10/2014 | 40 | 219.5 | 458.121 | | |
| TMP-10-5N | 143 | 10/10/2014 | 60 | 225.1 | 438.121 | | |
| TMP-10-5N | 143 | 10/10/2014 | 80 | 218.7 | 418.121 | | |
| TMP-10-5N | 143 | 10/10/2014 | 100 | 229 | 398.121 | | |
| TMP-10-5N | 144 | 10/11/2014 | 20 | 201.2 | 478.121 | | |
| TMP-10-5N | 144 | 10/11/2014 | 40 | 216.2 | 458.121 | | |
| TMP-10-5N | 144 | 10/11/2014 | 60 | 221.9 | 438.121 | | |
| TMP-10-5N | 144 | 10/11/2014 | 80 | 214.4 | 418.121 | | |
| TMP-10-5N | 144 | 10/11/2014 | 100 | 225 | 398.121 | | |
| TMP-10-5N | 145 | 10/12/2014 | 20 | 202.7 | 478.121 | | |
| TMP-10-5N | 145 | 10/12/2014 | 40 | 216.5 | 458.121 | | |
| TMP-10-5N | 145 | 10/12/2014 | 60 | 222 | 438.121 | | |
| TMP-10-5N | 145 | 10/12/2014 | 80 | 215.5 | 418.121 | | |
| TMP-10-5N | 145 | 10/12/2014 | 100 | 226.2 | 398.121 | | |
| TMP-10-5N | 146 | 10/13/2014 | 20 | 205.5 | 478.121 | | |
| TMP-10-5N | 146 | 10/13/2014 | 40 | 218 | 458.121 | | |
| TMP-10-5N | 146 | 10/13/2014 | 60 | 223.3 | 438.121 | | |
| TMP-10-5N | 146 | 10/13/2014 | 80 | 216.9 | 418.121 | | |
| TMP-10-5N | 146 | 10/13/2014 | 100 | 227.4 | 398.121 | | |
| TMP-10-5N | 148 | 10/14/2014 | 20 | 202.6 | 478.121 | | |
| TMP-10-5N | 148 | 10/14/2014 | 40 | 216.7 | 458.121 | | |
| TMP-10-5N | 148 | 10/14/2014 | 60 | 222 | 438.121 | | |
| TMP-10-5N | 148 | 10/14/2014 | 80 | 215 | 418.121 | | |
| TMP-10-5N | 148 | 10/14/2014 | 100 | 224.9 | 398.121 | | |
| TMP-10-5N | 149 | 10/15/2014 | 20 | 201 | 478.121 | | |
| TMP-10-5N | 149 | 10/15/2014 | 40 | 215.7 | 458.121 | | |
| TMP-10-5N | 149 | 10/15/2014 | 60 | 219.7 | 438.121 | | |
| TMP-10-5N | 149 | 10/15/2014 | 80 | 209 | 418.121 | | |
| TMP-10-5N | 149 | 10/15/2014 | 100 | 215 | 398.121 | | |
| TMP-10-5N | 150 | 10/16/2014 | 20 | 198 | 478.121 | | |
| TMP-10-5N | 150 | 10/16/2014 | 40 | 202.5 | 458.121 | | |
| TMP-10-5N | 150 | 10/16/2014 | 60 | 198.6 | 438.121 | | |
| TMP-10-5N | 150 | 10/16/2014 | 80 | 168.7 | 418.121 | | |
| TMP-10-5N | 150 | 10/16/2014 | 100 | 170.7 | 398.121 | | |
| TMP-10-5N | 147 | 10/17/2014 | 20 | 198 | 478.121 | | |
| TMP-10-5N | 147 | 10/17/2014 | 40 | 202.5 | 458.121 | | |
| TMP-10-5N | 147 | 10/17/2014 | 60 | 198.6 | 438.121 | | |
| TMP-10-5N | 147 | 10/17/2014 | 80 | 168.7 | 418.121 | | |
| TMP-10-5N | 147 | 10/17/2014 | 100 | 170.7 | 398.121 | | |
| TMP-10-5N | 152 | 10/20/2014 | 20 | 186.8 | 478.121 | | |
| TMP-10-5N | 152 | 10/20/2014 | 40 | 187.7 | 458.121 | | |
| TMP-10-5N | 152 | 10/20/2014 | 60 | 178.7 | 438.121 | | |
| TMP-10-5N | 152 | 10/20/2014 | 80 | 150.6 | 418.121 | | |
| TMP-10-5N | 152 | 10/20/2014 | 100 | 165.3 | 398.121 | | |
| TMP-10-5N | 153 | 10/22/2014 | 20 | 180.5 | 478.121 | | |
| TMP-10-5N | 153 | 10/22/2014 | 40 | 190.5 | 458.121 | | |
| TMP-10-5N | 153 | 10/22/2014 | 60 | 183.5 | 438.121 | | |
| TMP-10-5N | 153 | 10/22/2014 | 80 | 164.1 | 418.121 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|-----------|---------|------------|-------|---------|-----------|------------|----------|
| TMP-10-5N | 153 | 10/22/2014 | 100 | 182.2 | 398.121 | | |
| TMP-10-5N | 154 | 10/24/2014 | 20 | 183.2 | 478.121 | | |
| TMP-10-5N | 154 | 10/24/2014 | 40 | 198.4 | 458.121 | | |
| TMP-10-5N | 154 | 10/24/2014 | 60 | 195 | 438.121 | | |
| TMP-10-5N | 154 | 10/24/2014 | 80 | 182.8 | 418.121 | | |
| TMP-10-5N | 154 | 10/24/2014 | 100 | 197.5 | 398.121 | | |
| TMP-10-5N | 155 | 10/27/2014 | 20 | 181.2 | 478.121 | | |
| TMP-10-5N | 155 | 10/27/2014 | 40 | 190.8 | 458.121 | | |
| TMP-10-5N | 155 | 10/27/2014 | 60 | 183 | 438.121 | | |
| TMP-10-5N | 155 | 10/27/2014 | 80 | 161.8 | 418.121 | | |
| TMP-10-5N | 155 | 10/27/2014 | 100 | 176.8 | 398.121 | | |
| TMP-10-5N | 156 | 10/29/2014 | 20 | 179.5 | 478.121 | | |
| TMP-10-5N | 156 | 10/29/2014 | 40 | 185.3 | 458.121 | | |
| TMP-10-5N | 156 | 10/29/2014 | 60 | 174.9 | 438.121 | | |
| TMP-10-5N | 156 | 10/29/2014 | 80 | 143.6 | 418.121 | | |
| TMP-10-5N | 156 | 10/29/2014 | 100 | 150.7 | 398.121 | | |
| TMP-10-5N | 157 | 10/31/2014 | 20 | 179 | 478.121 | | |
| TMP-10-5N | 157 | 10/31/2014 | 40 | 175.3 | 458.121 | | |
| TMP-10-5N | 157 | 10/31/2014 | 60 | 159.3 | 438.121 | | |
| TMP-10-5N | 157 | 10/31/2014 | 80 | 124.3 | 418.121 | | |
| TMP-10-5N | 157 | 10/31/2014 | 100 | 135.7 | 398.121 | | |
| TMP-10-5N | 158 | 11/3/2014 | 20 | 176.6 | 478.121 | | |
| TMP-10-5N | 158 | 11/3/2014 | 40 | 166.6 | 458.121 | | |
| TMP-10-5N | 158 | 11/3/2014 | 60 | 148.4 | 438.121 | | |
| TMP-10-5N | 158 | 11/3/2014 | 80 | 117.5 | 418.121 | | |
| TMP-10-5N | 158 | 11/3/2014 | 100 | 133.2 | 398.121 | | |
| TMP-10-5N | 159 | 11/5/2014 | 20 | 175.3 | 478.121 | | |
| TMP-10-5N | 159 | 11/5/2014 | 40 | 164.8 | 458.121 | | |
| TMP-10-5N | 159 | 11/5/2014 | 60 | 146.7 | 438.121 | | |
| TMP-10-5N | 159 | 11/5/2014 | 80 | 114.4 | 418.121 | | |
| TMP-10-5N | 159 | 11/5/2014 | 100 | 128.6 | 398.121 | | |
| TMP-10-5N | 160 | 11/7/2014 | 20 | 171.5 | 478.121 | | |
| TMP-10-5N | 160 | 11/7/2014 | 40 | 159.5 | 458.121 | | |
| TMP-10-5N | 160 | 11/7/2014 | 60 | 141 | 438.121 | | |
| TMP-10-5N | 160 | 11/7/2014 | 80 | 107 | 418.121 | | |
| TMP-10-5N | 160 | 11/7/2014 | 100 | 122 | 398.121 | | |
| TMP-10-5N | 161 | 11/10/2014 | 20 | 164.4 | 478.121 | | |
| TMP-10-5N | 161 | 11/10/2014 | 40 | 152.4 | 458.121 | | |
| TMP-10-5N | 161 | 11/10/2014 | 60 | 134.4 | 438.121 | | |
| TMP-10-5N | 161 | 11/10/2014 | 80 | 102.8 | 418.121 | | |
| TMP-10-5N | 161 | 11/10/2014 | 100 | 117.6 | 398.121 | | |
| TMP-10-5N | 162 | 11/12/2014 | 20 | 163.8 | 478.121 | | |
| TMP-10-5N | 162 | 11/12/2014 | 40 | 152.1 | 458.121 | | |
| TMP-10-5N | 162 | 11/12/2014 | 60 | 134.1 | 438.121 | | |
| TMP-10-5N | 162 | 11/12/2014 | 80 | 102.8 | 418.121 | | |
| TMP-10-5N | 162 | 11/12/2014 | 100 | 117 | 398.121 | | |
| TMP-10-5N | 163 | 11/14/2014 | 20 | 162.2 | 478.121 | | |
| TMP-10-5N | 163 | 11/14/2014 | 40 | 149.3 | 458.121 | | |
| TMP-10-5N | 163 | 11/14/2014 | 60 | 131.2 | 438.121 | | |
| TMP-10-5N | 163 | 11/14/2014 | 80 | 100.7 | 418.121 | | |
| TMP-10-5N | 163 | 11/14/2014 | 100 | 116 | 398.121 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|-----------|---------|------------|-------|---------|-----------|------------|----------|
| TMP-10-5N | 164 | 11/17/2014 | 20 | 159 | 478.121 | | |
| TMP-10-5N | 164 | 11/17/2014 | 40 | 146.7 | 458.121 | | |
| TMP-10-5N | 164 | 11/17/2014 | 60 | 129.2 | 438.121 | | |
| TMP-10-5N | 164 | 11/17/2014 | 80 | 99.4 | 418.121 | | |
| TMP-10-5N | 164 | 11/17/2014 | 100 | 113.1 | 398.121 | | |
| TMP-10-5N | 165 | 11/19/2014 | 20 | 158.2 | 478.121 | | |
| TMP-10-5N | 165 | 11/19/2014 | 40 | 145.3 | 458.121 | | |
| TMP-10-5N | 165 | 11/19/2014 | 60 | 127.2 | 438.121 | | |
| TMP-10-5N | 165 | 11/19/2014 | 80 | 97.2 | 418.121 | | |
| TMP-10-5N | 165 | 11/19/2014 | 100 | 111.7 | 398.121 | | |
| TMP-10-5N | 166 | 11/21/2014 | 20 | 157.1 | 478.121 | | |
| TMP-10-5N | 166 | 11/21/2014 | 40 | 145 | 458.121 | | |
| TMP-10-5N | 166 | 11/21/2014 | 60 | 126.9 | 438.121 | | |
| TMP-10-5N | 166 | 11/21/2014 | 80 | 99.2 | 418.121 | | |
| TMP-10-5N | 166 | 11/21/2014 | 100 | 114.3 | 398.121 | | |
| TMP-10-5N | 167 | 11/24/2014 | 20 | 155 | 478.121 | | |
| TMP-10-5N | 167 | 11/24/2014 | 40 | 146.8 | 458.121 | | |
| TMP-10-5N | 167 | 11/24/2014 | 60 | 130 | 438.121 | | |
| TMP-10-5N | 167 | 11/24/2014 | 80 | 106.6 | 418.121 | | |
| TMP-10-5N | 167 | 11/24/2014 | 100 | 122.5 | 398.121 | | |
| TMP-10-5N | 168 | 11/26/2014 | 20 | 153.1 | 478.121 | | |
| TMP-10-5N | 168 | 11/26/2014 | 40 | 145.8 | 458.121 | | |
| TMP-10-5N | 168 | 11/26/2014 | 60 | 128.7 | 438.121 | | |
| TMP-10-5N | 168 | 11/26/2014 | 80 | 103.2 | 418.121 | | |
| TMP-10-5N | 168 | 11/26/2014 | 100 | 116.5 | 398.121 | | |
| TMP-10-5N | 169 | 11/30/2014 | 20 | 152.4 | 478.121 | | |
| TMP-10-5N | 169 | 11/30/2014 | 40 | 141.7 | 458.121 | | |
| TMP-10-5N | 169 | 11/30/2014 | 60 | 122.9 | 438.121 | | |
| TMP-10-5N | 169 | 11/30/2014 | 80 | 97.3 | 418.121 | | |
| TMP-10-5N | 169 | 11/30/2014 | 100 | 110.7 | 398.121 | | |
| TMP-10-5N | 170 | 12/1/2014 | 20 | 153.1 | 478.121 | | |
| TMP-10-5N | 170 | 12/1/2014 | 40 | 143.1 | 458.121 | | |
| TMP-10-5N | 170 | 12/1/2014 | 60 | 124.6 | 438.121 | | |
| TMP-10-5N | 170 | 12/1/2014 | 80 | 100.1 | 418.121 | | |
| TMP-10-5N | 170 | 12/1/2014 | 100 | 114.3 | 398.121 | | |
| TMP-10-5N | 171 | 12/3/2014 | 20 | 152.7 | 478.121 | | |
| TMP-10-5N | 171 | 12/3/2014 | 40 | 141.2 | 458.121 | | |
| TMP-10-5N | 171 | 12/3/2014 | 60 | 122.9 | 438.121 | | |
| TMP-10-5N | 171 | 12/3/2014 | 80 | 100 | 418.121 | | |
| TMP-10-5N | 171 | 12/3/2014 | 100 | 111.1 | 398.121 | | |
| TMP-10-5N | 172 | 12/6/2014 | 20 | 149.5 | 478.121 | | |
| TMP-10-5N | 172 | 12/6/2014 | 40 | 135.9 | 458.121 | | |
| TMP-10-5N | 172 | 12/6/2014 | 60 | 118 | 438.121 | | |
| TMP-10-5N | 172 | 12/6/2014 | 80 | 92.6 | 418.121 | | |
| TMP-10-5N | 172 | 12/6/2014 | 100 | 107.7 | 398.121 | | |
| TMP-10-5N | 173 | 12/8/2014 | 20 | 148.8 | 478.121 | | |
| TMP-10-5N | 173 | 12/8/2014 | 40 | 134.2 | 458.121 | | |
| TMP-10-5N | 173 | 12/8/2014 | 60 | 116.5 | 438.121 | | |
| TMP-10-5N | 173 | 12/8/2014 | 80 | 91.1 | 418.121 | | |
| TMP-10-5N | 173 | 12/8/2014 | 100 | 106 | 398.121 | | |
| TMP-10-5N | 174 | 12/10/2014 | 20 | 148.4 | 478.121 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|-----------|---------|------------|-------|---------|-----------|------------|----------|
| TMP-10-5N | 174 | 12/10/2014 | 40 | 133.4 | 458.121 | | |
| TMP-10-5N | 174 | 12/10/2014 | 60 | 115.9 | 438.121 | | |
| TMP-10-5N | 174 | 12/10/2014 | 80 | 90.8 | 418.121 | | |
| TMP-10-5N | 174 | 12/10/2014 | 100 | 105.5 | 398.121 | | |
| TMP-10-5N | 175 | 12/12/2014 | 20 | 147.5 | 478.121 | | |
| TMP-10-5N | 175 | 12/12/2014 | 40 | 131.4 | 458.121 | | |
| TMP-10-5N | 175 | 12/12/2014 | 60 | 113.9 | 438.121 | | |
| TMP-10-5N | 175 | 12/12/2014 | 80 | 91.4 | 418.121 | | |
| TMP-10-5N | 175 | 12/12/2014 | 100 | 103.9 | 398.121 | | |
| TMP-10-5N | 176 | 12/15/2014 | 20 | 147.4 | 478.121 | | |
| TMP-10-5N | 176 | 12/15/2014 | 40 | 132 | 458.121 | | |
| TMP-10-5N | 176 | 12/15/2014 | 60 | 115.2 | 438.121 | | |
| TMP-10-5N | 176 | 12/15/2014 | 80 | 92.5 | 418.121 | | |
| TMP-10-5N | 176 | 12/15/2014 | 100 | 108.1 | 398.121 | | |
| TMP-10-5N | 178 | 12/19/2014 | 20 | 146.1 | 478.121 | | |
| TMP-10-5N | 178 | 12/19/2014 | 40 | 128.8 | 458.121 | | |
| TMP-10-5N | 178 | 12/19/2014 | 60 | 112.1 | 438.121 | | |
| TMP-10-5N | 178 | 12/19/2014 | 80 | 87.4 | 418.121 | | |
| TMP-10-5N | 178 | 12/19/2014 | 100 | 102.3 | 398.121 | | |
| TMP-10-5N | 180 | 12/22/2014 | 20 | 145.1 | 478.121 | | |
| TMP-10-5N | 180 | 12/22/2014 | 40 | 127 | 458.121 | | |
| TMP-10-5N | 180 | 12/22/2014 | 60 | 110.1 | 438.121 | | |
| TMP-10-5N | 180 | 12/22/2014 | 80 | 86.7 | 418.121 | | |
| TMP-10-5N | 180 | 12/22/2014 | 100 | 101.8 | 398.121 | | |
| TMP-10-5N | 179 | 12/24/2014 | 20 | 145.5 | 478.121 | | |
| TMP-10-5N | 179 | 12/24/2014 | 40 | 128.1 | 458.121 | | |
| TMP-10-5N | 179 | 12/24/2014 | 60 | 111.3 | 438.121 | | |
| TMP-10-5N | 179 | 12/24/2014 | 80 | 88.6 | 418.121 | | |
| TMP-10-5N | 179 | 12/24/2014 | 100 | 103.7 | 398.121 | | |
| TMP-10-5N | 181 | 12/26/2014 | 20 | 145 | 478.121 | | |
| TMP-10-5N | 181 | 12/26/2014 | 40 | 127.5 | 458.121 | | |
| TMP-10-5N | 181 | 12/26/2014 | 60 | 110.7 | 438.121 | | |
| TMP-10-5N | 181 | 12/26/2014 | 80 | 88 | 418.121 | | |
| TMP-10-5N | 181 | 12/26/2014 | 100 | 102.9 | 398.121 | | |
| TMP-10-5N | 182 | 12/29/2014 | 20 | 145.7 | 478.121 | | |
| TMP-10-5N | 182 | 12/29/2014 | 40 | 127.8 | 458.121 | | |
| TMP-10-5N | 182 | 12/29/2014 | 60 | 111 | 438.121 | | |
| TMP-10-5N | 182 | 12/29/2014 | 80 | 88.2 | 418.121 | | |
| TMP-10-5N | 182 | 12/29/2014 | 100 | 102.5 | 398.121 | | |
| TMP-10-5N | 183 | 12/31/2014 | 20 | 145.5 | 478.121 | | |
| TMP-10-5N | 183 | 12/31/2014 | 40 | 125.9 | 458.121 | | |
| TMP-10-5N | 183 | 12/31/2014 | 60 | 108.6 | 438.121 | | |
| TMP-10-5N | 183 | 12/31/2014 | 80 | 85.5 | 418.121 | | |
| TMP-10-5N | 183 | 12/31/2014 | 100 | 99.7 | 398.121 | | |
| TMP-10-5N | 184 | 1/2/2015 | 20 | 144.8 | 478.121 | | |
| TMP-10-5N | 184 | 1/2/2015 | 40 | 125.8 | 458.121 | | |
| TMP-10-5N | 184 | 1/2/2015 | 60 | 108.6 | 438.121 | | |
| TMP-10-5N | 184 | 1/2/2015 | 80 | 87.7 | 418.121 | | |
| TMP-10-5N | 184 | 1/2/2015 | 100 | 103.6 | 398.121 | | |
| TMP-10-5N | 185 | 1/5/2015 | 20 | 144.4 | 478.121 | | |
| TMP-10-5N | 185 | 1/5/2015 | 40 | 126 | 458.121 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|-----------|---------|-----------|-------|---------|-----------|------------|----------|
| TMP-10-5N | 185 | 1/5/2015 | 60 | 108.9 | 438.121 | | |
| TMP-10-5N | 185 | 1/5/2015 | 80 | 87 | 418.121 | | |
| TMP-10-5N | 185 | 1/5/2015 | 100 | 101.4 | 398.121 | | |
| TMP-10-5N | 186 | 1/8/2015 | 20 | 145.8 | 478.121 | | |
| TMP-10-5N | 186 | 1/8/2015 | 40 | 127.4 | 458.121 | | |
| TMP-10-5N | 186 | 1/8/2015 | 60 | 110.1 | 438.121 | | |
| TMP-10-5N | 186 | 1/8/2015 | 80 | 89 | 418.121 | | |
| TMP-10-5N | 186 | 1/8/2015 | 100 | 103.4 | 398.121 | | |
| TMP-10-5N | 187 | 1/9/2015 | 20 | 144.9 | 478.121 | | |
| TMP-10-5N | 187 | 1/9/2015 | 40 | 126.6 | 458.121 | | |
| TMP-10-5N | 187 | 1/9/2015 | 60 | 109.1 | 438.121 | | |
| TMP-10-5N | 187 | 1/9/2015 | 80 | 88.8 | 418.121 | | |
| TMP-10-5N | 187 | 1/9/2015 | 100 | 103.5 | 398.121 | | |
| TMP-10-5N | 188 | 1/12/2015 | 20 | 145 | 478.121 | | |
| TMP-10-5N | 188 | 1/12/2015 | 40 | 128.4 | 458.121 | | |
| TMP-10-5N | 188 | 1/12/2015 | 60 | 110.4 | 438.121 | | |
| TMP-10-5N | 188 | 1/12/2015 | 80 | 92.8 | 418.121 | | |
| TMP-10-5N | 188 | 1/12/2015 | 100 | 107.7 | 398.121 | | |
| TMP-10-5N | 189 | 1/14/2015 | 20 | 145 | 478.121 | | |
| TMP-10-5N | 189 | 1/14/2015 | 40 | 128 | 458.121 | | |
| TMP-10-5N | 189 | 1/14/2015 | 60 | 109.6 | 438.121 | | |
| TMP-10-5N | 189 | 1/14/2015 | 80 | 90.5 | 418.121 | | |
| TMP-10-5N | 189 | 1/14/2015 | 100 | 103.8 | 398.121 | | |
| TMP-10-5N | 190 | 1/16/2015 | 20 | 145.7 | 478.121 | | |
| TMP-10-5N | 190 | 1/16/2015 | 40 | 128.2 | 458.121 | | |
| TMP-10-5N | 190 | 1/16/2015 | 60 | 109.1 | 438.121 | | |
| TMP-10-5N | 190 | 1/16/2015 | 80 | 90.7 | 418.121 | | |
| TMP-10-5N | 190 | 1/16/2015 | 100 | 104.3 | 398.121 | | |
| TMP-10-5N | 191 | 1/19/2015 | 20 | 144.2 | 478.121 | | |
| TMP-10-5N | 191 | 1/19/2015 | 40 | 128.6 | 458.121 | | |
| TMP-10-5N | 191 | 1/19/2015 | 60 | 109.6 | 438.121 | | |
| TMP-10-5N | 191 | 1/19/2015 | 80 | 93.8 | 418.121 | | |
| TMP-10-5N | 191 | 1/19/2015 | 100 | 108.3 | 398.121 | | |
| TMP-10-5N | 192 | 1/21/2015 | 20 | 143.6 | 478.121 | | |
| TMP-10-5N | 192 | 1/21/2015 | 40 | 128 | 458.121 | | |
| TMP-10-5N | 192 | 1/21/2015 | 60 | 109.3 | 438.121 | | |
| TMP-10-5N | 192 | 1/21/2015 | 80 | 91.1 | 418.121 | | |
| TMP-10-5N | 192 | 1/21/2015 | 100 | 103.6 | 398.121 | | |
| TMP-10-5N | 193 | 1/23/2015 | 20 | 144.3 | 478.121 | | |
| TMP-10-5N | 193 | 1/23/2015 | 40 | 127 | 458.121 | | |
| TMP-10-5N | 193 | 1/23/2015 | 60 | 107.6 | 438.121 | | |
| TMP-10-5N | 193 | 1/23/2015 | 80 | 88 | 418.121 | | |
| TMP-10-5N | 193 | 1/23/2015 | 100 | 100.8 | 398.121 | | |
| TMP-10-5N | 194 | 1/26/2015 | 20 | 144 | 478.121 | | |
| TMP-10-5N | 194 | 1/26/2015 | 40 | 125.1 | 458.121 | | |
| TMP-10-5N | 194 | 1/26/2015 | 60 | 104.9 | 438.121 | | |
| TMP-10-5N | 194 | 1/26/2015 | 80 | 86.6 | 418.121 | | |
| TMP-10-5N | 194 | 1/26/2015 | 100 | 99.8 | 398.121 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|-----------|---------|-----------|-------|---------|-----------|------------|---|
| TMP-10-5S | 117 | 9/15/2014 | 20 | 154 | 476.699 | | TIMP EQUALIZING, RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-10-5S | 117 | 9/15/2014 | 40 | 169.4 | 456.699 | | TIMP EQUALIZING, RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-10-5S | 117 | 9/15/2014 | 60 | 202.2 | 436.699 | | TIMP EQUALIZING, RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-10-5S | 117 | 9/15/2014 | 80 | 231.1 | 416.699 | | TIMP EQUALIZING, RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-10-5S | 117 | 9/15/2014 | 100 | 261.1 | 396.699 | | TIMP EQUALIZING, RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-10-5S | 121 | 9/19/2014 | 20 | 203.5 | 476.699 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-10-5S | 121 | 9/19/2014 | 40 | 216.8 | 456.699 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-10-5S | 121 | 9/19/2014 | 60 | 230.3 | 436.699 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-10-5S | 121 | 9/19/2014 | 80 | 255.3 | 416.699 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-10-5S | 121 | 9/19/2014 | 100 | 276.7 | 396.699 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-10-5S | 122 | 9/20/2014 | 20 | 201.9 | 476.699 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|-----------|---------|-----------|-------|---------|-----------|------------|---|
| TMP-10-5S | 122 | 9/20/2014 | 40 | 216.6 | 456.699 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-10-5S | 122 | 9/20/2014 | 60 | 234.8 | 436.699 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-10-5S | 122 | 9/20/2014 | 80 | 260.7 | 416.699 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-10-5S | 122 | 9/20/2014 | 100 | 283.5 | 396.699 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-10-5S | 124 | 9/21/2014 | 20 | 199.9 | 476.699 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-10-5S | 124 | 9/21/2014 | 40 | 210 | 456.699 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-10-5S | 124 | 9/21/2014 | 60 | 227.2 | 436.699 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-10-5S | 124 | 9/21/2014 | 80 | 251.9 | 416.699 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-10-5S | 124 | 9/21/2014 | 100 | 274.6 | 396.699 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-10-5S | 125 | 9/22/2014 | 20 | 206.7 | 476.699 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-10-5S | 125 | 9/22/2014 | 40 | 219.5 | 456.699 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-10-5S | 125 | 9/22/2014 | 60 | 237.2 | 436.699 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|-----------|---------|-----------|-------|---------|-----------|------------|---|
| TMP-10-5S | 125 | 9/22/2014 | 80 | 257.9 | 416.699 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-10-5S | 125 | 9/22/2014 | 100 | 279.3 | 396.699 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-10-5S | 126 | 9/23/2014 | 20 | 203.3 | 476.699 | | |
| TMP-10-5S | 126 | 9/23/2014 | 40 | 217.1 | 456.699 | | |
| TMP-10-5S | 126 | 9/23/2014 | 60 | 234.7 | 436.699 | | |
| TMP-10-5S | 126 | 9/23/2014 | 80 | 256.6 | 416.699 | | |
| TMP-10-5S | 126 | 9/23/2014 | 100 | 278.7 | 396.699 | | |
| TMP-10-5S | 127 | 9/24/2014 | 20 | 203 | 476.699 | | |
| TMP-10-5S | 127 | 9/24/2014 | 40 | 217.1 | 456.699 | | |
| TMP-10-5S | 127 | 9/24/2014 | 60 | 235.5 | 436.699 | | |
| TMP-10-5S | 127 | 9/24/2014 | 80 | 256.3 | 416.699 | | |
| TMP-10-5S | 127 | 9/24/2014 | 100 | 278.1 | 396.699 | | |
| TMP-10-5S | 128 | 9/25/2014 | 20 | 203.6 | 476.699 | | |
| TMP-10-5S | 128 | 9/25/2014 | 40 | 218.6 | 456.699 | | |
| TMP-10-5S | 128 | 9/25/2014 | 60 | 236.9 | 436.699 | | |
| TMP-10-5S | 128 | 9/25/2014 | 80 | 256.9 | 416.699 | | |
| TMP-10-5S | 128 | 9/25/2014 | 100 | 278.3 | 396.699 | | |
| TMP-10-5S | 129 | 9/26/2014 | 20 | 204.2 | 476.699 | | |
| TMP-10-5S | 123 | 9/26/2014 | 20 | 204.2 | 476.699 | | |
| TMP-10-5S | 123 | 9/26/2014 | 40 | 219.8 | 456.699 | | |
| TMP-10-5S | 129 | 9/26/2014 | 40 | 219.8 | 456.699 | | |
| TMP-10-5S | 129 | 9/26/2014 | 60 | 238.4 | 436.699 | | |
| TMP-10-5S | 123 | 9/26/2014 | 60 | 238.4 | 436.699 | | |
| TMP-10-5S | 129 | 9/26/2014 | 80 | 257.6 | 416.699 | | |
| TMP-10-5S | 123 | 9/26/2014 | 80 | 257.6 | 416.699 | | |
| TMP-10-5S | 129 | 9/26/2014 | 100 | 279 | 396.699 | | |
| TMP-10-5S | 123 | 9/26/2014 | 100 | 279 | 396.699 | | |
| TMP-10-5S | 130 | 9/27/2014 | 20 | 204.4 | 476.699 | | |
| TMP-10-5S | 130 | 9/27/2014 | 40 | 220.8 | 456.699 | | |
| TMP-10-5S | 130 | 9/27/2014 | 60 | 239.5 | 436.699 | | |
| TMP-10-5S | 130 | 9/27/2014 | 80 | 258 | 416.699 | | |
| TMP-10-5S | 130 | 9/27/2014 | 100 | 279.4 | 396.699 | | |
| TMP-10-5S | 131 | 9/28/2014 | 20 | 204.7 | 476.699 | | |
| TMP-10-5S | 131 | 9/28/2014 | 40 | 221.6 | 456.699 | | |
| TMP-10-5S | 131 | 9/28/2014 | 60 | 240.8 | 436.699 | | |
| TMP-10-5S | 131 | 9/28/2014 | 80 | 258.8 | 416.699 | | |
| TMP-10-5S | 131 | 9/28/2014 | 100 | 280 | 396.699 | | |
| TMP-10-5S | 132 | 9/29/2014 | 20 | 204.7 | 476.699 | | |
| TMP-10-5S | 132 | 9/29/2014 | 40 | 222.3 | 456.699 | | |
| TMP-10-5S | 132 | 9/29/2014 | 60 | 241.4 | 436.699 | | |
| TMP-10-5S | 132 | 9/29/2014 | 80 | 258.7 | 416.699 | | |
| TMP-10-5S | 132 | 9/29/2014 | 100 | 280 | 396.699 | | |
| TMP-10-5S | 133 | 9/30/2014 | 20 | 205 | 476.699 | | |
| TMP-10-5S | 133 | 9/30/2014 | 40 | 223.1 | 456.699 | | |
| TMP-10-5S | 133 | 9/30/2014 | 60 | 242.3 | 436.699 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|-----------|---------|-----------|-------|---------|-----------|------------|--|
| TMP-10-5S | 133 | 9/30/2014 | 80 | 259.7 | 416.699 | | |
| TMP-10-5S | 133 | 9/30/2014 | 100 | 280.4 | 396.699 | | |
| TMP-10-5S | 134 | 10/1/2014 | 20 | 205.2 | 476.699 | | |
| TMP-10-5S | 134 | 10/1/2014 | 40 | 223.5 | 456.699 | | |
| TMP-10-5S | 134 | 10/1/2014 | 60 | 242.7 | 436.699 | | |
| TMP-10-5S | 134 | 10/1/2014 | 80 | 259.3 | 416.699 | | |
| TMP-10-5S | 134 | 10/1/2014 | 100 | 280.5 | 396.699 | | |
| TMP-10-5S | 135 | 10/2/2014 | 20 | 205.4 | 476.699 | | |
| TMP-10-5S | 135 | 10/2/2014 | 40 | 224.4 | 456.699 | | |
| TMP-10-5S | 135 | 10/2/2014 | 60 | 243.7 | 436.699 | | |
| TMP-10-5S | 135 | 10/2/2014 | 80 | 260.1 | 416.699 | | |
| TMP-10-5S | 135 | 10/2/2014 | 100 | 281 | 396.699 | | |
| TMP-10-5S | 137 | 10/3/2014 | 20 | 206.5 | 476.699 | | |
| TMP-10-5S | 137 | 10/3/2014 | 40 | 225.7 | 456.699 | | |
| TMP-10-5S | 137 | 10/3/2014 | 60 | 245.2 | 436.699 | | |
| TMP-10-5S | 137 | 10/3/2014 | 80 | 261 | 416.699 | | |
| TMP-10-5S | 137 | 10/3/2014 | 100 | 282 | 396.699 | | |
| TMP-10-5S | 138 | 10/4/2014 | 20 | 206.5 | 476.699 | | |
| TMP-10-5S | 138 | 10/4/2014 | 40 | 226.1 | 456.699 | | |
| TMP-10-5S | 138 | 10/4/2014 | 60 | 245.4 | 436.699 | | |
| TMP-10-5S | 138 | 10/4/2014 | 80 | 260.9 | 416.699 | | |
| TMP-10-5S | 138 | 10/4/2014 | 100 | 281.8 | 396.699 | | |
| TMP-10-5S | 139 | 10/5/2014 | 20 | 205.6 | 476.699 | | |
| TMP-10-5S | 139 | 10/5/2014 | 40 | 225.5 | 456.699 | | |
| TMP-10-5S | 139 | 10/5/2014 | 60 | 245.1 | 436.699 | | |
| TMP-10-5S | 139 | 10/5/2014 | 80 | 260.3 | 416.699 | | |
| TMP-10-5S | 139 | 10/5/2014 | 100 | 281.3 | 396.699 | | |
| TMP-10-5S | 140 | 10/6/2014 | 20 | 205.7 | 476.699 | | |
| TMP-10-5S | 140 | 10/6/2014 | 40 | 226.3 | 456.699 | | |
| TMP-10-5S | 140 | 10/6/2014 | 60 | 246.2 | 436.699 | | |
| TMP-10-5S | 140 | 10/6/2014 | 80 | 261.4 | 416.699 | | |
| TMP-10-5S | 140 | 10/6/2014 | 100 | 282.2 | 396.699 | | |
| TMP-10-5S | 141 | 10/7/2014 | 20 | 206.5 | 476.699 | | |
| TMP-10-5S | 141 | 10/7/2014 | 40 | 227 | 456.699 | | |
| TMP-10-5S | 141 | 10/7/2014 | 60 | 246.7 | 436.699 | | |
| TMP-10-5S | 141 | 10/7/2014 | 80 | 261.6 | 416.699 | | |
| TMP-10-5S | 141 | 10/7/2014 | 100 | 282.2 | 396.699 | | |
| TMP-10-5S | 136 | 10/8/2014 | 20 | 207.7 | 476.699 | | |
| TMP-10-5S | 136 | 10/8/2014 | 40 | 228.8 | 456.699 | | |
| TMP-10-5S | 136 | 10/8/2014 | 60 | 248.9 | 436.699 | | |
| TMP-10-5S | 136 | 10/8/2014 | 80 | 263.8 | 416.699 | | |
| TMP-10-5S | 136 | 10/8/2014 | 100 | 284.7 | 396.699 | | |
| TMP-10-5S | 142 | 10/9/2014 | 20 | 206.7 | 476.699 | | Multimeter not working due to water damage |
| TMP-10-5S | 142 | 10/9/2014 | 40 | 227.5 | 456.699 | | Multimeter not working due to water damage |
| TMP-10-5S | 142 | 10/9/2014 | 60 | 247.6 | 436.699 | | Multimeter not working due to water damage |
| TMP-10-5S | 142 | 10/9/2014 | 80 | 261.8 | 416.699 | | Multimeter not working due to water damage |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|-----------|---------|------------|-------|---------|-----------|------------|--|
| TMP-10-5S | 142 | 10/9/2014 | 100 | 282.4 | 396.699 | | Multimeter not working due to water damage |
| TMP-10-5S | 143 | 10/10/2014 | 20 | 207.1 | 476.699 | | |
| TMP-10-5S | 143 | 10/10/2014 | 40 | 229 | 456.699 | | |
| TMP-10-5S | 143 | 10/10/2014 | 60 | 248.9 | 436.699 | | |
| TMP-10-5S | 143 | 10/10/2014 | 80 | 263.1 | 416.699 | | |
| TMP-10-5S | 143 | 10/10/2014 | 100 | 283.7 | 396.699 | | |
| TMP-10-5S | 144 | 10/11/2014 | 20 | 204.6 | 476.699 | | |
| TMP-10-5S | 144 | 10/11/2014 | 40 | 228 | 456.699 | | |
| TMP-10-5S | 144 | 10/11/2014 | 60 | 248.2 | 436.699 | | |
| TMP-10-5S | 144 | 10/11/2014 | 80 | 262.3 | 416.699 | | |
| TMP-10-5S | 144 | 10/11/2014 | 100 | 282.8 | 396.699 | | |
| TMP-10-5S | 145 | 10/12/2014 | 20 | 204.5 | 476.699 | | |
| TMP-10-5S | 145 | 10/12/2014 | 40 | 228.2 | 456.699 | | |
| TMP-10-5S | 145 | 10/12/2014 | 60 | 248.3 | 436.699 | | |
| TMP-10-5S | 145 | 10/12/2014 | 80 | 262.3 | 416.699 | | |
| TMP-10-5S | 145 | 10/12/2014 | 100 | 282.8 | 396.699 | | |
| TMP-10-5S | 146 | 10/13/2014 | 20 | 206 | 476.699 | | |
| TMP-10-5S | 146 | 10/13/2014 | 40 | 229.5 | 456.699 | | |
| TMP-10-5S | 146 | 10/13/2014 | 60 | 249.7 | 436.699 | | |
| TMP-10-5S | 146 | 10/13/2014 | 80 | 263.5 | 416.699 | | |
| TMP-10-5S | 146 | 10/13/2014 | 100 | 283.9 | 396.699 | | |
| TMP-10-5S | 148 | 10/14/2014 | 20 | 204.6 | 476.699 | | |
| TMP-10-5S | 148 | 10/14/2014 | 40 | 229.3 | 456.699 | | |
| TMP-10-5S | 148 | 10/14/2014 | 60 | 249.5 | 436.699 | | |
| TMP-10-5S | 148 | 10/14/2014 | 80 | 263.2 | 416.699 | | |
| TMP-10-5S | 148 | 10/14/2014 | 100 | 283.6 | 396.699 | | |
| TMP-10-5S | 149 | 10/15/2014 | 20 | 203.9 | 476.699 | | |
| TMP-10-5S | 149 | 10/15/2014 | 40 | 229.6 | 456.699 | | |
| TMP-10-5S | 149 | 10/15/2014 | 60 | 249.5 | 436.699 | | |
| TMP-10-5S | 149 | 10/15/2014 | 80 | 263.4 | 416.699 | | |
| TMP-10-5S | 149 | 10/15/2014 | 100 | 283.8 | 396.699 | | |
| TMP-10-5S | 150 | 10/16/2014 | 20 | 202.1 | 476.699 | | |
| TMP-10-5S | 150 | 10/16/2014 | 40 | 229.8 | 456.699 | | |
| TMP-10-5S | 150 | 10/16/2014 | 60 | 250 | 436.699 | | |
| TMP-10-5S | 150 | 10/16/2014 | 80 | 265.1 | 416.699 | | |
| TMP-10-5S | 150 | 10/16/2014 | 100 | 284.7 | 396.699 | | |
| TMP-10-5S | 147 | 10/17/2014 | 20 | 202.1 | 476.699 | | |
| TMP-10-5S | 147 | 10/17/2014 | 40 | 229.8 | 456.699 | | |
| TMP-10-5S | 147 | 10/17/2014 | 60 | 250 | 436.699 | | |
| TMP-10-5S | 147 | 10/17/2014 | 80 | 265.1 | 416.699 | | |
| TMP-10-5S | 147 | 10/17/2014 | 100 | 284.7 | 396.699 | | |
| TMP-10-5S | 152 | 10/20/2014 | 20 | 200.1 | 476.699 | | |
| TMP-10-5S | 152 | 10/20/2014 | 40 | 230.6 | 456.699 | | |
| TMP-10-5S | 152 | 10/20/2014 | 60 | 250.3 | 436.699 | | |
| TMP-10-5S | 152 | 10/20/2014 | 80 | 264.1 | 416.699 | | |
| TMP-10-5S | 152 | 10/20/2014 | 100 | 284.5 | 396.699 | | |
| TMP-10-5S | 153 | 10/22/2014 | 20 | 200.4 | 476.699 | | |
| TMP-10-5S | 153 | 10/22/2014 | 40 | 230.5 | 456.699 | | |
| TMP-10-5S | 153 | 10/22/2014 | 60 | 250.8 | 436.699 | | |
| TMP-10-5S | 153 | 10/22/2014 | 80 | 264.5 | 416.699 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|-----------|---------|------------|-------|---------|-----------|------------|----------|
| TMP-10-5S | 153 | 10/22/2014 | 100 | 284.2 | 396.699 | | |
| TMP-10-5S | 154 | 10/24/2014 | 20 | 198.5 | 476.699 | | |
| TMP-10-5S | 154 | 10/24/2014 | 40 | 231.6 | 456.699 | | |
| TMP-10-5S | 154 | 10/24/2014 | 60 | 251.5 | 436.699 | | |
| TMP-10-5S | 154 | 10/24/2014 | 80 | 264.7 | 416.699 | | |
| TMP-10-5S | 154 | 10/24/2014 | 100 | 285 | 396.699 | | |
| TMP-10-5S | 155 | 10/27/2014 | 20 | 194.6 | 476.699 | | |
| TMP-10-5S | 155 | 10/27/2014 | 40 | 231.2 | 456.699 | | |
| TMP-10-5S | 155 | 10/27/2014 | 60 | 237.2 | 436.699 | | |
| TMP-10-5S | 155 | 10/27/2014 | 80 | 264.4 | 416.699 | | |
| TMP-10-5S | 155 | 10/27/2014 | 100 | 284.8 | 396.699 | | |
| TMP-10-5S | 156 | 10/29/2014 | 20 | 195.4 | 476.699 | | |
| TMP-10-5S | 156 | 10/29/2014 | 40 | 232.8 | 456.699 | | |
| TMP-10-5S | 156 | 10/29/2014 | 60 | 252.5 | 436.699 | | |
| TMP-10-5S | 156 | 10/29/2014 | 80 | 265.5 | 416.699 | | |
| TMP-10-5S | 156 | 10/29/2014 | 100 | 286.3 | 396.699 | | |
| TMP-10-5S | 157 | 10/31/2014 | 20 | 193.3 | 476.699 | | |
| TMP-10-5S | 157 | 10/31/2014 | 40 | 231.7 | 456.699 | | |
| TMP-10-5S | 157 | 10/31/2014 | 60 | 251.6 | 436.699 | | |
| TMP-10-5S | 157 | 10/31/2014 | 80 | 264.7 | 416.699 | | |
| TMP-10-5S | 157 | 10/31/2014 | 100 | 285.6 | 396.699 | | |
| TMP-10-5S | 158 | 11/3/2014 | 20 | 191.5 | 476.699 | | |
| TMP-10-5S | 158 | 11/3/2014 | 40 | 231.4 | 456.699 | | |
| TMP-10-5S | 158 | 11/3/2014 | 60 | 251 | 436.699 | | |
| TMP-10-5S | 158 | 11/3/2014 | 80 | 263.1 | 416.699 | | |
| TMP-10-5S | 158 | 11/3/2014 | 100 | 284.7 | 396.699 | | |
| TMP-10-5S | 159 | 11/5/2014 | 20 | 191.8 | 476.699 | | |
| TMP-10-5S | 159 | 11/5/2014 | 40 | 233.2 | 456.699 | | |
| TMP-10-5S | 159 | 11/5/2014 | 60 | 252.8 | 436.699 | | |
| TMP-10-5S | 159 | 11/5/2014 | 80 | 265 | 416.699 | | |
| TMP-10-5S | 159 | 11/5/2014 | 100 | 286.7 | 396.699 | | |
| TMP-10-5S | 160 | 11/7/2014 | 20 | 190 | 476.699 | | |
| TMP-10-5S | 160 | 11/7/2014 | 40 | 231.9 | 456.699 | | |
| TMP-10-5S | 160 | 11/7/2014 | 60 | 251.9 | 436.699 | | |
| TMP-10-5S | 160 | 11/7/2014 | 80 | 263.4 | 416.699 | | |
| TMP-10-5S | 160 | 11/7/2014 | 100 | 285.4 | 396.699 | | |
| TMP-10-5S | 161 | 11/10/2014 | 20 | 182.4 | 476.699 | | |
| TMP-10-5S | 161 | 11/10/2014 | 40 | 222.2 | 456.699 | | |
| TMP-10-5S | 161 | 11/10/2014 | 60 | 239.5 | 436.699 | | |
| TMP-10-5S | 161 | 11/10/2014 | 80 | 248.5 | 416.699 | | |
| TMP-10-5S | 161 | 11/10/2014 | 100 | 267.7 | 396.699 | | |
| TMP-10-5S | 162 | 11/12/2014 | 20 | 183.6 | 476.699 | | |
| TMP-10-5S | 162 | 11/12/2014 | 40 | 222.7 | 456.699 | | |
| TMP-10-5S | 162 | 11/12/2014 | 60 | 239.9 | 436.699 | | |
| TMP-10-5S | 162 | 11/12/2014 | 80 | 248.6 | 416.699 | | |
| TMP-10-5S | 162 | 11/12/2014 | 100 | 268.2 | 396.699 | | |
| TMP-10-5S | 163 | 11/14/2014 | 20 | 181.4 | 476.699 | | |
| TMP-10-5S | 163 | 11/14/2014 | 40 | 224 | 456.699 | | |
| TMP-10-5S | 163 | 11/14/2014 | 60 | 241.3 | 436.699 | | |
| TMP-10-5S | 163 | 11/14/2014 | 80 | 251 | 416.699 | | |
| TMP-10-5S | 163 | 11/14/2014 | 100 | 271.5 | 396.699 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|-----------|---------|------------|-------|---------|-----------|------------|----------|
| TMP-10-5S | 164 | 11/17/2014 | 20 | 179.5 | 476.699 | | |
| TMP-10-5S | 164 | 11/17/2014 | 40 | 223.5 | 456.699 | | |
| TMP-10-5S | 164 | 11/17/2014 | 60 | 240.2 | 436.699 | | |
| TMP-10-5S | 164 | 11/17/2014 | 80 | 248.3 | 416.699 | | |
| TMP-10-5S | 164 | 11/17/2014 | 100 | 269.2 | 396.699 | | |
| TMP-10-5S | 165 | 11/19/2014 | 20 | 178.1 | 476.699 | | |
| TMP-10-5S | 165 | 11/19/2014 | 40 | 221.2 | 456.699 | | |
| TMP-10-5S | 165 | 11/19/2014 | 60 | 241.1 | 436.699 | | |
| TMP-10-5S | 165 | 11/19/2014 | 80 | 250.1 | 416.699 | | |
| TMP-10-5S | 165 | 11/19/2014 | 100 | 271.3 | 396.699 | | |
| TMP-10-5S | 166 | 11/21/2014 | 20 | 177 | 476.699 | | |
| TMP-10-5S | 166 | 11/21/2014 | 40 | 223.1 | 456.699 | | |
| TMP-10-5S | 166 | 11/21/2014 | 60 | 239.8 | 436.699 | | |
| TMP-10-5S | 166 | 11/21/2014 | 80 | 247.8 | 416.699 | | |
| TMP-10-5S | 166 | 11/21/2014 | 100 | 269.4 | 396.699 | | |
| TMP-10-5S | 167 | 11/24/2014 | 20 | 175.3 | 476.699 | | |
| TMP-10-5S | 167 | 11/24/2014 | 40 | 233.8 | 456.699 | | |
| TMP-10-5S | 167 | 11/24/2014 | 60 | 240.9 | 436.699 | | |
| TMP-10-5S | 167 | 11/24/2014 | 80 | 247.7 | 416.699 | | |
| TMP-10-5S | 167 | 11/24/2014 | 100 | 269.6 | 396.699 | | |
| TMP-10-5S | 168 | 11/26/2014 | 20 | 173.5 | 476.699 | | |
| TMP-10-5S | 168 | 11/26/2014 | 40 | 222.5 | 456.699 | | |
| TMP-10-5S | 168 | 11/26/2014 | 60 | 238.9 | 436.699 | | |
| TMP-10-5S | 168 | 11/26/2014 | 80 | 245.1 | 416.699 | | |
| TMP-10-5S | 168 | 11/26/2014 | 100 | 268 | 396.699 | | |
| TMP-10-5S | 169 | 11/30/2014 | 20 | 171.1 | 476.699 | | |
| TMP-10-5S | 169 | 11/30/2014 | 40 | 221.4 | 456.699 | | |
| TMP-10-5S | 169 | 11/30/2014 | 60 | 237.7 | 436.699 | | |
| TMP-10-5S | 169 | 11/30/2014 | 80 | 243.8 | 416.699 | | |
| TMP-10-5S | 169 | 11/30/2014 | 100 | 267.4 | 396.699 | | |
| TMP-10-5S | 170 | 12/1/2014 | 20 | 172.3 | 476.699 | | |
| TMP-10-5S | 170 | 12/1/2014 | 40 | 222.9 | 456.699 | | |
| TMP-10-5S | 170 | 12/1/2014 | 60 | 239.7 | 436.699 | | |
| TMP-10-5S | 170 | 12/1/2014 | 80 | 245.1 | 416.699 | | |
| TMP-10-5S | 170 | 12/1/2014 | 100 | 269.5 | 396.699 | | |
| TMP-10-5S | 171 | 12/3/2014 | 20 | 171.5 | 476.699 | | |
| TMP-10-5S | 171 | 12/3/2014 | 40 | 222 | 456.699 | | |
| TMP-10-5S | 171 | 12/3/2014 | 60 | 239 | 436.699 | | |
| TMP-10-5S | 171 | 12/3/2014 | 80 | 245.3 | 416.699 | | |
| TMP-10-5S | 171 | 12/3/2014 | 100 | 269.3 | 396.699 | | |
| TMP-10-5S | 172 | 12/6/2014 | 20 | 171.4 | 476.699 | | |
| TMP-10-5S | 172 | 12/6/2014 | 40 | 222.1 | 456.699 | | |
| TMP-10-5S | 172 | 12/6/2014 | 60 | 238.2 | 436.699 | | |
| TMP-10-5S | 172 | 12/6/2014 | 80 | 242.7 | 416.699 | | |
| TMP-10-5S | 172 | 12/6/2014 | 100 | 268.2 | 396.699 | | |
| TMP-10-5S | 173 | 12/8/2014 | 20 | 172 | 476.699 | | |
| TMP-10-5S | 173 | 12/8/2014 | 40 | 222.4 | 456.699 | | |
| TMP-10-5S | 173 | 12/8/2014 | 60 | 237.9 | 436.699 | | |
| TMP-10-5S | 173 | 12/8/2014 | 80 | 242.4 | 416.699 | | |
| TMP-10-5S | 173 | 12/8/2014 | 100 | 268.3 | 396.699 | | |
| TMP-10-5S | 174 | 12/10/2014 | 20 | 171.3 | 476.699 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|-----------|---------|------------|-------|---------|-----------|------------|----------|
| TMP-10-5S | 174 | 12/10/2014 | 40 | 222.1 | 456.699 | | |
| TMP-10-5S | 174 | 12/10/2014 | 60 | 237.8 | 436.699 | | |
| TMP-10-5S | 174 | 12/10/2014 | 80 | 242 | 416.699 | | |
| TMP-10-5S | 174 | 12/10/2014 | 100 | 268.3 | 396.699 | | |
| TMP-10-5S | 175 | 12/12/2014 | 20 | 171.1 | 476.699 | | |
| TMP-10-5S | 175 | 12/12/2014 | 40 | 222.3 | 456.699 | | |
| TMP-10-5S | 175 | 12/12/2014 | 60 | 237.5 | 436.699 | | |
| TMP-10-5S | 175 | 12/12/2014 | 80 | 241.8 | 416.699 | | |
| TMP-10-5S | 175 | 12/12/2014 | 100 | 268.5 | 396.699 | | |
| TMP-10-5S | 176 | 12/15/2014 | 20 | 170 | 476.699 | | |
| TMP-10-5S | 176 | 12/15/2014 | 40 | 221.6 | 456.699 | | |
| TMP-10-5S | 176 | 12/15/2014 | 60 | 237.2 | 436.699 | | |
| TMP-10-5S | 176 | 12/15/2014 | 80 | 241.2 | 416.699 | | |
| TMP-10-5S | 176 | 12/15/2014 | 100 | 268.5 | 396.699 | | |
| TMP-10-5S | 178 | 12/19/2014 | 20 | 170.1 | 476.699 | | |
| TMP-10-5S | 178 | 12/19/2014 | 40 | 221.5 | 456.699 | | |
| TMP-10-5S | 178 | 12/19/2014 | 60 | 237 | 436.699 | | |
| TMP-10-5S | 178 | 12/19/2014 | 80 | 240.1 | 416.699 | | |
| TMP-10-5S | 178 | 12/19/2014 | 100 | 268.3 | 396.699 | | |
| TMP-10-5S | 180 | 12/22/2014 | 20 | 169.5 | 476.699 | | |
| TMP-10-5S | 180 | 12/22/2014 | 40 | 220.6 | 456.699 | | |
| TMP-10-5S | 180 | 12/22/2014 | 60 | 236.1 | 436.699 | | |
| TMP-10-5S | 180 | 12/22/2014 | 80 | 238.8 | 416.699 | | |
| TMP-10-5S | 180 | 12/22/2014 | 100 | 267.5 | 396.699 | | |
| TMP-10-5S | 179 | 12/24/2014 | 20 | 169.9 | 476.699 | | |
| TMP-10-5S | 179 | 12/24/2014 | 40 | 221.3 | 456.699 | | |
| TMP-10-5S | 179 | 12/24/2014 | 60 | 237 | 436.699 | | |
| TMP-10-5S | 179 | 12/24/2014 | 80 | 239.2 | 416.699 | | |
| TMP-10-5S | 179 | 12/24/2014 | 100 | 268.4 | 396.699 | | |
| TMP-10-5S | 181 | 12/26/2014 | 20 | 168.9 | 476.699 | | |
| TMP-10-5S | 181 | 12/26/2014 | 40 | 220.1 | 456.699 | | |
| TMP-10-5S | 181 | 12/26/2014 | 60 | 236.2 | 436.699 | | |
| TMP-10-5S | 181 | 12/26/2014 | 80 | 240.2 | 416.699 | | |
| TMP-10-5S | 181 | 12/26/2014 | 100 | 268.8 | 396.699 | | |
| TMP-10-5S | 182 | 12/29/2014 | 20 | 169.6 | 476.699 | | |
| TMP-10-5S | 182 | 12/29/2014 | 40 | 220.3 | 456.699 | | |
| TMP-10-5S | 182 | 12/29/2014 | 60 | 236 | 436.699 | | |
| TMP-10-5S | 182 | 12/29/2014 | 80 | 238.7 | 416.699 | | |
| TMP-10-5S | 182 | 12/29/2014 | 100 | 268.4 | 396.699 | | |
| TMP-10-5S | 183 | 12/31/2014 | 20 | 170.6 | 476.699 | | |
| TMP-10-5S | 183 | 12/31/2014 | 40 | 220.9 | 456.699 | | |
| TMP-10-5S | 183 | 12/31/2014 | 60 | 236.6 | 436.699 | | |
| TMP-10-5S | 183 | 12/31/2014 | 80 | 239 | 416.699 | | |
| TMP-10-5S | 183 | 12/31/2014 | 100 | 269.9 | 396.699 | | |
| TMP-10-5S | 184 | 1/2/2015 | 20 | 169.2 | 476.699 | | |
| TMP-10-5S | 184 | 1/2/2015 | 40 | 220 | 456.699 | | |
| TMP-10-5S | 184 | 1/2/2015 | 60 | 235.9 | 436.699 | | |
| TMP-10-5S | 184 | 1/2/2015 | 80 | 236.8 | 416.699 | | |
| TMP-10-5S | 184 | 1/2/2015 | 100 | 267.6 | 396.699 | | |
| TMP-10-5S | 185 | 1/5/2015 | 20 | 167.6 | 476.699 | | |
| TMP-10-5S | 185 | 1/5/2015 | 40 | 219.2 | 456.699 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|-----------|---------|-----------|-------|---------|-----------|------------|----------|
| TMP-10-5S | 185 | 1/5/2015 | 60 | 235.8 | 436.699 | | |
| TMP-10-5S | 185 | 1/5/2015 | 80 | 235.9 | 416.699 | | |
| TMP-10-5S | 185 | 1/5/2015 | 100 | 267.5 | 396.699 | | |
| TMP-10-5S | 186 | 1/8/2015 | 20 | 169.6 | 476.699 | | |
| TMP-10-5S | 186 | 1/8/2015 | 40 | 221.3 | 456.699 | | |
| TMP-10-5S | 186 | 1/8/2015 | 60 | 237.7 | 436.699 | | |
| TMP-10-5S | 186 | 1/8/2015 | 80 | 237.9 | 416.699 | | |
| TMP-10-5S | 186 | 1/8/2015 | 100 | 270.2 | 396.699 | | |
| TMP-10-5S | 187 | 1/9/2015 | 20 | 167.4 | 476.699 | | |
| TMP-10-5S | 187 | 1/9/2015 | 40 | 219.4 | 456.699 | | |
| TMP-10-5S | 187 | 1/9/2015 | 60 | 235.9 | 436.699 | | |
| TMP-10-5S | 187 | 1/9/2015 | 80 | 235.8 | 416.699 | | |
| TMP-10-5S | 187 | 1/9/2015 | 100 | 268.5 | 396.699 | | |
| TMP-10-5S | 188 | 1/12/2015 | 20 | 169.5 | 476.699 | | |
| TMP-10-5S | 188 | 1/12/2015 | 40 | 219.7 | 456.699 | | |
| TMP-10-5S | 188 | 1/12/2015 | 60 | 235.4 | 436.699 | | |
| TMP-10-5S | 188 | 1/12/2015 | 80 | 235.4 | 416.699 | | |
| TMP-10-5S | 188 | 1/12/2015 | 100 | 268 | 396.699 | | |
| TMP-10-5S | 189 | 1/14/2015 | 20 | 170.1 | 476.699 | | |
| TMP-10-5S | 189 | 1/14/2015 | 40 | 219 | 456.699 | | |
| TMP-10-5S | 189 | 1/14/2015 | 60 | 235.4 | 436.699 | | |
| TMP-10-5S | 189 | 1/14/2015 | 80 | 234.6 | 416.699 | | |
| TMP-10-5S | 189 | 1/14/2015 | 100 | 267.6 | 396.699 | | |
| TMP-10-5S | 190 | 1/16/2015 | 20 | 169.6 | 476.699 | | |
| TMP-10-5S | 190 | 1/16/2015 | 40 | 218.5 | 456.699 | | |
| TMP-10-5S | 190 | 1/16/2015 | 60 | 234.8 | 436.699 | | |
| TMP-10-5S | 190 | 1/16/2015 | 80 | 234.2 | 416.699 | | |
| TMP-10-5S | 190 | 1/16/2015 | 100 | 267.5 | 396.699 | | |
| TMP-10-5S | 191 | 1/19/2015 | 20 | 171.2 | 476.699 | | |
| TMP-10-5S | 191 | 1/19/2015 | 40 | 219 | 456.699 | | |
| TMP-10-5S | 191 | 1/19/2015 | 60 | 235.2 | 436.699 | | |
| TMP-10-5S | 191 | 1/19/2015 | 80 | 234.2 | 416.699 | | |
| TMP-10-5S | 191 | 1/19/2015 | 100 | 267.4 | 396.699 | | |
| TMP-10-5S | 192 | 1/21/2015 | 20 | 169.7 | 476.699 | | |
| TMP-10-5S | 192 | 1/21/2015 | 40 | 218.4 | 456.699 | | |
| TMP-10-5S | 192 | 1/21/2015 | 60 | 234.8 | 436.699 | | |
| TMP-10-5S | 192 | 1/21/2015 | 80 | 234.3 | 416.699 | | |
| TMP-10-5S | 192 | 1/21/2015 | 100 | 267.4 | 396.699 | | |
| TMP-10-5S | 193 | 1/23/2015 | 20 | 169.7 | 476.699 | | |
| TMP-10-5S | 193 | 1/23/2015 | 40 | 218.5 | 456.699 | | |
| TMP-10-5S | 193 | 1/23/2015 | 60 | 234.8 | 436.699 | | |
| TMP-10-5S | 193 | 1/23/2015 | 80 | 233.6 | 416.699 | | |
| TMP-10-5S | 193 | 1/23/2015 | 100 | 267.3 | 396.699 | | |
| TMP-10-5S | 194 | 1/26/2015 | 20 | 169.6 | 476.699 | | |
| TMP-10-5S | 194 | 1/26/2015 | 40 | 218.5 | 456.699 | | |
| TMP-10-5S | 194 | 1/26/2015 | 60 | 234.7 | 436.699 | | |
| TMP-10-5S | 194 | 1/26/2015 | 80 | 232.9 | 416.699 | | |
| TMP-10-5S | 194 | 1/26/2015 | 100 | 267.3 | 396.699 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|----------|---------|-----------|-------|---------|-----------|------------|---|
| TMP-5-9N | 119 | 9/17/2014 | 20 | 169.6 | 475.757 | | TIMP EQUALIZING, RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-5-9N | 119 | 9/17/2014 | 40 | 205.3 | 455.757 | | TIMP EQUALIZING, RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-5-9N | 119 | 9/17/2014 | 60 | 188 | 435.757 | | TIMP EQUALIZING, RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-5-9N | 119 | 9/17/2014 | 80 | 235.2 | 415.757 | | TIMP EQUALIZING, RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-5-9N | 119 | 9/17/2014 | 100 | 259.2 | 395.757 | | TIMP EQUALIZING, RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-5-9N | 121 | 9/19/2014 | 20 | 176.6 | 475.757 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-5-9N | 121 | 9/19/2014 | 40 | 223.2 | 455.757 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-5-9N | 121 | 9/19/2014 | 60 | 225.1 | 435.757 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-5-9N | 121 | 9/19/2014 | 80 | 261.5 | 415.757 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-5-9N | 121 | 9/19/2014 | 100 | 286.6 | 395.757 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-5-9N | 122 | 9/20/2014 | 20 | 173 | 475.757 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|----------|---------|-----------|-------|---------|-----------|------------|---|
| TMP-5-9N | 122 | 9/20/2014 | 40 | 221.2 | 455.757 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-5-9N | 122 | 9/20/2014 | 60 | 226.9 | 435.757 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-5-9N | 122 | 9/20/2014 | 80 | 266.9 | 415.757 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-5-9N | 122 | 9/20/2014 | 100 | 286.4 | 395.757 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-5-9N | 124 | 9/21/2014 | 20 | 170.6 | 475.757 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-5-9N | 124 | 9/21/2014 | 40 | 219.7 | 455.757 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-5-9N | 124 | 9/21/2014 | 60 | 224.6 | 435.757 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-5-9N | 124 | 9/21/2014 | 80 | 263.7 | 415.757 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-5-9N | 124 | 9/21/2014 | 100 | 287.8 | 395.757 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-5-9N | 125 | 9/22/2014 | 20 | 176.6 | 475.757 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-5-9N | 125 | 9/22/2014 | 40 | 222.7 | 455.757 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-5-9N | 125 | 9/22/2014 | 60 | 229.8 | 435.757 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|----------|---------|-----------|-------|---------|-----------|------------|---|
| TMP-5-9N | 125 | 9/22/2014 | 80 | 263.4 | 415.757 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-5-9N | 125 | 9/22/2014 | 100 | 279.7 | 395.757 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-5-9N | 126 | 9/23/2014 | 20 | 174.3 | 475.757 | | |
| TMP-5-9N | 126 | 9/23/2014 | 40 | 222.2 | 455.757 | | |
| TMP-5-9N | 126 | 9/23/2014 | 60 | 229.1 | 435.757 | | |
| TMP-5-9N | 126 | 9/23/2014 | 80 | 266.6 | 415.757 | | |
| TMP-5-9N | 126 | 9/23/2014 | 100 | 283.3 | 395.757 | | |
| TMP-5-9N | 127 | 9/24/2014 | 20 | 174.5 | 475.757 | | |
| TMP-5-9N | 127 | 9/24/2014 | 40 | 222.2 | 455.757 | | |
| TMP-5-9N | 127 | 9/24/2014 | 60 | 229.3 | 435.757 | | |
| TMP-5-9N | 127 | 9/24/2014 | 80 | 266.8 | 415.757 | | |
| TMP-5-9N | 127 | 9/24/2014 | 100 | 283.5 | 395.757 | | |
| TMP-5-9N | 128 | 9/25/2014 | 20 | 174.7 | 475.757 | | |
| TMP-5-9N | 128 | 9/25/2014 | 40 | 223.1 | 455.757 | | |
| TMP-5-9N | 128 | 9/25/2014 | 60 | 230.7 | 435.757 | | |
| TMP-5-9N | 128 | 9/25/2014 | 80 | 268.4 | 415.757 | | |
| TMP-5-9N | 128 | 9/25/2014 | 100 | 284.5 | 395.757 | | |
| TMP-5-9N | 123 | 9/26/2014 | 20 | 174 | 475.757 | | |
| TMP-5-9N | 129 | 9/26/2014 | 20 | 174 | 475.757 | | |
| TMP-5-9N | 129 | 9/26/2014 | 40 | 223.1 | 455.757 | | |
| TMP-5-9N | 123 | 9/26/2014 | 40 | 223.1 | 455.757 | | |
| TMP-5-9N | 129 | 9/26/2014 | 60 | 230.6 | 435.757 | | |
| TMP-5-9N | 123 | 9/26/2014 | 60 | 230.6 | 435.757 | | |
| TMP-5-9N | 129 | 9/26/2014 | 80 | 268.5 | 415.757 | | |
| TMP-5-9N | 123 | 9/26/2014 | 80 | 268.5 | 415.757 | | |
| TMP-5-9N | 123 | 9/26/2014 | 100 | 284.3 | 395.757 | | |
| TMP-5-9N | 129 | 9/26/2014 | 100 | 284.3 | 395.757 | | |
| TMP-5-9N | 130 | 9/27/2014 | 20 | 174.6 | 475.757 | | |
| TMP-5-9N | 130 | 9/27/2014 | 40 | 224 | 455.757 | | |
| TMP-5-9N | 130 | 9/27/2014 | 60 | 232.1 | 435.757 | | |
| TMP-5-9N | 130 | 9/27/2014 | 80 | 269.6 | 415.757 | | |
| TMP-5-9N | 130 | 9/27/2014 | 100 | 285.2 | 395.757 | | |
| TMP-5-9N | 131 | 9/28/2014 | 20 | 174.4 | 475.757 | | |
| TMP-5-9N | 131 | 9/28/2014 | 40 | 224.2 | 455.757 | | |
| TMP-5-9N | 131 | 9/28/2014 | 60 | 232.5 | 435.757 | | |
| TMP-5-9N | 131 | 9/28/2014 | 80 | 270.3 | 415.757 | | |
| TMP-5-9N | 131 | 9/28/2014 | 100 | 285.4 | 395.757 | | |
| TMP-5-9N | 132 | 9/29/2014 | 20 | 173 | 475.757 | | |
| TMP-5-9N | 132 | 9/29/2014 | 40 | 223.7 | 455.757 | | |
| TMP-5-9N | 132 | 9/29/2014 | 60 | 232.1 | 435.757 | | |
| TMP-5-9N | 132 | 9/29/2014 | 80 | 269.8 | 415.757 | | |
| TMP-5-9N | 132 | 9/29/2014 | 100 | 284.8 | 395.757 | | |
| TMP-5-9N | 133 | 9/30/2014 | 20 | 173.4 | 475.757 | | |
| TMP-5-9N | 133 | 9/30/2014 | 40 | 224.3 | 455.757 | | |
| TMP-5-9N | 133 | 9/30/2014 | 60 | 233 | 435.757 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|----------|---------|-----------|-------|---------|-----------|------------|--|
| TMP-5-9N | 133 | 9/30/2014 | 80 | 270.3 | 415.757 | | |
| TMP-5-9N | 133 | 9/30/2014 | 100 | 285.2 | 395.757 | | |
| TMP-5-9N | 134 | 10/1/2014 | 20 | 172.2 | 475.757 | | |
| TMP-5-9N | 134 | 10/1/2014 | 40 | 222.7 | 455.757 | | |
| TMP-5-9N | 134 | 10/1/2014 | 60 | 231.5 | 435.757 | | |
| TMP-5-9N | 134 | 10/1/2014 | 80 | 268.8 | 415.757 | | |
| TMP-5-9N | 134 | 10/1/2014 | 100 | 283.4 | 395.757 | | |
| TMP-5-9N | 135 | 10/2/2014 | 20 | 174.3 | 475.757 | | |
| TMP-5-9N | 135 | 10/2/2014 | 40 | 225.4 | 455.757 | | |
| TMP-5-9N | 135 | 10/2/2014 | 60 | 234.3 | 435.757 | | |
| TMP-5-9N | 135 | 10/2/2014 | 80 | 271.6 | 415.757 | | |
| TMP-5-9N | 135 | 10/2/2014 | 100 | 286.2 | 395.757 | | |
| TMP-5-9N | 137 | 10/3/2014 | 20 | 174.9 | 475.757 | | |
| TMP-5-9N | 137 | 10/3/2014 | 40 | 225.7 | 455.757 | | |
| TMP-5-9N | 137 | 10/3/2014 | 60 | 235 | 435.757 | | |
| TMP-5-9N | 137 | 10/3/2014 | 80 | 272.6 | 415.757 | | |
| TMP-5-9N | 137 | 10/3/2014 | 100 | 287.3 | 395.757 | | |
| TMP-5-9N | 138 | 10/4/2014 | 20 | 175.3 | 475.757 | | |
| TMP-5-9N | 138 | 10/4/2014 | 40 | 226.7 | 455.757 | | |
| TMP-5-9N | 138 | 10/4/2014 | 60 | 236 | 435.757 | | |
| TMP-5-9N | 138 | 10/4/2014 | 80 | 273.8 | 415.757 | | |
| TMP-5-9N | 138 | 10/4/2014 | 100 | 288.4 | 395.757 | | |
| TMP-5-9N | 139 | 10/5/2014 | 20 | 173.6 | 475.757 | | |
| TMP-5-9N | 139 | 10/5/2014 | 40 | 225.3 | 455.757 | | |
| TMP-5-9N | 139 | 10/5/2014 | 60 | 234.6 | 435.757 | | |
| TMP-5-9N | 139 | 10/5/2014 | 80 | 271.9 | 415.757 | | |
| TMP-5-9N | 139 | 10/5/2014 | 100 | 286.4 | 395.757 | | |
| TMP-5-9N | 140 | 10/6/2014 | 20 | 173.8 | 475.757 | | |
| TMP-5-9N | 140 | 10/6/2014 | 40 | 226 | 455.757 | | |
| TMP-5-9N | 140 | 10/6/2014 | 60 | 235.5 | 435.757 | | |
| TMP-5-9N | 140 | 10/6/2014 | 80 | 272.7 | 415.757 | | |
| TMP-5-9N | 140 | 10/6/2014 | 100 | 287.3 | 395.757 | | |
| TMP-5-9N | 141 | 10/7/2014 | 20 | 173.3 | 475.757 | | |
| TMP-5-9N | 141 | 10/7/2014 | 40 | 225.7 | 455.757 | | |
| TMP-5-9N | 141 | 10/7/2014 | 60 | 235.5 | 435.757 | | |
| TMP-5-9N | 141 | 10/7/2014 | 80 | 272.8 | 415.757 | | |
| TMP-5-9N | 141 | 10/7/2014 | 100 | 287.4 | 395.757 | | |
| TMP-5-9N | 136 | 10/8/2014 | 20 | 168 | 475.757 | | |
| TMP-5-9N | 136 | 10/8/2014 | 40 | 220.7 | 455.757 | | |
| TMP-5-9N | 136 | 10/8/2014 | 60 | 230.5 | 435.757 | | |
| TMP-5-9N | 136 | 10/8/2014 | 80 | 267.9 | 415.757 | | |
| TMP-5-9N | 136 | 10/8/2014 | 100 | 282.8 | 395.757 | | |
| TMP-5-9N | 142 | 10/9/2014 | 20 | 174.1 | 475.757 | | Multimeter not working due to water damage |
| TMP-5-9N | 142 | 10/9/2014 | 40 | 226.5 | 455.757 | | Multimeter not working due to water damage |
| TMP-5-9N | 142 | 10/9/2014 | 60 | 235.9 | 435.757 | | Multimeter not working due to water damage |
| TMP-5-9N | 142 | 10/9/2014 | 80 | 273.1 | 415.757 | | Multimeter not working due to water damage |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|----------|---------|------------|-------|---------|-----------|------------|--|
| TMP-5-9N | 142 | 10/9/2014 | 100 | 287.6 | 395.757 | | Multimeter not working due to water damage |
| TMP-5-9N | 143 | 10/10/2014 | 20 | 175.8 | 475.757 | | |
| TMP-5-9N | 143 | 10/10/2014 | 40 | 227.6 | 455.757 | | |
| TMP-5-9N | 143 | 10/10/2014 | 60 | 237.3 | 435.757 | | |
| TMP-5-9N | 143 | 10/10/2014 | 80 | 274.2 | 415.757 | | |
| TMP-5-9N | 143 | 10/10/2014 | 100 | 288.9 | 395.757 | | |
| TMP-5-9N | 144 | 10/11/2014 | 20 | 174 | 475.757 | | |
| TMP-5-9N | 144 | 10/11/2014 | 40 | 226.6 | 455.757 | | |
| TMP-5-9N | 144 | 10/11/2014 | 60 | 235.6 | 435.757 | | |
| TMP-5-9N | 144 | 10/11/2014 | 80 | 273.3 | 415.757 | | |
| TMP-5-9N | 144 | 10/11/2014 | 100 | 287.8 | 395.757 | | |
| TMP-5-9N | 145 | 10/12/2014 | 20 | 173.6 | 475.757 | | |
| TMP-5-9N | 145 | 10/12/2014 | 40 | 226.5 | 455.757 | | |
| TMP-5-9N | 145 | 10/12/2014 | 60 | 235 | 435.757 | | |
| TMP-5-9N | 145 | 10/12/2014 | 80 | 273.4 | 415.757 | | |
| TMP-5-9N | 145 | 10/12/2014 | 100 | 287.9 | 395.757 | | |
| TMP-5-9N | 146 | 10/13/2014 | 20 | 172.1 | 475.757 | | |
| TMP-5-9N | 146 | 10/13/2014 | 40 | 226.9 | 455.757 | | |
| TMP-5-9N | 146 | 10/13/2014 | 60 | 235.5 | 435.757 | | |
| TMP-5-9N | 146 | 10/13/2014 | 80 | 274.3 | 415.757 | | |
| TMP-5-9N | 146 | 10/13/2014 | 100 | 288.6 | 395.757 | | |
| TMP-5-9N | 148 | 10/14/2014 | 20 | 168.7 | 475.757 | | |
| TMP-5-9N | 148 | 10/14/2014 | 40 | 226.5 | 455.757 | | |
| TMP-5-9N | 148 | 10/14/2014 | 60 | 234.8 | 435.757 | | |
| TMP-5-9N | 148 | 10/14/2014 | 80 | 274.1 | 415.757 | | |
| TMP-5-9N | 148 | 10/14/2014 | 100 | 288.4 | 395.757 | | |
| TMP-5-9N | 149 | 10/15/2014 | 20 | 167.9 | 475.757 | | |
| TMP-5-9N | 149 | 10/15/2014 | 40 | 226.1 | 455.757 | | |
| TMP-5-9N | 149 | 10/15/2014 | 60 | 234.2 | 435.757 | | |
| TMP-5-9N | 149 | 10/15/2014 | 80 | 274.5 | 415.757 | | |
| TMP-5-9N | 149 | 10/15/2014 | 100 | 290 | 395.757 | | |
| TMP-5-9N | 150 | 10/16/2014 | 20 | 167.8 | 475.757 | | |
| TMP-5-9N | 150 | 10/16/2014 | 40 | 226.1 | 455.757 | | |
| TMP-5-9N | 150 | 10/16/2014 | 60 | 231.6 | 435.757 | | |
| TMP-5-9N | 150 | 10/16/2014 | 80 | 276.1 | 415.757 | | |
| TMP-5-9N | 150 | 10/16/2014 | 100 | 291.8 | 395.757 | | |
| TMP-5-9N | 147 | 10/17/2014 | 20 | 167.8 | 475.757 | | |
| TMP-5-9N | 147 | 10/17/2014 | 40 | 226.1 | 455.757 | | |
| TMP-5-9N | 147 | 10/17/2014 | 60 | 231.6 | 435.757 | | |
| TMP-5-9N | 147 | 10/17/2014 | 80 | 276.1 | 415.757 | | |
| TMP-5-9N | 147 | 10/17/2014 | 100 | 291.8 | 395.757 | | |
| TMP-5-9N | 152 | 10/20/2014 | 20 | 164.5 | 475.757 | | |
| TMP-5-9N | 152 | 10/20/2014 | 40 | 220 | 455.757 | | |
| TMP-5-9N | 152 | 10/20/2014 | 60 | 220.1 | 435.757 | | |
| TMP-5-9N | 152 | 10/20/2014 | 80 | 273.8 | 415.757 | | |
| TMP-5-9N | 152 | 10/20/2014 | 100 | 288.3 | 395.757 | | |
| TMP-5-9N | 153 | 10/22/2014 | 20 | 166.4 | 475.757 | | |
| TMP-5-9N | 153 | 10/22/2014 | 40 | 219.3 | 455.757 | | |
| TMP-5-9N | 153 | 10/22/2014 | 60 | 217.3 | 435.757 | | |
| TMP-5-9N | 153 | 10/22/2014 | 80 | 274.4 | 415.757 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|----------|---------|------------|-------|---------|-----------|------------|----------|
| TMP-5-9N | 153 | 10/22/2014 | 100 | 288.5 | 395.757 | | |
| TMP-5-9N | 154 | 10/24/2014 | 20 | 162.3 | 475.757 | | |
| TMP-5-9N | 154 | 10/24/2014 | 40 | 215.5 | 455.757 | | |
| TMP-5-9N | 154 | 10/24/2014 | 60 | 214.3 | 435.757 | | |
| TMP-5-9N | 154 | 10/24/2014 | 80 | 272.8 | 415.757 | | |
| TMP-5-9N | 154 | 10/24/2014 | 100 | 281.5 | 395.757 | | |
| TMP-5-9N | 155 | 10/27/2014 | 20 | 164 | 475.757 | | |
| TMP-5-9N | 155 | 10/27/2014 | 40 | 215.9 | 455.757 | | |
| TMP-5-9N | 155 | 10/27/2014 | 60 | 213.7 | 435.757 | | |
| TMP-5-9N | 155 | 10/27/2014 | 80 | 274.2 | 415.757 | | |
| TMP-5-9N | 155 | 10/27/2014 | 100 | 289.3 | 395.757 | | |
| TMP-5-9N | 156 | 10/29/2014 | 20 | 163 | 475.757 | | |
| TMP-5-9N | 156 | 10/29/2014 | 40 | 213.2 | 455.757 | | |
| TMP-5-9N | 156 | 10/29/2014 | 60 | 209.1 | 435.757 | | |
| TMP-5-9N | 156 | 10/29/2014 | 80 | 273.1 | 415.757 | | |
| TMP-5-9N | 156 | 10/29/2014 | 100 | 288.6 | 395.757 | | |
| TMP-5-9N | 157 | 10/31/2014 | 20 | 164.7 | 475.757 | | |
| TMP-5-9N | 157 | 10/31/2014 | 40 | 213.8 | 455.757 | | |
| TMP-5-9N | 157 | 10/31/2014 | 60 | 207.8 | 435.757 | | |
| TMP-5-9N | 157 | 10/31/2014 | 80 | 276.2 | 415.757 | | |
| TMP-5-9N | 157 | 10/31/2014 | 100 | 291.5 | 395.757 | | |
| TMP-5-9N | 158 | 11/3/2014 | 20 | 161.9 | 475.757 | | |
| TMP-5-9N | 158 | 11/3/2014 | 40 | 208.6 | 455.757 | | |
| TMP-5-9N | 158 | 11/3/2014 | 60 | 199.9 | 435.757 | | |
| TMP-5-9N | 158 | 11/3/2014 | 80 | 275 | 415.757 | | |
| TMP-5-9N | 158 | 11/3/2014 | 100 | 290.5 | 395.757 | | |
| TMP-5-9N | 159 | 11/5/2014 | 20 | 162.8 | 475.757 | | |
| TMP-5-9N | 159 | 11/5/2014 | 40 | 207.9 | 455.757 | | |
| TMP-5-9N | 159 | 11/5/2014 | 60 | 198.1 | 435.757 | | |
| TMP-5-9N | 159 | 11/5/2014 | 80 | 276.3 | 415.757 | | |
| TMP-5-9N | 159 | 11/5/2014 | 100 | 291.8 | 395.757 | | |
| TMP-5-9N | 160 | 11/7/2014 | 20 | 160.1 | 475.757 | | |
| TMP-5-9N | 160 | 11/7/2014 | 40 | 204.1 | 455.757 | | |
| TMP-5-9N | 160 | 11/7/2014 | 60 | 193.7 | 435.757 | | |
| TMP-5-9N | 160 | 11/7/2014 | 80 | 275 | 415.757 | | |
| TMP-5-9N | 160 | 11/7/2014 | 100 | 291 | 395.757 | | |
| TMP-5-9N | 161 | 11/10/2014 | 20 | 192.2 | 475.757 | | |
| TMP-5-9N | 161 | 11/10/2014 | 40 | 226 | 455.757 | | |
| TMP-5-9N | 161 | 11/10/2014 | 60 | 242.1 | 435.757 | | |
| TMP-5-9N | 161 | 11/10/2014 | 80 | 254.2 | 415.757 | | |
| TMP-5-9N | 161 | 11/10/2014 | 100 | 269.8 | 395.757 | | |
| TMP-5-9N | 162 | 11/12/2014 | 20 | 155.6 | 475.757 | | |
| TMP-5-9N | 162 | 11/12/2014 | 40 | 193.2 | 455.757 | | |
| TMP-5-9N | 162 | 11/12/2014 | 60 | 181.8 | 435.757 | | |
| TMP-5-9N | 162 | 11/12/2014 | 80 | 258.6 | 415.757 | | |
| TMP-5-9N | 162 | 11/12/2014 | 100 | 271.2 | 395.757 | | |
| TMP-5-9N | 163 | 11/14/2014 | 20 | 156 | 475.757 | | |
| TMP-5-9N | 163 | 11/14/2014 | 40 | 193.1 | 455.757 | | |
| TMP-5-9N | 163 | 11/14/2014 | 60 | 181.3 | 435.757 | | |
| TMP-5-9N | 163 | 11/14/2014 | 80 | 260.9 | 415.757 | | |
| TMP-5-9N | 163 | 11/14/2014 | 100 | 274.7 | 395.757 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|----------|---------|------------|-------|---------|-----------|------------|----------|
| TMP-5-9N | 164 | 11/17/2014 | 20 | 154.3 | 475.757 | | |
| TMP-5-9N | 164 | 11/17/2014 | 40 | 190.1 | 455.757 | | |
| TMP-5-9N | 164 | 11/17/2014 | 60 | 177.2 | 435.757 | | |
| TMP-5-9N | 164 | 11/17/2014 | 80 | 258 | 415.757 | | |
| TMP-5-9N | 164 | 11/17/2014 | 100 | 269.6 | 395.757 | | |
| TMP-5-9N | 165 | 11/19/2014 | 20 | 153.2 | 475.757 | | |
| TMP-5-9N | 165 | 11/19/2014 | 40 | 188.9 | 455.757 | | |
| TMP-5-9N | 165 | 11/19/2014 | 60 | 176.6 | 435.757 | | |
| TMP-5-9N | 165 | 11/19/2014 | 80 | 261.1 | 415.757 | | |
| TMP-5-9N | 165 | 11/19/2014 | 100 | 274.4 | 395.757 | | |
| TMP-5-9N | 166 | 11/21/2014 | 20 | 151.8 | 475.757 | | |
| TMP-5-9N | 166 | 11/21/2014 | 40 | 186.7 | 455.757 | | |
| TMP-5-9N | 166 | 11/21/2014 | 60 | 173.8 | 435.757 | | |
| TMP-5-9N | 166 | 11/21/2014 | 80 | 259.1 | 415.757 | | |
| TMP-5-9N | 166 | 11/21/2014 | 100 | 272 | 395.757 | | |
| TMP-5-9N | 167 | 11/24/2014 | 20 | 151.8 | 475.757 | | |
| TMP-5-9N | 167 | 11/24/2014 | 40 | 186.1 | 455.757 | | |
| TMP-5-9N | 167 | 11/24/2014 | 60 | 173.3 | 435.757 | | |
| TMP-5-9N | 167 | 11/24/2014 | 80 | 260.1 | 415.757 | | |
| TMP-5-9N | 167 | 11/24/2014 | 100 | 273.4 | 395.757 | | |
| TMP-5-9N | 168 | 11/26/2014 | 20 | 150.8 | 475.757 | | |
| TMP-5-9N | 168 | 11/26/2014 | 40 | 185 | 455.757 | | |
| TMP-5-9N | 168 | 11/26/2014 | 60 | 172.3 | 435.757 | | |
| TMP-5-9N | 168 | 11/26/2014 | 80 | 258.9 | 415.757 | | |
| TMP-5-9N | 168 | 11/26/2014 | 100 | 271.3 | 395.757 | | |
| TMP-5-9N | 169 | 11/30/2014 | 20 | 148.2 | 475.757 | | |
| TMP-5-9N | 169 | 11/30/2014 | 40 | 182.3 | 455.757 | | |
| TMP-5-9N | 169 | 11/30/2014 | 60 | 169.3 | 435.757 | | |
| TMP-5-9N | 169 | 11/30/2014 | 80 | 258.4 | 415.757 | | |
| TMP-5-9N | 169 | 11/30/2014 | 100 | 271.2 | 395.757 | | |
| TMP-5-9N | 170 | 12/1/2014 | 20 | 148.8 | 475.757 | | |
| TMP-5-9N | 170 | 12/1/2014 | 40 | 182.5 | 455.757 | | |
| TMP-5-9N | 170 | 12/1/2014 | 60 | 169.1 | 435.757 | | |
| TMP-5-9N | 170 | 12/1/2014 | 80 | 258.8 | 415.757 | | |
| TMP-5-9N | 170 | 12/1/2014 | 100 | 271.2 | 395.757 | | |
| TMP-5-9N | 171 | 12/3/2014 | 20 | 147.9 | 475.757 | | |
| TMP-5-9N | 171 | 12/3/2014 | 40 | 182 | 455.757 | | |
| TMP-5-9N | 171 | 12/3/2014 | 60 | 168.9 | 435.757 | | |
| TMP-5-9N | 171 | 12/3/2014 | 80 | 259.8 | 415.757 | | |
| TMP-5-9N | 171 | 12/3/2014 | 100 | 272.9 | 395.757 | | |
| TMP-5-9N | 172 | 12/6/2014 | 20 | 148.1 | 475.757 | | |
| TMP-5-9N | 172 | 12/6/2014 | 40 | 181.2 | 455.757 | | |
| TMP-5-9N | 172 | 12/6/2014 | 60 | 167.3 | 435.757 | | |
| TMP-5-9N | 172 | 12/6/2014 | 80 | 259.4 | 415.757 | | |
| TMP-5-9N | 172 | 12/6/2014 | 100 | 271.3 | 395.757 | | |
| TMP-5-9N | 173 | 12/8/2014 | 20 | 146.8 | 475.757 | | |
| TMP-5-9N | 173 | 12/8/2014 | 40 | 179.8 | 455.757 | | |
| TMP-5-9N | 173 | 12/8/2014 | 60 | 165.7 | 435.757 | | |
| TMP-5-9N | 173 | 12/8/2014 | 80 | 259.3 | 415.757 | | |
| TMP-5-9N | 173 | 12/8/2014 | 100 | 271.3 | 395.757 | | |
| TMP-5-9N | 174 | 12/10/2014 | 20 | 146.4 | 475.757 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|----------|---------|------------|-------|---------|-----------|------------|----------|
| TMP-5-9N | 174 | 12/10/2014 | 40 | 179.2 | 455.757 | | |
| TMP-5-9N | 174 | 12/10/2014 | 60 | 164.9 | 435.757 | | |
| TMP-5-9N | 174 | 12/10/2014 | 80 | 259.3 | 415.757 | | |
| TMP-5-9N | 174 | 12/10/2014 | 100 | 271.2 | 395.757 | | |
| TMP-5-9N | 175 | 12/12/2014 | 20 | 145.1 | 475.757 | | |
| TMP-5-9N | 175 | 12/12/2014 | 40 | 177.7 | 455.757 | | |
| TMP-5-9N | 175 | 12/12/2014 | 60 | 163.4 | 435.757 | | |
| TMP-5-9N | 175 | 12/12/2014 | 80 | 258.7 | 415.757 | | |
| TMP-5-9N | 175 | 12/12/2014 | 100 | 270.6 | 395.757 | | |
| TMP-5-9N | 176 | 12/15/2014 | 20 | 144.7 | 475.757 | | |
| TMP-5-9N | 176 | 12/15/2014 | 40 | 177.5 | 455.757 | | |
| TMP-5-9N | 176 | 12/15/2014 | 60 | 163 | 435.757 | | |
| TMP-5-9N | 176 | 12/15/2014 | 80 | 259.4 | 415.757 | | |
| TMP-5-9N | 176 | 12/15/2014 | 100 | 271.3 | 395.757 | | |
| TMP-5-9N | 178 | 12/19/2014 | 20 | 143 | 475.757 | | |
| TMP-5-9N | 178 | 12/19/2014 | 40 | 175.8 | 455.757 | | |
| TMP-5-9N | 178 | 12/19/2014 | 60 | 161.6 | 435.757 | | |
| TMP-5-9N | 178 | 12/19/2014 | 80 | 259.1 | 415.757 | | |
| TMP-5-9N | 178 | 12/19/2014 | 100 | 271.2 | 395.757 | | |
| TMP-5-9N | 180 | 12/22/2014 | 20 | 141.9 | 475.757 | | |
| TMP-5-9N | 180 | 12/22/2014 | 40 | 174.4 | 455.757 | | |
| TMP-5-9N | 180 | 12/22/2014 | 60 | 160.3 | 435.757 | | |
| TMP-5-9N | 180 | 12/22/2014 | 80 | 259.1 | 415.757 | | |
| TMP-5-9N | 180 | 12/22/2014 | 100 | 270.6 | 395.757 | | |
| TMP-5-9N | 179 | 12/24/2014 | 20 | 144.5 | 475.757 | | |
| TMP-5-9N | 179 | 12/24/2014 | 40 | 175.7 | 455.757 | | |
| TMP-5-9N | 179 | 12/24/2014 | 60 | 161.8 | 435.757 | | |
| TMP-5-9N | 179 | 12/24/2014 | 80 | 261.3 | 415.757 | | |
| TMP-5-9N | 179 | 12/24/2014 | 100 | 272.3 | 395.757 | | |
| TMP-5-9N | 181 | 12/26/2014 | 20 | 141.7 | 475.757 | | |
| TMP-5-9N | 181 | 12/26/2014 | 40 | 173 | 455.757 | | |
| TMP-5-9N | 181 | 12/26/2014 | 60 | 159.3 | 435.757 | | |
| TMP-5-9N | 181 | 12/26/2014 | 80 | 259.5 | 415.757 | | |
| TMP-5-9N | 181 | 12/26/2014 | 100 | 270.7 | 395.757 | | |
| TMP-5-9N | 182 | 12/29/2014 | 20 | 142 | 475.757 | | |
| TMP-5-9N | 182 | 12/29/2014 | 40 | 173.1 | 455.757 | | |
| TMP-5-9N | 182 | 12/29/2014 | 60 | 159.7 | 435.757 | | |
| TMP-5-9N | 182 | 12/29/2014 | 80 | 261 | 415.757 | | |
| TMP-5-9N | 182 | 12/29/2014 | 100 | 272.7 | 395.757 | | |
| TMP-5-9N | 183 | 12/31/2014 | 20 | 143 | 475.757 | | |
| TMP-5-9N | 183 | 12/31/2014 | 40 | 174.1 | 455.757 | | |
| TMP-5-9N | 183 | 12/31/2014 | 60 | 160.9 | 435.757 | | |
| TMP-5-9N | 183 | 12/31/2014 | 80 | 262.8 | 415.757 | | |
| TMP-5-9N | 183 | 12/31/2014 | 100 | 274.3 | 395.757 | | |
| TMP-5-9N | 184 | 1/2/2015 | 20 | 141.4 | 475.757 | | |
| TMP-5-9N | 184 | 1/2/2015 | 40 | 172.3 | 455.757 | | |
| TMP-5-9N | 184 | 1/2/2015 | 60 | 158.7 | 435.757 | | |
| TMP-5-9N | 184 | 1/2/2015 | 80 | 260.7 | 415.757 | | |
| TMP-5-9N | 184 | 1/2/2015 | 100 | 271.8 | 395.757 | | |
| TMP-5-9N | 185 | 1/5/2015 | 20 | 141.1 | 475.757 | | |
| TMP-5-9N | 185 | 1/5/2015 | 40 | 171.8 | 455.757 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|----------|---------|-----------|-------|---------|-----------|------------|----------|
| TMP-5-9N | 185 | 1/5/2015 | 60 | 158.6 | 435.757 | | |
| TMP-5-9N | 185 | 1/5/2015 | 80 | 261 | 415.757 | | |
| TMP-5-9N | 185 | 1/5/2015 | 100 | 271 | 395.757 | | |
| TMP-5-9N | 186 | 1/8/2015 | 20 | 143 | 475.757 | | |
| TMP-5-9N | 186 | 1/8/2015 | 40 | 173.8 | 455.757 | | |
| TMP-5-9N | 186 | 1/8/2015 | 60 | 160.5 | 435.757 | | |
| TMP-5-9N | 186 | 1/8/2015 | 80 | 262.9 | 415.757 | | |
| TMP-5-9N | 186 | 1/8/2015 | 100 | 273.6 | 395.757 | | |
| TMP-5-9N | 187 | 1/9/2015 | 20 | 140.9 | 475.757 | | |
| TMP-5-9N | 187 | 1/9/2015 | 40 | 172.1 | 455.757 | | |
| TMP-5-9N | 187 | 1/9/2015 | 60 | 158.9 | 435.757 | | |
| TMP-5-9N | 187 | 1/9/2015 | 80 | 261.5 | 415.757 | | |
| TMP-5-9N | 187 | 1/9/2015 | 100 | 271.6 | 395.757 | | |
| TMP-5-9N | 188 | 1/12/2015 | 20 | 140.3 | 475.757 | | |
| TMP-5-9N | 188 | 1/12/2015 | 40 | 171.5 | 455.757 | | |
| TMP-5-9N | 188 | 1/12/2015 | 60 | 158.1 | 435.757 | | |
| TMP-5-9N | 188 | 1/12/2015 | 80 | 261.3 | 415.757 | | |
| TMP-5-9N | 188 | 1/12/2015 | 100 | 272 | 395.757 | | |
| TMP-5-9N | 189 | 1/14/2015 | 20 | 140.2 | 475.757 | | |
| TMP-5-9N | 189 | 1/14/2015 | 40 | 171.6 | 455.757 | | |
| TMP-5-9N | 189 | 1/14/2015 | 60 | 154.9 | 435.757 | | |
| TMP-5-9N | 189 | 1/14/2015 | 80 | 261.6 | 415.757 | | |
| TMP-5-9N | 189 | 1/14/2015 | 100 | 272.2 | 395.757 | | |
| TMP-5-9N | 190 | 1/16/2015 | 20 | 137.4 | 475.757 | | |
| TMP-5-9N | 190 | 1/16/2015 | 40 | 169.2 | 455.757 | | |
| TMP-5-9N | 190 | 1/16/2015 | 60 | 154.9 | 435.757 | | |
| TMP-5-9N | 190 | 1/16/2015 | 80 | 261.2 | 415.757 | | |
| TMP-5-9N | 190 | 1/16/2015 | 100 | 272.6 | 395.757 | | |
| TMP-5-9N | 191 | 1/19/2015 | 20 | 137.2 | 475.757 | | |
| TMP-5-9N | 191 | 1/19/2015 | 40 | 168.9 | 455.757 | | |
| TMP-5-9N | 191 | 1/19/2015 | 60 | 155.4 | 435.757 | | |
| TMP-5-9N | 191 | 1/19/2015 | 80 | 259.9 | 415.757 | | |
| TMP-5-9N | 191 | 1/19/2015 | 100 | 271.2 | 395.757 | | |
| TMP-5-9N | 192 | 1/21/2015 | 20 | 137.6 | 475.757 | | |
| TMP-5-9N | 192 | 1/21/2015 | 40 | 169.9 | 455.757 | | |
| TMP-5-9N | 192 | 1/21/2015 | 60 | 157.2 | 435.757 | | |
| TMP-5-9N | 192 | 1/21/2015 | 80 | 261.1 | 415.757 | | |
| TMP-5-9N | 192 | 1/21/2015 | 100 | 273.3 | 395.757 | | |
| TMP-5-9N | 194 | 1/26/2015 | 20 | 137.5 | 475.757 | | |
| TMP-5-9N | 194 | 1/26/2015 | 40 | 169.5 | 455.757 | | |
| TMP-5-9N | 194 | 1/26/2015 | 60 | 156.5 | 435.757 | | |
| TMP-5-9N | 194 | 1/26/2015 | 80 | 260.6 | 415.757 | | |
| TMP-5-9N | 194 | 1/26/2015 | 100 | 271.9 | 395.757 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|----------|---------|-----------|-------|---------|-----------|------------|---|
| TMP-5-9S | 117 | 9/15/2014 | 20 | 156.9 | 475.895 | | TIMP EQUALIZING, RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-5-9S | 117 | 9/15/2014 | 40 | 197.9 | 455.895 | | TIMP EQUALIZING, RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-5-9S | 117 | 9/15/2014 | 60 | 228.3 | 435.895 | | TIMP EQUALIZING, RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-5-9S | 117 | 9/15/2014 | 80 | 247.7 | 415.895 | | TIMP EQUALIZING, RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-5-9S | 117 | 9/15/2014 | 100 | 283.5 | 395.895 | | TIMP EQUALIZING, RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-5-9S | 121 | 9/19/2014 | 20 | 157.5 | 475.895 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-5-9S | 121 | 9/19/2014 | 40 | 228.4 | 455.895 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-5-9S | 121 | 9/19/2014 | 60 | 252 | 435.895 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-5-9S | 121 | 9/19/2014 | 80 | 264.6 | 415.895 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-5-9S | 121 | 9/19/2014 | 100 | 288.3 | 395.895 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-5-9S | 122 | 9/20/2014 | 20 | 168.1 | 475.895 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|----------|---------|-----------|-------|---------|-----------|------------|--|
| TMP-5-9S | 122 | 9/20/2014 | 40 | 238.1 | 455.895 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-5-9S | 122 | 9/20/2014 | 60 | 258.1 | 435.895 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-5-9S | 122 | 9/20/2014 | 80 | 273.5 | 415.895 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-5-9S | 122 | 9/20/2014 | 100 | 296.6 | 395.895 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-5-9S | 124 | 9/21/2014 | 20 | 163.4 | 475.895 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-5-9S | 124 | 9/21/2014 | 40 | 233.8 | 455.895 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-5-9S | 124 | 9/21/2014 | 60 | 249.3 | 435.895 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-5-9S | 124 | 9/21/2014 | 80 | 266.6 | 415.895 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-5-9S | 124 | 9/21/2014 | 100 | 287.7 | 395.895 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-5-9S | 125 | 9/22/2014 | 20 | 161.4 | 475.895 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-5-9S | 125 | 9/22/2014 | 40 | 232.8 | 455.895 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-5-9S | 125 | 9/22/2014 | 60 | 247.6 | 435.895 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|----------|---------|-----------|-------|---------|-----------|------------|--|
| TMP-5-9S | 125 | 9/22/2014 | 80 | 266.1 | 415.895 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-5-9S | 125 | 9/22/2014 | 100 | 287.3 | 395.895 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-5-9S | 126 | 9/23/2014 | 20 | 160 | 475.895 | | |
| TMP-5-9S | 126 | 9/23/2014 | 40 | 231.5 | 455.895 | | |
| TMP-5-9S | 126 | 9/23/2014 | 60 | 247.3 | 435.895 | | |
| TMP-5-9S | 126 | 9/23/2014 | 80 | 264.8 | 415.895 | | |
| TMP-5-9S | 126 | 9/23/2014 | 100 | 285.5 | 395.895 | | |
| TMP-5-9S | 127 | 9/24/2014 | 20 | 161 | 475.895 | | |
| TMP-5-9S | 127 | 9/24/2014 | 40 | 233 | 455.895 | | |
| TMP-5-9S | 127 | 9/24/2014 | 60 | 248.1 | 435.895 | | |
| TMP-5-9S | 127 | 9/24/2014 | 80 | 266.3 | 415.895 | | |
| TMP-5-9S | 127 | 9/24/2014 | 100 | 286.3 | 395.895 | | |
| TMP-5-9S | 128 | 9/25/2014 | 20 | 160.2 | 475.895 | | |
| TMP-5-9S | 128 | 9/25/2014 | 40 | 233.2 | 455.895 | | |
| TMP-5-9S | 128 | 9/25/2014 | 60 | 248.2 | 435.895 | | |
| TMP-5-9S | 128 | 9/25/2014 | 80 | 266.3 | 415.895 | | |
| TMP-5-9S | 128 | 9/25/2014 | 100 | 285.7 | 395.895 | | |
| TMP-5-9S | 129 | 9/26/2014 | 20 | 160.4 | 475.895 | | |
| TMP-5-9S | 123 | 9/26/2014 | 20 | 160.4 | 475.895 | | |
| TMP-5-9S | 129 | 9/26/2014 | 40 | 233.8 | 455.895 | | |
| TMP-5-9S | 123 | 9/26/2014 | 40 | 233.8 | 455.895 | | |
| TMP-5-9S | 129 | 9/26/2014 | 60 | 248.8 | 435.895 | | |
| TMP-5-9S | 123 | 9/26/2014 | 60 | 248.8 | 435.895 | | |
| TMP-5-9S | 129 | 9/26/2014 | 80 | 267 | 415.895 | | |
| TMP-5-9S | 123 | 9/26/2014 | 80 | 267 | 415.895 | | |
| TMP-5-9S | 123 | 9/26/2014 | 100 | 286 | 395.895 | | |
| TMP-5-9S | 129 | 9/26/2014 | 100 | 286 | 395.895 | | |
| TMP-5-9S | 130 | 9/27/2014 | 20 | 160.3 | 475.895 | | |
| TMP-5-9S | 130 | 9/27/2014 | 40 | 234 | 455.895 | | |
| TMP-5-9S | 130 | 9/27/2014 | 60 | 249.1 | 435.895 | | |
| TMP-5-9S | 130 | 9/27/2014 | 80 | 267.2 | 415.895 | | |
| TMP-5-9S | 130 | 9/27/2014 | 100 | 285.7 | 395.895 | | |
| TMP-5-9S | 131 | 9/28/2014 | 20 | 160.9 | 475.895 | | |
| TMP-5-9S | 131 | 9/28/2014 | 40 | 234.6 | 455.895 | | |
| TMP-5-9S | 131 | 9/28/2014 | 60 | 249.5 | 435.895 | | |
| TMP-5-9S | 131 | 9/28/2014 | 80 | 267.8 | 415.895 | | |
| TMP-5-9S | 131 | 9/28/2014 | 100 | 286.1 | 395.895 | | |
| TMP-5-9S | 132 | 9/29/2014 | 20 | 159 | 475.895 | | |
| TMP-5-9S | 132 | 9/29/2014 | 40 | 234.2 | 455.895 | | |
| TMP-5-9S | 132 | 9/29/2014 | 60 | 249.3 | 435.895 | | |
| TMP-5-9S | 132 | 9/29/2014 | 80 | 267.7 | 415.895 | | |
| TMP-5-9S | 132 | 9/29/2014 | 100 | 286 | 395.895 | | |
| TMP-5-9S | 133 | 9/30/2014 | 20 | 161.4 | 475.895 | | |
| TMP-5-9S | 133 | 9/30/2014 | 40 | 235 | 455.895 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|----------|---------|-----------|-------|---------|-----------|------------|--|
| TMP-5-9S | 133 | 9/30/2014 | 60 | 250 | 435.895 | | |
| TMP-5-9S | 133 | 9/30/2014 | 80 | 268.4 | 415.895 | | |
| TMP-5-9S | 133 | 9/30/2014 | 100 | 285.8 | 395.895 | | |
| TMP-5-9S | 134 | 10/1/2014 | 20 | 161.4 | 475.895 | | |
| TMP-5-9S | 134 | 10/1/2014 | 40 | 235.3 | 455.895 | | |
| TMP-5-9S | 134 | 10/1/2014 | 60 | 250.3 | 435.895 | | |
| TMP-5-9S | 134 | 10/1/2014 | 80 | 268.7 | 415.895 | | |
| TMP-5-9S | 134 | 10/1/2014 | 100 | 286.1 | 395.895 | | |
| TMP-5-9S | 135 | 10/2/2014 | 20 | 160.7 | 475.895 | | |
| TMP-5-9S | 135 | 10/2/2014 | 40 | 235.6 | 455.895 | | |
| TMP-5-9S | 135 | 10/2/2014 | 60 | 250.7 | 435.895 | | |
| TMP-5-9S | 135 | 10/2/2014 | 80 | 269.2 | 415.895 | | |
| TMP-5-9S | 135 | 10/2/2014 | 100 | 286.5 | 395.895 | | |
| TMP-5-9S | 137 | 10/3/2014 | 20 | 161.1 | 475.895 | | |
| TMP-5-9S | 137 | 10/3/2014 | 40 | 236.2 | 455.895 | | |
| TMP-5-9S | 137 | 10/3/2014 | 60 | 251.7 | 435.895 | | |
| TMP-5-9S | 137 | 10/3/2014 | 80 | 270 | 415.895 | | |
| TMP-5-9S | 137 | 10/3/2014 | 100 | 287 | 395.895 | | |
| TMP-5-9S | 138 | 10/4/2014 | 20 | 163.2 | 475.895 | | |
| TMP-5-9S | 138 | 10/4/2014 | 40 | 238.4 | 455.895 | | |
| TMP-5-9S | 138 | 10/4/2014 | 60 | 254 | 435.895 | | |
| TMP-5-9S | 138 | 10/4/2014 | 80 | 271.9 | 415.895 | | |
| TMP-5-9S | 138 | 10/4/2014 | 100 | 288.1 | 395.895 | | |
| TMP-5-9S | 139 | 10/5/2014 | 20 | 160.3 | 475.895 | | |
| TMP-5-9S | 139 | 10/5/2014 | 40 | 235.8 | 455.895 | | |
| TMP-5-9S | 139 | 10/5/2014 | 60 | 251.5 | 435.895 | | |
| TMP-5-9S | 139 | 10/5/2014 | 80 | 269.8 | 415.895 | | |
| TMP-5-9S | 139 | 10/5/2014 | 100 | 286.3 | 395.895 | | |
| TMP-5-9S | 140 | 10/6/2014 | 20 | 161.3 | 475.895 | | |
| TMP-5-9S | 140 | 10/6/2014 | 40 | 231.3 | 455.895 | | |
| TMP-5-9S | 140 | 10/6/2014 | 60 | 253 | 435.895 | | |
| TMP-5-9S | 140 | 10/6/2014 | 80 | 271 | 415.895 | | |
| TMP-5-9S | 140 | 10/6/2014 | 100 | 287.5 | 395.895 | | |
| TMP-5-9S | 141 | 10/7/2014 | 20 | 160.7 | 475.895 | | |
| TMP-5-9S | 141 | 10/7/2014 | 40 | 237.8 | 455.895 | | |
| TMP-5-9S | 141 | 10/7/2014 | 60 | 253.7 | 435.895 | | |
| TMP-5-9S | 141 | 10/7/2014 | 80 | 271.9 | 415.895 | | |
| TMP-5-9S | 141 | 10/7/2014 | 100 | 287.5 | 395.895 | | |
| TMP-5-9S | 136 | 10/8/2014 | 20 | 159.7 | 475.895 | | |
| TMP-5-9S | 136 | 10/8/2014 | 40 | 236.2 | 455.895 | | |
| TMP-5-9S | 136 | 10/8/2014 | 60 | 251.9 | 435.895 | | |
| TMP-5-9S | 136 | 10/8/2014 | 80 | 269.9 | 415.895 | | |
| TMP-5-9S | 136 | 10/8/2014 | 100 | 285.3 | 395.895 | | |
| TMP-5-9S | 142 | 10/9/2014 | 20 | 159.6 | 475.895 | | Multimeter not working due to water damage |
| TMP-5-9S | 142 | 10/9/2014 | 40 | 236.7 | 455.895 | | Multimeter not working due to water damage |
| TMP-5-9S | 142 | 10/9/2014 | 60 | 252.9 | 435.895 | | Multimeter not working due to water damage |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|----------|---------|------------|-------|---------|-----------|------------|--|
| TMP-5-9S | 142 | 10/9/2014 | 80 | 263.2 | 415.895 | | Multimeter not working due to water damage |
| TMP-5-9S | 142 | 10/9/2014 | 100 | 286.9 | 395.895 | | Multimeter not working due to water damage |
| TMP-5-9S | 143 | 10/10/2014 | 20 | 154.6 | 475.895 | | |
| TMP-5-9S | 143 | 10/10/2014 | 40 | 237.5 | 455.895 | | |
| TMP-5-9S | 143 | 10/10/2014 | 60 | 253.8 | 435.895 | | |
| TMP-5-9S | 143 | 10/10/2014 | 80 | 264.3 | 415.895 | | |
| TMP-5-9S | 143 | 10/10/2014 | 100 | 287.7 | 395.895 | | |
| TMP-5-9S | 144 | 10/11/2014 | 20 | 153.2 | 475.895 | | |
| TMP-5-9S | 144 | 10/11/2014 | 40 | 236.8 | 455.895 | | |
| TMP-5-9S | 144 | 10/11/2014 | 60 | 253.3 | 435.895 | | |
| TMP-5-9S | 144 | 10/11/2014 | 80 | 264.1 | 415.895 | | |
| TMP-5-9S | 144 | 10/11/2014 | 100 | 287.1 | 395.895 | | |
| TMP-5-9S | 145 | 10/12/2014 | 20 | 153.3 | 475.895 | | |
| TMP-5-9S | 145 | 10/12/2014 | 40 | 237.2 | 455.895 | | |
| TMP-5-9S | 145 | 10/12/2014 | 60 | 253.7 | 435.895 | | |
| TMP-5-9S | 145 | 10/12/2014 | 80 | 264.1 | 415.895 | | |
| TMP-5-9S | 145 | 10/12/2014 | 100 | 287.3 | 395.895 | | |
| TMP-5-9S | 146 | 10/13/2014 | 20 | 154 | 475.895 | | |
| TMP-5-9S | 146 | 10/13/2014 | 40 | 237.6 | 455.895 | | |
| TMP-5-9S | 146 | 10/13/2014 | 60 | 254.3 | 435.895 | | |
| TMP-5-9S | 146 | 10/13/2014 | 80 | 271.8 | 415.895 | | |
| TMP-5-9S | 146 | 10/13/2014 | 100 | 287.5 | 395.895 | | |
| TMP-5-9S | 148 | 10/14/2014 | 20 | 154.2 | 475.895 | | |
| TMP-5-9S | 148 | 10/14/2014 | 40 | 237.5 | 455.895 | | |
| TMP-5-9S | 148 | 10/14/2014 | 60 | 254.4 | 435.895 | | |
| TMP-5-9S | 148 | 10/14/2014 | 80 | 272.6 | 415.895 | | |
| TMP-5-9S | 148 | 10/14/2014 | 100 | 287.8 | 395.895 | | |
| TMP-5-9S | 149 | 10/15/2014 | 20 | 155.8 | 475.895 | | |
| TMP-5-9S | 149 | 10/15/2014 | 40 | 237.6 | 455.895 | | |
| TMP-5-9S | 149 | 10/15/2014 | 60 | 254.7 | 435.895 | | |
| TMP-5-9S | 149 | 10/15/2014 | 80 | 273.2 | 415.895 | | |
| TMP-5-9S | 149 | 10/15/2014 | 100 | 287.3 | 395.895 | | |
| TMP-5-9S | 150 | 10/16/2014 | 20 | 156.5 | 475.895 | | |
| TMP-5-9S | 150 | 10/16/2014 | 40 | 239.1 | 455.895 | | |
| TMP-5-9S | 150 | 10/16/2014 | 60 | 256.2 | 435.895 | | |
| TMP-5-9S | 150 | 10/16/2014 | 80 | 274.5 | 415.895 | | |
| TMP-5-9S | 150 | 10/16/2014 | 100 | 289.2 | 395.895 | | |
| TMP-5-9S | 147 | 10/17/2014 | 20 | 156.5 | 475.895 | | |
| TMP-5-9S | 147 | 10/17/2014 | 40 | 239.1 | 455.895 | | |
| TMP-5-9S | 147 | 10/17/2014 | 60 | 256.2 | 435.895 | | |
| TMP-5-9S | 147 | 10/17/2014 | 80 | 274.5 | 415.895 | | |
| TMP-5-9S | 147 | 10/17/2014 | 100 | 289.2 | 395.895 | | |
| TMP-5-9S | 152 | 10/20/2014 | 20 | 150.3 | 475.895 | | |
| TMP-5-9S | 152 | 10/20/2014 | 40 | 238.4 | 455.895 | | |
| TMP-5-9S | 152 | 10/20/2014 | 60 | 255.4 | 435.895 | | |
| TMP-5-9S | 152 | 10/20/2014 | 80 | 273.4 | 415.895 | | |
| TMP-5-9S | 152 | 10/20/2014 | 100 | 287.4 | 395.895 | | |
| TMP-5-9S | 153 | 10/22/2014 | 20 | 150.2 | 475.895 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|----------|---------|------------|-------|---------|-----------|------------|----------|
| TMP-5-9S | 153 | 10/22/2014 | 40 | 238.4 | 455.895 | | |
| TMP-5-9S | 153 | 10/22/2014 | 60 | 256 | 435.895 | | |
| TMP-5-9S | 153 | 10/22/2014 | 80 | 274.3 | 415.895 | | |
| TMP-5-9S | 153 | 10/22/2014 | 100 | 289.3 | 395.895 | | |
| TMP-5-9S | 154 | 10/24/2014 | 20 | 148.3 | 475.895 | | |
| TMP-5-9S | 154 | 10/24/2014 | 40 | 238.3 | 455.895 | | |
| TMP-5-9S | 154 | 10/24/2014 | 60 | 255.8 | 435.895 | | |
| TMP-5-9S | 154 | 10/24/2014 | 80 | 274.1 | 415.895 | | |
| TMP-5-9S | 154 | 10/24/2014 | 100 | 288.4 | 395.895 | | |
| TMP-5-9S | 155 | 10/27/2014 | 20 | 148.1 | 475.895 | | |
| TMP-5-9S | 155 | 10/27/2014 | 40 | 238 | 455.895 | | |
| TMP-5-9S | 155 | 10/27/2014 | 60 | 256.1 | 435.895 | | |
| TMP-5-9S | 155 | 10/27/2014 | 80 | 274.3 | 415.895 | | |
| TMP-5-9S | 155 | 10/27/2014 | 100 | 288.9 | 395.895 | | |
| TMP-5-9S | 156 | 10/29/2014 | 20 | 150.3 | 475.895 | | |
| TMP-5-9S | 156 | 10/29/2014 | 40 | 240.8 | 455.895 | | |
| TMP-5-9S | 156 | 10/29/2014 | 60 | 258.8 | 435.895 | | |
| TMP-5-9S | 156 | 10/29/2014 | 80 | 276.4 | 415.895 | | |
| TMP-5-9S | 156 | 10/29/2014 | 100 | 290.3 | 395.895 | | |
| TMP-5-9S | 157 | 10/31/2014 | 20 | 149.8 | 475.895 | | |
| TMP-5-9S | 157 | 10/31/2014 | 40 | 240.9 | 455.895 | | |
| TMP-5-9S | 157 | 10/31/2014 | 60 | 259.1 | 435.895 | | |
| TMP-5-9S | 157 | 10/31/2014 | 80 | 276.5 | 415.895 | | |
| TMP-5-9S | 157 | 10/31/2014 | 100 | 291.1 | 395.895 | | |
| TMP-5-9S | 158 | 11/3/2014 | 20 | 148 | 475.895 | | |
| TMP-5-9S | 158 | 11/3/2014 | 40 | 239.4 | 455.895 | | |
| TMP-5-9S | 158 | 11/3/2014 | 60 | 257.4 | 435.895 | | |
| TMP-5-9S | 158 | 11/3/2014 | 80 | 274.7 | 415.895 | | |
| TMP-5-9S | 158 | 11/3/2014 | 100 | 290.2 | 395.895 | | |
| TMP-5-9S | 159 | 11/5/2014 | 20 | 149 | 475.895 | | |
| TMP-5-9S | 159 | 11/5/2014 | 40 | 242.8 | 455.895 | | |
| TMP-5-9S | 159 | 11/5/2014 | 60 | 259.9 | 435.895 | | |
| TMP-5-9S | 159 | 11/5/2014 | 80 | 277.2 | 415.895 | | |
| TMP-5-9S | 159 | 11/5/2014 | 100 | 293.6 | 395.895 | | |
| TMP-5-9S | 160 | 11/7/2014 | 20 | 146.9 | 475.895 | | |
| TMP-5-9S | 160 | 11/7/2014 | 40 | 240.7 | 455.895 | | |
| TMP-5-9S | 160 | 11/7/2014 | 60 | 257.3 | 435.895 | | |
| TMP-5-9S | 160 | 11/7/2014 | 80 | 274.7 | 415.895 | | |
| TMP-5-9S | 160 | 11/7/2014 | 100 | 291.1 | 395.895 | | |
| TMP-5-9S | 161 | 11/10/2014 | 20 | 144.5 | 475.895 | | |
| TMP-5-9S | 161 | 11/10/2014 | 40 | 229.5 | 455.895 | | |
| TMP-5-9S | 161 | 11/10/2014 | 60 | 243.8 | 435.895 | | |
| TMP-5-9S | 161 | 11/10/2014 | 80 | 258.7 | 415.895 | | |
| TMP-5-9S | 161 | 11/10/2014 | 100 | 272 | 395.895 | | |
| TMP-5-9S | 162 | 11/12/2014 | 20 | 145 | 475.895 | | |
| TMP-5-9S | 162 | 11/12/2014 | 40 | 230 | 455.895 | | |
| TMP-5-9S | 162 | 11/12/2014 | 60 | 244.5 | 435.895 | | |
| TMP-5-9S | 162 | 11/12/2014 | 80 | 259.3 | 415.895 | | |
| TMP-5-9S | 162 | 11/12/2014 | 100 | 272.3 | 395.895 | | |
| TMP-5-9S | 163 | 11/14/2014 | 20 | 144.9 | 475.895 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|----------|---------|------------|-------|---------|-----------|------------|----------|
| TMP-5-9S | 163 | 11/14/2014 | 40 | 230 | 455.895 | | |
| TMP-5-9S | 163 | 11/14/2014 | 60 | 244.7 | 435.895 | | |
| TMP-5-9S | 163 | 11/14/2014 | 80 | 260 | 415.895 | | |
| TMP-5-9S | 163 | 11/14/2014 | 100 | 272.8 | 395.895 | | |
| TMP-5-9S | 164 | 11/17/2014 | 20 | 145.8 | 475.895 | | |
| TMP-5-9S | 164 | 11/17/2014 | 40 | 230.2 | 455.895 | | |
| TMP-5-9S | 164 | 11/17/2014 | 60 | 245.2 | 435.895 | | |
| TMP-5-9S | 164 | 11/17/2014 | 80 | 260.3 | 415.895 | | |
| TMP-5-9S | 164 | 11/17/2014 | 100 | 272.6 | 395.895 | | |
| TMP-5-9S | 165 | 11/19/2014 | 20 | 146.7 | 475.895 | | |
| TMP-5-9S | 165 | 11/19/2014 | 40 | 231.3 | 455.895 | | |
| TMP-5-9S | 165 | 11/19/2014 | 60 | 248.3 | 435.895 | | |
| TMP-5-9S | 165 | 11/19/2014 | 80 | 262.7 | 415.895 | | |
| TMP-5-9S | 165 | 11/19/2014 | 100 | 274.6 | 395.895 | | |
| TMP-5-9S | 166 | 11/21/2014 | 20 | 144.8 | 475.895 | | |
| TMP-5-9S | 166 | 11/21/2014 | 40 | 230 | 455.895 | | |
| TMP-5-9S | 166 | 11/21/2014 | 60 | 245.9 | 435.895 | | |
| TMP-5-9S | 166 | 11/21/2014 | 80 | 260.5 | 415.895 | | |
| TMP-5-9S | 166 | 11/21/2014 | 100 | 273.4 | 395.895 | | |
| TMP-5-9S | 167 | 11/24/2014 | 20 | 147 | 475.895 | | |
| TMP-5-9S | 167 | 11/24/2014 | 40 | 230.3 | 455.895 | | |
| TMP-5-9S | 167 | 11/24/2014 | 60 | 245.9 | 435.895 | | |
| TMP-5-9S | 167 | 11/24/2014 | 80 | 260.3 | 415.895 | | |
| TMP-5-9S | 167 | 11/24/2014 | 100 | 273 | 395.895 | | |
| TMP-5-9S | 168 | 11/26/2014 | 20 | 146.6 | 475.895 | | |
| TMP-5-9S | 168 | 11/26/2014 | 40 | 229.3 | 455.895 | | |
| TMP-5-9S | 168 | 11/26/2014 | 60 | 244.5 | 435.895 | | |
| TMP-5-9S | 168 | 11/26/2014 | 80 | 258.7 | 415.895 | | |
| TMP-5-9S | 168 | 11/26/2014 | 100 | 270.9 | 395.895 | | |
| TMP-5-9S | 169 | 11/30/2014 | 20 | 145 | 475.895 | | |
| TMP-5-9S | 169 | 11/30/2014 | 40 | 229.1 | 455.895 | | |
| TMP-5-9S | 169 | 11/30/2014 | 60 | 246.3 | 435.895 | | |
| TMP-5-9S | 169 | 11/30/2014 | 80 | 261.4 | 415.895 | | |
| TMP-5-9S | 169 | 11/30/2014 | 100 | 273.8 | 395.895 | | |
| TMP-5-9S | 170 | 12/1/2014 | 20 | 150.5 | 475.895 | | |
| TMP-5-9S | 170 | 12/1/2014 | 40 | 230.3 | 455.895 | | |
| TMP-5-9S | 170 | 12/1/2014 | 60 | 246.6 | 435.895 | | |
| TMP-5-9S | 170 | 12/1/2014 | 80 | 261.7 | 415.895 | | |
| TMP-5-9S | 170 | 12/1/2014 | 100 | 273.5 | 395.895 | | |
| TMP-5-9S | 171 | 12/3/2014 | 20 | 150.2 | 475.895 | | |
| TMP-5-9S | 171 | 12/3/2014 | 40 | 229.8 | 455.895 | | |
| TMP-5-9S | 171 | 12/3/2014 | 60 | 246.6 | 435.895 | | |
| TMP-5-9S | 171 | 12/3/2014 | 80 | 261 | 415.895 | | |
| TMP-5-9S | 171 | 12/3/2014 | 100 | 273.7 | 395.895 | | |
| TMP-5-9S | 172 | 12/6/2014 | 20 | 149.6 | 475.895 | | |
| TMP-5-9S | 172 | 12/6/2014 | 40 | 229.1 | 455.895 | | |
| TMP-5-9S | 172 | 12/6/2014 | 60 | 244.9 | 435.895 | | |
| TMP-5-9S | 172 | 12/6/2014 | 80 | 259.4 | 415.895 | | |
| TMP-5-9S | 172 | 12/6/2014 | 100 | 271.8 | 395.895 | | |
| TMP-5-9S | 173 | 12/8/2014 | 20 | 151.8 | 475.895 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|----------|---------|------------|-------|---------|-----------|------------|----------|
| TMP-5-9S | 173 | 12/8/2014 | 40 | 229.1 | 455.895 | | |
| TMP-5-9S | 173 | 12/8/2014 | 60 | 245 | 435.895 | | |
| TMP-5-9S | 173 | 12/8/2014 | 80 | 259.5 | 415.895 | | |
| TMP-5-9S | 173 | 12/8/2014 | 100 | 271.7 | 395.895 | | |
| TMP-5-9S | 174 | 12/10/2014 | 20 | 151.5 | 475.895 | | |
| TMP-5-9S | 174 | 12/10/2014 | 40 | 228.7 | 455.895 | | |
| TMP-5-9S | 174 | 12/10/2014 | 60 | 244.6 | 435.895 | | |
| TMP-5-9S | 174 | 12/10/2014 | 80 | 259.1 | 415.895 | | |
| TMP-5-9S | 174 | 12/10/2014 | 100 | 271.3 | 395.895 | | |
| TMP-5-9S | 175 | 12/12/2014 | 20 | 151 | 475.895 | | |
| TMP-5-9S | 175 | 12/12/2014 | 40 | 228 | 455.895 | | |
| TMP-5-9S | 175 | 12/12/2014 | 60 | 243.9 | 435.895 | | |
| TMP-5-9S | 175 | 12/12/2014 | 80 | 258.5 | 415.895 | | |
| TMP-5-9S | 175 | 12/12/2014 | 100 | 271 | 395.895 | | |
| TMP-5-9S | 176 | 12/15/2014 | 20 | 150.9 | 475.895 | | |
| TMP-5-9S | 176 | 12/15/2014 | 40 | 228.7 | 455.895 | | |
| TMP-5-9S | 176 | 12/15/2014 | 60 | 244 | 435.895 | | |
| TMP-5-9S | 176 | 12/15/2014 | 80 | 259.4 | 415.895 | | |
| TMP-5-9S | 176 | 12/15/2014 | 100 | 271.5 | 395.895 | | |
| TMP-5-9S | 178 | 12/19/2014 | 20 | 152.1 | 475.895 | | |
| TMP-5-9S | 178 | 12/19/2014 | 40 | 228.4 | 455.895 | | |
| TMP-5-9S | 178 | 12/19/2014 | 60 | 244.5 | 435.895 | | |
| TMP-5-9S | 178 | 12/19/2014 | 80 | 259.1 | 415.895 | | |
| TMP-5-9S | 178 | 12/19/2014 | 100 | 271.1 | 395.895 | | |
| TMP-5-9S | 180 | 12/22/2014 | 20 | 150.4 | 475.895 | | |
| TMP-5-9S | 180 | 12/22/2014 | 40 | 227.9 | 455.895 | | |
| TMP-5-9S | 180 | 12/22/2014 | 60 | 244 | 435.895 | | |
| TMP-5-9S | 180 | 12/22/2014 | 80 | 258.8 | 415.895 | | |
| TMP-5-9S | 180 | 12/22/2014 | 100 | 270.6 | 395.895 | | |
| TMP-5-9S | 179 | 12/24/2014 | 20 | 149.6 | 475.895 | | |
| TMP-5-9S | 179 | 12/24/2014 | 40 | 229 | 455.895 | | |
| TMP-5-9S | 179 | 12/24/2014 | 60 | 245.1 | 435.895 | | |
| TMP-5-9S | 179 | 12/24/2014 | 80 | 259.8 | 415.895 | | |
| TMP-5-9S | 179 | 12/24/2014 | 100 | 271.6 | 395.895 | | |
| TMP-5-9S | 181 | 12/26/2014 | 20 | 149.7 | 475.895 | | |
| TMP-5-9S | 181 | 12/26/2014 | 40 | 229.6 | 455.895 | | |
| TMP-5-9S | 181 | 12/26/2014 | 60 | 247.1 | 435.895 | | |
| TMP-5-9S | 181 | 12/26/2014 | 80 | 262.1 | 415.895 | | |
| TMP-5-9S | 181 | 12/26/2014 | 100 | 274 | 395.895 | | |
| TMP-5-9S | 182 | 12/29/2014 | 20 | 150.4 | 475.895 | | |
| TMP-5-9S | 182 | 12/29/2014 | 40 | 230.9 | 455.895 | | |
| TMP-5-9S | 182 | 12/29/2014 | 60 | 247.7 | 435.895 | | |
| TMP-5-9S | 182 | 12/29/2014 | 80 | 262.9 | 415.895 | | |
| TMP-5-9S | 182 | 12/29/2014 | 100 | 275.3 | 395.895 | | |
| TMP-5-9S | 183 | 12/31/2014 | 20 | 151.4 | 475.895 | | |
| TMP-5-9S | 183 | 12/31/2014 | 40 | 230.5 | 455.895 | | |
| TMP-5-9S | 183 | 12/31/2014 | 60 | 247.4 | 435.895 | | |
| TMP-5-9S | 183 | 12/31/2014 | 80 | 262.5 | 415.895 | | |
| TMP-5-9S | 183 | 12/31/2014 | 100 | 274.5 | 395.895 | | |
| TMP-5-9S | 184 | 1/2/2015 | 20 | 148.5 | 475.895 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|----------|---------|-----------|-------|---------|-----------|------------|----------|
| TMP-5-9S | 184 | 1/2/2015 | 40 | 228.8 | 455.895 | | |
| TMP-5-9S | 184 | 1/2/2015 | 60 | 244.9 | 435.895 | | |
| TMP-5-9S | 184 | 1/2/2015 | 80 | 259.6 | 415.895 | | |
| TMP-5-9S | 184 | 1/2/2015 | 100 | 271.7 | 395.895 | | |
| TMP-5-9S | 185 | 1/5/2015 | 20 | 150.4 | 475.895 | | |
| TMP-5-9S | 185 | 1/5/2015 | 40 | 228.9 | 455.895 | | |
| TMP-5-9S | 185 | 1/5/2015 | 60 | 245 | 435.895 | | |
| TMP-5-9S | 185 | 1/5/2015 | 80 | 259.9 | 415.895 | | |
| TMP-5-9S | 185 | 1/5/2015 | 100 | 271.9 | 395.895 | | |
| TMP-5-9S | 186 | 1/8/2015 | 20 | 153.3 | 475.895 | | |
| TMP-5-9S | 186 | 1/8/2015 | 40 | 230.7 | 455.895 | | |
| TMP-5-9S | 186 | 1/8/2015 | 60 | 246.9 | 435.895 | | |
| TMP-5-9S | 186 | 1/8/2015 | 80 | 261.8 | 415.895 | | |
| TMP-5-9S | 186 | 1/8/2015 | 100 | 273.6 | 395.895 | | |
| TMP-5-9S | 187 | 1/9/2015 | 20 | 151.9 | 475.895 | | |
| TMP-5-9S | 187 | 1/9/2015 | 40 | 230.1 | 455.895 | | |
| TMP-5-9S | 187 | 1/9/2015 | 60 | 246.3 | 435.895 | | |
| TMP-5-9S | 187 | 1/9/2015 | 80 | 261.2 | 415.895 | | |
| TMP-5-9S | 187 | 1/9/2015 | 100 | 272.8 | 395.895 | | |
| TMP-5-9S | 189 | 1/14/2015 | 20 | 149.8 | 475.895 | | |
| TMP-5-9S | 189 | 1/14/2015 | 40 | 230.3 | 455.895 | | |
| TMP-5-9S | 189 | 1/14/2015 | 60 | 246 | 435.895 | | |
| TMP-5-9S | 189 | 1/14/2015 | 80 | 261.1 | 415.895 | | |
| TMP-5-9S | 189 | 1/14/2015 | 100 | 272.1 | 395.895 | | |
| TMP-5-9S | 190 | 1/16/2015 | 20 | 150.6 | 475.895 | | |
| TMP-5-9S | 190 | 1/16/2015 | 40 | 231.4 | 455.895 | | |
| TMP-5-9S | 190 | 1/16/2015 | 60 | 247.9 | 435.895 | | |
| TMP-5-9S | 190 | 1/16/2015 | 80 | 262.2 | 415.895 | | |
| TMP-5-9S | 190 | 1/16/2015 | 100 | 275.2 | 395.895 | | |
| TMP-5-9S | 191 | 1/19/2015 | 20 | 147.9 | 475.895 | | |
| TMP-5-9S | 191 | 1/19/2015 | 40 | 228.4 | 455.895 | | |
| TMP-5-9S | 191 | 1/19/2015 | 60 | 244.6 | 435.895 | | |
| TMP-5-9S | 191 | 1/19/2015 | 80 | 259.3 | 415.895 | | |
| TMP-5-9S | 191 | 1/19/2015 | 100 | 271.6 | 395.895 | | |
| TMP-5-9S | 192 | 1/21/2015 | 20 | 148.7 | 475.895 | | |
| TMP-5-9S | 192 | 1/21/2015 | 40 | 229.5 | 455.895 | | |
| TMP-5-9S | 192 | 1/21/2015 | 60 | 246.9 | 435.895 | | |
| TMP-5-9S | 192 | 1/21/2015 | 80 | 261.7 | 415.895 | | |
| TMP-5-9S | 192 | 1/21/2015 | 100 | 273.7 | 395.895 | | |
| TMP-5-9S | 193 | 1/23/2015 | 20 | 148.7 | 475.895 | | |
| TMP-5-9S | 193 | 1/23/2015 | 40 | 229.1 | 455.895 | | |
| TMP-5-9S | 193 | 1/23/2015 | 60 | 245.3 | 435.895 | | |
| TMP-5-9S | 193 | 1/23/2015 | 80 | 260 | 415.895 | | |
| TMP-5-9S | 193 | 1/23/2015 | 100 | 272 | 395.895 | | |
| TMP-5-9S | 194 | 1/26/2015 | 20 | 149.5 | 475.895 | | |
| TMP-5-9S | 194 | 1/26/2015 | 40 | 228.8 | 455.895 | | |
| TMP-5-9S | 194 | 1/26/2015 | 60 | 245 | 435.895 | | |
| TMP-5-9S | 194 | 1/26/2015 | 80 | 259.5 | 415.895 | | |
| TMP-5-9S | 194 | 1/26/2015 | 100 | 271.7 | 395.895 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|----------|---------|-----------|-------|---------|-----------|------------|---|
| TMP-5-5N | 119 | 9/17/2014 | 20 | 183.7 | 475.256 | | TIMP EQUALIZING, RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-5-5N | 119 | 9/17/2014 | 40 | 207.5 | 455.256 | | TIMP EQUALIZING, RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-5-5N | 119 | 9/17/2014 | 60 | 210.2 | 435.256 | | TIMP EQUALIZING, RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-5-5N | 119 | 9/17/2014 | 80 | 247.6 | 415.256 | | TIMP EQUALIZING, RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-5-5N | 119 | 9/17/2014 | 100 | 274.5 | 395.256 | | TIMP EQUALIZING, RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-5-5N | 121 | 9/19/2014 | 20 | 194.5 | 475.256 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-5-5N | 121 | 9/19/2014 | 40 | 222.1 | 455.256 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-5-5N | 121 | 9/19/2014 | 60 | 222.4 | 435.256 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-5-5N | 121 | 9/19/2014 | 80 | 271.4 | 415.256 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-5-5N | 121 | 9/19/2014 | 100 | 288.9 | 395.256 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-5-5N | 122 | 9/20/2014 | 20 | 192.7 | 475.256 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|----------|---------|-----------|-------|---------|-----------|------------|---|
| TMP-5-5N | 122 | 9/20/2014 | 40 | 225.9 | 455.256 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-5-5N | 122 | 9/20/2014 | 60 | 225.3 | 435.256 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-5-5N | 122 | 9/20/2014 | 80 | 278.4 | 415.256 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-5-5N | 122 | 9/20/2014 | 100 | 294.9 | 395.256 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-5-5N | 124 | 9/21/2014 | 20 | 193.4 | 475.256 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-5-5N | 124 | 9/21/2014 | 40 | 223.3 | 455.256 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-5-5N | 124 | 9/21/2014 | 60 | 224.8 | 435.256 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-5-5N | 124 | 9/21/2014 | 80 | 274.2 | 415.256 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-5-5N | 124 | 9/21/2014 | 100 | 293.4 | 395.256 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-5-5N | 125 | 9/22/2014 | 20 | 181.7 | 475.256 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-5-5N | 125 | 9/22/2014 | 40 | 210.3 | 455.256 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-5-5N | 125 | 9/22/2014 | 60 | 213 | 435.256 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|----------|---------|-----------|-------|---------|-----------|------------|---|
| TMP-5-5N | 125 | 9/22/2014 | 80 | 265.6 | 415.256 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-5-5N | 125 | 9/22/2014 | 100 | 279.9 | 395.256 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-5-5N | 126 | 9/23/2014 | 20 | 183.6 | 475.256 | | |
| TMP-5-5N | 126 | 9/23/2014 | 40 | 214.4 | 455.256 | | |
| TMP-5-5N | 126 | 9/23/2014 | 60 | 216.4 | 435.256 | | |
| TMP-5-5N | 126 | 9/23/2014 | 80 | 268.6 | 415.256 | | |
| TMP-5-5N | 126 | 9/23/2014 | 100 | 283.2 | 395.256 | | |
| TMP-5-5N | 127 | 9/24/2014 | 20 | 184.8 | 475.256 | | |
| TMP-5-5N | 127 | 9/24/2014 | 40 | 214.7 | 455.256 | | |
| TMP-5-5N | 127 | 9/24/2014 | 60 | 216.7 | 435.256 | | |
| TMP-5-5N | 127 | 9/24/2014 | 80 | 269 | 415.256 | | |
| TMP-5-5N | 127 | 9/24/2014 | 100 | 283.5 | 395.256 | | |
| TMP-5-5N | 128 | 9/25/2014 | 20 | 183.5 | 475.256 | | |
| TMP-5-5N | 128 | 9/25/2014 | 40 | 214.6 | 455.256 | | |
| TMP-5-5N | 128 | 9/25/2014 | 60 | 217.5 | 435.256 | | |
| TMP-5-5N | 128 | 9/25/2014 | 80 | 269.4 | 415.256 | | |
| TMP-5-5N | 128 | 9/25/2014 | 100 | 283.3 | 395.256 | | |
| TMP-5-5N | 123 | 9/26/2014 | 20 | 184.7 | 475.256 | | |
| TMP-5-5N | 129 | 9/26/2014 | 20 | 184.7 | 475.256 | | |
| TMP-5-5N | 123 | 9/26/2014 | 40 | 214.9 | 455.256 | | |
| TMP-5-5N | 129 | 9/26/2014 | 40 | 214.9 | 455.256 | | |
| TMP-5-5N | 123 | 9/26/2014 | 60 | 217.8 | 435.256 | | |
| TMP-5-5N | 129 | 9/26/2014 | 60 | 217.8 | 435.256 | | |
| TMP-5-5N | 129 | 9/26/2014 | 80 | 269 | 415.256 | | |
| TMP-5-5N | 123 | 9/26/2014 | 80 | 269 | 415.256 | | |
| TMP-5-5N | 129 | 9/26/2014 | 100 | 282.9 | 395.256 | | |
| TMP-5-5N | 123 | 9/26/2014 | 100 | 282.9 | 395.256 | | |
| TMP-5-5N | 130 | 9/27/2014 | 20 | 185.7 | 475.256 | | |
| TMP-5-5N | 130 | 9/27/2014 | 40 | 215.5 | 455.256 | | |
| TMP-5-5N | 130 | 9/27/2014 | 60 | 218.7 | 435.256 | | |
| TMP-5-5N | 130 | 9/27/2014 | 80 | 270.2 | 415.256 | | |
| TMP-5-5N | 130 | 9/27/2014 | 100 | 283.6 | 395.256 | | |
| TMP-5-5N | 131 | 9/28/2014 | 20 | 185.9 | 475.256 | | |
| TMP-5-5N | 131 | 9/28/2014 | 40 | 215.9 | 455.256 | | |
| TMP-5-5N | 131 | 9/28/2014 | 60 | 219.1 | 435.256 | | |
| TMP-5-5N | 131 | 9/28/2014 | 80 | 270.6 | 415.256 | | |
| TMP-5-5N | 131 | 9/28/2014 | 100 | 284.4 | 395.256 | | |
| TMP-5-5N | 132 | 9/29/2014 | 20 | 183.1 | 475.256 | | |
| TMP-5-5N | 132 | 9/29/2014 | 40 | 214.4 | 455.256 | | |
| TMP-5-5N | 132 | 9/29/2014 | 60 | 217.9 | 435.256 | | |
| TMP-5-5N | 132 | 9/29/2014 | 80 | 268.8 | 415.256 | | |
| TMP-5-5N | 132 | 9/29/2014 | 100 | 282.6 | 395.256 | | |
| TMP-5-5N | 133 | 9/30/2014 | 20 | 185 | 475.256 | | |
| TMP-5-5N | 133 | 9/30/2014 | 40 | 215.5 | 455.256 | | |
| TMP-5-5N | 133 | 9/30/2014 | 60 | 220.1 | 435.256 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|----------|---------|-----------|-------|---------|-----------|------------|--|
| TMP-5-5N | 133 | 9/30/2014 | 80 | 269.8 | 415.256 | | |
| TMP-5-5N | 133 | 9/30/2014 | 100 | 283.6 | 395.256 | | |
| TMP-5-5N | 134 | 10/1/2014 | 20 | 95.2 | 475.256 | | |
| TMP-5-5N | 134 | 10/1/2014 | 40 | 213.8 | 455.256 | | |
| TMP-5-5N | 134 | 10/1/2014 | 60 | 217.7 | 435.256 | | |
| TMP-5-5N | 134 | 10/1/2014 | 80 | 268 | 415.256 | | |
| TMP-5-5N | 134 | 10/1/2014 | 100 | 281.6 | 395.256 | | |
| TMP-5-5N | 135 | 10/2/2014 | 20 | 77.2 | 475.256 | | |
| TMP-5-5N | 135 | 10/2/2014 | 40 | 215.7 | 455.256 | | |
| TMP-5-5N | 135 | 10/2/2014 | 60 | 219.9 | 435.256 | | |
| TMP-5-5N | 135 | 10/2/2014 | 80 | 270.3 | 415.256 | | |
| TMP-5-5N | 135 | 10/2/2014 | 100 | 283.8 | 395.256 | | |
| TMP-5-5N | 137 | 10/3/2014 | 20 | 60.9 | 475.256 | | |
| TMP-5-5N | 137 | 10/3/2014 | 40 | 216.5 | 455.256 | | |
| TMP-5-5N | 137 | 10/3/2014 | 60 | 220.3 | 435.256 | | |
| TMP-5-5N | 137 | 10/3/2014 | 80 | 271 | 415.256 | | |
| TMP-5-5N | 137 | 10/3/2014 | 100 | 284.4 | 395.256 | | |
| TMP-5-5N | 138 | 10/4/2014 | 20 | 56.8 | 475.256 | | |
| TMP-5-5N | 138 | 10/4/2014 | 40 | 217.8 | 455.256 | | |
| TMP-5-5N | 138 | 10/4/2014 | 60 | 221.1 | 435.256 | | |
| TMP-5-5N | 138 | 10/4/2014 | 80 | 272.2 | 415.256 | | |
| TMP-5-5N | 138 | 10/4/2014 | 100 | 285.6 | 395.256 | | |
| TMP-5-5N | 139 | 10/5/2014 | 20 | 55 | 475.256 | | |
| TMP-5-5N | 139 | 10/5/2014 | 40 | 216 | 455.256 | | |
| TMP-5-5N | 139 | 10/5/2014 | 60 | 219.5 | 435.256 | | |
| TMP-5-5N | 139 | 10/5/2014 | 80 | 270.4 | 415.256 | | |
| TMP-5-5N | 139 | 10/5/2014 | 100 | 283.9 | 395.256 | | |
| TMP-5-5N | 140 | 10/6/2014 | 20 | 77 | 475.256 | | |
| TMP-5-5N | 140 | 10/6/2014 | 40 | 216.5 | 455.256 | | |
| TMP-5-5N | 140 | 10/6/2014 | 60 | 219.8 | 435.256 | | |
| TMP-5-5N | 140 | 10/6/2014 | 80 | 270.8 | 415.256 | | |
| TMP-5-5N | 140 | 10/6/2014 | 100 | 284.2 | 395.256 | | |
| TMP-5-5N | 141 | 10/7/2014 | 20 | 84.2 | 475.256 | | |
| TMP-5-5N | 141 | 10/7/2014 | 40 | 216.6 | 455.256 | | |
| TMP-5-5N | 141 | 10/7/2014 | 60 | 219.6 | 435.256 | | |
| TMP-5-5N | 141 | 10/7/2014 | 80 | 271.2 | 415.256 | | |
| TMP-5-5N | 141 | 10/7/2014 | 100 | 284.6 | 395.256 | | |
| TMP-5-5N | 136 | 10/8/2014 | 20 | 81.1 | 475.256 | | |
| TMP-5-5N | 136 | 10/8/2014 | 40 | 212.9 | 455.256 | | |
| TMP-5-5N | 136 | 10/8/2014 | 60 | 215.9 | 435.256 | | |
| TMP-5-5N | 136 | 10/8/2014 | 80 | 267.3 | 415.256 | | |
| TMP-5-5N | 136 | 10/8/2014 | 100 | 280.9 | 395.256 | | |
| TMP-5-5N | 142 | 10/9/2014 | 20 | 63.6 | 475.256 | | Multimeter not working due to water damage |
| TMP-5-5N | 142 | 10/9/2014 | 40 | 216.9 | 455.256 | | Multimeter not working due to water damage |
| TMP-5-5N | 142 | 10/9/2014 | 60 | 214.1 | 435.256 | | Multimeter not working due to water damage |
| TMP-5-5N | 142 | 10/9/2014 | 80 | 271 | 415.256 | | Multimeter not working due to water damage |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|----------|---------|------------|-------|---------|-----------|------------|--|
| TMP-5-5N | 142 | 10/9/2014 | 100 | 284.5 | 395.256 | | Multimeter not working due to water damage |
| TMP-5-5N | 143 | 10/10/2014 | 20 | 56.4 | 475.256 | | |
| TMP-5-5N | 143 | 10/10/2014 | 40 | 208.5 | 455.256 | | |
| TMP-5-5N | 143 | 10/10/2014 | 60 | 179.2 | 435.256 | | |
| TMP-5-5N | 143 | 10/10/2014 | 80 | 272.2 | 415.256 | | |
| TMP-5-5N | 143 | 10/10/2014 | 100 | 285.8 | 395.256 | | |
| TMP-5-5N | 144 | 10/11/2014 | 20 | 59.3 | 475.256 | | |
| TMP-5-5N | 144 | 10/11/2014 | 40 | 203.3 | 455.256 | | |
| TMP-5-5N | 144 | 10/11/2014 | 60 | 195.9 | 435.256 | | |
| TMP-5-5N | 144 | 10/11/2014 | 80 | 270.3 | 415.256 | | |
| TMP-5-5N | 144 | 10/11/2014 | 100 | 284.5 | 395.256 | | |
| TMP-5-5N | 145 | 10/12/2014 | 20 | 60.5 | 475.256 | | |
| TMP-5-5N | 145 | 10/12/2014 | 40 | 207.2 | 455.256 | | |
| TMP-5-5N | 145 | 10/12/2014 | 60 | 205.7 | 435.256 | | |
| TMP-5-5N | 145 | 10/12/2014 | 80 | 272.3 | 415.256 | | |
| TMP-5-5N | 145 | 10/12/2014 | 100 | 284.7 | 395.256 | | |
| TMP-5-5N | 146 | 10/13/2014 | 20 | 67.1 | 475.256 | | |
| TMP-5-5N | 146 | 10/13/2014 | 40 | 210.6 | 455.256 | | |
| TMP-5-5N | 146 | 10/13/2014 | 60 | 206.1 | 435.256 | | |
| TMP-5-5N | 146 | 10/13/2014 | 80 | 272.7 | 415.256 | | |
| TMP-5-5N | 146 | 10/13/2014 | 100 | 291.9 | 395.256 | | |
| TMP-5-5N | 148 | 10/14/2014 | 20 | 58.5 | 475.256 | | |
| TMP-5-5N | 148 | 10/14/2014 | 40 | 200.5 | 455.256 | | |
| TMP-5-5N | 148 | 10/14/2014 | 60 | 179.2 | 435.256 | | |
| TMP-5-5N | 148 | 10/14/2014 | 80 | 272.7 | 415.256 | | |
| TMP-5-5N | 148 | 10/14/2014 | 100 | 285.5 | 395.256 | | |
| TMP-5-5N | 149 | 10/15/2014 | 20 | 60 | 475.256 | | |
| TMP-5-5N | 149 | 10/15/2014 | 40 | 189.2 | 455.256 | | |
| TMP-5-5N | 149 | 10/15/2014 | 60 | 160.1 | 435.256 | | |
| TMP-5-5N | 149 | 10/15/2014 | 80 | 273 | 415.256 | | |
| TMP-5-5N | 149 | 10/15/2014 | 100 | 286.9 | 395.256 | | |
| TMP-5-5N | 150 | 10/16/2014 | 20 | 76.8 | 475.256 | | |
| TMP-5-5N | 150 | 10/16/2014 | 40 | 160.3 | 455.256 | | |
| TMP-5-5N | 150 | 10/16/2014 | 60 | 120 | 435.256 | | |
| TMP-5-5N | 150 | 10/16/2014 | 80 | 276.5 | 415.256 | | |
| TMP-5-5N | 150 | 10/16/2014 | 100 | 291.8 | 395.256 | | |
| TMP-5-5N | 147 | 10/17/2014 | 20 | 76.8 | 475.256 | | |
| TMP-5-5N | 147 | 10/17/2014 | 40 | 160.3 | 455.256 | | |
| TMP-5-5N | 147 | 10/17/2014 | 60 | 120 | 435.256 | | |
| TMP-5-5N | 147 | 10/17/2014 | 80 | 276.5 | 415.256 | | |
| TMP-5-5N | 147 | 10/17/2014 | 100 | 291.8 | 395.256 | | |
| TMP-5-5N | 152 | 10/20/2014 | 20 | 83.3 | 475.256 | | |
| TMP-5-5N | 152 | 10/20/2014 | 40 | 158.4 | 455.256 | | |
| TMP-5-5N | 152 | 10/20/2014 | 60 | 143.5 | 435.256 | | |
| TMP-5-5N | 152 | 10/20/2014 | 80 | 276.1 | 415.256 | | |
| TMP-5-5N | 152 | 10/20/2014 | 100 | 290.9 | 395.256 | | |
| TMP-5-5N | 153 | 10/22/2014 | 20 | 59.5 | 475.256 | | |
| TMP-5-5N | 153 | 10/22/2014 | 40 | 172.8 | 455.256 | | |
| TMP-5-5N | 153 | 10/22/2014 | 60 | 167.2 | 435.256 | | |
| TMP-5-5N | 153 | 10/22/2014 | 80 | 274.1 | 415.256 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|----------|---------|------------|-------|---------|-----------|------------|----------|
| TMP-5-5N | 153 | 10/22/2014 | 100 | 288.4 | 395.256 | | |
| TMP-5-5N | 154 | 10/24/2014 | 20 | 85 | 475.256 | | |
| TMP-5-5N | 154 | 10/24/2014 | 40 | 180.6 | 455.256 | | |
| TMP-5-5N | 154 | 10/24/2014 | 60 | 160 | 435.256 | | |
| TMP-5-5N | 154 | 10/24/2014 | 80 | 272.1 | 415.256 | | |
| TMP-5-5N | 154 | 10/24/2014 | 100 | 285.1 | 395.256 | | |
| TMP-5-5N | 155 | 10/27/2014 | 20 | 88.2 | 475.256 | | |
| TMP-5-5N | 155 | 10/27/2014 | 40 | 151.1 | 455.256 | | |
| TMP-5-5N | 155 | 10/27/2014 | 60 | 121.9 | 435.256 | | |
| TMP-5-5N | 155 | 10/27/2014 | 80 | 274.4 | 415.256 | | |
| TMP-5-5N | 155 | 10/27/2014 | 100 | 289.3 | 395.256 | | |
| TMP-5-5N | 156 | 10/29/2014 | 20 | 62.1 | 475.256 | | |
| TMP-5-5N | 156 | 10/29/2014 | 40 | 140.1 | 455.256 | | |
| TMP-5-5N | 156 | 10/29/2014 | 60 | 102.2 | 435.256 | | |
| TMP-5-5N | 156 | 10/29/2014 | 80 | 275.3 | 415.256 | | |
| TMP-5-5N | 156 | 10/29/2014 | 100 | 289.1 | 395.256 | | |
| TMP-5-5N | 157 | 10/31/2014 | 20 | 60.2 | 475.256 | | |
| TMP-5-5N | 157 | 10/31/2014 | 40 | 133.8 | 455.256 | | |
| TMP-5-5N | 157 | 10/31/2014 | 60 | 95.6 | 435.256 | | |
| TMP-5-5N | 157 | 10/31/2014 | 80 | 278 | 415.256 | | |
| TMP-5-5N | 157 | 10/31/2014 | 100 | 292 | 395.256 | | |
| TMP-5-5N | 158 | 11/3/2014 | 20 | 81.7 | 475.256 | | |
| TMP-5-5N | 158 | 11/3/2014 | 40 | 132.1 | 455.256 | | |
| TMP-5-5N | 158 | 11/3/2014 | 60 | 101.1 | 435.256 | | |
| TMP-5-5N | 158 | 11/3/2014 | 80 | 275.3 | 415.256 | | |
| TMP-5-5N | 158 | 11/3/2014 | 100 | 289.1 | 395.256 | | |
| TMP-5-5N | 159 | 11/5/2014 | 20 | 63.3 | 475.256 | | |
| TMP-5-5N | 159 | 11/5/2014 | 40 | 128.4 | 455.256 | | |
| TMP-5-5N | 159 | 11/5/2014 | 60 | 93.1 | 435.256 | | |
| TMP-5-5N | 159 | 11/5/2014 | 80 | 276.9 | 415.256 | | |
| TMP-5-5N | 159 | 11/5/2014 | 100 | 290.8 | 395.256 | | |
| TMP-5-5N | 160 | 11/7/2014 | 20 | 59 | 475.256 | | |
| TMP-5-5N | 160 | 11/7/2014 | 40 | 123 | 455.256 | | |
| TMP-5-5N | 160 | 11/7/2014 | 60 | 84.8 | 435.256 | | |
| TMP-5-5N | 160 | 11/7/2014 | 80 | 274.9 | 415.256 | | |
| TMP-5-5N | 160 | 11/7/2014 | 100 | 288.1 | 395.256 | | |
| TMP-5-5N | 161 | 11/10/2014 | 20 | 73.2 | 475.256 | | |
| TMP-5-5N | 161 | 11/10/2014 | 40 | 117.9 | 455.256 | | |
| TMP-5-5N | 161 | 11/10/2014 | 60 | 87.1 | 435.256 | | |
| TMP-5-5N | 161 | 11/10/2014 | 80 | 257.6 | 415.256 | | |
| TMP-5-5N | 161 | 11/10/2014 | 100 | 268.4 | 395.256 | | |
| TMP-5-5N | 162 | 11/12/2014 | 20 | 38.7 | 475.256 | | |
| TMP-5-5N | 162 | 11/12/2014 | 40 | 115.5 | 455.256 | | |
| TMP-5-5N | 162 | 11/12/2014 | 60 | 80.6 | 435.256 | | |
| TMP-5-5N | 162 | 11/12/2014 | 80 | 258.3 | 415.256 | | |
| TMP-5-5N | 162 | 11/12/2014 | 100 | 269.4 | 395.256 | | |
| TMP-5-5N | 163 | 11/14/2014 | 20 | 52.5 | 475.256 | | |
| TMP-5-5N | 163 | 11/14/2014 | 40 | 118 | 455.256 | | |
| TMP-5-5N | 163 | 11/14/2014 | 60 | 89.1 | 435.256 | | |
| TMP-5-5N | 163 | 11/14/2014 | 80 | 260.9 | 415.256 | | |
| TMP-5-5N | 163 | 11/14/2014 | 100 | 271.2 | 395.256 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|----------|---------|------------|-------|---------|-----------|------------|----------|
| TMP-5-5N | 164 | 11/17/2014 | 20 | 28.5 | 475.256 | | |
| TMP-5-5N | 164 | 11/17/2014 | 40 | 113.4 | 455.256 | | |
| TMP-5-5N | 164 | 11/17/2014 | 60 | 79.1 | 435.256 | | |
| TMP-5-5N | 164 | 11/17/2014 | 80 | 259.4 | 415.256 | | |
| TMP-5-5N | 164 | 11/17/2014 | 100 | 270 | 395.256 | | |
| TMP-5-5N | 165 | 11/19/2014 | 20 | 51.1 | 475.256 | | |
| TMP-5-5N | 165 | 11/19/2014 | 40 | 113.4 | 455.256 | | |
| TMP-5-5N | 165 | 11/19/2014 | 60 | 84.1 | 435.256 | | |
| TMP-5-5N | 165 | 11/19/2014 | 80 | 260.5 | 415.256 | | |
| TMP-5-5N | 165 | 11/19/2014 | 100 | 271.4 | 395.256 | | |
| TMP-5-5N | 166 | 11/21/2014 | 20 | 42 | 475.256 | | |
| TMP-5-5N | 166 | 11/21/2014 | 40 | 114.5 | 455.256 | | |
| TMP-5-5N | 166 | 11/21/2014 | 60 | 88.2 | 435.256 | | |
| TMP-5-5N | 166 | 11/21/2014 | 80 | 259.2 | 415.256 | | |
| TMP-5-5N | 166 | 11/21/2014 | 100 | 269.8 | 395.256 | | |
| TMP-5-5N | 167 | 11/24/2014 | 20 | 44.2 | 475.256 | | |
| TMP-5-5N | 167 | 11/24/2014 | 40 | 122.8 | 455.256 | | |
| TMP-5-5N | 167 | 11/24/2014 | 60 | 98.7 | 435.256 | | |
| TMP-5-5N | 167 | 11/24/2014 | 80 | 260.2 | 415.256 | | |
| TMP-5-5N | 167 | 11/24/2014 | 100 | 271.1 | 395.256 | | |
| TMP-5-5N | 168 | 11/26/2014 | 20 | 36.2 | 475.256 | | |
| TMP-5-5N | 168 | 11/26/2014 | 40 | 117.3 | 455.256 | | |
| TMP-5-5N | 168 | 11/26/2014 | 60 | 91.7 | 435.256 | | |
| TMP-5-5N | 168 | 11/26/2014 | 80 | 258.7 | 415.256 | | |
| TMP-5-5N | 168 | 11/26/2014 | 100 | 268.9 | 395.256 | | |
| TMP-5-5N | 169 | 11/30/2014 | 20 | 71.6 | 475.256 | | |
| TMP-5-5N | 169 | 11/30/2014 | 40 | 112.1 | 455.256 | | |
| TMP-5-5N | 169 | 11/30/2014 | 60 | 87 | 435.256 | | |
| TMP-5-5N | 169 | 11/30/2014 | 80 | 260.7 | 415.256 | | |
| TMP-5-5N | 169 | 11/30/2014 | 100 | 270.3 | 395.256 | | |
| TMP-5-5N | 170 | 12/1/2014 | 20 | 39 | 475.256 | | |
| TMP-5-5N | 170 | 12/1/2014 | 40 | 111.7 | 455.256 | | |
| TMP-5-5N | 170 | 12/1/2014 | 60 | 83.2 | 435.256 | | |
| TMP-5-5N | 170 | 12/1/2014 | 80 | 260 | 415.256 | | |
| TMP-5-5N | 170 | 12/1/2014 | 100 | 269.5 | 395.256 | | |
| TMP-5-5N | 171 | 12/3/2014 | 20 | 60.6 | 475.256 | | |
| TMP-5-5N | 171 | 12/3/2014 | 40 | 110.2 | 455.256 | | |
| TMP-5-5N | 171 | 12/3/2014 | 60 | 77.9 | 435.256 | | |
| TMP-5-5N | 171 | 12/3/2014 | 80 | 260.3 | 415.256 | | |
| TMP-5-5N | 171 | 12/3/2014 | 100 | 270 | 395.256 | | |
| TMP-5-5N | 172 | 12/6/2014 | 20 | 40.8 | 475.256 | | |
| TMP-5-5N | 172 | 12/6/2014 | 40 | 108 | 455.256 | | |
| TMP-5-5N | 172 | 12/6/2014 | 60 | 78 | 435.256 | | |
| TMP-5-5N | 172 | 12/6/2014 | 80 | 259.1 | 415.256 | | |
| TMP-5-5N | 172 | 12/6/2014 | 100 | 268.8 | 395.256 | | |
| TMP-5-5N | 173 | 12/8/2014 | 20 | 44.7 | 475.256 | | |
| TMP-5-5N | 173 | 12/8/2014 | 40 | 106 | 455.256 | | |
| TMP-5-5N | 173 | 12/8/2014 | 60 | 76.5 | 435.256 | | |
| TMP-5-5N | 173 | 12/8/2014 | 80 | 259.9 | 415.256 | | |
| TMP-5-5N | 173 | 12/8/2014 | 100 | 268.1 | 395.256 | | |
| TMP-5-5N | 174 | 12/10/2014 | 20 | 38.6 | 475.256 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|----------|---------|------------|-------|---------|-----------|------------|----------------------------------|
| TMP-5-5N | 174 | 12/10/2014 | 40 | 105.4 | 455.256 | | |
| TMP-5-5N | 174 | 12/10/2014 | 60 | 75.5 | 435.256 | | |
| TMP-5-5N | 174 | 12/10/2014 | 80 | 259.4 | 415.256 | | |
| TMP-5-5N | 174 | 12/10/2014 | 100 | 269.3 | 395.256 | | |
| TMP-5-5N | 175 | 12/12/2014 | 20 | 42.6 | 475.256 | | |
| TMP-5-5N | 175 | 12/12/2014 | 40 | 102.8 | 455.256 | | |
| TMP-5-5N | 175 | 12/12/2014 | 60 | 72.9 | 435.256 | | |
| TMP-5-5N | 175 | 12/12/2014 | 80 | 258.2 | 415.256 | | |
| TMP-5-5N | 175 | 12/12/2014 | 100 | 268.3 | 395.256 | | |
| TMP-5-5N | 176 | 12/15/2014 | 20 | 53.2 | 475.256 | | |
| TMP-5-5N | 176 | 12/15/2014 | 40 | 108.6 | 455.256 | | |
| TMP-5-5N | 176 | 12/15/2014 | 60 | 82.2 | 435.256 | | |
| TMP-5-5N | 176 | 12/15/2014 | 80 | 258.9 | 415.256 | | |
| TMP-5-5N | 176 | 12/15/2014 | 100 | 269.1 | 395.256 | | |
| TMP-5-5N | 178 | 12/19/2014 | 20 | | 475.256 | 38.6 | Low resistivity, Low temperature |
| TMP-5-5N | 178 | 12/19/2014 | 40 | 103.2 | 455.256 | | |
| TMP-5-5N | 178 | 12/19/2014 | 60 | 72.3 | 435.256 | | |
| TMP-5-5N | 178 | 12/19/2014 | 80 | 258.4 | 415.256 | | |
| TMP-5-5N | 178 | 12/19/2014 | 100 | 268.7 | 395.256 | | |
| TMP-5-5N | 180 | 12/22/2014 | 20 | 48.8 | 475.256 | | |
| TMP-5-5N | 180 | 12/22/2014 | 40 | 104.2 | 455.256 | | |
| TMP-5-5N | 180 | 12/22/2014 | 60 | 76.3 | 435.256 | | |
| TMP-5-5N | 180 | 12/22/2014 | 80 | 258 | 415.256 | | |
| TMP-5-5N | 180 | 12/22/2014 | 100 | 268 | 395.256 | | |
| TMP-5-5N | 179 | 12/24/2014 | 20 | 43 | 475.256 | | |
| TMP-5-5N | 179 | 12/24/2014 | 40 | 107.2 | 455.256 | | |
| TMP-5-5N | 179 | 12/24/2014 | 60 | 78.7 | 435.256 | | |
| TMP-5-5N | 179 | 12/24/2014 | 80 | 259.5 | 415.256 | | |
| TMP-5-5N | 179 | 12/24/2014 | 100 | 269.5 | 395.256 | | |
| TMP-5-5N | 181 | 12/26/2014 | 20 | 58.8 | 475.256 | | |
| TMP-5-5N | 181 | 12/26/2014 | 40 | 101 | 455.256 | | |
| TMP-5-5N | 181 | 12/26/2014 | 60 | 76 | 435.256 | | |
| TMP-5-5N | 181 | 12/26/2014 | 80 | 258.5 | 415.256 | | |
| TMP-5-5N | 181 | 12/26/2014 | 100 | 268.7 | 395.256 | | |
| TMP-5-5N | 182 | 12/29/2014 | 20 | 54.1 | 475.256 | | |
| TMP-5-5N | 182 | 12/29/2014 | 40 | 103.7 | 455.256 | | |
| TMP-5-5N | 182 | 12/29/2014 | 60 | 74.7 | 435.256 | | |
| TMP-5-5N | 182 | 12/29/2014 | 80 | 260.4 | 415.256 | | |
| TMP-5-5N | 182 | 12/29/2014 | 100 | 270.7 | 395.256 | | |
| TMP-5-5N | 183 | 12/31/2014 | 20 | 38.4 | 475.256 | | |
| TMP-5-5N | 183 | 12/31/2014 | 40 | 101.2 | 455.256 | | |
| TMP-5-5N | 183 | 12/31/2014 | 60 | 73.7 | 435.256 | | |
| TMP-5-5N | 183 | 12/31/2014 | 80 | 261.5 | 415.256 | | |
| TMP-5-5N | 183 | 12/31/2014 | 100 | 271.9 | 395.256 | | |
| TMP-5-5N | 184 | 1/2/2015 | 20 | 45.5 | 475.256 | | |
| TMP-5-5N | 184 | 1/2/2015 | 40 | 106.5 | 455.256 | | |
| TMP-5-5N | 184 | 1/2/2015 | 60 | 85.9 | 435.256 | | |
| TMP-5-5N | 184 | 1/2/2015 | 80 | 258.3 | 415.256 | | |
| TMP-5-5N | 184 | 1/2/2015 | 100 | 268.6 | 395.256 | | |
| TMP-5-5N | 185 | 1/5/2015 | 20 | 34.4 | 475.256 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|----------|---------|-----------|-------|---------|-----------|------------|----------|
| TMP-5-5N | 185 | 1/5/2015 | 40 | 103.6 | 455.256 | | |
| TMP-5-5N | 185 | 1/5/2015 | 60 | 78.5 | 435.256 | | |
| TMP-5-5N | 185 | 1/5/2015 | 80 | 259.3 | 415.256 | | |
| TMP-5-5N | 185 | 1/5/2015 | 100 | 270.4 | 395.256 | | |
| TMP-5-5N | 186 | 1/8/2015 | 20 | 20.4 | 475.256 | | |
| TMP-5-5N | 186 | 1/8/2015 | 40 | 106.1 | 455.256 | | |
| TMP-5-5N | 186 | 1/8/2015 | 60 | 80.6 | 435.256 | | |
| TMP-5-5N | 186 | 1/8/2015 | 80 | 259.9 | 415.256 | | |
| TMP-5-5N | 186 | 1/8/2015 | 100 | 270.7 | 395.256 | | |
| TMP-5-5N | 187 | 1/9/2015 | 20 | 30.6 | 475.256 | | |
| TMP-5-5N | 187 | 1/9/2015 | 40 | 106.4 | 455.256 | | |
| TMP-5-5N | 187 | 1/9/2015 | 60 | 83.2 | 435.256 | | |
| TMP-5-5N | 187 | 1/9/2015 | 80 | 259.2 | 415.256 | | |
| TMP-5-5N | 187 | 1/9/2015 | 100 | 270.3 | 395.256 | | |
| TMP-5-5N | 188 | 1/12/2015 | 20 | 34.9 | 475.256 | | |
| TMP-5-5N | 188 | 1/12/2015 | 40 | 110.6 | 455.256 | | |
| TMP-5-5N | 188 | 1/12/2015 | 60 | 91 | 435.256 | | |
| TMP-5-5N | 188 | 1/12/2015 | 80 | 258.1 | 415.256 | | |
| TMP-5-5N | 188 | 1/12/2015 | 100 | 269.1 | 395.256 | | |
| TMP-5-5N | 189 | 1/14/2015 | 20 | 36 | 475.256 | | |
| TMP-5-5N | 189 | 1/14/2015 | 40 | 109.2 | 455.256 | | |
| TMP-5-5N | 189 | 1/14/2015 | 60 | 75.8 | 435.256 | | |
| TMP-5-5N | 189 | 1/14/2015 | 80 | 257.9 | 415.256 | | |
| TMP-5-5N | 189 | 1/14/2015 | 100 | 269 | 395.256 | | |
| TMP-5-5N | 190 | 1/16/2015 | 20 | 57.4 | 475.256 | | |
| TMP-5-5N | 190 | 1/16/2015 | 40 | 104 | 455.256 | | |
| TMP-5-5N | 190 | 1/16/2015 | 60 | 76.7 | 435.256 | | |
| TMP-5-5N | 190 | 1/16/2015 | 80 | 259 | 415.256 | | |
| TMP-5-5N | 190 | 1/16/2015 | 100 | 270.6 | 395.256 | | |
| TMP-5-5N | 191 | 1/19/2015 | 20 | 45.9 | 475.256 | | |
| TMP-5-5N | 191 | 1/19/2015 | 40 | 111.2 | 455.256 | | |
| TMP-5-5N | 191 | 1/19/2015 | 60 | 93 | 435.256 | | |
| TMP-5-5N | 191 | 1/19/2015 | 80 | 257.5 | 415.256 | | |
| TMP-5-5N | 191 | 1/19/2015 | 100 | 268.6 | 395.256 | | |
| TMP-5-5N | 192 | 1/21/2015 | 20 | 52.3 | 475.256 | | |
| TMP-5-5N | 192 | 1/21/2015 | 40 | 105.7 | 455.256 | | |
| TMP-5-5N | 192 | 1/21/2015 | 60 | 78 | 435.256 | | |
| TMP-5-5N | 192 | 1/21/2015 | 80 | 258.4 | 415.256 | | |
| TMP-5-5N | 192 | 1/21/2015 | 100 | 269.6 | 395.256 | | |
| TMP-5-5N | 193 | 1/23/2015 | 20 | 37.9 | 475.256 | | |
| TMP-5-5N | 193 | 1/23/2015 | 40 | 99.1 | 455.256 | | |
| TMP-5-5N | 193 | 1/23/2015 | 60 | 73.5 | 435.256 | | |
| TMP-5-5N | 193 | 1/23/2015 | 80 | 258 | 415.256 | | |
| TMP-5-5N | 193 | 1/23/2015 | 100 | 269 | 395.256 | | |
| TMP-5-5N | 194 | 1/26/2015 | 20 | 36.4 | 475.256 | | |
| TMP-5-5N | 194 | 1/26/2015 | 40 | 102.2 | 455.256 | | |
| TMP-5-5N | 194 | 1/26/2015 | 60 | 73.7 | 435.256 | | |
| TMP-5-5N | 194 | 1/26/2015 | 80 | 258.3 | 415.256 | | |
| TMP-5-5N | 194 | 1/26/2015 | 100 | 269.3 | 395.256 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|----------|---------|-----------|-------|---------|-----------|------------|---|
| TMP-5-5S | 118 | 9/16/2014 | 20 | 155.5 | 473.746 | | TIMP EQUALIZING, RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-5-5S | 118 | 9/16/2014 | 40 | 191.3 | 453.746 | | TIMP EQUALIZING, RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-5-5S | 118 | 9/16/2014 | 60 | 188 | 433.746 | | TIMP EQUALIZING, RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-5-5S | 118 | 9/16/2014 | 80 | 224 | 413.746 | | TIMP EQUALIZING, RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-5-5S | 118 | 9/16/2014 | 100 | 277.1 | 393.746 | | TIMP EQUALIZING, RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-5-5S | 121 | 9/19/2014 | 20 | 170.5 | 473.746 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-5-5S | 121 | 9/19/2014 | 40 | 228.7 | 453.746 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-5-5S | 121 | 9/19/2014 | 60 | 235.4 | 433.746 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-5-5S | 121 | 9/19/2014 | 80 | 266 | 413.746 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-5-5S | 121 | 9/19/2014 | 100 | 295.1 | 393.746 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-5-5S | 122 | 9/20/2014 | 20 | 169.5 | 473.746 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|----------|---------|-----------|-------|---------|-----------|------------|--|
| TMP-5-5S | 122 | 9/20/2014 | 40 | 239.9 | 453.746 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-5-5S | 122 | 9/20/2014 | 60 | 243.9 | 433.746 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-5-5S | 122 | 9/20/2014 | 80 | 276.8 | 413.746 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-5-5S | 122 | 9/20/2014 | 100 | 303.6 | 393.746 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-5-5S | 124 | 9/21/2014 | 20 | 177.6 | 473.746 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-5-5S | 124 | 9/21/2014 | 40 | 239.8 | 453.746 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-5-5S | 124 | 9/21/2014 | 60 | 249.8 | 433.746 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-5-5S | 124 | 9/21/2014 | 80 | 275.1 | 413.746 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-5-5S | 124 | 9/21/2014 | 100 | 299.7 | 393.746 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-5-5S | 125 | 9/22/2014 | 20 | 166.5 | 473.746 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-5-5S | 125 | 9/22/2014 | 40 | 229 | 453.746 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-5-5S | 125 | 9/22/2014 | 60 | 240.7 | 433.746 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|----------|---------|-----------|-------|---------|-----------|------------|--|
| TMP-5-5S | 125 | 9/22/2014 | 80 | 265.5 | 413.746 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-5-5S | 125 | 9/22/2014 | 100 | 289.2 | 393.746 | | RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE |
| TMP-5-5S | 126 | 9/23/2014 | 20 | 167.5 | 473.746 | | |
| TMP-5-5S | 126 | 9/23/2014 | 40 | 229.9 | 453.746 | | |
| TMP-5-5S | 126 | 9/23/2014 | 60 | 241.6 | 433.746 | | |
| TMP-5-5S | 126 | 9/23/2014 | 80 | 265.8 | 413.746 | | |
| TMP-5-5S | 126 | 9/23/2014 | 100 | 288.9 | 393.746 | | |
| TMP-5-5S | 127 | 9/24/2014 | 20 | 168.6 | 473.746 | | |
| TMP-5-5S | 127 | 9/24/2014 | 40 | 231.5 | 453.746 | | |
| TMP-5-5S | 127 | 9/24/2014 | 60 | 243.7 | 433.746 | | |
| TMP-5-5S | 127 | 9/24/2014 | 80 | 267.3 | 413.746 | | |
| TMP-5-5S | 127 | 9/24/2014 | 100 | 289.8 | 393.746 | | |
| TMP-5-5S | 128 | 9/25/2014 | 20 | 168 | 473.746 | | |
| TMP-5-5S | 128 | 9/25/2014 | 40 | 231.1 | 453.746 | | |
| TMP-5-5S | 128 | 9/25/2014 | 60 | 243.9 | 433.746 | | |
| TMP-5-5S | 128 | 9/25/2014 | 80 | 266.9 | 413.746 | | |
| TMP-5-5S | 128 | 9/25/2014 | 100 | 289 | 393.746 | | |
| TMP-5-5S | 123 | 9/26/2014 | 20 | 167.9 | 473.746 | | |
| TMP-5-5S | 129 | 9/26/2014 | 20 | 167.9 | 473.746 | | |
| TMP-5-5S | 123 | 9/26/2014 | 40 | 231.7 | 453.746 | | |
| TMP-5-5S | 129 | 9/26/2014 | 40 | 231.7 | 453.746 | | |
| TMP-5-5S | 123 | 9/26/2014 | 60 | 244.8 | 433.746 | | |
| TMP-5-5S | 129 | 9/26/2014 | 60 | 244.8 | 433.746 | | |
| TMP-5-5S | 129 | 9/26/2014 | 80 | 267.4 | 413.746 | | |
| TMP-5-5S | 123 | 9/26/2014 | 80 | 267.4 | 413.746 | | |
| TMP-5-5S | 129 | 9/26/2014 | 100 | 289 | 393.746 | | |
| TMP-5-5S | 123 | 9/26/2014 | 100 | 289 | 393.746 | | |
| TMP-5-5S | 130 | 9/27/2014 | 20 | 167.6 | 473.746 | | |
| TMP-5-5S | 130 | 9/27/2014 | 40 | 232.2 | 453.746 | | |
| TMP-5-5S | 130 | 9/27/2014 | 60 | 245.5 | 433.746 | | |
| TMP-5-5S | 130 | 9/27/2014 | 80 | 267.7 | 413.746 | | |
| TMP-5-5S | 130 | 9/27/2014 | 100 | 289 | 393.746 | | |
| TMP-5-5S | 131 | 9/28/2014 | 20 | 167.8 | 473.746 | | |
| TMP-5-5S | 131 | 9/28/2014 | 40 | 232.9 | 453.746 | | |
| TMP-5-5S | 131 | 9/28/2014 | 60 | 246.4 | 433.746 | | |
| TMP-5-5S | 131 | 9/28/2014 | 80 | 268.4 | 413.746 | | |
| TMP-5-5S | 131 | 9/28/2014 | 100 | 289.1 | 393.746 | | |
| TMP-5-5S | 132 | 9/29/2014 | 20 | 164.4 | 473.746 | | |
| TMP-5-5S | 132 | 9/29/2014 | 40 | 232.8 | 453.746 | | |
| TMP-5-5S | 132 | 9/29/2014 | 60 | 246.6 | 433.746 | | |
| TMP-5-5S | 132 | 9/29/2014 | 80 | 268.2 | 413.746 | | |
| TMP-5-5S | 132 | 9/29/2014 | 100 | 288.5 | 393.746 | | |
| TMP-5-5S | 133 | 9/30/2014 | 20 | 164.6 | 473.746 | | |
| TMP-5-5S | 133 | 9/30/2014 | 40 | 233.2 | 453.746 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|----------|---------|-----------|-------|---------|-----------|------------|--|
| TMP-5-5S | 133 | 9/30/2014 | 60 | 247.4 | 433.746 | | |
| TMP-5-5S | 133 | 9/30/2014 | 80 | 268.5 | 413.746 | | |
| TMP-5-5S | 133 | 9/30/2014 | 100 | 288.8 | 393.746 | | |
| TMP-5-5S | 134 | 10/1/2014 | 20 | 163.2 | 473.746 | | |
| TMP-5-5S | 134 | 10/1/2014 | 40 | 233.7 | 453.746 | | |
| TMP-5-5S | 134 | 10/1/2014 | 60 | 247.7 | 433.746 | | |
| TMP-5-5S | 134 | 10/1/2014 | 80 | 269 | 413.746 | | |
| TMP-5-5S | 134 | 10/1/2014 | 100 | 289.1 | 393.746 | | |
| TMP-5-5S | 135 | 10/2/2014 | 20 | 163.2 | 473.746 | | |
| TMP-5-5S | 135 | 10/2/2014 | 40 | 234 | 453.746 | | |
| TMP-5-5S | 135 | 10/2/2014 | 60 | 248.2 | 433.746 | | |
| TMP-5-5S | 135 | 10/2/2014 | 80 | 269.2 | 413.746 | | |
| TMP-5-5S | 135 | 10/2/2014 | 100 | 289 | 393.746 | | |
| TMP-5-5S | 137 | 10/3/2014 | 20 | 163.8 | 473.746 | | |
| TMP-5-5S | 137 | 10/3/2014 | 40 | 234.8 | 453.746 | | |
| TMP-5-5S | 137 | 10/3/2014 | 60 | 249 | 433.746 | | |
| TMP-5-5S | 137 | 10/3/2014 | 80 | 270 | 413.746 | | |
| TMP-5-5S | 137 | 10/3/2014 | 100 | 289.4 | 393.746 | | |
| TMP-5-5S | 138 | 10/4/2014 | 20 | 166.3 | 473.746 | | |
| TMP-5-5S | 138 | 10/4/2014 | 40 | 236.7 | 453.746 | | |
| TMP-5-5S | 138 | 10/4/2014 | 60 | 251.3 | 433.746 | | |
| TMP-5-5S | 138 | 10/4/2014 | 80 | 272.1 | 413.746 | | |
| TMP-5-5S | 138 | 10/4/2014 | 100 | 291.4 | 393.746 | | |
| TMP-5-5S | 139 | 10/5/2014 | 20 | 163.8 | 473.746 | | |
| TMP-5-5S | 139 | 10/5/2014 | 40 | 234.4 | 453.746 | | |
| TMP-5-5S | 139 | 10/5/2014 | 60 | 248.8 | 433.746 | | |
| TMP-5-5S | 139 | 10/5/2014 | 80 | 269.4 | 413.746 | | |
| TMP-5-5S | 139 | 10/5/2014 | 100 | 288.5 | 393.746 | | |
| TMP-5-5S | 140 | 10/6/2014 | 20 | 164.3 | 473.746 | | |
| TMP-5-5S | 140 | 10/6/2014 | 40 | 235.7 | 453.746 | | |
| TMP-5-5S | 140 | 10/6/2014 | 60 | 250.4 | 433.746 | | |
| TMP-5-5S | 140 | 10/6/2014 | 80 | 271.1 | 413.746 | | |
| TMP-5-5S | 140 | 10/6/2014 | 100 | 290 | 393.746 | | |
| TMP-5-5S | 141 | 10/7/2014 | 20 | 163.5 | 473.746 | | |
| TMP-5-5S | 141 | 10/7/2014 | 40 | 235.5 | 453.746 | | |
| TMP-5-5S | 141 | 10/7/2014 | 60 | 250.5 | 433.746 | | |
| TMP-5-5S | 141 | 10/7/2014 | 80 | 271.3 | 413.746 | | |
| TMP-5-5S | 141 | 10/7/2014 | 100 | 290.1 | 393.746 | | |
| TMP-5-5S | 136 | 10/8/2014 | 20 | 163.6 | 473.746 | | |
| TMP-5-5S | 136 | 10/8/2014 | 40 | 235.2 | 453.746 | | |
| TMP-5-5S | 136 | 10/8/2014 | 60 | 250.1 | 433.746 | | |
| TMP-5-5S | 136 | 10/8/2014 | 80 | 270.6 | 413.746 | | |
| TMP-5-5S | 136 | 10/8/2014 | 100 | 289.1 | 393.746 | | |
| TMP-5-5S | 142 | 10/9/2014 | 20 | 164.3 | 473.746 | | Multimeter not working due to water damage |
| TMP-5-5S | 142 | 10/9/2014 | 40 | 235.9 | 453.746 | | Multimeter not working due to water damage |
| TMP-5-5S | 142 | 10/9/2014 | 60 | 250.7 | 433.746 | | Multimeter not working due to water damage |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|----------|---------|------------|-------|---------|-----------|------------|--|
| TMP-5-5S | 142 | 10/9/2014 | 80 | 271 | 413.746 | | Multimeter not working due to water damage |
| TMP-5-5S | 142 | 10/9/2014 | 100 | 289 | 393.746 | | Multimeter not working due to water damage |
| TMP-5-5S | 143 | 10/10/2014 | 20 | 166.1 | 473.746 | | |
| TMP-5-5S | 143 | 10/10/2014 | 40 | 237 | 453.746 | | |
| TMP-5-5S | 143 | 10/10/2014 | 60 | 251.8 | 433.746 | | |
| TMP-5-5S | 143 | 10/10/2014 | 80 | 271.9 | 413.746 | | |
| TMP-5-5S | 143 | 10/10/2014 | 100 | 289.8 | 393.746 | | |
| TMP-5-5S | 144 | 10/11/2014 | 20 | 164.3 | 473.746 | | |
| TMP-5-5S | 144 | 10/11/2014 | 40 | 236.2 | 453.746 | | |
| TMP-5-5S | 144 | 10/11/2014 | 60 | 251.1 | 433.746 | | |
| TMP-5-5S | 144 | 10/11/2014 | 80 | 271.3 | 413.746 | | |
| TMP-5-5S | 144 | 10/11/2014 | 100 | 289 | 393.746 | | |
| TMP-5-5S | 145 | 10/12/2014 | 20 | 165 | 473.746 | | |
| TMP-5-5S | 145 | 10/12/2014 | 40 | 236.7 | 453.746 | | |
| TMP-5-5S | 145 | 10/12/2014 | 60 | 251.7 | 433.746 | | |
| TMP-5-5S | 145 | 10/12/2014 | 80 | 271.7 | 413.746 | | |
| TMP-5-5S | 145 | 10/12/2014 | 100 | 289.3 | 393.746 | | |
| TMP-5-5S | 146 | 10/13/2014 | 20 | 163.4 | 473.746 | | |
| TMP-5-5S | 146 | 10/13/2014 | 40 | 237.6 | 453.746 | | |
| TMP-5-5S | 146 | 10/13/2014 | 60 | 252.4 | 433.746 | | |
| TMP-5-5S | 146 | 10/13/2014 | 80 | 272.8 | 413.746 | | |
| TMP-5-5S | 146 | 10/13/2014 | 100 | 289.7 | 393.746 | | |
| TMP-5-5S | 148 | 10/14/2014 | 20 | 163.7 | 473.746 | | |
| TMP-5-5S | 148 | 10/14/2014 | 40 | 237.2 | 453.746 | | |
| TMP-5-5S | 148 | 10/14/2014 | 60 | 252.3 | 433.746 | | |
| TMP-5-5S | 148 | 10/14/2014 | 80 | 273 | 413.746 | | |
| TMP-5-5S | 148 | 10/14/2014 | 100 | 289.4 | 393.746 | | |
| TMP-5-5S | 149 | 10/15/2014 | 20 | 165.1 | 473.746 | | |
| TMP-5-5S | 149 | 10/15/2014 | 40 | 237.4 | 453.746 | | |
| TMP-5-5S | 149 | 10/15/2014 | 60 | 252.7 | 433.746 | | |
| TMP-5-5S | 149 | 10/15/2014 | 80 | 274.1 | 413.746 | | |
| TMP-5-5S | 149 | 10/15/2014 | 100 | 289.7 | 393.746 | | |
| TMP-5-5S | 150 | 10/16/2014 | 20 | 163.1 | 473.746 | | |
| TMP-5-5S | 150 | 10/16/2014 | 40 | 237.7 | 453.746 | | |
| TMP-5-5S | 150 | 10/16/2014 | 60 | 253.3 | 433.746 | | |
| TMP-5-5S | 150 | 10/16/2014 | 80 | 275.3 | 413.746 | | |
| TMP-5-5S | 150 | 10/16/2014 | 100 | 290.6 | 393.746 | | |
| TMP-5-5S | 147 | 10/17/2014 | 20 | 163.1 | 473.746 | | |
| TMP-5-5S | 147 | 10/17/2014 | 40 | 237.7 | 453.746 | | |
| TMP-5-5S | 147 | 10/17/2014 | 60 | 253.3 | 433.746 | | |
| TMP-5-5S | 147 | 10/17/2014 | 80 | 275.3 | 413.746 | | |
| TMP-5-5S | 147 | 10/17/2014 | 100 | 290.6 | 393.746 | | |
| TMP-5-5S | 152 | 10/20/2014 | 20 | 161.1 | 473.746 | | |
| TMP-5-5S | 152 | 10/20/2014 | 40 | 238.1 | 453.746 | | |
| TMP-5-5S | 152 | 10/20/2014 | 60 | 253.5 | 433.746 | | |
| TMP-5-5S | 152 | 10/20/2014 | 80 | 274.1 | 413.746 | | |
| TMP-5-5S | 152 | 10/20/2014 | 100 | 289.5 | 393.746 | | |
| TMP-5-5S | 153 | 10/22/2014 | 20 | 160.7 | 473.746 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|----------|---------|------------|-------|---------|-----------|------------|----------|
| TMP-5-5S | 153 | 10/22/2014 | 40 | 238.8 | 453.746 | | |
| TMP-5-5S | 153 | 10/22/2014 | 60 | 254.1 | 433.746 | | |
| TMP-5-5S | 153 | 10/22/2014 | 80 | 274.1 | 413.746 | | |
| TMP-5-5S | 153 | 10/22/2014 | 100 | 289.6 | 393.746 | | |
| TMP-5-5S | 154 | 10/24/2014 | 20 | 157.8 | 473.746 | | |
| TMP-5-5S | 154 | 10/24/2014 | 40 | 238.9 | 453.746 | | |
| TMP-5-5S | 154 | 10/24/2014 | 60 | 253.9 | 433.746 | | |
| TMP-5-5S | 154 | 10/24/2014 | 80 | 273.4 | 413.746 | | |
| TMP-5-5S | 154 | 10/24/2014 | 100 | 289 | 393.746 | | |
| TMP-5-5S | 155 | 10/27/2014 | 20 | 157.4 | 473.746 | | |
| TMP-5-5S | 155 | 10/27/2014 | 40 | 239.3 | 453.746 | | |
| TMP-5-5S | 155 | 10/27/2014 | 60 | 254.4 | 433.746 | | |
| TMP-5-5S | 155 | 10/27/2014 | 80 | 273.7 | 413.746 | | |
| TMP-5-5S | 155 | 10/27/2014 | 100 | 288.9 | 393.746 | | |
| TMP-5-5S | 156 | 10/29/2014 | 20 | 159.4 | 473.746 | | |
| TMP-5-5S | 156 | 10/29/2014 | 40 | 242 | 453.746 | | |
| TMP-5-5S | 156 | 10/29/2014 | 60 | 257.6 | 433.746 | | |
| TMP-5-5S | 156 | 10/29/2014 | 80 | 278.2 | 413.746 | | |
| TMP-5-5S | 156 | 10/29/2014 | 100 | 292 | 393.746 | | |
| TMP-5-5S | 157 | 10/31/2014 | 20 | 159.7 | 473.746 | | |
| TMP-5-5S | 157 | 10/31/2014 | 40 | 242 | 453.746 | | |
| TMP-5-5S | 157 | 10/31/2014 | 60 | 257.9 | 433.746 | | |
| TMP-5-5S | 157 | 10/31/2014 | 80 | 278.7 | 413.746 | | |
| TMP-5-5S | 157 | 10/31/2014 | 100 | 292.5 | 393.746 | | |
| TMP-5-5S | 158 | 11/3/2014 | 20 | 157.7 | 473.746 | | |
| TMP-5-5S | 158 | 11/3/2014 | 40 | 239.7 | 453.746 | | |
| TMP-5-5S | 158 | 11/3/2014 | 60 | 256.5 | 433.746 | | |
| TMP-5-5S | 158 | 11/3/2014 | 80 | 278.9 | 413.746 | | |
| TMP-5-5S | 158 | 11/3/2014 | 100 | 290.3 | 393.746 | | |
| TMP-5-5S | 159 | 11/5/2014 | 20 | 160.1 | 473.746 | | |
| TMP-5-5S | 159 | 11/5/2014 | 40 | 241.5 | 453.746 | | |
| TMP-5-5S | 159 | 11/5/2014 | 60 | 258 | 433.746 | | |
| TMP-5-5S | 159 | 11/5/2014 | 80 | 278.6 | 413.746 | | |
| TMP-5-5S | 159 | 11/5/2014 | 100 | 292.2 | 393.746 | | |
| TMP-5-5S | 160 | 11/7/2014 | 20 | 158.4 | 473.746 | | |
| TMP-5-5S | 160 | 11/7/2014 | 40 | 239.2 | 453.746 | | |
| TMP-5-5S | 160 | 11/7/2014 | 60 | 256.2 | 433.746 | | |
| TMP-5-5S | 160 | 11/7/2014 | 80 | 277 | 413.746 | | |
| TMP-5-5S | 160 | 11/7/2014 | 100 | 289.9 | 393.746 | | |
| TMP-5-5S | 161 | 11/10/2014 | 20 | 156.3 | 473.746 | | |
| TMP-5-5S | 161 | 11/10/2014 | 40 | 228.6 | 453.746 | | |
| TMP-5-5S | 161 | 11/10/2014 | 60 | 243.4 | 433.746 | | |
| TMP-5-5S | 161 | 11/10/2014 | 80 | 260.7 | 413.746 | | |
| TMP-5-5S | 161 | 11/10/2014 | 100 | 271 | 393.746 | | |
| TMP-5-5S | 162 | 11/12/2014 | 20 | 157.8 | 473.746 | | |
| TMP-5-5S | 162 | 11/12/2014 | 40 | 228.7 | 453.746 | | |
| TMP-5-5S | 162 | 11/12/2014 | 60 | 243.6 | 433.746 | | |
| TMP-5-5S | 162 | 11/12/2014 | 80 | 260.1 | 413.746 | | |
| TMP-5-5S | 162 | 11/12/2014 | 100 | 271.2 | 393.746 | | |
| TMP-5-5S | 163 | 11/14/2014 | 20 | 157.4 | 473.746 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|----------|---------|------------|-------|---------|-----------|------------|----------|
| TMP-5-5S | 163 | 11/14/2014 | 40 | 228.3 | 453.746 | | |
| TMP-5-5S | 163 | 11/14/2014 | 60 | 243.6 | 433.746 | | |
| TMP-5-5S | 163 | 11/14/2014 | 80 | 260.9 | 413.746 | | |
| TMP-5-5S | 163 | 11/14/2014 | 100 | 271.4 | 393.746 | | |
| TMP-5-5S | 164 | 11/17/2014 | 20 | 158.4 | 473.746 | | |
| TMP-5-5S | 164 | 11/17/2014 | 40 | 228.9 | 453.746 | | |
| TMP-5-5S | 164 | 11/17/2014 | 60 | 244 | 433.746 | | |
| TMP-5-5S | 164 | 11/17/2014 | 80 | 261 | 413.746 | | |
| TMP-5-5S | 164 | 11/17/2014 | 100 | 271.6 | 393.746 | | |
| TMP-5-5S | 165 | 11/19/2014 | 20 | 158.7 | 473.746 | | |
| TMP-5-5S | 165 | 11/19/2014 | 40 | 228.9 | 453.746 | | |
| TMP-5-5S | 165 | 11/19/2014 | 60 | 244.7 | 433.746 | | |
| TMP-5-5S | 165 | 11/19/2014 | 80 | 262.8 | 413.746 | | |
| TMP-5-5S | 165 | 11/19/2014 | 100 | 273.1 | 393.746 | | |
| TMP-5-5S | 166 | 11/21/2014 | 20 | 157.5 | 473.746 | | |
| TMP-5-5S | 166 | 11/21/2014 | 40 | 227.6 | 453.746 | | |
| TMP-5-5S | 166 | 11/21/2014 | 60 | 243.1 | 433.746 | | |
| TMP-5-5S | 166 | 11/21/2014 | 80 | 260.5 | 413.746 | | |
| TMP-5-5S | 166 | 11/21/2014 | 100 | 271 | 393.746 | | |
| TMP-5-5S | 167 | 11/24/2014 | 20 | 158.2 | 473.746 | | |
| TMP-5-5S | 167 | 11/24/2014 | 40 | 228.3 | 453.746 | | |
| TMP-5-5S | 167 | 11/24/2014 | 60 | 244 | 433.746 | | |
| TMP-5-5S | 167 | 11/24/2014 | 80 | 261.2 | 413.746 | | |
| TMP-5-5S | 167 | 11/24/2014 | 100 | 271.4 | 393.746 | | |
| TMP-5-5S | 168 | 11/26/2014 | 20 | 153.9 | 473.746 | | |
| TMP-5-5S | 168 | 11/26/2014 | 40 | 228.7 | 453.746 | | |
| TMP-5-5S | 168 | 11/26/2014 | 60 | 243.2 | 433.746 | | |
| TMP-5-5S | 168 | 11/26/2014 | 80 | 260.1 | 413.746 | | |
| TMP-5-5S | 168 | 11/26/2014 | 100 | 270.3 | 393.746 | | |
| TMP-5-5S | 169 | 11/30/2014 | 20 | 153.7 | 473.746 | | |
| TMP-5-5S | 169 | 11/30/2014 | 40 | 227.5 | 453.746 | | |
| TMP-5-5S | 169 | 11/30/2014 | 60 | 242.2 | 433.746 | | |
| TMP-5-5S | 169 | 11/30/2014 | 80 | 260.9 | 413.746 | | |
| TMP-5-5S | 169 | 11/30/2014 | 100 | 270.6 | 393.746 | | |
| TMP-5-5S | 170 | 12/1/2014 | 20 | 155.5 | 473.746 | | |
| TMP-5-5S | 170 | 12/1/2014 | 40 | 229 | 453.746 | | |
| TMP-5-5S | 170 | 12/1/2014 | 60 | 243.7 | 433.746 | | |
| TMP-5-5S | 170 | 12/1/2014 | 80 | 261.7 | 413.746 | | |
| TMP-5-5S | 170 | 12/1/2014 | 100 | 271.7 | 393.746 | | |
| TMP-5-5S | 171 | 12/3/2014 | 20 | 154.6 | 473.746 | | |
| TMP-5-5S | 171 | 12/3/2014 | 40 | 228.5 | 453.746 | | |
| TMP-5-5S | 171 | 12/3/2014 | 60 | 243.4 | 433.746 | | |
| TMP-5-5S | 171 | 12/3/2014 | 80 | 261.8 | 413.746 | | |
| TMP-5-5S | 171 | 12/3/2014 | 100 | 271.7 | 393.746 | | |
| TMP-5-5S | 172 | 12/6/2014 | 20 | 156 | 473.746 | | |
| TMP-5-5S | 172 | 12/6/2014 | 40 | 229.3 | 453.746 | | |
| TMP-5-5S | 172 | 12/6/2014 | 60 | 243.6 | 433.746 | | |
| TMP-5-5S | 172 | 12/6/2014 | 80 | 260.9 | 413.746 | | |
| TMP-5-5S | 172 | 12/6/2014 | 100 | 270.5 | 393.746 | | |
| TMP-5-5S | 173 | 12/8/2014 | 20 | 155.2 | 473.746 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|----------|---------|------------|-------|---------|-----------|------------|----------|
| TMP-5-5S | 173 | 12/8/2014 | 40 | 228.9 | 453.746 | | |
| TMP-5-5S | 173 | 12/8/2014 | 60 | 243.5 | 433.746 | | |
| TMP-5-5S | 173 | 12/8/2014 | 80 | 261 | 413.746 | | |
| TMP-5-5S | 173 | 12/8/2014 | 100 | 270.6 | 393.746 | | |
| TMP-5-5S | 174 | 12/10/2014 | 20 | 155.2 | 473.746 | | |
| TMP-5-5S | 174 | 12/10/2014 | 40 | 228.9 | 453.746 | | |
| TMP-5-5S | 174 | 12/10/2014 | 60 | 243.2 | 433.746 | | |
| TMP-5-5S | 174 | 12/10/2014 | 80 | 260.7 | 413.746 | | |
| TMP-5-5S | 174 | 12/10/2014 | 100 | 270.2 | 393.746 | | |
| TMP-5-5S | 175 | 12/12/2014 | 20 | 154.3 | 473.746 | | |
| TMP-5-5S | 175 | 12/12/2014 | 40 | 228 | 453.746 | | |
| TMP-5-5S | 175 | 12/12/2014 | 60 | 242.5 | 433.746 | | |
| TMP-5-5S | 175 | 12/12/2014 | 80 | 260 | 413.746 | | |
| TMP-5-5S | 175 | 12/12/2014 | 100 | 269.5 | 393.746 | | |
| TMP-5-5S | 176 | 12/15/2014 | 20 | 154.5 | 473.746 | | |
| TMP-5-5S | 176 | 12/15/2014 | 40 | 228.1 | 453.746 | | |
| TMP-5-5S | 176 | 12/15/2014 | 60 | 247 | 433.746 | | |
| TMP-5-5S | 176 | 12/15/2014 | 80 | 260.8 | 413.746 | | |
| TMP-5-5S | 176 | 12/15/2014 | 100 | 270 | 393.746 | | |
| TMP-5-5S | 178 | 12/19/2014 | 20 | 153.6 | 473.746 | | |
| TMP-5-5S | 178 | 12/19/2014 | 40 | 227.9 | 453.746 | | |
| TMP-5-5S | 178 | 12/19/2014 | 60 | 242.7 | 433.746 | | |
| TMP-5-5S | 178 | 12/19/2014 | 80 | 260.3 | 413.746 | | |
| TMP-5-5S | 178 | 12/19/2014 | 100 | 269.7 | 393.746 | | |
| TMP-5-5S | 180 | 12/22/2014 | 20 | 153.2 | 473.746 | | |
| TMP-5-5S | 180 | 12/22/2014 | 40 | 227.6 | 453.746 | | |
| TMP-5-5S | 180 | 12/22/2014 | 60 | 242.5 | 433.746 | | |
| TMP-5-5S | 180 | 12/22/2014 | 80 | 260.1 | 413.746 | | |
| TMP-5-5S | 180 | 12/22/2014 | 100 | 269.3 | 393.746 | | |
| TMP-5-5S | 179 | 12/24/2014 | 20 | 154.5 | 473.746 | | |
| TMP-5-5S | 179 | 12/24/2014 | 40 | 228.7 | 453.746 | | |
| TMP-5-5S | 179 | 12/24/2014 | 60 | 243.5 | 433.746 | | |
| TMP-5-5S | 179 | 12/24/2014 | 80 | 261 | 413.746 | | |
| TMP-5-5S | 179 | 12/24/2014 | 100 | 270.2 | 393.746 | | |
| TMP-5-5S | 181 | 12/26/2014 | 20 | 153 | 473.746 | | |
| TMP-5-5S | 181 | 12/26/2014 | 40 | 227.4 | 453.746 | | |
| TMP-5-5S | 181 | 12/26/2014 | 60 | 243 | 433.746 | | |
| TMP-5-5S | 181 | 12/26/2014 | 80 | 261.8 | 413.746 | | |
| TMP-5-5S | 181 | 12/26/2014 | 100 | 270.9 | 393.746 | | |
| TMP-5-5S | 182 | 12/29/2014 | 20 | 154.2 | 473.746 | | |
| TMP-5-5S | 182 | 12/29/2014 | 40 | 228.8 | 453.746 | | |
| TMP-5-5S | 182 | 12/29/2014 | 60 | 244.8 | 433.746 | | |
| TMP-5-5S | 182 | 12/29/2014 | 80 | 263.8 | 413.746 | | |
| TMP-5-5S | 182 | 12/29/2014 | 100 | 272.8 | 393.746 | | |
| TMP-5-5S | 183 | 12/31/2014 | 20 | 154.7 | 473.746 | | |
| TMP-5-5S | 183 | 12/31/2014 | 40 | 229.7 | 453.746 | | |
| TMP-5-5S | 183 | 12/31/2014 | 60 | 246.1 | 433.746 | | |
| TMP-5-5S | 183 | 12/31/2014 | 80 | 263.9 | 413.746 | | |
| TMP-5-5S | 183 | 12/31/2014 | 100 | 272.6 | 393.746 | | |
| TMP-5-5S | 184 | 1/2/2015 | 20 | 153.5 | 473.746 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|----------|---------|-----------|-------|---------|-----------|------------|----------|
| TMP-5-5S | 184 | 1/2/2015 | 40 | 227.9 | 453.746 | | |
| TMP-5-5S | 184 | 1/2/2015 | 60 | 243.2 | 433.746 | | |
| TMP-5-5S | 184 | 1/2/2015 | 80 | 260.8 | 413.746 | | |
| TMP-5-5S | 184 | 1/2/2015 | 100 | 270 | 393.746 | | |
| TMP-5-5S | 185 | 1/5/2015 | 20 | 152.4 | 473.746 | | |
| TMP-5-5S | 185 | 1/5/2015 | 40 | 226.7 | 453.746 | | |
| TMP-5-5S | 185 | 1/5/2015 | 60 | 242.3 | 433.746 | | |
| TMP-5-5S | 185 | 1/5/2015 | 80 | 260.4 | 413.746 | | |
| TMP-5-5S | 185 | 1/5/2015 | 100 | 269.5 | 393.746 | | |
| TMP-5-5S | 186 | 1/8/2015 | 20 | 155.4 | 473.746 | | |
| TMP-5-5S | 186 | 1/8/2015 | 40 | 229.5 | 453.746 | | |
| TMP-5-5S | 186 | 1/8/2015 | 60 | 245 | 433.746 | | |
| TMP-5-5S | 186 | 1/8/2015 | 80 | 263.1 | 413.746 | | |
| TMP-5-5S | 186 | 1/8/2015 | 100 | 271.8 | 393.746 | | |
| TMP-5-5S | 187 | 1/9/2015 | 20 | 154.6 | 473.746 | | |
| TMP-5-5S | 187 | 1/9/2015 | 40 | 229 | 453.746 | | |
| TMP-5-5S | 187 | 1/9/2015 | 60 | 244.4 | 433.746 | | |
| TMP-5-5S | 187 | 1/9/2015 | 80 | 262.3 | 413.746 | | |
| TMP-5-5S | 187 | 1/9/2015 | 100 | 271.2 | 393.746 | | |
| TMP-5-5S | 188 | 1/12/2015 | 20 | 154.8 | 473.746 | | |
| TMP-5-5S | 188 | 1/12/2015 | 40 | 228.7 | 453.746 | | |
| TMP-5-5S | 188 | 1/12/2015 | 60 | 244.2 | 433.746 | | |
| TMP-5-5S | 188 | 1/12/2015 | 80 | 262.2 | 413.746 | | |
| TMP-5-5S | 188 | 1/12/2015 | 100 | 270.8 | 393.746 | | |
| TMP-5-5S | 189 | 1/14/2015 | 20 | 154.7 | 473.746 | | |
| TMP-5-5S | 189 | 1/14/2015 | 40 | 229.2 | 453.746 | | |
| TMP-5-5S | 189 | 1/14/2015 | 60 | 244.9 | 433.746 | | |
| TMP-5-5S | 189 | 1/14/2015 | 80 | 262.9 | 413.746 | | |
| TMP-5-5S | 189 | 1/14/2015 | 100 | 271.6 | 393.746 | | |
| TMP-5-5S | 190 | 1/16/2015 | 20 | 153.2 | 473.746 | | |
| TMP-5-5S | 190 | 1/16/2015 | 40 | 227.8 | 453.746 | | |
| TMP-5-5S | 190 | 1/16/2015 | 60 | 244.3 | 433.746 | | |
| TMP-5-5S | 190 | 1/16/2015 | 80 | 262.7 | 413.746 | | |
| TMP-5-5S | 190 | 1/16/2015 | 100 | 271.5 | 393.746 | | |
| TMP-5-5S | 191 | 1/19/2015 | 20 | 153.2 | 473.746 | | |
| TMP-5-5S | 191 | 1/19/2015 | 40 | 226.2 | 453.746 | | |
| TMP-5-5S | 191 | 1/19/2015 | 60 | 242.1 | 433.746 | | |
| TMP-5-5S | 191 | 1/19/2015 | 80 | 260.2 | 413.746 | | |
| TMP-5-5S | 191 | 1/19/2015 | 100 | 269 | 393.746 | | |
| TMP-5-5S | 192 | 1/21/2015 | 20 | 154 | 473.746 | | |
| TMP-5-5S | 192 | 1/21/2015 | 40 | 227 | 453.746 | | |
| TMP-5-5S | 192 | 1/21/2015 | 60 | 243.3 | 433.746 | | |
| TMP-5-5S | 192 | 1/21/2015 | 80 | 261.6 | 413.746 | | |
| TMP-5-5S | 192 | 1/21/2015 | 100 | 269.9 | 393.746 | | |
| TMP-5-5S | 193 | 1/23/2015 | 20 | 154.3 | 473.746 | | |
| TMP-5-5S | 193 | 1/23/2015 | 40 | 227.4 | 453.746 | | |
| TMP-5-5S | 193 | 1/23/2015 | 60 | 243.3 | 433.746 | | |
| TMP-5-5S | 193 | 1/23/2015 | 80 | 261.2 | 413.746 | | |
| TMP-5-5S | 193 | 1/23/2015 | 100 | 269.8 | 393.746 | | |
| TMP-5-5S | 194 | 1/26/2015 | 20 | 154.2 | 473.746 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|----------|---------|-----------|-------|---------|-----------|------------|----------|
| TMP-5-5S | 194 | 1/26/2015 | 40 | 227.1 | 453.746 | | |
| TMP-5-5S | 194 | 1/26/2015 | 60 | 243.2 | 433.746 | | |
| TMP-5-5S | 194 | 1/26/2015 | 80 | 260.9 | 413.746 | | |
| TMP-5-5S | 194 | 1/26/2015 | 100 | 269.7 | 393.746 | | |