

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-14R	116	9/12/2014	20	151.6	479.499		TIMP EQUALIZING, RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-14R	116	9/12/2014	40	178.1	459.499		TIMP EQUALIZING, RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-14R	116	9/12/2014	60	163.4	439.499		TIMP EQUALIZING, RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-14R	116	9/12/2014	80	167.3	419.499		TIMP EQUALIZING, RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-14R	116	9/12/2014	100	158.7	399.499		TIMP EQUALIZING, RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-14R	116	9/12/2014	120	161.5	379.499		TIMP EQUALIZING, RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-14R	116	9/12/2014	140	153	359.499		TIMP EQUALIZING, RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-14R	121	9/19/2014	20	167.3	479.499		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-14R	121	9/19/2014	40	181.7	459.499		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-14R	121	9/19/2014	60	168.5	439.499		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-14R	121	9/19/2014	80	166.3	419.499		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-14R	121	9/19/2014	100	169.3	399.499		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-14R	121	9/19/2014	120	166.9	379.499		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-14R	121	9/19/2014	140	164.5	359.499		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-14R	122	9/20/2014	20	165.8	479.499		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-14R	122	9/20/2014	40	184	459.499		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-14R	122	9/20/2014	60	170.8	439.499		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-14R	122	9/20/2014	80	170	419.499		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-14R	122	9/20/2014	100	169.7	399.499		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-14R	122	9/20/2014	120	165.7	379.499		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-14R	122	9/20/2014	140	159.8	359.499		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-14R	123	9/26/2014	20	168.4	479.499		
TMP-14R	123	9/26/2014	40	185.3	459.499		
TMP-14R	123	9/26/2014	60	170	439.499		
TMP-14R	123	9/26/2014	80	169.3	419.499		
TMP-14R	123	9/26/2014	100	169	399.499		
TMP-14R	123	9/26/2014	120	165.8	379.499		
TMP-14R	123	9/26/2014	140	159.7	359.499		
TMP-14R	124	9/21/2014	20	166.1	479.499		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-14R	124	9/21/2014	40	180.8	459.499		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-14R	124	9/21/2014	60	167.5	439.499		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-14R	124	9/21/2014	80	169.1	419.499		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-14R	124	9/21/2014	100	170.1	399.499		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-14R	124	9/21/2014	120	168.8	379.499		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-14R	124	9/21/2014	140	162.9	359.499		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-14R	125	9/22/2014	20	174.1	479.499		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-14R	125	9/22/2014	40	174.9	459.499		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-14R	125	9/22/2014	60	189.6	439.499		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-14R	125	9/22/2014	80	172.2	419.499		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-14R	125	9/22/2014	100	174.6	399.499		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-14R	125	9/22/2014	120	171.2	379.499		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-14R	125	9/22/2014	140	160.7	359.499		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-14R	126	9/23/2014	20	168.8	479.499		
TMP-14R	126	9/23/2014	40	185.5	459.499		
TMP-14R	126	9/23/2014	60	170.9	439.499		
TMP-14R	126	9/23/2014	80	170.3	419.499		
TMP-14R	126	9/23/2014	100	169.9	399.499		
TMP-14R	126	9/23/2014	120	166.9	379.499		
TMP-14R	126	9/23/2014	140	160.9	359.499		
TMP-14R	127	9/24/2014	20	168.7	479.499		
TMP-14R	127	9/24/2014	40	185.5	459.499		
TMP-14R	127	9/24/2014	60	170.8	439.499		
TMP-14R	127	9/24/2014	80	170.3	419.499		
TMP-14R	127	9/24/2014	100	170	399.499		
TMP-14R	127	9/24/2014	120	167	379.499		
TMP-14R	127	9/24/2014	140	161.1	359.499		
TMP-14R	128	9/25/2014	20	168.4	479.499		
TMP-14R	128	9/25/2014	40	185.3	459.499		
TMP-14R	128	9/25/2014	60	170.3	439.499		
TMP-14R	128	9/25/2014	80	169.6	419.499		
TMP-14R	128	9/25/2014	100	169.4	399.499		
TMP-14R	128	9/25/2014	120	166.5	379.499		
TMP-14R	128	9/25/2014	140	160.7	359.499		
TMP-14R	129	9/26/2014	20	168.4	479.499		
TMP-14R	129	9/26/2014	40	185.3	459.499		
TMP-14R	129	9/26/2014	60	170	439.499		
TMP-14R	129	9/26/2014	80	169.3	419.499		
TMP-14R	129	9/26/2014	100	169	399.499		
TMP-14R	129	9/26/2014	120	165.8	379.499		
TMP-14R	129	9/26/2014	140	159.7	359.499		
TMP-14R	130	9/27/2014	20	170.6	479.499		
TMP-14R	130	9/27/2014	40	186.1	459.499		
TMP-14R	130	9/27/2014	60	170.8	439.499		
TMP-14R	130	9/27/2014	80	170.1	419.499		
TMP-14R	130	9/27/2014	100	170.1	399.499		
TMP-14R	130	9/27/2014	120	166.9	379.499		
TMP-14R	130	9/27/2014	140	161	359.499		
TMP-14R	131	9/28/2014	20	169.8	479.499		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-14R	131	9/28/2014	40	186.6	459.499		
TMP-14R	131	9/28/2014	60	171.1	439.499		
TMP-14R	131	9/28/2014	80	170.4	419.499		
TMP-14R	131	9/28/2014	100	170	399.499		
TMP-14R	131	9/28/2014	120	166.5	379.499		
TMP-14R	131	9/28/2014	140	160.5	359.499		
TMP-14R	132	9/29/2014	20	170.1	479.499		
TMP-14R	132	9/29/2014	40	186.7	459.499		
TMP-14R	132	9/29/2014	60	171.3	439.499		
TMP-14R	132	9/29/2014	80	170.8	419.499		
TMP-14R	132	9/29/2014	100	170.7	399.499		
TMP-14R	132	9/29/2014	120	167.4	379.499		
TMP-14R	132	9/29/2014	140	161.5	359.499		
TMP-14R	133	9/30/2014	20	169.9	479.499		
TMP-14R	133	9/30/2014	40	186.6	459.499		
TMP-14R	133	9/30/2014	60	171	439.499		
TMP-14R	133	9/30/2014	80	170.4	419.499		
TMP-14R	133	9/30/2014	100	170.5	399.499		
TMP-14R	133	9/30/2014	120	167.2	379.499		
TMP-14R	133	9/30/2014	140	161.2	359.499		
TMP-14R	134	10/1/2014	20	169.6	479.499		
TMP-14R	134	10/1/2014	40	186.3	459.499		
TMP-14R	134	10/1/2014	60	170.9	439.499		
TMP-14R	134	10/1/2014	80	170.3	419.499		
TMP-14R	134	10/1/2014	100	170.5	399.499		
TMP-14R	134	10/1/2014	120	167.1	379.499		
TMP-14R	134	10/1/2014	140	161	359.499		
TMP-14R	135	10/2/2014	20	170.4	479.499		
TMP-14R	135	10/2/2014	40	187.2	459.499		
TMP-14R	135	10/2/2014	60	171.6	439.499		
TMP-14R	135	10/2/2014	80	170.9	419.499		
TMP-14R	135	10/2/2014	100	171.2	399.499		
TMP-14R	135	10/2/2014	120	167.7	379.499		
TMP-14R	135	10/2/2014	140	161.3	359.499		
TMP-14R	136	10/8/2014	20	172.3	479.499		
TMP-14R	136	10/8/2014	40	188.7	459.499		
TMP-14R	136	10/8/2014	60	172.7	439.499		
TMP-14R	136	10/8/2014	80	172.1	419.499		
TMP-14R	136	10/8/2014	100	172.7	399.499		
TMP-14R	136	10/8/2014	120	169.1	379.499		
TMP-14R	136	10/8/2014	140	163	359.499		
TMP-14R	138	10/4/2014	40	188.6	459.499		
TMP-14R	138	10/4/2014	60	172.7	439.499		
TMP-14R	138	10/4/2014	80	171.8	419.499		
TMP-14R	138	10/4/2014	100	172.3	399.499		
TMP-14R	138	10/4/2014	120	168.8	379.499		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-14R	138	10/4/2014	140	162.9	359.499		
TMP-14R	139	10/5/2014	20	171.1	479.499		
TMP-14R	139	10/5/2014	40	187.7	459.499		
TMP-14R	139	10/5/2014	60	171.9	439.499		
TMP-14R	139	10/5/2014	80	171	419.499		
TMP-14R	139	10/5/2014	100	171.6	399.499		
TMP-14R	139	10/5/2014	120	168.1	379.499		
TMP-14R	139	10/5/2014	140	162.1	359.499		
TMP-14R	140	10/6/2014	20	171.5	479.499		
TMP-14R	140	10/6/2014	40	188.4	459.499		
TMP-14R	140	10/6/2014	60	172.6	439.499		
TMP-14R	140	10/6/2014	80	172	419.499		
TMP-14R	140	10/6/2014	100	172.6	399.499		
TMP-14R	140	10/6/2014	120	169.2	379.499		
TMP-14R	140	10/6/2014	140	163.4	359.499		
TMP-14R	141	10/7/2014	20	170.3	479.499		
TMP-14R	141	10/7/2014	40	187.4	459.499		
TMP-14R	141	10/7/2014	60	171.6	439.499		
TMP-14R	141	10/7/2014	80	171.1	419.499		
TMP-14R	141	10/7/2014	100	171.8	399.499		
TMP-14R	141	10/7/2014	120	168.3	379.499		
TMP-14R	141	10/7/2014	140	162.6	359.499		
TMP-14R	142	10/9/2014	20	172	479.499		Multimeter not working due to water damage
TMP-14R	142	10/9/2014	40	188.8	459.499		Multimeter not working due to water damage
TMP-14R	142	10/9/2014	60	172.7	439.499		Multimeter not working due to water damage
TMP-14R	142	10/9/2014	80	171.8	419.499		Multimeter not working due to water damage
TMP-14R	142	10/9/2014	100	172.5	399.499		Multimeter not working due to water damage
TMP-14R	142	10/9/2014	120	168.9	379.499		Multimeter not working due to water damage
TMP-14R	142	10/9/2014	140	163	359.499		Multimeter not working due to water damage
TMP-14R	143	10/10/2014	20	174.6	479.499		
TMP-14R	143	10/10/2014	40	191.1	459.499		
TMP-14R	143	10/10/2014	60	174.9	439.499		
TMP-14R	143	10/10/2014	80	174	419.499		
TMP-14R	143	10/10/2014	100	174.6	399.499		
TMP-14R	143	10/10/2014	120	171	379.499		
TMP-14R	143	10/10/2014	140	165	359.499		
TMP-14R	144	10/11/2014	20	172.1	479.499		
TMP-14R	144	10/11/2014	40	188.7	459.499		
TMP-14R	144	10/11/2014	60	172.5	439.499		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-14R	144	10/11/2014	80	171.6	419.499		
TMP-14R	144	10/11/2014	100	172.4	399.499		
TMP-14R	144	10/11/2014	120	168.7	379.499		
TMP-14R	144	10/11/2014	140	162.7	359.499		
TMP-14R	145	10/12/2014	20	172.3	479.499		
TMP-14R	145	10/12/2014	40	188.9	459.499		
TMP-14R	145	10/12/2014	60	172.7	439.499		
TMP-14R	145	10/12/2014	80	171.9	419.499		
TMP-14R	145	10/12/2014	100	172.7	399.499		
TMP-14R	145	10/12/2014	120	168.9	379.499		
TMP-14R	145	10/12/2014	140	163	359.499		
TMP-14R	146	10/13/2014	20	174.2	479.499		
TMP-14R	146	10/13/2014	40	190.9	459.499		
TMP-14R	146	10/13/2014	60	174.7	439.499		
TMP-14R	146	10/13/2014	80	173.8	419.499		
TMP-14R	146	10/13/2014	100	174.6	399.499		
TMP-14R	146	10/13/2014	120	170.8	379.499		
TMP-14R	146	10/13/2014	140	164.1	359.499		
TMP-14R	147	10/17/2014	20	174.7	479.499		
TMP-14R	147	10/17/2014	40	190.3	459.499		
TMP-14R	147	10/17/2014	60	174.2	439.499		
TMP-14R	147	10/17/2014	80	173.5	419.499		
TMP-14R	147	10/17/2014	100	174.4	399.499		
TMP-14R	147	10/17/2014	120	170.7	379.499		
TMP-14R	147	10/17/2014	140	165.5	359.499		
TMP-14R	148	10/14/2014	20	173.1	479.499		
TMP-14R	148	10/14/2014	40	189.3	459.499		
TMP-14R	148	10/14/2014	60	173.1	439.499		
TMP-14R	148	10/14/2014	80	172.2	419.499		
TMP-14R	148	10/14/2014	100	173	399.499		
TMP-14R	148	10/14/2014	120	169.3	379.499		
TMP-14R	148	10/14/2014	140	163.3	359.499		
TMP-14R	149	10/15/2014	20	173.4	479.499		
TMP-14R	149	10/15/2014	40	189.7	459.499		
TMP-14R	149	10/15/2014	60	173.5	439.499		
TMP-14R	149	10/15/2014	80	172.6	419.499		
TMP-14R	149	10/15/2014	100	173.5	399.499		
TMP-14R	149	10/15/2014	120	169.7	379.499		
TMP-14R	149	10/15/2014	140	163.8	359.499		
TMP-14R	150	10/16/2014	20	174.7	479.499		
TMP-14R	150	10/16/2014	40	190.3	459.499		
TMP-14R	150	10/16/2014	60	174.2	439.499		
TMP-14R	150	10/16/2014	80	173.5	419.499		
TMP-14R	150	10/16/2014	100	174.4	399.499		
TMP-14R	150	10/16/2014	120	170.7	379.499		
TMP-14R	150	10/16/2014	140	165.6	359.499		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-14R	151	10/17/2014	20	174.7	479.499		
TMP-14R	151	10/17/2014	40	190.3	459.499		
TMP-14R	151	10/17/2014	60	174.2	439.499		
TMP-14R	151	10/17/2014	80	173.5	419.499		
TMP-14R	151	10/17/2014	100	174.4	399.499		
TMP-14R	151	10/17/2014	120	170.7	379.499		
TMP-14R	151	10/17/2014	140	165.5	359.499		
TMP-14R	152	10/20/2014	20	176.1	479.499		
TMP-14R	152	10/20/2014	40	190.1	459.499		
TMP-14R	152	10/20/2014	60	174.3	439.499		
TMP-14R	152	10/20/2014	80	173.7	419.499		
TMP-14R	152	10/20/2014	100	174.6	399.499		
TMP-14R	152	10/20/2014	120	170.9	379.499		
TMP-14R	152	10/20/2014	140	164.8	359.499		
TMP-14R	153	10/22/2014	20	176.8	479.499		
TMP-14R	153	10/22/2014	40	189.3	459.499		
TMP-14R	153	10/22/2014	60	173.2	439.499		
TMP-14R	153	10/22/2014	80	172.6	419.499		
TMP-14R	153	10/22/2014	100	173.5	399.499		
TMP-14R	153	10/22/2014	120	169.7	379.499		
TMP-14R	153	10/22/2014	140	164	359.499		
TMP-14R	154	10/24/2014	20	178.2	479.499		
TMP-14R	154	10/24/2014	40	189.8	459.499		
TMP-14R	154	10/24/2014	60	174	439.499		
TMP-14R	154	10/24/2014	80	173.1	419.499		
TMP-14R	154	10/24/2014	100	174	399.499		
TMP-14R	154	10/24/2014	120	170	379.499		
TMP-14R	154	10/24/2014	140	163.8	359.499		
TMP-14R	155	10/27/2014	20	179.6	479.499		
TMP-14R	155	10/27/2014	40	189.4	459.499		
TMP-14R	155	10/27/2014	60	173.5	439.499		
TMP-14R	155	10/27/2014	80	172.6	419.499		
TMP-14R	155	10/27/2014	100	173.5	399.499		
TMP-14R	155	10/27/2014	120	169.5	379.499		
TMP-14R	155	10/27/2014	140	163.3	359.499		
TMP-14R	156	10/29/2014	20	181	479.499		
TMP-14R	156	10/29/2014	40	189.9	459.499		
TMP-14R	156	10/29/2014	60	174	439.499		
TMP-14R	156	10/29/2014	80	173.1	419.499		
TMP-14R	156	10/29/2014	100	174.1	399.499		
TMP-14R	156	10/29/2014	120	170.3	379.499		
TMP-14R	156	10/29/2014	140	164.3	359.499		
TMP-14R	157	10/31/2014	20	182.6	479.499		
TMP-14R	157	10/31/2014	40	190.7	459.499		
TMP-14R	157	10/31/2014	60	174.8	439.499		
TMP-14R	157	10/31/2014	80	173.1	419.499		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-14R	157	10/31/2014	100	175	399.499		
TMP-14R	157	10/31/2014	120	171.2	379.499		
TMP-14R	157	10/31/2014	140	165.5	359.499		
TMP-14R	158	11/3/2014	20	182.8	479.499		
TMP-14R	158	11/3/2014	40	190.5	459.499		
TMP-14R	158	11/3/2014	60	174.7	439.499		
TMP-14R	158	11/3/2014	80	173.9	419.499		
TMP-14R	158	11/3/2014	100	174.9	399.499		
TMP-14R	158	11/3/2014	120	171.1	379.499		
TMP-14R	158	11/3/2014	140	165.3	359.499		
TMP-14R	159	11/5/2014	20	184.4	479.499		
TMP-14R	159	11/5/2014	40	191.5	459.499		
TMP-14R	159	11/5/2014	60	175.6	439.499		
TMP-14R	159	11/5/2014	80	174.5	419.499		
TMP-14R	159	11/5/2014	100	175.5	399.499		
TMP-14R	159	11/5/2014	120	171.6	379.499		
TMP-14R	159	11/5/2014	140	165.3	359.499		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-19	116	9/12/2014	20	175.6	472.93		TIMP EQUALIZING, RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-19	116	9/12/2014	40	178.9	452.93		TIMP EQUALIZING, RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-19	116	9/12/2014	60	168.7	432.93		TIMP EQUALIZING, RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-19	116	9/12/2014	80	177.4	412.93		TIMP EQUALIZING, RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-19	116	9/12/2014	100	202	392.93		TIMP EQUALIZING, RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-19	116	9/12/2014	120	185	372.93		TIMP EQUALIZING, RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-19	116	9/12/2014	140	161.2	352.93		TIMP EQUALIZING, RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-19	121	9/19/2014	20	220.9	472.93		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-19	121	9/19/2014	40	221	452.93		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-19	121	9/19/2014	60	222.7	432.93		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-19	121	9/19/2014	80	214.4	412.93		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-19	121	9/19/2014	100	221.5	392.93		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-19	121	9/19/2014	120	224.1	372.93		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-19	121	9/19/2014	140	185.2	352.93		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-19	122	9/20/2014	20	212.6	472.93		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-19	122	9/20/2014	40	212.3	452.93		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-19	122	9/20/2014	60	213.5	432.93		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-19	122	9/20/2014	80	209.1	412.93		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-19	122	9/20/2014	100	213.9	392.93		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-19	122	9/20/2014	120	220.8	372.93		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-19	122	9/20/2014	140	180.6	352.93		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-19	124	9/21/2014	20	218.6	472.93		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-19	124	9/21/2014	40	219.1	452.93		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-19	124	9/21/2014	60	219.3	432.93		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-19	124	9/21/2014	80	210.9	412.93		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-19	124	9/21/2014	100	214.4	392.93		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-19	124	9/21/2014	120	217.4	372.93		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-19	124	9/21/2014	140	179.3	352.93		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-19	125	9/22/2014	20	214.7	472.93		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-19	125	9/22/2014	40	216.8	452.93		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-19	125	9/22/2014	60	218.8	432.93		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-19	125	9/22/2014	80	210.5	412.93		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-19	125	9/22/2014	100	213.5	392.93		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-19	125	9/22/2014	120	214.6	372.93		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-19	125	9/22/2014	140	173.3	352.93		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-19	126	9/23/2014	20	214.6	472.93		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-19	126	9/23/2014	40	217.6	452.93		
TMP-19	126	9/23/2014	60	221.2	432.93		
TMP-19	126	9/23/2014	80	210.9	412.93		
TMP-19	126	9/23/2014	100	214.9	392.93		
TMP-19	126	9/23/2014	120	220.1	372.93		
TMP-19	126	9/23/2014	140	180.2	352.93		
TMP-19	127	9/24/2014	20	215.5	472.93		
TMP-19	127	9/24/2014	40	218.9	452.93		
TMP-19	127	9/24/2014	60	223	432.93		
TMP-19	127	9/24/2014	80	212	412.93		
TMP-19	127	9/24/2014	100	215.4	392.93		
TMP-19	127	9/24/2014	120	220.5	372.93		
TMP-19	127	9/24/2014	140	180.8	352.93		
TMP-19	128	9/25/2014	20	215.2	472.93		
TMP-19	128	9/25/2014	40	219.4	452.93		
TMP-19	128	9/25/2014	60	224.7	432.93		
TMP-19	128	9/25/2014	80	212.9	412.93		
TMP-19	128	9/25/2014	100	216.1	392.93		
TMP-19	128	9/25/2014	120	221.2	372.93		
TMP-19	128	9/25/2014	140	181.6	352.93		
TMP-19	129	9/26/2014	20	213.6	472.93		
TMP-19	129	9/26/2014	40	219.3	452.93		
TMP-19	129	9/26/2014	60	224.8	432.93		
TMP-19	129	9/26/2014	80	212.8	412.93		
TMP-19	129	9/26/2014	100	215.6	392.93		
TMP-19	129	9/26/2014	120	220.7	372.93		
TMP-19	129	9/26/2014	140	181.7	352.93		
TMP-19	130	9/27/2014	20	215	472.93		
TMP-19	130	9/27/2014	40	220.6	452.93		
TMP-19	130	9/27/2014	60	226.5	432.93		
TMP-19	130	9/27/2014	80	214.1	412.93		
TMP-19	130	9/27/2014	100	216.4	392.93		
TMP-19	130	9/27/2014	120	221.2	372.93		
TMP-19	130	9/27/2014	140	182.4	352.93		
TMP-19	131	9/28/2014	20	214.2	472.93		
TMP-19	131	9/28/2014	40	220.3	452.93		
TMP-19	131	9/28/2014	60	226.1	432.93		
TMP-19	131	9/28/2014	80	214	412.93		
TMP-19	131	9/28/2014	100	216.1	392.93		
TMP-19	131	9/28/2014	120	220.9	372.93		
TMP-19	131	9/28/2014	140	182.3	352.93		
TMP-19	132	9/29/2014	20	215.2	472.93		
TMP-19	132	9/29/2014	40	221.6	452.93		
TMP-19	132	9/29/2014	60	227.7	432.93		
TMP-19	132	9/29/2014	80	215.5	412.93		
TMP-19	132	9/29/2014	100	217.2	392.93		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-19	132	9/29/2014	120	222.1	372.93		
TMP-19	132	9/29/2014	140	185.5	352.93		
TMP-19	133	9/30/2014	20	215.3	472.93		
TMP-19	133	9/30/2014	40	221.8	452.93		
TMP-19	133	9/30/2014	60	228.1	432.93		
TMP-19	133	9/30/2014	80	216	412.93		
TMP-19	133	9/30/2014	100	105	392.93		
TMP-19	133	9/30/2014	120	222.3	372.93		
TMP-19	133	9/30/2014	140	183.8	352.93		
TMP-19	134	10/1/2014	20	215.1	472.93		
TMP-19	134	10/1/2014	40	221.8	452.93		
TMP-19	134	10/1/2014	60	228.1	432.93		
TMP-19	134	10/1/2014	80	216.1	412.93		
TMP-19	134	10/1/2014	100	79	392.93		
TMP-19	134	10/1/2014	120	222.3	372.93		
TMP-19	134	10/1/2014	140	183.8	352.93		
TMP-19	135	10/2/2014	20	215.8	472.93		
TMP-19	135	10/2/2014	40	222.5	452.93		
TMP-19	135	10/2/2014	60	229	432.93		
TMP-19	135	10/2/2014	80	217.2	412.93		
TMP-19	135	10/2/2014	100	80.9	392.93		
TMP-19	135	10/2/2014	120	222.9	372.93		
TMP-19	135	10/2/2014	140	184.3	352.93		
TMP-19	136	10/8/2014	20	218.6	472.93		
TMP-19	136	10/8/2014	40	226.2	452.93		
TMP-19	136	10/8/2014	60	232.7	432.93		
TMP-19	136	10/8/2014	80	221.9	412.93		
TMP-19	136	10/8/2014	100	86	392.93		
TMP-19	136	10/8/2014	120	226.6	372.93		
TMP-19	136	10/8/2014	140	189.3	352.93		
TMP-19	140	10/6/2014	20	216.2	472.93		
TMP-19	140	10/6/2014	40	223.5	452.93		
TMP-19	140	10/6/2014	60	230.1	432.93		
TMP-19	140	10/6/2014	80	219	412.93		
TMP-19	140	10/6/2014	100	77	392.93		
TMP-19	140	10/6/2014	120	224	372.93		
TMP-19	140	10/6/2014	140	186.1	352.93		
TMP-19	141	10/7/2014	20	216.7	472.93		
TMP-19	141	10/7/2014	40	224	452.93		
TMP-19	141	10/7/2014	60	230.4	432.93		
TMP-19	141	10/7/2014	80	219.3	412.93		
TMP-19	141	10/7/2014	100	83.2	392.93		
TMP-19	141	10/7/2014	120	223.7	372.93		
TMP-19	141	10/7/2014	140	185.6	352.93		
TMP-19	142	10/9/2014	20	216.4	472.93		Multimeter not working due to water damage

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-19	142	10/9/2014	40	224.3	452.93		Multimeter not working due to water damage
TMP-19	142	10/9/2014	60	230.9	432.93		Multimeter not working due to water damage
TMP-19	142	10/9/2014	80	220	412.93		Multimeter not working due to water damage
TMP-19	142	10/9/2014	100	63.1	392.93		Multimeter not working due to water damage
TMP-19	142	10/9/2014	120	224.3	372.93		Multimeter not working due to water damage
TMP-19	142	10/9/2014	140	186.9	352.93		Multimeter not working due to water damage
TMP-19	143	10/10/2014	20	218.4	472.93		
TMP-19	143	10/10/2014	40	226.3	452.93		
TMP-19	143	10/10/2014	60	233.4	432.93		
TMP-19	143	10/10/2014	80	222.3	412.93		
TMP-19	143	10/10/2014	100	56.1	392.93		
TMP-19	143	10/10/2014	120	226.4	372.93		
TMP-19	143	10/10/2014	140	189.9	352.93		
TMP-19	144	10/11/2014	20	216.5	472.93		
TMP-19	144	10/11/2014	40	224.7	452.93		
TMP-19	144	10/11/2014	60	232.2	432.93		
TMP-19	144	10/11/2014	80	220.5	412.93		
TMP-19	144	10/11/2014	100	58.5	392.93		
TMP-19	144	10/11/2014	120	224.1	372.93		
TMP-19	144	10/11/2014	140	186.9	352.93		
TMP-19	145	10/12/2014	20	216.4	472.93		
TMP-19	145	10/12/2014	40	224.8	452.93		
TMP-19	145	10/12/2014	60	233	432.93		
TMP-19	145	10/12/2014	80	220.9	412.93		
TMP-19	145	10/12/2014	100	61.3	392.93		
TMP-19	145	10/12/2014	120	224.3	372.93		
TMP-19	145	10/12/2014	140	187.6	352.93		
TMP-19	146	10/13/2014	20	217.9	472.93		
TMP-19	146	10/13/2014	40	226.5	452.93		
TMP-19	146	10/13/2014	60	235.2	432.93		
TMP-19	146	10/13/2014	80	222.7	412.93		
TMP-19	146	10/13/2014	100	67.7	392.93		
TMP-19	146	10/13/2014	120	255.5	372.93		
TMP-19	146	10/13/2014	140	189.1	352.93		
TMP-19	147	10/17/2014	20	215.7	472.93		
TMP-19	147	10/17/2014	40	225.6	452.93		
TMP-19	147	10/17/2014	60	236.9	432.93		
TMP-19	147	10/17/2014	80	222.6	412.93		
TMP-19	147	10/17/2014	100	73.7	392.93		
TMP-19	147	10/17/2014	120	224.9	372.93		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-19	147	10/17/2014	140	189.8	352.93		
TMP-19	148	10/14/2014	20	216.5	472.93		
TMP-19	148	10/14/2014	40	225.3	452.93		
TMP-19	148	10/14/2014	60	234.7	432.93		
TMP-19	148	10/14/2014	80	221.8	412.93		
TMP-19	148	10/14/2014	100	57.3	392.93		
TMP-19	148	10/14/2014	120	224.4	372.93		
TMP-19	148	10/14/2014	140	188.7	352.93		
TMP-19	149	10/15/2014	20	217	472.93		
TMP-19	149	10/15/2014	40	226.2	452.93		
TMP-19	149	10/15/2014	60	236	432.93		
TMP-19	149	10/15/2014	80	222.6	412.93		
TMP-19	149	10/15/2014	100	59.7	392.93		
TMP-19	149	10/15/2014	120	225.2	372.93		
TMP-19	149	10/15/2014	140	190	352.93		
TMP-19	150	10/16/2014	20	215.7	472.93		
TMP-19	150	10/16/2014	40	225.6	452.93		
TMP-19	150	10/16/2014	60	236.9	432.93		
TMP-19	150	10/16/2014	80	222.6	412.93		
TMP-19	150	10/16/2014	100	73.7	392.93		
TMP-19	150	10/16/2014	120	224.9	372.93		
TMP-19	150	10/16/2014	140	189.8	352.93		
TMP-19	151	10/17/2014	20	215.7	472.93		
TMP-19	151	10/17/2014	40	225.6	452.93		
TMP-19	151	10/17/2014	60	236.9	432.93		
TMP-19	151	10/17/2014	80	222.6	412.93		
TMP-19	151	10/17/2014	100	73.7	392.93		
TMP-19	151	10/17/2014	120	224.9	372.93		
TMP-19	151	10/17/2014	140	189.8	352.93		
TMP-19	152	10/20/2014	20	215	472.93		
TMP-19	152	10/20/2014	40	225.5	452.93		
TMP-19	152	10/20/2014	60	238.5	432.93		
TMP-19	152	10/20/2014	80	223	412.93		
TMP-19	152	10/20/2014	100	83.8	392.93		
TMP-19	152	10/20/2014	120	224.8	372.93		
TMP-19	152	10/20/2014	140	190.4	352.93		
TMP-19	153	10/22/2014	20	215.6	472.93		
TMP-19	153	10/22/2014	40	226.1	452.93		
TMP-19	153	10/22/2014	60	239.7	432.93		
TMP-19	153	10/22/2014	80	223.3	412.93		
TMP-19	153	10/22/2014	100	56.3	392.93		
TMP-19	153	10/22/2014	120	224.8	372.93		
TMP-19	153	10/22/2014	140	190.6	352.93		
TMP-19	154	10/24/2014	20	216	472.93		
TMP-19	154	10/24/2014	40	227.3	452.93		
TMP-19	154	10/24/2014	60	242	432.93		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-19	154	10/24/2014	80	225	412.93		
TMP-19	154	10/24/2014	100	85.5	392.93		
TMP-19	154	10/24/2014	120	226.3	372.93		
TMP-19	154	10/24/2014	140	192	352.93		
TMP-19	155	10/27/2014	20	214.5	472.93		
TMP-19	155	10/27/2014	40	226.4	452.93		
TMP-19	155	10/27/2014	60	242.3	432.93		
TMP-19	155	10/27/2014	80	224.4	412.93		
TMP-19	155	10/27/2014	100	86.6	392.93		
TMP-19	155	10/27/2014	120	226.1	372.93		
TMP-19	155	10/27/2014	140	192.3	352.93		
TMP-19	156	10/29/2014	20	215.6	472.93		
TMP-19	156	10/29/2014	40	227.5	452.93		
TMP-19	156	10/29/2014	60	244	432.93		
TMP-19	156	10/29/2014	80	225.5	412.93		
TMP-19	156	10/29/2014	100	61.3	392.93		
TMP-19	156	10/29/2014	120	227.8	372.93		
TMP-19	156	10/29/2014	140	193.5	352.93		
TMP-19	157	10/31/2014	20	214.8	472.93		
TMP-19	157	10/31/2014	40	227	452.93		
TMP-19	157	10/31/2014	60	244.2	432.93		
TMP-19	157	10/31/2014	80	225.2	412.93		
TMP-19	157	10/31/2014	100	55.2	392.93		
TMP-19	157	10/31/2014	120	228	372.93		
TMP-19	157	10/31/2014	140	193.2	352.93		
TMP-19	158	11/3/2014	20	214.9	472.93		
TMP-19	158	11/3/2014	40	227.6	452.93		
TMP-19	158	11/3/2014	60	245.7	432.93		
TMP-19	158	11/3/2014	80	226.2	412.93		
TMP-19	158	11/3/2014	100	80.2	392.93		
TMP-19	158	11/3/2014	120	228.7	372.93		
TMP-19	158	11/3/2014	140	194.5	352.93		
TMP-19	159	11/5/2014	20	215	472.93		
TMP-19	159	11/5/2014	40	228.2	452.93		
TMP-19	159	11/5/2014	60	246.9	432.93		
TMP-19	159	11/5/2014	80	227.1	412.93		
TMP-19	159	11/5/2014	100	62.9	392.93		
TMP-19	159	11/5/2014	120	229.3	372.93		
TMP-19	159	11/5/2014	140	196.1	352.93		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-20	121	9/19/2014	20	158.6	478.346		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-20	121	9/19/2014	40	222.6	458.346		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-20	121	9/19/2014	60	252.5	438.346		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-20	121	9/19/2014	80	269.9	418.346		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-20	121	9/19/2014	100	291.5	398.346		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-20	121	9/19/2014	120	295.4	378.346		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-20	121	9/19/2014	140	212.8	358.346		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-20	122	9/20/2014	20	153.6	478.346		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-20	122	9/20/2014	40	217.4	458.346		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-20	122	9/20/2014	60	244.2	438.346		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-20	122	9/20/2014	80	260.4	418.346		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-20	122	9/20/2014	100	280.5	398.346		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-20	122	9/20/2014	120	292	378.346		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-20	122	9/20/2014	140	208.1	358.346		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-20	123	9/26/2014	20	154.1	478.346		
TMP-20	123	9/26/2014	40	222.5	458.346		
TMP-20	123	9/26/2014	60	248	438.346		
TMP-20	123	9/26/2014	80	263.3	418.346		
TMP-20	123	9/26/2014	100	281.5	398.346		
TMP-20	123	9/26/2014	120	293.1	378.346		
TMP-20	123	9/26/2014	140	209.7	358.346		
TMP-20	124	9/21/2014	20	146	478.346		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-20	124	9/21/2014	40	214.6	458.346		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-20	124	9/21/2014	60	241.9	438.346		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-20	124	9/21/2014	80	262	418.346		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-20	124	9/21/2014	100	283	398.346		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-20	124	9/21/2014	120	292.7	378.346		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-20	124	9/21/2014	140	208.3	358.346		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-20	125	9/22/2014	20	159	478.346		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-20	125	9/22/2014	40	225.6	458.346		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-20	125	9/22/2014	60	251.3	438.346		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-20	125	9/22/2014	80	268.3	418.346		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-20	125	9/22/2014	100	288.6	398.346		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-20	125	9/22/2014	120	297.7	378.346		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-20	125	9/22/2014	140	214.8	358.346		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-20	126	9/23/2014	20	154.1	478.346		
TMP-20	126	9/23/2014	40	220.5	458.346		
TMP-20	126	9/23/2014	60	247	438.346		
TMP-20	126	9/23/2014	80	262.5	418.346		
TMP-20	126	9/23/2014	100	281.6	398.346		
TMP-20	126	9/23/2014	120	292.7	378.346		
TMP-20	126	9/23/2014	140	208.3	358.346		
TMP-20	127	9/24/2014	20	154.1	478.346		
TMP-20	127	9/24/2014	40	221.1	458.346		
TMP-20	127	9/24/2014	60	247.3	438.346		
TMP-20	127	9/24/2014	80	262.5	418.346		
TMP-20	127	9/24/2014	100	281.5	398.346		
TMP-20	127	9/24/2014	120	292.7	378.346		
TMP-20	127	9/24/2014	140	208.6	358.346		
TMP-20	128	9/25/2014	20	153.9	478.346		
TMP-20	128	9/25/2014	40	221.7	458.346		
TMP-20	128	9/25/2014	60	247.7	438.346		
TMP-20	128	9/25/2014	80	263	418.346		
TMP-20	128	9/25/2014	100	281.6	398.346		
TMP-20	128	9/25/2014	120	292.9	378.346		
TMP-20	128	9/25/2014	140	209.5	358.346		
TMP-20	129	9/26/2014	20	154.1	478.346		
TMP-20	129	9/26/2014	40	222.5	458.346		
TMP-20	129	9/26/2014	60	248	438.346		
TMP-20	129	9/26/2014	80	263.3	418.346		
TMP-20	129	9/26/2014	100	281.5	398.346		
TMP-20	129	9/26/2014	120	293.1	378.346		
TMP-20	129	9/26/2014	140	209.7	358.346		
TMP-20	130	9/27/2014	20	154.3	478.346		
TMP-20	130	9/27/2014	40	223.5	458.346		
TMP-20	130	9/27/2014	60	248.2	438.346		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-20	130	9/27/2014	80	263.5	418.346		
TMP-20	130	9/27/2014	100	281.6	398.346		
TMP-20	130	9/27/2014	120	293.2	378.346		
TMP-20	130	9/27/2014	140	210	358.346		
TMP-20	131	9/28/2014	20	154.9	478.346		
TMP-20	131	9/28/2014	40	224.5	458.346		
TMP-20	131	9/28/2014	60	248.9	438.346		
TMP-20	131	9/28/2014	80	264.3	418.346		
TMP-20	131	9/28/2014	100	282.2	398.346		
TMP-20	131	9/28/2014	120	293.9	378.346		
TMP-20	131	9/28/2014	140	210.8	358.346		
TMP-20	132	9/29/2014	20	154.9	478.346		
TMP-20	132	9/29/2014	40	225	458.346		
TMP-20	132	9/29/2014	60	249.1	438.346		
TMP-20	132	9/29/2014	80	264.7	418.346		
TMP-20	132	9/29/2014	100	282.1	398.346		
TMP-20	132	9/29/2014	120	294	378.346		
TMP-20	132	9/29/2014	140	211.3	358.346		
TMP-20	133	9/30/2014	20	152.5	478.346		
TMP-20	133	9/30/2014	40	226.9	458.346		
TMP-20	133	9/30/2014	60	248	438.346		
TMP-20	133	9/30/2014	80	265.2	418.346		
TMP-20	133	9/30/2014	100	282.1	398.346		
TMP-20	133	9/30/2014	120	293.5	378.346		
TMP-20	133	9/30/2014	140	211	358.346		
TMP-20	134	10/1/2014	20	149.6	478.346		
TMP-20	134	10/1/2014	40	227.4	458.346		
TMP-20	134	10/1/2014	60	249.3	438.346		
TMP-20	134	10/1/2014	80	265.8	418.346		
TMP-20	134	10/1/2014	100	282.6	398.346		
TMP-20	134	10/1/2014	120	294	378.346		
TMP-20	134	10/1/2014	140	212	358.346		
TMP-20	135	10/2/2014	20	147.4	478.346		
TMP-20	135	10/2/2014	40	228.2	458.346		
TMP-20	135	10/2/2014	60	249.7	438.346		
TMP-20	135	10/2/2014	80	266	418.346		
TMP-20	135	10/2/2014	100	283.1	398.346		
TMP-20	135	10/2/2014	120	294.3	378.346		
TMP-20	135	10/2/2014	140	212.4	358.346		
TMP-20	136	10/8/2014	20	150.9	478.346		
TMP-20	136	10/8/2014	40	230.6	458.346		
TMP-20	136	10/8/2014	60	251.6	438.346		
TMP-20	136	10/8/2014	80	267.7	418.346		
TMP-20	136	10/8/2014	100	284.2	398.346		
TMP-20	136	10/8/2014	120	295.6	378.346		
TMP-20	136	10/8/2014	140	215.1	358.346		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-20	137	10/3/2014	20	147.7	478.346		
TMP-20	137	10/3/2014	40	228.5	458.346		
TMP-20	137	10/3/2014	60	250	438.346		
TMP-20	137	10/3/2014	80	266.2	418.346		
TMP-20	137	10/3/2014	100	283.5	398.346		
TMP-20	137	10/3/2014	120	294.7	378.346		
TMP-20	137	10/3/2014	140	213	358.346		
TMP-20	138	10/4/2014	20	147.1	478.346		
TMP-20	138	10/4/2014	40	228.1	458.346		
TMP-20	138	10/4/2014	60	249	438.346		
TMP-20	138	10/4/2014	80	264.7	418.346		
TMP-20	138	10/4/2014	100	282.6	398.346		
TMP-20	138	10/4/2014	120	293.6	378.346		
TMP-20	138	10/4/2014	140	211	358.346		
TMP-20	139	10/5/2014	20	147	478.346		
TMP-20	139	10/5/2014	40	228.6	458.346		
TMP-20	139	10/5/2014	60	249.6	438.346		
TMP-20	139	10/5/2014	80	266.1	418.346		
TMP-20	139	10/5/2014	100	283.2	398.346		
TMP-20	139	10/5/2014	120	294.1	378.346		
TMP-20	139	10/5/2014	140	212.7	358.346		
TMP-20	140	10/6/2014	20	147.5	478.346		
TMP-20	140	10/6/2014	40	229	458.346		
TMP-20	140	10/6/2014	60	249.8	438.346		
TMP-20	140	10/6/2014	80	266.2	418.346		
TMP-20	140	10/6/2014	100	282.9	398.346		
TMP-20	140	10/6/2014	120	294.3	378.346		
TMP-20	140	10/6/2014	140	213.4	358.346		
TMP-20	141	10/7/2014	20	149	478.346		
TMP-20	141	10/7/2014	40	229.3	458.346		
TMP-20	141	10/7/2014	60	250.4	438.346		
TMP-20	141	10/7/2014	80	266.6	418.346		
TMP-20	141	10/7/2014	100	283	398.346		
TMP-20	141	10/7/2014	120	294.7	378.346		
TMP-20	141	10/7/2014	140	214	358.346		
TMP-20	142	10/9/2014	20	150	478.346		Multimeter not working due to water damage
TMP-20	142	10/9/2014	40	230.4	458.346		Multimeter not working due to water damage
TMP-20	142	10/9/2014	60	250.9	438.346		Multimeter not working due to water damage
TMP-20	142	10/9/2014	80	267.2	418.346		Multimeter not working due to water damage
TMP-20	142	10/9/2014	100	284.1	398.346		Multimeter not working due to water damage

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-20	142	10/9/2014	120	295.7	378.346		Multimeter not working due to water damage
TMP-20	142	10/9/2014	140	215.3	358.346		Multimeter not working due to water damage
TMP-20	143	10/10/2014	20	151.3	478.346		
TMP-20	143	10/10/2014	40	231.6	458.346		
TMP-20	143	10/10/2014	60	251.8	438.346		
TMP-20	143	10/10/2014	80	268	418.346		
TMP-20	143	10/10/2014	100	284.8	398.346		
TMP-20	143	10/10/2014	120	296.2	378.346		
TMP-20	143	10/10/2014	140	216.1	358.346		
TMP-20	144	10/11/2014	20	151.4	478.346		
TMP-20	144	10/11/2014	40	231.2	458.346		
TMP-20	144	10/11/2014	60	251.4	438.346		
TMP-20	144	10/11/2014	80	267.5	418.346		
TMP-20	144	10/11/2014	100	284.5	398.346		
TMP-20	144	10/11/2014	120	296.5	378.346		
TMP-20	144	10/11/2014	140	216.4	358.346		
TMP-20	145	10/12/2014	20	151	478.346		
TMP-20	145	10/12/2014	40	231.4	458.346		
TMP-20	145	10/12/2014	60	251.6	438.346		
TMP-20	145	10/12/2014	80	267.9	418.346		
TMP-20	145	10/12/2014	100	284.5	398.346		
TMP-20	145	10/12/2014	120	295.5	378.346		
TMP-20	145	10/12/2014	140	216.2	358.346		
TMP-20	146	10/13/2014	20	150.8	478.346		
TMP-20	146	10/13/2014	40	231.5	458.346		
TMP-20	146	10/13/2014	60	251.6	438.346		
TMP-20	146	10/13/2014	80	267.9	418.346		
TMP-20	146	10/13/2014	100	284.5	398.346		
TMP-20	146	10/13/2014	120	296.4	378.346		
TMP-20	146	10/13/2014	140	216.8	358.346		
TMP-20	147	10/17/2014	20	152.9	478.346		
TMP-20	147	10/17/2014	40	233.3	458.346		
TMP-20	147	10/17/2014	60	253.2	438.346		
TMP-20	147	10/17/2014	80	269.4	418.346		
TMP-20	147	10/17/2014	100	285.7	398.346		
TMP-20	147	10/17/2014	120	298.7	378.346		
TMP-20	147	10/17/2014	140	219.7	358.346		
TMP-20	148	10/14/2014	20	151.2	478.346		
TMP-20	148	10/14/2014	40	232.1	458.346		
TMP-20	148	10/14/2014	60	252.3	438.346		
TMP-20	148	10/14/2014	80	268.6	418.346		
TMP-20	148	10/14/2014	100	285.1	398.346		
TMP-20	148	10/14/2014	120	296.6	378.346		
TMP-20	148	10/14/2014	140	217.3	358.346		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-20	149	10/15/2014	20	151.5	478.346		
TMP-20	149	10/15/2014	40	231.9	458.346		
TMP-20	149	10/15/2014	60	251.8	438.346		
TMP-20	149	10/15/2014	80	268	418.346		
TMP-20	149	10/15/2014	100	284.4	398.346		
TMP-20	149	10/15/2014	120	296	378.346		
TMP-20	149	10/15/2014	140	216.6	358.346		
TMP-20	150	10/16/2014	20	152.9	478.346		
TMP-20	150	10/16/2014	40	233.3	458.346		
TMP-20	150	10/16/2014	60	253.2	438.346		
TMP-20	150	10/16/2014	80	269.4	418.346		
TMP-20	150	10/16/2014	100	285.7	398.346		
TMP-20	150	10/16/2014	120	298.7	378.346		
TMP-20	150	10/16/2014	140	219.7	358.346		
TMP-20	151	10/17/2014	20	152.9	478.346		
TMP-20	151	10/17/2014	40	233.3	458.346		
TMP-20	151	10/17/2014	60	253.2	438.346		
TMP-20	151	10/17/2014	80	269.4	418.346		
TMP-20	151	10/17/2014	100	285.7	398.346		
TMP-20	151	10/17/2014	120	298.7	378.346		
TMP-20	151	10/17/2014	140	219.7	358.346		
TMP-20	152	10/20/2014	20	151.1	478.346		
TMP-20	152	10/20/2014	40	231.6	458.346		
TMP-20	152	10/20/2014	60	251.4	438.346		
TMP-20	152	10/20/2014	80	268	418.346		
TMP-20	152	10/20/2014	100	284.8	398.346		
TMP-20	152	10/20/2014	120	299.7	378.346		
TMP-20	152	10/20/2014	140	221.2	358.346		
TMP-20	153	10/22/2014	20	155.2	478.346		
TMP-20	153	10/22/2014	40	234.9	458.346		
TMP-20	153	10/22/2014	60	254.2	438.346		
TMP-20	153	10/22/2014	80	270.7	418.346		
TMP-20	153	10/22/2014	100	287.2	398.346		
TMP-20	153	10/22/2014	120	299.1	378.346		
TMP-20	153	10/22/2014	140	220.7	358.346		
TMP-20	154	10/24/2014	20	150.8	478.346		
TMP-20	154	10/24/2014	40	232.4	458.346		
TMP-20	154	10/24/2014	60	251.8	438.346		
TMP-20	154	10/24/2014	80	269.2	418.346		
TMP-20	154	10/24/2014	100	288.7	398.346		
TMP-20	154	10/24/2014	120	300.4	378.346		
TMP-20	154	10/24/2014	140	221.7	358.346		
TMP-20	155	10/27/2014	20	152.3	478.346		
TMP-20	155	10/27/2014	40	233.4	458.346		
TMP-20	155	10/27/2014	60	252.8	438.346		
TMP-20	155	10/27/2014	80	269.7	418.346		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-20	155	10/27/2014	100	288.2	398.346		
TMP-20	155	10/27/2014	120	299.9	378.346		
TMP-20	155	10/27/2014	140	221.6	358.346		
TMP-20	156	10/29/2014	20	154.3	478.346		
TMP-20	156	10/29/2014	40	236.5	458.346		
TMP-20	156	10/29/2014	60	255.1	438.346		
TMP-20	156	10/29/2014	80	271.9	418.346		
TMP-20	156	10/29/2014	100	289.5	398.346		
TMP-20	156	10/29/2014	120	299.7	378.346		
TMP-20	156	10/29/2014	140	223.7	358.346		
TMP-20	157	10/31/2014	20	156.2	478.346		
TMP-20	157	10/31/2014	40	236.6	458.346		
TMP-20	157	10/31/2014	60	255.1	438.346		
TMP-20	157	10/31/2014	80	271.6	418.346		
TMP-20	157	10/31/2014	100	288.7	398.346		
TMP-20	157	10/31/2014	120	299.6	378.346		
TMP-20	157	10/31/2014	140	223.5	358.346		
TMP-20	158	11/3/2014	20	154.4	478.346		
TMP-20	158	11/3/2014	40	234.7	458.346		
TMP-20	158	11/3/2014	60	253.5	438.346		
TMP-20	158	11/3/2014	80	271	418.346		
TMP-20	158	11/3/2014	100	290.3	398.346		
TMP-20	158	11/3/2014	120	300.1	378.346		
TMP-20	158	11/3/2014	140	223.2	358.346		
TMP-20	159	11/5/2014	20	158	478.346		
TMP-20	159	11/5/2014	40	238	458.346		
TMP-20	159	11/5/2014	60	256.4	438.346		
TMP-20	159	11/5/2014	80	273	418.346		
TMP-20	159	11/5/2014	100	289.8	398.346		
TMP-20	159	11/5/2014	120	300.3	378.346		
TMP-20	159	11/5/2014	140	224.4	358.346		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-10-9N	117	9/15/2014	20	203.6	475.285		TIMP EQUALIZING, RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-10-9N	117	9/15/2014	40	213.1	455.285		TIMP EQUALIZING, RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-10-9N	117	9/15/2014	60	176	435.285		TIMP EQUALIZING, RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-10-9N	117	9/15/2014	80	180.4	415.285		TIMP EQUALIZING, RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-10-9N	117	9/15/2014	100	223.7	395.285		TIMP EQUALIZING, RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-10-9N	121	9/19/2014	20	207.2	475.285		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-10-9N	121	9/19/2014	40	224.3	455.285		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-10-9N	121	9/19/2014	60	220.3	435.285		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-10-9N	121	9/19/2014	80	205.2	415.285		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-10-9N	121	9/19/2014	100	239.3	395.285		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-10-9N	122	9/20/2014	20	206.4	475.285		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-10-9N	122	9/20/2014	40	222.8	455.285		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-10-9N	122	9/20/2014	60	222.1	435.285		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-10-9N	122	9/20/2014	80	202.5	415.285		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-10-9N	122	9/20/2014	100	234.3	395.285		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-10-9N	123	9/26/2014	20	207.5	475.285		
TMP-10-9N	123	9/26/2014	40	225.5	455.285		
TMP-10-9N	123	9/26/2014	60	233.7	435.285		
TMP-10-9N	123	9/26/2014	80	210.3	415.285		
TMP-10-9N	123	9/26/2014	100	239.4	395.285		
TMP-10-9N	124	9/21/2014	20	215.3	475.285		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-10-9N	124	9/21/2014	40	229.6	455.285		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-10-9N	124	9/21/2014	60	230.3	435.285		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-10-9N	124	9/21/2014	80	209.7	415.285		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-10-9N	124	9/21/2014	100	241.8	395.285		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-10-9N	125	9/22/2014	20	206.4	475.285		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-10-9N	125	9/22/2014	40	223.4	455.285		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-10-9N	125	9/22/2014	60	229.1	435.285		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-10-9N	125	9/22/2014	80	206	415.285		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-10-9N	125	9/22/2014	100	237	395.285		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-10-9N	126	9/23/2014	20	206.8	475.285		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-10-9N	126	9/23/2014	40	224.9	455.285		
TMP-10-9N	126	9/23/2014	60	230.5	435.285		
TMP-10-9N	126	9/23/2014	80	208.2	415.285		
TMP-10-9N	126	9/23/2014	100	238.2	395.285		
TMP-10-9N	127	9/24/2014	20	207.2	475.285		
TMP-10-9N	127	9/24/2014	40	225	455.285		
TMP-10-9N	127	9/24/2014	60	231.8	435.285		
TMP-10-9N	127	9/24/2014	80	209	415.285		
TMP-10-9N	127	9/24/2014	100	239	395.285		
TMP-10-9N	128	9/25/2014	20	206.4	475.285		
TMP-10-9N	128	9/25/2014	40	224.3	455.285		
TMP-10-9N	128	9/25/2014	60	231.7	435.285		
TMP-10-9N	128	9/25/2014	80	208.7	415.285		
TMP-10-9N	128	9/25/2014	100	238.1	395.285		
TMP-10-9N	129	9/26/2014	20	207.5	475.285		
TMP-10-9N	129	9/26/2014	40	225.5	455.285		
TMP-10-9N	129	9/26/2014	60	233.7	435.285		
TMP-10-9N	129	9/26/2014	80	210.3	415.285		
TMP-10-9N	129	9/26/2014	100	239.4	395.285		
TMP-10-9N	130	9/27/2014	20	207.6	475.285		
TMP-10-9N	130	9/27/2014	40	225.5	455.285		
TMP-10-9N	130	9/27/2014	60	234.4	435.285		
TMP-10-9N	130	9/27/2014	80	210.8	415.285		
TMP-10-9N	130	9/27/2014	100	239.6	395.285		
TMP-10-9N	131	9/28/2014	20	206.8	475.285		
TMP-10-9N	131	9/28/2014	40	224.3	455.285		
TMP-10-9N	131	9/28/2014	60	234	435.285		
TMP-10-9N	131	9/28/2014	80	210.3	415.285		
TMP-10-9N	131	9/28/2014	100	238.5	395.285		
TMP-10-9N	132	9/29/2014	20	208.6	475.285		
TMP-10-9N	132	9/29/2014	40	226.5	455.285		
TMP-10-9N	132	9/29/2014	60	236.6	435.285		
TMP-10-9N	132	9/29/2014	80	212.6	415.285		
TMP-10-9N	132	9/29/2014	100	240.6	395.285		
TMP-10-9N	133	9/30/2014	20	208.3	475.285		
TMP-10-9N	133	9/30/2014	40	226.4	455.285		
TMP-10-9N	133	9/30/2014	60	236.9	435.285		
TMP-10-9N	133	9/30/2014	80	212.7	415.285		
TMP-10-9N	133	9/30/2014	100	240.8	395.285		
TMP-10-9N	134	10/1/2014	20	207.3	475.285		
TMP-10-9N	134	10/1/2014	40	225.1	455.285		
TMP-10-9N	134	10/1/2014	60	236.3	435.285		
TMP-10-9N	134	10/1/2014	80	211.8	415.285		
TMP-10-9N	134	10/1/2014	100	239.7	395.285		
TMP-10-9N	135	10/2/2014	20	208.6	475.285		
TMP-10-9N	135	10/2/2014	40	226.2	455.285		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-10-9N	135	10/2/2014	60	238.2	435.285		
TMP-10-9N	135	10/2/2014	80	215.7	415.285		
TMP-10-9N	135	10/2/2014	100	241.2	395.285		
TMP-10-9N	136	10/8/2014	20	210.6	475.285		
TMP-10-9N	136	10/8/2014	40	229.2	455.285		
TMP-10-9N	136	10/8/2014	60	242.1	435.285		
TMP-10-9N	136	10/8/2014	80	217.5	415.285		
TMP-10-9N	136	10/8/2014	100	244.5	395.285		
TMP-10-9N	137	10/3/2014	20	211	475.285		
TMP-10-9N	137	10/3/2014	40	229.2	455.285		
TMP-10-9N	137	10/3/2014	60	240.7	435.285		
TMP-10-9N	137	10/3/2014	80	216	415.285		
TMP-10-9N	137	10/3/2014	100	243.6	395.285		
TMP-10-9N	138	10/4/2014	20	208.7	475.285		
TMP-10-9N	138	10/4/2014	40	227.1	455.285		
TMP-10-9N	138	10/4/2014	60	239.5	435.285		
TMP-10-9N	138	10/4/2014	80	214.7	415.285		
TMP-10-9N	138	10/4/2014	100	242.3	395.285		
TMP-10-9N	139	10/5/2014	20	208.3	475.285		
TMP-10-9N	139	10/5/2014	40	226.8	455.285		
TMP-10-9N	139	10/5/2014	60	238.8	435.285		
TMP-10-9N	139	10/5/2014	80	214.1	415.285		
TMP-10-9N	139	10/5/2014	100	241.6	395.285		
TMP-10-9N	140	10/6/2014	20	207.9	475.285		
TMP-10-9N	140	10/6/2014	40	226.9	455.285		
TMP-10-9N	140	10/6/2014	60	239.5	435.285		
TMP-10-9N	140	10/6/2014	80	214.9	415.285		
TMP-10-9N	140	10/6/2014	100	242.1	395.285		
TMP-10-9N	141	10/7/2014	20	206.4	475.285		
TMP-10-9N	141	10/7/2014	40	226	455.285		
TMP-10-9N	141	10/7/2014	60	238.7	435.285		
TMP-10-9N	141	10/7/2014	80	214.2	415.285		
TMP-10-9N	141	10/7/2014	100	241.4	395.285		
TMP-10-9N	142	10/9/2014	20	209	475.285		Multimeter not working due to water damage
TMP-10-9N	142	10/9/2014	40	227.8	455.285		Multimeter not working due to water damage
TMP-10-9N	142	10/9/2014	60	240.7	435.285		Multimeter not working due to water damage
TMP-10-9N	142	10/9/2014	80	216	415.285		Multimeter not working due to water damage
TMP-10-9N	142	10/9/2014	100	243	395.285		Multimeter not working due to water damage
TMP-10-9N	143	10/10/2014	20	211.9	475.285		
TMP-10-9N	143	10/10/2014	40	230.1	455.285		
TMP-10-9N	143	10/10/2014	60	243	435.285		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-10-9N	143	10/10/2014	80	218.5	415.285		
TMP-10-9N	143	10/10/2014	100	245.3	395.285		
TMP-10-9N	144	10/11/2014	20	208.5	475.285		
TMP-10-9N	144	10/11/2014	40	227.8	455.285		
TMP-10-9N	144	10/11/2014	60	240.8	435.285		
TMP-10-9N	144	10/11/2014	80	240.8	415.285		
TMP-10-9N	144	10/11/2014	100	243.4	395.285		
TMP-10-9N	145	10/12/2014	20	208.4	475.285		
TMP-10-9N	145	10/12/2014	40	227.7	455.285		
TMP-10-9N	145	10/12/2014	60	240.9	435.285		
TMP-10-9N	145	10/12/2014	80	216.7	415.285		
TMP-10-9N	145	10/12/2014	100	243.5	395.285		
TMP-10-9N	146	10/13/2014	20	209.5	475.285		
TMP-10-9N	146	10/13/2014	40	229.1	455.285		
TMP-10-9N	146	10/13/2014	60	242.2	435.285		
TMP-10-9N	146	10/13/2014	80	218.2	415.285		
TMP-10-9N	146	10/13/2014	100	244.9	395.285		
TMP-10-9N	147	10/17/2014	20	207.3	475.285		
TMP-10-9N	147	10/17/2014	40	228.4	455.285		
TMP-10-9N	147	10/17/2014	60	240.9	435.285		
TMP-10-9N	147	10/17/2014	80	217.6	415.285		
TMP-10-9N	147	10/17/2014	100	244.3	395.285		
TMP-10-9N	148	10/14/2014	20	208.1	475.285		
TMP-10-9N	148	10/14/2014	40	228.2	455.285		
TMP-10-9N	148	10/14/2014	60	241.3	435.285		
TMP-10-9N	148	10/14/2014	80	217.4	415.285		
TMP-10-9N	148	10/14/2014	100	244.2	395.285		
TMP-10-9N	149	10/15/2014	20	208.3	475.285		
TMP-10-9N	149	10/15/2014	40	228.5	455.285		
TMP-10-9N	149	10/15/2014	60	241.4	435.285		
TMP-10-9N	149	10/15/2014	80	217.7	415.285		
TMP-10-9N	149	10/15/2014	100	244.4	395.285		
TMP-10-9N	150	10/16/2014	20	207.3	475.285		
TMP-10-9N	150	10/16/2014	40	228.4	455.285		
TMP-10-9N	150	10/16/2014	60	240.9	435.285		
TMP-10-9N	150	10/16/2014	80	217.6	415.285		
TMP-10-9N	150	10/16/2014	100	244.3	395.285		
TMP-10-9N	151	10/17/2014	20	207.3	475.285		
TMP-10-9N	151	10/17/2014	40	228.4	455.285		
TMP-10-9N	151	10/17/2014	60	240.9	435.285		
TMP-10-9N	151	10/17/2014	80	217.6	415.285		
TMP-10-9N	151	10/17/2014	100	244.3	395.285		
TMP-10-9N	152	10/20/2014	20	206.6	475.285		
TMP-10-9N	152	10/20/2014	40	226.8	455.285		
TMP-10-9N	152	10/20/2014	60	239	435.285		
TMP-10-9N	152	10/20/2014	80	214.9	415.285		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-10-9N	152	10/20/2014	100	243.4	395.285		
TMP-10-9N	153	10/22/2014	20	206.6	475.285		
TMP-10-9N	153	10/22/2014	40	225.9	455.285		
TMP-10-9N	153	10/22/2014	60	236.9	435.285		
TMP-10-9N	153	10/22/2014	80	211.4	415.285		
TMP-10-9N	153	10/22/2014	100	241.8	395.285		
TMP-10-9N	154	10/24/2014	20	203.8	475.285		
TMP-10-9N	154	10/24/2014	40	224	455.285		
TMP-10-9N	154	10/24/2014	60	234	435.285		
TMP-10-9N	154	10/24/2014	80	208.8	415.285		
TMP-10-9N	154	10/24/2014	100	240.7	395.285		
TMP-10-9N	155	10/27/2014	20	204	475.285		
TMP-10-9N	155	10/27/2014	40	224	455.285		
TMP-10-9N	155	10/27/2014	60	232.2	435.285		
TMP-10-9N	155	10/27/2014	80	207.2	415.285		
TMP-10-9N	155	10/27/2014	100	239.8	395.285		
TMP-10-9N	156	10/29/2014	20	204.7	475.285		
TMP-10-9N	156	10/29/2014	40	223.6	455.285		
TMP-10-9N	156	10/29/2014	60	231	435.285		
TMP-10-9N	156	10/29/2014	80	206.1	415.285		
TMP-10-9N	156	10/29/2014	100	239.4	395.285		
TMP-10-9N	157	10/31/2014	20	205	475.285		
TMP-10-9N	157	10/31/2014	40	223	455.285		
TMP-10-9N	157	10/31/2014	60	229.3	435.285		
TMP-10-9N	157	10/31/2014	80	204	415.285		
TMP-10-9N	157	10/31/2014	100	238.4	395.285		
TMP-10-9N	158	11/3/2014	20	204.1	475.285		
TMP-10-9N	158	11/3/2014	40	220.8	455.285		
TMP-10-9N	158	11/3/2014	60	225.8	435.285		
TMP-10-9N	158	11/3/2014	80	199.5	415.285		
TMP-10-9N	158	11/3/2014	100	235.9	395.285		
TMP-10-9N	159	11/5/2014	20	205	475.285		
TMP-10-9N	159	11/5/2014	40	220	455.285		
TMP-10-9N	159	11/5/2014	60	223.9	435.285		
TMP-10-9N	159	11/5/2014	80	196.8	415.285		
TMP-10-9N	159	11/5/2014	100	234.6	395.285		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-10-9S	117	9/15/2014	20	188.8	476.129		TIMP EQUALIZING, RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-10-9S	117	9/15/2014	40	198	456.129		TIMP EQUALIZING, RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-10-9S	117	9/15/2014	60	203.2	436.129		TIMP EQUALIZING, RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-10-9S	117	9/15/2014	80	245.1	416.129		TIMP EQUALIZING, RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-10-9S	117	9/15/2014	100	261.4	396.129		TIMP EQUALIZING, RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-10-9S	121	9/19/2014	20	200.5	476.129		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-10-9S	121	9/19/2014	40	221	456.129		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-10-9S	121	9/19/2014	60	237.3	436.129		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-10-9S	121	9/19/2014	80	261.9	416.129		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-10-9S	121	9/19/2014	100	285.2	396.129		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-10-9S	122	9/20/2014	20	198.5	476.129		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-10-9S	122	9/20/2014	40	220.1	456.129		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-10-9S	122	9/20/2014	60	235.4	436.129		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-10-9S	122	9/20/2014	80	261.2	416.129		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-10-9S	122	9/20/2014	100	282.3	396.129		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-10-9S	123	9/26/2014	20	199.7	476.129		
TMP-10-9S	123	9/26/2014	40	224.6	456.129		
TMP-10-9S	123	9/26/2014	60	244.6	436.129		
TMP-10-9S	123	9/26/2014	80	262.7	416.129		
TMP-10-9S	123	9/26/2014	100	272.4	396.129		
TMP-10-9S	124	9/21/2014	20	195	476.129		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-10-9S	124	9/21/2014	40	216.1	456.129		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-10-9S	124	9/21/2014	60	231	436.129		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-10-9S	124	9/21/2014	80	253.4	416.129		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-10-9S	124	9/21/2014	100	273	396.129		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-10-9S	125	9/22/2014	20	197.1	476.129		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-10-9S	125	9/22/2014	40	220.8	456.129		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-10-9S	125	9/22/2014	60	239.2	436.129		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-10-9S	125	9/22/2014	80	260.6	416.129		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-10-9S	125	9/22/2014	100	281.5	396.129		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-10-9S	126	9/23/2014	20	199.4	476.129		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-10-99	126	9/23/2014	40	222.6	456.129		
TMP-10-99	126	9/23/2014	60	241.2	436.129		
TMP-10-99	126	9/23/2014	80	261.3	416.129		
TMP-10-99	126	9/23/2014	100	281.6	396.129		
TMP-10-99	127	9/24/2014	20	199	476.129		
TMP-10-99	127	9/24/2014	40	222.7	456.129		
TMP-10-99	127	9/24/2014	60	241.8	436.129		
TMP-10-99	127	9/24/2014	80	261.2	416.129		
TMP-10-99	127	9/24/2014	100	281.7	396.129		
TMP-10-99	128	9/25/2014	20	199.4	476.129		
TMP-10-99	128	9/25/2014	40	224	456.129		
TMP-10-99	128	9/25/2014	60	243.7	436.129		
TMP-10-99	128	9/25/2014	80	262.4	416.129		
TMP-10-99	128	9/25/2014	100	278.8	396.129		
TMP-10-99	129	9/26/2014	20	199.7	476.129		
TMP-10-99	129	9/26/2014	40	224.6	456.129		
TMP-10-99	129	9/26/2014	60	244.6	436.129		
TMP-10-99	129	9/26/2014	80	262.7	416.129		
TMP-10-99	129	9/26/2014	100	272.4	396.129		
TMP-10-99	130	9/27/2014	20	200.1	476.129		
TMP-10-99	130	9/27/2014	40	225.4	456.129		
TMP-10-99	130	9/27/2014	60	245.7	436.129		
TMP-10-99	130	9/27/2014	80	263.2	416.129		
TMP-10-99	130	9/27/2014	100	283	396.129		
TMP-10-99	131	9/28/2014	20	200.8	476.129		
TMP-10-99	131	9/28/2014	40	226.2	456.129		
TMP-10-99	131	9/28/2014	60	245.9	436.129		
TMP-10-99	131	9/28/2014	80	263.6	416.129		
TMP-10-99	131	9/28/2014	100	283.2	396.129		
TMP-10-99	132	9/29/2014	20	200	476.129		
TMP-10-99	132	9/29/2014	40	226.5	456.129		
TMP-10-99	132	9/29/2014	60	247	436.129		
TMP-10-99	132	9/29/2014	80	264	416.129		
TMP-10-99	132	9/29/2014	100	289.7	396.129		
TMP-10-99	133	9/30/2014	20	201	476.129		
TMP-10-99	133	9/30/2014	40	227.6	456.129		
TMP-10-99	133	9/30/2014	60	248.2	436.129		
TMP-10-99	133	9/30/2014	80	264.7	416.129		
TMP-10-99	133	9/30/2014	100	284	396.129		
TMP-10-99	134	10/1/2014	20	200.7	476.129		
TMP-10-99	134	10/1/2014	40	227.6	456.129		
TMP-10-99	134	10/1/2014	60	248.2	436.129		
TMP-10-99	134	10/1/2014	80	264.5	416.129		
TMP-10-99	134	10/1/2014	100	283.6	396.129		
TMP-10-99	135	10/2/2014	20	201	476.129		
TMP-10-99	135	10/2/2014	40	228.6	456.129		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-10-99	135	10/2/2014	60	249.3	436.129		
TMP-10-99	135	10/2/2014	80	265.1	416.129		
TMP-10-99	135	10/2/2014	100	284.4	396.129		
TMP-10-99	136	10/8/2014	20	204.4	476.129		
TMP-10-99	136	10/8/2014	40	233.7	456.129		
TMP-10-99	136	10/8/2014	60	254.2	436.129		
TMP-10-99	136	10/8/2014	80	269.4	416.129		
TMP-10-99	136	10/8/2014	100	288.6	396.129		
TMP-10-99	137	10/3/2014	20	202	476.129		
TMP-10-99	137	10/3/2014	40	230	456.129		
TMP-10-99	137	10/3/2014	60	250.6	436.129		
TMP-10-99	137	10/3/2014	80	266.4	416.129		
TMP-10-99	137	10/3/2014	100	285.5	396.129		
TMP-10-99	138	10/4/2014	20	201.9	476.129		
TMP-10-99	138	10/4/2014	40	229.9	456.129		
TMP-10-99	138	10/4/2014	60	250.4	436.129		
TMP-10-99	138	10/4/2014	80	265.8	416.129		
TMP-10-99	138	10/4/2014	100	285.1	396.129		
TMP-10-99	139	10/5/2014	20	201.8	476.129		
TMP-10-99	139	10/5/2014	40	229.6	456.129		
TMP-10-99	139	10/5/2014	60	250.2	436.129		
TMP-10-99	139	10/5/2014	80	265.5	416.129		
TMP-10-99	139	10/5/2014	100	284.7	396.129		
TMP-10-99	140	10/6/2014	20	202	476.129		
TMP-10-99	140	10/6/2014	40	231	456.129		
TMP-10-99	140	10/6/2014	60	251.5	436.129		
TMP-10-99	140	10/6/2014	80	266.6	416.129		
TMP-10-99	140	10/6/2014	100	285.6	396.129		
TMP-10-99	141	10/7/2014	20	201.6	476.129		
TMP-10-99	141	10/7/2014	40	230.8	456.129		
TMP-10-99	141	10/7/2014	60	251.3	436.129		
TMP-10-99	141	10/7/2014	80	266.4	416.129		
TMP-10-99	141	10/7/2014	100	285	396.129		
TMP-10-99	142	10/9/2014	20	202.3	476.129		Multimeter not working due to water damage
TMP-10-99	142	10/9/2014	40	231.3	456.129		Multimeter not working due to water damage
TMP-10-99	142	10/9/2014	60	251.7	436.129		Multimeter not working due to water damage
TMP-10-99	142	10/9/2014	80	266.6	416.129		Multimeter not working due to water damage
TMP-10-99	142	10/9/2014	100	285.4	396.129		Multimeter not working due to water damage
TMP-10-99	143	10/10/2014	20	203.6	476.129		
TMP-10-99	143	10/10/2014	40	232.8	456.129		
TMP-10-99	143	10/10/2014	60	293.3	436.129		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-10-99	143	10/10/2014	80	268.2	416.129		
TMP-10-99	143	10/10/2014	100	287.5	396.129		
TMP-10-99	144	10/11/2014	20	202	476.129		
TMP-10-99	144	10/11/2014	40	231.7	456.129		
TMP-10-99	144	10/11/2014	60	252.2	436.129		
TMP-10-99	144	10/11/2014	80	267	416.129		
TMP-10-99	144	10/11/2014	100	285.6	396.129		
TMP-10-99	145	10/12/2014	20	202.2	476.129		
TMP-10-99	145	10/12/2014	40	232	456.129		
TMP-10-99	145	10/12/2014	60	252.3	436.129		
TMP-10-99	145	10/12/2014	80	267.2	416.129		
TMP-10-99	145	10/12/2014	100	285.7	396.129		
TMP-10-99	146	10/13/2014	20	203.2	476.129		
TMP-10-99	146	10/13/2014	40	233.1	456.129		
TMP-10-99	146	10/13/2014	60	253.4	436.129		
TMP-10-99	146	10/13/2014	80	268.3	416.129		
TMP-10-99	146	10/13/2014	100	286.5	396.129		
TMP-10-99	147	10/17/2014	20	203.4	476.129		
TMP-10-99	147	10/17/2014	40	234.3	456.129		
TMP-10-99	147	10/17/2014	60	254.7	436.129		
TMP-10-99	147	10/17/2014	80	271.6	416.129		
TMP-10-99	147	10/17/2014	100	288.4	396.129		
TMP-10-99	148	10/14/2014	20	202.6	476.129		
TMP-10-99	148	10/14/2014	40	233	456.129		
TMP-10-99	148	10/14/2014	60	253.2	436.129		
TMP-10-99	148	10/14/2014	80	268	416.129		
TMP-10-99	148	10/14/2014	100	286.4	396.129		
TMP-10-99	149	10/15/2014	20	202.7	476.129		
TMP-10-99	149	10/15/2014	40	233.2	456.129		
TMP-10-99	149	10/15/2014	60	253.6	436.129		
TMP-10-99	149	10/15/2014	80	268.9	416.129		
TMP-10-99	149	10/15/2014	100	287.4	396.129		
TMP-10-99	150	10/16/2014	20	203.4	476.129		
TMP-10-99	150	10/16/2014	40	234.3	456.129		
TMP-10-99	150	10/16/2014	60	254.7	436.129		
TMP-10-99	150	10/16/2014	80	271.6	416.129		
TMP-10-99	150	10/16/2014	100	288.4	396.129		
TMP-10-99	151	10/17/2014	20	203.4	476.129		
TMP-10-99	151	10/17/2014	40	234.3	456.129		
TMP-10-99	151	10/17/2014	60	254.7	436.129		
TMP-10-99	151	10/17/2014	80	271.6	416.129		
TMP-10-99	151	10/17/2014	100	288.4	396.129		
TMP-10-99	152	10/20/2014	20	203	476.129		
TMP-10-99	152	10/20/2014	40	234.1	456.129		
TMP-10-99	152	10/20/2014	60	254.1	436.129		
TMP-10-99	152	10/20/2014	80	269	416.129		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-10-99	152	10/20/2014	100	287	396.129		
TMP-10-99	153	10/22/2014	20	202	476.129		
TMP-10-99	153	10/22/2014	40	233.8	456.129		
TMP-10-99	153	10/22/2014	60	254	436.129		
TMP-10-99	153	10/22/2014	80	269.7	416.129		
TMP-10-99	153	10/22/2014	100	287.6	396.129		
TMP-10-99	154	10/24/2014	20	202.2	476.129		
TMP-10-99	154	10/24/2014	40	235	456.129		
TMP-10-99	154	10/24/2014	60	254.3	436.129		
TMP-10-99	154	10/24/2014	80	269.6	416.129		
TMP-10-99	154	10/24/2014	100	287.9	396.129		
TMP-10-99	155	10/27/2014	20	201	476.129		
TMP-10-99	155	10/27/2014	40	234.9	456.129		
TMP-10-99	155	10/27/2014	60	254.4	436.129		
TMP-10-99	155	10/27/2014	80	269.2	416.129		
TMP-10-99	155	10/27/2014	100	287.4	396.129		
TMP-10-99	156	10/29/2014	20	202	476.129		
TMP-10-99	156	10/29/2014	40	236.4	456.129		
TMP-10-99	156	10/29/2014	60	255.7	436.129		
TMP-10-99	156	10/29/2014	80	270.1	416.129		
TMP-10-99	156	10/29/2014	100	288.2	396.129		
TMP-10-99	157	10/31/2014	20	201	476.129		
TMP-10-99	157	10/31/2014	40	235.9	456.129		
TMP-10-99	157	10/31/2014	60	255.2	436.129		
TMP-10-99	157	10/31/2014	80	269.7	416.129		
TMP-10-99	157	10/31/2014	100	288.3	396.129		
TMP-10-99	158	11/3/2014	20	199.9	476.129		
TMP-10-99	158	11/3/2014	40	235.5	456.129		
TMP-10-99	158	11/3/2014	60	254.4	436.129		
TMP-10-99	158	11/3/2014	80	269.4	416.129		
TMP-10-99	158	11/3/2014	100	287.9	396.129		
TMP-10-99	159	11/5/2014	20	201	476.129		
TMP-10-99	159	11/5/2014	40	237.3	456.129		
TMP-10-99	159	11/5/2014	60	256.4	436.129		
TMP-10-99	159	11/5/2014	80	271	416.129		
TMP-10-99	159	11/5/2014	100	290.1	396.129		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-10-5M	117	9/15/2014	20	195.2	478.121		TIMP EQUALIZING, RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-10-5M	117	9/15/2014	40	197.3	458.121		TIMP EQUALIZING, RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-10-5M	117	9/15/2014	60	221.2	438.121		TIMP EQUALIZING, RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-10-5M	117	9/15/2014	80	220.5	418.121		TIMP EQUALIZING, RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-10-5M	117	9/15/2014	100	225	398.121		TIMP EQUALIZING, RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-10-5M	121	9/19/2014	20	208.3	478.121		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-10-5M	121	9/19/2014	40	211.9	458.121		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-10-5M	121	9/19/2014	60	224.6	438.121		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-10-5M	121	9/19/2014	80	221.9	418.121		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-10-5M	121	9/19/2014	100	232.1	398.121		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-10-5M	122	9/20/2014	20	205.7	478.121		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-10-5M	122	9/20/2014	40	213.8	458.121		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-10-5M	122	9/20/2014	60	226.9	438.121		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-10-5M	122	9/20/2014	80	220.9	418.121		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-10-5M	122	9/20/2014	100	236.2	398.121		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-10-5M	123	9/26/2014	20	205.4	478.121		
TMP-10-5M	123	9/26/2014	40	214	458.121		
TMP-10-5M	123	9/26/2014	60	221.1	438.121		
TMP-10-5M	123	9/26/2014	80	216.2	418.121		
TMP-10-5M	123	9/26/2014	100	226.5	398.121		
TMP-10-5M	124	9/21/2014	20	203.8	478.121		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-10-5M	124	9/21/2014	40	208.4	458.121		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-10-5M	124	9/21/2014	60	217.1	438.121		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-10-5M	124	9/21/2014	80	214	418.121		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-10-5M	124	9/21/2014	100	225.1	398.121		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-10-5M	125	9/22/2014	20	204.5	478.121		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-10-5M	125	9/22/2014	40	213.8	458.121		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-10-5M	125	9/22/2014	60	221.7	438.121		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-10-5M	125	9/22/2014	80	217.9	418.121		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-10-5M	125	9/22/2014	100	229	398.121		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-10-5M	126	9/23/2014	20	205.3	478.121		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-10-5M	126	9/23/2014	40	212.4	458.121		
TMP-10-5M	126	9/23/2014	60	220.9	438.121		
TMP-10-5M	126	9/23/2014	80	216.2	418.121		
TMP-10-5M	126	9/23/2014	100	227	398.121		
TMP-10-5M	127	9/24/2014	20	205.6	478.121		
TMP-10-5M	127	9/24/2014	40	212.8	458.121		
TMP-10-5M	127	9/24/2014	60	221.3	438.121		
TMP-10-5M	127	9/24/2014	80	216.5	418.121		
TMP-10-5M	127	9/24/2014	100	227	398.121		
TMP-10-5M	128	9/25/2014	20	204.7	478.121		
TMP-10-5M	128	9/25/2014	40	212.8	458.121		
TMP-10-5M	128	9/25/2014	60	220.4	438.121		
TMP-10-5M	128	9/25/2014	80	215.6	418.121		
TMP-10-5M	128	9/25/2014	100	225.8	398.121		
TMP-10-5M	129	9/26/2014	20	205.4	478.121		
TMP-10-5M	129	9/26/2014	40	214	458.121		
TMP-10-5M	129	9/26/2014	60	221.1	438.121		
TMP-10-5M	129	9/26/2014	80	216.2	418.121		
TMP-10-5M	129	9/26/2014	100	226.5	398.121		
TMP-10-5M	130	9/27/2014	20	205	478.121		
TMP-10-5M	130	9/27/2014	40	214	458.121		
TMP-10-5M	130	9/27/2014	60	221.1	438.121		
TMP-10-5M	130	9/27/2014	80	216.1	418.121		
TMP-10-5M	130	9/27/2014	100	226.3	398.121		
TMP-10-5M	131	9/28/2014	20	204.6	478.121		
TMP-10-5M	131	9/28/2014	40	213.6	458.121		
TMP-10-5M	131	9/28/2014	60	220.6	438.121		
TMP-10-5M	131	9/28/2014	80	215.4	418.121		
TMP-10-5M	131	9/28/2014	100	225.6	398.121		
TMP-10-5M	132	9/29/2014	20	205.4	478.121		
TMP-10-5M	132	9/29/2014	40	215.3	458.121		
TMP-10-5M	132	9/29/2014	60	221.9	438.121		
TMP-10-5M	132	9/29/2014	80	216.8	418.121		
TMP-10-5M	132	9/29/2014	100	227	398.121		
TMP-10-5M	133	9/30/2014	20	204.9	478.121		
TMP-10-5M	133	9/30/2014	40	215.2	458.121		
TMP-10-5M	133	9/30/2014	60	221.7	438.121		
TMP-10-5M	133	9/30/2014	80	216.5	418.121		
TMP-10-5M	133	9/30/2014	100	226.6	398.121		
TMP-10-5M	134	10/1/2014	20	204.1	478.121		
TMP-10-5M	134	10/1/2014	40	214.5	458.121		
TMP-10-5M	134	10/1/2014	60	220.7	438.121		
TMP-10-5M	134	10/1/2014	80	215.3	418.121		
TMP-10-5M	134	10/1/2014	100	225.5	398.121		
TMP-10-5M	135	10/2/2014	20	205.4	478.121		
TMP-10-5M	135	10/2/2014	40	216.2	458.121		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-10-5N	135	10/2/2014	60	222.2	438.121		
TMP-10-5N	135	10/2/2014	80	216.7	418.121		
TMP-10-5N	135	10/2/2014	100	226.4	398.121		
TMP-10-5N	136	10/8/2014	20	207.8	478.121		
TMP-10-5N	136	10/8/2014	40	219.1	458.121		
TMP-10-5N	136	10/8/2014	60	224.6	438.121		
TMP-10-5N	136	10/8/2014	80	218.8	418.121		
TMP-10-5N	136	10/8/2014	100	229.3	398.121		
TMP-10-5N	137	10/3/2014	20	207.7	478.121		
TMP-10-5N	137	10/3/2014	40	218.4	458.121		
TMP-10-5N	137	10/3/2014	60	224.2	438.121		
TMP-10-5N	137	10/3/2014	80	218.4	418.121		
TMP-10-5N	137	10/3/2014	100	228.6	398.121		
TMP-10-5N	138	10/4/2014	20	206.2	478.121		
TMP-10-5N	138	10/4/2014	40	217.2	458.121		
TMP-10-5N	138	10/4/2014	60	222.9	438.121		
TMP-10-5N	138	10/4/2014	80	217	418.121		
TMP-10-5N	138	10/4/2014	100	227.4	398.121		
TMP-10-5N	139	10/5/2014	20	205.4	478.121		
TMP-10-5N	139	10/5/2014	40	216.5	458.121		
TMP-10-5N	139	10/5/2014	60	222.3	438.121		
TMP-10-5N	139	10/5/2014	80	216.5	418.121		
TMP-10-5N	139	10/5/2014	100	226.8	398.121		
TMP-10-5N	140	10/6/2014	20	205.5	478.121		
TMP-10-5N	140	10/6/2014	40	216.7	458.121		
TMP-10-5N	140	10/6/2014	60	222.4	438.121		
TMP-10-5N	140	10/6/2014	80	216.7	418.121		
TMP-10-5N	140	10/6/2014	100	226.9	398.121		
TMP-10-5N	141	10/7/2014	20	204.4	478.121		
TMP-10-5N	141	10/7/2014	40	216	458.121		
TMP-10-5N	141	10/7/2014	60	221.6	438.121		
TMP-10-5N	141	10/7/2014	80	215.8	418.121		
TMP-10-5N	141	10/7/2014	100	226.1	398.121		
TMP-10-5N	142	10/9/2014	20	206.7	478.121		Multimeter not working due to water damage
TMP-10-5N	142	10/9/2014	40	217.7	458.121		Multimeter not working due to water damage
TMP-10-5N	142	10/9/2014	60	223.3	438.121		Multimeter not working due to water damage
TMP-10-5N	142	10/9/2014	80	217.4	418.121		Multimeter not working due to water damage
TMP-10-5N	142	10/9/2014	100	228.1	398.121		Multimeter not working due to water damage
TMP-10-5N	143	10/10/2014	20	206.9	478.121		
TMP-10-5N	143	10/10/2014	40	219.5	458.121		
TMP-10-5N	143	10/10/2014	60	225.1	438.121		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-10-5M	143	10/10/2014	80	218.7	418.121		
TMP-10-5M	143	10/10/2014	100	229	398.121		
TMP-10-5M	144	10/11/2014	20	201.2	478.121		
TMP-10-5M	144	10/11/2014	40	216.2	458.121		
TMP-10-5M	144	10/11/2014	60	221.9	438.121		
TMP-10-5M	144	10/11/2014	80	214.4	418.121		
TMP-10-5M	144	10/11/2014	100	225	398.121		
TMP-10-5M	145	10/12/2014	20	202.7	478.121		
TMP-10-5M	145	10/12/2014	40	216.5	458.121		
TMP-10-5M	145	10/12/2014	60	222	438.121		
TMP-10-5M	145	10/12/2014	80	215.5	418.121		
TMP-10-5M	145	10/12/2014	100	226.2	398.121		
TMP-10-5M	146	10/13/2014	20	205.5	478.121		
TMP-10-5M	146	10/13/2014	40	218	458.121		
TMP-10-5M	146	10/13/2014	60	223.3	438.121		
TMP-10-5M	146	10/13/2014	80	216.9	418.121		
TMP-10-5M	146	10/13/2014	100	227.4	398.121		
TMP-10-5M	147	10/17/2014	20	198	478.121		
TMP-10-5M	147	10/17/2014	40	202.5	458.121		
TMP-10-5M	147	10/17/2014	60	198.6	438.121		
TMP-10-5M	147	10/17/2014	80	168.7	418.121		
TMP-10-5M	147	10/17/2014	100	170.7	398.121		
TMP-10-5M	148	10/14/2014	20	202.6	478.121		
TMP-10-5M	148	10/14/2014	40	216.7	458.121		
TMP-10-5M	148	10/14/2014	60	222	438.121		
TMP-10-5M	148	10/14/2014	80	215	418.121		
TMP-10-5M	148	10/14/2014	100	224.9	398.121		
TMP-10-5M	149	10/15/2014	20	201	478.121		
TMP-10-5M	149	10/15/2014	40	215.7	458.121		
TMP-10-5M	149	10/15/2014	60	219.7	438.121		
TMP-10-5M	149	10/15/2014	80	209	418.121		
TMP-10-5M	149	10/15/2014	100	215	398.121		
TMP-10-5M	150	10/16/2014	20	198	478.121		
TMP-10-5M	150	10/16/2014	40	202.5	458.121		
TMP-10-5M	150	10/16/2014	60	198.6	438.121		
TMP-10-5M	150	10/16/2014	80	168.7	418.121		
TMP-10-5M	150	10/16/2014	100	170.7	398.121		
TMP-10-5M	151	10/17/2014	20	198	478.121		
TMP-10-5M	151	10/17/2014	40	202.5	458.121		
TMP-10-5M	151	10/17/2014	60	198.6	438.121		
TMP-10-5M	151	10/17/2014	80	168.7	418.121		
TMP-10-5M	151	10/17/2014	100	170.7	398.121		
TMP-10-5M	152	10/20/2014	20	186.8	478.121		
TMP-10-5M	152	10/20/2014	40	187.7	458.121		
TMP-10-5M	152	10/20/2014	60	178.7	438.121		
TMP-10-5M	152	10/20/2014	80	150.6	418.121		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-10-5M	152	10/20/2014	100	165.3	398.121		
TMP-10-5M	153	10/22/2014	20	180.5	478.121		
TMP-10-5M	153	10/22/2014	40	190.5	458.121		
TMP-10-5M	153	10/22/2014	60	183.5	438.121		
TMP-10-5M	153	10/22/2014	80	164.1	418.121		
TMP-10-5M	153	10/22/2014	100	182.2	398.121		
TMP-10-5M	154	10/24/2014	20	183.2	478.121		
TMP-10-5M	154	10/24/2014	40	198.4	458.121		
TMP-10-5M	154	10/24/2014	60	195	438.121		
TMP-10-5M	154	10/24/2014	80	182.8	418.121		
TMP-10-5M	154	10/24/2014	100	197.5	398.121		
TMP-10-5M	155	10/27/2014	20	181.2	478.121		
TMP-10-5M	155	10/27/2014	40	190.8	458.121		
TMP-10-5M	155	10/27/2014	60	183	438.121		
TMP-10-5M	155	10/27/2014	80	161.8	418.121		
TMP-10-5M	155	10/27/2014	100	176.8	398.121		
TMP-10-5M	156	10/29/2014	20	179.5	478.121		
TMP-10-5M	156	10/29/2014	40	185.3	458.121		
TMP-10-5M	156	10/29/2014	60	174.9	438.121		
TMP-10-5M	156	10/29/2014	80	143.6	418.121		
TMP-10-5M	156	10/29/2014	100	150.7	398.121		
TMP-10-5M	157	10/31/2014	20	179	478.121		
TMP-10-5M	157	10/31/2014	40	175.3	458.121		
TMP-10-5M	157	10/31/2014	60	159.3	438.121		
TMP-10-5M	157	10/31/2014	80	124.3	418.121		
TMP-10-5M	157	10/31/2014	100	135.7	398.121		
TMP-10-5M	158	11/3/2014	20	176.6	478.121		
TMP-10-5M	158	11/3/2014	40	166.6	458.121		
TMP-10-5M	158	11/3/2014	60	148.4	438.121		
TMP-10-5M	158	11/3/2014	80	117.5	418.121		
TMP-10-5M	158	11/3/2014	100	133.2	398.121		
TMP-10-5M	159	11/5/2014	20	175.3	478.121		
TMP-10-5M	159	11/5/2014	40	164.8	458.121		
TMP-10-5M	159	11/5/2014	60	146.7	438.121		
TMP-10-5M	159	11/5/2014	80	114.4	418.121		
TMP-10-5M	159	11/5/2014	100	128.6	398.121		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-10-59	117	9/15/2014	20	154	476.699		TIMP EQUALIZING, RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-10-59	117	9/15/2014	40	169.4	456.699		TIMP EQUALIZING, RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-10-59	117	9/15/2014	60	202.2	436.699		TIMP EQUALIZING, RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-10-59	117	9/15/2014	80	231.1	416.699		TIMP EQUALIZING, RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-10-59	117	9/15/2014	100	261.1	396.699		TIMP EQUALIZING, RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-10-59	121	9/19/2014	20	203.5	476.699		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-10-59	121	9/19/2014	40	216.8	456.699		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-10-59	121	9/19/2014	60	230.3	436.699		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-10-59	121	9/19/2014	80	255.3	416.699		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-10-59	121	9/19/2014	100	276.7	396.699		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-10-59	122	9/20/2014	20	201.9	476.699		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-10-59	122	9/20/2014	40	216.6	456.699		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-10-59	122	9/20/2014	60	234.8	436.699		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-10-59	122	9/20/2014	80	260.7	416.699		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-10-59	122	9/20/2014	100	283.5	396.699		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-10-59	123	9/26/2014	20	204.2	476.699		
TMP-10-59	123	9/26/2014	40	219.8	456.699		
TMP-10-59	123	9/26/2014	60	238.4	436.699		
TMP-10-59	123	9/26/2014	80	257.6	416.699		
TMP-10-59	123	9/26/2014	100	279	396.699		
TMP-10-59	124	9/21/2014	20	199.9	476.699		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-10-59	124	9/21/2014	40	210	456.699		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-10-59	124	9/21/2014	60	227.2	436.699		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-10-59	124	9/21/2014	80	251.9	416.699		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-10-59	124	9/21/2014	100	274.6	396.699		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-10-59	125	9/22/2014	20	206.7	476.699		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-10-59	125	9/22/2014	40	219.5	456.699		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-10-59	125	9/22/2014	60	237.2	436.699		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-10-59	125	9/22/2014	80	257.9	416.699		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-10-59	125	9/22/2014	100	279.3	396.699		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-10-59	126	9/23/2014	20	203.3	476.699		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-10-59	126	9/23/2014	40	217.1	456.699		
TMP-10-59	126	9/23/2014	60	234.7	436.699		
TMP-10-59	126	9/23/2014	80	256.6	416.699		
TMP-10-59	126	9/23/2014	100	278.7	396.699		
TMP-10-59	127	9/24/2014	20	203	476.699		
TMP-10-59	127	9/24/2014	40	217.1	456.699		
TMP-10-59	127	9/24/2014	60	235.5	436.699		
TMP-10-59	127	9/24/2014	80	256.3	416.699		
TMP-10-59	127	9/24/2014	100	278.1	396.699		
TMP-10-59	128	9/25/2014	20	203.6	476.699		
TMP-10-59	128	9/25/2014	40	218.6	456.699		
TMP-10-59	128	9/25/2014	60	236.9	436.699		
TMP-10-59	128	9/25/2014	80	256.9	416.699		
TMP-10-59	128	9/25/2014	100	278.3	396.699		
TMP-10-59	129	9/26/2014	20	204.2	476.699		
TMP-10-59	129	9/26/2014	40	219.8	456.699		
TMP-10-59	129	9/26/2014	60	238.4	436.699		
TMP-10-59	129	9/26/2014	80	257.6	416.699		
TMP-10-59	129	9/26/2014	100	279	396.699		
TMP-10-59	130	9/27/2014	20	204.4	476.699		
TMP-10-59	130	9/27/2014	40	220.8	456.699		
TMP-10-59	130	9/27/2014	60	239.5	436.699		
TMP-10-59	130	9/27/2014	80	258	416.699		
TMP-10-59	130	9/27/2014	100	279.4	396.699		
TMP-10-59	131	9/28/2014	20	204.7	476.699		
TMP-10-59	131	9/28/2014	40	221.6	456.699		
TMP-10-59	131	9/28/2014	60	240.8	436.699		
TMP-10-59	131	9/28/2014	80	258.8	416.699		
TMP-10-59	131	9/28/2014	100	280	396.699		
TMP-10-59	132	9/29/2014	20	204.7	476.699		
TMP-10-59	132	9/29/2014	40	222.3	456.699		
TMP-10-59	132	9/29/2014	60	241.4	436.699		
TMP-10-59	132	9/29/2014	80	258.7	416.699		
TMP-10-59	132	9/29/2014	100	280	396.699		
TMP-10-59	133	9/30/2014	20	205	476.699		
TMP-10-59	133	9/30/2014	40	223.1	456.699		
TMP-10-59	133	9/30/2014	60	242.3	436.699		
TMP-10-59	133	9/30/2014	80	259.7	416.699		
TMP-10-59	133	9/30/2014	100	280.4	396.699		
TMP-10-59	134	10/1/2014	20	205.2	476.699		
TMP-10-59	134	10/1/2014	40	223.5	456.699		
TMP-10-59	134	10/1/2014	60	242.7	436.699		
TMP-10-59	134	10/1/2014	80	259.3	416.699		
TMP-10-59	134	10/1/2014	100	280.5	396.699		
TMP-10-59	135	10/2/2014	20	205.4	476.699		
TMP-10-59	135	10/2/2014	40	224.4	456.699		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-10-59	135	10/2/2014	60	243.7	436.699		
TMP-10-59	135	10/2/2014	80	260.1	416.699		
TMP-10-59	135	10/2/2014	100	281	396.699		
TMP-10-59	136	10/8/2014	20	207.7	476.699		
TMP-10-59	136	10/8/2014	40	228.8	456.699		
TMP-10-59	136	10/8/2014	60	248.9	436.699		
TMP-10-59	136	10/8/2014	80	263.8	416.699		
TMP-10-59	136	10/8/2014	100	284.7	396.699		
TMP-10-59	137	10/3/2014	20	206.5	476.699		
TMP-10-59	137	10/3/2014	40	225.7	456.699		
TMP-10-59	137	10/3/2014	60	245.2	436.699		
TMP-10-59	137	10/3/2014	80	261	416.699		
TMP-10-59	137	10/3/2014	100	282	396.699		
TMP-10-59	138	10/4/2014	20	206.5	476.699		
TMP-10-59	138	10/4/2014	40	226.1	456.699		
TMP-10-59	138	10/4/2014	60	245.4	436.699		
TMP-10-59	138	10/4/2014	80	260.9	416.699		
TMP-10-59	138	10/4/2014	100	281.8	396.699		
TMP-10-59	139	10/5/2014	20	205.6	476.699		
TMP-10-59	139	10/5/2014	40	225.5	456.699		
TMP-10-59	139	10/5/2014	60	245.1	436.699		
TMP-10-59	139	10/5/2014	80	260.3	416.699		
TMP-10-59	139	10/5/2014	100	281.3	396.699		
TMP-10-59	140	10/6/2014	20	205.7	476.699		
TMP-10-59	140	10/6/2014	40	226.3	456.699		
TMP-10-59	140	10/6/2014	60	246.2	436.699		
TMP-10-59	140	10/6/2014	80	261.4	416.699		
TMP-10-59	140	10/6/2014	100	282.2	396.699		
TMP-10-59	141	10/7/2014	20	206.5	476.699		
TMP-10-59	141	10/7/2014	40	227	456.699		
TMP-10-59	141	10/7/2014	60	246.7	436.699		
TMP-10-59	141	10/7/2014	80	261.6	416.699		
TMP-10-59	141	10/7/2014	100	282.2	396.699		
TMP-10-59	142	10/9/2014	20	206.7	476.699		Multimeter not working due to water damage
TMP-10-59	142	10/9/2014	40	227.5	456.699		Multimeter not working due to water damage
TMP-10-59	142	10/9/2014	60	247.6	436.699		Multimeter not working due to water damage
TMP-10-59	142	10/9/2014	80	261.8	416.699		Multimeter not working due to water damage
TMP-10-59	142	10/9/2014	100	282.4	396.699		Multimeter not working due to water damage
TMP-10-59	143	10/10/2014	20	207.1	476.699		
TMP-10-59	143	10/10/2014	40	229	456.699		
TMP-10-59	143	10/10/2014	60	248.9	436.699		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-10-59	143	10/10/2014	80	263.1	416.699		
TMP-10-59	143	10/10/2014	100	283.7	396.699		
TMP-10-59	144	10/11/2014	20	204.6	476.699		
TMP-10-59	144	10/11/2014	40	228	456.699		
TMP-10-59	144	10/11/2014	60	248.2	436.699		
TMP-10-59	144	10/11/2014	80	262.3	416.699		
TMP-10-59	144	10/11/2014	100	282.8	396.699		
TMP-10-59	145	10/12/2014	20	204.5	476.699		
TMP-10-59	145	10/12/2014	40	228.2	456.699		
TMP-10-59	145	10/12/2014	60	248.3	436.699		
TMP-10-59	145	10/12/2014	80	262.3	416.699		
TMP-10-59	145	10/12/2014	100	282.8	396.699		
TMP-10-59	146	10/13/2014	20	206	476.699		
TMP-10-59	146	10/13/2014	40	229.5	456.699		
TMP-10-59	146	10/13/2014	60	249.7	436.699		
TMP-10-59	146	10/13/2014	80	263.5	416.699		
TMP-10-59	146	10/13/2014	100	283.9	396.699		
TMP-10-59	147	10/17/2014	20	202.1	476.699		
TMP-10-59	147	10/17/2014	40	229.8	456.699		
TMP-10-59	147	10/17/2014	60	250	436.699		
TMP-10-59	147	10/17/2014	80	265.1	416.699		
TMP-10-59	147	10/17/2014	100	284.7	396.699		
TMP-10-59	148	10/14/2014	20	204.6	476.699		
TMP-10-59	148	10/14/2014	40	229.3	456.699		
TMP-10-59	148	10/14/2014	60	249.5	436.699		
TMP-10-59	148	10/14/2014	80	263.2	416.699		
TMP-10-59	148	10/14/2014	100	283.6	396.699		
TMP-10-59	149	10/15/2014	20	203.9	476.699		
TMP-10-59	149	10/15/2014	40	229.6	456.699		
TMP-10-59	149	10/15/2014	60	249.5	436.699		
TMP-10-59	149	10/15/2014	80	263.4	416.699		
TMP-10-59	149	10/15/2014	100	283.8	396.699		
TMP-10-59	150	10/16/2014	20	202.1	476.699		
TMP-10-59	150	10/16/2014	40	229.8	456.699		
TMP-10-59	150	10/16/2014	60	250	436.699		
TMP-10-59	150	10/16/2014	80	265.1	416.699		
TMP-10-59	150	10/16/2014	100	284.7	396.699		
TMP-10-59	151	10/17/2014	20	202.1	476.699		
TMP-10-59	151	10/17/2014	40	229.8	456.699		
TMP-10-59	151	10/17/2014	60	250	436.699		
TMP-10-59	151	10/17/2014	80	265.1	416.699		
TMP-10-59	151	10/17/2014	100	284.7	396.699		
TMP-10-59	152	10/20/2014	20	200.1	476.699		
TMP-10-59	152	10/20/2014	40	230.6	456.699		
TMP-10-59	152	10/20/2014	60	250.3	436.699		
TMP-10-59	152	10/20/2014	80	264.1	416.699		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-10-59	152	10/20/2014	100	284.5	396.699		
TMP-10-59	153	10/22/2014	20	200.4	476.699		
TMP-10-59	153	10/22/2014	40	230.5	456.699		
TMP-10-59	153	10/22/2014	60	250.8	436.699		
TMP-10-59	153	10/22/2014	80	264.5	416.699		
TMP-10-59	153	10/22/2014	100	284.2	396.699		
TMP-10-59	154	10/24/2014	20	198.5	476.699		
TMP-10-59	154	10/24/2014	40	231.6	456.699		
TMP-10-59	154	10/24/2014	60	251.5	436.699		
TMP-10-59	154	10/24/2014	80	264.7	416.699		
TMP-10-59	154	10/24/2014	100	285	396.699		
TMP-10-59	155	10/27/2014	20	194.6	476.699		
TMP-10-59	155	10/27/2014	40	231.2	456.699		
TMP-10-59	155	10/27/2014	60	237.2	436.699		
TMP-10-59	155	10/27/2014	80	264.4	416.699		
TMP-10-59	155	10/27/2014	100	284.8	396.699		
TMP-10-59	156	10/29/2014	20	195.4	476.699		
TMP-10-59	156	10/29/2014	40	232.8	456.699		
TMP-10-59	156	10/29/2014	60	252.5	436.699		
TMP-10-59	156	10/29/2014	80	265.5	416.699		
TMP-10-59	156	10/29/2014	100	286.3	396.699		
TMP-10-59	157	10/31/2014	20	193.3	476.699		
TMP-10-59	157	10/31/2014	40	231.7	456.699		
TMP-10-59	157	10/31/2014	60	251.6	436.699		
TMP-10-59	157	10/31/2014	80	264.7	416.699		
TMP-10-59	157	10/31/2014	100	285.6	396.699		
TMP-10-59	158	11/3/2014	20	191.5	476.699		
TMP-10-59	158	11/3/2014	40	231.4	456.699		
TMP-10-59	158	11/3/2014	60	251	436.699		
TMP-10-59	158	11/3/2014	80	263.1	416.699		
TMP-10-59	158	11/3/2014	100	284.7	396.699		
TMP-10-59	159	11/5/2014	20	191.8	476.699		
TMP-10-59	159	11/5/2014	40	233.2	456.699		
TMP-10-59	159	11/5/2014	60	252.8	436.699		
TMP-10-59	159	11/5/2014	80	265	416.699		
TMP-10-59	159	11/5/2014	100	286.7	396.699		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-5-9N	119	9/17/2014	20	169.6	475.757		TIMP EQUALIZING, RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-5-9N	119	9/17/2014	40	205.3	455.757		TIMP EQUALIZING, RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-5-9N	119	9/17/2014	60	188	435.757		TIMP EQUALIZING, RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-5-9N	119	9/17/2014	80	235.2	415.757		TIMP EQUALIZING, RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-5-9N	119	9/17/2014	100	259.2	395.757		TIMP EQUALIZING, RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-5-9N	121	9/19/2014	20	176.6	475.757		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-5-9N	121	9/19/2014	40	223.2	455.757		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-5-9N	121	9/19/2014	60	225.1	435.757		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-5-9N	121	9/19/2014	80	261.5	415.757		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-5-9N	121	9/19/2014	100	286.6	395.757		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-5-9N	122	9/20/2014	20	173	475.757		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-5-9N	122	9/20/2014	40	221.2	455.757		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-5-9N	122	9/20/2014	60	226.9	435.757		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-5-9N	122	9/20/2014	80	266.9	415.757		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-5-9N	122	9/20/2014	100	286.4	395.757		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-5-9N	123	9/26/2014	20	174	475.757		
TMP-5-9N	123	9/26/2014	40	223.1	455.757		
TMP-5-9N	123	9/26/2014	60	230.6	435.757		
TMP-5-9N	123	9/26/2014	80	268.5	415.757		
TMP-5-9N	123	9/26/2014	100	284.3	395.757		
TMP-5-9N	124	9/21/2014	20	170.6	475.757		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-5-9N	124	9/21/2014	40	219.7	455.757		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-5-9N	124	9/21/2014	60	224.6	435.757		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-5-9N	124	9/21/2014	80	263.7	415.757		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-5-9N	124	9/21/2014	100	287.8	395.757		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-5-9N	125	9/22/2014	20	176.6	475.757		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-5-9N	125	9/22/2014	40	222.7	455.757		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-5-9N	125	9/22/2014	60	229.8	435.757		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-5-9N	125	9/22/2014	80	263.4	415.757		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-5-9N	125	9/22/2014	100	279.7	395.757		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-5-9N	126	9/23/2014	20	174.3	475.757		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-5-9N	126	9/23/2014	40	222.2	455.757		
TMP-5-9N	126	9/23/2014	60	229.1	435.757		
TMP-5-9N	126	9/23/2014	80	266.6	415.757		
TMP-5-9N	126	9/23/2014	100	283.3	395.757		
TMP-5-9N	127	9/24/2014	20	174.5	475.757		
TMP-5-9N	127	9/24/2014	40	222.2	455.757		
TMP-5-9N	127	9/24/2014	60	229.3	435.757		
TMP-5-9N	127	9/24/2014	80	266.8	415.757		
TMP-5-9N	127	9/24/2014	100	283.5	395.757		
TMP-5-9N	128	9/25/2014	20	174.7	475.757		
TMP-5-9N	128	9/25/2014	40	223.1	455.757		
TMP-5-9N	128	9/25/2014	60	230.7	435.757		
TMP-5-9N	128	9/25/2014	80	268.4	415.757		
TMP-5-9N	128	9/25/2014	100	284.5	395.757		
TMP-5-9N	129	9/26/2014	20	174	475.757		
TMP-5-9N	129	9/26/2014	40	223.1	455.757		
TMP-5-9N	129	9/26/2014	60	230.6	435.757		
TMP-5-9N	129	9/26/2014	80	268.5	415.757		
TMP-5-9N	129	9/26/2014	100	284.3	395.757		
TMP-5-9N	130	9/27/2014	20	174.6	475.757		
TMP-5-9N	130	9/27/2014	40	224	455.757		
TMP-5-9N	130	9/27/2014	60	232.1	435.757		
TMP-5-9N	130	9/27/2014	80	269.6	415.757		
TMP-5-9N	130	9/27/2014	100	285.2	395.757		
TMP-5-9N	131	9/28/2014	20	174.4	475.757		
TMP-5-9N	131	9/28/2014	40	224.2	455.757		
TMP-5-9N	131	9/28/2014	60	232.5	435.757		
TMP-5-9N	131	9/28/2014	80	270.3	415.757		
TMP-5-9N	131	9/28/2014	100	285.4	395.757		
TMP-5-9N	132	9/29/2014	20	173	475.757		
TMP-5-9N	132	9/29/2014	40	223.7	455.757		
TMP-5-9N	132	9/29/2014	60	232.1	435.757		
TMP-5-9N	132	9/29/2014	80	269.8	415.757		
TMP-5-9N	132	9/29/2014	100	284.8	395.757		
TMP-5-9N	133	9/30/2014	20	173.4	475.757		
TMP-5-9N	133	9/30/2014	40	224.3	455.757		
TMP-5-9N	133	9/30/2014	60	233	435.757		
TMP-5-9N	133	9/30/2014	80	270.3	415.757		
TMP-5-9N	133	9/30/2014	100	285.2	395.757		
TMP-5-9N	134	10/1/2014	20	172.2	475.757		
TMP-5-9N	134	10/1/2014	40	222.7	455.757		
TMP-5-9N	134	10/1/2014	60	231.5	435.757		
TMP-5-9N	134	10/1/2014	80	268.8	415.757		
TMP-5-9N	134	10/1/2014	100	283.4	395.757		
TMP-5-9N	135	10/2/2014	20	174.3	475.757		
TMP-5-9N	135	10/2/2014	40	225.4	455.757		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-5-9N	135	10/2/2014	60	234.3	435.757		
TMP-5-9N	135	10/2/2014	80	271.6	415.757		
TMP-5-9N	135	10/2/2014	100	286.2	395.757		
TMP-5-9N	136	10/8/2014	20	168	475.757		
TMP-5-9N	136	10/8/2014	40	220.7	455.757		
TMP-5-9N	136	10/8/2014	60	230.5	435.757		
TMP-5-9N	136	10/8/2014	80	267.9	415.757		
TMP-5-9N	136	10/8/2014	100	282.8	395.757		
TMP-5-9N	137	10/3/2014	20	174.9	475.757		
TMP-5-9N	137	10/3/2014	40	225.7	455.757		
TMP-5-9N	137	10/3/2014	60	235	435.757		
TMP-5-9N	137	10/3/2014	80	272.6	415.757		
TMP-5-9N	137	10/3/2014	100	287.3	395.757		
TMP-5-9N	138	10/4/2014	20	175.3	475.757		
TMP-5-9N	138	10/4/2014	40	226.7	455.757		
TMP-5-9N	138	10/4/2014	60	236	435.757		
TMP-5-9N	138	10/4/2014	80	273.8	415.757		
TMP-5-9N	138	10/4/2014	100	288.4	395.757		
TMP-5-9N	139	10/5/2014	20	173.6	475.757		
TMP-5-9N	139	10/5/2014	40	225.3	455.757		
TMP-5-9N	139	10/5/2014	60	234.6	435.757		
TMP-5-9N	139	10/5/2014	80	271.9	415.757		
TMP-5-9N	139	10/5/2014	100	286.4	395.757		
TMP-5-9N	140	10/6/2014	20	173.8	475.757		
TMP-5-9N	140	10/6/2014	40	226	455.757		
TMP-5-9N	140	10/6/2014	60	235.5	435.757		
TMP-5-9N	140	10/6/2014	80	272.7	415.757		
TMP-5-9N	140	10/6/2014	100	287.3	395.757		
TMP-5-9N	141	10/7/2014	20	173.3	475.757		
TMP-5-9N	141	10/7/2014	40	225.7	455.757		
TMP-5-9N	141	10/7/2014	60	235.5	435.757		
TMP-5-9N	141	10/7/2014	80	272.8	415.757		
TMP-5-9N	141	10/7/2014	100	287.4	395.757		
TMP-5-9N	142	10/9/2014	20	174.1	475.757		Multimeter not working due to water damage
TMP-5-9N	142	10/9/2014	40	226.5	455.757		Multimeter not working due to water damage
TMP-5-9N	142	10/9/2014	60	235.9	435.757		Multimeter not working due to water damage
TMP-5-9N	142	10/9/2014	80	273.1	415.757		Multimeter not working due to water damage
TMP-5-9N	142	10/9/2014	100	287.6	395.757		Multimeter not working due to water damage
TMP-5-9N	143	10/10/2014	20	175.8	475.757		
TMP-5-9N	143	10/10/2014	40	227.6	455.757		
TMP-5-9N	143	10/10/2014	60	237.3	435.757		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-5-9N	143	10/10/2014	80	274.2	415.757		
TMP-5-9N	143	10/10/2014	100	288.9	395.757		
TMP-5-9N	144	10/11/2014	20	174	475.757		
TMP-5-9N	144	10/11/2014	40	226.6	455.757		
TMP-5-9N	144	10/11/2014	60	235.6	435.757		
TMP-5-9N	144	10/11/2014	80	273.3	415.757		
TMP-5-9N	144	10/11/2014	100	287.8	395.757		
TMP-5-9N	145	10/12/2014	20	173.6	475.757		
TMP-5-9N	145	10/12/2014	40	226.5	455.757		
TMP-5-9N	145	10/12/2014	60	235	435.757		
TMP-5-9N	145	10/12/2014	80	273.4	415.757		
TMP-5-9N	145	10/12/2014	100	287.9	395.757		
TMP-5-9N	146	10/13/2014	20	172.1	475.757		
TMP-5-9N	146	10/13/2014	40	226.9	455.757		
TMP-5-9N	146	10/13/2014	60	235.5	435.757		
TMP-5-9N	146	10/13/2014	80	274.3	415.757		
TMP-5-9N	146	10/13/2014	100	288.6	395.757		
TMP-5-9N	147	10/17/2014	20	167.8	475.757		
TMP-5-9N	147	10/17/2014	40	226.1	455.757		
TMP-5-9N	147	10/17/2014	60	231.6	435.757		
TMP-5-9N	147	10/17/2014	80	276.1	415.757		
TMP-5-9N	147	10/17/2014	100	291.8	395.757		
TMP-5-9N	148	10/14/2014	20	168.7	475.757		
TMP-5-9N	148	10/14/2014	40	226.5	455.757		
TMP-5-9N	148	10/14/2014	60	234.8	435.757		
TMP-5-9N	148	10/14/2014	80	274.1	415.757		
TMP-5-9N	148	10/14/2014	100	288.4	395.757		
TMP-5-9N	149	10/15/2014	20	167.9	475.757		
TMP-5-9N	149	10/15/2014	40	226.1	455.757		
TMP-5-9N	149	10/15/2014	60	234.2	435.757		
TMP-5-9N	149	10/15/2014	80	274.5	415.757		
TMP-5-9N	149	10/15/2014	100	290	395.757		
TMP-5-9N	150	10/16/2014	20	167.8	475.757		
TMP-5-9N	150	10/16/2014	40	226.1	455.757		
TMP-5-9N	150	10/16/2014	60	231.6	435.757		
TMP-5-9N	150	10/16/2014	80	276.1	415.757		
TMP-5-9N	150	10/16/2014	100	291.8	395.757		
TMP-5-9N	151	10/17/2014	20	167.8	475.757		
TMP-5-9N	151	10/17/2014	40	226.1	455.757		
TMP-5-9N	151	10/17/2014	60	231.6	435.757		
TMP-5-9N	151	10/17/2014	80	276.1	415.757		
TMP-5-9N	151	10/17/2014	100	291.8	395.757		
TMP-5-9N	152	10/20/2014	20	164.5	475.757		
TMP-5-9N	152	10/20/2014	40	220	455.757		
TMP-5-9N	152	10/20/2014	60	220.1	435.757		
TMP-5-9N	152	10/20/2014	80	273.8	415.757		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-5-9N	152	10/20/2014	100	288.3	395.757		
TMP-5-9N	153	10/22/2014	20	166.4	475.757		
TMP-5-9N	153	10/22/2014	40	219.3	455.757		
TMP-5-9N	153	10/22/2014	60	217.3	435.757		
TMP-5-9N	153	10/22/2014	80	274.4	415.757		
TMP-5-9N	153	10/22/2014	100	288.5	395.757		
TMP-5-9N	154	10/24/2014	20	162.3	475.757		
TMP-5-9N	154	10/24/2014	40	215.5	455.757		
TMP-5-9N	154	10/24/2014	60	214.3	435.757		
TMP-5-9N	154	10/24/2014	80	272.8	415.757		
TMP-5-9N	154	10/24/2014	100	281.5	395.757		
TMP-5-9N	155	10/27/2014	20	164	475.757		
TMP-5-9N	155	10/27/2014	40	215.9	455.757		
TMP-5-9N	155	10/27/2014	60	213.7	435.757		
TMP-5-9N	155	10/27/2014	80	274.2	415.757		
TMP-5-9N	155	10/27/2014	100	289.3	395.757		
TMP-5-9N	156	10/29/2014	20	163	475.757		
TMP-5-9N	156	10/29/2014	40	213.2	455.757		
TMP-5-9N	156	10/29/2014	60	209.1	435.757		
TMP-5-9N	156	10/29/2014	80	273.1	415.757		
TMP-5-9N	156	10/29/2014	100	288.6	395.757		
TMP-5-9N	157	10/31/2014	20	164.7	475.757		
TMP-5-9N	157	10/31/2014	40	213.8	455.757		
TMP-5-9N	157	10/31/2014	60	207.8	435.757		
TMP-5-9N	157	10/31/2014	80	276.2	415.757		
TMP-5-9N	157	10/31/2014	100	291.5	395.757		
TMP-5-9N	158	11/3/2014	20	161.9	475.757		
TMP-5-9N	158	11/3/2014	40	208.6	455.757		
TMP-5-9N	158	11/3/2014	60	199.9	435.757		
TMP-5-9N	158	11/3/2014	80	275	415.757		
TMP-5-9N	158	11/3/2014	100	290.5	395.757		
TMP-5-9N	159	11/5/2014	20	162.8	475.757		
TMP-5-9N	159	11/5/2014	40	207.9	455.757		
TMP-5-9N	159	11/5/2014	60	198.1	435.757		
TMP-5-9N	159	11/5/2014	80	276.3	415.757		
TMP-5-9N	159	11/5/2014	100	291.8	395.757		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-5-9S	117	9/15/2014	20	156.9	475.895		TIMP EQUALIZING, RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-5-9S	117	9/15/2014	40	197.9	455.895		TIMP EQUALIZING, RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-5-9S	117	9/15/2014	60	228.3	435.895		TIMP EQUALIZING, RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-5-9S	117	9/15/2014	80	247.7	415.895		TIMP EQUALIZING, RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-5-9S	117	9/15/2014	100	283.5	395.895		TIMP EQUALIZING, RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-5-9S	121	9/19/2014	20	157.5	475.895		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-5-9S	121	9/19/2014	40	228.4	455.895		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-5-9S	121	9/19/2014	60	252	435.895		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-5-9S	121	9/19/2014	80	264.6	415.895		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-5-9S	121	9/19/2014	100	288.3	395.895		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-5-9S	122	9/20/2014	20	168.1	475.895		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-5-9S	122	9/20/2014	40	238.1	455.895		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-5-9S	122	9/20/2014	60	258.1	435.895		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-5-9S	122	9/20/2014	80	273.5	415.895		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-5-9S	122	9/20/2014	100	296.6	395.895		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-5-9S	123	9/26/2014	20	160.4	475.895		
TMP-5-9S	123	9/26/2014	40	233.8	455.895		
TMP-5-9S	123	9/26/2014	60	248.8	435.895		
TMP-5-9S	123	9/26/2014	80	267	415.895		
TMP-5-9S	123	9/26/2014	100	286	395.895		
TMP-5-9S	124	9/21/2014	20	163.4	475.895		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-5-9S	124	9/21/2014	40	233.8	455.895		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-5-9S	124	9/21/2014	60	249.3	435.895		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-5-9S	124	9/21/2014	80	266.6	415.895		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-5-9S	124	9/21/2014	100	287.7	395.895		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-5-9S	125	9/22/2014	20	161.4	475.895		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-5-9S	125	9/22/2014	40	232.8	455.895		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-5-9S	125	9/22/2014	60	247.6	435.895		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-5-9S	125	9/22/2014	80	266.1	415.895		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-5-9S	125	9/22/2014	100	287.3	395.895		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-5-9S	126	9/23/2014	20	160	475.895		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-5-9S	126	9/23/2014	40	231.5	455.895		
TMP-5-9S	126	9/23/2014	60	247.3	435.895		
TMP-5-9S	126	9/23/2014	80	264.8	415.895		
TMP-5-9S	126	9/23/2014	100	285.5	395.895		
TMP-5-9S	127	9/24/2014	20	161	475.895		
TMP-5-9S	127	9/24/2014	40	233	455.895		
TMP-5-9S	127	9/24/2014	60	248.1	435.895		
TMP-5-9S	127	9/24/2014	80	266.3	415.895		
TMP-5-9S	127	9/24/2014	100	286.3	395.895		
TMP-5-9S	128	9/25/2014	20	160.2	475.895		
TMP-5-9S	128	9/25/2014	40	233.2	455.895		
TMP-5-9S	128	9/25/2014	60	248.2	435.895		
TMP-5-9S	128	9/25/2014	80	266.3	415.895		
TMP-5-9S	128	9/25/2014	100	285.7	395.895		
TMP-5-9S	129	9/26/2014	20	160.4	475.895		
TMP-5-9S	129	9/26/2014	40	233.8	455.895		
TMP-5-9S	129	9/26/2014	60	248.8	435.895		
TMP-5-9S	129	9/26/2014	80	267	415.895		
TMP-5-9S	129	9/26/2014	100	286	395.895		
TMP-5-9S	130	9/27/2014	20	160.3	475.895		
TMP-5-9S	130	9/27/2014	40	234	455.895		
TMP-5-9S	130	9/27/2014	60	249.1	435.895		
TMP-5-9S	130	9/27/2014	80	267.2	415.895		
TMP-5-9S	130	9/27/2014	100	285.7	395.895		
TMP-5-9S	131	9/28/2014	20	160.9	475.895		
TMP-5-9S	131	9/28/2014	40	234.6	455.895		
TMP-5-9S	131	9/28/2014	60	249.5	435.895		
TMP-5-9S	131	9/28/2014	80	267.8	415.895		
TMP-5-9S	131	9/28/2014	100	286.1	395.895		
TMP-5-9S	132	9/29/2014	20	159	475.895		
TMP-5-9S	132	9/29/2014	40	234.2	455.895		
TMP-5-9S	132	9/29/2014	60	249.3	435.895		
TMP-5-9S	132	9/29/2014	80	267.7	415.895		
TMP-5-9S	132	9/29/2014	100	286	395.895		
TMP-5-9S	133	9/30/2014	20	161.4	475.895		
TMP-5-9S	133	9/30/2014	40	235	455.895		
TMP-5-9S	133	9/30/2014	60	250	435.895		
TMP-5-9S	133	9/30/2014	80	268.4	415.895		
TMP-5-9S	133	9/30/2014	100	285.8	395.895		
TMP-5-9S	134	10/1/2014	20	161.4	475.895		
TMP-5-9S	134	10/1/2014	40	235.3	455.895		
TMP-5-9S	134	10/1/2014	60	250.3	435.895		
TMP-5-9S	134	10/1/2014	80	268.7	415.895		
TMP-5-9S	134	10/1/2014	100	286.1	395.895		
TMP-5-9S	135	10/2/2014	20	160.7	475.895		
TMP-5-9S	135	10/2/2014	40	235.6	455.895		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-5-9S	135	10/2/2014	60	250.7	435.895		
TMP-5-9S	135	10/2/2014	80	269.2	415.895		
TMP-5-9S	135	10/2/2014	100	286.5	395.895		
TMP-5-9S	136	10/8/2014	20	159.7	475.895		
TMP-5-9S	136	10/8/2014	40	236.2	455.895		
TMP-5-9S	136	10/8/2014	60	251.9	435.895		
TMP-5-9S	136	10/8/2014	80	269.9	415.895		
TMP-5-9S	136	10/8/2014	100	285.3	395.895		
TMP-5-9S	137	10/3/2014	20	161.1	475.895		
TMP-5-9S	137	10/3/2014	40	236.2	455.895		
TMP-5-9S	137	10/3/2014	60	251.7	435.895		
TMP-5-9S	137	10/3/2014	80	270	415.895		
TMP-5-9S	137	10/3/2014	100	287	395.895		
TMP-5-9S	138	10/4/2014	20	163.2	475.895		
TMP-5-9S	138	10/4/2014	40	238.4	455.895		
TMP-5-9S	138	10/4/2014	60	254	435.895		
TMP-5-9S	138	10/4/2014	80	271.9	415.895		
TMP-5-9S	138	10/4/2014	100	288.1	395.895		
TMP-5-9S	139	10/5/2014	20	160.3	475.895		
TMP-5-9S	139	10/5/2014	40	235.8	455.895		
TMP-5-9S	139	10/5/2014	60	251.5	435.895		
TMP-5-9S	139	10/5/2014	80	269.8	415.895		
TMP-5-9S	139	10/5/2014	100	286.3	395.895		
TMP-5-9S	140	10/6/2014	20	161.3	475.895		
TMP-5-9S	140	10/6/2014	40	231.3	455.895		
TMP-5-9S	140	10/6/2014	60	253	435.895		
TMP-5-9S	140	10/6/2014	80	271	415.895		
TMP-5-9S	140	10/6/2014	100	287.5	395.895		
TMP-5-9S	141	10/7/2014	20	160.7	475.895		
TMP-5-9S	141	10/7/2014	40	237.8	455.895		
TMP-5-9S	141	10/7/2014	60	253.7	435.895		
TMP-5-9S	141	10/7/2014	80	271.9	415.895		
TMP-5-9S	141	10/7/2014	100	287.5	395.895		
TMP-5-9S	142	10/9/2014	20	159.6	475.895		Multimeter not working due to water damage
TMP-5-9S	142	10/9/2014	40	236.7	455.895		Multimeter not working due to water damage
TMP-5-9S	142	10/9/2014	60	252.9	435.895		Multimeter not working due to water damage
TMP-5-9S	142	10/9/2014	80	263.2	415.895		Multimeter not working due to water damage
TMP-5-9S	142	10/9/2014	100	286.9	395.895		Multimeter not working due to water damage
TMP-5-9S	143	10/10/2014	20	154.6	475.895		
TMP-5-9S	143	10/10/2014	40	237.5	455.895		
TMP-5-9S	143	10/10/2014	60	253.8	435.895		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-5-9S	143	10/10/2014	80	264.3	415.895		
TMP-5-9S	143	10/10/2014	100	287.7	395.895		
TMP-5-9S	144	10/11/2014	20	153.2	475.895		
TMP-5-9S	144	10/11/2014	40	236.8	455.895		
TMP-5-9S	144	10/11/2014	60	253.3	435.895		
TMP-5-9S	144	10/11/2014	80	264.1	415.895		
TMP-5-9S	144	10/11/2014	100	287.1	395.895		
TMP-5-9S	145	10/12/2014	20	153.3	475.895		
TMP-5-9S	145	10/12/2014	40	237.2	455.895		
TMP-5-9S	145	10/12/2014	60	253.7	435.895		
TMP-5-9S	145	10/12/2014	80	264.1	415.895		
TMP-5-9S	145	10/12/2014	100	287.3	395.895		
TMP-5-9S	146	10/13/2014	20	154	475.895		
TMP-5-9S	146	10/13/2014	40	237.6	455.895		
TMP-5-9S	146	10/13/2014	60	254.3	435.895		
TMP-5-9S	146	10/13/2014	80	271.8	415.895		
TMP-5-9S	146	10/13/2014	100	287.5	395.895		
TMP-5-9S	147	10/17/2014	20	156.5	475.895		
TMP-5-9S	147	10/17/2014	40	239.1	455.895		
TMP-5-9S	147	10/17/2014	60	256.2	435.895		
TMP-5-9S	147	10/17/2014	80	274.5	415.895		
TMP-5-9S	147	10/17/2014	100	289.2	395.895		
TMP-5-9S	148	10/14/2014	20	154.2	475.895		
TMP-5-9S	148	10/14/2014	40	237.5	455.895		
TMP-5-9S	148	10/14/2014	60	254.4	435.895		
TMP-5-9S	148	10/14/2014	80	272.6	415.895		
TMP-5-9S	148	10/14/2014	100	287.8	395.895		
TMP-5-9S	149	10/15/2014	20	155.8	475.895		
TMP-5-9S	149	10/15/2014	40	237.6	455.895		
TMP-5-9S	149	10/15/2014	60	254.7	435.895		
TMP-5-9S	149	10/15/2014	80	273.2	415.895		
TMP-5-9S	149	10/15/2014	100	287.3	395.895		
TMP-5-9S	150	10/16/2014	20	156.5	475.895		
TMP-5-9S	150	10/16/2014	40	239.1	455.895		
TMP-5-9S	150	10/16/2014	60	256.2	435.895		
TMP-5-9S	150	10/16/2014	80	274.5	415.895		
TMP-5-9S	150	10/16/2014	100	289.2	395.895		
TMP-5-9S	151	10/17/2014	20	156.5	475.895		
TMP-5-9S	151	10/17/2014	40	239.1	455.895		
TMP-5-9S	151	10/17/2014	60	256.2	435.895		
TMP-5-9S	151	10/17/2014	80	274.5	415.895		
TMP-5-9S	151	10/17/2014	100	289.2	395.895		
TMP-5-9S	152	10/20/2014	20	150.3	475.895		
TMP-5-9S	152	10/20/2014	40	238.4	455.895		
TMP-5-9S	152	10/20/2014	60	255.4	435.895		
TMP-5-9S	152	10/20/2014	80	273.4	415.895		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-5-9S	152	10/20/2014	100	287.4	395.895		
TMP-5-9S	153	10/22/2014	20	150.2	475.895		
TMP-5-9S	153	10/22/2014	40	238.4	455.895		
TMP-5-9S	153	10/22/2014	60	256	435.895		
TMP-5-9S	153	10/22/2014	80	274.3	415.895		
TMP-5-9S	153	10/22/2014	100	289.3	395.895		
TMP-5-9S	154	10/24/2014	20	148.3	475.895		
TMP-5-9S	154	10/24/2014	40	238.3	455.895		
TMP-5-9S	154	10/24/2014	60	255.8	435.895		
TMP-5-9S	154	10/24/2014	80	274.1	415.895		
TMP-5-9S	154	10/24/2014	100	288.4	395.895		
TMP-5-9S	155	10/27/2014	20	148.1	475.895		
TMP-5-9S	155	10/27/2014	40	238	455.895		
TMP-5-9S	155	10/27/2014	60	256.1	435.895		
TMP-5-9S	155	10/27/2014	80	274.3	415.895		
TMP-5-9S	155	10/27/2014	100	288.9	395.895		
TMP-5-9S	156	10/29/2014	20	150.3	475.895		
TMP-5-9S	156	10/29/2014	40	240.8	455.895		
TMP-5-9S	156	10/29/2014	60	258.8	435.895		
TMP-5-9S	156	10/29/2014	80	276.4	415.895		
TMP-5-9S	156	10/29/2014	100	290.3	395.895		
TMP-5-9S	157	10/31/2014	20	149.8	475.895		
TMP-5-9S	157	10/31/2014	40	240.9	455.895		
TMP-5-9S	157	10/31/2014	60	259.1	435.895		
TMP-5-9S	157	10/31/2014	80	276.5	415.895		
TMP-5-9S	157	10/31/2014	100	291.1	395.895		
TMP-5-9S	158	11/3/2014	20	148	475.895		
TMP-5-9S	158	11/3/2014	40	239.4	455.895		
TMP-5-9S	158	11/3/2014	60	257.4	435.895		
TMP-5-9S	158	11/3/2014	80	274.7	415.895		
TMP-5-9S	158	11/3/2014	100	290.2	395.895		
TMP-5-9S	159	11/5/2014	20	149	475.895		
TMP-5-9S	159	11/5/2014	40	242.8	455.895		
TMP-5-9S	159	11/5/2014	60	259.9	435.895		
TMP-5-9S	159	11/5/2014	80	277.2	415.895		
TMP-5-9S	159	11/5/2014	100	293.6	395.895		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-5-5N	119	9/17/2014	20	183.7	475.256		TIMP EQUALIZING, RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-5-5N	119	9/17/2014	40	207.5	455.256		TIMP EQUALIZING, RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-5-5N	119	9/17/2014	60	210.2	435.256		TIMP EQUALIZING, RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-5-5N	119	9/17/2014	80	247.6	415.256		TIMP EQUALIZING, RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-5-5N	119	9/17/2014	100	274.5	395.256		TIMP EQUALIZING, RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-5-5N	121	9/19/2014	20	194.5	475.256		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-5-5N	121	9/19/2014	40	222.1	455.256		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-5-5N	121	9/19/2014	60	222.4	435.256		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-5-5N	121	9/19/2014	80	271.4	415.256		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-5-5N	121	9/19/2014	100	288.9	395.256		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-5-5N	122	9/20/2014	20	192.7	475.256		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-5-5N	122	9/20/2014	40	225.9	455.256		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-5-5N	122	9/20/2014	60	225.3	435.256		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-5-5N	122	9/20/2014	80	278.4	415.256		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-5-5N	122	9/20/2014	100	294.9	395.256		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-5-5N	123	9/26/2014	20	184.7	475.256		
TMP-5-5N	123	9/26/2014	40	214.9	455.256		
TMP-5-5N	123	9/26/2014	60	217.8	435.256		
TMP-5-5N	123	9/26/2014	80	269	415.256		
TMP-5-5N	123	9/26/2014	100	282.9	395.256		
TMP-5-5N	124	9/21/2014	20	193.4	475.256		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-5-5N	124	9/21/2014	40	223.3	455.256		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-5-5N	124	9/21/2014	60	224.8	435.256		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-5-5N	124	9/21/2014	80	274.2	415.256		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-5-5N	124	9/21/2014	100	293.4	395.256		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-5-5N	125	9/22/2014	20	181.7	475.256		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-5-5N	125	9/22/2014	40	210.3	455.256		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-5-5N	125	9/22/2014	60	213	435.256		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-5-5N	125	9/22/2014	80	265.6	415.256		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-5-5N	125	9/22/2014	100	279.9	395.256		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-5-5N	126	9/23/2014	20	183.6	475.256		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-5-5N	126	9/23/2014	40	214.4	455.256		
TMP-5-5N	126	9/23/2014	60	216.4	435.256		
TMP-5-5N	126	9/23/2014	80	268.6	415.256		
TMP-5-5N	126	9/23/2014	100	283.2	395.256		
TMP-5-5N	127	9/24/2014	20	184.8	475.256		
TMP-5-5N	127	9/24/2014	40	214.7	455.256		
TMP-5-5N	127	9/24/2014	60	216.7	435.256		
TMP-5-5N	127	9/24/2014	80	269	415.256		
TMP-5-5N	127	9/24/2014	100	283.5	395.256		
TMP-5-5N	128	9/25/2014	20	183.5	475.256		
TMP-5-5N	128	9/25/2014	40	214.6	455.256		
TMP-5-5N	128	9/25/2014	60	217.5	435.256		
TMP-5-5N	128	9/25/2014	80	269.4	415.256		
TMP-5-5N	128	9/25/2014	100	283.3	395.256		
TMP-5-5N	129	9/26/2014	20	184.7	475.256		
TMP-5-5N	129	9/26/2014	40	214.9	455.256		
TMP-5-5N	129	9/26/2014	60	217.8	435.256		
TMP-5-5N	129	9/26/2014	80	269	415.256		
TMP-5-5N	129	9/26/2014	100	282.9	395.256		
TMP-5-5N	130	9/27/2014	20	185.7	475.256		
TMP-5-5N	130	9/27/2014	40	215.5	455.256		
TMP-5-5N	130	9/27/2014	60	218.7	435.256		
TMP-5-5N	130	9/27/2014	80	270.2	415.256		
TMP-5-5N	130	9/27/2014	100	283.6	395.256		
TMP-5-5N	131	9/28/2014	20	185.9	475.256		
TMP-5-5N	131	9/28/2014	40	215.9	455.256		
TMP-5-5N	131	9/28/2014	60	219.1	435.256		
TMP-5-5N	131	9/28/2014	80	270.6	415.256		
TMP-5-5N	131	9/28/2014	100	284.4	395.256		
TMP-5-5N	132	9/29/2014	20	183.1	475.256		
TMP-5-5N	132	9/29/2014	40	214.4	455.256		
TMP-5-5N	132	9/29/2014	60	217.9	435.256		
TMP-5-5N	132	9/29/2014	80	268.8	415.256		
TMP-5-5N	132	9/29/2014	100	282.6	395.256		
TMP-5-5N	133	9/30/2014	20	185	475.256		
TMP-5-5N	133	9/30/2014	40	215.5	455.256		
TMP-5-5N	133	9/30/2014	60	220.1	435.256		
TMP-5-5N	133	9/30/2014	80	269.8	415.256		
TMP-5-5N	133	9/30/2014	100	283.6	395.256		
TMP-5-5N	134	10/1/2014	20	95.2	475.256		
TMP-5-5N	134	10/1/2014	40	213.8	455.256		
TMP-5-5N	134	10/1/2014	60	217.7	435.256		
TMP-5-5N	134	10/1/2014	80	268	415.256		
TMP-5-5N	134	10/1/2014	100	281.6	395.256		
TMP-5-5N	135	10/2/2014	20	77.2	475.256		
TMP-5-5N	135	10/2/2014	40	215.7	455.256		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-5-5N	135	10/2/2014	60	219.9	435.256		
TMP-5-5N	135	10/2/2014	80	270.3	415.256		
TMP-5-5N	135	10/2/2014	100	283.8	395.256		
TMP-5-5N	136	10/8/2014	20	81.1	475.256		
TMP-5-5N	136	10/8/2014	40	212.9	455.256		
TMP-5-5N	136	10/8/2014	60	215.9	435.256		
TMP-5-5N	136	10/8/2014	80	267.3	415.256		
TMP-5-5N	136	10/8/2014	100	280.9	395.256		
TMP-5-5N	137	10/3/2014	20	60.9	475.256		
TMP-5-5N	137	10/3/2014	40	216.5	455.256		
TMP-5-5N	137	10/3/2014	60	220.3	435.256		
TMP-5-5N	137	10/3/2014	80	271	415.256		
TMP-5-5N	137	10/3/2014	100	284.4	395.256		
TMP-5-5N	138	10/4/2014	20	56.8	475.256		
TMP-5-5N	138	10/4/2014	40	217.8	455.256		
TMP-5-5N	138	10/4/2014	60	221.1	435.256		
TMP-5-5N	138	10/4/2014	80	272.2	415.256		
TMP-5-5N	138	10/4/2014	100	285.6	395.256		
TMP-5-5N	139	10/5/2014	20	55	475.256		
TMP-5-5N	139	10/5/2014	40	216	455.256		
TMP-5-5N	139	10/5/2014	60	219.5	435.256		
TMP-5-5N	139	10/5/2014	80	270.4	415.256		
TMP-5-5N	139	10/5/2014	100	283.9	395.256		
TMP-5-5N	140	10/6/2014	20	77	475.256		
TMP-5-5N	140	10/6/2014	40	216.5	455.256		
TMP-5-5N	140	10/6/2014	60	219.8	435.256		
TMP-5-5N	140	10/6/2014	80	270.8	415.256		
TMP-5-5N	140	10/6/2014	100	284.2	395.256		
TMP-5-5N	141	10/7/2014	20	84.2	475.256		
TMP-5-5N	141	10/7/2014	40	216.6	455.256		
TMP-5-5N	141	10/7/2014	60	219.6	435.256		
TMP-5-5N	141	10/7/2014	80	271.2	415.256		
TMP-5-5N	141	10/7/2014	100	284.6	395.256		
TMP-5-5N	142	10/9/2014	20	63.6	475.256		Multimeter not working due to water damage
TMP-5-5N	142	10/9/2014	40	216.9	455.256		Multimeter not working due to water damage
TMP-5-5N	142	10/9/2014	60	214.1	435.256		Multimeter not working due to water damage
TMP-5-5N	142	10/9/2014	80	271	415.256		Multimeter not working due to water damage
TMP-5-5N	142	10/9/2014	100	284.5	395.256		Multimeter not working due to water damage
TMP-5-5N	143	10/10/2014	20	56.4	475.256		
TMP-5-5N	143	10/10/2014	40	208.5	455.256		
TMP-5-5N	143	10/10/2014	60	179.2	435.256		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-5-5N	143	10/10/2014	80	272.2	415.256		
TMP-5-5N	143	10/10/2014	100	285.8	395.256		
TMP-5-5N	144	10/11/2014	20	59.3	475.256		
TMP-5-5N	144	10/11/2014	40	203.3	455.256		
TMP-5-5N	144	10/11/2014	60	195.9	435.256		
TMP-5-5N	144	10/11/2014	80	270.3	415.256		
TMP-5-5N	144	10/11/2014	100	284.5	395.256		
TMP-5-5N	145	10/12/2014	20	60.5	475.256		
TMP-5-5N	145	10/12/2014	40	207.2	455.256		
TMP-5-5N	145	10/12/2014	60	205.7	435.256		
TMP-5-5N	145	10/12/2014	80	272.3	415.256		
TMP-5-5N	145	10/12/2014	100	284.7	395.256		
TMP-5-5N	146	10/13/2014	20	67.1	475.256		
TMP-5-5N	146	10/13/2014	40	210.6	455.256		
TMP-5-5N	146	10/13/2014	60	206.1	435.256		
TMP-5-5N	146	10/13/2014	80	272.7	415.256		
TMP-5-5N	146	10/13/2014	100	291.9	395.256		
TMP-5-5N	147	10/17/2014	20	76.8	475.256		
TMP-5-5N	147	10/17/2014	40	160.3	455.256		
TMP-5-5N	147	10/17/2014	60	120	435.256		
TMP-5-5N	147	10/17/2014	80	276.5	415.256		
TMP-5-5N	147	10/17/2014	100	291.8	395.256		
TMP-5-5N	148	10/14/2014	20	58.5	475.256		
TMP-5-5N	148	10/14/2014	40	200.5	455.256		
TMP-5-5N	148	10/14/2014	60	179.2	435.256		
TMP-5-5N	148	10/14/2014	80	272.7	415.256		
TMP-5-5N	148	10/14/2014	100	285.5	395.256		
TMP-5-5N	149	10/15/2014	20	60	475.256		
TMP-5-5N	149	10/15/2014	40	189.2	455.256		
TMP-5-5N	149	10/15/2014	60	160.1	435.256		
TMP-5-5N	149	10/15/2014	80	273	415.256		
TMP-5-5N	149	10/15/2014	100	286.9	395.256		
TMP-5-5N	150	10/16/2014	20	76.8	475.256		
TMP-5-5N	150	10/16/2014	40	160.3	455.256		
TMP-5-5N	150	10/16/2014	60	120	435.256		
TMP-5-5N	150	10/16/2014	80	276.5	415.256		
TMP-5-5N	150	10/16/2014	100	291.8	395.256		
TMP-5-5N	151	10/17/2014	20	76.8	475.256		
TMP-5-5N	151	10/17/2014	40	160.3	455.256		
TMP-5-5N	151	10/17/2014	60	120	435.256		
TMP-5-5N	151	10/17/2014	80	276.5	415.256		
TMP-5-5N	151	10/17/2014	100	291.8	395.256		
TMP-5-5N	152	10/20/2014	20	83.3	475.256		
TMP-5-5N	152	10/20/2014	40	158.4	455.256		
TMP-5-5N	152	10/20/2014	60	143.5	435.256		
TMP-5-5N	152	10/20/2014	80	276.1	415.256		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-5-5N	152	10/20/2014	100	290.9	395.256		
TMP-5-5N	153	10/22/2014	20	59.5	475.256		
TMP-5-5N	153	10/22/2014	40	172.8	455.256		
TMP-5-5N	153	10/22/2014	60	167.2	435.256		
TMP-5-5N	153	10/22/2014	80	274.1	415.256		
TMP-5-5N	153	10/22/2014	100	288.4	395.256		
TMP-5-5N	154	10/24/2014	20	85	475.256		
TMP-5-5N	154	10/24/2014	40	180.6	455.256		
TMP-5-5N	154	10/24/2014	60	160	435.256		
TMP-5-5N	154	10/24/2014	80	272.1	415.256		
TMP-5-5N	154	10/24/2014	100	285.1	395.256		
TMP-5-5N	155	10/27/2014	20	88.2	475.256		
TMP-5-5N	155	10/27/2014	40	151.1	455.256		
TMP-5-5N	155	10/27/2014	60	121.9	435.256		
TMP-5-5N	155	10/27/2014	80	274.4	415.256		
TMP-5-5N	155	10/27/2014	100	289.3	395.256		
TMP-5-5N	156	10/29/2014	20	62.1	475.256		
TMP-5-5N	156	10/29/2014	40	140.1	455.256		
TMP-5-5N	156	10/29/2014	60	102.2	435.256		
TMP-5-5N	156	10/29/2014	80	275.3	415.256		
TMP-5-5N	156	10/29/2014	100	289.1	395.256		
TMP-5-5N	157	10/31/2014	20	60.2	475.256		
TMP-5-5N	157	10/31/2014	40	133.8	455.256		
TMP-5-5N	157	10/31/2014	60	95.6	435.256		
TMP-5-5N	157	10/31/2014	80	278	415.256		
TMP-5-5N	157	10/31/2014	100	292	395.256		
TMP-5-5N	158	11/3/2014	20	81.7	475.256		
TMP-5-5N	158	11/3/2014	40	132.1	455.256		
TMP-5-5N	158	11/3/2014	60	101.1	435.256		
TMP-5-5N	158	11/3/2014	80	275.3	415.256		
TMP-5-5N	158	11/3/2014	100	289.1	395.256		
TMP-5-5N	159	11/5/2014	20	63.3	475.256		
TMP-5-5N	159	11/5/2014	40	128.4	455.256		
TMP-5-5N	159	11/5/2014	60	93.1	435.256		
TMP-5-5N	159	11/5/2014	80	276.9	415.256		
TMP-5-5N	159	11/5/2014	100	290.8	395.256		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-5-5S	118	9/16/2014	20	155.5	473.746		TIMP EQUALIZING, RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-5-5S	118	9/16/2014	40	191.3	453.746		TIMP EQUALIZING, RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-5-5S	118	9/16/2014	60	188	433.746		TIMP EQUALIZING, RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-5-5S	118	9/16/2014	80	224	413.746		TIMP EQUALIZING, RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-5-5S	118	9/16/2014	100	277.1	393.746		TIMP EQUALIZING, RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-5-5S	121	9/19/2014	20	170.5	473.746		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-5-5S	121	9/19/2014	40	228.7	453.746		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-5-5S	121	9/19/2014	60	235.4	433.746		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-5-5S	121	9/19/2014	80	266	413.746		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-5-5S	121	9/19/2014	100	295.1	393.746		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-5-5S	122	9/20/2014	20	169.5	473.746		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-5-5S	122	9/20/2014	40	239.9	453.746		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-5-5S	122	9/20/2014	60	243.9	433.746		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-5-5S	122	9/20/2014	80	276.8	413.746		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-5-5S	122	9/20/2014	100	303.6	393.746		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-5-5S	123	9/26/2014	20	167.9	473.746		
TMP-5-5S	123	9/26/2014	40	231.7	453.746		
TMP-5-5S	123	9/26/2014	60	244.8	433.746		
TMP-5-5S	123	9/26/2014	80	267.4	413.746		
TMP-5-5S	123	9/26/2014	100	289	393.746		
TMP-5-5S	124	9/21/2014	20	177.6	473.746		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-5-5S	124	9/21/2014	40	239.8	453.746		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-5-5S	124	9/21/2014	60	249.8	433.746		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-5-5S	124	9/21/2014	80	275.1	413.746		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-5-5S	124	9/21/2014	100	299.7	393.746		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-5-5S	125	9/22/2014	20	166.5	473.746		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-5-5S	125	9/22/2014	40	229	453.746		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-5-5S	125	9/22/2014	60	240.7	433.746		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-5-5S	125	9/22/2014	80	265.5	413.746		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-5-5S	125	9/22/2014	100	289.2	393.746		RESISTIVITY READINGS INCORRECT DUE TO MULTIMETER AND REMOVED FROM DATABASE
TMP-5-5S	126	9/23/2014	20	167.5	473.746		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-5-5S	126	9/23/2014	40	229.9	453.746		
TMP-5-5S	126	9/23/2014	60	241.6	433.746		
TMP-5-5S	126	9/23/2014	80	265.8	413.746		
TMP-5-5S	126	9/23/2014	100	288.9	393.746		
TMP-5-5S	127	9/24/2014	20	168.6	473.746		
TMP-5-5S	127	9/24/2014	40	231.5	453.746		
TMP-5-5S	127	9/24/2014	60	243.7	433.746		
TMP-5-5S	127	9/24/2014	80	267.3	413.746		
TMP-5-5S	127	9/24/2014	100	289.8	393.746		
TMP-5-5S	128	9/25/2014	20	168	473.746		
TMP-5-5S	128	9/25/2014	40	231.1	453.746		
TMP-5-5S	128	9/25/2014	60	243.9	433.746		
TMP-5-5S	128	9/25/2014	80	266.9	413.746		
TMP-5-5S	128	9/25/2014	100	289	393.746		
TMP-5-5S	129	9/26/2014	20	167.9	473.746		
TMP-5-5S	129	9/26/2014	40	231.7	453.746		
TMP-5-5S	129	9/26/2014	60	244.8	433.746		
TMP-5-5S	129	9/26/2014	80	267.4	413.746		
TMP-5-5S	129	9/26/2014	100	289	393.746		
TMP-5-5S	130	9/27/2014	20	167.6	473.746		
TMP-5-5S	130	9/27/2014	40	232.2	453.746		
TMP-5-5S	130	9/27/2014	60	245.5	433.746		
TMP-5-5S	130	9/27/2014	80	267.7	413.746		
TMP-5-5S	130	9/27/2014	100	289	393.746		
TMP-5-5S	131	9/28/2014	20	167.8	473.746		
TMP-5-5S	131	9/28/2014	40	232.9	453.746		
TMP-5-5S	131	9/28/2014	60	246.4	433.746		
TMP-5-5S	131	9/28/2014	80	268.4	413.746		
TMP-5-5S	131	9/28/2014	100	289.1	393.746		
TMP-5-5S	132	9/29/2014	20	164.4	473.746		
TMP-5-5S	132	9/29/2014	40	232.8	453.746		
TMP-5-5S	132	9/29/2014	60	246.6	433.746		
TMP-5-5S	132	9/29/2014	80	268.2	413.746		
TMP-5-5S	132	9/29/2014	100	288.5	393.746		
TMP-5-5S	133	9/30/2014	20	164.6	473.746		
TMP-5-5S	133	9/30/2014	40	233.2	453.746		
TMP-5-5S	133	9/30/2014	60	247.4	433.746		
TMP-5-5S	133	9/30/2014	80	268.5	413.746		
TMP-5-5S	133	9/30/2014	100	288.8	393.746		
TMP-5-5S	134	10/1/2014	20	163.2	473.746		
TMP-5-5S	134	10/1/2014	40	233.7	453.746		
TMP-5-5S	134	10/1/2014	60	247.7	433.746		
TMP-5-5S	134	10/1/2014	80	269	413.746		
TMP-5-5S	134	10/1/2014	100	289.1	393.746		
TMP-5-5S	135	10/2/2014	20	163.2	473.746		
TMP-5-5S	135	10/2/2014	40	234	453.746		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-5-5S	135	10/2/2014	60	248.2	433.746		
TMP-5-5S	135	10/2/2014	80	269.2	413.746		
TMP-5-5S	135	10/2/2014	100	289	393.746		
TMP-5-5S	136	10/8/2014	20	163.6	473.746		
TMP-5-5S	136	10/8/2014	40	235.2	453.746		
TMP-5-5S	136	10/8/2014	60	250.1	433.746		
TMP-5-5S	136	10/8/2014	80	270.6	413.746		
TMP-5-5S	136	10/8/2014	100	289.1	393.746		
TMP-5-5S	137	10/3/2014	20	163.8	473.746		
TMP-5-5S	137	10/3/2014	40	234.8	453.746		
TMP-5-5S	137	10/3/2014	60	249	433.746		
TMP-5-5S	137	10/3/2014	80	270	413.746		
TMP-5-5S	137	10/3/2014	100	289.4	393.746		
TMP-5-5S	138	10/4/2014	20	166.3	473.746		
TMP-5-5S	138	10/4/2014	40	236.7	453.746		
TMP-5-5S	138	10/4/2014	60	251.3	433.746		
TMP-5-5S	138	10/4/2014	80	272.1	413.746		
TMP-5-5S	138	10/4/2014	100	291.4	393.746		
TMP-5-5S	139	10/5/2014	20	163.8	473.746		
TMP-5-5S	139	10/5/2014	40	234.4	453.746		
TMP-5-5S	139	10/5/2014	60	248.8	433.746		
TMP-5-5S	139	10/5/2014	80	269.4	413.746		
TMP-5-5S	139	10/5/2014	100	288.5	393.746		
TMP-5-5S	140	10/6/2014	20	164.3	473.746		
TMP-5-5S	140	10/6/2014	40	235.7	453.746		
TMP-5-5S	140	10/6/2014	60	250.4	433.746		
TMP-5-5S	140	10/6/2014	80	271.1	413.746		
TMP-5-5S	140	10/6/2014	100	290	393.746		
TMP-5-5S	141	10/7/2014	20	163.5	473.746		
TMP-5-5S	141	10/7/2014	40	235.5	453.746		
TMP-5-5S	141	10/7/2014	60	250.5	433.746		
TMP-5-5S	141	10/7/2014	80	271.3	413.746		
TMP-5-5S	141	10/7/2014	100	290.1	393.746		
TMP-5-5S	142	10/9/2014	20	164.3	473.746		Multimeter not working due to water damage
TMP-5-5S	142	10/9/2014	40	235.9	453.746		Multimeter not working due to water damage
TMP-5-5S	142	10/9/2014	60	250.7	433.746		Multimeter not working due to water damage
TMP-5-5S	142	10/9/2014	80	271	413.746		Multimeter not working due to water damage
TMP-5-5S	142	10/9/2014	100	289	393.746		Multimeter not working due to water damage
TMP-5-5S	143	10/10/2014	20	166.1	473.746		
TMP-5-5S	143	10/10/2014	40	237	453.746		
TMP-5-5S	143	10/10/2014	60	251.8	433.746		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-5-5S	143	10/10/2014	80	271.9	413.746		
TMP-5-5S	143	10/10/2014	100	289.8	393.746		
TMP-5-5S	144	10/11/2014	20	164.3	473.746		
TMP-5-5S	144	10/11/2014	40	236.2	453.746		
TMP-5-5S	144	10/11/2014	60	251.1	433.746		
TMP-5-5S	144	10/11/2014	80	271.3	413.746		
TMP-5-5S	144	10/11/2014	100	289	393.746		
TMP-5-5S	145	10/12/2014	20	165	473.746		
TMP-5-5S	145	10/12/2014	40	236.7	453.746		
TMP-5-5S	145	10/12/2014	60	251.7	433.746		
TMP-5-5S	145	10/12/2014	80	271.7	413.746		
TMP-5-5S	145	10/12/2014	100	289.3	393.746		
TMP-5-5S	146	10/13/2014	20	163.4	473.746		
TMP-5-5S	146	10/13/2014	40	237.6	453.746		
TMP-5-5S	146	10/13/2014	60	252.4	433.746		
TMP-5-5S	146	10/13/2014	80	272.8	413.746		
TMP-5-5S	146	10/13/2014	100	289.7	393.746		
TMP-5-5S	147	10/17/2014	20	163.1	473.746		
TMP-5-5S	147	10/17/2014	40	237.7	453.746		
TMP-5-5S	147	10/17/2014	60	253.3	433.746		
TMP-5-5S	147	10/17/2014	80	275.3	413.746		
TMP-5-5S	147	10/17/2014	100	290.6	393.746		
TMP-5-5S	148	10/14/2014	20	163.7	473.746		
TMP-5-5S	148	10/14/2014	40	237.2	453.746		
TMP-5-5S	148	10/14/2014	60	252.3	433.746		
TMP-5-5S	148	10/14/2014	80	273	413.746		
TMP-5-5S	148	10/14/2014	100	289.4	393.746		
TMP-5-5S	149	10/15/2014	20	165.1	473.746		
TMP-5-5S	149	10/15/2014	40	237.4	453.746		
TMP-5-5S	149	10/15/2014	60	252.7	433.746		
TMP-5-5S	149	10/15/2014	80	274.1	413.746		
TMP-5-5S	149	10/15/2014	100	289.7	393.746		
TMP-5-5S	150	10/16/2014	20	163.1	473.746		
TMP-5-5S	150	10/16/2014	40	237.7	453.746		
TMP-5-5S	150	10/16/2014	60	253.3	433.746		
TMP-5-5S	150	10/16/2014	80	275.3	413.746		
TMP-5-5S	150	10/16/2014	100	290.6	393.746		
TMP-5-5S	151	10/17/2014	20	163.1	473.746		
TMP-5-5S	151	10/17/2014	40	237.7	453.746		
TMP-5-5S	151	10/17/2014	60	253.3	433.746		
TMP-5-5S	151	10/17/2014	80	275.3	413.746		
TMP-5-5S	151	10/17/2014	100	290.6	393.746		
TMP-5-5S	152	10/20/2014	20	161.1	473.746		
TMP-5-5S	152	10/20/2014	40	238.1	453.746		
TMP-5-5S	152	10/20/2014	60	253.5	433.746		
TMP-5-5S	152	10/20/2014	80	274.1	413.746		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-5-5S	152	10/20/2014	100	289.5	393.746		
TMP-5-5S	153	10/22/2014	20	160.7	473.746		
TMP-5-5S	153	10/22/2014	40	238.8	453.746		
TMP-5-5S	153	10/22/2014	60	254.1	433.746		
TMP-5-5S	153	10/22/2014	80	274.1	413.746		
TMP-5-5S	153	10/22/2014	100	289.6	393.746		
TMP-5-5S	154	10/24/2014	20	157.8	473.746		
TMP-5-5S	154	10/24/2014	40	238.9	453.746		
TMP-5-5S	154	10/24/2014	60	253.9	433.746		
TMP-5-5S	154	10/24/2014	80	273.4	413.746		
TMP-5-5S	154	10/24/2014	100	289	393.746		
TMP-5-5S	155	10/27/2014	20	157.4	473.746		
TMP-5-5S	155	10/27/2014	40	239.3	453.746		
TMP-5-5S	155	10/27/2014	60	254.4	433.746		
TMP-5-5S	155	10/27/2014	80	273.7	413.746		
TMP-5-5S	155	10/27/2014	100	288.9	393.746		
TMP-5-5S	156	10/29/2014	20	159.4	473.746		
TMP-5-5S	156	10/29/2014	40	242	453.746		
TMP-5-5S	156	10/29/2014	60	257.6	433.746		
TMP-5-5S	156	10/29/2014	80	278.2	413.746		
TMP-5-5S	156	10/29/2014	100	292	393.746		
TMP-5-5S	157	10/31/2014	20	159.7	473.746		
TMP-5-5S	157	10/31/2014	40	242	453.746		
TMP-5-5S	157	10/31/2014	60	257.9	433.746		
TMP-5-5S	157	10/31/2014	80	278.7	413.746		
TMP-5-5S	157	10/31/2014	100	292.5	393.746		
TMP-5-5S	158	11/3/2014	20	157.7	473.746		
TMP-5-5S	158	11/3/2014	40	239.7	453.746		
TMP-5-5S	158	11/3/2014	60	256.5	433.746		
TMP-5-5S	158	11/3/2014	80	278.9	413.746		
TMP-5-5S	158	11/3/2014	100	290.3	393.746		
TMP-5-5S	159	11/5/2014	20	160.1	473.746		
TMP-5-5S	159	11/5/2014	40	241.5	453.746		
TMP-5-5S	159	11/5/2014	60	258	433.746		
TMP-5-5S	159	11/5/2014	80	278.6	413.746		
TMP-5-5S	159	11/5/2014	100	292.2	393.746		