

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-01-27 12:00	1	0.06	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-27 12:00	2	0.28	0.70			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-27 12:00	7			2.00	2.00			0.00	0.00	20.44	20.60	0.00	0.00	0.00	0.00
2014-01-27 12:00	8			2.92	4.00			0.00	0.00	20.50	20.50	0.00	0.10	0.04	0.20
2014-01-27 12:00	10			3.62	4.00	0.00	0.00	0.00	0.00	20.27	20.40			0.00	0.00
2014-01-27 12:00	12	0.05	1.90	2.60	5.00			0.00	0.00	20.53	20.60			0.00	0.00
2014-01-27 12:00	13			1.32	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-01-27 13:00	1	0.04	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-27 13:00	2	0.28	0.70			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.10
2014-01-27 13:00	7			2.00	3.00			0.00	0.00	20.52	20.60	0.00	0.00	0.00	0.00
2014-01-27 13:00	8			2.86	4.00			0.00	0.00	20.52	20.60	0.00	0.00	0.02	0.20
2014-01-27 13:00	10			3.39	4.00	0.00	0.00	0.00	0.00	20.29	20.40			0.00	0.00
2014-01-27 13:00	12	0.00	0.00	2.97	15.00			0.00	0.00	20.59	20.60			0.00	0.00
2014-01-27 13:00	13			1.29	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-01-27 14:00	1	0.05	0.60			0.00	0.00	0.00	0.00	20.83	20.90			0.00	0.00
2014-01-27 14:00	2	0.36	1.60			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-27 14:00	7			2.00	2.00			0.00	0.00	20.47	20.50	0.00	0.00	0.00	0.00
2014-01-27 14:00	8			2.55	4.00			0.00	0.00	20.55	20.60	0.00	0.00	0.04	0.30
2014-01-27 14:00	10			3.23	5.00	0.00	0.00	0.00	0.00	20.32	20.40			0.00	0.00
2014-01-27 14:00	12	0.00	0.00	2.79	5.00			0.00	0.00	20.60	20.60			0.00	0.00
2014-01-27 14:00	13			1.16	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-01-27 15:00	1	0.06	0.50			0.00	0.00	0.00	0.00	20.59	20.70			0.00	0.00
2014-01-27 15:00	2	0.25	0.70			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-27 15:00	7			2.00	2.00			0.00	0.00	20.42	20.50	0.00	0.00	0.00	0.00
2014-01-27 15:00	8			2.54	4.00			0.00	0.00	20.61	20.70	0.00	0.00	0.12	0.30
2014-01-27 15:00	10			3.46	4.00	0.00	0.00	0.00	0.00	20.34	20.40			0.00	0.00
2014-01-27 15:00	12	0.01	0.10	2.67	11.00			0.00	0.00	20.62	20.70			0.00	0.00
2014-01-27 15:00	13			1.37	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-01-27 16:00	1	0.07	0.50			0.00	0.00	0.00	0.00	20.55	20.60			0.00	0.00
2014-01-27 16:00	2	0.42	2.10			0.00	0.00	0.00	0.00	20.90	20.90			0.03	0.10
2014-01-27 16:00	7			2.00	2.00			0.00	0.00	20.54	20.60	0.00	0.00	0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-01-27 16:00	8			2.64	3.00			0.00	0.00	20.60	20.60	0.00	0.00	0.04	0.20
2014-01-27 16:00	10			3.77	4.00	0.00	0.00	0.00	0.00	20.35	20.50			0.00	0.00
2014-01-27 16:00	12	0.00	0.10	2.49	4.00			0.00	0.00	20.61	20.70			0.00	0.00
2014-01-27 16:00	13			1.15	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-01-27 17:00	1	0.03	0.20			0.00	0.00	0.00	0.00	20.47	20.50			0.00	0.00
2014-01-27 17:00	2	0.51	1.90			0.00	0.00	0.00	0.00	20.90	20.90			0.09	0.20
2014-01-27 17:00	7			2.00	2.00			0.00	0.00	20.40	20.50	0.00	0.00	0.00	0.00
2014-01-27 17:00	8			2.50	3.00			0.00	0.00	20.59	20.60	0.00	0.00	0.04	0.10
2014-01-27 17:00	10			3.38	4.00	0.00	0.00	0.00	0.00	20.35	20.40			0.00	0.00
2014-01-27 17:00	12	0.00	0.00	2.76	3.00			0.00	0.00	20.60	20.70			0.00	0.00
2014-01-27 17:00	13			1.10	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-01-28 09:00	1	0.48	1.30			0.14	0.20	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-28 09:00	2	0.00	0.00			0.15	0.30	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-28 09:00	7			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-01-28 09:00	8			3.00	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-01-28 09:00	10			3.40	4.00	0.00	0.00	0.00	0.00	20.90	20.90				
2014-01-28 09:00	12	0.09	0.20	6.67	20.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-01-28 09:00	13			1.56	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-01-28 10:00	1	0.59	1.30			0.19	0.30	0.00	0.00	20.79	20.90			0.00	0.10
2014-01-28 10:00	2	0.00	0.00			0.34	0.50	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-28 10:00	7			2.00	2.00			0.00	0.00	20.90	20.90	0.01	0.10	0.00	0.00
2014-01-28 10:00	8			2.96	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2014-01-28 10:00	10			3.46	4.00	0.01	0.10	0.00	0.00	20.75	20.90				
2014-01-28 10:00	12	0.05	0.30	2.82	16.00			0.00	0.00	20.90	20.90				
2014-01-28 10:00	13			1.34	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2014-01-28 11:00	1	0.19	0.80			0.10	0.40	0.00	0.00	20.90	20.90			0.00	0.10
2014-01-28 11:00	2	0.06	0.50			0.37	0.50	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-28 11:00	7			2.03	3.00			0.00	0.00	20.90	20.90	0.00	0.10	0.00	0.00
2014-01-28 11:00	8			2.70	3.00			0.00	0.00	20.72	20.90	0.00	0.00	0.00	0.00
2014-01-28 11:00	10			3.41	4.00			0.00	0.00	20.35	20.50				
2014-01-28 11:00	12	0.20	0.80	2.71	12.00			0.00	0.00	20.90	20.90				

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-01-28 11:00	13			1.29	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.02	0.10
2014-01-28 12:00	1	0.43	1.10			0.13	0.20	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-28 12:00	2	0.50	1.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-28 12:00	7			2.00	2.00			0.00	0.00	20.90	20.90	0.01	0.10	0.00	0.00
2014-01-28 12:00	8			2.81	3.00			0.00	0.00	20.50	20.50	0.00	0.00	0.00	0.00
2014-01-28 12:00	10			3.15	4.00			0.00	0.00	20.30	20.40				
2014-01-28 12:00	12	0.28	0.70	2.33	4.00			0.00	0.00	20.90	20.90				
2014-01-28 12:00	13			1.33	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-01-28 13:00	1	0.34	1.90			0.08	0.20	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-28 13:00	2	0.34	0.80			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-28 13:00	7			2.00	3.00			0.00	0.00	20.90	20.90	0.01	0.10	0.00	0.00
2014-01-28 13:00	8			2.85	3.00			0.00	0.00	20.57	20.60	0.00	0.00	0.00	0.00
2014-01-28 13:00	10			3.44	5.00			0.00	0.00	20.27	20.40				
2014-01-28 13:00	12	0.44	1.10	3.43	18.00			0.00	0.00	20.90	20.90				
2014-01-28 13:00	13			1.33	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-01-28 14:00	1	0.14	0.40			0.05	0.20	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-28 14:00	2	0.37	1.90			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-28 14:00	7			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.10	0.00	0.00
2014-01-28 14:00	8			2.72	4.00			0.00	0.00	20.59	20.60	0.00	0.00	0.00	0.00
2014-01-28 14:00	10			3.37	4.00			0.00	0.00	20.30	20.40				
2014-01-28 14:00	12	0.34	1.00	2.30	4.00			0.00	0.00	20.90	20.90				
2014-01-28 14:00	13			1.42	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-01-28 15:00	1	0.26	0.70			0.09	0.20	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-28 15:00	2	0.33	2.60			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-28 15:00	7			2.00	2.00			0.00	0.00	20.90	20.90	0.01	0.10	0.00	0.00
2014-01-28 15:00	8			2.71	4.00			0.00	0.00	20.61	20.70	0.00	0.00	0.00	0.00
2014-01-28 15:00	10			3.33	4.00			0.00	0.00	20.38	20.40				
2014-01-28 15:00	12	0.42	1.20	3.05	14.00			0.00	0.00	20.90	20.90				
2014-01-28 15:00	13			1.34	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-01-28 16:00	1	0.06	0.50			0.01	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-28 16:00	2	0.42	1.20			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-01-28 16:00	7			1.98	3.00			0.00	0.00	20.84	20.90	0.00	0.00	0.00	0.00
2014-01-28 16:00	8			2.96	3.00			0.00	0.00	20.63	20.90	0.00	0.00	0.00	0.00
2014-01-28 16:00	10			3.37	4.00	0.00	0.00	0.00	0.00	20.44	20.90			0.00	0.00
2014-01-28 16:00	12	0.38	1.00	2.92	16.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-01-28 16:00	13			1.54	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-01-28 17:00	1	0.03	0.30			0.00	0.10	0.00	0.00	20.60	20.90			0.00	0.00
2014-01-28 17:00	2	0.45	0.90			0.00	0.10	0.00	0.00	20.90	20.90			0.04	0.10
2014-01-28 17:00	7			2.05	4.00			0.00	0.00	20.61	20.90	0.00	0.10	0.00	0.00
2014-01-28 17:00	8			2.82	3.00			0.00	0.00	20.73	20.90	0.00	0.00	0.01	0.10
2014-01-28 17:00	10			3.26	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-28 17:00	12	0.36	0.80	4.08	18.00			0.00	0.00	20.90	20.90			0.00	0.10
2014-01-28 17:00	13			1.24	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.07	0.10
2014-01-28 18:00	1	0.03	0.20			0.00	0.00	0.00	0.00	20.40	20.50			0.00	0.00
2014-01-28 18:00	2	0.52	1.00			0.01	0.10	0.00	0.00	20.90	20.90			0.09	0.10
2014-01-28 18:00	7			1.97	3.00					20.90	20.90	0.00	0.10	0.00	0.00
2014-01-28 18:00	8			2.72	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2014-01-28 18:00	10			3.41	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-28 18:00	12	0.30	0.70	4.00	16.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-01-28 18:00	13			1.22	3.00			0.00	0.00	20.73	20.90	0.00	0.00	0.10	0.10
2014-01-28 19:00	1	0.01	0.10			0.00	0.00	0.00	0.00	20.30	20.40			0.00	0.00
2014-01-28 19:00	2	0.80	1.50			0.07	0.20	0.00	0.00	20.61	20.90			0.09	0.10
2014-01-28 19:00	7			1.94	2.00					20.61	20.90	0.00	0.00	0.00	0.00
2014-01-28 19:00	8			2.84	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-01-28 19:00	10			3.28	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.04	0.10
2014-01-28 19:00	12	0.39	1.60	3.00	12.00			0.00	0.00	20.90	20.90			0.01	0.10
2014-01-28 19:00	13			1.49	4.00			0.00	0.00	20.52	20.60	0.00	0.00	0.10	0.10
2014-01-28 20:00	1	0.07	0.50			0.00	0.00	0.00	0.00	20.22	20.30			0.00	0.00
2014-01-28 20:00	2	0.71	1.10			0.03	0.10	0.00	0.00	20.54	20.60			0.09	0.10
2014-01-28 20:00	7			1.87	3.00					20.46	20.50	0.02	0.10	0.00	0.00
2014-01-28 20:00	8			2.53	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-01-28 20:00	10			3.30	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.14	0.30

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-01-28 20:00	12	0.60	1.60	2.90	15.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-01-28 20:00	13			1.17	2.00			0.00	0.00	20.48	20.50	0.00	0.00	0.11	0.20
2014-01-28 21:00	1	0.05	0.40			0.00	0.00	0.00	0.00	20.26	20.30			0.00	0.00
2014-01-28 21:00	2	0.85	1.50			0.07	0.20	0.00	0.00	20.54	20.60			0.10	0.10
2014-01-28 21:00	7			1.87	3.00					20.48	20.50	0.00	0.10	0.00	0.00
2014-01-28 21:00	8			2.93	3.00			0.00	0.00	20.65	20.90	0.00	0.00	0.00	0.00
2014-01-28 21:00	10			3.29	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.18	0.40
2014-01-28 21:00	12	0.42	0.90	2.32	4.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-01-28 21:00	13			1.15	4.00			0.00	0.00	20.46	20.50	0.00	0.00	0.13	0.20
2014-01-28 22:00	1	0.10	0.80			0.00	0.00	0.00	0.00	20.24	20.30			0.00	0.00
2014-01-28 22:00	2	0.76	1.40			0.05	0.20	0.00	0.00	20.58	20.60			0.10	0.20
2014-01-28 22:00	7			1.87	2.00					20.50	20.50	0.01	0.10	0.00	0.00
2014-01-28 22:00	8			2.79	3.00			0.00	0.00	20.55	20.60	0.00	0.00	0.00	0.00
2014-01-28 22:00	10			3.42	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.22	0.40
2014-01-28 22:00	12	0.53	1.00	2.85	12.00			0.00	0.00	20.90	20.90			0.01	0.10
2014-01-28 22:00	13			1.35	2.00			0.00	0.00	20.46	20.50	0.00	0.00	0.16	0.20
2014-01-28 23:00	1	0.07	0.50			0.00	0.00	0.00	0.00	20.22	20.30			0.00	0.00
2014-01-28 23:00	2	0.86	1.60			0.06	0.20	0.00	0.00	20.59	20.60			0.10	0.10
2014-01-28 23:00	7			1.89	3.00					20.49	20.50	0.02	0.10	0.00	0.00
2014-01-28 23:00	8			2.91	3.00			0.00	0.00	20.51	20.60	0.00	0.00	0.00	0.00
2014-01-28 23:00	10			3.39	5.00	0.00	0.00	0.00	0.00	20.65	20.90			0.26	0.40
2014-01-28 23:00	12	0.54	1.10	2.50	4.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-01-28 23:00	13			1.22	3.00			0.00	0.00	20.48	20.50	0.00	0.00	0.16	0.20
2014-01-29 00:00	1	0.08	0.60			0.00	0.00	0.00	0.00	20.21	20.30			0.00	0.00
2014-01-29 00:00	2	0.94	1.40			0.10	0.20	0.00	0.00	20.56	20.60			0.10	0.20
2014-01-29 00:00	7			1.90	2.00					20.43	20.50	0.00	0.10	0.00	0.00
2014-01-29 00:00	8			2.42	4.00			0.00	0.00	20.50	20.60	0.00	0.00	0.00	0.00
2014-01-29 00:00	10			3.43	4.00	0.00	0.00	0.00	0.00	20.60	20.70			0.30	0.40
2014-01-29 00:00	12	0.34	0.90	2.23	5.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-01-29 00:00	13			1.20	2.00			0.00	0.00	20.43	20.50	0.00	0.00	0.18	0.20
2014-01-29 01:00	1	0.11	0.40			0.01	0.10	0.00	0.00	20.20	20.30			0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-01-29 01:00	2	0.70	1.10			0.06	0.10	0.00	0.00	20.57	20.60			0.10	0.20
2014-01-29 01:00	7			1.87	2.00					20.40	20.40	0.02	0.10	0.00	0.00
2014-01-29 01:00	8			2.89	3.00			0.00	0.00	20.52	20.60	0.00	0.00	0.00	0.00
2014-01-29 01:00	10			3.46	4.00	0.00	0.00	0.00	0.00	20.59	20.60			0.43	0.60
2014-01-29 01:00	12	0.38	1.10	3.20	12.00			0.00	0.00	20.90	20.90			0.02	0.10
2014-01-29 01:00	13			1.39	2.00			0.00	0.00	20.41	20.50	0.00	0.00	0.19	0.20
2014-01-29 02:00	1	0.05	0.70			0.01	0.10	0.00	0.00	20.18	20.30			0.00	0.00
2014-01-29 02:00	2	0.79	1.20			0.07	0.20	0.00	0.00	20.56	20.60			0.10	0.10
2014-01-29 02:00	7			1.92	3.00					20.41	20.50	0.01	0.10	0.00	0.00
2014-01-29 02:00	8			2.83	3.00			0.00	0.00	20.53	20.60	0.00	0.00	0.00	0.00
2014-01-29 02:00	10			3.33	4.00	0.00	0.00	0.00	0.00	20.56	20.60			0.50	0.60
2014-01-29 02:00	12	0.25	0.90	2.47	4.00			0.00	0.00	20.90	20.90			0.03	0.10
2014-01-29 02:00	13			1.36	2.00			0.00	0.00	20.40	20.50	0.00	0.00	0.20	0.20
2014-01-29 03:00	1	0.03	0.20			0.00	0.10	0.00	0.00	20.18	20.30			0.00	0.00
2014-01-29 03:00	2	0.84	1.20			0.09	0.20	0.00	0.00	20.55	20.60			0.10	0.20
2014-01-29 03:00	7			1.97	2.00					20.39	20.40	0.00	0.10	0.00	0.00
2014-01-29 03:00	8			2.58	3.00			0.00	0.00	20.55	20.60	0.00	0.00	0.00	0.00
2014-01-29 03:00	10			3.45	4.00	0.00	0.00	0.00	0.00	20.57	20.70			0.51	0.70
2014-01-29 03:00	12	0.28	0.90	3.10	14.00			0.00	0.00	20.90	20.90			0.00	0.10
2014-01-29 03:00	13			1.43	3.00			0.00	0.00	20.40	20.40	0.00	0.00	0.18	0.20
2014-01-29 04:00	1	0.08	0.40			0.01	0.10	0.00	0.00	20.16	20.20			0.00	0.00
2014-01-29 04:00	2	0.76	1.10			0.06	0.20	0.00	0.00	20.58	20.60			0.11	0.20
2014-01-29 04:00	7			1.90	2.00					20.40	20.40	0.01	0.10	0.00	0.00
2014-01-29 04:00	8			2.48	3.00			0.00	0.00	20.56	20.60	0.00	0.10	0.00	0.00
2014-01-29 04:00	10			3.41	4.00	0.00	0.00	0.00	0.00	20.60	20.70			0.64	0.80
2014-01-29 04:00	12	0.35	0.90	3.11	12.00			0.00	0.00	20.90	20.90			0.02	0.10
2014-01-29 04:00	13			1.20	2.00			0.00	0.00	20.39	20.50	0.00	0.00	0.18	0.20
2014-01-29 05:00	1	0.07	0.70			0.02	0.20	0.00	0.00	20.16	20.20			0.00	0.00
2014-01-29 05:00	2	0.84	1.40			0.08	0.20	0.00	0.00	20.55	20.60			0.12	0.20
2014-01-29 05:00	7			2.00	3.00					20.39	20.40	0.01	0.10	0.00	0.00
2014-01-29 05:00	8			2.71	3.00			0.00	0.00	20.54	20.60	0.00	0.00	0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-01-29 05:00	10			3.33	5.00	0.00	0.00	0.00	0.00	20.60	20.70			0.73	0.90
2014-01-29 05:00	12	0.38	0.90	2.38	6.00			0.00	0.00	20.90	20.90			0.02	0.10
2014-01-29 05:00	13			1.39	3.00			0.00	0.00	20.38	20.40	0.00	0.00	0.18	0.20
2014-01-29 06:00	1	0.04	0.30			0.02	0.10	0.00	0.00	20.14	20.20			0.00	0.00
2014-01-29 06:00	2	0.88	1.40			0.09	0.20	0.00	0.00	20.57	20.60			0.11	0.20
2014-01-29 06:00	7			1.86	2.00					20.39	20.50	0.00	0.00	0.00	0.00
2014-01-29 06:00	8			2.76	3.00			0.00	0.00	20.53	20.60	0.00	0.00	0.00	0.00
2014-01-29 06:00	10			3.22	5.00	0.00	0.00	0.00	0.00	20.60	20.70			0.78	0.90
2014-01-29 06:00	12	0.24	1.00	2.48	4.00			0.00	0.00	20.90	20.90			0.02	0.10
2014-01-29 06:00	13			1.40	3.00			0.00	0.00	20.39	20.40	0.00	0.00	0.19	0.20
2014-01-29 07:00	1	0.09	0.90			0.00	0.10	0.00	0.00	20.16	20.20			0.00	0.00
2014-01-29 07:00	2	0.77	1.40			0.04	0.10	0.00	0.00	20.58	20.60			0.10	0.20
2014-01-29 07:00	7			1.94	2.00			0.00	0.00	20.75	20.90	0.10	0.30	0.00	0.00
2014-01-29 07:00	8			2.64	3.00			0.00	0.00	20.53	20.60	0.00	0.00	0.00	0.00
2014-01-29 07:00	10			3.19	4.00	0.00	0.00	0.00	0.00	20.58	20.60			0.86	1.00
2014-01-29 07:00	12	0.10	0.30	2.30	5.00			0.00	0.00	20.90	20.90			0.01	0.10
2014-01-29 07:00	13			1.41	3.00			0.00	0.00	20.38	20.50	0.00	0.00	0.18	0.20
2014-01-29 08:00	1	0.14	0.90			0.02	0.10	0.00	0.00	20.17	20.20			0.00	0.00
2014-01-29 08:00	2	0.89	1.60			0.07	0.20	0.00	0.00	20.52	20.60			0.05	0.10
2014-01-29 08:00	7			1.97	2.00			0.00	0.00	20.90	20.90	0.11	0.30	0.00	0.00
2014-01-29 08:00	8			2.70	3.00			0.00	0.00	20.50	20.50	0.00	0.00	0.00	0.00
2014-01-29 08:00	10			3.27	4.00	0.00	0.00	0.00	0.00	20.54	20.60			0.97	1.10
2014-01-29 08:00	13			1.59	2.00			0.00	0.00	20.39	20.50	0.00	0.00	0.18	0.20
2014-01-29 09:00	1	0.29	0.90			0.09	0.20	0.00	0.00	20.33	20.50			0.00	0.00
2014-01-29 09:00	2	0.50	1.00			0.01	0.10	0.00	0.00	20.74	20.90			0.01	0.10
2014-01-29 09:00	7			2.00	2.00			0.00	0.00	20.90	20.90	0.08	0.20	0.00	0.00
2014-01-29 09:00	8			2.88	3.00			0.00	0.00	20.55	20.60	0.00	0.10	0.00	0.00
2014-01-29 09:00	10			3.32	4.00	0.00	0.00	0.00	0.00	20.64	20.90			0.98	1.20
2014-01-29 09:00	13			1.29	3.00			0.00	0.00	20.51	20.60	0.00	0.00	0.16	0.20
2014-01-29 10:00	1	0.41	1.30			0.14	0.20	0.00	0.00	20.59	20.90			0.00	0.00
2014-01-29 10:00	2	0.45	0.80			0.01	0.10	0.00	0.00	20.90	20.90			0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-01-29 10:00	7			2.05	4.00			0.00	0.00	20.90	20.90	0.11	0.20	0.00	0.00
2014-01-29 10:00	8			2.61	4.00			0.00	0.00	20.60	20.70	0.00	0.00	0.00	0.00
2014-01-29 10:00	10			3.30	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.71	1.10
2014-01-29 10:00	13			1.30	3.00			0.00	0.00	20.61	20.70	0.00	0.00	0.07	0.10
2014-01-29 11:00	1	0.28	0.80			0.13	0.20	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-29 11:00	2	0.21	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-29 11:00	7			2.00	2.00			0.00	0.00	20.90	20.90	0.07	0.10	0.00	0.00
2014-01-29 11:00	8			3.00	3.00			0.00	0.00	20.64	20.70	0.00	0.00	0.00	0.00
2014-01-29 11:00	10			3.68	4.00	0.01	0.10	0.00	0.00	20.90	20.90			0.33	0.60
2014-01-29 11:00	13			1.50	3.00			0.00	0.00	20.87	20.90	0.00	0.00	0.00	0.00
2014-01-29 12:00	1	0.43	1.10			0.14	0.20	0.00	0.00	20.90	20.90			0.00	0.10
2014-01-29 12:00	2	0.31	1.10			0.00	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-29 12:00	7			2.00	2.00			0.00	0.00	20.90	20.90	0.09	0.20	0.00	0.00
2014-01-29 12:00	8			2.94	3.00			0.00	0.00	20.85	20.90	0.00	0.00	0.00	0.00
2014-01-29 12:00	10			3.42	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.03	0.30
2014-01-29 12:00	13			1.42	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-01-29 13:00	1	0.29	1.10			0.11	0.20	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-29 13:00	2	0.21	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-29 13:00	7			1.98	3.00			0.00	0.00	20.90	20.90	0.05	0.20	0.00	0.00
2014-01-29 13:00	8			2.90	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-01-29 13:00	10			3.68	5.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-29 13:00	13			1.46	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-01-29 14:00	1	0.24	0.90			0.11	0.20	0.00	0.00	20.90	20.90			0.00	0.10
2014-01-29 14:00	2	0.14	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-29 14:00	7			2.00	2.00			0.00	0.00	20.90	20.90	0.09	0.20	0.00	0.00
2014-01-29 14:00	8			2.97	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-01-29 14:00	10			3.61	5.00	0.00	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-29 14:00	13			1.47	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.10
2014-01-29 15:00	1	0.36	1.30			0.04	0.20	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-29 15:00	2	0.09	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-29 15:00	7			1.98	2.00			0.00	0.00	20.90	20.90	0.02	0.10	0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-01-29 15:00	8			2.89	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-01-29 15:00	10			3.54	4.00	0.00	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-29 15:00	13			1.63	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-01-29 16:00	1	0.13	0.70			0.00	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-29 16:00	2	0.07	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-29 16:00	7			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.10	0.00	0.00
2014-01-29 16:00	8			2.93	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-01-29 16:00	10			3.61	5.00	0.00	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-29 16:00	13			1.33	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-01-29 17:00	1	0.15	0.90			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-29 17:00	2	0.23	0.90			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-29 17:00	7			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-01-29 17:00	8			2.83	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-01-29 17:00	10			3.19	4.00	0.00	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-29 17:00	12	0.00	0.00	2.30	6.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-01-29 17:00	13			1.37	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-01-29 18:00	1	0.07	0.40			0.00	0.00	0.00	0.00	20.84	20.90			0.00	0.00
2014-01-29 18:00	2	0.30	0.80			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-29 18:00	7			1.87	2.00			0.00	0.00	20.90	20.90	0.01	0.10	0.00	0.10
2014-01-29 18:00	8			2.97	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-01-29 18:00	10			3.50	4.00	0.00	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-29 18:00	12	0.00	0.00	2.71	18.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-01-29 18:00	13			1.28	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.09	0.10
2014-01-29 19:00	1	0.10	0.30			0.00	0.00	0.00	0.00	20.53	20.60			0.00	0.00
2014-01-29 19:00	2	0.35	1.10			0.01	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-29 19:00	7			1.97	2.00			0.00	0.00	20.77	20.90	0.00	0.10	0.00	0.00
2014-01-29 19:00	8			2.82	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-01-29 19:00	10			3.16	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-29 19:00	12	0.00	0.00	2.23	4.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-01-29 19:00	13			1.54	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.10	0.10
2014-01-29 20:00	1	0.14	0.70			0.00	0.00	0.00	0.00	20.50	20.50			0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-01-29 20:00	2	0.32	1.00			0.00	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-29 20:00	7			2.00	2.00			0.00	0.00	20.71	20.90	0.00	0.00	0.00	0.00
2014-01-29 20:00	8			2.84	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-01-29 20:00	10			3.43	5.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-29 20:00	12	0.00	0.00	2.22	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-01-29 20:00	13			1.51	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.10	0.10
2014-01-29 21:00	1	0.07	0.50			0.00	0.00	0.00	0.00	20.50	20.50			0.00	0.00
2014-01-29 21:00	2	0.27	0.80			0.00	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-29 21:00	7			1.98	2.00			0.00	0.00	20.72	20.90	0.01	0.10	0.01	0.10
2014-01-29 21:00	8			2.73	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-01-29 21:00	10			3.51	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-29 21:00	12	0.00	0.00	2.21	4.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-01-29 21:00	13			1.41	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.10	0.10
2014-01-29 22:00	1	0.06	0.30			0.00	0.00	0.00	0.00	20.44	20.50			0.00	0.00
2014-01-29 22:00	2	0.26	0.90			0.01	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-29 22:00	7			1.97	2.00			0.00	0.00	20.59	20.70	0.01	0.10	0.01	0.10
2014-01-29 22:00	8			2.94	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-01-29 22:00	10			3.42	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.02	0.10
2014-01-29 22:00	12	0.00	0.00	2.92	14.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-01-29 22:00	13			1.42	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.10	0.10
2014-01-29 23:00	1	0.09	0.50			0.00	0.00	0.00	0.00	20.42	20.50			0.00	0.00
2014-01-29 23:00	2	0.28	0.90			0.00	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-29 23:00	7			2.03	3.00			0.00	0.00	20.58	20.70	0.01	0.10	0.00	0.00
2014-01-29 23:00	8			2.95	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-01-29 23:00	10			3.40	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.30	0.60
2014-01-29 23:00	12	0.00	0.00	2.32	6.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-01-29 23:00	13			1.45	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.12	0.20
2014-01-30 00:00	1	0.07	0.40			0.00	0.00	0.00	0.00	20.43	20.50			0.00	0.00
2014-01-30 00:00	2	0.33	0.70			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-30 00:00	7			2.00	3.00			0.00	0.00	20.57	20.60	0.00	0.00	0.00	0.00
2014-01-30 00:00	8			2.92	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-01-30 00:00	10			3.37	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.85	1.00
2014-01-30 00:00	12	0.00	0.00	2.05	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-01-30 00:00	13			1.54	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.16	0.20
2014-01-30 01:00	1	0.07	0.70			0.00	0.00	0.00	0.00	20.42	20.50			0.00	0.00
2014-01-30 01:00	2	0.37	0.80			0.00	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-30 01:00	7			2.05	4.00			0.00	0.00	20.55	20.60	0.00	0.00	0.00	0.00
2014-01-30 01:00	8			3.00	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-01-30 01:00	10			3.30	4.00	0.01	0.10	0.00	0.00	20.90	20.90			0.99	1.10
2014-01-30 01:00	12	0.00	0.00	2.08	4.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-01-30 01:00	13			1.39	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.21	0.30
2014-01-30 02:00	1	0.08	0.50			0.00	0.00	0.00	0.00	20.40	20.50			0.00	0.00
2014-01-30 02:00	2	0.35	1.00			0.01	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-30 02:00	7			2.03	3.00			0.00	0.00	20.56	20.60	0.00	0.00	0.00	0.00
2014-01-30 02:00	8			2.94	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-01-30 02:00	10			3.38	5.00	0.00	0.00	0.00	0.00	20.90	20.90			1.06	1.20
2014-01-30 02:00	12	0.00	0.00	2.59	12.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-01-30 02:00	13			1.40	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.28	0.30
2014-01-30 03:00	1	0.07	0.40			0.00	0.00	0.00	0.00	20.37	20.40			0.00	0.00
2014-01-30 03:00	2	0.29	0.80			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-30 03:00	7			2.00	2.00			0.00	0.00	20.58	20.60	0.00	0.00	0.00	0.00
2014-01-30 03:00	8			2.89	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-01-30 03:00	10			3.32	4.00	0.00	0.00	0.00	0.00	20.90	20.90			1.19	1.30
2014-01-30 03:00	12	0.00	0.00	2.37	12.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-01-30 03:00	13			1.37	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.35	0.50
2014-01-30 04:00	1	0.08	0.40			0.00	0.00	0.00	0.00	20.37	20.50			0.00	0.00
2014-01-30 04:00	2	0.45	0.90			0.01	0.10	0.00	0.00	20.90	20.90			0.00	0.10
2014-01-30 04:00	7			2.00	2.00			0.00	0.00	20.53	20.60	0.00	0.10	0.00	0.00
2014-01-30 04:00	8			2.97	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-01-30 04:00	10			3.08	4.00	0.00	0.00	0.00	0.00	20.90	20.90			1.30	1.50
2014-01-30 04:00	12	0.00	0.00	2.45	12.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-01-30 04:00	13			1.46	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.43	0.50

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-01-30 05:00	1	0.06	0.30			0.00	0.00	0.00	0.00	20.37	20.40			0.00	0.00
2014-01-30 05:00	2	0.31	0.80			0.00	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-30 05:00	7			1.97	2.00			0.00	0.00	20.51	20.60	0.00	0.00	0.00	0.00
2014-01-30 05:00	8			2.94	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-01-30 05:00	10			3.50	4.00	0.00	0.00	0.00	0.00	20.90	20.90			1.47	1.60
2014-01-30 05:00	12	0.00	0.00	2.56	15.00			0.00	0.00	20.62	20.90			0.00	0.00
2014-01-30 05:00	13			1.43	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.56	0.60
2014-01-30 06:00	1	0.09	0.90			0.00	0.00	0.00	0.00	20.39	20.50			0.00	0.00
2014-01-30 06:00	2	0.42	0.80			0.01	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-30 06:00	7			2.00	2.00			0.00	0.00	20.54	20.60	0.01	0.10	0.00	0.00
2014-01-30 06:00	8			2.81	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-01-30 06:00	10			3.31	4.00	0.00	0.00	0.00	0.00	20.90	20.90			1.57	1.70
2014-01-30 06:00	12	0.00	0.00	2.28	4.00			0.00	0.00	20.60	20.60			0.00	0.00
2014-01-30 06:00	13			1.56	2.00			0.00	0.00	20.84	20.90	0.00	0.00	0.59	0.60
2014-01-30 07:00	1	0.09	0.70			0.00	0.00	0.00	0.00	20.40	20.50			0.00	0.00
2014-01-30 07:00	2	0.30	1.00			0.00	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-30 07:00	7			2.03	3.00			0.00	0.00	20.54	20.60	0.00	0.00	0.00	0.00
2014-01-30 07:00	8			2.85	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-01-30 07:00	10			3.43	4.00	0.00	0.10	0.00	0.00	20.90	20.90			1.58	1.70
2014-01-30 07:00	12	0.00	0.00	2.44	16.00			0.00	0.00	20.60	20.70			0.00	0.00
2014-01-30 07:00	13			1.34	3.00			0.00	0.00	20.70	20.70	0.00	0.00	0.55	0.60
2014-01-30 08:00	1	0.15	0.90			0.00	0.00	0.00	0.00	20.40	20.40			0.00	0.00
2014-01-30 08:00	2	0.32	0.80			0.01	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-30 08:00	7			1.95	2.00			0.00	0.00	20.55	20.70	0.00	0.10	0.00	0.10
2014-01-30 08:00	8			2.77	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-01-30 08:00	10			3.36	4.00	0.00	0.00	0.00	0.00	20.90	20.90			1.42	1.60
2014-01-30 08:00	12	0.00	0.00	2.27	6.00			0.00	0.00	20.60	20.60			0.00	0.00
2014-01-30 08:00	13			1.68	3.00			0.00	0.00	20.79	20.90	0.00	0.00	0.45	0.60
2014-01-30 09:00	1	0.26	1.10			0.01	0.10	0.00	0.00	20.47	20.60			0.00	0.00
2014-01-30 09:00	2	0.28	0.80			0.00	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-30 09:00	7			1.97	2.00			0.00	0.00	20.59	20.70	0.00	0.00	0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-01-30 09:00	8			3.00	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-01-30 09:00	10			3.40	4.00	0.01	0.10	0.00	0.00	20.90	20.90			0.99	1.30
2014-01-30 09:00	12	0.00	0.00	2.34	13.00			0.00	0.00	20.64	20.70			0.00	0.00
2014-01-30 09:00	13			1.46	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.22	0.30
2014-01-30 10:00	1	0.36	1.10			0.02	0.10	0.00	0.00	20.60	20.90			0.00	0.00
2014-01-30 10:00	2	0.35	0.90			0.00	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-30 10:00	7			2.00	2.00			0.00	0.00	20.82	20.90	0.00	0.00	0.00	0.00
2014-01-30 10:00	8			2.95	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-01-30 10:00	10			3.50	4.00	0.02	0.20	0.00	0.00	20.90	20.90			0.10	0.50
2014-01-30 10:00	12	0.00	0.00	2.73	14.00			0.00	0.00	20.83	20.90			0.00	0.00
2014-01-30 10:00	13			1.53	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.05	0.10
2014-01-30 11:00	1	0.37	0.80			0.02	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-30 11:00	2	0.16	0.60			0.00	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-30 11:00	7			1.98	2.00			0.00	0.00	20.90	20.90	0.00	0.10	0.00	0.00
2014-01-30 11:00	8			3.03	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-01-30 11:00	10			3.61	4.00	0.04	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-30 11:00	12	0.00	0.00	2.18	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-01-30 11:00	13			1.63	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-01-30 12:00	1	0.30	1.30			0.01	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-30 12:00	2	0.18	0.70			0.00	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-30 12:00	7			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-01-30 12:00	8			2.95	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-01-30 12:00	10			3.50	4.00	0.03	0.10	0.00	0.00	21.17	21.30			0.00	0.00
2014-01-30 12:00	12	0.00	0.00	2.79	13.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-01-30 12:00	13			1.62	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00