

Bridgeton Sanitary Landfill  
AreaRAE Monitoring Data  
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-01-23 13:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.50	20.50			0.00	0.00
2014-01-23 13:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-23 13:00	7			1.00	1.00			1.80	1.80	20.90	20.90	0.00	0.00	0.00	0.00
2014-01-23 13:00	8			2.50	3.00			2.95	3.00	20.50	20.50	0.00	0.00	0.05	0.10
2014-01-23 14:00	1	0.01	0.10			0.00	0.00	0.00	0.00	20.49	20.50			0.00	0.00
2014-01-23 14:00	2	0.02	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-23 14:00	7			1.63	3.00			1.98	2.20	20.80	20.90	0.01	0.10	0.00	0.00
2014-01-23 14:00	8			2.93	3.00			2.82	3.00	20.46	20.50	0.00	0.00	0.03	0.20
2014-01-23 15:00	1	0.05	0.50			0.00	0.00	0.00	0.00	20.49	20.50			0.00	0.00
2014-01-23 15:00	2	0.01	0.10			0.00	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-23 15:00	7			1.74	4.00			1.98	2.10	20.69	20.90	0.01	0.10	0.00	0.00
2014-01-23 15:00	8			2.68	3.00			2.71	2.80	20.48	20.50	0.00	0.00	0.03	0.10
2014-01-23 15:00	10			3.78	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-23 15:00	13			1.39	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-01-23 16:00	1	0.02	0.20			0.00	0.00	0.00	0.00	20.51	20.60			0.00	0.00
2014-01-23 16:00	2	0.29	10.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-23 16:00	7			1.68	3.00			2.46	3.10	20.88	20.90	0.01	0.10	0.00	0.10
2014-01-23 16:00	8			2.45	3.00			2.70	2.70	20.50	20.50	0.00	0.00	0.02	0.10
2014-01-23 16:00	10			3.89	4.00	0.00	0.00	0.00	0.00	20.59	20.90			0.00	0.00
2014-01-23 16:00	13			1.30	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.03	0.10
2014-01-23 17:00	1	0.02	0.20			0.00	0.00	0.00	0.00	20.44	20.50			0.00	0.00
2014-01-23 17:00	2	0.15	0.80			0.05	0.20	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-23 17:00	7			1.71	3.00			3.56	3.90	20.90	20.90	0.02	0.10	0.01	0.10
2014-01-23 17:00	8			2.59	4.00			2.70	2.80	20.50	20.50	0.00	0.00	0.03	0.20
2014-01-23 17:00	10			3.97	4.00	0.00	0.00	0.00	0.00	20.13	20.30			0.00	0.00
2014-01-23 17:00	13			1.17	2.00			0.00	0.00	20.58	20.90	0.00	0.00	0.10	0.10
2014-01-23 18:00	1	0.03	0.40			0.00	0.00	0.00	0.00	20.37	20.40			0.00	0.00
2014-01-23 18:00	2	0.05	0.20			0.03	0.10	0.00	0.00	20.57	20.90			0.00	0.00
2014-01-23 18:00	7			1.55	2.00			4.14	4.30	20.77	20.90	0.01	0.10	0.03	0.10
2014-01-23 18:00	8			2.29	3.00			2.75	2.80	20.53	20.60	0.00	0.00	0.03	0.20
2014-01-23 18:00	10			3.73	4.00	0.00	0.00	0.00	0.00	20.01	20.10			0.00	0.00

Bridgeton Sanitary Landfill  
AreaRAE Monitoring Data  
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-01-23 18:00	13			1.21	2.00			0.00	0.00	20.37	20.40	0.00	0.00	0.10	0.10
2014-01-23 19:00	1	0.05	0.60			0.00	0.00	0.00	0.00	20.37	20.40			0.00	0.00
2014-01-23 19:00	2	0.20	0.70			0.08	0.20	0.00	0.00	20.53	20.60			0.00	0.00
2014-01-23 19:00	7			1.31	3.00			4.40	4.50	20.49	20.50	0.02	0.20	0.04	0.10
2014-01-23 19:00	8			2.79	3.00			2.80	2.90	20.51	20.60	0.00	0.00	0.02	0.10
2014-01-23 19:00	10			3.47	5.00	0.00	0.00	0.00	0.00	19.99	20.00			0.00	0.00
2014-01-23 19:00	13			1.10	2.00			0.00	0.00	20.30	20.40	0.00	0.00	0.10	0.10
2014-01-23 20:00	1	0.06	0.50			0.00	0.00	0.00	0.00	20.27	20.40			0.00	0.00
2014-01-23 20:00	2	0.19	0.50			0.08	0.20	0.00	0.00	20.57	20.60			0.00	0.00
2014-01-23 20:00	7			1.40	2.00			4.56	4.70	20.44	20.50	0.08	0.20	0.04	0.10
2014-01-23 20:00	8			2.58	4.00			2.86	3.00	20.50	20.50	0.00	0.00	0.02	0.10
2014-01-23 20:00	10			3.67	4.00	0.00	0.00	0.00	0.00	19.92	20.00			0.16	0.50
2014-01-23 21:00	1	0.02	0.20			0.00	0.00	0.00	0.00	20.26	20.40			0.00	0.00
2014-01-23 21:00	2	0.18	0.50			0.07	0.20	0.00	0.00	20.51	20.70			0.00	0.00
2014-01-23 21:00	7			1.62	3.00			4.73	4.90	20.42	20.50	0.01	0.10	0.08	0.10
2014-01-23 21:00	8			2.00	2.00			2.93	3.00	20.50	20.50	0.00	0.10	0.03	0.20
2014-01-23 21:00	10			3.39	4.00	0.00	0.00	0.00	0.00	19.91	20.00			0.43	0.70
2014-01-23 22:00	1	0.03	0.20			0.00	0.00	0.00	0.00	20.23	20.30			0.00	0.00
2014-01-23 22:00	2	0.38	1.40			0.12	0.20	0.00	0.00	20.50	20.50			0.00	0.00
2014-01-23 22:00	7			1.50	4.00			4.83	5.00	20.41	20.50	0.01	0.10	0.08	0.10
2014-01-23 22:00	8			2.41	4.00			2.89	3.00	20.50	20.50	0.00	0.00	0.02	0.10
2014-01-23 22:00	10			3.55	4.00	0.00	0.00	0.00	0.00	19.90	20.00			0.59	0.80
2014-01-23 23:00	1	0.03	0.40			0.00	0.00	0.00	0.00	20.23	20.30			0.00	0.00
2014-01-23 23:00	2	0.31	0.80			0.11	0.20	0.00	0.00	20.48	20.50			0.00	0.00
2014-01-23 23:00	7			1.14	2.00			4.83	4.90	20.41	20.50	0.07	0.20	0.08	0.10
2014-01-23 23:00	8			2.45	4.00			2.92	3.00	20.50	20.50	0.00	0.00	0.03	0.20
2014-01-23 23:00	10			3.37	4.00	0.00	0.00	0.00	0.00	19.87	19.90			0.79	1.40
2014-01-23 23:00	12	0.00	0.00	5.00	6.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-01-23 23:00	13			3.71	6.00			0.00	0.00	22.04	22.10	0.00	0.00	0.00	0.00
2014-01-24 00:00	1	0.01	0.20			0.00	0.00	0.00	0.00	20.18	20.30			0.00	0.00
2014-01-24 00:00	2	0.27	0.60			0.07	0.20	0.00	0.00	20.50	20.50			0.00	0.00

Bridgeton Sanitary Landfill  
AreaRAE Monitoring Data  
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-01-24 00:00	7			1.44	2.00			4.88	5.00	20.40	20.40	0.02	0.10	0.08	0.10
2014-01-24 00:00	8			2.21	3.00			2.89	3.00	20.50	20.50	0.00	0.00	0.01	0.10
2014-01-24 00:00	10			3.21	4.00	0.00	0.00	0.00	0.00	19.86	19.90			1.00	1.30
2014-01-24 00:00	12	0.00	0.00	3.51	16.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-01-24 00:00	13			1.51	2.00			0.00	0.00	21.51	22.00	0.00	0.00	0.00	0.00
2014-01-24 01:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.14	20.20			0.00	0.00
2014-01-24 01:00	2	0.31	0.70			0.13	0.20	0.00	0.00	20.49	20.50			0.00	0.00
2014-01-24 01:00	7			1.43	2.00			4.93	5.00	20.39	20.40	0.01	0.10	0.09	0.10
2014-01-24 01:00	8			2.21	3.00			2.95	3.00	20.50	20.50	0.00	0.00	0.02	0.20
2014-01-24 01:00	10			3.13	4.00	0.00	0.00	0.00	0.00	19.85	19.90			1.01	1.30
2014-01-24 01:00	12	0.00	0.00	3.26	18.00			0.00	0.00	20.77	20.90			0.00	0.00
2014-01-24 01:00	13			1.18	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2014-01-24 02:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.12	20.20			0.00	0.00
2014-01-24 02:00	2	0.13	0.40			0.10	0.30	0.00	0.00	20.48	20.50			0.00	0.00
2014-01-24 02:00	7			1.52	3.00			4.91	5.00	20.40	20.40	0.04	0.20	0.09	0.10
2014-01-24 02:00	8			2.20	4.00			2.99	3.00	20.50	20.50	0.00	0.00	0.02	0.10
2014-01-24 02:00	10			3.17	4.00	0.00	0.00	0.00	0.00	19.84	19.90			0.99	1.10
2014-01-24 02:00	13			1.43	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2014-01-24 08:00	1	0.06	0.60			0.00	0.00	0.00	0.00	20.23	20.30			0.00	0.00
2014-01-24 08:00	2	0.40	0.80			0.20	0.30	0.95	1.60	20.19	20.30			0.00	0.00
2014-01-24 08:00	7			1.79	3.00			4.25	4.70	20.04	20.20	0.02	0.10	0.00	0.00
2014-01-24 08:00	8			2.45	4.00			3.30	3.60	20.18	20.30	0.01	0.10	0.03	0.10
2014-01-24 08:00	10			3.26	4.00	0.00	0.00	0.00	0.00	19.54	19.70			1.26	1.60
2014-01-24 09:00	1	0.06	0.40			0.00	0.00	0.00	0.00	20.36	20.50			0.00	0.00
2014-01-24 09:00	2	0.14	0.50			0.07	0.20	0.00	0.00	20.44	20.60			0.00	0.00
2014-01-24 09:00	7			1.79	3.00			2.94	3.80	20.32	20.40	0.02	0.10	0.00	0.10
2014-01-24 09:00	8			2.78	4.00			2.94	3.10	20.39	20.50	0.00	0.00	0.03	0.20
2014-01-24 09:00	10			3.05	4.00	0.00	0.00	0.00	0.00	19.73	19.90			0.78	1.10
2014-01-24 10:00	1	0.07	0.80			0.00	0.00	0.00	0.00	20.46	20.60			0.00	0.00
2014-01-24 10:00	2	0.06	0.30			0.01	0.10	0.00	0.00	20.57	20.70			0.00	0.00
2014-01-24 10:00	7			1.77	3.00			1.78	2.30	20.48	20.60	0.02	0.10	0.00	0.00

Bridgeton Sanitary Landfill  
AreaRAE Monitoring Data  
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-01-24 10:00	8			2.60	3.00			2.61	2.80	20.44	20.60	0.01	0.10	0.06	0.30
2014-01-24 10:00	10			3.18	4.00	0.00	0.00	0.00	0.00	19.83	19.90			0.37	0.80
2014-01-24 11:00	1	0.08	0.40			0.00	0.00	0.00	0.00	20.56	20.70			0.00	0.00
2014-01-24 11:00	2	0.03	0.40			0.01	0.10	0.00	0.00	20.73	20.90			0.00	0.00
2014-01-24 11:00	7			1.74	2.00			1.57	1.70	20.62	20.70	0.01	0.10	0.00	0.00
2014-01-24 11:00	8			3.00	3.00			2.25	2.50	20.56	20.60	0.00	0.10	0.07	0.40
2014-01-24 11:00	10			3.46	4.00	0.00	0.00	0.00	0.00	19.97	20.10			0.00	0.00
2014-01-24 12:00	1	0.13	0.60			0.00	0.00	0.00	0.00	20.67	20.90			0.00	0.00
2014-01-24 12:00	2	0.01	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-24 12:00	7			1.72	2.00			1.62	1.70	20.89	20.90	0.01	0.10	0.00	0.00
2014-01-24 12:00	8			2.97	3.00			1.98	2.10	20.62	20.70	0.00	0.00	0.05	0.20
2014-01-24 12:00	10			3.62	4.00	0.00	0.00	0.00	0.00	20.11	20.20			0.00	0.00
2014-01-24 13:00	1	0.16	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-24 13:00	2	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-24 13:00	7			1.92	2.00			1.37	1.50	20.90	20.90	0.00	0.10	0.00	0.00
2014-01-24 13:00	8			2.95	3.00			1.77	1.80	20.89	20.90	0.00	0.00	0.06	0.20
2014-01-24 13:00	10			3.50	4.00	0.00	0.00	0.00	0.00	20.20	20.30			0.00	0.00
2014-01-24 14:00	1	0.25	1.20			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-24 14:00	2	0.01	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-24 14:00	7			1.91	2.00			1.23	1.50	20.90	20.90	0.00	0.10	0.00	0.00
2014-01-24 14:00	8			3.00	4.00			1.55	1.60	20.90	20.90	0.00	0.00	0.03	0.10
2014-01-24 14:00	10			3.79	4.00	0.00	0.00	0.00	0.00	20.24	20.30			0.00	0.00
2014-01-24 15:00	1	0.21	0.90			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-24 15:00	2	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-24 15:00	7			1.97	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-01-24 15:00	8			2.86	3.00			0.20	1.50	20.89	20.90	0.00	0.00	0.02	0.10
2014-01-24 15:00	10			3.81	4.00	0.00	0.00	0.00	0.00	20.80	20.90			0.14	0.30
2014-01-24 15:00	12	0.00	0.00	3.38	20.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-01-24 15:00	13			1.50	3.00			0.00	0.00	21.20	21.30	0.00	0.00	0.00	0.00
2014-01-24 16:00	1	0.16	1.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-24 16:00	2	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00

Bridgeton Sanitary Landfill  
AreaRAE Monitoring Data  
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-01-24 16:00	7			1.97	2.00			0.00	0.00	20.90	20.90	0.01	0.10	0.00	0.00
2014-01-24 16:00	8			2.95	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.04	0.20
2014-01-24 16:00	10			3.92	5.00	0.00	0.00	0.00	0.00	20.90	20.90			0.17	0.30
2014-01-24 16:00	12	0.00	0.00	2.47	4.00			0.00	0.00	20.84	20.90			0.00	0.00
2014-01-24 16:00	13			1.38	3.00			0.00	0.00	20.98	21.20	0.00	0.00	0.00	0.00
2014-01-24 17:00	1	0.22	0.80			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-24 17:00	2	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-24 17:00	7			1.97	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-01-24 17:00	8			2.95	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.02	0.10
2014-01-24 17:00	10			3.78	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.18	0.30
2014-01-24 17:00	12	0.00	0.00	2.17	3.00			0.00	0.00	20.56	20.60			0.00	0.00
2014-01-24 17:00	13			1.25	2.00			0.00	0.00	20.91	21.20	0.00	0.00	0.00	0.00
2014-01-24 18:00	1	0.19	1.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-24 18:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-24 18:00	7			1.84	2.00			0.00	0.00	20.90	20.90	0.02	0.10	0.00	0.00
2014-01-24 18:00	8			2.97	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.02	0.10
2014-01-24 18:00	10			3.89	5.00	0.00	0.00	0.00	0.00	20.90	20.90			0.15	0.30
2014-01-24 18:00	12	0.00	0.00	2.89	18.00			0.00	0.00	20.50	20.50			0.00	0.00
2014-01-24 18:00	13			1.39	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-01-24 19:00	1	0.21	0.90			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-24 19:00	2	0.01	0.10			0.00	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-24 19:00	7			1.92	3.00			0.00	0.00	20.90	20.90	0.01	0.10	0.00	0.00
2014-01-24 19:00	8			3.03	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.02	0.10
2014-01-24 19:00	10			3.92	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.15	0.30
2014-01-24 19:00	12	0.00	0.00	3.29	20.00			0.00	0.00	20.50	20.50			0.00	0.00
2014-01-24 19:00	13			1.35	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-01-24 20:00	1	0.23	1.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-24 20:00	2	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-24 20:00	7			2.03	3.00			0.00	0.00	20.90	20.90	0.02	0.10	0.00	0.00
2014-01-24 20:00	8			3.00	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2014-01-24 20:00	10			3.92	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.15	0.30

Bridgeton Sanitary Landfill  
AreaRAE Monitoring Data  
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-01-24 20:00	12	0.00	0.00	2.92	18.00			0.00	0.00	20.50	20.50			0.00	0.10
2014-01-24 20:00	13			1.39	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-01-24 21:00	1	0.14	1.20			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-24 21:00	2	0.00	0.10			0.00	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-24 21:00	7			1.89	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-01-24 21:00	8			2.94	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.04	0.20
2014-01-24 21:00	10			4.00	5.00	0.00	0.00	0.00	0.00	20.90	20.90			0.19	0.30
2014-01-24 21:00	12	0.00	0.00	2.08	3.00			0.00	0.00	20.50	20.50			0.00	0.00
2014-01-24 21:00	13			1.51	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-01-24 22:00	1	0.27	1.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-24 22:00	2	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-24 22:00	7			1.94	2.00			0.00	0.00	20.90	20.90	0.03	0.10	0.00	0.00
2014-01-24 22:00	8			2.90	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.02	0.10
2014-01-24 22:00	10			3.87	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.21	0.30
2014-01-24 22:00	12	0.00	0.00	2.34	3.00			0.00	0.00	20.50	20.50			0.00	0.00
2014-01-24 22:00	13			1.24	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-01-24 23:00	1	0.18	0.90			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-24 23:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-24 23:00	7			2.00	2.00			0.00	0.00	20.90	20.90	0.01	0.10	0.00	0.00
2014-01-24 23:00	8			3.03	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.02	0.10
2014-01-24 23:00	10			3.90	5.00	0.00	0.00	0.00	0.00	20.90	20.90			0.36	0.60
2014-01-24 23:00	12	0.00	0.00	2.35	4.00			0.00	0.00	20.50	20.50			0.00	0.00
2014-01-24 23:00	13			1.35	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-01-25 00:00	1	0.14	0.60			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-25 00:00	2	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-25 00:00	7			1.79	2.00			0.00	0.00	20.90	20.90	0.01	0.20	0.00	0.00
2014-01-25 00:00	8			3.00	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.02	0.20
2014-01-25 00:00	10			3.85	5.00	0.00	0.00	0.00	0.00	20.90	20.90			0.48	0.60
2014-01-25 00:00	12	0.00	0.00	2.38	6.00			0.00	0.00	20.50	20.50			0.00	0.00
2014-01-25 00:00	13			1.51	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-01-25 01:00	1	0.23	1.20			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00

Bridgeton Sanitary Landfill  
AreaRAE Monitoring Data  
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-01-25 01:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-25 01:00	7			2.00	3.00			0.00	0.00	20.90	20.90	0.01	0.10	0.00	0.00
2014-01-25 01:00	8			3.05	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.08	0.20
2014-01-25 01:00	10			3.92	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.76	1.00
2014-01-25 01:00	12	0.00	0.00	2.62	4.00			0.00	0.00	20.51	20.60			0.00	0.10
2014-01-25 01:00	13			1.38	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-01-25 02:00	1	0.21	0.60			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-25 02:00	2	0.01	0.20			0.00	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-25 02:00	7			1.98	2.00			0.00	0.00	20.90	20.90	0.01	0.10	0.00	0.00
2014-01-25 02:00	8			3.00	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.06	0.30
2014-01-25 02:00	10			3.92	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.94	1.10
2014-01-25 02:00	12	0.00	0.00	2.08	4.00			0.00	0.00	20.54	20.60			0.00	0.10
2014-01-25 02:00	13			1.61	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-01-25 03:00	1	0.37	1.20			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-25 03:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-25 03:00	7			1.95	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-01-25 03:00	8			3.08	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.06	0.20
2014-01-25 03:00	10			3.92	6.00	0.00	0.00	0.00	0.00	20.90	20.90			0.99	1.10
2014-01-25 03:00	12	0.00	0.00	2.76	18.00			0.00	0.00	20.52	20.60			0.01	0.10
2014-01-25 03:00	13			1.38	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-01-25 04:00	1	0.31	1.30			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-25 04:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-25 04:00	7			1.98	2.00			0.00	0.00	20.90	20.90	0.01	0.10	0.00	0.00
2014-01-25 04:00	8			3.03	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.05	0.20
2014-01-25 04:00	10			3.95	5.00	0.00	0.00	0.00	0.00	20.90	20.90			0.92	1.00
2014-01-25 04:00	12	0.00	0.00	2.29	4.00			0.00	0.00	20.50	20.50			0.03	0.30
2014-01-25 04:00	13			1.53	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-01-25 05:00	1	0.29	1.20			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-25 05:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-25 05:00	7			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.10	0.00	0.00
2014-01-25 05:00	8			2.98	3.00			0.00	0.00	20.90	20.90	0.00	0.10	0.05	0.20

Bridgeton Sanitary Landfill  
AreaRAE Monitoring Data  
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-01-25 05:00	10			3.98	5.00	0.00	0.00	0.00	0.00	20.90	20.90				
2014-01-25 05:00	12	0.00	0.00	2.44	4.00			0.00	0.00	20.52	20.60			0.53	1.50
2014-01-25 05:00	13			1.73	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-01-25 06:00	1	0.32	1.30			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-25 06:00	2	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-25 06:00	7			1.98	2.00			0.00	0.00	20.90	20.90	0.01	0.10	0.00	0.00
2014-01-25 06:00	8			3.06	4.00			0.00	0.00	20.90	20.90	0.00	0.10	0.07	0.20
2014-01-25 06:00	10			3.92	4.00	0.00	0.00	0.00	0.00	20.90	20.90				
2014-01-25 06:00	12	0.00	0.00	2.50	4.00			0.00	0.00	20.51	20.60				
2014-01-25 06:00	13			1.74	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-01-25 07:00	1	0.27	0.90			0.00	0.00	0.00	0.00	20.90	20.90			0.01	0.10
2014-01-25 07:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-25 07:00	7			2.00	2.00			0.00	0.00	20.90	20.90	0.01	0.10	0.00	0.00
2014-01-25 07:00	8			3.05	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.11	0.30
2014-01-25 07:00	10			3.90	4.00	0.00	0.00	0.00	0.00	20.90	20.90				
2014-01-25 07:00	12	0.00	0.00	3.00	16.00			0.00	0.00	20.50	20.60				
2014-01-25 07:00	13			1.56	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.09	0.30
2014-01-25 08:00	1	0.41	1.30			0.00	0.00	0.00	0.00	20.90	20.90			0.12	0.20
2014-01-25 08:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-25 08:00	7			2.00	2.00			0.00	0.00	20.90	20.90	0.01	0.10	0.00	0.00
2014-01-25 08:00	8			3.05	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.11	0.30
2014-01-25 08:00	10			3.95	5.00	0.00	0.00	0.00	0.00	20.90	20.90				
2014-01-25 08:00	12	0.00	0.00	2.87	17.00			0.00	0.00	20.50	20.50				
2014-01-25 08:00	13			1.82	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.61	0.90
2014-01-25 09:00	1	0.44	1.40			0.00	0.00	0.00	0.00	20.90	20.90			0.09	0.10
2014-01-25 09:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-25 09:00	7			2.00	2.00			0.00	0.00	20.90	20.90	0.01	0.10	0.00	0.00
2014-01-25 09:00	8			3.00	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.14	0.40
2014-01-25 09:00	10			3.92	5.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-25 09:00	12	0.00	0.10	2.94	6.00			0.00	0.00	20.68	20.90			0.00	0.00
2014-01-25 09:00	13			1.71	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.59	0.90



Bridgeton Sanitary Landfill  
AreaRAE Monitoring Data  
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-01-25 10:00	1	0.21	1.00			0.00	0.00	0.00	0.00	20.90	20.90			0.06	0.20
2014-01-25 10:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-25 10:00	7			2.16	3.00			0.00	0.00	20.90	20.90	0.01	0.10	0.00	0.00
2014-01-25 10:00	8			3.48	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.14	0.40
2014-01-25 10:00	10			4.18	7.00	0.00	0.00	0.00	0.00	20.90	20.90			0.01	0.10
2014-01-25 10:00	12	0.00	0.00	3.05	4.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-01-25 10:00	13			1.97	3.00			0.00	0.00	21.01	21.20	0.00	0.00	0.53	1.20
2014-01-25 11:00	1	0.21	1.30			0.00	0.00	0.00	0.00	20.90	20.90			0.17	0.20
2014-01-25 11:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-25 11:00	7			2.00	2.00			0.00	0.00	20.90	20.90	0.01	0.10	0.00	0.00
2014-01-25 11:00	8			3.63	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.14	0.30
2014-01-25 11:00	10			4.03	5.00	0.00	0.00	0.00	0.00	20.90	20.90			0.01	0.10
2014-01-25 11:00	12	0.00	0.00	3.42	14.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-01-25 11:00	13			2.00	2.00			0.00	0.00	21.04	21.20	0.00	0.00	1.40	1.80
2014-01-25 12:00	1	0.30	1.00			0.00	0.00	0.00	0.00	20.90	20.90			0.01	0.20
2014-01-25 12:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-25 12:00	7			1.97	2.00			0.00	0.00	20.90	20.90	0.01	0.10	0.00	0.00
2014-01-25 12:00	8			3.05	4.00			0.00	0.00	20.90	20.90	0.00	0.10	0.10	0.30
2014-01-25 12:00	10			3.89	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-25 12:00	12	0.00	0.00	2.87	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-01-25 12:00	13			1.76	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.13	1.20
2014-01-25 13:00	1	0.25	1.20			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-25 13:00	2	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-25 13:00	7			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-01-25 13:00	8			2.97	3.00			0.00	0.00	20.90	20.90	0.00	0.10	0.04	0.10
2014-01-25 13:00	10			3.78	6.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-25 13:00	12	0.00	0.00	2.89	7.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-01-25 13:00	13			1.33	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-01-25 14:00	1	0.17	0.80			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-25 14:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-25 14:00	7			2.05	4.00			0.00	0.00	20.90	20.90	0.01	0.10	0.00	0.00

Bridgeton Sanitary Landfill  
AreaRAE Monitoring Data  
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-01-25 14:00	8			3.03	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.08	0.30
2014-01-25 14:00	10			3.76	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-25 14:00	12	0.00	0.00	2.85	4.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-01-25 14:00	13			1.30	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-01-25 15:00	1	0.24	0.90			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-25 15:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-25 15:00	7			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-01-25 15:00	8			3.00	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.06	0.20
2014-01-25 15:00	10			3.76	5.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-25 15:00	12	0.00	0.00	3.50	15.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-01-25 15:00	13			1.26	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-01-25 16:00	1	0.17	0.80			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-25 16:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-25 16:00	7			1.94	2.00			0.00	0.00	20.90	20.90	0.01	0.10	0.00	0.00
2014-01-25 16:00	8			3.00	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.06	0.20
2014-01-25 16:00	10			3.63	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-25 16:00	12	0.00	0.10	3.26	18.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-01-25 16:00	13			1.33	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-01-25 17:00	1	0.12	0.60			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-25 17:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-25 17:00	7			2.00	2.00			0.00	0.00	20.90	20.90	0.01	0.10	0.00	0.00
2014-01-25 17:00	8			2.93	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.05	0.20
2014-01-25 17:00	10			3.80	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-25 17:00	12	0.00	0.00	2.51	4.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-01-25 17:00	13			1.28	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-01-25 18:00	1	0.17	1.20			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-25 18:00	2	0.01	0.10			0.00	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-25 18:00	7			2.00	2.00			0.00	0.00	20.90	20.90	0.02	0.10	0.00	0.00
2014-01-25 18:00	8			2.95	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.07	0.30
2014-01-25 18:00	10			3.47	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-25 18:00	12	0.00	0.00	2.89	6.00			0.00	0.00	20.90	20.90			0.00	0.00

Bridgeton Sanitary Landfill  
AreaRAE Monitoring Data  
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-01-25 18:00	13			1.54	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-01-25 19:00	1	0.08	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-25 19:00	2	0.01	0.10			0.00	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-25 19:00	7			1.93	2.00			0.00	0.00	20.90	20.90	0.01	0.10	0.03	0.20
2014-01-25 19:00	8			3.00	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.08	0.30
2014-01-25 19:00	10			3.47	4.00	0.00	0.00	0.00	0.00	20.78	20.90			0.00	0.00
2014-01-25 19:00	12	0.00	0.00	2.90	4.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-01-25 19:00	13			1.33	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-01-25 20:00	1	0.08	0.80			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-25 20:00	2	0.02	0.40			0.00	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-25 20:00	7			2.00	2.00			0.00	0.00	20.90	20.90	0.01	0.10	0.00	0.10
2014-01-25 20:00	8			3.00	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.10	0.40
2014-01-25 20:00	10			3.68	5.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-25 20:00	12	0.00	0.10	3.16	17.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-01-25 20:00	13			1.16	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-01-25 21:00	1	0.10	0.80			0.00	0.00	0.00	0.00	20.81	20.90			0.00	0.00
2014-01-25 21:00	2	0.10	0.60			0.00	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-25 21:00	7			1.95	2.00			0.00	0.00	20.90	20.90	0.03	0.10	0.00	0.00
2014-01-25 21:00	8			3.03	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.09	0.30
2014-01-25 21:00	10			3.64	4.00	0.00	0.00	0.00	0.00	20.66	20.90			0.00	0.00
2014-01-25 21:00	12	0.01	0.30	2.92	5.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-01-25 21:00	13			1.31	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-01-25 22:00	1	0.17	0.90			0.00	0.00	0.00	0.00	20.68	20.70			0.00	0.00
2014-01-25 22:00	2	0.06	0.40			0.01	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-25 22:00	7			1.76	2.00			0.00	0.00	20.90	20.90	0.00	0.10	0.02	0.10
2014-01-25 22:00	8			2.89	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.14	0.40
2014-01-25 22:00	10			3.83	5.00	0.00	0.00	0.00	0.00	20.60	20.70			0.00	0.00
2014-01-25 22:00	12	0.02	0.10	2.95	17.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-01-25 22:00	13			1.28	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-01-25 23:00	1	0.15	1.20			0.00	0.00	0.00	0.00	20.86	20.90			0.00	0.00
2014-01-25 23:00	2	0.03	0.30			0.00	0.10	0.00	0.00	20.90	20.90			0.00	0.00

Bridgeton Sanitary Landfill  
AreaRAE Monitoring Data  
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-01-25 23:00	7			1.95	3.00			0.00	0.00	20.90	20.90	0.02	0.20	0.02	0.20
2014-01-25 23:00	8			2.92	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.05	0.20
2014-01-25 23:00	10			3.75	4.00	0.00	0.00	0.00	0.00	20.61	20.70			0.00	0.00
2014-01-25 23:00	12	0.01	0.10	3.05	14.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-01-25 23:00	13			1.59	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-01-26 00:00	1	0.06	0.80			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-26 00:00	2	0.02	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-26 00:00	7			2.00	2.00			0.00	0.00	20.90	20.90	0.01	0.10	0.06	0.20
2014-01-26 00:00	8			2.97	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.05	0.20
2014-01-26 00:00	10			3.77	4.00	0.00	0.00	0.00	0.00	20.63	20.70			0.00	0.00
2014-01-26 00:00	12	0.01	0.30	3.00	5.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-01-26 00:00	13			1.46	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-01-26 01:00	1	0.12	0.60			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-26 01:00	2	0.01	0.20			0.00	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-26 01:00	7			1.95	2.00			0.00	0.00	20.90	20.90	0.03	0.10	0.03	0.20
2014-01-26 01:00	8			3.00	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.05	0.20
2014-01-26 01:00	10			3.65	6.00	0.00	0.00	0.00	0.00	20.66	20.90			0.00	0.00
2014-01-26 01:00	12	0.01	0.20	2.97	12.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-01-26 01:00	13			1.43	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-01-26 02:00	1	0.08	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-26 02:00	2	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-26 02:00	7			1.81	3.00			0.00	0.00	20.90	20.90	0.01	0.10	0.01	0.10
2014-01-26 02:00	8			3.00	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.05	0.20
2014-01-26 02:00	10			3.95	5.00	0.00	0.00	0.00	0.00	20.61	20.90			0.00	0.00
2014-01-26 02:00	12	0.00	0.00	2.67	4.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-01-26 02:00	13			1.50	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-01-26 03:00	1	0.16	1.20			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-26 03:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-26 03:00	7			1.95	2.00			0.00	0.00	20.90	20.90	0.02	0.10	0.00	0.00
2014-01-26 03:00	8			2.97	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.07	0.20
2014-01-26 03:00	10			3.88	4.00	0.00	0.00	0.00	0.00	20.62	20.70			0.00	0.00

Bridgeton Sanitary Landfill  
AreaRAE Monitoring Data  
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-01-26 03:00	12	0.01	0.10	2.74	4.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-01-26 03:00	13			1.27	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-01-26 04:00	1	0.14	0.80			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-26 04:00	2	0.00	0.10			0.00	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-26 04:00	7			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-01-26 04:00	8			2.83	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.07	0.20
2014-01-26 04:00	10			3.87	4.00	0.00	0.00	0.00	0.00	20.81	20.90			0.00	0.00
2014-01-26 04:00	12	0.00	0.10	2.90	4.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-01-26 04:00	13			1.44	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-01-26 05:00	1	0.23	1.30			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-26 05:00	2	0.01	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-26 05:00	7			1.95	2.00			0.00	0.00	20.90	20.90	0.01	0.10	0.00	0.00
2014-01-26 05:00	8			2.87	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.08	0.30
2014-01-26 05:00	10			3.86	5.00	0.00	0.00	0.00	0.00	20.89	20.90			0.00	0.00
2014-01-26 05:00	12	0.00	0.00	2.65	4.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-01-26 05:00	13			1.51	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-01-26 06:00	1	0.28	0.90			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-26 06:00	2	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-26 06:00	7			1.95	2.00			0.00	0.00	20.90	20.90	0.00	0.10	0.00	0.00
2014-01-26 06:00	8			3.05	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.08	0.30
2014-01-26 06:00	10			3.68	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-26 06:00	12	0.00	0.00	2.95	4.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-01-26 06:00	13			1.63	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-01-26 07:00	1	0.31	0.90			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-26 07:00	2	0.00	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-26 07:00	7			2.00	2.00			0.00	0.00	20.90	20.90	0.02	0.10	0.00	0.00
2014-01-26 07:00	8			2.95	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.08	0.30
2014-01-26 07:00	10			3.90	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-26 07:00	12	0.00	0.00	2.79	6.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-01-26 07:00	13			1.58	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-01-26 08:00	1	0.46	1.30			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00

Bridgeton Sanitary Landfill  
AreaRAE Monitoring Data  
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-01-26 08:00	2	0.01	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-26 08:00	7			2.00	3.00			0.00	0.00	20.90	20.90	0.01	0.10	0.00	0.00
2014-01-26 08:00	8			3.00	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.09	0.20
2014-01-26 08:00	10			3.74	5.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-26 08:00	12	0.01	0.20	3.36	18.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-01-26 08:00	13			1.66	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-01-26 09:00	1	0.61	1.30			0.01	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-26 09:00	2	0.02	0.10			0.01	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-26 09:00	7			2.11	3.00			0.00	0.00	20.90	20.90	0.00	0.10	0.00	0.00
2014-01-26 09:00	8			3.11	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.08	0.20
2014-01-26 09:00	10			3.84	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-26 09:00	12	0.00	0.00	2.67	4.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-01-26 09:00	13			1.79	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-01-26 10:00	1	0.78	1.40			0.02	0.10	0.00	0.00	21.17	21.30			0.00	0.00
2014-01-26 10:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-26 10:00	7			3.27	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-01-26 10:00	8			3.08	4.00			0.00	0.00	20.90	20.90	0.00	0.10	0.09	0.30
2014-01-26 10:00	10			3.87	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-26 10:00	12	0.01	0.20	3.27	9.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-01-26 10:00	13			1.92	2.00			0.00	0.00	21.06	21.30	0.00	0.00	0.00	0.00
2014-01-26 11:00	1	0.77	1.60			0.03	0.10	0.00	0.00	21.34	21.40			0.00	0.00
2014-01-26 11:00	2	0.00	0.00			0.00	0.00	0.00	0.00	21.06	21.30			0.00	0.00
2014-01-26 11:00	7			4.83	7.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-01-26 11:00	8			3.34	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.08	0.30
2014-01-26 11:00	10			4.00	5.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-26 11:00	12	0.00	0.00	2.92	4.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-01-26 11:00	13			1.77	3.00			0.00	0.00	21.29	21.40	0.00	0.00	0.00	0.00
2014-01-26 12:00	1	0.82	1.60			0.03	0.10	0.00	0.00	21.42	21.50			0.00	0.00
2014-01-26 12:00	2	0.00	0.00			0.00	0.00	0.00	0.00	21.22	21.30			0.00	0.00
2014-01-26 12:00	7			6.26	8.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-01-26 12:00	8			3.76	5.00			0.00	0.00	20.90	20.90	0.00	0.10	0.07	0.30

Bridgeton Sanitary Landfill  
AreaRAE Monitoring Data  
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-01-26 12:00	10			4.00	6.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-26 12:00	12	0.00	0.00	3.03	4.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-01-26 12:00	13			1.72	4.00			0.00	0.00	21.30	21.40	0.00	0.00	0.00	0.00
2014-01-26 13:00	1	0.65	1.60			0.02	0.10	0.00	0.00	21.47	21.50			0.00	0.00
2014-01-26 13:00	2	0.00	0.00			0.00	0.00	0.00	0.00	21.27	21.30			0.00	0.00
2014-01-26 13:00	7			6.11	9.00			0.00	0.00	21.04	21.30	0.00	0.10	0.00	0.00
2014-01-26 13:00	8			3.80	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.08	0.30
2014-01-26 13:00	10			4.00	5.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-26 13:00	12	0.00	0.00	3.27	6.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-01-26 13:00	13			1.74	2.00			0.00	0.00	21.31	21.40	0.00	0.00	0.00	0.00
2014-01-26 14:00	1	0.57	1.20			0.01	0.10	0.00	0.00	21.43	21.50			0.00	0.00
2014-01-26 14:00	2	0.00	0.00			0.00	0.00	0.00	0.00	21.29	21.40			0.00	0.00
2014-01-26 14:00	7			6.05	7.00			0.00	0.00	21.24	21.30	0.00	0.00	0.00	0.00
2014-01-26 14:00	8			3.80	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.07	0.30
2014-01-26 14:00	10			4.03	5.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-26 14:00	12	0.00	0.00	3.49	12.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-01-26 14:00	13			1.84	2.00			0.00	0.00	21.29	21.40	0.00	0.00	0.00	0.00
2014-01-26 15:00	1	0.56	1.30			0.00	0.10	0.00	0.00	21.42	21.50			0.00	0.00
2014-01-26 15:00	2	0.00	0.00			0.00	0.00	0.00	0.00	21.35	21.40			0.00	0.00
2014-01-26 15:00	7			6.78	9.00			0.00	0.00	21.26	21.40	0.00	0.00	0.00	0.00
2014-01-26 15:00	8			3.86	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.07	0.20
2014-01-26 15:00	10			3.97	5.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-26 15:00	12	0.00	0.00	3.03	4.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-01-26 15:00	13			1.59	2.00			0.00	0.00	21.40	21.50	0.00	0.00	0.00	0.00
2014-01-26 16:00	1	0.53	1.40			0.00	0.00	0.00	0.00	21.42	21.50			0.00	0.00
2014-01-26 16:00	2	0.00	0.00			0.00	0.00	0.00	0.00	21.31	21.40			0.00	0.00
2014-01-26 16:00	7			4.50	8.00			0.00	0.00	21.31	21.40	0.00	0.10	0.00	0.00
2014-01-26 16:00	8			3.94	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.05	0.20
2014-01-26 16:00	10			3.95	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-26 16:00	12	0.00	0.00	3.83	18.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-01-26 16:00	13			1.56	2.00			0.00	0.00	21.42	21.50	0.00	0.00	0.00	0.00

Bridgeton Sanitary Landfill  
AreaRAE Monitoring Data  
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-01-26 17:00	1	0.51	1.40			0.01	0.10	0.00	0.00	21.31	21.40			0.00	0.00
2014-01-26 17:00	2	0.00	0.00			0.00	0.00	0.00	0.00	21.25	21.30			0.00	0.00
2014-01-26 17:00	7			3.53	4.00			0.00	0.00	21.25	21.30	0.00	0.10	0.00	0.00
2014-01-26 17:00	8			3.76	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.06	0.20
2014-01-26 17:00	10			3.92	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-26 17:00	12	0.00	0.00	3.05	8.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-01-26 17:00	13			1.59	2.00			0.00	0.00	21.29	21.30	0.00	0.00	0.00	0.00
2014-01-26 18:00	1	0.47	1.30			0.00	0.00	0.00	0.00	21.30	21.30			0.00	0.00
2014-01-26 18:00	2	0.00	0.10			0.00	0.00	0.00	0.00	21.17	21.20			0.00	0.00
2014-01-26 18:00	7			2.95	3.00			0.00	0.00	21.21	21.30	0.00	0.10	0.00	0.00
2014-01-26 18:00	8			3.67	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.06	0.30
2014-01-26 18:00	10			3.83	5.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-26 18:00	12	0.00	0.00	3.05	4.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-01-26 18:00	13			1.46	3.00			0.00	0.00	21.22	21.30	0.00	0.00	0.00	0.00
2014-01-26 19:00	1	0.48	1.80			0.00	0.10	0.00	0.00	21.28	21.30			0.00	0.00
2014-01-26 19:00	2	0.00	0.00			0.00	0.00	0.00	0.00	21.12	21.20			0.00	0.00
2014-01-26 19:00	7			2.82	4.00			0.00	0.00	21.18	21.20	0.00	0.10	0.00	0.00
2014-01-26 19:00	8			3.32	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.06	0.20
2014-01-26 19:00	10			3.94	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-26 19:00	12	0.00	0.00	3.08	5.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-01-26 19:00	13			1.75	3.00			0.00	0.00	21.21	21.30	0.00	0.00	0.00	0.00
2014-01-26 20:00	1	0.60	1.40			0.00	0.00	0.00	0.00	21.21	21.30			0.00	0.00
2014-01-26 20:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-26 20:00	7			2.90	3.00			0.00	0.00	21.11	21.20	0.01	0.10	0.00	0.00
2014-01-26 20:00	8			3.28	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.04	0.20
2014-01-26 20:00	10			3.90	5.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-26 20:00	12	0.00	0.00	3.08	4.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-01-26 20:00	13			1.53	2.00			0.00	0.00	21.21	21.30	0.00	0.00	0.00	0.00
2014-01-26 21:00	1	0.16	1.20			0.00	0.00	0.00	0.00	21.21	21.30			0.00	0.00
2014-01-26 21:00	2	0.00	0.00			0.00	0.00	0.00	0.00	21.18	21.30			0.00	0.00
2014-01-26 21:00	7			2.47	4.00			0.00	0.00	21.07	21.20	0.01	0.10	0.00	0.00



Bridgeton Sanitary Landfill  
AreaRAE Monitoring Data  
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-01-26 21:00	8			3.11	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.06	0.30
2014-01-26 21:00	10			4.05	6.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-26 21:00	12	0.00	0.00	2.89	4.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-01-26 21:00	13			1.68	2.00			0.00	0.00	21.24	21.50	0.00	0.00	0.00	0.00
2014-01-26 22:00	1	0.11	0.80			0.00	0.00	0.00	0.00	20.98	21.20			0.00	0.00
2014-01-26 22:00	2	0.00	0.00			0.00	0.00	0.00	0.00	21.00	21.20			0.00	0.00
2014-01-26 22:00	7			2.17	4.00			0.00	0.00	20.90	20.90	0.01	0.10	0.00	0.00
2014-01-26 22:00	8			3.08	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.11	0.30
2014-01-26 22:00	10			3.70	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-26 22:00	12	0.00	0.00	3.00	9.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-01-26 22:00	13			1.57	4.00			0.00	0.00	20.99	21.20	0.00	0.00	0.00	0.00
2014-01-26 23:00	1	0.05	0.60			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-26 23:00	2	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-26 23:00	7			2.05	3.00			0.00	0.00	20.90	20.90	0.01	0.10	0.01	0.10
2014-01-26 23:00	8			3.05	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.09	0.30
2014-01-26 23:00	10			3.97	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-26 23:00	12	0.00	0.00	2.93	4.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-01-26 23:00	13			1.80	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-01-27 00:00	1	0.04	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-27 00:00	2	0.00	0.10			0.01	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-27 00:00	7			2.00	2.00			0.00	0.00	20.90	20.90	0.01	0.10	0.01	0.10
2014-01-27 00:00	8			3.00	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.08	0.30
2014-01-27 00:00	10			3.65	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-27 00:00	12	0.00	0.00	3.26	16.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-01-27 00:00	13			1.39	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-01-27 01:00	1	0.05	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-27 01:00	2	0.01	0.10			0.00	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-27 01:00	7			2.00	2.00			0.00	0.00	20.90	20.90	0.01	0.10	0.01	0.10
2014-01-27 01:00	8			3.08	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.05	0.20
2014-01-27 01:00	10			3.93	4.00	0.00	0.00	0.00	0.00	20.57	20.90			0.00	0.00
2014-01-27 01:00	12	0.00	0.00	3.56	16.00			0.00	0.00	20.90	20.90			0.00	0.00

Bridgeton Sanitary Landfill  
AreaRAE Monitoring Data  
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-01-27 01:00	13			1.29	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-01-27 02:00	1	0.04	0.20			0.00	0.00	0.00	0.00	20.75	20.90			0.00	0.00
2014-01-27 02:00	2	0.03	0.20			0.02	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-27 02:00	7			2.00	2.00			0.00	0.00	20.90	20.90	0.03	0.20	0.00	0.10
2014-01-27 02:00	8			3.03	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.16	0.40
2014-01-27 02:00	10			3.69	5.00	0.00	0.00	0.00	0.00	20.50	20.60			0.00	0.00
2014-01-27 02:00	12	0.00	0.10	2.59	4.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-01-27 02:00	13			1.22	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-01-27 03:00	1	0.02	0.40			0.00	0.00	0.00	0.00	20.54	20.60			0.00	0.00
2014-01-27 03:00	2	0.03	0.20			0.03	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-27 03:00	7			1.97	2.00					20.90	20.90	0.01	0.10	0.01	0.10
2014-01-27 03:00	8			2.95	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.09	0.40
2014-01-27 03:00	10			3.51	4.00	0.00	0.00	0.00	0.00	20.42	20.50			0.00	0.00
2014-01-27 03:00	12	0.00	0.00	3.33	13.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-01-27 03:00	13			1.28	3.00			0.00	0.00	20.87	20.90	0.00	0.00	0.00	0.00
2014-01-27 04:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.46	20.50			0.00	0.00
2014-01-27 04:00	2	0.09	0.60			0.04	0.20	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-27 04:00	7			2.00	2.00					20.77	20.90	0.01	0.10	0.05	0.10
2014-01-27 04:00	8			2.62	3.00			0.00	0.00	20.86	20.90	0.00	0.00	0.05	0.20
2014-01-27 04:00	10			3.34	5.00	0.00	0.00	0.00	0.00	20.39	20.50			0.00	0.00
2014-01-27 04:00	12	0.00	0.00	2.74	5.00			0.00	0.00	20.83	20.90			0.00	0.00
2014-01-27 04:00	13			1.41	3.00			0.00	0.00	20.86	20.90	0.00	0.00	0.00	0.00
2014-01-27 05:00	1	0.01	0.10			0.00	0.00	0.00	0.00	20.47	20.50			0.00	0.00
2014-01-27 05:00	2	0.11	0.40			0.06	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-27 05:00	7			1.97	2.00					20.52	20.60	0.01	0.10	0.06	0.10
2014-01-27 05:00	8			2.69	3.00			0.00	0.00	20.53	20.60	0.00	0.00	0.03	0.20
2014-01-27 05:00	10			3.70	5.00	0.00	0.00	0.00	0.00	20.31	20.40			0.00	0.00
2014-01-27 05:00	12	0.00	0.00	2.86	11.00			0.00	0.00	20.54	20.60			0.00	0.00
2014-01-27 05:00	13			1.43	3.00			0.00	0.00	20.62	20.70	0.00	0.00	0.00	0.00
2014-01-27 06:00	1	0.02	0.20			0.00	0.00	0.00	0.00	20.43	20.60			0.00	0.00
2014-01-27 06:00	2	0.10	0.40			0.04	0.10	0.00	0.00	20.89	20.90			0.00	0.00

Bridgeton Sanitary Landfill  
AreaRAE Monitoring Data  
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-01-27 06:00	7			1.97	2.00					20.49	20.50	0.00	0.00	0.08	0.10
2014-01-27 06:00	8			2.81	5.00			0.00	0.00	20.55	20.60	0.00	0.00	0.04	0.20
2014-01-27 06:00	10			3.50	4.00	0.00	0.00	0.00	0.00	20.28	20.40			0.00	0.00
2014-01-27 06:00	12	0.00	0.00	3.20	15.00			0.00	0.00	20.52	20.60			0.00	0.00
2014-01-27 06:00	13			1.17	2.00			0.00	0.00	20.57	20.60	0.00	0.00	0.00	0.00
2014-01-27 07:00	1	0.05	0.50			0.00	0.00	0.00	0.00	20.38	20.50			0.00	0.00
2014-01-27 07:00	2	0.11	0.40			0.05	0.10	0.00	0.00	20.57	20.60			0.00	0.00
2014-01-27 07:00	7			1.97	3.00			0.00	0.00	20.78	20.90	0.00	0.00	0.02	0.10
2014-01-27 07:00	8			2.71	4.00			0.00	0.00	20.51	20.60	0.00	0.00	0.04	0.20
2014-01-27 07:00	10			3.47	5.00	0.00	0.00	0.00	0.00	20.23	20.30			0.00	0.00
2014-01-27 07:00	12	0.00	0.10	2.61	3.00			0.00	0.00	20.57	20.60			0.00	0.00
2014-01-27 07:00	13			1.18	2.00			0.00	0.00	20.51	20.60	0.00	0.00	0.00	0.00
2014-01-27 08:00	1	0.03	0.40			0.00	0.00	0.00	0.00	20.39	20.50			0.00	0.00
2014-01-27 08:00	2	0.21	0.80					0.00	0.00	20.53	20.60			0.00	0.00
2014-01-27 08:00	7			2.00	3.00			0.00	0.00	20.79	20.90	0.00	0.00	0.00	0.00
2014-01-27 08:00	8			2.61	3.00			0.00	0.00	20.50	20.50	0.00	0.00	0.03	0.20
2014-01-27 08:00	10			3.17	4.00	0.00	0.00	0.00	0.00	20.19	20.30			0.00	0.00
2014-01-27 08:00	12	0.00	0.10	2.84	18.00			0.00	0.00	20.55	20.60			0.00	0.00
2014-01-27 08:00	13			1.32	3.00			0.00	0.00	20.53	20.60	0.00	0.00	0.00	0.00
2014-01-27 09:00	1	0.07	0.60			0.00	0.00	0.00	0.00	20.46	20.60			0.00	0.00
2014-01-27 09:00	2	0.07	0.30			0.00	0.10	0.00	0.00	20.60	20.70			0.00	0.00
2014-01-27 09:00	8			2.46	3.00			0.00	0.00	20.50	20.50	0.00	0.00	0.02	0.10
2014-01-27 09:00	10			3.33	4.00	0.00	0.00	0.00	0.00	20.20	20.20			0.00	0.00
2014-01-27 09:00	12	0.01	0.10	2.95	14.00			0.00	0.00	20.58	20.60			0.00	0.00
2014-01-27 09:00	13			1.31	3.00			0.00	0.00	20.60	20.70	0.00	0.00	0.00	0.00
2014-01-27 10:00	1	0.06	0.50			0.00	0.00	0.00	0.00	20.62	20.90			0.00	0.00
2014-01-27 10:00	2	0.04	0.20			0.03	0.10	0.00	0.00	20.78	20.90			0.00	0.00
2014-01-27 10:00	8			2.32	4.00			0.00	0.00	20.50	20.50	0.00	0.00	0.05	0.20
2014-01-27 10:00	10			3.34	4.00	0.00	0.00	0.00	0.00	20.22	20.30			0.00	0.00
2014-01-27 10:00	12	0.01	0.30	2.46	5.00			0.00	0.00	20.52	20.60			0.00	0.00
2014-01-27 10:00	13			1.30	3.00			0.00	0.00	20.60	20.70	0.00	0.00	0.00	0.00

Bridgeton Sanitary Landfill  
AreaRAE Monitoring Data  
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-01-27 11:00	1	0.10	0.80			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-27 11:00	2	0.03	0.20			0.01	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-27 11:00	8			2.35	3.00			0.00	0.00	20.49	20.50	0.00	0.00	0.04	0.20
2014-01-27 11:00	10			3.23	5.00	0.00	0.00	0.00	0.00	20.21	20.30			0.00	0.00
2014-01-27 11:00	12	0.00	0.00	3.03	16.00			0.00	0.00	20.50	20.60			0.00	0.00
2014-01-27 11:00	13			1.45	3.00			0.00	0.00	20.73	20.90	0.00	0.00	0.00	0.00
2014-01-27 12:00	1	0.06	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-27 12:00	2	0.28	0.70			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-01-27 12:00	7			2.00	2.00			0.00	0.00	20.44	20.60	0.00	0.00	0.00	0.00
2014-01-27 12:00	8			2.92	4.00			0.00	0.00	20.50	20.50	0.00	0.10	0.04	0.20
2014-01-27 12:00	10			3.62	4.00	0.00	0.00	0.00	0.00	20.27	20.40			0.00	0.00
2014-01-27 12:00	12	0.05	1.90	2.60	5.00			0.00	0.00	20.53	20.60			0.00	0.00
2014-01-27 12:00	13			1.32	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00