

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-02-06 12:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.46	20.60			0.00	0.00
2014-02-06 12:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-06 12:00	7			1.74	3.00			0.00	0.00	20.58	20.70	0.01	0.10	0.00	0.00
2014-02-06 12:00	8			2.00	2.00			2.52	2.70	20.57	20.60	0.00	0.00	0.00	0.00
2014-02-06 12:00	10			2.98	4.00	0.00	0.00	0.00	0.00	20.00	20.10			0.64	0.90
2014-02-06 12:00	13			1.13	2.00			0.00	0.00	20.13	20.20	0.00	0.00	0.00	0.10
2014-02-06 13:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.71	20.90			0.00	0.00
2014-02-06 13:00	2	0.01	0.20			0.00	0.00	0.00	0.00	20.92	21.20			0.00	0.00
2014-02-06 13:00	7			1.72	2.00			0.00	0.00	20.57	20.60	0.00	0.10	0.00	0.00
2014-02-06 13:00	8			2.00	2.00			2.46	2.50	20.52	20.60	0.00	0.00	0.00	0.00
2014-02-06 13:00	10			3.11	4.00	0.00	0.00	0.00	0.00	20.03	20.10			0.54	0.80
2014-02-06 13:00	13			0.97	2.00			0.00	0.00	20.20	20.30	0.00	0.00	0.00	0.00
2014-02-06 14:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.72	20.90			0.00	0.00
2014-02-06 14:00	2	0.09	2.40			0.00	0.00	0.00	0.00	21.06	21.30			0.00	0.00
2014-02-06 14:00	7			1.74	2.00			0.00	0.00	20.60	20.60	0.00	0.00	0.00	0.00
2014-02-06 14:00	8			2.03	3.00			2.31	2.40	20.57	20.60	0.00	0.00	0.00	0.00
2014-02-06 14:00	10			2.95	3.00	0.00	0.00	0.00	0.00	20.07	20.20			0.38	0.60
2014-02-06 14:00	13			1.15	3.00			0.00	0.00	20.25	20.40	0.00	0.00	0.00	0.00
2014-02-06 15:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.52	20.60			0.00	0.00
2014-02-06 15:00	2	0.02	0.30			0.00	0.00	0.00	0.00	21.15	21.20			0.00	0.00
2014-02-06 15:00	7			1.53	3.00			0.00	0.00	20.58	20.70	0.00	0.00	0.00	0.00
2014-02-06 15:00	8			2.11	4.00			2.19	2.20	20.71	20.90	0.00	0.10	0.00	0.00
2014-02-06 15:00	10			3.00	4.00	0.00	0.00	0.00	0.00	20.10	20.20			0.04	0.40
2014-02-06 15:00	13			1.08	3.00			0.00	0.00	20.32	20.40	0.00	0.00	0.00	0.00
2014-02-06 16:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.28	20.50			0.00	0.00
2014-02-06 16:00	2	0.08	0.70			0.00	0.00	0.00	0.00	20.94	21.10			0.00	0.00
2014-02-06 16:00	7			1.50	3.00			0.00	0.00	20.54	20.60	0.00	0.00	0.00	0.00
2014-02-06 16:00	8			1.94	2.00			2.14	2.20	20.90	20.90	0.00	0.00	0.00	0.10
2014-02-06 16:00	10			2.94	3.00	0.00	0.00	0.00	0.00	20.19	20.20			0.00	0.00
2014-02-06 16:00	13			1.11	3.00			0.00	0.00	20.20	20.30	0.00	0.00	0.00	0.00
2014-02-06 17:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.16	20.20			0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-02-06 17:00	2	0.11	0.60			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-06 17:00	7			1.54	3.00			0.00	0.00	20.50	20.60	0.01	0.10	0.00	0.00
2014-02-06 17:00	8			2.00	3.00			2.20	2.20	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-06 17:00	10			2.89	3.00	0.00	0.00	0.00	0.00	20.18	20.30			0.00	0.00
2014-02-06 17:00	13			1.05	3.00			0.00	0.00	20.12	20.20	0.00	0.00	0.01	0.10
2014-02-06 18:00	1	0.00	0.00			0.00	0.00	1.44	3.30	20.04	20.10			0.00	0.00
2014-02-06 18:00	2	0.10	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-06 18:00	7			1.32	2.00			0.00	0.00	20.45	20.50	0.00	0.10	0.00	0.00
2014-02-06 18:00	8			2.00	2.00			2.32	2.40	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-06 18:00	10			3.11	4.00	0.00	0.00	0.00	0.00	20.18	20.20			0.00	0.10
2014-02-06 18:00	13			1.00	2.00			0.00	0.00	20.03	20.10	0.00	0.00	0.05	0.10
2014-02-06 19:00	1	0.00	0.00			0.00	0.00	3.21	3.40	19.94	20.10			0.00	0.00
2014-02-06 19:00	2	0.29	0.70			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-06 19:00	7			1.24	3.00			0.00	0.00	20.36	20.40	0.01	0.10	0.00	0.00
2014-02-06 19:00	8			2.03	3.00			2.40	2.40	20.68	20.90	0.00	0.00	0.00	0.00
2014-02-06 19:00	10			3.03	4.00	0.00	0.00	0.00	0.00	20.12	20.20			0.01	0.10
2014-02-06 19:00	13			1.00	2.00			0.00	0.00	19.97	20.00	0.00	0.00	0.09	0.10
2014-02-06 20:00	1	0.00	0.00			0.00	0.00	3.27	3.40	19.84	19.90			0.00	0.00
2014-02-06 20:00	2	0.17	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-06 20:00	7			1.14	2.00			0.00	0.00	20.31	20.40	0.03	0.20	0.00	0.00
2014-02-06 20:00	8			2.14	4.00			2.47	2.50	20.58	20.60	0.00	0.00	0.00	0.00
2014-02-06 20:00	10			3.05	4.00	0.00	0.00	0.00	0.00	20.09	20.20			0.04	0.20
2014-02-06 20:00	13			1.05	3.00			0.00	0.00	19.94	20.00	0.00	0.00	0.16	0.20
2014-02-06 21:00	1	0.00	0.00			0.00	0.00	3.38	3.50	19.81	19.90			0.00	0.00
2014-02-06 21:00	2	0.29	0.70			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-06 21:00	7			1.26	2.00			0.00	0.00	20.26	20.30	0.00	0.10	0.00	0.00
2014-02-06 21:00	8			2.05	3.00			2.51	2.60	20.60	20.60	0.00	0.00	0.00	0.00
2014-02-06 21:00	10			3.03	4.00	0.00	0.00	0.00	0.00	20.06	20.10			0.15	0.40
2014-02-06 21:00	13			1.05	2.00			0.00	0.00	19.98	20.00	0.00	0.00	0.20	0.20
2014-02-06 22:00	1	0.00	0.00			0.00	0.00	3.41	3.50	19.81	19.90			0.00	0.00
2014-02-06 22:00	2	0.48	0.70			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-02-06 22:00	7			1.31	3.00			0.00	0.00	20.23	20.30	0.00	0.00	0.00	0.00
2014-02-06 22:00	8			1.96	2.00			2.56	2.70	20.58	20.60	0.00	0.00	0.00	0.00
2014-02-06 22:00	10			2.96	3.00	0.00	0.00	0.00	0.00	20.03	20.10			0.31	0.50
2014-02-06 22:00	13			1.00	2.00			0.00	0.00	19.96	20.00	0.00	0.00	0.17	0.30
2014-02-07 11:00	1	0.01	0.10			0.00	0.00	0.00	0.00	20.43	20.60			0.00	0.00
2014-02-07 11:00	2	0.07	1.50			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-07 11:00	7			1.94	3.00			0.00	0.00	20.47	20.60	0.00	0.00	0.00	0.00
2014-02-07 11:00	8			2.06	3.00			2.16	2.20	20.67	20.90	0.00	0.00	0.00	0.00
2014-02-07 11:00	10			2.92	3.00	0.00	0.00	0.00	0.00	20.08	20.20			0.17	0.50
2014-02-07 11:00	12	0.00	0.00	2.74	17.00			0.00	0.00	21.32	21.50			0.00	0.00
2014-02-07 11:00	13			1.11	2.00			0.00	0.00	20.24	20.40	0.00	0.00	0.00	0.00
2014-02-07 12:00	1	0.01	0.30			0.00	0.00	0.00	0.00	20.81	20.90			0.00	0.00
2014-02-07 12:00	2	0.01	0.10			0.00	0.00	0.00	0.00	21.06	21.20			0.00	0.00
2014-02-07 12:00	7			1.95	3.00			0.00	0.00	20.64	20.70	0.00	0.10	0.00	0.00
2014-02-07 12:00	8			2.03	3.00			2.06	2.10	20.89	20.90	0.00	0.00	0.00	0.10
2014-02-07 12:00	10			3.08	4.00	0.00	0.00	0.00	0.00	20.17	20.20			0.02	0.10
2014-02-07 12:00	12	0.00	0.00	2.21	4.00			0.00	0.00	21.30	21.40			0.00	0.00
2014-02-07 12:00	13			1.11	3.00			0.00	0.00	20.39	20.50	0.00	0.00	0.00	0.00
2014-02-07 13:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-07 13:00	2	0.00	0.00			0.00	0.00	0.00	0.00	21.29	21.40			0.00	0.00
2014-02-07 13:00	7			2.02	3.00			0.00	0.00	20.87	20.90	0.00	0.00	0.00	0.00
2014-02-07 13:00	8			2.00	2.00			1.94	2.10	20.90	20.90	0.00	0.00	0.02	0.20
2014-02-07 13:00	10			3.00	4.00	0.00	0.00	0.00	0.00	20.20	20.30			0.01	0.10
2014-02-07 13:00	12	0.00	0.00	2.61	15.00			0.00	0.00	21.26	21.30			0.00	0.00
2014-02-07 13:00	13			1.13	3.00			0.00	0.00	20.55	20.70	0.00	0.00	0.00	0.00
2014-02-07 14:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-07 14:00	2	0.03	0.80			0.00	0.00	0.00	0.00	21.39	21.50			0.00	0.00
2014-02-07 14:00	7			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-07 14:00	8			2.00	2.00			1.89	1.90	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-07 14:00	10			2.94	4.00	0.00	0.00	0.00	0.00	20.22	20.30			0.06	0.20
2014-02-07 14:00	12	0.00	0.00	2.18	4.00			0.00	0.00	21.20	21.20			0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-02-07 14:00	13			1.08	3.00			0.00	0.00	20.58	20.70	0.00	0.00	0.00	0.00
2014-02-07 15:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.67	20.90			0.00	0.00
2014-02-07 15:00	2	0.03	0.30			0.00	0.00	0.00	0.00	21.24	21.30			0.00	0.00
2014-02-07 15:00	7			1.70	2.00			0.00	0.00	20.71	20.90	0.00	0.10	0.00	0.00
2014-02-07 15:00	8			2.38	4.00			1.81	1.90	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-07 15:00	10			3.13	4.00	0.00	0.00	0.00	0.00	20.23	20.30			0.06	0.20
2014-02-07 15:00	12	0.00	0.00	2.00	2.00			0.00	0.00	21.20	21.20			0.00	0.00
2014-02-07 15:00	13			1.18	3.00			0.00	0.00	20.51	20.60	0.00	0.00	0.00	0.00
2014-02-07 16:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.36	20.50			0.00	0.00
2014-02-07 16:00	2	0.04	0.20			0.00	0.00	0.00	0.00	21.12	21.20			0.00	0.00
2014-02-07 16:00	7			1.56	2.00			0.00	0.00	20.58	20.60	0.00	0.00	0.00	0.00
2014-02-07 16:00	8			2.06	3.00			1.89	2.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-07 16:00	10			3.17	4.00	0.00	0.00	0.00	0.00	20.22	20.30			0.27	0.40
2014-02-07 16:00	12	0.00	0.00	2.50	18.00			0.00	0.00	21.20	21.20			0.00	0.00
2014-02-07 16:00	13			1.00	2.00			0.00	0.00	20.35	20.50	0.00	0.00	0.03	0.10
2014-02-07 17:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.23	20.30			0.00	0.00
2014-02-07 17:00	2	0.24	4.80			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-07 17:00	7			1.53	3.00			0.00	0.00	20.52	20.60	0.00	0.10	0.00	0.00
2014-02-07 17:00	8			2.14	3.00			1.92	2.00	20.90	20.90	0.00	0.00	0.00	0.10
2014-02-07 17:00	10			3.00	4.00	0.00	0.00	0.00	0.00	20.23	20.30			0.31	0.60
2014-02-07 17:00	12	0.00	0.00	2.13	4.00			0.00	0.00	21.20	21.20			0.00	0.00
2014-02-07 17:00	13			1.00	2.00			0.00	0.00	20.28	20.30	0.00	0.00	0.06	0.10
2014-02-07 18:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.16	20.20			0.00	0.00
2014-02-07 18:00	2	0.08	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-07 18:00	7			1.62	3.00			0.00	0.00	20.49	20.50	0.00	0.00	0.00	0.00
2014-02-07 18:00	8			2.08	3.00			1.95	2.10	20.90	20.90	0.00	0.00	0.00	0.10
2014-02-07 18:00	10			3.16	4.00	0.00	0.00	0.00	0.00	20.24	20.30			0.15	0.40
2014-02-07 18:00	12	0.00	0.00	2.39	12.00			0.00	0.00	21.20	21.20			0.00	0.00
2014-02-07 18:00	13			1.05	2.00			0.00	0.00	20.21	20.30	0.00	0.00	0.08	0.10
2014-02-07 19:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.17	20.40			0.00	0.00
2014-02-07 19:00	2	0.03	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-02-07 19:00	7			1.49	3.00			0.00	0.00	20.50	20.50	0.02	0.20	0.00	0.00
2014-02-07 19:00	8			2.13	4.00			1.97	2.10	20.90	20.90	0.00	0.00	0.01	0.10
2014-02-07 19:00	10			3.00	4.00	0.00	0.00	0.00	0.00	20.21	20.30			0.04	0.20
2014-02-07 19:00	12	0.00	0.00	2.51	16.00			0.00	0.00	21.20	21.20			0.00	0.00
2014-02-07 19:00	13			0.97	2.00			0.00	0.00	20.20	20.20	0.00	0.00	0.10	0.20
2014-02-07 20:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.13	20.20			0.00	0.00
2014-02-07 20:00	2	0.10	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-07 20:00	7			1.37	3.00			0.00	0.00	20.44	20.50	0.01	0.10	0.00	0.00
2014-02-07 20:00	8			1.96	2.00			2.04	2.10	20.90	20.90	0.00	0.00	0.01	0.10
2014-02-07 20:00	10			3.00	4.00	0.00	0.00	0.00	0.00	20.21	20.30			0.23	0.40
2014-02-07 20:00	12	0.00	0.00	3.69	17.00			0.00	0.00	21.20	21.20			0.00	0.00
2014-02-07 20:00	13			0.98	3.00			0.00	0.00	20.20	20.20	0.00	0.00	0.16	0.20
2014-02-07 21:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.12	20.20			0.00	0.00
2014-02-07 21:00	2	0.04	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-07 21:00	7			1.53	3.00			0.00	0.00	20.40	20.40	0.00	0.10	0.00	0.00
2014-02-07 21:00	8			2.00	2.00			1.99	2.10	20.90	20.90	0.00	0.00	0.02	0.20
2014-02-07 21:00	10			3.08	4.00	0.00	0.00	0.00	0.00	20.22	20.30			0.24	0.40
2014-02-07 21:00	12	0.00	0.00	2.88	16.00			0.00	0.00	21.20	21.20			0.00	0.00
2014-02-07 21:00	13			1.00	2.00			0.00	0.00	20.20	20.20	0.00	0.00	0.20	0.30
2014-02-07 22:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.11	20.20			0.00	0.00
2014-02-07 22:00	2	0.09	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-07 22:00	7			1.38	2.00			0.00	0.00	20.40	20.40	0.01	0.10	0.00	0.00
2014-02-07 22:00	8			2.06	3.00			2.02	2.10	20.90	20.90	0.00	0.00	0.02	0.30
2014-02-07 22:00	10			3.08	4.00	0.00	0.00	0.00	0.00	20.21	20.30			0.25	0.40
2014-02-07 22:00	12	0.00	0.00	2.59	16.00			0.00	0.00	21.20	21.20			0.00	0.00
2014-02-07 22:00	13			1.03	2.00			0.00	0.00	20.19	20.20	0.00	0.00	0.17	0.20
2014-02-07 23:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.11	20.20			0.00	0.00
2014-02-07 23:00	2	0.04	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-07 23:00	7			1.31	3.00			0.00	0.00	20.40	20.40	0.00	0.00	0.00	0.00
2014-02-07 23:00	8			2.06	3.00			1.97	2.10	20.90	20.90	0.00	0.00	0.02	0.20
2014-02-07 23:00	10			3.08	4.00	0.00	0.00	0.00	0.00	20.23	20.30			0.43	0.60

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-02-07 23:00	12	0.00	0.00	2.05	3.00			0.00	0.00	21.20	21.20			0.00	0.00
2014-02-07 23:00	13			1.10	3.00			0.00	0.00	20.20	20.20	0.00	0.00	0.23	0.30
2014-02-08 00:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.10	20.10			0.00	0.00
2014-02-08 00:00	2	0.04	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-08 00:00	7			1.53	2.00			0.00	0.00	20.40	20.40	0.01	0.10	0.00	0.00
2014-02-08 00:00	8			1.94	2.00			1.98	2.10	20.90	20.90	0.00	0.00	0.01	0.10
2014-02-08 00:00	10			3.00	4.00	0.00	0.00	0.00	0.00	20.21	20.30			0.57	0.70
2014-02-08 00:00	12	0.00	0.00	2.20	5.00			0.00	0.00	21.20	21.20			0.00	0.00
2014-02-08 00:00	13			1.26	3.00			0.00	0.00	20.20	20.20	0.00	0.00	0.38	0.50
2014-02-08 01:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.10	20.10			0.00	0.00
2014-02-08 01:00	2	0.07	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-08 01:00	7			1.38	3.00			0.00	0.00	20.40	20.40	0.00	0.10	0.00	0.00
2014-02-08 01:00	8			2.00	2.00			1.95	2.10	20.90	20.90	0.00	0.00	0.01	0.10
2014-02-08 01:00	10			3.10	4.00	0.00	0.00	0.00	0.00	20.23	20.30			0.56	0.70
2014-02-08 01:00	12	0.00	0.00	2.34	12.00			0.00	0.00	21.20	21.20			0.00	0.00
2014-02-08 01:00	13			1.05	3.00			0.00	0.00	20.20	20.20	0.00	0.00	0.30	0.60
2014-02-08 02:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.10	20.10			0.00	0.00
2014-02-08 02:00	2	0.02	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-08 02:00	7			1.51	3.00			0.00	0.00	20.40	20.40	0.00	0.00	0.00	0.00
2014-02-08 02:00	8			2.00	3.00			1.95	2.10	20.90	20.90	0.00	0.00	0.01	0.10
2014-02-08 02:00	10			3.11	4.00	0.00	0.00	0.00	0.00	20.24	20.30			0.94	1.30
2014-02-08 02:00	12	0.00	0.00	2.53	15.00			0.00	0.00	21.20	21.20			0.00	0.00
2014-02-08 02:00	13			0.95	2.00			0.00	0.00	20.20	20.20	0.00	0.00	0.93	1.60
2014-02-08 03:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.11	20.20			0.00	0.00
2014-02-08 03:00	2	0.08	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-08 03:00	7			1.73	3.00			0.00	0.00	20.40	20.40	0.01	0.10	0.00	0.00
2014-02-08 03:00	8			2.48	3.00			1.97	2.10	20.90	20.90	0.00	0.00	0.02	0.20
2014-02-08 03:00	10			3.13	4.00	0.00	0.00	0.00	0.00	20.24	20.30			1.47	1.70
2014-02-08 03:00	12	0.00	0.00	2.21	4.00			0.00	0.00	21.20	21.20			0.00	0.00
2014-02-08 03:00	13			1.18	3.00			0.00	0.00	20.19	20.20	0.00	0.00	2.25	2.70
2014-02-08 04:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.13	20.20			0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-02-08 04:00	2	0.04	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-08 04:00	7			1.81	3.00			0.00	0.00	20.37	20.40	0.00	0.00	0.00	0.00
2014-02-08 04:00	8			2.16	3.00			2.01	2.20	20.90	20.90	0.00	0.00	0.04	0.40
2014-02-08 04:00	10			3.00	4.00	0.00	0.00	0.00	0.00	20.22	20.30			1.61	1.70
2014-02-08 04:00	12	0.00	0.00	2.18	4.00			0.00	0.00	21.20	21.20			0.00	0.00
2014-02-08 04:00	13			1.22	3.00			0.00	0.00	20.20	20.20	0.00	0.00	2.95	3.30
2014-02-08 05:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.10	20.20			0.00	0.00
2014-02-08 05:00	2	0.06	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-08 05:00	7			1.50	3.00			0.00	0.00	20.34	20.40	0.00	0.10	0.00	0.00
2014-02-08 05:00	8			2.19	3.00			2.05	2.10	20.90	20.90	0.00	0.00	0.02	0.20
2014-02-08 05:00	10			3.11	5.00	0.00	0.00	0.00	0.00	20.20	20.30			1.69	1.80
2014-02-08 05:00	12	0.00	0.00	1.95	3.00			0.00	0.00	21.20	21.20			0.00	0.00
2014-02-08 05:00	13			1.08	3.00			0.00	0.00	20.20	20.20	0.00	0.00	3.28	3.40
2014-02-08 06:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.11	20.20			0.00	0.00
2014-02-08 06:00	2	0.08	0.60			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-08 06:00	7			1.38	3.00			0.00	0.00	20.39	20.40	0.01	0.10	0.00	0.00
2014-02-08 06:00	8			2.39	3.00			2.07	2.10	20.90	20.90	0.00	0.00	0.03	0.30
2014-02-08 06:00	10			3.09	4.00	0.00	0.00	0.00	0.00	20.20	20.20			1.71	1.80
2014-02-08 06:00	12	0.00	0.00	2.33	4.00			0.00	0.00	21.20	21.20			0.00	0.00
2014-02-08 06:00	13			1.11	2.00			0.00	0.00	20.20	20.20	0.00	0.00	3.49	3.70
2014-02-08 07:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.10	20.10			0.00	0.00
2014-02-08 07:00	2	0.02	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-08 07:00	7			1.25	2.00			0.00	0.00	20.40	20.40	0.00	0.10	0.00	0.00
2014-02-08 07:00	8			2.09	4.00			2.00	2.10	20.90	20.90	0.00	0.00	0.04	0.30
2014-02-08 07:00	10			3.08	4.00	0.00	0.00	0.00	0.00	20.22	20.30			1.72	1.80
2014-02-08 07:00	12	0.00	0.00	2.24	13.00			0.00	0.00	21.20	21.20			0.00	0.00
2014-02-08 07:00	13			1.03	2.00			0.00	0.00	20.19	20.20	0.00	0.00	3.66	3.90
2014-02-08 08:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.08	20.10			0.00	0.00
2014-02-08 08:00	2	0.07	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-08 08:00	7			1.32	3.00			0.00	0.00	20.44	20.50	0.00	0.10	0.00	0.00
2014-02-08 08:00	8			2.21	4.00			1.91	2.10	20.90	20.90	0.00	0.00	0.01	0.20

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-02-08 08:00	10			3.03	4.00	0.00	0.00	0.00	0.00	20.24	20.30			1.71	1.90
2014-02-08 08:00	12	0.00	0.00	2.92	12.00			0.00	0.00	21.20	21.20			0.00	0.00
2014-02-08 08:00	13			1.13	2.00			0.00	0.00	20.24	20.30	0.00	0.00	3.45	3.60
2014-02-08 09:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.11	20.20			0.00	0.00
2014-02-08 09:00	2	0.02	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-08 09:00	7			1.36	2.00			0.00	0.00	20.44	20.60	0.00	0.00	0.00	0.00
2014-02-08 09:00	8			2.28	3.00			1.81	1.90	20.90	20.90	0.00	0.00	0.00	0.10
2014-02-08 09:00	10			2.94	4.00	0.00	0.00	0.00	0.00	20.31	20.40			1.61	1.70
2014-02-08 09:00	12	0.00	0.00	2.51	15.00			0.00	0.00	21.17	21.20			0.00	0.00
2014-02-08 09:00	13			1.06	2.00			0.00	0.00	20.23	20.30	0.00	0.00	2.91	3.30
2014-02-08 10:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.19	20.30			0.00	0.00
2014-02-08 10:00	2	0.02	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-08 10:00	7			1.49	2.00			0.00	0.00	20.47	20.50	0.00	0.00	0.00	0.00
2014-02-08 10:00	8			2.15	4.00			1.67	1.80	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-08 10:00	10			3.05	4.00	0.00	0.00	0.00	0.00	20.36	20.40			1.53	1.70
2014-02-08 10:00	12	0.00	0.00	2.33	14.00			0.00	0.00	21.20	21.20			0.00	0.00
2014-02-08 10:00	13			1.08	2.00			0.00	0.00	20.32	20.40	0.00	0.00	2.15	2.70
2014-02-08 11:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.29	20.40			0.00	0.00
2014-02-08 11:00	2	0.02	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-08 11:00	7			1.86	3.00			0.00	0.00	20.48	20.60	0.00	0.10	0.00	0.00
2014-02-08 11:00	8			2.45	3.00			1.51	1.60	20.90	20.90	0.00	0.00	0.00	0.10
2014-02-08 11:00	10			3.22	4.00	0.00	0.00	0.00	0.00	20.40	20.50			1.44	1.60
2014-02-08 11:00	12	0.00	0.00	2.92	16.00			0.00	0.00	21.22	21.30			0.00	0.00
2014-02-08 11:00	13			1.03	2.00			0.00	0.00	20.38	20.40	0.00	0.00	1.19	1.80
2014-02-08 12:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.39	20.40			0.00	0.00
2014-02-08 12:00	2	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-08 12:00	7			1.91	2.00			0.00	0.00	20.55	20.60	0.00	0.00	0.00	0.00
2014-02-08 12:00	8			2.39	3.00			1.32	1.50	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-08 12:00	10			3.19	5.00	0.00	0.00	0.00	0.00	20.49	20.60			1.35	1.50
2014-02-08 12:00	12	0.00	0.00	2.11	5.00			0.00	0.00	21.23	21.30			0.00	0.00
2014-02-08 12:00	13			1.33	3.00			0.00	0.00	20.40	20.50	0.00	0.00	0.83	1.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-02-08 13:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.40	20.50			0.00	0.00
2014-02-08 13:00	2	0.00	0.10			0.00	0.00	0.00	0.00	21.12	21.30			0.00	0.00
2014-02-08 13:00	7			1.90	2.00			0.00	0.00	20.60	20.60	0.00	0.00	0.00	0.00
2014-02-08 13:00	8			2.70	3.00			1.20	1.30	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-08 13:00	10			3.20	4.00	0.00	0.00	0.00	0.00	20.53	20.60			1.28	1.40
2014-02-08 13:00	12	0.00	0.00	2.12	4.00			0.00	0.00	21.28	21.30			0.00	0.00
2014-02-08 13:00	13			1.12	3.00			0.00	0.00	20.41	20.50	0.00	0.00	0.54	0.80
2014-02-08 14:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.44	20.50			0.00	0.00
2014-02-08 14:00	2	0.00	0.10			0.00	0.00	0.00	0.00	21.29	21.30			0.00	0.00
2014-02-08 14:00	7			1.95	2.00			0.00	0.00	20.68	20.70	0.00	0.00	0.00	0.00
2014-02-08 14:00	8			2.68	4.00			0.06	1.20	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-08 14:00	10			3.00	3.00	0.00	0.00	0.00	0.00	20.56	20.60			1.13	1.30
2014-02-08 14:00	12	0.00	0.00	2.08	3.00			0.00	0.00	21.30	21.40			0.00	0.00
2014-02-08 14:00	13			1.03	2.00			0.00	0.00	20.42	20.50	0.00	0.00	0.44	0.60
2014-02-08 15:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.48	20.60			0.00	0.00
2014-02-08 15:00	2	0.00	0.10			0.00	0.00	0.00	0.00	21.30	21.30			0.00	0.00
2014-02-08 15:00	7			1.92	2.00			0.00	0.00	20.79	20.90	0.00	0.00	0.00	0.00
2014-02-08 15:00	8			2.68	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-08 15:00	10			3.23	4.00	0.00	0.00	0.00	0.00	20.62	20.70			1.07	1.20
2014-02-08 15:00	12	0.00	0.00	2.49	14.00			0.00	0.00	21.30	21.30			0.00	0.00
2014-02-08 15:00	13			1.03	2.00			0.00	0.00	20.44	20.50	0.00	0.00	0.35	0.40
2014-02-08 16:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.49	20.50			0.00	0.00
2014-02-08 16:00	2	0.00	0.10			0.00	0.00	0.00	0.00	21.27	21.30			0.00	0.00
2014-02-08 16:00	7			2.00	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-08 16:00	8			2.74	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-08 16:00	10			3.00	4.00	0.00	0.00	0.00	0.00	20.65	20.90			1.09	1.20
2014-02-08 16:00	12	0.00	0.00	2.33	10.00			0.00	0.00	21.30	21.30			0.00	0.00
2014-02-08 16:00	13			1.15	3.00			0.00	0.00	20.48	20.50	0.00	0.00	0.59	0.80
2014-02-08 17:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.41	20.50			0.00	0.00
2014-02-08 17:00	2	0.00	0.00			0.00	0.00	0.00	0.00	21.25	21.30			0.00	0.00
2014-02-08 17:00	7			1.95	2.00			0.00	0.00	20.90	20.90	0.00	0.10	0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-02-08 17:00	8			2.74	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-08 17:00	10			3.18	4.00	0.00	0.00	0.00	0.00	20.77	20.90			1.23	1.40
2014-02-08 17:00	12	0.00	0.00	2.08	6.00			0.00	0.00	21.30	21.30			0.00	0.00
2014-02-08 17:00	13			1.18	3.00			0.00	0.00	20.50	20.60	0.00	0.00	1.08	1.60
2014-02-08 18:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.42	20.50			0.00	0.00
2014-02-08 18:00	2	0.01	0.20			0.00	0.00	0.00	0.00	21.25	21.30			0.00	0.00
2014-02-08 18:00	7			1.89	2.00			0.00	0.00	20.69	20.90	0.00	0.10	0.00	0.00
2014-02-08 18:00	8			2.87	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-08 18:00	10			3.15	4.00	0.00	0.00	0.00	0.00	20.58	20.70			1.50	1.70
2014-02-08 18:00	12	0.00	0.00	2.44	15.00			0.00	0.00	21.31	21.40			0.00	0.00
2014-02-08 18:00	13			0.98	2.00			0.00	0.00	20.49	20.50	0.00	0.00	2.08	2.80
2014-02-08 19:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.39	20.40			0.00	0.00
2014-02-08 19:00	2	0.02	0.20			0.00	0.00	0.00	0.00	21.19	21.20			0.00	0.00
2014-02-08 19:00	7			1.92	4.00			0.00	0.00	20.59	20.70	0.00	0.00	0.00	0.00
2014-02-08 19:00	8			2.49	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-08 19:00	10			3.13	4.00	0.00	0.00	0.00	0.00	20.57	20.70			1.67	1.80
2014-02-08 19:00	12	0.01	0.20	2.16	5.00			0.00	0.00	21.31	21.40			0.00	0.00
2014-02-08 19:00	13			1.08	3.00			0.00	0.00	20.44	20.50	0.00	0.00	3.05	3.30
2014-02-08 20:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.34	20.40			0.00	0.00
2014-02-08 20:00	2	0.04	0.40			0.00	0.00	0.00	0.00	21.20	21.20			0.00	0.00
2014-02-08 20:00	7			1.68	3.00			0.00	0.00	20.59	20.90	0.01	0.10	0.00	0.00
2014-02-08 20:00	8			2.08	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-08 20:00	10			3.03	4.00	0.00	0.00	0.00	0.00	20.55	20.60			1.73	1.90
2014-02-08 20:00	12	0.00	0.00	2.51	8.00			0.00	0.00	21.28	21.40			0.00	0.00
2014-02-08 20:00	13			1.13	3.00			0.00	0.00	20.41	20.50	0.00	0.00	3.07	3.20
2014-02-08 21:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.30	20.30			0.00	0.00
2014-02-08 21:00	2	0.02	0.20			0.00	0.00	0.00	0.00	21.20	21.20			0.00	0.00
2014-02-08 21:00	7			1.89	3.00			0.00	0.00	20.57	20.70	0.00	0.00	0.00	0.00
2014-02-08 21:00	8			2.27	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.10
2014-02-08 21:00	10			3.08	4.00	0.00	0.00	0.00	0.00	20.59	20.60			1.86	2.00
2014-02-08 21:00	12	0.00	0.00	2.14	4.00			0.00	0.00	21.30	21.30			0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-02-08 21:00	13			1.24	3.00			0.00	0.00	20.41	20.50	0.00	0.00	3.26	3.40
2014-02-08 22:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.30	20.30			0.00	0.00
2014-02-08 22:00	2	0.04	0.30			0.00	0.00	0.00	0.00	21.20	21.20			0.00	0.00
2014-02-08 22:00	7			1.77	3.00			0.00	0.00	20.58	20.70	0.00	0.10	0.00	0.00
2014-02-08 22:00	8			2.56	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.10
2014-02-08 22:00	10			3.13	4.00	0.00	0.00	0.00	0.00	20.59	20.60			1.92	2.00
2014-02-08 22:00	12	0.00	0.10	2.80	19.00			0.00	0.00	21.30	21.30			0.00	0.00
2014-02-08 22:00	13			1.05	2.00			0.00	0.00	20.41	20.50	0.00	0.00	3.40	3.50
2014-02-08 23:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.33	20.40			0.00	0.00
2014-02-08 23:00	2	0.02	0.10			0.00	0.00	0.00	0.00	21.20	21.20			0.00	0.00
2014-02-08 23:00	7			1.73	2.00			0.00	0.00	20.56	20.60	0.00	0.10	0.00	0.00
2014-02-08 23:00	8			2.31	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-08 23:00	10			3.05	4.00	0.00	0.00	0.00	0.00	20.57	20.60			1.97	2.10
2014-02-08 23:00	12	0.00	0.00	2.26	4.00			0.00	0.00	21.29	21.30			0.00	0.00
2014-02-08 23:00	13			1.11	2.00			0.00	0.00	20.49	20.50	0.00	0.00	3.23	3.30
2014-02-09 00:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.36	20.40			0.00	0.10
2014-02-09 00:00	2	0.02	0.20			0.00	0.00	0.00	0.00	21.19	21.20			0.00	0.00
2014-02-09 00:00	7			1.78	3.00			0.00	0.00	20.57	20.70	0.01	0.10	0.00	0.00
2014-02-09 00:00	8			2.58	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.10
2014-02-09 00:00	10			3.00	4.00	0.00	0.00	0.00	0.00	20.54	20.60			2.06	2.20
2014-02-09 00:00	12	0.00	0.00	2.14	4.00			0.00	0.00	21.30	21.30			0.00	0.00
2014-02-09 00:00	13			1.22	3.00			0.00	0.00	20.47	20.50	0.00	0.00	3.40	3.60
2014-02-09 01:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.32	20.40			0.00	0.00
2014-02-09 01:00	2	0.03	0.20			0.00	0.00	0.00	0.00	21.18	21.20			0.00	0.00
2014-02-09 01:00	7			1.66	2.00			0.00	0.00	20.57	20.70	0.00	0.10	0.00	0.00
2014-02-09 01:00	8			2.29	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-09 01:00	10			3.20	4.00	0.00	0.00	0.00	0.00	20.51	20.60			2.11	2.20
2014-02-09 01:00	12	0.00	0.00	2.24	8.00			0.00	0.00	21.30	21.30			0.00	0.00
2014-02-09 01:00	13			1.26	4.00			0.00	0.00	20.42	20.50	0.00	0.00	3.77	3.90
2014-02-09 02:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.31	20.40			0.00	0.00
2014-02-09 02:00	2	0.03	0.20			0.00	0.00	0.00	0.00	21.16	21.20			0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-02-09 02:00	7			1.85	3.00			0.00	0.00	20.57	20.70	0.00	0.10	0.00	0.00
2014-02-09 02:00	8			2.38	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.10
2014-02-09 02:00	10			3.06	4.00	0.00	0.00	0.00	0.00	20.52	20.60			2.08	2.20
2014-02-09 02:00	12	0.00	0.00	2.43	13.00			0.00	0.00	21.30	21.30			0.00	0.00
2014-02-09 02:00	13			1.00	2.00			0.00	0.00	20.41	20.50	0.00	0.00	3.87	4.00
2014-02-09 03:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.30	20.30			0.01	0.10
2014-02-09 03:00	2	0.01	0.20			0.00	0.00	0.00	0.00	21.15	21.20			0.00	0.00
2014-02-09 03:00	7			1.92	3.00			0.00	0.00	20.61	20.70	0.00	0.00	0.00	0.00
2014-02-09 03:00	8			2.23	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.10
2014-02-09 03:00	10			3.10	4.00	0.00	0.00	0.00	0.00	20.52	20.60			2.08	2.20
2014-02-09 03:00	12	0.00	0.00	2.05	4.00			0.00	0.00	21.30	21.30			0.00	0.00
2014-02-09 03:00	13			1.03	2.00			0.00	0.00	20.40	20.40	0.00	0.00	3.96	4.00
2014-02-09 04:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.30	20.30			0.04	0.10
2014-02-09 04:00	2	0.01	0.10			0.00	0.00	0.00	0.00	21.17	21.20			0.00	0.00
2014-02-09 04:00	7			1.78	3.00			0.00	0.00	20.59	20.70	0.00	0.00	0.00	0.00
2014-02-09 04:00	8			2.60	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-09 04:00	10			3.03	4.00	0.00	0.00	0.00	0.00	20.53	20.60			2.06	2.20
2014-02-09 04:00	12	0.00	0.00	2.78	15.00			0.00	0.00	21.30	21.30			0.00	0.00
2014-02-09 04:00	13			1.11	3.00			0.00	0.00	20.40	20.40	0.00	0.00	3.95	4.00
2014-02-09 05:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.30	20.30			0.00	0.00
2014-02-09 05:00	2	0.00	0.10			0.00	0.00	0.00	0.00	21.16	21.20			0.00	0.00
2014-02-09 05:00	7			1.87	3.00			0.00	0.00	20.59	20.70	0.01	0.10	0.00	0.00
2014-02-09 05:00	8			2.47	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2014-02-09 05:00	10			3.10	4.00	0.00	0.00	0.00	0.00	20.52	20.60			2.07	2.20
2014-02-09 05:00	12	0.00	0.00	2.30	13.00			0.00	0.00	21.30	21.30			0.00	0.00
2014-02-09 05:00	13			1.10	3.00			0.00	0.00	20.40	20.40	0.00	0.00	3.94	4.00
2014-02-09 06:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.31	20.40			0.00	0.00
2014-02-09 06:00	2	0.01	0.10			0.00	0.00	0.00	0.00	21.14	21.30			0.00	0.00
2014-02-09 06:00	7			1.94	3.00			0.00	0.00	20.59	20.70	0.00	0.10	0.00	0.00
2014-02-09 06:00	8			2.50	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2014-02-09 06:00	10			3.08	4.00	0.00	0.00	0.00	0.00	20.52	20.60			2.08	2.20

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-02-09 06:00	12	0.00	0.00	2.76	16.00			0.00	0.00	21.29	21.30			0.00	0.00
2014-02-09 06:00	13			1.03	2.00			0.00	0.00	20.40	20.40	0.00	0.00	3.98	4.20
2014-02-09 07:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.30	20.30			0.00	0.00
2014-02-09 07:00	2	0.02	0.50			0.00	0.00	0.00	0.00	21.12	21.20			0.00	0.00
2014-02-09 07:00	7			1.87	2.00			0.00	0.00	20.60	20.70	0.01	0.10	0.00	0.00
2014-02-09 07:00	8			2.70	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.10
2014-02-09 07:00	10			3.08	4.00	0.00	0.00	0.00	0.00	20.44	20.50			2.17	2.30
2014-02-09 07:00	12	0.00	0.00	2.79	15.00			0.00	0.00	21.24	21.30			0.00	0.00
2014-02-09 07:00	13			0.97	2.00			0.00	0.00	20.40	20.40	0.00	0.00	4.18	4.30
2014-02-09 08:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.30	20.40			0.00	0.00
2014-02-09 08:00	2	0.03	0.20			0.00	0.00	0.00	0.00	21.12	21.20			0.00	0.00
2014-02-09 08:00	7			2.00	2.00			0.00	0.00	20.57	20.60	0.00	0.00	0.00	0.00
2014-02-09 08:00	8			2.73	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-09 08:00	10			3.37	5.00	0.00	0.00	0.00	0.00	20.42	20.50			2.13	2.20
2014-02-09 08:00	12	0.00	0.00	2.00	5.00			0.00	0.00	21.26	21.30			0.00	0.00
2014-02-09 08:00	13			1.20	2.00			0.00	0.00	20.40	20.40	0.00	0.00	3.52	4.00
2014-02-09 09:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.32	20.40			0.00	0.00
2014-02-09 09:00	2	0.00	0.10			0.00	0.00	0.00	0.00	21.20	21.20			0.00	0.00
2014-02-09 09:00	7			1.86	2.00			0.00	0.00	20.60	20.70	0.00	0.00	0.00	0.00
2014-02-09 09:00	8			2.85	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2014-02-09 09:00	10			3.11	5.00	0.00	0.00	0.00	0.00	20.42	20.50			2.08	2.20
2014-02-09 09:00	12	0.00	0.00	2.08	3.00			0.00	0.00	21.26	21.30			0.00	0.00
2014-02-09 09:00	13			1.19	3.00			0.00	0.00	20.40	20.50	0.00	0.00	2.91	3.10
2014-02-09 10:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.38	20.50			0.00	0.00
2014-02-09 10:00	2	0.00	0.10			0.00	0.00	0.00	0.00	21.19	21.20			0.00	0.00
2014-02-09 10:00	7			1.95	2.00			0.00	0.00	20.58	20.70	0.00	0.00	0.00	0.00
2014-02-09 10:00	8			2.59	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-09 10:00	10			3.03	4.00	0.00	0.00	0.00	0.00	20.44	20.50			2.04	2.10
2014-02-09 10:00	12	0.00	0.00	3.14	29.00			0.00	0.00	21.21	21.30			0.00	0.00
2014-02-09 10:00	13			1.18	3.00			0.00	0.00	20.40	20.50	0.00	0.00	2.12	2.60
2014-02-09 11:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.50	20.60			0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-02-09 11:00	2	0.00	0.00			0.00	0.00	0.00	0.00	21.21	21.30			0.00	0.00
2014-02-09 11:00	7			2.00	2.00			0.00	0.00	20.64	20.70	0.00	0.00	0.00	0.00
2014-02-09 11:00	8			2.48	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-09 11:00	10			3.17	4.00	0.00	0.00	0.00	0.00	20.49	20.60			1.90	2.10
2014-02-09 11:00	12	0.00	0.00	2.55	13.00			0.00	0.00	21.25	21.30			0.00	0.00
2014-02-09 11:00	13			1.03	2.00			0.00	0.00	20.39	20.50	0.00	0.00	1.25	1.60
2014-02-09 12:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.47	20.50			0.00	0.00
2014-02-09 12:00	2	0.01	0.10			0.00	0.00	0.00	0.00	21.28	21.30			0.00	0.00
2014-02-09 12:00	7			1.97	2.00			0.00	0.00	20.70	20.70	0.00	0.00	0.00	0.00
2014-02-09 12:00	8			2.77	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-09 12:00	10			2.95	4.00	0.00	0.00	0.00	0.00	20.51	20.60			1.84	2.00
2014-02-09 12:00	12	0.00	0.00	2.15	3.00			0.00	0.00	21.29	21.30			0.00	0.00
2014-02-09 12:00	13			1.21	4.00			0.00	0.00	20.42	20.50	0.00	0.00	0.90	1.10
2014-02-09 13:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.53	20.60			0.00	0.00
2014-02-09 13:00	2	0.00	0.00			0.00	0.00	0.00	0.00	21.24	21.30			0.00	0.00
2014-02-09 13:00	7			2.00	2.00			0.00	0.00	20.70	20.70	0.00	0.00	0.00	0.00
2014-02-09 13:00	8			2.77	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-09 13:00	10			3.21	4.00	0.00	0.00	0.00	0.00	20.52	20.60			1.75	1.90
2014-02-09 13:00	12	0.00	0.00	2.46	5.00			0.00	0.00	21.30	21.30			0.00	0.00
2014-02-09 13:00	13			1.05	3.00			0.00	0.00	20.44	20.50	0.00	0.00	0.83	0.90
2014-02-09 14:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.52	20.60			0.00	0.00
2014-02-09 14:00	2	0.00	0.10			0.00	0.00	0.00	0.00	21.24	21.30			0.00	0.00
2014-02-09 14:00	7			2.00	2.00			0.00	0.00	20.75	20.90	0.00	0.00	0.00	0.00
2014-02-09 14:00	8			2.82	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-09 14:00	10			3.23	5.00	0.00	0.00	0.00	0.00	20.51	20.60			1.66	1.80
2014-02-09 14:00	12	0.00	0.00	2.00	3.00			0.00	0.00	21.30	21.40			0.00	0.00
2014-02-09 14:00	13			1.18	3.00			0.00	0.00	20.44	20.50	0.00	0.00	0.66	0.90
2014-02-09 15:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.42	20.60			0.00	0.00
2014-02-09 15:00	2	0.01	0.20			0.00	0.00	0.00	0.00	21.20	21.20			0.00	0.00
2014-02-09 15:00	7			2.00	2.00			0.00	0.00	20.63	20.90	0.00	0.10	0.00	0.00
2014-02-09 15:00	8			3.03	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-02-09 15:00	10			3.30	4.00	0.00	0.00	0.00	0.00	20.48	20.60			1.73	2.10
2014-02-09 15:00	12	0.00	0.00	2.18	4.00			0.00	0.00	21.28	21.30			0.00	0.00
2014-02-09 15:00	13			1.10	3.00			0.00	0.00	20.41	20.50	0.00	0.00	0.97	1.80
2014-02-09 16:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.32	20.40			0.00	0.00
2014-02-09 16:00	2	0.02	0.20			0.00	0.00	0.00	0.00	21.19	21.20			0.00	0.00
2014-02-09 16:00	7			2.00	2.00			0.00	0.00	20.61	20.70	0.00	0.10	0.00	0.00
2014-02-09 16:00	8			2.91	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-09 16:00	10			3.68	4.00	0.00	0.00	0.00	0.00	20.44	20.50			2.06	2.20
2014-02-09 16:00	12	0.00	0.00	2.28	7.00			0.00	0.00	21.26	21.30			0.00	0.00
2014-02-09 16:00	13			1.49	3.00			0.00	0.00	20.35	20.40	0.00	0.00	2.25	2.50
2014-02-09 17:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.23	20.30			0.00	0.00
2014-02-09 17:00	2	0.02	0.20			0.00	0.00	0.00	0.00	21.15	21.20			0.00	0.00
2014-02-09 17:00	7			1.83	2.00			0.00	0.00	20.59	20.60	0.00	0.00	0.00	0.00
2014-02-09 17:00	8			2.81	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-09 17:00	10			3.47	4.00	0.00	0.00	0.00	0.00	20.42	20.50			1.88	2.00
2014-02-09 17:00	12	0.00	0.00	2.53	13.00			0.00	0.00	21.20	21.20			0.00	0.00
2014-02-09 17:00	13			1.30	2.00			0.00	0.00	20.31	20.40	0.00	0.00	1.77	2.10
2014-02-09 21:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.18	20.20			0.00	0.00
2014-02-09 21:00	2	0.03	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-09 21:00	7			1.55	2.00			0.00	0.00	20.55	20.60	0.00	0.00	0.00	0.00
2014-02-09 21:00	10			3.33	4.00	0.00	0.00	0.00	0.00	20.32	20.40			1.78	1.90
2014-02-09 21:00	12	0.00	0.00	2.00	2.00			0.00	0.00	21.20	21.20			0.00	0.00
2014-02-09 21:00	13			0.89	1.00			0.00	0.00	20.20	20.20	0.00	0.00	2.26	2.40
2014-02-09 22:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.14	20.20			0.00	0.00
2014-02-09 22:00	2	0.04	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-09 22:00	7			1.43	3.00			0.00	0.00	20.58	20.60	0.00	0.00	0.00	0.00
2014-02-09 22:00	8			2.60	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-09 22:00	10			2.97	4.00	0.00	0.00	0.00	0.00	20.31	20.40			1.76	1.90
2014-02-09 22:00	12	0.00	0.00	2.38	8.00			0.00	0.00	21.20	21.20			0.00	0.00
2014-02-09 22:00	13			1.16	3.00			0.00	0.00	20.20	20.20	0.00	0.00	2.29	2.40
2014-02-09 23:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.14	20.20			0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-02-09 23:00	2	0.03	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-09 23:00	7			1.60	3.00			0.00	0.00	20.54	20.60	0.02	0.10	0.00	0.00
2014-02-09 23:00	8			2.96	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2014-02-09 23:00	10			3.16	4.00	0.00	0.00	0.00	0.00	20.28	20.40			1.79	2.00
2014-02-09 23:00	12	0.00	0.00	2.18	4.00			0.00	0.00	21.20	21.20			0.00	0.00
2014-02-09 23:00	13			1.09	3.00			0.00	0.00	20.20	20.20	0.00	0.00	2.09	2.50
2014-02-10 00:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.10	20.20			0.00	0.00
2014-02-10 00:00	2	0.01	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-10 00:00	7			1.11	2.00			0.00	0.00	20.50	20.60	0.00	0.10	0.00	0.00
2014-02-10 00:00	8			2.76	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2014-02-10 00:00	10			3.08	4.00	0.00	0.00	0.00	0.00	20.23	20.30			1.46	1.70
2014-02-10 00:00	12	0.00	0.00	2.11	4.00			0.00	0.00	21.20	21.20			0.00	0.00
2014-02-10 00:00	13			1.10	2.00			0.00	0.00	20.16	20.20	0.00	0.00	1.15	1.70
2014-02-10 01:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.11	20.20			0.00	0.00
2014-02-10 01:00	2	0.06	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-10 01:00	7			1.44	3.00			0.00	0.00	20.48	20.50	0.00	0.00	0.00	0.00
2014-02-10 01:00	8			2.69	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2014-02-10 01:00	10			3.12	4.00	0.00	0.00	0.00	0.00	20.23	20.30			1.18	1.30
2014-02-10 01:00	12	0.00	0.00	2.39	7.00			0.00	0.00	21.12	21.20			0.00	0.00
2014-02-10 01:00	13			1.13	2.00			0.00	0.00	20.12	20.20	0.00	0.00	0.72	0.80
2014-02-10 02:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.05	20.10			0.00	0.00
2014-02-10 02:00	2	0.08	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-10 02:00	7			1.46	3.00			0.00	0.00	20.41	20.50	0.01	0.10	0.00	0.00
2014-02-10 02:00	8			2.74	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2014-02-10 02:00	10			3.03	4.00	0.00	0.00	0.00	0.00	20.19	20.30			1.11	1.30
2014-02-10 02:00	12	0.00	0.00	2.87	12.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-10 02:00	13			1.00	2.00			0.00	0.00	20.10	20.20	0.00	0.00	0.60	0.80
2014-02-10 03:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.00	20.10			0.00	0.00
2014-02-10 03:00	2	0.08	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-10 03:00	7			1.23	3.00			0.00	0.00	20.40	20.50	0.00	0.00	0.00	0.00
2014-02-10 03:00	8			2.68	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-02-10 03:00	10			3.18	4.00	0.00	0.00	0.00	0.00	20.17	20.20			0.97	1.20
2014-02-10 03:00	12	0.00	0.00	2.08	4.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-10 03:00	13			1.21	3.00			0.00	0.00	20.02	20.20	0.00	0.00	0.53	0.70
2014-02-10 04:00	1	0.00	0.00			0.00	0.00	2.04	3.10	19.95	20.00			0.00	0.00
2014-02-10 04:00	2	0.20	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-10 04:00	7			1.24	2.00			0.00	0.00	20.33	20.40	0.00	0.10	0.00	0.00
2014-02-10 04:00	8			2.49	3.00			0.00	0.00	20.84	20.90	0.00	0.00	0.00	0.00
2014-02-10 04:00	10			2.97	3.00	0.00	0.00	0.00	0.00	20.11	20.20			0.88	1.00
2014-02-10 04:00	12	0.00	0.00	2.74	17.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-10 04:00	13			0.97	2.00			0.00	0.00	19.99	20.10	0.00	0.00	0.43	0.50
2014-02-10 05:00	1	0.00	0.00			0.00	0.00	3.11	3.20	19.88	20.00			0.00	0.00
2014-02-10 05:00	2	0.15	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-10 05:00	7			1.21	3.00			0.00	0.00	20.27	20.30	0.02	0.10	0.00	0.00
2014-02-10 05:00	8			2.23	3.00			0.00	0.00	20.56	20.70	0.00	0.00	0.00	0.00
2014-02-10 05:00	10			3.05	4.00	0.00	0.00	0.00	0.00	20.06	20.20			0.93	1.10
2014-02-10 05:00	12	0.00	0.10	2.39	8.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-10 05:00	13			1.10	3.00			0.00	0.00	19.99	20.00	0.00	0.00	0.39	0.50
2014-02-10 06:00	1	0.00	0.00			0.00	0.00	3.19	3.20	19.81	19.90			0.00	0.00
2014-02-10 06:00	2	0.23	1.20			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-10 06:00	7			1.05	2.00			0.00	0.00	20.22	20.30	0.00	0.00	0.00	0.00
2014-02-10 06:00	8			2.47	3.00			0.00	0.00	20.56	20.60	0.00	0.00	0.00	0.00
2014-02-10 06:00	10			3.09	4.00	0.00	0.00	0.00	0.00	20.06	20.10			0.95	1.10
2014-02-10 06:00	12	0.00	0.00	2.30	10.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-10 06:00	13			1.08	2.00			0.00	0.00	19.90	19.90	0.00	0.00	0.39	0.40
2014-02-10 07:00	1	0.00	0.00			0.00	0.00	3.21	3.30	19.81	19.90			0.00	0.00
2014-02-10 07:00	2	0.25	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-10 07:00	7			1.16	2.00			0.00	0.00	20.21	20.30	0.00	0.10	0.00	0.00
2014-02-10 07:00	8			2.50	3.00			0.00	0.00	20.60	20.60	0.00	0.00	0.00	0.00
2014-02-10 07:00	10			3.00	3.00	0.00	0.00	0.00	0.00	20.01	20.10			0.98	1.10
2014-02-10 07:00	12	0.00	0.00	2.06	6.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-10 07:00	13			1.00	2.00			0.00	0.00	19.90	19.90	0.00	0.00	0.44	0.50

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-02-10 08:00	1	0.00	0.10			0.00	0.00	3.10	3.30	19.81	19.90			0.00	0.00
2014-02-10 08:00	2	0.16	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-10 08:00	7			1.22	3.00			0.00	0.00	20.20	20.20	0.02	0.10	0.00	0.00
2014-02-10 08:00	8			2.33	4.00			0.00	0.00	20.55	20.60	0.00	0.00	0.00	0.00
2014-02-10 08:00	10			3.03	4.00	0.00	0.00	0.00	0.00	20.01	20.10			1.02	1.20
2014-02-10 08:00	12	0.00	0.00	2.05	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-10 08:00	13			1.00	2.00			0.00	0.00	19.91	20.00	0.00	0.00	0.39	0.50
2014-02-10 09:00	1	0.00	0.00			0.00	0.00	2.20	2.90	19.86	20.10			0.00	0.00
2014-02-10 09:00	2	0.16	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-10 09:00	7			1.33	3.00			0.00	0.00	20.30	20.40	0.00	0.00	0.00	0.00
2014-02-10 09:00	8			2.49	3.00			0.00	0.00	20.50	20.50	0.00	0.00	0.00	0.00
2014-02-10 09:00	10			3.05	4.00	0.00	0.00	0.00	0.00	20.02	20.10			1.01	1.20
2014-02-10 09:00	12	0.00	0.00	2.17	8.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-10 09:00	13			1.03	2.00			0.00	0.00	19.94	20.10	0.00	0.00	0.21	0.30
2014-02-10 10:00	1	0.01	0.10			0.00	0.00	0.36	1.40	20.30	20.50			0.00	0.00
2014-02-10 10:00	2	0.04	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-10 10:00	7			1.65	3.00			0.00	0.00	20.48	20.60	0.00	0.10	0.00	0.00
2014-02-10 10:00	8			2.44	4.00			0.00	0.00	20.52	20.60	0.00	0.00	0.00	0.00
2014-02-10 10:00	10			3.03	4.00	0.00	0.00	0.00	0.00	20.02	20.10			1.05	1.20
2014-02-10 10:00	12	0.00	0.00	2.23	14.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-10 10:00	13			1.03	2.00			0.00	0.00	20.12	20.30	0.00	0.00	0.03	0.10
2014-02-10 11:00	1	0.01	0.20			0.00	0.00	0.00	0.00	20.63	20.90			0.00	0.00
2014-02-10 11:00	2	0.01	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-10 11:00	7			1.88	2.00			0.00	0.00	20.54	20.70	0.00	0.10	0.00	0.00
2014-02-10 11:00	8			2.23	3.00			0.00	0.00	20.60	20.70	0.00	0.00	0.00	0.00
2014-02-10 11:00	10			3.10	4.00	0.00	0.00	0.00	0.00	20.04	20.10			1.00	1.20
2014-02-10 11:00	12	0.00	0.10	2.34	13.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-10 11:00	13			1.08	2.00			0.00	0.00	20.21	20.30	0.00	0.00	0.00	0.00
2014-02-10 12:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-10 12:00	2	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-10 12:00	7			1.68	3.00			0.00	0.00	20.53	20.60	0.00	0.00	0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-02-10 12:00	8			2.74	4.00			0.00	0.00	20.63	20.70	0.00	0.00	0.00	0.00
2014-02-10 12:00	10			3.00	3.00	0.00	0.00	0.00	0.00	20.05	20.10			0.75	1.00
2014-02-10 12:00	12	0.01	0.30	2.55	12.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-10 12:00	13			1.03	2.00			0.00	0.00	20.29	20.40	0.00	0.00	0.00	0.00