

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-02-10 12:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-10 12:00	2	0.00	0.10			0.00	0.00	0.00	0.00	20.91	21.10			0.00	0.00
2014-02-10 12:00	7			1.69	3.00			0.00	0.00	20.53	20.60	0.00	0.00	0.00	0.00
2014-02-10 12:00	8			2.76	4.00			0.00	0.00	20.63	20.70	0.00	0.00	0.00	0.00
2014-02-10 12:00	10			3.00	3.00	0.00	0.00	0.00	0.00	20.04	20.10			0.74	1.00
2014-02-10 12:00	12	0.01	0.30	2.53	12.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-10 12:00	13			1.03	2.00			0.00	0.00	20.29	20.40	0.00	0.00	0.00	0.00
2014-02-10 13:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-10 13:00	2	0.00	0.10			0.00	0.00	0.00	0.00	21.17	21.20			0.00	0.00
2014-02-10 13:00	7			1.89	3.00			0.00	0.00	20.57	20.70	0.00	0.00	0.00	0.00
2014-02-10 13:00	8			2.66	4.00			0.00	0.00	20.77	20.90	0.00	0.00	0.00	0.10
2014-02-10 13:00	10			3.00	4.00	0.00	0.00	0.00	0.00	20.14	20.20			0.52	0.70
2014-02-10 13:00	12	0.00	0.00	2.66	17.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-10 13:00	13			1.24	3.00			0.00	0.00	20.31	20.40	0.00	0.00	0.00	0.00
2014-02-10 14:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-10 14:00	2	0.01	0.50			0.00	0.00	0.00	0.00	21.25	21.30			0.00	0.00
2014-02-10 14:00	7			1.71	2.00			0.00	0.00	20.61	20.90	0.00	0.00	0.00	0.00
2014-02-10 14:00	8			2.74	3.00			0.00	0.00	20.88	20.90	0.00	0.00	0.01	0.10
2014-02-10 14:00	10			3.03	4.00	0.00	0.00	0.00	0.00	20.14	20.20			0.57	0.70
2014-02-10 14:00	12	0.00	0.00	2.65	13.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-10 14:00	13			1.03	2.00			0.00	0.00	20.40	20.50	0.00	0.00	0.00	0.00
2014-02-10 15:00	1	0.01	0.30			0.00	0.00	0.00	0.00	20.83	20.90			0.00	0.00
2014-02-10 15:00	2	0.01	0.20			0.00	0.00	0.00	0.00	21.25	21.30			0.00	0.00
2014-02-10 15:00	7			1.44	3.00			0.00	0.00	20.59	20.60	0.00	0.10	0.00	0.00
2014-02-10 15:00	8			2.79	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.20
2014-02-10 15:00	10			3.00	4.00	0.00	0.00	0.00	0.00	20.19	20.20			0.42	0.60
2014-02-10 15:00	12	0.00	0.00	2.05	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-10 15:00	13			1.22	3.00			0.00	0.00	20.55	20.60	0.00	0.00	0.00	0.00
2014-02-10 16:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.65	20.90			0.00	0.00
2014-02-10 16:00	2	0.00	0.00			0.00	0.00	0.00	0.00	21.22	21.30			0.00	0.00
2014-02-10 16:00	7			1.38	3.00			0.00	0.00	20.50	20.60	0.00	0.00	0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-02-10 16:00	8			2.74	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2014-02-10 16:00	10			3.00	4.00	0.00	0.00	0.00	0.00	20.22	20.30			0.33	0.50
2014-02-10 16:00	12	0.00	0.00	2.53	18.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-10 16:00	13			0.95	2.00			0.00	0.00	20.59	20.60	0.00	0.00	0.00	0.00
2014-02-10 17:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.37	20.60			0.00	0.00
2014-02-10 17:00	2	0.04	0.20			0.00	0.00	0.00	0.00	21.19	21.30			0.00	0.00
2014-02-10 17:00	7			1.16	4.00			0.00	0.00	20.47	20.50	0.00	0.00	0.00	0.00
2014-02-10 17:00	8			2.33	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.10
2014-02-10 17:00	10			3.05	4.00	0.00	0.00	0.00	0.00	20.19	20.30			0.23	0.40
2014-02-10 17:00	12	0.00	0.00	2.44	14.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-10 17:00	13			1.08	3.00			0.00	0.00	20.54	20.70	0.00	0.00	0.00	0.00
2014-02-10 18:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.21	20.40			0.00	0.00
2014-02-10 18:00	2	0.05	0.50			0.00	0.00	0.00	0.00	20.92	21.10			0.00	0.00
2014-02-10 18:00	7			1.25	4.00			0.00	0.00	20.42	20.50	0.02	0.10	0.00	0.00
2014-02-10 18:00	8			2.24	3.00			0.00	0.00	20.82	20.90	0.00	0.00	0.00	0.00
2014-02-10 18:00	10			3.09	4.00	0.00	0.00	0.00	0.00	20.17	20.20			0.27	0.40
2014-02-10 18:00	12	0.00	0.00	2.34	11.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-10 18:00	13			1.03	2.00			0.00	0.00	20.24	20.40	0.00	0.00	0.00	0.00
2014-02-10 19:00	1	0.00	0.00			0.00	0.00	1.95	3.10	20.04	20.20			0.00	0.00
2014-02-10 19:00	2	0.09	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-10 19:00	7			1.05	2.00			0.00	0.00	20.36	20.40	0.00	0.00	0.00	0.00
2014-02-10 19:00	8			2.49	3.00			0.00	0.00	20.65	20.70	0.00	0.00	0.00	0.00
2014-02-10 19:00	10			3.11	4.00	0.00	0.00	0.00	0.00	20.15	20.20			0.38	0.60
2014-02-10 19:00	12	0.00	0.00	2.45	12.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-10 19:00	13			1.11	3.00			0.00	0.00	20.13	20.20	0.00	0.00	0.08	0.20
2014-02-10 20:00	1	0.00	0.00			0.00	0.00	3.10	3.20	19.94	20.00			0.00	0.00
2014-02-10 20:00	2	0.20	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-10 20:00	7			1.19	2.00			0.00	0.00	20.30	20.30	0.01	0.10	0.00	0.00
2014-02-10 20:00	8			2.40	3.00			0.00	0.00	20.60	20.60	0.00	0.00	0.00	0.00
2014-02-10 20:00	10			3.00	3.00	0.00	0.00	0.00	0.00	20.08	20.20			0.54	0.60
2014-02-10 20:00	12	0.01	0.30	2.35	12.00			0.00	0.00	20.90	20.90			0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-02-10 20:00	13			1.02	2.00			0.00	0.00	20.00	20.10	0.00	0.00	0.10	0.20
2014-02-10 21:00	1	0.00	0.00			0.00	0.00	3.16	3.30	19.90	19.90			0.00	0.00
2014-02-10 21:00	2	0.23	0.60			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-10 21:00	7			1.19	3.00			0.00	0.00	20.27	20.30	0.03	0.10	0.00	0.00
2014-02-10 21:00	8			2.23	4.00			0.00	0.00	20.60	20.60	0.00	0.00	0.00	0.00
2014-02-10 21:00	10			3.05	4.00	0.00	0.00	0.00	0.00	20.09	20.20			0.48	0.60
2014-02-10 21:00	12	0.00	0.00	1.95	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-10 21:00	13			1.20	3.00			0.00	0.00	20.00	20.00	0.00	0.00	0.17	0.30
2014-02-10 22:00	1	0.00	0.00			0.00	0.00	3.19	3.30	19.86	19.90			0.00	0.00
2014-02-10 22:00	2	0.20	0.60			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-10 22:00	7			1.21	3.00			0.00	0.00	20.22	20.30	0.00	0.00	0.00	0.00
2014-02-10 22:00	8			2.35	3.00			0.00	0.00	20.57	20.60	0.00	0.00	0.00	0.00
2014-02-10 22:00	10			2.97	3.00	0.00	0.00	0.00	0.00	20.07	20.10			0.63	0.80
2014-02-10 22:00	12	0.02	0.40	2.47	17.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-10 22:00	13			1.00	2.00			0.00	0.00	20.00	20.00	0.00	0.00	0.20	0.20
2014-02-11 14:00	1	0.03	0.60			0.00	0.10	0.00	0.00	20.89	20.90			0.00	0.00
2014-02-11 14:00	7			3.92	6.00			0.00	0.00	20.89	20.90	0.00	0.00	0.11	1.50
2014-02-11 14:00	8			2.61	4.00			0.00	0.00	20.70	20.90	0.00	0.00	0.00	0.00
2014-02-11 14:00	10			3.00	6.00	0.00	0.00	0.00	0.00	20.92	21.10			0.00	0.00
2014-02-11 14:00	12	0.02	0.50	2.46	21.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-11 14:00	13			0.70	2.00			0.00	0.00	20.88	20.90	0.00	0.00	0.00	0.00
2014-02-11 15:00	1	0.00	0.20			0.00	0.00	0.00	0.00	20.45	20.60			0.00	0.00
2014-02-11 15:00	7			3.08	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-11 15:00	8			2.92	3.00			0.00	0.00	20.81	20.90	0.00	0.00	0.00	0.00
2014-02-11 15:00	10			3.48	5.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-11 15:00	12	0.00	0.00	2.37	4.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-11 15:00	13			1.10	2.00			0.00	0.00	20.62	20.90	0.00	0.00	0.00	0.00
2014-02-11 16:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.22	20.40			0.00	0.00
2014-02-11 16:00	7			2.50	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-11 16:00	8			2.74	3.00			0.00	0.00	20.54	20.60	0.00	0.00	0.00	0.00
2014-02-11 16:00	10			3.00	4.00	0.00	0.00	0.00	0.00	20.82	20.90			0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-02-11 16:00	12	0.00	0.00	2.46	7.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-11 16:00	13			0.98	2.00			0.00	0.00	20.46	20.60	0.00	0.00	0.00	0.00
2014-02-11 17:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.05	20.20			0.00	0.00
2014-02-11 17:00	7			1.97	2.00			0.00	0.00	20.67	20.90	0.00	0.00	0.00	0.00
2014-02-11 17:00	8			2.38	3.00			0.00	0.00	20.55	20.60	0.00	0.00	0.00	0.10
2014-02-11 17:00	10			3.10	4.00	0.00	0.00	0.00	0.00	20.53	20.60			0.00	0.00
2014-02-11 17:00	12	0.00	0.00	2.21	5.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-11 17:00	13			1.05	2.00			0.00	0.00	20.39	20.50	0.00	0.00	0.00	0.00
2014-02-11 18:00	1	0.00	0.00			0.00	0.00	0.00	0.00	19.94	20.00			0.00	0.00
2014-02-11 18:00	7			1.21	2.00			0.00	0.00	20.39	20.50	0.00	0.00	0.00	0.00
2014-02-11 18:00	8			2.43	3.00			0.00	0.00	20.56	20.60	0.00	0.00	0.00	0.00
2014-02-11 18:00	10			3.03	4.00	0.00	0.00	0.00	0.00	20.51	20.60			0.00	0.00
2014-02-11 18:00	12	0.00	0.00	3.05	14.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-11 18:00	13			1.03	2.00			0.00	0.00	20.21	20.30	0.00	0.00	0.00	0.00
2014-02-11 19:00	1	0.00	0.00			0.00	0.00	0.00	0.00	19.91	20.20			0.00	0.00
2014-02-11 19:00	7			1.19	3.00			0.00	0.00	20.37	20.40	0.00	0.00	0.00	0.00
2014-02-11 19:00	8			2.00	3.00			0.00	0.00	20.53	20.60	0.00	0.00	0.00	0.10
2014-02-11 19:00	10			3.10	4.00	0.00	0.00	0.00	0.00	20.46	20.50			0.00	0.00
2014-02-11 19:00	12	0.00	0.00	2.76	16.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-11 19:00	13			0.95	2.00			0.00	0.00	20.16	20.20	0.00	0.00	0.00	0.00
2014-02-11 20:00	1	0.00	0.00			0.00	0.00	0.00	0.00	19.83	19.90			0.00	0.00
2014-02-11 20:00	7			1.10	3.00			0.00	0.00	20.31	20.40	0.00	0.00	0.00	0.00
2014-02-11 20:00	8			2.34	4.00			0.00	0.00	20.50	20.60	0.00	0.00	0.00	0.00
2014-02-11 20:00	10			3.13	4.00	0.00	0.00	0.00	0.00	20.40	20.50			0.00	0.00
2014-02-11 20:00	12	0.00	0.00	3.08	15.00			0.00	0.00	20.78	20.90			0.00	0.00
2014-02-11 20:00	13			1.00	2.00			0.00	0.00	20.13	20.20	0.00	0.00	0.00	0.00
2014-02-11 21:00	1	0.00	0.00			0.00	0.00	0.00	0.00	19.78	19.90			0.00	0.00
2014-02-11 21:00	7			1.00	2.00			0.00	0.00	20.26	20.40	0.00	0.10	0.00	0.00
2014-02-11 21:00	8			2.56	4.00			0.00	0.00	20.49	20.50	0.00	0.00	0.00	0.00
2014-02-11 21:00	10			2.95	4.00	0.00	0.00	0.00	0.00	20.38	20.50			0.00	0.00
2014-02-11 21:00	12	0.00	0.00	2.61	14.00			0.00	0.00	20.54	20.60			0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-02-11 21:00	13			1.08	3.00			0.00	0.00	20.10	20.20	0.00	0.00	0.00	0.00
2014-02-11 22:00	1	0.00	0.00			0.00	0.00	0.00	0.00	19.76	19.80			0.00	0.00
2014-02-11 22:00	7			1.00	2.00			0.00	0.00	20.22	20.30	0.00	0.00	0.00	0.00
2014-02-11 22:00	8			2.21	3.00			0.00	0.00	20.41	20.50	0.00	0.00	0.00	0.00
2014-02-11 22:00	10			3.05	4.00	0.00	0.00	0.00	0.00	20.38	20.50			0.00	0.00
2014-02-11 22:00	12	0.00	0.00	2.62	15.00			0.00	0.00	20.50	20.50			0.00	0.00
2014-02-11 22:00	13			0.95	2.00			0.00	0.00	20.10	20.10	0.00	0.00	0.00	0.00
2014-02-11 23:00	1	0.00	0.00			0.00	0.00	1.22	3.00	19.74	19.80			0.00	0.00
2014-02-11 23:00	7			1.05	2.00			0.00	0.00	20.22	20.30	0.00	0.00	0.00	0.00
2014-02-11 23:00	8			2.37	4.00			0.00	0.00	20.41	20.50	0.00	0.00	0.00	0.00
2014-02-11 23:00	10			3.00	4.00	0.00	0.00	0.00	0.00	20.36	20.40			0.00	0.00
2014-02-11 23:00	12	0.00	0.00	2.20	3.00			0.00	0.00	20.50	20.50			0.00	0.00
2014-02-11 23:00	13			1.05	2.00			0.00	0.00	20.07	20.20	0.00	0.00	0.00	0.00
2014-02-12 00:00	1	0.00	0.00			0.00	0.00	2.95	3.00	19.71	19.80			0.00	0.00
2014-02-12 00:00	7			1.20	3.00			0.00	0.00	20.20	20.30	0.01	0.10	0.00	0.00
2014-02-12 00:00	8			2.24	3.00			0.00	0.00	20.42	20.50	0.00	0.00	0.00	0.00
2014-02-12 00:00	10			3.05	4.00	0.00	0.00	0.00	0.00	20.31	20.40			0.00	0.00
2014-02-12 00:00	12	0.00	0.00	2.30	4.00			0.00	0.00	20.52	20.60			0.00	0.00
2014-02-12 00:00	13			1.05	2.00			0.00	0.00	20.00	20.10	0.00	0.00	0.00	0.00
2014-02-12 01:00	1	0.00	0.10			0.00	0.00	3.05	3.20	19.70	19.70			0.00	0.00
2014-02-12 01:00	7			1.32	3.00			0.00	0.00	20.17	20.20	0.00	0.00	0.00	0.00
2014-02-12 01:00	8			2.26	3.00			0.00	0.00	20.41	20.50	0.00	0.00	0.00	0.00
2014-02-12 01:00	10			3.10	4.00	0.00	0.00	0.00	0.00	20.30	20.40			0.00	0.00
2014-02-12 01:00	12	0.00	0.00	2.71	16.00			0.00	0.00	20.52	20.60			0.00	0.00
2014-02-12 01:00	13			1.06	2.00			0.00	0.00	20.04	20.10	0.00	0.00	0.01	0.10
2014-02-12 02:00	1	0.00	0.10			0.00	0.00	3.21	3.40	19.63	19.70			0.00	0.00
2014-02-12 02:00	7			1.13	2.00			0.00	0.00	20.13	20.20	0.00	0.00	0.00	0.00
2014-02-12 02:00	8			2.19	3.00			0.00	0.00	20.40	20.40	0.00	0.00	0.00	0.00
2014-02-12 02:00	10			3.28	4.00	0.00	0.00	0.00	0.00	20.24	20.30			0.25	0.90
2014-02-12 02:00	12	0.00	0.00	2.36	6.00			0.00	0.00	20.51	20.60			0.00	0.00
2014-02-12 02:00	13			1.00	2.00			0.00	0.00	20.00	20.10	0.00	0.00	0.08	0.20

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-02-12 03:00	1	0.01	0.20			0.00	0.00	3.31	3.50	19.60	19.70			0.00	0.00
2014-02-12 03:00	7			1.13	3.00			0.00	0.00	20.08	20.10	0.00	0.10	0.00	0.00
2014-02-12 03:00	8			2.22	3.00			0.00	0.00	20.39	20.40	0.00	0.00	0.00	0.00
2014-02-12 03:00	10			3.00	4.00	0.00	0.00	0.00	0.00	20.23	20.30			0.43	1.60
2014-02-12 03:00	12	0.01	0.30	2.18	3.00			0.00	0.00	20.50	20.50			0.00	0.00
2014-02-12 03:00	13			1.10	2.00			0.00	0.00	19.95	20.00	0.00	0.00	0.13	0.30
2014-02-12 04:00	1	0.00	0.00			0.00	0.00	3.43	3.50	19.55	19.60			0.00	0.00
2014-02-12 04:00	7			1.07	2.00			0.00	0.00	20.01	20.10	0.00	0.10	0.00	0.00
2014-02-12 04:00	8			2.18	3.00			0.00	0.00	20.32	20.40	0.00	0.00	0.00	0.00
2014-02-12 04:00	10			3.21	4.00	0.00	0.00	0.00	0.00	20.20	20.30			0.76	1.40
2014-02-12 04:00	12	0.01	0.10	2.73	16.00			0.00	0.00	20.50	20.50			0.00	0.00
2014-02-12 04:00	13			1.16	2.00			0.00	0.00	19.89	19.90	0.00	0.00	0.23	0.50
2014-02-12 05:00	1	0.00	0.00			0.00	0.00	3.43	3.60	19.53	19.60			0.00	0.00
2014-02-12 05:00	7			1.05	2.00			0.00	0.00	20.00	20.00	0.00	0.10	0.00	0.00
2014-02-12 05:00	8			2.05	3.00			0.00	0.00	20.30	20.30	0.00	0.00	0.00	0.00
2014-02-12 05:00	10			3.11	4.00	0.00	0.00	0.00	0.00	20.21	20.30			1.07	2.40
2014-02-12 05:00	12	0.00	0.10	3.08	13.00			0.00	0.00	20.47	20.50			0.00	0.00
2014-02-12 05:00	13			1.03	2.00			0.00	0.00	19.87	19.90	0.00	0.00	0.50	1.00
2014-02-12 06:00	1	0.00	0.00			0.00	0.00	3.34	3.40	19.58	19.60			0.00	0.00
2014-02-12 06:00	7			1.08	3.00			0.00	0.00	20.00	20.00	0.01	0.10	0.00	0.00
2014-02-12 06:00	8			2.55	4.00			0.00	0.00	20.30	20.30	0.00	0.00	0.00	0.00
2014-02-12 06:00	10			3.10	5.00	0.00	0.00	0.00	0.00	20.19	20.20			1.67	2.90
2014-02-12 06:00	12	0.01	0.20	2.75	17.00			0.00	0.00	20.44	20.50			0.00	0.00
2014-02-12 06:00	13			1.08	2.00			0.00	0.00	19.90	19.90	0.00	0.00	0.60	1.20
2014-02-12 07:00	1	0.00	0.00			0.00	0.00	3.25	3.50	19.55	19.70			0.00	0.00
2014-02-12 07:00	7			1.11	2.00			0.00	0.00	19.94	20.00	0.00	0.10	0.00	0.00
2014-02-12 07:00	8			2.55	4.00			0.00	0.00	20.30	20.30	0.00	0.00	0.00	0.00
2014-02-12 07:00	10			3.08	5.00	0.00	0.00	0.00	0.00	20.19	20.30			2.15	3.30
2014-02-12 07:00	12	0.01	0.20	2.14	3.00			0.00	0.00	20.41	20.50			0.00	0.00
2014-02-12 07:00	13			1.08	2.00			0.00	0.00	19.91	20.00	0.00	0.00	0.65	1.00
2014-02-12 08:00	1	0.02	0.60			0.00	0.00	2.69	3.10	19.72	19.90			0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-02-12 08:00	7			1.14	3.00			0.00	0.00	20.04	20.20	0.00	0.00	0.00	0.00
2014-02-12 08:00	8			2.35	4.00			0.00	0.00	20.31	20.40	0.00	0.00	0.00	0.10
2014-02-12 08:00	10			3.23	4.00	0.00	0.00	0.00	0.00	20.19	20.30			1.04	2.80
2014-02-12 08:00	12	0.02	0.30	2.43	4.00			0.00	0.00	20.45	20.50			0.00	0.00
2014-02-12 08:00	13			1.08	3.00			0.00	0.00	19.97	20.00	0.00	0.00	0.26	0.60
2014-02-12 09:00	1	0.04	0.30			0.00	0.10	2.18	2.50	19.89	20.10			0.00	0.00
2014-02-12 09:00	7			1.21	2.00			0.00	0.00	20.15	20.30	0.00	0.00	0.00	0.00
2014-02-12 09:00	8			2.60	3.00			0.00	0.00	20.41	20.50	0.00	0.00	0.01	0.20
2014-02-12 09:00	10			3.11	4.00	0.00	0.00	0.00	0.00	20.28	20.40			0.00	0.00
2014-02-12 09:00	12	0.01	0.10	2.32	4.00			0.00	0.00	20.49	20.50			0.00	0.00
2014-02-12 09:00	13			1.03	2.00			0.00	0.00	20.12	20.20	0.00	0.00	0.03	0.20
2014-02-12 10:00	1	0.14	0.60			0.01	0.10	1.52	1.80	20.10	20.20			0.00	0.00
2014-02-12 10:00	7			2.24	3.00			0.00	0.00	20.41	20.50	0.00	0.00	0.00	0.00
2014-02-12 10:00	8			2.82	4.00			0.00	0.00	20.47	20.50	0.00	0.00	0.00	0.10
2014-02-12 10:00	10			3.13	4.00	0.00	0.00	0.00	0.00	20.38	20.40			0.00	0.00
2014-02-12 10:00	12	0.02	0.20	2.62	3.00			0.00	0.00	20.55	20.60			0.00	0.00
2014-02-12 10:00	13			1.14	3.00			0.00	0.00	20.25	20.40	0.00	0.00	0.00	0.00
2014-02-12 11:00	1	0.09	0.50			0.01	0.10	0.64	1.30	20.28	20.40			0.00	0.00
2014-02-12 11:00	7			3.75	5.00			0.00	0.00	20.64	20.90	0.00	0.00	0.00	0.00
2014-02-12 11:00	8			2.75	4.00			0.00	0.00	20.49	20.50	0.00	0.00	0.00	0.00
2014-02-12 11:00	10			3.23	4.00	0.00	0.00	0.00	0.00	20.48	20.60			0.00	0.00
2014-02-12 11:00	12	0.02	0.20	3.19	18.00			0.00	0.00	20.59	20.70			0.00	0.00
2014-02-12 11:00	13			1.14	2.00			0.00	0.00	20.45	20.60	0.00	0.00	0.00	0.00
2014-02-12 12:00	1	0.03	0.40			0.01	0.10	0.00	0.00	20.37	20.40			0.00	0.00
2014-02-12 12:00	7			4.29	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-12 12:00	8			2.95	4.00			0.00	0.00	20.55	20.60	0.00	0.00	0.00	0.00
2014-02-12 12:00	10			3.11	4.00	0.00	0.00	0.00	0.00	20.60	20.70			0.00	0.00
2014-02-12 12:00	12	0.04	0.40	2.08	4.00			0.00	0.00	20.62	20.70			0.00	0.00
2014-02-12 12:00	13			0.97	2.00			0.00	0.00	20.58	20.60	0.00	0.00	0.00	0.00
2014-02-12 13:00	1	0.04	0.40			0.00	0.10	0.00	0.00	20.46	20.50			0.00	0.00
2014-02-12 13:00	7			5.05	7.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-02-12 13:00	8			2.87	3.00			0.00	0.00	20.60	20.60	0.00	0.00	0.00	0.00
2014-02-12 13:00	10			3.38	4.00	0.00	0.00	0.00	0.00	20.65	20.90			0.00	0.00
2014-02-12 13:00	12	0.00	0.00	2.58	4.00			0.00	0.00	20.88	20.90			0.00	0.00
2014-02-12 13:00	13			1.05	2.00			0.00	0.00	20.59	20.60	0.00	0.00	0.00	0.00
2014-02-12 14:00	1	0.06	0.60			0.00	0.00	0.00	0.00	20.43	20.50			0.00	0.00
2014-02-12 14:00	2	0.01	0.30			0.00	0.00	0.00	0.00	20.62	20.90			0.00	0.00
2014-02-12 14:00	7			4.15	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-12 14:00	8			2.92	4.00			0.00	0.00	20.66	20.70	0.00	0.00	0.00	0.00
2014-02-12 14:00	10			3.43	4.00	0.00	0.00	0.00	0.00	20.87	20.90			0.00	0.00
2014-02-12 14:00	12	0.01	0.20	2.51	8.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-12 14:00	13			1.13	3.00			0.00	0.00	20.60	20.70	0.00	0.00	0.00	0.00
2014-02-12 15:00	1	0.06	2.30			0.00	0.00	0.00	0.00	20.41	20.50			0.00	0.00
2014-02-12 15:00	2	0.04	0.60			0.00	0.00	0.00	0.00	20.89	20.90			0.00	0.00
2014-02-12 15:00	7			3.95	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-12 15:00	8			2.95	3.00			0.00	0.00	20.77	20.90	0.00	0.00	0.00	0.00
2014-02-12 15:00	10			3.47	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-12 15:00	12	0.00	0.00	2.18	4.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-12 15:00	13			1.15	2.00			0.00	0.00	20.61	20.70	0.00	0.00	0.00	0.00
2014-02-12 16:00	1	0.01	0.20			0.00	0.00	0.00	0.00	20.38	20.50			0.00	0.00
2014-02-12 16:00	2	0.06	0.30			0.00	0.10	0.00	0.00	20.72	20.90			0.00	0.00
2014-02-12 16:00	7			3.24	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-12 16:00	8			2.95	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-12 16:00	10			3.31	5.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-12 16:00	12	0.00	0.00	2.69	12.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-12 16:00	13			1.11	2.00			0.00	0.00	20.53	20.60	0.00	0.00	0.00	0.00
2014-02-12 17:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.32	20.40			0.00	0.00
2014-02-12 17:00	2	0.21	1.00			0.00	0.00	0.00	0.00	20.89	20.90			0.00	0.00
2014-02-12 17:00	7			2.54	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-12 17:00	8			2.89	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-12 17:00	10			3.11	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-12 17:00	12	0.00	0.10	2.69	16.00			0.00	0.00	20.90	20.90			0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-02-12 17:00	13			1.14	3.00			0.00	0.00	20.53	20.60	0.00	0.00	0.00	0.00
2014-02-12 18:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.20	20.30			0.00	0.00
2014-02-12 18:00	2	0.63	1.10			0.01	0.10	0.00	0.00	20.72	20.90			0.03	0.10
2014-02-12 18:00	7			1.95	2.00			0.00	0.00	20.72	20.90	0.00	0.00	0.00	0.00
2014-02-12 18:00	8			2.75	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-12 18:00	10			3.13	6.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-12 18:00	12	0.01	0.10	2.50	4.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-12 18:00	13			1.08	2.00			0.00	0.00	20.45	20.50	0.00	0.00	0.00	0.00
2014-02-12 19:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.08	20.20			0.00	0.00
2014-02-12 19:00	2	0.66	1.10			0.04	0.10	0.00	0.00	20.45	20.50			0.08	0.20
2014-02-12 19:00	7			1.83	3.00			0.00	0.00	20.49	20.60	0.00	0.00	0.00	0.00
2014-02-12 19:00	8			2.79	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-12 19:00	10			3.24	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-12 19:00	12	0.00	0.00	3.03	21.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-12 19:00	13			1.00	2.00			0.00	0.00	20.40	20.50	0.00	0.00	0.02	0.10
2014-02-12 20:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.05	20.10			0.00	0.00
2014-02-12 20:00	2	0.96	1.60			0.06	0.20	2.54	3.10	20.37	20.40			0.10	0.20
2014-02-12 20:00	7			1.46	3.00			0.00	0.00	20.44	20.50	0.00	0.00	0.00	0.00
2014-02-12 20:00	8			2.83	4.00			0.00	0.00	20.60	20.70	0.00	0.00	0.00	0.00
2014-02-12 20:00	10			3.25	4.00	0.00	0.00	0.00	0.00	20.69	20.90			0.18	1.10
2014-02-12 20:00	12	0.01	0.40	2.62	7.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-12 20:00	13			1.08	3.00			0.00	0.00	20.32	20.40	0.00	0.00	0.09	0.20
2014-02-12 21:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.00	20.00			0.00	0.00
2014-02-12 21:00	2	0.87	1.40			0.07	0.20	3.18	3.20	20.30	20.30			0.12	0.20
2014-02-12 21:00	7			1.32	2.00			0.00	0.00	20.43	20.50	0.00	0.00	0.00	0.00
2014-02-12 21:00	8			2.73	4.00			0.00	0.00	20.58	20.60	0.00	0.00	0.00	0.00
2014-02-12 21:00	10			3.15	5.00	0.00	0.00	0.00	0.00	20.57	20.60			0.75	2.60
2014-02-12 21:00	12	0.00	0.10	2.34	7.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-12 21:00	13			1.05	2.00			0.00	0.00	20.31	20.40	0.00	0.00	0.21	0.30
2014-02-12 22:00	1	0.00	0.00			0.00	0.00	0.00	0.00	19.99	20.00			0.00	0.00
2014-02-12 22:00	2	0.90	1.30			0.06	0.10	3.25	3.30	20.27	20.30			0.12	0.20

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-02-12 22:00	7			1.34	3.00			0.00	0.00	20.40	20.40	0.00	0.00	0.00	0.00
2014-02-12 22:00	8			2.63	3.00			0.00	0.00	20.53	20.60	0.00	0.00	0.00	0.00
2014-02-12 22:00	10			3.28	4.00	0.00	0.00	0.00	0.00	20.55	20.60			2.77	4.40
2014-02-12 22:00	12	0.00	0.00	2.11	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-12 22:00	13			1.11	3.00			0.00	0.00	20.25	20.40	0.00	0.00	0.33	0.50
2014-02-12 23:00	1	0.00	0.00			0.00	0.00	0.00	0.00	19.91	20.00			0.00	0.00
2014-02-12 23:00	2	1.27	2.60			0.10	0.20	3.45	3.60	20.27	20.30			0.15	0.20
2014-02-12 23:00	7			1.50	3.00			0.00	0.00	20.36	20.40	0.00	0.00	0.00	0.00
2014-02-12 23:00	8			2.77	4.00			0.00	0.00	20.56	20.60	0.00	0.00	0.00	0.00
2014-02-12 23:00	10			3.13	4.00	0.00	0.00	0.00	0.00	20.53	20.60			3.74	5.30
2014-02-12 23:00	12	0.00	0.00	2.89	14.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-12 23:00	13			1.00	2.00			0.00	0.00	20.21	20.30	0.00	0.00	0.30	0.50
2014-02-13 00:00	1	0.01	0.20			0.00	0.00	0.00	0.00	19.91	20.00			0.00	0.00
2014-02-13 00:00	2	1.28	2.10			0.08	0.20	3.69	3.90	20.26	20.30			0.18	0.20
2014-02-13 00:00	7			1.43	3.00			0.00	0.00	20.30	20.30	0.00	0.00	0.00	0.00
2014-02-13 00:00	8			2.62	4.00			0.00	0.00	20.60	20.60	0.00	0.00	0.00	0.00
2014-02-13 00:00	10			3.22	4.00	0.00	0.00	0.00	0.00	20.49	20.50			4.49	7.50
2014-02-13 00:00	12	0.01	0.10	2.45	4.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-13 00:00	13			1.24	3.00			0.00	0.00	20.18	20.30	0.00	0.00	0.45	0.70
2014-02-13 01:00	1	0.00	0.10			0.00	0.00	0.00	0.00	19.87	19.90			0.00	0.00
2014-02-13 01:00	2	1.50	2.20			0.12	0.30	3.90	4.10	20.22	20.30			0.20	0.20
2014-02-13 01:00	7			1.18	3.00			0.00	0.00	20.30	20.40	0.00	0.00	0.00	0.00
2014-02-13 01:00	8			2.49	3.00			0.00	0.00	20.56	20.60	0.00	0.00	0.01	0.10
2014-02-13 01:00	10			3.08	4.00	0.00	0.00	0.00	0.00	20.47	20.60			4.75	6.30
2014-02-13 01:00	12	0.02	0.30	2.42	9.00			0.00	0.00	20.83	20.90			0.00	0.00
2014-02-13 01:00	13			1.03	2.00			0.00	0.00	20.13	20.20	0.00	0.00	0.77	1.20
2014-02-13 02:00	1	0.01	0.20			0.00	0.00	0.00	0.00	19.88	19.90			0.00	0.10
2014-02-13 02:00	2	1.21	2.10			0.10	0.20	4.04	4.20	20.20	20.30			0.25	0.50
2014-02-13 02:00	7			1.16	2.00			0.00	0.00	20.32	20.40	0.00	0.00	0.00	0.00
2014-02-13 02:00	8			2.53	4.00			0.00	0.00	20.55	20.60	0.00	0.00	0.02	0.10
2014-02-13 02:00	10			3.11	5.00	0.00	0.00	0.00	0.00	20.40	20.50			5.65	7.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-02-13 02:00	12	0.00	0.00	2.57	13.00			0.00	0.00	20.57	20.70			0.00	0.00
2014-02-13 02:00	13			1.08	2.00			0.00	0.00	20.11	20.20	0.00	0.00	1.51	2.20
2014-02-13 03:00	1	0.06	0.60			0.00	0.00	1.69	3.20	19.83	19.90			0.02	0.40
2014-02-13 03:00	2	1.51	2.10			0.12	0.20	4.06	4.20	20.20	20.30			0.20	0.30
2014-02-13 03:00	7			1.18	3.00			0.00	0.00	20.29	20.30	0.00	0.00	0.00	0.00
2014-02-13 03:00	8			2.37	3.00			0.00	0.00	20.53	20.60	0.00	0.00	0.02	0.20
2014-02-13 03:00	10			3.19	4.00	0.00	0.00	0.00	0.00	20.40	20.50			5.11	6.80
2014-02-13 03:00	12	0.00	0.00	2.69	12.00			0.00	0.00	20.58	20.60			0.00	0.00
2014-02-13 03:00	13			1.08	2.00			0.00	0.00	20.12	20.20	0.00	0.00	1.01	1.60
2014-02-13 04:00	1	0.03	0.40			0.00	0.00	2.96	3.10	19.79	19.80			0.00	0.00
2014-02-13 04:00	2	1.59	2.20			0.14	0.30	4.14	4.30	20.17	20.20			0.22	0.30
2014-02-13 04:00	7			1.28	3.00			0.00	0.00	20.26	20.30	0.00	0.10	0.00	0.00
2014-02-13 04:00	8			2.70	3.00			0.00	0.00	20.52	20.60	0.00	0.00	0.01	0.10
2014-02-13 04:00	10			3.15	4.00	0.00	0.00	0.00	0.00	20.40	20.40			5.01	6.30
2014-02-13 04:00	12	0.01	0.20	2.82	16.00			0.00	0.00	20.60	20.60			0.00	0.00
2014-02-13 04:00	13			1.11	3.00			0.00	0.00	20.10	20.20	0.00	0.00	1.27	1.80
2014-02-13 05:00	1	0.00	0.00			0.00	0.00	2.84	3.00	19.78	19.80			0.00	0.00
2014-02-13 05:00	2	1.36	4.00			0.13	0.20	4.02	4.20	20.14	20.20			0.19	0.30
2014-02-13 05:00	7			1.13	3.00			0.00	0.00	20.20	20.30	0.00	0.00	0.00	0.00
2014-02-13 05:00	8			2.59	3.00			0.00	0.00	20.50	20.60	0.00	0.00	0.03	0.20
2014-02-13 05:00	10			3.21	4.00	0.00	0.00	0.00	0.00	20.36	20.40			5.73	6.80
2014-02-13 05:00	12	0.00	0.10	2.74	6.00			0.00	0.00	20.60	20.60			0.00	0.00
2014-02-13 05:00	13			1.00	2.00			0.00	0.00	20.09	20.20	0.00	0.00	1.94	2.50
2014-02-13 06:00	1	0.00	0.00			0.00	0.00	2.81	3.00	19.80	19.90			0.00	0.00
2014-02-13 06:00	2	1.29	1.80			0.13	0.20	3.83	4.00	20.14	20.20			0.20	0.30
2014-02-13 06:00	7			1.21	2.00			0.00	0.00	20.19	20.30	0.00	0.00	0.00	0.00
2014-02-13 06:00	8			2.41	3.00			0.00	0.00	20.49	20.60	0.00	0.00	0.02	0.30
2014-02-13 06:00	10			3.29	5.00	0.00	0.00	0.00	0.00	20.39	20.50			6.37	8.00
2014-02-13 06:00	12	0.01	0.20	2.21	3.00			0.00	0.00	20.56	20.60			0.00	0.00
2014-02-13 06:00	13			1.15	3.00			0.00	0.00	20.10	20.10	0.00	0.00	1.68	2.00
2014-02-13 07:00	1	0.00	0.00			0.00	0.00	2.56	2.80	19.82	19.90			0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-02-13 07:00	2	0.97	1.60			0.09	0.20	3.61	3.80	20.18	20.20			0.16	0.20
2014-02-13 07:00	7			1.18	2.00			0.00	0.00	20.26	20.30	0.00	0.10	0.00	0.00
2014-02-13 07:00	8			2.38	3.00			0.00	0.00	20.52	20.60	0.00	0.00	0.00	0.00
2014-02-13 07:00	10			3.27	4.00	0.00	0.00	0.00	0.00	20.44	20.50			5.44	7.30
2014-02-13 07:00	12	0.00	0.10	2.74	14.00			0.00	0.00	20.60	20.60			0.00	0.00
2014-02-13 07:00	13			1.03	2.00			0.00	0.00	20.12	20.20	0.00	0.00	1.64	1.90
2014-02-13 08:00	1	0.00	0.10			0.00	0.00	2.14	2.30	19.91	20.00			0.00	0.00
2014-02-13 08:00	2	0.67	1.20			0.10	0.20	2.99	3.30	20.21	20.30			0.09	0.20
2014-02-13 08:00	7			1.38	3.00			0.00	0.00	20.25	20.40	0.00	0.00	0.00	0.00
2014-02-13 08:00	8			2.89	4.00			0.00	0.00	20.50	20.50	0.00	0.00	0.00	0.00
2014-02-13 08:00	10			3.38	4.00	0.00	0.00	0.00	0.00	20.50	20.60			3.27	5.10
2014-02-13 08:00	12	0.00	0.10	2.56	4.00			0.00	0.00	20.64	20.70			0.00	0.00
2014-02-13 08:00	13			1.21	3.00			0.00	0.00	20.18	20.30	0.00	0.00	0.77	1.80
2014-02-13 09:00	1	0.00	0.10			0.00	0.10	1.65	1.90	20.06	20.20			0.00	0.00
2014-02-13 09:00	2	0.31	0.70			0.04	0.10	2.28	2.60	20.32	20.40			0.01	0.10
2014-02-13 09:00	7			1.68	3.00			0.00	0.00	20.30	20.40	0.00	0.00	0.00	0.00
2014-02-13 09:00	8			2.83	3.00			0.00	0.00	20.58	20.60	0.00	0.00	0.00	0.10
2014-02-13 09:00	10			3.25	4.00	0.00	0.00	0.00	0.00	20.60	20.70			1.31	3.10
2014-02-13 09:00	12	0.00	0.00	2.54	4.00			0.00	0.00	20.61	20.70			0.00	0.00
2014-02-13 09:00	13			1.18	3.00			0.00	0.00	20.30	20.40	0.00	0.00	0.21	0.50
2014-02-13 10:00	1	0.01	0.20			0.02	0.10	0.43	1.30	20.26	20.40			0.00	0.00
2014-02-13 10:00	2	0.11	0.40			0.06	0.20	1.18	1.90	20.39	20.50			0.00	0.00
2014-02-13 10:00	7			2.46	3.00			0.00	0.00	20.49	20.90	0.00	0.00	0.00	0.00
2014-02-13 10:00	8			2.89	3.00			0.00	0.00	20.60	20.70	0.00	0.00	0.00	0.00
2014-02-13 10:00	10			3.75	4.00	0.00	0.00	0.00	0.00	20.63	20.70			0.49	1.90
2014-02-13 10:00	12	0.00	0.00	2.79	15.00			0.00	0.00	20.72	20.90			0.00	0.00
2014-02-13 10:00	13			1.24	2.00			0.00	0.00	20.34	20.40	0.00	0.00	0.02	0.20
2014-02-13 11:00	1	0.00	0.10			0.01	0.10	0.00	0.00	20.47	20.60			0.00	0.00
2014-02-13 11:00	2	0.02	0.10			0.03	0.10	0.00	0.00	20.50	20.60			0.00	0.10
2014-02-13 11:00	7			3.63	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-13 11:00	8			3.00	4.00			0.00	0.00	20.74	20.90	0.00	0.00	0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-02-13 11:00	10			3.26	4.00	0.00	0.00	0.00	0.00	20.89	20.90			2.12	5.10
2014-02-13 11:00	12	0.00	0.00	2.66	4.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-13 11:00	13			1.26	3.00			0.00	0.00	20.48	20.60	0.00	0.00	0.00	0.00
2014-02-13 12:00	1	0.00	0.10			0.01	0.10	0.00	0.00	20.55	20.60			0.00	0.00
2014-02-13 12:00	2	0.00	0.00			0.01	0.10	0.00	0.00	20.58	20.70			0.00	0.00
2014-02-13 12:00	7			4.30	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-13 12:00	8			3.03	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-13 12:00	10			3.69	4.00	0.00	0.00	0.00	0.00	20.90	20.90			4.58	6.30
2014-02-13 12:00	12	0.00	0.00	2.74	13.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-13 12:00	13			1.11	2.00			0.00	0.00	20.54	20.60	0.00	0.00	0.00	0.00