

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-02-13 12:00	1	0.00	0.10			0.01	0.10	0.00	0.00	20.55	20.60			0.00	0.00
2014-02-13 12:00	2	0.00	0.00			0.01	0.10	0.00	0.00	20.58	20.70			0.00	0.00
2014-02-13 12:00	7			4.30	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-13 12:00	8			3.03	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-13 12:00	10			3.69	4.00	0.00	0.00	0.00	0.00	20.90	20.90			4.58	6.30
2014-02-13 12:00	12	0.00	0.00	2.74	13.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-13 12:00	13			1.11	2.00			0.00	0.00	20.54	20.60	0.00	0.00	0.00	0.00
2014-02-13 13:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.52	20.60			0.00	0.00
2014-02-13 13:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.60	20.70			0.00	0.00
2014-02-13 13:00	7			5.03	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-13 13:00	8			2.98	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-13 13:00	10			3.46	4.00	0.00	0.00	0.00	0.00	20.90	20.90			5.06	6.30
2014-02-13 13:00	12	0.00	0.00	3.55	20.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-13 13:00	13			1.28	3.00			0.00	0.00	20.65	20.70	0.00	0.00	0.00	0.00
2014-02-13 14:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.54	20.60			0.00	0.00
2014-02-13 14:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.61	20.70			0.00	0.00
2014-02-13 14:00	7			4.46	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-13 14:00	8			2.97	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-13 14:00	10			3.69	4.00	0.00	0.00	0.00	0.00	20.90	20.90			3.25	5.50
2014-02-13 14:00	12	0.00	0.00	2.65	4.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-13 14:00	13			1.26	4.00			0.00	0.00	20.77	20.90	0.00	0.00	0.00	0.00
2014-02-13 15:00	1	0.00	0.10			0.00	0.10	0.00	0.00	20.53	20.60			0.00	0.00
2014-02-13 15:00	2	0.05	2.00			0.00	0.00	0.00	0.00	20.82	20.90			0.00	0.00
2014-02-13 15:00	7			4.73	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-13 15:00	8			3.00	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-13 15:00	10			3.86	4.00	0.00	0.00	0.00	0.00	20.90	20.90			1.85	3.60
2014-02-13 15:00	12	0.00	0.00	3.26	15.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-13 15:00	13			1.18	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-13 16:00	1	0.00	0.00			0.00	0.10	0.00	0.00	20.56	20.60			0.00	0.00
2014-02-13 16:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-13 16:00	7			4.89	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-02-13 16:00	8			2.97	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-13 16:00	10			3.68	4.00	0.00	0.00	0.00	0.00	20.90	20.90			1.55	3.10
2014-02-13 16:00	12	0.00	0.00	3.28	17.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-13 16:00	13			1.11	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-13 17:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.57	20.60			0.00	0.00
2014-02-13 17:00	2	0.01	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-13 17:00	7			3.98	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-13 17:00	8			3.02	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-13 17:00	10			3.49	4.00	0.00	0.00	0.00	0.00	20.90	20.90			1.97	3.10
2014-02-13 17:00	12	0.00	0.00	2.73	4.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-13 17:00	13			1.30	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-13 18:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.47	20.60			0.00	0.00
2014-02-13 18:00	2	0.13	1.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-13 18:00	7			3.02	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-13 18:00	8			3.05	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-13 18:00	10			3.58	4.00	0.00	0.00	0.00	0.00	20.90	20.90				
2014-02-13 18:00	12	0.00	0.10	3.06	20.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-13 18:00	13			1.34	3.00			0.00	0.00	20.81	20.90	0.00	0.00	0.27	0.70
2014-02-13 19:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.40	20.40			0.00	0.00
2014-02-13 19:00	2	0.16	0.70			0.01	0.10	0.00	0.00	20.72	20.90			0.00	0.00
2014-02-13 19:00	7			2.64	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-13 19:00	8			2.95	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-13 19:00	10			3.78	4.00	0.00	0.00	0.00	0.00	20.90	20.90				
2014-02-13 19:00	12	0.00	0.00	3.36	19.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-13 19:00	13			1.19	2.00			0.00	0.00	20.61	20.70	0.00	0.00	1.33	1.90
2014-02-13 20:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.40	20.40			0.00	0.00
2014-02-13 20:00	2	0.18	0.60			0.01	0.10	0.00	0.00	20.56	20.60			0.00	0.00
2014-02-13 20:00	7			2.28	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-13 20:00	8			3.00	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-13 20:00	10			3.76	4.00	0.00	0.00	0.00	0.00	20.90	20.90				
2014-02-13 20:00	12	0.00	0.00	2.86	9.00			0.00	0.00	20.90	20.90			0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-02-13 20:00	13			1.43	3.00			0.00	0.00	20.59	20.70	0.00	0.00	1.90	1.90
2014-02-13 21:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.37	20.40			0.00	0.00
2014-02-13 21:00	2	0.24	1.10			0.01	0.10	0.00	0.00	20.58	20.60			0.00	0.00
2014-02-13 21:00	7			2.05	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-13 21:00	8			2.90	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-13 21:00	10			3.64	4.00	0.00	0.00	0.00	0.00	20.90	20.90				
2014-02-13 21:00	12	0.00	0.00	2.76	8.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-13 21:00	13			1.47	3.00			0.00	0.00	20.60	20.60	0.00	0.00		
2014-02-13 22:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.35	20.40			0.00	0.00
2014-02-13 22:00	2	0.23	0.70			0.01	0.10	0.00	0.00	20.58	20.60			0.00	0.10
2014-02-13 22:00	7			2.00	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-13 22:00	8			2.97	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.10
2014-02-13 22:00	10			3.78	6.00	0.00	0.00	0.00	0.00	20.90	20.90				
2014-02-13 22:00	12	0.00	0.00	2.45	4.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-13 22:00	13			1.17	2.00			0.00	0.00	20.60	20.70	0.00	0.00		
2014-02-13 23:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.28	20.40			0.00	0.00
2014-02-13 23:00	2	0.26	0.70			0.01	0.10	0.00	0.00	20.51	20.60			0.00	0.00
2014-02-13 23:00	7			2.03	3.00			0.00	0.00	20.63	20.90	0.00	0.00	0.00	0.00
2014-02-13 23:00	8			3.03	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.02	0.10
2014-02-13 23:00	10			3.45	5.00	0.00	0.00	0.00	0.00	20.90	20.90				
2014-02-13 23:00	12	0.00	0.00	3.08	16.00			0.00	0.00	20.90	20.90			0.02	0.30
2014-02-13 23:00	13			1.45	3.00			0.00	0.00	20.60	20.70	0.00	0.00		
2014-02-14 00:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.29	20.30			0.04	0.10
2014-02-14 00:00	2	0.34	0.70			0.01	0.10	0.00	0.00	20.57	20.60			0.01	0.10
2014-02-14 00:00	7			2.00	2.00			0.00	0.00	20.59	20.70	0.00	0.00	0.00	0.00
2014-02-14 00:00	8			3.00	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2014-02-14 00:00	10			3.73	5.00	0.00	0.00	0.00	0.00	20.90	20.90				
2014-02-14 00:00	12	0.00	0.00	2.68	5.00			0.00	0.00	20.90	20.90			0.46	0.70
2014-02-14 00:00	13			1.45	2.00			0.00	0.00	20.55	20.60	0.00	0.00		
2014-02-14 01:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.21	20.30			0.14	0.20
2014-02-14 01:00	2	0.32	0.80			0.03	0.10	0.00	0.00	20.51	20.60			0.09	0.30

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-02-14 01:00	7			2.05	3.00			0.00	0.00	20.58	20.70	0.00	0.00	0.00	0.00
2014-02-14 01:00	8			3.00	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.20
2014-02-14 01:00	10			3.68	6.00	0.00	0.00	0.00	0.00	20.90	20.90				
2014-02-14 01:00	12	0.00	0.00	2.87	8.00			0.00	0.00	20.90	20.90			0.71	1.00
2014-02-14 01:00	13			1.18	3.00			0.00	0.00	20.60	20.60	0.00	0.00		
2014-02-14 02:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.23	20.30			0.20	0.40
2014-02-14 02:00	2	0.53	0.90			0.03	0.10	0.00	0.00	20.49	20.50			0.08	0.10
2014-02-14 02:00	7			2.02	3.00			0.00	0.00	20.58	20.60	0.00	0.00	0.00	0.00
2014-02-14 02:00	8			2.92	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-14 02:00	10			3.66	5.00	0.00	0.00	0.00	0.00	20.90	20.90				
2014-02-14 02:00	12	0.00	0.00	2.86	17.00			0.00	0.00	20.90	20.90			0.41	0.70
2014-02-14 02:00	13			1.24	2.00			0.00	0.00	20.52	20.60	0.00	0.00		
2014-02-14 03:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.21	20.30			0.19	0.30
2014-02-14 03:00	2	0.60	1.10			0.03	0.10	0.00	0.00	20.40	20.40			0.06	0.10
2014-02-14 03:00	7			1.98	3.00			0.00	0.00	20.53	20.60	0.00	0.00	0.00	0.00
2014-02-14 03:00	8			3.08	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.10
2014-02-14 03:00	10			3.73	4.00	0.00	0.00	0.00	0.00	20.90	20.90				
2014-02-14 03:00	12	0.00	0.00	2.98	16.00			0.00	0.00	20.90	20.90			0.58	0.70
2014-02-14 03:00	13			1.56	3.00			0.00	0.00	20.50	20.60	0.00	0.00		
2014-02-14 04:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.17	20.20			0.31	0.40
2014-02-14 04:00	2	0.73	1.10			0.03	0.10	0.00	0.00	20.40	20.40			0.07	0.10
2014-02-14 04:00	7			2.00	3.00			0.00	0.00	20.51	20.60	0.00	0.00	0.00	0.00
2014-02-14 04:00	8			2.97	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2014-02-14 04:00	10			3.66	4.00	0.00	0.00	0.00	0.00	20.90	20.90				
2014-02-14 04:00	12	0.00	0.00	3.26	18.00			0.00	0.00	20.90	20.90			1.07	1.40
2014-02-14 04:00	13			1.28	2.00			0.00	0.00	20.49	20.50	0.00	0.00		
2014-02-14 05:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.20	20.30			0.32	0.40
2014-02-14 05:00	2	0.58	2.30			0.05	0.10	0.00	0.00	20.40	20.40			0.05	0.10
2014-02-14 05:00	7			1.98	2.00			0.00	0.00	20.53	20.60	0.00	0.00	0.00	0.00
2014-02-14 05:00	8			3.00	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.20
2014-02-14 05:00	10			3.71	6.00	0.00	0.00	0.00	0.00	20.90	20.90				

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-02-14 05:00	12	0.00	0.00	2.93	16.00			0.00	0.00	20.90	20.90			1.18	1.40
2014-02-14 05:00	13			1.44	3.00			0.00	0.00	20.50	20.60	0.00	0.00		
2014-02-14 06:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.19	20.30			0.15	0.30
2014-02-14 06:00	2	0.35	0.80			0.03	0.10	0.00	0.00	20.40	20.40			0.02	0.10
2014-02-14 06:00	7			2.00	2.00			0.00	0.00	20.51	20.60	0.00	0.00	0.00	0.00
2014-02-14 06:00	8			2.89	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.10
2014-02-14 06:00	10			3.69	4.00	0.00	0.00	0.00	0.00	20.90	20.90				
2014-02-14 06:00	12	0.00	0.00	3.03	16.00			0.00	0.00	20.90	20.90			0.59	1.20
2014-02-14 06:00	13			1.39	3.00			0.00	0.00	20.47	20.50	0.00	0.00		
2014-02-14 07:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.19	20.20			0.10	0.20
2014-02-14 07:00	2	0.39	0.90			0.02	0.10	0.00	0.00	20.40	20.40			0.02	0.10
2014-02-14 07:00	7			2.00	2.00			0.00	0.00	20.48	20.50	0.00	0.00	0.00	0.00
2014-02-14 07:00	8			2.87	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.10
2014-02-14 07:00	10			3.37	4.00	0.00	0.00	0.00	0.00	20.90	20.90				
2014-02-14 07:00	12	0.00	0.00	3.51	30.00			0.00	0.00	20.90	20.90			0.36	0.70
2014-02-14 07:00	13			1.36	3.00			0.00	0.00	20.44	20.50	0.00	0.00		
2014-02-14 08:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.17	20.20			0.23	0.40
2014-02-14 08:00	2	0.46	0.80			0.03	0.10	0.00	0.00	20.40	20.40			0.04	0.10
2014-02-14 08:00	7			1.97	2.00			0.00	0.00	20.54	20.60	0.00	0.00	0.00	0.00
2014-02-14 08:00	8			3.03	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.10
2014-02-14 08:00	10			3.68	6.00	0.00	0.00	0.00	0.00	20.90	20.90				
2014-02-14 08:00	12	0.00	0.10	2.75	4.00			0.00	0.00	20.90	20.90			0.77	1.30
2014-02-14 08:00	13			1.54	3.00			0.00	0.00	20.48	20.50	0.00	0.00		
2014-02-14 09:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.19	20.20			0.28	0.40
2014-02-14 09:00	2	0.35	0.70			0.00	0.10	0.00	0.00	20.40	20.40			0.02	0.10
2014-02-14 09:00	7			2.97	4.00			0.00	0.00	20.51	20.60	0.00	0.00	0.00	0.00
2014-02-14 09:00	8			3.97	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.10
2014-02-14 09:00	10			4.00	4.00	0.00	0.00	0.00	0.00	20.90	20.90				
2014-02-14 09:00	12	0.00	0.00	4.00	15.00			0.00	0.00	20.90	20.90			0.85	1.40
2014-02-14 09:00	13			2.25	3.00			0.00	0.00	20.50	20.50	0.00	0.00		
2014-02-14 10:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.10	20.20			0.20	0.30

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-02-14 10:00	2	0.49	0.90			0.05	0.20	0.00	0.00	20.39	20.50			0.07	0.10
2014-02-14 10:00	7			2.79	4.00			0.00	0.00	20.46	20.60	0.00	0.00	0.00	0.00
2014-02-14 10:00	8			3.97	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.20
2014-02-14 10:00	12	0.00	0.00	4.49	17.00			0.00	0.00	20.90	20.90			0.28	0.70
2014-02-14 10:00	13			2.78	4.00			0.00	0.00	20.46	20.50	0.00	0.00		
2014-02-14 11:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.03	20.10			0.20	0.30
2014-02-14 11:00	2	0.46	0.80			0.04	0.20	0.00	0.00	20.37	20.40			0.07	0.20
2014-02-14 11:00	7			2.00	2.00			0.00	0.00	20.41	20.50	0.00	0.00	0.00	0.00
2014-02-14 11:00	8			3.03	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.02	0.30
2014-02-14 11:00	10			3.95	5.00	0.20	0.20	0.00	0.00	21.01	21.30			0.00	0.00
2014-02-14 11:00	12	0.00	0.00	3.19	9.00			0.00	0.00	20.90	20.90			0.27	0.70
2014-02-14 11:00	13			1.97	3.00			0.00	0.00	20.40	20.40	0.00	0.00		
2014-02-14 12:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.06	20.10			0.15	0.20
2014-02-14 12:00	2	0.44	1.00			0.04	0.10	0.00	0.00	20.40	20.40			0.08	0.10
2014-02-14 12:00	7			1.85	2.00			0.00	0.00	20.40	20.50	0.00	0.00	0.00	0.00
2014-02-14 12:00	8			3.00	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.03	0.20
2014-02-14 12:00	10			3.80	4.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-14 12:00	12	0.00	0.00	2.95	6.00			0.00	0.00	20.90	20.90			0.28	0.50
2014-02-14 12:00	13			1.33	3.00			0.00	0.00	20.40	20.50	0.00	0.00		
2014-02-14 13:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.02	20.10			0.20	0.30
2014-02-14 13:00	2							0.00	0.00	20.40	20.40				
2014-02-14 13:00	7			1.98	2.00			0.00	0.00	20.40	20.50	0.00	0.00	0.00	0.00
2014-02-14 13:00	8			3.00	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.02	0.10
2014-02-14 13:00	10			3.92	5.00			0.00	0.00	20.90	20.90			0.16	0.40
2014-02-14 13:00	12	0.00	0.00	3.15	16.00			0.00	0.00	20.90	20.90			0.68	0.90
2014-02-14 13:00	13			1.74	2.00			0.00	0.00	20.39	20.50	0.00	0.00		
2014-02-14 14:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.00	20.10			0.27	0.30
2014-02-14 14:00	2							0.00	0.00	20.36	20.40				
2014-02-14 14:00	7			2.00	3.00			0.00	0.00	20.39	20.50	0.00	0.00	0.00	0.00
2014-02-14 14:00	8			2.98	4.00			0.00	0.00	20.68	20.90	0.00	0.00	0.01	0.10
2014-02-14 14:00	10			3.87	4.00			0.00	0.00	20.90	20.90			0.46	0.70

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-02-14 14:00	12	0.00	0.00	3.28	18.00			0.00	0.00	20.90	20.90			0.90	1.10
2014-02-14 14:00	13			1.95	2.00			0.00	0.00	20.39	20.50	0.00	0.00		
2014-02-14 15:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.00	20.00			0.33	0.40
2014-02-14 15:00	2							0.00	0.00	20.30	20.30				
2014-02-14 15:00	7			2.05	3.00			0.00	0.00	20.36	20.40	0.00	0.10	0.00	0.00
2014-02-14 15:00	8			2.97	3.00			0.00	0.00	20.58	20.60	0.00	0.00	0.01	0.20
2014-02-14 15:00	10			3.83	4.00			0.00	0.00	20.67	20.90			0.47	0.70
2014-02-14 15:00	12	0.00	0.00	3.28	15.00			0.00	0.00	20.90	20.90			1.18	1.50
2014-02-14 15:00	13			2.00	2.00			0.00	0.00	20.40	20.50	0.00	0.00		
2014-02-14 16:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.00	20.00			0.16	0.20
2014-02-14 16:00	2	0.11	0.40			0.00	0.00	0.00	0.00	20.69	20.90			0.00	0.00
2014-02-14 16:00	7			1.80	3.00			0.00	0.00	20.36	20.40	0.00	0.00	0.00	0.00
2014-02-14 16:00	8			3.03	4.00			0.00	0.00	20.58	20.60	0.00	0.00	0.03	0.20
2014-02-14 16:00	10			3.51	4.00	0.00	0.00	0.00	0.00	20.78	20.90			0.17	0.50
2014-02-14 16:00	12	0.03	1.20	2.90	12.00			0.00	0.00	20.90	20.90			0.74	1.10
2014-02-14 16:00	13			1.47	3.00			0.00	0.00	20.71	20.90	0.00	0.00	0.00	0.00
2014-02-14 17:00	1	0.00	0.00			0.00	0.00	0.00	0.00	19.99	20.00			0.04	0.10
2014-02-14 17:00	2	0.08	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-14 17:00	7			1.57	3.00			0.00	0.00	20.37	20.40	0.00	0.00	0.00	0.00
2014-02-14 17:00	8			2.58	3.00			0.00	0.00	20.59	20.60	0.00	0.00	0.01	0.10
2014-02-14 17:00	10			3.33	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-14 17:00	12	0.00	0.00	2.69	15.00			0.00	0.00	20.90	20.90			0.18	0.60
2014-02-14 17:00	13			1.06	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-14 18:00	1	0.00	0.00			0.00	0.00	0.00	0.00	19.97	20.10			0.06	0.20
2014-02-14 18:00	2	0.06	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-14 18:00	7			1.45	2.00			0.00	0.00	20.37	20.50	0.00	0.00	0.00	0.00
2014-02-14 18:00	8			2.64	3.00			0.00	0.00	20.57	20.60	0.00	0.00	0.01	0.10
2014-02-14 18:00	10			3.00	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-14 18:00	12	0.00	0.00	2.23	3.00			0.00	0.00	20.90	20.90			0.19	0.30
2014-02-14 18:00	13			1.23	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-14 19:00	1	0.00	0.00			0.00	0.00	0.00	0.00	19.90	19.90			0.01	0.10

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-02-14 19:00	2	0.13	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-14 19:00	7			1.59	3.00			0.00	0.00	20.32	20.40	0.00	0.00	0.00	0.00
2014-02-14 19:00	8			2.55	4.00			0.00	0.00	20.56	20.60	0.00	0.00	0.01	0.10
2014-02-14 19:00	10			3.07	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-14 19:00	12	0.00	0.00	2.58	12.00			0.00	0.00	20.90	20.90			0.02	0.20
2014-02-14 19:00	13			1.18	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-14 20:00	1	0.00	0.00			0.00	0.00	0.00	0.00	19.90	19.90			0.00	0.00
2014-02-14 20:00	2	0.05	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-14 20:00	7			1.33	2.00			0.00	0.00	20.31	20.40	0.00	0.00	0.00	0.00
2014-02-14 20:00	8			2.47	3.00			0.00	0.00	20.59	20.70	0.00	0.00	0.01	0.10
2014-02-14 20:00	10			3.05	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-14 20:00	12	0.00	0.00	2.37	4.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-14 20:00	13			1.08	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-14 21:00	1	0.00	0.00			0.00	0.00	0.00	0.00	19.90	20.00			0.00	0.00
2014-02-14 21:00	2	0.13	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-14 21:00	7			1.05	2.00			0.00	0.00	20.30	20.40	0.00	0.00	0.00	0.00
2014-02-14 21:00	8			2.29	3.00			0.00	0.00	20.58	20.60	0.00	0.00	0.03	0.30
2014-02-14 21:00	10			3.08	4.00	0.00	0.00	0.00	0.00	20.75	20.90			0.00	0.00
2014-02-14 21:00	12	0.00	0.00	2.49	8.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-14 21:00	13			1.13	2.00			0.00	0.00	20.74	20.90	0.00	0.00	0.00	0.00
2014-02-14 22:00	1	0.00	0.00			0.00	0.00	0.00	0.00	19.86	19.90			0.00	0.00
2014-02-14 22:00	2	0.16	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-14 22:00	7			1.05	2.00			0.00	0.00	20.32	20.40	0.00	0.00	0.00	0.00
2014-02-14 22:00	8			2.31	3.00			0.00	0.00	20.57	20.60	0.00	0.00	0.05	0.30
2014-02-14 22:00	10			2.97	3.00	0.00	0.00	0.00	0.00	20.61	20.70			0.00	0.00
2014-02-14 22:00	12	0.00	0.00	2.39	7.00			0.00	0.00	20.67	20.90			0.00	0.00
2014-02-14 22:00	13			1.14	3.00			0.00	0.00	20.57	20.60	0.00	0.00	0.00	0.00
2014-02-14 23:00	1	0.00	0.00			0.00	0.00	0.00	0.00	19.90	19.90			0.00	0.00
2014-02-14 23:00	2	0.20	0.60			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-14 23:00	7			1.32	3.00			0.00	0.00	20.31	20.40	0.00	0.00	0.00	0.00
2014-02-14 23:00	8			2.17	3.00			0.00	0.00	20.58	20.70	0.00	0.00	0.03	0.20

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-02-14 23:00	10			3.00	4.00	0.00	0.00	0.00	0.00	20.58	20.60			0.00	0.00
2014-02-14 23:00	12	0.00	0.00	2.30	4.00			0.00	0.00	20.60	20.70			0.00	0.00
2014-02-14 23:00	13			1.16	2.00			0.00	0.00	20.53	20.60	0.00	0.00	0.00	0.00
2014-02-15 00:00	1	0.00	0.00			0.00	0.00	0.00	0.00	19.83	19.90			0.00	0.00
2014-02-15 00:00	2	0.25	0.60			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-15 00:00	7			1.26	3.00			0.00	0.00	20.27	20.30	0.00	0.00	0.00	0.00
2014-02-15 00:00	8			2.41	3.00			0.00	0.00	20.51	20.60	0.00	0.00	0.05	0.20
2014-02-15 00:00	10			2.95	4.00	0.00	0.00	0.00	0.00	20.54	20.60			0.00	0.00
2014-02-15 00:00	12	0.00	0.00	2.21	4.00			0.00	0.00	20.59	20.60			0.00	0.00
2014-02-15 00:00	13			1.24	2.00			0.00	0.00	20.52	20.60	0.00	0.00	0.00	0.00
2014-02-15 01:00	1	0.00	0.00			0.00	0.00	0.00	0.00	19.80	19.90			0.00	0.00
2014-02-15 01:00	2	0.24	0.60			0.00	0.00	0.00	0.00	20.69	20.90			0.00	0.00
2014-02-15 01:00	7			1.07	3.00			0.00	0.00	20.22	20.30	0.00	0.00	0.00	0.00
2014-02-15 01:00	8			2.13	3.00			0.00	0.00	20.50	20.60	0.00	0.00	0.02	0.20
2014-02-15 01:00	10			3.10	4.00	0.00	0.00	0.00	0.00	20.51	20.60			0.00	0.00
2014-02-15 01:00	12	0.00	0.00	2.54	12.00			0.00	0.00	20.53	20.60			0.00	0.00
2014-02-15 01:00	13			0.97	2.00			0.00	0.00	20.50	20.60	0.00	0.00	0.00	0.00
2014-02-15 02:00	1	0.00	0.00			0.00	0.00	0.00	0.00	19.79	19.90			0.00	0.00
2014-02-15 02:00	2	0.34	0.80			0.01	0.10	0.00	0.00	20.60	20.70			0.01	0.10
2014-02-15 02:00	7			1.16	3.00			0.00	0.00	20.21	20.30	0.00	0.00	0.00	0.00
2014-02-15 02:00	8			2.05	3.00			0.00	0.00	20.49	20.50	0.00	0.00	0.00	0.00
2014-02-15 02:00	10			3.05	4.00	0.00	0.00	0.00	0.00	20.49	20.60			0.00	0.00
2014-02-15 02:00	12	0.00	0.00	2.19	4.00			0.00	0.00	20.50	20.50			0.00	0.00
2014-02-15 02:00	13			1.16	2.00			0.00	0.00	20.50	20.60	0.00	0.00	0.00	0.00
2014-02-15 03:00	1	0.00	0.00			0.00	0.00	0.00	0.00	19.75	19.80			0.00	0.00
2014-02-15 03:00	2	0.28	0.60			0.00	0.00	0.00	0.00	20.60	20.60			0.01	0.10
2014-02-15 03:00	7			1.03	2.00			0.00	0.00	20.22	20.30	0.00	0.00	0.00	0.00
2014-02-15 03:00	8			2.08	3.00			0.00	0.00	20.43	20.50	0.00	0.00	0.00	0.00
2014-02-15 03:00	10			3.17	4.00	0.00	0.00	0.00	0.00	20.49	20.50			0.00	0.00
2014-02-15 03:00	12	0.00	0.00	2.61	11.00			0.00	0.00	20.50	20.50			0.00	0.00
2014-02-15 03:00	13			1.06	2.00			0.00	0.00	20.45	20.50	0.00	0.00	0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-02-15 04:00	1	0.00	0.00			0.00	0.00	0.07	3.00	19.77	19.80			0.00	0.00
2014-02-15 04:00	2	0.32	0.70			0.00	0.10	0.00	0.00	20.60	20.60			0.01	0.10
2014-02-15 04:00	7			1.26	3.00			0.00	0.00	20.21	20.30	0.00	0.00	0.00	0.00
2014-02-15 04:00	8			2.05	3.00			0.00	0.00	20.40	20.40	0.00	0.00	0.00	0.10
2014-02-15 04:00	10			3.05	4.00	0.00	0.00	0.00	0.00	20.45	20.50			0.00	0.00
2014-02-15 04:00	12	0.00	0.00	2.35	7.00			0.00	0.00	20.50	20.60			0.00	0.00
2014-02-15 04:00	13			1.18	3.00			0.00	0.00	20.47	20.50	0.00	0.00	0.00	0.00
2014-02-15 05:00	1	0.00	0.00			0.00	0.00							0.00	0.00
2014-02-15 05:00	2	0.46	0.90			0.01	0.10	0.00	0.00	20.52	20.60			0.01	0.10
2014-02-15 05:00	7			1.03	2.00			0.00	0.00	20.18	20.20	0.00	0.00	0.00	0.00
2014-02-15 05:00	8			2.19	3.00			0.00	0.00	20.40	20.40	0.00	0.00	0.00	0.10
2014-02-15 05:00	10			3.03	4.00	0.00	0.00	0.00	0.00	20.44	20.50			0.00	0.00
2014-02-15 05:00	12	0.00	0.00	2.18	3.00			0.00	0.00	20.50	20.50			0.00	0.00
2014-02-15 05:00	13			1.08	2.00			0.00	0.00	20.50	20.50	0.00	0.00	0.00	0.00
2014-02-15 06:00	1	0.00	0.00			0.00	0.00							0.00	0.00
2014-02-15 06:00	2	0.41	0.80			0.00	0.10	0.00	0.00	20.52	20.60			0.00	0.10
2014-02-15 06:00	7			1.12	3.00			0.00	0.00	20.16	20.20	0.00	0.00	0.00	0.00
2014-02-15 06:00	8			2.46	3.00			0.00	0.00	20.40	20.40	0.00	0.00	0.00	0.10
2014-02-15 06:00	10			2.97	4.00	0.00	0.00	0.00	0.00	20.48	20.50			0.00	0.00
2014-02-15 06:00	12	0.00	0.00	2.50	11.00			0.00	0.00	20.50	20.50			0.00	0.00
2014-02-15 06:00	13			1.11	2.00			0.00	0.00	20.50	20.50	0.00	0.00	0.00	0.00
2014-02-15 07:00	1	0.00	0.00			0.00	0.00							0.00	0.00
2014-02-15 07:00	2	0.39	0.80			0.01	0.10	0.00	0.00	20.53	20.60			0.00	0.10
2014-02-15 07:00	7			1.18	3.00			0.00	0.00	20.12	20.20	0.00	0.10	0.00	0.00
2014-02-15 07:00	8			2.26	3.00			0.00	0.00	20.40	20.50	0.00	0.00	0.00	0.10
2014-02-15 07:00	10			3.18	4.00	0.00	0.00	0.00	0.00	20.49	20.60			0.00	0.00
2014-02-15 07:00	12	0.00	0.00	2.35	6.00			0.00	0.00	20.50	20.50			0.00	0.00
2014-02-15 07:00	13			1.22	3.00			0.00	0.00	20.43	20.50	0.00	0.00	0.00	0.00
2014-02-15 08:00	1	0.00	0.00			0.00	0.00							0.00	0.00
2014-02-15 08:00	2	0.14	0.50			0.00	0.00	0.00	0.00	20.64	20.90			0.00	0.00
2014-02-15 08:00	7			1.16	3.00			0.00	0.00	20.17	20.30	0.00	0.00	0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-02-15 08:00	8			2.29	3.00			0.00	0.00	20.44	20.60	0.00	0.00	0.03	0.40
2014-02-15 08:00	10			3.00	5.00	0.00	0.00	0.00	0.00	20.45	20.50			0.00	0.00
2014-02-15 08:00	12	0.00	0.00	2.24	4.00			0.00	0.00	20.51	20.60			0.00	0.00
2014-02-15 08:00	13			1.19	2.00			0.00	0.00	20.48	20.60	0.00	0.00	0.00	0.00
2014-02-15 09:00	1	0.00	0.10			0.00	0.00							0.00	0.00
2014-02-15 09:00	2	0.10	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-15 09:00	7			1.51	4.00			0.00	0.00	20.28	20.40	0.00	0.00	0.00	0.00
2014-02-15 09:00	8			2.38	3.00			0.00	0.00	20.49	20.60	0.00	0.00	0.02	0.20
2014-02-15 09:00	10			3.08	4.00	0.00	0.00	0.00	0.00	20.56	20.70			0.00	0.00
2014-02-15 09:00	12	0.00	0.00	2.24	3.00			0.00	0.00	20.57	20.60			0.00	0.00
2014-02-15 09:00	13			1.08	3.00			0.00	0.00	20.60	20.60	0.00	0.00	0.00	0.00
2014-02-15 10:00	1	0.00	0.00			0.00	0.00							0.00	0.00
2014-02-15 10:00	2	0.08	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-15 10:00	7			1.55	2.00			0.00	0.00	20.32	20.50	0.00	0.00	0.00	0.00
2014-02-15 10:00	8			2.24	3.00			0.00	0.00	20.50	20.60	0.00	0.00	0.00	0.00
2014-02-15 10:00	10			3.18	4.00	0.00	0.00	0.00	0.00	20.78	20.90			0.00	0.00
2014-02-15 10:00	12	0.00	0.00	2.45	8.00			0.00	0.00	20.61	20.70			0.00	0.00
2014-02-15 10:00	13			1.28	2.00			0.00	0.00	20.69	20.90	0.00	0.00	0.00	0.00
2014-02-15 11:00	1	0.00	0.10			0.00	0.00							0.00	0.00
2014-02-15 11:00	2	0.03	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-15 11:00	7			1.41	4.00			0.00	0.00	20.44	20.50	0.00	0.00	0.00	0.00
2014-02-15 11:00	8			2.46	4.00			0.00	0.00	20.57	20.70	0.00	0.00	0.00	0.00
2014-02-15 11:00	10			3.22	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-15 11:00	12	0.00	0.00	2.25	5.00			0.00	0.00	20.62	20.70			0.00	0.00
2014-02-15 11:00	13			1.05	2.00			0.00	0.00	20.89	20.90	0.00	0.00	0.00	0.00
2014-02-15 12:00	1	0.00	0.00			0.00	0.00							0.00	0.00
2014-02-15 12:00	2	0.05	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-15 12:00	7			1.34	2.00			0.00	0.00	20.42	20.50	0.00	0.00	0.00	0.00
2014-02-15 12:00	8			2.78	4.00			0.00	0.00	20.63	20.70	0.00	0.00	0.00	0.10
2014-02-15 12:00	10			3.03	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-15 12:00	12	0.00	0.00	2.57	7.00			0.00	0.00	20.70	20.70			0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-02-15 12:00	13			1.28	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-15 13:00	1	0.00	0.00			0.00	0.00							0.00	0.00
2014-02-15 13:00	2	0.10	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-15 13:00	7			1.44	3.00			0.00	0.00	20.39	20.50	0.00	0.00	0.00	0.00
2014-02-15 13:00	8			2.50	3.00			0.00	0.00	20.62	20.70	0.00	0.00	0.00	0.00
2014-02-15 13:00	10			3.05	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-15 13:00	12	0.00	0.00	2.88	11.00			0.00	0.00	20.81	20.90			0.00	0.00
2014-02-15 13:00	13			1.18	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-15 14:00	1	0.00	0.00			0.00	0.00							0.00	0.00
2014-02-15 14:00	2	0.07	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-15 14:00	7			1.28	2.00			0.00	0.00	20.40	20.50	0.00	0.00	0.00	0.00
2014-02-15 14:00	8			2.62	3.00			0.00	0.00	20.63	20.70	0.00	0.00	0.00	0.00
2014-02-15 14:00	10			3.14	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-15 14:00	12	0.00	0.00	2.93	13.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-15 14:00	13			1.24	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-15 15:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.10
2014-02-15 15:00	2	0.05	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-15 15:00	7			1.44	3.00			0.00	0.00	20.45	20.90	0.00	0.00	0.00	0.00
2014-02-15 15:00	8			2.68	4.00			0.00	0.00	20.61	20.70	0.00	0.00	0.00	0.00
2014-02-15 15:00	10			3.08	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-15 15:00	12	0.00	0.00	3.38	17.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-15 15:00	13			0.97	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-15 16:00	1	0.03	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.01	0.10
2014-02-15 16:00	2	0.09	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-15 16:00	7			1.34	3.00			0.00	0.00	20.90	20.90	0.00	0.10	0.00	0.00
2014-02-15 16:00	8			2.64	4.00			0.00	0.00	20.63	20.70	0.00	0.00	0.00	0.00
2014-02-15 16:00	10			3.14	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-15 16:00	12	0.00	0.00	2.27	4.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-15 16:00	13			1.12	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-15 17:00	1	0.04	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.07	0.10
2014-02-15 17:00	2	0.11	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-02-15 17:00	7			1.38	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-15 17:00	8			2.63	3.00			0.00	0.00	20.86	20.90	0.00	0.00	0.00	0.10
2014-02-15 17:00	10			3.11	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-15 17:00	12	0.00	0.00	2.72	14.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-15 17:00	13			1.13	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-15 18:00	1	0.03	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.10	0.20
2014-02-15 18:00	2	0.02	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-15 18:00	7			1.31	2.00			0.00	0.00	20.87	20.90	0.00	0.00	0.00	0.00
2014-02-15 18:00	8			2.50	3.00			0.00	0.00	20.62	20.70	0.00	0.00	0.01	0.10
2014-02-15 18:00	10			3.17	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-15 18:00	12	0.00	0.00	2.56	16.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-15 18:00	13			1.27	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-15 19:00	1	0.03	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.08	0.10
2014-02-15 19:00	2	0.03	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-15 19:00	7			1.38	3.00			0.00	0.00	20.81	20.90	0.00	0.00	0.00	0.00
2014-02-15 19:00	8			2.69	3.00			0.00	0.00	20.71	20.90	0.00	0.00	0.00	0.00
2014-02-15 19:00	10			3.12	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-15 19:00	12	0.00	0.00	2.51	4.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-15 19:00	13			1.12	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-15 20:00	1	0.03	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.07	0.10
2014-02-15 20:00	2	0.05	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-15 20:00	7			1.23	2.00			0.00	0.00	20.90	20.90	0.00	0.10	0.00	0.00
2014-02-15 20:00	8			2.78	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-15 20:00	10			3.03	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-15 20:00	12	0.00	0.00	2.31	4.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-15 20:00	13			1.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-15 21:00	1	0.05	0.70			0.00	0.00	0.00	0.00	20.90	20.90			0.06	0.10
2014-02-15 21:00	2	0.14	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-15 21:00	7			1.24	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-15 21:00	8			2.78	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-15 21:00	10			3.11	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-02-15 21:00	12	0.00	0.00	2.38	4.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-15 21:00	13			1.16	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-15 22:00	1	0.08	1.20			0.00	0.00	0.00	0.00	20.90	20.90			0.15	0.50
2014-02-15 22:00	2	0.11	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-15 22:00	7			1.24	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-15 22:00	8			2.65	4.00			0.00	0.00	20.85	20.90	0.00	0.00	0.00	0.00
2014-02-15 22:00	10			3.00	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-15 22:00	12	0.00	0.10	2.89	14.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-15 22:00	13			1.10	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-15 23:00	1	0.05	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.11	0.20
2014-02-15 23:00	2	0.14	0.60			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-15 23:00	7			1.54	3.00			0.00	0.00	20.90	20.90	0.00	0.10	0.00	0.00
2014-02-15 23:00	8			2.51	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-15 23:00	10			3.18	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-15 23:00	12	0.01	0.10	2.87	16.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-15 23:00	13			1.13	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-16 00:00	1	0.03	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.09	0.20
2014-02-16 00:00	2	0.10	0.70			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-16 00:00	7			1.45	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-16 00:00	8			2.76	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2014-02-16 00:00	10			3.05	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-16 00:00	12	0.00	0.00	2.40	4.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-16 00:00	13			1.08	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-16 01:00	1	0.02	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.10	0.20
2014-02-16 01:00	2	0.05	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.01	0.10
2014-02-16 01:00	7			1.35	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-16 01:00	8			2.64	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.10
2014-02-16 01:00	10			3.05	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-16 01:00	12	0.00	0.10	3.18	15.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-16 01:00	13			1.13	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-16 02:00	1	0.02	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.11	0.20

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-02-16 02:00	2	0.06	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-16 02:00	7			1.30	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-16 02:00	8			2.83	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-16 02:00	10			3.21	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-16 02:00	12	0.00	0.00	2.31	4.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-16 02:00	13			1.03	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-16 03:00	1	0.02	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.20	0.20
2014-02-16 03:00	2	0.09	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-16 03:00	7			1.28	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-16 03:00	8			2.73	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-16 03:00	10			3.11	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.01	0.10
2014-02-16 03:00	12	0.00	0.00	2.24	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-16 03:00	13			1.08	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-16 04:00	1	0.02	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.24	0.40
2014-02-16 04:00	2	0.06	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-16 04:00	7			1.59	4.00			0.00	0.00	20.82	20.90	0.00	0.00	0.00	0.00
2014-02-16 04:00	8			2.95	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2014-02-16 04:00	10			3.38	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.28	0.50
2014-02-16 04:00	12	0.00	0.00	2.49	5.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-16 04:00	13			1.17	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-16 05:00	1	0.02	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.39	0.50
2014-02-16 05:00	2	0.08	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-16 05:00	7			1.06	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-16 05:00	8			2.89	3.00			0.00	0.00	20.85	20.90	0.00	0.00	0.02	0.20
2014-02-16 05:00	10			3.29	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.33	0.40
2014-02-16 05:00	12	0.00	0.00	2.60	4.00			0.00	0.00	20.90	20.90			0.13	0.30
2014-02-16 05:00	13			1.17	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-16 06:00	1	0.01	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.34	0.40
2014-02-16 06:00	2	0.05	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-16 06:00	7			1.38	3.00			0.00	0.00	20.89	20.90	0.00	0.00	0.00	0.00
2014-02-16 06:00	8			2.86	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.03	0.20

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-02-16 06:00	10			3.03	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.20	0.30
2014-02-16 06:00	12	0.00	0.00	2.82	16.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-16 06:00	13			1.21	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-16 07:00	1	0.03	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.31	0.40
2014-02-16 07:00	2	0.06	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-16 07:00	7			1.33	3.00			0.00	0.00	20.89	20.90	0.00	0.00	0.00	0.00
2014-02-16 07:00	8			2.84	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.02	0.20
2014-02-16 07:00	10			3.22	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.10	0.20
2014-02-16 07:00	12	0.00	0.00	2.39	4.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-16 07:00	13			1.24	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-16 08:00	1	0.03	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.28	0.30
2014-02-16 08:00	2	0.03	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-16 08:00	7			1.29	2.00			0.00	0.00	20.90	20.90	0.00	0.10	0.00	0.00
2014-02-16 08:00	8			2.73	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2014-02-16 08:00	10			3.08	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.04	0.20
2014-02-16 08:00	12	0.00	0.00	3.08	16.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-16 08:00	13			1.11	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-16 09:00	1	0.03	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.21	0.30
2014-02-16 09:00	2	0.06	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-16 09:00	7			1.51	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-16 09:00	8			2.86	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-16 09:00	10			3.30	5.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.10
2014-02-16 09:00	12	0.00	0.00	2.39	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-16 09:00	13			1.34	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-16 10:00	1	0.05	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.12	0.20
2014-02-16 10:00	2	0.03	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-16 10:00	7			1.42	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-16 10:00	8			2.95	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-16 10:00	10			3.24	5.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-16 10:00	12	0.00	0.00	2.87	15.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-16 10:00	13			1.24	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-02-16 11:00	1	0.12	0.80			0.00	0.00	0.00	0.00	20.90	20.90			0.15	0.40
2014-02-16 11:00	2	0.02	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-16 11:00	7			1.84	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-16 11:00	8			3.00	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2014-02-16 11:00	10			3.16	6.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-16 11:00	12	0.00	0.00	2.46	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-16 11:00	13			1.08	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-16 12:00	1	0.08	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.11	0.30
2014-02-16 12:00	2	0.01	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-16 12:00	7			1.95	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-16 12:00	8			2.89	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2014-02-16 12:00	10			3.10	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-16 12:00	12	0.00	0.00	2.46	4.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-16 12:00	13			1.11	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-16 13:00	1	0.07	0.60			0.00	0.00	0.00	0.00	20.90	20.90			0.10	0.10
2014-02-16 13:00	2	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-16 13:00	7			2.00	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-16 13:00	8			2.90	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-16 13:00	10			3.13	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-16 13:00	12	0.00	0.00	2.65	4.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-16 13:00	13			1.26	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-16 14:00	1	0.08	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.09	0.10
2014-02-16 14:00	2	0.01	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-16 14:00	7			1.95	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-16 14:00	8			3.00	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.10
2014-02-16 14:00	10			3.31	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-16 14:00	12	0.00	0.00	2.35	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-16 14:00	13			1.16	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-16 15:00	1	0.05	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.09	0.20
2014-02-16 15:00	2	0.02	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-16 15:00	7			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-02-16 15:00	8			2.82	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2014-02-16 15:00	10			3.18	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-16 15:00	12	0.00	0.00	3.18	21.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-16 15:00	13			1.18	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-16 16:00	1	0.04	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.10	0.50
2014-02-16 16:00	2	0.01	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-16 16:00	7			1.81	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-16 16:00	8			3.00	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2014-02-16 16:00	10			3.13	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-16 16:00	12	0.00	0.00	2.10	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-16 16:00	13			1.13	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-16 17:00	1	0.04	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.09	0.20
2014-02-16 17:00	2	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-16 17:00	7			1.88	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-16 17:00	8			3.00	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-16 17:00	10			3.15	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-16 17:00	12	0.00	0.00	2.15	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-16 17:00	13			1.03	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-16 18:00	1	0.06	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.10	0.20
2014-02-16 18:00	2	0.03	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-16 18:00	7			1.54	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-16 18:00	8			2.95	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.10
2014-02-16 18:00	10			3.25	6.00	0.00	0.00	0.00	0.00	20.90	20.90			0.01	0.10
2014-02-16 18:00	12	0.00	0.00	2.08	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-16 18:00	13			1.16	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-16 19:00	1	0.08	1.00			0.00	0.00	0.00	0.00	20.90	20.90			0.10	0.20
2014-02-16 19:00	2	0.03	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-16 19:00	7			1.34	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-16 19:00	8			2.64	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.10
2014-02-16 19:00	10			3.24	5.00	0.00	0.00	0.00	0.00	20.90	20.90			0.16	0.30
2014-02-16 19:00	12	0.00	0.00	2.58	9.00			0.00	0.00	20.90	20.90			0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-02-16 19:00	13			1.08	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-16 20:00	1	0.03	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.11	0.20
2014-02-16 20:00	2	0.08	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-16 20:00	7			1.46	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-16 20:00	8			2.77	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.10
2014-02-16 20:00	10			3.12	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.19	0.30
2014-02-16 20:00	12	0.00	0.00	2.35	4.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-16 20:00	13			1.08	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-16 21:00	1	0.02	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.12	0.20
2014-02-16 21:00	2	0.06	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-16 21:00	7			1.48	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-16 21:00	8			2.82	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2014-02-16 21:00	10			3.19	5.00	0.00	0.00	0.00	0.00	20.90	20.90			0.25	0.40
2014-02-16 21:00	12	0.00	0.00	2.18	5.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-16 21:00	13			1.18	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-16 22:00	1	0.01	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.11	0.20
2014-02-16 22:00	2	0.10	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-16 22:00	7			1.27	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-16 22:00	8			2.70	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.02	0.20
2014-02-16 22:00	10			3.13	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.17	0.30
2014-02-16 22:00	12	0.00	0.00	2.51	12.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-16 22:00	13			1.19	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-16 23:00	1	0.02	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.10	0.10
2014-02-16 23:00	2	0.05	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-16 23:00	7			1.28	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-16 23:00	8			2.39	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.10
2014-02-16 23:00	10			3.05	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.08	0.20
2014-02-16 23:00	12	0.00	0.10	2.71	15.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-16 23:00	13			1.10	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-17 00:00	1	0.03	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.13	0.20
2014-02-17 00:00	2	0.08	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-02-17 00:00	7			1.31	3.00			0.00	0.00	20.90	20.90	0.00	0.10	0.00	0.00
2014-02-17 00:00	8			2.59	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2014-02-17 00:00	10			3.11	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.07	0.20
2014-02-17 00:00	12	0.00	0.00	2.49	4.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-17 00:00	13			1.22	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-17 01:00	1	0.02	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.15	0.20
2014-02-17 01:00	2	0.08	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-17 01:00	7			1.67	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-17 01:00	8			2.63	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2014-02-17 01:00	10			3.06	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.05	0.20
2014-02-17 01:00	12	0.00	0.00	2.42	8.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-17 01:00	13			1.19	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-17 02:00	1	0.01	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.10	0.20
2014-02-17 02:00	2	0.07	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-17 02:00	7			1.48	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-17 02:00	8			2.64	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2014-02-17 02:00	10			3.00	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.06	0.20
2014-02-17 02:00	12	0.00	0.00	2.61	12.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-17 02:00	13			1.18	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-17 03:00	1	0.02	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.12	0.20
2014-02-17 03:00	2	0.07	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-17 03:00	7			1.21	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-17 03:00	8			2.62	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2014-02-17 03:00	10			3.03	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.08	0.20
2014-02-17 03:00	12	0.00	0.00	2.66	16.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-17 03:00	13			1.21	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-17 04:00	1	0.01	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.30	0.40
2014-02-17 04:00	2	0.09	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-17 04:00	7			1.66	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-17 04:00	8			2.82	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.03	0.20
2014-02-17 04:00	10			3.44	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.32	0.70

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-02-17 04:00	12	0.00	0.00	3.36	15.00			0.00	0.00	20.90	20.90			0.23	0.90
2014-02-17 04:00	13			1.50	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-17 05:00	1	0.03	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.50	0.60
2014-02-17 05:00	2	0.07	0.60			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-17 05:00	7			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-17 05:00	8			3.13	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.02	0.20
2014-02-17 05:00	10			3.74	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.86	1.30
2014-02-17 05:00	12	0.00	0.00	3.23	17.00			0.00	0.00	20.90	20.90			0.70	1.60
2014-02-17 05:00	13			1.97	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.03	0.30
2014-02-17 06:00	1	0.02	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.60	0.60
2014-02-17 06:00	2	0.09	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-17 06:00	7			1.92	3.00			0.00	0.00	20.90	20.90	0.00	0.10	0.00	0.00
2014-02-17 06:00	8			3.25	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.04	0.20
2014-02-17 06:00	10			3.95	4.00	0.00	0.00	0.00	0.00	20.90	20.90			1.22	1.30
2014-02-17 06:00	12	0.00	0.00	3.39	13.00			0.00	0.00	20.90	20.90			1.07	1.30
2014-02-17 06:00	13			2.00	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.12	0.20
2014-02-17 07:00	1	0.03	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.65	0.70
2014-02-17 07:00	2	0.08	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-17 07:00	7			1.32	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-17 07:00	8			2.94	4.00			0.00	0.00	20.81	20.90	0.00	0.00	0.03	0.20
2014-02-17 07:00	10			3.39	4.00	0.00	0.00	0.00	0.00	20.90	20.90			1.13	1.40
2014-02-17 07:00	12	0.00	0.00	2.70	9.00			0.00	0.00	20.90	20.90			1.17	1.40
2014-02-17 07:00	13			1.33	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.21	0.30
2014-02-17 08:00	1	0.01	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.76	0.80
2014-02-17 08:00	2	0.10	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-17 08:00	7			1.54	3.00			0.00	0.00	20.81	20.90	0.00	0.00	0.00	0.00
2014-02-17 08:00	8			2.53	3.00			0.00	0.00	20.67	20.90	0.00	0.00	0.04	0.20
2014-02-17 08:00	10			3.26	4.00	0.00	0.00	0.00	0.00	20.90	20.90			1.08	1.30
2014-02-17 08:00	12	0.00	0.10	2.37	4.00			0.00	0.00	20.90	20.90			1.37	1.50
2014-02-17 08:00	13			1.11	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.22	0.30
2014-02-17 09:00	1	0.03	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.84	1.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-02-17 09:00	2	0.06	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-17 09:00	7			1.84	3.00			0.00	0.00	20.89	20.90	0.00	0.00	0.00	0.00
2014-02-17 09:00	8			2.86	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.04	0.20
2014-02-17 09:00	10			3.63	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.84	1.00
2014-02-17 09:00	12	0.00	0.00	3.38	16.00			0.00	0.00	20.90	20.90			1.77	2.50
2014-02-17 09:00	13			1.72	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.14	0.20
2014-02-17 10:00	1	0.06	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.89	1.00
2014-02-17 10:00	2	0.07	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-17 10:00	7			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-17 10:00	8			3.19	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.09	0.30
2014-02-17 10:00	10			4.00	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.41	0.90
2014-02-17 10:00	12	0.58	0.90	3.25	5.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-17 10:00	13			2.00	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.10	0.20
2014-02-17 11:00	1	0.06	0.60			0.00	0.00	0.00	0.00	20.90	20.90			0.96	1.00
2014-02-17 11:00	2	0.08	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-17 11:00	7			2.10	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-17 11:00	8			3.64	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.09	0.20
2014-02-17 11:00	10			4.03	5.00	0.00	0.00	0.00	0.00	20.90	20.90			0.01	0.20
2014-02-17 11:00	12	0.47	1.00	3.55	10.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-17 11:00	13			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.12	0.20
2014-02-17 12:00	1	0.11	0.70			0.00	0.00	0.00	0.00	20.90	20.90			1.01	1.10
2014-02-17 12:00	2	0.12	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-17 12:00	7			2.03	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-17 12:00	8			2.94	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.06	0.30
2014-02-17 12:00	10			3.92	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-17 12:00	12	0.41	1.10	3.08	4.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-17 12:00	13			1.73	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10