

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-02-17 12:00	1	0.11	0.70			0.00	0.00	0.00	0.00	20.90	20.90			1.01	1.10
2014-02-17 12:00	2	0.12	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-17 12:00	7			2.03	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-17 12:00	8			2.94	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.06	0.30
2014-02-17 12:00	10			3.92	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-17 12:00	12	0.41	1.10	3.08	4.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-17 12:00	13			1.73	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2014-02-17 13:00	1	0.15	0.60			0.00	0.00	0.00	0.00	20.90	20.90			1.25	1.40
2014-02-17 13:00	2	0.04	0.40			0.00	0.00	0.00	0.00	20.90	20.90			1.68	10.90
2014-02-17 13:00	7			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-17 13:00	8			2.95	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.07	0.20
2014-02-17 13:00	10			3.38	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-17 13:00	12	0.44	1.10	2.51	4.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-17 13:00	13			1.46	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-17 14:00	1	0.16	0.80			0.00	0.00	0.00	0.00	20.90	20.90			0.93	1.10
2014-02-17 14:00	2	0.04	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-17 14:00	7			2.05	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-17 14:00	8			3.05	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.06	0.20
2014-02-17 14:00	10			3.19	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-17 14:00	12	0.32	1.00	3.05	17.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-17 14:00	13			1.21	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-17 15:00	1	0.16	1.00			0.00	0.00	0.00	0.00	20.90	20.90			0.56	0.70
2014-02-17 15:00	2	0.03	1.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-17 15:00	7			2.83	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-17 15:00	8			3.00	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.03	0.20
2014-02-17 15:00	10			3.46	5.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-17 15:00	12	0.34	0.90	2.78	17.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-17 15:00	13			1.29	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-17 16:00	1	0.15	0.80			0.00	0.00	0.00	0.00	20.90	20.90			0.38	0.50
2014-02-17 16:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-17 16:00	7			3.31	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-02-17 16:00	8			3.03	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2014-02-17 16:00	10			3.46	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.10	0.30
2014-02-17 16:00	12	0.30	0.90	2.34	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-17 16:00	13			1.34	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-17 17:00	1	0.11	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.29	0.40
2014-02-17 17:00	2	0.00	0.00			0.00	0.00	0.00	0.00	21.08	21.20			0.00	0.00
2014-02-17 17:00	7			2.92	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-17 17:00	8			3.03	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2014-02-17 17:00	10			3.51	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.02	0.20
2014-02-17 17:00	12	0.29	0.80	2.80	15.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-17 17:00	13			1.09	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-17 18:00	1	0.07	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.30	0.30
2014-02-17 18:00	2	0.00	0.10			0.00	0.00	0.00	0.00	20.98	21.20			0.00	0.00
2014-02-17 18:00	7			2.12	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-17 18:00	8			3.05	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.10
2014-02-17 18:00	10			3.28	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.02	0.20
2014-02-17 18:00	12	0.18	1.00	2.97	16.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-17 18:00	13			1.15	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-17 19:00	1	0.05	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.31	0.40
2014-02-17 19:00	2	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-17 19:00	7			1.97	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-17 19:00	8			3.00	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2014-02-17 19:00	10			3.39	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.11	0.30
2014-02-17 19:00	12	0.13	0.50	2.86	17.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-17 19:00	13			1.16	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-17 20:00	1	0.08	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.30	0.40
2014-02-17 20:00	2	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-17 20:00	7			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-17 20:00	8			3.11	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2014-02-17 20:00	10			3.05	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.21	0.40
2014-02-17 20:00	12	0.20	1.00	2.29	3.00			0.00	0.00	20.90	20.90			0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-02-17 20:00	13			1.21	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-17 21:00	1	0.05	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.27	0.30
2014-02-17 21:00	2	0.02	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-17 21:00	7			2.02	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-17 21:00	8			3.05	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.10
2014-02-17 21:00	10			3.41	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.16	0.40
2014-02-17 21:00	12	0.12	0.40	2.75	4.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-17 21:00	13			1.15	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-17 22:00	1	0.10	0.70			0.00	0.00	0.00	0.00	20.90	20.90			0.19	0.20
2014-02-17 22:00	2	0.01	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-17 22:00	7			2.08	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-17 22:00	8			3.00	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2014-02-17 22:00	10			3.31	7.00	0.00	0.00	0.00	0.00	20.90	20.90			0.04	0.20
2014-02-17 22:00	12	0.18	0.60	2.31	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-17 22:00	13			1.14	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-17 23:00	1	0.07	0.60			0.00	0.00	0.00	0.00	20.90	20.90			0.13	0.20
2014-02-17 23:00	2	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-17 23:00	7			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-17 23:00	8			3.08	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.10
2014-02-17 23:00	10			3.32	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-17 23:00	12	0.12	0.60	2.82	8.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-17 23:00	13			1.14	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-18 00:00	1	0.08	0.60			0.00	0.00	0.00	0.00	20.90	20.90			0.10	0.20
2014-02-18 00:00	2	0.01	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-18 00:00	7			1.97	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-18 00:00	8			3.00	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-18 00:00	10			3.11	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-18 00:00	12	0.16	0.50	3.41	20.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-18 00:00	13			0.97	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-18 01:00	1	0.09	0.60			0.00	0.00	0.00	0.00	20.90	20.90			0.10	0.10
2014-02-18 01:00	2	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-02-18 01:00	7			2.05	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-18 01:00	8			3.05	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-18 01:00	10			3.15	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-18 01:00	12	0.22	0.80	2.31	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-18 01:00	13			1.13	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-18 02:00	1	0.05	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.10	0.10
2014-02-18 02:00	2	0.01	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-18 02:00	7			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-18 02:00	8			3.00	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-18 02:00	10			3.32	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-18 02:00	12	0.16	0.40	2.53	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-18 02:00	13			1.05	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-18 03:00	1	0.07	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.09	0.10
2014-02-18 03:00	2	0.01	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-18 03:00	7			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-18 03:00	8			3.05	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-18 03:00	10			3.39	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-18 03:00	12	0.16	0.70	3.06	16.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-18 03:00	13			1.11	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-18 04:00	1	0.07	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.09	0.10
2014-02-18 04:00	2	0.02	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-18 04:00	7			1.95	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-18 04:00	8			3.05	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-18 04:00	10			3.13	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-18 04:00	12	0.18	0.40	2.40	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-18 04:00	13			1.13	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-18 05:00	1	0.07	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.09	0.10
2014-02-18 05:00	2	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-18 05:00	7			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-18 05:00	8			3.03	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.10
2014-02-18 05:00	10			3.19	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-02-18 05:00	12	0.23	0.60	2.20	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-18 05:00	13			1.11	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-18 06:00	1	0.06	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.10	0.20
2014-02-18 06:00	2	0.03	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-18 06:00	7			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-18 06:00	8			2.98	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.10
2014-02-18 06:00	10			3.40	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.10
2014-02-18 06:00	12	0.41	0.90	4.56	15.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-18 06:00	13			1.21	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-18 07:00	1	0.12	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.10	0.20
2014-02-18 07:00	2	0.05	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-18 07:00	7			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-18 07:00	8			3.00	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2014-02-18 07:00	10			3.49	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.10
2014-02-18 07:00	12	0.45	1.10	2.69	4.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-18 07:00	13			1.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-18 08:00	1	0.31	0.80			0.01	0.10	0.00	0.00	20.90	20.90			0.12	0.20
2014-02-18 08:00	2	0.08	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-18 08:00	7			2.46	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-18 08:00	8			2.97	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-18 08:00	10			3.51	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-18 08:00	12	0.50	1.00	2.50	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-18 08:00	13			1.26	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-18 09:00	8			3.00	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-18 09:00	10			3.00	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-18 15:00	1	0.84	1.40			0.00	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-18 15:00	2	0.00	0.00			0.04	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-18 15:00	7			10.00	13.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-18 15:00	8			5.86	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-18 15:00	10			4.00	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-18 15:00	12	0.00	0.00	3.17	4.00			0.00	0.00	20.90	20.90			0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-02-18 15:00	13			2.00	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-18 16:00	1	0.73	1.20			0.00	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-18 16:00	2	0.00	0.00			0.10	0.20	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-18 16:00	7			12.41	16.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-18 16:00	8			5.08	7.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-18 16:00	10			3.97	5.00	0.00	0.00	0.00	0.00	20.90	20.90			0.02	0.20
2014-02-18 16:00	12	0.00	0.00	3.52	20.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-18 16:00	13			2.06	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-18 17:00	1	0.72	1.20			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-18 17:00	2	0.00	0.10			0.11	0.30	0.00	0.00	20.90	20.90			0.09	0.40
2014-02-18 17:00	7			8.34	11.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-18 17:00	8			4.45	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-18 17:00	10			4.06	6.00	0.00	0.00	0.00	0.00	20.90	20.90				
2014-02-18 17:00	12	0.00	0.00	3.27	7.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-18 17:00	13			1.63	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-18 18:00	1	0.60	1.40			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-18 18:00	2	0.00	0.00			0.00	0.10	0.00	0.00	20.90	20.90			0.28	0.50
2014-02-18 18:00	7			6.11	8.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-18 18:00	8			4.03	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-18 18:00	10			3.90	4.00	0.00	0.00	0.00	0.00	20.90	20.90				
2014-02-18 18:00	12	0.01	0.30	3.23	19.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-18 18:00	13			1.56	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-18 19:00	1	0.54	1.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-18 19:00	2	0.00	0.10			0.03	0.10	0.00	0.00	20.90	20.90			0.35	0.50
2014-02-18 19:00	7			4.67	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-18 19:00	8			3.92	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-18 19:00	10			3.83	6.00	0.00	0.00	0.00	0.00	20.90	20.90				
2014-02-18 19:00	12	0.00	0.00	2.83	4.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-18 19:00	13			1.38	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-18 20:00	1	0.46	1.20			0.00	0.00	0.00	0.00	20.90	20.90			0.03	0.20
2014-02-18 20:00	2	0.00	0.00			0.02	0.10	0.00	0.00	20.90	20.90			0.42	0.60

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-02-18 20:00	7			4.05	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-18 20:00	8			3.84	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-18 20:00	10			3.89	4.00	0.00	0.00	0.00	0.00	20.90	20.90				
2014-02-18 20:00	12	0.01	0.10	3.14	16.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-18 20:00	13			1.54	2.00			0.00	0.00	20.89	20.90	0.00	0.00	0.00	0.00
2014-02-18 21:00	1	0.40	0.80			0.00	0.00	0.00	0.00	20.61	20.70			0.00	0.00
2014-02-18 21:00	2	0.00	0.00			0.07	0.20	0.00	0.00	20.90	20.90			0.47	0.60
2014-02-18 21:00	7			3.88	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-18 21:00	8			3.78	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-18 21:00	10			3.90	4.00	0.00	0.00	0.00	0.00	20.86	20.90				
2014-02-18 21:00	12	0.01	0.10	2.42	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-18 21:00	13			1.53	2.00			0.00	0.00	20.84	20.90	0.00	0.00	0.00	0.00
2014-02-18 22:00	1	0.39	1.10			0.00	0.00	0.00	0.00	20.64	20.70			0.00	0.00
2014-02-18 22:00	2	0.01	0.10			0.06	0.20	0.00	0.00	20.90	20.90			0.47	0.70
2014-02-18 22:00	7			3.89	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-18 22:00	8			3.38	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-18 22:00	10			3.71	5.00	0.00	0.00	0.00	0.00	20.62	20.70				
2014-02-18 22:00	12	0.01	0.20	2.92	14.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-18 22:00	13			1.56	2.00			0.00	0.00	20.65	20.70	0.00	0.00	0.00	0.00
2014-02-18 23:00	1	0.34	0.80			0.00	0.00	0.00	0.00	20.60	20.70			0.00	0.00
2014-02-18 23:00	2	0.01	0.10			0.08	0.20	0.00	0.00	20.64	20.90			0.46	1.00
2014-02-18 23:00	7			3.33	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-18 23:00	8			3.11	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-18 23:00	10			3.69	6.00	0.00	0.00	0.00	0.00	20.60	20.70				
2014-02-18 23:00	12	0.01	0.20	2.38	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-18 23:00	13			1.72	3.00			0.00	0.00	20.60	20.60	0.00	0.00	0.00	0.00
2014-02-19 00:00	1	0.27	0.90			0.00	0.00	0.00	0.00	20.52	20.60			0.00	0.00
2014-02-19 00:00	2	0.01	0.20			0.07	0.20	0.00	0.00	20.52	20.60			0.58	1.00
2014-02-19 00:00	7			2.95	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-19 00:00	8			3.05	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-19 00:00	10			3.65	4.00	0.00	0.00	0.00	0.00	20.60	20.60				

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-02-19 00:00	12	0.01	0.10	2.50	4.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-19 00:00	13			1.59	3.00			0.00	0.00	20.58	20.60	0.00	0.00	0.00	0.00
2014-02-19 01:00	1	0.23	1.00			0.00	0.00	0.00	0.00	20.49	20.50			0.00	0.00
2014-02-19 01:00	2	0.01	0.20			0.09	0.30	0.00	0.00	20.52	20.60			0.59	0.90
2014-02-19 01:00	7			3.00	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-19 01:00	8			3.13	4.00			0.00	0.00	20.89	20.90	0.00	0.00	0.00	0.00
2014-02-19 01:00	10			3.56	4.00	0.00	0.00	0.00	0.00	20.60	20.60				
2014-02-19 01:00	12	0.01	0.20	2.78	6.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-19 01:00	13			1.49	3.00			0.00	0.00	20.58	20.60	0.00	0.00	0.00	0.00
2014-02-19 02:00	1	0.21	0.80			0.00	0.00	0.00	0.00	20.43	20.50			0.01	0.10
2014-02-19 02:00	2	0.01	0.10			0.04	0.10	0.00	0.00	20.57	20.60			0.60	0.80
2014-02-19 02:00	7			2.80	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-19 02:00	8			3.03	4.00			0.00	0.00	20.88	20.90	0.00	0.00	0.00	0.00
2014-02-19 02:00	10			3.74	4.00	0.00	0.00	0.00	0.00	20.56	20.60				
2014-02-19 02:00	12	0.00	0.00	2.61	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-19 02:00	13			1.38	2.00			0.00	0.00	20.53	20.60	0.00	0.00	0.00	0.00
2014-02-19 03:00	1	0.24	1.00			0.00	0.00	0.00	0.00	20.44	20.50			0.01	0.10
2014-02-19 03:00	2	0.00	0.00			0.10	0.20	0.00	0.00	20.53	20.60			0.66	0.80
2014-02-19 03:00	7			2.05	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-19 03:00	8			3.00	3.00			0.00	0.00	20.72	20.90	0.00	0.00	0.00	0.00
2014-02-19 03:00	10			3.72	4.00	0.00	0.00	0.00	0.00	20.56	20.60				
2014-02-19 03:00	12	0.00	0.10	3.18	25.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-19 03:00	13			1.59	3.00			0.00	0.00	20.54	20.60	0.00	0.00	0.00	0.00
2014-02-19 04:00	1	0.27	0.90			0.00	0.00	0.00	0.00	20.42	20.50			0.06	0.10
2014-02-19 04:00	2	0.00	0.00			0.07	0.20	0.00	0.00	20.52	20.60			0.72	0.80
2014-02-19 04:00	7			2.11	4.00			0.00	0.00	20.61	20.90	0.00	0.00	0.00	0.00
2014-02-19 04:00	8			3.00	4.00			0.00	0.00	20.65	20.70	0.00	0.00	0.00	0.00
2014-02-19 04:00	10			3.76	5.00	0.00	0.00	0.00	0.00	20.52	20.60				
2014-02-19 04:00	12	0.01	0.10	2.97	15.00			0.00	0.00	20.90	20.90			0.00	0.10
2014-02-19 04:00	13			1.26	3.00			0.00	0.00	20.53	20.60	0.00	0.00	0.00	0.00
2014-02-19 05:00	1	0.22	0.90			0.00	0.00	0.00	0.00	20.40	20.50			0.11	0.20

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-02-19 05:00	2	0.01	0.10			0.10	0.20	0.00	0.00	20.50	20.50			0.79	1.00
2014-02-19 05:00	7			2.00	2.00			0.00	0.00	20.59	20.70	0.00	0.00	0.00	0.00
2014-02-19 05:00	8			2.95	4.00			0.00	0.00	20.60	20.70	0.00	0.00	0.00	0.00
2014-02-19 05:00	10			3.76	4.00	0.00	0.00	0.00	0.00	20.52	20.60				
2014-02-19 05:00	12	0.01	0.10	2.13	3.00			0.00	0.00	20.90	20.90			0.00	0.10
2014-02-19 05:00	13			1.45	2.00			0.00	0.00	20.54	20.90	0.00	0.00	0.00	0.00
2014-02-19 06:00	1	0.28	0.90			0.00	0.00	0.00	0.00	20.35	20.40			0.28	0.40
2014-02-19 06:00	2	0.03	0.30			0.10	0.20	0.00	0.00	20.44	20.50			0.81	1.00
2014-02-19 06:00	7			2.00	3.00			0.00	0.00	20.57	20.60	0.00	0.00	0.00	0.00
2014-02-19 06:00	8			3.05	4.00			0.00	0.00	20.60	20.60	0.00	0.00	0.00	0.00
2014-02-19 06:00	10			3.54	4.00	0.00	0.00	0.00	0.00	20.46	20.60				
2014-02-19 06:00	12	0.01	0.20	2.35	4.00			0.00	0.00	20.90	20.90			0.01	0.10
2014-02-19 06:00	13			1.49	2.00			0.00	0.00	20.54	20.60	0.00	0.00	0.00	0.00
2014-02-19 07:00	1	0.44	1.30			0.00	0.00	0.00	0.00	20.29	20.40			0.47	0.60
2014-02-19 07:00	2	0.12	1.60			0.14	0.30	0.00	0.00	20.42	20.50			0.73	1.00
2014-02-19 07:00	7			2.00	2.00			0.00	0.00	20.51	20.60	0.00	0.00	0.00	0.00
2014-02-19 07:00	8			3.03	4.00			0.00	0.00	20.60	20.60	0.00	0.00	0.00	0.00
2014-02-19 07:00	10			3.68	4.00	0.00	0.00	0.00	0.00	20.45	20.60				
2014-02-19 07:00	12	0.02	0.40	2.54	5.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-19 07:00	13			1.37	4.00			0.00	0.00	20.43	20.60	0.00	0.00	0.00	0.00
2014-02-19 08:00	1	0.49	1.30			0.00	0.00	0.00	0.00	20.44	20.50			0.27	0.40
2014-02-19 08:00	2	0.07	1.00			0.13	0.30	0.00	0.00	20.49	20.60			0.58	1.00
2014-02-19 08:00	7			2.08	4.00			0.00	0.00	20.52	20.60	0.00	0.00	0.00	0.00
2014-02-19 08:00	8			3.00	4.00			0.00	0.00	20.60	20.70	0.00	0.00	0.00	0.00
2014-02-19 08:00	10			3.47	4.00	0.00	0.00	0.00	0.00	20.45	20.50				
2014-02-19 08:00	12	0.02	0.20	2.84	18.00			0.00	0.00	20.90	20.90			0.02	0.30
2014-02-19 08:00	13			1.81	4.00			0.00	0.00	20.48	20.60	0.00	0.00	0.00	0.00
2014-02-19 09:00	1	0.58	1.20			0.00	0.00	0.00	0.00	20.77	20.90			0.04	0.20
2014-02-19 09:00	2	0.04	0.40			0.05	0.20	0.00	0.00	20.72	20.90			0.21	0.50
2014-02-19 09:00	7			2.79	3.00			0.00	0.00	20.61	20.70	0.00	0.00	0.00	0.00
2014-02-19 09:00	8			3.03	4.00			0.00	0.00	20.59	20.60	0.00	0.00	0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-02-19 09:00	10			3.64	4.00	0.00	0.00	0.00	0.00	20.69	20.90			0.00	0.00
2014-02-19 09:00	12	0.01	0.20	3.09	22.00			0.00	0.00	20.90	20.90			0.00	0.10
2014-02-19 09:00	13			1.56	3.00			0.00	0.00	20.73	20.90	0.00	0.00	0.00	0.00
2014-02-19 10:00	1	0.52	1.00			0.00	0.00	0.00	0.00	20.90	20.90			0.01	0.20
2014-02-19 10:00	2	0.05	0.60			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-19 10:00	7			3.62	4.00			0.00	0.00	20.74	20.90	0.00	0.00	0.00	0.00
2014-02-19 10:00	8			2.97	3.00			0.00	0.00	20.58	20.70	0.00	0.00	0.00	0.00
2014-02-19 10:00	10			3.61	5.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-19 10:00	12	0.03	0.20	2.78	14.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-19 10:00	13			1.66	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-19 11:00	1	0.39	1.00			0.00	0.00	0.00	0.00	20.90	20.90			0.03	0.20
2014-02-19 11:00	2	0.03	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.01	0.20
2014-02-19 11:00	7			3.87	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-19 11:00	8			3.05	4.00			0.00	0.00	20.59	20.70	0.00	0.00	0.00	0.00
2014-02-19 11:00	10			3.55	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-19 11:00	12	0.00	0.00	2.63	12.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-19 11:00	13			1.54	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.20
2014-02-19 12:00	1	0.54	1.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-19 12:00	2	0.08	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.01	0.10
2014-02-19 12:00	7			3.59	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-19 12:00	8			3.03	4.00			0.00	0.00	20.61	20.70	0.00	0.00	0.00	0.00
2014-02-19 12:00	10			3.57	5.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-19 12:00	12	0.04	0.70	2.40	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-19 12:00	13			1.53	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-19 13:00	1	0.57	1.50			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-19 13:00	2	0.01	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-19 13:00	7			3.95	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-19 13:00	8			3.03	4.00			0.00	0.00	20.72	20.90	0.00	0.00	0.00	0.00
2014-02-19 13:00	10			3.74	5.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-19 13:00	12	0.01	0.20	2.63	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-19 13:00	13			1.53	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-02-19 14:00	1	0.50	1.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-19 14:00	2	0.01	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.01	0.20
2014-02-19 14:00	7			4.08	7.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-19 14:00	8			3.17	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-19 14:00	10			3.89	5.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-19 14:00	12	0.00	0.00	2.68	5.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-19 14:00	13			1.17	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-19 15:00	1	0.44	1.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-19 15:00	2	0.03	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.01	0.10
2014-02-19 15:00	7			4.00	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-19 15:00	8			3.28	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-19 15:00	10			3.53	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-19 15:00	12	0.01	0.30	3.06	14.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-19 15:00	13			1.50	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-19 16:00	1	0.44	1.50			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.10
2014-02-19 16:00	2	0.06	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.04	0.20
2014-02-19 16:00	7			3.61	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-19 16:00	8			3.06	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-19 16:00	10			3.66	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-19 16:00	12	0.02	0.10	2.78	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-19 16:00	13			1.24	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-19 17:00	1	0.39	0.90			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-19 17:00	2	0.14	1.50			0.00	0.00	0.00	0.00	20.90	20.90			0.11	0.30
2014-02-19 17:00	7			3.00	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-19 17:00	8			3.19	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-19 17:00	10			3.74	5.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-19 17:00	12	0.00	0.00	2.52	4.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-19 17:00	13			1.75	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.02	0.10
2014-02-19 18:00	1	0.39	0.80			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-19 18:00	2	0.14	0.60			0.00	0.00	0.00	0.00	20.90	20.90			0.21	0.70
2014-02-19 18:00	7			2.65	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-02-19 18:00	8			3.05	4.00			0.00	0.00	20.86	20.90	0.00	0.00	0.00	0.00
2014-02-19 18:00	10			3.76	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-19 18:00	12	0.00	0.00	3.47	23.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-19 18:00	13			1.47	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.07	0.10
2014-02-19 19:00	1	0.35	0.80			0.00	0.00	0.00	0.00	20.90	20.90			0.06	0.20
2014-02-19 19:00	2	0.16	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.34	0.70
2014-02-19 19:00	7			2.17	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-19 19:00	8			2.97	3.00			0.00	0.00	20.82	20.90	0.00	0.00	0.00	0.00
2014-02-19 19:00	10			3.87	5.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-19 19:00	12	0.00	0.00	3.45	16.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-19 19:00	13			1.42	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.08	0.10
2014-02-19 20:00	1	0.39	0.90			0.00	0.00	0.00	0.00	20.90	20.90			0.15	0.30
2014-02-19 20:00	2	0.20	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.28	0.50
2014-02-19 20:00	7			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-19 20:00	8			3.06	5.00			0.00	0.00	20.61	20.70	0.00	0.00	0.00	0.00
2014-02-19 20:00	10			3.74	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-19 20:00	12	0.00	0.10	2.22	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-19 20:00	13			1.45	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.09	0.10
2014-02-19 21:00	1	0.37	1.20			0.00	0.00	0.00	0.00	20.90	20.90			0.09	0.10
2014-02-19 21:00	2	0.20	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.28	0.70
2014-02-19 21:00	7			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-19 21:00	8			3.00	4.00			0.00	0.00	20.61	20.70	0.00	0.00	0.00	0.00
2014-02-19 21:00	10			3.50	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-19 21:00	12	0.01	0.10	2.61	7.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-19 21:00	13			1.68	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.07	0.10
2014-02-19 22:00	1	0.38	1.10			0.00	0.00	0.00	0.00	20.90	20.90			0.09	0.10
2014-02-19 22:00	2	0.17	0.70			0.00	0.00	0.00	0.00	20.90	20.90			0.15	0.60
2014-02-19 22:00	7			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-19 22:00	8			2.97	3.00			0.00	0.00	20.68	20.90	0.00	0.00	0.00	0.00
2014-02-19 22:00	10			3.63	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-19 22:00	12	0.00	0.00	3.00	17.00			0.00	0.00	20.90	20.90			0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-02-19 22:00	13			1.63	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.08	0.10
2014-02-19 23:00	1					0.00	0.00	0.00	0.00	20.90	20.90				
2014-02-19 23:00	2	0.13	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.10	0.60
2014-02-19 23:00	7			2.15	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-19 23:00	8			3.00	4.00			0.00	0.00	20.61	20.70	0.00	0.00	0.00	0.00
2014-02-19 23:00	10			3.36	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-19 23:00	12	0.01	0.20	2.67	5.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-19 23:00	13			1.58	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.05	0.10
2014-02-20 00:00	1					0.00	0.00	0.00	0.00	20.90	20.90				
2014-02-20 00:00	2	0.21	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.17	0.60
2014-02-20 00:00	7			2.03	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-20 00:00	8			3.00	3.00			0.00	0.00	20.65	20.90	0.00	0.00	0.00	0.00
2014-02-20 00:00	10			3.62	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-20 00:00	12	0.01	0.10	2.87	17.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-20 00:00	13			1.55	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.05	0.10
2014-02-20 01:00	1					0.00	0.00	0.00	0.00	20.90	20.90				
2014-02-20 01:00	2	0.16	0.60			0.00	0.00	0.00	0.00	20.90	20.90			0.28	0.60
2014-02-20 01:00	7			2.03	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-20 01:00	8			2.95	3.00			0.00	0.00	20.62	20.90	0.00	0.00	0.00	0.00
2014-02-20 01:00	10			3.43	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-20 01:00	12	0.00	0.10	2.87	10.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-20 01:00	13			1.33	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.06	0.10
2014-02-20 02:00	1					0.00	0.00	0.00	0.00	20.90	20.90				
2014-02-20 02:00	2	0.12	0.60			0.00	0.00	0.00	0.00	20.90	20.90			0.20	0.60
2014-02-20 02:00	7			2.05	3.00			0.00	0.00	20.82	20.90	0.00	0.00	0.00	0.00
2014-02-20 02:00	8			3.05	4.00			0.00	0.00	20.64	20.90	0.00	0.00	0.00	0.00
2014-02-20 02:00	10			3.74	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-20 02:00	12	0.00	0.00	2.59	9.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-20 02:00	13			1.48	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.06	0.10
2014-02-20 03:00	1					0.00	0.00	0.00	0.00	20.90	20.90				
2014-02-20 03:00	2	0.13	0.70			0.00	0.00	0.00	0.00	20.90	20.90			0.20	0.70

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-02-20 03:00	7			2.00	2.00			0.00	0.00	20.70	20.90	0.00	0.00	0.00	0.00
2014-02-20 03:00	8			3.03	4.00			0.00	0.00	20.60	20.70	0.00	0.00	0.00	0.00
2014-02-20 03:00	10			3.88	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-20 03:00	12	0.01	0.20	2.81	6.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-20 03:00	13			1.38	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.06	0.10
2014-02-20 04:00	1					0.00	0.00	0.00	0.00	20.90	20.90				
2014-02-20 04:00	2	0.22	0.80			0.00	0.00	0.00	0.00	20.90	20.90				
2014-02-20 04:00	7			2.03	3.00			0.00	0.00	20.61	20.70	0.00	0.00	0.00	0.00
2014-02-20 04:00	8			3.00	3.00			0.00	0.00	20.59	20.60	0.00	0.00	0.00	0.00
2014-02-20 04:00	10			3.62	5.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-20 04:00	12	0.01	0.30	2.68	13.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-20 04:00	13			1.54	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.05	0.10
2014-02-20 05:00	1					0.00	0.00	0.00	0.00	20.90	20.90				
2014-02-20 05:00	2	0.18	0.70			0.00	0.00	0.00	0.00	20.90	20.90				
2014-02-20 05:00	7			3.32	5.00			0.00	0.00	20.63	20.70	0.00	0.00	0.00	0.00
2014-02-20 05:00	8			3.55	4.00			0.00	0.00	20.59	20.70	0.00	0.00	0.00	0.00
2014-02-20 05:00	10			3.95	5.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-20 05:00	12	0.01	0.10	3.43	13.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-20 05:00	13			2.65	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.04	0.10
2014-02-20 06:00	1					0.00	0.00	0.00	0.00	20.90	20.90				
2014-02-20 06:00	2	0.15	0.50			0.00	0.00	0.00	0.00	20.90	20.90				
2014-02-20 06:00	7			3.98	5.00			0.00	0.00	20.65	20.70	0.00	0.00	0.00	0.00
2014-02-20 06:00	8			4.00	4.00			0.00	0.00	20.60	20.60	0.00	0.00	0.00	0.00
2014-02-20 06:00	10			4.95	8.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-20 06:00	12	0.00	0.00	4.25	16.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-20 06:00	13			3.63	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.03	0.10
2014-02-20 07:00	1					0.00	0.00	0.00	0.00	20.90	20.90				
2014-02-20 07:00	2	0.09	0.50			0.00	0.00	0.00	0.00	20.90	20.90				
2014-02-20 07:00	7			3.89	4.00			0.00	0.00	20.60	20.60	0.00	0.00	0.00	0.00
2014-02-20 07:00	8			3.94	4.00			0.00	0.00	20.57	20.60	0.00	0.00	0.00	0.00
2014-02-20 07:00	10			4.12	6.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-02-20 07:00	12	0.01	0.20	3.84	19.00			0.00	0.00	20.89	20.90			0.00	0.00
2014-02-20 07:00	13			2.89	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2014-02-20 08:00	1	0.07	0.40			0.01	0.10	0.00	0.00	20.90	20.90			0.07	0.20
2014-02-20 08:00	2	0.09	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.03	0.20
2014-02-20 08:00	7			3.16	4.00			0.00	0.00	20.66	20.70	0.00	0.00	0.00	0.00
2014-02-20 08:00	8			3.85	4.00			0.00	0.00	20.61	20.70	0.00	0.00	0.00	0.00
2014-02-20 08:00	10			3.97	5.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-20 08:00	12	0.01	0.20	3.53	20.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-20 08:00	13			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-20 09:00	1	0.02	0.30			0.02	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-20 09:00	2	0.04	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-20 09:00	7			3.05	5.00			0.00	0.00	20.65	20.70	0.00	0.00	0.00	0.00
2014-02-20 09:00	8			3.50	4.00			0.00	0.00	20.67	20.70	0.00	0.00	0.00	0.00
2014-02-20 09:00	10			3.89	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-20 09:00	12	0.01	0.10	2.70	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-20 09:00	13			1.79	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-20 10:00	1	0.03	0.40			0.02	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-20 10:00	2	0.01	0.20			0.00	0.10	0.00	0.00	20.90	20.90			0.00	0.10
2014-02-20 10:00	7			3.63	4.00			0.00	0.00	20.68	20.70	0.00	0.00	0.00	0.00
2014-02-20 10:00	8			4.06	6.00			0.00	0.00	20.89	20.90	0.00	0.00	0.00	0.00
2014-02-20 10:00	10			3.94	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-20 10:00	12	0.00	0.00	3.87	24.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-20 10:00	13			1.38	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-20 11:00	1	0.03	0.20			0.03	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-20 11:00	2	0.01	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-20 11:00	7			4.08	6.00			0.00	0.00	20.88	20.90	0.00	0.00	0.00	0.00
2014-02-20 11:00	8			4.06	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.20
2014-02-20 11:00	10			3.76	5.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-20 11:00	12	0.01	0.10	3.21	5.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-20 11:00	13			1.55	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-20 12:00	1	0.04	0.40			0.05	0.10	0.00	0.00	20.90	20.90			0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-02-20 12:00	2	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-20 12:00	7			4.84	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-20 12:00	8			4.21	7.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-20 12:00	10			4.00	5.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-20 12:00	12	0.00	0.00	3.00	4.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-20 12:00	13			1.56	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00