

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-02-27 12:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.54	20.60			0.00	0.00
2014-02-27 12:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.59	20.70			0.00	0.00
2014-02-27 12:00	7			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-27 12:00	8			2.24	3.00			0.00	0.00	20.50	20.50	0.00	0.00	0.01	0.10
2014-02-27 12:00	10			3.30	4.00	0.00	0.00	0.00	0.00	20.41	20.60			0.00	0.00
2014-02-27 12:00	12	0.19	0.50	2.26	12.00			0.00	0.00	20.63	20.70			1.56	2.50
2014-02-27 12:00	13			1.21	3.00			0.00	0.00	20.50	20.60	0.00	0.00	0.00	0.00
2014-02-27 13:00	1	0.02	0.30			0.00	0.00	0.00	0.00	20.61	20.70			0.00	0.00
2014-02-27 13:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.66	20.90			0.00	0.10
2014-02-27 13:00	7			1.97	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-27 13:00	8			2.57	3.00			0.00	0.00	20.52	20.60	0.00	0.00	0.00	0.00
2014-02-27 13:00	10			3.03	4.00	0.00	0.00	0.00	0.00	20.42	20.50			0.00	0.00
2014-02-27 13:00	12	0.20	0.70	2.51	12.00			0.00	0.00	20.65	20.70			1.46	1.90
2014-02-27 13:00	13			1.22	3.00			0.00	0.00	20.52	20.60	0.00	0.00	0.00	0.00
2014-02-27 14:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.70	20.90			0.00	0.00
2014-02-27 14:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-27 14:00	7			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-27 14:00	8			2.76	4.00			0.00	0.00	20.57	20.60	0.00	0.00	0.00	0.00
2014-02-27 14:00	10			3.09	4.00	0.00	0.00	0.00	0.00	20.46	20.50			0.00	0.00
2014-02-27 14:00	12	0.21	0.60	2.41	16.00			0.00	0.00	20.76	20.90			1.32	1.90
2014-02-27 14:00	13			1.13	2.00			0.00	0.00	20.57	20.70	0.00	0.00	0.00	0.00
2014-02-27 15:00	1	0.01	0.20			0.00	0.00	0.00	0.00	20.62	20.70			0.00	0.00
2014-02-27 15:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-27 15:00	7			2.03	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-27 15:00	8			2.49	3.00			0.00	0.00	20.53	20.60	0.00	0.00	0.01	0.10
2014-02-27 15:00	10			3.06	4.00	0.00	0.00	0.00	0.00	20.48	20.60			0.00	0.00
2014-02-27 15:00	12	0.14	0.50	2.08	4.00			0.00	0.00	20.90	20.90			0.88	1.90
2014-02-27 15:00	13			1.15	2.00			0.00	0.00	20.60	20.70	0.00	0.00	0.00	0.00
2014-02-27 16:00	1	0.01	0.20			0.00	0.00	0.00	0.00	20.60	20.70			0.00	0.00
2014-02-27 16:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-27 16:00	7			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-02-27 16:00	8			2.80	4.00			0.00	0.00	20.57	20.70	0.00	0.00	0.01	0.20
2014-02-27 16:00	10			2.95	4.00	0.00	0.00	0.00	0.00	20.49	20.50			0.00	0.00
2014-02-27 16:00	12	0.14	0.40	2.50	14.00			0.00	0.00	20.90	20.90			1.00	1.90
2014-02-27 16:00	13			1.23	3.00			0.00	0.00	20.56	20.70	0.00	0.00	0.00	0.00
2014-02-27 17:00	1	0.01	0.10			0.00	0.00	0.00	0.00	20.57	20.60			0.00	0.00
2014-02-27 17:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.10
2014-02-27 17:00	7			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-27 17:00	8			2.38	3.00			0.00	0.00	20.57	20.70	0.00	0.00	0.00	0.10
2014-02-27 17:00	10			3.14	6.00	0.00	0.00	0.00	0.00	20.50	20.60			0.00	0.00
2014-02-27 17:00	12	0.16	0.60	2.53	15.00			0.00	0.00	20.90	20.90			0.83	1.90
2014-02-27 17:00	13			1.18	3.00			0.00	0.00	20.57	20.60	0.00	0.00	0.00	0.00
2014-02-27 18:00	1	0.00	0.20			0.00	0.00	0.00	0.00	20.44	20.50			0.00	0.00
2014-02-27 18:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.12	0.30
2014-02-27 18:00	7			1.86	3.00			0.00	0.00	20.62	20.90	0.00	0.00	0.00	0.00
2014-02-27 18:00	8			2.15	3.00			0.00	0.00	20.58	20.70	0.00	0.00	0.00	0.00
2014-02-27 18:00	10			3.03	4.00	0.00	0.00	0.00	0.00	20.51	20.60			0.00	0.00
2014-02-27 18:00	12	0.12	0.50	2.39	14.00			0.00	0.00	20.90	20.90			1.13	1.90
2014-02-27 18:00	13			1.14	3.00			0.00	0.00	20.48	20.60	0.00	0.00	0.00	0.00
2014-02-27 19:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.36	20.40			0.00	0.00
2014-02-27 19:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.83	20.90			0.24	0.40
2014-02-27 19:00	7			1.75	2.00			0.00	0.00	20.54	20.60	0.00	0.00	0.00	0.00
2014-02-27 19:00	8			2.45	3.00			0.00	0.00	20.55	20.60	0.00	0.00	0.01	0.10
2014-02-27 19:00	10			3.20	4.00	0.00	0.00	0.00	0.00	20.48	20.60			0.00	0.00
2014-02-27 19:00	12	0.13	0.60	2.17	9.00			0.00	0.00	20.90	20.90			1.39	1.90
2014-02-27 19:00	13			1.05	2.00			0.00	0.00	20.42	20.50	0.00	0.00	0.00	0.00
2014-02-27 20:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.32	20.40			0.00	0.00
2014-02-27 20:00	2	0.00	0.00			0.01	0.10	0.00	0.00	20.51	20.60			0.28	0.40
2014-02-27 20:00	7			1.90	3.00			0.00	0.00	20.50	20.50	0.00	0.00	0.00	0.00
2014-02-27 20:00	8			2.47	4.00			0.00	0.00	20.51	20.60	0.00	0.00	0.00	0.10
2014-02-27 20:00	10			3.05	4.00	0.00	0.00	0.00	0.00	20.43	20.60			0.00	0.00
2014-02-27 20:00	12	0.15	0.50	2.22	4.00			0.00	0.00	20.90	20.90			1.63	1.90

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-02-27 20:00	13			1.31	3.00			0.00	0.00	20.35	20.40	0.00	0.00	0.00	0.00
2014-02-27 21:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.30	20.40			0.00	0.00
2014-02-27 21:00	2	0.00	0.10			0.00	0.10	0.00	0.00	20.50	20.50			0.31	0.50
2014-02-27 21:00	7			1.74	2.00			0.00	0.00	20.45	20.60	0.00	0.00	0.00	0.00
2014-02-27 21:00	8			2.36	3.00			0.00	0.00	20.53	20.60	0.00	0.00	0.02	0.20
2014-02-27 21:00	10			3.03	4.00	0.00	0.00	0.00	0.00	20.41	20.50			0.00	0.00
2014-02-27 21:00	12	0.12	0.50	2.42	12.00			0.00	0.00	20.90	20.90			1.63	2.50
2014-02-27 21:00	13			1.16	3.00			0.00	0.00	20.38	20.40	0.00	0.00	0.00	0.00
2014-02-27 22:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.26	20.30			0.00	0.00
2014-02-27 22:00	2	0.01	0.10			0.01	0.10	0.00	0.00	20.49	20.50			0.36	0.50
2014-02-27 22:00	7			1.85	3.00			0.00	0.00	20.38	20.40	0.00	0.00	0.00	0.00
2014-02-27 22:00	8			2.38	3.00			0.00	0.00	20.52	20.60	0.00	0.00	0.04	0.20
2014-02-27 22:00	10			3.18	4.00	0.00	0.00	0.00	0.00	20.39	20.40			0.00	0.00
2014-02-27 22:00	12	0.17	0.50	2.38	12.00			0.00	0.00	20.90	20.90			1.61	2.50
2014-02-27 22:00	13			1.15	2.00			0.00	0.00	20.39	20.40	0.00	0.00	0.00	0.00
2014-02-27 23:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.23	20.30			0.00	0.00
2014-02-27 23:00	2	0.00	0.10			0.03	0.10	0.00	0.00	20.44	20.50			0.36	0.60
2014-02-27 23:00	7			1.70	3.00			0.00	0.00	20.34	20.40	0.00	0.00	0.00	0.00
2014-02-27 23:00	8			2.49	3.00			0.00	0.00	20.51	20.60	0.00	0.00	0.08	0.40
2014-02-27 23:00	10			3.03	4.00	0.00	0.00	0.00	0.00	20.38	20.50			0.01	0.10
2014-02-27 23:00	12	0.13	0.40	2.35	13.00			0.00	0.00	20.90	20.90			1.87	2.50
2014-02-27 23:00	13			1.03	3.00			0.00	0.00	20.31	20.40	0.00	0.00	0.00	0.00
2014-02-28 00:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.20	20.30			0.00	0.00
2014-02-28 00:00	2	0.00	0.10			0.01	0.10	0.00	0.00	20.44	20.50			0.39	0.60
2014-02-28 00:00	7			1.71	3.00			0.00	0.00	20.33	20.40	0.00	0.00	0.00	0.00
2014-02-28 00:00	8			2.60	4.00			0.00	0.00	20.50	20.60	0.00	0.00	0.05	0.40
2014-02-28 00:00	10			3.06	4.00	0.00	0.00	0.00	0.00	20.37	20.40			0.17	0.40
2014-02-28 00:00	12	0.15	0.60	2.30	14.00			0.00	0.00	20.68	20.90			1.96	3.10
2014-02-28 00:00	13			1.32	3.00			0.00	0.00	20.30	20.30	0.00	0.00	0.00	0.00
2014-02-28 01:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.20	20.20			0.00	0.00
2014-02-28 01:00	2	0.00	0.10			0.04	0.10	0.00	0.00	20.42	20.50			0.37	0.50

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-02-28 01:00	7			1.81	2.00			0.00	0.00	20.31	20.40	0.00	0.00	0.00	0.00
2014-02-28 01:00	8			2.20	3.00			0.00	0.00	20.49	20.60	0.00	0.00	0.06	0.30
2014-02-28 01:00	10			3.21	4.00	0.00	0.00	0.00	0.00	20.32	20.40			0.50	0.70
2014-02-28 01:00	12	0.14	0.50	2.68	17.00			0.00	0.00	20.57	20.60			1.78	3.10
2014-02-28 01:00	13			1.22	3.00			0.00	0.00	20.30	20.30	0.00	0.00	0.00	0.00
2014-02-28 02:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.20	20.20			0.00	0.00
2014-02-28 02:00	2	0.00	0.00			0.00	0.10	0.00	0.00	20.40	20.40			0.36	0.50
2014-02-28 02:00	7			1.82	3.00			0.00	0.00	20.30	20.30	0.00	0.00	0.00	0.00
2014-02-28 02:00	8			2.27	4.00			0.00	0.00	20.48	20.50	0.00	0.00	0.04	0.30
2014-02-28 02:00	10			3.03	4.00	0.00	0.00	0.00	0.00	20.32	20.40			0.72	0.80
2014-02-28 02:00	12	0.16	0.70	2.40	12.00			0.00	0.00	20.55	20.60			1.92	3.80
2014-02-28 02:00	13			1.14	2.00			0.00	0.00	20.30	20.30	0.00	0.00	0.00	0.00
2014-02-28 03:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.20	20.30			0.00	0.00
2014-02-28 03:00	2	0.00	0.10			0.01	0.10	0.00	0.00	20.40	20.50			0.30	0.40
2014-02-28 03:00	7			1.85	2.00			0.00	0.00	20.31	20.40	0.00	0.00	0.00	0.00
2014-02-28 03:00	8			2.43	3.00			0.00	0.00	20.50	20.50	0.00	0.00	0.04	0.30
2014-02-28 03:00	10			2.91	4.00	0.00	0.00	0.00	0.00	20.29	20.40			0.82	1.00
2014-02-28 03:00	12	0.18	0.70	2.42	15.00			0.00	0.00	20.59	20.60			1.98	2.50
2014-02-28 03:00	13			1.11	2.00			0.00	0.00	20.31	20.40	0.00	0.00	0.00	0.00
2014-02-28 04:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.20	20.30			0.00	0.00
2014-02-28 04:00	2	0.00	0.10			0.02	0.10	0.00	0.00	20.40	20.50			0.31	0.50
2014-02-28 04:00	7			1.63	3.00			0.00	0.00	20.31	20.40	0.00	0.00	0.00	0.00
2014-02-28 04:00	8			2.51	4.00			0.00	0.00	20.49	20.50	0.00	0.00	0.06	0.30
2014-02-28 04:00	10			3.08	4.00	0.00	0.00	0.00	0.00	20.30	20.40			0.91	1.00
2014-02-28 04:00	12	0.20	0.70	2.28	5.00			0.00	0.00	20.59	20.60			2.00	3.10
2014-02-28 04:00	13			1.27	3.00			0.00	0.00	20.31	20.40	0.00	0.00	0.00	0.00
2014-02-28 05:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.20	20.20			0.00	0.00
2014-02-28 05:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.41	20.50			0.36	0.50
2014-02-28 05:00	7			1.80	2.00			0.00	0.00	20.31	20.40	0.00	0.00	0.00	0.00
2014-02-28 05:00	8			2.39	3.00			0.00	0.00	20.50	20.60	0.00	0.00	0.09	0.40
2014-02-28 05:00	10			3.00	3.00	0.00	0.00	0.00	0.00	20.29	20.40			0.97	1.10

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-02-28 05:00	12	0.17	0.60	2.11	4.00			0.00	0.00	20.59	20.60			1.85	2.50
2014-02-28 05:00	13			1.21	2.00			0.00	0.00	20.31	20.40	0.00	0.00	0.00	0.00
2014-02-28 06:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.20	20.20			0.00	0.00
2014-02-28 06:00	2	0.00	0.10			0.01	0.10	0.00	0.00	20.45	20.50			0.34	0.50
2014-02-28 06:00	7			1.83	2.00			0.00	0.00	20.30	20.40	0.00	0.00	0.00	0.00
2014-02-28 06:00	8			2.39	3.00			0.00	0.00	20.49	20.50	0.00	0.00	0.05	0.20
2014-02-28 06:00	10			3.00	4.00	0.00	0.00	0.00	0.00	20.29	20.40			1.03	1.20
2014-02-28 06:00	12	0.21	0.70	2.06	4.00			0.00	0.00	20.59	20.60			1.86	3.10
2014-02-28 06:00	13			1.06	2.00			0.00	0.00	20.30	20.30	0.00	0.00	0.00	0.00
2014-02-28 07:00	1	0.01	0.20			0.00	0.00	0.00	0.00	20.21	20.30			0.00	0.00
2014-02-28 07:00	2	0.01	0.10			0.01	0.10	0.00	0.00	20.41	20.50			0.29	0.50
2014-02-28 07:00	7			1.79	2.00			0.00	0.00	20.32	20.40	0.00	0.00	0.00	0.00
2014-02-28 07:00	8			2.63	3.00			0.00	0.00	20.46	20.50	0.00	0.00	0.01	0.10
2014-02-28 07:00	10			3.05	4.00	0.00	0.00	0.00	0.00	20.33	20.40			1.07	1.20
2014-02-28 07:00	12	0.29	0.70	2.89	13.00			0.00	0.00	20.60	20.60			1.80	3.10
2014-02-28 07:00	13			1.31	2.00			0.00	0.00	20.33	20.40	0.00	0.00	0.00	0.00
2014-02-28 08:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.37	20.50			0.00	0.00
2014-02-28 08:00	2	0.01	0.10			0.01	0.10	0.00	0.00	20.49	20.60			0.16	0.30
2014-02-28 08:00	7			1.87	2.00			0.00	0.00	20.40	20.50	0.00	0.00	0.00	0.00
2014-02-28 08:00	8			2.51	3.00			0.00	0.00	20.50	20.50	0.00	0.00	0.00	0.00
2014-02-28 08:00	10			3.09	4.00	0.00	0.00	0.00	0.00	20.36	20.50			0.95	1.10
2014-02-28 08:00	12	0.29	0.70	2.08	4.00			0.00	0.00	20.61	20.70			1.66	2.50
2014-02-28 08:00	13			1.11	2.00			0.00	0.00	20.40	20.50	0.00	0.00	0.00	0.00
2014-02-28 09:00	1	0.01	0.20			0.00	0.00	0.00	0.00	20.46	20.50			0.00	0.00
2014-02-28 09:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.57	20.70			0.03	0.20
2014-02-28 09:00	7			1.98	3.00			0.00	0.00	20.48	20.50	0.00	0.00	0.00	0.00
2014-02-28 09:00	8			2.58	3.00			0.00	0.00	20.49	20.60	0.00	0.00	0.01	0.10
2014-02-28 09:00	10			3.55	5.00	0.00	0.00	0.00	0.00	20.41	20.50			0.67	0.90
2014-02-28 09:00	12	0.26	0.80	2.11	4.00			0.00	0.00	20.62	20.70			1.11	1.90
2014-02-28 09:00	13			1.29	3.00			0.00	0.00	20.50	20.60	0.00	0.00	0.00	0.00
2014-02-28 10:00	1	0.01	0.10			0.00	0.00	0.00	0.00	20.54	20.60			0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-02-28 10:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.69	20.90			0.00	0.10
2014-02-28 10:00	7			2.00	2.00			0.00	0.00	20.60	20.70	0.00	0.00	0.00	0.00
2014-02-28 10:00	8			3.00	4.00			0.00	0.00	20.54	20.60	0.00	0.00	0.01	0.20
2014-02-28 10:00	10			3.31	5.00	0.00	0.00	0.00	0.00	20.47	20.50			0.36	0.50
2014-02-28 10:00	12	0.28	0.60	2.82	17.00			0.00	0.00	20.65	20.70			0.74	1.90
2014-02-28 10:00	13			1.33	3.00			0.00	0.00	20.57	20.70	0.00	0.00	0.00	0.00
2014-02-28 11:00	1	0.05	0.60			0.00	0.00	0.00	0.00	20.70	20.90			0.00	0.00
2014-02-28 11:00	2	0.00	0.00			0.00	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-28 11:00	7			2.03	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-28 11:00	8			3.00	3.00			0.00	0.00	20.60	20.70	0.00	0.00	0.00	0.00
2014-02-28 11:00	10			3.47	5.00	0.00	0.00	0.00	0.00	20.55	20.70			0.08	0.30
2014-02-28 11:00	12	0.20	0.70	2.57	16.00			0.00	0.00	20.76	20.90			0.33	1.20
2014-02-28 11:00	13			1.27	3.00			0.00	0.00	20.61	20.70	0.00	0.00	0.00	0.00
2014-02-28 12:00	1	0.02	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-28 12:00	2	0.00	0.00			0.00	0.10	0.00	0.00	20.90	20.90			0.00	0.10
2014-02-28 12:00	7			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-28 12:00	8			2.78	3.00			0.00	0.00	20.76	20.90	0.00	0.00	0.01	0.10
2014-02-28 12:00	10			3.51	5.00	0.00	0.00	0.00	0.00	20.60	20.70			0.01	0.10
2014-02-28 12:00	12	0.21	0.70	2.70	14.00			0.00	0.00	20.90	20.90			0.14	1.20
2014-02-28 12:00	13			1.33	3.00			0.00	0.00	20.62	20.70	0.00	0.00	0.00	0.00
2014-02-28 13:00	1	0.06	0.80			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-28 13:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-28 13:00	7			2.05	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-28 13:00	8			2.97	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-28 13:00	10			3.58	4.00	0.00	0.00	0.00	0.00	20.86	20.90			0.00	0.00
2014-02-28 13:00	12	0.21	0.70	2.69	12.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-28 13:00	13			1.32	3.00			0.00	0.00	20.79	20.90	0.00	0.00	0.00	0.00
2014-02-28 14:00	1	0.03	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-28 14:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-28 14:00	7			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-28 14:00	8			2.98	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-02-28 14:00	10			3.61	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-28 14:00	12	0.18	0.70	2.11	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-28 14:00	13			1.34	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-28 15:00	1	0.04	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-28 15:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-28 15:00	7			2.02	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-28 15:00	8			3.00	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-28 15:00	10			3.51	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-28 15:00	12	0.11	0.50	2.16	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-28 15:00	13			1.36	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-28 16:00	1	0.03	0.60			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-28 16:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-28 16:00	7			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-28 16:00	8			3.02	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-28 16:00	10			3.70	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-28 16:00	12	0.09	0.40	2.71	18.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-28 16:00	13			1.31	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-28 17:00	1	0.03	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-28 17:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.10
2014-02-28 17:00	7			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-28 17:00	8			2.95	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-28 17:00	10			3.70	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-28 17:00	12	0.10	0.50	2.63	21.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-28 17:00	13			1.34	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-28 18:00	1	0.02	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-28 18:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-28 18:00	7			2.03	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-28 18:00	8			3.05	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-28 18:00	10			3.17	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-28 18:00	12	0.08	0.40	2.56	17.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-28 18:00	13			1.17	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-02-28 19:00	1	0.03	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-28 19:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-28 19:00	7			1.98	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-28 19:00	8			2.98	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-28 19:00	10			3.64	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-28 19:00	12	0.12	0.60	2.65	23.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-28 19:00	13			1.51	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-28 20:00	1	0.02	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-28 20:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-28 20:00	7			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-28 20:00	8			2.97	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.10
2014-02-28 20:00	10			3.34	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-28 20:00	12	0.09	0.40	2.49	8.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-28 20:00	13			1.49	4.00			0.00	0.00	20.89	20.90	0.00	0.00	0.00	0.00
2014-02-28 21:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-28 21:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-28 21:00	7			1.97	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-28 21:00	8			3.00	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.20
2014-02-28 21:00	10			3.46	5.00	0.00	0.00	0.00	0.00	20.90	20.90			0.05	0.20
2014-02-28 21:00	12	0.08	0.50	2.48	14.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-28 21:00	13			1.35	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-28 22:00	1	0.01	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-28 22:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-28 22:00	7			2.03	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-28 22:00	8			3.03	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2014-02-28 22:00	10			3.47	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.24	0.40
2014-02-28 22:00	12	0.11	0.60	2.27	4.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-28 22:00	13			1.25	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-28 23:00	1	0.01	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-28 23:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-02-28 23:00	7			2.03	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-02-28 23:00	8			3.05	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-02-28 23:00	10			3.33	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.47	0.70
2014-02-28 23:00	12	0.14	0.50	2.54	16.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-02-28 23:00	13			1.26	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-03-01 00:00	1	0.02	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-03-01 00:00	2	0.36	5.70			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-03-01 00:00	7			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-03-01 00:00	8			3.03	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-03-01 00:00	10			3.16	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.80	1.00
2014-03-01 00:00	12	0.10	0.40	2.26	5.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-03-01 00:00	13			1.28	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-03-01 01:00	1	0.02	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-03-01 01:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-03-01 01:00	7			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-03-01 01:00	8			3.11	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.20
2014-03-01 01:00	10			3.36	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.95	1.10
2014-03-01 01:00	12	0.11	0.50	2.51	14.00			0.00	0.00	20.90	20.90			0.02	0.60
2014-03-01 01:00	13			1.32	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-03-01 02:00	1	0.04	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-03-01 02:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-03-01 02:00	7			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-03-01 02:00	8			3.00	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2014-03-01 02:00	10			3.44	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.88	1.10
2014-03-01 02:00	12	0.06	0.50	2.55	15.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-03-01 02:00	13			1.53	3.00			0.00	0.00	20.89	20.90	0.00	0.00	0.00	0.00
2014-03-01 03:00	1	0.02	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.10
2014-03-01 03:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-03-01 03:00	7			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-03-01 03:00	8			2.95	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2014-03-01 03:00	10			3.58	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.75	0.90
2014-03-01 03:00	12	0.11	0.60	2.20	6.00			0.00	0.00	20.90	20.90			0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-03-01 03:00	13			1.32	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-03-01 04:00	1	0.03	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-03-01 04:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-03-01 04:00	7			2.03	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-03-01 04:00	8			3.03	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2014-03-01 04:00	10			3.38	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.85	1.00
2014-03-01 04:00	12	0.09	0.40	2.81	24.00			0.00	0.00	20.90	20.90			0.02	0.60
2014-03-01 04:00	13			1.25	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-03-01 05:00	1	0.01	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-03-01 05:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-03-01 05:00	7			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-03-01 05:00	8			3.08	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-03-01 05:00	10			3.32	4.00	0.00	0.00	0.00	0.00	20.90	20.90			1.03	1.20
2014-03-01 05:00	12	0.12	0.60	2.64	16.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-03-01 05:00	13			1.39	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-03-01 06:00	1	0.01	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.10
2014-03-01 06:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-03-01 06:00	7			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-03-01 06:00	8			3.03	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.10
2014-03-01 06:00	10			3.68	4.00	0.00	0.00	0.00	0.00	20.90	20.90			1.03	1.20
2014-03-01 06:00	12	0.16	0.50	2.73	11.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-03-01 06:00	13			1.26	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-03-01 07:00	1	0.04	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.01	0.10
2014-03-01 07:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-03-01 07:00	7			2.02	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-03-01 07:00	8			2.98	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-03-01 07:00	10			3.39	4.00	0.00	0.00	0.00	0.00	20.90	20.90			1.15	1.30
2014-03-01 07:00	12	0.16	0.70	2.15	4.00			0.00	0.00	20.90	20.90			0.02	0.60
2014-03-01 07:00	13			1.58	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-03-01 08:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-03-01 08:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-03-01 08:00	7			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-03-01 08:00	8			3.05	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-03-01 08:00	10			3.57	4.00	0.00	0.00	0.00	0.00	20.90	20.90			1.16	1.30
2014-03-01 08:00	12	0.06	0.50	2.31	4.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-03-01 08:00	13			1.48	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-03-01 09:00	1	0.02	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-03-01 09:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-03-01 09:00	7			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-03-01 09:00	8			2.97	4.00			0.00	0.00	20.90	20.90	0.02	0.20	0.00	0.00
2014-03-01 09:00	10			3.58	4.00	0.00	0.00	0.00	0.00	20.90	20.90			1.12	1.20
2014-03-01 09:00	12	0.09	0.60	2.18	4.00			0.00	0.00	20.90	20.90			0.04	0.60
2014-03-01 09:00	13			1.27	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-03-01 10:00	1	0.01	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-03-01 10:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-03-01 10:00	7			2.03	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-03-01 10:00	8			2.95	4.00			0.00	0.00	20.90	20.90	0.12	0.40	0.00	0.00
2014-03-01 10:00	10			3.28	4.00	0.00	0.00	0.00	0.00	20.90	20.90			1.19	1.30
2014-03-01 10:00	12	0.14	0.80	2.25	7.00			0.00	0.00	20.90	20.90			0.03	0.60
2014-03-01 10:00	13			1.31	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-03-01 11:00	1	0.02	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-03-01 11:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-03-01 11:00	7			1.95	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-03-01 11:00	8			3.00	3.00			0.00	0.00	20.90	20.90	0.04	0.30	0.01	0.10
2014-03-01 11:00	10			3.24	4.00	0.00	0.00	0.00	0.00	20.90	20.90			1.28	1.40
2014-03-01 11:00	12	0.06	0.30	2.42	14.00			0.00	0.00	20.90	20.90			0.06	0.60
2014-03-01 11:00	13			1.23	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-03-01 12:00	1	0.04	0.70			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-03-01 12:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-03-01 12:00	7			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-03-01 12:00	8			2.95	3.00			0.00	0.00	20.90	20.90	0.02	0.20	0.02	0.20
2014-03-01 12:00	10			3.33	4.00	0.00	0.00	0.00	0.00	20.90	20.90			1.26	1.40

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-03-01 12:00	12	0.09	0.40	2.11	3.00			0.00	0.00	20.90	20.90			0.05	0.60
2014-03-01 12:00	13			1.39	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-03-01 13:00	1	0.01	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-03-01 13:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-03-01 13:00	7			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-03-01 13:00	8			2.97	4.00			0.00	0.00	20.90	20.90	0.02	0.20	0.01	0.20
2014-03-01 13:00	10			3.53	4.00	0.00	0.00	0.00	0.00	20.90	20.90			1.26	1.40
2014-03-01 13:00	12	0.08	0.50	2.27	4.00			0.00	0.00	20.90	20.90			0.01	0.60
2014-03-01 13:00	13			1.32	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-03-01 14:00	1	0.03	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-03-01 14:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-03-01 14:00	7			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-03-01 14:00	8			3.03	4.00			0.00	0.00	20.90	20.90	0.02	0.30	0.00	0.10
2014-03-01 14:00	10			3.21	4.00	0.00	0.00	0.00	0.00	20.90	20.90			1.32	1.40
2014-03-01 14:00	12	0.08	0.50	2.43	16.00			0.00	0.00	20.90	20.90			0.28	1.20
2014-03-01 14:00	13			1.14	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-03-01 15:00	1	0.01	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-03-01 15:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-03-01 15:00	7			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-03-01 15:00	8			2.87	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.10
2014-03-01 15:00	10			3.26	5.00	0.00	0.00	0.00	0.00	20.90	20.90			1.39	1.50
2014-03-01 15:00	12	0.07	0.40	2.54	16.00			0.00	0.00	20.90	20.90			0.12	1.20
2014-03-01 15:00	13			1.23	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-03-01 16:00	1	0.01	0.20			0.00	0.00	0.00	0.00	20.71	20.90			0.00	0.00
2014-03-01 16:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.10
2014-03-01 16:00	7			1.95	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-03-01 16:00	8			2.97	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-03-01 16:00	10			3.43	4.00	0.00	0.00	0.00	0.00	20.88	20.90			1.43	1.50
2014-03-01 16:00	12	0.11	0.40	2.25	8.00			0.00	0.00	20.90	20.90			0.10	1.20
2014-03-01 16:00	13			1.20	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-03-01 17:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.59	20.70			0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-03-01 17:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.04	0.20
2014-03-01 17:00	7			2.00	2.00			0.00	0.00	20.84	20.90	0.00	0.00	0.00	0.00
2014-03-01 17:00	8			2.76	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2014-03-01 17:00	10			3.11	4.00	0.00	0.00	0.00	0.00	20.90	20.90			1.47	1.60
2014-03-01 17:00	12	0.13	0.60	2.06	3.00			0.00	0.00	20.90	20.90			0.35	1.20
2014-03-01 17:00	13			1.42	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-03-01 18:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.57	20.70			0.10	0.30
2014-03-01 18:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.12	0.20
2014-03-01 18:00	7			1.94	2.00			0.00	0.00	20.61	20.70	0.00	0.00	0.00	0.00
2014-03-01 18:00	8			2.93	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.10
2014-03-01 18:00	10			3.66	5.00	0.00	0.00	0.00	0.00	20.83	20.90			1.58	1.70
2014-03-01 18:00	12	0.06	0.40	2.41	4.00			0.00	0.00	20.90	20.90			0.54	1.20
2014-03-01 18:00	13			1.78	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-03-01 19:00	1	0.01	0.20			0.00	0.00	0.00	0.00	20.52	20.60			0.42	0.60
2014-03-01 19:00	2	0.00	0.00			0.00	0.10	0.00	0.00	20.90	20.90			0.15	0.20
2014-03-01 19:00	7			1.97	2.00			0.00	0.00	20.56	20.70	0.00	0.00	0.00	0.00
2014-03-01 19:00	8			3.00	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.10
2014-03-01 19:00	10			3.56	4.00	0.00	0.00	0.00	0.00	20.57	20.60			1.65	1.80
2014-03-01 19:00	12	0.12	0.50	2.72	15.00			0.00	0.00	20.90	20.90			0.71	1.90
2014-03-01 19:00	13			1.57	3.00			0.00	0.00	20.88	20.90	0.00	0.00	0.00	0.00
2014-03-01 20:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.50	20.50			0.35	0.60
2014-03-01 20:00	2	0.00	0.10			0.01	0.10	0.00	0.00	20.88	20.90			0.17	0.30
2014-03-01 20:00	7			2.03	3.00			0.00	0.00	20.55	20.70	0.00	0.00	0.00	0.00
2014-03-01 20:00	8			2.90	4.00			0.00	0.00	20.67	20.90	0.00	0.00	0.01	0.10
2014-03-01 20:00	10			3.32	4.00	0.00	0.00	0.00	0.00	20.53	20.60			1.63	1.70
2014-03-01 20:00	12	0.16	0.60	2.43	14.00			0.00	0.00	20.90	20.90			0.91	1.90
2014-03-01 20:00	13			1.51	2.00			0.00	0.00	20.62	20.70	0.00	0.00	0.00	0.00
2014-03-01 21:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.46	20.50			0.15	0.30
2014-03-01 21:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.60	20.60			0.17	0.30
2014-03-01 21:00	7			2.00	2.00			0.00	0.00	20.50	20.60	0.00	0.00	0.00	0.00
2014-03-01 21:00	8			2.87	3.00			0.00	0.00	20.60	20.60	0.00	0.00	0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-03-01 21:00	10			3.24	4.00	0.00	0.00	0.00	0.00	20.52	20.60			1.59	1.70
2014-03-01 21:00	12	0.11	0.60	2.03	3.00			0.00	0.00	20.90	20.90			1.06	2.50
2014-03-01 21:00	13			1.32	2.00			0.00	0.00	20.59	20.60	0.00	0.00	0.00	0.10
2014-03-01 22:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.40	20.40			0.17	0.30
2014-03-01 22:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.63	20.70			0.18	0.30
2014-03-01 22:00	7			2.03	4.00			0.00	0.00	20.51	20.60	0.00	0.00	0.00	0.00
2014-03-01 22:00	8			2.89	5.00			0.00	0.00	20.60	20.70	0.00	0.00	0.01	0.10
2014-03-01 22:00	10			3.08	4.00	0.00	0.00	0.00	0.00	20.51	20.60			1.59	1.70
2014-03-01 22:00	12	0.15	0.50	2.19	3.00			0.00	0.00	20.90	20.90			1.35	1.90
2014-03-01 22:00	13			1.31	3.00			0.00	0.00	20.54	20.60	0.00	0.00	0.00	0.00
2014-03-01 23:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.40	20.40			0.33	0.40
2014-03-01 23:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.59	20.60			0.19	0.30
2014-03-01 23:00	7			2.05	3.00			0.00	0.00	20.51	20.60	0.00	0.00	0.00	0.00
2014-03-01 23:00	8			2.92	4.00			0.00	0.00	20.57	20.70	0.00	0.00	0.00	0.10
2014-03-01 23:00	10			3.76	6.00	0.00	0.00	0.00	0.00	20.50	20.60			1.62	1.70
2014-03-01 23:00	12	0.13	0.60	2.36	4.00			0.00	0.00	20.90	20.90			1.37	1.90
2014-03-01 23:00	13			1.78	3.00			0.00	0.00	20.51	20.60	0.00	0.00	0.00	0.00
2014-03-02 00:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.38	20.50			0.32	0.40
2014-03-02 00:00	2	0.00	0.00			0.01	0.10	0.00	0.00	20.57	20.60			0.23	0.40
2014-03-02 00:00	7			2.00	2.00			0.00	0.00	20.48	20.60	0.00	0.00	0.00	0.00
2014-03-02 00:00	8			3.00	4.00			0.00	0.00	20.58	20.60	0.00	0.00	0.00	0.10
2014-03-02 00:00	10			3.86	4.00	0.00	0.00	0.00	0.00	20.48	20.60			1.63	1.70
2014-03-02 00:00	12	0.16	0.50	2.45	3.00			0.00	0.00	20.90	20.90			1.46	1.90
2014-03-02 00:00	13			2.05	4.00			0.00	0.00	20.53	20.60	0.00	0.00	0.00	0.10
2014-03-02 01:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.34	20.40			0.38	0.50
2014-03-02 01:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.50	20.60			0.28	0.40
2014-03-02 01:00	7			2.00	2.00			0.00	0.00	20.48	20.50	0.00	0.00	0.00	0.00
2014-03-02 01:00	8			2.85	3.00			0.00	0.00	20.52	20.60	0.00	0.00	0.01	0.10
2014-03-02 01:00	10			3.76	4.00	0.00	0.00	0.00	0.00	20.44	20.60			1.61	1.80
2014-03-02 01:00	12	0.15	0.50	2.65	9.00			0.00	0.00	20.90	20.90			1.62	1.90
2014-03-02 01:00	13			2.00	3.00			0.00	0.00	20.48	20.60	0.00	0.00	0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-03-02 02:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.30	20.40			0.20	0.30
2014-03-02 02:00	2	0.00	0.00			0.01	0.10	0.00	0.00	20.50	20.50			0.28	0.50
2014-03-02 02:00	7			1.97	2.00			0.00	0.00	20.42	20.50	0.00	0.00	0.00	0.00
2014-03-02 02:00	8			2.90	4.00			0.00	0.00	20.50	20.50	0.00	0.00	0.01	0.20
2014-03-02 02:00	10			3.23	5.00	0.00	0.00	0.00	0.00	20.41	20.50			1.59	1.70
2014-03-02 02:00	12	0.16	0.60	2.41	13.00			0.00	0.00	20.90	20.90			1.63	1.90
2014-03-02 02:00	13			1.39	3.00			0.00	0.00	20.49	20.50	0.00	0.00	0.00	0.00
2014-03-02 03:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.27	20.30			0.04	0.20
2014-03-02 03:00	2	0.00	0.00			0.01	0.10	0.00	0.00	20.46	20.50			0.36	0.50
2014-03-02 03:00	7			2.00	2.00			0.00	0.00	20.37	20.40	0.00	0.00	0.00	0.00
2014-03-02 03:00	8			2.76	3.00			0.00	0.00	20.54	20.60	0.00	0.00	0.02	0.20
2014-03-02 03:00	10			3.39	4.00	0.00	0.00	0.00	0.00	20.38	20.50			1.57	1.70
2014-03-02 03:00	12	0.14	0.60	2.92	15.00			0.00	0.00	20.63	20.90			1.75	2.50
2014-03-02 03:00	13			1.63	3.00			0.00	0.00	20.40	20.50	0.00	0.00	0.00	0.00
2014-03-02 04:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.22	20.30			0.11	0.30
2014-03-02 04:00	2	0.00	0.10			0.01	0.10	0.00	0.00	20.45	20.50			0.42	0.50
2014-03-02 04:00	7			2.57	3.00			0.00	0.00	20.32	20.40	0.00	0.00	0.00	0.00
2014-03-02 04:00	8			3.30	4.00			0.00	0.00	20.51	20.60	0.00	0.00	0.06	0.30
2014-03-02 04:00	10			4.00	5.00	0.00	0.00	0.00	0.00	20.37	20.40			1.58	1.70
2014-03-02 04:00	12	0.11	0.50	3.16	7.00			0.00	0.00	20.51	20.60			1.76	3.10
2014-03-02 04:00	13			2.00	3.00			0.00	0.00	20.37	20.40	0.00	0.00	0.00	0.00
2014-03-02 05:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.20	20.20			0.08	0.10
2014-03-02 05:00	2	0.01	0.10			0.01	0.10	0.00	0.00	20.44	20.50			0.41	0.50
2014-03-02 05:00	7			3.06	4.00			0.00	0.00	20.32	20.40	0.00	0.00	0.00	0.00
2014-03-02 05:00	8			3.95	4.00			0.00	0.00	20.50	20.60	0.00	0.00	0.05	0.30
2014-03-02 05:00	10			4.24	6.00	0.00	0.00	0.00	0.00	20.31	20.40			1.60	1.70
2014-03-02 05:00	12	0.12	0.60	4.40	16.00			0.00	0.00	20.51	20.60			1.90	3.10
2014-03-02 05:00	13			2.64	3.00			0.00	0.00	20.31	20.40	0.00	0.00	0.00	0.00
2014-03-02 06:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.18	20.20			0.03	0.10
2014-03-02 06:00	2	0.01	0.10			0.02	0.10	0.00	0.00	20.39	20.40			0.42	0.70
2014-03-02 06:00	7			2.84	4.00			0.00	0.00	20.31	20.40	0.00	0.00	0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-03-02 06:00	8			4.08	5.00			0.00	0.00	20.50	20.60	0.00	0.00	0.04	0.30
2014-03-02 06:00	10			4.08	5.00	0.00	0.00	0.00	0.00	20.27	20.30			1.61	1.70
2014-03-02 06:00	12	0.11	0.50	3.92	13.00			0.00	0.00	20.57	20.60			1.94	3.10
2014-03-02 06:00	13			2.59	3.00			0.00	0.00	20.32	20.40	0.00	0.00	0.00	0.00
2014-03-02 07:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.16	20.20			0.00	0.00
2014-03-02 07:00	2	0.01	0.10			0.03	0.10	0.00	0.00	20.39	20.40			0.47	0.60
2014-03-02 07:00	7			2.00	3.00			0.00	0.00	20.30	20.30	0.00	0.00	0.00	0.00
2014-03-02 07:00	8			3.05	4.00			0.00	0.00	20.50	20.60	0.00	0.00	0.02	0.10
2014-03-02 07:00	10			3.89	4.00	0.00	0.00	0.00	0.00	20.21	20.30			1.50	1.60
2014-03-02 07:00	12	0.08	0.50	3.13	16.00			0.00	0.00	20.50	20.50			1.85	2.50
2014-03-02 07:00	13			1.95	2.00			0.00	0.00	20.29	20.40	0.00	0.00	0.00	0.00
2014-03-02 08:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.16	20.20			0.00	0.00
2014-03-02 08:00	2	0.00	0.00			0.02	0.10	0.00	0.00	20.37	20.40			0.47	0.60
2014-03-02 08:00	7			2.00	2.00			0.00	0.00	20.28	20.30	0.00	0.00	0.00	0.00
2014-03-02 08:00	8			3.00	3.00			0.00	0.00	20.45	20.50	0.00	0.00	0.03	0.30
2014-03-02 08:00	10			3.48	4.00	0.00	0.00	0.00	0.00	20.15	20.30			1.50	1.60
2014-03-02 08:00	12	0.11	0.70	2.55	18.00			0.00	0.00	20.50	20.50			1.87	2.50
2014-03-02 08:00	13			1.51	3.00			0.00	0.00	20.28	20.30	0.00	0.00	0.00	0.00
2014-03-02 09:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.15	20.20			0.00	0.10
2014-03-02 09:00	2	0.02	0.10			0.04	0.10	0.00	0.00	20.39	20.40			0.44	0.60
2014-03-02 09:00	7			1.93	2.00			0.00	0.00	20.22	20.30	0.00	0.00	0.00	0.00
2014-03-02 09:00	8			2.80	3.00			0.00	0.00	20.46	20.60	0.00	0.00	0.04	0.30
2014-03-02 09:00	10			3.50	4.00	0.00	0.00	0.00	0.00	20.13	20.20			1.51	1.60
2014-03-02 09:00	12	0.11	0.50	2.16	4.00			0.00	0.00	20.50	20.50			1.91	2.50
2014-03-02 09:00	13			1.41	2.00			0.00	0.00	20.25	20.30	0.00	0.00	0.00	0.00
2014-03-02 10:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.11	20.20			0.00	0.10
2014-03-02 10:00	2	0.00	0.00			0.00	0.10	0.00	0.00	20.36	20.40			0.39	0.50
2014-03-02 10:00	7			2.00	2.00			0.00	0.00	20.27	20.30	0.00	0.00	0.00	0.00
2014-03-02 10:00	8			2.63	3.00			0.00	0.00	20.45	20.50	0.00	0.00	0.07	0.40
2014-03-02 10:00	10			3.03	4.00	0.00	0.00	0.00	0.00	20.14	20.20			1.51	1.60
2014-03-02 10:00	12	0.12	0.50	2.21	5.00			0.00	0.00	20.50	20.50			1.85	2.50

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-03-02 10:00	13			1.13	2.00			0.00	0.00	20.26	20.30	0.00	0.00	0.00	0.00
2014-03-02 11:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.15	20.20			0.01	0.10
2014-03-02 11:00	2	0.00	0.10			0.03	0.10	0.00	0.00	20.35	20.40			0.35	0.50
2014-03-02 11:00	7			1.92	2.00			0.00	0.00	20.30	20.30	0.00	0.00	0.00	0.00
2014-03-02 11:00	8			2.76	4.00			0.00	0.00	20.43	20.50	0.00	0.00	0.05	0.30
2014-03-02 11:00	10			3.19	4.00	0.00	0.00	0.00	0.00	20.19	20.30			1.51	1.60
2014-03-02 11:00	12	0.08	0.50	2.41	6.00			0.00	0.00	20.50	20.60			1.78	2.50
2014-03-02 11:00	13			1.16	2.00			0.00	0.00	20.26	20.40	0.00	0.00	0.00	0.00
2014-03-02 12:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.20	20.20			0.00	0.10
2014-03-02 12:00	2	0.00	0.10			0.00	0.00	0.00	0.00	20.40	20.40			0.34	0.50
2014-03-02 12:00	7			1.71	2.00			0.00	0.00	20.31	20.40	0.00	0.00	0.00	0.00
2014-03-02 12:00	8			2.21	3.00			0.00	0.00	20.48	20.50	0.00	0.00	0.02	0.10
2014-03-02 12:00	10			3.08	4.00	0.00	0.00	0.00	0.00	20.22	20.30			1.39	1.50
2014-03-02 12:00	12	0.08	0.50	2.33	12.00			0.00	0.00	20.53	20.60			1.70	2.50
2014-03-02 12:00	13			1.05	2.00			0.00	0.00	20.28	20.30	0.00	0.00	0.00	0.00
2014-03-02 13:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.16	20.20			0.00	0.00
2014-03-02 13:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.41	20.50			0.37	0.50
2014-03-02 13:00	7			1.43	2.00			0.00	0.00	20.31	20.40	0.00	0.00	0.00	0.00
2014-03-02 13:00	8			2.00	2.00			0.00	0.00	20.47	20.60	0.00	0.00	0.04	0.20
2014-03-02 13:00	10			3.03	4.00	0.00	0.00	0.00	0.00	20.19	20.30			1.30	1.40
2014-03-02 13:00	12	0.07	0.50	2.05	3.00			0.00	0.00	20.51	20.60			1.90	2.50
2014-03-02 13:00	13			1.18	3.00			0.00	0.00	20.26	20.30	0.00	0.00	0.00	0.00
2014-03-02 14:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.15	20.20			0.00	0.00
2014-03-02 14:00	2	0.00	0.10			0.04	0.20	0.00	0.00	20.40	20.40			0.43	0.60
2014-03-02 14:00	7			1.88	3.00			0.00	0.00	20.27	20.40	0.00	0.00	0.00	0.00
2014-03-02 14:00	8			2.43	3.00			0.00	0.00	20.47	20.60	0.00	0.00	0.03	0.10
2014-03-02 14:00	10			3.00	4.00	0.00	0.00	0.00	0.00	20.14	20.30			1.32	1.40
2014-03-02 14:00	12	0.07	0.30	2.13	3.00			0.00	0.00	20.50	20.50			1.92	2.50
2014-03-02 14:00	13			1.13	2.00			0.00	0.00	20.27	20.30	0.00	0.00	0.00	0.00
2014-03-02 15:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.15	20.20			0.00	0.00
2014-03-02 15:00	2	0.00	0.10			0.03	0.10	0.00	0.00	20.34	20.40			0.46	0.50

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-03-02 15:00	7			1.74	3.00			0.00	0.00	20.23	20.30	0.00	0.00	0.00	0.00
2014-03-02 15:00	8			2.49	3.00			0.00	0.00	20.43	20.50	0.00	0.00	0.01	0.20
2014-03-02 15:00	10			3.11	4.00	0.00	0.00	0.00	0.00	20.16	20.20			1.37	1.50
2014-03-02 15:00	12	0.13	0.70	2.08	3.00			0.00	0.00	20.49	20.50			2.06	3.10
2014-03-02 15:00	13			1.22	3.00			0.00	0.00	20.28	20.30	0.00	0.00	0.00	0.00
2014-03-02 16:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.11	20.20			0.00	0.00
2014-03-02 16:00	2	0.01	0.10			0.05	0.20	0.00	0.00	20.31	20.40			0.50	0.80
2014-03-02 16:00	7			1.59	3.00			0.00	0.00	20.23	20.30	0.00	0.00	0.00	0.00
2014-03-02 16:00	8			2.05	3.00			0.00	0.00	20.44	20.50	0.00	0.00	0.01	0.10
2014-03-02 16:00	10			3.13	5.00	0.00	0.00	0.00	0.00	20.16	20.20			1.33	1.50
2014-03-02 16:00	12	0.08	0.40	2.78	16.00			0.00	0.00	20.49	20.60			2.04	3.10
2014-03-02 16:00	13			1.13	3.00			0.00	0.00	20.22	20.40	0.00	0.00	0.00	0.00
2014-03-02 17:00	1	0.01	0.20			0.00	0.00	0.00	0.00	20.10	20.20			0.00	0.00
2014-03-02 17:00	2	0.01	0.10			0.04	0.10	0.00	0.00	20.29	20.40			0.54	0.70
2014-03-02 17:00	7			1.67	2.00			0.00	0.00	20.21	20.30	0.00	0.00	0.00	0.00
2014-03-02 17:00	8			2.03	3.00			0.00	0.00	20.38	20.40	0.00	0.00	0.00	0.10
2014-03-02 17:00	10			3.03	4.00	0.00	0.00	0.00	0.00	20.14	20.20			1.23	1.40
2014-03-02 17:00	12	0.10	0.40	2.65	16.00			0.00	0.00	20.46	20.50			1.99	2.50
2014-03-02 17:00	13			0.98	2.00			0.00	0.00	20.20	20.30	0.00	0.00	0.00	0.00
2014-03-02 18:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.01	20.20			0.00	0.00
2014-03-02 18:00	2	0.01	0.10			0.06	0.20	0.00	0.00	20.27	20.30			0.59	0.80
2014-03-02 18:00	7			1.47	3.00			0.00	0.00	20.19	20.20	0.00	0.00	0.00	0.00
2014-03-02 18:00	8			2.24	4.00			0.00	0.00	20.31	20.40	0.00	0.00	0.01	0.10
2014-03-02 18:00	10			3.05	4.00	0.00	0.00	0.00	0.00	20.09	20.20			1.28	1.40
2014-03-02 18:00	12	0.12	0.40	2.32	5.00			0.00	0.00	20.50	20.50			2.06	2.50
2014-03-02 18:00	13			1.11	2.00			0.00	0.00	20.19	20.20	0.00	0.00	0.00	0.00
2014-03-02 19:00	1	0.00	0.20			0.00	0.00	0.00	0.00	19.99	20.10			0.00	0.00
2014-03-02 19:00	2	0.02	0.10			0.10	0.20	2.44	3.10	20.22	20.30			0.58	0.70
2014-03-02 19:00	7			1.93	4.00			0.00	0.00	20.07	20.20	0.00	0.00	0.00	0.00
2014-03-02 19:00	8			2.35	3.00			0.00	0.00	20.30	20.40	0.00	0.00	0.00	0.00
2014-03-02 19:00	10			3.08	4.00	0.00	0.00	0.00	0.00	20.08	20.10			1.31	1.40

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-03-02 19:00	12	0.14	0.70	2.13	3.00			0.00	0.00	20.48	20.50			2.15	3.10
2014-03-02 19:00	13			1.33	3.00			0.00	0.00	20.16	20.20	0.00	0.00	0.00	0.00
2014-03-02 20:00	1	0.00	0.00			0.00	0.00	0.00	0.00	19.95	20.00			0.00	0.00
2014-03-02 20:00	2	0.02	0.10			0.05	0.10	3.04	3.10	20.20	20.30			0.62	0.80
2014-03-02 20:00	7			1.43	3.00			0.00	0.00	20.04	20.10	0.00	0.00	0.00	0.00
2014-03-02 20:00	8			2.12	3.00			0.00	0.00	20.28	20.40	0.00	0.00	0.00	0.10
2014-03-02 20:00	10			3.03	4.00	0.00	0.00	0.00	0.00	20.02	20.10			1.18	1.40
2014-03-02 20:00	12	0.11	0.60	1.98	3.00			0.00	0.00	20.43	20.50			2.08	2.50
2014-03-02 20:00	13			1.00	2.00			0.00	0.00	20.10	20.20	0.00	0.00	0.00	0.00
2014-03-02 21:00	1	0.00	0.00			0.00	0.00	0.00	0.00	19.94	20.00			0.00	0.00
2014-03-02 21:00	2	0.04	0.30			0.09	0.20	3.09	3.20	20.20	20.20			0.64	0.80
2014-03-02 21:00	7			1.38	3.00			0.00	0.00	20.07	20.10	0.00	0.00	0.00	0.00
2014-03-02 21:00	8			2.03	3.00			0.00	0.00	20.29	20.40	0.00	0.00	0.00	0.00
2014-03-02 21:00	10			2.97	4.00	0.00	0.00	0.00	0.00	20.07	20.10			0.91	1.10
2014-03-02 21:00	12	0.15	0.40	2.09	4.00			0.00	0.00	20.41	20.50			2.12	2.50
2014-03-02 21:00	13			1.20	3.00			0.00	0.00	20.09	20.10	0.00	0.00	0.00	0.00
2014-03-02 22:00	1	0.00	0.00			0.00	0.00	0.00	0.00	19.90	20.00			0.00	0.00
2014-03-02 22:00	2	0.02	0.30			0.11	0.20	3.20	3.30	20.18	20.20			0.68	0.80
2014-03-02 22:00	7			1.33	2.00			0.00	0.00	20.05	20.10	0.00	0.00	0.00	0.00
2014-03-02 22:00	8			2.03	3.00			0.00	0.00	20.30	20.30	0.00	0.00	0.00	0.00
2014-03-02 22:00	10			2.97	3.00	0.00	0.00	0.00	0.00	20.05	20.10			0.78	0.90
2014-03-02 22:00	12	0.21	1.10	2.19	4.00			0.00	0.00	20.40	20.40			2.15	3.80
2014-03-02 22:00	13			1.08	2.00			0.00	0.00	20.02	20.10	0.00	0.00	0.00	0.00