

Bridgeton Sanitary Landfill  
AreaRAE Monitoring Data  
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-01-26 12:00	1	0.04	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.09	0.10
2015-01-26 12:00	2	0.27	0.70			0.00	0.00	0.00	0.00	20.90	20.90			0.51	1.00
2015-01-26 12:00	8			1.25	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-26 12:00	10			1.46	2.00	0.00	0.00	0.00	0.00	20.61	20.70			0.03	0.40
2015-01-26 12:00	12	0.08	0.40	0.30	1.00			0.00	0.00	20.90	20.90			0.16	0.40
2015-01-26 12:00	13			1.08	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.06	0.10
2015-01-26 14:00	1	0.38	0.90			0.00	0.10	0.00	0.00	20.90	20.90			0.08	0.10
2015-01-26 14:00	2	0.43	1.00			0.00	0.00	0.00	0.00	20.90	20.90			0.15	0.80
2015-01-26 14:00	8			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-26 14:00	10			1.44	3.00	0.00	0.00	0.00	0.00	20.80	20.90			0.00	0.00
2015-01-26 14:00	12	0.09	0.40	0.36	2.00			0.00	0.00	20.90	20.90			0.05	0.40
2015-01-26 14:00	13			1.22	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.02	0.10
2015-01-26 15:00	1	0.26	1.00			0.00	0.10	0.00	0.00	20.90	20.90			0.08	0.10
2015-01-26 15:00	2	0.11	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-26 15:00	8			2.50	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-26 15:00	10			1.51	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.01	0.20
2015-01-26 15:00	12	0.06	0.30	0.53	5.00			0.00	0.00	20.90	20.90			0.03	0.10
2015-01-26 15:00	13			1.25	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-26 16:00	1	0.13	0.80			0.00	0.00	0.00	0.00	20.90	20.90			0.09	0.10
2015-01-26 16:00	2	0.35	6.10			0.00	0.00	0.00	0.00	20.90	20.90			0.03	0.40
2015-01-26 16:00	8			2.97	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-26 16:00	10			1.57	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.01	0.20
2015-01-26 16:00	12	0.10	0.80	0.50	2.00			0.00	0.00	20.90	20.90			0.06	0.40
2015-01-26 16:00	13			1.10	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-26 17:00	1	0.09	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.07	0.20
2015-01-26 17:00	2	0.31	1.10			0.00	0.00	0.00	0.00	20.90	20.90			0.13	0.40
2015-01-26 17:00	8			2.68	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-26 17:00	10			1.41	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-26 17:00	12	0.03	0.40	0.84	19.00			0.00	0.00	20.90	20.90			0.03	0.10
2015-01-26 17:00	13			1.24	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2015-01-26 18:00	1	0.05	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.08	0.10

Bridgeton Sanitary Landfill  
AreaRAE Monitoring Data  
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-01-26 18:00	2	0.67	9.80			0.00	0.00	0.00	0.00	20.90	20.90			0.45	0.60
2015-01-26 18:00	8			2.03	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-26 18:00	10			1.37	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-26 18:00	12	0.08	0.50	0.47	2.00			0.00	0.00	20.90	20.90			0.06	0.20
2015-01-26 18:00	13			1.05	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.05	0.10
2015-01-26 19:00	1	0.10	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.10	0.10
2015-01-26 19:00	2	0.32	1.10			0.00	0.00	0.00	0.00	20.90	20.90			0.58	0.80
2015-01-26 19:00	8			2.03	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2015-01-26 19:00	10			1.21	3.00	0.00	0.00	0.00	0.00	20.85	20.90			0.01	0.20
2015-01-26 19:00	12	0.08	0.30	0.44	2.00			0.00	0.00	20.90	20.90			0.15	0.40
2015-01-26 19:00	13			1.13	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.06	0.10
2015-01-26 20:00	1	0.10	0.70			0.00	0.00	0.00	0.00	20.90	20.90			0.12	0.20
2015-01-26 20:00	2	0.30	0.90			0.00	0.00	0.00	0.00	20.90	20.90			0.48	0.80
2015-01-26 20:00	8			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-26 20:00	10			1.28	2.00	0.00	0.00	0.00	0.00	20.60	20.70			0.02	0.20
2015-01-26 20:00	12	0.08	0.40	0.59	15.00			0.00	0.00	20.90	20.90			0.15	0.40
2015-01-26 20:00	13			1.16	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.07	0.10
2015-01-26 21:00	1	0.04	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.13	0.20
2015-01-26 21:00	2	0.27	0.70			0.00	0.00	0.00	0.00	20.90	20.90			0.46	0.60
2015-01-26 21:00	8			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-26 21:00	10			1.59	3.00	0.00	0.00	0.00	0.00	20.62	20.70			0.01	0.20
2015-01-26 21:00	12	0.12	0.70	0.75	14.00			0.00	0.00	20.90	20.90			0.14	0.40
2015-01-26 21:00	13			1.11	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.07	0.10
2015-01-26 22:00	1	0.07	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.16	0.20
2015-01-26 22:00	2	0.29	0.70			0.00	0.00	0.00	0.00	20.90	20.90			0.34	1.00
2015-01-26 22:00	8			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-26 22:00	10			1.48	3.00	0.00	0.00	0.00	0.00	20.83	20.90			0.02	0.20
2015-01-26 22:00	12	0.09	0.60	0.31	2.00			0.00	0.00	20.90	20.90			0.16	0.40
2015-01-26 22:00	13			1.07	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.05	0.10
2015-01-26 23:00	1	0.05	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.13	0.20
2015-01-26 23:00	2	0.28	0.70			0.00	0.00	0.00	0.00	20.90	20.90			0.40	1.00

Bridgeton Sanitary Landfill  
AreaRAE Monitoring Data  
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-01-26 23:00	8			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-26 23:00	10			1.51	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.03	0.40
2015-01-26 23:00	12	0.13	0.80	1.00	15.00			0.00	0.00	20.90	20.90			0.16	0.40
2015-01-26 23:00	13			1.20	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.04	0.10
2015-01-27 00:00	1	0.08	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.18	0.30
2015-01-27 00:00	2	0.28	0.80			0.00	0.00	0.00	0.00	20.90	20.90			0.47	1.00
2015-01-27 00:00	8			2.03	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-27 00:00	10			1.69	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.04	0.20
2015-01-27 00:00	12	0.09	0.40	0.30	1.00			0.00	0.00	20.90	20.90			0.21	0.40
2015-01-27 00:00	13			1.03	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.03	0.10
2015-01-27 01:00	1	0.06	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.19	0.40
2015-01-27 01:00	2	0.19	0.90			0.00	0.00	0.00	0.00	20.90	20.90			0.48	0.80
2015-01-27 01:00	8			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-27 01:00	10			1.48	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.03	0.20
2015-01-27 01:00	12	0.05	0.30	0.39	2.00			0.00	0.00	20.90	20.90			0.18	0.40
2015-01-27 01:00	13			1.34	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.03	0.10
2015-01-27 02:00	1	0.03	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.38	0.40
2015-01-27 02:00	2	0.21	0.60			0.00	0.00	0.00	0.00	20.90	20.90			0.46	0.60
2015-01-27 02:00	8			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-27 02:00	10			1.47	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.01	0.20
2015-01-27 02:00	12	0.05	0.40	0.43	2.00			0.00	0.00	20.90	20.90			0.29	0.40
2015-01-27 02:00	13			1.06	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.07	0.10
2015-01-27 03:00	1	0.03	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.39	0.40
2015-01-27 03:00	2	0.20	0.70			0.00	0.00	0.00	0.00	20.90	20.90			0.43	0.80
2015-01-27 03:00	8			2.03	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-27 03:00	10			1.54	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.01	0.20
2015-01-27 03:00	12	0.04	0.30	0.46	5.00			0.00	0.00	20.90	20.90			0.31	0.40
2015-01-27 03:00	13			1.24	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.06	0.10
2015-01-27 04:00	1	0.02	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.40	0.40
2015-01-27 04:00	2	0.18	0.60			0.00	0.00	0.00	0.00	20.90	20.90			0.47	0.60
2015-01-27 04:00	8			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00

Bridgeton Sanitary Landfill  
AreaRAE Monitoring Data  
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-01-27 04:00	10			1.32	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.03	0.20
2015-01-27 04:00	12	0.05	0.30	1.34	14.00			0.00	0.00	20.90	20.90			0.31	0.40
2015-01-27 04:00	13			1.26	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.06	0.10
2015-01-27 05:00	1	0.01	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.42	0.50
2015-01-27 05:00	2	0.19	0.80			0.00	0.00	0.00	0.00	20.90	20.90			0.51	1.00
2015-01-27 05:00	8			2.11	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-27 05:00	10			1.29	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.02	0.20
2015-01-27 05:00	12	0.05	0.30	0.56	3.00			0.00	0.00	20.90	20.90			0.36	0.50
2015-01-27 05:00	13			0.97	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.09	0.10
2015-01-27 06:00	1	0.03	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.44	0.50
2015-01-27 06:00	2	0.37	3.20			0.00	0.00	0.00	0.00	20.90	20.90			0.49	0.60
2015-01-27 06:00	8			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.10
2015-01-27 06:00	10			1.51	2.00	0.00	0.00	0.00	0.00	20.79	20.90			0.03	0.40
2015-01-27 06:00	12	0.06	0.40	0.67	8.00			0.00	0.00	20.90	20.90			0.31	0.40
2015-01-27 06:00	13			1.23	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.08	0.10
2015-01-27 11:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-27 11:00	2	0.58	1.20			0.00	0.00	0.00	0.00	20.90	20.90			0.23	0.60
2015-01-27 11:00	8			4.16	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.05	0.10
2015-01-27 11:00	10			1.21	2.00	0.01	0.10	0.00	0.00	20.90	20.90			0.14	0.40
2015-01-27 11:00	12	0.00	0.00	0.68	1.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-01-27 11:00	13			1.11	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-27 12:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-27 12:00	2	0.63	1.40			0.01	0.10	0.00	0.00	20.90	20.90			0.46	1.20
2015-01-27 12:00	8			4.05	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.06	0.20
2015-01-27 12:00	10			1.52	3.00	0.00	0.10	0.00	0.00	20.90	20.90			0.08	0.40
2015-01-27 12:00	12	0.00	0.00	0.64	2.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-01-27 12:00	13			1.14	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-27 13:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-27 13:00	2	0.51	1.20			0.00	0.10	0.00	0.00	20.90	20.90			0.36	1.00
2015-01-27 13:00	8			4.07	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.04	0.20
2015-01-27 13:00	10			1.24	2.00	0.01	0.10	0.00	0.00	20.90	20.90			0.10	0.60

Bridgeton Sanitary Landfill  
AreaRAE Monitoring Data  
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-01-27 13:00	12	0.00	0.00	0.67	2.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-01-27 13:00	13			1.10	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-27 14:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-27 14:00	2	0.68	1.80			0.00	0.10	0.00	0.00	20.90	20.90			0.44	1.20
2015-01-27 14:00	8			4.18	6.00			0.00	0.00	20.90	20.90	0.00	0.10	0.04	0.20
2015-01-27 14:00	10			1.55	4.00	0.01	0.10	0.00	0.00	20.90	20.90			0.07	0.40
2015-01-27 14:00	12	0.00	0.00	0.62	1.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-01-27 14:00	13			1.08	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-27 15:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-27 15:00	2	0.58	1.50			0.00	0.10	0.00	0.00	20.90	20.90			0.29	0.80
2015-01-27 15:00	8			4.24	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.04	0.20
2015-01-27 15:00	10			1.37	2.00	0.01	0.10	0.00	0.00	20.90	20.90			0.07	0.40
2015-01-27 15:00	12	0.00	0.00	1.08	13.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-01-27 15:00	13			1.24	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-27 16:00	1	0.00	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-27 16:00	2	0.72	1.40			0.00	0.00	0.00	0.00	20.90	20.90			0.50	1.20
2015-01-27 16:00	8			4.61	7.00			0.00	0.00	20.90	20.90	0.00	0.00	0.03	0.20
2015-01-27 16:00	10			1.16	2.00	0.01	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-27 16:00	12	0.00	0.00	0.69	4.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-01-27 16:00	13			1.22	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-27 17:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-27 17:00	2	0.64	1.50			0.00	0.00	0.00	0.00	20.90	20.90			0.60	1.00
2015-01-27 17:00	8			4.15	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.06	0.20
2015-01-27 17:00	10			1.39	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-27 17:00	12	0.00	0.00	0.81	4.00			0.00	0.00	20.90	20.90			0.01	0.10
2015-01-27 17:00	13			1.30	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-27 18:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-27 18:00	2	0.67	1.60			0.00	0.10	0.00	0.00	20.90	20.90			0.89	1.20
2015-01-27 18:00	8			3.62	4.00			3.07	4.50	20.90	20.90	0.00	0.00	0.06	0.20
2015-01-27 18:00	10			1.11	2.00	0.00	0.00	0.00	0.00	20.82	20.90			0.00	0.00
2015-01-27 18:00	12	0.00	0.00	0.38	2.00			0.00	0.00	20.90	20.90			0.02	0.20

Bridgeton Sanitary Landfill  
AreaRAE Monitoring Data  
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-01-27 18:00	13			1.31	3.00			0.00	0.00	20.89	20.90	0.00	0.00	0.01	0.10
2015-01-27 19:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-27 19:00	2	0.89	1.40			0.00	0.10	0.00	0.00	20.64	20.90			1.14	1.40
2015-01-27 19:00	8			2.64	3.00			5.33	6.00	20.90	20.90	0.00	0.00	0.07	0.20
2015-01-27 19:00	10			1.22	2.00	0.00	0.00	0.00	0.00	20.59	20.70			0.01	0.20
2015-01-27 19:00	12	0.00	0.00	0.51	5.00			0.00	0.00	20.90	20.90			0.06	0.20
2015-01-27 19:00	13			1.13	2.00			0.00	0.00	20.65	20.70	0.00	0.00	0.07	0.10
2015-01-27 20:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-27 20:00	2	0.78	1.40			0.01	0.10	0.00	0.00	20.60	20.70			1.22	1.60
2015-01-27 20:00	8			2.05	3.00			6.37	6.90	20.63	20.90	0.00	0.00	0.11	0.40
2015-01-27 20:00	10			1.11	2.00	0.00	0.00	0.00	0.00	20.56	20.60			0.07	0.60
2015-01-27 20:00	12	0.00	0.00	0.13	1.00			0.00	0.00	20.90	20.90			0.11	0.40
2015-01-27 20:00	13			1.10	3.00			0.00	0.00	20.59	20.60	0.00	0.00	0.10	0.10
2015-01-27 21:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-27 21:00	2	0.77	1.20			0.01	0.10	1.31	3.20	20.60	20.60			1.35	1.60
2015-01-27 21:00	8			2.05	4.00			7.04	7.20	20.60	20.60	0.00	0.00	0.13	0.30
2015-01-27 21:00	10			1.24	2.00	0.00	0.00	0.00	0.00	20.49	20.60			0.06	0.40
2015-01-27 21:00	12	0.00	0.00	0.11	1.00			0.00	0.00	20.90	20.90			0.20	0.40
2015-01-27 21:00	13			0.95	2.00			0.00	0.00	20.53	20.60	0.00	0.00	0.10	0.10
2015-01-27 22:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-27 22:00	2	0.84	1.40			0.02	0.10	3.08	3.20	20.60	20.60			1.29	1.60
2015-01-27 22:00	8			2.00	2.00			7.18	7.30	20.59	20.60	0.00	0.00	0.09	0.20
2015-01-27 22:00	10			1.33	2.00	0.00	0.00	0.00	0.00	20.42	20.50			0.06	0.40
2015-01-27 22:00	12	0.00	0.00	0.95	12.00			0.00	0.00	20.90	20.90			0.19	0.40
2015-01-27 22:00	13			1.30	2.00			0.00	0.00	20.50	20.50	0.00	0.00	0.09	0.10
2015-01-28 08:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-28 08:00	2	0.94	1.40			0.04	0.10	2.36	2.40	20.48	20.50			1.10	1.20
2015-01-28 08:00	8			2.00	2.00			6.66	6.90	20.54	20.60	0.00	0.00	0.15	0.30
2015-01-28 08:00	10			1.00	2.00	0.00	0.00	0.00	0.00	20.43	20.50			0.10	0.20
2015-01-28 08:00	12	0.00	0.00	0.00	0.00			0.00	0.00	20.90	20.90			0.13	0.20
2015-01-28 08:00	13			1.25	2.00			0.00	0.00	20.53	20.60	0.00	0.00	0.04	0.10

Bridgeton Sanitary Landfill  
AreaRAE Monitoring Data  
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-01-28 09:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.74	20.90			0.00	0.00
2015-01-28 09:00	2	0.87	1.40			0.03	0.10	1.98	2.30	20.52	20.60			0.90	1.20
2015-01-28 09:00	8			2.13	3.00			5.59	6.50	20.59	20.60	0.00	0.00	0.12	0.30
2015-01-28 09:00	10			1.03	2.00	0.00	0.00	0.00	0.00	20.46	20.50			0.05	0.40
2015-01-28 09:00	12	0.00	0.00	0.20	2.00			0.00	0.00	20.90	20.90			0.04	0.40
2015-01-28 09:00	13			1.27	2.00			0.00	0.00	20.51	20.60	0.00	0.00	0.01	0.10
2015-01-28 10:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-28 10:00	8			2.69	4.00			3.50	5.00	20.69	20.90	0.00	0.00	0.08	0.30
2015-01-28 10:00	10			1.23	2.00	0.00	0.00	0.00	0.00	20.52	20.60			0.02	0.40
2015-01-28 10:00	12	0.00	0.00	0.32	3.00			0.00	0.00	20.90	20.90			0.00	0.10
2015-01-28 10:00	13			1.15	2.00			0.00	0.00	20.60	20.70	0.00	0.00	0.00	0.00
2015-01-28 11:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-28 11:00	2	0.23	0.80			0.00	0.00	0.00	0.00	20.90	20.90			0.03	0.40
2015-01-28 11:00	8			3.00	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-28 11:00	10			1.29	3.00	0.00	0.00	0.00	0.00	20.55	20.60			0.01	0.20
2015-01-28 11:00	12	0.00	0.00	0.37	4.00			0.00	0.00	20.90	20.90			0.02	0.40
2015-01-28 11:00	13			1.25	3.00			0.00	0.00	20.85	20.90	0.00	0.00	0.00	0.00
2015-01-28 12:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-28 12:00	2	0.12	0.80			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-28 12:00	8			3.92	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-28 12:00	10			1.17	3.00	0.00	0.10	0.00	0.00	20.69	20.90			0.01	0.20
2015-01-28 12:00	12	0.00	0.00	0.76	16.00			0.00	0.00	20.90	20.90			0.00	0.10
2015-01-28 12:00	13			1.23	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-28 13:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-28 13:00	2	0.08	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-28 13:00	8			4.89	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-28 13:00	10			1.45	3.00	0.00	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-28 13:00	12	0.00	0.00	0.78	1.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-01-28 13:00	13			1.24	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-28 14:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-28 14:00	2	0.12	2.70			0.00	0.00	0.00	0.00	20.94	21.20			0.00	0.00

Bridgeton Sanitary Landfill  
AreaRAE Monitoring Data  
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-01-28 14:00	8			5.85	9.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-28 14:00	10			1.41	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-28 14:00	12	0.00	0.00	0.90	2.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-01-28 14:00	13			1.23	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-28 15:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-28 15:00	2	0.08	0.40			0.00	0.00	0.00	0.00	21.23	21.30			0.00	0.00
2015-01-28 15:00	8			6.92	8.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-28 15:00	10			1.27	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.01	0.20
2015-01-28 15:00	12	0.00	0.00	0.84	2.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-01-28 15:00	13			1.19	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-28 16:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-28 16:00	2	0.10	0.50			0.00	0.00	0.00	0.00	21.24	21.30			0.00	0.00
2015-01-28 16:00	8			7.26	10.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-28 16:00	10			1.38	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-28 16:00	12	0.00	0.00	1.43	16.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-01-28 16:00	13			1.18	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-28 17:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-28 17:00	2	0.14	0.50			0.00	0.00	0.00	0.00	21.21	21.30			0.18	0.80
2015-01-28 17:00	8			6.49	7.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-28 17:00	10			1.54	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-28 17:00	12	0.00	0.00	0.92	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-01-28 17:00	13			1.31	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-28 18:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-28 18:00	2	0.14	0.50			0.00	0.00	0.00	0.00	21.13	21.20			0.06	0.40
2015-01-28 18:00	8			4.88	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-28 18:00	10			1.51	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.01	0.20
2015-01-28 18:00	12	0.00	0.00	0.49	1.00			0.00	0.00	20.90	20.90			0.01	0.20
2015-01-28 18:00	13			1.08	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-28 19:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-28 19:00	2	0.13	0.60			0.00	0.00	0.00	0.00	21.06	21.20			0.11	0.40
2015-01-28 19:00	8			4.13	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00



Bridgeton Sanitary Landfill  
AreaRAE Monitoring Data  
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-01-28 19:00	10			1.33	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.01	0.20
2015-01-28 19:00	12	0.00	0.00	1.18	14.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-01-28 19:00	13			1.11	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2015-01-28 20:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-28 20:00	2	0.16	1.10			0.00	0.00	0.00	0.00	20.90	20.90			0.06	0.40
2015-01-28 20:00	8			4.11	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-28 20:00	10			1.44	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-28 20:00	12	0.00	0.00	0.43	2.00			0.00	0.00	20.90	20.90			0.00	0.10
2015-01-28 20:00	13			1.38	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.10
2015-01-28 21:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-28 21:00	2	0.15	0.70			0.00	0.00	0.00	0.00	20.90	20.90			0.02	0.20
2015-01-28 21:00	8			4.05	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-28 21:00	10			1.40	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-28 21:00	12	0.00	0.00	1.00	12.00			0.00	0.00	20.90	20.90			0.00	0.10
2015-01-28 21:00	13			1.30	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-28 22:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-28 22:00	2	0.15	0.50			0.00	0.10	0.00	0.00	20.90	20.90			0.04	0.40
2015-01-28 22:00	8			4.19	7.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-28 22:00	10			1.33	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-28 22:00	12	0.00	0.00	0.59	14.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-01-28 22:00	13			1.17	2.00			0.00	0.00	20.86	20.90	0.00	0.00	0.00	0.00
2015-01-28 23:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-28 23:00	2	0.15	0.70			0.00	0.00	0.00	0.00	20.98	21.20			0.15	0.80
2015-01-28 23:00	8			4.23	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-28 23:00	10			1.32	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.01	0.20
2015-01-28 23:00	12	0.00	0.00	0.54	2.00			0.00	0.00	20.90	20.90			0.02	0.20
2015-01-28 23:00	13			1.00	2.00			0.00	0.00	20.71	20.90	0.00	0.00	0.00	0.00
2015-01-29 00:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-29 00:00	2	0.17	0.50			0.00	0.00	0.00	0.00	21.00	21.20			0.04	0.40
2015-01-29 00:00	8			4.90	7.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-29 00:00	10			1.41	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00

Bridgeton Sanitary Landfill  
AreaRAE Monitoring Data  
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-01-29 00:00	12	0.00	0.00	0.51	2.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-01-29 00:00	13			1.26	2.00			0.00	0.00	20.89	20.90	0.00	0.00	0.00	0.00
2015-01-29 01:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-29 01:00	2	0.10	0.50			0.00	0.00	0.00	0.00	21.19	21.20			0.00	0.00
2015-01-29 01:00	8			5.37	8.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-29 01:00	10			1.53	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-29 01:00	12	0.00	0.00	0.55	2.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-01-29 01:00	13			1.13	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-29 02:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-29 02:00	2	0.09	0.40			0.00	0.00	0.00	0.00	21.20	21.20			0.00	0.00
2015-01-29 02:00	8			5.80	8.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-29 02:00	10			1.51	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-29 02:00	12	0.00	0.00	0.78	5.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-01-29 02:00	13			1.11	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-29 03:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.01	0.10
2015-01-29 03:00	2	0.10	0.70			0.00	0.00	0.00	0.00	21.20	21.30			0.01	0.20
2015-01-29 03:00	8			5.56	7.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-29 03:00	10			1.65	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-29 03:00	12	0.00	0.00	0.63	1.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-01-29 03:00	13			1.13	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-29 04:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.03	0.10
2015-01-29 04:00	2	0.12	0.80			0.00	0.00	0.00	0.00	21.19	21.20			0.01	0.20
2015-01-29 04:00	8			5.35	8.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-29 04:00	10			1.75	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-29 04:00	12	0.00	0.00	1.00	2.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-01-29 04:00	13			1.07	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-29 05:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-29 05:00	2	0.16	0.60			0.00	0.00	0.00	0.00	21.22	21.30			0.17	0.80
2015-01-29 05:00	8			4.92	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-29 05:00	10			1.97	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-29 05:00	12	0.00	0.00	0.82	4.00			0.00	0.00	20.90	20.90			0.00	0.00

Bridgeton Sanitary Landfill  
AreaRAE Monitoring Data  
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-01-29 05:00	13			1.59	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-29 06:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-29 06:00	2	0.13	0.40			0.00	0.00	0.00	0.00	21.16	21.20			0.05	0.40
2015-01-29 06:00	8			4.11	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-29 06:00	10			1.74	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.01	0.20
2015-01-29 06:00	12	0.00	0.00	1.08	14.00			0.00	0.00	20.90	20.90			0.03	0.30
2015-01-29 06:00	13			1.31	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.10
2015-01-29 07:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-29 07:00	2	0.12	0.90			0.00	0.00	0.00	0.00	21.13	21.20			0.08	0.40
2015-01-29 07:00	8			3.93	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-29 07:00	10			1.65	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.01	0.20
2015-01-29 07:00	12	0.00	0.00	0.88	2.00			0.00	0.00	20.90	20.90			0.01	0.20
2015-01-29 07:00	13			1.46	3.00			0.00	0.00	20.83	20.90	0.00	0.00	0.01	0.10
2015-01-29 08:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-29 08:00	2	0.17	0.80			0.00	0.00	0.00	0.00	20.94	21.10			0.14	0.60
2015-01-29 08:00	8			3.47	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-29 08:00	10			1.51	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.02	0.20
2015-01-29 08:00	12	0.00	0.00	0.44	1.00			0.00	0.00	20.90	20.90			0.01	0.10
2015-01-29 08:00	13			1.16	2.00			0.00	0.00	20.64	20.70	0.00	0.00	0.02	0.10
2015-01-29 09:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-29 09:00	2	0.11	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.20	0.60
2015-01-29 09:00	8			3.11	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-29 09:00	10			1.21	3.00	0.00	0.00	0.00	0.00	20.70	20.90			0.03	0.40
2015-01-29 09:00	12	0.00	0.00	0.41	2.00			0.00	0.00	20.90	20.90			0.02	0.10
2015-01-29 09:00	13			1.55	3.00			0.00	0.00	20.59	20.70	0.00	0.00	0.03	0.10
2015-01-29 10:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-29 10:00	2	0.19	0.70			0.00	0.00	0.00	0.00	20.90	20.90			0.23	0.60
2015-01-29 10:00	8			2.97	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-29 10:00	10			1.36	4.00	0.00	0.00	0.00	0.00	20.60	20.70			0.01	0.20
2015-01-29 10:00	12	0.00	0.00	0.58	2.00			0.00	0.00	20.90	20.90			0.04	0.20
2015-01-29 10:00	13			1.29	2.00			0.00	0.00	20.59	20.70	0.00	0.00	0.03	0.10

Bridgeton Sanitary Landfill  
AreaRAE Monitoring Data  
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-01-29 11:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-29 11:00	2	0.21	0.70			0.00	0.00	0.00	0.00	20.90	20.90			0.11	0.60
2015-01-29 11:00	8			3.05	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-29 11:00	10			1.50	3.00	0.00	0.00	0.00	0.00	20.61	20.70			0.01	0.20
2015-01-29 11:00	12	0.00	0.00	0.60	2.00			0.00	0.00	20.90	20.90			0.00	0.10
2015-01-29 11:00	13			1.23	2.00			0.00	0.00	20.61	20.70	0.00	0.00	0.04	0.10
2015-01-29 12:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-29 12:00	2	0.10	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-29 12:00	8			3.00	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-29 12:00	10			2.00	2.00	0.00	0.00	0.00	0.00	20.70	20.70			0.00	0.00
2015-01-29 12:00	12	0.00	0.00	1.00	1.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-01-29 12:00	13			1.00	1.00			0.00	0.00	20.70	20.70	0.00	0.00	0.00	0.00