

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-02-09 12:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.50	20.60			0.00	0.00
2015-02-09 12:00	2	0.29	0.70			0.00	0.00	0.00	0.00	20.90	20.90			1.85	2.20
2015-02-09 12:00	8			1.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-09 12:00	10			1.42	2.00	0.00	0.00	0.00	0.00	20.42	20.50			0.32	0.60
2015-02-09 12:00	12	0.54	1.10	0.43	2.00			0.00	0.00	20.90	20.90			0.44	1.10
2015-02-09 12:00	13			1.24	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.09	0.10
2015-02-09 13:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.50	20.50			0.00	0.10
2015-02-09 13:00	2	0.21	0.60			0.00	0.00	0.00	0.00	20.90	20.90			1.81	2.00
2015-02-09 13:00	8			1.00	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2015-02-09 13:00	10			1.45	3.00	0.00	0.00	0.00	0.00	20.45	20.50			0.32	0.80
2015-02-09 13:00	12	0.53	1.20	0.73	3.00			0.00	0.00	20.90	20.90			0.42	0.50
2015-02-09 13:00	13			1.20	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.09	0.10
2015-02-09 14:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.48	20.50			0.00	0.10
2015-02-09 14:00	2	0.30	1.50			0.00	0.00	0.00	0.00	20.90	20.90			1.77	2.20
2015-02-09 14:00	8			1.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.20
2015-02-09 14:00	10			1.35	2.00	0.00	0.00	0.00	0.00	20.50	20.60			0.27	0.60
2015-02-09 14:00	12	0.50	1.10	1.00	11.00			0.00	0.00	20.90	20.90			0.39	0.50
2015-02-09 14:00	13			1.10	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.06	0.10
2015-02-09 15:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.53	20.60			0.00	0.00
2015-02-09 15:00	2	0.24	0.70			0.00	0.00	0.00	0.00	20.90	20.90			1.75	2.40
2015-02-09 15:00	8			0.95	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-09 15:00	10			1.62	4.00	0.00	0.00	0.00	0.00	20.51	20.60			0.30	0.80
2015-02-09 15:00	12	0.46	1.20	0.64	2.00			0.00	0.00	20.90	20.90			0.35	0.50
2015-02-09 15:00	13			1.32	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.05	0.10
2015-02-09 16:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.52	20.60			0.00	0.00
2015-02-09 16:00	2	0.22	0.70			0.00	0.00	0.00	0.00	20.90	20.90			1.79	2.20
2015-02-09 16:00	8			1.11	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-09 16:00	10			1.26	3.00	0.00	0.00	0.00	0.00	20.51	20.60			0.34	0.80
2015-02-09 16:00	12	0.49	1.10	0.35	1.00			0.00	0.00	20.90	20.90			0.38	0.40
2015-02-09 16:00	13			1.13	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.07	0.10
2015-02-09 17:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.51	20.60			0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-02-09 17:00	2	0.29	1.00			0.00	0.00	0.00	0.00	20.90	20.90			1.84	2.40
2015-02-09 17:00	8			1.08	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.10
2015-02-09 17:00	10			1.54	3.00	0.00	0.00	0.00	0.00	20.48	20.60			0.36	0.80
2015-02-09 17:00	12	0.44	1.20	0.45	5.00			0.00	0.00	20.90	20.90			0.40	0.50
2015-02-09 17:00	13			1.23	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.09	0.10
2015-02-09 18:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.51	20.60			0.00	0.00
2015-02-09 18:00	2	0.23	0.60			0.00	0.00	0.00	0.00	20.90	20.90			1.88	2.20
2015-02-09 18:00	8			0.97	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.20
2015-02-09 18:00	10			1.28	3.00	0.00	0.00	0.00	0.00	20.42	20.50			0.34	0.80
2015-02-09 18:00	12	0.54	1.20	0.74	14.00			0.00	0.00	20.90	20.90			0.44	0.70
2015-02-09 18:00	13			1.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.10	0.10
2015-02-09 19:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.49	20.60			0.00	0.10
2015-02-09 19:00	2	0.32	0.80			0.00	0.00	0.00	0.00	20.90	20.90			1.93	2.40
2015-02-09 19:00	8			1.05	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-09 19:00	10			1.36	3.00	0.00	0.00	0.00	0.00	20.41	20.50			0.33	0.80
2015-02-09 19:00	12	0.56	1.20	0.33	1.00			0.00	0.00	20.90	20.90			0.49	0.90
2015-02-09 19:00	13			1.32	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.10	0.10
2015-02-09 20:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.48	20.50			0.00	0.00
2015-02-09 20:00	2	0.21	0.60			0.00	0.00	0.00	0.00	20.90	20.90			2.00	2.20
2015-02-09 20:00	8			0.95	1.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-09 20:00	10			1.25	3.00	0.00	0.00	0.00	0.00	20.39	20.40			0.36	0.80
2015-02-09 20:00	12	0.56	1.10	0.77	15.00			0.00	0.00	20.90	20.90			0.59	0.90
2015-02-09 20:00	13			1.30	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.10	0.10
2015-02-09 21:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.48	20.50			0.00	0.00
2015-02-09 21:00	2	0.29	0.80			0.00	0.00	0.00	0.00	20.90	20.90			2.11	2.40
2015-02-09 21:00	8			1.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.10
2015-02-09 21:00	10			1.24	2.00	0.00	0.00	0.00	0.00	20.39	20.50			0.41	1.00
2015-02-09 21:00	12	0.55	1.10	0.63	2.00			0.00	0.00	20.90	20.90			0.59	0.90
2015-02-09 21:00	13			1.18	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.11	0.20
2015-02-09 22:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.48	20.50			0.00	0.00
2015-02-09 22:00	2	0.28	0.80			0.00	0.00	0.00	0.00	20.90	20.90			2.08	2.40

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-02-09 22:00	8			1.05	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-09 22:00	10			1.26	3.00	0.00	0.00	0.00	0.00	20.39	20.50			0.42	1.00
2015-02-09 22:00	12	0.60	1.20	0.23	2.00			0.00	0.00	20.90	20.90			0.62	0.90
2015-02-09 22:00	13			1.21	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.10	0.20
2015-02-09 23:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.48	20.50			0.00	0.10
2015-02-09 23:00	2	0.35	0.80			0.00	0.00	0.00	0.00	20.90	20.90			1.96	2.20
2015-02-09 23:00	8			1.05	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-09 23:00	10			1.26	3.00	0.00	0.00	0.00	0.00	20.39	20.50			0.40	1.20
2015-02-09 23:00	12	0.59	1.20	0.44	2.00			0.00	0.00	20.90	20.90			0.63	0.90
2015-02-09 23:00	13			1.28	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.10	0.10
2015-02-10 00:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.50	20.50			0.00	0.00
2015-02-10 00:00	2	0.24	0.60			0.00	0.00	0.00	0.00	20.72	20.90			2.02	2.40
2015-02-10 00:00	8			1.00	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-10 00:00	10			1.56	3.00	0.00	0.00	0.00	0.00	20.38	20.50			0.38	1.00
2015-02-10 00:00	12	0.61	1.20	0.57	1.00			0.00	0.00	20.90	20.90			0.66	0.90
2015-02-10 00:00	13			1.24	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.10	0.10
2015-02-10 01:00	1	0.01	0.20			0.00	0.00	0.00	0.00	20.50	20.50			0.00	0.00
2015-02-10 01:00	2	0.28	1.10			0.01	0.10	0.00	0.00	20.60	20.60			2.06	2.40
2015-02-10 01:00	8			1.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-10 01:00	10			1.18	3.00	0.00	0.00	0.00	0.00	20.41	20.50			0.48	1.00
2015-02-10 01:00	12	0.71	1.20	0.47	5.00			0.00	0.00	20.90	20.90			0.66	0.90
2015-02-10 01:00	13			1.32	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.10	0.10
2015-02-10 02:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.49	20.60			0.00	0.10
2015-02-10 02:00	2	0.22	0.60			0.00	0.00	0.00	0.00	20.60	20.60			2.11	2.40
2015-02-10 02:00	8			1.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2015-02-10 02:00	10			1.20	2.00	0.00	0.00	0.00	0.00	20.38	20.50			0.46	1.00
2015-02-10 02:00	12	0.68	1.20	1.17	13.00			0.00	0.00	20.90	20.90			0.63	0.90
2015-02-10 02:00	13			1.08	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.10	0.10
2015-02-10 03:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.44	20.50			0.00	0.00
2015-02-10 03:00	2	0.38	1.00			0.00	0.00	0.00	0.00	20.58	20.60			2.06	2.40
2015-02-10 03:00	8			1.00	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.10

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-02-10 03:00	10			1.35	2.00	0.00	0.00	0.00	0.00	20.39	20.50			0.42	1.20
2015-02-10 03:00	12	0.63	1.50	0.67	12.00			0.00	0.00	20.90	20.90			0.64	1.00
2015-02-10 03:00	13			1.13	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.10	0.10
2015-02-10 04:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.44	20.60			0.00	0.00
2015-02-10 04:00	2	0.24	1.10			0.00	0.00	0.00	0.00	20.54	20.60			2.05	2.40
2015-02-10 04:00	8			1.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-10 04:00	10			1.15	2.00	0.00	0.00	0.00	0.00	20.38	20.40			0.38	0.80
2015-02-10 04:00	12	0.63	1.60	0.69	16.00			0.00	0.00	20.90	20.90			0.61	0.90
2015-02-10 04:00	13			1.15	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.10	0.10
2015-02-10 05:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.40	20.50			0.00	0.00
2015-02-10 05:00	2	0.39	1.00			0.00	0.10	0.00	0.00	20.51	20.60			2.13	2.40
2015-02-10 05:00	8			1.05	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-10 05:00	10			1.30	2.00	0.00	0.00	0.00	0.00	20.36	20.40			0.40	1.20
2015-02-10 05:00	12	0.69	1.30	0.58	4.00			0.00	0.00	20.90	20.90			0.64	0.90
2015-02-10 05:00	13			1.14	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.10	0.20
2015-02-10 06:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.39	20.50			0.00	0.00
2015-02-10 06:00	2	0.35	0.90			0.00	0.10	0.00	0.00	20.51	20.60			2.19	2.40
2015-02-10 06:00	8			1.08	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-10 06:00	10			1.22	2.00	0.00	0.00	0.00	0.00	20.35	20.40			0.38	1.00
2015-02-10 06:00	12	0.59	1.70	1.03	15.00			0.00	0.00	20.90	20.90			0.68	1.00
2015-02-10 06:00	13			1.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.10	0.10
2015-02-10 07:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.40	20.50			0.00	0.00
2015-02-10 07:00	2	0.41	1.30			0.00	0.00	0.00	0.00	20.50	20.50			2.16	2.60
2015-02-10 07:00	8			0.97	1.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-10 07:00	10			1.23	2.00	0.00	0.00	0.00	0.00	20.36	20.40			0.35	0.80
2015-02-10 07:00	12	0.66	1.20	0.21	1.00			0.00	0.00	20.90	20.90			0.69	0.90
2015-02-10 07:00	13			1.19	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.10	0.10
2015-02-10 08:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.41	20.50			0.00	0.00
2015-02-10 08:00	2	0.32	1.10			0.00	0.00	0.00	0.00	20.51	20.60			2.12	2.40
2015-02-10 08:00	8			1.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-10 08:00	10			1.23	2.00	0.00	0.00	0.00	0.00	20.35	20.40			0.26	0.80

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-02-10 08:00	12	0.64	1.20	0.26	2.00			0.00	0.00	20.90	20.90			0.84	12.80
2015-02-10 08:00	13			1.03	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.10	0.20
2015-02-10 09:00	1	0.01	0.20			0.00	0.00	0.00	0.00	20.47	20.50			0.00	0.00
2015-02-10 09:00	2	0.32	0.80			0.00	0.00	0.00	0.00	20.58	20.60			2.04	2.40
2015-02-10 09:00	8			0.84	1.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-10 09:00	10			1.32	2.00	0.00	0.00	0.00	0.00	20.38	20.50			0.32	0.80
2015-02-10 09:00	12	0.73	1.70	1.16	16.00			0.00	0.00	20.82	20.90			0.44	0.50
2015-02-10 09:00	13			1.30	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.09	0.10
2015-02-10 10:00	1	0.01	0.20			0.00	0.00	0.00	0.00	20.44	20.50			0.00	0.00
2015-02-10 10:00	2	0.39	1.20			0.00	0.10	0.00	0.00	20.60	20.60			1.92	2.40
2015-02-10 10:00	8			1.03	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-10 10:00	10			1.40	2.00	0.00	0.10	0.00	0.00	20.43	20.50			0.27	0.60
2015-02-10 10:00	12	0.71	1.20	0.40	3.00			0.00	0.00	20.63	20.70			0.40	0.50
2015-02-10 10:00	13			1.07	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.09	0.10
2015-02-10 11:00	8			1.00	1.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-10 11:00	10			1.17	2.00	0.00	0.00	0.00	0.00	20.45	20.50			0.27	0.40
2015-02-10 11:00	12	0.57	0.90	1.17	4.00			0.00	0.00	20.60	20.60			0.42	0.50
2015-02-10 14:00	1	0.05	0.50					0.00	0.00	20.77	20.90			0.00	0.10
2015-02-10 14:00	2	0.85	2.00			0.00	0.10	0.00	0.00	20.95	21.20			0.14	1.10
2015-02-10 14:00	8			1.42	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-10 14:00	10			2.67	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-02-10 14:00	12	0.00	0.00	1.12	4.00			0.00	0.00	20.90	20.90			0.61	1.10
2015-02-10 14:00	13			0.38	2.00			0.00	0.00	20.91	21.10	0.00	0.00	0.00	0.00
2015-02-10 15:00	1	0.13	0.70			0.00	0.00	0.00	0.00	20.60	20.90			0.00	0.00
2015-02-10 15:00	2	0.77	1.90					0.00	0.00	20.90	20.90			0.09	0.70
2015-02-10 15:00	8			1.32	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-10 15:00	10			2.00	2.00	0.00	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-02-10 15:00	12	0.00	0.00	0.92	3.00			0.00	0.00	20.90	20.90			0.63	0.90
2015-02-10 15:00	13			1.21	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-10 16:00	1	0.03	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-02-10 16:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.17	0.70

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-02-10 16:00	8			2.19	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-10 16:00	10			2.00	2.00	0.00	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-02-10 16:00	12	0.00	0.00	1.23	18.00			0.00	0.00	20.90	20.90			0.14	0.90
2015-02-10 16:00	13			1.18	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-10 17:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.82	20.90			0.00	0.00
2015-02-10 17:00	2	0.06	1.80			0.00	0.10	0.00	0.00	20.90	20.90			0.81	1.50
2015-02-10 17:00	8			2.27	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-10 17:00	10			2.00	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.02	0.30
2015-02-10 17:00	12	0.00	0.00	1.29	14.00			0.00	0.00	20.90	20.90			0.25	0.70
2015-02-10 17:00	13			1.10	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-10 18:00	1	0.01	0.20			0.00	0.00	0.00	0.00	20.57	20.70			0.00	0.00
2015-02-10 18:00	2	0.08	2.80			0.00	0.00	0.00	0.00	20.90	20.90			1.38	1.70
2015-02-10 18:00	8			1.13	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-10 18:00	10			1.53	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.01	0.30
2015-02-10 18:00	12	0.00	0.00	0.38	1.00			0.00	0.00	20.90	20.90			0.45	0.90
2015-02-10 18:00	13			1.10	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-10 19:00	1	0.01	0.10			0.00	0.00	0.00	0.00	20.46	20.50			0.00	0.00
2015-02-10 19:00	2	0.07	0.80			0.00	0.00	0.00	0.00	20.90	20.90			1.54	2.10
2015-02-10 19:00	8			1.03	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-10 19:00	10			1.41	3.00	0.00	0.00	0.00	0.00	20.60	20.90			0.02	0.30
2015-02-10 19:00	12	0.00	0.00	0.38	1.00			0.00	0.00	20.90	20.90			0.64	0.90
2015-02-10 19:00	13			1.08	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-10 20:00	1	0.01	0.20			0.00	0.00	0.00	0.00	20.46	20.50			0.00	0.00
2015-02-10 20:00	2	0.05	0.50			0.00	0.00	0.00	0.00	20.90	20.90			1.64	1.90
2015-02-10 20:00	8			1.18	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-10 20:00	10			1.50	2.00	0.00	0.00	0.00	0.00	20.54	20.60			0.05	0.60
2015-02-10 20:00	12	0.00	0.00	0.41	3.00			0.00	0.00	20.90	20.90			0.69	0.90
2015-02-10 20:00	13			1.15	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-10 21:00	1	0.01	0.10			0.00	0.00	0.00	0.00	20.49	20.50			0.00	0.00
2015-02-10 21:00	2	0.04	0.30			0.00	0.00	0.00	0.00	20.90	20.90			1.72	1.90
2015-02-10 21:00	8			0.97	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.10

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-02-10 21:00	10			1.49	2.00	0.00	0.00	0.00	0.00	20.51	20.60			0.06	0.30
2015-02-10 21:00	12	0.00	0.00	0.32	1.00			0.00	0.00	20.90	20.90			0.73	1.10
2015-02-10 21:00	13			1.08	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-10 22:00	1	0.02	0.40			0.00	0.00	0.00	0.00	20.47	20.50			0.00	0.00
2015-02-10 22:00	2	0.01	0.10			0.00	0.00	0.00	0.00	20.90	20.90			1.79	2.10
2015-02-10 22:00	8			1.02	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-10 22:00	10			1.34	4.00	0.00	0.00	0.00	0.00	20.46	20.50			0.09	0.30
2015-02-10 22:00	12	0.00	0.00	0.26	2.00			0.00	0.00	20.90	20.90			0.73	0.90
2015-02-10 22:00	13			1.16	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-10 23:00	1	0.02	0.30			0.00	0.00	0.00	0.00	20.45	20.50			0.00	0.00
2015-02-10 23:00	2	0.02	0.30			0.00	0.00	0.00	0.00	20.90	20.90			1.75	2.10
2015-02-10 23:00	8			1.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.10
2015-02-10 23:00	10			1.42	3.00	0.00	0.00	0.00	0.00	20.47	20.50			0.08	0.60
2015-02-10 23:00	12	0.00	0.00	0.76	10.00			0.00	0.00	20.90	20.90			0.72	0.90
2015-02-10 23:00	13			1.07	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-11 00:00	1	0.01	0.40			0.00	0.00	0.00	0.00	20.48	20.50			0.00	0.00
2015-02-11 00:00	2	0.01	0.10			0.00	0.00	0.00	0.00	20.90	20.90			1.83	2.10
2015-02-11 00:00	8			0.97	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-11 00:00	10			1.29	3.00	0.00	0.00	0.00	0.00	20.50	20.50			0.06	0.30
2015-02-11 00:00	12	0.00	0.00	0.49	4.00			0.00	0.00	20.90	20.90			0.73	0.90
2015-02-11 00:00	13			1.06	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-11 01:00	1	0.05	1.10			0.00	0.00	0.00	0.00	20.41	20.50			0.00	0.00
2015-02-11 01:00	2	0.03	0.30			0.00	0.00	0.00	0.00	20.90	20.90			1.78	2.10
2015-02-11 01:00	8			1.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.10
2015-02-11 01:00	10			1.46	3.00	0.00	0.00	0.00	0.00	20.46	20.50			0.03	0.30
2015-02-11 01:00	12	0.00	0.00	0.40	1.00			0.00	0.00	20.90	20.90			0.73	1.10
2015-02-11 01:00	13			1.10	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-11 02:00	1	0.01	0.10			0.00	0.00	0.00	0.00	20.43	20.50			0.00	0.00
2015-02-11 02:00	2	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			1.76	2.10
2015-02-11 02:00	8			1.02	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-11 02:00	10			1.60	3.00	0.00	0.00	0.00	0.00	20.45	20.50			0.04	0.30

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-02-11 02:00	12	0.00	0.00	0.49	5.00			0.00	0.00	20.90	20.90			0.73	0.90
2015-02-11 02:00	13			1.05	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-11 03:00	1	0.02	0.40			0.00	0.00	0.00	0.00	20.49	20.50			0.00	0.00
2015-02-11 03:00	2	0.02	0.10			0.00	0.00	0.00	0.00	20.90	20.90			1.71	2.10
2015-02-11 03:00	8			1.03	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-11 03:00	10			1.56	3.00	0.00	0.00	0.00	0.00	20.48	20.50			0.04	0.60
2015-02-11 03:00	12	0.00	0.00	0.38	1.00			0.00	0.00	20.90	20.90			0.72	0.90
2015-02-11 03:00	13			1.15	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-11 04:00	1	0.01	0.20			0.00	0.00	0.00	0.00	20.44	20.60			0.00	0.00
2015-02-11 04:00	2	0.02	0.30			0.00	0.00	0.00	0.00	20.90	20.90			1.81	2.10
2015-02-11 04:00	8			0.97	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-11 04:00	10			1.44	4.00	0.00	0.00	0.00	0.00	20.47	20.50			0.06	0.30
2015-02-11 04:00	12	0.00	0.00	0.63	12.00			0.00	0.00	20.90	20.90			0.75	0.90
2015-02-11 04:00	13			1.23	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-11 05:00	1	0.01	0.20			0.00	0.00	0.00	0.00	20.43	20.50			0.00	0.00
2015-02-11 05:00	2	0.03	0.30			0.00	0.00	0.00	0.00	20.90	20.90			1.85	2.30
2015-02-11 05:00	8			1.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-11 05:00	10			1.57	2.00	0.00	0.00	0.00	0.00	20.43	20.50			0.11	0.60
2015-02-11 05:00	12	0.00	0.00	0.74	13.00			0.00	0.00	20.90	20.90			0.82	1.10
2015-02-11 05:00	13			1.24	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-11 06:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.39	20.40			0.00	0.00
2015-02-11 06:00	2	0.08	1.10			0.00	0.00	0.00	0.00	20.90	20.90			1.86	2.30
2015-02-11 06:00	8			1.03	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-11 06:00	10			1.64	3.00	0.00	0.00	0.00	0.00	20.42	20.50			0.14	0.60
2015-02-11 06:00	12	0.00	0.00	0.41	3.00			0.00	0.00	20.90	20.90			0.86	1.40
2015-02-11 06:00	13			1.24	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-11 07:00	1	0.07	0.50			0.00	0.00	0.00	0.00	20.35	20.40			0.00	0.00
2015-02-11 07:00	2	0.09	1.20			0.00	0.00	0.00	0.00	20.90	20.90			1.90	2.30
2015-02-11 07:00	8			0.95	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-11 07:00	10			1.58	3.00	0.00	0.00	0.00	0.00	20.40	20.50			0.13	0.60
2015-02-11 07:00	12	0.00	0.00	0.29	1.00			0.00	0.00	20.90	20.90			0.84	1.10

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-02-11 07:00	13			1.19	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-11 08:00	1	0.16	0.70			0.01	0.10	0.00	0.00	20.36	20.50			0.00	0.00
2015-02-11 08:00	2	0.04	0.30			0.00	0.00	0.00	0.00	20.90	20.90			1.52	2.10
2015-02-11 08:00	8			1.03	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-11 08:00	10			1.71	2.00	0.00	0.00	0.00	0.00	20.40	20.50			0.06	0.30
2015-02-11 08:00	12	0.00	0.00	0.81	13.00			0.00	0.00	20.90	20.90			0.74	1.10
2015-02-11 08:00	13			1.22	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-11 09:00	1	0.03	0.30			0.00	0.00	0.00	0.00	20.51	20.60			0.00	0.00
2015-02-11 09:00	2	0.02	0.70			0.00	0.10	0.00	0.00	20.90	20.90			0.11	0.50
2015-02-11 09:00	8			1.08	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-11 09:00	10			1.84	3.00	0.00	0.00	0.00	0.00	20.47	20.50			0.01	0.30
2015-02-11 09:00	12	0.00	0.00	1.32	15.00			0.00	0.00	20.90	20.90			0.60	0.70
2015-02-11 09:00	13			1.29	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-11 10:00	1	0.02	0.20			0.01	0.10	0.00	0.00	20.52	20.60			0.00	0.00
2015-02-11 10:00	2	0.00	0.00			0.00	0.10	0.00	0.00	20.90	20.90			0.06	0.30
2015-02-11 10:00	8			1.26	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-11 10:00	10			1.82	3.00	0.00	0.00	0.00	0.00	20.52	20.60			0.01	0.30
2015-02-11 10:00	12	0.00	0.00	0.87	4.00			0.00	0.00	20.90	20.90			0.56	0.70
2015-02-11 10:00	13			1.13	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-11 11:00	1	0.01	0.10			0.00	0.00	0.00	0.00	20.56	20.60			0.00	0.00
2015-02-11 11:00	2	0.00	0.00			0.00	0.10	0.00	0.00	20.90	20.90			0.11	0.30
2015-02-11 11:00	8			1.14	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-11 11:00	10			1.83	2.00	0.00	0.00	0.00	0.00	20.54	20.60			0.00	0.00
2015-02-11 11:00	12	0.00	0.00	0.68	2.00			0.00	0.00	20.90	20.90			0.57	0.70
2015-02-11 11:00	13			1.08	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-11 12:00	1	0.00	0.00			0.00	0.10	0.00	0.00	20.50	20.60			0.00	0.00
2015-02-11 12:00	2	0.02	0.80			0.01	0.10	0.00	0.00	20.90	20.90			0.24	0.70
2015-02-11 12:00	8			1.10	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-11 12:00	10			1.78	3.00	0.00	0.00	0.00	0.00	20.53	20.60			0.01	0.30
2015-02-11 12:00	12	0.00	0.00	0.44	1.00			0.00	0.00	20.90	20.90			0.59	0.90
2015-02-11 12:00	13			1.40	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-02-11 13:00	1	0.02	0.40			0.00	0.10	0.00	0.00	20.51	20.60			0.00	0.00
2015-02-11 13:00	2	0.00	0.00			0.00	0.10	0.00	0.00	20.90	20.90			0.18	0.50
2015-02-11 13:00	8			1.10	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-11 13:00	10			1.92	2.00	0.00	0.00	0.00	0.00	20.52	20.60			0.00	0.00
2015-02-11 13:00	12	0.00	0.00	1.89	17.00			0.00	0.00	20.90	20.90			0.59	1.10
2015-02-11 13:00	13			1.28	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-11 14:00	1	0.02	0.50			0.00	0.00	0.00	0.00	20.54	20.60			0.00	0.00
2015-02-11 14:00	2	0.00	0.00			0.00	0.10	0.00	0.00	20.90	20.90			0.11	0.50
2015-02-11 14:00	8			1.10	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-11 14:00	10			1.65	2.00	0.00	0.00	0.00	0.00	20.58	20.70			0.00	0.00
2015-02-11 14:00	12	0.00	0.00	0.89	20.00			0.00	0.00	20.90	20.90			0.55	0.70
2015-02-11 14:00	13			1.27	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-11 15:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.58	20.60			0.00	0.00
2015-02-11 15:00	2	0.01	0.30			0.01	0.10	0.00	0.00	20.90	20.90			0.17	0.50
2015-02-11 15:00	8			1.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-11 15:00	10			1.72	2.00	0.00	0.00	0.00	0.00	20.56	20.60			0.00	0.00
2015-02-11 15:00	12	0.00	0.00	0.77	5.00			0.00	0.00	20.90	20.90			0.60	0.90
2015-02-11 15:00	13			1.26	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-11 16:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.46	20.60			0.00	0.00
2015-02-11 16:00	2	0.00	0.00			0.00	0.10	0.00	0.00	20.90	20.90			0.32	0.50
2015-02-11 16:00	8			1.05	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-11 16:00	10			1.30	3.00	0.00	0.00	0.00	0.00	20.53	20.60			0.01	0.30
2015-02-11 16:00	12	0.00	0.00	0.82	12.00			0.00	0.00	20.90	20.90			0.68	0.90
2015-02-11 16:00	13			1.11	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-11 17:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.45	20.50			0.00	0.00
2015-02-11 17:00	2	0.01	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.45	0.70
2015-02-11 17:00	8			1.08	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-11 17:00	10			1.33	3.00	0.00	0.00	0.00	0.00	20.52	20.60			0.02	0.30
2015-02-11 17:00	12	0.00	0.00	0.84	13.00			0.00	0.00	20.90	20.90			0.71	0.90
2015-02-11 17:00	13			1.23	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-11 18:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.43	20.50			0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-02-11 18:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.51	0.70
2015-02-11 18:00	8			0.90	1.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-11 18:00	10			1.24	3.00	0.00	0.00	0.00	0.00	20.48	20.50			0.06	0.30
2015-02-11 18:00	12	0.00	0.00	0.93	12.00			0.00	0.00	20.90	20.90			0.75	0.90
2015-02-11 18:00	13			0.95	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-11 19:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.45	20.50			0.00	0.00
2015-02-11 19:00	2	0.01	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.63	0.90
2015-02-11 19:00	8			1.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-11 19:00	10			1.25	3.00	0.00	0.00	0.00	0.00	20.46	20.60			0.14	0.60
2015-02-11 19:00	12	0.00	0.00	0.36	2.00			0.00	0.00	20.90	20.90			0.76	1.10
2015-02-11 19:00	13			1.08	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-11 20:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.40	20.40			0.00	0.00
2015-02-11 20:00	2	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.76	1.10
2015-02-11 20:00	8			0.92	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.10
2015-02-11 20:00	10			1.32	2.00	0.00	0.00	0.00	0.00	20.41	20.50			0.07	0.60
2015-02-11 20:00	12	0.00	0.00	0.53	12.00			0.00	0.00	20.90	20.90			0.82	1.10
2015-02-11 20:00	13			1.11	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-11 21:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.40	20.40			0.00	0.00
2015-02-11 21:00	2	0.00	0.10			0.00	0.10	0.00	0.00	20.90	20.90			0.84	1.10
2015-02-11 21:00	8			0.94	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-11 21:00	10			1.29	3.00	0.00	0.00	0.00	0.00	20.40	20.40			0.11	0.60
2015-02-11 21:00	12	0.00	0.00	0.20	1.00			0.00	0.00	20.90	20.90			0.89	1.40
2015-02-11 21:00	13			1.08	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-11 22:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.33	20.40			0.00	0.00
2015-02-11 22:00	2	0.01	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.83	1.10
2015-02-11 22:00	8			1.03	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.10
2015-02-11 22:00	10			1.39	2.00	0.00	0.00	0.00	0.00	20.37	20.40			0.14	0.90
2015-02-11 22:00	12	0.00	0.00	0.47	2.00			0.00	0.00	20.90	20.90			0.85	1.10
2015-02-11 22:00	13			1.28	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-11 23:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.30	20.30			0.00	0.00
2015-02-11 23:00	2	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.84	1.10

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-02-11 23:00	8			1.05	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-11 23:00	10			1.53	3.00	0.00	0.00	0.00	0.00	20.33	20.40			0.18	0.90
2015-02-11 23:00	12	0.00	0.00	0.76	15.00			0.00	0.00	20.90	20.90			0.99	1.40
2015-02-11 23:00	13			1.18	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-12 00:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.29	20.40			0.00	0.00
2015-02-12 00:00	2	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.90	1.10
2015-02-12 00:00	8			1.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-12 00:00	10			1.29	3.00	0.00	0.00	0.00	0.00	20.33	20.40			0.17	0.60
2015-02-12 00:00	12	0.00	0.00	0.53	15.00			0.00	0.00	20.90	20.90			1.22	3.80
2015-02-12 00:00	13			1.13	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-12 01:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.28	20.40			0.00	0.00
2015-02-12 01:00	2	0.01	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.94	1.30
2015-02-12 01:00	8			0.95	1.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-12 01:00	10			1.27	2.00	0.00	0.00	0.00	0.00	20.31	20.40			0.17	0.60
2015-02-12 01:00	12	0.00	0.00	0.97	15.00			0.00	0.00	20.90	20.90			1.11	1.40
2015-02-12 01:00	13			1.13	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-12 02:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.30	20.30			0.00	0.00
2015-02-12 02:00	2	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.94	1.30
2015-02-12 02:00	8			1.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-12 02:00	10			1.19	2.00	0.00	0.00	0.00	0.00	20.31	20.40			0.19	0.60
2015-02-12 02:00	12	0.00	0.00	0.41	8.00			0.00	0.00	20.90	20.90			1.36	6.70
2015-02-12 02:00	13			0.97	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-12 03:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.30	20.30			0.00	0.00
2015-02-12 03:00	2	0.00	0.00					0.00	0.00	20.90	20.90			0.92	1.30
2015-02-12 03:00	8			0.92	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.10
2015-02-12 03:00	10			1.34	3.00	0.00	0.00	0.00	0.00	20.32	20.40			0.17	0.60
2015-02-12 03:00	12	0.00	0.00	1.13	15.00			0.00	0.00	20.90	20.90			1.09	3.30
2015-02-12 03:00	13			1.14	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-12 04:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.28	20.30			0.00	0.00
2015-02-12 04:00	2	0.00	0.00					0.00	0.00	20.90	20.90			1.04	1.50
2015-02-12 04:00	8			1.03	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-02-12 04:00	10			1.54	3.00	0.00	0.00	0.00	0.00	20.34	20.40			0.18	0.90
2015-02-12 04:00	12	0.00	0.00	0.73	8.00			0.00	0.00	20.90	20.90			1.23	1.60
2015-02-12 04:00	13			1.44	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-12 05:00	1	0.00	0.00			0.00	0.00			20.20	20.30			0.00	0.00
2015-02-12 05:00	2	0.01	0.10					0.00	0.00	20.83	20.90			1.24	1.70
2015-02-12 05:00	8			1.05	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2015-02-12 05:00	10			1.63	2.00	0.00	0.00	0.00	0.00	20.19	20.30			0.35	0.90
2015-02-12 05:00	12	0.00	0.00	0.65	2.00			0.00	0.00	20.90	20.90			1.40	1.60
2015-02-12 05:00	13			1.19	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-12 06:00	1	0.00	0.00			0.00	0.00			20.12	20.20			0.00	0.00
2015-02-12 06:00	2	0.02	0.20					0.00	0.00	20.53	20.60			1.51	2.10
2015-02-12 06:00	8			0.97	3.00			0.00	0.00	20.81	20.90	0.00	0.00	0.02	0.20
2015-02-12 06:00	10			1.31	2.00	0.00	0.00	0.00	0.00	20.08	20.10			0.33	0.90
2015-02-12 06:00	12	0.00	0.00	0.84	15.00			0.00	0.00	20.90	20.90			1.46	1.80
2015-02-12 06:00	13			1.18	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-12 07:00	1	0.02	0.40			0.00	0.00	0.00	0.00	20.24	20.90			0.00	0.00
2015-02-12 07:00	2	0.03	0.20			0.00	0.00	0.00	0.00	20.43	20.90			1.55	2.30
2015-02-12 07:00	8			0.95	2.00			0.00	0.00	20.59	20.60	0.00	0.00	0.00	0.10
2015-02-12 07:00	10			1.26	2.00	0.00	0.00	0.00	0.00	20.01	20.10			0.43	0.90
2015-02-12 07:00	12	0.00	0.00	0.20	2.00			0.00	0.00	20.69	20.90			1.60	1.80
2015-02-12 07:00	13			1.16	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-12 08:00	1	0.19	0.60			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-02-12 08:00	2	0.08	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.34	0.70
2015-02-12 08:00	8			0.89	1.00					20.58	20.60	0.00	0.00	0.00	0.10
2015-02-12 08:00	10			1.19	2.00	0.00	0.00	0.00	0.00	19.96	20.00			0.41	1.20
2015-02-12 08:00	12	0.00	0.00	0.43	2.00			0.00	0.00	20.59	20.60			1.55	2.10
2015-02-12 08:00	13			1.08	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-12 09:00	1	0.40	0.90					0.00	0.00	20.90	20.90			0.00	0.00
2015-02-12 09:00	2	0.12	0.80			0.00	0.00	0.00	0.00	20.90	20.90			0.09	0.50
2015-02-12 09:00	8			0.88	2.00			0.00	0.00	20.61	20.90	0.01	0.10	0.01	0.10
2015-02-12 09:00	10			1.43	3.00	0.00	0.00	0.00	0.00	19.98	20.10			0.36	0.90

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-02-12 09:00	12	0.00	0.00	0.51	3.00			0.00	0.00	20.64	20.70			1.45	1.60
2015-02-12 09:00	13			1.10	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-12 10:00	1	0.69	1.20					0.00	0.00	20.90	20.90			0.02	0.10
2015-02-12 10:00	2	0.06	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.01	0.10
2015-02-12 10:00	8			0.90	1.00			0.00	0.00	20.90	20.90	0.02	0.10	0.00	0.00
2015-02-12 10:00	10			1.03	3.00	0.00	0.00	0.00	0.00	20.00	20.10			0.39	0.90
2015-02-12 10:00	12	0.00	0.00	0.31	3.00			0.00	0.00	20.67	20.70			1.44	1.60
2015-02-12 10:00	13			1.14	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-12 11:00	1	0.71	1.10					0.00	0.00	20.90	20.90			0.09	0.30
2015-02-12 11:00	2	0.04	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-02-12 11:00	8			0.87	1.00			0.00	0.00	20.90	20.90	0.03	0.10	0.00	0.00
2015-02-12 11:00	10			1.41	3.00	0.00	0.00	0.00	0.00	20.03	20.10			0.43	0.90
2015-02-12 11:00	12	0.00	0.00	0.55	3.00			0.00	0.00	20.58	20.70			1.60	8.60
2015-02-12 11:00	13			1.33	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-12 12:00	1	0.22	0.70			0.00	0.00	0.00	0.00	20.90	20.90			0.01	0.30
2015-02-12 12:00	2	0.01	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-02-12 12:00	8			1.03	3.00			0.00	0.00	20.90	20.90	0.02	0.10	0.00	0.10
2015-02-12 12:00	10			1.16	2.00	0.00	0.00	0.00	0.00	20.15	20.20			0.20	0.60
2015-02-12 12:00	12	0.00	0.00	0.49	4.00			0.00	0.00	20.60	20.70			1.33	1.40
2015-02-12 12:00	13			1.05	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00