

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

| Date/Time | Sample Location | Avg CO (ppm) | Max CO (ppm) | Avg Gamma (ur/hour) | Max Gamma (ur/hour) | Avg H2S (ppm) | Max H2S (ppm) | Avg LEL (%) | Max LEL (%) | Avg O2 (%) | Max O2 (%) | Avg SO2 (ppm) | Max SO2 (ppm) | Avg VOC (ppm) | Max VOC (ppm) |
|------------------|-----------------|--------------|--------------|---------------------|---------------------|---------------|---------------|-------------|-------------|------------|------------|---------------|---------------|---------------|---------------|
| 2015-02-16 12:00 | 1 | 0.17 | 0.50 | | | 0.00 | 0.00 | 0.00 | 0.00 | 20.74 | 20.90 | | | 0.00 | 0.00 |
| 2015-02-16 12:00 | 2 | 0.01 | 0.10 | | | 0.00 | 0.00 | 0.00 | 0.00 | 20.90 | 20.90 | | | 0.00 | 0.10 |
| 2015-02-16 12:00 | 8 | | | 0.90 | 2.00 | | | 0.00 | 0.00 | 20.90 | 20.90 | 0.00 | 0.00 | 0.00 | 0.00 |
| 2015-02-16 12:00 | 10 | | | 1.11 | 2.00 | 0.00 | 0.00 | 0.00 | 0.00 | 20.21 | 20.30 | | | 0.19 | 0.60 |
| 2015-02-16 12:00 | 12 | 0.12 | 2.60 | 0.19 | 3.00 | | | 0.00 | 0.00 | 20.90 | 20.90 | | | 0.00 | 0.00 |
| 2015-02-16 12:00 | 13 | | | 0.95 | 1.00 | | | 0.00 | 0.00 | 20.90 | 20.90 | 0.00 | 0.00 | 0.00 | 0.00 |
| 2015-02-16 13:00 | 1 | 0.08 | 0.30 | | | 0.00 | 0.00 | 0.00 | 0.00 | 20.61 | 20.70 | | | 0.00 | 0.00 |
| 2015-02-16 13:00 | 2 | 0.03 | 0.30 | | | 0.00 | 0.00 | 0.00 | 0.00 | 20.90 | 20.90 | | | 0.00 | 0.10 |
| 2015-02-16 13:00 | 8 | | | 0.86 | 1.00 | | | 0.00 | 0.00 | 20.90 | 20.90 | 0.00 | 0.00 | 0.01 | 0.10 |
| 2015-02-16 13:00 | 10 | | | 1.11 | 2.00 | 0.00 | 0.00 | 0.00 | 0.00 | 20.21 | 20.30 | | | 0.17 | 0.60 |
| 2015-02-16 13:00 | 12 | 0.06 | 0.40 | 0.29 | 2.00 | | | 0.00 | 0.00 | 20.90 | 20.90 | | | 0.00 | 0.00 |
| 2015-02-16 13:00 | 13 | | | 1.03 | 2.00 | | | 0.00 | 0.00 | 20.90 | 20.90 | 0.00 | 0.00 | 0.00 | 0.00 |
| 2015-02-16 14:00 | 1 | 0.20 | 0.70 | | | 0.00 | 0.00 | 0.00 | 0.00 | 20.59 | 20.70 | | | 0.00 | 0.00 |
| 2015-02-16 14:00 | 2 | 0.04 | 0.40 | | | 0.00 | 0.00 | 0.00 | 0.00 | 20.90 | 20.90 | | | 0.00 | 0.10 |
| 2015-02-16 14:00 | 8 | | | 0.95 | 2.00 | | | 0.00 | 0.00 | 20.90 | 20.90 | 0.00 | 0.00 | 0.00 | 0.00 |
| 2015-02-16 14:00 | 10 | | | 1.10 | 2.00 | 0.00 | 0.00 | 0.00 | 0.00 | 20.21 | 20.30 | | | 0.19 | 0.60 |
| 2015-02-16 14:00 | 12 | 0.10 | 0.60 | 0.29 | 5.00 | | | 0.00 | 0.00 | 20.90 | 20.90 | | | 0.01 | 0.20 |
| 2015-02-16 14:00 | 13 | | | 0.98 | 2.00 | | | 0.00 | 0.00 | 20.90 | 20.90 | 0.00 | 0.00 | 0.00 | 0.00 |
| 2015-02-16 15:00 | 1 | 0.26 | 0.80 | | | 0.00 | 0.00 | 0.00 | 0.00 | 20.60 | 20.70 | | | 0.00 | 0.00 |
| 2015-02-16 15:00 | 2 | 0.04 | 0.30 | | | 0.00 | 0.10 | 0.00 | 0.00 | 20.90 | 20.90 | | | 0.00 | 0.00 |
| 2015-02-16 15:00 | 8 | | | 0.86 | 2.00 | | | 0.00 | 0.00 | 20.90 | 20.90 | 0.00 | 0.00 | 0.00 | 0.00 |
| 2015-02-16 15:00 | 10 | | | 1.19 | 4.00 | 0.00 | 0.00 | 0.00 | 0.00 | 20.22 | 20.30 | | | 0.18 | 0.60 |
| 2015-02-16 15:00 | 12 | 0.11 | 0.70 | 0.11 | 3.00 | | | 0.00 | 0.00 | 20.90 | 20.90 | | | 0.00 | 0.00 |
| 2015-02-16 15:00 | 13 | | | 0.97 | 2.00 | | | 0.00 | 0.00 | 20.90 | 20.90 | 0.00 | 0.00 | 0.00 | 0.00 |
| 2015-02-16 16:00 | 1 | 0.09 | 0.60 | | | 0.00 | 0.00 | 0.00 | 0.00 | 20.85 | 20.90 | | | 0.00 | 0.00 |
| 2015-02-16 16:00 | 2 | 0.01 | 0.30 | | | 0.00 | 0.00 | 0.00 | 0.00 | 20.90 | 20.90 | | | 0.00 | 0.00 |
| 2015-02-16 16:00 | 8 | | | 0.73 | 1.00 | | | 0.00 | 0.00 | 20.90 | 20.90 | 0.00 | 0.00 | 0.01 | 0.10 |
| 2015-02-16 16:00 | 10 | | | 1.06 | 2.00 | 0.00 | 0.00 | 0.00 | 0.00 | 20.29 | 20.30 | | | 0.13 | 0.60 |
| 2015-02-16 16:00 | 12 | 0.10 | 0.50 | 0.49 | 12.00 | | | 0.00 | 0.00 | 20.90 | 20.90 | | | 0.00 | 0.00 |
| 2015-02-16 16:00 | 13 | | | 0.95 | 2.00 | | | 0.00 | 0.00 | 20.90 | 20.90 | 0.00 | 0.00 | 0.00 | 0.00 |
| 2015-02-16 17:00 | 1 | 0.04 | 0.20 | | | 0.00 | 0.00 | 0.00 | 0.00 | 20.75 | 20.90 | | | 0.00 | 0.00 |

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

| Date/Time | Sample Location | Avg CO (ppm) | Max CO (ppm) | Avg Gamma (ur/hour) | Max Gamma (ur/hour) | Avg H2S (ppm) | Max H2S (ppm) | Avg LEL (%) | Max LEL (%) | Avg O2 (%) | Max O2 (%) | Avg SO2 (ppm) | Max SO2 (ppm) | Avg VOC (ppm) | Max VOC (ppm) |
|------------------|-----------------|--------------|--------------|---------------------|---------------------|---------------|---------------|-------------|-------------|------------|------------|---------------|---------------|---------------|---------------|
| 2015-02-16 17:00 | 2 | 0.02 | 0.20 | | | 0.00 | 0.00 | 0.00 | 0.00 | 20.90 | 20.90 | | | 0.01 | 0.10 |
| 2015-02-16 17:00 | 8 | | | 0.70 | 1.00 | | | 0.00 | 0.00 | 20.90 | 20.90 | 0.00 | 0.00 | 0.00 | 0.10 |
| 2015-02-16 17:00 | 10 | | | 1.16 | 2.00 | 0.00 | 0.00 | 0.00 | 0.00 | 20.28 | 20.40 | | | 0.27 | 0.90 |
| 2015-02-16 17:00 | 12 | 0.05 | 0.40 | 0.26 | 3.00 | | | 0.00 | 0.00 | 20.90 | 20.90 | | | 0.00 | 0.00 |
| 2015-02-16 17:00 | 13 | | | 1.03 | 3.00 | | | 0.00 | 0.00 | 20.90 | 20.90 | 0.00 | 0.00 | 0.00 | 0.00 |
| 2015-02-16 18:00 | 1 | 0.03 | 0.40 | | | 0.00 | 0.00 | 0.00 | 0.00 | 20.51 | 20.60 | | | 0.00 | 0.00 |
| 2015-02-16 18:00 | 2 | 0.02 | 0.20 | | | 0.00 | 0.00 | 0.00 | 0.00 | 20.90 | 20.90 | | | 0.10 | 0.50 |
| 2015-02-16 18:00 | 8 | | | 0.72 | 2.00 | | | 0.00 | 0.00 | 20.90 | 20.90 | 0.00 | 0.00 | 0.01 | 0.20 |
| 2015-02-16 18:00 | 10 | | | 1.06 | 2.00 | 0.00 | 0.00 | 0.00 | 0.00 | 20.21 | 20.30 | | | 0.17 | 0.60 |
| 2015-02-16 18:00 | 12 | 0.13 | 0.50 | 0.50 | 12.00 | | | 0.00 | 0.00 | 20.90 | 20.90 | | | 0.00 | 0.00 |
| 2015-02-16 18:00 | 13 | | | 1.03 | 2.00 | | | 0.00 | 0.00 | 20.90 | 20.90 | 0.00 | 0.00 | 0.00 | 0.00 |
| 2015-02-16 19:00 | 1 | 0.04 | 0.30 | | | 0.00 | 0.00 | 0.00 | 0.00 | 20.44 | 20.50 | | | 0.00 | 0.00 |
| 2015-02-16 19:00 | 2 | 0.08 | 0.40 | | | 0.00 | 0.10 | 0.00 | 0.00 | 20.90 | 20.90 | | | 0.25 | 0.90 |
| 2015-02-16 19:00 | 8 | | | 0.70 | 1.00 | | | 0.00 | 0.00 | 20.90 | 20.90 | 0.00 | 0.00 | 0.04 | 0.30 |
| 2015-02-16 19:00 | 10 | | | 0.92 | 1.00 | 0.00 | 0.00 | 0.00 | 0.00 | 20.09 | 20.20 | | | 0.24 | 0.90 |
| 2015-02-16 19:00 | 12 | 0.10 | 0.30 | 0.44 | 14.00 | | | 0.00 | 0.00 | 20.90 | 20.90 | | | 0.02 | 0.20 |
| 2015-02-16 19:00 | 13 | | | 0.95 | 2.00 | | | 0.00 | 0.00 | 20.90 | 20.90 | 0.00 | 0.00 | 0.00 | 0.00 |
| 2015-02-16 20:00 | 1 | 0.04 | 0.40 | | | 0.00 | 0.00 | 0.00 | 0.00 | 20.42 | 20.50 | | | 0.00 | 0.00 |
| 2015-02-16 20:00 | 2 | 0.16 | 0.70 | | | 0.00 | 0.10 | 0.00 | 0.00 | 20.90 | 20.90 | | | 0.38 | 0.90 |
| 2015-02-16 20:00 | 8 | | | 0.66 | 1.00 | | | 0.00 | 0.00 | 20.90 | 20.90 | 0.00 | 0.00 | 0.01 | 0.20 |
| 2015-02-16 20:00 | 10 | | | 1.03 | 3.00 | 0.00 | 0.00 | 0.00 | 0.00 | 20.00 | 20.10 | | | 0.33 | 0.90 |
| 2015-02-16 20:00 | 12 | 0.09 | 0.50 | 0.34 | 4.00 | | | 0.00 | 0.00 | 20.90 | 20.90 | | | 0.07 | 0.40 |
| 2015-02-16 20:00 | 13 | | | 1.03 | 2.00 | | | 0.00 | 0.00 | 20.90 | 20.90 | 0.00 | 0.00 | 0.00 | 0.00 |
| 2015-02-16 21:00 | 1 | 0.04 | 0.40 | | | 0.00 | 0.00 | 0.00 | 0.00 | 20.40 | 20.50 | | | 0.00 | 0.00 |
| 2015-02-16 21:00 | 2 | 0.08 | 0.70 | | | 0.00 | 0.10 | 0.00 | 0.00 | 20.90 | 20.90 | | | 0.46 | 0.90 |
| 2015-02-16 21:00 | 8 | | | 0.90 | 2.00 | | | 0.00 | 0.00 | 20.90 | 20.90 | 0.00 | 0.00 | 0.01 | 0.10 |
| 2015-02-16 21:00 | 10 | | | 1.15 | 2.00 | 0.00 | 0.00 | 0.00 | 0.00 | 19.97 | 20.00 | | | 0.39 | 0.90 |
| 2015-02-16 21:00 | 12 | 0.11 | 0.60 | 0.15 | 1.00 | | | 0.00 | 0.00 | 20.90 | 20.90 | | | 0.03 | 0.20 |
| 2015-02-16 21:00 | 13 | | | 1.05 | 3.00 | | | 0.00 | 0.00 | 20.90 | 20.90 | 0.00 | 0.00 | 0.00 | 0.00 |
| 2015-02-16 22:00 | 1 | 0.02 | 0.20 | | | 0.00 | 0.00 | 0.00 | 0.00 | 20.38 | 20.40 | | | 0.00 | 0.00 |
| 2015-02-16 22:00 | 2 | 0.14 | 0.80 | | | 0.01 | 0.10 | 0.00 | 0.00 | 20.90 | 20.90 | | | 0.46 | 0.90 |

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

| Date/Time | Sample Location | Avg CO (ppm) | Max CO (ppm) | Avg Gamma (ur/hour) | Max Gamma (ur/hour) | Avg H2S (ppm) | Max H2S (ppm) | Avg LEL (%) | Max LEL (%) | Avg O2 (%) | Max O2 (%) | Avg SO2 (ppm) | Max SO2 (ppm) | Avg VOC (ppm) | Max VOC (ppm) |
|------------------|-----------------|--------------|--------------|---------------------|---------------------|---------------|---------------|-------------|-------------|------------|------------|---------------|---------------|---------------|---------------|
| 2015-02-16 22:00 | 8 | | | 0.51 | 1.00 | | | 0.00 | 0.00 | 20.90 | 20.90 | 0.00 | 0.00 | 0.01 | 0.10 |
| 2015-02-16 22:00 | 10 | | | 1.00 | 2.00 | 0.00 | 0.00 | 0.00 | 0.00 | 19.97 | 20.10 | | | 0.44 | 1.20 |
| 2015-02-16 22:00 | 12 | 0.09 | 0.60 | 0.10 | 1.00 | | | 0.00 | 0.00 | 20.90 | 20.90 | | | 0.07 | 0.40 |
| 2015-02-16 22:00 | 13 | | | 1.03 | 2.00 | | | 0.00 | 0.00 | 20.90 | 20.90 | 0.00 | 0.00 | 0.00 | 0.00 |
| 2015-02-16 23:00 | 1 | 0.00 | 0.10 | | | 0.00 | 0.00 | 0.00 | 0.00 | 20.30 | 20.40 | | | 0.00 | 0.00 |
| 2015-02-16 23:00 | 2 | 0.25 | 0.90 | | | 0.00 | 0.00 | 0.00 | 0.00 | 20.90 | 20.90 | | | 0.53 | 0.90 |
| 2015-02-16 23:00 | 8 | | | 0.61 | 1.00 | | | 0.00 | 0.00 | 20.90 | 20.90 | 0.00 | 0.00 | 0.01 | 0.20 |
| 2015-02-16 23:00 | 10 | | | 1.06 | 2.00 | 0.00 | 0.00 | 0.00 | 0.00 | 19.95 | 20.00 | | | 0.41 | 0.90 |
| 2015-02-16 23:00 | 12 | 0.05 | 0.20 | 0.51 | 11.00 | | | 0.00 | 0.00 | 20.90 | 20.90 | | | 0.31 | 0.70 |
| 2015-02-16 23:00 | 13 | | | 1.11 | 3.00 | | | 0.00 | 0.00 | 20.90 | 20.90 | 0.00 | 0.00 | 0.00 | 0.00 |
| 2015-02-17 00:00 | 1 | 0.04 | 0.40 | | | 0.00 | 0.00 | 0.00 | 0.00 | 20.28 | 20.30 | | | 0.00 | 0.00 |
| 2015-02-17 00:00 | 2 | 0.10 | 0.70 | | | 0.01 | 0.10 | 0.00 | 0.00 | 20.90 | 20.90 | | | 0.48 | 0.70 |
| 2015-02-17 00:00 | 8 | | | 0.80 | 1.00 | | | 0.00 | 0.00 | 20.62 | 20.90 | 0.00 | 0.00 | 0.01 | 0.20 |
| 2015-02-17 00:00 | 10 | | | 1.22 | 3.00 | 0.00 | 0.00 | 0.00 | 0.00 | 19.91 | 20.00 | | | 0.45 | 0.90 |
| 2015-02-17 00:00 | 12 | 0.06 | 0.40 | 0.27 | 4.00 | | | 0.00 | 0.00 | 20.90 | 20.90 | | | 0.18 | 0.70 |
| 2015-02-17 00:00 | 13 | | | 1.03 | 2.00 | | | 0.00 | 0.00 | 20.90 | 20.90 | 0.00 | 0.00 | 0.00 | 0.00 |
| 2015-02-17 01:00 | 1 | 0.03 | 0.60 | | | 0.00 | 0.00 | 0.00 | 0.00 | 20.27 | 20.30 | | | 0.00 | 0.00 |
| 2015-02-17 01:00 | 2 | 0.12 | 0.40 | | | 0.01 | 0.10 | 0.00 | 0.00 | 20.90 | 20.90 | | | 0.39 | 0.70 |
| 2015-02-17 01:00 | 8 | | | 0.61 | 2.00 | | | 0.00 | 0.00 | 20.60 | 20.60 | 0.00 | 0.00 | 0.01 | 0.20 |
| 2015-02-17 01:00 | 10 | | | 0.93 | 2.00 | 0.00 | 0.00 | 0.00 | 0.00 | 19.90 | 20.00 | | | 0.48 | 1.20 |
| 2015-02-17 01:00 | 12 | 0.08 | 0.40 | 0.25 | 2.00 | | | 0.00 | 0.00 | 20.90 | 20.90 | | | 0.18 | 1.40 |
| 2015-02-17 01:00 | 13 | | | 1.02 | 2.00 | | | 0.00 | 0.00 | 20.90 | 20.90 | 0.00 | 0.00 | 0.00 | 0.00 |
| 2015-02-17 02:00 | 1 | 0.04 | 0.40 | | | 0.00 | 0.00 | 0.00 | 0.00 | 20.32 | 20.40 | | | 0.00 | 0.00 |
| 2015-02-17 02:00 | 2 | 0.10 | 0.40 | | | 0.00 | 0.10 | 0.00 | 0.00 | 20.90 | 20.90 | | | 0.38 | 1.10 |
| 2015-02-17 02:00 | 8 | | | 0.92 | 2.00 | | | 0.00 | 0.00 | 20.63 | 20.70 | 0.00 | 0.00 | 0.03 | 0.30 |
| 2015-02-17 02:00 | 10 | | | 1.13 | 2.00 | 0.00 | 0.00 | 0.00 | 0.00 | 19.91 | 20.00 | | | 0.44 | 0.90 |
| 2015-02-17 02:00 | 12 | 0.08 | 0.60 | 0.24 | 2.00 | | | 0.00 | 0.00 | 20.90 | 20.90 | | | 0.04 | 0.20 |
| 2015-02-17 02:00 | 13 | | | 1.08 | 2.00 | | | 0.00 | 0.00 | 20.84 | 20.90 | 0.00 | 0.00 | 0.00 | 0.00 |
| 2015-02-17 03:00 | 1 | 0.02 | 0.40 | | | 0.00 | 0.00 | 0.00 | 0.00 | 20.35 | 20.40 | | | 0.00 | 0.00 |
| 2015-02-17 03:00 | 2 | 0.04 | 0.20 | | | 0.01 | 0.10 | 0.00 | 0.00 | 20.90 | 20.90 | | | 0.25 | 0.50 |
| 2015-02-17 03:00 | 8 | | | 0.85 | 2.00 | | | 0.00 | 0.00 | 20.77 | 20.90 | 0.00 | 0.00 | 0.02 | 0.20 |

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

| Date/Time | Sample Location | Avg CO (ppm) | Max CO (ppm) | Avg Gamma (ur/hour) | Max Gamma (ur/hour) | Avg H2S (ppm) | Max H2S (ppm) | Avg LEL (%) | Max LEL (%) | Avg O2 (%) | Max O2 (%) | Avg SO2 (ppm) | Max SO2 (ppm) | Avg VOC (ppm) | Max VOC (ppm) |
|------------------|-----------------|--------------|--------------|---------------------|---------------------|---------------|---------------|-------------|-------------|------------|------------|---------------|---------------|---------------|---------------|
| 2015-02-17 03:00 | 10 | | | 1.21 | 3.00 | 0.00 | 0.00 | 0.00 | 0.00 | 19.98 | 20.10 | | | 0.32 | 0.90 |
| 2015-02-17 03:00 | 12 | 0.08 | 0.60 | 0.55 | 12.00 | | | 0.00 | 0.00 | 20.90 | 20.90 | | | 0.06 | 0.40 |
| 2015-02-17 03:00 | 13 | | | 1.03 | 2.00 | | | 0.00 | 0.00 | 20.90 | 20.90 | 0.00 | 0.00 | 0.00 | 0.00 |
| 2015-02-17 04:00 | 1 | 0.02 | 0.40 | | | 0.00 | 0.00 | 0.00 | 0.00 | 20.33 | 20.40 | | | 0.00 | 0.00 |
| 2015-02-17 04:00 | 2 | 0.12 | 0.50 | | | 0.02 | 0.10 | 0.00 | 0.00 | 20.90 | 20.90 | | | 0.21 | 0.50 |
| 2015-02-17 04:00 | 8 | | | 0.68 | 1.00 | | | 0.00 | 0.00 | 20.90 | 20.90 | 0.00 | 0.00 | 0.03 | 0.20 |
| 2015-02-17 04:00 | 10 | | | 1.18 | 3.00 | 0.00 | 0.00 | 0.00 | 0.00 | 19.96 | 20.00 | | | 0.30 | 0.90 |
| 2015-02-17 04:00 | 12 | 0.05 | 0.20 | 0.69 | 11.00 | | | 0.00 | 0.00 | 20.90 | 20.90 | | | 0.01 | 0.20 |
| 2015-02-17 04:00 | 13 | | | 0.95 | 2.00 | | | 0.00 | 0.00 | 20.90 | 20.90 | 0.00 | 0.00 | 0.00 | 0.00 |
| 2015-02-17 05:00 | 1 | 0.03 | 0.30 | | | 0.00 | 0.00 | 0.00 | 0.00 | 20.38 | 20.40 | | | 0.00 | 0.00 |
| 2015-02-17 05:00 | 2 | 0.07 | 0.30 | | | 0.01 | 0.10 | 0.00 | 0.00 | 20.90 | 20.90 | | | 0.22 | 0.70 |
| 2015-02-17 05:00 | 8 | | | 1.05 | 2.00 | | | 0.00 | 0.00 | 20.90 | 20.90 | 0.00 | 0.00 | 0.03 | 0.20 |
| 2015-02-17 05:00 | 10 | | | 1.03 | 2.00 | 0.00 | 0.00 | 0.00 | 0.00 | 19.97 | 20.00 | | | 0.18 | 0.60 |
| 2015-02-17 05:00 | 12 | 0.06 | 0.50 | 0.73 | 8.00 | | | 0.00 | 0.00 | 20.90 | 20.90 | | | 0.01 | 0.20 |
| 2015-02-17 05:00 | 13 | | | 0.98 | 2.00 | | | 0.00 | 0.00 | 20.90 | 20.90 | 0.00 | 0.00 | 0.00 | 0.00 |
| 2015-02-17 06:00 | 1 | 0.03 | 0.20 | | | 0.00 | 0.00 | 0.00 | 0.00 | 20.39 | 20.40 | | | 0.00 | 0.00 |
| 2015-02-17 06:00 | 2 | 0.14 | 1.10 | | | 0.00 | 0.10 | 0.00 | 0.00 | 20.90 | 20.90 | | | 0.23 | 0.70 |
| 2015-02-17 06:00 | 8 | | | 0.97 | 3.00 | | | 0.00 | 0.00 | 20.90 | 20.90 | 0.00 | 0.00 | 0.04 | 0.30 |
| 2015-02-17 06:00 | 10 | | | 1.08 | 2.00 | 0.00 | 0.00 | 0.00 | 0.00 | 20.01 | 20.10 | | | 0.30 | 0.90 |
| 2015-02-17 06:00 | 12 | 0.16 | 0.50 | 0.58 | 11.00 | | | 0.00 | 0.00 | 20.90 | 20.90 | | | 0.01 | 0.20 |
| 2015-02-17 06:00 | 13 | | | 1.08 | 2.00 | | | 0.00 | 0.00 | 20.90 | 20.90 | 0.00 | 0.00 | 0.00 | 0.00 |
| 2015-02-17 07:00 | 1 | 0.08 | 0.60 | | | 0.00 | 0.00 | 0.00 | 0.00 | 20.38 | 20.40 | | | 0.00 | 0.00 |
| 2015-02-17 07:00 | 2 | 0.13 | 0.80 | | | 0.00 | 0.10 | 0.00 | 0.00 | 20.90 | 20.90 | | | 0.12 | 0.30 |
| 2015-02-17 07:00 | 8 | | | 0.95 | 2.00 | | | 0.00 | 0.00 | 20.90 | 20.90 | 0.00 | 0.00 | 0.02 | 0.20 |
| 2015-02-17 07:00 | 10 | | | 1.15 | 2.00 | 0.00 | 0.00 | 0.00 | 0.00 | 20.03 | 20.10 | | | 0.31 | 0.90 |
| 2015-02-17 07:00 | 12 | 0.11 | 0.40 | 0.32 | 6.00 | | | 0.00 | 0.00 | 20.90 | 20.90 | | | 0.00 | 0.00 |
| 2015-02-17 07:00 | 13 | | | 1.12 | 3.00 | | | 0.00 | 0.00 | 20.90 | 20.90 | 0.00 | 0.00 | 0.00 | 0.00 |
| 2015-02-17 08:00 | 1 | 0.22 | 0.60 | | | 0.00 | 0.00 | 0.00 | 0.00 | 20.44 | 20.50 | | | 0.00 | 0.00 |
| 2015-02-17 08:00 | 2 | 0.07 | 0.30 | | | 0.00 | 0.10 | 0.00 | 0.00 | 20.90 | 20.90 | | | 0.01 | 0.10 |
| 2015-02-17 08:00 | 8 | | | 0.85 | 1.00 | | | 0.00 | 0.00 | 20.90 | 20.90 | 0.00 | 0.00 | 0.00 | 0.10 |
| 2015-02-17 08:00 | 10 | | | 1.07 | 2.00 | 0.00 | 0.00 | 0.00 | 0.00 | 20.10 | 20.20 | | | 0.30 | 0.60 |

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

| Date/Time | Sample Location | Avg CO (ppm) | Max CO (ppm) | Avg Gamma (ur/hour) | Max Gamma (ur/hour) | Avg H2S (ppm) | Max H2S (ppm) | Avg LEL (%) | Max LEL (%) | Avg O2 (%) | Max O2 (%) | Avg SO2 (ppm) | Max SO2 (ppm) | Avg VOC (ppm) | Max VOC (ppm) |
|------------------|-----------------|--------------|--------------|---------------------|---------------------|---------------|---------------|-------------|-------------|------------|------------|---------------|---------------|---------------|---------------|
| 2015-02-17 08:00 | 12 | 0.08 | 0.30 | 0.65 | 8.00 | | | 0.00 | 0.00 | 20.90 | 20.90 | | | 0.00 | 0.00 |
| 2015-02-17 08:00 | 13 | | | 1.05 | 3.00 | | | 0.00 | 0.00 | 20.90 | 20.90 | 0.00 | 0.00 | 0.00 | 0.00 |
| 2015-02-17 09:00 | 1 | 0.33 | 0.90 | | | 0.00 | 0.00 | 0.00 | 0.00 | 20.53 | 20.60 | | | 0.00 | 0.00 |
| 2015-02-17 09:00 | 2 | 0.04 | 0.30 | | | 0.01 | 0.10 | 0.00 | 0.00 | 20.90 | 20.90 | | | 0.00 | 0.10 |
| 2015-02-17 09:00 | 8 | | | 0.87 | 2.00 | | | 0.00 | 0.00 | 20.90 | 20.90 | 0.00 | 0.00 | 0.00 | 0.00 |
| 2015-02-17 09:00 | 10 | | | 1.16 | 2.00 | 0.00 | 0.00 | 0.00 | 0.00 | 20.18 | 20.20 | | | 0.15 | 0.60 |
| 2015-02-17 09:00 | 12 | 0.10 | 0.60 | 0.26 | 2.00 | | | 0.00 | 0.00 | 20.90 | 20.90 | | | 0.00 | 0.00 |
| 2015-02-17 09:00 | 13 | | | 1.00 | 2.00 | | | 0.00 | 0.00 | 20.90 | 20.90 | 0.00 | 0.00 | 0.00 | 0.00 |
| 2015-02-17 10:00 | 1 | 0.46 | 0.80 | | | 0.00 | 0.00 | 0.00 | 0.00 | 20.58 | 20.70 | | | 0.00 | 0.00 |
| 2015-02-17 10:00 | 2 | 0.04 | 0.20 | | | 0.00 | 0.00 | 0.00 | 0.00 | 20.90 | 20.90 | | | 0.00 | 0.00 |
| 2015-02-17 10:00 | 8 | | | 0.95 | 2.00 | | | 0.00 | 0.00 | 20.90 | 20.90 | 0.00 | 0.00 | 0.00 | 0.00 |
| 2015-02-17 10:00 | 10 | | | 1.11 | 2.00 | 0.00 | 0.00 | 0.00 | 0.00 | 20.31 | 20.40 | | | 0.09 | 0.60 |
| 2015-02-17 10:00 | 12 | 0.11 | 0.50 | 0.24 | 4.00 | | | 0.00 | 0.00 | 20.90 | 20.90 | | | 0.00 | 0.00 |
| 2015-02-17 10:00 | 13 | | | 1.13 | 4.00 | | | 0.00 | 0.00 | 20.90 | 20.90 | 0.00 | 0.00 | 0.00 | 0.00 |
| 2015-02-17 11:00 | 1 | 0.48 | 0.80 | | | 0.01 | 0.10 | 0.00 | 0.00 | 20.69 | 20.90 | | | 0.00 | 0.00 |
| 2015-02-17 11:00 | 2 | 0.02 | 0.10 | | | 0.00 | 0.00 | 0.00 | 0.00 | 20.90 | 20.90 | | | 0.00 | 0.00 |
| 2015-02-17 11:00 | 8 | | | 0.97 | 1.00 | | | 0.00 | 0.00 | 20.90 | 20.90 | 0.00 | 0.00 | 0.00 | 0.00 |
| 2015-02-17 11:00 | 10 | | | 1.16 | 2.00 | 0.00 | 0.00 | 0.00 | 0.00 | 20.39 | 20.50 | | | 0.03 | 0.30 |
| 2015-02-17 11:00 | 12 | 0.09 | 0.30 | 0.42 | 4.00 | | | 0.00 | 0.00 | 20.90 | 20.90 | | | 0.00 | 0.00 |
| 2015-02-17 11:00 | 13 | | | 1.00 | 2.00 | | | 0.00 | 0.00 | 20.90 | 20.90 | 0.00 | 0.00 | 0.00 | 0.00 |
| 2015-02-17 12:00 | 1 | 0.77 | 1.20 | | | 0.00 | 0.10 | 0.00 | 0.00 | 20.90 | 20.90 | | | 0.00 | 0.00 |
| 2015-02-17 12:00 | 2 | 0.01 | 0.20 | | | 0.00 | 0.00 | 0.00 | 0.00 | 20.92 | 21.10 | | | 0.00 | 0.00 |
| 2015-02-17 12:00 | 8 | | | 0.91 | 2.00 | | | 0.00 | 0.00 | 20.90 | 20.90 | 0.00 | 0.00 | 0.00 | 0.00 |
| 2015-02-17 12:00 | 10 | | | 1.28 | 3.00 | 0.00 | 0.00 | 0.00 | 0.00 | 20.45 | 20.60 | | | 0.00 | 0.00 |
| 2015-02-17 12:00 | 12 | 0.12 | 0.50 | 0.69 | 16.00 | | | 0.00 | 0.00 | 20.90 | 20.90 | | | 0.00 | 0.00 |
| 2015-02-17 12:00 | 13 | | | 0.97 | 2.00 | | | 0.00 | 0.00 | 20.90 | 20.90 | 0.00 | 0.00 | 0.00 | 0.00 |
| 2015-02-17 13:00 | 1 | 0.80 | 0.80 | | | 0.00 | 0.00 | 0.00 | 0.00 | 20.90 | 20.90 | | | 0.00 | 0.00 |
| 2015-02-17 13:00 | 10 | | | 2.00 | 2.00 | 0.00 | 0.00 | 0.00 | 0.00 | 20.50 | 20.50 | | | 0.00 | 0.00 |
| 2015-02-17 16:00 | 10 | | | 1.82 | 2.00 | 0.00 | 0.00 | 0.00 | 0.00 | 20.90 | 20.90 | | | 0.00 | 0.00 |
| 2015-02-17 17:00 | 1 | 0.09 | 0.90 | | | 0.00 | 0.10 | 0.00 | 0.00 | 20.90 | 20.90 | | | 0.00 | 0.00 |
| 2015-02-17 17:00 | 2 | 0.01 | 0.20 | | | | | 0.00 | 0.00 | 20.90 | 20.90 | | | 1.78 | 2.00 |

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

| Date/Time | Sample Location | Avg CO (ppm) | Max CO (ppm) | Avg Gamma (ur/hour) | Max Gamma (ur/hour) | Avg H2S (ppm) | Max H2S (ppm) | Avg LEL (%) | Max LEL (%) | Avg O2 (%) | Max O2 (%) | Avg SO2 (ppm) | Max SO2 (ppm) | Avg VOC (ppm) | Max VOC (ppm) |
|------------------|-----------------|--------------|--------------|---------------------|---------------------|---------------|---------------|-------------|-------------|------------|------------|---------------|---------------|---------------|---------------|
| 2015-02-17 17:00 | 8 | | | 1.08 | 3.00 | | | 0.00 | 0.00 | 20.78 | 20.90 | 0.00 | 0.00 | 0.28 | 0.50 |
| 2015-02-17 17:00 | 10 | | | 1.13 | 2.00 | 0.00 | 0.00 | 0.00 | 0.00 | 20.57 | 20.90 | | | 0.01 | 0.20 |
| 2015-02-17 17:00 | 12 | 0.58 | 1.10 | 1.38 | 35.00 | | | 0.00 | 0.00 | 20.90 | 20.90 | | | 0.07 | 0.40 |
| 2015-02-17 17:00 | 13 | | | 1.00 | 2.00 | | | 0.00 | 0.00 | 21.18 | 21.30 | 0.00 | 0.00 | 0.00 | 0.00 |
| 2015-02-17 18:00 | 1 | 0.00 | 0.00 | | | 0.00 | 0.10 | 0.00 | 0.00 | 20.90 | 20.90 | | | 0.00 | 0.00 |
| 2015-02-17 18:00 | 2 | 0.08 | 0.60 | | | 0.01 | 0.10 | 0.00 | 0.00 | 20.90 | 20.90 | | | 1.28 | 2.20 |
| 2015-02-17 18:00 | 8 | | | 1.03 | 2.00 | | | 0.00 | 0.00 | 20.54 | 20.60 | 0.00 | 0.00 | 0.30 | 0.50 |
| 2015-02-17 18:00 | 10 | | | 1.26 | 2.00 | | | 0.00 | 0.00 | 20.44 | 20.60 | | | 0.03 | 0.20 |
| 2015-02-17 18:00 | 12 | 0.74 | 1.70 | 0.63 | 16.00 | | | 0.00 | 0.00 | 20.90 | 20.90 | | | 0.21 | 0.70 |
| 2015-02-17 18:00 | 13 | | | 1.08 | 2.00 | | | 0.00 | 0.00 | 20.90 | 20.90 | 0.00 | 0.00 | 0.00 | 0.00 |
| 2015-02-17 19:00 | 1 | 0.00 | 0.00 | | | 0.00 | 0.00 | 0.00 | 0.00 | 20.90 | 20.90 | | | 0.00 | 0.00 |
| 2015-02-17 19:00 | 2 | 0.18 | 0.70 | | | 0.00 | 0.00 | 0.00 | 0.00 | 20.90 | 20.90 | | | 0.32 | 0.60 |
| 2015-02-17 19:00 | 8 | | | 0.97 | 2.00 | | | 0.00 | 0.00 | 20.44 | 20.50 | 0.00 | 0.00 | 0.31 | 0.40 |
| 2015-02-17 19:00 | 10 | | | 1.14 | 3.00 | | | 0.00 | 0.00 | 20.35 | 20.40 | | | 0.05 | 0.50 |
| 2015-02-17 19:00 | 12 | 0.81 | 1.40 | 0.47 | 10.00 | | | 0.00 | 0.00 | 20.67 | 20.90 | | | 0.31 | 0.70 |
| 2015-02-17 19:00 | 13 | | | 1.23 | 3.00 | | | 0.00 | 0.00 | 20.90 | 20.90 | 0.00 | 0.00 | 0.00 | 0.00 |
| 2015-02-17 20:00 | 1 | 0.00 | 0.00 | | | 0.00 | 0.00 | 0.00 | 0.00 | 20.76 | 20.90 | | | 0.00 | 0.00 |
| 2015-02-17 20:00 | 2 | 0.19 | 0.70 | | | 0.00 | 0.10 | 0.00 | 0.00 | 20.90 | 20.90 | | | 0.38 | 0.80 |
| 2015-02-17 20:00 | 8 | | | 0.97 | 2.00 | | | 0.00 | 0.00 | 20.41 | 20.50 | 0.00 | 0.00 | 0.34 | 0.50 |
| 2015-02-17 20:00 | 10 | | | 1.26 | 3.00 | | | 0.00 | 0.00 | 20.32 | 20.40 | | | 0.12 | 0.50 |
| 2015-02-17 20:00 | 12 | 0.80 | 1.40 | 0.66 | 4.00 | | | 0.00 | 0.00 | 20.60 | 20.60 | | | 0.54 | 0.90 |
| 2015-02-17 20:00 | 13 | | | 1.05 | 3.00 | | | 0.00 | 0.00 | 20.90 | 20.90 | 0.00 | 0.00 | 0.00 | 0.00 |
| 2015-02-17 21:00 | 1 | 0.00 | 0.00 | | | 0.00 | 0.00 | 0.00 | 0.00 | 20.53 | 20.60 | | | 0.00 | 0.00 |
| 2015-02-17 21:00 | 2 | 0.33 | 0.90 | | | 0.00 | 0.00 | 0.00 | 0.00 | 20.90 | 20.90 | | | 0.43 | 0.80 |
| 2015-02-17 21:00 | 8 | | | 0.95 | 2.00 | | | 0.00 | 0.00 | 20.39 | 20.50 | 0.00 | 0.00 | 0.36 | 0.50 |
| 2015-02-17 21:00 | 10 | | | 1.35 | 4.00 | | | 0.00 | 0.00 | 20.32 | 20.40 | | | 0.16 | 0.50 |
| 2015-02-17 21:00 | 12 | 0.84 | 1.30 | 0.89 | 11.00 | | | 0.00 | 0.00 | 20.53 | 20.60 | | | 0.57 | 0.70 |
| 2015-02-17 21:00 | 13 | | | 1.30 | 3.00 | | | 0.00 | 0.00 | 20.90 | 20.90 | 0.00 | 0.00 | 0.00 | 0.00 |
| 2015-02-17 22:00 | 1 | 0.00 | 0.00 | | | 0.00 | 0.00 | 0.00 | 0.00 | 20.51 | 20.60 | | | 0.00 | 0.00 |
| 2015-02-17 22:00 | 2 | 0.25 | 0.70 | | | 0.01 | 0.10 | 0.00 | 0.00 | 20.90 | 20.90 | | | 0.50 | 0.60 |
| 2015-02-17 22:00 | 8 | | | 0.86 | 1.00 | | | 0.00 | 0.00 | 20.39 | 20.40 | 0.00 | 0.00 | 0.33 | 0.50 |

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

| Date/Time | Sample Location | Avg CO (ppm) | Max CO (ppm) | Avg Gamma (ur/hour) | Max Gamma (ur/hour) | Avg H2S (ppm) | Max H2S (ppm) | Avg LEL (%) | Max LEL (%) | Avg O2 (%) | Max O2 (%) | Avg SO2 (ppm) | Max SO2 (ppm) | Avg VOC (ppm) | Max VOC (ppm) |
|------------------|-----------------|--------------|--------------|---------------------|---------------------|---------------|---------------|-------------|-------------|------------|------------|---------------|---------------|---------------|---------------|
| 2015-02-17 22:00 | 10 | | | 1.14 | 3.00 | | | 0.00 | 0.00 | 20.25 | 20.30 | | | 0.15 | 0.80 |
| 2015-02-17 22:00 | 12 | 0.86 | 1.70 | 0.30 | 3.00 | | | 0.00 | 0.00 | 20.51 | 20.60 | | | 0.63 | 0.70 |
| 2015-02-17 22:00 | 13 | | | 1.08 | 3.00 | | | 0.00 | 0.00 | 20.90 | 20.90 | 0.00 | 0.00 | 0.00 | 0.00 |
| 2015-02-17 23:00 | 1 | 0.00 | 0.00 | | | 0.00 | 0.00 | 0.00 | 0.00 | 20.51 | 20.60 | | | 0.00 | 0.00 |
| 2015-02-17 23:00 | 2 | 0.36 | 1.00 | | | 0.00 | 0.00 | 0.00 | 0.00 | 20.90 | 20.90 | | | 0.55 | 0.80 |
| 2015-02-17 23:00 | 8 | | | 0.87 | 2.00 | | | 3.03 | 3.20 | 20.34 | 20.40 | 0.00 | 0.00 | 0.32 | 0.50 |
| 2015-02-17 23:00 | 10 | | | 1.20 | 2.00 | | | 0.00 | 0.00 | 20.22 | 20.30 | | | 0.15 | 0.50 |
| 2015-02-17 23:00 | 12 | 0.73 | 1.40 | 0.70 | 13.00 | | | 0.00 | 0.00 | 20.53 | 20.60 | | | 0.65 | 0.70 |
| 2015-02-17 23:00 | 13 | | | 1.28 | 3.00 | | | 0.00 | 0.00 | 20.90 | 20.90 | 0.00 | 0.00 | 0.00 | 0.00 |
| 2015-02-18 00:00 | 1 | 0.00 | 0.00 | | | 0.00 | 0.00 | 0.00 | 0.00 | 20.51 | 20.60 | | | 0.00 | 0.00 |
| 2015-02-18 00:00 | 2 | 0.27 | 1.00 | | | 0.00 | 0.10 | 0.00 | 0.00 | 20.79 | 20.90 | | | 0.69 | 1.20 |
| 2015-02-18 00:00 | 8 | | | 1.00 | 2.00 | | | 3.33 | 3.60 | 20.36 | 20.40 | 0.00 | 0.00 | 0.30 | 0.50 |
| 2015-02-18 00:00 | 10 | | | 1.24 | 3.00 | | | 0.00 | 0.00 | 20.17 | 20.20 | | | 0.17 | 0.80 |
| 2015-02-18 00:00 | 12 | 0.72 | 1.50 | 0.08 | 1.00 | | | 0.00 | 0.00 | 20.56 | 20.60 | | | 0.69 | 0.90 |
| 2015-02-18 00:00 | 13 | | | 1.08 | 2.00 | | | 0.00 | 0.00 | 20.90 | 20.90 | 0.00 | 0.00 | 0.00 | 0.00 |
| 2015-02-18 01:00 | 1 | 0.00 | 0.00 | | | 0.00 | 0.00 | 0.00 | 0.00 | 20.40 | 20.50 | | | 0.00 | 0.00 |
| 2015-02-18 01:00 | 2 | 0.30 | 0.70 | | | 0.00 | 0.10 | 0.00 | 0.00 | 20.56 | 20.60 | | | 0.85 | 1.40 |
| 2015-02-18 01:00 | 8 | | | 0.61 | 1.00 | | | 3.73 | 4.10 | 20.29 | 20.40 | 0.00 | 0.00 | 0.32 | 0.70 |
| 2015-02-18 01:00 | 10 | | | 1.16 | 3.00 | | | 0.00 | 0.00 | 20.09 | 20.20 | | | 0.26 | 0.50 |
| 2015-02-18 01:00 | 12 | 0.76 | 1.40 | 0.22 | 2.00 | | | 0.00 | 0.00 | 20.52 | 20.60 | | | 0.74 | 1.10 |
| 2015-02-18 01:00 | 13 | | | 1.00 | 2.00 | | | 0.00 | 0.00 | 20.90 | 20.90 | 0.00 | 0.00 | 0.00 | 0.00 |
| 2015-02-18 02:00 | 1 | 0.00 | 0.00 | | | 0.00 | 0.00 | 2.88 | 3.20 | 20.36 | 20.50 | | | 0.00 | 0.00 |
| 2015-02-18 02:00 | 2 | 0.46 | 1.20 | | | 0.00 | 0.00 | 0.00 | 0.00 | 20.49 | 20.50 | | | 1.03 | 1.20 |
| 2015-02-18 02:00 | 8 | | | 0.79 | 2.00 | | | 4.15 | 4.40 | 20.23 | 20.30 | 0.00 | 0.00 | 0.30 | 0.60 |
| 2015-02-18 02:00 | 10 | | | 1.08 | 2.00 | | | 0.00 | 0.00 | 20.00 | 20.10 | | | 0.21 | 0.80 |
| 2015-02-18 02:00 | 12 | 0.89 | 1.70 | 0.68 | 12.00 | | | 0.00 | 0.00 | 20.50 | 20.50 | | | 0.78 | 0.90 |
| 2015-02-18 02:00 | 13 | | | 1.03 | 2.00 | | | 0.00 | 0.00 | 20.90 | 20.90 | 0.00 | 0.00 | 0.00 | 0.00 |
| 2015-02-18 03:00 | 1 | 0.00 | 0.00 | | | 0.00 | 0.00 | 3.27 | 3.30 | 20.32 | 20.40 | | | 0.00 | 0.00 |
| 2015-02-18 03:00 | 2 | 0.56 | 1.00 | | | 0.00 | 0.00 | 0.00 | 0.00 | 20.40 | 20.40 | | | 1.08 | 1.20 |
| 2015-02-18 03:00 | 8 | | | 0.68 | 1.00 | | | 4.44 | 4.50 | 20.15 | 20.20 | 0.00 | 0.00 | 0.35 | 0.70 |
| 2015-02-18 03:00 | 10 | | | 1.03 | 2.00 | | | 0.00 | 0.00 | 19.96 | 20.00 | | | 0.25 | 0.80 |

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

| Date/Time | Sample Location | Avg CO (ppm) | Max CO (ppm) | Avg Gamma (ur/hour) | Max Gamma (ur/hour) | Avg H2S (ppm) | Max H2S (ppm) | Avg LEL (%) | Max LEL (%) | Avg O2 (%) | Max O2 (%) | Avg SO2 (ppm) | Max SO2 (ppm) | Avg VOC (ppm) | Max VOC (ppm) |
|------------------|-----------------|--------------|--------------|---------------------|---------------------|---------------|---------------|-------------|-------------|------------|------------|---------------|---------------|---------------|---------------|
| 2015-02-18 03:00 | 12 | 0.97 | 1.70 | 0.21 | 4.00 | | | 0.00 | 0.00 | 20.50 | 20.50 | | | 0.80 | 1.10 |
| 2015-02-18 03:00 | 13 | | | 1.11 | 3.00 | | | 0.00 | 0.00 | 20.90 | 20.90 | 0.00 | 0.00 | 0.00 | 0.00 |
| 2015-02-18 04:00 | 1 | 0.00 | 0.00 | | | 0.00 | 0.00 | 3.31 | 3.40 | 20.30 | 20.30 | | | 0.00 | 0.00 |
| 2015-02-18 04:00 | 2 | 0.54 | 1.10 | | | 0.00 | 0.00 | 0.00 | 0.00 | 20.36 | 20.40 | | | 1.10 | 1.40 |
| 2015-02-18 04:00 | 8 | | | 0.84 | 1.00 | | | 4.49 | 4.50 | 20.11 | 20.20 | 0.00 | 0.00 | 0.34 | 0.50 |
| 2015-02-18 04:00 | 10 | | | 1.00 | 2.00 | | | 0.00 | 0.00 | 19.96 | 20.00 | | | 0.30 | 0.80 |
| 2015-02-18 04:00 | 12 | 0.89 | 1.60 | 0.11 | 1.00 | | | 0.00 | 0.00 | 20.48 | 20.60 | | | 0.87 | 1.40 |
| 2015-02-18 04:00 | 13 | | | 1.16 | 3.00 | | | 0.00 | 0.00 | 20.90 | 20.90 | 0.00 | 0.00 | 0.00 | 0.00 |
| 2015-02-18 05:00 | 1 | 0.00 | 0.00 | | | 0.00 | 0.00 | 3.43 | 3.50 | 20.29 | 20.40 | | | 0.00 | 0.00 |
| 2015-02-18 05:00 | 2 | 0.56 | 1.40 | | | 0.00 | 0.00 | 0.00 | 0.00 | 20.37 | 20.40 | | | 1.19 | 1.40 |
| 2015-02-18 05:00 | 8 | | | 0.76 | 1.00 | | | 4.66 | 4.80 | 20.11 | 20.20 | 0.00 | 0.00 | 0.31 | 0.50 |
| 2015-02-18 05:00 | 10 | | | 1.06 | 3.00 | | | 0.00 | 0.00 | 19.92 | 20.00 | | | 0.28 | 0.80 |
| 2015-02-18 05:00 | 12 | 0.84 | 1.80 | 0.56 | 10.00 | | | 0.00 | 0.00 | 20.41 | 20.50 | | | 0.91 | 1.10 |
| 2015-02-18 05:00 | 13 | | | 1.13 | 3.00 | | | 0.00 | 0.00 | 20.90 | 20.90 | 0.00 | 0.00 | 0.00 | 0.00 |
| 2015-02-18 06:00 | 1 | 0.00 | 0.00 | | | 0.00 | 0.00 | 3.50 | 3.60 | 20.27 | 20.30 | | | 0.00 | 0.00 |
| 2015-02-18 06:00 | 2 | 0.52 | 1.00 | | | 0.01 | 0.10 | 0.00 | 0.00 | 20.38 | 20.40 | | | 1.21 | 1.60 |
| 2015-02-18 06:00 | 8 | | | 0.74 | 1.00 | | | 4.81 | 5.00 | 20.11 | 20.20 | 0.00 | 0.00 | 0.32 | 0.70 |
| 2015-02-18 06:00 | 10 | | | 1.05 | 2.00 | | | 0.00 | 0.00 | 19.88 | 19.90 | | | 0.27 | 0.80 |
| 2015-02-18 06:00 | 12 | 0.89 | 1.50 | 0.21 | 2.00 | | | 0.00 | 0.00 | 20.45 | 20.50 | | | 0.90 | 1.40 |
| 2015-02-18 06:00 | 13 | | | 1.05 | 4.00 | | | 0.00 | 0.00 | 20.90 | 20.90 | 0.00 | 0.00 | 0.00 | 0.00 |
| 2015-02-18 07:00 | 1 | 0.00 | 0.00 | | | 0.00 | 0.10 | 3.41 | 3.60 | 20.26 | 20.30 | | | 0.00 | 0.00 |
| 2015-02-18 07:00 | 2 | 0.56 | 1.10 | | | 0.01 | 0.10 | 0.00 | 0.00 | 20.33 | 20.40 | | | 1.17 | 1.40 |
| 2015-02-18 07:00 | 8 | | | 0.29 | 1.00 | | | 4.81 | 5.00 | 20.08 | 20.10 | 0.00 | 0.00 | 0.31 | 0.50 |
| 2015-02-18 07:00 | 10 | | | 1.12 | 2.00 | | | 0.00 | 0.00 | 19.86 | 19.90 | | | 0.22 | 0.80 |
| 2015-02-18 07:00 | 12 | 0.94 | 1.70 | 0.31 | 6.00 | | | 0.00 | 0.00 | 20.47 | 20.50 | | | 0.87 | 1.40 |
| 2015-02-18 07:00 | 13 | | | 1.17 | 3.00 | | | 0.00 | 0.00 | 20.90 | 20.90 | 0.00 | 0.00 | 0.00 | 0.00 |
| 2015-02-18 08:00 | 1 | 0.00 | 0.00 | | | 0.00 | 0.00 | 2.92 | 3.10 | 20.32 | 20.40 | | | 0.00 | 0.00 |
| 2015-02-18 08:00 | 2 | 0.50 | 1.00 | | | 0.00 | 0.10 | 0.00 | 0.00 | 20.34 | 20.50 | | | 0.93 | 1.40 |
| 2015-02-18 08:00 | 8 | | | 0.41 | 1.00 | | | 4.51 | 4.80 | 20.07 | 20.10 | 0.00 | 0.00 | 0.33 | 0.80 |
| 2015-02-18 08:00 | 10 | | | 1.24 | 3.00 | | | 0.00 | 0.00 | 19.88 | 20.00 | | | 0.24 | 0.50 |
| 2015-02-18 08:00 | 12 | 1.01 | 1.70 | 0.26 | 4.00 | | | 0.00 | 0.00 | 20.41 | 20.50 | | | 0.86 | 1.60 |

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

| Date/Time | Sample Location | Avg CO (ppm) | Max CO (ppm) | Avg Gamma (ur/hour) | Max Gamma (ur/hour) | Avg H2S (ppm) | Max H2S (ppm) | Avg LEL (%) | Max LEL (%) | Avg O2 (%) | Max O2 (%) | Avg SO2 (ppm) | Max SO2 (ppm) | Avg VOC (ppm) | Max VOC (ppm) |
|------------------|-----------------|--------------|--------------|---------------------|---------------------|---------------|---------------|-------------|-------------|------------|------------|---------------|---------------|---------------|---------------|
| 2015-02-18 08:00 | 13 | | | 0.97 | 2.00 | | | 0.00 | 0.00 | 20.72 | 20.90 | 0.00 | 0.00 | 0.00 | 0.00 |
| 2015-02-18 09:00 | 1 | 0.00 | 0.00 | | | 0.00 | 0.10 | 2.76 | 2.80 | 20.40 | 20.40 | | | 0.00 | 0.00 |
| 2015-02-18 09:00 | 2 | 0.46 | 0.80 | | | 0.00 | 0.10 | 0.00 | 0.00 | 20.43 | 20.50 | | | 0.64 | 1.20 |
| 2015-02-18 09:00 | 8 | | | 0.66 | 2.00 | | | 3.19 | 4.00 | 20.09 | 20.30 | 0.00 | 0.00 | 0.31 | 0.70 |
| 2015-02-18 09:00 | 10 | | | 0.95 | 2.00 | | | 0.00 | 0.00 | 19.93 | 20.00 | | | 0.30 | 0.80 |
| 2015-02-18 09:00 | 12 | 1.02 | 1.50 | 0.61 | 16.00 | | | 0.00 | 0.00 | 20.47 | 20.50 | | | 0.75 | 1.10 |
| 2015-02-18 09:00 | 13 | | | 1.05 | 2.00 | | | 0.00 | 0.00 | 20.90 | 20.90 | 0.00 | 0.00 | 0.00 | 0.00 |
| 2015-02-18 10:00 | 1 | 0.00 | 0.00 | | | 0.00 | 0.00 | 2.55 | 2.70 | 20.45 | 20.50 | | | 0.00 | 0.00 |
| 2015-02-18 10:00 | 2 | 0.45 | 0.90 | | | 0.00 | 0.00 | 0.00 | 0.00 | 20.48 | 20.60 | | | 0.56 | 0.80 |
| 2015-02-18 10:00 | 8 | | | 1.00 | 2.00 | | | 2.62 | 2.70 | 20.24 | 20.30 | 0.00 | 0.10 | 0.26 | 0.40 |
| 2015-02-18 10:00 | 10 | | | 1.05 | 2.00 | | | 0.00 | 0.00 | 20.01 | 20.10 | | | 0.26 | 0.80 |
| 2015-02-18 10:00 | 12 | 0.92 | 1.80 | 0.24 | 4.00 | | | 0.00 | 0.00 | 20.42 | 20.50 | | | 0.67 | 0.70 |
| 2015-02-18 10:00 | 13 | | | 1.03 | 2.00 | | | 0.00 | 0.00 | 20.90 | 20.90 | 0.00 | 0.00 | 0.00 | 0.00 |
| 2015-02-18 11:00 | 1 | 0.00 | 0.00 | | | 0.00 | 0.00 | 2.43 | 2.50 | 20.49 | 20.60 | | | 0.00 | 0.00 |
| 2015-02-18 11:00 | 2 | 0.37 | 1.60 | | | 0.00 | 0.00 | 0.00 | 0.00 | 20.53 | 20.60 | | | 0.38 | 0.80 |
| 2015-02-18 11:00 | 8 | | | 0.83 | 3.00 | | | 2.59 | 2.70 | 20.25 | 20.30 | 0.00 | 0.10 | 0.29 | 0.50 |
| 2015-02-18 11:00 | 10 | | | 1.07 | 2.00 | | | 0.00 | 0.00 | 20.01 | 20.10 | | | 0.18 | 0.50 |
| 2015-02-18 11:00 | 12 | 0.96 | 1.80 | 0.26 | 8.00 | | | 0.00 | 0.00 | 20.43 | 20.50 | | | 0.68 | 0.70 |
| 2015-02-18 11:00 | 13 | | | 1.13 | 2.00 | | | 0.00 | 0.00 | 20.90 | 20.90 | 0.00 | 0.00 | 0.00 | 0.00 |
| 2015-02-18 12:00 | 1 | 0.00 | 0.00 | | | 0.00 | 0.00 | 2.44 | 2.50 | 20.48 | 20.60 | | | 0.00 | 0.00 |
| 2015-02-18 12:00 | 2 | 0.32 | 0.80 | | | 0.00 | 0.00 | 0.00 | 0.00 | 20.56 | 20.60 | | | 0.25 | 0.60 |
| 2015-02-18 12:00 | 8 | | | 1.00 | 2.00 | | | 1.27 | 2.20 | 20.31 | 20.40 | 0.00 | 0.00 | 0.28 | 0.50 |
| 2015-02-18 12:00 | 10 | | | 1.03 | 2.00 | | | 0.00 | 0.00 | 20.07 | 20.20 | | | 0.15 | 0.50 |
| 2015-02-18 12:00 | 12 | 1.08 | 1.70 | 0.24 | 2.00 | | | 0.00 | 0.00 | 20.48 | 20.50 | | | 0.54 | 0.70 |
| 2015-02-18 12:00 | 13 | | | 1.03 | 2.00 | | | 0.00 | 0.00 | 20.90 | 20.90 | 0.00 | 0.00 | 0.00 | 0.00 |
| 2015-02-18 13:00 | 1 | 0.00 | 0.00 | | | 0.00 | 0.00 | 2.47 | 2.60 | 20.53 | 20.60 | | | 0.00 | 0.00 |
| 2015-02-18 13:00 | 2 | 0.26 | 0.80 | | | 0.01 | 0.10 | 0.00 | 0.00 | 20.58 | 20.60 | | | 0.44 | 0.80 |
| 2015-02-18 13:00 | 8 | | | 0.89 | 1.00 | | | 0.00 | 0.00 | 20.48 | 20.60 | 0.00 | 0.00 | 0.22 | 0.40 |
| 2015-02-18 13:00 | 10 | | | 1.08 | 2.00 | | | 0.00 | 0.00 | 20.18 | 20.20 | | | 0.16 | 0.50 |
| 2015-02-18 13:00 | 12 | 0.94 | 1.30 | 0.51 | 10.00 | | | 0.00 | 0.00 | 20.56 | 20.60 | | | 0.48 | 0.70 |
| 2015-02-18 13:00 | 13 | | | 1.11 | 2.00 | | | 0.00 | 0.00 | 20.90 | 20.90 | 0.00 | 0.00 | 0.00 | 0.00 |

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

| Date/Time | Sample Location | Avg CO (ppm) | Max CO (ppm) | Avg Gamma (ur/hour) | Max Gamma (ur/hour) | Avg H2S (ppm) | Max H2S (ppm) | Avg LEL (%) | Max LEL (%) | Avg O2 (%) | Max O2 (%) | Avg SO2 (ppm) | Max SO2 (ppm) | Avg VOC (ppm) | Max VOC (ppm) |
|------------------|-----------------|--------------|--------------|---------------------|---------------------|---------------|---------------|-------------|-------------|------------|------------|---------------|---------------|---------------|---------------|
| 2015-02-18 14:00 | 1 | 0.00 | 0.00 | | | 0.00 | 0.00 | 2.66 | 2.80 | 20.45 | 20.50 | | | 0.00 | 0.00 |
| 2015-02-18 14:00 | 2 | 0.33 | 1.50 | | | 0.01 | 0.10 | 0.00 | 0.00 | 20.56 | 20.60 | | | 0.67 | 1.20 |
| 2015-02-18 14:00 | 8 | | | 1.00 | 1.00 | | | 0.00 | 0.00 | 20.41 | 20.50 | 0.00 | 0.00 | 0.31 | 0.50 |
| 2015-02-18 14:00 | 10 | | | 1.10 | 3.00 | | | 0.00 | 0.00 | 20.13 | 20.20 | | | 0.18 | 0.50 |
| 2015-02-18 14:00 | 12 | 0.97 | 1.50 | 0.24 | 7.00 | | | 0.00 | 0.00 | 20.50 | 20.50 | | | 0.59 | 0.70 |
| 2015-02-18 14:00 | 13 | | | 0.98 | 2.00 | | | 0.00 | 0.00 | 20.90 | 20.90 | 0.00 | 0.00 | 0.00 | 0.00 |
| 2015-02-18 15:00 | 1 | 0.00 | 0.00 | | | 0.00 | 0.00 | 2.79 | 2.80 | 20.40 | 20.40 | | | 0.00 | 0.00 |
| 2015-02-18 15:00 | 2 | 0.41 | 1.10 | | | 0.00 | 0.10 | 0.00 | 0.00 | 20.52 | 20.60 | | | 0.90 | 1.20 |
| 2015-02-18 15:00 | 8 | | | 0.83 | 1.00 | | | 0.00 | 0.00 | 20.36 | 20.40 | 0.00 | 0.00 | 0.27 | 0.50 |
| 2015-02-18 15:00 | 10 | | | 0.98 | 2.00 | | | 0.00 | 0.00 | 20.09 | 20.20 | | | 0.19 | 0.80 |
| 2015-02-18 15:00 | 12 | 0.96 | 1.50 | 0.29 | 8.00 | | | 0.00 | 0.00 | 20.50 | 20.50 | | | 0.64 | 0.70 |
| 2015-02-18 15:00 | 13 | | | 0.95 | 2.00 | | | 0.00 | 0.00 | 20.90 | 20.90 | 0.00 | 0.00 | 0.00 | 0.00 |
| 2015-02-18 16:00 | 1 | 0.00 | 0.00 | | | 0.00 | 0.00 | 2.99 | 3.20 | 20.38 | 20.40 | | | 0.00 | 0.00 |
| 2015-02-18 16:00 | 2 | 0.49 | 1.10 | | | 0.01 | 0.10 | 0.00 | 0.00 | 20.49 | 20.50 | | | 0.93 | 1.20 |
| 2015-02-18 16:00 | 8 | | | 0.76 | 1.00 | | | 0.00 | 0.00 | 20.31 | 20.40 | 0.00 | 0.00 | 0.26 | 0.40 |
| 2015-02-18 16:00 | 10 | | | 1.03 | 2.00 | | | 0.00 | 0.00 | 20.05 | 20.20 | | | 0.21 | 0.80 |
| 2015-02-18 16:00 | 12 | 0.91 | 1.70 | 0.21 | 2.00 | | | 0.00 | 0.00 | 20.50 | 20.50 | | | 0.59 | 0.70 |
| 2015-02-18 16:00 | 13 | | | 0.92 | 2.00 | | | 0.00 | 0.00 | 20.90 | 20.90 | 0.00 | 0.00 | 0.00 | 0.00 |
| 2015-02-18 17:00 | 1 | 0.00 | 0.00 | | | 0.00 | 0.00 | 3.34 | 3.50 | 20.34 | 20.40 | | | 0.00 | 0.00 |
| 2015-02-18 17:00 | 2 | 0.63 | 1.40 | | | 0.00 | 0.10 | 0.00 | 0.00 | 20.40 | 20.40 | | | 1.14 | 1.40 |
| 2015-02-18 17:00 | 8 | | | 1.00 | 1.00 | | | 3.09 | 4.30 | 20.35 | 20.40 | 0.00 | 0.00 | 0.29 | 0.70 |
| 2015-02-18 17:00 | 10 | | | 1.03 | 2.00 | | | 0.00 | 0.00 | 20.01 | 20.20 | | | 0.28 | 0.80 |
| 2015-02-18 17:00 | 12 | 0.76 | 1.30 | 0.40 | 5.00 | | | 0.00 | 0.00 | 20.53 | 20.60 | | | 0.78 | 1.60 |
| 2015-02-18 17:00 | 13 | | | 0.98 | 2.00 | | | 0.00 | 0.00 | 20.90 | 20.90 | 0.00 | 0.00 | 0.00 | 0.00 |
| 2015-02-18 18:00 | 1 | 0.00 | 0.00 | | | 0.00 | 0.00 | 3.55 | 3.70 | 20.29 | 20.30 | | | 0.00 | 0.00 |
| 2015-02-18 18:00 | 2 | 0.54 | 1.20 | | | 0.00 | 0.00 | 0.00 | 0.00 | 20.34 | 20.40 | | | 1.27 | 1.60 |
| 2015-02-18 18:00 | 8 | | | 0.69 | 2.00 | | | 4.62 | 4.80 | 20.17 | 20.20 | 0.00 | 0.00 | 0.29 | 0.50 |
| 2015-02-18 18:00 | 10 | | | 1.14 | 3.00 | | | 0.00 | 0.00 | 19.89 | 20.00 | | | 0.31 | 1.10 |
| 2015-02-18 18:00 | 12 | 0.85 | 1.50 | 0.36 | 9.00 | | | 0.00 | 0.00 | 20.48 | 20.60 | | | 0.89 | 1.40 |
| 2015-02-18 18:00 | 13 | | | 1.11 | 2.00 | | | 0.00 | 0.00 | 20.90 | 20.90 | 0.00 | 0.00 | 0.00 | 0.00 |
| 2015-02-18 19:00 | 1 | 0.00 | 0.00 | | | 0.00 | 0.00 | 3.65 | 3.90 | 20.19 | 20.30 | | | 0.00 | 0.00 |

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

| Date/Time | Sample Location | Avg CO (ppm) | Max CO (ppm) | Avg Gamma (ur/hour) | Max Gamma (ur/hour) | Avg H2S (ppm) | Max H2S (ppm) | Avg LEL (%) | Max LEL (%) | Avg O2 (%) | Max O2 (%) | Avg SO2 (ppm) | Max SO2 (ppm) | Avg VOC (ppm) | Max VOC (ppm) |
|------------------|-----------------|--------------|--------------|---------------------|---------------------|---------------|---------------|-------------|-------------|------------|------------|---------------|---------------|---------------|---------------|
| 2015-02-18 19:00 | 2 | 0.76 | 1.20 | | | 0.00 | 0.10 | 0.00 | 0.00 | 20.28 | 20.30 | | | 1.35 | 1.60 |
| 2015-02-18 19:00 | 8 | | | 0.43 | 1.00 | | | 4.93 | 5.10 | 20.10 | 20.20 | 0.00 | 0.00 | 0.30 | 0.40 |
| 2015-02-18 19:00 | 10 | | | 1.14 | 2.00 | | | 0.00 | 0.00 | 19.83 | 19.90 | | | 0.32 | 0.80 |
| 2015-02-18 19:00 | 12 | 0.91 | 1.60 | 0.10 | 1.00 | | | 0.00 | 0.00 | 20.43 | 20.50 | | | 1.00 | 1.40 |
| 2015-02-18 19:00 | 13 | | | 0.62 | 2.00 | | | 0.00 | 0.00 | 20.79 | 20.90 | 0.00 | 0.00 | 0.00 | 0.00 |
| 2015-02-19 09:00 | 1 | 0.01 | 0.20 | | | 0.00 | 0.00 | 0.00 | 0.00 | 20.90 | 20.90 | | | 0.00 | 0.00 |
| 2015-02-19 09:00 | 2 | 0.09 | 0.60 | | | 0.00 | 0.00 | 0.00 | 0.00 | 20.90 | 20.90 | | | 0.01 | 0.20 |
| 2015-02-19 09:00 | 8 | | | 1.43 | 2.00 | | | 0.00 | 0.00 | 20.82 | 20.90 | 0.00 | 0.00 | 0.22 | 0.40 |
| 2015-02-19 09:00 | 10 | | | 1.25 | 2.00 | | | 0.00 | 0.00 | 20.65 | 20.70 | | | 0.01 | 0.20 |
| 2015-02-19 09:00 | 12 | 0.10 | 0.50 | 0.95 | 4.00 | | | 0.00 | 0.00 | 20.90 | 20.90 | | | 0.02 | 0.20 |
| 2015-02-19 09:00 | 13 | | | 0.65 | 3.00 | | | 0.00 | 0.00 | 21.25 | 21.30 | 0.00 | 0.00 | 0.00 | 0.00 |
| 2015-02-19 10:00 | 1 | 0.07 | 0.30 | | | 0.00 | 0.10 | 0.00 | 0.00 | 20.90 | 20.90 | | | 0.00 | 0.00 |
| 2015-02-19 10:00 | 2 | 0.26 | 0.80 | | | 0.02 | 0.10 | 0.00 | 0.00 | 20.90 | 20.90 | | | 0.04 | 0.40 |
| 2015-02-19 10:00 | 8 | | | 1.08 | 2.00 | | | 0.00 | 0.00 | 20.79 | 20.90 | 0.00 | 0.00 | 0.28 | 0.50 |
| 2015-02-19 10:00 | 10 | | | 1.26 | 2.00 | | | 0.00 | 0.00 | 20.51 | 20.60 | | | 0.00 | 0.00 |
| 2015-02-19 10:00 | 12 | 0.23 | 0.70 | 0.40 | 9.00 | | | 0.00 | 0.00 | 20.90 | 20.90 | | | 0.66 | 1.10 |
| 2015-02-19 10:00 | 13 | | | 1.03 | 2.00 | | | 0.00 | 0.00 | 21.08 | 21.20 | 0.00 | 0.00 | 0.00 | 0.00 |
| 2015-02-19 11:00 | 1 | 0.02 | 0.30 | | | 0.00 | 0.00 | 0.00 | 0.00 | 20.90 | 20.90 | | | 0.00 | 0.00 |
| 2015-02-19 11:00 | 2 | 0.19 | 0.60 | | | 0.00 | 0.10 | 0.00 | 0.00 | 20.90 | 20.90 | | | 0.01 | 0.20 |
| 2015-02-19 11:00 | 8 | | | 0.83 | 1.00 | | | | | 20.39 | 20.50 | 0.01 | 0.10 | 0.35 | 0.70 |
| 2015-02-19 11:00 | 10 | | | 1.19 | 2.00 | | | 0.00 | 0.00 | 20.36 | 20.50 | | | 0.08 | 0.50 |
| 2015-02-19 11:00 | 12 | 0.81 | 1.60 | 0.58 | 12.00 | | | 0.00 | 0.00 | 20.62 | 20.90 | | | 0.78 | 1.10 |
| 2015-02-19 11:00 | 13 | | | 1.00 | 2.00 | | | 0.00 | 0.00 | 20.90 | 20.90 | 0.00 | 0.00 | 0.00 | 0.00 |
| 2015-02-19 12:00 | 1 | 0.01 | 0.30 | | | 0.00 | 0.00 | 0.00 | 0.00 | 20.90 | 20.90 | | | 0.00 | 0.00 |
| 2015-02-19 12:00 | 2 | 0.22 | 0.70 | | | 0.01 | 0.10 | 0.00 | 0.00 | 20.86 | 20.90 | | | 0.04 | 0.40 |
| 2015-02-19 12:00 | 8 | | | 0.70 | 1.00 | | | 0.00 | 0.00 | 20.83 | 20.90 | 0.00 | 0.00 | 0.55 | 0.80 |
| 2015-02-19 12:00 | 10 | | | 1.34 | 4.00 | 0.00 | 0.00 | 0.00 | 0.00 | 20.83 | 20.90 | | | 0.03 | 0.20 |
| 2015-02-19 12:00 | 12 | 1.07 | 1.70 | 0.23 | 4.00 | | | 0.00 | 0.00 | 20.47 | 20.50 | | | 0.63 | 0.70 |
| 2015-02-19 12:00 | 13 | | | 1.03 | 2.00 | | | 0.00 | 0.00 | 20.90 | 20.90 | 0.00 | 0.00 | 0.00 | 0.00 |