

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-02-19 12:00	1	0.01	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-02-19 12:00	2	0.22	0.70			0.01	0.10	0.00	0.00	20.86	20.90			0.04	0.40
2015-02-19 12:00	8			0.70	1.00			0.00	0.00	20.83	20.90	0.00	0.00	0.55	0.80
2015-02-19 12:00	10			1.34	4.00	0.00	0.00	0.00	0.00	20.83	20.90			0.03	0.20
2015-02-19 12:00	12	1.07	1.70	0.23	4.00			0.00	0.00	20.47	20.50			0.63	0.70
2015-02-19 12:00	13			1.03	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-19 13:00	1	0.00	0.10			0.01	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-02-19 13:00	2	0.15	0.80			0.00	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-02-19 13:00	8			0.87	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.59	0.80
2015-02-19 13:00	10			1.23	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-02-19 13:00	12	0.81	1.60	0.90	16.00			0.00	0.00	20.54	20.60			0.36	0.70
2015-02-19 13:00	13			0.98	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-19 14:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-02-19 14:00	2	0.10	0.80			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-02-19 14:00	10			1.16	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.01	0.20
2015-02-19 14:00	12	0.90	1.50	0.32	6.00			0.00	0.00	20.55	20.60			0.41	0.70
2015-02-19 14:00	13			1.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-19 15:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-02-19 15:00	2	0.16	1.10			0.00	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-02-19 15:00	8			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.45	0.80
2015-02-19 15:00	10			1.20	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.20
2015-02-19 15:00	12	1.20	2.30	0.41	3.00			0.00	0.00	20.59	20.60			0.19	0.90
2015-02-19 15:00	13			1.13	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-19 16:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.88	20.90			0.00	0.00
2015-02-19 16:00	2	0.06	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.13	0.60
2015-02-19 16:00	8			3.13	7.00			0.00	0.00	21.13	21.30	0.00	0.00	0.43	0.50
2015-02-19 16:00	10			1.22	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.08	0.80
2015-02-19 16:00	12	0.47	1.10	0.08	1.00			0.00	0.00	20.81	20.90			0.23	0.70
2015-02-19 16:00	13			0.89	1.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-19 17:00	10			1.19	2.00	0.00	0.00	0.00	0.00	20.89	20.90			0.17	0.50
2015-02-19 17:00	12	0.88	1.70	0.26	3.00			0.00	0.00	20.68	20.90			0.61	0.90

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-02-19 17:00	13			0.90	2.00			0.00	0.00	20.89	20.90	0.00	0.00	0.00	0.00
2015-02-19 18:00	8			1.09	3.00			0.00	0.00	21.32	21.60	0.00	0.00	0.66	0.80
2015-02-19 18:00	10			1.11	3.00	0.00	0.00	0.00	0.00	20.87	20.90			0.25	1.10
2015-02-19 18:00	12	0.74	1.30	0.17	4.00			0.00	0.00	20.58	20.60			0.69	0.70
2015-02-19 18:00	13			0.32	1.00			0.00	0.00	20.87	20.90	0.00	0.00	0.00	0.00
2015-02-19 19:00	1	0.00	0.00			0.00	0.00	2.62	3.10	20.73	20.90			0.00	0.00
2015-02-19 19:00	2	0.18	0.60			0.00	0.10	0.00	0.00	20.90	20.90			0.64	1.20
2015-02-19 19:00	8			0.63	1.00			0.00	0.00	20.91	21.10	0.00	0.00	0.65	1.00
2015-02-19 19:00	10			1.17	3.00	0.00	0.00	0.00	0.00	20.54	20.70			0.38	0.80
2015-02-19 19:00	12	0.78	1.30	0.69	14.00			0.00	0.00	20.51	20.60			0.71	0.90
2015-02-19 19:00	13			1.06	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-19 20:00	1	0.00	0.00			0.00	0.00	3.27	3.40	20.40	20.50			0.00	0.00
2015-02-19 20:00	2	0.59	1.20			0.01	0.10	0.00	0.00	20.55	20.90			0.96	1.20
2015-02-19 20:00	8			0.79	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.64	1.00
2015-02-19 20:00	10			1.26	2.00	0.00	0.00	0.00	0.00	20.47	20.60			0.36	0.80
2015-02-19 20:00	12	0.92	1.60	0.13	1.00			0.00	0.00	20.48	20.50			0.75	1.10
2015-02-19 20:00	13			0.95	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-19 21:00	1	0.00	0.00			0.00	0.00	3.43	3.50	20.33	20.40			0.00	0.00
2015-02-19 21:00	2	0.58	1.20			0.01	0.10	0.00	0.00	20.38	20.40			1.09	1.40
2015-02-19 21:00	8			0.32	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.45	0.90
2015-02-19 21:00	10			1.19	3.00	0.00	0.00	0.00	0.00	20.42	20.50			0.32	0.80
2015-02-19 21:00	12	0.98	1.60	1.11	12.00			0.00	0.00	20.40	20.40			0.72	0.90
2015-02-19 21:00	13			1.05	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-19 22:00	1	0.00	0.00			0.00	0.00	3.50	3.50	20.30	20.40			0.00	0.00
2015-02-19 22:00	2	0.54	1.20			0.01	0.10	0.00	0.00	20.32	20.40			1.13	1.40
2015-02-19 22:00	8			0.84	2.00			0.00	0.00	20.81	20.90	0.00	0.00	0.42	0.60
2015-02-19 22:00	10			1.11	3.00	0.00	0.00	0.00	0.00	20.41	20.50			0.29	0.80
2015-02-19 22:00	12	0.83	1.30	0.18	2.00			0.00	0.00	20.40	20.40			0.73	0.90
2015-02-19 22:00	13			0.97	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-19 23:00	1	0.00	0.00			0.00	0.00	3.50	3.50	20.27	20.30			0.00	0.00
2015-02-19 23:00	2	0.70	2.00			0.00	0.00	0.00	0.00	20.35	20.40			1.17	1.40

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-02-19 23:00	8			0.45	1.00			0.00	0.00	20.63	20.70	0.00	0.00	0.39	0.70
2015-02-19 23:00	10			1.09	2.00	0.00	0.00	0.00	0.00	20.39	20.50			0.44	1.10
2015-02-19 23:00	12	0.95	1.70	0.24	5.00			0.00	0.00	20.37	20.40			0.74	0.90
2015-02-19 23:00	13			1.14	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-20 00:00	1	0.00	0.00			0.00	0.00	3.50	3.50	20.28	20.30			0.00	0.00
2015-02-20 00:00	2	0.60	1.20			0.00	0.00	0.00	0.00	20.33	20.40			1.15	1.40
2015-02-20 00:00	8			0.51	1.00			0.00	0.00	20.61	20.70	0.00	0.00	0.40	0.70
2015-02-20 00:00	10			1.05	2.00	0.00	0.00	0.00	0.00	20.40	20.50			0.46	1.10
2015-02-20 00:00	12	0.95	1.70	0.12	2.00			0.00	0.00	20.37	20.40			0.73	0.90
2015-02-20 00:00	13			1.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-20 01:00	1	0.00	0.00			0.00	0.00	3.50	3.50	20.26	20.30			0.00	0.00
2015-02-20 01:00	2	0.53	1.30			0.00	0.00	0.00	0.00	20.35	20.40			1.19	1.40
2015-02-20 01:00	8			0.63	2.00			0.00	0.00	20.59	20.70	0.00	0.00	0.41	0.60
2015-02-20 01:00	10			1.05	2.00	0.00	0.00	0.00	0.00	20.39	20.50			0.41	1.40
2015-02-20 01:00	12	0.96	1.60	0.28	3.00			0.00	0.00	20.40	20.40			0.71	0.90
2015-02-20 01:00	13			1.08	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-20 02:00	1	0.00	0.00			0.00	0.00	3.50	3.50	20.28	20.30			0.00	0.00
2015-02-20 02:00	2	0.58	1.30			0.00	0.00	0.00	0.00	20.31	20.40			1.21	1.60
2015-02-20 02:00	8			0.54	1.00			0.00	0.00	20.59	20.70	0.00	0.00	0.40	0.60
2015-02-20 02:00	10			1.05	2.00	0.00	0.00	0.00	0.00	20.39	20.50			0.41	0.80
2015-02-20 02:00	12	0.83	1.30	0.58	11.00			0.00	0.00	20.40	20.40			0.69	0.70
2015-02-20 02:00	13			1.03	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-20 03:00	1	0.00	0.00			0.00	0.00	3.49	3.50	20.25	20.30			0.00	0.00
2015-02-20 03:00	2	0.44	1.20			0.00	0.00	0.00	0.00	20.30	20.40			1.20	1.40
2015-02-20 03:00	8			0.38	1.00			0.00	0.00	20.59	20.70	0.00	0.00	0.42	0.70
2015-02-20 03:00	10			1.13	3.00	0.00	0.00	0.00	0.00	20.38	20.40			0.41	1.10
2015-02-20 03:00	12	0.89	1.60	0.58	13.00			0.00	0.00	20.39	20.40			0.72	0.90
2015-02-20 03:00	13			1.10	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-20 04:00	1	0.00	0.00			0.00	0.00	3.48	3.50	20.24	20.30			0.00	0.00
2015-02-20 04:00	2	0.56	1.40			0.03	0.20	0.00	0.00	20.30	20.40			1.16	1.40
2015-02-20 04:00	8			0.69	2.00			0.00	0.00	20.60	20.70	0.00	0.00	0.42	0.80

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-02-20 04:00	10			1.08	3.00	0.00	0.00	0.00	0.00	20.40	20.40			0.36	0.80
2015-02-20 04:00	12	0.90	1.50	0.05	1.00			0.00	0.00	20.40	20.40			0.69	0.90
2015-02-20 04:00	13			0.98	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-20 05:00	1	0.00	0.00			0.00	0.00	3.41	3.50	20.25	20.30			0.00	0.00
2015-02-20 05:00	2	0.60	1.20			0.00	0.10	0.00	0.00	20.30	20.30			1.15	1.20
2015-02-20 05:00	8			0.73	2.00			0.00	0.00	20.61	20.70	0.00	0.00	0.41	0.60
2015-02-20 05:00	10			1.24	3.00	0.00	0.00	0.00	0.00	20.40	20.40			0.36	0.80
2015-02-20 05:00	12	0.87	1.30	0.42	13.00			0.00	0.00	20.39	20.40			0.71	0.90
2015-02-20 05:00	13			1.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-20 06:00	1	0.00	0.00			0.00	0.00	3.40	3.50	20.27	20.40			0.00	0.00
2015-02-20 06:00	2	0.46	1.10			0.01	0.10	0.00	0.00	20.30	20.30			1.09	1.40
2015-02-20 06:00	8			0.68	1.00			0.00	0.00	20.60	20.70	0.00	0.00	0.38	0.60
2015-02-20 06:00	10			1.14	2.00	0.00	0.00	0.00	0.00	20.40	20.50			0.27	0.80
2015-02-20 06:00	12	0.96	1.60	0.53	11.00			0.00	0.00	20.39	20.40			0.71	0.90
2015-02-20 06:00	13			1.08	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-20 07:00	1	0.00	0.00			0.00	0.00	3.30	3.40	20.28	20.40			0.00	0.00
2015-02-20 07:00	2	0.61	1.20			0.00	0.10	0.00	0.00	20.31	20.40			1.11	1.20
2015-02-20 07:00	8			0.79	2.00			0.00	0.00	20.61	20.70	0.00	0.00	0.37	0.80
2015-02-20 07:00	10			1.05	2.00	0.00	0.00	0.00	0.00	20.40	20.50			0.40	0.80
2015-02-20 07:00	12	0.84	1.30	0.24	1.00			0.00	0.00	20.40	20.40			0.68	1.10
2015-02-20 07:00	13			0.92	1.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-20 08:00	1	0.00	0.00			0.00	0.00	2.93	3.10	20.30	20.40			0.00	0.00
2015-02-20 08:00	2	0.58	1.40			0.01	0.10	0.00	0.00	20.45	20.50			0.92	1.60
2015-02-20 08:00	8			0.59	2.00			0.00	0.00	20.61	20.70	0.00	0.00	0.36	0.90
2015-02-20 08:00	10			1.21	3.00	0.00	0.00	0.00	0.00	20.42	20.50			0.34	0.80
2015-02-20 08:00	12	1.15	1.90	0.55	15.00			0.00	0.00	20.43	20.50			0.69	0.90
2015-02-20 08:00	13			0.95	1.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-20 09:00	1	0.00	0.00			0.00	0.00	2.74	2.90	20.38	20.40			0.00	0.00
2015-02-20 09:00	2	0.38	1.20			0.01	0.10	0.00	0.00	20.48	20.50			0.71	1.20
2015-02-20 09:00	8			0.93	2.00			0.00	0.00	20.84	20.90	0.00	0.00	0.39	0.70
2015-02-20 09:00	10			1.17	2.00	0.00	0.00	0.00	0.00	20.55	20.70			0.25	0.80

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-02-20 09:00	12	1.06	1.60	0.37	7.00			0.00	0.00	20.45	20.50			0.63	0.70
2015-02-20 09:00	13			1.05	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-20 10:00	1	0.00	0.00			0.01	0.10	2.34	2.50	20.44	20.50			0.00	0.00
2015-02-20 10:00	2	0.35	0.90			0.01	0.10	0.00	0.00	20.52	20.60			0.59	0.80
2015-02-20 10:00	8			0.76	1.00			0.00	0.00	20.90	20.90	0.00	0.00	0.43	0.70
2015-02-20 10:00	10			1.08	2.00	0.00	0.00	0.00	0.00	20.79	20.90			0.23	1.10
2015-02-20 10:00	12	0.94	1.50	0.62	12.00			0.00	0.00	20.48	20.50			0.51	0.70
2015-02-20 10:00	13			1.03	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-20 11:00	1	0.00	0.00			0.00	0.00	2.20	2.20	20.50	20.60			0.00	0.00
2015-02-20 11:00	2	0.26	0.70			0.02	0.10	0.00	0.00	20.59	20.60			0.47	0.80
2015-02-20 11:00	8			0.84	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.43	0.70
2015-02-20 11:00	10			1.08	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.18	0.50
2015-02-20 11:00	12	0.98	1.70	0.29	9.00			0.00	0.00	20.56	20.60			0.34	0.70
2015-02-20 11:00	13			1.11	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-20 12:00	1	0.00	0.00			0.00	0.10	2.20	2.20	20.50	20.60			0.00	0.00
2015-02-20 12:00	2	0.29	0.80			0.02	0.10	0.00	0.00	20.60	20.60			0.46	0.80
2015-02-20 12:00	8			0.95	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.46	0.70
2015-02-20 12:00	10			1.24	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.07	0.50
2015-02-20 12:00	12	0.90	1.50	0.19	2.00			0.00	0.00	20.58	20.60			0.27	0.70
2015-02-20 12:00	13			1.08	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-20 13:00	1	0.00	0.00			0.01	0.10	2.18	2.20	20.52	20.60			0.00	0.00
2015-02-20 13:00	2	0.34	1.20			0.01	0.10	0.00	0.00	20.60	20.70			0.36	0.80
2015-02-20 13:00	8			0.78	1.00			0.00	0.00	20.90	20.90	0.00	0.00	0.45	0.70
2015-02-20 13:00	10			0.94	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.10	0.50
2015-02-20 13:00	12	0.96	1.50	0.18	2.00			0.00	0.00	20.55	20.60			0.22	0.70
2015-02-20 13:00	13			1.10	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-20 14:00	1	0.00	0.00			0.00	0.00	2.10	2.20	20.58	20.60			0.00	0.00
2015-02-20 14:00	2	0.28	0.70			0.01	0.10	0.00	0.00	20.63	20.70			0.23	0.60
2015-02-20 14:00	8			0.80	1.00			0.00	0.00	20.90	20.90	0.00	0.00	0.48	0.80
2015-02-20 14:00	10			1.16	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.08	0.50
2015-02-20 14:00	12	0.90	1.40	0.54	18.00			0.00	0.00	20.59	20.70			0.25	0.70

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-02-20 14:00	13			1.05	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-20 15:00	1	0.00	0.00			0.00	0.00	2.18	2.20	20.60	20.60			0.00	0.00
2015-02-20 15:00	2	0.28	0.80			0.01	0.10	0.00	0.00	20.63	20.70			0.39	0.60
2015-02-20 15:00	8			0.79	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.50	0.70
2015-02-20 15:00	10			1.13	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.12	0.50
2015-02-20 15:00	12	0.80	1.40	0.14	1.00			0.00	0.00	20.60	20.70			0.33	1.10
2015-02-20 15:00	13			1.16	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-20 16:00	1	0.00	0.00			0.00	0.00	2.22	2.30	20.57	20.60			0.00	0.00
2015-02-20 16:00	2	0.37	1.00			0.01	0.10	0.00	0.00	20.60	20.70			0.36	0.80
2015-02-20 16:00	8			0.84	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.47	0.80
2015-02-20 16:00	10			1.26	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.16	1.10
2015-02-20 16:00	12	0.86	1.60	0.62	16.00			0.00	0.00	20.60	20.60			0.36	0.90
2015-02-20 16:00	13			1.00	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-20 17:00	1	0.00	0.00			0.00	0.00	2.34	2.40	20.51	20.60			0.00	0.00
2015-02-20 17:00	2	0.41	1.10			0.00	0.10	0.00	0.00	20.60	20.60			0.36	0.80
2015-02-20 17:00	8			0.76	1.00			0.00	0.00	20.90	20.90	0.00	0.00	0.50	0.80
2015-02-20 17:00	10			1.03	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.19	0.80
2015-02-20 17:00	12	0.82	1.30	0.30	6.00			0.00	0.00	20.57	20.60			0.47	0.70
2015-02-20 17:00	13			1.03	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-20 18:00	1	0.00	0.00			0.00	0.00	2.40	2.40	20.50	20.50			0.00	0.00
2015-02-20 18:00	2	0.27	1.10			0.00	0.10	0.00	0.00	20.60	20.70			0.43	0.80
2015-02-20 18:00	8			1.42	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.51	0.80
2015-02-20 18:00	10			1.76	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.23	1.10
2015-02-20 18:00	12	0.81	1.60	0.83	4.00			0.00	0.00	20.51	20.60			0.55	0.70
2015-02-20 18:00	13			1.65	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-20 19:00	1	0.00	0.00			0.00	0.00	2.49	2.60	20.52	20.60			0.00	0.00
2015-02-20 19:00	2	0.39	0.80			0.01	0.10	0.00	0.00	20.65	20.70			0.48	0.80
2015-02-20 19:00	8			1.50	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.49	0.70
2015-02-20 19:00	10			2.15	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.23	0.80
2015-02-20 19:00	12	0.90	1.40	1.18	6.00			0.00	0.00	20.50	20.60			0.59	0.70
2015-02-20 19:00	13			2.00	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-02-20 20:00	1	0.00	0.10			0.00	0.00	2.60	2.60	20.49	20.60			0.00	0.00
2015-02-20 20:00	2	0.28	0.90			0.01	0.10	0.00	0.00	20.66	20.70			0.45	0.80
2015-02-20 20:00	8			1.05	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.53	0.80
2015-02-20 20:00	10			1.88	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.18	0.80
2015-02-20 20:00	12	0.83	1.60	0.73	1.00			0.00	0.00	20.50	20.60			0.58	0.70
2015-02-20 20:00	13			1.23	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-20 21:00	1	0.00	0.00			0.00	0.00	2.60	2.60	20.44	20.50			0.00	0.00
2015-02-20 21:00	2	0.34	1.00			0.01	0.10	0.00	0.00	20.66	20.70			0.47	0.80
2015-02-20 21:00	8			1.06	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.54	0.80
2015-02-20 21:00	10			1.97	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.30	1.10
2015-02-20 21:00	12	0.93	1.50	1.06	4.00			0.00	0.00	20.51	20.60			0.63	0.70
2015-02-20 21:00	13			1.68	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-20 22:00	1	0.00	0.00			0.00	0.00	2.60	2.60	20.46	20.50			0.00	0.10
2015-02-20 22:00	2	0.30	0.80			0.01	0.10	0.00	0.00	20.61	20.70			0.54	0.80
2015-02-20 22:00	8			1.21	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.58	0.90
2015-02-20 22:00	10			1.87	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.36	1.10
2015-02-20 22:00	12	0.89	1.60	1.32	13.00			0.00	0.00	20.51	20.60			0.62	0.70
2015-02-20 22:00	13			1.31	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-20 23:00	1	0.00	0.00			0.00	0.00	2.48	2.60	20.48	20.60			0.00	0.10
2015-02-20 23:00	2	0.28	1.20			0.01	0.10	0.00	0.00	20.63	20.70			0.47	0.60
2015-02-20 23:00	8			1.58	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.50	0.80
2015-02-20 23:00	10			2.13	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.20	0.80
2015-02-20 23:00	12	0.93	1.70	1.20	11.00			0.00	0.00	20.50	20.50			0.64	0.70
2015-02-20 23:00	13			1.95	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-21 00:00	1	0.00	0.00			0.01	0.10	2.40	2.40	20.50	20.60			0.00	0.10
2015-02-21 00:00	2	0.44	0.90			0.01	0.10	0.00	0.00	20.60	20.60			0.40	0.60
2015-02-21 00:00	8			2.10	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.54	0.80
2015-02-21 00:00	10			2.87	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.26	1.10
2015-02-21 00:00	12	0.92	1.50	1.77	5.00			0.00	0.00	20.50	20.50			0.59	0.70
2015-02-21 00:00	13			2.08	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-21 01:00	1	0.00	0.00			0.00	0.00	2.35	2.40	20.50	20.50			0.00	0.10

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-02-21 01:00	2	0.39	0.90			0.01	0.10	0.00	0.00	20.60	20.60			0.37	0.60
2015-02-21 01:00	8			1.29	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.54	0.70
2015-02-21 01:00	10			1.97	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.22	0.80
2015-02-21 01:00	12	0.98	1.60	1.00	3.00			0.00	0.00	20.50	20.50			0.54	0.70
2015-02-21 01:00	13			1.58	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-21 02:00	1	0.00	0.00			0.00	0.00	2.30	2.40	20.50	20.60			0.00	0.10
2015-02-21 02:00	2	0.43	1.10			0.00	0.10	0.00	0.00	20.60	20.60			0.39	0.80
2015-02-21 02:00	8			1.54	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.55	0.70
2015-02-21 02:00	10			1.98	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.19	0.80
2015-02-21 02:00	12	0.99	1.60	1.33	13.00			0.00	0.00	20.52	20.60			0.60	0.90
2015-02-21 02:00	13			1.46	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-21 03:00	1	0.00	0.00			0.00	0.00	2.30	2.30	20.51	20.60			0.00	0.00
2015-02-21 03:00	2	0.30	1.00			0.01	0.10	0.00	0.00	20.60	20.60			0.34	0.80
2015-02-21 03:00	8			1.16	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.53	0.70
2015-02-21 03:00	10			1.81	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.19	0.80
2015-02-21 03:00	12	0.87	1.50	0.82	2.00			0.00	0.00	20.51	20.60			0.60	0.90
2015-02-21 03:00	13			1.21	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-21 04:00	1	0.00	0.00			0.00	0.00	2.29	2.30	20.50	20.60			0.00	0.00
2015-02-21 04:00	2	0.36	1.10			0.01	0.10	0.00	0.00	20.60	20.60			0.31	0.80
2015-02-21 04:00	8			0.74	1.00			0.00	0.00	20.90	20.90	0.00	0.00	0.55	0.80
2015-02-21 04:00	10			1.00	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.23	0.80
2015-02-21 04:00	12	0.86	1.60	0.49	6.00			0.00	0.00	20.51	20.60			0.62	0.70
2015-02-21 04:00	13			1.13	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-21 05:00	1	0.00	0.00			0.00	0.10	2.29	2.30	20.50	20.50			0.01	0.10
2015-02-21 05:00	2	0.30	0.80			0.01	0.10	0.00	0.00	20.60	20.60			0.34	0.60
2015-02-21 05:00	8			0.86	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.54	0.80
2015-02-21 05:00	10			1.18	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.29	0.80
2015-02-21 05:00	12	0.98	1.90	0.13	1.00			0.00	0.00	20.50	20.50			0.65	0.70
2015-02-21 05:00	13			1.08	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-21 06:00	1	0.00	0.00			0.00	0.10	2.29	2.40	20.51	20.60			0.01	0.10
2015-02-21 06:00	2	0.37	1.20			0.01	0.10	0.00	0.00	20.60	20.60			0.32	0.80

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-02-21 06:00	8			0.72	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.57	0.80
2015-02-21 06:00	10			1.12	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.27	0.80
2015-02-21 06:00	12	1.05	1.70	0.68	16.00			0.00	0.00	20.50	20.60			0.68	0.70
2015-02-21 06:00	13			1.05	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-21 07:00	1	0.00	0.00			0.00	0.00	2.21	2.30	20.55	20.60			0.01	0.10
2015-02-21 07:00	2	0.29	0.60			0.01	0.10	0.00	0.00	20.61	20.70			0.26	0.60
2015-02-21 07:00	8			0.95	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.54	0.80
2015-02-21 07:00	10			1.18	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.24	0.80
2015-02-21 07:00	12	0.82	1.60	0.08	1.00			0.00	0.00	20.51	20.60			0.58	0.70
2015-02-21 07:00	13			0.97	1.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-21 08:00	1	0.00	0.20			0.00	0.00	2.07	2.20	20.59	20.60			0.05	0.10
2015-02-21 08:00	2	0.30	0.80			0.01	0.10	0.00	0.00	20.67	20.70			0.20	0.60
2015-02-21 08:00	8			0.92	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.54	0.80
2015-02-21 08:00	10			1.00	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.21	0.80
2015-02-21 08:00	12	0.96	1.70	0.89	13.00			0.00	0.00	20.58	20.60			0.52	0.90
2015-02-21 08:00	13			1.03	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-21 09:00	1	0.11	0.50					1.19	1.90	20.54	20.60			0.06	0.20
2015-02-21 09:00	2	0.39	0.90			0.00	0.00	0.00	0.00	20.62	20.70			0.04	0.20
2015-02-21 09:00	8			1.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.55	0.80
2015-02-21 09:00	10			1.14	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.09	0.50
2015-02-21 09:00	12	0.99	1.50	1.03	17.00			0.00	0.00	20.54	20.60			0.36	1.10
2015-02-21 09:00	13			1.08	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-21 10:00	1	0.10	0.40					0.00	0.00	20.83	20.90			0.00	0.10
2015-02-21 10:00	2	0.22	0.70			0.01	0.10	0.00	0.00	20.79	20.90			0.01	0.20
2015-02-21 10:00	8			0.88	1.00			0.00	0.00	20.90	20.90	0.00	0.00	0.55	0.90
2015-02-21 10:00	10			1.18	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-02-21 10:00	12	0.87	1.70	0.10	1.00			0.00	0.00	20.56	20.60			0.05	0.20
2015-02-21 10:00	13			1.08	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-21 11:00	1	0.03	0.30					0.00	0.00	20.90	20.90			0.00	0.00
2015-02-21 11:00	2	0.21	0.70			0.00	0.10	0.00	0.00	20.90	20.90			0.03	0.40
2015-02-21 11:00	8			1.00	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.57	0.80

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-02-21 11:00	10			1.29	3.00	0.00	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-02-21 11:00	12	0.92	1.70	0.23	3.00			0.00	0.00	20.60	20.70			0.02	0.20
2015-02-21 11:00	13			1.13	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-21 12:00	1	0.20	0.80			0.00	0.00	0.00	0.00	20.90	20.90			0.01	0.10
2015-02-21 12:00	2	0.17	0.60			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-02-21 12:00	8			0.97	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.54	0.80
2015-02-21 12:00	10			1.50	2.00	0.01	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-02-21 12:00	12	0.85	1.30	0.22	2.00			0.00	0.00	20.60	20.70			0.02	0.40
2015-02-21 12:00	13			0.97	1.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-21 13:00	1	0.05	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.10
2015-02-21 13:00	2	0.07	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-02-21 13:00	8			1.11	3.00			0.00	0.00	20.97	21.20	0.00	0.00	0.53	0.80
2015-02-21 13:00	10			2.00	2.00	0.00	0.00	0.00	0.00	21.21	21.40			0.00	0.00
2015-02-21 13:00	12	0.74	1.40	0.62	19.00			0.00	0.00	20.68	20.70			0.00	0.00
2015-02-21 13:00	13			1.06	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-21 14:00	1	0.02	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.10
2015-02-21 14:00	2	0.10	0.80			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-02-21 14:00	8			1.33	3.00			0.00	0.00	21.20	21.30	0.00	0.00	0.51	0.80
2015-02-21 14:00	10			2.03	3.00	0.00	0.00	0.00	0.00	21.34	21.40			0.00	0.00
2015-02-21 14:00	12	0.71	1.30	0.28	4.00			0.00	0.00	20.71	20.90			0.00	0.00
2015-02-21 14:00	13			0.97	2.00			0.00	0.00	20.94	21.20	0.00	0.00	0.00	0.00
2015-02-21 15:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.02	0.20
2015-02-21 15:00	2	0.02	0.30			0.00	0.00	0.00	0.00	20.91	21.20			0.00	0.00
2015-02-21 15:00	8			1.11	4.00			0.00	0.00	21.24	21.30	0.00	0.00	0.51	0.80
2015-02-21 15:00	10			1.97	2.00	0.00	0.00	0.00	0.00	21.33	21.40			0.00	0.00
2015-02-21 15:00	12	0.61	1.70	0.32	8.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-02-21 15:00	13			1.00	2.00			0.00	0.00	21.19	21.30	0.00	0.00	0.00	0.00
2015-02-21 16:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.10
2015-02-21 16:00	2	0.03	0.30			0.00	0.00	0.00	0.00	21.06	21.20			0.00	0.00
2015-02-21 16:00	8			1.19	2.00			0.00	0.00	21.21	21.30	0.00	0.00	0.52	0.80
2015-02-21 16:00	10			1.68	2.00	0.00	0.00	0.00	0.00	21.29	21.40			0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-02-21 16:00	12	0.43	0.90	0.24	5.00			0.00	0.00	20.90	20.90			0.01	0.20
2015-02-21 16:00	13			0.95	1.00			0.00	0.00	20.96	21.20	0.00	0.00	0.00	0.00
2015-02-21 17:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.01	0.10
2015-02-21 17:00	2	0.15	0.60			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-02-21 17:00	8			1.11	3.00			0.00	0.00	21.09	21.20	0.00	0.00	0.60	0.80
2015-02-21 17:00	10			1.16	3.00	0.00	0.00	0.00	0.00	21.14	21.20			0.02	0.20
2015-02-21 17:00	12	0.55	1.20	0.19	5.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-02-21 17:00	13			1.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-21 18:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.65	20.90			0.00	0.00
2015-02-21 18:00	2	0.16	0.60			0.00	0.10	0.00	0.00	20.90	20.90			0.01	0.20
2015-02-21 18:00	8			0.95	1.00			0.00	0.00	20.90	20.90	0.00	0.00	0.62	0.90
2015-02-21 18:00	10			1.44	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-02-21 18:00	12	0.58	1.70	0.28	1.00			0.00	0.00	20.90	20.90			0.01	0.20
2015-02-21 18:00	13			1.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-21 19:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.57	20.60			0.01	0.10
2015-02-21 19:00	2	0.15	0.80			0.00	0.00	0.00	0.00	20.90	20.90			0.01	0.20
2015-02-21 19:00	8			1.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.64	0.90
2015-02-21 19:00	10			1.22	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.03	0.20
2015-02-21 19:00	12	0.65	1.20	0.44	5.00			0.00	0.00	20.90	20.90			0.07	0.40
2015-02-21 19:00	13			1.06	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-21 20:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.51	20.60			0.00	0.00
2015-02-21 20:00	2	0.18	0.70			0.01	0.10	0.00	0.00	20.90	20.90			0.05	0.20
2015-02-21 20:00	8			1.03	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.64	1.00
2015-02-21 20:00	10			1.25	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.06	0.50
2015-02-21 20:00	12	0.71	1.20	0.20	2.00			0.00	0.00	20.90	20.90			0.10	0.40
2015-02-21 20:00	13			1.06	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-21 21:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.52	20.60			0.00	0.10
2015-02-21 21:00	2	0.18	0.80			0.00	0.00	0.00	0.00	20.90	20.90			0.04	0.40
2015-02-21 21:00	8			1.08	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.63	0.90
2015-02-21 21:00	10			1.28	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.07	0.50
2015-02-21 21:00	12	0.60	1.30	0.37	1.00			0.00	0.00	20.90	20.90			0.12	0.40

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-02-21 21:00	13			1.08	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-21 22:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.57	20.60			0.00	0.10
2015-02-21 22:00	2	0.24	0.70			0.00	0.10	0.00	0.00	20.90	20.90			0.01	0.20
2015-02-21 22:00	8			1.03	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.62	0.90
2015-02-21 22:00	10			1.47	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.07	0.50
2015-02-21 22:00	12	0.67	1.50	0.53	13.00			0.00	0.00	20.90	20.90			0.15	0.70
2015-02-21 22:00	13			1.19	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-21 23:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.58	20.60			0.00	0.00
2015-02-21 23:00	2	0.20	0.70			0.00	0.10	0.00	0.00	20.90	20.90			0.01	0.20
2015-02-21 23:00	8			0.95	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.65	0.90
2015-02-21 23:00	10			1.25	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.03	0.20
2015-02-21 23:00	12	0.72	1.30	0.54	10.00			0.00	0.00	20.90	20.90			0.17	0.70
2015-02-21 23:00	13			1.08	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-22 00:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.59	20.60			0.00	0.00
2015-02-22 00:00	2	0.15	0.60			0.00	0.10	0.00	0.00	20.90	20.90			0.04	0.20
2015-02-22 00:00	8			1.08	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.65	1.00
2015-02-22 00:00	10			1.23	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.04	0.20
2015-02-22 00:00	12	0.66	1.30	0.18	2.00			0.00	0.00	20.90	20.90			0.16	0.40
2015-02-22 00:00	13			1.13	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-22 01:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.60	20.60			0.00	0.00
2015-02-22 01:00	2	0.17	1.20			0.00	0.10	0.00	0.00	20.90	20.90			0.04	0.40
2015-02-22 01:00	8			0.92	1.00			0.00	0.00	20.90	20.90	0.00	0.00	0.64	1.00
2015-02-22 01:00	10			1.14	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.04	0.20
2015-02-22 01:00	12	0.68	1.20	0.24	7.00			0.00	0.00	20.90	20.90			0.27	0.70
2015-02-22 01:00	13			0.92	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-22 02:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.53	20.60			0.00	0.00
2015-02-22 02:00	2	0.21	0.70			0.00	0.10	0.00	0.00	20.90	20.90			0.09	0.40
2015-02-22 02:00	8			0.95	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.67	0.90
2015-02-22 02:00	10			1.24	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.07	0.50
2015-02-22 02:00	12	0.71	1.30	0.35	12.00			0.00	0.00	20.90	20.90			0.27	0.70
2015-02-22 02:00	13			1.11	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-02-22 03:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.50	20.50			0.00	0.00
2015-02-22 03:00	2	0.21	0.70			0.01	0.10	0.00	0.00	20.90	20.90			0.19	0.60
2015-02-22 03:00	8			0.95	1.00			0.00	0.00	20.90	20.90	0.00	0.00	0.67	0.90
2015-02-22 03:00	10			1.15	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.06	0.50
2015-02-22 03:00	12	0.74	1.60	0.29	4.00			0.00	0.00	20.90	20.90			0.36	0.70
2015-02-22 03:00	13			1.05	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-22 04:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.47	20.50			0.00	0.00
2015-02-22 04:00	2	0.21	0.70			0.00	0.10	0.00	0.00	20.90	20.90			0.23	0.60
2015-02-22 04:00	8			0.68	1.00			0.00	0.00	20.90	20.90	0.00	0.00	0.70	0.90
2015-02-22 04:00	10			1.28	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.07	0.50
2015-02-22 04:00	12	0.72	1.20	0.50	3.00			0.00	0.00	20.62	20.90			0.35	0.70
2015-02-22 04:00	13			0.98	1.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-22 05:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.46	20.50			0.00	0.00
2015-02-22 05:00	2	0.15	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.26	0.60
2015-02-22 05:00	8			0.94	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.68	0.80
2015-02-22 05:00	10			1.09	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.15	0.80
2015-02-22 05:00	12	0.71	1.70	0.19	2.00			0.00	0.00	20.60	20.60			0.46	0.70
2015-02-22 05:00	13			1.00	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-22 06:00	1	0.00	0.00			0.00	0.00	1.41	3.10	20.43	20.50			0.00	0.00
2015-02-22 06:00	2	0.36	1.20			0.00	0.00	0.00	0.00	20.90	20.90			0.39	0.80
2015-02-22 06:00	8			0.86	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.62	0.90
2015-02-22 06:00	10			1.22	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.18	0.80
2015-02-22 06:00	12	0.72	1.40	0.57	12.00			0.00	0.00	20.59	20.60			0.41	0.70
2015-02-22 06:00	13			0.95	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-22 07:00	1	0.00	0.00			0.00	0.00	3.08	3.20	20.38	20.40			0.00	0.00
2015-02-22 07:00	2	0.24	0.70			0.00	0.10	0.00	0.00	20.90	20.90			0.54	1.00
2015-02-22 07:00	8			0.78	1.00			0.00	0.00	20.90	20.90	0.00	0.00	0.66	0.90
2015-02-22 07:00	10			1.14	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.15	0.80
2015-02-22 07:00	12	0.74	1.30	0.30	9.00			0.00	0.00	20.52	20.60			0.52	0.70
2015-02-22 07:00	13			1.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-22 08:00	1	0.00	0.00			0.00	0.00	2.71	2.90	20.40	20.50			0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-02-22 08:00	2	0.36	1.10			0.00	0.10	0.00	0.00	20.90	20.90			0.42	0.60
2015-02-22 08:00	8			1.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.64	0.80
2015-02-22 08:00	10			1.08	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.16	0.50
2015-02-22 08:00	12	0.81	1.80	0.43	10.00			0.00	0.00	20.51	20.60			0.44	0.70
2015-02-22 08:00	13			1.08	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-22 09:00	1	0.00	0.00			0.00	0.00	2.41	2.50	20.46	20.50			0.00	0.00
2015-02-22 09:00	2	0.22	0.80			0.01	0.10	0.00	0.00	20.90	20.90			0.22	0.60
2015-02-22 09:00	8			0.68	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.58	0.80
2015-02-22 09:00	10			1.16	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.05	0.50
2015-02-22 09:00	12	0.86	1.30	0.24	4.00			0.00	0.00	20.51	20.60			0.47	0.70
2015-02-22 09:00	13			0.95	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-22 10:00	1	0.02	0.30			0.00	0.00	1.32	2.30	20.64	20.90			0.00	0.00
2015-02-22 10:00	2	0.32	0.90			0.01	0.10	0.00	0.00	20.90	20.90			0.12	0.40
2015-02-22 10:00	8			0.50	1.00			0.00	0.00	20.90	20.90	0.00	0.00	0.54	0.70
2015-02-22 10:00	10			1.08	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.07	0.50
2015-02-22 10:00	12	0.96	1.60	0.18	4.00			0.00	0.00	20.51	20.60			0.34	0.90
2015-02-22 10:00	13			1.05	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-22 11:00	1	0.17	0.60			0.00	0.00	0.00	0.00	20.90	20.90			0.02	0.10
2015-02-22 11:00	2	0.27	1.40			0.00	0.10	0.00	0.00	20.88	20.90			0.05	0.40
2015-02-22 11:00	8			0.92	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.58	0.80
2015-02-22 11:00	10			1.08	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.04	0.50
2015-02-22 11:00	12	0.87	1.30	0.49	9.00			0.00	0.00	20.57	20.60			0.43	1.10
2015-02-22 11:00	13			0.94	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-22 12:00	1	0.03	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.02	0.10
2015-02-22 12:00	2	0.12	0.60			0.00	0.00	0.00	0.00	20.90	20.90			0.02	0.40
2015-02-22 12:00	8			0.84	1.00			0.00	0.00	20.90	20.90	0.00	0.00	0.57	0.80
2015-02-22 12:00	10			1.18	3.00	0.00	0.10	0.00	0.00	20.90	20.90			0.01	0.20
2015-02-22 12:00	12	0.96	1.60	0.60	8.00			0.00	0.00	20.59	20.60			0.27	0.70
2015-02-22 12:00	13			0.90	1.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-22 13:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.10
2015-02-22 13:00	2	0.15	0.40			0.01	0.10	0.00	0.00	20.90	20.90			0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-02-22 13:00	8			0.79	1.00			0.00	0.00	20.90	20.90	0.00	0.00	0.60	0.80
2015-02-22 13:00	10			1.11	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-02-22 13:00	12	0.99	3.40	0.13	1.00			0.00	0.00	20.59	20.70			0.15	0.40
2015-02-22 13:00	13			0.97	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-22 14:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-02-22 14:00	2	0.20	0.70			0.01	0.10	0.00	0.00	20.90	20.90			0.07	0.40
2015-02-22 14:00	8			0.88	1.00			0.00	0.00	20.90	20.90	0.00	0.00	0.55	0.90
2015-02-22 14:00	10			1.18	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-02-22 14:00	12	0.72	1.20	0.39	2.00			0.00	0.00	20.61	20.70			0.21	0.70
2015-02-22 14:00	13			1.08	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-22 15:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-02-22 15:00	2	0.24	1.10			0.01	0.10	0.00	0.00	20.90	20.90			0.25	0.60
2015-02-22 15:00	8			0.56	1.00			0.00	0.00	20.90	20.90	0.00	0.00	0.56	0.80
2015-02-22 15:00	10			1.00	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.06	0.50
2015-02-22 15:00	12	0.69	1.60	0.15	2.00			0.00	0.00	20.60	20.60			0.36	0.90
2015-02-22 15:00	13			0.95	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-22 16:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.76	20.90			0.00	0.00
2015-02-22 16:00	2	0.29	0.70			0.00	0.00	0.00	0.00	20.90	20.90			0.42	0.80
2015-02-22 16:00	8			0.74	1.00			0.00	0.00	20.90	20.90	0.00	0.00	0.56	0.90
2015-02-22 16:00	10			1.13	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.09	0.50
2015-02-22 16:00	12	0.67	1.70	0.84	13.00			0.00	0.00	20.54	20.60			0.45	0.70
2015-02-22 16:00	13			1.13	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-22 17:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.57	20.70			0.00	0.00
2015-02-22 17:00	2	0.35	0.80			0.00	0.00	0.00	0.00	20.90	20.90			0.58	1.00
2015-02-22 17:00	8			0.46	1.00			0.00	0.00	20.90	20.90	0.00	0.00	0.53	0.80
2015-02-22 17:00	10			1.10	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.16	0.80
2015-02-22 17:00	12	0.77	1.30	0.76	10.00			0.00	0.00	20.53	20.60			0.63	0.70
2015-02-22 17:00	13			1.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-22 18:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.51	20.60			0.00	0.00
2015-02-22 18:00	2	0.33	1.10			0.00	0.10	0.00	0.00	20.89	20.90			0.74	1.00
2015-02-22 18:00	8			0.53	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.58	0.90

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-02-22 18:00	10			1.08	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.28	0.80
2015-02-22 18:00	12	0.85	1.70	0.71	12.00			0.00	0.00	20.52	20.60			0.67	0.90
2015-02-22 18:00	13			1.03	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-22 19:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.50	20.50			0.00	0.00
2015-02-22 19:00	2	0.48	1.10			0.02	0.20	0.00	0.00	20.62	20.70			0.76	1.00
2015-02-22 19:00	8			0.43	1.00			0.00	0.00	20.90	20.90	0.00	0.00	0.59	0.90
2015-02-22 19:00	10			1.08	2.00	0.00	0.00	0.00	0.00	20.84	20.90			0.24	0.80
2015-02-22 19:00	12	0.87	1.60	1.05	12.00			0.00	0.00	20.52	20.60			0.66	0.70
2015-02-22 19:00	13			1.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-22 20:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.42	20.50			0.00	0.00
2015-02-22 20:00	2	0.30	0.70			0.00	0.00	0.00	0.00	20.60	20.60			0.85	1.20
2015-02-22 20:00	8			0.19	1.00			0.00	0.00	20.90	20.90	0.00	0.00	0.54	0.90
2015-02-22 20:00	10			1.00	2.00	0.00	0.00	0.00	0.00	20.54	20.60			0.35	0.80
2015-02-22 20:00	12	0.80	1.30	0.33	9.00			0.00	0.00	20.50	20.50			0.68	0.70
2015-02-22 20:00	13			1.11	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-22 21:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.42	20.50			0.00	0.00
2015-02-22 21:00	2	0.42	1.20			0.00	0.00	0.00	0.00	20.53	20.60			0.94	1.20
2015-02-22 21:00	8			0.28	1.00			0.00	0.00	20.90	20.90	0.00	0.00	0.54	1.10
2015-02-22 21:00	10			1.08	2.00	0.00	0.00	0.00	0.00	20.54	20.60			0.37	0.80
2015-02-22 21:00	12	0.86	1.30	0.43	8.00			0.00	0.00	20.50	20.50			0.72	0.90
2015-02-22 21:00	13			1.03	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-22 22:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.37	20.50			0.00	0.00
2015-02-22 22:00	2	0.54	1.10			0.00	0.10	0.00	0.00	20.50	20.50			1.03	1.20
2015-02-22 22:00	8			0.27	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.56	1.00
2015-02-22 22:00	10			1.13	2.00	0.00	0.00	0.00	0.00	20.51	20.60			0.36	1.10
2015-02-22 22:00	12	0.86	1.50	0.47	13.00			0.00	0.00	20.50	20.50			0.72	1.10
2015-02-22 22:00	13			1.03	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-22 23:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.37	20.40			0.00	0.00
2015-02-22 23:00	2	0.46	1.00			0.00	0.00	0.00	0.00	20.46	20.50			1.10	1.40
2015-02-22 23:00	8			0.25	1.00			0.00	0.00	20.90	20.90	0.00	0.00	0.58	0.90
2015-02-22 23:00	10			1.02	2.00	0.00	0.00	0.00	0.00	20.48	20.60			0.37	1.40

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-02-22 23:00	12	0.89	1.60	0.68	11.00			0.00	0.00	20.50	20.50			0.77	1.10
2015-02-22 23:00	13			0.93	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-23 00:00	1	0.00	0.00			0.00	0.00	1.57	3.20	20.30	20.30			0.00	0.00
2015-02-23 00:00	2	0.64	1.30			0.00	0.00	0.00	0.00	20.43	20.50			1.24	1.80
2015-02-23 00:00	8			0.30	1.00			0.00	0.00	20.90	20.90	0.00	0.00	0.56	0.80
2015-02-23 00:00	10			1.14	3.00	0.00	0.00	0.00	0.00	20.45	20.50			0.47	1.10
2015-02-23 00:00	12	0.73	1.50	0.27	4.00			0.00	0.00	20.48	20.60			0.86	1.40
2015-02-23 00:00	13			1.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-23 01:00	1	0.00	0.00			0.00	0.00	3.18	3.30	20.30	20.40			0.00	0.00
2015-02-23 01:00	2	0.65	1.40			0.00	0.10	0.00	0.00	20.39	20.40			1.33	1.80
2015-02-23 01:00	8			0.11	1.00			0.00	0.00	20.58	20.90	0.00	0.00	0.53	0.80
2015-02-23 01:00	10			1.08	2.00	0.00	0.00	0.00	0.00	20.37	20.50			0.36	1.10
2015-02-23 01:00	12	0.82	1.80	0.14	2.00			0.00	0.00	20.43	20.50			0.96	1.60
2015-02-23 01:00	13			1.02	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-23 02:00	1	0.00	0.00			0.00	0.00	3.28	3.40	20.22	20.30			0.00	0.00
2015-02-23 02:00	2	0.57	1.10			0.00	0.00	0.00	0.00	20.31	20.40			1.33	1.60
2015-02-23 02:00	8			0.32	1.00			0.00	0.00	20.57	20.60	0.00	0.00	0.51	0.80
2015-02-23 02:00	10			1.05	2.00	0.00	0.00	0.00	0.00	20.32	20.40			0.43	1.10
2015-02-23 02:00	12	0.87	1.70	0.34	5.00			0.00	0.00	20.40	20.40			0.93	1.40
2015-02-23 02:00	13			0.95	1.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-23 03:00	1	0.00	0.00			0.00	0.00	3.41	3.60	20.20	20.30			0.00	0.00
2015-02-23 03:00	2	0.54	1.20			0.00	0.00	0.00	0.00	20.42	20.90			1.17	2.40
2015-02-23 03:00	8			0.20	2.00			0.00	0.00	20.70	20.90	0.00	0.00	0.55	0.90
2015-02-23 03:00	10			1.19	3.00	0.00	0.00	0.00	0.00	20.28	20.30			0.48	1.40
2015-02-23 03:00	12	0.79	1.60	0.69	16.00			0.00	0.00	20.39	20.40			0.91	1.40
2015-02-23 03:00	13			0.97	1.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-23 04:00	1	0.00	0.00			0.00	0.00	3.50	3.60	20.19	20.30			0.00	0.00
2015-02-23 04:00	2	0.08	0.50			0.01	0.10	0.00	0.00	20.90	20.90			0.29	0.60
2015-02-23 04:00	8			0.30	1.00			0.00	0.00	20.90	20.90	0.00	0.00	0.58	0.90
2015-02-23 04:00	10			1.14	3.00	0.00	0.00	0.00	0.00	20.27	20.30			0.47	1.10
2015-02-23 04:00	12	0.74	1.80	0.39	12.00			0.00	0.00	20.33	20.40			0.98	1.40

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-02-23 04:00	13			0.90	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-23 05:00	1	0.00	0.00			0.00	0.00	3.61	3.70	20.18	20.30			0.00	0.00
2015-02-23 05:00	2	0.11	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.37	0.60
2015-02-23 05:00	8			0.08	1.00			0.00	0.00	20.90	20.90	0.00	0.00	0.54	0.80
2015-02-23 05:00	10			1.02	3.00	0.00	0.00	0.00	0.00	20.22	20.30			0.54	1.10
2015-02-23 05:00	12	0.80	1.70	0.10	2.00			0.00	0.00	20.32	20.40			1.04	1.40
2015-02-23 05:00	13			1.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-02-23 06:00	1	0.00	0.00			0.00	0.00	3.69	3.80	20.17	20.20			0.00	0.00
2015-02-23 06:00	2	0.28	0.80			0.00	0.00	0.00	0.00	20.90	20.90			0.48	0.80
2015-02-23 06:00	8			0.32	1.00			0.00	0.00	20.65	20.90	0.00	0.00	0.48	0.70
2015-02-23 06:00	10			1.08	2.00	0.00	0.00	0.00	0.00	20.18	20.20			0.52	1.40
2015-02-23 06:00	12	0.96	2.00	0.16	2.00			0.00	0.00	20.35	20.40			1.12	1.40
2015-02-23 06:00	13			1.05	2.00			0.00	0.00	20.75	20.90	0.00	0.00	0.00	0.00
2015-02-23 07:00	1	0.00	0.00			0.00	0.00	3.58	3.70	20.14	20.20			0.00	0.00
2015-02-23 07:00	2	0.23	0.60			0.00	0.10	0.00	0.00	20.90	20.90			0.43	0.60
2015-02-23 07:00	8			0.18	1.00			0.00	0.00	20.55	20.60	0.00	0.00	0.46	0.70
2015-02-23 07:00	10			1.11	3.00	0.00	0.00	0.00	0.00	20.15	20.20			0.56	1.40
2015-02-23 07:00	12	0.88	1.80	0.38	12.00			0.00	0.00	20.34	20.40			1.05	1.40
2015-02-23 07:00	13			0.97	1.00			0.00	0.00	20.59	20.60	0.00	0.00	0.00	0.00
2015-02-23 08:00	1	0.00	0.00			0.00	0.00	3.20	3.50	20.14	20.20			0.00	0.00
2015-02-23 08:00	2	0.13	0.70			0.00	0.00	0.00	0.00	20.90	20.90			0.18	0.60
2015-02-23 08:00	8			0.08	1.00			0.00	0.00	20.58	20.60	0.00	0.00	0.46	0.70
2015-02-23 08:00	10			1.16	3.00	0.00	0.00	0.00	0.00	20.18	20.20			0.51	1.40
2015-02-23 08:00	12	0.85	1.70	0.68	12.00			0.00	0.00	20.30	20.40			0.99	1.40
2015-02-23 08:00	13			1.05	2.00			0.00	0.00	20.58	20.60	0.00	0.00	0.00	0.00
2015-02-23 09:00	1	0.00	0.00			0.00	0.00	2.68	3.00	20.22	20.30			0.00	0.00
2015-02-23 09:00	2	0.17	0.60			0.00	0.10	0.00	0.00	20.90	20.90			0.07	0.80
2015-02-23 09:00	8			0.13	1.00			0.00	0.00	20.62	20.70	0.00	0.00	0.50	0.80
2015-02-23 09:00	10			1.23	3.00	0.00	0.00	0.00	0.00	20.24	20.40			0.51	1.40
2015-02-23 09:00	12	1.00	1.70	0.13	2.00			0.00	0.00	20.32	20.40			0.88	1.10
2015-02-23 09:00	13			0.90	1.00			0.00	0.00	20.68	20.90	0.00	0.00	0.00	0.00