

Bridgeton Sanitary Landfill  
AreaRAE Monitoring Data  
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-03-23 12:00	1	0.02	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.85	1.90
2015-03-23 12:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.93	21.10			0.00	0.00
2015-03-23 12:00	8			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.10
2015-03-23 12:00	10			2.05	4.00	0.03	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-23 12:00	12	0.10	1.10	1.98	17.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-23 12:00	13			1.46	4.00			0.00	0.00	20.81	20.90	0.00	0.00	0.00	0.00
2015-03-23 13:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.30	0.50
2015-03-23 13:00	2	0.02	0.60			0.00	0.00	0.00	0.00	21.01	21.30			0.00	0.00
2015-03-23 13:00	8			2.45	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2015-03-23 13:00	10			1.97	2.00	0.01	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-23 13:00	12	0.04	0.30	2.56	25.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-23 13:00	13			1.18	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-23 14:00	1	0.02	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.02	0.10
2015-03-23 14:00	2	0.00	0.00			0.00	0.00	0.00	0.00	21.24	21.30			0.00	0.00
2015-03-23 14:00	8			3.76	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.10
2015-03-23 14:00	10			2.41	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-23 14:00	12	0.01	0.10	1.77	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-23 14:00	13			1.26	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-23 15:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.01	0.20
2015-03-23 15:00	2	0.00	0.00			0.00	0.00	0.00	0.00	21.21	21.30			0.00	0.00
2015-03-23 15:00	8			4.08	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-23 15:00	10			2.23	3.00	0.01	0.10	0.00	0.00	20.90	20.90			0.01	0.20
2015-03-23 15:00	12	0.00	0.10	2.97	22.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-23 15:00	13			1.28	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-23 16:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-23 16:00	2	0.00	0.00			0.00	0.00	0.00	0.00	21.26	21.30			0.00	0.00
2015-03-23 16:00	8			4.03	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-23 16:00	10			2.10	3.00	0.01	0.10	0.00	0.00	20.90	20.90			0.08	0.50
2015-03-23 16:00	12	0.00	0.00	2.15	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-23 16:00	13			1.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-23 17:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00

Bridgeton Sanitary Landfill  
AreaRAE Monitoring Data  
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-03-23 17:00	2	0.00	0.00			0.00	0.00	0.00	0.00	21.33	21.50			0.00	0.00
2015-03-23 17:00	8			3.41	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-23 17:00	10			2.08	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.17	0.50
2015-03-23 17:00	12	0.00	0.00	1.92	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-23 17:00	13			1.13	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-23 18:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-23 18:00	2	0.00	0.00			0.00	0.00	0.00	0.00	21.40	21.50			0.00	0.00
2015-03-23 18:00	8			2.29	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.10
2015-03-23 18:00	10			2.00	2.00	0.00	0.00	0.00	0.00	20.76	20.90			0.24	1.10
2015-03-23 18:00	12	0.00	0.00	2.18	20.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-23 18:00	13			1.33	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-23 19:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-23 19:00	2	0.00	0.00			0.00	0.00	0.00	0.00	21.28	21.40			0.19	1.20
2015-03-23 19:00	8			1.59	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.02	0.20
2015-03-23 19:00	10			1.88	2.00	0.00	0.00	0.00	0.00	20.57	20.90			0.51	1.10
2015-03-23 19:00	12	0.00	0.00	1.58	16.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-23 19:00	13			0.97	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-23 20:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.69	20.90			0.00	0.00
2015-03-23 20:00	2	0.00	0.00			0.00	0.00	0.00	0.00	21.08	21.20			0.31	0.90
2015-03-23 20:00	8			1.08	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.03	0.20
2015-03-23 20:00	10			1.54	2.00	0.00	0.00	0.00	0.00	20.46	20.50			0.46	1.40
2015-03-23 20:00	12	0.01	0.20	1.08	2.00			0.00	0.00	20.90	20.90			0.02	0.40
2015-03-23 20:00	13			1.43	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.05	0.10
2015-03-23 21:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.53	20.60			0.00	0.00
2015-03-23 21:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.36	0.70
2015-03-23 21:00	8			1.10	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.04	0.20
2015-03-23 21:00	10			1.70	3.00	0.00	0.00	0.00	0.00	20.41	20.50			0.76	1.70
2015-03-23 21:00	12	0.02	0.20	1.08	4.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-23 21:00	13			1.36	4.00			0.00	0.00	20.71	20.90	0.00	0.00	0.07	0.10
2015-03-23 22:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.51	20.60			0.00	0.00
2015-03-23 22:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.51	0.90

Bridgeton Sanitary Landfill  
AreaRAE Monitoring Data  
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-03-23 22:00	8			1.02	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.03	0.10
2015-03-23 22:00	10			1.68	3.00	0.00	0.00	0.00	0.00	20.37	20.40			0.69	1.70
2015-03-23 22:00	12	0.03	0.20	2.02	16.00			0.00	0.00	20.90	20.90			0.01	0.40
2015-03-23 22:00	13			1.20	3.00			0.00	0.00	20.59	20.60	0.00	0.00	0.08	0.10
2015-03-23 23:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.50	20.60			0.00	0.00
2015-03-23 23:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.59	1.50
2015-03-23 23:00	8			1.11	3.00			0.47	3.00	20.90	20.90	0.00	0.00	0.03	0.20
2015-03-23 23:00	10			1.57	3.00	0.00	0.00	0.00	0.00	20.29	20.40			0.64	1.40
2015-03-23 23:00	12	0.01	0.10	1.05	12.00			0.00	0.00	20.90	20.90			0.47	14.90
2015-03-23 23:00	13			1.19	3.00			0.00	0.00	20.58	20.60	0.00	0.00	0.08	0.10
2015-03-24 00:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.48	20.50			0.00	0.00
2015-03-24 00:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.72	1.20
2015-03-24 00:00	8			1.16	3.00			3.05	3.10	20.90	20.90	0.00	0.00	0.01	0.20
2015-03-24 00:00	10			1.55	2.00	0.00	0.00	0.00	0.00	20.31	20.40			0.74	1.70
2015-03-24 00:00	12	0.01	0.20	0.95	2.00			0.00	0.00	20.90	20.90			0.06	0.40
2015-03-24 00:00	13			1.26	3.00			0.00	0.00	20.53	20.60	0.00	0.00	0.09	0.10
2015-03-24 01:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.46	20.50			0.00	0.00
2015-03-24 01:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.77	1.20
2015-03-24 01:00	8			0.95	2.00			3.13	3.20	20.72	20.90	0.00	0.00	0.03	0.20
2015-03-24 01:00	10			1.60	3.00	0.00	0.00	0.00	0.00	20.28	20.40			0.81	1.70
2015-03-24 01:00	12	0.03	0.30	0.98	3.00			0.00	0.00	20.90	20.90			0.15	0.90
2015-03-24 01:00	13			1.37	3.00			0.00	0.00	20.53	20.60	0.00	0.00	0.10	0.10
2015-03-24 02:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.47	20.50			0.00	0.00
2015-03-24 02:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.79	1.20
2015-03-24 02:00	8			0.89	1.00			3.12	3.20	20.61	20.70	0.00	0.00	0.04	0.20
2015-03-24 02:00	10			1.49	2.00	0.00	0.00	0.00	0.00	20.24	20.30			0.82	2.00
2015-03-24 02:00	12	0.02	0.30	0.86	1.00			0.00	0.00	20.90	20.90			0.21	0.90
2015-03-24 02:00	13			1.08	2.00			0.00	0.00	20.54	20.60	0.00	0.00	0.10	0.10
2015-03-24 03:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.46	20.50			0.00	0.00
2015-03-24 03:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.82	1.20
2015-03-24 03:00	8			1.03	2.00			3.15	3.30	20.62	20.70	0.00	0.00	0.02	0.10

Bridgeton Sanitary Landfill  
AreaRAE Monitoring Data  
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-03-24 03:00	10			1.42	3.00	0.00	0.00	0.00	0.00	20.23	20.30			0.76	1.70
2015-03-24 03:00	12	0.04	0.30	0.87	9.00			0.00	0.00	20.90	20.90			0.07	0.40
2015-03-24 03:00	13			1.13	2.00			0.00	0.00	20.55	20.60	0.00	0.00	0.10	0.10
2015-03-24 04:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.41	20.50			0.00	0.00
2015-03-24 04:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.79	1.20
2015-03-24 04:00	8			0.95	3.00			3.25	3.30	20.58	20.70	0.00	0.00	0.05	0.20
2015-03-24 04:00	10			1.56	3.00	0.00	0.00	0.00	0.00	20.25	20.40			0.76	1.70
2015-03-24 04:00	12	0.05	0.30	0.71	2.00			0.00	0.00	20.90	20.90			0.22	0.90
2015-03-24 04:00	13			1.21	3.00			0.00	0.00	20.50	20.60	0.00	0.00	0.10	0.10
2015-03-24 05:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.41	20.50			0.00	0.00
2015-03-24 05:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.85	1.20
2015-03-24 05:00	8			1.05	2.00			3.36	3.60	20.56	20.60	0.00	0.00	0.06	0.20
2015-03-24 05:00	10			1.31	3.00	0.00	0.00	0.00	0.00	20.26	20.40			0.75	1.70
2015-03-24 05:00	12	0.05	0.30	0.92	3.00			0.00	0.00	20.90	20.90			0.22	0.90
2015-03-24 05:00	13			1.20	3.00			0.00	0.00	20.49	20.60	0.00	0.00	0.10	0.10
2015-03-24 06:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.40	20.50			0.00	0.00
2015-03-24 06:00	2	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.85	1.20
2015-03-24 06:00	8			1.79	3.00			3.63	3.80	20.60	20.60	0.00	0.00	0.03	0.10
2015-03-24 06:00	10			2.74	5.00	0.00	0.00	0.00	0.00	20.26	20.30			0.94	2.30
2015-03-24 06:00	12	0.04	0.20	2.16	15.00			0.00	0.00	20.90	20.90			0.14	0.90
2015-03-24 06:00	13			2.16	4.00			0.00	0.00	20.51	20.60	0.00	0.00	0.10	0.10
2015-03-24 07:00	1	0.00	0.00			0.00	0.00	2.50	3.10	20.39	20.50			0.06	0.30
2015-03-24 07:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.88	1.20
2015-03-24 07:00	8			2.97	4.00			0.10	3.80	20.89	20.90	0.00	0.00	0.03	0.20
2015-03-24 07:00	10			3.92	5.00	0.00	0.00	0.00	0.00	20.22	20.30			0.97	2.00
2015-03-24 07:00	12	0.04	0.40	2.89	6.00			0.00	0.00	20.90	20.90			0.33	0.90
2015-03-24 07:00	13			3.00	4.00			0.00	0.00	20.49	20.50	0.00	0.00	0.09	0.10
2015-03-24 08:00	1	0.00	0.00			0.00	0.00	3.03	3.10	20.41	20.50			0.16	0.30
2015-03-24 08:00	2	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.93	1.50
2015-03-24 08:00	8			2.12	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.03	0.20
2015-03-24 08:00	10			2.58	4.00	0.00	0.00	0.00	0.00	20.22	20.30			1.05	2.30

Bridgeton Sanitary Landfill  
AreaRAE Monitoring Data  
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-03-24 08:00	12	0.04	0.30	2.19	12.00			0.00	0.00	20.90	20.90			0.40	0.90
2015-03-24 08:00	13			2.31	4.00			0.00	0.00	20.49	20.50	0.00	0.00	0.10	0.10
2015-03-24 09:00	1	0.00	0.00			0.00	0.00	2.98	3.10	20.38	20.50			0.25	0.40
2015-03-24 09:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.88	1.50
2015-03-24 09:00	8			2.00	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.04	0.20
2015-03-24 09:00	10			2.48	3.00	0.00	0.00	0.00	0.00	20.20	20.30			1.00	2.00
2015-03-24 09:00	12	0.04	0.30	1.93	5.00			0.00	0.00	20.90	20.90			0.52	1.40
2015-03-24 09:00	13			1.96	2.00			0.00	0.00	20.48	20.50	0.00	0.00	0.10	0.10
2015-03-24 13:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.77	1.10
2015-03-24 13:00	2	0.09	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.74	1.00
2015-03-24 13:00	8			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-24 13:00	10			2.60	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.40	1.00
2015-03-24 13:00	12	0.00	0.00	1.44	2.00			0.00	0.00	20.90	20.90			1.07	1.40
2015-03-24 13:00	13			0.00	0.00			0.00	0.00	21.09	21.20	0.00	0.00	0.00	0.00
2015-03-24 14:00	1	0.07	0.40					0.00	0.00	20.90	20.90			0.40	0.80
2015-03-24 14:00	2	0.13	1.20			0.00	0.10	0.00	0.00	20.90	20.90			0.60	1.40
2015-03-24 14:00	8			2.03	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-24 14:00	10			2.57	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.73	1.60
2015-03-24 14:00	12	0.00	0.00	1.50	12.00			0.00	0.00	20.90	20.90			1.53	2.30
2015-03-24 14:00	13			1.50	2.00			0.00	0.00	21.05	21.30	0.00	0.00	0.00	0.00
2015-03-24 15:00	1	0.05	0.40			0.00	0.10	0.00	0.00	20.90	20.90			0.06	0.30
2015-03-24 15:00	2	0.05	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.47	1.40
2015-03-24 15:00	8			1.97	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.10
2015-03-24 15:00	10			2.14	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.46	1.30
2015-03-24 15:00	12	0.00	0.00	1.18	3.00			0.00	0.00	20.90	20.90			1.50	2.80
2015-03-24 15:00	13			1.16	2.00			0.00	0.00	20.91	21.20	0.00	0.00	0.00	0.00
2015-03-24 16:00	1	0.04	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.04	0.20
2015-03-24 16:00	2	0.17	1.40			0.00	0.00	0.00	0.00	20.90	20.90			0.57	1.40
2015-03-24 16:00	8			1.97	2.00			0.00	0.00	20.90	20.90	0.00	0.10	0.00	0.00
2015-03-24 16:00	10			2.00	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.30	1.00
2015-03-24 16:00	12	0.00	0.00	1.00	2.00			0.00	0.00	20.90	20.90			1.43	2.30

Bridgeton Sanitary Landfill  
AreaRAE Monitoring Data  
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-03-24 16:00	13			1.30	2.00			0.00	0.00	20.99	21.20	0.00	0.00	0.00	0.00
2015-03-24 17:00	1	0.02	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.08	0.20
2015-03-24 17:00	2	0.11	2.70			0.00	0.00	0.00	0.00	20.90	20.90			0.48	1.40
2015-03-24 17:00	8			1.98	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-24 17:00	10			2.03	4.00	0.00	0.10	0.00	0.00	20.90	20.90			0.29	1.00
2015-03-24 17:00	12	0.00	0.00	1.15	3.00			0.00	0.00	20.90	20.90			1.38	2.80
2015-03-24 17:00	13			1.05	2.00			0.00	0.00	21.17	21.20	0.00	0.00	0.00	0.00
2015-03-24 18:00	1	0.09	0.70			0.01	0.10	0.00	0.00	20.90	20.90			0.14	0.30
2015-03-24 18:00	2	0.06	0.80			0.00	0.00	0.00	0.00	20.90	20.90			0.55	0.80
2015-03-24 18:00	8			1.27	2.00			0.00	0.00	20.90	20.90	0.00	0.10	0.00	0.00
2015-03-24 18:00	10			1.57	2.00	0.02	0.10	0.00	0.00	20.90	20.90			0.34	1.00
2015-03-24 18:00	12	0.00	0.00	0.84	2.00			0.00	0.00	20.90	20.90			1.18	2.30
2015-03-24 18:00	13			1.21	3.00			0.00	0.00	21.21	21.30	0.00	0.00	0.00	0.00
2015-03-24 19:00	1	0.03	0.80			0.00	0.00	0.00	0.00	20.90	20.90			0.26	0.50
2015-03-24 19:00	2	0.08	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.57	1.00
2015-03-24 19:00	8			1.15	2.00			0.00	0.00	20.90	20.90	0.00	0.10	0.00	0.00
2015-03-24 19:00	10			1.40	2.00	0.01	0.10	0.00	0.00	20.90	20.90			0.16	0.60
2015-03-24 19:00	12	0.00	0.00	0.64	1.00			0.00	0.00	20.90	20.90			0.92	2.30
2015-03-24 19:00	13			1.13	2.00			0.00	0.00	21.16	21.20	0.00	0.00	0.00	0.00
2015-03-24 20:00	1	0.01	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.54	0.80
2015-03-24 20:00	2	0.04	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.62	1.00
2015-03-24 20:00	8			2.41	4.00			0.00	0.00	20.90	20.90	0.00	0.10	0.00	0.00
2015-03-24 20:00	10			2.41	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.21	0.60
2015-03-24 20:00	12	0.00	0.00	1.51	2.00			0.00	0.00	20.90	20.90			1.19	1.80
2015-03-24 20:00	13			1.81	3.00			0.00	0.00	21.13	21.20	0.00	0.00	0.00	0.00
2015-03-24 21:00	1	0.05	0.70			0.00	0.10	0.00	0.00	20.90	20.90			0.75	1.10
2015-03-24 21:00	2	0.05	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.67	1.00
2015-03-24 21:00	8			3.51	4.00			0.00	0.00	20.90	20.90	0.01	0.10	0.00	0.00
2015-03-24 21:00	10			3.82	5.00	0.00	0.10	0.00	0.00	20.90	20.90			0.46	1.00
2015-03-24 21:00	12	0.00	0.00	2.95	15.00			0.00	0.00	20.90	20.90			1.44	1.80
2015-03-24 21:00	13			2.89	3.00			0.00	0.00	20.99	21.20	0.00	0.00	0.00	0.00

Bridgeton Sanitary Landfill  
AreaRAE Monitoring Data  
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-03-24 22:00	1	0.03	0.30			0.00	0.10	0.00	0.00	20.90	20.90			0.84	1.10
2015-03-24 22:00	2	0.03	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.64	1.00
2015-03-24 22:00	8			2.42	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-24 22:00	10			2.78	4.00	0.00	0.10	0.00	0.00	20.90	20.90			0.47	1.30
2015-03-24 22:00	12	0.00	0.00	1.68	3.00			0.00	0.00	20.90	20.90			1.43	1.80
2015-03-24 22:00	13			2.41	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-24 23:00	1	0.06	0.50			0.00	0.10	0.00	0.00	20.90	20.90			0.84	1.10
2015-03-24 23:00	2	0.07	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.67	1.00
2015-03-24 23:00	8			2.00	3.00			0.00	0.00	20.90	20.90	0.00	0.10	0.00	0.00
2015-03-24 23:00	10			1.95	3.00	0.01	0.10	0.00	0.00	20.90	20.90			0.43	1.00
2015-03-24 23:00	12	0.00	0.00	1.46	19.00			0.00	0.00	20.90	20.90			1.44	1.80
2015-03-24 23:00	13			1.72	3.00			0.00	0.00	20.92	21.20	0.00	0.00	0.00	0.00
2015-03-25 00:00	1	0.01	0.40			0.00	0.10	0.00	0.00	20.90	20.90			0.70	0.80
2015-03-25 00:00	2	0.02	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.64	1.00
2015-03-25 00:00	8			2.00	2.00			0.00	0.00	20.90	20.90	0.01	0.10	0.00	0.00
2015-03-25 00:00	10			1.87	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.38	0.60
2015-03-25 00:00	12	0.00	0.00	1.50	14.00			0.00	0.00	20.90	20.90			1.37	1.80
2015-03-25 00:00	13			1.16	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-25 01:00	1	0.03	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.60	0.80
2015-03-25 01:00	2	0.05	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.60	1.00
2015-03-25 01:00	8			1.93	2.00			0.00	0.00	20.90	20.90	0.01	0.10	0.00	0.00
2015-03-25 01:00	10			1.41	3.00	0.01	0.10	0.00	0.00	20.90	20.90			0.42	1.00
2015-03-25 01:00	12	0.00	0.00	0.77	6.00			0.00	0.00	20.90	20.90			1.42	3.30
2015-03-25 01:00	13			1.13	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-25 02:00	1	0.01	0.30			0.00	0.10	0.00	0.00	20.90	20.90			0.61	0.80
2015-03-25 02:00	2	0.03	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.60	0.80
2015-03-25 02:00	8			2.03	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-25 02:00	10			1.35	2.00	0.00	0.10	0.00	0.00	20.90	20.90			0.40	1.00
2015-03-25 02:00	12	0.00	0.00	0.72	2.00			0.00	0.00	20.90	20.90			1.45	2.30
2015-03-25 02:00	13			1.18	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-25 03:00	1	0.05	0.30			0.01	0.10	0.00	0.00	20.90	20.90			0.64	0.90

Bridgeton Sanitary Landfill  
AreaRAE Monitoring Data  
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-03-25 03:00	2	0.05	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.57	0.80
2015-03-25 03:00	8			2.08	4.00			0.00	0.00	20.90	20.90	0.01	0.10	0.00	0.00
2015-03-25 03:00	10			1.50	3.00	0.01	0.10	0.00	0.00	20.90	20.90			0.50	1.30
2015-03-25 03:00	12	0.00	0.00	0.92	4.00			0.00	0.00	20.90	20.90			1.58	2.80
2015-03-25 03:00	13			1.25	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-25 04:00	1	0.02	0.20			0.00	0.10	0.00	0.00	20.90	20.90			0.66	0.80
2015-03-25 04:00	2	0.06	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.59	1.00
2015-03-25 04:00	8			2.05	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-25 04:00	10			1.31	2.00	0.02	0.10	0.00	0.00	20.90	20.90			0.34	1.00
2015-03-25 04:00	12	0.00	0.00	1.00	12.00			0.00	0.00	20.90	20.90			1.33	1.40
2015-03-25 04:00	13			1.20	3.00			0.00	0.00	21.13	21.20	0.00	0.00	0.00	0.00
2015-03-25 05:00	1	0.05	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.49	0.60
2015-03-25 05:00	2	0.09	0.70			0.00	0.00	0.00	0.00	20.90	20.90			0.45	1.00
2015-03-25 05:00	8			2.33	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-25 05:00	10			1.28	2.00	0.01	0.10	0.00	0.00	20.90	20.90			0.27	1.00
2015-03-25 05:00	12	0.00	0.00	1.41	20.00			0.00	0.00	20.90	20.90			1.34	1.40
2015-03-25 05:00	13			1.22	3.00			0.00	0.00	21.19	21.20	0.00	0.00	0.00	0.00
2015-03-25 06:00	1	0.03	0.40			0.00	0.10	0.00	0.00	20.90	20.90			0.42	0.60
2015-03-25 06:00	2	0.09	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.45	1.00
2015-03-25 06:00	8			2.84	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-25 06:00	10			1.66	2.00	0.01	0.10	0.00	0.00	20.90	20.90			0.24	0.60
2015-03-25 06:00	12	0.00	0.00	1.24	16.00			0.00	0.00	20.90	20.90			1.28	1.40
2015-03-25 06:00	13			1.11	3.00			0.00	0.00	21.18	21.20	0.00	0.00	0.00	0.00
2015-03-25 07:00	1	0.05	0.70			0.00	0.10	0.00	0.00	20.90	20.90			0.28	0.50
2015-03-25 07:00	2	0.07	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.46	0.80
2015-03-25 07:00	8			3.05	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-25 07:00	10			1.68	2.00	0.00	0.10	0.00	0.00	20.90	20.90			0.23	1.00
2015-03-25 07:00	12	0.00	0.00	1.29	18.00			0.00	0.00	20.90	20.90			1.26	1.40
2015-03-25 07:00	13			1.21	3.00			0.00	0.00	21.18	21.30	0.00	0.00	0.00	0.00
2015-03-25 08:00	1	0.04	0.70			0.00	0.00	0.00	0.00	20.90	20.90			0.17	0.30
2015-03-25 08:00	2	0.13	0.70			0.00	0.00	0.00	0.00	20.90	20.90			0.48	1.40



Bridgeton Sanitary Landfill  
AreaRAE Monitoring Data  
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-03-25 08:00	8			3.05	4.00			0.00	0.00	20.90	20.90	0.00	0.10	0.00	0.00
2015-03-25 08:00	10			1.35	2.00	0.01	0.10	0.00	0.00	20.90	20.90			0.17	0.60
2015-03-25 08:00	12	0.00	0.00	0.68	2.00			0.00	0.00	20.90	20.90			1.13	1.40
2015-03-25 08:00	13			1.13	2.00			0.00	0.00	21.17	21.20	0.00	0.00	0.00	0.00
2015-03-25 09:00	1	0.05	0.30					0.00	0.00	20.90	20.90			0.01	0.20
2015-03-25 09:00	2	0.04	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.45	1.60
2015-03-25 09:00	8			3.78	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-25 09:00	10			1.41	3.00	0.01	0.10	0.00	0.00	20.90	20.90			0.24	1.00
2015-03-25 09:00	12	0.00	0.00	1.24	16.00			0.00	0.00	20.90	20.90			1.00	1.40
2015-03-25 09:00	13			0.94	1.00			0.00	0.00	21.12	21.20	0.00	0.00	0.00	0.00
2015-03-25 10:00	1	0.13	0.80					0.00	0.00	20.90	20.90			0.02	0.20
2015-03-25 10:00	2	0.03	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.15	0.50
2015-03-25 10:00	8			4.18	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-25 10:00	10			1.75	3.00	0.03	0.10	0.00	0.00	20.90	20.90			0.09	0.60
2015-03-25 10:00	12	0.00	0.00	1.32	14.00			0.00	0.00	20.90	20.90			0.69	1.40
2015-03-25 10:00	13			1.00	2.00			0.00	0.00	21.19	21.30	0.00	0.00	0.00	0.00
2015-03-25 11:00	1	0.31	1.10					0.00	0.00	20.90	20.90			0.06	0.30
2015-03-25 11:00	2	0.12	3.60			0.00	0.00	0.00	0.00	20.90	20.90			0.01	0.10
2015-03-25 11:00	8			7.49	10.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-25 11:00	10			1.98	3.00	0.02	0.10	0.00	0.00	20.90	20.90			0.10	0.60
2015-03-25 11:00	12	0.00	0.00	1.23	7.00			0.00	0.00	20.90	20.90			0.35	1.40
2015-03-25 11:00	13			1.05	2.00			0.00	0.00	21.28	21.40	0.00	0.00	0.00	0.00
2015-03-25 12:00	1	0.13	0.70					0.00	0.00	20.90	20.90			0.00	0.00
2015-03-25 12:00	2	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-25 12:00	8			12.18	17.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-25 12:00	10			2.03	3.00	0.02	0.10	0.00	0.00	20.90	20.90			0.02	0.30
2015-03-25 12:00	12	0.00	0.00	1.30	12.00			0.00	0.00	20.90	20.90			0.05	0.40
2015-03-25 12:00	13			1.03	3.00			0.00	0.00	21.36	21.40	0.00	0.00	0.00	0.00
2015-03-25 13:00	1	0.08	0.80					0.00	0.00	20.90	20.90			0.00	0.00
2015-03-25 13:00	2	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-25 13:00	8			15.45	16.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00

Bridgeton Sanitary Landfill  
AreaRAE Monitoring Data  
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-03-25 13:00	10			2.00	2.00	0.02	0.10	0.00	0.00	20.90	20.90			0.01	0.30
2015-03-25 13:00	12	0.00	0.00	1.21	8.00			0.00	0.00	20.90	20.90			0.01	0.40
2015-03-25 13:00	13			1.24	3.00			0.00	0.00	21.40	21.50	0.00	0.00	0.00	0.00
2015-03-25 14:00	1	0.02	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-25 14:00	2	0.04	1.70			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-25 14:00	8			16.71	18.00			0.00	0.00	20.96	21.20	0.00	0.00	0.00	0.00
2015-03-25 14:00	10			2.00	2.00	0.02	0.10	0.00	0.00	20.90	20.90			0.02	0.30
2015-03-25 14:00	12	0.00	0.00	1.11	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-25 14:00	13			1.00	2.00			0.00	0.00	21.41	21.50	0.00	0.00	0.00	0.00
2015-03-25 15:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.19	0.60
2015-03-25 15:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.10
2015-03-25 15:00	8			14.27	17.00			0.00	0.00	21.19	21.30	0.00	0.00	0.00	0.00
2015-03-25 15:00	10			2.00	2.00	0.01	0.10	0.00	0.00	20.90	20.90			0.01	0.30
2015-03-25 15:00	12	0.00	0.00	1.00	3.00			0.00	0.00	20.90	20.90			0.01	0.40
2015-03-25 15:00	13			1.00	2.00			0.00	0.00	21.39	21.50	0.00	0.00	0.00	0.00
2015-03-25 16:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.82	1.50
2015-03-25 16:00	2	0.09	2.90			0.00	0.00	0.00	0.00	20.90	20.90			0.02	0.30
2015-03-25 16:00	8			10.05	12.00			0.00	0.00	21.12	21.20	0.00	0.00	0.00	0.00
2015-03-25 16:00	10			1.97	2.00	0.01	0.10	0.00	0.00	20.90	20.90			0.05	0.30
2015-03-25 16:00	12	0.00	0.00	1.00	3.00			0.00	0.00	20.90	20.90			0.01	0.40
2015-03-25 16:00	13			1.18	3.00			0.00	0.00	21.36	21.40	0.00	0.00	0.00	0.00
2015-03-25 17:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			1.10	1.50
2015-03-25 17:00	2	0.06	1.80			0.00	0.00	0.00	0.00	20.90	20.90			0.05	0.30
2015-03-25 17:00	8			8.46	12.00			0.00	0.00	21.08	21.20	0.00	0.00	0.00	0.00
2015-03-25 17:00	10			2.14	3.00	0.01	0.10	0.00	0.00	20.90	20.90			0.11	0.60
2015-03-25 17:00	12	0.00	0.00	1.74	21.00			0.00	0.00	20.90	20.90			0.11	0.90
2015-03-25 17:00	13			1.45	2.00			0.00	0.00	21.28	21.40	0.00	0.00	0.00	0.00
2015-03-25 18:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			1.28	1.60
2015-03-25 18:00	2	0.01	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.11	0.50
2015-03-25 18:00	8			7.75	9.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-25 18:00	10			2.20	3.00	0.01	0.10	0.00	0.00	20.90	20.90			0.19	1.00

Bridgeton Sanitary Landfill  
AreaRAE Monitoring Data  
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-03-25 18:00	12	0.00	0.00	1.83	4.00			0.00	0.00	20.90	20.90			0.23	0.90
2015-03-25 18:00	13			2.05	3.00			0.00	0.00	21.26	21.30	0.00	0.00	0.00	0.00
2015-03-25 19:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			1.31	1.70
2015-03-25 19:00	2	0.01	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.24	0.50
2015-03-25 19:00	8			6.34	8.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-25 19:00	10			2.61	4.00	0.01	0.10	0.00	0.00	20.90	20.90			0.34	1.00
2015-03-25 19:00	12	0.00	0.00	1.78	12.00			0.00	0.00	20.90	20.90			0.71	1.40
2015-03-25 19:00	13			2.00	2.00			0.00	0.00	21.23	21.30	0.00	0.00	0.00	0.00
2015-03-25 20:00	1	0.01	0.20			0.00	0.00	0.00	0.00	20.90	20.90			1.19	1.30
2015-03-25 20:00	2	0.04	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.24	0.60
2015-03-25 20:00	8			6.00	7.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-25 20:00	10			2.51	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.40	1.30
2015-03-25 20:00	12	0.00	0.00	1.92	12.00			0.00	0.00	20.90	20.90			0.86	1.40
2015-03-25 20:00	13			2.05	3.00			0.00	0.00	21.21	21.30	0.00	0.00	0.00	0.00
2015-03-25 21:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			1.12	1.20
2015-03-25 21:00	2	0.04	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.34	0.80
2015-03-25 21:00	8			6.72	11.00			0.00	0.00	20.90	20.90	0.00	0.10	0.00	0.00
2015-03-25 21:00	10			3.63	4.00	0.01	0.10	0.00	0.00	20.90	20.90			0.62	1.60
2015-03-25 21:00	12	0.00	0.00	2.49	4.00			0.00	0.00	20.90	20.90			1.12	1.80
2015-03-25 21:00	13			3.00	4.00			0.00	0.00	21.18	21.30	0.00	0.00	0.00	0.00
2015-03-25 22:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			1.23	1.30
2015-03-25 22:00	2	0.07	0.60			0.01	0.10	0.00	0.00	20.90	20.90			0.32	1.00
2015-03-25 22:00	8			6.88	8.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-25 22:00	10			3.92	5.00	0.00	0.00	0.00	0.00	20.90	20.90			0.62	1.60
2015-03-25 22:00	12	0.00	0.00	2.98	4.00			0.00	0.00	20.90	20.90			1.11	1.40
2015-03-25 22:00	13			3.08	4.00			0.00	0.00	21.14	21.20	0.00	0.00	0.00	0.00
2015-03-25 23:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			1.01	1.10
2015-03-25 23:00	2	0.06	0.40			0.00	0.10	0.00	0.00	20.90	20.90			0.54	1.20
2015-03-25 23:00	8			6.68	7.00			0.00	0.00	20.90	20.90	0.00	0.10	0.00	0.00
2015-03-25 23:00	10			4.08	6.00	0.00	0.00	0.00	0.00	20.90	20.90			0.46	1.00
2015-03-25 23:00	12	0.00	0.00	3.53	22.00			0.00	0.00	20.90	20.90			1.27	1.80

Bridgeton Sanitary Landfill  
AreaRAE Monitoring Data  
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-03-25 23:00	13			3.19	4.00			0.00	0.00	21.18	21.20	0.00	0.00	0.00	0.00
2015-03-26 00:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.80	20.90			0.84	1.10
2015-03-26 00:00	2	0.06	0.50			0.00	0.10	0.00	0.00	20.90	20.90			0.47	0.60
2015-03-26 00:00	8			6.27	8.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-26 00:00	10			4.05	5.00	0.01	0.10	0.00	0.00	20.90	20.90			0.41	1.00
2015-03-26 00:00	12	0.00	0.00	3.59	19.00			0.00	0.00	20.90	20.90			1.33	2.30
2015-03-26 00:00	13			3.36	4.00			0.00	0.00	21.19	21.20	0.00	0.00	0.00	0.00
2015-03-26 01:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.58	20.70			0.87	1.00
2015-03-26 01:00	2	0.02	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.60	1.00
2015-03-26 01:00	8			4.50	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-26 01:00	10			3.03	4.00	0.01	0.10	0.00	0.00	20.90	20.90			0.37	1.30
2015-03-26 01:00	12	0.00	0.00	2.05	3.00			0.00	0.00	20.90	20.90			1.37	2.30
2015-03-26 01:00	13			2.37	4.00			0.00	0.00	21.13	21.20	0.00	0.00	0.00	0.00
2015-03-26 02:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.59	20.70			0.91	1.10
2015-03-26 02:00	2	0.03	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.57	0.80
2015-03-26 02:00	8			4.11	6.00			0.00	0.00	20.90	20.90	0.01	0.10	0.00	0.00
2015-03-26 02:00	10			3.00	3.00	0.01	0.10	0.00	0.00	20.90	20.90			0.53	1.00
2015-03-26 02:00	12	0.00	0.00	2.03	4.00			0.00	0.00	20.90	20.90			1.46	1.80
2015-03-26 02:00	13			1.97	2.00			0.00	0.00	21.07	21.20	0.00	0.00	0.00	0.00
2015-03-26 03:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.56	20.60			0.68	0.90
2015-03-26 03:00	2	0.03	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.69	1.00
2015-03-26 03:00	8			4.85	7.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-26 03:00	10			3.56	4.00	0.01	0.10	0.00	0.00	20.90	20.90			0.50	1.30
2015-03-26 03:00	12	0.00	0.00	2.82	16.00			0.00	0.00	20.90	20.90			1.39	1.80
2015-03-26 03:00	13			2.53	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-26 04:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.54	20.60			0.55	1.00
2015-03-26 04:00	2	0.04	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.73	1.20
2015-03-26 04:00	8			4.14	5.00			0.00	0.00	20.90	20.90	0.00	0.10	0.00	0.00
2015-03-26 04:00	10			2.63	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.46	1.30
2015-03-26 04:00	12	0.00	0.00	2.00	14.00			0.00	0.00	20.90	20.90			1.41	1.80
2015-03-26 04:00	13			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00

Bridgeton Sanitary Landfill  
AreaRAE Monitoring Data  
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-03-26 05:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.53	20.60			0.36	0.70
2015-03-26 05:00	2	0.06	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.73	1.00
2015-03-26 05:00	8			3.95	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-26 05:00	10			1.97	2.00	0.00	0.10	0.00	0.00	20.90	20.90			0.48	1.30
2015-03-26 05:00	12	0.00	0.00	1.44	16.00			0.00	0.00	20.90	20.90			1.43	1.80
2015-03-26 05:00	13			1.64	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-26 06:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.58	20.60			0.20	0.50
2015-03-26 06:00	2	0.05	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.72	1.00
2015-03-26 06:00	8			3.35	4.00			0.00	0.00	20.90	20.90	0.00	0.10	0.00	0.10
2015-03-26 06:00	10			1.95	2.00	0.00	0.10	0.00	0.00	20.90	20.90			0.48	1.00
2015-03-26 06:00	12	0.00	0.00	0.87	2.00			0.00	0.00	20.90	20.90			1.51	2.30
2015-03-26 06:00	13			1.46	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-26 07:00	1	0.00	0.20			0.00	0.00	0.00	0.00	20.50	20.60			0.00	0.20
2015-03-26 07:00	2	0.05	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.73	1.20
2015-03-26 07:00	8			3.14	4.00					20.90	20.90	0.00	0.10	0.00	0.00
2015-03-26 07:00	10			1.55	3.00	0.01	0.10	0.00	0.00	20.90	20.90			0.39	1.00
2015-03-26 07:00	12	0.00	0.00	1.41	14.00			0.00	0.00	20.90	20.90			1.47	1.80
2015-03-26 07:00	13			1.38	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-26 08:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.50	20.50			0.00	0.00
2015-03-26 08:00	2	0.04	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.74	1.00
2015-03-26 08:00	8			3.03	4.00					20.90	20.90	0.01	0.10	0.00	0.00
2015-03-26 08:00	10			1.54	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.42	1.00
2015-03-26 08:00	12	0.00	0.00	0.97	16.00			0.00	0.00	20.90	20.90			1.40	1.80
2015-03-26 08:00	13			1.21	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-26 09:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.50	20.60			0.00	0.00
2015-03-26 09:00	2	0.05	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.69	1.00
2015-03-26 09:00	8			3.00	3.00					20.90	20.90	0.00	0.00	0.00	0.00
2015-03-26 09:00	10			1.32	3.00	0.00	0.10	0.00	0.00	20.90	20.90			0.46	1.30
2015-03-26 09:00	12	0.00	0.00	0.97	12.00			0.00	0.00	20.90	20.90			1.35	1.40
2015-03-26 09:00	13			1.06	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-26 10:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.54	20.60			0.00	0.00

Bridgeton Sanitary Landfill  
AreaRAE Monitoring Data  
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-03-26 10:00	2	0.06	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.59	1.00
2015-03-26 10:00	8			3.32	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.14	0.50
2015-03-26 10:00	10			1.24	3.00	0.01	0.10	0.00	0.00	20.90	20.90			0.25	1.00
2015-03-26 10:00	12	0.00	0.00	0.43	4.00			0.00	0.00	20.90	20.90			1.21	1.40
2015-03-26 10:00	13			1.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-26 11:00	1	0.01	0.20			0.00	0.00	0.00	0.00	20.57	20.60			0.00	0.00
2015-03-26 11:00	2	0.08	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.47	1.20
2015-03-26 11:00	8			3.97	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.29	0.50
2015-03-26 11:00	10			1.22	2.00	0.01	0.10	0.00	0.00	20.90	20.90			0.15	0.60
2015-03-26 11:00	12	0.00	0.00	0.87	16.00			0.00	0.00	20.90	20.90			1.07	1.40
2015-03-26 11:00	13			1.03	2.00			0.00	0.00	21.01	21.30	0.00	0.00	0.00	0.00
2015-03-26 12:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.62	20.70			0.00	0.00
2015-03-26 12:00	2	0.01	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.48	0.80
2015-03-26 12:00	8			4.00	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.28	0.40
2015-03-26 12:00	10			1.25	3.00	0.01	0.10	0.00	0.00	20.90	20.90			0.16	0.60
2015-03-26 12:00	12	0.00	0.00	0.67	2.00			0.00	0.00	20.90	20.90			0.81	1.40
2015-03-26 12:00	13			1.00	2.00			0.00	0.00	21.22	21.30	0.00	0.00	0.00	0.00